

Style F7

Y-Strainer Cast Bronze (ASTM B 584, C89833) Class 125 NPT



*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Style E7 Y-Strainer Cast Bronze (ASTM B 584, C89833) Class 125 Solder Joint



*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

Cast Bronze Y-Strainer (Lead Free*)

APPLICATIONS

Steam, water, oil or gas where protection from foreign matter in a pipeline is required.

CONSTRUCTION

The Keckley Style F7 & E7 strainers are constructed from the finest bronze castings and are machined to exacting specifications.

Solder Joint Ends are in compliance with ASME B16.18 unless otherwise specified.

FEATURES

The Keckley Style F7 & E7 strainers feature a machined seat in the body and cap for proper alignment and to ensure accurate reseating when servicing is required. These strainers have a straight threaded cap and are furnished standard with a NPT blow-off connection. The gasket is a flat PTFE gasket that is compressed between the body and cap for maximum strength and durability. Keckley Style F7 & E7 strainers are furnished with a bronze blow-off plug unless otherwise specified.

SCREENS

Standard screens are 20 mesh 304 stainless steel through size 2". Sizes 2-1/2" and 3" are furnished with 3/64" perforated 304 stainless steel screens. All screens are spot welded for maximum strength. Different size perforations and meshes are available in stainless steel, monel, and brass to meet specific media requirements.


SELF CLEANING

Self cleaning is accomplished by opening the valve or drain plug connected to the blow-off port. **Warning:** See Maintenance Instructions on page S6 of the Strainer Information Section for additional precautions and detailed information on servicing the strainer.

WORKING PRESSURES - NON SHOCK

NOM. RATING	MEDIA	1/4" to 3"	8 mm to 80 mm
CLASS 125	STEAM	125 PSI @ 400°F	862 KPa @ 204°C
	W.O.G.	200 PSI @ 150°F	1379 KPa @ 66°C





TECHNICAL DATA DIMENSIONS AND WEIGHTS

Style F7 & E7

Y-Strainer, Class 125 NPT & Solder Joint Cast Bronze (ASTM B 584, C89833) Lead Free*

	PARTS LIST						
ITEM	DESCRIPTION	MATERIAL					
1	Body	Bronze (ASTM B 584, C89833)					
2	Сар	Bronze (ASTM B 584, C89833)					
3	Screen	Stainless Steel (304)					
4	Gasket	PTFE					
5	Plug	Bronze (ASTM B 584, C89833)					

*The wetted surface of this product contacted by consumbale water contains less than 0.25% of lead by weight.

STANDARD SCREENS SUPPLIED

CI.	ZE	SCREEN PERFORATION							
31	26	FOR L	IQUID	OPEN	FOR S	OPEN			
in	mm	in	mm	AREA	in	mm	AREA		
1/4 to 2	8 to 50		20 MESH	STAINLES	SS STEEL		49%		
2-1/2 to 3	65 to 80	3/64	1.2	33%	3/64	1.2	33%		

Standard screens supplied are for **liquid service**, unless otherwise specified. Options: Other meshes, perforations, and screen materials are available.

		DIMENSIONS							WEIGHTS								
SI	ZE			Α			В			E			WEIGHTS				
		F	7	E	7	F	7	E	7	F	7	E	7	F	7	E	7
in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	lbs	kgs	lbs	kgs
1/4	8	2-9/16	65	2-1/16	53	1-7/8	48	1-3/8	35	1/4	8	1/8	6	0.63	0.29	0.20	0.09
3/8	10	2-9/16	65	3-1/8	80	1-7/8	48	1-13/16	46	1/4	8	1/4	8	0.58	0.26	0.46	0.21
1/2	15	2-9/16	65	3-1/8	80	1-7/8	48	1-15/16	49	1/4	8	1/4	8	0.55	0.25	0.48	0.22
3/4	20	3	77	4-1/8	105	2-1/4	57	2-5/16	59	3/8	10	3/8	10	0.87	0.39	0.86	0.39
1	25	3-3/4	95	4-15/16	125	2-7/16	62	2-5/8	67	1/2	15	1/2	15	1.38	0.63	1.25	0.57
1-1/4	32	4-7/16	113	5-11/16	145	3-3/8	86	3-1/4	83	1/2	15	1/2	15	2.90	1.32	2.06	0.93
1-1/2	40	4-7/8	123	6-5/8	170	3-9/16	91	3-11/16	94	3/4	20	3/4	20	3.27	1.48	2.93	1.33
2	50	5-1/4	133	8-1/4	210	4-5/16	110	4-1/2	114	1	25	1	25	4.99	2.26	5.48	2.49
2-1/2	65	6-15/16	175	9-3/4	247.5	5	127	5-3/8	137	1-1/4	32	1-1/4	32	9.88	4.48	10.16	4.61
3	80	7-7/8	200	11-3/8	289	5-5/8	143	6-1/8	156	1-1/2	40	1-1/2	40	14.20	6.44	14.30	6.49
This tabl	table reflects only the nearest metric equivalents																

400

300

Pressure [Psi]

[†]This table reflects only the nearest metric equivalents.

Dimensions and weights are for reference only. When required, request certified drawings. Face to face values for threaded strainers have a tolerance in compliance with ASME B16.15 and solder joint strainers have a tolerance in compliance with ASME B16.18.

FLOW COEFFICIENTS


Size	Cv	Size	Cv	Size	Cv				
1/4"	9.5	1"	30	2-1/2"	129.7				
3/8"	9.5	1-1/4"	44.9	3"	161.3				
1/2"	9.5	1-1/2"	61						
3/4"	18.7	2"	98						

TC	TAL SCF	REEN ARI	EA
2) <u>Cizo</u>		(in2)	Cize

Size	(in²)	Size	(in²)	Size	(in²)
1/4"	2.92	1"	6.70	2-1/2"	34.06
3/8"	2.92	1-1/4"	12.25	3"	47.01
1/2"	2.92	1-1/2"	14.58	(Total scree	n area listed
3/4"	4.34	2"	22.88	are for S	Style F7)

*See DETERMINING RATIOS on page S5 of the Strainer Information Section for calculating NET FREE AREA of the screen to inside pipe area.

PRESSURE vs. TEMPERATURE CHART Class 125 NPT & Solder Joint Bronze (ASTM B 584, C89633) Temperature [* c] 38 93 149 204 260 125# Class Maximum Pressure and Temperature Limits 12069 1209 1379 1379





PRESSURE DROP CHART

NPT "Y" Pattern Strainers (Styles B, BDI, E150, F150, F300, SB, SB7, SSB and SSB7)

This pressure drop chart is based on the flow of clean water through the Keckley "Y" strainers listed above with screen perforations ranging from 3/64" through 1/8" and is additionally for use with those units equipped with a 20 mesh screen as standard.

TO USE CHARTS:

Find your desired rate of flow (GPM) on the left hand side of the chart. Follow its corresponding horizontal line to the point where it intersects the diagonal line indicating the strainer pipe size. From this point of intersection, follow the vertical line down to the bottom of the chart to determine the approximate pressure drop.

CORRECTION FACTORS:

For finer mesh screens that are backed with a perforated sheet, multiply the pressure drops shown at right by the following:

x 1.2
x 1.4
x 1.6
x 1.7

