

"Y" (WYE) STRAINER * ANSI CLASS 125

ECO-BRASS * THREADED AND SOLDER ENDS

MODELS: YS 55-EB

(THREADED ENDS - ECO-BRASS)

YS 56-EB

(SOLDER ENDS - ECO-BRASS)

FEATURES

SIZE RANGE : 1/4" ~ 3"

♦ NEW ECO-BRASS® MATERIAL

ECO-BRASS® IS A LEAD-FREE, ENVIRONMENTALLY FRIENDLY BRASS MATERIAL.

TITAN HAS UPGRADED OUR YS55 AND YS56 MODELS TO MEET THE DEMANDS OF
THE MARKETPLACE THAT REQUIRE A LEAD-FREE BRASS ALTERNATIVE. ECO-BRASS®
IS A HIGH-PERFORMANCE LEAD-FREE BRASS THAT PROVIDES EXCELLENT STRENGTH
AND CORROSION RESISTANCE. ECO-BRASS® IS NSF COMPLIANT.

♦ LARGE STRAINING CAPACITY

WITH ITS LARGE BODY AND SIZABLE STRAINING ELEMENT, THE YS55 AND YS56 PROVIDE EXCELLENT OPEN AREA RATIOS THAT ARE TYPICALLY TWO-AND-A-HALF TIMES LARGER THAN THE CORRESPONDING PIPELINE, MINIMIZING PRESSURE DROP ACROSS THE VALVE.

♦ PRECISION MACHINED SEATS

PRECISION MACHINED SCREEN SEATS IN BOTH THE BODY AND CAP HELP TO ENSURE ACCURATE POSITIONING OF THE SCREEN DURING REASSEMBLY AFTER CLEANING. ALSO, THE MACHINED BODY SEATS ENABLE FINER FILTRATION BY PREVENTING DEBRIS BYPASS.

♦ SELF-CLEANING CAPABILITY

WITH A TAPPED NPT BLOW-OFF CONNECTION, THIS UNIT CAN BE FITTED WITH A BLOW-DOWN VALVE WHICH FACILITATES CLEANING OF THE STRAINING ELEMENT. PLEASE CONTACT FACTORY FOR MORE INFORMATION.

♦ THREADED CAP

TITAN'S YS55 AND YS56 HAVE STRAIGHT THREADS TO PERMIT EASY CAP REMOVAL FOR CLEANING AND PROPER ALIGNMENT WHEN REASSEMBLING STRAINER.

♦ POTABLE WATER/FDA APPROVED COATINGS AVAILABLE



IN ADDITION TO ITS LEAD FREE, CAST IRON BODY, TITAN CAN PROVIDE NSF/ANSI AND FDA APPROVED EPOXY COATINGS WHICH MAKE THIS PRODUCT SUITABLE FOR POTABLE WATER AND FOOD CONTACT APPLICATIONS. NUMEROUS OPTIONS ARE AVAILABLE. PLEASE CONTACT US FOR MORE DETAILS.

755,1-75

3" YS 56-EB



TECHNICAL

PRESSURE/TEMPERATURE RATING (1)

YS 55-EB (THREADED)

WOG (Non-shock): 200 PSI @ 150 °F

PRESSURE/TEMPERATURE RATING (I)

YS 56-EB (SOLDER) (2)

WOG (Non-shock): 400 PSI @ 100 °F (1/4" - 1 1/2") 315 PSI @ 100 °F (2" - 3")

- The above listed temperatures are theoretical and may vary during actual operating conditions.
- The internal working pressure rating for a solder joint strainer is dependent, not only on the strainer, but also on the composition of the solder used for the joint. The working pressure ratings shown for model YS 56-BZ (Solder) are representative of using an alloy Sb5 95-5 tin-antimony solder. For other solder joints, please consult factory.

GENERAL APPLICATION: Y-STRAINERS ARE INSTALLED IN A PIPING SYSTEM TO REMOVE UNWANTED DEBRIS FROM THE PIPELINE, PROTECTING EXPENSIVE EQUIPMENT DOWNSTREAM SUCH AS PUMPS, METERS, SPRAY NOZZLES, COMPRESSORS, AND TURBINES. THEY CAN BE PLACED IN A HORIZONTAL OR VERTICAL PIPELINE AS LONG AS THE SCREEN IS IN A DOWNWARD POSITION. STRAINING IS ACCOMPLISHED VIA AN INTERNAL PERFORATED OR MESH LINED STRAINING ELEMENT, THE SIZE OF WHICH SHOULD BE DETERMINED BASED ON THE SIZE OF THE SMALLEST PARTICLE TO BE REMOVED.

SERVICING: THE STRAINING ELEMENT NEEDS REGULAR CLEANING TO PREVENT DEBRIS BUILD UP. IT IS NOT ADVISABLE TO ALLOW THE DIFFERENTIAL PRESSURE TO INCREASE BY 20 PSI. ALTHOUGH CLEANING NORMALLY REQUIRES THE REMOVAL OF THE STRAINING ELEMENT, INSTALLING AND USING A TITAN BLOW-OFF DRAIN VALVE CAN INCREASE THE TIME BETWEEN CLEANINGS.

The above data represents common market and service applications. No representation or guarantee, expressed or implied, is given due to the numerous variations of concentrations, temperatures and flow conditions that may occur during actual service.

TITAN FLOW CONTROL, INC.

YOUR PIPELINE TO THE FUTURE!

Tel: 910-735-0000 ♦ Fax: 910-738-3848 ♦ titan@titanfci.com ♦ www.titanfci.com 290 Corporate Drive ♦ PO Box 7408 ♦ Lumberton, NC 28358

APPLICATIONS

TITAN FLOW CONTROL, Inc.

290 Corporate Drive Lumberton, NC 28358 Tel: 910.735.0000 E-mail: titan@titanfci.com Web: www.titanfci.com Fax: 910.738.3848

"Y" (WYE) STRAINER

YS 55-EB - (Threaded) YS 56-EB - (Solder)


Threaded or Solder Ends • ANSI Class 125 • Eco-Brass

ANSI Class 125

BILL OF MATERIALS (1)					
No.	PART	YS 55/56 - EB			
ı	Body	Eco-Brass® (C87850) ASTM B505-08			
2	Сар	Eco-Brass® (C87850) ASTM B505-08			
3	Straining Element (2)	Stainless Steel			
4	Gasket (2)	Teflon 1/4" - 2" Buna-N 21/2" - 3"			
5	NPT Plug (Blow-off)	Eco-Brass® (C87850) ASTM B505-08			
	· ·	·			

 Bill of Materials represents standard materials. Equivalent or better materials may be substituted at the manufacturer's discretion.

2. Denotes recommended spare parts.



			DIMENS	SIONS AND	PERFORM	IANCE DA	TA ⁽¹⁾				
SIZE	in	1/4	3/8	1/2	3/4	I	I 1/4	/ ₂	2	2 1/2	3
SIZE	mm	8	10	15	20	25	32	40	50	65	80
A DIMENSION	in	C/F	2.38	2.80	3.18	3.70	4.41	4.93	5.91	C/F	10.60
FACE TO FACE (YS 55) (2)	mm	C/F	61	71	81	94	112	125	150	C/F	269
A DIMENSION	in	C/F	C/F	2.75	3.36	3.80	4.58	5.33	6.11	C/F	11.40
FACE TO FACE (YS 56) (2)	mm	C/F	C/F	70	86	97	116	136	155	C/F	290
B DIMENSION	in	C/F	1.39	1.60	1.86	2.13	2.50	2.92	3.60	C/F	5.50
CENTER LINE TO BOTTOM (YS 55)	mm	C/F	36	41	48	54	64	74	92	C/F	140
B DIMENSION	in	C/F	C/F	1.60	1.86	2.13	2.50	2.92	3.60	C/F	7.0
CENTER LINE TO BOTTOM (YS 56)	mm	C/F	C/F	41	48	54	64	74	92	C/F	140
C DIMENSION	in	C/F	3.75	4.0	4.25	4.75	6.0	7.0	8.0	C/F	10.0
SCREEN REMOVAL	mm	C/F	95	102	108	121	152	178	203	C/F	254
D NPT Plug	in	C/F	1/4"	1/4"	1/4"	1/2"	1/2"	3/4"	Ι"	C/F	C/F
BLOW-OFF	mm	C/F	8	8	8	15	15	20	25	C/F	C/F
ASSEMBLED WEIGHT	lb	C/F	0.35	0.45	0.85	1.30	2.00	2.65	4.30	C/F	12.90
YS 55-THREADED (APPROXIMATE)	kg	C/F	0.16	0.21	0.39	0.6	0.91	1.21	1.95	C/F	5.85
ASSEMBLED WEIGHT	lb	C/F	C/F	0.35	0.55	0.85	1.60	1.65	2.80	C/F	16.20
YS 56 - SOLDER (APPROXIMATE)	kg	C/F	C/F	0.16	0.25	0.39	0.73	0.75	1.27	C/F	7.35
Flow Coefficient	C _V	0.7	2	8	15	22	38	42	70	110	160

- 1. Dimensions and weights are for reference only. When required, requestcertified drawings.
- 2. Face to face values have a tolerance of ±0.06 in (±2.0 mm).

PRESSURE - TEMPERATURE RATING - YS 55-EB (Threaded) B283-80 (1/4" - 3")

WOG (Non-shock): 200 PSI @ 150 °F


PRESSURE - TEMPERATURE RATING - YS 56-EB (Solder) (1)

B283-80 (1/4" - 1 1/2") (2" - 3")
WOG (Non-shock): 400 PSI @ 100 °F 315 PSI @ 100 °F

STANDARD SCREEN SELECTIONS				
Size	Liquid	Open Area	Steam	Open Area
1/4" ~ 2"	20 mesh	51.8%	30 mesh	44.8%
2 1/2" ~ 3"	1/16 (.0625)	41%	3/64 (.045)	36%

CODE	DESCRIPTION
ASME/ANSI B16.15	Cast Bronze Threaded Fittings
ASME/ANSI B16.18	Cast Copper Alloy Solder Joint Pressure Fittings
ASME/ANSI B16.50	Copper Alloy Braze-Joint Pressure Fittings

REFERENCED STANDARDS & CODES



1. The pressure-temperature ratings given are ONLY for the YS 55-EB (Threaded) per ASME B16.15. The internal working pressure rating for a solder joint strainer is dependent, not only on the strainer, but also on the composition of the solder used for the joint. The working pressure ratings shown for model YS 56-BZ (Solder) are representative of using an alloy Sb5 95-5 tin-antimony solder. For other solder joints, please consult factory.

Titan FCI makes every effort to ensure the information presented on our literature accurately reflects exact product specifications. However, as product changes occur, there may be short-term differences between actual product specifications and the information contained within our literature. Titan FCI reserves the right to make design and specification changes to improve our products without prior notification. When required, request certified drawings.