

## BRONZE 400 WOG Y-STRAINER

### Features:

- 400 WOG
- 250 SWP
- Solder Ends
- Cast Bronze Body
- 20 Mesh Stainless Steel Screen
- Blow-off Plug Included

### Standards:

- Solder Ends: ANSI/ASME B16.18
- Shell (Hydro) Test Pressure: 600 PSI




### Cv & Weights

Size	Cv	Wt (Lbs)
1/2	9.2	0.73
3/4	17.5	1.28
1	28	1.89
1-1/4	45	2.98
1-1/2	62	4.32
2	96	6.83

### Figure Number Matrix

FNW 510 <u>Size</u>	
SIZE CODE	
1/2 = D	1-1/4 = H
3/4 = F	1-1/2 = J
1 = G	2 = K
REPLACEMENT SCREENS	REPLACEMENT GASKETS
1/2 = FNW510SD	1/2 = FNW510GD
3/4 = FNW510SF	3/4 = FNW510GF
1 = FNW510SG	1 = FNW510GG
1-1/4 = FNW510SH	1-1/4 = FNW510GH
1-1/2 = FNW510SJ	1-1/2 = FNW510GJ
2 = FNW510SK	2 = FNW510GK

## BRONZE 400 WOG Y-STRAINER



### Dimensions

Size	L	H	B (NPT)	L1	ØD	A		S
						Min	Max	
1/2	2.94	1.56	1/4"	1.14	0.62	0.6275	0.6310	0.50
3/4	3.63	1.89	1/4"	1.49	0.88	0.8775	0.8810	0.75
1	4.48	2.61	3/8"	2.08	1.12	1.1280	1.1315	0.91
1-1/4	5.13	3.25	3/8"	2.63	1.38	1.3780	1.3815	0.97
1-1/2	5.81	3.59	1/2"	2.95	1.69	1.6285	1.6325	1.09
2	7.32	4.45	1/2"	4.01	2.16	2.1285	2.1325	1.34

### Standard Materials

Ref. No.	Description	Material
1	Body	Bronze ASTM B584-C84400
2	Cover	Bronze ASTM B584-C84400
3	Screen	Stainless Steel ASTM A167-304
4	Gasket	Non-Asbestos
5	Plug	Brass C3604

DOC: FNW51008 Ver. 12/2017

© 2017 - FNW. All rights reserved.

The FNW logo is a trademark of Ferguson Enterprises, Inc., PL Sourcing, PO Box 2778, Newport News, VA 23609

The contents of this publication are presented for information purposes only, and while effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, expressed or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice. Always verify that you have the most recent product specifications or other documentation prior to the installation of these products.