



36-INCH 6-BURNER RANGETOP

DTT36M876 | MODERNIST COLLECTION



AVAILABLE MODELS

- DTT36M876LS 36" Rangetop, Stainless Steel, Natural Gas
- DTT36M876PS 36" Rangetop, Stainless Steel, Liquid Propane
- DTT36M876HS 36" Rangetop, Stainless Steel, Natural Gas/High Altitude
- DTT36M876AS 36" Rangetop, Stainless Steel, Liquid Propane/High Altitude
- DTT36M876LM 36" Rangetop, Graphite Stainless Steel, Natural Gas
- DTT36M876PM 36" Rangetop, Graphite Stainless Steel, Liquid Propane
- DTT36M876HM 36" Rangetop, Graphite Stainless Steel, Natural Gas/High Altitude
- DTT36M876AM 36" Rangetop, Graphite Stainless Steel, Liquid Propane/High Altitude

FEATURES & BENEFITS

- 6 Sealed Brass Burners.
- Powerful 22K BTU and true simmer burners.
- Continuous grates.
- Illumina™ Knobs and Ambient Light.
- Includes brass and black burner caps.
- Available in graphite stainless steel and silver stainless steel finish.

ACCESSORIES (INCLUDED)

- WOK RING
- BRASS BURNER CAPS
- BLACK BURNER CAPS

BURNER PERFORMANCE

TOTAL NUMBER OF COOKTOP BURNERS	6 (BRASS)
LEFT FRONT (BTU)	18,000 DUAL (SIMMER)
LEFT REAR (BTU)	16,000 STACK DUAL (SIMMER)
RIGHT FRONT (BTU)	16,000 STACK DUAL (SIMMER)
RIGHT REAR (BTU)	16,000 STACK DUAL (SIMMER)
CENTER FRONT (BTU)	22,000 DUAL (SIMMER)
CENTER REAR (BTU)	9,000 STACK DUAL (SIMMER)
SEALED BURNERS	YES

CONTROL FEATURES

LED KNOB BACKLIGHTING	YES
LED AMBIENT LIGHTING	YES
LED CONTROL BUTTON	YES
WI FI CONNECT LED	YES
WI FI CONNECT BUTTON	YES
BLUETOOTH CONNECT LED	YES
BLUETOOTH CONNECT BUTTON	YES

ADDITIONAL FEATURES

RE-IGNITION	YES
OIL PAN	YES

INSTALLATION

GAS TYPE	NATURAL GAS/ LIQUID PROPANE
HIGH ALTITUDE AVAILABLE	YES
POWER CORD	YES

TECHNICAL DETAILS

CIRCUIT BREAKER (A)	15
VOLTS (V)	120
FREQUENCY (HZ)	60
ENERGY SOURCE	GAS

DIMENSIONS & WEIGHT




APPLIANCE DIMENSIONS (H X W X D) (IN.)	8" X 36" X 24"
REQUIRED CUTOUT SIZE (W X H) (IN.)	7 3/4" X 36" X 24"

WARRANTY

LIMITED, PARTS AND LABOR	2 YEARS
--------------------------	---------


dacor 36-INCH GAS RANGETOP

APPLIANCE DIMENSIONS



CABINET/COUNTERTOP DIMENSIONS

10" (25.4CM) TO COMBUSTIBLE SIDE WALL MIN. BOTH SIDES




CABINET / COUNTERTOP DIMENSIONS - FRONT VIEW


*NOTE: PRODUCT TOLERANCE +/- 1/16" (+/- 1.6MM)-O UNLESS OTHERWISE NOTED

36"

A - CUTOUT WIDTH	36" (91.4CM)
B - HOLE OFFSET	16 5/8" (42.2CM)
C - DOWNDRAFT VENT CUTOUT	33 1/2" (85.1CM)
APPROVED DOWNDRAFT VENT MODELS	MRV36, MRV3615



CABINET/COUNTERTOP CUTOUT DIMENSIONS WITHOUT DOWNDRAFT VENT - TOP VIEW.




CABINET/COUNTERTOP CUTOUT DIMENSIONS WITH DOWNDRAFT VENT - SIDE VIEW

NOTE: Gas and electrical connections may only be routed through the bottom of the rangetop when installed with a downdraft vent.

dacor 36-INCH GAS RANGETOP

CABINET/COUNTERTOP CUTOUT DIMENSIONS




CABINET/COUNTERTOP CUTOUT DIMENSIONS WITHOUT DOWNDRAFT VENT - TOP VIEW

36"

A - CUTOUT WIDTH	36" (91.4CM)
B - HOLE OFFSET	16 5/8" (42.2CM)

CLEARANCE DIMENSIONS



36"

A - CUTOUT WIDTH	36" (91.4CM)
B	36" (91.4CM)* MINIMUM 42" (106.7CM)** RECOMMENDED

NOTE: All vertical clearances must be maintained for a minimum of 18" (457mm) above the cooking surface.