



# Single End Roughers



**62M**  
METRIC SERIES



## TOLERANCES h10 (mm)

$D_1 = +0,000 / -0,100$

$D_2 = h_6$

$R = +0,127 / -0,127$

mm						EDP NO.			STOCK
CUTTING DIA. $D_1$	LENGTH OF CUT $L_2$	OVERALL LENGTH $L_1$	SHANK DIA. $D_2$	CORNER RADIUS $R$	NO. OF FLUTES	Ti-NAMITE (TiN)	Ti-NAMITE-C (TiCN)	Ti-NAMITE-A (AlTiN)	
6,0	19,0	63,0	6,0	1,14	3	46207	46206	46210	●
8,0	19,0	63,0	8,0	1,14	3	46209	46208	46211	●
10,0	22,0	72,0	10,0	1,52	3	46213	46212	46214	●
12,0	26,0	83,0	12,0	1,52	4	46217	46216	46218	●
16,0	32,0	92,0	16,0	1,52	4	46221	46220	46222	●
20,0	38,0	104,0	20,0	1,52	4	46229	46228	46232	●
25,0	44,0	104,0	25,0	1,52	6	46231	46230	46233	●

STAINLESS STEELS

HIGH TEMP ALLOYS

TITANIUM

- U.S. Stock Standard
- NOT STOCKED—  
Call for Delivery

For patent information  
visit [www.kyocera-sgstool.com/patents](http://www.kyocera-sgstool.com/patents)