



AERO™

LIGHTWEIGHT EXTENSION LADDER WITH BOXLOK™

LIGHTWEIGHT WITHOUT COMPROMISE



25% Lighter without reducing width or rigidity

PATENTED BOXLOK™ SYSTEM



Innovative interlocking box rail design engineered to optimize strength, rigidity and weight savings

SOLID FEEL = MORE CONFIDENCE



Reduced deflection, twist, and sway combined with wide rungs provide premium climbing comfort

375lb
LOAD CAPACITY
Type IAA Duty Rating



NOW AVAILABLE WITH
**LIGHTWEIGHT
LEVELERS!**

See Page 03

LIGHTER TO CARRY. MORE COMFORTABLE TO CLIMB.



High strength design with lightweight material



Deep tri-rung and extra wide clear width



Removable lightweight leveler & dual action feet for use on hard or penetrable surfaces



LIGHTER TO CARRY. MORE COMFORTABLE TO CLIMB.

MODEL B7100-2

375lb

LOAD CAPACITY

Type IAA Duty Rating
Combined Weight of User and Materials

Non Marring
Traction Cap

Bubble Level

Wide Traction Tri-Rungs

High Visibility Green Rails

Extruded Rung Locks

Swivel Pick Feet

SPECIFICATIONS

Model No.	Weight (lb)	Ladder Height	Highest Standing Level	Reach Height (ft)
B7116-2	31.3	16'	9' 5"	16'
B7120-2	37.9	20'	13' 3"	19' 10"
B7124-2	43.6	24'	17' 2"	23' 9"
B7128-2	50.1	28'	21'	27' 7"
B7132-2	60.1	32'	24' 10"	31' 5"

BOXLOK™ INTERLOCKING RAIL SYSTEM



EXPERIENCE THE BOXLOK™ DIFFERENCE

Box Rail Design and Interlocking Technology

- Provides a rock solid feel you have to experience to believe, so you can focus safely on the job
- Achieves climbing stability and rigidity with less material weight, so it's more comfortable to carry
- The unique BOX RAIL design reduces deflection, twist, and sway for a more confident climbing experience
- Is exclusively from Werner – Trusted by pros for safety, reliability and durability



*Less movement when compared to similar Werner 375 lbs ladders
†Assumes a 5ft 7in person with a vertical 12in reach

FACTORY INSTALLED ACCESSORIES

CABLE HOOK / V-RUNG



- Lightweight but heavy duty, cable hooks rated for 375 lbs service. Stow away when not in use
- Slip resistant rubberized V-Rung works with poles up to 10" in diameter

STRAND GRAB / V-RUNG



- Lightweight but heavy duty, Strand Grab Rated for 375 lbs service. Stow away when not in use
- Independent gate arms sense pressure and close to grip the strand improving climber confidence
- Slip resistant rubberized hook, gate, and v-rung works with poles up to 10" in diameter

LIGHTWEIGHT LEVELER



- Durable mounting Brackets are factory installed for Werner reliability
- The tried and true PK70 leveler offers 8" of leveling when you need it and is removable to keep your AERO Extension Ladder lightweight without compromise!
- Strand Grab and V-Rung for Strand and pole work.




FACTORY INSTALLED ACCESSORIES



STRAND GRAB / V-RUNG



LEVELER



CABLE HOOK / V-RUNG

SPECIFICATIONS

Model No.	Item Description	Weight (lbs)	Ladder Height	Highest Standing Level	Reach Height
BASE LADDERS - AVAILABLE 16' - 32'					
B7116-2	16ft Fiberglass AERO Box Rail Extension Ladder, Type IAA	31.3	16'	9' 5"	16'
B7120-2	20ft Fiberglass AERO Box Rail Extension Ladder, Type IAA	37.9	20'	13' 3"	19' 10"
B7124-2	24ft Fiberglass AERO Box Rail Extension Ladder, Type IAA	43.6	24'	17' 2"	23' 9"
B7128-2	28ft Fiberglass AERO Box Rail Extension Ladder, Type IAA	50.1	28'	21'	27' 7"
B7132-2	32ft Fiberglass AERO Box Rail Extension Ladder, Type IAA	60.1	32'	24' 10"	31' 5"
FACTORY INSTALLED CABLE HOOK / V-RUNG - AVAILABLE 20' - 32'					
B7120-2X9085	20ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Cable Hook & V-Rung, Type IAA	42.0	20'	13' 3"	19' 10"
B7124-2X9085	24ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Cable Hook & V-Rung, Type IAA	47.5	24'	17' 2"	23' 9"
B7128-2X9085	28ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Cable Hook & V-Rung, Type IAA	54.1	28'	21'	27' 7"
B7132-2X9085	32ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Cable Hook & V-Rung, Type IAA	64.1	32'	24' 10"	31' 5"
FACTORY INSTALLED STRAND GRAB / V-RUNG - AVAILABLE 20' - 32'					
B7120-2X9294	20ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab & V-Rung, Type IAA	42.4	20'	13' 3"	19' 10"
B7124-2X9294	24ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab & V-Rung, Type IAA	47.9	24'	17' 2"	23' 9"
B7128-2X9294	28ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab & V-Rung, Type IAA	54.5	28'	21'	27' 7"
B7132-2X9294	32ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab & V-Rung, Type IAA	64.5	32'	24' 10"	31' 5"
FACTORY INSTALLED STRAND GRAB / V-RUNG & LIGHTWEIGHT LEVELER - AVAILABLE 20' - 32'					
B7120-2X9295	20ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab, V-Rung & Leveler, Type IAA	51.0	20'	13' 3"	19' 10"
B7124-2X9295	24ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab, V-Rung & Leveler, Type IAA	56.4	24'	17' 2"	23' 9"
B7128-2X9295	28ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab, V-Rung & Leveler, Type IAA	63.0	28'	21'	27' 7"
B7132-2X9295	32ft Fiberglass AERO Box Rail/Tri-Rung Extension Ladder with Strand Grab, V-Rung & Leveler, Type IAA	73.0	32'	24' 10"	31' 5"

WERNERCO

**CORPORATE
HEADQUARTERS**

555 Pierce Road, Suite 300
Itasca, IL 60143



To contact us please visit:
wernerco.com

GM7833 Rev B ©2023 WernerCo 2/23