

**24ABB3
Comfort™ 13 Air Conditioner
with Puron® Refrigerant
1–1/2 to 5 Nominal Tons**



Product Data



Comfort
SERIES

Carrier's Air Conditioners with Puron® refrigerant provide a collection of features unmatched by any other family of equipment. The 24ABB has been designed utilizing Carrier's Puron refrigerant. The environmentally sound refrigerant allows you to make a responsible decision in the protection of the earth's ozone layer.

This product has been designed and manufactured to meet Energy Star® criteria for energy efficiency when matched with appropriate coil components. Refer to the combination ratings in the Product Data for system combinations that meet Energy Star® guidelines.

NOTE: Ratings contained in this document are subject to change at any time. Always refer to the AHRI directory (www.ahridirectory.org) for the most up-to-date ratings information.

INDUSTRY LEADING FEATURES / BENEFITS

Efficiency

- 13.0 - 13.2 SEER/10.8- 11.0 EER (based on tested combinations)
- Microtube Technology™ refrigeration system
- Indoor air quality accessories available

Sound

- Sound level as low as 75 dBA
- Sound level as low as 74 dBA with accessory sound blanket

Comfort

- System supports Edge® Thermidistat™ or standard thermostat controls

Reliability

- Puron® refrigerant - environmentally sound, won't deplete the ozone layer and low lifetime service cost.
- Scroll compressor
- Internal pressure relief valve
- Internal thermal overload
- Filter drier
- Balanced refrigeration system for maximum reliability

Durability

WeatherArmor™ protection package:

- Solid, durable sheet metal construction
- Dense wire coil guard available (3-phase units come standard with dense wire coil guard)
- Baked-on, complete outer coverage, powder paint

Applications

- Long-line - up to 250 feet (76.20 m) total equivalent length, up to 200 feet (60.96 m) condenser above evaporator, or up to 80 ft. (24.38 m) evaporator above condenser (See Longline Guide for more information.)
- Low ambient (down to -20°F/-28.9°C) with accessory kit

MODEL NUMBER NOMENCLATURE

1	2	3	4	5	6	7	8	9	10	11	12	13
N	N	A	A	A/N	N	N	N	A/N	A/N	A/N	N	N
2	4	A	B	B	3	3	6	A	0	0	3	0
Product Series	Product Family	Tier	Major Series	SEER	Cooling Capacity	Variations	Open	Open	Open	Voltage	Series	
24=AC	A=RES AC	B=Comfort	B=Puron	3=13 SEER	1,000 Btuh (nominal)	A=Dense Grille W=Wide Grille	0=Not Defined	0=Not Defined	0=Not Defined	3=208/230-1 5=208/230-3 6=460/3 1 = 575/3	0 = Original Series	

24ABB3



Use of the AHRI Certified TM Mark indicates a manufacturer's participation in the program. For verification of certification for individual products, go to www.ahridirectory.org.



ISO 9001
QMI-SAI Global



This product has been designed and manufactured to meet Energy Star® criteria for energy efficiency when matched with appropriate coil components. However, proper refrigerant charge and proper air flow are critical to achieve rated capacity and efficiency. Installation of this product should follow all manufacturing refrigerant charging and air flow instructions. **Failure to confirm proper charge and air flow may reduce energy efficiency and shorten equipment life.**

STANDARD FEATURES

Feature	18	24	30	36	42	48	60
Puron Refrigerant	X	X	X	X	X	X	X
Maximum SEER	14.50	14.25	15.0	14.0	14.0	14.0	13.5
Scroll Compressor	X	X	X	X	X	X	X
Field Installed Filter Drier	X	X	X	X	X	X	X
Front Seating Service Valves	X	X	X	X	X	X	X
Internal Pressure Relief Valve	X	X	X	X	X	X	X
Internal Thermal Overload	X	X	X	X	X	X	X
Long Line capability	X	X	X	X	X	X	X
Low Ambient capability with Kit	X	X	X	X	X	X	X
Dense Grille (standard on 3-Phase only)			X	X	X	X	X

X = Standard

PHYSICAL DATA

UNIT SIZE SERIES	18-32	24-31	30-31,51	36-31,51, 61,11	42-30,50,6 0	48-31,51,61,1 1	60-32	60-52,62,1 2
Operating Weight lb (kg)	107 (48.5)	110 (50.0)	111 (50.3)	141 (64.0)	190 (86.2)	186 (84.4)	190 (86.2)	215 (97.5)
Shipping Weight lb (kg)	130 (60.0)	134 (60.8)	136 (61.7)	170 (77.1)	218 (98.9)	224 (101.6)	226 (102.5)	250 (113.4)
Compressor Type	Scroll							
REFRIGERANT	Puron® (R-410A)							
Control	TXV (Puron® Hard Shutoff)							
Charge lb (kg)	3.50 (1.6)	3.80 (1.7)	4.10 (1.9)	5.34 (2.4)	5.84 (2.7)	7.00 (3.2)	8.19 (3.7)	8.00 (3.6)
COND FAN	Propeller Type, Direct Drive							
Air Discharge	Vertical							
Air Qty (CFM)	1792	2218	2218	2954	3167	3365	3365	3365
Motor HP	1/12	1/10	1/10	1/4	1/5	1/4	1/4	1/4
Motor RPM	1100	1100	1100	1100	1100	1100	800	1100
COND COIL								
Face Area (Sq ft)	8.40	8.40	9.80	13.13	17.25	19.40	12.93	15.09
Fins per In.	20	25	25	25	25	25	20	20
Rows	1	1	1	1	1	1	2	2
Circuits	3	3	3	3	4	5	5	6
VALVE CONNECT. (In. ID)								
Vapor	3/4	3/4	3/4	7/8	7/8	7/8	7/8	7/8
Liquid	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
REFRIGERANT TUBES* (In. OD)								
Rated Vapor*	3/4			7/8			1-1/8	
Max Liquid Line†	3/8							

* Units are rated with 25 ft (7.6 m) of lineset length. See Vapor Line Sizing and Cooling Capacity Loss table when using other sizes and lengths of lineset.
Note: See unit Installation Instruction for proper installation.

† See *Liquid Line Sizing For Cooling Only Systems with Puron Refrigerant* tables.

24ABB3

REFRIGERANT PIPING LENGTH LIMITATIONS

Liquid Line Sizing and Maximum Total Equivalent Lengths† for Cooling Only Systems with Puron® Refrigerant:

The maximum allowable length of a residential split system depends on the liquid line diameter and vertical separation between indoor and outdoor units.

See Table below for liquid line sizing and maximum lengths :

Maximum Total Equivalent Length Outdoor Unit BELOW Indoor Unit

Size	Liquid Line Connection	Liquid Line Diam. w/ TXV	AC with Puron Refrigerant Maximum Total Equivalent Length†: Outdoor unit BELOW Indoor Vertical Separation ft (m)								
			0-5 (0-1.5)	6-10 (1.8-3.0)	11-20 (3.4-6.1)	21-30 (6.4-9.1)	31-40 (9.4-12.2)	41-50 (12.5-15.2)	51-60 (15.5-18.3)	61-70 (18.6-21.3)	71-80 (21.6-24.4)
018 AC with Puron	3/8	1/4	150	150	125	100	100	75	--	--	--
		5/16	250*	250*	250*	250*	250*	250*	250*	225*	150
		3/8	250*	250*	250*	250*	250*	250*	250*	250*	250*
024 AC with Puron	3/8	1/4	75	75	75	50	50	--	--	--	--
		5/16	250*	250*	250*	250*	250*	225*	175	125	100
		3/8	250*	250*	250*	250*	250*	250*	250*	250*	250*
030 AC with Puron	3/8	1/4	30	--	--	--	--	--	--	--	--
		5/16	175	225*	200	175	125	100	75	--	--
		3/8	250*	250*	250*	250*	250*	250*	250*	250*	250*
036 AC with Puron	3/8	5/16	175	150	150	100	100	100	75	--	--
		3/8	250*	250*	250*	250*	250*	250*	250*	250*	250*
042 AC with Puron	3/8	5/16	125	100	100	75	75	50	--	--	--
		3/8	250*	250*	250*	250*	250*	250*	250*	250*	150
048 AC with Puron	3/8	3/8	250*	250*	250*	250*	250*	250*	230	160	--
060 AC with Puron	3/8	3/8	250*	250*	250*	225*	190	150	110	--	--

* Maximum actual length not to exceed 200 ft (61 m)

† Total equivalent length accounts for losses due to elbows or fitting. See the Long Line Guideline for details.

-- = outside acceptable range

Maximum Total Equivalent Length Outdoor Unit ABOVE Indoor Unit

Size	Liquid Line Connection	Liquid Line Diam. w/ TXV	AC with Puron Refrigerant Maximum Total Equivalent Length†: Outdoor unit ABOVE Indoor Vertical Separation ft (m)							
			25 (7.6)	26-50 (7.9-15.2)	51-75 (15.5-22.9)	76-100 (23.2-30.5)	101-125 (30.8-38.1)	126-150 (38.4-45.7)	151-175 (46.0-53.3)	176-200 (53.6-61.0)
018 AC with Puron	3/8	1/4	175	250*	250*	250*	250*	250*	250*	250*
		5/16	250*	250*	250*	250*	250*	250*	250*	250*
		3/8	250*	250*	250*	250*	250*	250*	250*	250*
024 AC with Puron	3/8	1/4	100	125	175	200	225*	250*	250*	250*
		5/16	250*	250*	250*	250*	250*	250*	250*	250*
		3/8	250*	250*	250*	250*	250*	250*	250*	250*
030 AC with Puron	3/8	1/4	30	--	--	--	--	--	--	--
		5/16	250*	250*	250*	250*	250*	250*	250*	250*
		3/8	250*	250*	250*	250*	250*	250*	250*	250*
036 AC with Puron	3/8	5/16	225*	250*	250*	250*	250*	250*	250*	250*
		3/8	250*	250*	250*	250*	250*	250*	250*	250*
042 AC with Puron	3/8	5/16	175	200	250*	250*	250*	250*	250*	250*
		3/8	250*	250*	250*	250*	250*	250*	250*	250*
048 AC with Puron	3/8	3/8	250*	250*	250*	250*	250*	250*	250*	250*
060 AC with Puron	3/8	3/8	250*	250*	250*	250*	250*	250*	250*	250*

* Maximum actual length not to exceed 200 ft (61 m)

† Total equivalent length accounts for losses due to elbows or fitting. See the Long Line Guideline for details.

-- = outside acceptable range

24ABB3

REFRIGERANT CHARGE ADJUSTMENTS

Liquid Line Size	Puron Charge oz/ft (g/m)
3/8	0.60 (17.74) (Factory charge for lineset = 9 oz / 266.16 g)
5/16	0.40 (11.83)
1/4	0.27 (7.98)

Units are factory charged for 15 ft (4.6 m) of 3/8" liquid line. The factory charge for 3/8" lineset 9 oz. When using other length or diameter liquid lines, charge adjustments are required per the chart above.

Charging Formula:

$[(\text{Lineset oz/ft} \times \text{total length}) - (\text{factory charge for lineset})] = \text{charge adjustment}$

Example 1: System has 15 ft of line set using existing 1/4" liquid line. What charge adjustment is required?

Formula: $(.27 \text{ oz/ft} \times 15\text{ft}) - (9 \text{ oz}) = (-4.95) \text{ oz.}$

Net result is to remove 4.95 oz of refrigerant from the system

Example 2: System has 45 ft of existing 5/16" liquid line. What is the charge adjustment?

Formula: $(.40 \text{ oz/ft.} \times 45\text{ft}) - (9 \text{ oz.}) = 9 \text{ oz.}$

Net result is to add 9 oz of refrigerant to the system

LONG LINE APPLICATIONS

An application is considered Long Line, when the refrigerant level in the system requires the use of accessories to maintain acceptable refrigerant management for systems reliability. See Accessory Usage Guideline table for required accessories. Defining a system as long line depends on the liquid line diameter, actual length of the tubing, and vertical separation between the indoor and outdoor units.

For Air Conditioner systems, the chart below shows when an application is considered Long Line.

AC WITH PURON® REFRIGERANT LONG LINE DESCRIPTION ft (m) Beyond these lengths, long line accessories are required

Liquid Line Size	Units On Same Level	Outdoor Below Indoor	Outdoor Above Indoor
1/4	No accessories needed within allowed lengths	No accessories needed within allowed lengths	175 (53.3)
5/16	120 (36.6)	50 (15.2) vertical or 120 (36.6) total	120 (36.6)
3/8	80 (24.4)	35 (10.7) vertical or 80 (24.4) total	80 (24.4)

Note: See Long Line Guideline for details

VAPOR LINE SIZING AND COOLING CAPACITY LOSS

Acceptable vapor line diameters provide adequate oil return to the compressor while avoiding excessive capacity loss. The suction line diameters shown in the chart below are acceptable for AC systems with Puron refrigerant:

Vapor Line Sizing and Cooling Capacity Losses — Puron® Refrigerant 1-Stage Air Conditioner Applications

Unit Nominal Size (Btuh)	Maximum Liquid Line Diameters (In. OD)	Vapor Line Diameters (In. OD)	Cooling Capacity Loss (%)								
			Total Equivalent Line Length ft. (m)								
			26–50 (7.9–15.2)	51–80 (15.5–24.4)	81–100 (24.7–30.5)	101–125 (30.8–38.1)	126–150 (38.4–45.7)	151–175 (46.0–53.3)	176–200 (53.6–61.0)	201–225 (61.3–68.6)	226–250 (68.9–76.2)
018 1 Stage AC with Puron	3/8	1/2	1	2	3	5	6	7	8	9	11
		5/8	0	1	1	1	2	2	2	3	3
		3/4	0	0	0	0	1	1	1	1	1
024 1 Stage AC with Puron	3/8	5/8	0	1	2	2	3	3	4	5	5
		3/4	0	0	1	1	1	1	1	2	2
		7/8	0	0	0	0	0	1	1	1	1
030 1 Stage AC with Puron	3/8	5/8	1	2	3	3	4	5	6	7	8
		3/4	0	0	1	1	1	2	2	2	3
		7/8	0	0	0	0	1	1	1	1	1
036 1 Stage AC with Puron	3/8	5/8	1	2	4	5	6	8	9	10	12
		3/4	0	1	1	2	2	3	3	4	4
		7/8	0	0	0	1	1	1	1	2	2
042 1 Stage AC with Puron	3/8	3/4	0	1	2	2	3	4	4	5	6
		7/8	0	0	1	1	1	2	2	2	3
		1 1/8	0	0	0	0	0	0	0	0	0
048 1 Stage AC with Puron	3/8	3/4	0	1	2	3	4	5	5	6	7
		7/8	0	0	1	1	2	2	2	3	3
		1 1/8	0	0	0	0	0	0	0	1	1
060 1 Stage AC with Puron	3/8	3/4	1	2	4	5	6	7	9	10	11
		7/8	0	1	2	2	3	4	4	5	5
		1 1/8	0	0	0	1	1	1	1	1	1

Applications in this area may be long line and may have height restrictions. See the Residential Piping and Long Line Guideline.

24ABB3

ACCESSORY THERMOSTATS

PART NUMBER	PROGRAM	GAS	ELECTRIC	HEAT PUMP	HEAT	COOL
Comfort						
TC-PAC01	5-2 Day	√	√		1	1
TC-NAC01	NP	√	√		1	1
TCSNAC01	NP	√	√		1	1

THERMOSTAT ACCESSORIES		
PART NUMBER	DESCRIPTION	THERMOSTATS USED WITH
TSTATXXCNV10‡	Thermostat Conversion Kit (4 to 5 wire) – 10 pack	All Carrier□ branded thermostats
TX-LBP01	Large Decorative Backplate	TP-Pxx, TP-Nxx, TC-Pxx
TX-MBP01	Medium Decorative Backplate	TC-Nxx, TB-Pxx

ACCESSORY USAGE GUIDELINE

ACCESSORY	REQUIRED FOR LOW-AMBIENT COOLING APPLICATIONS (Below 55°F/12.8°C)	REQUIRED FOR LONG LINE APPLICATIONS*	REQUIRED FOR SEA COAST APPLICATIONS (Within 2 miles/3.22 km)
Ball Bearing Fan Motor	Yes†	No	No
Compressor Start Assist Capacitor and Relay	Yes	Yes	No
Crankcase Heater	Yes	Yes	No
Evaporator Freeze Thermostat	Yes	No	No
Hard Shut-Off TXV	Yes	Yes	Yes
Liquid Line Solenoid Valve	No	No	No
Motor Master® Control or Low-ambient Pressure Switch	Yes	No	No
Support Feet	Recommended	No	Recommended
Winter Start Control	Yes #	No	No

* For tubing set lengths between 80 and 200 ft. (24.38 and 60.96 m) horizontal or 35 ft. (10.7 m) vertical differential (total equivalent length), refer to the Residential Split-System Longline Application Guideline.

† Required for Low-Ambient Controller (full modulation feature) MotorMaster® Control.

Required if Low Pressure Switch is factory or field installed.

Accessory Description and Usage (Listed Alphabetically)

1. Ball-Bearing Fan Motor

A fan motor with ball bearings which permits speed reduction while maintaining bearing lubrication.

Usage Guideline:

Required on all units when MotorMaster® is used.

2. Compressor Start Assist - Capacitor and Relay

Start capacitor and relay gives a "hard" boost to compressor motor at each start-up.

Usage Guideline:

Required for reciprocating compressors in the following applications:

- Long line
- Low ambient cooling
- Hard shut off expansion valve on indoor coil
- Liquid line solenoid on indoor coil

Required for single-phase scroll compressors in the following applications:

- Long line
- Low ambient cooling

Suggested for all compressors in areas with a history of low voltage problems.

3. Compressor Start Assist — PTC Type

Solid state electrical device which gives a "soft" boost to the compressor at each start-up.

Usage Guideline:

Suggested in installations with marginal power supply.

4. Crankcase Heater

An electric resistance heater which mounts to the base of the compressor to keep the lubricant warm during off cycles. Improves compressor lubrication on restart and minimizes the chance of liquid slugging.

Usage Guideline:

- Required in low ambient cooling applications.
- Required in long line applications.
- Suggested in all commercial applications.

5. Cycle Protector

The cycle protector is designed to prevent compressor short cycling. This control provides an approximate 5-minute delay after power to the compressor has been interrupted for any reason, including power outage, protector control trip, thermostat jiggling, or normal cycling.

24ABB3

Accessory Description and Usage (Listed Alphabetically) (Continued)

6. Evaporator Freeze Thermostat

An SPST temperature-actuated switch that stops unit operation when evaporator reaches freeze-up conditions.

Usage Guideline:

Required when low ambient kit has been added.

7. Low-Ambient Pressure Switch Kit

A long life pressure switch which is mounted to outdoor unit service valve. It is designed to cycle the outdoor fan motor in order to maintain head pressure within normal operating limits (approximately 100 psig to 225 psig). The control will maintain working head pressure at low-ambient temperatures down to 0°F (-18°C) when properly installed.

Usage Guideline:

A Low-Ambient Pressure Switch or MotorMaster® Low-Ambient Controller must be used when cooling operation is used at outdoor temperatures below 55°F (12.8°C).

8. MotorMaster® Low-Ambient Controller

A fan-speed control device activated by a temperature sensor, designed to control condenser fan motor speed in response to the saturated, condensing temperature during operation in cooling mode only. For outdoor temperatures down to -20°F (-28.9°C), it maintains condensing temperature at 100°F ±10°F (37.8°C ± 5.5°C).

Usage Guideline:

A MotorMaster® Low Ambient Controller or Low-Ambient Pressure Switch must be used when cooling operation is used at outdoor temperatures below 55°F (12.8°C).

Suggested for all commercial applications.

9. Outdoor Air Temperature Sensor

Designed for use with Carrier Thermostats listed in this publication. This device enables the thermostat to display the outdoor temperature. This device also is required to enable special thermostat features such as auxiliary heat lock out.

Usage Guideline:

Suggested for all Carrier thermostats listed in this publication.

10. Sound Hood

Wraparound sound reducing cover for the compressor. Reduces the sound level by about 2 dBA.

Usage Guideline:

Suggested when unit is installed closer than 15 ft (4.57 m) to quiet areas, bedrooms, etc.

Suggested when unit is installed between two houses less than 10 ft (3.05 m) apart.

11. Support Feet

Four stick-on plastic feet that raise the unit 4 in. (101.6 mm) above the mounting pad. This allows sand, dirt, and other debris to be flushed from the unit base, minimizing corrosion.

Usage Guideline:

Suggested in the following applications:

Coastal installations.

Windy areas or where debris is normally circulating.

Rooftop installations.

For improved sound ratings.

12. Thermostatic Expansion Valve (TXV)

A modulating flow-control valve which meters refrigerant liquid flow rate into the evaporator in response to the superheat of the refrigerant gas leaving the evaporator.

Kit includes valve, adapter tubes, and external equalizer tube. Hard shut off types are available.

NOTE: When using a hard shut off TXV with single phase reciprocating compressors, a Compressor Start Assist Capacitor and Relay is required.

Usage Guideline:

Required to achieve AHRI ratings in certain equipment

combinations. Refer to combination ratings.

Hard shut off TXV or LLS required in air conditioner long line applications.

Required for use on all zoning systems.

13. Time-Delay Relay

An SPST delay relay which briefly continues operation of indoor blower motor to provide additional cooling after the compressor cycles off.

NOTE: Most indoor unit controls include this feature. For those that do not, use the guideline below.

Usage Guideline:

For improved efficiency ratings for certain combinations of indoor and outdoor units. Refer to AHRI Unitary Directory.

14. Winter Start Control

This control is designed to alleviate nuisance opening of the low-pressure switch by bypassing it for the first 3 minutes of operation.

ELECTRICAL DATA

UNIT SIZE- VOLTAGE, SERIES	V/PH	OPER VOLTS*		COMPR		FAN	MCA	MIN WIRE SIZE†	MIN WIRE SIZE†	MAX LENGTH ft. (m)‡	MAX LENGTH ft. (m)‡	MAX FUSE** or CKT BRK AMPS
		MAX	MIN	LRA	RLA	FLA		60° C	75° C	60° C	75° C	
		18-32	208/230/1	253	197	48.0		9.0	0.5	11.8	14	
24-31	58.3	13.5				0.77	17.6	14	14	45 (13.7)	43 (13.1)	25
30-31	64.0	12.8				0.77	16.8	14	14	47 (14.3)	45 (13.7)	25
36-31	77.0	15.3				1.4	21.5	12	12	58 (17.7)	55 (16.8)	30
42-30	112.0	17.9				1.1	23.5	12	12	53 (16.2)	51 (15.5)	40
48-31	109.0	19.9				1.4	26.2	10	10	76 (23.2)	73 (22.3)	40
60-32	134.0	26.4				1.2	34.2	8	10	91 (27.7)	56 (17.1)	50
30-51	208/230-3	253	197	58.0	8.3	0.77	11.2	14	14	81 (24.7)	77 (23.5)	20
36-51				71.0	10.5	1.4	14.5	14	14	63 (19.2)	60 (18.3)	20
42-50				88.0	13.5	1.1	18.0	14	14	51 (15.5)	48 (14.6)	30
48-51				83.1	13.1	1.4	17.8	10	10	130 (39.6)	123 (37.5)	30
60-52				110.0	16.0	1.4	21.4	12	12	67 (20.4)	64 (16.5)	30
36-61	460-3	506	414	38.0	5.6	0.7	7.7	14	14	236 (71.9)	225 (68.5)	15
42-60				44.0	6.0	0.6	8.1	14	14	225 (68.5)	214 (65.2)	15
48-61				41.0	6.1	0.7	8.3	14	14	219 (66.8)	208 (63.4)	15
60-62				52.0	7.8	0.7	10.5	14	14	173 (52.7)	165 (50.3)	15
36-11	575-3	532	518	36.5	3.8	0.5	5.3	14	14	343 (104.5)	326 (99.4)	15
48-11				33.0	4.4	0.5	6.0	14	14	303 (92.4)	288 (87.8)	15
60-12				38.9	5.7	0.5	7.6	14	14	239 (72.8)	228 (69.5)	15

* Permissible limits of the voltage range at which the unit will operate satisfactorily

† If wire is applied at ambient greater than 30°C, consult table 310-16 of the NEC (NFPA 70). The ampacity of non-metallic-sheathed cable (NM), trade name ROMEX, shall be that of 60°C conditions, per the NEC (NFPA 70) Article 336-26. If other than uncoated (no-plated), 60 or 75°C insulation, copper wire (solid wire for 10 AWG or smaller, stranded wire for larger than 10 AWG) is used, consult applicable tables of the NEC (NFPA 70).

‡ Length shown is as measured one way along wire path between unit and service panel for voltage drop not to exceed 2%.

** Time-Delay fuse.

- FLA - Full Load Amps
- LRA - Locked Rotor Amps
- MCA - Minimum Circuit Amps
- RLA - Rated Load Amps

NOTE: Control circuit is 24-V on all units and requires external power source. Copper wire must be used from service disconnect to unit. All motors/compressors contain internal overload protection.

Complies with 2007 requirements of ASHRAE Standards 90.1

24ABB3

A-WEIGHTED SOUND POWER LEVEL

UNIT SIZE	STANDARD RATING dBA	TYPICAL OCTAVE BAND SPECTRUM (dBA, without tone adjustment)						
		125	250	500	1000	2000	4000	8000
18-32	72	53.5	59.5	63.5	67.0	63.5	59.0	52.5
24-31	76	55.0	61.5	67.0	71.5	69.0	61.0	55.0
30-31, 51	74	55.0	63.5	68.5	68.5	65.5	61.0	54.0
36-31, 51, 61, 11	75	59.5	63.0	68.5	70.0	65.5	61.5	53.5
42-30, 50, 60	78	57.5	65.0	71.0	73.0	70.5	67.5	62.5
48-31, 51, 61, 11	80	58.5	67.5	73.5	75.0	70.5	67.5	64.5
60-32	78	59.0	67.5	71.5	73.5	69.0	66.0	63.5
60-52, 62, 12	79	59.5	69.5	72.5	73.5	71.0	68.0	63.5

NOTE: Tested in accordance with AHRI Standard 270-2008 (not listed in AHRI).

A-WEIGHTED SOUND POWER LEVEL WITH SOUND SHIELD

UNIT SIZE	STANDARD RATING dBA	TYPICAL OCTAVE BAND SPECTRUM (dBA, without tone adjustment)						
		125	250	500	1000	2000	4000	8000
18-32	71	55.5	60.5	64.0	66.0	63.0	58.5	52.0
24-31	74	55.5	60.5	66.5	70.0	67.0	61.0	53.5
30-31, 51	73	55.5	64.0	68.0	67.0	64.0	60.0	52.5
36-31, 51, 61, 11	74	59.5	63.0	68.0	69.5	65.0	60.5	50.5
42-30, 50, 60	77	57.5	65.0	70.5	72.0	70.0	67.0	62.0
48-31, 51, 61, 11	79	60.5	67.5	73.5	74.5	71.0	68.0	63.5
60-32	78	59.0	68.0	70.5	72.5	68.0	67.0	63.0
60-52, 62, 12	78	60.5	69.5	72.5	73.0	71.0	67.5	61.5

NOTE: Tested in accordance with AHRI Standard 270-2008 (not listed in AHRI).

CHARGING SUBCOOLING (TXV-TYPE EXPANSION DEVICE)

UNIT SIZE- VOLTAGE & SERIES	REQUIRED SUBCOOLING °F (°C)
18-32	10 (5.6)
24-31	10 (5.6)
30-31, 51	10 (5.6)
36-31, 51, 61, 11	14 (7.8)
42-30, 50, 60	10 (5.6)
48-31, 51, 61, 11	15 (8.3)
60-32	13 (7.2)
60-52, 62, 12	10 (5.6)

DIMENSIONS - SI



UNIT	SERIES	ELECTRICAL CHARACTERISTICS	A	B	C	D	E	F	G	K	L	M	N	P	OPERATING WEIGHT (Kgs)	SHIPPING WEIGHT (Kgs)	SHIPPING DIMENSIONS (L x W x H)
24ABB318	2	X 0 0 0	587.3	643.0	95.2	19.0	112.7	458.8	198.4	71.4	12.7	419.1	381.0	304.8	48.5	59.0	616.0 X 695.3 X 850.9
24ABB324	1	X 0 0 0	587.3	643.0	95.2	19.0	112.7	458.8	198.4	71.4	12.7	419.1	381.0	304.8	49.9	60.8	616.0 X 695.3 X 850.9
24ABB330	1	X 0 X 0	587.3	728.7	95.2	19.0	112.7	458.8	198.4	71.4	12.7	419.1	381.0	355.6	50.3	61.7	616.0 X 695.3 X 850.9
24ABB336	1	X X X X	654.0	820.8	98.4	22.2	112.7	539.8	231.8	74.6	15.9	362.0	266.7	406.4	64.0	77.1	682.6 X 763.6 X 912.8
24ABB342	0	X 0 X X	792.2	820.8	98.4	22.2	166.7	627.1	231.8	74.6	15.9	400.0	412.8	349.2	86.2	98.9	822.3 X 901.7 X 912.8
24ABB348	1	X X X X	792.2	908.0	98.4	22.2	166.7	627.1	231.8	74.6	15.9	415.9	390.5	387.4	84.4	101.6	822.3 X 901.7 X 1000.1
24ABB360	2	X 0 0 0	792.2	647.7	98.4	22.2	166.7	627.1	231.8	74.6	15.9	358.8	390.5	288.9	86.2	102.5	822.3 X 901.7 X 827.1
24ABB360	2	0 X X X	792.2	735.0	98.4	22.2	166.7	627.1	231.8	74.6	15.9	406.4	393.7	323.9	89.8	104.3	822.3 X 901.7 X 827.1

208-230-160	575	208/230-360	460-360
-------------	-----	-------------	---------

X = YES
0 = NO

NOTES:


- ALLOW 609.6 CLEARANCE TO SERVICE END OF UNIT.
1219.2 ABOVE UNIT, 152.4 ON ONE SIDE, 304.8 ON REMAINING SIDE, AND 609.6 BETWEEN UNITS FOR PROPER AIRFLOW.
- MINIMUM OUTDOOR OPERATING AMBIENT IN COOLING MODE IS 13°C, MAX. 52°C.
- SERIES DESIGNATION IS THE 13TH POSITION OF THE UNIT MODEL NUMBER.
- CENTER OF GRAVITY 
- ALL DIMENSIONS ARE IN \square MM UNLESS NOTED.



UNIT SIZE	MINIMUM MOUNTING PAD DIMENSIONS
18, 24, 30	596.9 X 596.9
36	660.4 X 660.4
48, 60	800.1 X 800.1
-	889.0 X 889.0

24ABB3

CLEARANCES



Note: Numbers in () = mm

IMPORTANT: When installing multiple units in an alcove, roof well, or partially enclosed area, ensure there is adequate ventilation to prevent re-circulation of discharge air.

AHRI COMBINATION RATINGS*

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3570166	24ABB318(A,W)32	†CAP**1814A**+TDR		17,600	10.9	13.0
3570205	24ABB318(A,W)32	CAP**1814A**	58CV(A,X)070-12	17,500	12.0	14.5
3570206	24ABB318(A,W)32	CAP**1814A**	58PH*045-08	17,800	12.0	14.5
4735485	24ABB318(A,W)32	CAP**1814A**	59*P5A040E14**10	17,400	11.8	14.2
3570207	24ABB318(A,W)32	CAP**2414A**	58CV(A,X)070-12	17,800	12.2	14.5
3570208	24ABB318(A,W)32	CAP**2414A**	58PH*045-08	18,000	12.2	14.5
4735486	24ABB318(A,W)32	CAP**2414A**	59*P5A040E14**10	17,800	12.0	14.5
3570171	24ABB318(A,W)32	CAP**2414A**+TDR		17,900	11.0	13.2
3570210	24ABB318(A,W)32	CAP**2417A**	58CV(A,X)090-16	17,800	12.2	14.5
4139634	24ABB318(A,W)32	CAP**2417A**	58VLR105-12	17,800	12.0	14.5
4139633	24ABB318(A,W)32	CAP**2417A**	58VMR105-12	17,800	12.0	14.5
4735487	24ABB318(A,W)32	CAP**2417A**	59*N*A060V17**14	17,800	12.0	14.5
4735488	24ABB318(A,W)32	CAP**2417A**	59*N*A080V17**14	17,800	12.0	14.5
4735489	24ABB318(A,W)32	CAP**2417A**	59*P5A040E14**10	17,800	12.0	14.5
4139636	24ABB318(A,W)32	CAP**2417A**	OVLAAB036098	17,800	12.0	14.5
4139635	24ABB318(A,W)32	CAP**2417A**	OVMAAB036098	17,800	12.0	14.5
3570172	24ABB318(A,W)32	CAP**2417A**+TDR		17,900	11.0	13.2
3864060	24ABB318(A,W)32	CAP**3619A**+TDR		17,600	11.0	13.0
3570184	24ABB318(A,W)32	CNPH*2417A**	58CV(A,X)070-12	17,800	12.2	14.5
3570185	24ABB318(A,W)32	CNPH*2417A**	58CV(A,X)090-16	17,800	12.2	14.5
3570186	24ABB318(A,W)32	CNPH*2417A**	58PH*045-08	17,800	12.2	14.5
4735498	24ABB318(A,W)32	CNPH*2417A**	59*N*A060V17**14	17,900	12.0	14.5
4735499	24ABB318(A,W)32	CNPH*2417A**	59*N*A080V17**14	17,800	12.0	14.5
4735500	24ABB318(A,W)32	CNPH*2417A**	59*P5A040E14**10	17,700	11.8	14.2
4139645	24ABB318(A,W)32	CNPH*2417A**	OVLAAB036098	17,800	12.2	14.5
4139644	24ABB318(A,W)32	CNPH*2417A**	OVMAAB036098	18,000	12.2	14.5
3570168	24ABB318(A,W)32	CNPH*2417A**+TDR		17,900	11.0	13.2
3570213	24ABB318(A,W)32	CNPV*1814A**	58CV(A,X)070-12	17,500	12.0	14.5
3570214	24ABB318(A,W)32	CNPV*1814A**	58PH*045-08	17,800	12.0	14.5
4735490	24ABB318(A,W)32	CNPV*1814A**	59*P5A040E14**10	17,500	11.8	14.2
3570173	24ABB318(A,W)32	CNPV*1814A**+TDR		17,600	10.9	13.0
3675070	24ABB318(A,W)32	CNPV*1917A**	58CV(A,X)090-16	18,000	12.0	14.5
4735491	24ABB318(A,W)32	CNPV*1917A**	59*N*A060V17**14	18,000	12.0	14.5
4735492	24ABB318(A,W)32	CNPV*1917A**	59*N*A080V17**14	17,900	12.4	15.0
4735493	24ABB318(A,W)32	CNPV*1917A**	59*P5A040E14**10	17,900	12.0	14.5
4139638	24ABB318(A,W)32	CNPV*1917A**	OVLAAB036098	18,000	12.2	14.5
4139637	24ABB318(A,W)32	CNPV*1917A**	OVMAAB036098	18,000	12.2	14.5
3675068	24ABB318(A,W)32	CNPV*1917A**+TDR		18,000	11.0	13.0
3570175	24ABB318(A,W)32	CNPV*2414A**	58CV(A,X)070-12	17,800	12.2	14.5
3570176	24ABB318(A,W)32	CNPV*2414A**	58PH*045-08	18,000	12.2	14.5
4735494	24ABB318(A,W)32	CNPV*2414A**	59*P5A040E14**10	17,700	11.8	14.2
3570174	24ABB318(A,W)32	CNPV*2414A**+TDR		17,900	11.0	13.2
3570178	24ABB318(A,W)32	CNPV*2417A**	58CV(A,X)090-16	17,800	12.2	14.5
4735495	24ABB318(A,W)32	CNPV*2417A**	59*N*A060V17**14	17,900	12.0	14.5
4735496	24ABB318(A,W)32	CNPV*2417A**	59*N*A080V17**14	17,800	12.0	14.5
4735497	24ABB318(A,W)32	CNPV*2417A**	59*P5A040E14**10	17,700	11.8	14.2
5023703	24ABB318(A,W)32	CNPV*2417A**	59*P5A060E17**14	18,000	12.0	14.5
4139641	24ABB318(A,W)32	CNPV*2417A**	OVLAAB036098	17,800	12.2	14.5
4139640	24ABB318(A,W)32	CNPV*2417A**	OVMAAB036098	18,000	12.2	14.5
3570167	24ABB318(A,W)32	CNPV*2417A**+TDR		17,900	11.0	13.2
3570192	24ABB318(A,W)32	CSPH*2412A**	58CV(A,X)070-12	17,900	12.2	14.5
3570193	24ABB318(A,W)32	CSPH*2412A**	58CV(A,X)090-16	17,900	12.2	14.5
3570194	24ABB318(A,W)32	CSPH*2412A**	58PH*045-08	18,000	12.2	14.5
4735501	24ABB318(A,W)32	CSPH*2412A**	59*N*A060V17**14	18,000	12.0	14.5
4735502	24ABB318(A,W)32	CSPH*2412A**	59*N*A080V17**14	17,900	12.0	14.5
4735503	24ABB318(A,W)32	CSPH*2412A**	59*P5A040E14**10	17,800	12.0	14.5
5096862	24ABB318(A,W)32	CSPH*2412A**	59MN7A060V21**20	18,100	12.0	14.5
4139647	24ABB318(A,W)32	CSPH*2412A**	OVLAAB036098	18,000	12.2	14.5
4139646	24ABB318(A,W)32	CSPH*2412A**	OVMAAB036098	18,000	12.2	14.5
3570170	24ABB318(A,W)32	CSPH*2412A**+TDR		17,900	11.0	13.2
3864061	24ABB318(A,W)32	FB4CNF018		17,800	12.0	14.5
3879004	24ABB318(A,W)32	FB4CNF018+TXV		17,800	12.0	14.5
3864062	24ABB318(A,W)32	FB4CNF024		17,800	12.0	14.5
3879005	24ABB318(A,W)32	FB4CNF024+TXV		17,800	12.0	14.5
3570201	24ABB318(A,W)32	FE4ANF002+UI		17,300	12.2	14.5
3570202	24ABB318(A,W)32	FF1ENP018		17,500	10.9	13.0
3570216	24ABB318(A,W)32	FF1ENP019		18,000	12.0	14.0
3570203	24ABB318(A,W)32	FF1ENP024		17,500	11.0	13.2
3570217	24ABB318(A,W)32	FF1ENP025		18,000	12.2	14.5
3570215	24ABB318(A,W)32	FV4CNF002		17,300	12.2	14.5
3752021	24ABB318(A,W)32	FX4DN(B,F)031		18,200	12.0	14.5
3752019	24ABB318(A,W)32	FX4DNF019		18,000	12.0	14.5
3752020	24ABB318(A,W)32	FX4DNF025		18,200	12.0	14.5
3864063	24ABB318(A,W)32	FY5BNF018		17,800	11.0	13.5
3864064	24ABB318(A,W)32	FY5BNF024		17,800	11.0	13.5
3250356	24ABB324(A,W)31	†CAP**2414A**+TDR		23,000	11.0	13.0
3250357	24ABB324(A,W)31	CAP**2414A**	58CV(A,X)070-12	22,800	12.0	14.0
3250358	24ABB324(A,W)31	CAP**2414A**	58PH*045-08	23,000	11.7	14.0
4735504	24ABB324(A,W)31	CAP**2414A**	59*P5A040E14**10	23,000	11.0	13.3
3250361	24ABB324(A,W)31	CAP**2417A**	58CV(A,X)090-16	23,000	12.2	14.5

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4139686	24ABB324(A,W)31	CAP**2417A**	58VLR105-12	23,200	12.0	14.5
4139685	24ABB324(A,W)31	CAP**2417A**	58VMR105-12	22,800	12.0	14.0
4735505	24ABB324(A,W)31	CAP**2417A**	59*N*A060V17**14	23,000	12.0	14.5
4735506	24ABB324(A,W)31	CAP**2417A**	59*N*A080V17**14	22,800	12.0	14.5
4735507	24ABB324(A,W)31	CAP**2417A**	59*P5A040E14**10	23,000	11.0	13.3
4735508	24ABB324(A,W)31	CAP**2417A**	59*P5A060E17**14	23,000	12.0	14.5
4139688	24ABB324(A,W)31	CAP**2417A**	OVLAAB036098	23,200	11.7	14.0
4139687	24ABB324(A,W)31	CAP**2417A**	OVMAAB036098	23,200	11.7	14.0
4139689	24ABB324(A,W)31	CAP**2417A**	OVMAAB042112	23,000	12.0	14.5
3250359	24ABB324(A,W)31	CAP**2417A**+TDR		23,000	11.0	13.0
3250366	24ABB324(A,W)31	CAP**3014A**	58CV(A,X)070-12	23,000	12.0	14.5
3250367	24ABB324(A,W)31	CAP**3014A**	58PH*045-08	23,400	12.0	14.0
4735509	24ABB324(A,W)31	CAP**3014A**	59*P5A040E14**10	23,200	11.2	13.5
3250365	24ABB324(A,W)31	CAP**3014A**+TDR		23,200	11.0	13.0
3250370	24ABB324(A,W)31	CAP**3017A**	58CV(A,X)090-16	23,200	12.2	14.5
4139691	24ABB324(A,W)31	CAP**3017A**	58VLR105-12	23,400	12.0	14.5
4139690	24ABB324(A,W)31	CAP**3017A**	58VMR105-12	23,200	12.0	14.5
4735510	24ABB324(A,W)31	CAP**3017A**	59*N*A060V17**14	23,200	11.7	14.0
4735511	24ABB324(A,W)31	CAP**3017A**	59*N*A080V17**14	23,000	12.0	14.5
4735512	24ABB324(A,W)31	CAP**3017A**	59*P5A040E14**10	23,400	11.2	13.5
4735513	24ABB324(A,W)31	CAP**3017A**	59*P5A060E17**14	23,200	12.0	14.5
4139693	24ABB324(A,W)31	CAP**3017A**	OVLAAB036098	23,400	12.0	14.5
4139692	24ABB324(A,W)31	CAP**3017A**	OVMAAB036098	23,400	12.0	14.0
4139694	24ABB324(A,W)31	CAP**3017A**	OVMAAB042112	23,200	12.0	14.5
3250368	24ABB324(A,W)31	CAP**3017A**+TDR		23,200	11.0	13.0
3250467	24ABB324(A,W)31	CAP**3617A**	58PH*045-08	23,400	12.2	14.5
3514610	24ABB324(A,W)31	CAP**3617A**+TDR		23,200	11.0	13.0
3639068	24ABB324(A,W)31	CAP**3619A**+TDR		23,200	11.0	13.0
4735558	24ABB324(A,W)31	CAP**3621A**	59*N*A060V17**14	23,200	12.0	14.5
4735559	24ABB324(A,W)31	CAP**3621A**	59*N*A080V17**14	23,200	12.0	14.5
5096864	24ABB324(A,W)31	CAP**3621A**	59*N*A080V21**20	23,600	12.2	14.5
5096865	24ABB324(A,W)31	CAP**3621A**	59*N*A100V21**22	23,600	12.2	15.0
5096863	24ABB324(A,W)31	CAP**3621A**	59MN7A060V21**20	23,400	12.0	14.5
3250399	24ABB324(A,W)31	CNPH*2417A**	58CV(A,X)070-12	22,800	11.7	14.0
3250400	24ABB324(A,W)31	CNPH*2417A**	58CV(A,X)090-16	22,800	12.0	14.0
3250401	24ABB324(A,W)31	CNPH*2417A**	58CV(A,X)110-20	22,800	11.7	14.0
3250402	24ABB324(A,W)31	CNPH*2417A**	58CV(A,X)135-22	22,800	12.0	14.0
3250403	24ABB324(A,W)31	CNPH*2417A**	58CV(A,X)155-22	22,800	12.0	14.0
3250404	24ABB324(A,W)31	CNPH*2417A**	58PH*045-08	23,000	11.7	14.0
4139702	24ABB324(A,W)31	CNPH*2417A**	58VLR105-12	23,200	12.0	14.0
4139701	24ABB324(A,W)31	CNPH*2417A**	58VMR105-12	22,800	11.7	14.0
4735528	24ABB324(A,W)31	CNPH*2417A**	59*N*A060V17**14	22,800	11.8	14.2
4735529	24ABB324(A,W)31	CNPH*2417A**	59*N*A080V17**14	22,800	12.0	14.5
4735531	24ABB324(A,W)31	CNPH*2417A**	59*N*A120V24**22	23,000	12.0	14.5
4735532	24ABB324(A,W)31	CNPH*2417A**	59*P5A040E14**10	23,000	11.0	13.3
4735533	24ABB324(A,W)31	CNPH*2417A**	59*P5A060E17**14	22,800	12.0	14.5
4139667	24ABB324(A,W)31	CNPH*2417A**	OVLAAB036098	23,000	11.7	14.0
4139666	24ABB324(A,W)31	CNPH*2417A**	OVMAAB036098	23,000	11.7	14.0
4139668	24ABB324(A,W)31	CNPH*2417A**	OVMAAB042112	23,000	12.0	14.0
3250392	24ABB324(A,W)31	CNPH*2417A**+TDR		23,000	11.0	13.0
3250415	24ABB324(A,W)31	CNPH*3017A**	58CV(A,X)070-12	23,000	12.0	14.5
3250416	24ABB324(A,W)31	CNPH*3017A**	58CV(A,X)090-16	23,200	12.2	14.5
3250417	24ABB324(A,W)31	CNPH*3017A**	58CV(A,X)110-20	23,200	12.2	14.5
3250418	24ABB324(A,W)31	CNPH*3017A**	58CV(A,X)135-22	23,200	12.2	14.5
3250419	24ABB324(A,W)31	CNPH*3017A**	58CV(A,X)155-22	23,200	12.2	14.5
3250420	24ABB324(A,W)31	CNPH*3017A**	58PH*045-08	23,400	12.0	14.0
4139704	24ABB324(A,W)31	CNPH*3017A**	58VLR105-12	23,400	12.0	14.5
4139703	24ABB324(A,W)31	CNPH*3017A**	58VMR105-12	23,200	12.0	14.5
4735534	24ABB324(A,W)31	CNPH*3017A**	59*N*A060V17**14	23,200	12.0	14.5
4735535	24ABB324(A,W)31	CNPH*3017A**	59*N*A080V17**14	23,000	12.0	14.5
4735537	24ABB324(A,W)31	CNPH*3017A**	59*N*A120V24**22	23,400	12.0	14.5
4735538	24ABB324(A,W)31	CNPH*3017A**	59*P5A040E14**10	23,400	11.2	13.5
4735539	24ABB324(A,W)31	CNPH*3017A**	59*P5A060E17**14	23,200	12.0	14.5
4139674	24ABB324(A,W)31	CNPH*3017A**	OVLAAB036098	23,400	12.0	14.5
4139673	24ABB324(A,W)31	CNPH*3017A**	OVMAAB036098	23,400	12.0	14.0
4139675	24ABB324(A,W)31	CNPH*3017A**	OVMAAB042112	23,200	12.2	14.5
3250408	24ABB324(A,W)31	CNPH*3017A**+TDR		23,200	11.0	13.0
3675046	24ABB324(A,W)31	CNPH*3117A**	58CV(A,X)070-12	23,400	12.0	14.5
3675047	24ABB324(A,W)31	CNPH*3117A**	58CV(A,X)090-16	23,400	12.0	14.5
3675048	24ABB324(A,W)31	CNPH*3117A**	58CV(A,X)110-20	23,400	12.0	14.5
3675049	24ABB324(A,W)31	CNPH*3117A**	58CV(A,X)135-22	23,400	12.0	14.5
3675050	24ABB324(A,W)31	CNPH*3117A**	58CV(A,X)155-22	23,400	12.0	14.5
3675051	24ABB324(A,W)31	CNPH*3117A**	58PH*045-08	23,400	12.0	14.5
4139706	24ABB324(A,W)31	CNPH*3117A**	58VLR105-12	23,800	12.0	14.5
4139705	24ABB324(A,W)31	CNPH*3117A**	58VMR105-12	23,600	12.0	14.5
4735540	24ABB324(A,W)31	CNPH*3117A**	59*N*A060V17**14	23,600	12.0	14.5
4735541	24ABB324(A,W)31	CNPH*3117A**	59*N*A080V17**14	23,400	12.5	15.0
4735543	24ABB324(A,W)31	CNPH*3117A**	59*N*A120V24**22	23,800	12.5	15.0
4735544	24ABB324(A,W)31	CNPH*3117A**	59*P5A040E14**10	23,800	11.4	13.7
4735545	24ABB324(A,W)31	CNPH*3117A**	59*P5A060E17**14	23,800	12.5	15.0
4139677	24ABB324(A,W)31	CNPH*3117A**	OVLAAB036098	23,600	12.2	14.5

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4139676	24ABB324(A,W)31	CNPH*3117A**	OVMAAB036098	23,600	12.2	14.5
4139678	24ABB324(A,W)31	CNPH*3117A**	OVMAAB042112	23,600	12.2	14.5
3675039	24ABB324(A,W)31	CNPH*3117A**+TDR		23,400	11.0	13.0
3250375	24ABB324(A,W)31	CNPV*2414A**	58CV(A,X)070-12	22,800	11.7	14.0
3250376	24ABB324(A,W)31	CNPV*2414A**	58PH*045-08	23,000	11.7	14.0
4735514	24ABB324(A,W)31	CNPV*2414A**	59*P5A040E14**10	23,000	11.0	13.3
3250374	24ABB324(A,W)31	CNPV*2414A**+TDR		23,000	11.0	13.0
3250379	24ABB324(A,W)31	CNPV*2417A**	58CV(A,X)090-16	22,800	12.0	14.0
4139696	24ABB324(A,W)31	CNPV*2417A**	58VLR105-12	23,200	12.0	14.0
4139695	24ABB324(A,W)31	CNPV*2417A**	58VLR105-12	22,800	11.7	14.0
4735515	24ABB324(A,W)31	CNPV*2417A**	59*N*A060V17**14	22,800	11.8	14.2
4735516	24ABB324(A,W)31	CNPV*2417A**	59*N*A080V17**14	22,800	12.0	14.5
4735517	24ABB324(A,W)31	CNPV*2417A**	59*P5A040E14**10	23,000	11.0	13.3
4735518	24ABB324(A,W)31	CNPV*2417A**	59*P5A060E17**14	22,800	12.0	14.5
4139650	24ABB324(A,W)31	CNPV*2417A**	OVLAAB036098	23,000	11.7	14.0
4139649	24ABB324(A,W)31	CNPV*2417A**	OVMAAB036098	23,000	11.7	14.0
4139651	24ABB324(A,W)31	CNPV*2417A**	OVMAAB042112	23,000	11.7	14.0
3250377	24ABB324(A,W)31	CNPV*2417A**+TDR		23,000	11.0	13.0
3250384	24ABB324(A,W)31	CNPV*3014A**	58CV(A,X)070-12	23,000	12.0	14.5
3250385	24ABB324(A,W)31	CNPV*3014A**	58PH*045-08	23,200	12.0	14.0
4735519	24ABB324(A,W)31	CNPV*3014A**	59*P5A040E14**10	23,200	11.2	13.5
3250383	24ABB324(A,W)31	CNPV*3014A**+TDR		23,200	11.0	13.0
3250388	24ABB324(A,W)31	CNPV*3017A**	58CV(A,X)090-16	23,200	12.2	14.5
4139698	24ABB324(A,W)31	CNPV*3017A**	58VLR105-12	23,400	12.0	14.5
4139697	24ABB324(A,W)31	CNPV*3017A**	58VLR105-12	23,200	12.0	14.5
4735520	24ABB324(A,W)31	CNPV*3017A**	59*N*A060V17**14	23,200	12.0	14.5
4735521	24ABB324(A,W)31	CNPV*3017A**	59*N*A080V17**14	23,000	12.0	14.5
4735522	24ABB324(A,W)31	CNPV*3017A**	59*P5A040E14**10	23,400	11.2	13.5
4735523	24ABB324(A,W)31	CNPV*3017A**	59*P5A060E17**14	23,200	12.0	14.5
4139655	24ABB324(A,W)31	CNPV*3017A**	OVLAAB036098	23,400	12.0	14.5
4139654	24ABB324(A,W)31	CNPV*3017A**	OVMAAB036098	23,400	12.0	14.0
4139656	24ABB324(A,W)31	CNPV*3017A**	OVMAAB042112	23,200	12.2	14.5
3250386	24ABB324(A,W)31	CNPV*3017A**+TDR		23,200	11.0	13.0
3675035	24ABB324(A,W)31	CNPV*3117A**	58CV(A,X)090-16	23,400	12.0	14.5
4139700	24ABB324(A,W)31	CNPV*3117A**	58VLR105-12	23,800	12.0	14.5
4139699	24ABB324(A,W)31	CNPV*3117A**	58VLR105-12	23,600	12.0	14.5
4735524	24ABB324(A,W)31	CNPV*3117A**	59*N*A060V17**14	23,600	12.0	14.5
4735525	24ABB324(A,W)31	CNPV*3117A**	59*N*A080V17**14	23,400	12.4	15.0
4735526	24ABB324(A,W)31	CNPV*3117A**	59*P5A040E14**10	23,800	11.4	13.7
4735527	24ABB324(A,W)31	CNPV*3117A**	59*P5A060E17**14	23,800	12.5	15.0
4139660	24ABB324(A,W)31	CNPV*3117A**	OVLAAB036098	23,600	12.2	14.5
4139659	24ABB324(A,W)31	CNPV*3117A**	OVMAAB036098	23,800	12.2	14.5
4139661	24ABB324(A,W)31	CNPV*3117A**	OVMAAB042112	23,600	12.2	14.5
3675033	24ABB324(A,W)31	CNPV*3117A**+TDR		23,400	11.0	13.0
3250468	24ABB324(A,W)31	CNPV*3617A**	58PH*045-08	23,400	12.2	14.5
4735561	24ABB324(A,W)31	CNPV*3621A**	59*N*A060V17**14	23,400	12.0	14.5
4735562	24ABB324(A,W)31	CNPV*3621A**	59*N*A080V17**14	23,000	12.0	14.5
5096867	24ABB324(A,W)31	CNPV*3621A**	59*N*A080V21**20	23,400	12.0	14.5
5096868	24ABB324(A,W)31	CNPV*3621A**	59*N*A100V21**22	23,400	12.2	14.5
5096866	24ABB324(A,W)31	CNPV*3621A**	59MN7A060V21**20	23,200	12.0	14.5
3250432	24ABB324(A,W)31	CSPH*2412A**	58CV(A,X)070-12	23,000	12.0	14.0
3250433	24ABB324(A,W)31	CSPH*2412A**	58CV(A,X)090-16	23,200	12.0	14.0
3250434	24ABB324(A,W)31	CSPH*2412A**	58CV(A,X)110-20	23,200	12.0	14.0
3250435	24ABB324(A,W)31	CSPH*2412A**	58CV(A,X)135-22	23,200	12.0	14.0
3250436	24ABB324(A,W)31	CSPH*2412A**	58CV(A,X)155-22	23,200	12.0	14.0
3250437	24ABB324(A,W)31	CSPH*2412A**	58PH*045-08	23,200	12.0	14.0
4139708	24ABB324(A,W)31	CSPH*2412A**	58VLR105-12	23,400	12.0	14.5
4139707	24ABB324(A,W)31	CSPH*2412A**	58VLR105-12	23,000	11.7	14.0
4735546	24ABB324(A,W)31	CSPH*2412A**	59*N*A060V17**14	23,200	11.8	14.2
4735547	24ABB324(A,W)31	CSPH*2412A**	59*N*A080V17**14	23,000	12.0	14.5
5096870	24ABB324(A,W)31	CSPH*2412A**	59*N*A080V21**20	23,400	12.0	14.5
5096871	24ABB324(A,W)31	CSPH*2412A**	59*N*A100V21**22	23,400	12.0	14.5
4735549	24ABB324(A,W)31	CSPH*2412A**	59*N*A120V24**22	23,400	12.0	14.5
4735550	24ABB324(A,W)31	CSPH*2412A**	59*P5A040E14**10	23,200	11.2	13.5
4735551	24ABB324(A,W)31	CSPH*2412A**	59*P5A060E17**14	23,000	12.0	14.5
5096869	24ABB324(A,W)31	CSPH*2412A**	59MN7A060V21**20	23,200	12.0	14.5
4139680	24ABB324(A,W)31	CSPH*2412A**	OVLAAB036098	23,400	11.7	14.0
4139679	24ABB324(A,W)31	CSPH*2412A**	OVMAAB036098	23,400	11.7	14.0
4139681	24ABB324(A,W)31	CSPH*2412A**	OVMAAB042112	23,200	12.0	14.5
3250425	24ABB324(A,W)31	CSPH*2412A**+TDR		23,000	11.0	13.0
3250448	24ABB324(A,W)31	CSPH*3012A**	58CV(A,X)070-12	23,000	12.0	14.5
3250449	24ABB324(A,W)31	CSPH*3012A**	58CV(A,X)090-16	23,200	12.2	14.5
3250450	24ABB324(A,W)31	CSPH*3012A**	58CV(A,X)110-20	23,200	12.2	14.5
3250451	24ABB324(A,W)31	CSPH*3012A**	58CV(A,X)135-22	23,200	12.2	14.5
3250452	24ABB324(A,W)31	CSPH*3012A**	58CV(A,X)155-22	23,200	12.2	14.5
3250453	24ABB324(A,W)31	CSPH*3012A**	58PH*045-08	23,400	12.0	14.0
4139710	24ABB324(A,W)31	CSPH*3012A**	58VLR105-12	23,400	12.0	14.5
4139709	24ABB324(A,W)31	CSPH*3012A**	58VLR105-12	23,200	12.0	14.5
4735552	24ABB324(A,W)31	CSPH*3012A**	59*N*A060V17**14	23,200	12.0	14.5
4735553	24ABB324(A,W)31	CSPH*3012A**	59*N*A080V17**14	23,200	12.0	14.5
5096873	24ABB324(A,W)31	CSPH*3012A**	59*N*A080V21**20	23,600	12.2	14.5

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
5096874	24ABB324(A,W)31	CSPH*3012A**	59*N*A100V21**22	23,600	12.2	14.5
4735555	24ABB324(A,W)31	CSPH*3012A**	59*N*A120V24**22	23,400	12.0	14.5
4735556	24ABB324(A,W)31	CSPH*3012A**	59*P5A040E14**10	23,400	11.2	13.5
4735557	24ABB324(A,W)31	CSPH*3012A**	59*P5A060E17**14	23,200	12.0	14.5
5096872	24ABB324(A,W)31	CSPH*3012A**	59MN7A060V21**20	23,400	12.0	14.5
4139683	24ABB324(A,W)31	CSPH*3012A**	OVLAA036098	23,400	12.0	14.5
4139682	24ABB324(A,W)31	CSPH*3012A**	OVMAA036098	23,400	12.0	14.0
4139684	24ABB324(A,W)31	CSPH*3012A**	OVMAA042112	23,400	12.2	14.5
3250441	24ABB324(A,W)31	CSPH*3012A**+TDR		23,200	11.0	13.0
3804444	24ABB324(A,W)31	FB4CNF024		22,800	11.0	13.5
3879006	24ABB324(A,W)31	FB4CNF024+TXV		22,800	11.5	14.0
3804445	24ABB324(A,W)31	FB4CNF030		23,600	12.0	14.0
3879007	24ABB324(A,W)31	FB4CNF030+TXV		23,400	12.0	14.5
3250462	24ABB324(A,W)31	FE4AN(B,F)003+UI		23,400	12.2	14.5
3250461	24ABB324(A,W)31	FE4ANF002+UI		22,600	12.0	14.0
3250463	24ABB324(A,W)31	FF1ENP024		22,600	11.0	13.0
3457532	24ABB324(A,W)31	FF1ENP025		23,000	11.7	14.0
3250464	24ABB324(A,W)31	FF1ENP030		23,000	10.9	13.0
3457533	24ABB324(A,W)31	FF1ENP031		23,200	11.7	14.0
3404580	24ABB324(A,W)31	FV4CN(B,F)003		23,400	12.2	14.5
3404579	24ABB324(A,W)31	FV4CNF002		22,600	12.0	14.0
3752023	24ABB324(A,W)31	FX4DN(B,F)031		23,600	11.5	14.0
3752024	24ABB324(A,W)31	FX4DN(B,F)037		23,800	12.0	14.5
3752022	24ABB324(A,W)31	FX4DNF025		23,400	12.0	14.5
3804446	24ABB324(A,W)31	FY5BNF024		23,400	11.5	13.5
3804447	24ABB324(A,W)31	FY5BNF030		23,600	11.0	13.5
3250469	24ABB330(A,W)31	†CAP**3014A**+TDR		27,400	10.9	13.0
3250482	24ABB330(A,W)31	CAP**3014A**	58CV(A,X)070-12	27,200	11.7	14.0
3250485	24ABB330(A,W)31	CAP**3017A**	58CV(A,X)090-16	27,400	12.0	14.0
3250486	24ABB330(A,W)31	CAP**3017A**	58PH*070-16	27,400	11.7	14.0
4139767	24ABB330(A,W)31	CAP**3017A**	58VLR105-12	27,400	11.5	14.0
4139766	24ABB330(A,W)31	CAP**3017A**	58VMR105-12	27,200	11.5	14.0
4735564	24ABB330(A,W)31	CAP**3017A**	59*N*A060V17**14	27,200	11.5	14.0
4735565	24ABB330(A,W)31	CAP**3017A**	59*N*A080V17**14	27,400	11.8	14.2
4735566	24ABB330(A,W)31	CAP**3017A**	59*P5A060E17**14	27,400	11.5	14.0
4735567	24ABB330(A,W)31	CAP**3017A**	59*P5A080E17**16	27,600	11.5	14.0
4139769	24ABB330(A,W)31	CAP**3017A**	OVLAA036098	27,400	11.5	13.5
4139768	24ABB330(A,W)31	CAP**3017A**	OVMAA036098	27,400	11.0	13.5
4139770	24ABB330(A,W)31	CAP**3017A**	OVMAA042112	27,600	11.7	14.0
3250483	24ABB330(A,W)31	CAP**3017A**+TDR		27,400	10.8	13.0
3250492	24ABB330(A,W)31	CAP**3614A**	58CV(A,X)070-12	27,400	11.7	14.0
3250491	24ABB330(A,W)31	CAP**3614A**+TDR		27,400	10.8	13.0
3250495	24ABB330(A,W)31	CAP**3617A**	58CV(A,X)090-16	27,400	12.0	14.5
3250496	24ABB330(A,W)31	CAP**3617A**	58PH*070-16	27,600	11.7	14.0
4139772	24ABB330(A,W)31	CAP**3617A**	58VLR105-12	27,600	11.7	14.0
4139771	24ABB330(A,W)31	CAP**3617A**	58VMR105-12	27,200	11.7	14.0
4735568	24ABB330(A,W)31	CAP**3617A**	59*N*A060V17**14	27,400	11.5	14.0
4735569	24ABB330(A,W)31	CAP**3617A**	59*N*A080V17**14	27,600	11.8	14.2
4735570	24ABB330(A,W)31	CAP**3617A**	59*P5A060E17**14	27,600	11.5	14.0
4735571	24ABB330(A,W)31	CAP**3617A**	59*P5A080E17**16	27,800	11.8	14.2
4139774	24ABB330(A,W)31	CAP**3617A**	OVLAA036098	27,400	11.5	14.0
4139773	24ABB330(A,W)31	CAP**3617A**	OVMAA036098	27,400	11.5	13.5
4139775	24ABB330(A,W)31	CAP**3617A**	OVMAA042112	27,600	11.7	14.0
3250493	24ABB330(A,W)31	CAP**3617A**+TDR		27,600	10.8	13.0
4735577	24ABB330(A,W)31	CAP**3619A**	59*N*A060V17**14	27,400	11.5	14.0
4735578	24ABB330(A,W)31	CAP**3619A**	59*N*A080V17**14	27,600	11.8	14.2
5096882	24ABB330(A,W)31	CAP**3619A**	59*N*A080V21**20	27,600	11.7	14.0
5096883	24ABB330(A,W)31	CAP**3619A**	59*N*A100V21**22	27,800	12.0	14.5
4735580	24ABB330(A,W)31	CAP**3619A**	59*P5A060E17**14	27,600	11.5	14.0
4735581	24ABB330(A,W)31	CAP**3619A**	59*P5A080E17**16	27,800	11.8	14.2
5096881	24ABB330(A,W)31	CAP**3619A**	59MN7A060V21**20	27,600	11.5	14.0
3639069	24ABB330(A,W)31	CAP**3619A**+TDR		27,600	10.8	13.0
3250505	24ABB330(A,W)31	CAP**3621A**	58CV(A,X)110-20	27,600	12.0	14.5
3250506	24ABB330(A,W)31	CAP**3621A**	58PH*090-16	27,800	12.0	14.0
4735572	24ABB330(A,W)31	CAP**3621A**	59*N*A060V17**14	27,400	11.8	14.2
4735573	24ABB330(A,W)31	CAP**3621A**	59*N*A080V17**14	27,600	11.8	14.2
5096876	24ABB330(A,W)31	CAP**3621A**	59*N*A080V21**20	27,600	12.0	14.5
5096877	24ABB330(A,W)31	CAP**3621A**	59*N*A100V21**22	27,800	12.0	14.5
4735575	24ABB330(A,W)31	CAP**3621A**	59*P5A060E17**14	27,600	11.8	14.2
4735576	24ABB330(A,W)31	CAP**3621A**	59*P5A080E17**16	27,800	11.8	14.2
5096875	24ABB330(A,W)31	CAP**3621A**	59MN7A060V21**20	27,600	11.8	14.2
4139776	24ABB330(A,W)31	CAP**3621A**	OVLAA048112	27,800	11.7	14.0
3250501	24ABB330(A,W)31	CAP**3621A**+TDR		27,600	10.8	13.0
5096879	24ABB330(A,W)31	CAP**4221A**	59*N*A080V21**20	27,800	12.0	14.5
5096880	24ABB330(A,W)31	CAP**4221A**	59*N*A100V21**22	28,000	12.0	14.5
5096878	24ABB330(A,W)31	CAP**4221A**	59MN7A060V21**20	27,800	11.7	14.0
3414654	24ABB330(A,W)31	CAP**4221A**+TDR		27,600	11.0	13.0
3414655	24ABB330(A,W)31	CAP**4224A**+TDR		27,600	11.0	13.0
3639070	24ABB330(A,W)31	CAP**4823A**+TDR		27,600	10.8	13.0
3250538	24ABB330(A,W)31	CNPH*3017A**	58CV(A,X)070-12	27,200	11.7	14.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3250539	24ABB330(A,W)31	CNPH*3017A**	58CV(A,X)090-16	27,400	11.7	14.0
3250540	24ABB330(A,W)31	CNPH*3017A**	58CV(A,X)110-20	27,400	11.7	14.0
3250541	24ABB330(A,W)31	CNPH*3017A**	58CV(A,X)135-22	27,400	12.0	14.0
3250542	24ABB330(A,W)31	CNPH*3017A**	58CV(A,X)155-22	27,400	12.0	14.0
3250543	24ABB330(A,W)31	CNPH*3017A**	58PH*070-16	27,400	11.5	14.0
3250544	24ABB330(A,W)31	CNPH*3017A**	58PH*090-16	27,600	11.7	14.0
4139786	24ABB330(A,W)31	CNPH*3017A**	58VLR105-12	27,600	11.7	14.0
4139785	24ABB330(A,W)31	CNPH*3017A**	58VMR105-12	27,200	11.7	14.0
4735603	24ABB330(A,W)31	CNPH*3017A**	59*N*A060V17**14	27,400	11.5	14.0
4735604	24ABB330(A,W)31	CNPH*3017A**	59*N*A080V17**14	27,400	11.8	14.2
4735606	24ABB330(A,W)31	CNPH*3017A**	59*N*A120V24**22	27,600	11.8	14.2
4735607	24ABB330(A,W)31	CNPH*3017A**	59*P5A060E17**14	27,600	11.5	14.0
4735608	24ABB330(A,W)31	CNPH*3017A**	59*P5A080E17**16	27,600	11.5	14.0
4139743	24ABB330(A,W)31	CNPH*3017A**	OVLAAB036098	27,400	11.5	13.5
4139745	24ABB330(A,W)31	CNPH*3017A**	OVLAAB048112	27,600	11.5	13.5
4139742	24ABB330(A,W)31	CNPH*3017A**	OVMAAB036098	27,400	11.0	13.5
4139744	24ABB330(A,W)31	CNPH*3017A**	OVMAAB042112	27,600	11.7	14.0
3250531	24ABB330(A,W)31	CNPH*3017A**+TDR		27,400	10.9	13.0
3675008	24ABB330(A,W)31	CNPH*3117A**	58CV(A,X)070-12	27,800	12.0	14.5
3675009	24ABB330(A,W)31	CNPH*3117A**	58CV(A,X)090-16	27,800	12.0	14.5
3675010	24ABB330(A,W)31	CNPH*3117A**	58CV(A,X)110-20	27,800	12.0	14.5
3675011	24ABB330(A,W)31	CNPH*3117A**	58CV(A,X)135-22	27,800	12.0	14.5
3675012	24ABB330(A,W)31	CNPH*3117A**	58CV(A,X)155-22	27,800	12.0	14.5
3675013	24ABB330(A,W)31	CNPH*3117A**	58PH*070-16	27,800	11.5	14.0
3675014	24ABB330(A,W)31	CNPH*3117A**	58PH*090-16	27,800	12.0	14.5
4139788	24ABB330(A,W)31	CNPH*3117A**	58VLR105-12	28,200	12.0	14.0
4139787	24ABB330(A,W)31	CNPH*3117A**	58VMR105-12	27,800	12.0	14.0
4735609	24ABB330(A,W)31	CNPH*3117A**	59*N*A060V17**14	27,800	11.8	14.2
4735610	24ABB330(A,W)31	CNPH*3117A**	59*N*A080V17**14	28,000	12.0	14.5
4735612	24ABB330(A,W)31	CNPH*3117A**	59*N*A120V24**22	28,200	12.0	14.5
4735613	24ABB330(A,W)31	CNPH*3117A**	59*P5A060E17**14	28,200	11.8	14.2
4735614	24ABB330(A,W)31	CNPH*3117A**	59*P5A080E17**16	28,400	11.8	14.2
4139747	24ABB330(A,W)31	CNPH*3117A**	OVLAAB036098	28,000	11.7	14.0
4139749	24ABB330(A,W)31	CNPH*3117A**	OVLAAB048112	28,200	12.0	14.0
4139746	24ABB330(A,W)31	CNPH*3117A**	OVMAAB036098	28,000	11.5	14.0
4139748	24ABB330(A,W)31	CNPH*3117A**	OVMAAB042112	28,200	12.0	14.5
3675001	24ABB330(A,W)31	CNPH*3117A**+TDR		27,800	11.0	13.0
3250556	24ABB330(A,W)31	CNPH*3617A**	58CV(A,X)070-12	27,400	11.7	14.0
3250557	24ABB330(A,W)31	CNPH*3617A**	58CV(A,X)090-16	27,400	11.7	14.0
3250558	24ABB330(A,W)31	CNPH*3617A**	58CV(A,X)110-20	27,400	11.7	14.0
3250559	24ABB330(A,W)31	CNPH*3617A**	58CV(A,X)135-22	27,400	12.0	14.0
3250560	24ABB330(A,W)31	CNPH*3617A**	58CV(A,X)155-22	27,400	12.0	14.0
3250561	24ABB330(A,W)31	CNPH*3617A**	58PH*070-16	27,400	11.5	14.0
3250562	24ABB330(A,W)31	CNPH*3617A**	58PH*090-16	27,600	11.7	14.0
4139790	24ABB330(A,W)31	CNPH*3617A**	58VLR105-12	27,600	11.7	14.0
4139789	24ABB330(A,W)31	CNPH*3617A**	58VMR105-12	27,200	11.7	14.0
4735615	24ABB330(A,W)31	CNPH*3617A**	59*N*A060V17**14	27,400	11.5	14.0
4735616	24ABB330(A,W)31	CNPH*3617A**	59*N*A080V17**14	27,400	11.8	14.2
4735618	24ABB330(A,W)31	CNPH*3617A**	59*N*A120V24**22	27,600	11.8	14.2
4735619	24ABB330(A,W)31	CNPH*3617A**	59*P5A060E17**14	27,600	11.5	14.0
4735620	24ABB330(A,W)31	CNPH*3617A**	59*P5A080E17**16	27,600	11.5	14.0
4139755	24ABB330(A,W)31	CNPH*3617A**	OVLAAB036098	27,400	11.5	13.5
4139757	24ABB330(A,W)31	CNPH*3617A**	OVLAAB048112	27,600	11.5	13.5
4139754	24ABB330(A,W)31	CNPH*3617A**	OVMAAB036098	27,400	11.0	13.5
4139756	24ABB330(A,W)31	CNPH*3617A**	OVMAAB042112	27,600	11.7	14.0
3250549	24ABB330(A,W)31	CNPH*3617A**+TDR		27,400	10.8	13.0
3414658	24ABB330(A,W)31	CNPH*4221A**+TDR		27,600	11.0	13.0
3250508	24ABB330(A,W)31	CNPV*3014A**	58CV(A,X)070-12	27,200	11.7	14.0
3250507	24ABB330(A,W)31	CNPV*3014A**+TDR		27,400	10.8	13.0
3250511	24ABB330(A,W)31	CNPV*3017A**	58CV(A,X)090-16	27,400	11.7	14.0
3250512	24ABB330(A,W)31	CNPV*3017A**	58PH*070-16	27,400	11.5	14.0
4139778	24ABB330(A,W)31	CNPV*3017A**	58VLR105-12	27,600	11.7	14.0
4139777	24ABB330(A,W)31	CNPV*3017A**	58VMR105-12	27,200	11.7	14.0
4735582	24ABB330(A,W)31	CNPV*3017A**	59*N*A060V17**14	27,400	11.5	14.0
4735583	24ABB330(A,W)31	CNPV*3017A**	59*N*A080V17**14	27,400	11.8	14.2
4735584	24ABB330(A,W)31	CNPV*3017A**	59*P5A060E17**14	27,600	11.5	14.0
4735585	24ABB330(A,W)31	CNPV*3017A**	59*P5A080E17**16	27,600	11.5	14.0
4139714	24ABB330(A,W)31	CNPV*3017A**	OVLAAB036098	27,400	11.5	13.5
4139713	24ABB330(A,W)31	CNPV*3017A**	OVMAAB036098	27,400	11.0	13.5
4139715	24ABB330(A,W)31	CNPV*3017A**	OVMAAB042112	27,600	11.7	14.0
3250509	24ABB330(A,W)31	CNPV*3017A**+TDR		27,400	10.9	13.0
3674987	24ABB330(A,W)31	CNPV*3117A**	58CV(A,X)090-16	27,800	12.0	14.5
3674988	24ABB330(A,W)31	CNPV*3117A**	58PH*070-16	27,800	11.5	14.0
4139780	24ABB330(A,W)31	CNPV*3117A**	58VLR105-12	28,000	12.0	14.0
4139779	24ABB330(A,W)31	CNPV*3117A**	58VMR105-12	27,800	12.0	14.0
4735586	24ABB330(A,W)31	CNPV*3117A**	59*N*A060V17**14	27,800	11.8	14.2
4735587	24ABB330(A,W)31	CNPV*3117A**	59*N*A080V17**14	28,000	12.0	14.5
4735588	24ABB330(A,W)31	CNPV*3117A**	59*P5A060E17**14	28,200	11.8	14.2
4735589	24ABB330(A,W)31	CNPV*3117A**	59*P5A080E17**16	28,400	11.8	14.2
4139719	24ABB330(A,W)31	CNPV*3117A**	OVLAAB036098	28,000	11.7	14.0
4139718	24ABB330(A,W)31	CNPV*3117A**	OVMAAB036098	28,000	11.5	14.0

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4139720	24ABB330(A,W)31	CNPV*3117A**	OVMAAB042112	28,200	12.0	14.5
3674985	24ABB330(A,W)31	CNPV*3117A**+TDR		27,800	11.0	13.0
3250519	24ABB330(A,W)31	CNPV*3617A**	58CV(A,X)090-16	27,400	11.7	14.0
3250520	24ABB330(A,W)31	CNPV*3617A**	58PH*070-16	27,400	11.5	14.0
4139782	24ABB330(A,W)31	CNPV*3617A**	58VLR105-12	27,600	11.7	14.0
4139781	24ABB330(A,W)31	CNPV*3617A**	58VMR105-12	27,200	11.7	14.0
4735590	24ABB330(A,W)31	CNPV*3617A**	59*N*A080V17**14	27,400	11.5	14.0
4735591	24ABB330(A,W)31	CNPV*3617A**	59*N*A080V17**14	27,400	11.8	14.2
4735592	24ABB330(A,W)31	CNPV*3617A**	59*P5A060E17**14	27,600	11.5	14.0
4735593	24ABB330(A,W)31	CNPV*3617A**	59*P5A080E17**16	27,600	11.5	14.0
4139724	24ABB330(A,W)31	CNPV*3617A**	OVLAAB036098	27,400	11.5	13.5
4139723	24ABB330(A,W)31	CNPV*3617A**	OVMAAB036098	27,400	11.0	13.5
4139725	24ABB330(A,W)31	CNPV*3617A**	OVMAAB042112	27,600	11.7	14.0
3250517	24ABB330(A,W)31	CNPV*3617A**+TDR		27,400	10.8	13.0
3250529	24ABB330(A,W)31	CNPV*3621A**	58CV(A,X)110-20	27,400	11.7	14.0
3250530	24ABB330(A,W)31	CNPV*3621A**	58PH*090-16	27,600	11.7	14.0
4735594	24ABB330(A,W)31	CNPV*3621A**	59*N*A060V17**14	27,400	11.5	14.0
4735595	24ABB330(A,W)31	CNPV*3621A**	59*N*A080V17**14	27,400	11.8	14.2
5096885	24ABB330(A,W)31	CNPV*3621A**	59*N*A080V21**20	27,600	11.7	14.0
5096886	24ABB330(A,W)31	CNPV*3621A**	59*N*A100V21**22	27,600	12.0	14.5
4735597	24ABB330(A,W)31	CNPV*3621A**	59*P5A060E17**14	27,600	11.5	14.0
4735598	24ABB330(A,W)31	CNPV*3621A**	59*P5A080E17**16	27,800	11.5	14.0
5096884	24ABB330(A,W)31	CNPV*3621A**	59MN7A060V21**20	27,400	11.7	14.0
4139730	24ABB330(A,W)31	CNPV*3621A**	OVLAAB036098	27,400	11.5	13.5
4139732	24ABB330(A,W)31	CNPV*3621A**	OVLAAB048112	27,600	11.5	14.0
4139729	24ABB330(A,W)31	CNPV*3621A**	OVMAAB036098	27,400	11.0	13.5
4139731	24ABB330(A,W)31	CNPV*3621A**	OVMAAB042112	27,600	11.7	14.0
3250525	24ABB330(A,W)31	CNPV*3621A**+TDR		27,400	10.8	13.0
3674995	24ABB330(A,W)31	CNPV*3717A**	58CV(A,X)090-16	28,000	12.0	14.5
3674996	24ABB330(A,W)31	CNPV*3717A**	58PH*070-16	28,000	12.0	14.5
4139784	24ABB330(A,W)31	CNPV*3717A**	58VLR105-12	28,400	12.0	14.5
4139783	24ABB330(A,W)31	CNPV*3717A**	58VMR105-12	28,000	12.0	14.5
4735599	24ABB330(A,W)31	CNPV*3717A**	59*N*A060V17**14	28,200	12.0	14.5
4735600	24ABB330(A,W)31	CNPV*3717A**	59*N*A080V17**14	28,400	12.0	14.5
4735601	24ABB330(A,W)31	CNPV*3717A**	59*P5A060E17**14	28,400	12.0	14.5
4735602	24ABB330(A,W)31	CNPV*3717A**	59*P5A080E17**16	28,600	12.0	14.5
4139736	24ABB330(A,W)31	CNPV*3717A**	OVLAAB036098	28,200	11.7	14.0
4139735	24ABB330(A,W)31	CNPV*3717A**	OVMAAB036098	28,200	11.7	14.0
4139737	24ABB330(A,W)31	CNPV*3717A**	OVMAAB042112	28,400	12.0	14.5
3674993	24ABB330(A,W)31	CNPV*3717A**+TDR		28,000	11.0	13.0
3250481	24ABB330(A,W)31	CNPV*4217A**	58CV(A,X)090-16	27,800	12.2	14.5
3414656	24ABB330(A,W)31	CNPV*4217A**+TDR		27,600	11.0	13.0
5096888	24ABB330(A,W)31	CNPV*4221A**	59*N*A080V21**20	27,800	12.0	14.5
5096889	24ABB330(A,W)31	CNPV*4221A**	59*N*A100V21**22	28,000	12.0	14.5
5096887	24ABB330(A,W)31	CNPV*4221A**	59MN7A060V21**20	27,800	11.5	14.0
3414657	24ABB330(A,W)31	CNPV*4221A**+TDR		27,600	11.0	13.0
3250480	24ABB330(A,W)31	CNPV*4821A**	58PH*090-16	28,400	12.2	14.5
3250575	24ABB330(A,W)31	CSPH*3012A**	58CV(A,X)070-12	27,200	11.7	13.5
3250576	24ABB330(A,W)31	CSPH*3012A**	58CV(A,X)090-16	27,400	11.7	14.0
3250577	24ABB330(A,W)31	CSPH*3012A**	58CV(A,X)110-20	27,600	11.7	14.0
3250578	24ABB330(A,W)31	CSPH*3012A**	58CV(A,X)135-22	27,600	11.7	14.0
3250579	24ABB330(A,W)31	CSPH*3012A**	58CV(A,X)155-22	27,600	12.0	14.0
3250580	24ABB330(A,W)31	CSPH*3012A**	58PH*070-16	27,600	11.5	13.5
3250581	24ABB330(A,W)31	CSPH*3012A**	58PH*090-16	27,600	11.7	14.0
4139792	24ABB330(A,W)31	CSPH*3012A**	58VLR105-12	27,600	11.7	14.0
4139791	24ABB330(A,W)31	CSPH*3012A**	58VMR105-12	27,200	11.7	14.0
4735621	24ABB330(A,W)31	CSPH*3012A**	59*N*A060V17**14	27,400	11.5	14.0
4735622	24ABB330(A,W)31	CSPH*3012A**	59*N*A080V17**14	27,600	11.8	14.2
5096891	24ABB330(A,W)31	CSPH*3012A**	59*N*A080V21**20	27,600	11.7	14.0
5096892	24ABB330(A,W)31	CSPH*3012A**	59*N*A100V21**22	27,800	11.8	14.2
4735624	24ABB330(A,W)31	CSPH*3012A**	59*N*A120V24**22	27,600	11.8	14.2
4735625	24ABB330(A,W)31	CSPH*3012A**	59*P5A060E17**14	27,600	11.5	14.0
4735626	24ABB330(A,W)31	CSPH*3012A**	59*P5A080E17**16	27,800	11.5	14.0
5096890	24ABB330(A,W)31	CSPH*3012A**	59MN7A060V21**20	27,600	11.5	14.0
4139759	24ABB330(A,W)31	CSPH*3012A**	OVLAAB036098	27,400	11.0	13.5
4139761	24ABB330(A,W)31	CSPH*3012A**	OVLAAB048112	27,800	11.5	13.5
4139758	24ABB330(A,W)31	CSPH*3012A**	OVMAAB036098	27,600	11.0	13.5
4139760	24ABB330(A,W)31	CSPH*3012A**	OVMAAB042112	27,600	11.5	14.0
3250568	24ABB330(A,W)31	CSPH*3012A**+TDR		27,400	10.8	13.0
3250593	24ABB330(A,W)31	CSPH*3612A**	58CV(A,X)070-12	27,800	12.0	14.0
3250594	24ABB330(A,W)31	CSPH*3612A**	58CV(A,X)090-16	27,800	12.0	14.5
3250595	24ABB330(A,W)31	CSPH*3612A**	58CV(A,X)110-20	27,800	12.0	14.0
3250596	24ABB330(A,W)31	CSPH*3612A**	58CV(A,X)135-22	27,800	12.0	14.0
3250597	24ABB330(A,W)31	CSPH*3612A**	58CV(A,X)155-22	27,800	12.0	14.0
3250598	24ABB330(A,W)31	CSPH*3612A**	58PH*070-16	27,800	11.7	13.5
3250599	24ABB330(A,W)31	CSPH*3612A**	58PH*090-16	27,800	12.0	14.0
4139794	24ABB330(A,W)31	CSPH*3612A**	58VLR105-12	28,000	12.0	14.0
4139793	24ABB330(A,W)31	CSPH*3612A**	58VMR105-12	27,600	12.0	14.0
4735627	24ABB330(A,W)31	CSPH*3612A**	59*N*A060V17**14	27,800	11.8	14.2
4735628	24ABB330(A,W)31	CSPH*3612A**	59*N*A080V17**14	28,000	12.0	14.5
5096894	24ABB330(A,W)31	CSPH*3612A**	59*N*A080V21**20	28,000	12.0	14.5

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
5096895	24ABB330(A,W)31	CSPH*3612A**	59*N*A100V21**22	28,200	12.0	14.5
4735630	24ABB330(A,W)31	CSPH*3612A**	59*N*A120V24**22	28,000	12.0	14.5
4735631	24ABB330(A,W)31	CSPH*3612A**	59*P5A060E17**14	28,000	11.8	14.2
4735632	24ABB330(A,W)31	CSPH*3612A**	59*P5A080E17**16	28,200	11.8	14.2
5096893	24ABB330(A,W)31	CSPH*3612A**	59MN7A060V21**20	28,000	11.8	14.2
4139763	24ABB330(A,W)31	CSPH*3612A**	OVLAA036098	28,000	11.7	14.0
4139765	24ABB330(A,W)31	CSPH*3612A**	OVLAA048112	28,200	11.7	14.0
4139762	24ABB330(A,W)31	CSPH*3612A**	OVMAA036098	28,000	11.5	14.0
4139764	24ABB330(A,W)31	CSPH*3612A**	OVMAA042112	28,000	12.0	14.5
3250586	24ABB330(A,W)31	CSPH*3612A**+TDR		27,400	10.8	13.0
3414659	24ABB330(A,W)31	CSPH*4212A**+TDR		27,600	11.0	13.0
3804448	24ABB330(A,W)31	FB4CNF030		27,400	11.0	13.5
3879008	24ABB330(A,W)31	FB4CNF030+TXV		27,400	11.5	14.0
3804449	24ABB330(A,W)31	FB4CNF036		27,400	11.0	13.5
3879009	24ABB330(A,W)31	FB4CNF036+TXV		27,400	11.5	14.0
3250474	24ABB330(A,W)31	FE4AN(B,F)003+UI		27,600	12.2	14.5
3250475	24ABB330(A,W)31	FE4AN(B,F)005+UI		28,400	12.2	14.5
3250473	24ABB330(A,W)31	FE4ANF002+UI		27,600	11.7	14.0
3457534	24ABB330(A,W)31	FF1ENP031		27,600	11.7	13.5
3250476	24ABB330(A,W)31	FF1ENP036		27,400	10.9	13.0
3457535	24ABB330(A,W)31	FF1ENP037		27,800	11.5	13.5
3404582	24ABB330(A,W)31	FV4CN(B,F)003		27,600	12.2	14.5
3404583	24ABB330(A,W)31	FV4CN(B,F)005		28,400	12.2	14.5
3404581	24ABB330(A,W)31	FV4CNF002		28,800	11.7	13.5
3752025	24ABB330(A,W)31	FX4DN(B,F)031		27,800	11.5	14.0
3752026	24ABB330(A,W)31	FX4DN(B,F)037		28,000	12.0	14.5
3752027	24ABB330(A,W)31	FX4DN(B,F)043		28,000	11.0	13.5
3804450	24ABB330(A,W)31	FY5BNF030		27,600	11.0	13.0
3804451	24ABB330(A,W)31	FY5BNF036		27,600	11.0	13.0
3490894	24ABB330A51	†CAP**3014A**+TDR		27,400	10.8	13.0
3490926	24ABB330A51	CAP**3014A**	58CV(A,X)070-12	27,200	11.7	14.0
3490928	24ABB330A51	CAP**3017A**	58CV(A,X)090-16	27,400	12.0	14.0
3490929	24ABB330A51	CAP**3017A**	58PH*070-16	27,400	11.7	14.0
4140162	24ABB330A51	CAP**3017A**	58VLR105-12	27,400	11.5	14.0
4140161	24ABB330A51	CAP**3017A**	58VLR105-12	27,200	11.5	14.0
4815849	24ABB330A51	CAP**3017A**	59*N*A060V17**14	27,200	11.5	14.0
4815850	24ABB330A51	CAP**3017A**	59*N*A080V17**14	27,400	11.8	14.2
4815851	24ABB330A51	CAP**3017A**	59*P5A060E17**14	27,400	11.5	14.0
4815852	24ABB330A51	CAP**3017A**	59*P5A080E17**16	27,600	11.5	14.0
4140164	24ABB330A51	CAP**3017A**	OVLAA036098	27,400	11.5	13.5
4140163	24ABB330A51	CAP**3017A**	OVMAA036098	27,400	11.0	13.5
4140165	24ABB330A51	CAP**3017A**	OVMAA042112	27,600	11.7	14.0
3490895	24ABB330A51	CAP**3017A**+TDR		27,400	10.8	13.0
3490934	24ABB330A51	CAP**3614A**	58CV(A,X)070-12	27,400	11.7	14.0
3490896	24ABB330A51	CAP**3614A**+TDR		27,400	10.8	13.0
3490936	24ABB330A51	CAP**3617A**	58CV(A,X)090-16	27,400	12.0	14.5
3490937	24ABB330A51	CAP**3617A**	58PH*070-16	27,600	11.7	14.0
4140167	24ABB330A51	CAP**3617A**	58VLR105-12	27,600	11.7	14.0
4140166	24ABB330A51	CAP**3617A**	58VLR105-12	27,200	11.7	14.0
4815853	24ABB330A51	CAP**3617A**	59*N*A060V17**14	27,400	11.5	14.0
4815854	24ABB330A51	CAP**3617A**	59*N*A080V17**14	27,600	11.8	14.2
4815855	24ABB330A51	CAP**3617A**	59*P5A060E17**14	27,600	11.5	14.0
4815856	24ABB330A51	CAP**3617A**	59*P5A080E17**16	27,800	11.8	14.2
4140169	24ABB330A51	CAP**3617A**	OVLAA036098	27,400	11.5	14.0
4140168	24ABB330A51	CAP**3617A**	OVMAA036098	27,400	11.5	13.5
4140170	24ABB330A51	CAP**3617A**	OVMAA042112	27,600	11.7	14.0
3490897	24ABB330A51	CAP**3617A**+TDR		27,600	10.8	13.0
4815862	24ABB330A51	CAP**3619A**	59*N*A060V17**14	27,400	11.5	14.0
4815863	24ABB330A51	CAP**3619A**	59*N*A080V17**14	27,600	11.8	14.2
5153761	24ABB330A51	CAP**3619A**	59*N*A080V21**20	27,600	11.7	14.0
5153762	24ABB330A51	CAP**3619A**	59*N*A100V21**22	27,800	12.0	14.5
4815865	24ABB330A51	CAP**3619A**	59*P5A060E17**14	27,600	11.5	14.0
4815866	24ABB330A51	CAP**3619A**	59*P5A080E17**16	27,800	11.8	14.2
5153760	24ABB330A51	CAP**3619A**	59MN7A060V21**20	27,600	11.5	14.0
3871309	24ABB330A51	CAP**3619A**+TDR		27,600	10.8	13.0
3490945	24ABB330A51	CAP**3621A**	58CV(A,X)110-20	27,600	12.0	14.5
3490946	24ABB330A51	CAP**3621A**	58PH*090-16	27,800	12.0	14.0
4815857	24ABB330A51	CAP**3621A**	59*N*A060V17**14	27,400	11.8	14.2
4815858	24ABB330A51	CAP**3621A**	59*N*A080V17**14	27,600	11.8	14.2
5153755	24ABB330A51	CAP**3621A**	59*N*A080V21**20	27,600	12.0	14.5
5153756	24ABB330A51	CAP**3621A**	59*N*A100V21**22	27,800	12.0	14.5
4815860	24ABB330A51	CAP**3621A**	59*P5A060E17**14	27,600	11.8	14.2
4815861	24ABB330A51	CAP**3621A**	59*P5A080E17**16	27,800	11.8	14.2
5153754	24ABB330A51	CAP**3621A**	59MN7A060V21**20	27,600	11.8	14.2
4140171	24ABB330A51	CAP**3621A**	OVLAA048112	27,800	11.7	14.0
3490898	24ABB330A51	CAP**3621A**+TDR		27,600	10.8	13.0
5153758	24ABB330A51	CAP**4221A**	59*N*A080V21**20	27,800	12.0	14.5
5153759	24ABB330A51	CAP**4221A**	59*N*A100V21**22	28,000	12.0	14.5
5153757	24ABB330A51	CAP**4221A**	59MN7A060V21**20	27,800	11.7	14.0
3490908	24ABB330A51	CAP**4221A**+TDR		27,600	11.0	13.0

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3490909	24ABB330A51	CAP**4224A**+TDR		27,600	11.0	13.0
3871310	24ABB330A51	CAP**4823A**+TDR		27,600	10.8	13.0
3490973	24ABB330A51	CNPH*3017A**	58CV(A,X)070-12	27,200	11.7	14.0
3490974	24ABB330A51	CNPH*3017A**	58CV(A,X)090-16	27,400	11.7	14.0
3490975	24ABB330A51	CNPH*3017A**	58CV(A,X)110-20	27,400	11.7	14.0
3490976	24ABB330A51	CNPH*3017A**	58CV(A,X)135-22	27,400	12.0	14.0
3490977	24ABB330A51	CNPH*3017A**	58CV(A,X)155-22	27,400	12.0	14.0
3490978	24ABB330A51	CNPH*3017A**	58PH*070-16	27,400	11.5	14.0
3490979	24ABB330A51	CNPH*3017A**	58PH*090-16	27,600	11.7	14.0
4140181	24ABB330A51	CNPH*3017A**	58VLR105-12	27,600	11.7	14.0
4140180	24ABB330A51	CNPH*3017A**	58VMR105-12	27,200	11.7	14.0
4815888	24ABB330A51	CNPH*3017A**	59*N*A060V17**14	27,400	11.5	14.0
4815889	24ABB330A51	CNPH*3017A**	59*N*A080V17**14	27,400	11.8	14.2
4815891	24ABB330A51	CNPH*3017A**	59*N*A120V24**22	27,600	11.8	14.2
4815892	24ABB330A51	CNPH*3017A**	59*P5A060E17**14	27,600	11.5	14.0
4815893	24ABB330A51	CNPH*3017A**	59*P5A080E17**16	27,600	11.5	14.0
4140138	24ABB330A51	CNPH*3017A**	OVLAAB036098	27,400	11.5	13.5
4140140	24ABB330A51	CNPH*3017A**	OVLAAB048112	27,600	11.5	13.5
4140137	24ABB330A51	CNPH*3017A**	OVMAAB036098	27,400	11.0	13.5
4140139	24ABB330A51	CNPH*3017A**	OVMAAB042112	27,600	11.7	14.0
3490903	24ABB330A51	CNPH*3017A**+TDR		27,400	10.9	13.0
3871336	24ABB330A51	CNPH*3117A**	58CV(A,X)070-12	27,800	12.0	14.5
3871337	24ABB330A51	CNPH*3117A**	58CV(A,X)090-16	27,800	12.0	14.5
3871338	24ABB330A51	CNPH*3117A**	58CV(A,X)110-20	27,800	12.0	14.5
3871339	24ABB330A51	CNPH*3117A**	58CV(A,X)135-22	27,800	12.0	14.5
3871340	24ABB330A51	CNPH*3117A**	58CV(A,X)155-22	27,800	12.0	14.5
3871341	24ABB330A51	CNPH*3117A**	58PH*070-16	27,800	11.5	14.0
3871342	24ABB330A51	CNPH*3117A**	58PH*090-16	27,800	12.0	14.5
4140183	24ABB330A51	CNPH*3117A**	58VLR105-12	28,200	12.0	14.0
4140182	24ABB330A51	CNPH*3117A**	58VMR105-12	27,800	12.0	14.0
4815894	24ABB330A51	CNPH*3117A**	59*N*A060V17**14	27,800	11.8	14.2
4815895	24ABB330A51	CNPH*3117A**	59*N*A080V17**14	28,000	12.0	14.5
4815897	24ABB330A51	CNPH*3117A**	59*N*A120V24**22	28,200	12.0	14.5
4815898	24ABB330A51	CNPH*3117A**	59*P5A060E17**14	28,200	11.8	14.2
4815899	24ABB330A51	CNPH*3117A**	59*P5A080E17**16	28,400	11.8	14.2
4140142	24ABB330A51	CNPH*3117A**	OVLAAB036098	28,000	11.7	14.0
4140144	24ABB330A51	CNPH*3117A**	OVLAAB048112	28,200	12.0	14.0
4140141	24ABB330A51	CNPH*3117A**	OVMAAB036098	28,000	11.5	14.0
4140143	24ABB330A51	CNPH*3117A**	OVMAAB042112	28,200	12.0	14.0
3871313	24ABB330A51	CNPH*3117A**+TDR		27,800	11.0	13.0
3490990	24ABB330A51	CNPH*3617A**	58CV(A,X)070-12	27,400	11.7	14.0
3490991	24ABB330A51	CNPH*3617A**	58CV(A,X)090-16	27,400	11.7	14.0
3490992	24ABB330A51	CNPH*3617A**	58CV(A,X)110-20	27,400	11.7	14.0
3490993	24ABB330A51	CNPH*3617A**	58CV(A,X)135-22	27,400	12.0	14.0
3490994	24ABB330A51	CNPH*3617A**	58CV(A,X)155-22	27,400	12.0	14.0
3490995	24ABB330A51	CNPH*3617A**	58PH*070-16	27,400	11.5	14.0
3490996	24ABB330A51	CNPH*3617A**	58PH*090-16	27,600	11.7	14.0
4140185	24ABB330A51	CNPH*3617A**	58VLR105-12	27,600	11.7	14.0
4140184	24ABB330A51	CNPH*3617A**	58VMR105-12	27,200	11.7	14.0
4815900	24ABB330A51	CNPH*3617A**	59*N*A060V17**14	27,400	11.5	14.0
4815901	24ABB330A51	CNPH*3617A**	59*N*A080V17**14	27,400	11.8	14.2
4815903	24ABB330A51	CNPH*3617A**	59*N*A120V24**22	27,600	11.8	14.2
4815904	24ABB330A51	CNPH*3617A**	59*P5A060E17**14	27,600	11.5	14.0
4815905	24ABB330A51	CNPH*3617A**	59*P5A080E17**16	27,600	11.5	14.0
4140150	24ABB330A51	CNPH*3617A**	OVLAAB036098	27,400	11.5	13.5
4140152	24ABB330A51	CNPH*3617A**	OVLAAB048112	27,600	11.5	13.5
4140149	24ABB330A51	CNPH*3617A**	OVMAAB036098	27,400	11.0	13.5
4140151	24ABB330A51	CNPH*3617A**	OVMAAB042112	27,600	11.7	14.0
3490904	24ABB330A51	CNPH*3617A**+TDR		27,400	10.8	13.0
3490912	24ABB330A51	CNPH*4221A**+TDR		27,600	11.0	13.0
3490947	24ABB330A51	CNPV*3014A**	58CV(A,X)070-12	27,200	11.7	14.0
3490899	24ABB330A51	CNPV*3014A**+TDR		27,400	10.8	13.0
3490949	24ABB330A51	CNPV*3017A**	58CV(A,X)090-16	27,400	11.7	14.0
3490950	24ABB330A51	CNPV*3017A**	58PH*070-16	27,400	11.5	14.0
4140173	24ABB330A51	CNPV*3017A**	58VLR105-12	27,600	11.7	14.0
4140172	24ABB330A51	CNPV*3017A**	58VMR105-12	27,200	11.7	14.0
4815867	24ABB330A51	CNPV*3017A**	59*N*A060V17**14	27,400	11.5	14.0
4815868	24ABB330A51	CNPV*3017A**	59*N*A080V17**14	27,400	11.8	14.2
4815869	24ABB330A51	CNPV*3017A**	59*P5A060E17**14	27,600	11.5	14.0
4815870	24ABB330A51	CNPV*3017A**	59*P5A080E17**16	27,600	11.5	14.0
4140109	24ABB330A51	CNPV*3017A**	OVLAAB036098	27,400	11.5	13.5
4140108	24ABB330A51	CNPV*3017A**	OVMAAB036098	27,400	11.0	13.5
4140110	24ABB330A51	CNPV*3017A**	OVMAAB042112	27,600	11.7	14.0
3490900	24ABB330A51	CNPV*3017A**+TDR		27,400	10.9	13.0
3871317	24ABB330A51	CNPV*3117A**	58CV(A,X)090-16	27,800	12.0	14.5
3871318	24ABB330A51	CNPV*3117A**	58PH*070-16	27,800	11.5	14.0
4140175	24ABB330A51	CNPV*3117A**	58VLR105-12	28,000	12.0	14.0
4140174	24ABB330A51	CNPV*3117A**	58VMR105-12	27,800	12.0	14.0
4815871	24ABB330A51	CNPV*3117A**	59*N*A060V17**14	27,800	11.8	14.2
4815872	24ABB330A51	CNPV*3117A**	59*N*A080V17**14	28,000	12.0	14.5
4815873	24ABB330A51	CNPV*3117A**	59*P5A060E17**14	28,200	11.8	14.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4815874	24ABB330A51	CNPV*3117A**	59*P5A080E17**16	28,400	11.8	14.2
4140114	24ABB330A51	CNPV*3117A**	OVLAAB036098	28,000	11.7	14.0
4140113	24ABB330A51	CNPV*3117A**	OVMAAB036098	28,000	11.5	14.0
4140115	24ABB330A51	CNPV*3117A**	OVMAAB042112	28,200	12.0	14.5
3871311	24ABB330A51	CNPV*3117A**+TDR		27,800	11.0	13.0
3490956	24ABB330A51	CNPV*3617A**	58CV(A,X)090-16	27,400	11.7	14.0
3490957	24ABB330A51	CNPV*3617A**	58PH*070-16	27,400	11.5	14.0
4140177	24ABB330A51	CNPV*3617A**	58VLR105-12	27,600	11.7	14.0
4140176	24ABB330A51	CNPV*3617A**	58VMR105-12	27,200	11.7	14.0
4815875	24ABB330A51	CNPV*3617A**	59*N*A060V17**14	27,400	11.5	14.0
4815876	24ABB330A51	CNPV*3617A**	59*N*A080V17**14	27,400	11.8	14.2
4815877	24ABB330A51	CNPV*3617A**	59*P5A060E17**14	27,600	11.5	14.0
4815878	24ABB330A51	CNPV*3617A**	59*P5A080E17**16	27,600	11.5	14.0
4140119	24ABB330A51	CNPV*3617A**	OVLAAB036098	27,400	11.5	13.5
4140118	24ABB330A51	CNPV*3617A**	OVMAAB036098	27,400	11.0	13.5
4140120	24ABB330A51	CNPV*3617A**	OVMAAB042112	27,600	11.7	14.0
3490901	24ABB330A51	CNPV*3617A**+TDR		27,400	10.8	13.0
3490965	24ABB330A51	CNPV*3621A**	58CV(A,X)110-20	27,400	11.7	14.0
3490966	24ABB330A51	CNPV*3621A**	58PH*090-16	27,600	11.7	14.0
4815879	24ABB330A51	CNPV*3621A**	59*N*A060V17**14	27,400	11.5	14.0
4815880	24ABB330A51	CNPV*3621A**	59*N*A080V17**14	27,400	11.8	14.2
5153764	24ABB330A51	CNPV*3621A**	59*N*A080V21**20	27,600	11.7	14.0
5153765	24ABB330A51	CNPV*3621A**	59*N*A100V21**22	27,600	12.0	14.5
4815882	24ABB330A51	CNPV*3621A**	59*P5A060E17**14	27,600	11.5	14.0
4815883	24ABB330A51	CNPV*3621A**	59*P5A080E17**16	27,800	11.5	14.0
5153763	24ABB330A51	CNPV*3621A**	59MN7A060V21**20	27,400	11.7	14.0
4140125	24ABB330A51	CNPV*3621A**	OVLAAB036098	27,400	11.5	13.5
4140127	24ABB330A51	CNPV*3621A**	OVLAAB048112	27,600	11.5	14.0
4140124	24ABB330A51	CNPV*3621A**	OVMAAB036098	27,400	11.0	13.5
4140126	24ABB330A51	CNPV*3621A**	OVMAAB042112	27,600	11.7	14.0
3490902	24ABB330A51	CNPV*3621A**+TDR		27,400	10.8	13.0
3871324	24ABB330A51	CNPV*3717A**	58CV(A,X)090-16	28,000	12.0	14.5
3871325	24ABB330A51	CNPV*3717A**	58PH*070-16	28,000	12.0	14.5
4140179	24ABB330A51	CNPV*3717A**	58VLR105-12	28,400	12.0	14.5
4140178	24ABB330A51	CNPV*3717A**	58VMR105-12	28,000	12.0	14.5
4815884	24ABB330A51	CNPV*3717A**	59*N*A060V17**14	28,200	12.0	14.5
4815885	24ABB330A51	CNPV*3717A**	59*N*A080V17**14	28,400	12.0	14.5
4815886	24ABB330A51	CNPV*3717A**	59*P5A060E17**14	28,400	12.0	14.5
4815887	24ABB330A51	CNPV*3717A**	59*P5A080E17**16	28,600	12.0	14.5
4140131	24ABB330A51	CNPV*3717A**	OVLAAB036098	28,200	11.7	14.0
4140130	24ABB330A51	CNPV*3717A**	OVMAAB036098	28,200	11.7	14.0
4140132	24ABB330A51	CNPV*3717A**	OVMAAB042112	28,400	12.0	14.5
3871312	24ABB330A51	CNPV*3717A**+TDR		28,000	11.0	13.0
3490925	24ABB330A51	CNPV*4217A**	58CV(A,X)090-16	27,800	12.2	14.5
3490910	24ABB330A51	CNPV*4217A**+TDR		27,600	11.0	13.0
5153767	24ABB330A51	CNPV*4221A**	59*N*A080V21**20	27,800	12.0	14.5
5153768	24ABB330A51	CNPV*4221A**	59*N*A100V21**22	28,000	12.0	14.5
5153766	24ABB330A51	CNPV*4221A**	59MN7A060V21**20	27,800	11.5	14.0
3490911	24ABB330A51	CNPV*4221A**+TDR		27,600	11.0	13.0
3490924	24ABB330A51	CNPV*4821A**	58PH*090-16	28,400	12.2	14.5
3491007	24ABB330A51	CSPH*3012A**	58CV(A,X)070-12	27,200	11.7	13.5
3491008	24ABB330A51	CSPH*3012A**	58CV(A,X)090-16	27,400	11.7	14.0
3491009	24ABB330A51	CSPH*3012A**	58CV(A,X)110-20	27,600	11.7	14.0
3491010	24ABB330A51	CSPH*3012A**	58CV(A,X)135-22	27,600	11.7	14.0
3491011	24ABB330A51	CSPH*3012A**	58CV(A,X)155-22	27,600	12.0	14.0
3491012	24ABB330A51	CSPH*3012A**	58PH*070-16	27,600	11.5	13.5
3491013	24ABB330A51	CSPH*3012A**	58PH*090-16	27,600	11.7	14.0
4140187	24ABB330A51	CSPH*3012A**	58VLR105-12	27,600	11.7	14.0
4140186	24ABB330A51	CSPH*3012A**	58VMR105-12	27,200	11.7	14.0
4815906	24ABB330A51	CSPH*3012A**	59*N*A060V17**14	27,400	11.5	14.0
4815907	24ABB330A51	CSPH*3012A**	59*N*A080V17**14	27,600	11.8	14.2
5153770	24ABB330A51	CSPH*3012A**	59*N*A080V21**20	27,600	11.7	14.0
5153771	24ABB330A51	CSPH*3012A**	59*N*A100V21**22	27,800	11.8	14.2
4815909	24ABB330A51	CSPH*3012A**	59*N*A120V24**22	27,600	11.8	14.2
4815910	24ABB330A51	CSPH*3012A**	59*P5A060E17**14	27,600	11.5	14.0
4815911	24ABB330A51	CSPH*3012A**	59*P5A080E17**16	27,800	11.5	14.0
5153769	24ABB330A51	CSPH*3012A**	59MN7A060V21**20	27,600	11.5	14.0
4140154	24ABB330A51	CSPH*3012A**	OVLAAB036098	27,400	11.0	13.5
4140156	24ABB330A51	CSPH*3012A**	OVLAAB048112	27,800	11.5	13.5
4140153	24ABB330A51	CSPH*3012A**	OVMAAB036098	27,600	11.0	13.5
4140155	24ABB330A51	CSPH*3012A**	OVMAAB042112	27,600	11.5	14.0
3490906	24ABB330A51	CSPH*3012A**+TDR		27,400	10.8	13.0
3491024	24ABB330A51	CSPH*3612A**	58CV(A,X)070-12	27,800	12.0	14.0
3491025	24ABB330A51	CSPH*3612A**	58CV(A,X)090-16	27,800	12.0	14.5
3491026	24ABB330A51	CSPH*3612A**	58CV(A,X)110-20	27,800	12.0	14.0
3491027	24ABB330A51	CSPH*3612A**	58CV(A,X)135-22	27,800	12.0	14.0
3491028	24ABB330A51	CSPH*3612A**	58CV(A,X)155-22	27,800	12.0	14.0
3491029	24ABB330A51	CSPH*3612A**	58PH*070-16	27,800	11.7	13.5
3491030	24ABB330A51	CSPH*3612A**	58PH*090-16	27,800	12.0	14.0
4140189	24ABB330A51	CSPH*3612A**	58VLR105-12	28,000	12.0	14.0
4140188	24ABB330A51	CSPH*3612A**	58VMR105-12	27,600	12.0	14.0

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4815912	24ABB330A51	CSPH*3612A**	59*N*A060V17**14	27,800	11.8	14.2
4815913	24ABB330A51	CSPH*3612A**	59*N*A080V17**14	28,000	12.0	14.5
5153773	24ABB330A51	CSPH*3612A**	59*N*A080V21**20	28,000	12.0	14.5
5153774	24ABB330A51	CSPH*3612A**	59*N*A100V21**22	28,200	12.0	14.5
4815915	24ABB330A51	CSPH*3612A**	59*N*A120V24**22	28,000	12.0	14.5
4815916	24ABB330A51	CSPH*3612A**	59*P5A060E17**14	28,000	11.8	14.2
4815917	24ABB330A51	CSPH*3612A**	59*P5A080E17**16	28,200	11.8	14.2
5153772	24ABB330A51	CSPH*3612A**	59MN7A060V21**20	28,000	11.8	14.2
4140158	24ABB330A51	CSPH*3612A**	OVLAA036098	28,000	11.7	14.0
4140160	24ABB330A51	CSPH*3612A**	OVLAA048112	28,200	11.7	14.0
4140157	24ABB330A51	CSPH*3612A**	OVMMA036098	28,000	11.5	14.0
4140159	24ABB330A51	CSPH*3612A**	OVMMA042112	28,000	12.0	14.5
3490907	24ABB330A51	CSPH*3612A**+TDR		27,400	10.8	13.0
3490913	24ABB330A51	CSPH*4212A**+TDR		27,600	11.0	13.0
3834862	24ABB330A51	FB4CNF030		27,400	11.0	13.5
3834863	24ABB330A51	FB4CNF036		27,400	11.0	13.5
3490918	24ABB330A51	FE4AN(B,F)003+UI		27,600	12.2	14.5
3490919	24ABB330A51	FE4AN(B,F)005+UI		28,400	12.2	14.5
3490917	24ABB330A51	FE4ANF002+UI		27,600	11.7	14.0
3491038	24ABB330A51	FF1ENP031		27,600	11.7	13.5
3490920	24ABB330A51	FF1ENP036		27,400	10.9	13.0
3491039	24ABB330A51	FF1ENP037		27,800	11.5	13.5
3491036	24ABB330A51	FV4CN(B,F)003		27,600	12.2	14.5
3491037	24ABB330A51	FV4CN(B,F)005		28,400	12.2	14.5
3491035	24ABB330A51	FV4CNF002		26,800	11.7	13.5
3871362	24ABB330A51	FX4DN(B,F)031		27,800	11.5	14.0
3871363	24ABB330A51	FX4DN(B,F)037		28,000	12.0	14.5
3871364	24ABB330A51	FX4DN(B,F)043		28,000	11.0	13.5
3871365	24ABB330A51	FY5BNF030		27,600	11.0	13.0
3871366	24ABB330A51	FY5BNF036		27,600	11.0	13.0
3250190	24ABB336(A,W)31	†CAP**3617A**+TDR		33,800	10.9	13.0
3250235	24ABB336(A,W)31	CAP**3614A**	58CV(A,X)070-12	32,400	11.5	13.5
3250234	24ABB336(A,W)31	CAP**3614A**+TDR		32,800	11.0	13.0
3250237	24ABB336(A,W)31	CAP**3617A**	58CV(A,X)090-16	33,400	11.7	14.0
3250330	24ABB336(A,W)31	CAP**3617A**	58PH*070-16	33,400	11.2	13.5
4139862	24ABB336(A,W)31	CAP**3617A**	58VLR105-12	33,600	11.0	13.5
4139861	24ABB336(A,W)31	CAP**3617A**	58VMR105-12	33,200	11.5	13.5
4741377	24ABB336(A,W)31	CAP**3617A**	59*N*A060V17**14	33,000	11.3	13.5
4741378	24ABB336(A,W)31	CAP**3617A**	59*N*A080V17**14	33,200	11.3	13.7
4741379	24ABB336(A,W)31	CAP**3617A**	59*P5A060E17**14	33,400	11.3	13.5
4741380	24ABB336(A,W)31	CAP**3617A**	59*P5A080E17**16	33,400	11.3	13.7
4139864	24ABB336(A,W)31	CAP**3617A**	OVLAA036098	33,200	11.0	13.2
4139863	24ABB336(A,W)31	CAP**3617A**	OVMMA036098	33,200	11.0	13.2
4139865	24ABB336(A,W)31	CAP**3617A**	OVMMA042112	33,400	11.0	13.5
4741393	24ABB336(A,W)31	CAP**3619A**	59*N*A060V17**14	33,000	11.3	13.5
4741394	24ABB336(A,W)31	CAP**3619A**	59*N*A080V17**14	33,200	11.3	13.7
5096909	24ABB336(A,W)31	CAP**3619A**	59*N*A080V21**20	33,200	11.7	14.0
5096910	24ABB336(A,W)31	CAP**3619A**	59*N*A100V21**22	33,400	11.7	14.0
4741396	24ABB336(A,W)31	CAP**3619A**	59*P5A060E17**14	33,400	11.3	13.5
4741397	24ABB336(A,W)31	CAP**3619A**	59*P5A080E17**16	33,400	11.3	13.7
5096908	24ABB336(A,W)31	CAP**3619A**	59MN7A060V21**20	33,200	11.5	13.7
3639071	24ABB336(A,W)31	CAP**3619A**+TDR		33,600	11.0	13.0
3250242	24ABB336(A,W)31	CAP**3621A**	58CV(A,X)110-20	33,400	11.7	14.0
3250331	24ABB336(A,W)31	CAP**3621A**	58PH*090-16	33,800	12.0	14.0
3250332	24ABB336(A,W)31	CAP**3621A**	58PH*110-20	34,000	12.0	14.0
4139867	24ABB336(A,W)31	CAP**3621A**	58VLR120-20	33,400	11.7	14.0
4139866	24ABB336(A,W)31	CAP**3621A**	58VMR120-20	33,400	11.7	14.0
4741381	24ABB336(A,W)31	CAP**3621A**	59*N*A060V17**14	33,000	11.3	13.7
4741382	24ABB336(A,W)31	CAP**3621A**	59*N*A080V17**14	33,200	11.5	13.7
5096897	24ABB336(A,W)31	CAP**3621A**	59*N*A080V21**20	33,200	11.7	14.0
5096898	24ABB336(A,W)31	CAP**3621A**	59*N*A100V21**22	33,400	11.7	14.0
4741384	24ABB336(A,W)31	CAP**3621A**	59*P5A060E17**14	33,400	11.3	13.5
4741385	24ABB336(A,W)31	CAP**3621A**	59*P5A080E17**16	33,400	11.3	13.7
5096896	24ABB336(A,W)31	CAP**3621A**	59MN7A060V21**20	33,200	11.7	14.0
4139868	24ABB336(A,W)31	CAP**3621A**	OVLAA048112	33,600	11.5	13.5
3250238	24ABB336(A,W)31	CAP**3621A**+TDR		33,800	11.0	13.0
3250247	24ABB336(A,W)31	CAP**4221A**	58CV(A,X)110-20	33,600	12.0	14.0
3250333	24ABB336(A,W)31	CAP**4221A**	58PH*090-16	34,000	12.0	14.0
3250334	24ABB336(A,W)31	CAP**4221A**	58PH*110-20	34,200	12.0	14.0
4139870	24ABB336(A,W)31	CAP**4221A**	58VLR120-20	33,600	11.7	14.0
4139869	24ABB336(A,W)31	CAP**4221A**	58VMR120-20	33,600	11.7	14.0
4741386	24ABB336(A,W)31	CAP**4221A**	59*N*A060V17**14	33,200	11.3	13.7
4741387	24ABB336(A,W)31	CAP**4221A**	59*N*A080V17**14	33,400	11.5	13.7
5096900	24ABB336(A,W)31	CAP**4221A**	59*N*A080V21**20	33,600	12.0	14.5
5096901	24ABB336(A,W)31	CAP**4221A**	59*N*A100V21**22	33,600	12.0	14.5
4741389	24ABB336(A,W)31	CAP**4221A**	59*P5A060E17**14	33,600	11.3	13.7
4741390	24ABB336(A,W)31	CAP**4221A**	59*P5A080E17**16	33,800	11.5	13.7
5096899	24ABB336(A,W)31	CAP**4221A**	59MN7A060V21**20	33,400	11.7	14.0
4139871	24ABB336(A,W)31	CAP**4221A**	OVLAA048112	33,800	11.5	13.5
3250243	24ABB336(A,W)31	CAP**4221A**+TDR		34,000	11.0	13.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3250251	24ABB336(A,W)31	CAP**4224A**	58CV(A,X)135-22	33,600	12.0	14.0
3250252	24ABB336(A,W)31	CAP**4224A**	58CV(A,X)155-22	33,800	12.0	14.0
5096903	24ABB336(A,W)31	CAP**4224A**	59*N*A080V21**20	33,600	12.0	14.5
5096904	24ABB336(A,W)31	CAP**4224A**	59*N*A100V21**22	33,600	12.0	14.5
4741392	24ABB336(A,W)31	CAP**4224A**	59*N*A120V24**22	33,600	11.7	14.0
5096902	24ABB336(A,W)31	CAP**4224A**	59MN7A060V21**20	33,400	11.5	14.0
3250248	24ABB336(A,W)31	CAP**4224A**+TDR		33,800	11.0	13.0
3250329	24ABB336(A,W)31	CAP**4817A**	58PH*070-16	34,400	11.7	14.0
5096906	24ABB336(A,W)31	CAP**4821A**	59*N*A080V21**20	34,000	12.0	14.5
5096907	24ABB336(A,W)31	CAP**4821A**	59*N*A100V21**22	34,200	12.0	14.5
5096905	24ABB336(A,W)31	CAP**4821A**	59MN7A060V21**20	33,800	11.7	14.0
3639072	24ABB336(A,W)31	CAP**4823A**+TDR		34,000	11.0	13.0
3639073	24ABB336(A,W)31	CAP**6025A**+TDR		34,600	11.0	13.0
3250273	24ABB336(A,W)31	CNPH*3617A**	58CV(A,X)070-12	33,200	11.5	13.5
3250274	24ABB336(A,W)31	CNPH*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3250275	24ABB336(A,W)31	CNPH*3617A**	58CV(A,X)110-20	33,400	11.5	13.5
3250276	24ABB336(A,W)31	CNPH*3617A**	58CV(A,X)135-22	33,400	11.7	14.0
3250277	24ABB336(A,W)31	CNPH*3617A**	58CV(A,X)155-22	33,400	11.7	14.0
3250340	24ABB336(A,W)31	CNPH*3617A**	58PH*070-16	33,200	11.0	13.5
3250341	24ABB336(A,W)31	CNPH*3617A**	58PH*090-16	33,400	11.7	14.0
3250342	24ABB336(A,W)31	CNPH*3617A**	58PH*110-20	33,600	11.7	14.0
4139881	24ABB336(A,W)31	CNPH*3617A**	58VLR105-12	33,400	11.0	13.5
4139883	24ABB336(A,W)31	CNPH*3617A**	58VLR120-20	33,400	11.5	14.0
4139880	24ABB336(A,W)31	CNPH*3617A**	58VMR105-12	33,000	11.0	13.5
4139882	24ABB336(A,W)31	CNPH*3617A**	58VMR120-20	33,200	11.5	13.5
4741422	24ABB336(A,W)31	CNPH*3617A**	59*N*A060V17**14	32,800	11.2	13.5
4741423	24ABB336(A,W)31	CNPH*3617A**	59*N*A080V17**14	33,000	11.3	13.5
4741425	24ABB336(A,W)31	CNPH*3617A**	59*N*A120V24**22	33,200	11.5	13.7
4741426	24ABB336(A,W)31	CNPH*3617A**	59*P5A060E17**14	33,200	11.2	13.5
4741427	24ABB336(A,W)31	CNPH*3617A**	59*P5A080E17**16	33,200	11.3	13.5
4139833	24ABB336(A,W)31	CNPH*3617A**	OVLAAB036098	33,000	11.0	13.2
4139835	24ABB336(A,W)31	CNPH*3617A**	OVLAAB048112	33,400	11.0	13.2
4139836	24ABB336(A,W)31	CNPH*3617A**	OVLAAB060154	34,200	11.5	13.5
4139832	24ABB336(A,W)31	CNPH*3617A**	OVMAAB036098	33,200	11.0	13.2
4139834	24ABB336(A,W)31	CNPH*3617A**	OVMAAB042112	33,400	11.0	13.2
3250266	24ABB336(A,W)31	CNPH*3617A**+TDR		33,800	11.0	13.0
3250285	24ABB336(A,W)31	CNPH*4221A**	58CV(A,X)070-12	33,600	11.5	13.5
3250286	24ABB336(A,W)31	CNPH*4221A**	58CV(A,X)090-16	33,600	11.7	14.0
3250287	24ABB336(A,W)31	CNPH*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3250288	24ABB336(A,W)31	CNPH*4221A**	58CV(A,X)135-22	33,600	12.0	14.0
3250289	24ABB336(A,W)31	CNPH*4221A**	58CV(A,X)155-22	33,800	12.0	14.0
3250343	24ABB336(A,W)31	CNPH*4221A**	58PH*070-16	33,600	11.2	13.5
3250344	24ABB336(A,W)31	CNPH*4221A**	58PH*090-16	34,000	12.0	14.0
3250345	24ABB336(A,W)31	CNPH*4221A**	58PH*110-20	34,000	12.0	14.0
4139885	24ABB336(A,W)31	CNPH*4221A**	58VLR105-12	33,800	11.5	13.5
4139887	24ABB336(A,W)31	CNPH*4221A**	58VLR120-20	33,800	11.7	14.0
4139884	24ABB336(A,W)31	CNPH*4221A**	58VMR105-12	33,400	11.5	13.5
4139886	24ABB336(A,W)31	CNPH*4221A**	58VMR120-20	33,600	11.7	14.0
4741428	24ABB336(A,W)31	CNPH*4221A**	59*N*A060V17**14	33,200	11.3	13.7
4741429	24ABB336(A,W)31	CNPH*4221A**	59*N*A080V17**14	33,400	11.5	13.7
5096924	24ABB336(A,W)31	CNPH*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5096925	24ABB336(A,W)31	CNPH*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4741431	24ABB336(A,W)31	CNPH*4221A**	59*N*A120V24**22	33,600	11.7	14.0
4741432	24ABB336(A,W)31	CNPH*4221A**	59*P5A060E17**14	33,600	11.3	13.5
4741433	24ABB336(A,W)31	CNPH*4221A**	59*P5A080E17**16	33,600	11.5	13.7
5096923	24ABB336(A,W)31	CNPH*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4139842	24ABB336(A,W)31	CNPH*4221A**	OVLAAB036098	33,400	11.0	13.2
4139844	24ABB336(A,W)31	CNPH*4221A**	OVLAAB048112	33,800	11.5	13.5
4139845	24ABB336(A,W)31	CNPH*4221A**	OVLAAB060154	34,600	11.5	13.5
4139841	24ABB336(A,W)31	CNPH*4221A**	OVMAAB036098	33,600	11.0	13.2
4139843	24ABB336(A,W)31	CNPH*4221A**	OVMAAB042112	33,600	11.5	13.5
3250278	24ABB336(A,W)31	CNPH*4221A**+TDR		34,000	11.0	13.0
3674956	24ABB336(A,W)31	CNPH*4321A**	58CV(A,X)070-12	34,800	12.0	14.5
3674957	24ABB336(A,W)31	CNPH*4321A**	58CV(A,X)090-16	34,800	12.0	14.5
3674958	24ABB336(A,W)31	CNPH*4321A**	58CV(A,X)110-20	34,800	12.0	14.5
3674959	24ABB336(A,W)31	CNPH*4321A**	58CV(A,X)135-22	34,800	12.0	14.5
3674960	24ABB336(A,W)31	CNPH*4321A**	58CV(A,X)155-22	34,800	12.0	14.5
3674961	24ABB336(A,W)31	CNPH*4321A**	58PH*045-08	34,800	11.0	13.5
3674962	24ABB336(A,W)31	CNPH*4321A**	58PH*070-16	34,800	11.0	13.5
3674963	24ABB336(A,W)31	CNPH*4321A**	58PH*090-16	34,800	12.0	14.5
3674964	24ABB336(A,W)31	CNPH*4321A**	58PH*110-20	34,800	12.0	14.5
4139889	24ABB336(A,W)31	CNPH*4321A**	58VLR105-12	34,800	11.7	14.0
4139891	24ABB336(A,W)31	CNPH*4321A**	58VLR120-20	34,600	12.0	14.5
4139888	24ABB336(A,W)31	CNPH*4321A**	58VMR105-12	34,400	11.7	14.0
4139890	24ABB336(A,W)31	CNPH*4321A**	58VMR120-20	34,600	12.0	14.5
4741434	24ABB336(A,W)31	CNPH*4321A**	59*N*A060V17**14	34,200	11.7	14.0
4741435	24ABB336(A,W)31	CNPH*4321A**	59*N*A080V17**14	34,200	11.7	14.0
5096927	24ABB336(A,W)31	CNPH*4321A**	59*N*A080V21**20	34,400	12.2	14.5
5096928	24ABB336(A,W)31	CNPH*4321A**	59*N*A100V21**22	34,600	12.2	14.5
4741437	24ABB336(A,W)31	CNPH*4321A**	59*N*A120V24**22	34,400	12.0	14.5
4741438	24ABB336(A,W)31	CNPH*4321A**	59*P5A060E17**14	34,800	11.7	14.0

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4741439	24ABB336(A,W)31	CNPH*4321A**	59*P5A080E17**16	34,600	11.7	14.0
5096926	24ABB336(A,W)31	CNPH*4321A**	59MN7A060V21**20	34,200	12.0	14.5
4139847	24ABB336(A,W)31	CNPH*4321A**	OVLAAB036098	34,400	11.7	13.5
4139849	24ABB336(A,W)31	CNPH*4321A**	OVLAAB048112	34,800	11.7	14.0
4139850	24ABB336(A,W)31	CNPH*4321A**	OVLAAB060154	34,800	12.2	14.0
4139846	24ABB336(A,W)31	CNPH*4321A**	OVMAAB036098	34,600	11.7	13.5
4139848	24ABB336(A,W)31	CNPH*4321A**	OVMAAB042112	34,600	12.0	14.0
3674949	24ABB336(A,W)31	CNPH*4321A**+TDR		34,800	11.0	13.0
3250227	24ABB336(A,W)31	CNPH*4821A**	58CV(A,X)090-16	34,200	12.2	14.5
4741457	24ABB336(A,W)31	CNPH*4821A**	59*N*A060V17**14	33,800	11.5	14.0
4741458	24ABB336(A,W)31	CNPH*4821A**	59*N*A080V17**14	34,000	11.7	14.0
5096930	24ABB336(A,W)31	CNPH*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5096931	24ABB336(A,W)31	CNPH*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4741460	24ABB336(A,W)31	CNPH*4821A**	59*N*A120V24**22	34,000	12.0	14.0
4741461	24ABB336(A,W)31	CNPH*4821A**	59*P5A060E17**14	34,400	11.5	13.7
4741462	24ABB336(A,W)31	CNPH*4821A**	59*P5A080E17**16	34,400	11.7	14.0
5096929	24ABB336(A,W)31	CNPH*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3250255	24ABB336(A,W)31	CNPV*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3250335	24ABB336(A,W)31	CNPV*3617A**	58PH*070-16	33,200	11.2	13.5
4139873	24ABB336(A,W)31	CNPV*3617A**	58VLR105-12	33,400	11.0	13.5
4139872	24ABB336(A,W)31	CNPV*3617A**	58VMR105-12	33,000	11.0	13.5
4741398	24ABB336(A,W)31	CNPV*3617A**	59*N*A060V17**14	32,800	11.2	13.5
4741399	24ABB336(A,W)31	CNPV*3617A**	59*N*A080V17**14	33,000	11.3	13.5
4741400	24ABB336(A,W)31	CNPV*3617A**	59*P5A060E17**14	33,200	11.2	13.5
4741401	24ABB336(A,W)31	CNPV*3617A**	59*P5A080E17**16	33,200	11.3	13.5
4139798	24ABB336(A,W)31	CNPV*3617A**	OVLAAB036098	33,000	11.0	13.2
4139797	24ABB336(A,W)31	CNPV*3617A**	OVMAAB036098	33,200	11.0	13.2
4139799	24ABB336(A,W)31	CNPV*3617A**	OVMAAB042112	33,400	11.0	13.4
3250253	24ABB336(A,W)31	CNPV*3617A**+TDR		33,800	11.0	13.0
3250260	24ABB336(A,W)31	CNPV*3621A**	58CV(A,X)110-20	33,400	11.5	13.5
3250336	24ABB336(A,W)31	CNPV*3621A**	58PH*090-16	33,400	11.7	14.0
3250337	24ABB336(A,W)31	CNPV*3621A**	58PH*110-20	33,600	11.7	14.0
4741402	24ABB336(A,W)31	CNPV*3621A**	59*N*A060V17**14	32,800	11.2	13.5
4741403	24ABB336(A,W)31	CNPV*3621A**	59*N*A080V17**14	33,000	11.3	13.5
5096912	24ABB336(A,W)31	CNPV*3621A**	59*N*A080V21**20	33,200	11.5	14.0
5096913	24ABB336(A,W)31	CNPV*3621A**	59*N*A100V21**22	33,400	11.5	14.0
4741405	24ABB336(A,W)31	CNPV*3621A**	59*P5A060E17**14	33,200	11.2	13.5
4741406	24ABB336(A,W)31	CNPV*3621A**	59*P5A080E17**16	33,200	11.3	13.5
5096911	24ABB336(A,W)31	CNPV*3621A**	59MN7A060V21**20	33,000	11.5	13.7
4139804	24ABB336(A,W)31	CNPV*3621A**	OVLAAB036098	33,200	11.0	13.2
4139806	24ABB336(A,W)31	CNPV*3621A**	OVLAAB048112	33,400	11.0	13.2
4139803	24ABB336(A,W)31	CNPV*3621A**	OVMAAB036098	33,200	11.0	13.2
4139805	24ABB336(A,W)31	CNPV*3621A**	OVMAAB042112	33,400	11.0	13.5
3250256	24ABB336(A,W)31	CNPV*3621A**+TDR		33,800	11.0	13.0
3674938	24ABB336(A,W)31	CNPV*3717A**	58CV(A,X)090-16	35,000	12.0	14.5
3674939	24ABB336(A,W)31	CNPV*3717A**	58PH*070-16	35,000	11.5	14.0
4139875	24ABB336(A,W)31	CNPV*3717A**	58VLR105-12	34,800	11.7	14.0
4139874	24ABB336(A,W)31	CNPV*3717A**	58VMR105-12	34,400	11.7	14.0
4741407	24ABB336(A,W)31	CNPV*3717A**	59*N*A060V17**14	34,000	11.7	14.0
4741408	24ABB336(A,W)31	CNPV*3717A**	59*N*A080V17**14	34,200	11.7	14.0
4741409	24ABB336(A,W)31	CNPV*3717A**	59*P5A060E17**14	34,600	11.7	14.0
4741410	24ABB336(A,W)31	CNPV*3717A**	59*P5A080E17**16	34,600	11.7	14.0
4139810	24ABB336(A,W)31	CNPV*3717A**	OVLAAB036098	34,400	11.5	13.5
4139809	24ABB336(A,W)31	CNPV*3717A**	OVMAAB036098	34,600	11.5	13.5
4139811	24ABB336(A,W)31	CNPV*3717A**	OVMAAB042112	34,600	11.5	14.0
3674936	24ABB336(A,W)31	CNPV*3717A**+TDR		35,000	11.0	13.0
3250200	24ABB336(A,W)31	CNPV*4217A**	58CV(A,X)090-16	33,800	11.7	14.0
3250201	24ABB336(A,W)31	CNPV*4217A**	58PH*070-16	33,800	11.7	14.0
4139877	24ABB336(A,W)31	CNPV*4217A**	58VLR105-12	34,000	11.5	13.5
4139876	24ABB336(A,W)31	CNPV*4217A**	58VMR105-12	33,600	11.5	14.0
4741411	24ABB336(A,W)31	CNPV*4217A**	59*N*A060V17**14	33,400	11.5	13.7
4741412	24ABB336(A,W)31	CNPV*4217A**	59*N*A080V17**14	33,600	11.5	13.7
4741413	24ABB336(A,W)31	CNPV*4217A**	59*P5A060E17**14	34,000	11.3	13.7
4741414	24ABB336(A,W)31	CNPV*4217A**	59*P5A080E17**16	34,000	11.5	13.7
4139815	24ABB336(A,W)31	CNPV*4217A**	OVLAAB036098	33,800	11.0	13.5
4139814	24ABB336(A,W)31	CNPV*4217A**	OVMAAB036098	33,800	11.0	13.2
4139816	24ABB336(A,W)31	CNPV*4217A**	OVMAAB042112	34,000	11.5	13.5
3250198	24ABB336(A,W)31	CNPV*4217A**+TDR		33,800	11.0	13.0
3250265	24ABB336(A,W)31	CNPV*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3250338	24ABB336(A,W)31	CNPV*4221A**	58PH*090-16	34,000	12.0	14.0
3250339	24ABB336(A,W)31	CNPV*4221A**	58PH*110-20	34,000	12.0	14.0
4139879	24ABB336(A,W)31	CNPV*4221A**	58VLR120-20	33,800	11.7	14.0
4139878	24ABB336(A,W)31	CNPV*4221A**	58VMR120-20	33,600	11.7	14.0
4741415	24ABB336(A,W)31	CNPV*4221A**	59*N*A060V17**14	33,200	11.3	13.7
4741416	24ABB336(A,W)31	CNPV*4221A**	59*N*A080V17**14	33,400	11.5	13.7
5096915	24ABB336(A,W)31	CNPV*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5096916	24ABB336(A,W)31	CNPV*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4741418	24ABB336(A,W)31	CNPV*4221A**	59*P5A060E17**14	33,600	11.3	13.5
4741419	24ABB336(A,W)31	CNPV*4221A**	59*P5A080E17**16	33,600	11.5	13.7
5096914	24ABB336(A,W)31	CNPV*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4139821	24ABB336(A,W)31	CNPV*4221A**	OVLAAB036098	33,400	11.0	13.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4139823	24ABB336(A,W)31	CNPV*4221A**	OVLAAB048112	33,800	11.5	13.5
4139820	24ABB336(A,W)31	CNPV*4221A**	OVMAAB036098	33,600	11.0	13.2
4139822	24ABB336(A,W)31	CNPV*4221A**	OVMAAB042112	33,600	11.5	13.5
3250261	24ABB336(A,W)31	CNPV*4221A**+TDR		34,000	11.0	13.0
3674947	24ABB336(A,W)31	CNPV*4324A**	58CV(A,X)135-22	34,800	12.0	14.5
3674948	24ABB336(A,W)31	CNPV*4324A**	58CV(A,X)155-22	34,800	12.0	14.5
5096918	24ABB336(A,W)31	CNPV*4324A**	59*N*A080V21**20	34,400	12.2	14.5
5096919	24ABB336(A,W)31	CNPV*4324A**	59*N*A100V21**22	34,600	12.2	14.5
4741421	24ABB336(A,W)31	CNPV*4324A**	59*N*A120V24**22	34,400	12.2	14.5
5096917	24ABB336(A,W)31	CNPV*4324A**	59MN7A060V21**20	34,400	12.0	14.5
4139826	24ABB336(A,W)31	CNPV*4324A**	OVLAAB048112	34,800	12.0	14.0
4139827	24ABB336(A,W)31	CNPV*4324A**	OVLAAB060154	34,800	12.0	14.5
3674944	24ABB336(A,W)31	CNPV*4324A**+TDR		34,800	11.0	13.0
3250232	24ABB336(A,W)31	CNPV*4821A**	58PH*090-16	34,600	12.2	14.5
3250233	24ABB336(A,W)31	CNPV*4821A**	58PH*110-20	34,800	12.2	14.5
4741452	24ABB336(A,W)31	CNPV*4821A**	59*N*A060V17**14	33,800	11.5	14.0
4741453	24ABB336(A,W)31	CNPV*4821A**	59*N*A080V17**14	34,000	11.7	14.0
5096921	24ABB336(A,W)31	CNPV*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5096922	24ABB336(A,W)31	CNPV*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4741455	24ABB336(A,W)31	CNPV*4821A**	59*P5A060E17**14	34,400	11.5	13.7
4741456	24ABB336(A,W)31	CNPV*4821A**	59*P5A080E17**16	34,400	11.7	14.0
5096920	24ABB336(A,W)31	CNPV*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3250298	24ABB336(A,W)31	CSPH*3612A**	58CV(A,X)070-12	33,600	11.7	14.0
3250299	24ABB336(A,W)31	CSPH*3612A**	58CV(A,X)090-16	33,600	12.0	14.0
3250300	24ABB336(A,W)31	CSPH*3612A**	58CV(A,X)110-20	33,600	12.0	14.0
3250301	24ABB336(A,W)31	CSPH*3612A**	58CV(A,X)135-22	33,600	12.0	14.0
3250302	24ABB336(A,W)31	CSPH*3612A**	58CV(A,X)155-22	33,600	12.0	14.0
3250346	24ABB336(A,W)31	CSPH*3612A**	58PH*070-16	34,000	11.5	13.5
3250347	24ABB336(A,W)31	CSPH*3612A**	58PH*090-16	34,400	12.0	14.0
3250348	24ABB336(A,W)31	CSPH*3612A**	58PH*110-20	34,400	12.0	14.0
4139893	24ABB336(A,W)31	CSPH*3612A**	58VLR105-12	34,200	11.7	14.0
4139895	24ABB336(A,W)31	CSPH*3612A**	58VLR120-20	34,200	12.0	14.0
4139892	24ABB336(A,W)31	CSPH*3612A**	58VMR105-12	33,800	11.7	14.0
4139894	24ABB336(A,W)31	CSPH*3612A**	58VMR120-20	34,000	11.7	14.0
4741440	24ABB336(A,W)31	CSPH*3612A**	59*N*A060V17**14	33,600	11.5	13.7
4741441	24ABB336(A,W)31	CSPH*3612A**	59*N*A080V17**14	33,800	11.5	14.0
5096933	24ABB336(A,W)31	CSPH*3612A**	59*N*A080V21**20	34,000	12.0	14.5
5096934	24ABB336(A,W)31	CSPH*3612A**	59*N*A100V21**22	34,200	12.0	14.5
4741443	24ABB336(A,W)31	CSPH*3612A**	59*N*A120V24**22	34,000	11.7	14.0
4741444	24ABB336(A,W)31	CSPH*3612A**	59*P5A060E17**14	34,200	11.5	13.7
4741445	24ABB336(A,W)31	CSPH*3612A**	59*P5A080E17**16	34,200	11.5	13.7
5096932	24ABB336(A,W)31	CSPH*3612A**	59MN7A060V21**20	33,800	11.7	14.0
4139852	24ABB336(A,W)31	CSPH*3612A**	OVLAAB036098	34,000	11.0	13.5
4139854	24ABB336(A,W)31	CSPH*3612A**	OVLAAB048112	34,400	11.5	13.5
4139855	24ABB336(A,W)31	CSPH*3612A**	OVLAAB060154	34,800	11.7	14.0
4139851	24ABB336(A,W)31	CSPH*3612A**	OVMAAB036098	34,000	11.0	13.5
4139853	24ABB336(A,W)31	CSPH*3612A**	OVMAAB042112	34,200	11.7	13.5
3250291	24ABB336(A,W)31	CSPH*3612A**+TDR		33,800	11.0	13.0
3250310	24ABB336(A,W)31	CSPH*4212A**	58CV(A,X)070-12	33,600	11.7	14.0
3250311	24ABB336(A,W)31	CSPH*4212A**	58CV(A,X)090-16	33,600	12.0	14.0
3250312	24ABB336(A,W)31	CSPH*4212A**	58CV(A,X)110-20	33,800	12.0	14.0
3250313	24ABB336(A,W)31	CSPH*4212A**	58CV(A,X)135-22	33,600	12.0	14.0
3250314	24ABB336(A,W)31	CSPH*4212A**	58CV(A,X)155-22	33,800	12.0	14.0
3250349	24ABB336(A,W)31	CSPH*4212A**	58PH*070-16	34,400	11.7	14.0
3250350	24ABB336(A,W)31	CSPH*4212A**	58PH*090-16	34,600	12.0	14.0
3250351	24ABB336(A,W)31	CSPH*4212A**	58PH*110-20	34,800	12.0	14.0
4139897	24ABB336(A,W)31	CSPH*4212A**	58VLR105-12	34,400	11.7	14.0
4139899	24ABB336(A,W)31	CSPH*4212A**	58VLR120-20	34,400	12.0	14.5
4139896	24ABB336(A,W)31	CSPH*4212A**	58VMR105-12	34,000	11.7	14.0
4139898	24ABB336(A,W)31	CSPH*4212A**	58VMR120-20	34,200	11.7	14.0
4741446	24ABB336(A,W)31	CSPH*4212A**	59*N*A060V17**14	33,800	11.5	13.7
4741447	24ABB336(A,W)31	CSPH*4212A**	59*N*A080V17**14	34,000	11.7	14.0
5096936	24ABB336(A,W)31	CSPH*4212A**	59*N*A080V21**20	34,200	12.0	14.5
5096937	24ABB336(A,W)31	CSPH*4212A**	59*N*A100V21**22	34,400	12.0	14.5
4741449	24ABB336(A,W)31	CSPH*4212A**	59*N*A120V24**22	34,200	11.7	14.0
4741450	24ABB336(A,W)31	CSPH*4212A**	59*P5A060E17**14	34,400	11.5	13.7
4741451	24ABB336(A,W)31	CSPH*4212A**	59*P5A080E17**16	34,400	11.7	14.0
5096935	24ABB336(A,W)31	CSPH*4212A**	59MN7A060V21**20	34,000	11.8	14.2
4139857	24ABB336(A,W)31	CSPH*4212A**	OVLAAB036098	34,200	11.5	13.5
4139859	24ABB336(A,W)31	CSPH*4212A**	OVLAAB048112	34,600	11.7	13.5
4139860	24ABB336(A,W)31	CSPH*4212A**	OVLAAB060154	34,800	12.0	14.0
4139856	24ABB336(A,W)31	CSPH*4212A**	OVMAAB036098	34,200	11.5	13.5
4139858	24ABB336(A,W)31	CSPH*4212A**	OVMAAB042112	34,400	11.7	14.0
3250303	24ABB336(A,W)31	CSPH*4212A**+TDR		34,000	11.0	13.0
5096939	24ABB336(A,W)31	CSPH*4812A**	59*N*A080V21**20	34,200	12.0	14.5
5096940	24ABB336(A,W)31	CSPH*4812A**	59*N*A100V21**22	34,400	12.0	14.5
5096938	24ABB336(A,W)31	CSPH*4812A**	59MN7A060V21**20	34,200	11.7	14.0
3804452	24ABB336(A,W)31	FB4CNF036		32,600	11.0	13.0
3879010	24ABB336(A,W)31	FB4CNF036+TXV		33,400	11.0	13.5
3804453	24ABB336(A,W)31	FB4CNF042		34,000	11.5	13.5
3879011	24ABB336(A,W)31	FB4CNF042+TXV		34,000	11.5	14.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3250320	24ABB336(A,W)31	FE4AN(B,F)003+UI		33,600	12.0	14.0
3250321	24ABB336(A,W)31	FE4AN(B,F)005+UI		34,800	12.0	14.0
3250322	24ABB336(A,W)31	FE4ANB006+UI		35,200	12.0	14.0
3250319	24ABB336(A,W)31	FE4ANF002+UI		33,400	11.5	13.5
3250323	24ABB336(A,W)31	FE5ANB004+UI		35,000	12.0	14.0
3250324	24ABB336(A,W)31	FF1ENP036		33,600	10.9	13.0
3457536	24ABB336(A,W)31	FF1ENP037		33,200	11.7	13.5
3404576	24ABB336(A,W)31	FV4CN(B,F)003		33,600	12.0	14.0
3404577	24ABB336(A,W)31	FV4CN(B,F)005		34,800	12.0	14.0
3404578	24ABB336(A,W)31	FV4CNB006		35,200	12.0	14.0
3404575	24ABB336(A,W)31	FV4CNF002		33,400	11.5	13.5
3752028	24ABB336(A,W)31	FX4DN(B,F)037		34,400	12.0	14.5
3752029	24ABB336(A,W)31	FX4DN(B,F)043		34,400	12.0	14.5
3752030	24ABB336(A,W)31	FX4DN(B,F)049		34,600	12.0	14.5
3804454	24ABB336(A,W)31	FY5BNF036		33,000	11.0	13.0
3804455	24ABB336(A,W)31	FY5BNF042		33,800	11.0	13.0
3491901	24ABB336A11	†CAP**3617A**+TDR		33,800	10.9	13.0
3491957	24ABB336A11	CAP**3614A**	58CV(A,X)070-12	32,400	11.5	13.5
3491903	24ABB336A11	CAP**3614A**+TDR		32,800	11.0	13.0
3491959	24ABB336A11	CAP**3617A**	58CV(A,X)090-16	33,400	11.7	14.0
3492041	24ABB336A11	CAP**3617A**	58PH*070-16	33,400	11.2	13.5
4140466	24ABB336A11	CAP**3617A**	58VLR105-12	33,600	11.0	13.5
4140465	24ABB336A11	CAP**3617A**	58VMR105-12	33,200	11.5	13.5
4815920	24ABB336A11	CAP**3617A**	59*N*A060V17**14	33,000	11.4	13.7
4815921	24ABB336A11	CAP**3617A**	59*N*A080V17**14	33,200	11.4	13.7
4815922	24ABB336A11	CAP**3617A**	59*P5A060E17**14	33,400	11.4	13.7
4815923	24ABB336A11	CAP**3617A**	59*P5A080E17**16	33,400	11.4	13.7
4140468	24ABB336A11	CAP**3617A**	OVLAAB036098	33,200	11.0	13.2
4140467	24ABB336A11	CAP**3617A**	OVMAAB036098	33,200	11.0	13.2
4140469	24ABB336A11	CAP**3617A**	OVMAAB042112	33,400	11.0	13.5
4815936	24ABB336A11	CAP**3619A**	59*N*A060V17**14	33,000	11.4	13.7
4815937	24ABB336A11	CAP**3619A**	59*N*A080V17**14	33,200	11.4	13.7
5153788	24ABB336A11	CAP**3619A**	59*N*A080V21**20	33,200	11.7	14.0
5153789	24ABB336A11	CAP**3619A**	59*N*A100V21**22	33,400	11.7	14.0
4815939	24ABB336A11	CAP**3619A**	59*P5A060E17**14	33,400	11.4	13.7
4815940	24ABB336A11	CAP**3619A**	59*P5A080E17**16	33,400	11.4	13.7
5153787	24ABB336A11	CAP**3619A**	59MN7A060V21**20	33,200	11.5	13.7
3872629	24ABB336A11	CAP**3619A**+TDR		33,600	11.0	13.0
3491963	24ABB336A11	CAP**3621A**	58CV(A,X)110-20	33,400	11.7	14.0
3492042	24ABB336A11	CAP**3621A**	58PH*090-16	33,800	12.0	14.0
3492043	24ABB336A11	CAP**3621A**	58PH*110-20	34,000	12.0	14.0
4140471	24ABB336A11	CAP**3621A**	58VLR120-20	33,400	11.7	14.0
4140470	24ABB336A11	CAP**3621A**	58VMR120-20	33,400	11.7	14.0
4815924	24ABB336A11	CAP**3621A**	59*N*A060V17**14	33,000	11.4	13.7
4815925	24ABB336A11	CAP**3621A**	59*N*A080V17**14	33,200	11.5	14.0
5153776	24ABB336A11	CAP**3621A**	59*N*A080V21**20	33,200	11.7	14.0
5153777	24ABB336A11	CAP**3621A**	59*N*A100V21**22	33,400	11.7	14.0
4815927	24ABB336A11	CAP**3621A**	59*P5A060E17**14	33,400	11.4	13.7
4815928	24ABB336A11	CAP**3621A**	59*P5A080E17**16	33,400	11.5	14.0
5153775	24ABB336A11	CAP**3621A**	59MN7A060V21**20	33,200	11.7	14.0
4140472	24ABB336A11	CAP**3621A**	OVLAAB048112	33,600	11.5	13.5
3491904	24ABB336A11	CAP**3621A**+TDR		33,800	11.0	13.0
3491967	24ABB336A11	CAP**4221A**	58CV(A,X)110-20	33,600	12.0	14.0
3492044	24ABB336A11	CAP**4221A**	58PH*090-16	34,000	12.0	14.0
3492045	24ABB336A11	CAP**4221A**	58PH*110-20	34,200	12.0	14.0
4140474	24ABB336A11	CAP**4221A**	58VLR120-20	33,600	11.7	14.0
4140473	24ABB336A11	CAP**4221A**	58VMR120-20	33,600	11.7	14.0
4815929	24ABB336A11	CAP**4221A**	59*N*A060V17**14	33,200	11.5	14.0
4815930	24ABB336A11	CAP**4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153779	24ABB336A11	CAP**4221A**	59*N*A080V21**20	33,600	12.0	14.5
5153780	24ABB336A11	CAP**4221A**	59*N*A100V21**22	33,600	12.0	14.5
4815932	24ABB336A11	CAP**4221A**	59*P5A060E17**14	33,600	11.4	13.7
4815933	24ABB336A11	CAP**4221A**	59*P5A080E17**16	33,800	11.5	14.0
5153778	24ABB336A11	CAP**4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140475	24ABB336A11	CAP**4221A**	OVLAAB048112	33,800	11.5	13.5
3491905	24ABB336A11	CAP**4221A**+TDR		34,000	11.0	13.0
3491970	24ABB336A11	CAP**4224A**	58CV(A,X)135-22	33,600	12.0	14.0
3491971	24ABB336A11	CAP**4224A**	58CV(A,X)155-22	33,800	12.0	14.0
5153782	24ABB336A11	CAP**4224A**	59*N*A080V21**20	33,600	12.0	14.5
5153783	24ABB336A11	CAP**4224A**	59*N*A100V21**22	33,600	12.0	14.5
4815935	24ABB336A11	CAP**4224A**	59*N*A120V24**22	33,600	11.8	14.2
5153781	24ABB336A11	CAP**4224A**	59MN7A060V21**20	33,400	11.5	14.0
3491906	24ABB336A11	CAP**4224A**+TDR		33,800	11.0	13.0
3492040	24ABB336A11	CAP**4817A**	58PH*070-16	34,400	11.7	14.0
5153785	24ABB336A11	CAP**4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153786	24ABB336A11	CAP**4821A**	59*N*A100V21**22	34,200	12.0	14.5
5153784	24ABB336A11	CAP**4821A**	59MN7A060V21**20	33,800	11.7	14.0
3872630	24ABB336A11	CAP**4823A**+TDR		34,000	11.0	13.0
3872631	24ABB336A11	CAP**6025A**+TDR		34,600	11.0	13.0
3491988	24ABB336A11	CNP**3617A**	58CV(A,X)070-12	33,200	11.5	13.5

See notes on page 61

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491989	24ABB336A11	CNPH*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3491990	24ABB336A11	CNPH*3617A**	58CV(A,X)110-20	33,400	11.5	13.5
3491991	24ABB336A11	CNPH*3617A**	58CV(A,X)135-22	33,400	11.7	14.0
3491992	24ABB336A11	CNPH*3617A**	58CV(A,X)155-22	33,400	11.7	14.0
3492052	24ABB336A11	CNPH*3617A**	58PH*070-16	33,200	11.0	13.5
3492053	24ABB336A11	CNPH*3617A**	58PH*090-16	33,400	11.7	14.0
3492054	24ABB336A11	CNPH*3617A**	58PH*110-20	33,600	11.7	14.0
4140485	24ABB336A11	CNPH*3617A**	58VLR105-12	33,400	11.0	13.5
4140487	24ABB336A11	CNPH*3617A**	58VLR120-20	33,400	11.5	14.0
4140484	24ABB336A11	CNPH*3617A**	58VLR105-12	33,000	11.0	13.5
4140486	24ABB336A11	CNPH*3617A**	58VLR120-20	33,200	11.5	13.5
4815965	24ABB336A11	CNPH*3617A**	59*N*A060V17**14	32,800	11.4	13.7
4815966	24ABB336A11	CNPH*3617A**	59*N*A080V17**14	33,000	11.4	13.7
4815968	24ABB336A11	CNPH*3617A**	59*N*A120V24**22	33,200	11.5	14.0
4815969	24ABB336A11	CNPH*3617A**	59*P5A060E17**14	33,200	11.4	13.7
4815970	24ABB336A11	CNPH*3617A**	59*P5A080E17**16	33,200	11.4	13.7
4140437	24ABB336A11	CNPH*3617A**	OVLAAB036098	33,000	11.0	13.2
4140439	24ABB336A11	CNPH*3617A**	OVLAAB048112	33,400	11.0	13.2
4140440	24ABB336A11	CNPH*3617A**	OVLAAB060154	34,200	11.5	13.5
4140436	24ABB336A11	CNPH*3617A**	OVMAAB036098	33,200	11.0	13.2
4140438	24ABB336A11	CNPH*3617A**	OVMAAB042112	33,400	11.0	13.2
3491910	24ABB336A11	CNPH*3617A**+TDR		33,800	11.0	13.0
3491999	24ABB336A11	CNPH*4221A**	58CV(A,X)070-12	33,600	11.5	13.5
3492000	24ABB336A11	CNPH*4221A**	58CV(A,X)090-16	33,600	11.7	14.0
3492001	24ABB336A11	CNPH*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3492002	24ABB336A11	CNPH*4221A**	58CV(A,X)135-22	33,600	12.0	14.0
3492003	24ABB336A11	CNPH*4221A**	58CV(A,X)155-22	33,800	12.0	14.0
3492055	24ABB336A11	CNPH*4221A**	58PH*070-16	33,600	11.2	13.5
3492056	24ABB336A11	CNPH*4221A**	58PH*090-16	34,000	12.0	14.0
3492057	24ABB336A11	CNPH*4221A**	58PH*110-20	34,000	12.0	14.0
4140489	24ABB336A11	CNPH*4221A**	58VLR105-12	33,800	11.5	13.5
4140491	24ABB336A11	CNPH*4221A**	58VLR120-20	33,800	11.7	14.0
4140488	24ABB336A11	CNPH*4221A**	58VLR105-12	33,400	11.5	13.5
4140490	24ABB336A11	CNPH*4221A**	58VLR120-20	33,600	11.7	14.0
4815971	24ABB336A11	CNPH*4221A**	59*N*A060V17**14	33,200	11.4	13.7
4815972	24ABB336A11	CNPH*4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153803	24ABB336A11	CNPH*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5153804	24ABB336A11	CNPH*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4815974	24ABB336A11	CNPH*4221A**	59*N*A120V24**22	33,600	11.8	14.2
4815975	24ABB336A11	CNPH*4221A**	59*P5A060E17**14	33,600	11.4	13.7
4815976	24ABB336A11	CNPH*4221A**	59*P5A080E17**16	33,600	11.5	14.0
5153802	24ABB336A11	CNPH*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140446	24ABB336A11	CNPH*4221A**	OVLAAB036098	33,400	11.0	13.2
4140448	24ABB336A11	CNPH*4221A**	OVLAAB048112	33,800	11.5	13.5
4140449	24ABB336A11	CNPH*4221A**	OVLAAB060154	34,600	11.5	13.5
4140445	24ABB336A11	CNPH*4221A**	OVMAAB036098	33,600	11.0	13.2
4140447	24ABB336A11	CNPH*4221A**	OVMAAB042112	33,600	11.5	13.5
3491911	24ABB336A11	CNPH*4221A**+TDR		34,000	11.0	13.0
3872658	24ABB336A11	CNPH*4321A**	58CV(A,X)070-12	34,800	12.0	14.5
3872659	24ABB336A11	CNPH*4321A**	58CV(A,X)090-16	34,800	12.0	14.5
3872660	24ABB336A11	CNPH*4321A**	58CV(A,X)110-20	34,800	12.0	14.5
3872661	24ABB336A11	CNPH*4321A**	58CV(A,X)135-22	34,800	12.0	14.5
3872662	24ABB336A11	CNPH*4321A**	58CV(A,X)155-22	34,800	12.0	14.5
3872663	24ABB336A11	CNPH*4321A**	58PH*045-08	34,800	11.0	13.5
3872664	24ABB336A11	CNPH*4321A**	58PH*070-16	34,800	11.0	13.5
3872665	24ABB336A11	CNPH*4321A**	58PH*090-16	34,800	12.0	14.5
3872666	24ABB336A11	CNPH*4321A**	58PH*110-20	34,800	12.0	14.5
4140493	24ABB336A11	CNPH*4321A**	58VLR105-12	34,800	11.7	14.0
4140495	24ABB336A11	CNPH*4321A**	58VLR120-20	34,600	12.0	14.5
4140492	24ABB336A11	CNPH*4321A**	58VLR105-12	34,400	11.7	14.0
4140494	24ABB336A11	CNPH*4321A**	58VLR120-20	34,600	12.0	14.5
4815977	24ABB336A11	CNPH*4321A**	59*N*A060V17**14	34,200	11.8	14.2
4815978	24ABB336A11	CNPH*4321A**	59*N*A080V17**14	34,200	12.0	14.5
5153806	24ABB336A11	CNPH*4321A**	59*N*A080V21**20	34,400	12.2	14.5
5153807	24ABB336A11	CNPH*4321A**	59*N*A100V21**22	34,600	12.2	14.5
4815980	24ABB336A11	CNPH*4321A**	59*N*A120V24**22	34,400	12.0	14.5
4815981	24ABB336A11	CNPH*4321A**	59*P5A060E17**14	34,800	11.8	14.2
4815982	24ABB336A11	CNPH*4321A**	59*P5A080E17**16	34,600	11.8	14.2
5153805	24ABB336A11	CNPH*4321A**	59MN7A060V21**20	34,200	12.0	14.5
4140451	24ABB336A11	CNPH*4321A**	OVLAAB036098	34,400	11.7	13.5
4140453	24ABB336A11	CNPH*4321A**	OVLAAB048112	34,800	11.7	14.0
4140454	24ABB336A11	CNPH*4321A**	OVLAAB060154	34,800	12.2	14.0
4140450	24ABB336A11	CNPH*4321A**	OVMAAB036098	34,600	11.7	13.5
4140452	24ABB336A11	CNPH*4321A**	OVMAAB042112	34,600	12.0	14.0
3872634	24ABB336A11	CNPH*4321A**+TDR		34,800	11.0	13.0
3491950	24ABB336A11	CNPH*4821A**	58CV(A,X)090-16	34,200	12.2	14.5
4816000	24ABB336A11	CNPH*4821A**	59*N*A060V17**14	33,800	11.8	14.2
4816001	24ABB336A11	CNPH*4821A**	59*N*A080V17**14	34,000	11.8	14.2
5153809	24ABB336A11	CNPH*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153810	24ABB336A11	CNPH*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4816003	24ABB336A11	CNPH*4821A**	59*N*A120V24**22	34,000	12.0	14.5

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4816004	24ABB336A11	CNPH*4821A**	59*P5A060E17**14	34,400	11.5	14.0
4816005	24ABB336A11	CNPH*4821A**	59*P5A080E17**16	34,400	11.8	14.2
5153808	24ABB336A11	CNPH*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3491973	24ABB336A11	CNPV*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3492046	24ABB336A11	CNPV*3617A**	58PH*070-16	33,200	11.2	13.5
4140477	24ABB336A11	CNPV*3617A**	58VLR105-12	33,400	11.0	13.5
4140476	24ABB336A11	CNPV*3617A**	58VLR105-12	33,000	11.0	13.5
4815941	24ABB336A11	CNPV*3617A**	59*N*A060V17**14	32,800	11.4	13.7
4815942	24ABB336A11	CNPV*3617A**	59*N*A080V17**14	33,000	11.4	13.7
4815943	24ABB336A11	CNPV*3617A**	59*P5A060E17**14	33,200	11.4	13.7
4815944	24ABB336A11	CNPV*3617A**	59*P5A080E17**16	33,200	11.4	13.7
4140402	24ABB336A11	CNPV*3617A**	OVLAAB036098	33,000	11.0	13.2
4140401	24ABB336A11	CNPV*3617A**	OVMAAB036098	33,200	11.0	13.2
4140403	24ABB336A11	CNPV*3617A**	OVMAAB042112	33,400	11.0	13.4
3491907	24ABB336A11	CNPV*3617A**+TDR		33,800	11.0	13.0
3491977	24ABB336A11	CNPV*3621A**	58CV(A,X)110-20	33,400	11.5	13.5
3492047	24ABB336A11	CNPV*3621A**	58PH*090-16	33,400	11.7	14.0
3492048	24ABB336A11	CNPV*3621A**	58PH*110-20	33,600	11.7	14.0
4815945	24ABB336A11	CNPV*3621A**	59*N*A060V17**14	32,800	11.4	13.7
4815946	24ABB336A11	CNPV*3621A**	59*N*A080V17**14	33,000	11.4	13.7
5153791	24ABB336A11	CNPV*3621A**	59*N*A080V21**20	33,200	11.5	14.0
5153792	24ABB336A11	CNPV*3621A**	59*N*A100V21**22	33,400	11.5	14.0
4815948	24ABB336A11	CNPV*3621A**	59*P5A060E17**14	33,200	11.4	13.7
4815949	24ABB336A11	CNPV*3621A**	59*P5A080E17**16	33,200	11.4	13.7
5153790	24ABB336A11	CNPV*3621A**	59MN7A060V21**20	33,000	11.5	13.7
4140408	24ABB336A11	CNPV*3621A**	OVLAAB036098	33,200	11.0	13.2
4140410	24ABB336A11	CNPV*3621A**	OVLAAB048112	33,400	11.0	13.2
4140407	24ABB336A11	CNPV*3621A**	OVMAAB036098	33,200	11.0	13.2
4140409	24ABB336A11	CNPV*3621A**	OVMAAB042112	33,400	11.0	13.5
3491908	24ABB336A11	CNPV*3621A**+TDR		33,800	11.0	13.0
3872642	24ABB336A11	CNPV*3717A**	58CV(A,X)090-16	35,000	12.0	14.5
3872643	24ABB336A11	CNPV*3717A**	58PH*070-16	35,000	11.5	14.0
4140479	24ABB336A11	CNPV*3717A**	58VLR105-12	34,800	11.7	14.0
4140478	24ABB336A11	CNPV*3717A**	58VLR105-12	34,400	11.7	14.0
4815950	24ABB336A11	CNPV*3717A**	59*N*A060V17**14	34,000	11.8	14.2
4815951	24ABB336A11	CNPV*3717A**	59*N*A080V17**14	34,200	11.8	14.2
4815952	24ABB336A11	CNPV*3717A**	59*P5A060E17**14	34,600	11.8	14.2
4815953	24ABB336A11	CNPV*3717A**	59*P5A080E17**16	34,600	11.8	14.2
4140414	24ABB336A11	CNPV*3717A**	OVLAAB036098	34,400	11.5	13.5
4140413	24ABB336A11	CNPV*3717A**	OVMAAB036098	34,600	11.5	13.5
4140415	24ABB336A11	CNPV*3717A**	OVMAAB042112	34,600	11.5	14.0
3872632	24ABB336A11	CNPV*3717A**+TDR		35,000	11.0	13.0
3491923	24ABB336A11	CNPV*4217A**	58CV(A,X)090-16	33,800	11.7	14.0
3491924	24ABB336A11	CNPV*4217A**	58PH*070-16	33,800	11.7	14.0
4140481	24ABB336A11	CNPV*4217A**	58VLR105-12	34,000	11.5	13.5
4140480	24ABB336A11	CNPV*4217A**	58VLR105-12	33,600	11.5	14.0
4815954	24ABB336A11	CNPV*4217A**	59*N*A060V17**14	33,400	11.5	14.0
4815955	24ABB336A11	CNPV*4217A**	59*N*A080V17**14	33,600	11.5	14.0
4815956	24ABB336A11	CNPV*4217A**	59*P5A060E17**14	34,000	11.4	13.7
4815957	24ABB336A11	CNPV*4217A**	59*P5A080E17**16	34,000	11.5	14.0
4140419	24ABB336A11	CNPV*4217A**	OVLAAB036098	33,800	11.0	13.5
4140418	24ABB336A11	CNPV*4217A**	OVMAAB036098	33,800	11.0	13.2
4140420	24ABB336A11	CNPV*4217A**	OVMAAB042112	34,000	11.5	13.5
3491902	24ABB336A11	CNPV*4217A**+TDR		33,800	11.0	13.0
3491981	24ABB336A11	CNPV*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3492049	24ABB336A11	CNPV*4221A**	58PH*090-16	34,000	12.0	14.0
3492050	24ABB336A11	CNPV*4221A**	58PH*110-20	34,000	12.0	14.0
4140483	24ABB336A11	CNPV*4221A**	58VLR120-20	33,800	11.7	14.0
4140482	24ABB336A11	CNPV*4221A**	58VLR120-20	33,600	11.7	14.0
4815958	24ABB336A11	CNPV*4221A**	59*N*A060V17**14	33,200	11.4	13.7
4815959	24ABB336A11	CNPV*4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153794	24ABB336A11	CNPV*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5153795	24ABB336A11	CNPV*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4815961	24ABB336A11	CNPV*4221A**	59*P5A060E17**14	33,600	11.4	13.7
4815962	24ABB336A11	CNPV*4221A**	59*P5A080E17**16	33,600	11.5	14.0
5153793	24ABB336A11	CNPV*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140425	24ABB336A11	CNPV*4221A**	OVLAAB036098	33,400	11.0	13.2
4140427	24ABB336A11	CNPV*4221A**	OVLAAB048112	33,800	11.5	13.5
4140424	24ABB336A11	CNPV*4221A**	OVMAAB036098	33,600	11.0	13.2
4140426	24ABB336A11	CNPV*4221A**	OVMAAB042112	33,600	11.5	13.5
3491909	24ABB336A11	CNPV*4221A**+TDR		34,000	11.0	13.0
3872650	24ABB336A11	CNPV*4324A**	58CV(A,X)135-22	34,800	12.0	14.5
3872651	24ABB336A11	CNPV*4324A**	58CV(A,X)155-22	34,800	12.0	14.5
5153797	24ABB336A11	CNPV*4324A**	59*N*A080V21**20	34,400	12.2	14.5
5153798	24ABB336A11	CNPV*4324A**	59*N*A100V21**22	34,600	12.2	14.5
4815964	24ABB336A11	CNPV*4324A**	59*N*A120V24**22	34,400	12.0	14.5
5153796	24ABB336A11	CNPV*4324A**	59MN7A060V21**20	34,400	12.0	14.5
4140430	24ABB336A11	CNPV*4324A**	OVLAAB048112	34,800	12.0	14.0
4140431	24ABB336A11	CNPV*4324A**	OVLAAB060154	34,800	12.0	14.5
3872633	24ABB336A11	CNPV*4324A**+TDR		34,800	11.0	13.0
3491955	24ABB336A11	CNPV*4821A**	58PH*090-16	34,600	12.2	14.5

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491956	24ABB336A11	CNPV*4821A**	58PH*110-20	34,800	12.2	14.5
4815995	24ABB336A11	CNPV*4821A**	59*N*A060V17**14	33,800	11.8	14.2
4815996	24ABB336A11	CNPV*4821A**	59*N*A080V17**14	34,000	11.8	14.2
5153800	24ABB336A11	CNPV*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153801	24ABB336A11	CNPV*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4815998	24ABB336A11	CNPV*4821A**	59*P5A060E17**14	34,400	11.5	14.0
4815999	24ABB336A11	CNPV*4821A**	59*P5A080E17**16	34,400	11.8	14.2
5153799	24ABB336A11	CNPV*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3492010	24ABB336A11	CSPH*3612A**	58CV(A,X)070-12	33,600	11.7	14.0
3492011	24ABB336A11	CSPH*3612A**	58CV(A,X)090-16	33,600	12.0	14.0
3492012	24ABB336A11	CSPH*3612A**	58CV(A,X)110-20	33,600	12.0	14.0
3492013	24ABB336A11	CSPH*3612A**	58CV(A,X)135-22	33,600	12.0	14.0
3492014	24ABB336A11	CSPH*3612A**	58CV(A,X)155-22	33,600	12.0	14.0
3492058	24ABB336A11	CSPH*3612A**	58PH*070-16	34,000	11.5	13.5
3492059	24ABB336A11	CSPH*3612A**	58PH*090-16	34,400	12.0	14.0
3492060	24ABB336A11	CSPH*3612A**	58PH*110-20	34,400	12.0	14.0
4140497	24ABB336A11	CSPH*3612A**	58VLR105-12	34,200	11.7	14.0
4140499	24ABB336A11	CSPH*3612A**	58VLR120-20	34,200	12.0	14.0
4140496	24ABB336A11	CSPH*3612A**	58VLR105-12	33,800	11.7	14.0
4140498	24ABB336A11	CSPH*3612A**	58VLR120-20	34,000	11.7	14.0
4815983	24ABB336A11	CSPH*3612A**	59*N*A060V17**14	33,600	11.5	14.0
4815984	24ABB336A11	CSPH*3612A**	59*N*A080V17**14	33,800	11.8	14.2
5153812	24ABB336A11	CSPH*3612A**	59*N*A080V21**20	34,000	12.0	14.5
5153813	24ABB336A11	CSPH*3612A**	59*N*A100V21**22	34,200	12.0	14.5
4815986	24ABB336A11	CSPH*3612A**	59*N*A120V24**22	34,000	12.0	14.5
4815987	24ABB336A11	CSPH*3612A**	59*P5A060E17**14	34,200	11.5	14.0
4815988	24ABB336A11	CSPH*3612A**	59*P5A080E17**16	34,200	11.8	14.2
5153811	24ABB336A11	CSPH*3612A**	59MN7A060V21**20	33,800	11.7	14.0
4140456	24ABB336A11	CSPH*3612A**	OVLAAB036098	34,000	11.0	13.5
4140458	24ABB336A11	CSPH*3612A**	OVLAAB048112	34,400	11.5	13.5
4140459	24ABB336A11	CSPH*3612A**	OVLAAB060154	34,800	11.7	14.0
4140455	24ABB336A11	CSPH*3612A**	OVMAAB036098	34,000	11.0	13.5
4140457	24ABB336A11	CSPH*3612A**	OVMAAB042112	34,200	11.7	13.5
3491913	24ABB336A11	CSPH*3612A**+TDR		33,800	11.0	13.0
3492021	24ABB336A11	CSPH*4212A**	58CV(A,X)070-12	33,600	11.7	14.0
3492022	24ABB336A11	CSPH*4212A**	58CV(A,X)090-16	33,600	12.0	14.0
3492023	24ABB336A11	CSPH*4212A**	58CV(A,X)110-20	33,800	12.0	14.0
3492024	24ABB336A11	CSPH*4212A**	58CV(A,X)135-22	33,600	12.0	14.0
3492025	24ABB336A11	CSPH*4212A**	58CV(A,X)155-22	33,800	12.0	14.0
3492061	24ABB336A11	CSPH*4212A**	58PH*070-16	34,400	11.7	14.0
3492062	24ABB336A11	CSPH*4212A**	58PH*090-16	34,600	12.0	14.0
3492063	24ABB336A11	CSPH*4212A**	58PH*110-20	34,800	12.0	14.0
4140501	24ABB336A11	CSPH*4212A**	58VLR105-12	34,400	11.7	14.0
4140503	24ABB336A11	CSPH*4212A**	58VLR120-20	34,400	12.0	14.5
4140500	24ABB336A11	CSPH*4212A**	58VLR105-12	34,000	11.7	14.0
4140502	24ABB336A11	CSPH*4212A**	58VLR120-20	34,200	11.7	14.0
4815989	24ABB336A11	CSPH*4212A**	59*N*A060V17**14	33,800	11.8	14.2
4815990	24ABB336A11	CSPH*4212A**	59*N*A080V17**14	34,000	11.8	14.2
5153815	24ABB336A11	CSPH*4212A**	59*N*A080V21**20	34,200	12.0	14.5
5153816	24ABB336A11	CSPH*4212A**	59*N*A100V21**22	34,400	12.0	14.5
4815992	24ABB336A11	CSPH*4212A**	59*N*A120V24**22	34,200	12.0	14.5
4815993	24ABB336A11	CSPH*4212A**	59*P5A060E17**14	34,400	11.5	14.0
4815994	24ABB336A11	CSPH*4212A**	59*P5A080E17**16	34,400	11.8	14.2
5153814	24ABB336A11	CSPH*4212A**	59MN7A060V21**20	34,000	11.8	14.2
4140461	24ABB336A11	CSPH*4212A**	OVLAAB036098	34,200	11.5	13.5
4140463	24ABB336A11	CSPH*4212A**	OVLAAB048112	34,600	11.7	13.5
4140464	24ABB336A11	CSPH*4212A**	OVLAAB060154	34,800	12.0	14.0
4140460	24ABB336A11	CSPH*4212A**	OVMAAB036098	34,200	11.5	13.5
4140462	24ABB336A11	CSPH*4212A**	OVMAAB042112	34,400	11.7	14.0
3491914	24ABB336A11	CSPH*4212A**+TDR		34,000	11.0	13.0
5153818	24ABB336A11	CSPH*4812A**	59*N*A080V21**20	34,200	12.0	14.5
5153819	24ABB336A11	CSPH*4812A**	59*N*A100V21**22	34,400	12.0	14.5
5153817	24ABB336A11	CSPH*4812A**	59MN7A060V21**20	34,200	11.7	14.0
3834873	24ABB336A11	FB4CNF036		32,600	11.0	13.0
3834874	24ABB336A11	FB4CNF042		34,000	11.5	13.5
3492031	24ABB336A11	FE4AN(B,F)003+UI		33,600	12.0	14.0
3492032	24ABB336A11	FE4AN(B,F)005+UI		34,800	12.0	14.0
3492033	24ABB336A11	FE4ANB006+UI		35,200	12.0	14.0
3492030	24ABB336A11	FE4ANF002+UI		33,400	11.5	13.5
3492034	24ABB336A11	FE5ANB004+UI		35,000	12.0	14.0
3492035	24ABB336A11	FF1ENP036		33,600	10.9	13.0
3492072	24ABB336A11	FF1ENP037		33,200	11.7	13.5
3492069	24ABB336A11	FV4CN(B,F)003		33,600	12.0	14.0
3492070	24ABB336A11	FV4CN(B,F)005		34,800	12.0	14.0
3492071	24ABB336A11	FV4CNB006		35,200	12.0	14.0
3492068	24ABB336A11	FV4CNF002		33,400	11.5	13.5
3872684	24ABB336A11	FX4DN(B,F)037		34,400	12.0	14.5
3872685	24ABB336A11	FX4DN(B,F)043		34,400	12.0	14.5
3872686	24ABB336A11	FX4DN(B,F)049		34,600	12.0	14.5
3872687	24ABB336A11	FY5BNF036		33,000	11.0	13.0
3872688	24ABB336A11	FY5BNF042		33,800	11.0	13.0

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491040	24ABB336A51	†CAP**3617A**+TDR		33,800	10.9	13.0
3491096	24ABB336A51	CAP**3614A**	58CV(A,X)070-12	32,400	11.5	13.5
3491042	24ABB336A51	CAP**3614A**+TDR		32,800	11.0	13.0
3491098	24ABB336A51	CAP**3617A**	58CV(A,X)090-16	33,400	11.7	14.0
3491180	24ABB336A51	CAP**3617A**	58PH*070-16	33,400	11.2	13.5
4140257	24ABB336A51	CAP**3617A**	58VLR105-12	33,600	11.0	13.5
4140256	24ABB336A51	CAP**3617A**	58VMR105-12	33,200	11.5	13.5
4816006	24ABB336A51	CAP**3617A**	59*N*A060V17**14	33,000	11.4	13.7
4816007	24ABB336A51	CAP**3617A**	59*N*A080V17**14	33,200	11.4	13.7
4816008	24ABB336A51	CAP**3617A**	59*P5A060E17**14	33,400	11.4	13.7
4816009	24ABB336A51	CAP**3617A**	59*P5A080E17**16	33,400	11.4	13.7
4140259	24ABB336A51	CAP**3617A**	OVLAAB036098	33,200	11.0	13.2
4140258	24ABB336A51	CAP**3617A**	OVMAAB036098	33,200	11.0	13.2
4140260	24ABB336A51	CAP**3617A**	OVMAAB042112	33,400	11.0	13.5
4816022	24ABB336A51	CAP**3619A**	59*N*A060V17**14	33,000	11.4	13.7
4816023	24ABB336A51	CAP**3619A**	59*N*A080V17**14	33,200	11.4	13.7
5153833	24ABB336A51	CAP**3619A**	59*N*A080V21**20	33,200	11.7	14.0
5153834	24ABB336A51	CAP**3619A**	59*N*A100V21**22	33,400	11.7	14.0
4816025	24ABB336A51	CAP**3619A**	59*P5A060E17**14	33,400	11.4	13.7
4816026	24ABB336A51	CAP**3619A**	59*P5A080E17**16	33,400	11.4	13.7
5153832	24ABB336A51	CAP**3619A**	59MN7A060V21**20	33,200	11.5	13.7
3872369	24ABB336A51	CAP**3619A**+TDR		33,600	11.0	13.0
3491102	24ABB336A51	CAP**3621A**	58CV(A,X)110-20	33,400	11.7	14.0
3491181	24ABB336A51	CAP**3621A**	58PH*090-16	33,800	12.0	14.0
3491182	24ABB336A51	CAP**3621A**	58PH*110-20	34,000	12.0	14.0
4140262	24ABB336A51	CAP**3621A**	58VLR120-20	33,400	11.7	14.0
4140261	24ABB336A51	CAP**3621A**	58VMR120-20	33,400	11.7	14.0
4816010	24ABB336A51	CAP**3621A**	59*N*A060V17**14	33,000	11.4	13.7
4816011	24ABB336A51	CAP**3621A**	59*N*A080V17**14	33,200	11.5	14.0
5153821	24ABB336A51	CAP**3621A**	59*N*A080V21**20	33,200	11.7	14.0
5153822	24ABB336A51	CAP**3621A**	59*N*A100V21**22	33,400	11.7	14.0
4816013	24ABB336A51	CAP**3621A**	59*P5A060E17**14	33,400	11.4	13.7
4816014	24ABB336A51	CAP**3621A**	59*P5A080E17**16	33,400	11.5	14.0
5153820	24ABB336A51	CAP**3621A**	59MN7A060V21**20	33,200	11.7	14.0
4140263	24ABB336A51	CAP**3621A**	OVLAAB048112	33,600	11.5	13.5
3491043	24ABB336A51	CAP**3621A**+TDR		33,800	11.0	13.0
3491106	24ABB336A51	CAP**4221A**	58CV(A,X)110-20	33,600	12.0	14.0
3491183	24ABB336A51	CAP**4221A**	58PH*090-16	34,000	12.0	14.0
3491184	24ABB336A51	CAP**4221A**	58PH*110-20	34,200	12.0	14.0
4140265	24ABB336A51	CAP**4221A**	58VLR120-20	33,600	11.7	14.0
4140264	24ABB336A51	CAP**4221A**	58VMR120-20	33,600	11.7	14.0
4816015	24ABB336A51	CAP**4221A**	59*N*A060V17**14	33,200	11.5	14.0
4816016	24ABB336A51	CAP**4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153824	24ABB336A51	CAP**4221A**	59*N*A080V21**20	33,600	12.0	14.5
5153825	24ABB336A51	CAP**4221A**	59*N*A100V21**22	33,600	12.0	14.5
4816018	24ABB336A51	CAP**4221A**	59*P5A060E17**14	33,600	11.4	13.7
4816019	24ABB336A51	CAP**4221A**	59*P5A080E17**16	33,800	11.5	14.0
5153823	24ABB336A51	CAP**4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140266	24ABB336A51	CAP**4221A**	OVLAAB048112	33,800	11.5	13.5
3491044	24ABB336A51	CAP**4221A**+TDR		34,000	11.0	13.0
3491109	24ABB336A51	CAP**4224A**	58CV(A,X)135-22	33,600	12.0	14.0
3491110	24ABB336A51	CAP**4224A**	58CV(A,X)155-22	33,800	12.0	14.0
5153827	24ABB336A51	CAP**4224A**	59*N*A080V21**20	33,600	12.0	14.5
5153828	24ABB336A51	CAP**4224A**	59*N*A100V21**22	33,600	12.0	14.5
4816021	24ABB336A51	CAP**4224A**	59*N*A120V24**22	33,600	11.8	14.2
5153826	24ABB336A51	CAP**4224A**	59MN7A060V21**20	33,400	11.5	14.0
3491045	24ABB336A51	CAP**4224A**+TDR		33,800	11.0	13.0
3491179	24ABB336A51	CAP**4821A**	58PH*070-16	34,400	11.7	14.0
5153830	24ABB336A51	CAP**4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153831	24ABB336A51	CAP**4821A**	59*N*A100V21**22	34,200	12.0	14.5
5153829	24ABB336A51	CAP**4821A**	59MN7A060V21**20	33,800	11.7	14.0
3872370	24ABB336A51	CAP**4823A**+TDR		34,000	11.0	13.0
3872371	24ABB336A51	CAP**6025A**+TDR		34,600	11.0	13.0
3491127	24ABB336A51	CNPH*3617A**	58CV(A,X)070-12	33,200	11.5	13.5
3491128	24ABB336A51	CNPH*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3491129	24ABB336A51	CNPH*3617A**	58CV(A,X)110-20	33,400	11.5	13.5
3491130	24ABB336A51	CNPH*3617A**	58CV(A,X)135-22	33,400	11.7	14.0
3491131	24ABB336A51	CNPH*3617A**	58CV(A,X)155-22	33,400	11.7	14.0
3491190	24ABB336A51	CNPH*3617A**	58PH*070-16	33,200	11.0	13.5
3491191	24ABB336A51	CNPH*3617A**	58PH*090-16	33,400	11.7	14.0
3491192	24ABB336A51	CNPH*3617A**	58PH*110-20	33,600	11.7	14.0
4140276	24ABB336A51	CNPH*3617A**	58VLR105-12	33,400	11.0	13.5
4140278	24ABB336A51	CNPH*3617A**	58VLR120-20	33,400	11.5	14.0
4140275	24ABB336A51	CNPH*3617A**	58VMR105-12	33,000	11.0	13.5
4140277	24ABB336A51	CNPH*3617A**	58VMR120-20	33,200	11.5	13.5
4816051	24ABB336A51	CNPH*3617A**	59*N*A060V17**14	32,800	11.4	13.7
4816052	24ABB336A51	CNPH*3617A**	59*N*A080V17**14	33,000	11.4	13.7
4816054	24ABB336A51	CNPH*3617A**	59*N*A120V24**22	33,200	11.5	14.0
4816055	24ABB336A51	CNPH*3617A**	59*P5A060E17**14	33,200	11.4	13.7
4816056	24ABB336A51	CNPH*3617A**	59*P5A080E17**16	33,200	11.4	13.7

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140228	24ABB336A51	CNPH*3617A**	OVLAAB036098	33,000	11.0	13.2
4140230	24ABB336A51	CNPH*3617A**	OVLAAB048112	33,400	11.0	13.2
4140231	24ABB336A51	CNPH*3617A**	OVLAAB060154	34,200	11.5	13.5
4140227	24ABB336A51	CNPH*3617A**	OVMAAB036098	33,200	11.0	13.2
4140229	24ABB336A51	CNPH*3617A**	OVMAAB042112	33,400	11.0	13.2
3491049	24ABB336A51	CNPH*3617A**+TDR		33,800	11.0	13.0
3491138	24ABB336A51	CNPH*4221A**	58CV(A,X)070-12	33,600	11.5	13.5
3491139	24ABB336A51	CNPH*4221A**	58CV(A,X)090-16	33,600	11.7	14.0
3491140	24ABB336A51	CNPH*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3491141	24ABB336A51	CNPH*4221A**	58CV(A,X)135-22	33,600	12.0	14.0
3491142	24ABB336A51	CNPH*4221A**	58CV(A,X)155-22	33,800	12.0	14.0
3491193	24ABB336A51	CNPH*4221A**	58PH*070-16	33,600	11.2	13.5
3491194	24ABB336A51	CNPH*4221A**	58PH*090-16	34,000	12.0	14.0
3491195	24ABB336A51	CNPH*4221A**	58PH*110-20	34,000	12.0	14.0
4140280	24ABB336A51	CNPH*4221A**	58VLR105-12	33,800	11.5	13.5
4140282	24ABB336A51	CNPH*4221A**	58VLR120-20	33,800	11.7	14.0
4140279	24ABB336A51	CNPH*4221A**	58VLR105-12	33,400	11.5	13.5
4140281	24ABB336A51	CNPH*4221A**	58VLR120-20	33,600	11.7	14.0
4816057	24ABB336A51	CNPH*4221A**	59*N*A060V17**14	33,200	11.4	13.7
4816058	24ABB336A51	CNPH*4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153848	24ABB336A51	CNPH*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5153849	24ABB336A51	CNPH*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4816060	24ABB336A51	CNPH*4221A**	59*N*A120V24**22	33,600	11.8	14.2
4816061	24ABB336A51	CNPH*4221A**	59*P5A060E17**14	33,600	11.4	13.7
4816062	24ABB336A51	CNPH*4221A**	59*P5A080E17**16	33,600	11.5	14.0
5153847	24ABB336A51	CNPH*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140237	24ABB336A51	CNPH*4221A**	OVLAAB036098	33,400	11.0	13.2
4140239	24ABB336A51	CNPH*4221A**	OVLAAB048112	33,800	11.5	13.5
4140240	24ABB336A51	CNPH*4221A**	OVLAAB060154	34,600	11.5	13.5
4140236	24ABB336A51	CNPH*4221A**	OVMAAB036098	33,600	11.0	13.2
4140238	24ABB336A51	CNPH*4221A**	OVMAAB042112	33,600	11.5	13.5
3491050	24ABB336A51	CNPH*4221A**+TDR		34,000	11.0	13.0
3872398	24ABB336A51	CNPH*4321A**	58CV(A,X)070-12	34,800	12.0	14.5
3872399	24ABB336A51	CNPH*4321A**	58CV(A,X)090-16	34,800	12.0	14.5
3872400	24ABB336A51	CNPH*4321A**	58CV(A,X)110-20	34,800	12.0	14.5
3872401	24ABB336A51	CNPH*4321A**	58CV(A,X)135-22	34,800	12.0	14.5
3872402	24ABB336A51	CNPH*4321A**	58CV(A,X)155-22	34,800	12.0	14.5
3872403	24ABB336A51	CNPH*4321A**	58PH*045-08	34,800	11.0	13.5
3872404	24ABB336A51	CNPH*4321A**	58PH*070-16	34,800	11.0	13.5
3872405	24ABB336A51	CNPH*4321A**	58PH*090-16	34,800	12.0	14.5
3872406	24ABB336A51	CNPH*4321A**	58PH*110-20	34,800	12.0	14.5
4140284	24ABB336A51	CNPH*4321A**	58VLR105-12	34,800	11.7	14.0
4140286	24ABB336A51	CNPH*4321A**	58VLR120-20	34,600	12.0	14.5
4140283	24ABB336A51	CNPH*4321A**	58VLR105-12	34,400	11.7	14.0
4140285	24ABB336A51	CNPH*4321A**	58VLR120-20	34,600	12.0	14.5
4816063	24ABB336A51	CNPH*4321A**	59*N*A060V17**14	34,200	11.8	14.2
4816064	24ABB336A51	CNPH*4321A**	59*N*A080V17**14	34,200	12.0	14.5
5153851	24ABB336A51	CNPH*4321A**	59*N*A080V21**20	34,400	12.2	14.5
5153852	24ABB336A51	CNPH*4321A**	59*N*A100V21**22	34,600	12.2	14.5
4816066	24ABB336A51	CNPH*4321A**	59*N*A120V24**22	34,400	12.0	14.5
4816067	24ABB336A51	CNPH*4321A**	59*P5A060E17**14	34,800	11.8	14.2
4816068	24ABB336A51	CNPH*4321A**	59*P5A080E17**16	34,600	11.8	14.2
5153850	24ABB336A51	CNPH*4321A**	59MN7A060V21**20	34,200	12.0	14.5
4140242	24ABB336A51	CNPH*4321A**	OVLAAB036098	34,400	11.7	13.5
4140244	24ABB336A51	CNPH*4321A**	OVLAAB048112	34,800	11.7	14.0
4140245	24ABB336A51	CNPH*4321A**	OVLAAB060154	34,800	12.2	14.0
4140241	24ABB336A51	CNPH*4321A**	OVMAAB036098	34,600	11.7	13.5
4140243	24ABB336A51	CNPH*4321A**	OVMAAB042112	34,600	12.0	14.0
3872374	24ABB336A51	CNPH*4321A**+TDR		34,800	11.0	13.0
3491089	24ABB336A51	CNPH*4821A**	58CV(A,X)090-16	34,200	12.2	14.5
4816086	24ABB336A51	CNPH*4821A**	59*N*A060V17**14	33,800	11.8	14.2
4816087	24ABB336A51	CNPH*4821A**	59*N*A080V17**14	34,000	11.8	14.2
5153854	24ABB336A51	CNPH*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153855	24ABB336A51	CNPH*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4816089	24ABB336A51	CNPH*4821A**	59*N*A120V24**22	34,000	12.0	14.5
4816090	24ABB336A51	CNPH*4821A**	59*P5A060E17**14	34,400	11.5	14.0
4816091	24ABB336A51	CNPH*4821A**	59*P5A080E17**16	34,400	11.8	14.2
5153853	24ABB336A51	CNPH*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3491112	24ABB336A51	CNPV*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3491185	24ABB336A51	CNPV*3617A**	58PH*070-16	33,200	11.2	13.5
4140268	24ABB336A51	CNPV*3617A**	58VLR105-12	33,400	11.0	13.5
4140267	24ABB336A51	CNPV*3617A**	58VLR105-12	33,000	11.0	13.5
4816027	24ABB336A51	CNPV*3617A**	59*N*A060V17**14	32,800	11.4	13.7
4816028	24ABB336A51	CNPV*3617A**	59*N*A080V17**14	33,000	11.4	13.7
4816029	24ABB336A51	CNPV*3617A**	59*P5A060E17**14	33,200	11.4	13.7
4816030	24ABB336A51	CNPV*3617A**	59*P5A080E17**16	33,200	11.4	13.7
4140193	24ABB336A51	CNPV*3617A**	OVLAAB036098	33,000	11.0	13.2
4140192	24ABB336A51	CNPV*3617A**	OVMAAB036098	33,200	11.0	13.2
4140194	24ABB336A51	CNPV*3617A**	OVMAAB042112	33,400	11.0	13.4
3491046	24ABB336A51	CNPV*3617A**+TDR		33,800	11.0	13.0
3491116	24ABB336A51	CNPV*3621A**	58CV(A,X)110-20	33,400	11.5	13.5

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491186	24ABB336A51	CNPV*3621A**	58PH*090-16	33,400	11.7	14.0
3491187	24ABB336A51	CNPV*3621A**	58PH*110-20	33,600	11.7	14.0
4816031	24ABB336A51	CNPV*3621A**	59*N*A060V17**14	32,800	11.4	13.7
4816032	24ABB336A51	CNPV*3621A**	59*N*A080V17**14	33,000	11.4	13.7
5153836	24ABB336A51	CNPV*3621A**	59*N*A080V21**20	33,200	11.5	14.0
5153837	24ABB336A51	CNPV*3621A**	59*N*A100V21**22	33,400	11.5	14.0
4816034	24ABB336A51	CNPV*3621A**	59*P5A060E17**14	33,200	11.4	13.7
4816035	24ABB336A51	CNPV*3621A**	59*P5A080E17**16	33,200	11.4	13.7
5153835	24ABB336A51	CNPV*3621A**	59MN7A060V21**20	33,000	11.5	13.7
4140199	24ABB336A51	CNPV*3621A**	OVLAAB036098	33,200	11.0	13.2
4140201	24ABB336A51	CNPV*3621A**	OVLAAB048112	33,400	11.0	13.2
4140198	24ABB336A51	CNPV*3621A**	OVMAAB036098	33,200	11.0	13.2
4140200	24ABB336A51	CNPV*3621A**	OVMAAB042112	33,400	11.0	13.5
3491047	24ABB336A51	CNPV*3621A**+TDR		33,800	11.0	13.0
3872382	24ABB336A51	CNPV*3717A**	58CV(A,X)090-16	35,000	12.0	14.5
3872383	24ABB336A51	CNPV*3717A**	58PH*070-16	35,000	11.5	14.0
4140270	24ABB336A51	CNPV*3717A**	58VLR105-12	34,800	11.7	14.0
4140269	24ABB336A51	CNPV*3717A**	58VMR105-12	34,400	11.7	14.0
4816036	24ABB336A51	CNPV*3717A**	59*N*A060V17**14	34,000	11.8	14.2
4816037	24ABB336A51	CNPV*3717A**	59*N*A080V17**14	34,200	11.8	14.2
4816038	24ABB336A51	CNPV*3717A**	59*P5A060E17**14	34,600	11.8	14.2
4816039	24ABB336A51	CNPV*3717A**	59*P5A080E17**16	34,600	11.8	14.2
4140205	24ABB336A51	CNPV*3717A**	OVLAAB036098	34,400	11.5	13.5
4140204	24ABB336A51	CNPV*3717A**	OVMAAB036098	34,600	11.5	13.5
4140206	24ABB336A51	CNPV*3717A**	OVMAAB042112	34,600	11.5	14.0
3872372	24ABB336A51	CNPV*3717A**+TDR		35,000	11.0	13.0
3491062	24ABB336A51	CNPV*4217A**	58CV(A,X)090-16	33,800	11.7	14.0
3491063	24ABB336A51	CNPV*4217A**	58PH*070-16	33,800	11.7	14.0
4140272	24ABB336A51	CNPV*4217A**	58VLR105-12	34,000	11.5	13.5
4140271	24ABB336A51	CNPV*4217A**	58VMR105-12	33,600	11.5	14.0
4816040	24ABB336A51	CNPV*4217A**	59*N*A060V17**14	33,400	11.5	14.0
4816041	24ABB336A51	CNPV*4217A**	59*N*A080V17**14	33,600	11.5	14.0
4816042	24ABB336A51	CNPV*4217A**	59*P5A060E17**14	34,000	11.4	13.7
4816043	24ABB336A51	CNPV*4217A**	59*P5A080E17**16	34,000	11.5	14.0
4140210	24ABB336A51	CNPV*4217A**	OVLAAB036098	33,800	11.0	13.5
4140209	24ABB336A51	CNPV*4217A**	OVMAAB036098	33,800	11.0	13.2
4140211	24ABB336A51	CNPV*4217A**	OVMAAB042112	34,000	11.5	13.5
3491041	24ABB336A51	CNPV*4217A**+TDR		33,800	11.0	13.0
3491120	24ABB336A51	CNPV*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3491188	24ABB336A51	CNPV*4221A**	58PH*090-16	34,000	12.0	14.0
3491189	24ABB336A51	CNPV*4221A**	58PH*110-20	34,000	12.0	14.0
4140274	24ABB336A51	CNPV*4221A**	58VLR120-20	33,800	11.7	14.0
4140273	24ABB336A51	CNPV*4221A**	58VMR120-20	33,600	11.7	14.0
4816044	24ABB336A51	CNPV*4221A**	59*N*A060V17**14	33,200	11.4	13.7
4816045	24ABB336A51	CNPV*4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153839	24ABB336A51	CNPV*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5153840	24ABB336A51	CNPV*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4816047	24ABB336A51	CNPV*4221A**	59*P5A060E17**14	33,600	11.4	13.7
4816048	24ABB336A51	CNPV*4221A**	59*P5A080E17**16	33,600	11.5	14.0
5153838	24ABB336A51	CNPV*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140216	24ABB336A51	CNPV*4221A**	OVLAAB036098	33,400	11.0	13.2
4140218	24ABB336A51	CNPV*4221A**	OVLAAB048112	33,800	11.5	13.5
4140215	24ABB336A51	CNPV*4221A**	OVMAAB036098	33,600	11.0	13.2
4140217	24ABB336A51	CNPV*4221A**	OVMAAB042112	33,600	11.5	13.5
3491048	24ABB336A51	CNPV*4221A**+TDR		34,000	11.0	13.0
3872390	24ABB336A51	CNPV*4324A**	58CV(A,X)135-22	34,800	12.0	14.5
3872391	24ABB336A51	CNPV*4324A**	58CV(A,X)155-22	34,800	12.0	14.5
5153842	24ABB336A51	CNPV*4324A**	59*N*A080V21**20	34,400	12.2	14.5
5153843	24ABB336A51	CNPV*4324A**	59*N*A100V21**22	34,600	12.2	14.5
4816050	24ABB336A51	CNPV*4324A**	59*N*A120V24**22	34,400	12.0	14.5
5153841	24ABB336A51	CNPV*4324A**	59MN7A060V21**20	34,400	12.0	14.5
4140221	24ABB336A51	CNPV*4324A**	OVLAAB048112	34,800	12.0	14.0
4140222	24ABB336A51	CNPV*4324A**	OVLAAB060154	34,800	12.0	14.5
3872373	24ABB336A51	CNPV*4324A**+TDR		34,800	11.0	13.0
3491094	24ABB336A51	CNPV*4821A**	58PH*090-16	34,600	12.2	14.5
3491095	24ABB336A51	CNPV*4821A**	58PH*110-20	34,800	12.2	14.5
4816081	24ABB336A51	CNPV*4821A**	59*N*A060V17**14	33,800	11.8	14.2
4816082	24ABB336A51	CNPV*4821A**	59*N*A080V17**14	34,000	11.8	14.2
5153845	24ABB336A51	CNPV*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153846	24ABB336A51	CNPV*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4816084	24ABB336A51	CNPV*4821A**	59*P5A060E17**14	34,400	11.5	14.0
4816085	24ABB336A51	CNPV*4821A**	59*P5A080E17**16	34,400	11.8	14.2
5153844	24ABB336A51	CNPV*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3491149	24ABB336A51	CSPH*3612A**	58CV(A,X)070-12	33,600	11.7	14.0
3491150	24ABB336A51	CSPH*3612A**	58CV(A,X)090-16	33,600	12.0	14.0
3491151	24ABB336A51	CSPH*3612A**	58CV(A,X)110-20	33,600	12.0	14.0
3491152	24ABB336A51	CSPH*3612A**	58CV(A,X)135-22	33,600	12.0	14.0
3491153	24ABB336A51	CSPH*3612A**	58CV(A,X)155-22	33,600	12.0	14.0
3491196	24ABB336A51	CSPH*3612A**	58PH*070-16	34,000	11.5	13.5
3491197	24ABB336A51	CSPH*3612A**	58PH*090-16	34,400	12.0	14.0
3491198	24ABB336A51	CSPH*3612A**	58PH*110-20	34,400	12.0	14.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140288	24ABB336A51	CSPH*3612A**	58VLR105-12	34,200	11.7	14.0
4140290	24ABB336A51	CSPH*3612A**	58VLR120-20	34,200	12.0	14.0
4140287	24ABB336A51	CSPH*3612A**	58VMR105-12	33,800	11.7	14.0
4140289	24ABB336A51	CSPH*3612A**	58VMR120-20	34,000	11.7	14.0
4816069	24ABB336A51	CSPH*3612A**	59*N*A060V17**14	33,600	11.5	14.0
4816070	24ABB336A51	CSPH*3612A**	59*N*A080V17**14	33,800	11.8	14.2
5153857	24ABB336A51	CSPH*3612A**	59*N*A080V21**20	34,000	12.0	14.5
5153858	24ABB336A51	CSPH*3612A**	59*N*A100V21**22	34,200	12.0	14.5
4816072	24ABB336A51	CSPH*3612A**	59*N*A120V24**22	34,000	12.0	14.5
4816073	24ABB336A51	CSPH*3612A**	59*P5A060E17**14	34,200	11.5	14.0
4816074	24ABB336A51	CSPH*3612A**	59*P5A080E17**16	34,200	11.8	14.2
5153856	24ABB336A51	CSPH*3612A**	59MN7A060V21**20	33,800	11.7	14.0
4140247	24ABB336A51	CSPH*3612A**	OVLAAB036098	34,000	11.0	13.5
4140249	24ABB336A51	CSPH*3612A**	OVLAAB048112	34,400	11.5	13.5
4140250	24ABB336A51	CSPH*3612A**	OVLAAB060154	34,800	11.7	14.0
4140246	24ABB336A51	CSPH*3612A**	OVMAAB036098	34,000	11.0	13.5
4140248	24ABB336A51	CSPH*3612A**	OVMAAB042112	34,200	11.7	13.5
3491052	24ABB336A51	CSPH*3612A**+TDR		33,800	11.0	13.0
3491160	24ABB336A51	CSPH*4212A**	58CV(A,X)070-12	33,600	11.7	14.0
3491161	24ABB336A51	CSPH*4212A**	58CV(A,X)090-16	33,600	12.0	14.0
3491162	24ABB336A51	CSPH*4212A**	58CV(A,X)110-20	33,800	12.0	14.0
3491163	24ABB336A51	CSPH*4212A**	58CV(A,X)135-22	33,600	12.0	14.0
3491164	24ABB336A51	CSPH*4212A**	58CV(A,X)155-22	33,800	12.0	14.0
3491199	24ABB336A51	CSPH*4212A**	58PH*070-16	34,400	11.7	14.0
3491200	24ABB336A51	CSPH*4212A**	58PH*090-16	34,600	12.0	14.0
3491201	24ABB336A51	CSPH*4212A**	58PH*110-20	34,800	12.0	14.0
4140292	24ABB336A51	CSPH*4212A**	58VLR105-12	34,400	11.7	14.0
4140294	24ABB336A51	CSPH*4212A**	58VLR120-20	34,400	12.0	14.5
4140291	24ABB336A51	CSPH*4212A**	58VMR105-12	34,000	11.7	14.0
4140293	24ABB336A51	CSPH*4212A**	58VMR120-20	34,200	11.7	14.0
4816075	24ABB336A51	CSPH*4212A**	59*N*A060V17**14	33,800	11.8	14.2
4816076	24ABB336A51	CSPH*4212A**	59*N*A080V17**14	34,000	11.8	14.2
5153860	24ABB336A51	CSPH*4212A**	59*N*A080V21**20	34,200	12.0	14.5
5153861	24ABB336A51	CSPH*4212A**	59*N*A100V21**22	34,400	12.0	14.5
4816078	24ABB336A51	CSPH*4212A**	59*N*A120V24**22	34,200	12.0	14.5
4816079	24ABB336A51	CSPH*4212A**	59*P5A060E17**14	34,400	11.5	14.0
4816080	24ABB336A51	CSPH*4212A**	59*P5A080E17**16	34,400	11.8	14.2
5153859	24ABB336A51	CSPH*4212A**	59MN7A060V21**20	34,000	11.8	14.2
4140252	24ABB336A51	CSPH*4212A**	OVLAAB036098	34,200	11.5	13.5
4140254	24ABB336A51	CSPH*4212A**	OVLAAB048112	34,600	11.7	13.5
4140255	24ABB336A51	CSPH*4212A**	OVLAAB060154	34,800	12.0	14.0
4140251	24ABB336A51	CSPH*4212A**	OVMAAB036098	34,200	11.5	13.5
4140253	24ABB336A51	CSPH*4212A**	OVMAAB042112	34,400	11.7	14.0
3491053	24ABB336A51	CSPH*4212A**+TDR		34,000	11.0	13.0
5153863	24ABB336A51	CSPH*4812A**	59*N*A080V21**20	34,200	12.0	14.5
5153864	24ABB336A51	CSPH*4812A**	59*N*A100V21**22	34,400	12.0	14.5
5153862	24ABB336A51	CSPH*4812A**	59MN7A060V21**20	34,200	11.7	14.0
3834864	24ABB336A51	FB4CNF036		32,600	11.0	13.0
3834865	24ABB336A51	FB4CNF042		34,000	11.5	13.5
3491170	24ABB336A51	FE4AN(B,F)003+UI		33,600	12.0	14.0
3491171	24ABB336A51	FE4AN(B,F)005+UI		34,800	12.0	14.0
3491172	24ABB336A51	FE4ANB006+UI		35,200	12.0	14.0
3491169	24ABB336A51	FE4ANF002+UI		33,400	11.5	13.5
3491173	24ABB336A51	FE5ANB004+UI		35,000	12.0	14.0
3491174	24ABB336A51	FF1ENP036		33,600	10.9	13.0
3491210	24ABB336A51	FF1ENP037		33,200	11.7	13.5
3491207	24ABB336A51	FV4CN(B,F)003		33,600	12.0	14.0
3491208	24ABB336A51	FV4CN(B,F)005		34,800	12.0	14.0
3491209	24ABB336A51	FV4CNB006		35,200	12.0	14.0
3491206	24ABB336A51	FV4CNF002		33,400	11.5	13.5
3872424	24ABB336A51	FX4DN(B,F)037		34,400	12.0	14.5
3872425	24ABB336A51	FX4DN(B,F)043		34,400	12.0	14.5
3872426	24ABB336A51	FX4DN(B,F)049		34,600	12.0	14.5
3872427	24ABB336A51	FY5BNF036		33,000	11.0	13.0
3872428	24ABB336A51	FY5BNF042		33,800	11.0	13.0
3491470	24ABB336A61	†CAP**3617A**+TDR		33,800	10.9	13.0
3491526	24ABB336A61	CAP**3614A**	58CV(A,X)070-12	32,400	11.5	13.5
3491472	24ABB336A61	CAP**3614A**+TDR		32,800	11.0	13.0
3491528	24ABB336A61	CAP**3617A**	58CV(A,X)090-16	33,400	11.7	14.0
3491610	24ABB336A61	CAP**3617A**	58PH*070-16	33,400	11.2	13.5
4140615	24ABB336A61	CAP**3617A**	58VLR105-12	33,600	11.0	13.5
4140614	24ABB336A61	CAP**3617A**	58VMR105-12	33,200	11.5	13.5
4816092	24ABB336A61	CAP**3617A**	59*N*A060V17**14	33,000	11.4	13.7
4816093	24ABB336A61	CAP**3617A**	59*N*A080V17**14	33,200	11.4	13.7
4816094	24ABB336A61	CAP**3617A**	59*P5A060E17**14	33,400	11.4	13.7
4816095	24ABB336A61	CAP**3617A**	59*P5A080E17**16	33,400	11.4	13.7
4140617	24ABB336A61	CAP**3617A**	OVLAAB036098	33,200	11.0	13.2
4140616	24ABB336A61	CAP**3617A**	OVMAAB036098	33,200	11.0	13.2
4140618	24ABB336A61	CAP**3617A**	OVMAAB042112	33,400	11.0	13.5
4816108	24ABB336A61	CAP**3619A**	59*N*A060V17**14	33,000	11.4	13.7

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4816109	24ABB336A61	CAP**3619A**	59*N*A080V17**14	33,200	11.4	13.7
5153878	24ABB336A61	CAP**3619A**	59*N*A080V21**20	33,200	11.7	14.0
5153879	24ABB336A61	CAP**3619A**	59*N*A100V21**22	33,400	11.7	14.0
4816111	24ABB336A61	CAP**3619A**	59*P5A060E17**14	33,400	11.4	13.7
4816112	24ABB336A61	CAP**3619A**	59*P5A080E17**16	33,400	11.4	13.7
5153877	24ABB336A61	CAP**3619A**	59MN7A060V21**20	33,200	11.5	13.7
3872429	24ABB336A61	CAP**3619A**+TDR		33,600	11.0	13.0
3491532	24ABB336A61	CAP**3621A**	58CV(A,X)110-20	33,400	11.7	14.0
3491611	24ABB336A61	CAP**3621A**	58PH*090-16	33,800	12.0	14.0
3491612	24ABB336A61	CAP**3621A**	58PH*110-20	34,000	12.0	14.0
4140620	24ABB336A61	CAP**3621A**	58VLR120-20	33,400	11.7	14.0
4140619	24ABB336A61	CAP**3621A**	58VMR120-20	33,400	11.7	14.0
4816096	24ABB336A61	CAP**3621A**	59*N*A060V17**14	33,000	11.4	13.7
4816097	24ABB336A61	CAP**3621A**	59*N*A080V17**14	33,200	11.5	14.0
5153866	24ABB336A61	CAP**3621A**	59*N*A080V21**20	33,200	11.7	14.0
5153867	24ABB336A61	CAP**3621A**	59*N*A100V21**22	33,400	11.7	14.0
4816099	24ABB336A61	CAP**3621A**	59*P5A060E17**14	33,400	11.4	13.7
4816100	24ABB336A61	CAP**3621A**	59*P5A080E17**16	33,400	11.5	14.0
5153865	24ABB336A61	CAP**3621A**	59MN7A060V21**20	33,200	11.7	14.0
4140621	24ABB336A61	CAP**3621A**	OVLAAB048112	33,600	11.5	13.5
3491473	24ABB336A61	CAP**3621A**+TDR		33,800	11.0	13.0
3491536	24ABB336A61	CAP**4221A**	58CV(A,X)110-20	33,600	12.0	14.0
3491613	24ABB336A61	CAP**4221A**	58PH*090-16	34,000	12.0	14.0
3491614	24ABB336A61	CAP**4221A**	58PH*110-20	34,200	12.0	14.0
4140623	24ABB336A61	CAP**4221A**	58VLR120-20	33,600	11.7	14.0
4140622	24ABB336A61	CAP**4221A**	58VMR120-20	33,600	11.7	14.0
4816101	24ABB336A61	CAP**4221A**	59*N*A060V17**14	33,200	11.5	14.0
4816102	24ABB336A61	CAP**4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153869	24ABB336A61	CAP**4221A**	59*N*A080V21**20	33,600	12.0	14.5
5153870	24ABB336A61	CAP**4221A**	59*N*A100V21**22	33,600	12.0	14.5
4816104	24ABB336A61	CAP**4221A**	59*P5A060E17**14	33,600	11.4	13.7
4816105	24ABB336A61	CAP**4221A**	59*P5A080E17**16	33,800	11.5	14.0
5153868	24ABB336A61	CAP**4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140624	24ABB336A61	CAP**4221A**	OVLAAB048112	33,800	11.5	13.5
3491474	24ABB336A61	CAP**4221A**+TDR		34,000	11.0	13.0
3491539	24ABB336A61	CAP**4224A**	58CV(A,X)135-22	33,600	12.0	14.0
3491540	24ABB336A61	CAP**4224A**	58CV(A,X)155-22	33,800	12.0	14.0
5153872	24ABB336A61	CAP**4224A**	59*N*A080V21**20	33,600	12.0	14.5
5153873	24ABB336A61	CAP**4224A**	59*N*A100V21**22	33,600	12.0	14.5
4816107	24ABB336A61	CAP**4224A**	59*N*A120V24**22	33,600	11.8	14.2
5153871	24ABB336A61	CAP**4224A**	59MN7A060V21**20	33,400	11.5	14.0
3491475	24ABB336A61	CAP**4224A**+TDR		33,800	11.0	13.0
3491609	24ABB336A61	CAP**4817A**	58PH*070-16	34,400	11.7	14.0
5153875	24ABB336A61	CAP**4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153876	24ABB336A61	CAP**4821A**	59*N*A100V21**22	34,200	12.0	14.5
5153874	24ABB336A61	CAP**4821A**	59MN7A060V21**20	33,800	11.7	14.0
3872430	24ABB336A61	CAP**4823A**+TDR		34,000	11.0	13.0
3872431	24ABB336A61	CAP**6025A**+TDR		34,600	11.0	13.0
3491557	24ABB336A61	CNPH*3617A**	58CV(A,X)070-12	33,200	11.5	13.5
3491558	24ABB336A61	CNPH*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3491559	24ABB336A61	CNPH*3617A**	58CV(A,X)110-20	33,400	11.5	13.5
3491560	24ABB336A61	CNPH*3617A**	58CV(A,X)135-22	33,400	11.7	14.0
3491561	24ABB336A61	CNPH*3617A**	58CV(A,X)155-22	33,400	11.7	14.0
3491620	24ABB336A61	CNPH*3617A**	58PH*070-16	33,200	11.0	13.5
3491621	24ABB336A61	CNPH*3617A**	58PH*090-16	33,400	11.7	14.0
3491622	24ABB336A61	CNPH*3617A**	58PH*110-20	33,600	11.7	14.0
4140634	24ABB336A61	CNPH*3617A**	58VLR105-12	33,400	11.0	13.5
4140636	24ABB336A61	CNPH*3617A**	58VLR120-20	33,400	11.5	14.0
4140633	24ABB336A61	CNPH*3617A**	58VMR105-12	33,000	11.0	13.5
4140635	24ABB336A61	CNPH*3617A**	58VMR120-20	33,200	11.5	13.5
4816137	24ABB336A61	CNPH*3617A**	59*N*A060V17**14	32,800	11.4	13.7
4816138	24ABB336A61	CNPH*3617A**	59*N*A080V17**14	33,000	11.4	13.7
4816140	24ABB336A61	CNPH*3617A**	59*N*A120V24**22	33,200	11.5	14.0
4816141	24ABB336A61	CNPH*3617A**	59*P5A060E17**14	33,200	11.4	13.7
4816142	24ABB336A61	CNPH*3617A**	59*P5A080E17**16	33,200	11.4	13.7
4140586	24ABB336A61	CNPH*3617A**	OVLAAB036098	33,000	11.0	13.2
4140588	24ABB336A61	CNPH*3617A**	OVLAAB048112	33,400	11.0	13.2
4140589	24ABB336A61	CNPH*3617A**	OVLAAB060154	34,200	11.5	13.5
4140585	24ABB336A61	CNPH*3617A**	OVMAAB036098	33,200	11.0	13.2
4140587	24ABB336A61	CNPH*3617A**	OVMAAB042112	33,400	11.0	13.2
3491479	24ABB336A61	CNPH*3617A**+TDR		33,800	11.0	13.0
3491568	24ABB336A61	CNPH*4221A**	58CV(A,X)070-12	33,600	11.5	13.5
3491569	24ABB336A61	CNPH*4221A**	58CV(A,X)090-16	33,600	11.7	14.0
3491570	24ABB336A61	CNPH*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3491571	24ABB336A61	CNPH*4221A**	58CV(A,X)135-22	33,600	12.0	14.0
3491572	24ABB336A61	CNPH*4221A**	58CV(A,X)155-22	33,800	12.0	14.0
3491623	24ABB336A61	CNPH*4221A**	58PH*070-16	33,600	11.2	13.5
3491624	24ABB336A61	CNPH*4221A**	58PH*090-16	34,000	12.0	14.0
3491625	24ABB336A61	CNPH*4221A**	58PH*110-20	34,000	12.0	14.0
4140638	24ABB336A61	CNPH*4221A**	58VLR105-12	33,800	11.5	13.5
4140640	24ABB336A61	CNPH*4221A**	58VLR120-20	33,800	11.7	14.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140637	24ABB336A61	CNPH*4221A**	58VMR105-12	33,400	11.5	13.5
4140639	24ABB336A61	CNPH*4221A**	58VMR120-20	33,600	11.7	14.0
4816143	24ABB336A61	CNPH*4221A**	59*N*A060V17**14	33,200	11.4	13.7
4816144	24ABB336A61	CNPH*4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153893	24ABB336A61	CNPH*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5153894	24ABB336A61	CNPH*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4816146	24ABB336A61	CNPH*4221A**	59*N*A120V24**22	33,600	11.8	14.2
4816147	24ABB336A61	CNPH*4221A**	59*P5A060E17**14	33,600	11.4	13.7
4816148	24ABB336A61	CNPH*4221A**	59*P5A080E17**16	33,600	11.5	14.0
5153892	24ABB336A61	CNPH*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140595	24ABB336A61	CNPH*4221A**	OVLAAB036098	33,400	11.0	13.2
4140597	24ABB336A61	CNPH*4221A**	OVLAAB048112	33,800	11.5	13.5
4140598	24ABB336A61	CNPH*4221A**	OVLAAB060154	34,600	11.5	13.5
4140594	24ABB336A61	CNPH*4221A**	OVMAAB036098	33,600	11.0	13.2
4140596	24ABB336A61	CNPH*4221A**	OVMAAB042112	33,600	11.5	13.5
3491480	24ABB336A61	CNPH*4221A**+TDR		34,000	11.0	13.0
3872458	24ABB336A61	CNPH*4321A**	58CV(A,X)070-12	34,800	12.0	14.5
3872459	24ABB336A61	CNPH*4321A**	58CV(A,X)090-16	34,800	12.0	14.5
3872460	24ABB336A61	CNPH*4321A**	58CV(A,X)110-20	34,800	12.0	14.5
3872461	24ABB336A61	CNPH*4321A**	58CV(A,X)135-22	34,800	12.0	14.5
3872462	24ABB336A61	CNPH*4321A**	58CV(A,X)155-22	34,800	12.0	14.5
3872463	24ABB336A61	CNPH*4321A**	58PH*045-08	34,800	11.0	13.5
3872464	24ABB336A61	CNPH*4321A**	58PH*070-16	34,800	11.0	13.5
3872465	24ABB336A61	CNPH*4321A**	58PH*090-16	34,800	12.0	14.5
3872466	24ABB336A61	CNPH*4321A**	58PH*110-20	34,800	12.0	14.5
4140642	24ABB336A61	CNPH*4321A**	58VLR105-12	34,800	11.7	14.0
4140644	24ABB336A61	CNPH*4321A**	58VLR120-20	34,600	12.0	14.5
4140641	24ABB336A61	CNPH*4321A**	58VMR105-12	34,400	11.7	14.0
4140643	24ABB336A61	CNPH*4321A**	58VMR120-20	34,600	12.0	14.5
4816149	24ABB336A61	CNPH*4321A**	59*N*A060V17**14	34,200	11.8	14.2
4816150	24ABB336A61	CNPH*4321A**	59*N*A080V17**14	34,200	12.0	14.5
5153896	24ABB336A61	CNPH*4321A**	59*N*A080V21**20	34,400	12.2	14.5
5153897	24ABB336A61	CNPH*4321A**	59*N*A100V21**22	34,600	12.2	14.5
4816152	24ABB336A61	CNPH*4321A**	59*N*A120V24**22	34,400	12.0	14.5
4816153	24ABB336A61	CNPH*4321A**	59*P5A060E17**14	34,800	11.8	14.2
4816154	24ABB336A61	CNPH*4321A**	59*P5A080E17**16	34,600	11.8	14.2
5153895	24ABB336A61	CNPH*4321A**	59MN7A060V21**20	34,200	12.0	14.5
4140600	24ABB336A61	CNPH*4321A**	OVLAAB036098	34,400	11.7	13.5
4140602	24ABB336A61	CNPH*4321A**	OVLAAB048112	34,800	11.7	14.0
4140603	24ABB336A61	CNPH*4321A**	OVLAAB060154	34,800	12.2	14.0
4140599	24ABB336A61	CNPH*4321A**	OVMAAB036098	34,600	11.7	13.5
4140601	24ABB336A61	CNPH*4321A**	OVMAAB042112	34,600	12.0	14.0
3872434	24ABB336A61	CNPH*4321A**+TDR		34,800	11.0	13.0
3491519	24ABB336A61	CNPH*4821A**	58CV(A,X)090-16	34,200	12.2	14.5
4816172	24ABB336A61	CNPH*4821A**	59*N*A060V17**14	33,800	11.8	14.2
4816173	24ABB336A61	CNPH*4821A**	59*N*A080V17**14	34,000	11.8	14.2
5153899	24ABB336A61	CNPH*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153900	24ABB336A61	CNPH*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4816175	24ABB336A61	CNPH*4821A**	59*N*A120V24**22	34,000	12.0	14.5
4816176	24ABB336A61	CNPH*4821A**	59*P5A060E17**14	34,400	11.5	14.0
4816177	24ABB336A61	CNPH*4821A**	59*P5A080E17**16	34,400	11.8	14.2
5153898	24ABB336A61	CNPH*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3491542	24ABB336A61	CNPV*3617A**	58CV(A,X)090-16	33,200	11.5	13.5
3491615	24ABB336A61	CNPV*3617A**	58PH*070-16	33,200	11.2	13.5
4140626	24ABB336A61	CNPV*3617A**	58VLR105-12	33,400	11.0	13.5
4140625	24ABB336A61	CNPV*3617A**	58VMR105-12	33,000	11.0	13.5
4816113	24ABB336A61	CNPV*3617A**	59*N*A060V17**14	32,800	11.4	13.7
4816114	24ABB336A61	CNPV*3617A**	59*N*A080V17**14	33,000	11.4	13.7
4816115	24ABB336A61	CNPV*3617A**	59*P5A060E17**14	33,200	11.4	13.7
4816116	24ABB336A61	CNPV*3617A**	59*P5A080E17**16	33,200	11.4	13.7
4140551	24ABB336A61	CNPV*3617A**	OVLAAB036098	33,000	11.0	13.2
4140550	24ABB336A61	CNPV*3617A**	OVMAAB036098	33,200	11.0	13.2
4140552	24ABB336A61	CNPV*3617A**	OVMAAB042112	33,400	11.0	13.4
3491476	24ABB336A61	CNPV*3617A**+TDR		33,800	11.0	13.0
3491546	24ABB336A61	CNPV*3621A**	58CV(A,X)110-20	33,400	11.5	13.5
3491616	24ABB336A61	CNPV*3621A**	58PH*090-16	33,400	11.7	14.0
3491617	24ABB336A61	CNPV*3621A**	58PH*110-20	33,600	11.7	14.0
4816117	24ABB336A61	CNPV*3621A**	59*N*A060V17**14	32,800	11.4	13.7
4816118	24ABB336A61	CNPV*3621A**	59*N*A080V17**14	33,000	11.4	13.7
5153881	24ABB336A61	CNPV*3621A**	59*N*A080V21**20	33,200	11.5	14.0
5153882	24ABB336A61	CNPV*3621A**	59*N*A100V21**22	33,400	11.5	14.0
4816120	24ABB336A61	CNPV*3621A**	59*P5A060E17**14	33,200	11.4	13.7
4816121	24ABB336A61	CNPV*3621A**	59*P5A080E17**16	33,200	11.4	13.7
5153880	24ABB336A61	CNPV*3621A**	59MN7A060V21**20	33,000	11.5	13.7
4140557	24ABB336A61	CNPV*3621A**	OVLAAB036098	33,200	11.0	13.2
4140559	24ABB336A61	CNPV*3621A**	OVLAAB048112	33,400	11.0	13.2
4140556	24ABB336A61	CNPV*3621A**	OVMAAB036098	33,200	11.0	13.2
4140558	24ABB336A61	CNPV*3621A**	OVMAAB042112	33,400	11.0	13.5
3491477	24ABB336A61	CNPV*3621A**+TDR		33,800	11.0	13.0
3872442	24ABB336A61	CNPV*3717A**	58CV(A,X)090-16	35,000	12.0	14.5
3872443	24ABB336A61	CNPV*3717A**	58PH*070-16	35,000	11.5	14.0

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140628	24ABB336A61	CNPV*3717A**	58VLR105-12	34,800	11.7	14.0
4140627	24ABB336A61	CNPV*3717A**	58VLR105-12	34,400	11.7	14.0
4816122	24ABB336A61	CNPV*3717A**	59*N*A060V17**14	34,000	11.8	14.2
4816123	24ABB336A61	CNPV*3717A**	59*N*A080V17**14	34,200	11.8	14.2
4816124	24ABB336A61	CNPV*3717A**	59*P5A060E17**14	34,600	11.8	14.2
4816125	24ABB336A61	CNPV*3717A**	59*P5A080E17**16	34,600	11.8	14.2
4140563	24ABB336A61	CNPV*3717A**	OVLAAB036098	34,400	11.5	13.5
4140562	24ABB336A61	CNPV*3717A**	OVMAAB036098	34,600	11.5	13.5
4140564	24ABB336A61	CNPV*3717A**	OVMAAB042112	34,600	11.5	14.0
3872432	24ABB336A61	CNPV*3717A**+TDR		35,000	11.0	13.0
3491492	24ABB336A61	CNPV*4217A**	58CV(A,X)090-16	33,800	11.7	14.0
3491493	24ABB336A61	CNPV*4217A**	58PH*070-16	33,800	11.7	14.0
4140630	24ABB336A61	CNPV*4217A**	58VLR105-12	34,000	11.5	13.5
4140629	24ABB336A61	CNPV*4217A**	58VLR105-12	33,600	11.5	14.0
4816126	24ABB336A61	CNPV*4217A**	59*N*A060V17**14	33,400	11.5	14.0
4816127	24ABB336A61	CNPV*4217A**	59*N*A080V17**14	33,600	11.5	14.0
4816128	24ABB336A61	CNPV*4217A**	59*P5A060E17**14	34,000	11.4	13.7
4816129	24ABB336A61	CNPV*4217A**	59*P5A080E17**16	34,000	11.5	14.0
4140568	24ABB336A61	CNPV*4217A**	OVLAAB036098	33,800	11.0	13.5
4140567	24ABB336A61	CNPV*4217A**	OVMAAB036098	33,800	11.0	13.2
4140569	24ABB336A61	CNPV*4217A**	OVMAAB042112	34,000	11.5	13.5
3491471	24ABB336A61	CNPV*4217A**+TDR		33,800	11.0	13.0
3491550	24ABB336A61	CNPV*4221A**	58CV(A,X)110-20	33,800	11.7	14.0
3491618	24ABB336A61	CNPV*4221A**	58PH*090-16	34,000	12.0	14.0
3491619	24ABB336A61	CNPV*4221A**	58PH*110-20	34,000	12.0	14.0
4140632	24ABB336A61	CNPV*4221A**	58VLR120-20	33,800	11.7	14.0
4140631	24ABB336A61	CNPV*4221A**	58VLR120-20	33,600	11.7	14.0
4816130	24ABB336A61	CNPV*4221A**	59*N*A060V17**14	33,200	11.4	13.7
4816131	24ABB336A61	CNPV*4221A**	59*N*A080V17**14	33,400	11.5	14.0
5153884	24ABB336A61	CNPV*4221A**	59*N*A080V21**20	33,600	11.7	14.0
5153885	24ABB336A61	CNPV*4221A**	59*N*A100V21**22	33,600	11.7	14.0
4816133	24ABB336A61	CNPV*4221A**	59*P5A060E17**14	33,600	11.4	13.7
4816134	24ABB336A61	CNPV*4221A**	59*P5A080E17**16	33,600	11.5	14.0
5153883	24ABB336A61	CNPV*4221A**	59MN7A060V21**20	33,400	11.7	14.0
4140574	24ABB336A61	CNPV*4221A**	OVLAAB036098	33,400	11.0	13.2
4140576	24ABB336A61	CNPV*4221A**	OVLAAB048112	33,800	11.5	13.5
4140573	24ABB336A61	CNPV*4221A**	OVMAAB036098	33,600	11.0	13.2
4140575	24ABB336A61	CNPV*4221A**	OVMAAB042112	33,600	11.5	13.5
3491478	24ABB336A61	CNPV*4221A**+TDR		34,000	11.0	13.0
3872450	24ABB336A61	CNPV*4324A**	58CV(A,X)135-22	34,800	12.0	14.5
3872451	24ABB336A61	CNPV*4324A**	58CV(A,X)155-22	34,800	12.0	14.5
5153887	24ABB336A61	CNPV*4324A**	59*N*A080V21**20	34,400	12.2	14.5
5153888	24ABB336A61	CNPV*4324A**	59*N*A100V21**22	34,600	12.2	14.5
4816136	24ABB336A61	CNPV*4324A**	59*N*A120V24**22	34,400	12.0	14.5
5153886	24ABB336A61	CNPV*4324A**	59MN7A060V21**20	34,400	12.0	14.5
4140579	24ABB336A61	CNPV*4324A**	OVLAAB048112	34,800	12.0	14.0
4140580	24ABB336A61	CNPV*4324A**	OVLAAB060154	34,800	12.0	14.5
3872433	24ABB336A61	CNPV*4324A**+TDR		34,800	11.0	13.0
3491524	24ABB336A61	CNPV*4821A**	58PH*090-16	34,600	12.2	14.5
3491525	24ABB336A61	CNPV*4821A**	58PH*110-20	34,800	12.2	14.5
4816167	24ABB336A61	CNPV*4821A**	59*N*A060V17**14	33,800	11.8	14.2
4816168	24ABB336A61	CNPV*4821A**	59*N*A080V17**14	34,000	11.8	14.2
5153890	24ABB336A61	CNPV*4821A**	59*N*A080V21**20	34,000	12.0	14.5
5153891	24ABB336A61	CNPV*4821A**	59*N*A100V21**22	34,200	12.0	14.5
4816170	24ABB336A61	CNPV*4821A**	59*P5A060E17**14	34,400	11.5	14.0
4816171	24ABB336A61	CNPV*4821A**	59*P5A080E17**16	34,400	11.8	14.2
5153889	24ABB336A61	CNPV*4821A**	59MN7A060V21**20	34,000	11.8	14.2
3491579	24ABB336A61	CSPH*3612A**	58CV(A,X)070-12	33,600	11.7	14.0
3491580	24ABB336A61	CSPH*3612A**	58CV(A,X)090-16	33,600	12.0	14.0
3491581	24ABB336A61	CSPH*3612A**	58CV(A,X)110-20	33,600	12.0	14.0
3491582	24ABB336A61	CSPH*3612A**	58CV(A,X)135-22	33,600	12.0	14.0
3491583	24ABB336A61	CSPH*3612A**	58CV(A,X)155-22	33,600	12.0	14.0
3491626	24ABB336A61	CSPH*3612A**	58PH*070-16	34,000	11.5	13.5
3491627	24ABB336A61	CSPH*3612A**	58PH*090-16	34,400	12.0	14.0
3491628	24ABB336A61	CSPH*3612A**	58PH*110-20	34,400	12.0	14.0
4140646	24ABB336A61	CSPH*3612A**	58VLR105-12	34,200	11.7	14.0
4140648	24ABB336A61	CSPH*3612A**	58VLR120-20	34,200	12.0	14.0
4140645	24ABB336A61	CSPH*3612A**	58VLR105-12	33,800	11.7	14.0
4140647	24ABB336A61	CSPH*3612A**	58VLR120-20	34,000	11.7	14.0
4816155	24ABB336A61	CSPH*3612A**	59*N*A060V17**14	33,600	11.5	14.0
4816156	24ABB336A61	CSPH*3612A**	59*N*A080V17**14	33,800	11.8	14.2
5153902	24ABB336A61	CSPH*3612A**	59*N*A080V21**20	34,000	12.0	14.5
5153903	24ABB336A61	CSPH*3612A**	59*N*A100V21**22	34,200	12.0	14.5
4816158	24ABB336A61	CSPH*3612A**	59*N*A120V24**22	34,000	12.0	14.5
4816159	24ABB336A61	CSPH*3612A**	59*P5A060E17**14	34,200	11.5	14.0
4816160	24ABB336A61	CSPH*3612A**	59*P5A080E17**16	34,200	11.8	14.2
5153901	24ABB336A61	CSPH*3612A**	59MN7A060V21**20	33,800	11.7	14.0
4140605	24ABB336A61	CSPH*3612A**	OVLAAB036098	34,000	11.0	13.5
4140607	24ABB336A61	CSPH*3612A**	OVLAAB048112	34,400	11.5	13.5
4140608	24ABB336A61	CSPH*3612A**	OVLAAB060154	34,800	11.7	14.0
4140604	24ABB336A61	CSPH*3612A**	OVMAAB036098	34,000	11.0	13.5

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140606	24ABB336A61	CSPH*3612A**	OVMAAB042112	34,200	11.7	13.5
3491482	24ABB336A61	CSPH*3612A**+TDR		33,800	11.0	13.0
3491590	24ABB336A61	CSPH*4212A**	58CV(A,X)070-12	33,600	11.7	14.0
3491591	24ABB336A61	CSPH*4212A**	58CV(A,X)090-16	33,600	12.0	14.0
3491592	24ABB336A61	CSPH*4212A**	58CV(A,X)110-20	33,800	12.0	14.0
3491593	24ABB336A61	CSPH*4212A**	58CV(A,X)135-22	33,600	12.0	14.0
3491594	24ABB336A61	CSPH*4212A**	58CV(A,X)155-22	33,800	12.0	14.0
3491629	24ABB336A61	CSPH*4212A**	58PH*070-16	34,400	11.7	14.0
3491630	24ABB336A61	CSPH*4212A**	58PH*090-16	34,600	12.0	14.0
3491631	24ABB336A61	CSPH*4212A**	58PH*110-20	34,800	12.0	14.0
4140650	24ABB336A61	CSPH*4212A**	58VLR105-12	34,400	11.7	14.0
4140652	24ABB336A61	CSPH*4212A**	58VLR120-20	34,400	12.0	14.5
4140649	24ABB336A61	CSPH*4212A**	58VMR105-12	34,000	11.7	14.0
4140651	24ABB336A61	CSPH*4212A**	58VMR120-20	34,200	11.7	14.0
4816161	24ABB336A61	CSPH*4212A**	59*N*A060V17**14	33,800	11.8	14.2
4816162	24ABB336A61	CSPH*4212A**	59*N*A080V17**14	34,000	11.8	14.2
5153905	24ABB336A61	CSPH*4212A**	59*N*A080V21**20	34,200	12.0	14.5
5153906	24ABB336A61	CSPH*4212A**	59*N*A100V21**22	34,400	12.0	14.5
4816164	24ABB336A61	CSPH*4212A**	59*N*A120V24**22	34,200	12.0	14.5
4816165	24ABB336A61	CSPH*4212A**	59*P5A060E17**14	34,400	11.5	14.0
4816166	24ABB336A61	CSPH*4212A**	59*P5A080E17**16	34,400	11.8	14.2
5153904	24ABB336A61	CSPH*4212A**	59MN7A060V21**20	34,000	11.8	14.2
4140610	24ABB336A61	CSPH*4212A**	OVLAAAB036098	34,200	11.5	13.5
4140612	24ABB336A61	CSPH*4212A**	OVLAAAB048112	34,600	11.7	13.5
4140613	24ABB336A61	CSPH*4212A**	OVLAAAB060154	34,800	12.0	14.0
4140609	24ABB336A61	CSPH*4212A**	OVMAAB036098	34,200	11.5	13.5
4140611	24ABB336A61	CSPH*4212A**	OVMAAB042112	34,400	11.7	14.0
3491483	24ABB336A61	CSPH*4212A**+TDR		34,000	11.0	13.0
5153908	24ABB336A61	CSPH*4812A**	59*N*A080V21**20	34,200	12.0	14.5
5153909	24ABB336A61	CSPH*4812A**	59*N*A100V21**22	34,400	12.0	14.5
5153907	24ABB336A61	CSPH*4812A**	59MN7A060V21**20	34,200	11.7	14.0
3834878	24ABB336A61	FB4CNF036		32,600	11.0	13.0
3834879	24ABB336A61	FB4CNF042		34,000	11.5	13.5
3491600	24ABB336A61	FE4AN(B,F)003+UI		33,600	12.0	14.0
3491601	24ABB336A61	FE4AN(B,F)005+UI		34,800	12.0	14.0
3491602	24ABB336A61	FE4ANB006+UI		35,200	12.0	14.0
3491599	24ABB336A61	FE4ANF002+UI		33,400	11.5	13.5
3491603	24ABB336A61	FE5ANB004+UI		35,000	12.0	14.0
3491604	24ABB336A61	FF1ENP036		33,600	10.9	13.0
3491640	24ABB336A61	FF1ENP037		33,200	11.7	13.5
3491637	24ABB336A61	FV4CN(B,F)003		33,600	12.0	14.0
3491638	24ABB336A61	FV4CN(B,F)005		34,800	12.0	14.0
3491639	24ABB336A61	FV4CNB006		35,200	12.0	14.0
3491636	24ABB336A61	FV4CNF002		33,400	11.5	13.5
3872484	24ABB336A61	FX4DN(B,F)037		34,400	12.0	14.5
3872485	24ABB336A61	FX4DN(B,F)043		34,400	12.0	14.5
3872486	24ABB336A61	FX4DN(B,F)049		34,600	12.0	14.5
3872487	24ABB336A61	FY5BNF036		33,000	11.0	13.0
3872488	24ABB336A61	FY5BNF042		33,800	11.0	13.0
3249936	24ABB342(A,W)30	†CAP**4221A**+TDR		41,000	11.0	13.0
3250008	24ABB342(A,W)30	CAP**4221A**	58CV(A,X)110-20	40,500	11.2	13.5
3249937	24ABB342(A,W)30	CAP**4221A**	58PH*090-16	40,500	11.7	14.0
3249938	24ABB342(A,W)30	CAP**4221A**	58PH*110-20	40,500	12.0	14.0
4140003	24ABB342(A,W)30	CAP**4221A**	58VLR120-20	40,000	11.7	14.0
4140002	24ABB342(A,W)30	CAP**4221A**	58VMR120-20	40,000	11.7	14.0
4741463	24ABB342(A,W)30	CAP**4221A**	59*N*A060V17**14	39,500	11.2	13.5
4741464	24ABB342(A,W)30	CAP**4221A**	59*N*A080V17**14	40,000	11.3	13.7
5096942	24ABB342(A,W)30	CAP**4221A**	59*N*A080V21**20	40,000	11.7	14.0
5096943	24ABB342(A,W)30	CAP**4221A**	59*N*A100V21**22	40,500	11.7	14.0
4741466	24ABB342(A,W)30	CAP**4221A**	59*P5A060E17**14	40,000	11.2	13.2
4741467	24ABB342(A,W)30	CAP**4221A**	59*P5A080E17**16	40,000	11.3	13.5
5096944	24ABB342(A,W)30	CAP**4221A**	59*P5A080E21**20	40,500	11.5	13.7
5096945	24ABB342(A,W)30	CAP**4221A**	59*P5A100E21**20	40,500	11.7	14.0
5096941	24ABB342(A,W)30	CAP**4221A**	59MN7A060V21**20	39,500	11.5	13.7
4140004	24ABB342(A,W)30	CAP**4221A**	OVLAAAB048112	40,500	11.0	13.2
3250011	24ABB342(A,W)30	CAP**4224A**	58CV(A,X)135-22	40,500	11.5	14.0
3249939	24ABB342(A,W)30	CAP**4224A**	58PH*135-20	40,500	12.0	14.0
5096947	24ABB342(A,W)30	CAP**4224A**	59*N*A080V21**20	40,000	11.7	14.0
5096948	24ABB342(A,W)30	CAP**4224A**	59*N*A100V21**22	40,500	11.7	14.0
4741470	24ABB342(A,W)30	CAP**4224A**	59*N*A120V24**22	40,000	11.7	14.0
5096949	24ABB342(A,W)30	CAP**4224A**	59*P5A080E21**20	40,500	11.5	14.0
5096950	24ABB342(A,W)30	CAP**4224A**	59*P5A100E21**20	40,500	11.7	14.0
4741472	24ABB342(A,W)30	CAP**4224A**	59*P5A120E24**22	40,500	11.5	13.7
5096946	24ABB342(A,W)30	CAP**4224A**	59MN7A060V21**20	40,000	11.5	13.7
3250009	24ABB342(A,W)30	CAP**4224A**+TDR		41,000	11.0	13.0
3250014	24ABB342(A,W)30	CAP**4817A**	58CV(A,X)090-16	40,000	11.5	14.0
3249940	24ABB342(A,W)30	CAP**4817A**	58PH*070-16	39,500	11.2	13.5
4741473	24ABB342(A,W)30	CAP**4817A**	59*N*A060V17**14	40,500	11.3	13.5
4741474	24ABB342(A,W)30	CAP**4817A**	59*N*A080V17**14	40,500	11.5	13.7
4741475	24ABB342(A,W)30	CAP**4817A**	59*P5A060E17**14	41,000	11.3	13.5

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4741476	24ABB342(A,W)30	CAP**4817A**	59*P5A080E17**16	41,000	11.5	13.7
4140005	24ABB342(A,W)30	CAP**4817A**	OVMAAB042112	41,000	11.5	13.5
3250012	24ABB342(A,W)30	CAP**4817A**+TDR		40,500	11.0	13.2
3250017	24ABB342(A,W)30	CAP**4821A**	58CV(A,X)110-20	41,000	11.5	14.0
3249941	24ABB342(A,W)30	CAP**4821A**	58PH*090-16	41,000	12.0	14.0
3249942	24ABB342(A,W)30	CAP**4821A**	58PH*110-20	41,000	12.0	14.0
4140007	24ABB342(A,W)30	CAP**4821A**	58VLR120-20	41,000	11.7	14.0
4140006	24ABB342(A,W)30	CAP**4821A**	58VMR120-20	40,500	11.7	14.0
4741477	24ABB342(A,W)30	CAP**4821A**	59*N*A060V17**14	40,500	11.3	13.5
4741478	24ABB342(A,W)30	CAP**4821A**	59*N*A080V17**14	40,500	11.5	13.7
5096952	24ABB342(A,W)30	CAP**4821A**	59*N*A080V21**20	40,500	11.7	14.0
5096953	24ABB342(A,W)30	CAP**4821A**	59*N*A100V21**22	41,000	11.8	14.0
4741480	24ABB342(A,W)30	CAP**4821A**	59*P5A060E17**14	40,500	11.3	13.5
4741481	24ABB342(A,W)30	CAP**4821A**	59*P5A080E17**16	41,000	11.3	13.5
5096954	24ABB342(A,W)30	CAP**4821A**	59*P5A080E21**20	41,000	11.7	14.0
5096955	24ABB342(A,W)30	CAP**4821A**	59*P5A100E21**20	41,000	11.7	14.0
5096951	24ABB342(A,W)30	CAP**4821A**	59MN7A060V21**20	40,500	11.5	13.7
4140008	24ABB342(A,W)30	CAP**4821A**	OVLAAB048112	41,000	11.0	13.5
3250015	24ABB342(A,W)30	CAP**4821A**+TDR		41,500	11.0	13.2
5096962	24ABB342(A,W)30	CAP**4823A**	59*N*A080V21**20	40,500	11.7	14.0
5096963	24ABB342(A,W)30	CAP**4823A**	59*N*A100V21**22	41,000	11.8	14.0
4741488	24ABB342(A,W)30	CAP**4823A**	59*N*A120V24**22	40,500	11.7	14.0
5096964	24ABB342(A,W)30	CAP**4823A**	59*P5A080E21**20	41,000	11.7	14.0
5096965	24ABB342(A,W)30	CAP**4823A**	59*P5A100E21**20	41,000	11.7	14.0
4741490	24ABB342(A,W)30	CAP**4823A**	59*P5A120E24**22	41,000	11.7	14.0
5096961	24ABB342(A,W)30	CAP**4823A**	59MN7A060V21**20	40,500	11.5	13.7
3639074	24ABB342(A,W)30	CAP**4823A**+TDR		41,500	11.0	13.2
3250020	24ABB342(A,W)30	CAP**4824A**	58CV(A,X)135-22	41,000	11.7	14.0
3249943	24ABB342(A,W)30	CAP**4824A**	58PH*135-20	41,000	12.0	14.0
5096957	24ABB342(A,W)30	CAP**4824A**	59*N*A080V21**20	40,500	11.7	14.0
5096958	24ABB342(A,W)30	CAP**4824A**	59*N*A100V21**22	41,000	12.0	14.5
4741484	24ABB342(A,W)30	CAP**4824A**	59*N*A120V24**22	40,500	11.7	14.0
5096959	24ABB342(A,W)30	CAP**4824A**	59*P5A080E21**20	41,000	11.7	14.0
5096960	24ABB342(A,W)30	CAP**4824A**	59*P5A100E21**20	41,000	12.0	14.5
4741486	24ABB342(A,W)30	CAP**4824A**	59*P5A120E24**22	41,500	11.7	14.0
5096956	24ABB342(A,W)30	CAP**4824A**	59MN7A060V21**20	40,500	11.5	14.0
3250018	24ABB342(A,W)30	CAP**4824A**+TDR		41,500	11.0	13.2
3639075	24ABB342(A,W)30	CAP**6025A**+TDR		41,500	11.0	13.2
3250032	24ABB342(A,W)30	CNPH*4221A**	58CV(A,X)070-12	40,500	11.2	13.5
3249949	24ABB342(A,W)30	CNPH*4221A**	58PH*070-16	40,000	11.2	13.2
3249950	24ABB342(A,W)30	CNPH*4221A**	58PH*090-16	40,500	11.7	14.0
3249951	24ABB342(A,W)30	CNPH*4221A**	58PH*110-20	40,500	12.0	14.0
3249952	24ABB342(A,W)30	CNPH*4221A**	58PH*135-20	40,500	11.7	14.0
4140014	24ABB342(A,W)30	CNPH*4221A**	58VLR120-20	40,000	11.7	14.0
4140013	24ABB342(A,W)30	CNPH*4221A**	58VMR120-20	40,000	11.5	13.5
4741515	24ABB342(A,W)30	CNPH*4221A**	59*N*A060V17**14	39,500	11.2	13.2
4741516	24ABB342(A,W)30	CNPH*4221A**	59*N*A080V17**14	40,000	11.3	13.5
5096967	24ABB342(A,W)30	CNPH*4221A**	59*N*A080V21**20	40,000	11.5	13.7
5096968	24ABB342(A,W)30	CNPH*4221A**	59*N*A100V21**22	40,500	11.7	14.0
4741518	24ABB342(A,W)30	CNPH*4221A**	59*N*A120V24**22	40,000	11.5	13.7
4741519	24ABB342(A,W)30	CNPH*4221A**	59*P5A060E17**14	40,000	11.2	13.2
4741520	24ABB342(A,W)30	CNPH*4221A**	59*P5A080E17**16	40,000	11.2	13.2
5096989	24ABB342(A,W)30	CNPH*4221A**	59*P5A080E21**20	40,500	11.5	13.7
5096990	24ABB342(A,W)30	CNPH*4221A**	59*P5A100E21**20	40,000	11.7	14.0
4741522	24ABB342(A,W)30	CNPH*4221A**	59*P5A120E24**22	40,500	11.5	13.7
5096986	24ABB342(A,W)30	CNPH*4221A**	59MN7A060V21**20	40,000	11.3	13.7
4139985	24ABB342(A,W)30	CNPH*4221A**	OVLAAB048112	40,500	11.0	13.2
4139986	24ABB342(A,W)30	CNPH*4221A**	OVLAAB060154	41,000	11.2	13.5
4139984	24ABB342(A,W)30	CNPH*4221A**	OVMAAB042112	40,000	11.2	13.5
3250030	24ABB342(A,W)30	CNPH*4221A**+TDR		41,000	11.0	13.0
3674909	24ABB342(A,W)30	CNPH*4321A**	58CV(A,X)070-12	41,500	11.5	14.0
3674910	24ABB342(A,W)30	CNPH*4321A**	58CV(A,X)090-16	41,500	12.0	14.5
3674911	24ABB342(A,W)30	CNPH*4321A**	58CV(A,X)110-20	41,500	12.0	14.5
3674912	24ABB342(A,W)30	CNPH*4321A**	58CV(A,X)135-22	41,500	12.0	14.5
3674913	24ABB342(A,W)30	CNPH*4321A**	58CV(A,X)155-22	41,500	12.0	14.5
3674914	24ABB342(A,W)30	CNPH*4321A**	58PH*070-16	41,500	11.0	13.5
3674915	24ABB342(A,W)30	CNPH*4321A**	58PH*090-16	41,500	12.0	14.5
3674916	24ABB342(A,W)30	CNPH*4321A**	58PH*110-20	41,500	12.0	14.5
3674917	24ABB342(A,W)30	CNPH*4321A**	58PH*135-20	41,500	12.0	14.5
4140016	24ABB342(A,W)30	CNPH*4321A**	58VLR120-20	41,500	12.0	14.5
4140015	24ABB342(A,W)30	CNPH*4321A**	58VMR120-20	41,500	12.0	14.0
4741523	24ABB342(A,W)30	CNPH*4321A**	59*N*A060V17**14	41,000	11.5	13.7
4741524	24ABB342(A,W)30	CNPH*4321A**	59*N*A080V17**14	41,000	11.7	14.0
5096992	24ABB342(A,W)30	CNPH*4321A**	59*N*A080V21**20	41,000	12.0	14.5
5096993	24ABB342(A,W)30	CNPH*4321A**	59*N*A100V21**22	41,500	12.0	14.5
4741526	24ABB342(A,W)30	CNPH*4321A**	59*N*A120V24**22	41,000	12.0	14.0
4741527	24ABB342(A,W)30	CNPH*4321A**	59*P5A060E17**14	41,500	11.5	13.7
4741528	24ABB342(A,W)30	CNPH*4321A**	59*P5A080E17**16	41,500	11.5	13.7
5096994	24ABB342(A,W)30	CNPH*4321A**	59*P5A080E21**20	42,000	12.0	14.5
5096995	24ABB342(A,W)30	CNPH*4321A**	59*P5A100E21**20	41,500	12.0	14.5
4741530	24ABB342(A,W)30	CNPH*4321A**	59*P5A120E24**22	42,000	11.7	14.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
5096991	24ABB342(A,W)30	CNPH*4321A**	59MN7A060V21**20	41,000	11.7	14.0
4139988	24ABB342(A,W)30	CNPH*4321A**	OVLAAB048112	41,500	11.5	13.5
4139989	24ABB342(A,W)30	CNPH*4321A**	OVLAAB060154	42,500	11.7	14.0
4139987	24ABB342(A,W)30	CNPH*4321A**	OVMAAB042112	41,500	11.7	14.0
3674902	24ABB342(A,W)30	CNPH*4321A**+TDR		41,500	11.0	13.0
3250035	24ABB342(A,W)30	CNPH*4821A**	58CV(A,X)070-12	41,000	11.2	13.5
3249953	24ABB342(A,W)30	CNPH*4821A**	58PH*070-16	41,000	11.2	13.5
3249954	24ABB342(A,W)30	CNPH*4821A**	58PH*090-16	41,000	12.0	14.0
3249955	24ABB342(A,W)30	CNPH*4821A**	58PH*110-20	41,000	12.0	14.0
3249956	24ABB342(A,W)30	CNPH*4821A**	58PH*135-20	41,000	12.0	14.0
4140018	24ABB342(A,W)30	CNPH*4821A**	58VLR120-20	41,000	12.0	14.0
4140017	24ABB342(A,W)30	CNPH*4821A**	58VMR120-20	41,000	11.7	14.0
4741531	24ABB342(A,W)30	CNPH*4821A**	59*N*A060V17**14	40,500	11.5	13.7
4741532	24ABB342(A,W)30	CNPH*4821A**	59*N*A080V17**14	40,500	11.5	13.7
5096997	24ABB342(A,W)30	CNPH*4821A**	59*N*A080V21**20	40,500	12.0	14.5
5096998	24ABB342(A,W)30	CNPH*4821A**	59*N*A100V21**22	41,000	12.0	14.5
4741534	24ABB342(A,W)30	CNPH*4821A**	59*N*A120V24**22	40,500	11.7	14.0
4741535	24ABB342(A,W)30	CNPH*4821A**	59*P5A060E17**14	41,000	11.3	13.5
4741536	24ABB342(A,W)30	CNPH*4821A**	59*P5A080E17**16	41,000	11.5	13.7
5096999	24ABB342(A,W)30	CNPH*4821A**	59*P5A080E21**20	41,500	11.7	14.0
5097000	24ABB342(A,W)30	CNPH*4821A**	59*P5A100E21**20	41,000	12.0	14.5
4741538	24ABB342(A,W)30	CNPH*4821A**	59*P5A120E24**22	41,500	11.7	14.0
5096996	24ABB342(A,W)30	CNPH*4821A**	59MN7A060V21**20	40,500	11.7	14.0
4139994	24ABB342(A,W)30	CNPH*4821A**	OVLAAB048112	41,000	11.5	13.5
4139995	24ABB342(A,W)30	CNPH*4821A**	OVLAAB060154	42,000	11.7	14.0
4139993	24ABB342(A,W)30	CNPH*4821A**	OVMAAB042112	41,000	11.5	13.5
3250033	24ABB342(A,W)30	CNPH*4821A**+TDR		41,500	11.0	13.2
3249974	24ABB342(A,W)30	CNPV*4217A**	58CV(A,X)090-16	40,500	11.7	14.0
3249975	24ABB342(A,W)30	CNPV*4217A**	58PH*070-16	40,500	11.2	13.5
4741491	24ABB342(A,W)30	CNPV*4217A**	59*N*A060V17**14	40,000	11.2	13.5
4741492	24ABB342(A,W)30	CNPV*4217A**	59*N*A080V17**14	40,000	11.3	13.7
4741493	24ABB342(A,W)30	CNPV*4217A**	59*P5A060E17**14	40,500	11.3	13.5
4741494	24ABB342(A,W)30	CNPV*4217A**	59*P5A080E17**16	40,500	11.3	13.5
4139964	24ABB342(A,W)30	CNPV*4217A**	OVMAAB042112	40,500	11.2	13.5
3249972	24ABB342(A,W)30	CNPV*4217A**+TDR		41,000	11.0	13.0
3250023	24ABB342(A,W)30	CNPV*4221A**	58CV(A,X)110-20	40,500	11.5	14.0
3249944	24ABB342(A,W)30	CNPV*4221A**	58PH*090-16	40,500	11.7	14.0
3249945	24ABB342(A,W)30	CNPV*4221A**	58PH*110-20	40,500	12.0	14.0
4140010	24ABB342(A,W)30	CNPV*4221A**	58VLR120-20	40,000	11.7	14.0
4140009	24ABB342(A,W)30	CNPV*4221A**	58VMR120-20	40,000	11.5	13.5
4741495	24ABB342(A,W)30	CNPV*4221A**	59*N*A060V17**14	39,500	11.2	13.2
4741496	24ABB342(A,W)30	CNPV*4221A**	59*N*A080V17**14	40,000	11.3	13.5
5096967	24ABB342(A,W)30	CNPV*4221A**	59*N*A080V21**20	40,000	11.5	13.7
5096968	24ABB342(A,W)30	CNPV*4221A**	59*N*A100V21**22	40,500	11.7	14.0
4741498	24ABB342(A,W)30	CNPV*4221A**	59*P5A060E17**14	40,000	11.2	13.2
4741499	24ABB342(A,W)30	CNPV*4221A**	59*P5A080E17**16	40,000	11.2	13.2
5096969	24ABB342(A,W)30	CNPV*4221A**	59*P5A080E21**20	40,500	11.5	13.7
5096970	24ABB342(A,W)30	CNPV*4221A**	59*P5A100E21**20	40,000	11.7	14.0
5096966	24ABB342(A,W)30	CNPV*4221A**	59MN7A060V21**20	40,000	11.3	13.7
4139968	24ABB342(A,W)30	CNPV*4221A**	OVLAAB048112	40,500	11.0	13.2
4139967	24ABB342(A,W)30	CNPV*4221A**	OVMAAB042112	40,000	11.2	13.5
3250021	24ABB342(A,W)30	CNPV*4221A**+TDR		41,000	11.0	13.0
3674898	24ABB342(A,W)30	CNPV*4324A**	58CV(A,X)135-22	41,500	12.0	14.5
3674899	24ABB342(A,W)30	CNPV*4324A**	58CV(A,X)155-22	42,000	12.0	14.5
3674900	24ABB342(A,W)30	CNPV*4324A**	58PH*135-20	42,500	12.0	14.5
5096972	24ABB342(A,W)30	CNPV*4324A**	59*N*A080V21**20	41,000	12.0	14.5
5096973	24ABB342(A,W)30	CNPV*4324A**	59*N*A100V21**22	41,500	12.0	14.5
4741502	24ABB342(A,W)30	CNPV*4324A**	59*N*A120V24**22	41,500	12.0	14.5
5096974	24ABB342(A,W)30	CNPV*4324A**	59*P5A080E21**20	42,000	12.0	14.5
5096975	24ABB342(A,W)30	CNPV*4324A**	59*P5A100E21**20	42,000	12.0	14.5
4741504	24ABB342(A,W)30	CNPV*4324A**	59*P5A120E24**22	42,000	12.0	14.0
5096971	24ABB342(A,W)30	CNPV*4324A**	59MN7A060V21**20	41,000	11.7	14.0
4139971	24ABB342(A,W)30	CNPV*4324A**	OVLAAB048112	42,000	11.5	13.5
4139972	24ABB342(A,W)30	CNPV*4324A**	OVLAAB060154	42,500	12.0	14.0
3674895	24ABB342(A,W)30	CNPV*4324A**+TDR		41,500	11.0	13.0
3250026	24ABB342(A,W)30	CNPV*4821A**	58CV(A,X)110-20	41,000	11.5	14.0
3249946	24ABB342(A,W)30	CNPV*4821A**	58PH*090-16	41,000	12.0	14.0
3249947	24ABB342(A,W)30	CNPV*4821A**	58PH*110-20	41,000	12.0	14.0
4140012	24ABB342(A,W)30	CNPV*4821A**	58VLR120-20	41,000	12.0	14.0
4140011	24ABB342(A,W)30	CNPV*4821A**	58VMR120-20	41,000	11.7	14.0
4741505	24ABB342(A,W)30	CNPV*4821A**	59*N*A060V17**14	40,500	11.5	13.7
4741506	24ABB342(A,W)30	CNPV*4821A**	59*N*A080V17**14	40,500	11.5	13.7
5096977	24ABB342(A,W)30	CNPV*4821A**	59*N*A080V21**20	40,500	12.0	14.5
5096978	24ABB342(A,W)30	CNPV*4821A**	59*N*A100V21**22	41,000	12.0	14.5
4741508	24ABB342(A,W)30	CNPV*4821A**	59*P5A060E17**14	41,000	11.3	13.5
4741509	24ABB342(A,W)30	CNPV*4821A**	59*P5A080E17**16	41,000	11.5	13.7
5096979	24ABB342(A,W)30	CNPV*4821A**	59*P5A080E21**20	41,500	11.7	14.0
5096980	24ABB342(A,W)30	CNPV*4821A**	59*P5A100E21**20	41,000	12.0	14.5
5096976	24ABB342(A,W)30	CNPV*4821A**	59MN7A060V21**20	40,500	11.7	14.0
4139976	24ABB342(A,W)30	CNPV*4821A**	OVLAAB048112	41,000	11.5	13.5
4139975	24ABB342(A,W)30	CNPV*4821A**	OVMAAB042112	41,000	11.5	13.5

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3250024	24ABB342(A,W)30	CNPV*4821A**+TDR		41,500	11.0	13.2
3250029	24ABB342(A,W)30	CNPV*4824A**	58CV(A,X)135-22	41,000	11.7	14.0
3249948	24ABB342(A,W)30	CNPV*4824A**	58PH*135-20	41,000	12.0	14.0
5096982	24ABB342(A,W)30	CNPV*4824A**	59*N*A080V21**20	40,500	12.0	14.5
5096983	24ABB342(A,W)30	CNPV*4824A**	59*N*A100V21**22	41,000	12.0	14.5
4741512	24ABB342(A,W)30	CNPV*4824A**	59*N*A120V24**22	40,500	11.7	14.0
5096984	24ABB342(A,W)30	CNPV*4824A**	59*P5A080E21**20	41,500	11.7	14.0
5096985	24ABB342(A,W)30	CNPV*4824A**	59*P5A100E21**20	41,000	12.0	14.5
4741514	24ABB342(A,W)30	CNPV*4824A**	59*P5A120E24**22	41,500	11.7	14.0
5096981	24ABB342(A,W)30	CNPV*4824A**	59MN7A060V21**20	40,500	11.7	14.0
4139979	24ABB342(A,W)30	CNPV*4824A**	OVLAAB048112	41,000	11.5	13.5
4139980	24ABB342(A,W)30	CNPV*4824A**	OVLAAB060154	42,000	11.7	14.0
3250027	24ABB342(A,W)30	CNPV*4824A**+TDR		41,500	11.0	13.2
3250039	24ABB342(A,W)30	CSPH*4212A**	58CV(A,X)070-12	40,500	11.2	13.5
3249957	24ABB342(A,W)30	CSPH*4212A**	58PH*070-16	40,500	11.5	13.5
3249958	24ABB342(A,W)30	CSPH*4212A**	58PH*090-16	40,500	11.7	14.0
3249959	24ABB342(A,W)30	CSPH*4212A**	58PH*110-20	40,500	12.0	14.0
3249960	24ABB342(A,W)30	CSPH*4212A**	58PH*135-20	40,500	12.0	14.0
4140020	24ABB342(A,W)30	CSPH*4212A**	58VLR120-20	41,000	11.7	14.0
4140019	24ABB342(A,W)30	CSPH*4212A**	58VMR120-20	41,000	11.7	14.0
4741539	24ABB342(A,W)30	CSPH*4212A**	59*N*A060V17**14	40,500	11.3	13.7
4741540	24ABB342(A,W)30	CSPH*4212A**	59*N*A080V17**14	40,500	11.5	13.7
5097002	24ABB342(A,W)30	CSPH*4212A**	59*N*A080V21**20	41,000	11.7	14.0
5097003	24ABB342(A,W)30	CSPH*4212A**	59*N*A100V21**22	41,000	12.0	14.5
4741542	24ABB342(A,W)30	CSPH*4212A**	59*N*A120V24**22	41,000	11.7	14.0
4741543	24ABB342(A,W)30	CSPH*4212A**	59*P5A060E17**14	41,000	11.3	13.5
4741544	24ABB342(A,W)30	CSPH*4212A**	59*P5A080E17**16	41,000	11.3	13.7
5097004	24ABB342(A,W)30	CSPH*4212A**	59*P5A080E21**20	41,500	11.7	14.0
5097005	24ABB342(A,W)30	CSPH*4212A**	59*P5A100E21**20	41,000	12.0	14.5
4741546	24ABB342(A,W)30	CSPH*4212A**	59*P5A120E24**22	41,500	11.7	14.0
5097001	24ABB342(A,W)30	CSPH*4212A**	59MN7A060V21**20	40,500	11.5	14.0
4139997	24ABB342(A,W)30	CSPH*4212A**	OVLAAB048112	41,500	11.2	13.5
4139998	24ABB342(A,W)30	CSPH*4212A**	OVLAAB060154	42,000	11.7	13.5
4139996	24ABB342(A,W)30	CSPH*4212A**	OVMAAB042112	41,000	11.5	13.5
3250037	24ABB342(A,W)30	CSPH*4212A**+TDR		41,000	11.0	13.2
3250042	24ABB342(A,W)30	CSPH*4812A**	58CV(A,X)070-12	41,000	11.2	13.5
3249961	24ABB342(A,W)30	CSPH*4812A**	58PH*070-16	41,000	11.2	13.5
3249962	24ABB342(A,W)30	CSPH*4812A**	58PH*090-16	41,000	12.0	14.0
3249963	24ABB342(A,W)30	CSPH*4812A**	58PH*110-20	41,000	12.0	14.0
3249964	24ABB342(A,W)30	CSPH*4812A**	58PH*135-20	41,000	12.0	14.0
4140022	24ABB342(A,W)30	CSPH*4812A**	58VLR120-20	41,000	11.7	14.0
4140021	24ABB342(A,W)30	CSPH*4812A**	58VMR120-20	41,000	11.7	14.0
4741547	24ABB342(A,W)30	CSPH*4812A**	59*N*A060V17**14	40,500	11.3	13.7
4741548	24ABB342(A,W)30	CSPH*4812A**	59*N*A080V17**14	41,000	11.5	13.7
5097007	24ABB342(A,W)30	CSPH*4812A**	59*N*A080V21**20	41,000	12.0	14.5
5097008	24ABB342(A,W)30	CSPH*4812A**	59*N*A100V21**22	41,500	12.0	14.5
4741550	24ABB342(A,W)30	CSPH*4812A**	59*N*A120V24**22	41,000	11.7	14.0
4741551	24ABB342(A,W)30	CSPH*4812A**	59*P5A060E17**14	41,000	11.3	13.7
4741552	24ABB342(A,W)30	CSPH*4812A**	59*P5A080E17**16	41,000	11.5	13.7
5097009	24ABB342(A,W)30	CSPH*4812A**	59*P5A080E21**20	41,500	11.7	14.0
5097010	24ABB342(A,W)30	CSPH*4812A**	59*P5A100E21**20	41,500	12.0	14.5
4741554	24ABB342(A,W)30	CSPH*4812A**	59*P5A120E24**22	41,500	11.7	14.0
5097006	24ABB342(A,W)30	CSPH*4812A**	59MN7A060V21**20	41,000	11.7	14.0
4140000	24ABB342(A,W)30	CSPH*4812A**	OVLAAB048112	41,500	11.2	13.5
4140001	24ABB342(A,W)30	CSPH*4812A**	OVLAAB060154	42,500	11.7	14.0
4139999	24ABB342(A,W)30	CSPH*4812A**	OVMAAB042112	41,000	11.5	13.5
3250040	24ABB342(A,W)30	CSPH*4812A**+TDR		41,500	11.0	13.2
3804456	24ABB342(A,W)30	FB4CNF042		41,000	11.5	13.5
3879012	24ABB342(A,W)30	FB4CNF042+TXV		41,000	11.5	14.0
3804457	24ABB342(A,W)30	FB4CNF048		41,000	11.5	13.5
3879013	24ABB342(A,W)30	FB4CNF048+TXV		41,000	11.5	14.0
3568366	24ABB342(A,W)30	FE4AN(B,F)003+UI		40,000	12.0	14.0
3568367	24ABB342(A,W)30	FE4AN(B,F)005+UI		41,000	12.2	14.5
3568368	24ABB342(A,W)30	FE4ANB006+UI		41,000	12.2	14.5
3568072	24ABB342(A,W)30	FE5ANB004+UI		41,000	12.2	14.5
3404570	24ABB342(A,W)30	FV4CN(B,F)003		40,500	11.5	14.0
3404571	24ABB342(A,W)30	FV4CN(B,F)005		41,500	11.7	14.0
3404572	24ABB342(A,W)30	FV4CNB006		42,500	12.0	14.0
3752031	24ABB342(A,W)30	FX4DN(B,F)043		41,500	11.5	14.0
3752032	24ABB342(A,W)30	FX4DN(B,F)049		42,000	12.0	14.5
3752033	24ABB342(A,W)30	FX4DN(B,F)061		42,500	12.0	14.5
3804458	24ABB342(A,W)30	FY5BNF042		41,000	11.0	13.0
3804459	24ABB342(A,W)30	FY5BNF048		42,000	11.0	13.0
3491211	24ABB342A50	†CAP**4221A**+TDR		41,000	11.0	13.0
3491295	24ABB342A50	CAP**4221A**	58CV(A,X)110-20	40,500	11.2	13.5
3491225	24ABB342A50	CAP**4221A**	58PH*090-16	40,500	11.7	14.0
3491226	24ABB342A50	CAP**4221A**	58PH*110-20	40,500	12.0	14.0
4140335	24ABB342A50	CAP**4221A**	58VLR120-20	40,000	11.7	14.0
4140334	24ABB342A50	CAP**4221A**	58VMR120-20	40,000	11.7	14.0
4816178	24ABB342A50	CAP**4221A**	59*N*A060V17**14	39,500	11.4	13.7

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4816179	24ABB342A50	CAP**4221A**	59*N*A080V17**14	40,000	11.4	13.7
5153911	24ABB342A50	CAP**4221A**	59*N*A080V21**20	40,000	11.7	14.0
5153912	24ABB342A50	CAP**4221A**	59*N*A100V21**22	40,500	11.7	14.0
4816181	24ABB342A50	CAP**4221A**	59*P5A060E17**14	40,000	11.2	13.5
4816182	24ABB342A50	CAP**4221A**	59*P5A080E17**16	40,000	11.4	13.7
5153913	24ABB342A50	CAP**4221A**	59*P5A080E21**20	40,500	11.5	13.7
5153914	24ABB342A50	CAP**4221A**	59*P5A100E21**20	40,500	11.7	14.0
5153910	24ABB342A50	CAP**4221A**	59MN7A060V21**20	39,500	11.5	13.7
4140336	24ABB342A50	CAP**4221A**	OVLAAB048112	40,500	11.0	13.2
3491297	24ABB342A50	CAP**4224A**	58CV(A,X)135-22	40,500	11.5	14.0
3491227	24ABB342A50	CAP**4224A**	58PH*135-20	40,500	12.0	14.0
5153916	24ABB342A50	CAP**4224A**	59*N*A080V21**20	40,000	11.7	14.0
5153917	24ABB342A50	CAP**4224A**	59*N*A100V21**22	40,500	11.7	14.0
4816185	24ABB342A50	CAP**4224A**	59*N*A120V24**22	40,000	11.8	14.2
5153918	24ABB342A50	CAP**4224A**	59*P5A080E21**20	40,500	11.5	14.0
5153919	24ABB342A50	CAP**4224A**	59*P5A100E21**20	40,500	11.7	14.0
4816187	24ABB342A50	CAP**4224A**	59*P5A120E24**22	40,500	11.8	14.2
5153915	24ABB342A50	CAP**4224A**	59MN7A060V21**20	40,000	11.5	13.7
3491213	24ABB342A50	CAP**4224A**+TDR		41,000	11.0	13.0
3491299	24ABB342A50	CAP**4817A**	58CV(A,X)090-16	40,000	11.5	14.0
3491228	24ABB342A50	CAP**4817A**	58PH*070-16	39,500	11.2	13.5
4816188	24ABB342A50	CAP**4817A**	59*N*A060V17**14	40,500	11.4	13.7
4816189	24ABB342A50	CAP**4817A**	59*N*A080V17**14	40,500	11.5	14.0
4816190	24ABB342A50	CAP**4817A**	59*P5A060E17**14	41,000	11.4	13.7
4816191	24ABB342A50	CAP**4817A**	59*P5A080E17**16	41,000	11.4	13.7
4140337	24ABB342A50	CAP**4817A**	OVMAAB042112	41,000	11.5	13.5
3491214	24ABB342A50	CAP**4817A**+TDR		40,500	11.0	13.2
3491301	24ABB342A50	CAP**4821A**	58CV(A,X)110-20	41,000	11.5	14.0
3491229	24ABB342A50	CAP**4821A**	58PH*090-16	41,000	12.0	14.0
3491230	24ABB342A50	CAP**4821A**	58PH*110-20	41,000	12.0	14.0
4140339	24ABB342A50	CAP**4821A**	58VLR120-20	41,000	11.7	14.0
4140338	24ABB342A50	CAP**4821A**	58VMR120-20	40,500	11.7	14.0
4816192	24ABB342A50	CAP**4821A**	59*N*A060V17**14	40,500	11.4	13.7
4816193	24ABB342A50	CAP**4821A**	59*N*A080V17**14	40,500	11.5	14.0
5153921	24ABB342A50	CAP**4821A**	59*N*A080V21**20	40,500	11.7	14.0
5153922	24ABB342A50	CAP**4821A**	59*N*A100V21**22	41,000	11.8	14.0
4816195	24ABB342A50	CAP**4821A**	59*P5A060E17**14	40,500	11.4	13.7
4816196	24ABB342A50	CAP**4821A**	59*P5A080E17**16	41,000	11.4	13.7
5153923	24ABB342A50	CAP**4821A**	59*P5A080E21**20	41,000	11.7	14.0
5153924	24ABB342A50	CAP**4821A**	59*P5A100E21**20	41,000	11.7	14.0
5153920	24ABB342A50	CAP**4821A**	59MN7A060V21**20	40,500	11.5	13.7
4140340	24ABB342A50	CAP**4821A**	OVLAAB048112	41,000	11.0	13.5
3491215	24ABB342A50	CAP**4821A**+TDR		41,500	11.0	13.2
5153931	24ABB342A50	CAP**4823A**	59*N*A080V21**20	40,500	11.7	14.0
5153932	24ABB342A50	CAP**4823A**	59*N*A100V21**22	41,000	11.8	14.0
4816203	24ABB342A50	CAP**4823A**	59*N*A120V24**22	40,500	11.8	14.2
5153933	24ABB342A50	CAP**4823A**	59*P5A080E21**20	41,000	11.7	14.0
5153934	24ABB342A50	CAP**4823A**	59*P5A100E21**20	41,000	11.7	14.0
4816205	24ABB342A50	CAP**4823A**	59*P5A120E24**22	41,000	11.8	14.2
5153930	24ABB342A50	CAP**4823A**	59MN7A060V21**20	40,500	11.5	13.7
3872689	24ABB342A50	CAP**4823A**+TDR		41,500	11.0	13.2
3491303	24ABB342A50	CAP**4824A**	58CV(A,X)135-22	41,000	11.7	14.0
3491231	24ABB342A50	CAP**4824A**	58PH*135-20	41,000	12.0	14.0
5153926	24ABB342A50	CAP**4824A**	59*N*A080V21**20	40,500	11.7	14.0
5153927	24ABB342A50	CAP**4824A**	59*N*A100V21**22	41,000	12.0	14.5
4816199	24ABB342A50	CAP**4824A**	59*N*A120V24**22	40,500	12.0	14.5
5153928	24ABB342A50	CAP**4824A**	59*P5A080E21**20	41,000	11.7	14.0
5153929	24ABB342A50	CAP**4824A**	59*P5A100E21**20	41,000	12.0	14.5
4816201	24ABB342A50	CAP**4824A**	59*P5A120E24**22	41,500	11.8	14.2
5153925	24ABB342A50	CAP**4824A**	59MN7A060V21**20	40,500	11.5	14.0
3491216	24ABB342A50	CAP**4824A**+TDR		41,500	11.0	13.2
3872690	24ABB342A50	CAP**6025A**+TDR		41,500	11.0	13.2
3491311	24ABB342A50	CNPH*4221A**	58CV(A,X)070-12	40,500	11.2	13.5
3491237	24ABB342A50	CNPH*4221A**	58PH*070-16	40,000	11.2	13.2
3491238	24ABB342A50	CNPH*4221A**	58PH*090-16	40,500	11.7	14.0
3491239	24ABB342A50	CNPH*4221A**	58PH*110-20	40,500	12.0	14.0
3491240	24ABB342A50	CNPH*4221A**	58PH*135-20	40,500	11.7	14.0
4140346	24ABB342A50	CNPH*4221A**	58VLR120-20	40,000	11.7	14.0
4140345	24ABB342A50	CNPH*4221A**	58VMR120-20	40,000	11.5	13.5
4816230	24ABB342A50	CNPH*4221A**	59*N*A060V17**14	39,500	11.2	13.5
4816231	24ABB342A50	CNPH*4221A**	59*N*A080V17**14	40,000	11.4	13.7
5153956	24ABB342A50	CNPH*4221A**	59*N*A080V21**20	40,000	11.5	13.7
5153957	24ABB342A50	CNPH*4221A**	59*N*A100V21**22	40,500	11.7	14.0
4816233	24ABB342A50	CNPH*4221A**	59*N*A120V24**22	40,000	11.8	14.2
4816234	24ABB342A50	CNPH*4221A**	59*P5A060E17**14	40,000	11.2	13.5
4816235	24ABB342A50	CNPH*4221A**	59*P5A080E17**16	40,000	11.2	13.5
5153958	24ABB342A50	CNPH*4221A**	59*P5A080E21**20	40,500	11.5	13.7
5153959	24ABB342A50	CNPH*4221A**	59*P5A100E21**20	40,000	11.7	14.0
4816237	24ABB342A50	CNPH*4221A**	59*P5A120E24**22	40,500	11.5	14.0
5153955	24ABB342A50	CNPH*4221A**	59MN7A060V21**20	40,000	11.3	13.7
4140317	24ABB342A50	CNPH*4221A**	OVLAAB048112	40,500	11.0	13.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140318	24ABB342A50	CNPH*4221A**	OVLAAB060154	41,000	11.2	13.5
4140316	24ABB342A50	CNPH*4221A**	OVMAAB042112	40,000	11.2	13.5
3491220	24ABB342A50	CNPH*4221A** + TDR		41,000	11.0	13.0
3872710	24ABB342A50	CNPH*4321A**	58CV(A,X)070-12	41,500	11.5	14.0
3872711	24ABB342A50	CNPH*4321A**	58CV(A,X)090-16	41,500	12.0	14.5
3872712	24ABB342A50	CNPH*4321A**	58CV(A,X)110-20	41,500	12.0	14.5
3872713	24ABB342A50	CNPH*4321A**	58CV(A,X)135-22	41,500	12.0	14.5
3872714	24ABB342A50	CNPH*4321A**	58CV(A,X)155-22	41,500	12.0	14.5
3872715	24ABB342A50	CNPH*4321A**	58PH*070-16	41,500	11.0	13.5
3872716	24ABB342A50	CNPH*4321A**	58PH*090-16	41,500	12.0	14.5
3872717	24ABB342A50	CNPH*4321A**	58PH*110-20	41,500	12.0	14.5
3872718	24ABB342A50	CNPH*4321A**	58PH*135-20	41,500	12.0	14.5
4140348	24ABB342A50	CNPH*4321A**	58VLR120-20	41,500	12.0	14.5
4140347	24ABB342A50	CNPH*4321A**	58VLR120-20	41,500	12.0	14.0
4816238	24ABB342A50	CNPH*4321A**	59*N*A060V17**14	41,000	11.5	14.0
4816239	24ABB342A50	CNPH*4321A**	59*N*A080V17**14	41,000	11.8	14.2
5153961	24ABB342A50	CNPH*4321A**	59*N*A080V21**20	41,000	12.0	14.5
5153962	24ABB342A50	CNPH*4321A**	59*N*A100V21**22	41,500	12.0	14.5
4816241	24ABB342A50	CNPH*4321A**	59*N*A120V24**22	41,000	12.0	14.5
4816242	24ABB342A50	CNPH*4321A**	59*P5A060E17**14	41,500	11.5	14.0
4816243	24ABB342A50	CNPH*4321A**	59*P5A080E17**16	41,500	11.5	14.0
5153963	24ABB342A50	CNPH*4321A**	59*P5A080E21**20	42,000	12.0	14.5
5153964	24ABB342A50	CNPH*4321A**	59*P5A100E21**20	41,500	12.0	14.5
4816245	24ABB342A50	CNPH*4321A**	59*P5A120E24**22	42,000	12.0	14.5
5153960	24ABB342A50	CNPH*4321A**	59MN7A060V21**20	41,000	11.7	14.0
4140320	24ABB342A50	CNPH*4321A**	OVLAAB048112	41,500	11.5	13.5
4140321	24ABB342A50	CNPH*4321A**	OVLAAB060154	42,500	11.7	14.0
4140319	24ABB342A50	CNPH*4321A**	OVMAAB042112	41,500	11.7	14.0
3872692	24ABB342A50	CNPH*4321A** + TDR		41,500	11.0	13.0
3491313	24ABB342A50	CNPH*4821A**	58CV(A,X)070-12	41,000	11.2	13.5
3491241	24ABB342A50	CNPH*4821A**	58PH*070-16	41,000	11.2	13.5
3491242	24ABB342A50	CNPH*4821A**	58PH*090-16	41,000	12.0	14.0
3491243	24ABB342A50	CNPH*4821A**	58PH*110-20	41,000	12.0	14.0
3491244	24ABB342A50	CNPH*4821A**	58PH*135-20	41,000	12.0	14.0
4140350	24ABB342A50	CNPH*4821A**	58VLR120-20	41,000	12.0	14.0
4140349	24ABB342A50	CNPH*4821A**	58VLR120-20	41,000	11.7	14.0
4816246	24ABB342A50	CNPH*4821A**	59*N*A060V17**14	40,500	11.4	13.7
4816247	24ABB342A50	CNPH*4821A**	59*N*A080V17**14	40,500	11.5	14.0
5153966	24ABB342A50	CNPH*4821A**	59*N*A080V21**20	40,500	12.0	14.5
5153967	24ABB342A50	CNPH*4821A**	59*N*A100V21**22	41,000	12.0	14.5
4816249	24ABB342A50	CNPH*4821A**	59*N*A120V24**22	40,500	12.0	14.5
4816250	24ABB342A50	CNPH*4821A**	59*P5A060E17**14	41,000	11.4	13.7
4816251	24ABB342A50	CNPH*4821A**	59*P5A080E17**16	41,000	11.4	13.7
5153968	24ABB342A50	CNPH*4821A**	59*P5A080E21**20	41,500	11.7	14.0
5153969	24ABB342A50	CNPH*4821A**	59*P5A100E21**20	41,000	12.0	14.5
4816253	24ABB342A50	CNPH*4821A**	59*P5A120E24**22	41,500	11.8	14.2
5153965	24ABB342A50	CNPH*4821A**	59MN7A060V21**20	40,500	11.7	14.0
4140326	24ABB342A50	CNPH*4821A**	OVLAAB048112	41,000	11.5	13.5
4140327	24ABB342A50	CNPH*4821A**	OVLAAB060154	42,000	11.7	14.0
4140325	24ABB342A50	CNPH*4821A**	OVMAAB042112	41,000	11.5	13.5
3491221	24ABB342A50	CNPH*4821A** + TDR		41,500	11.0	13.2
3491261	24ABB342A50	CNPV*4217A**	58CV(A,X)090-16	40,500	11.7	14.0
3491262	24ABB342A50	CNPV*4217A**	58PH*070-16	40,500	11.2	13.5
4816206	24ABB342A50	CNPV*4217A**	59*N*A060V17**14	40,000	11.4	13.7
4816207	24ABB342A50	CNPV*4217A**	59*N*A080V17**14	40,000	11.4	13.7
4816208	24ABB342A50	CNPV*4217A**	59*P5A060E17**14	40,500	11.4	13.7
4816209	24ABB342A50	CNPV*4217A**	59*P5A080E17**16	40,500	11.4	13.7
4140296	24ABB342A50	CNPV*4217A**	OVMAAB042112	40,500	11.2	13.5
3491212	24ABB342A50	CNPV*4217A** + TDR		41,000	11.0	13.0
3491305	24ABB342A50	CNPV*4221A**	58CV(A,X)110-20	40,500	11.5	14.0
3491232	24ABB342A50	CNPV*4221A**	58PH*090-16	40,500	11.7	14.0
3491233	24ABB342A50	CNPV*4221A**	58PH*110-20	40,500	12.0	14.0
4140342	24ABB342A50	CNPV*4221A**	58VLR120-20	40,000	11.7	14.0
4140341	24ABB342A50	CNPV*4221A**	58VLR120-20	40,000	11.5	13.5
4816210	24ABB342A50	CNPV*4221A**	59*N*A060V17**14	39,500	11.2	13.5
4816211	24ABB342A50	CNPV*4221A**	59*N*A080V17**14	40,000	11.4	13.7
5153936	24ABB342A50	CNPV*4221A**	59*N*A080V21**20	40,000	11.5	13.7
5153937	24ABB342A50	CNPV*4221A**	59*N*A100V21**22	40,500	11.7	14.0
4816213	24ABB342A50	CNPV*4221A**	59*P5A060E17**14	40,000	11.2	13.5
4816214	24ABB342A50	CNPV*4221A**	59*P5A080E17**16	40,000	11.2	13.5
5153938	24ABB342A50	CNPV*4221A**	59*P5A080E21**20	40,500	11.5	13.7
5153939	24ABB342A50	CNPV*4221A**	59*P5A100E21**20	40,000	11.7	14.0
5153935	24ABB342A50	CNPV*4221A**	59MN7A060V21**20	40,000	11.3	13.7
4140300	24ABB342A50	CNPV*4221A**	OVLAAB048112	40,500	11.0	13.2
4140299	24ABB342A50	CNPV*4221A**	OVMAAB042112	40,000	11.2	13.5
3491217	24ABB342A50	CNPV*4221A** + TDR		41,000	11.0	13.0
3872700	24ABB342A50	CNPV*4324A**	58CV(A,X)135-22	41,500	12.0	14.5
3872701	24ABB342A50	CNPV*4324A**	58CV(A,X)155-22	42,000	12.0	14.5
3872702	24ABB342A50	CNPV*4324A**	58PH*135-20	42,500	12.0	14.5
5153941	24ABB342A50	CNPV*4324A**	59*N*A080V21**20	41,000	12.0	14.5
5153942	24ABB342A50	CNPV*4324A**	59*N*A100V21**22	41,500	12.0	14.5

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4816217	24ABB342A50	CNPV*4324A**	59*N*A120V24**22	41,500	12.0	14.5
5153943	24ABB342A50	CNPV*4324A**	59*P5A080E21**20	42,000	12.0	14.5
5153944	24ABB342A50	CNPV*4324A**	59*P5A100E21**20	42,000	12.0	14.5
4816219	24ABB342A50	CNPV*4324A**	59*P5A120E24**22	42,000	12.0	14.5
5153940	24ABB342A50	CNPV*4324A**	59MN7A060V21**20	41,000	11.7	14.0
4140303	24ABB342A50	CNPV*4324A**	OVLAAB048112	42,000	11.5	13.5
4140304	24ABB342A50	CNPV*4324A**	OVLAAB060154	42,500	12.0	14.0
3872691	24ABB342A50	CNPV*4324A**+TDR		41,500	11.0	13.0
3491307	24ABB342A50	CNPV*4821A**	58CV(A,X)110-20	41,000	11.5	14.0
3491234	24ABB342A50	CNPV*4821A**	58PH*090-16	41,000	12.0	14.0
3491235	24ABB342A50	CNPV*4821A**	58PH*110-20	41,000	12.0	14.0
4140344	24ABB342A50	CNPV*4821A**	58VLR120-20	41,000	12.0	14.0
4140343	24ABB342A50	CNPV*4821A**	58VMR120-20	41,000	11.7	14.0
4816220	24ABB342A50	CNPV*4821A**	59*N*A060V17**14	40,500	11.4	13.7
4816221	24ABB342A50	CNPV*4821A**	59*N*A080V17**14	40,500	11.5	14.0
5153946	24ABB342A50	CNPV*4821A**	59*N*A080V21**20	40,500	12.0	14.5
5153947	24ABB342A50	CNPV*4821A**	59*N*A100V21**22	41,000	12.0	14.5
4816223	24ABB342A50	CNPV*4821A**	59*P5A060E17**14	41,000	11.4	13.7
4816224	24ABB342A50	CNPV*4821A**	59*P5A080E17**16	41,000	11.4	13.7
5153948	24ABB342A50	CNPV*4821A**	59*P5A080E21**20	41,500	11.7	14.0
5153949	24ABB342A50	CNPV*4821A**	59*P5A100E21**20	41,000	12.0	14.5
5153945	24ABB342A50	CNPV*4821A**	59MN7A060V21**20	40,500	11.7	14.0
4140308	24ABB342A50	CNPV*4821A**	OVLAAB048112	41,000	11.5	13.5
4140307	24ABB342A50	CNPV*4821A**	OVMAAB042112	41,000	11.5	13.5
3491218	24ABB342A50	CNPV*4821A**+TDR		41,500	11.0	13.2
3491309	24ABB342A50	CNPV*4824A**	58CV(A,X)135-22	41,000	11.7	14.0
3491236	24ABB342A50	CNPV*4824A**	58PH*135-20	41,000	12.0	14.0
5153951	24ABB342A50	CNPV*4824A**	59*N*A080V21**20	40,500	12.0	14.5
5153952	24ABB342A50	CNPV*4824A**	59*N*A100V21**22	41,000	12.0	14.5
4816227	24ABB342A50	CNPV*4824A**	59*N*A120V24**22	40,500	12.0	14.5
5153953	24ABB342A50	CNPV*4824A**	59*P5A080E21**20	41,500	11.7	14.0
5153954	24ABB342A50	CNPV*4824A**	59*P5A100E21**20	41,000	12.0	14.5
4816229	24ABB342A50	CNPV*4824A**	59*P5A120E24**22	41,500	11.8	14.2
5153950	24ABB342A50	CNPV*4824A**	59MN7A060V21**20	40,500	11.7	14.0
4140311	24ABB342A50	CNPV*4824A**	OVLAAB048112	41,000	11.5	13.5
4140312	24ABB342A50	CNPV*4824A**	OVLAAB060154	42,000	11.7	14.0
3491219	24ABB342A50	CNPV*4824A**+TDR		41,500	11.0	13.2
3491315	24ABB342A50	CSPH*4212A**	58CV(A,X)070-12	40,500	11.2	13.5
3491245	24ABB342A50	CSPH*4212A**	58PH*070-16	40,500	11.5	13.5
3491246	24ABB342A50	CSPH*4212A**	58PH*090-16	40,500	11.7	14.0
3491247	24ABB342A50	CSPH*4212A**	58PH*110-20	40,500	12.0	14.0
3491248	24ABB342A50	CSPH*4212A**	58PH*135-20	40,500	12.0	14.0
4140352	24ABB342A50	CSPH*4212A**	58VLR120-20	41,000	11.7	14.0
4140351	24ABB342A50	CSPH*4212A**	58VMR120-20	41,000	11.7	14.0
4816254	24ABB342A50	CSPH*4212A**	59*N*A060V17**14	40,500	11.4	13.7
4816255	24ABB342A50	CSPH*4212A**	59*N*A080V17**14	40,500	11.5	14.0
5153971	24ABB342A50	CSPH*4212A**	59*N*A080V21**20	41,000	11.7	14.0
5153972	24ABB342A50	CSPH*4212A**	59*N*A100V21**22	41,000	12.0	14.5
4816257	24ABB342A50	CSPH*4212A**	59*N*A120V24**22	41,000	12.0	14.5
4816258	24ABB342A50	CSPH*4212A**	59*P5A060E17**14	41,000	11.4	13.7
4816259	24ABB342A50	CSPH*4212A**	59*P5A080E17**16	41,000	11.4	13.7
5153973	24ABB342A50	CSPH*4212A**	59*P5A080E21**20	41,500	11.7	14.0
5153974	24ABB342A50	CSPH*4212A**	59*P5A100E21**20	41,000	12.0	14.5
4816261	24ABB342A50	CSPH*4212A**	59*P5A120E24**22	41,500	11.8	14.2
5153970	24ABB342A50	CSPH*4212A**	59MN7A060V21**20	40,500	11.5	14.0
4140329	24ABB342A50	CSPH*4212A**	OVLAAB048112	41,500	11.2	13.5
4140330	24ABB342A50	CSPH*4212A**	OVLAAB060154	42,000	11.7	13.5
4140328	24ABB342A50	CSPH*4212A**	OVMAAB042112	41,000	11.5	13.5
3491223	24ABB342A50	CSPH*4212A**+TDR		41,000	11.0	13.2
3491317	24ABB342A50	CSPH*4812A**	58CV(A,X)070-12	41,000	11.2	13.5
3491249	24ABB342A50	CSPH*4812A**	58PH*070-16	41,000	11.2	13.5
3491250	24ABB342A50	CSPH*4812A**	58PH*090-16	41,000	12.0	14.0
3491251	24ABB342A50	CSPH*4812A**	58PH*110-20	41,000	12.0	14.0
3491252	24ABB342A50	CSPH*4812A**	58PH*135-20	41,000	12.0	14.0
4140354	24ABB342A50	CSPH*4812A**	58VLR120-20	41,000	11.7	14.0
4140353	24ABB342A50	CSPH*4812A**	58VMR120-20	41,000	11.7	14.0
4816262	24ABB342A50	CSPH*4812A**	59*N*A060V17**14	40,500	11.4	13.7
4816263	24ABB342A50	CSPH*4812A**	59*N*A080V17**14	41,000	11.5	14.0
5153976	24ABB342A50	CSPH*4812A**	59*N*A080V21**20	41,000	12.0	14.5
5153977	24ABB342A50	CSPH*4812A**	59*N*A100V21**22	41,500	12.0	14.5
4816265	24ABB342A50	CSPH*4812A**	59*N*A120V24**22	41,000	12.0	14.5
4816266	24ABB342A50	CSPH*4812A**	59*P5A060E17**14	41,000	11.4	13.7
4816267	24ABB342A50	CSPH*4812A**	59*P5A080E17**16	41,000	11.4	13.7
5153978	24ABB342A50	CSPH*4812A**	59*P5A080E21**20	41,500	11.7	14.0
5153979	24ABB342A50	CSPH*4812A**	59*P5A100E21**20	41,500	12.0	14.5
4816269	24ABB342A50	CSPH*4812A**	59*P5A120E24**22	41,500	11.8	14.2
5153975	24ABB342A50	CSPH*4812A**	59MN7A060V21**20	41,000	11.7	14.0
4140332	24ABB342A50	CSPH*4812A**	OVLAAB048112	41,500	11.2	13.5
4140333	24ABB342A50	CSPH*4812A**	OVLAAB060154	42,500	11.7	14.0
4140331	24ABB342A50	CSPH*4812A**	OVMAAB042112	41,000	11.5	13.5
3491224	24ABB342A50	CSPH*4812A**+TDR		41,500	11.0	13.2

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3834866	24ABB342A50	FB4CNF042		41,000	11.5	13.5
3834867	24ABB342A50	FB4CNF048		41,000	11.5	13.5
3872694	24ABB342A50	FE4AN(B,F)003+UI		40,000	12.0	14.0
3872695	24ABB342A50	FE4AN(B,F)005+UI		41,000	12.2	14.5
3872696	24ABB342A50	FE4ANB006+UI		41,000	12.2	14.5
3872693	24ABB342A50	FE5ANB004+UI		41,000	12.2	14.5
3491327	24ABB342A50	FV4CN(B,F)003		40,500	11.5	14.0
3491325	24ABB342A50	FV4CN(B,F)005		41,500	11.7	14.0
3491326	24ABB342A50	FV4CNB006		42,500	12.0	14.0
3872737	24ABB342A50	FX4DN(B,F)043		41,500	11.5	14.0
3872738	24ABB342A50	FX4DN(B,F)049		42,000	12.0	14.5
3872739	24ABB342A50	FX4DN(B,F)061		42,500	12.0	14.5
3872740	24ABB342A50	FY5BNF042		41,000	11.0	13.0
3872741	24ABB342A50	FY5BNF048		42,000	11.0	13.0
3491641	24ABB342A60	†CAP**4221A**+TDR		41,000	11.0	13.0
3491725	24ABB342A60	CAP**4221A**	58CV(A,X)110-20	40,500	11.2	13.5
3491655	24ABB342A60	CAP**4221A**	58PH*090-16	40,500	11.7	14.0
3491656	24ABB342A60	CAP**4221A**	58PH*110-20	40,500	12.0	14.0
4141652	24ABB342A60	CAP**4221A**	58VLR120-20	40,000	11.7	14.0
4141651	24ABB342A60	CAP**4221A**	58VMR120-20	40,000	11.7	14.0
4816270	24ABB342A60	CAP**4221A**	59*N*A060V17**14	39,500	11.4	13.7
4816271	24ABB342A60	CAP**4221A**	59*N*A080V17**14	40,000	11.4	13.7
5153981	24ABB342A60	CAP**4221A**	59*N*A080V21**20	40,000	11.7	14.0
5153982	24ABB342A60	CAP**4221A**	59*N*A100V21**22	40,500	11.7	14.0
4816273	24ABB342A60	CAP**4221A**	59*P5A060E17**14	40,000	11.2	13.5
4816274	24ABB342A60	CAP**4221A**	59*P5A080E17**16	40,000	11.4	13.7
5153983	24ABB342A60	CAP**4221A**	59*P5A080E21**20	40,500	11.5	13.7
5153984	24ABB342A60	CAP**4221A**	59*P5A100E21**20	40,500	11.7	14.0
5153980	24ABB342A60	CAP**4221A**	59MN7A060V21**20	39,500	11.5	13.7
4141653	24ABB342A60	CAP**4221A**	OVLAAB048112	40,500	11.0	13.2
3491727	24ABB342A60	CAP**4224A**	58CV(A,X)135-22	40,500	11.5	14.0
3491657	24ABB342A60	CAP**4224A**	58PH*135-20	40,500	12.0	14.0
5153986	24ABB342A60	CAP**4224A**	59*N*A080V21**20	40,000	11.7	14.0
5153987	24ABB342A60	CAP**4224A**	59*N*A100V21**22	40,500	11.7	14.0
4816277	24ABB342A60	CAP**4224A**	59*N*A120V24**22	40,000	11.8	14.2
5153988	24ABB342A60	CAP**4224A**	59*P5A080E21**20	40,500	11.5	14.0
5153989	24ABB342A60	CAP**4224A**	59*P5A100E21**20	40,500	11.7	14.0
4816279	24ABB342A60	CAP**4224A**	59*P5A120E24**22	40,500	11.8	14.2
5153985	24ABB342A60	CAP**4224A**	59MN7A060V21**20	40,000	11.5	13.7
3491643	24ABB342A60	CAP**4224A**+TDR		41,000	11.0	13.0
3491729	24ABB342A60	CAP**4817A**	58CV(A,X)090-16	40,000	11.5	14.0
3491658	24ABB342A60	CAP**4817A**	58PH*070-16	39,500	11.2	13.5
4816280	24ABB342A60	CAP**4817A**	59*N*A060V17**14	40,500	11.4	13.7
4816281	24ABB342A60	CAP**4817A**	59*N*A080V17**14	40,500	11.5	14.0
4816282	24ABB342A60	CAP**4817A**	59*P5A060E17**14	41,000	11.4	13.7
4816283	24ABB342A60	CAP**4817A**	59*P5A080E17**16	41,000	11.4	13.7
4141654	24ABB342A60	CAP**4817A**	OVMAAB042112	41,000	11.5	13.5
3491644	24ABB342A60	CAP**4817A**+TDR		40,500	11.0	13.2
3491731	24ABB342A60	CAP**4821A**	58CV(A,X)110-20	41,000	11.5	14.0
3491659	24ABB342A60	CAP**4821A**	58PH*090-16	41,000	12.0	14.0
3491660	24ABB342A60	CAP**4821A**	58PH*110-20	41,000	12.0	14.0
4141656	24ABB342A60	CAP**4821A**	58VLR120-20	41,000	11.7	14.0
4141655	24ABB342A60	CAP**4821A**	58VMR120-20	40,500	11.7	14.0
4816284	24ABB342A60	CAP**4821A**	59*N*A060V17**14	40,500	11.4	13.7
4816285	24ABB342A60	CAP**4821A**	59*N*A080V17**14	40,500	11.5	14.0
5153991	24ABB342A60	CAP**4821A**	59*N*A080V21**20	40,500	11.7	14.0
5153992	24ABB342A60	CAP**4821A**	59*N*A100V21**22	41,000	11.8	14.0
4816287	24ABB342A60	CAP**4821A**	59*P5A060E17**14	40,500	11.4	13.7
4816288	24ABB342A60	CAP**4821A**	59*P5A080E17**16	41,000	11.4	13.7
5153993	24ABB342A60	CAP**4821A**	59*P5A080E21**20	41,000	11.7	14.0
5153994	24ABB342A60	CAP**4821A**	59*P5A100E21**20	41,000	11.7	14.0
5153990	24ABB342A60	CAP**4821A**	59MN7A060V21**20	40,500	11.5	13.7
4141657	24ABB342A60	CAP**4821A**	OVLAAB048112	41,000	11.0	13.5
3491645	24ABB342A60	CAP**4821A**+TDR		41,500	11.0	13.2
5154001	24ABB342A60	CAP**4823A**	59*N*A080V21**20	40,500	11.7	14.0
5154002	24ABB342A60	CAP**4823A**	59*N*A100V21**22	41,000	11.8	14.0
4816295	24ABB342A60	CAP**4823A**	59*N*A120V24**22	40,500	11.8	14.2
5154003	24ABB342A60	CAP**4823A**	59*P5A080E21**20	41,000	11.7	14.0
5154004	24ABB342A60	CAP**4823A**	59*P5A100E21**20	41,000	11.7	14.0
4816297	24ABB342A60	CAP**4823A**	59*P5A120E24**22	41,000	11.8	14.2
5154000	24ABB342A60	CAP**4823A**	59MN7A060V21**20	40,500	11.5	13.7
3872742	24ABB342A60	CAP**4823A**+TDR		41,500	11.0	13.2
3491733	24ABB342A60	CAP**4824A**	58CV(A,X)135-22	41,000	11.7	14.0
3491661	24ABB342A60	CAP**4824A**	58PH*135-20	41,000	12.0	14.0
5153996	24ABB342A60	CAP**4824A**	59*N*A080V21**20	40,500	11.7	14.0
5153997	24ABB342A60	CAP**4824A**	59*N*A100V21**22	41,000	12.0	14.5
4816291	24ABB342A60	CAP**4824A**	59*N*A120V24**22	40,500	12.0	14.5
5153998	24ABB342A60	CAP**4824A**	59*P5A080E21**20	41,000	11.7	14.0
5153999	24ABB342A60	CAP**4824A**	59*P5A100E21**20	41,000	12.0	14.5
4816293	24ABB342A60	CAP**4824A**	59*P5A120E24**22	41,500	11.8	14.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
5153995	24ABB342A60	CAP**4824A**	59MN7A060V21**20	40,500	11.5	14.0
3491646	24ABB342A60	CAP**4824A**+TDR		41,500	11.0	13.2
3872743	24ABB342A60	CAP**6025A**+TDR		41,500	11.0	13.2
3491741	24ABB342A60	CNPH*4221A**	58CV(A,X)070-12	40,500	11.2	13.5
3491667	24ABB342A60	CNPH*4221A**	58PH*070-16	40,000	11.2	13.2
3491668	24ABB342A60	CNPH*4221A**	58PH*090-16	40,500	11.7	14.0
3491669	24ABB342A60	CNPH*4221A**	58PH*110-20	40,500	12.0	14.0
3491670	24ABB342A60	CNPH*4221A**	58PH*135-20	40,500	11.7	14.0
4141663	24ABB342A60	CNPH*4221A**	58VLR120-20	40,000	11.7	14.0
4141662	24ABB342A60	CNPH*4221A**	58VMR120-20	40,000	11.5	13.5
4816322	24ABB342A60	CNPH*4221A**	59*N*A060V17**14	39,500	11.2	13.5
4816323	24ABB342A60	CNPH*4221A**	59*N*A080V17**14	40,000	11.4	13.7
5154026	24ABB342A60	CNPH*4221A**	59*N*A080V21**20	40,000	11.5	13.7
5154027	24ABB342A60	CNPH*4221A**	59*N*A100V21**22	40,500	11.7	14.0
4816325	24ABB342A60	CNPH*4221A**	59*N*A120V24**22	40,000	11.8	14.2
4816326	24ABB342A60	CNPH*4221A**	59*P5A060E17**14	40,000	11.2	13.5
4816327	24ABB342A60	CNPH*4221A**	59*P5A080E17**16	40,000	11.2	13.5
5154028	24ABB342A60	CNPH*4221A**	59*P5A080E21**20	40,500	11.5	13.7
5154029	24ABB342A60	CNPH*4221A**	59*P5A100E21**20	40,000	11.7	14.0
4816329	24ABB342A60	CNPH*4221A**	59*P5A120E24**22	40,500	11.5	14.0
5154025	24ABB342A60	CNPH*4221A**	59MN7A060V21**20	40,000	11.3	13.7
4141634	24ABB342A60	CNPH*4221A**	OVLAAB048112	40,500	11.0	13.2
4141635	24ABB342A60	CNPH*4221A**	OVLAAB060154	41,000	11.2	13.5
4141633	24ABB342A60	CNPH*4221A**	OVMAAB042112	40,000	11.2	13.5
3491650	24ABB342A60	CNPH*4221A**+TDR		41,000	11.0	13.0
3872763	24ABB342A60	CNPH*4321A**	58CV(A,X)070-12	41,500	11.5	14.0
3872764	24ABB342A60	CNPH*4321A**	58CV(A,X)090-16	41,500	12.0	14.5
3872765	24ABB342A60	CNPH*4321A**	58CV(A,X)110-20	41,500	12.0	14.5
3872766	24ABB342A60	CNPH*4321A**	58CV(A,X)135-22	41,500	12.0	14.5
3872767	24ABB342A60	CNPH*4321A**	58CV(A,X)155-22	41,500	12.0	14.5
3872768	24ABB342A60	CNPH*4321A**	58PH*070-16	41,500	11.0	13.5
3872769	24ABB342A60	CNPH*4321A**	58PH*090-16	41,500	12.0	14.5
3872770	24ABB342A60	CNPH*4321A**	58PH*110-20	41,500	12.0	14.5
3872771	24ABB342A60	CNPH*4321A**	58PH*135-20	41,500	12.0	14.5
4141665	24ABB342A60	CNPH*4321A**	58VLR120-20	41,500	12.0	14.5
4141664	24ABB342A60	CNPH*4321A**	58VMR120-20	41,500	12.0	14.0
4816330	24ABB342A60	CNPH*4321A**	59*N*A060V17**14	41,000	11.5	14.0
4816331	24ABB342A60	CNPH*4321A**	59*N*A080V17**14	41,000	11.8	14.2
5154031	24ABB342A60	CNPH*4321A**	59*N*A080V21**20	41,000	12.0	14.5
5154032	24ABB342A60	CNPH*4321A**	59*N*A100V21**22	41,500	12.0	14.5
4816333	24ABB342A60	CNPH*4321A**	59*N*A120V24**22	41,000	12.0	14.5
4816334	24ABB342A60	CNPH*4321A**	59*P5A060E17**14	41,500	11.5	14.0
4816335	24ABB342A60	CNPH*4321A**	59*P5A080E17**16	41,500	11.5	14.0
5154033	24ABB342A60	CNPH*4321A**	59*P5A080E21**20	42,000	12.0	14.5
5154034	24ABB342A60	CNPH*4321A**	59*P5A100E21**20	41,500	12.0	14.5
4816337	24ABB342A60	CNPH*4321A**	59*P5A120E24**22	42,000	12.0	14.5
5154030	24ABB342A60	CNPH*4321A**	59MN7A060V21**20	41,000	11.7	14.0
4141637	24ABB342A60	CNPH*4321A**	OVLAAB048112	41,500	11.5	13.5
4141638	24ABB342A60	CNPH*4321A**	OVLAAB060154	42,500	11.7	14.0
4141636	24ABB342A60	CNPH*4321A**	OVMAAB042112	41,500	11.7	14.0
3872745	24ABB342A60	CNPH*4321A**+TDR		41,500	11.0	13.0
3491743	24ABB342A60	CNPH*4821A**	58CV(A,X)070-12	41,000	11.2	13.5
3491671	24ABB342A60	CNPH*4821A**	58PH*070-16	41,000	11.2	13.5
3491672	24ABB342A60	CNPH*4821A**	58PH*090-16	41,000	12.0	14.0
3491673	24ABB342A60	CNPH*4821A**	58PH*110-20	41,000	12.0	14.0
3491674	24ABB342A60	CNPH*4821A**	58PH*135-20	41,000	12.0	14.0
4141667	24ABB342A60	CNPH*4821A**	58VLR120-20	41,000	12.0	14.0
4141666	24ABB342A60	CNPH*4821A**	58VMR120-20	41,000	11.7	14.0
4816338	24ABB342A60	CNPH*4821A**	59*N*A060V17**14	40,500	11.4	13.7
4816339	24ABB342A60	CNPH*4821A**	59*N*A080V17**14	40,500	11.5	14.0
5154036	24ABB342A60	CNPH*4821A**	59*N*A080V21**20	40,500	12.0	14.5
5154037	24ABB342A60	CNPH*4821A**	59*N*A100V21**22	41,000	12.0	14.5
4816341	24ABB342A60	CNPH*4821A**	59*N*A120V24**22	40,500	12.0	14.5
4816342	24ABB342A60	CNPH*4821A**	59*P5A060E17**14	41,000	11.4	13.7
4816343	24ABB342A60	CNPH*4821A**	59*P5A080E17**16	41,000	11.4	13.7
5154038	24ABB342A60	CNPH*4821A**	59*P5A080E21**20	41,500	11.7	14.0
5154039	24ABB342A60	CNPH*4821A**	59*P5A100E21**20	41,000	12.0	14.5
4816345	24ABB342A60	CNPH*4821A**	59*P5A120E24**22	41,500	11.8	14.2
5154035	24ABB342A60	CNPH*4821A**	59MN7A060V21**20	40,500	11.7	14.0
4141643	24ABB342A60	CNPH*4821A**	OVLAAB048112	41,000	11.5	13.5
4141644	24ABB342A60	CNPH*4821A**	OVLAAB060154	42,000	11.7	14.0
4141642	24ABB342A60	CNPH*4821A**	OVMAAB042112	41,000	11.5	13.5
3491651	24ABB342A60	CNPH*4821A**+TDR		41,500	11.0	13.2
3491691	24ABB342A60	CNPV*4217A**	58CV(A,X)090-16	40,500	11.7	14.0
3491692	24ABB342A60	CNPV*4217A**	58PH*070-16	40,500	11.2	13.5
4816298	24ABB342A60	CNPV*4217A**	59*N*A060V17**14	40,000	11.4	13.7
4816299	24ABB342A60	CNPV*4217A**	59*N*A080V17**14	40,000	11.4	13.7
4816300	24ABB342A60	CNPV*4217A**	59*P5A060E17**14	40,500	11.4	13.7
4816301	24ABB342A60	CNPV*4217A**	59*P5A080E17**16	40,500	11.4	13.7
4141613	24ABB342A60	CNPV*4217A**	OVMAAB042112	40,500	11.2	13.5
3491642	24ABB342A60	CNPV*4217A**+TDR		41,000	11.0	13.0

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491735	24ABB342A60	CNPV*4221A**	58CV(A,X)110-20	40,500	11.5	14.0
3491662	24ABB342A60	CNPV*4221A**	58PH*090-16	40,500	11.7	14.0
3491663	24ABB342A60	CNPV*4221A**	58PH*110-20	40,500	12.0	14.0
4141659	24ABB342A60	CNPV*4221A**	58VLR120-20	40,000	11.7	14.0
4141658	24ABB342A60	CNPV*4221A**	58VMR120-20	40,000	11.5	13.5
4816302	24ABB342A60	CNPV*4221A**	59*N*A060V17**14	39,500	11.2	13.5
4816303	24ABB342A60	CNPV*4221A**	59*N*A080V17**14	40,000	11.4	13.7
5154006	24ABB342A60	CNPV*4221A**	59*N*A080V21**20	40,000	11.5	13.7
5154007	24ABB342A60	CNPV*4221A**	59*N*A100V21**22	40,500	11.7	14.0
4816305	24ABB342A60	CNPV*4221A**	59*P5A060E17**14	40,000	11.2	13.5
4816306	24ABB342A60	CNPV*4221A**	59*P5A080E17**16	40,000	11.2	13.5
5154008	24ABB342A60	CNPV*4221A**	59*P5A080E21**20	40,500	11.5	13.7
5154009	24ABB342A60	CNPV*4221A**	59*P5A100E21**20	40,000	11.7	14.0
5154005	24ABB342A60	CNPV*4221A**	59MN7A060V21**20	40,000	11.3	13.7
4141617	24ABB342A60	CNPV*4221A**	OVLAAB048112	40,500	11.0	13.2
4141616	24ABB342A60	CNPV*4221A**	OVMAAB042112	40,000	11.2	13.5
3491647	24ABB342A60	CNPV*4221A**+TDR		41,000	11.0	13.0
3872753	24ABB342A60	CNPV*4324A**	58CV(A,X)135-22	41,500	12.0	14.5
3872754	24ABB342A60	CNPV*4324A**	58CV(A,X)155-22	42,000	12.0	14.5
3872755	24ABB342A60	CNPV*4324A**	58PH*135-20	42,500	12.0	14.5
5154011	24ABB342A60	CNPV*4324A**	59*N*A080V21**20	41,000	12.0	14.5
5154012	24ABB342A60	CNPV*4324A**	59*N*A100V21**22	41,500	12.0	14.5
4816309	24ABB342A60	CNPV*4324A**	59*N*A120V24**22	41,500	12.0	14.5
5154013	24ABB342A60	CNPV*4324A**	59*P5A080E21**20	42,000	12.0	14.5
5154014	24ABB342A60	CNPV*4324A**	59*P5A100E21**20	42,000	12.0	14.5
4816311	24ABB342A60	CNPV*4324A**	59*P5A120E24**22	42,000	12.0	14.5
5154010	24ABB342A60	CNPV*4324A**	59MN7A060V21**20	41,000	11.7	14.0
4141620	24ABB342A60	CNPV*4324A**	OVLAAB048112	42,000	11.5	13.5
4141621	24ABB342A60	CNPV*4324A**	OVLAAB060154	42,500	12.0	14.0
3872744	24ABB342A60	CNPV*4324A**+TDR		41,500	11.0	13.0
3491737	24ABB342A60	CNPV*4821A**	58CV(A,X)110-20	41,000	11.5	14.0
3491664	24ABB342A60	CNPV*4821A**	58PH*090-16	41,000	12.0	14.0
3491665	24ABB342A60	CNPV*4821A**	58PH*110-20	41,000	12.0	14.0
4141661	24ABB342A60	CNPV*4821A**	58VLR120-20	41,000	12.0	14.0
4141660	24ABB342A60	CNPV*4821A**	58VMR120-20	41,000	11.7	14.0
4816312	24ABB342A60	CNPV*4821A**	59*N*A060V17**14	40,500	11.4	13.7
4816313	24ABB342A60	CNPV*4821A**	59*N*A080V17**14	40,500	11.5	14.0
5154016	24ABB342A60	CNPV*4821A**	59*N*A080V21**20	40,500	12.0	14.5
5154017	24ABB342A60	CNPV*4821A**	59*N*A100V21**22	41,000	12.0	14.5
4816315	24ABB342A60	CNPV*4821A**	59*P5A060E17**14	41,000	11.4	13.7
4816316	24ABB342A60	CNPV*4821A**	59*P5A080E17**16	41,000	11.4	13.7
5154018	24ABB342A60	CNPV*4821A**	59*P5A080E21**20	41,500	11.7	14.0
5154019	24ABB342A60	CNPV*4821A**	59*P5A100E21**20	41,000	12.0	14.5
5154015	24ABB342A60	CNPV*4821A**	59MN7A060V21**20	40,500	11.7	14.0
4141625	24ABB342A60	CNPV*4821A**	OVLAAB048112	41,000	11.5	13.5
4141624	24ABB342A60	CNPV*4821A**	OVMAAB042112	41,000	11.5	13.5
3491648	24ABB342A60	CNPV*4821A**+TDR		41,500	11.0	13.2
3491739	24ABB342A60	CNPV*4824A**	58CV(A,X)135-22	41,000	11.7	14.0
3491666	24ABB342A60	CNPV*4824A**	58PH*135-20	41,000	12.0	14.0
5154021	24ABB342A60	CNPV*4824A**	59*N*A080V21**20	40,500	12.0	14.5
5154022	24ABB342A60	CNPV*4824A**	59*N*A100V21**22	41,000	12.0	14.5
4816319	24ABB342A60	CNPV*4824A**	59*N*A120V24**22	40,500	12.0	14.5
5154023	24ABB342A60	CNPV*4824A**	59*P5A080E21**20	41,500	11.7	14.0
5154024	24ABB342A60	CNPV*4824A**	59*P5A100E21**20	41,000	12.0	14.5
4816321	24ABB342A60	CNPV*4824A**	59*P5A120E24**22	41,500	11.8	14.2
5154020	24ABB342A60	CNPV*4824A**	59MN7A060V21**20	40,500	11.7	14.0
4141628	24ABB342A60	CNPV*4824A**	OVLAAB048112	41,000	11.5	13.5
4141629	24ABB342A60	CNPV*4824A**	OVMAAB060154	42,000	11.7	14.0
3491649	24ABB342A60	CNPV*4824A**+TDR		41,500	11.0	13.2
3491745	24ABB342A60	CSPH*4212A**	58CV(A,X)070-12	40,500	11.2	13.5
3491675	24ABB342A60	CSPH*4212A**	58PH*070-16	40,500	11.5	13.5
3491676	24ABB342A60	CSPH*4212A**	58PH*090-16	40,500	11.7	14.0
3491677	24ABB342A60	CSPH*4212A**	58PH*110-20	40,500	12.0	14.0
3491678	24ABB342A60	CSPH*4212A**	58PH*135-20	40,500	12.0	14.0
4141669	24ABB342A60	CSPH*4212A**	58VLR120-20	41,000	11.7	14.0
4141668	24ABB342A60	CSPH*4212A**	58VMR120-20	41,000	11.7	14.0
4816346	24ABB342A60	CSPH*4212A**	59*N*A060V17**14	40,500	11.4	13.7
4816347	24ABB342A60	CSPH*4212A**	59*N*A080V17**14	40,500	11.5	14.0
5154041	24ABB342A60	CSPH*4212A**	59*N*A080V21**20	41,000	11.7	14.0
5154042	24ABB342A60	CSPH*4212A**	59*N*A100V21**22	41,000	12.0	14.5
4816349	24ABB342A60	CSPH*4212A**	59*N*A120V24**22	41,000	12.0	14.5
4816350	24ABB342A60	CSPH*4212A**	59*P5A060E17**14	41,000	11.4	13.7
4816351	24ABB342A60	CSPH*4212A**	59*P5A080E17**16	41,000	11.4	13.7
5154043	24ABB342A60	CSPH*4212A**	59*P5A080E21**20	41,500	11.7	14.0
5154044	24ABB342A60	CSPH*4212A**	59*P5A100E21**20	41,000	12.0	14.5
4816353	24ABB342A60	CSPH*4212A**	59*P5A120E24**22	41,500	11.8	14.2
5154040	24ABB342A60	CSPH*4212A**	59MN7A060V21**20	40,500	11.5	14.0
4141646	24ABB342A60	CSPH*4212A**	OVLAAB048112	41,500	11.2	13.5
4141647	24ABB342A60	CSPH*4212A**	OVLAAB060154	42,000	11.7	13.5
4141645	24ABB342A60	CSPH*4212A**	OVMAAB042112	41,000	11.5	13.5
3491653	24ABB342A60	CSPH*4212A**+TDR		41,000	11.0	13.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491747	24ABB342A60	CSPH*4812A**	58CV(A,X)070-12	41,000	11.2	13.5
3491679	24ABB342A60	CSPH*4812A**	58PH*070-16	41,000	11.2	13.5
3491680	24ABB342A60	CSPH*4812A**	58PH*090-16	41,000	12.0	14.0
3491681	24ABB342A60	CSPH*4812A**	58PH*110-20	41,000	12.0	14.0
3491682	24ABB342A60	CSPH*4812A**	58PH*135-20	41,000	12.0	14.0
4141671	24ABB342A60	CSPH*4812A**	58VLR120-20	41,000	11.7	14.0
4141670	24ABB342A60	CSPH*4812A**	58VMR120-20	41,000	11.7	14.0
4816354	24ABB342A60	CSPH*4812A**	59*N*A060V17**14	40,500	11.4	13.7
4816355	24ABB342A60	CSPH*4812A**	59*N*A080V17**14	41,000	11.5	14.0
5154046	24ABB342A60	CSPH*4812A**	59*N*A080V21**20	41,000	12.0	14.5
5154047	24ABB342A60	CSPH*4812A**	59*N*A100V21**22	41,500	12.0	14.5
4816357	24ABB342A60	CSPH*4812A**	59*N*A120V24**22	41,000	12.0	14.5
4816358	24ABB342A60	CSPH*4812A**	59*P5A060E17**14	41,000	11.4	13.7
4816359	24ABB342A60	CSPH*4812A**	59*P5A080E17**16	41,000	11.4	13.7
5154048	24ABB342A60	CSPH*4812A**	59*P5A080E21**20	41,500	11.7	14.0
5154049	24ABB342A60	CSPH*4812A**	59*P5A100E21**20	41,500	12.0	14.5
4816361	24ABB342A60	CSPH*4812A**	59*P5A120E24**22	41,500	11.8	14.2
5154045	24ABB342A60	CSPH*4812A**	59MN7A060V21**20	41,000	11.7	14.0
4141649	24ABB342A60	CSPH*4812A**	OVLAAB048112	41,500	11.2	13.5
4141650	24ABB342A60	CSPH*4812A**	OVLAAB060154	42,500	11.7	14.0
4141648	24ABB342A60	CSPH*4812A**	OVMAAB042112	41,000	11.5	13.5
3491654	24ABB342A60	CSPH*4812A** + TDR		41,500	11.0	13.2
3834880	24ABB342A60	FB4CNF042		41,000	11.5	13.5
3834881	24ABB342A60	FB4CNF048		41,000	11.5	13.5
3872747	24ABB342A60	FE4AN(B,F)003+UI		40,000	12.0	14.0
3872748	24ABB342A60	FE4AN(B,F)005+UI		41,000	12.2	14.5
3872749	24ABB342A60	FE4ANB006+UI		41,000	12.2	14.5
3872746	24ABB342A60	FE5ANB004+UI		41,000	12.2	14.5
3491757	24ABB342A60	FV4CN(B,F)003		40,500	11.5	14.0
3491755	24ABB342A60	FV4CN(B,F)005		41,500	11.7	14.0
3491756	24ABB342A60	FV4CNB006		42,500	12.0	14.0
3872790	24ABB342A60	FX4DN(B,F)043		41,500	11.5	14.0
3872791	24ABB342A60	FX4DN(B,F)049		42,000	12.0	14.5
3872792	24ABB342A60	FX4DN(B,F)061		42,500	12.0	14.5
3872793	24ABB342A60	FY5BNF042		41,000	11.0	13.0
3872794	24ABB342A60	FY5BNF048		42,000	11.0	13.0
3250050	24ABB348(A,W)31	†CAP**4821A** + TDR		46,000	11.0	13.2
3250052	24ABB348(A,W)31	CAP**4817A**	58CV(A,X)090-16	45,000	11.5	13.5
4741555	24ABB348(A,W)31	CAP**4817A**	59*P5A080E17**16	45,000	11.2	13.2
3250051	24ABB348(A,W)31	CAP**4817A** + TDR		45,000	11.0	13.2
3250055	24ABB348(A,W)31	CAP**4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3250056	24ABB348(A,W)31	CAP**4821A**	58PH*090-16	45,000	11.7	13.5
3250057	24ABB348(A,W)31	CAP**4821A**	58PH*110-20	45,000	11.7	14.0
4140077	24ABB348(A,W)31	CAP**4821A**	58VLR120-20	45,000	11.5	13.5
4140076	24ABB348(A,W)31	CAP**4821A**	58VMR120-20	45,000	11.2	13.5
5097012	24ABB348(A,W)31	CAP**4821A**	59*N*A080V21**20	44,500	11.5	13.7
5097013	24ABB348(A,W)31	CAP**4821A**	59*N*A100V21**22	45,000	11.5	13.7
4741557	24ABB348(A,W)31	CAP**4821A**	59*P5A080E17**16	44,500	11.0	13.2
5097014	24ABB348(A,W)31	CAP**4821A**	59*P5A080E21**20	45,000	11.3	13.7
5097015	24ABB348(A,W)31	CAP**4821A**	59*P5A100E21**20	45,000	11.5	13.7
5097011	24ABB348(A,W)31	CAP**4821A**	59MN7A060V21**20	44,500	11.3	13.5
5097032	24ABB348(A,W)31	CAP**4823A**	59*N*A080V21**20	44,500	11.5	13.7
5097033	24ABB348(A,W)31	CAP**4823A**	59*N*A100V21**22	45,000	11.5	13.7
4741571	24ABB348(A,W)31	CAP**4823A**	59*N*A120V24**22	44,500	11.5	13.7
5097034	24ABB348(A,W)31	CAP**4823A**	59*P5A080E21**20	45,000	11.3	13.7
5097035	24ABB348(A,W)31	CAP**4823A**	59*P5A100E21**20	45,000	11.5	13.7
4741573	24ABB348(A,W)31	CAP**4823A**	59*P5A120E24**22	45,000	11.5	13.7
5097031	24ABB348(A,W)31	CAP**4823A**	59MN7A060V21**20	44,500	11.3	13.5
3639076	24ABB348(A,W)31	CAP**4823A** + TDR		46,000	11.0	13.2
3250060	24ABB348(A,W)31	CAP**4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3250061	24ABB348(A,W)31	CAP**4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3250062	24ABB348(A,W)31	CAP**4824A**	58PH*135-20	45,500	11.7	13.5
5097017	24ABB348(A,W)31	CAP**4824A**	59*N*A080V21**20	44,500	11.5	13.7
5097018	24ABB348(A,W)31	CAP**4824A**	59*N*A100V21**22	45,000	11.5	14.0
4741560	24ABB348(A,W)31	CAP**4824A**	59*N*A120V24**22	45,000	11.5	13.7
5097019	24ABB348(A,W)31	CAP**4824A**	59*P5A080E21**20	45,000	11.5	13.7
5097020	24ABB348(A,W)31	CAP**4824A**	59*P5A100E21**20	45,000	11.5	13.7
4741562	24ABB348(A,W)31	CAP**4824A**	59*P5A120E24**22	45,000	11.5	13.7
5097016	24ABB348(A,W)31	CAP**4824A**	59MN7A060V21**20	44,500	11.3	13.5
3250058	24ABB348(A,W)31	CAP**4824A** + TDR		45,500	11.0	13.2
3250066	24ABB348(A,W)31	CAP**6021A**	58CV(A,X)110-20	46,000	12.0	14.0
3250067	24ABB348(A,W)31	CAP**6021A**	58PH*090-16	46,000	12.0	14.0
3250068	24ABB348(A,W)31	CAP**6021A**	58PH*110-20	46,000	12.0	14.0
4140079	24ABB348(A,W)31	CAP**6021A**	58VLR120-20	46,000	11.7	14.0
4140078	24ABB348(A,W)31	CAP**6021A**	58VMR120-20	46,000	11.5	13.5
5097022	24ABB348(A,W)31	CAP**6021A**	59*N*A080V21**20	45,500	11.7	14.0
5097023	24ABB348(A,W)31	CAP**6021A**	59*N*A100V21**22	46,000	11.7	14.0
4741564	24ABB348(A,W)31	CAP**6021A**	59*P5A080E17**16	45,500	11.3	13.5
5097024	24ABB348(A,W)31	CAP**6021A**	59*P5A080E21**20	46,000	11.7	14.0
5097025	24ABB348(A,W)31	CAP**6021A**	59*P5A100E21**20	46,000	11.7	14.0

See notes on page 61

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
5097021	24ABB348(A,W)31	CAP**6021A**	59MN7A060V21**20	45,500	11.7	13.7
4140080	24ABB348(A,W)31	CAP**6021A**	OVLAAB048112	46,000	11.0	13.2
3250063	24ABB348(A,W)31	CAP**6021A**+TDR		46,000	11.2	13.2
3250071	24ABB348(A,W)31	CAP**6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3250072	24ABB348(A,W)31	CAP**6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3250073	24ABB348(A,W)31	CAP**6024A**	58PH*135-20	46,000	12.0	14.0
5097027	24ABB348(A,W)31	CAP**6024A**	59*N*A080V21**20	45,500	11.7	14.0
5097028	24ABB348(A,W)31	CAP**6024A**	59*N*A100V21**22	46,000	12.0	14.5
4741567	24ABB348(A,W)31	CAP**6024A**	59*N*A120V24**22	45,500	11.7	14.0
5097029	24ABB348(A,W)31	CAP**6024A**	59*P5A080E21**20	46,000	11.7	14.0
5097030	24ABB348(A,W)31	CAP**6024A**	59*P5A100E21**20	46,000	11.7	14.0
4741569	24ABB348(A,W)31	CAP**6024A**	59*P5A120E24**22	46,000	11.7	14.0
5097026	24ABB348(A,W)31	CAP**6024A**	59MN7A060V21**20	45,500	11.5	13.7
3250069	24ABB348(A,W)31	CAP**6024A**+TDR		46,500	11.2	13.2
5097037	24ABB348(A,W)31	CAP**6025A**	59*N*A080V21**20	45,500	11.7	14.0
5097038	24ABB348(A,W)31	CAP**6025A**	59*N*A100V21**22	46,000	12.0	14.5
4741575	24ABB348(A,W)31	CAP**6025A**	59*N*A120V24**22	45,500	11.7	14.0
5097039	24ABB348(A,W)31	CAP**6025A**	59*P5A080E21**20	46,000	11.7	14.0
5097040	24ABB348(A,W)31	CAP**6025A**	59*P5A100E21**20	46,000	11.7	14.0
4741577	24ABB348(A,W)31	CAP**6025A**	59*P5A120E24**22	46,000	11.7	14.0
5097036	24ABB348(A,W)31	CAP**6025A**	59MN7A060V21**20	45,500	11.5	13.7
3639077	24ABB348(A,W)31	CAP**6025A**+TDR		46,000	11.0	13.2
3250094	24ABB348(A,W)31	CNPH*4821A**	58CV(A,X)090-16	45,000	11.7	13.5
3250095	24ABB348(A,W)31	CNPH*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3250096	24ABB348(A,W)31	CNPH*4821A**	58CV(A,X)135-22	45,000	11.7	14.0
3250097	24ABB348(A,W)31	CNPH*4821A**	58CV(A,X)155-22	45,500	12.0	14.0
3250098	24ABB348(A,W)31	CNPH*4821A**	58PH*090-16	45,000	11.7	13.5
3250099	24ABB348(A,W)31	CNPH*4821A**	58PH*110-20	45,000	11.7	14.0
3250100	24ABB348(A,W)31	CNPH*4821A**	58PH*135-20	45,500	11.7	13.5
4140084	24ABB348(A,W)31	CNPH*4821A**	58VLR120-20	45,000	11.5	13.5
4140083	24ABB348(A,W)31	CNPH*4821A**	58VMR120-20	45,000	11.5	13.5
5097062	24ABB348(A,W)31	CNPH*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5097063	24ABB348(A,W)31	CNPH*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4741594	24ABB348(A,W)31	CNPH*4821A**	59*N*A120V24**22	45,000	11.5	13.7
4741595	24ABB348(A,W)31	CNPH*4821A**	59*P5A080E17**16	45,000	11.2	13.2
5097064	24ABB348(A,W)31	CNPH*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5097065	24ABB348(A,W)31	CNPH*4821A**	59*P5A100E21**20	45,500	11.5	13.7
4741597	24ABB348(A,W)31	CNPH*4821A**	59*P5A120E24**22	45,500	11.5	13.7
5097061	24ABB348(A,W)31	CNPH*4821A**	59MN7A060V21**20	44,500	11.5	13.5
4140065	24ABB348(A,W)31	CNPH*4821A**	OVLAAB048112	45,000	11.0	13.2
4140066	24ABB348(A,W)31	CNPH*4821A**	OVLAAB060154	46,000	11.2	13.2
3250090	24ABB348(A,W)31	CNPH*4821A**+TDR		45,500	11.0	13.2
3250105	24ABB348(A,W)31	CNPH*6024A**	58CV(A,X)090-16	46,000	11.7	14.0
3250106	24ABB348(A,W)31	CNPH*6024A**	58CV(A,X)110-20	46,000	12.0	14.0
3250107	24ABB348(A,W)31	CNPH*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3250108	24ABB348(A,W)31	CNPH*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3250109	24ABB348(A,W)31	CNPH*6024A**	58PH*090-16	46,000	11.7	14.0
3250110	24ABB348(A,W)31	CNPH*6024A**	58PH*110-20	46,000	12.0	14.0
3250111	24ABB348(A,W)31	CNPH*6024A**	58PH*135-20	46,000	12.0	14.0
4140086	24ABB348(A,W)31	CNPH*6024A**	58VLR120-20	46,000	11.7	14.0
4140085	24ABB348(A,W)31	CNPH*6024A**	58VMR120-20	46,000	11.5	14.0
5097067	24ABB348(A,W)31	CNPH*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5097068	24ABB348(A,W)31	CNPH*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4741599	24ABB348(A,W)31	CNPH*6024A**	59*N*A120V24**22	45,500	11.7	14.0
4741600	24ABB348(A,W)31	CNPH*6024A**	59*P5A080E17**16	45,500	11.3	13.5
5097069	24ABB348(A,W)31	CNPH*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5097070	24ABB348(A,W)31	CNPH*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4741602	24ABB348(A,W)31	CNPH*6024A**	59*P5A120E24**22	46,000	11.7	14.0
5097066	24ABB348(A,W)31	CNPH*6024A**	59MN7A060V21**20	45,500	11.7	13.7
4140069	24ABB348(A,W)31	CNPH*6024A**	OVLAAB048112	46,000	11.2	13.2
4140070	24ABB348(A,W)31	CNPH*6024A**	OVLAAB060154	46,500	11.5	13.5
3250101	24ABB348(A,W)31	CNPH*6024A**+TDR		46,500	11.2	13.2
3674876	24ABB348(A,W)31	CNPH*6124A**	58CV(A,X)090-16	46,000	11.5	14.0
3674878	24ABB348(A,W)31	CNPH*6124A**	58CV(A,X)110-20	46,500	11.5	14.0
3674879	24ABB348(A,W)31	CNPH*6124A**	58CV(A,X)135-22	46,500	11.0	13.5
3674880	24ABB348(A,W)31	CNPH*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3674881	24ABB348(A,W)31	CNPH*6124A**	58PH*070-16	46,000	11.0	13.0
3674882	24ABB348(A,W)31	CNPH*6124A**	58PH*090-16	46,500	11.5	14.0
3674883	24ABB348(A,W)31	CNPH*6124A**	58PH*110-20	46,500	11.5	14.0
3674884	24ABB348(A,W)31	CNPH*6124A**	58PH*135-20	46,500	11.5	14.0
4140088	24ABB348(A,W)31	CNPH*6124A**	58VLR120-20	46,000	11.7	14.0
4140087	24ABB348(A,W)31	CNPH*6124A**	58VMR120-20	46,000	11.5	14.0
5097072	24ABB348(A,W)31	CNPH*6124A**	59*N*A080V21**20	46,000	11.7	14.0
5097073	24ABB348(A,W)31	CNPH*6124A**	59*N*A100V21**22	46,000	12.0	14.5
4741604	24ABB348(A,W)31	CNPH*6124A**	59*N*A120V24**22	46,000	11.7	14.0
4741605	24ABB348(A,W)31	CNPH*6124A**	59*P5A080E17**16	46,000	11.3	13.5
5097074	24ABB348(A,W)31	CNPH*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5097075	24ABB348(A,W)31	CNPH*6124A**	59*P5A100E21**20	46,500	11.7	14.0
4741607	24ABB348(A,W)31	CNPH*6124A**	59*P5A120E24**22	46,500	11.7	14.0
5097071	24ABB348(A,W)31	CNPH*6124A**	59MN7A060V21**20	45,500	11.5	13.7
4140071	24ABB348(A,W)31	CNPH*6124A**	OVLAAB048112	46,000	11.2	13.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140072	24ABB348(A,W)31	CNPH*6124A**	OVLAAB060154	46,500	11.5	13.5
3674872	24ABB348(A,W)31	CNPH*6124A**+TDR		46,000	11.0	13.0
3250077	24ABB348(A,W)31	CNPV*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3250078	24ABB348(A,W)31	CNPV*4821A**	58PH*090-16	45,000	11.7	13.5
3250079	24ABB348(A,W)31	CNPV*4821A**	58PH*110-20	45,000	11.7	14.0
4140082	24ABB348(A,W)31	CNPV*4821A**	58VLR120-20	45,000	11.5	13.5
4140081	24ABB348(A,W)31	CNPV*4821A**	58VMR120-20	45,000	11.5	13.5
5097042	24ABB348(A,W)31	CNPV*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5097043	24ABB348(A,W)31	CNPV*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4741579	24ABB348(A,W)31	CNPV*4821A**	59*P5A080E17**16	45,000	11.2	13.2
5097044	24ABB348(A,W)31	CNPV*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5097045	24ABB348(A,W)31	CNPV*4821A**	59*P5A100E21**20	45,500	11.5	13.7
5097041	24ABB348(A,W)31	CNPV*4821A**	59MN7A060V21**20	44,500	11.5	13.5
4140050	24ABB348(A,W)31	CNPV*4821A**	OVLAAB048112	45,000	11.0	13.2
3250074	24ABB348(A,W)31	CNPV*4821A**+TDR		45,500	11.0	13.2
3250082	24ABB348(A,W)31	CNPV*4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3250083	24ABB348(A,W)31	CNPV*4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3250084	24ABB348(A,W)31	CNPV*4824A**	58PH*135-20	45,500	11.7	13.5
5097047	24ABB348(A,W)31	CNPV*4824A**	59*N*A080V21**20	45,000	11.5	14.0
5097048	24ABB348(A,W)31	CNPV*4824A**	59*N*A100V21**22	45,000	11.7	14.0
4741582	24ABB348(A,W)31	CNPV*4824A**	59*N*A120V24**22	45,000	11.5	13.7
5097049	24ABB348(A,W)31	CNPV*4824A**	59*P5A080E21**20	45,500	11.5	13.7
5097050	24ABB348(A,W)31	CNPV*4824A**	59*P5A100E21**20	45,500	11.5	13.7
4741584	24ABB348(A,W)31	CNPV*4824A**	59*P5A120E24**22	45,500	11.5	13.7
5097046	24ABB348(A,W)31	CNPV*4824A**	59MN7A060V21**20	44,500	11.3	13.5
4140053	24ABB348(A,W)31	CNPV*4824A**	OVLAAB048112	45,000	11.0	13.2
4140054	24ABB348(A,W)31	CNPV*4824A**	OVLAAB060154	46,000	11.2	13.2
3250080	24ABB348(A,W)31	CNPV*4824A**+TDR		45,500	11.0	13.2
3250087	24ABB348(A,W)31	CNPV*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3250088	24ABB348(A,W)31	CNPV*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3250089	24ABB348(A,W)31	CNPV*6024A**	58PH*135-20	46,000	12.0	14.0
5097052	24ABB348(A,W)31	CNPV*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5097053	24ABB348(A,W)31	CNPV*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4741586	24ABB348(A,W)31	CNPV*6024A**	59*N*A120V24**22	45,500	11.7	14.0
5097054	24ABB348(A,W)31	CNPV*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5097055	24ABB348(A,W)31	CNPV*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4741588	24ABB348(A,W)31	CNPV*6024A**	59*P5A120E24**22	46,000	11.7	14.0
5097051	24ABB348(A,W)31	CNPV*6024A**	59MN7A060V21**20	45,500	11.5	13.7
4140057	24ABB348(A,W)31	CNPV*6024A**	OVLAAB048112	46,000	11.2	13.2
4140058	24ABB348(A,W)31	CNPV*6024A**	OVLAAB060154	46,500	11.5	13.5
3250085	24ABB348(A,W)31	CNPV*6024A**+TDR		46,500	11.2	13.2
3674868	24ABB348(A,W)31	CNPV*6124A**	58CV(A,X)135-22	46,500	12.0	14.5
3674869	24ABB348(A,W)31	CNPV*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3674870	24ABB348(A,W)31	CNPV*6124A**	58PH*135-20	46,500	11.5	14.0
5097057	24ABB348(A,W)31	CNPV*6124A**	59*N*A080V21**20	46,000	12.0	14.5
5097058	24ABB348(A,W)31	CNPV*6124A**	59*N*A100V21**22	46,500	12.0	14.5
4741590	24ABB348(A,W)31	CNPV*6124A**	59*N*A120V24**22	46,000	12.0	14.0
5097059	24ABB348(A,W)31	CNPV*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5097060	24ABB348(A,W)31	CNPV*6124A**	59*P5A100E21**20	46,500	12.0	14.5
4741592	24ABB348(A,W)31	CNPV*6124A**	59*P5A120E24**22	47,000	11.7	14.0
5097056	24ABB348(A,W)31	CNPV*6124A**	59MN7A060V21**20	46,000	11.7	14.0
4140061	24ABB348(A,W)31	CNPV*6124A**	OVLAAB048112	46,000	11.2	13.5
4140062	24ABB348(A,W)31	CNPV*6124A**	OVLAAB060154	47,000	11.7	13.5
3674866	24ABB348(A,W)31	CNPV*6124A**+TDR		46,500	11.0	13.0
3250117	24ABB348(A,W)31	CSPH*4812A**	58CV(A,X)090-16	45,500	11.7	13.5
3250118	24ABB348(A,W)31	CSPH*4812A**	58CV(A,X)110-20	45,000	11.7	13.5
3250119	24ABB348(A,W)31	CSPH*4812A**	58CV(A,X)135-22	45,000	11.7	14.0
3250120	24ABB348(A,W)31	CSPH*4812A**	58CV(A,X)155-22	45,000	12.0	14.0
3250121	24ABB348(A,W)31	CSPH*4812A**	58PH*090-16	45,000	11.7	13.5
3250122	24ABB348(A,W)31	CSPH*4812A**	58PH*110-20	45,000	11.7	14.0
3250123	24ABB348(A,W)31	CSPH*4812A**	58PH*135-20	45,500	11.7	13.5
4140090	24ABB348(A,W)31	CSPH*4812A**	58VLR120-20	45,500	11.5	13.5
4140089	24ABB348(A,W)31	CSPH*4812A**	58VMR120-20	45,500	11.5	13.5
5097077	24ABB348(A,W)31	CSPH*4812A**	59*N*A080V21**20	45,000	11.5	14.0
5097078	24ABB348(A,W)31	CSPH*4812A**	59*N*A100V21**22	45,500	11.7	14.0
4741609	24ABB348(A,W)31	CSPH*4812A**	59*N*A120V24**22	45,000	11.5	13.7
4741610	24ABB348(A,W)31	CSPH*4812A**	59*P5A080E17**16	45,000	11.2	13.2
5097079	24ABB348(A,W)31	CSPH*4812A**	59*P5A080E21**20	45,500	11.5	13.7
5097080	24ABB348(A,W)31	CSPH*4812A**	59*P5A100E21**20	45,500	11.5	13.7
4741612	24ABB348(A,W)31	CSPH*4812A**	59*P5A120E24**22	45,500	11.5	13.7
5097076	24ABB348(A,W)31	CSPH*4812A**	59MN7A060V21**20	45,000	11.5	13.5
4140073	24ABB348(A,W)31	CSPH*4812A**	OVLAAB060154	46,000	11.2	13.2
3250113	24ABB348(A,W)31	CSPH*4812A**+TDR		46,000	11.0	13.2
3250128	24ABB348(A,W)31	CSPH*6012A**	58CV(A,X)090-16	46,000	12.0	14.0
3250129	24ABB348(A,W)31	CSPH*6012A**	58CV(A,X)110-20	46,000	12.0	14.0
3250130	24ABB348(A,W)31	CSPH*6012A**	58CV(A,X)135-22	46,000	12.0	14.0
3250131	24ABB348(A,W)31	CSPH*6012A**	58CV(A,X)155-22	46,000	12.2	14.5
3250132	24ABB348(A,W)31	CSPH*6012A**	58PH*090-16	46,000	12.0	14.0
3250133	24ABB348(A,W)31	CSPH*6012A**	58PH*110-20	46,000	12.0	14.0
3250134	24ABB348(A,W)31	CSPH*6012A**	58PH*135-20	46,000	12.0	14.0
4140092	24ABB348(A,W)31	CSPH*6012A**	58VLR120-20	46,000	11.7	14.0

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140091	24ABB348(A,W)31	CSPH*6012A**	58VMR120-20	46,000	11.7	14.0
5097082	24ABB348(A,W)31	CSPH*6012A**	59*N*A080V21**20	46,000	12.0	14.5
5097083	24ABB348(A,W)31	CSPH*6012A**	59*N*A100V21**22	46,000	12.0	14.5
4741614	24ABB348(A,W)31	CSPH*6012A**	59*N*A120V24**22	46,000	11.7	14.0
4741615	24ABB348(A,W)31	CSPH*6012A**	59*P5A080E17**16	46,000	11.3	13.5
5097084	24ABB348(A,W)31	CSPH*6012A**	59*P5A080E21**20	46,500	11.7	14.0
5097085	24ABB348(A,W)31	CSPH*6012A**	59*P5A100E21**20	46,500	11.7	14.0
4741617	24ABB348(A,W)31	CSPH*6012A**	59*P5A120E24**22	46,500	11.7	14.0
5097081	24ABB348(A,W)31	CSPH*6012A**	59MN7A060V21**20	45,500	11.7	13.7
4140074	24ABB348(A,W)31	CSPH*6012A**	OVLAAB048112	46,000	11.2	13.5
4140075	24ABB348(A,W)31	CSPH*6012A**	OVLAAB060154	46,500	11.5	13.5
3250124	24ABB348(A,W)31	CSPH*6012A**+TDR		46,500	11.2	13.2
3804460	24ABB348(A,W)31	FB4CNF048		44,500	11.0	13.0
3879014	24ABB348(A,W)31	FB4CNF048+TXV		45,000	11.0	13.5
3804461	24ABB348(A,W)31	FB4CNF060		45,500	11.5	14.0
3250139	24ABB348(A,W)31	FE4AN(B,F)005+UI		46,000	12.0	14.0
3250140	24ABB348(A,W)31	FE4ANB006+UI		46,500	12.2	14.5
3404573	24ABB348(A,W)31	FV4CN(B,F)005		46,000	12.0	14.0
3404574	24ABB348(A,W)31	FV4CNB006		46,500	12.2	14.5
3752034	24ABB348(A,W)31	FX4DN(B,F)049		46,500	12.0	14.5
3752035	24ABB348(A,W)31	FX4DN(B,F)061		47,000	12.0	14.5
3804463	24ABB348(A,W)31	FY5BNB060		46,000	11.0	13.0
3804462	24ABB348(A,W)31	FY5BNF048		45,500	11.0	13.0
3492073	24ABB348A11	†CAP**4821A**+TDR		46,000	11.0	13.2
3492086	24ABB348A11	CAP**4817A**	58CV(A,X)090-16	45,000	11.5	13.5
4816362	24ABB348A11	CAP**4817A**	59*P5A080E17**16	45,000	11.2	13.5
3492074	24ABB348A11	CAP**4817A**+TDR		45,000	11.0	13.2
3492089	24ABB348A11	CAP**4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3492090	24ABB348A11	CAP**4821A**	58PH*090-16	45,000	11.7	13.5
3492091	24ABB348A11	CAP**4821A**	58PH*110-20	45,000	11.7	14.0
4140532	24ABB348A11	CAP**4821A**	58VLR120-20	45,000	11.5	13.5
4140531	24ABB348A11	CAP**4821A**	58VMR120-20	45,000	11.2	13.5
5154051	24ABB348A11	CAP**4821A**	59*N*A080V21**20	44,500	11.5	13.7
5154052	24ABB348A11	CAP**4821A**	59*N*A100V21**22	45,000	11.5	13.7
4816364	24ABB348A11	CAP**4821A**	59*P5A080E17**16	44,500	11.0	13.3
5154053	24ABB348A11	CAP**4821A**	59*P5A080E21**20	45,000	11.3	13.7
5154054	24ABB348A11	CAP**4821A**	59*P5A100E21**20	45,000	11.5	13.7
5154050	24ABB348A11	CAP**4821A**	59MN7A060V21**20	44,500	11.3	13.5
5154071	24ABB348A11	CAP**4823A**	59*N*A080V21**20	44,500	11.5	13.7
5154072	24ABB348A11	CAP**4823A**	59*N*A100V21**22	45,000	11.5	13.7
4816378	24ABB348A11	CAP**4823A**	59*N*A120V24**22	44,500	11.5	14.0
5154073	24ABB348A11	CAP**4823A**	59*P5A080E21**20	45,000	11.3	13.7
5154074	24ABB348A11	CAP**4823A**	59*P5A100E21**20	45,000	11.5	13.7
4816380	24ABB348A11	CAP**4823A**	59*P5A120E24**22	45,000	11.4	13.7
5154070	24ABB348A11	CAP**4823A**	59MN7A060V21**20	44,500	11.3	13.5
3872971	24ABB348A11	CAP**4823A**+TDR		46,000	11.0	13.2
3492093	24ABB348A11	CAP**4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3492094	24ABB348A11	CAP**4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3492095	24ABB348A11	CAP**4824A**	58PH*135-20	45,500	11.7	13.5
5154056	24ABB348A11	CAP**4824A**	59*N*A080V21**20	44,500	11.5	13.7
5154057	24ABB348A11	CAP**4824A**	59*N*A100V21**22	45,000	11.5	14.0
4816367	24ABB348A11	CAP**4824A**	59*N*A120V24**22	45,000	11.5	14.0
5154058	24ABB348A11	CAP**4824A**	59*P5A080E21**20	45,000	11.5	13.7
5154059	24ABB348A11	CAP**4824A**	59*P5A100E21**20	45,000	11.5	13.7
4816369	24ABB348A11	CAP**4824A**	59*P5A120E24**22	45,000	11.5	14.0
5154055	24ABB348A11	CAP**4824A**	59MN7A060V21**20	44,500	11.3	13.5
3492075	24ABB348A11	CAP**4824A**+TDR		45,500	11.0	13.2
3492098	24ABB348A11	CAP**6021A**	58CV(A,X)110-20	46,000	12.0	14.0
3492099	24ABB348A11	CAP**6021A**	58PH*090-16	46,000	12.0	14.0
3492100	24ABB348A11	CAP**6021A**	58PH*110-20	46,000	12.0	14.0
4140534	24ABB348A11	CAP**6021A**	58VLR120-20	46,000	11.7	14.0
4140533	24ABB348A11	CAP**6021A**	58VMR120-20	46,000	11.5	13.5
5154061	24ABB348A11	CAP**6021A**	59*N*A080V21**20	45,500	11.7	14.0
5154062	24ABB348A11	CAP**6021A**	59*N*A100V21**22	46,000	11.7	14.0
4816371	24ABB348A11	CAP**6021A**	59*P5A080E17**16	45,500	11.4	13.7
5154063	24ABB348A11	CAP**6021A**	59*P5A080E21**20	46,000	11.7	14.0
5154064	24ABB348A11	CAP**6021A**	59*P5A100E21**20	46,000	11.7	14.0
5154060	24ABB348A11	CAP**6021A**	59MN7A060V21**20	45,500	11.7	13.7
4140535	24ABB348A11	CAP**6021A**	OVLAAB048112	46,000	11.0	13.2
3492076	24ABB348A11	CAP**6021A**+TDR		46,000	11.2	13.2
3492102	24ABB348A11	CAP**6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3492103	24ABB348A11	CAP**6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3492104	24ABB348A11	CAP**6024A**	58PH*135-20	46,000	12.0	14.0
5154066	24ABB348A11	CAP**6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154067	24ABB348A11	CAP**6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816374	24ABB348A11	CAP**6024A**	59*N*A120V24**22	45,500	11.8	14.2
5154068	24ABB348A11	CAP**6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154069	24ABB348A11	CAP**6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816376	24ABB348A11	CAP**6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154065	24ABB348A11	CAP**6024A**	59MN7A060V21**20	45,500	11.5	13.7

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3492077	24ABB348A11	CAP**6024A**+TDR		46,500	11.2	13.2
5154076	24ABB348A11	CAP**6025A**	59*N*A080V21**20	45,500	11.7	14.0
5154077	24ABB348A11	CAP**6025A**	59*N*A100V21**22	46,000	12.0	14.5
4816382	24ABB348A11	CAP**6025A**	59*N*A120V24**22	45,500	11.8	14.2
5154078	24ABB348A11	CAP**6025A**	59*P5A080E21**20	46,000	11.7	14.0
5154079	24ABB348A11	CAP**6025A**	59*P5A100E21**20	46,000	11.7	14.0
4816384	24ABB348A11	CAP**6025A**	59*P5A120E24**22	46,000	11.8	14.2
5154075	24ABB348A11	CAP**6025A**	59MN7A060V21**20	45,500	11.5	13.7
3872972	24ABB348A11	CAP**6025A**+TDR		46,000	11.0	13.2
3492121	24ABB348A11	CNPH*4821A**	58CV(A,X)090-16	45,000	11.7	13.5
3492122	24ABB348A11	CNPH*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3492123	24ABB348A11	CNPH*4821A**	58CV(A,X)135-22	45,000	11.7	14.0
3492124	24ABB348A11	CNPH*4821A**	58CV(A,X)155-22	45,500	12.0	14.0
3492125	24ABB348A11	CNPH*4821A**	58PH*090-16	45,000	11.7	13.5
3492126	24ABB348A11	CNPH*4821A**	58PH*110-20	45,000	11.7	14.0
3492127	24ABB348A11	CNPH*4821A**	58PH*135-20	45,500	11.7	13.5
4140539	24ABB348A11	CNPH*4821A**	58VLR120-20	45,000	11.5	13.5
4140538	24ABB348A11	CNPH*4821A**	58VMR120-20	45,000	11.5	13.5
5154101	24ABB348A11	CNPH*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5154102	24ABB348A11	CNPH*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4816401	24ABB348A11	CNPH*4821A**	59*N*A120V24**22	45,000	11.8	14.2
4816402	24ABB348A11	CNPH*4821A**	59*P5A080E17**16	45,000	11.0	13.3
5154103	24ABB348A11	CNPH*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5154104	24ABB348A11	CNPH*4821A**	59*P5A100E21**20	45,500	11.5	13.7
4816404	24ABB348A11	CNPH*4821A**	59*P5A120E24**22	45,500	11.5	14.0
5154100	24ABB348A11	CNPH*4821A**	59MN7A060V21**20	44,500	11.5	13.5
4140520	24ABB348A11	CNPH*4821A**	OVLAAB048112	45,000	11.0	13.2
4140521	24ABB348A11	CNPH*4821A**	OVLAAB060154	46,000	11.2	13.2
3492081	24ABB348A11	CNPH*4821A**+TDR		45,500	11.0	13.2
3492131	24ABB348A11	CNPH*6024A**	58CV(A,X)090-16	46,000	11.7	14.0
3492132	24ABB348A11	CNPH*6024A**	58CV(A,X)110-20	46,000	12.0	14.0
3492133	24ABB348A11	CNPH*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3492134	24ABB348A11	CNPH*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3492135	24ABB348A11	CNPH*6024A**	58PH*090-16	46,000	11.7	14.0
3492136	24ABB348A11	CNPH*6024A**	58PH*110-20	46,000	12.0	14.0
3492137	24ABB348A11	CNPH*6024A**	58PH*135-20	46,000	12.0	14.0
4140541	24ABB348A11	CNPH*6024A**	58VLR120-20	46,000	11.7	14.0
4140540	24ABB348A11	CNPH*6024A**	58VMR120-20	46,000	11.5	14.0
5154106	24ABB348A11	CNPH*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154107	24ABB348A11	CNPH*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816406	24ABB348A11	CNPH*6024A**	59*N*A120V24**22	45,500	11.8	14.2
4816407	24ABB348A11	CNPH*6024A**	59*P5A080E17**16	45,500	11.4	13.7
5154108	24ABB348A11	CNPH*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154109	24ABB348A11	CNPH*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816409	24ABB348A11	CNPH*6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154105	24ABB348A11	CNPH*6024A**	59MN7A060V21**20	45,500	11.7	13.7
4140524	24ABB348A11	CNPH*6024A**	OVLAAB048112	46,000	11.2	13.2
4140525	24ABB348A11	CNPH*6024A**	OVLAAB060154	46,500	11.5	13.5
3492082	24ABB348A11	CNPH*6024A**+TDR		46,500	11.2	13.2
3872985	24ABB348A11	CNPH*6124A**	58CV(A,X)090-16	46,000	11.5	14.0
3872986	24ABB348A11	CNPH*6124A**	58CV(A,X)110-20	46,500	11.5	14.0
3872987	24ABB348A11	CNPH*6124A**	58CV(A,X)135-22	46,500	11.0	13.5
3872988	24ABB348A11	CNPH*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3872989	24ABB348A11	CNPH*6124A**	58PH*070-16	46,000	11.0	13.0
3872990	24ABB348A11	CNPH*6124A**	58PH*090-16	46,500	11.5	14.0
3872991	24ABB348A11	CNPH*6124A**	58PH*110-20	46,500	11.5	14.0
3872992	24ABB348A11	CNPH*6124A**	58PH*135-20	46,500	11.5	14.0
4140543	24ABB348A11	CNPH*6124A**	58VLR120-20	46,000	11.7	14.0
4140542	24ABB348A11	CNPH*6124A**	58VMR120-20	46,000	11.5	14.0
5154111	24ABB348A11	CNPH*6124A**	59*N*A080V21**20	46,000	11.7	14.0
5154112	24ABB348A11	CNPH*6124A**	59*N*A100V21**22	46,000	12.0	14.5
4816411	24ABB348A11	CNPH*6124A**	59*N*A120V24**22	46,000	11.8	14.2
4816412	24ABB348A11	CNPH*6124A**	59*P5A080E17**16	46,000	11.4	13.7
5154113	24ABB348A11	CNPH*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5154114	24ABB348A11	CNPH*6124A**	59*P5A100E21**20	46,500	11.7	14.0
4816414	24ABB348A11	CNPH*6124A**	59*P5A120E24**22	46,500	11.8	14.2
5154110	24ABB348A11	CNPH*6124A**	59MN7A060V21**20	45,500	11.5	13.7
4140526	24ABB348A11	CNPH*6124A**	OVLAAB048112	46,000	11.2	13.2
4140527	24ABB348A11	CNPH*6124A**	OVLAAB060154	46,500	11.5	13.5
3872974	24ABB348A11	CNPH*6124A**+TDR		46,000	11.0	13.0
3492107	24ABB348A11	CNPV*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3492108	24ABB348A11	CNPV*4821A**	58PH*090-16	45,000	11.7	13.5
3492109	24ABB348A11	CNPV*4821A**	58PH*110-20	45,000	11.7	14.0
4140537	24ABB348A11	CNPV*4821A**	58VLR120-20	45,000	11.5	13.5
4140536	24ABB348A11	CNPV*4821A**	58VMR120-20	45,000	11.5	13.5
5154081	24ABB348A11	CNPV*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5154082	24ABB348A11	CNPV*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4816386	24ABB348A11	CNPV*4821A**	59*P5A080E17**16	45,000	11.0	13.3
5154083	24ABB348A11	CNPV*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5154084	24ABB348A11	CNPV*4821A**	59*P5A100E21**20	45,500	11.5	13.7
5154080	24ABB348A11	CNPV*4821A**	59MN7A060V21**20	44,500	11.5	13.5

See notes on page 61

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4140505	24ABB348A11	CNPV*4821A**	OVLAAB048112	45,000	11.0	13.2
3492078	24ABB348A11	CNPV*4821A**+TDR		45,500	11.0	13.2
3492111	24ABB348A11	CNPV*4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3492112	24ABB348A11	CNPV*4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3492113	24ABB348A11	CNPV*4824A**	58PH*135-20	45,500	11.7	13.5
5154086	24ABB348A11	CNPV*4824A**	59*N*A080V21**20	45,000	11.5	14.0
5154087	24ABB348A11	CNPV*4824A**	59*N*A100V21**22	45,000	11.7	14.0
4816389	24ABB348A11	CNPV*4824A**	59*N*A120V24**22	45,000	11.8	14.2
5154088	24ABB348A11	CNPV*4824A**	59*P5A080E21**20	45,500	11.5	13.7
5154089	24ABB348A11	CNPV*4824A**	59*P5A100E21**20	45,500	11.5	13.7
4816391	24ABB348A11	CNPV*4824A**	59*P5A120E24**22	45,500	11.5	14.0
5154085	24ABB348A11	CNPV*4824A**	59MN7A060V21**20	44,500	11.3	13.5
4140508	24ABB348A11	CNPV*4824A**	OVLAAB048112	45,000	11.0	13.2
4140509	24ABB348A11	CNPV*4824A**	OVLAAB060154	46,000	11.2	13.2
3492079	24ABB348A11	CNPV*4824A**+TDR		45,500	11.0	13.2
3492115	24ABB348A11	CNPV*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3492116	24ABB348A11	CNPV*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3492117	24ABB348A11	CNPV*6024A**	58PH*135-20	46,000	12.0	14.0
5154091	24ABB348A11	CNPV*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154092	24ABB348A11	CNPV*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816393	24ABB348A11	CNPV*6024A**	59*N*A120V24**22	45,500	11.8	14.2
5154093	24ABB348A11	CNPV*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154094	24ABB348A11	CNPV*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816395	24ABB348A11	CNPV*6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154090	24ABB348A11	CNPV*6024A**	59MN7A060V21**20	45,500	11.5	13.7
4140512	24ABB348A11	CNPV*6024A**	OVLAAB048112	46,000	11.2	13.2
4140513	24ABB348A11	CNPV*6024A**	OVLAAB060154	46,500	11.5	13.5
3492080	24ABB348A11	CNPV*6024A**+TDR		46,500	11.2	13.2
3872978	24ABB348A11	CNPV*6124A**	58CV(A,X)135-22	46,500	12.0	14.5
3872979	24ABB348A11	CNPV*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3872980	24ABB348A11	CNPV*6124A**	58PH*135-20	46,500	11.5	14.0
5154096	24ABB348A11	CNPV*6124A**	59*N*A080V21**20	46,000	12.0	14.5
5154097	24ABB348A11	CNPV*6124A**	59*N*A100V21**22	46,500	12.0	14.5
4816397	24ABB348A11	CNPV*6124A**	59*N*A120V24**22	46,000	12.0	14.5
5154098	24ABB348A11	CNPV*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5154099	24ABB348A11	CNPV*6124A**	59*P5A100E21**20	46,500	12.0	14.5
4816399	24ABB348A11	CNPV*6124A**	59*P5A120E24**22	47,000	12.0	14.5
5154095	24ABB348A11	CNPV*6124A**	59MN7A060V21**20	46,000	11.7	14.0
4140516	24ABB348A11	CNPV*6124A**	OVLAAB048112	46,000	11.2	13.5
4140517	24ABB348A11	CNPV*6124A**	OVLAAB060154	47,000	11.7	13.5
3872973	24ABB348A11	CNPV*6124A**+TDR		46,500	11.0	13.0
3492141	24ABB348A11	CSPH*4812A**	58CV(A,X)090-16	45,500	11.7	13.5
3492142	24ABB348A11	CSPH*4812A**	58CV(A,X)110-20	45,000	11.7	13.5
3492143	24ABB348A11	CSPH*4812A**	58CV(A,X)135-22	45,000	11.7	14.0
3492144	24ABB348A11	CSPH*4812A**	58CV(A,X)155-22	45,000	12.0	14.0
3492145	24ABB348A11	CSPH*4812A**	58PH*090-16	45,000	11.7	13.5
3492146	24ABB348A11	CSPH*4812A**	58PH*110-20	45,000	11.7	14.0
3492147	24ABB348A11	CSPH*4812A**	58PH*135-20	45,500	11.7	13.5
4140545	24ABB348A11	CSPH*4812A**	58VLR120-20	45,500	11.5	13.5
4140544	24ABB348A11	CSPH*4812A**	58VMR120-20	45,500	11.5	13.5
5154116	24ABB348A11	CSPH*4812A**	59*N*A080V21**20	45,000	11.5	14.0
5154117	24ABB348A11	CSPH*4812A**	59*N*A100V21**22	45,500	11.7	14.0
4816416	24ABB348A11	CSPH*4812A**	59*N*A120V24**22	45,000	11.5	14.0
4816417	24ABB348A11	CSPH*4812A**	59*P5A080E17**16	45,000	11.2	13.5
5154118	24ABB348A11	CSPH*4812A**	59*P5A080E21**20	45,500	11.5	13.7
5154119	24ABB348A11	CSPH*4812A**	59*P5A100E21**20	45,500	11.5	13.7
4816419	24ABB348A11	CSPH*4812A**	59*P5A120E24**22	45,500	11.5	14.0
5154115	24ABB348A11	CSPH*4812A**	59MN7A060V21**20	45,000	11.5	13.5
4140528	24ABB348A11	CSPH*4812A**	OVLAAB060154	46,000	11.2	13.2
3492084	24ABB348A11	CSPH*4812A**+TDR		46,000	11.0	13.2
3492151	24ABB348A11	CSPH*6012A**	58CV(A,X)090-16	46,000	12.0	14.0
3492152	24ABB348A11	CSPH*6012A**	58CV(A,X)110-20	46,000	12.0	14.0
3492153	24ABB348A11	CSPH*6012A**	58CV(A,X)135-22	46,000	12.0	14.0
3492154	24ABB348A11	CSPH*6012A**	58CV(A,X)155-22	46,000	12.2	14.5
3492155	24ABB348A11	CSPH*6012A**	58PH*090-16	46,000	12.0	14.0
3492156	24ABB348A11	CSPH*6012A**	58PH*110-20	46,000	12.0	14.0
3492157	24ABB348A11	CSPH*6012A**	58PH*135-20	46,000	12.0	14.0
4140547	24ABB348A11	CSPH*6012A**	58VLR120-20	46,000	11.7	14.0
4140546	24ABB348A11	CSPH*6012A**	58VMR120-20	46,000	11.7	14.0
5154121	24ABB348A11	CSPH*6012A**	59*N*A080V21**20	46,000	12.0	14.5
5154122	24ABB348A11	CSPH*6012A**	59*N*A100V21**22	46,000	12.0	14.5
4816421	24ABB348A11	CSPH*6012A**	59*N*A120V24**22	46,000	12.0	14.5
4816422	24ABB348A11	CSPH*6012A**	59*P5A080E17**16	46,000	11.4	13.7
5154123	24ABB348A11	CSPH*6012A**	59*P5A080E21**20	46,500	11.7	14.0
5154124	24ABB348A11	CSPH*6012A**	59*P5A100E21**20	46,500	11.7	14.0
4816424	24ABB348A11	CSPH*6012A**	59*P5A120E24**22	46,500	11.8	14.2
5154120	24ABB348A11	CSPH*6012A**	59MN7A060V21**20	45,500	11.7	13.7
4140529	24ABB348A11	CSPH*6012A**	OVLAAB048112	46,000	11.2	13.5
4140530	24ABB348A11	CSPH*6012A**	OVLAAB060154	46,500	11.5	13.5
3492085	24ABB348A11	CSPH*6012A**+TDR		46,500	11.2	13.2
3834875	24ABB348A11	FB4CNF048		44,500	11.0	13.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3834876	24ABB348A11	FB4CNF060		45,500	11.5	13.5
3492162	24ABB348A11	FE4AN(B,F)005+UI		46,000	12.0	14.0
3492163	24ABB348A11	FE4ANB006+UI		46,500	12.2	14.5
3492186	24ABB348A11	FV4CN(B,F)005		46,000	12.0	14.0
3492187	24ABB348A11	FV4CNB006		46,500	12.2	14.5
3873004	24ABB348A11	FX4DN(B,F)049		46,500	12.0	14.5
3873005	24ABB348A11	FX4DN(B,F)061		47,000	12.0	14.5
3873007	24ABB348A11	FY5BNB060		46,000	11.0	13.0
3873006	24ABB348A11	FY5BNF048		45,500	11.0	13.0
3491328	24ABB348A51	†CAP**4821A**+TDR		46,000	11.0	13.2
3491341	24ABB348A51	CAP**4817A**	58CV(A,X)090-16	45,000	11.5	13.5
4816425	24ABB348A51	CAP**4817A**	59*P5A080E17**16	45,000	11.2	13.5
3491329	24ABB348A51	CAP**4817A**+TDR		45,000	11.0	13.2
3491344	24ABB348A51	CAP**4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3491345	24ABB348A51	CAP**4821A**	58PH*090-16	45,000	11.7	13.5
3491346	24ABB348A51	CAP**4821A**	58PH*110-20	45,000	11.7	14.0
4140383	24ABB348A51	CAP**4821A**	58VLR120-20	45,000	11.5	13.5
4140382	24ABB348A51	CAP**4821A**	58VMR120-20	45,000	11.2	13.5
5154126	24ABB348A51	CAP**4821A**	59*N*A080V21**20	44,500	11.5	13.7
5154127	24ABB348A51	CAP**4821A**	59*N*A100V21**22	45,000	11.5	13.7
4816427	24ABB348A51	CAP**4821A**	59*P5A080E17**16	44,500	11.0	13.3
5154128	24ABB348A51	CAP**4821A**	59*P5A080E21**20	45,000	11.3	13.7
5154129	24ABB348A51	CAP**4821A**	59*P5A100E21**20	45,000	11.5	13.7
5154125	24ABB348A51	CAP**4821A**	59MN7A060V21**20	44,500	11.3	13.5
5154146	24ABB348A51	CAP**4823A**	59*N*A080V21**20	44,500	11.5	13.7
5154147	24ABB348A51	CAP**4823A**	59*N*A100V21**22	45,000	11.5	13.7
4816441	24ABB348A51	CAP**4823A**	59*N*A120V24**22	44,500	11.5	14.0
5154148	24ABB348A51	CAP**4823A**	59*P5A080E21**20	45,000	11.3	13.7
5154149	24ABB348A51	CAP**4823A**	59*P5A100E21**20	45,000	11.5	13.7
4816443	24ABB348A51	CAP**4823A**	59*P5A120E24**22	45,000	11.4	13.7
5154145	24ABB348A51	CAP**4823A**	59MN7A060V21**20	44,500	11.3	13.5
3872897	24ABB348A51	CAP**4823A**+TDR		46,000	11.0	13.2
3491348	24ABB348A51	CAP**4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3491349	24ABB348A51	CAP**4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3491350	24ABB348A51	CAP**4824A**	58PH*135-20	45,500	11.7	13.5
5154131	24ABB348A51	CAP**4824A**	59*N*A080V21**20	44,500	11.5	13.7
5154132	24ABB348A51	CAP**4824A**	59*N*A100V21**22	45,000	11.5	14.0
4816430	24ABB348A51	CAP**4824A**	59*N*A120V24**22	45,000	11.5	14.0
5154133	24ABB348A51	CAP**4824A**	59*P5A080E21**20	45,000	11.5	13.7
5154134	24ABB348A51	CAP**4824A**	59*P5A100E21**20	45,000	11.5	13.7
4816432	24ABB348A51	CAP**4824A**	59*P5A120E24**22	45,000	11.5	14.0
5154130	24ABB348A51	CAP**4824A**	59MN7A060V21**20	44,500	11.3	13.5
3491330	24ABB348A51	CAP**4824A**+TDR		45,500	11.0	13.2
3491353	24ABB348A51	CAP**6021A**	58CV(A,X)110-20	46,000	12.0	14.0
3491354	24ABB348A51	CAP**6021A**	58PH*090-16	46,000	12.0	14.0
3491355	24ABB348A51	CAP**6021A**	58PH*110-20	46,000	12.0	14.0
4140385	24ABB348A51	CAP**6021A**	58VLR120-20	46,000	11.7	14.0
4140384	24ABB348A51	CAP**6021A**	58VMR120-20	46,000	11.5	13.5
5154136	24ABB348A51	CAP**6021A**	59*N*A080V21**20	45,500	11.7	14.0
5154137	24ABB348A51	CAP**6021A**	59*N*A100V21**22	46,000	11.7	14.0
4816434	24ABB348A51	CAP**6021A**	59*P5A080E17**16	45,500	11.4	13.7
5154138	24ABB348A51	CAP**6021A**	59*P5A080E21**20	46,000	11.7	14.0
5154139	24ABB348A51	CAP**6021A**	59*P5A100E21**20	46,000	11.7	14.0
5154135	24ABB348A51	CAP**6021A**	59MN7A060V21**20	45,500	11.7	13.7
4140386	24ABB348A51	CAP**6021A**	OVLAAB048112	46,000	11.0	13.2
3491331	24ABB348A51	CAP**6021A**+TDR		46,000	11.2	13.2
3491357	24ABB348A51	CAP**6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3491358	24ABB348A51	CAP**6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3491359	24ABB348A51	CAP**6024A**	58PH*135-20	46,000	12.0	14.0
5154141	24ABB348A51	CAP**6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154142	24ABB348A51	CAP**6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816437	24ABB348A51	CAP**6024A**	59*N*A120V24**22	45,500	11.8	14.2
5154143	24ABB348A51	CAP**6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154144	24ABB348A51	CAP**6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816439	24ABB348A51	CAP**6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154140	24ABB348A51	CAP**6024A**	59MN7A060V21**20	45,500	11.5	13.7
3491332	24ABB348A51	CAP**6024A**+TDR		46,500	11.2	13.2
5154151	24ABB348A51	CAP**6025A**	59*N*A080V21**20	45,500	11.7	14.0
5154152	24ABB348A51	CAP**6025A**	59*N*A100V21**22	46,000	12.0	14.5
4816445	24ABB348A51	CAP**6025A**	59*N*A120V24**22	45,500	11.8	14.2
5154153	24ABB348A51	CAP**6025A**	59*P5A080E21**20	46,000	11.7	14.0
5154154	24ABB348A51	CAP**6025A**	59*P5A100E21**20	46,000	11.7	14.0
4816447	24ABB348A51	CAP**6025A**	59*P5A120E24**22	46,000	11.8	14.2
5154150	24ABB348A51	CAP**6025A**	59MN7A060V21**20	45,500	11.5	13.7
3872898	24ABB348A51	CAP**6025A**+TDR		46,000	11.0	13.2
3491376	24ABB348A51	CNPH*4821A**	58CV(A,X)090-16	45,000	11.7	13.5
3491377	24ABB348A51	CNPH*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3491378	24ABB348A51	CNPH*4821A**	58CV(A,X)135-22	45,000	11.7	14.0
3491379	24ABB348A51	CNPH*4821A**	58CV(A,X)155-22	45,500	12.0	14.0
3491380	24ABB348A51	CNPH*4821A**	58PH*090-16	45,000	11.7	13.5

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491381	24ABB348A51	CNPH*4821A**	58PH*110-20	45,000	11.7	14.0
3491382	24ABB348A51	CNPH*4821A**	58PH*135-20	45,500	11.7	13.5
4140390	24ABB348A51	CNPH*4821A**	58VLR120-20	45,000	11.5	13.5
4140389	24ABB348A51	CNPH*4821A**	58VMR120-20	45,000	11.5	13.5
5154176	24ABB348A51	CNPH*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5154177	24ABB348A51	CNPH*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4816464	24ABB348A51	CNPH*4821A**	59*N*A120V24**22	45,000	11.8	14.2
4816465	24ABB348A51	CNPH*4821A**	59*P5A080E17**16	45,000	11.0	13.3
5154178	24ABB348A51	CNPH*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5154179	24ABB348A51	CNPH*4821A**	59*P5A100E21**20	45,500	11.5	13.7
4816467	24ABB348A51	CNPH*4821A**	59*P5A120E24**22	45,500	11.5	14.0
5154175	24ABB348A51	CNPH*4821A**	59MN7A060V21**20	44,500	11.5	13.5
4140371	24ABB348A51	CNPH*4821A**	OVLAAB048112	45,000	11.0	13.2
4140372	24ABB348A51	CNPH*4821A**	OVLAAB060154	46,000	11.2	13.2
3491336	24ABB348A51	CNPH*4821A** + TDR		45,500	11.0	13.2
3491386	24ABB348A51	CNPH*6024A**	58CV(A,X)090-16	46,000	11.7	14.0
3491387	24ABB348A51	CNPH*6024A**	58CV(A,X)110-20	46,000	12.0	14.0
3491388	24ABB348A51	CNPH*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3491389	24ABB348A51	CNPH*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3491390	24ABB348A51	CNPH*6024A**	58PH*090-16	46,000	11.7	14.0
3491391	24ABB348A51	CNPH*6024A**	58PH*110-20	46,000	12.0	14.0
3491392	24ABB348A51	CNPH*6024A**	58PH*135-20	46,000	12.0	14.0
4140392	24ABB348A51	CNPH*6024A**	58VLR120-20	46,000	11.7	14.0
4140391	24ABB348A51	CNPH*6024A**	58VMR120-20	46,000	11.5	14.0
5154181	24ABB348A51	CNPH*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154182	24ABB348A51	CNPH*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816469	24ABB348A51	CNPH*6024A**	59*N*A120V24**22	45,500	11.8	14.2
4816470	24ABB348A51	CNPH*6024A**	59*P5A080E17**16	45,500	11.4	13.7
5154183	24ABB348A51	CNPH*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154184	24ABB348A51	CNPH*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816472	24ABB348A51	CNPH*6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154180	24ABB348A51	CNPH*6024A**	59MN7A060V21**20	45,500	11.7	13.7
4140375	24ABB348A51	CNPH*6024A**	OVLAAB048112	46,000	11.2	13.2
4140376	24ABB348A51	CNPH*6024A**	OVLAAB060154	46,500	11.5	13.5
3491337	24ABB348A51	CNPH*6024A** + TDR		46,500	11.2	13.2
3872911	24ABB348A51	CNPH*6124A**	58CV(A,X)090-16	46,000	11.5	14.0
3872912	24ABB348A51	CNPH*6124A**	58CV(A,X)110-20	46,500	11.5	14.0
3872913	24ABB348A51	CNPH*6124A**	58CV(A,X)135-22	46,500	11.0	13.5
3872914	24ABB348A51	CNPH*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3872915	24ABB348A51	CNPH*6124A**	58PH*070-16	46,000	11.0	13.0
3872916	24ABB348A51	CNPH*6124A**	58PH*090-16	46,500	11.5	14.0
3872917	24ABB348A51	CNPH*6124A**	58PH*110-20	46,500	11.5	14.0
3872918	24ABB348A51	CNPH*6124A**	58PH*135-20	46,500	11.5	14.0
4140394	24ABB348A51	CNPH*6124A**	58VLR120-20	46,000	11.7	14.0
4140393	24ABB348A51	CNPH*6124A**	58VMR120-20	46,000	11.5	14.0
5154186	24ABB348A51	CNPH*6124A**	59*N*A080V21**20	46,000	11.7	14.0
5154187	24ABB348A51	CNPH*6124A**	59*N*A100V21**22	46,000	12.0	14.5
4816474	24ABB348A51	CNPH*6124A**	59*N*A120V24**22	46,000	11.8	14.2
4816475	24ABB348A51	CNPH*6124A**	59*P5A080E17**16	46,000	11.4	13.7
5154188	24ABB348A51	CNPH*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5154189	24ABB348A51	CNPH*6124A**	59*P5A100E21**20	46,500	11.7	14.0
4816477	24ABB348A51	CNPH*6124A**	59*P5A120E24**22	46,500	11.8	14.2
5154185	24ABB348A51	CNPH*6124A**	59MN7A060V21**20	45,500	11.5	13.7
4140377	24ABB348A51	CNPH*6124A**	OVLAAB048112	46,000	11.2	13.2
4140378	24ABB348A51	CNPH*6124A**	OVLAAB060154	46,500	11.5	13.5
3872900	24ABB348A51	CNPH*6124A** + TDR		46,000	11.0	13.0
3491362	24ABB348A51	CNPV*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3491363	24ABB348A51	CNPV*4821A**	58PH*090-16	45,000	11.7	13.5
3491364	24ABB348A51	CNPV*4821A**	58PH*110-20	45,000	11.7	14.0
4140388	24ABB348A51	CNPV*4821A**	58VLR120-20	45,000	11.5	13.5
4140387	24ABB348A51	CNPV*4821A**	58VMR120-20	45,000	11.5	13.5
5154156	24ABB348A51	CNPV*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5154157	24ABB348A51	CNPV*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4816449	24ABB348A51	CNPV*4821A**	59*P5A080E17**16	45,000	11.0	13.3
5154158	24ABB348A51	CNPV*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5154159	24ABB348A51	CNPV*4821A**	59*P5A100E21**20	45,500	11.5	13.7
5154155	24ABB348A51	CNPV*4821A**	59MN7A060V21**20	44,500	11.5	13.5
4140356	24ABB348A51	CNPV*4821A**	OVLAAB048112	45,000	11.0	13.2
3491333	24ABB348A51	CNPV*4821A** + TDR		45,500	11.0	13.2
3491366	24ABB348A51	CNPV*4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3491367	24ABB348A51	CNPV*4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3491368	24ABB348A51	CNPV*4824A**	58PH*135-20	45,500	11.7	13.5
5154161	24ABB348A51	CNPV*4824A**	59*N*A080V21**20	45,000	11.5	14.0
5154162	24ABB348A51	CNPV*4824A**	59*N*A100V21**22	45,000	11.7	14.0
4816452	24ABB348A51	CNPV*4824A**	59*N*A120V24**22	45,000	11.8	14.2
5154163	24ABB348A51	CNPV*4824A**	59*P5A080E21**20	45,500	11.5	13.7
5154164	24ABB348A51	CNPV*4824A**	59*P5A100E21**20	45,500	11.5	13.7
4816454	24ABB348A51	CNPV*4824A**	59*P5A120E24**22	45,500	11.5	14.0
5154160	24ABB348A51	CNPV*4824A**	59MN7A060V21**20	44,500	11.3	13.5
4140359	24ABB348A51	CNPV*4824A**	OVLAAB048112	45,000	11.0	13.2
4140360	24ABB348A51	CNPV*4824A**	OVLAAB060154	46,000	11.2	13.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491334	24ABB348A51	CNPV*4824A**+TDR		45,500	11.0	13.2
3491370	24ABB348A51	CNPV*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3491371	24ABB348A51	CNPV*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3491372	24ABB348A51	CNPV*6024A**	58PH*135-20	46,000	12.0	14.0
5154166	24ABB348A51	CNPV*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154167	24ABB348A51	CNPV*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816456	24ABB348A51	CNPV*6024A**	59*N*A120V24**22	45,500	11.8	14.2
5154168	24ABB348A51	CNPV*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154169	24ABB348A51	CNPV*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816458	24ABB348A51	CNPV*6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154165	24ABB348A51	CNPV*6024A**	59MN7A060V21**20	45,500	11.5	13.7
4140363	24ABB348A51	CNPV*6024A**	OVLAAB048112	46,000	11.2	13.2
4140364	24ABB348A51	CNPV*6024A**	OVLAAB060154	46,500	11.5	13.5
3491335	24ABB348A51	CNPV*6024A**+TDR		46,500	11.2	13.2
3872904	24ABB348A51	CNPV*6124A**	58CV(A,X)135-22	46,500	12.0	14.5
3872905	24ABB348A51	CNPV*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3872906	24ABB348A51	CNPV*6124A**	58PH*135-20	46,500	11.5	14.0
5154171	24ABB348A51	CNPV*6124A**	59*N*A080V21**20	46,000	12.0	14.5
5154172	24ABB348A51	CNPV*6124A**	59*N*A100V21**22	46,500	12.0	14.5
4816460	24ABB348A51	CNPV*6124A**	59*N*A120V24**22	46,000	12.0	14.5
5154173	24ABB348A51	CNPV*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5154174	24ABB348A51	CNPV*6124A**	59*P5A100E21**20	46,500	12.0	14.5
4816462	24ABB348A51	CNPV*6124A**	59*P5A120E24**22	47,000	12.0	14.5
5154170	24ABB348A51	CNPV*6124A**	59MN7A060V21**20	46,000	11.7	14.0
4140367	24ABB348A51	CNPV*6124A**	OVLAAB048112	46,000	11.2	13.5
4140368	24ABB348A51	CNPV*6124A**	OVLAAB060154	47,000	11.7	13.5
3872899	24ABB348A51	CNPV*6124A**+TDR		46,500	11.0	13.0
3491396	24ABB348A51	CSPH*4812A**	58CV(A,X)090-16	45,500	11.7	13.5
3491397	24ABB348A51	CSPH*4812A**	58CV(A,X)110-20	45,000	11.7	13.5
3491398	24ABB348A51	CSPH*4812A**	58CV(A,X)135-22	45,000	11.7	14.0
3491399	24ABB348A51	CSPH*4812A**	58CV(A,X)155-22	45,000	12.0	14.0
3491400	24ABB348A51	CSPH*4812A**	58PH*090-16	45,000	11.7	13.5
3491401	24ABB348A51	CSPH*4812A**	58PH*110-20	45,000	11.7	14.0
3491402	24ABB348A51	CSPH*4812A**	58PH*135-20	45,500	11.7	13.5
4140396	24ABB348A51	CSPH*4812A**	58VLR120-20	45,500	11.5	13.5
4140395	24ABB348A51	CSPH*4812A**	58VMR120-20	45,500	11.5	13.5
5154191	24ABB348A51	CSPH*4812A**	59*N*A080V21**20	45,000	11.5	14.0
5154192	24ABB348A51	CSPH*4812A**	59*N*A100V21**22	45,500	11.7	14.0
4816479	24ABB348A51	CSPH*4812A**	59*N*A120V24**22	45,000	11.5	14.0
4816480	24ABB348A51	CSPH*4812A**	59*P5A080E17**16	45,000	11.2	13.5
5154193	24ABB348A51	CSPH*4812A**	59*P5A080E21**20	45,500	11.5	13.7
5154194	24ABB348A51	CSPH*4812A**	59*P5A100E21**20	45,500	11.5	13.7
4816482	24ABB348A51	CSPH*4812A**	59*P5A120E24**22	45,500	11.5	14.0
5154190	24ABB348A51	CSPH*4812A**	59MN7A060V21**20	45,000	11.5	13.5
4140379	24ABB348A51	CSPH*4812A**	OVLAAB060154	46,000	11.2	13.2
3491339	24ABB348A51	CSPH*4812A**+TDR		46,000	11.0	13.2
3491406	24ABB348A51	CSPH*6012A**	58CV(A,X)090-16	46,000	12.0	14.0
3491407	24ABB348A51	CSPH*6012A**	58CV(A,X)110-20	46,000	12.0	14.0
3491408	24ABB348A51	CSPH*6012A**	58CV(A,X)135-22	46,000	12.0	14.0
3491409	24ABB348A51	CSPH*6012A**	58CV(A,X)155-22	46,000	12.2	14.5
3491410	24ABB348A51	CSPH*6012A**	58PH*090-16	46,000	12.0	14.0
3491411	24ABB348A51	CSPH*6012A**	58PH*110-20	46,000	12.0	14.0
3491412	24ABB348A51	CSPH*6012A**	58PH*135-20	46,000	12.0	14.0
4140398	24ABB348A51	CSPH*6012A**	58VLR120-20	46,000	11.7	14.0
4140397	24ABB348A51	CSPH*6012A**	58VMR120-20	46,000	11.7	14.0
5154196	24ABB348A51	CSPH*6012A**	59*N*A080V21**20	46,000	12.0	14.5
5154197	24ABB348A51	CSPH*6012A**	59*N*A100V21**22	46,000	12.0	14.5
4816484	24ABB348A51	CSPH*6012A**	59*N*A120V24**22	46,000	12.0	14.5
4816485	24ABB348A51	CSPH*6012A**	59*P5A080E17**16	46,000	11.4	13.7
5154198	24ABB348A51	CSPH*6012A**	59*P5A080E21**20	46,500	11.7	14.0
5154199	24ABB348A51	CSPH*6012A**	59*P5A100E21**20	46,500	11.7	14.0
4816487	24ABB348A51	CSPH*6012A**	59*P5A120E24**22	46,500	11.8	14.2
5154195	24ABB348A51	CSPH*6012A**	59MN7A060V21**20	45,500	11.7	13.7
4140380	24ABB348A51	CSPH*6012A**	OVLAAB048112	46,000	11.2	13.5
4140381	24ABB348A51	CSPH*6012A**	OVLAAB060154	46,500	11.5	13.5
3491340	24ABB348A51	CSPH*6012A**+TDR		46,500	11.2	13.2
3834868	24ABB348A51	FB4CNF048		44,500	11.0	13.0
3834869	24ABB348A51	FB4CNF060		45,500	11.5	13.5
3491417	24ABB348A51	FE4AN(B,F)005+UI		46,000	12.0	14.0
3491418	24ABB348A51	FE4ANB006+UI		46,500	12.2	14.5
3491441	24ABB348A51	FV4CN(B,F)005		46,000	12.0	14.0
3491442	24ABB348A51	FV4CNB006		46,500	12.2	14.5
3872930	24ABB348A51	FX4DN(B,F)049		46,500	12.0	14.5
3872931	24ABB348A51	FX4DN(B,F)061		47,000	12.0	14.5
3872933	24ABB348A51	FY5BNB060		46,000	11.0	13.0
3872932	24ABB348A51	FY5BNF048		45,500	11.0	13.0
3491758	24ABB348A61	†CAP**4821A**+TDR		46,000	11.0	13.2
3491771	24ABB348A61	CAP**4817A**	58CV(A,X)090-16	45,000	11.5	13.5
4816488	24ABB348A61	CAP**4817A**	59*P5A080E17**16	45,000	11.2	13.5
3491759	24ABB348A61	CAP**4817A**+TDR		45,000	11.0	13.2

See notes on page 61

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491774	24ABB348A61	CAP**4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3491775	24ABB348A61	CAP**4821A**	58PH*090-16	45,000	11.7	13.5
3491776	24ABB348A61	CAP**4821A**	58PH*110-20	45,000	11.7	14.0
4140681	24ABB348A61	CAP**4821A**	58VLR120-20	45,000	11.5	13.5
4140680	24ABB348A61	CAP**4821A**	58VMR120-20	45,000	11.2	13.5
5154201	24ABB348A61	CAP**4821A**	59*N*A080V21**20	44,500	11.5	13.7
5154202	24ABB348A61	CAP**4821A**	59*N*A100V21**22	45,000	11.5	13.7
4816490	24ABB348A61	CAP**4821A**	59*P5A080E17**16	44,500	11.0	13.3
5154203	24ABB348A61	CAP**4821A**	59*P5A080E21**20	45,000	11.3	13.7
5154204	24ABB348A61	CAP**4821A**	59*P5A100E21**20	45,000	11.5	13.7
5154200	24ABB348A61	CAP**4821A**	59MN7A060V21**20	44,500	11.3	13.5
5154221	24ABB348A61	CAP**4823A**	59*N*A080V21**20	44,500	11.5	13.7
5154222	24ABB348A61	CAP**4823A**	59*N*A100V21**22	45,000	11.5	13.7
4816504	24ABB348A61	CAP**4823A**	59*N*A120V24**22	44,500	11.5	14.0
5154223	24ABB348A61	CAP**4823A**	59*P5A080E21**20	45,000	11.3	13.7
5154224	24ABB348A61	CAP**4823A**	59*P5A100E21**20	45,000	11.5	13.7
4816506	24ABB348A61	CAP**4823A**	59*P5A120E24**22	45,000	11.4	13.7
5154220	24ABB348A61	CAP**4823A**	59MN7A060V21**20	44,500	11.3	13.5
3872934	24ABB348A61	CAP**4823A**+TDR		46,000	11.0	13.2
3491778	24ABB348A61	CAP**4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3491779	24ABB348A61	CAP**4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3491780	24ABB348A61	CAP**4824A**	58PH*135-20	45,500	11.7	13.5
5154206	24ABB348A61	CAP**4824A**	59*N*A080V21**20	44,500	11.5	13.7
5154207	24ABB348A61	CAP**4824A**	59*N*A100V21**22	45,000	11.5	14.0
4816493	24ABB348A61	CAP**4824A**	59*N*A120V24**22	45,000	11.5	14.0
5154208	24ABB348A61	CAP**4824A**	59*P5A080E21**20	45,000	11.5	13.7
5154209	24ABB348A61	CAP**4824A**	59*P5A100E21**20	45,000	11.5	13.7
4816495	24ABB348A61	CAP**4824A**	59*P5A120E24**22	45,000	11.5	14.0
5154205	24ABB348A61	CAP**4824A**	59MN7A060V21**20	44,500	11.3	13.5
3491760	24ABB348A61	CAP**4824A**+TDR		45,500	11.0	13.2
3491783	24ABB348A61	CAP**6021A**	58CV(A,X)110-20	46,000	12.0	14.0
3491784	24ABB348A61	CAP**6021A**	58PH*090-16	46,000	12.0	14.0
3491785	24ABB348A61	CAP**6021A**	58PH*110-20	46,000	12.0	14.0
4140683	24ABB348A61	CAP**6021A**	58VLR120-20	46,000	11.7	14.0
4140682	24ABB348A61	CAP**6021A**	58VMR120-20	46,000	11.5	13.5
5154211	24ABB348A61	CAP**6021A**	59*N*A080V21**20	45,500	11.7	14.0
5154212	24ABB348A61	CAP**6021A**	59*N*A100V21**22	46,000	11.7	14.0
4816497	24ABB348A61	CAP**6021A**	59*P5A080E17**16	45,500	11.4	13.7
5154213	24ABB348A61	CAP**6021A**	59*P5A080E21**20	46,000	11.7	14.0
5154214	24ABB348A61	CAP**6021A**	59*P5A100E21**20	46,000	11.7	14.0
5154210	24ABB348A61	CAP**6021A**	59MN7A060V21**20	45,500	11.7	13.7
4140684	24ABB348A61	CAP**6021A**	OVLAAB048112	46,000	11.0	13.2
3491761	24ABB348A61	CAP**6021A**+TDR		46,000	11.2	13.2
3491787	24ABB348A61	CAP**6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3491788	24ABB348A61	CAP**6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3491789	24ABB348A61	CAP**6024A**	58PH*135-20	46,000	12.0	14.0
5154216	24ABB348A61	CAP**6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154217	24ABB348A61	CAP**6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816500	24ABB348A61	CAP**6024A**	59*N*A120V24**22	45,500	11.8	14.2
5154218	24ABB348A61	CAP**6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154219	24ABB348A61	CAP**6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816502	24ABB348A61	CAP**6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154215	24ABB348A61	CAP**6024A**	59MN7A060V21**20	45,500	11.5	13.7
3491762	24ABB348A61	CAP**6024A**+TDR		46,500	11.2	13.2
5154226	24ABB348A61	CAP**6025A**	59*N*A080V21**20	45,500	11.7	14.0
5154227	24ABB348A61	CAP**6025A**	59*N*A100V21**22	46,000	12.0	14.5
4816508	24ABB348A61	CAP**6025A**	59*N*A120V24**22	45,500	11.8	14.2
5154228	24ABB348A61	CAP**6025A**	59*P5A080E21**20	46,000	11.7	14.0
5154229	24ABB348A61	CAP**6025A**	59*P5A100E21**20	46,000	11.7	14.0
4816510	24ABB348A61	CAP**6025A**	59*P5A120E24**22	46,000	11.8	14.2
5154225	24ABB348A61	CAP**6025A**	59MN7A060V21**20	45,500	11.5	13.7
3872935	24ABB348A61	CAP**6025A**+TDR		46,000	11.0	13.2
3491806	24ABB348A61	CNPH*4821A**	58CV(A,X)090-16	45,000	11.7	13.5
3491807	24ABB348A61	CNPH*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3491808	24ABB348A61	CNPH*4821A**	58CV(A,X)135-22	45,000	11.7	14.0
3491809	24ABB348A61	CNPH*4821A**	58CV(A,X)155-22	45,500	12.0	14.0
3491810	24ABB348A61	CNPH*4821A**	58PH*090-16	45,000	11.7	13.5
3491811	24ABB348A61	CNPH*4821A**	58PH*110-20	45,000	11.7	14.0
3491812	24ABB348A61	CNPH*4821A**	58PH*135-20	45,500	11.7	13.5
4140688	24ABB348A61	CNPH*4821A**	58VLR120-20	45,000	11.5	13.5
4140687	24ABB348A61	CNPH*4821A**	58VMR120-20	45,000	11.5	13.5
5154251	24ABB348A61	CNPH*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5154252	24ABB348A61	CNPH*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4816527	24ABB348A61	CNPH*4821A**	59*N*A120V24**22	45,000	11.8	14.2
4816528	24ABB348A61	CNPH*4821A**	59*P5A080E17**16	45,000	11.0	13.3
5154253	24ABB348A61	CNPH*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5154254	24ABB348A61	CNPH*4821A**	59*P5A100E21**20	45,500	11.5	13.7
4816530	24ABB348A61	CNPH*4821A**	59*P5A120E24**22	45,500	11.5	14.0
5154250	24ABB348A61	CNPH*4821A**	59MN7A060V21**20	44,500	11.5	13.5
4140669	24ABB348A61	CNPH*4821A**	OVLAAB048112	45,000	11.0	13.2
4140670	24ABB348A61	CNPH*4821A**	OVLAAB060154	46,000	11.2	13.2

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3491766	24ABB348A61	CNPH*4821A**+TDR		45,500	11.0	13.2
3491816	24ABB348A61	CNPH*6024A**	58CV(A,X)090-16	46,000	11.7	14.0
3491817	24ABB348A61	CNPH*6024A**	58CV(A,X)110-20	46,000	12.0	14.0
3491818	24ABB348A61	CNPH*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3491819	24ABB348A61	CNPH*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3491820	24ABB348A61	CNPH*6024A**	58PH*090-16	46,000	11.7	14.0
3491821	24ABB348A61	CNPH*6024A**	58PH*110-20	46,000	12.0	14.0
3491822	24ABB348A61	CNPH*6024A**	58PH*135-20	46,000	12.0	14.0
4140690	24ABB348A61	CNPH*6024A**	58VLR120-20	46,000	11.7	14.0
4140689	24ABB348A61	CNPH*6024A**	58VMR120-20	46,000	11.5	14.0
5154256	24ABB348A61	CNPH*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154257	24ABB348A61	CNPH*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816532	24ABB348A61	CNPH*6024A**	59*N*A120V24**22	45,500	11.8	14.2
4816533	24ABB348A61	CNPH*6024A**	59*P5A080E17**16	45,500	11.4	13.7
5154258	24ABB348A61	CNPH*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154259	24ABB348A61	CNPH*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816535	24ABB348A61	CNPH*6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154255	24ABB348A61	CNPH*6024A**	59MN7A060V21**20	45,500	11.7	13.7
4140673	24ABB348A61	CNPH*6024A**	OVLAAB048112	46,000	11.2	13.2
4140674	24ABB348A61	CNPH*6024A**	OVLAAB060154	46,500	11.5	13.5
3491767	24ABB348A61	CNPH*6024A**+TDR		46,500	11.2	13.2
3872948	24ABB348A61	CNPH*6124A**	58CV(A,X)090-16	46,000	11.5	14.0
3872949	24ABB348A61	CNPH*6124A**	58CV(A,X)110-20	46,500	11.5	14.0
3872950	24ABB348A61	CNPH*6124A**	58CV(A,X)135-22	46,500	11.0	13.5
3872951	24ABB348A61	CNPH*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3872952	24ABB348A61	CNPH*6124A**	58PH*070-16	46,000	11.0	13.0
3872953	24ABB348A61	CNPH*6124A**	58PH*090-16	46,500	11.5	14.0
3872954	24ABB348A61	CNPH*6124A**	58PH*110-20	46,500	11.5	14.0
3872955	24ABB348A61	CNPH*6124A**	58PH*135-20	46,500	11.5	14.0
4140692	24ABB348A61	CNPH*6124A**	58VLR120-20	46,000	11.7	14.0
4140691	24ABB348A61	CNPH*6124A**	58VMR120-20	46,000	11.5	14.0
5154261	24ABB348A61	CNPH*6124A**	59*N*A080V21**20	46,000	11.7	14.0
5154262	24ABB348A61	CNPH*6124A**	59*N*A100V21**22	46,000	12.0	14.5
4816537	24ABB348A61	CNPH*6124A**	59*N*A120V24**22	46,000	11.8	14.2
4816538	24ABB348A61	CNPH*6124A**	59*P5A080E17**16	46,000	11.4	13.7
5154263	24ABB348A61	CNPH*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5154264	24ABB348A61	CNPH*6124A**	59*P5A100E21**20	46,500	11.7	14.0
4816540	24ABB348A61	CNPH*6124A**	59*P5A120E24**22	46,500	11.8	14.2
5154260	24ABB348A61	CNPH*6124A**	59MN7A060V21**20	45,500	11.5	13.7
4140675	24ABB348A61	CNPH*6124A**	OVLAAB048112	46,000	11.2	13.2
4140676	24ABB348A61	CNPH*6124A**	OVLAAB060154	46,500	11.5	13.5
3872937	24ABB348A61	CNPH*6124A**+TDR		46,000	11.0	13.0
3491792	24ABB348A61	CNPV*4821A**	58CV(A,X)110-20	45,000	11.7	13.5
3491793	24ABB348A61	CNPV*4821A**	58PH*090-16	45,000	11.7	13.5
3491794	24ABB348A61	CNPV*4821A**	58PH*110-20	45,000	11.7	14.0
4140686	24ABB348A61	CNPV*4821A**	58VLR120-20	45,000	11.5	13.5
4140685	24ABB348A61	CNPV*4821A**	58VMR120-20	45,000	11.5	13.5
5154231	24ABB348A61	CNPV*4821A**	59*N*A080V21**20	45,000	11.5	14.0
5154232	24ABB348A61	CNPV*4821A**	59*N*A100V21**22	45,000	11.7	14.0
4816512	24ABB348A61	CNPV*4821A**	59*P5A080E17**16	45,000	11.0	13.3
5154233	24ABB348A61	CNPV*4821A**	59*P5A080E21**20	45,500	11.5	13.7
5154234	24ABB348A61	CNPV*4821A**	59*P5A100E21**20	45,500	11.5	13.7
5154230	24ABB348A61	CNPV*4821A**	59MN7A060V21**20	44,500	11.5	13.5
4140654	24ABB348A61	CNPV*4821A**	OVLAAB048112	45,000	11.0	13.2
3491763	24ABB348A61	CNPV*4821A**+TDR		45,500	11.0	13.2
3491796	24ABB348A61	CNPV*4824A**	58CV(A,X)135-22	45,000	11.7	14.0
3491797	24ABB348A61	CNPV*4824A**	58CV(A,X)155-22	45,000	12.0	14.0
3491798	24ABB348A61	CNPV*4824A**	58PH*135-20	45,500	11.7	13.5
5154236	24ABB348A61	CNPV*4824A**	59*N*A080V21**20	45,000	11.5	14.0
5154237	24ABB348A61	CNPV*4824A**	59*N*A100V21**22	45,000	11.7	14.0
4816515	24ABB348A61	CNPV*4824A**	59*N*A120V24**22	45,000	11.8	14.2
5154238	24ABB348A61	CNPV*4824A**	59*P5A080E21**20	45,500	11.5	13.7
5154239	24ABB348A61	CNPV*4824A**	59*P5A100E21**20	45,500	11.5	13.7
4816517	24ABB348A61	CNPV*4824A**	59*P5A120E24**22	45,500	11.5	14.0
5154235	24ABB348A61	CNPV*4824A**	59MN7A060V21**20	44,500	11.3	13.5
4140657	24ABB348A61	CNPV*4824A**	OVLAAB048112	45,000	11.0	13.2
4140658	24ABB348A61	CNPV*4824A**	OVLAAB060154	46,000	11.2	13.2
3491764	24ABB348A61	CNPV*4824A**+TDR		45,500	11.0	13.2
3491800	24ABB348A61	CNPV*6024A**	58CV(A,X)135-22	46,000	12.0	14.0
3491801	24ABB348A61	CNPV*6024A**	58CV(A,X)155-22	46,000	12.2	14.5
3491802	24ABB348A61	CNPV*6024A**	58PH*135-20	46,000	12.0	14.0
5154241	24ABB348A61	CNPV*6024A**	59*N*A080V21**20	45,500	11.7	14.0
5154242	24ABB348A61	CNPV*6024A**	59*N*A100V21**22	46,000	12.0	14.5
4816519	24ABB348A61	CNPV*6024A**	59*N*A120V24**22	45,500	11.8	14.2
5154243	24ABB348A61	CNPV*6024A**	59*P5A080E21**20	46,000	11.7	14.0
5154244	24ABB348A61	CNPV*6024A**	59*P5A100E21**20	46,000	11.7	14.0
4816521	24ABB348A61	CNPV*6024A**	59*P5A120E24**22	46,000	11.8	14.2
5154240	24ABB348A61	CNPV*6024A**	59MN7A060V21**20	45,500	11.5	13.7
4140661	24ABB348A61	CNPV*6024A**	OVLAAB048112	46,000	11.2	13.2
4140662	24ABB348A61	CNPV*6024A**	OVLAAB060154	46,500	11.5	13.5
3491765	24ABB348A61	CNPV*6024A**+TDR		46,500	11.2	13.2

See notes on page 61

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

24ABB3

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3872941	24ABB348A61	CNPV*6124A**	58CV(A,X)135-22	46,500	12.0	14.5
3872942	24ABB348A61	CNPV*6124A**	58CV(A,X)155-22	46,500	12.0	14.5
3872943	24ABB348A61	CNPV*6124A**	58PH*135-20	46,500	11.5	14.0
5154246	24ABB348A61	CNPV*6124A**	59*N*A080V21**20	46,000	12.0	14.5
5154247	24ABB348A61	CNPV*6124A**	59*N*A100V21**22	46,500	12.0	14.5
4816523	24ABB348A61	CNPV*6124A**	59*N*A120V24**22	46,000	12.0	14.5
5154248	24ABB348A61	CNPV*6124A**	59*P5A080E21**20	46,500	11.7	14.0
5154249	24ABB348A61	CNPV*6124A**	59*P5A100E21**20	46,500	12.0	14.5
4816525	24ABB348A61	CNPV*6124A**	59*P5A120E24**22	47,000	12.0	14.5
5154245	24ABB348A61	CNPV*6124A**	59MN7A060V21**20	46,000	11.7	14.0
4140665	24ABB348A61	CNPV*6124A**	OVLAAB048112	46,000	11.2	13.5
4140666	24ABB348A61	CNPV*6124A**	OVLAAB060154	47,000	11.7	13.5
3872936	24ABB348A61	CNPV*6124A**+TDR		46,500	11.0	13.0
3491826	24ABB348A61	CSPH*4812A**	58CV(A,X)090-16	45,500	11.7	13.5
3491827	24ABB348A61	CSPH*4812A**	58CV(A,X)110-20	45,000	11.7	13.5
3491828	24ABB348A61	CSPH*4812A**	58CV(A,X)135-22	45,000	11.7	14.0
3491829	24ABB348A61	CSPH*4812A**	58CV(A,X)155-22	45,000	12.0	14.0
3491830	24ABB348A61	CSPH*4812A**	58PH*090-16	45,000	11.7	13.5
3491831	24ABB348A61	CSPH*4812A**	58PH*110-20	45,000	11.7	14.0
3491832	24ABB348A61	CSPH*4812A**	58PH*135-20	45,500	11.7	13.5
4140694	24ABB348A61	CSPH*4812A**	58VLR120-20	45,500	11.5	13.5
4140693	24ABB348A61	CSPH*4812A**	58VMR120-20	45,500	11.5	13.5
5154266	24ABB348A61	CSPH*4812A**	59*N*A080V21**20	45,000	11.5	14.0
5154267	24ABB348A61	CSPH*4812A**	59*N*A100V21**22	45,500	11.7	14.0
4816542	24ABB348A61	CSPH*4812A**	59*N*A120V24**22	45,000	11.5	14.0
4816543	24ABB348A61	CSPH*4812A**	59*P5A080E17**16	45,000	11.2	13.5
5154268	24ABB348A61	CSPH*4812A**	59*P5A080E21**20	45,500	11.5	13.7
5154269	24ABB348A61	CSPH*4812A**	59*P5A100E21**20	45,500	11.5	13.7
4816545	24ABB348A61	CSPH*4812A**	59*P5A120E24**22	45,500	11.5	14.0
5154265	24ABB348A61	CSPH*4812A**	59MN7A060V21**20	45,000	11.5	13.5
4140677	24ABB348A61	CSPH*4812A**	OVLAAB060154	46,000	11.2	13.2
3491769	24ABB348A61	CSPH*4812A**+TDR		46,000	11.0	13.2
3491836	24ABB348A61	CSPH*6012A**	58CV(A,X)090-16	46,000	12.0	14.0
3491837	24ABB348A61	CSPH*6012A**	58CV(A,X)110-20	46,000	12.0	14.0
3491838	24ABB348A61	CSPH*6012A**	58CV(A,X)135-22	46,000	12.0	14.0
3491839	24ABB348A61	CSPH*6012A**	58CV(A,X)155-22	46,000	12.2	14.5
3491840	24ABB348A61	CSPH*6012A**	58PH*090-16	46,000	12.0	14.0
3491841	24ABB348A61	CSPH*6012A**	58PH*110-20	46,000	12.0	14.0
3491842	24ABB348A61	CSPH*6012A**	58PH*135-20	46,000	12.0	14.0
4140696	24ABB348A61	CSPH*6012A**	58VLR120-20	46,000	11.7	14.0
4140695	24ABB348A61	CSPH*6012A**	58VMR120-20	46,000	11.7	14.0
5154271	24ABB348A61	CSPH*6012A**	59*N*A080V21**20	46,000	12.0	14.5
5154272	24ABB348A61	CSPH*6012A**	59*N*A100V21**22	46,000	12.0	14.5
4816547	24ABB348A61	CSPH*6012A**	59*N*A120V24**22	46,000	12.0	14.5
4816548	24ABB348A61	CSPH*6012A**	59*P5A080E17**16	46,000	11.4	13.7
5154273	24ABB348A61	CSPH*6012A**	59*P5A080E21**20	46,500	11.7	14.0
5154274	24ABB348A61	CSPH*6012A**	59*P5A100E21**20	46,500	11.7	14.0
4816550	24ABB348A61	CSPH*6012A**	59*P5A120E24**22	46,500	11.8	14.2
5154270	24ABB348A61	CSPH*6012A**	59MN7A060V21**20	45,500	11.7	13.7
4140678	24ABB348A61	CSPH*6012A**	OVLAAB048112	46,000	11.2	13.5
4140679	24ABB348A61	CSPH*6012A**	OVLAAB060154	46,500	11.5	13.5
3491770	24ABB348A61	CSPH*6012A**+TDR		46,500	11.2	13.2
3834882	24ABB348A61	FB4CNF048		44,500	11.0	13.0
3834883	24ABB348A61	FB4CNF060		45,500	11.5	13.5
3491848	24ABB348A61	FE4AN(B,F)005+UI		46,000	12.0	14.0
3491849	24ABB348A61	FE4ANB006+UI		46,500	12.2	14.5
3491872	24ABB348A61	FV4CN(B,F)005		46,000	12.0	14.0
3491873	24ABB348A61	FV4CNB006		46,500	12.2	14.5
3872967	24ABB348A61	FX4DN(B,F)049		46,500	12.0	14.5
3872968	24ABB348A61	FX4DN(B,F)061		47,000	12.0	14.5
3872970	24ABB348A61	FY5BNB060		46,000	11.0	13.0
3872969	24ABB348A61	FY5BNF048		45,500	11.0	13.0
3285396	24ABB360(A,W)32	†CAP**6024A**+TDR		57,500	11.0	13.0
3285405	24ABB360(A,W)32	CAP**6021A**	58PH*110-20	56,500	11.2	13.2
5097086	24ABB360(A,W)32	CAP**6021A**	59*N*A100V21**22	56,500	11.0	13.0
3285404	24ABB360(A,W)32	CAP**6021A**+TDR		56,500	11.0	13.0
3285406	24ABB360(A,W)32	CAP**6024A**	58CV(A,X)135-22	56,500	11.0	13.2
3285407	24ABB360(A,W)32	CAP**6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5097087	24ABB360(A,W)32	CAP**6024A**	59*N*A100V21**22	56,500	11.0	13.0
4741618	24ABB360(A,W)32	CAP**6024A**	59*N*A120V24**22	56,500	11.0	13.0
4741619	24ABB360(A,W)32	CAP**6024A**	59*P5A120E24**22	56,500	11.0	13.0
5097088	24ABB360(A,W)32	CAP**6025A**	59*N*A100V21**22	56,500	11.0	13.0
4741620	24ABB360(A,W)32	CAP**6025A**	59*N*A120V24**22	56,500	11.0	13.0
4741621	24ABB360(A,W)32	CAP**6025A**	59*P5A120E24**22	56,500	11.0	13.0
3674848	24ABB360(A,W)32	CAP**6025A**+TDR		57,500	11.0	13.0
3285412	24ABB360(A,W)32	CNPH*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3285413	24ABB360(A,W)32	CNPH*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
3285414	24ABB360(A,W)32	CNPH*6024A**	58PH*110-20	56,500	11.2	13.2
5097094	24ABB360(A,W)32	CNPH*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4741627	24ABB360(A,W)32	CNPH*6024A**	59*N*A120V24**22	56,500	11.0	13.0

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
4741628	24ABB360(A,W)32	CNPH*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3285411	24ABB360(A,W)32	CNPH*6024A**+TDR		57,000	11.0	13.0
3674856	24ABB360(A,W)32	CNPH*6124A**	58CV(A,X)110-20	57,000	11.0	13.0
3674857	24ABB360(A,W)32	CNPH*6124A**	58CV(A,X)135-22	57,000	11.0	13.2
3674858	24ABB360(A,W)32	CNPH*6124A**	58CV(A,X)155-22	57,500	11.0	13.2
3674859	24ABB360(A,W)32	CNPH*6124A**	58PH*110-20	57,000	11.0	13.2
3674860	24ABB360(A,W)32	CNPH*6124A**	58PH*135-20	57,000	11.0	13.2
5097095	24ABB360(A,W)32	CNPH*6124A**	59*N*A100V21**22	57,000	11.0	13.0
4741629	24ABB360(A,W)32	CNPH*6124A**	59*N*A120V24**22	56,500	11.0	13.0
4741630	24ABB360(A,W)32	CNPH*6124A**	59*P5A120E24**22	56,500	11.0	13.0
3674855	24ABB360(A,W)32	CNPH*6124A**+TDR		57,500	11.0	13.0
3285409	24ABB360(A,W)32	CNPV*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3285410	24ABB360(A,W)32	CNPV*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5097089	24ABB360(A,W)32	CNPV*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4741622	24ABB360(A,W)32	CNPV*6024A**	59*N*A120V24**22	56,500	11.0	13.0
4741623	24ABB360(A,W)32	CNPV*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3285408	24ABB360(A,W)32	CNPV*6024A**+TDR		57,000	11.0	13.0
3674851	24ABB360(A,W)32	CNPV*6124A**	58CV(A,X)135-22	57,500	11.0	13.5
3674852	24ABB360(A,W)32	CNPV*6124A**	58CV(A,X)155-22	57,500	11.0	13.5
3674853	24ABB360(A,W)32	CNPV*6124A**	58PH*135-20	57,500	11.0	13.5
5097090	24ABB360(A,W)32	CNPV*6124A**	59*N*A080V21**20	57,000	11.0	13.0
5097091	24ABB360(A,W)32	CNPV*6124A**	59*N*A100V21**22	57,500	11.2	13.2
4741625	24ABB360(A,W)32	CNPV*6124A**	59*N*A120V24**22	57,000	11.0	13.3
5097092	24ABB360(A,W)32	CNPV*6124A**	59*P5A080E21**20	57,000	11.0	13.0
5097093	24ABB360(A,W)32	CNPV*6124A**	59*P5A100E21**20	57,500	11.0	13.0
4741626	24ABB360(A,W)32	CNPV*6124A**	59*P5A120E24**22	57,000	11.0	13.3
3674849	24ABB360(A,W)32	CNPV*6124A**+TDR		57,500	11.0	13.0
3285416	24ABB360(A,W)32	CSPH*6012A**	58CV(A,X)135-22	56,500	11.2	13.2
3285417	24ABB360(A,W)32	CSPH*6012A**	58CV(A,X)155-22	56,500	11.2	13.2
3285418	24ABB360(A,W)32	CSPH*6012A**	58PH*110-20	56,500	11.2	13.2
3285419	24ABB360(A,W)32	CSPH*6012A**	58PH*135-20	56,500	11.2	13.2
5097096	24ABB360(A,W)32	CSPH*6012A**	59*N*A080V21**20	56,500	11.0	13.0
5097097	24ABB360(A,W)32	CSPH*6012A**	59*N*A100V21**22	57,000	11.0	13.0
4741631	24ABB360(A,W)32	CSPH*6012A**	59*N*A120V24**22	56,500	11.0	13.3
5097098	24ABB360(A,W)32	CSPH*6012A**	59*P5A080E21**20	56,500	11.0	13.0
4741632	24ABB360(A,W)32	CSPH*6012A**	59*P5A120E24**22	57,000	11.0	13.3
3285415	24ABB360(A,W)32	CSPH*6012A**+TDR		57,500	11.0	13.0
3864113	24ABB360(A,W)32	FB4CNF060		55,500	11.0	13.0
3285421	24ABB360(A,W)32	FE4ANB006+UI		57,500	11.5	13.5
3404614	24ABB360(A,W)32	FV4CNB006		57,500	11.5	13.5
3752036	24ABB360(A,W)32	FX4DN(B,F)061		57,500	11.0	13.5
3543155	24ABB360A12	†CAP**6024A**+TDR		57,500	11.0	13.0
3543165	24ABB360A12	CAP**6021A**	58PH*110-20	56,500	11.2	13.2
5154275	24ABB360A12	CAP**6021A**	59*N*A100V21**22	56,500	11.0	13.0
3550510	24ABB360A12	CAP**6021A**+TDR		56,500	11.0	13.0
3543166	24ABB360A12	CAP**6024A**	58CV(A,X)135-22	56,500	11.0	13.2
3543167	24ABB360A12	CAP**6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5154276	24ABB360A12	CAP**6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816551	24ABB360A12	CAP**6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816552	24ABB360A12	CAP**6024A**	59*P5A120E24**22	56,500	11.0	13.0
5154277	24ABB360A12	CAP**6025A**	59*N*A100V21**22	56,500	11.0	13.0
4816553	24ABB360A12	CAP**6025A**	59*N*A120V24**22	56,500	11.0	13.0
4816554	24ABB360A12	CAP**6025A**	59*P5A120E24**22	56,500	11.0	13.0
3873214	24ABB360A12	CAP**6025A**+TDR		57,500	11.0	13.0
3543170	24ABB360A12	CNPH*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3543171	24ABB360A12	CNPH*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
3543172	24ABB360A12	CNPH*6024A**	58PH*110-20	56,500	11.2	13.2
5154283	24ABB360A12	CNPH*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816560	24ABB360A12	CNPH*6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816561	24ABB360A12	CNPH*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3550512	24ABB360A12	CNPH*6024A**+TDR		57,000	11.0	13.0
3873223	24ABB360A12	CNPH*6124A**	58CV(A,X)110-20	57,000	11.0	13.0
3873224	24ABB360A12	CNPH*6124A**	58CV(A,X)135-22	57,000	11.0	13.2
3873225	24ABB360A12	CNPH*6124A**	58CV(A,X)155-22	57,500	11.0	13.2
3873226	24ABB360A12	CNPH*6124A**	58PH*110-20	57,000	11.0	13.2
3873227	24ABB360A12	CNPH*6124A**	58PH*135-20	57,000	11.0	13.2
5154284	24ABB360A12	CNPH*6124A**	59*N*A100V21**22	57,000	11.0	13.0
4816562	24ABB360A12	CNPH*6124A**	59*N*A120V24**22	56,500	11.0	13.0
4816563	24ABB360A12	CNPH*6124A**	59*P5A120E24**22	56,500	11.0	13.0
3873216	24ABB360A12	CNPH*6124A**+TDR		57,500	11.0	13.0
3543168	24ABB360A12	CNPV*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3543169	24ABB360A12	CNPV*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5154278	24ABB360A12	CNPV*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816555	24ABB360A12	CNPV*6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816556	24ABB360A12	CNPV*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3550511	24ABB360A12	CNPV*6024A**+TDR		57,000	11.0	13.0
3873219	24ABB360A12	CNPV*6124A**	58CV(A,X)135-22	57,500	11.0	13.5
3873220	24ABB360A12	CNPV*6124A**	58CV(A,X)155-22	57,500	11.0	13.5
3873221	24ABB360A12	CNPV*6124A**	58PH*135-20	57,500	11.0	13.5
5154279	24ABB360A12	CNPV*6124A**	59*N*A080V21**20	57,000	11.0	13.0

See notes on page 61

24ABB3

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
5154280	24ABB360A12	CNPV*6124A**	59*N*A100V21**22	57,500	11.2	13.2
4816558	24ABB360A12	CNPV*6124A**	59*N*A120V24**22	57,000	11.0	13.3
5154281	24ABB360A12	CNPV*6124A**	59*P5A080E21**20	57,000	11.0	13.0
5154282	24ABB360A12	CNPV*6124A**	59*P5A100E21**20	57,500	11.0	13.0
4816559	24ABB360A12	CNPV*6124A**	59*P5A120E24**22	57,000	11.0	13.3
3873215	24ABB360A12	CNPV*6124A**+TDR		57,500	11.0	13.0
3543173	24ABB360A12	CSPH*6012A**	58CV(A,X)135-22	56,500	11.2	13.2
3543174	24ABB360A12	CSPH*6012A**	58CV(A,X)155-22	56,500	11.2	13.2
3543175	24ABB360A12	CSPH*6012A**	58PH*110-20	56,500	11.2	13.2
3543176	24ABB360A12	CSPH*6012A**	58PH*135-20	56,500	11.2	13.2
5154285	24ABB360A12	CSPH*6012A**	59*N*A080V21**20	56,500	11.0	13.0
5154286	24ABB360A12	CSPH*6012A**	59*N*A100V21**22	57,000	11.0	13.0
4816564	24ABB360A12	CSPH*6012A**	59*N*A120V24**22	56,500	11.0	13.3
5154287	24ABB360A12	CSPH*6012A**	59*P5A080E21**20	56,500	11.0	13.0
4816565	24ABB360A12	CSPH*6012A**	59*P5A120E24**22	57,000	11.0	13.3
3550513	24ABB360A12	CSPH*6012A**+TDR		57,500	11.0	13.0
3873233	24ABB360A12	FB4CNF060		55,500	11.0	13.0
3543156	24ABB360A12	FE4ANB006+UI		57,500	11.5	13.5
3873217	24ABB360A12	FV4CNB006		57,500	11.5	13.5
3873232	24ABB360A12	FX4DN(B,F)061		57,500	11.0	13.5
3543132	24ABB360A52	†CAP**6024A**+TDR		57,500	11.0	13.0
3543140	24ABB360A52	CAP**6021A**	58PH*110-20	56,500	11.2	13.2
5154288	24ABB360A52	CAP**6021A**	59*N*A100V21**22	56,500	11.0	13.0
3550506	24ABB360A52	CAP**6021A**+TDR		56,500	11.0	13.0
3543141	24ABB360A52	CAP**6024A**	58CV(A,X)135-22	56,500	11.0	13.2
3543142	24ABB360A52	CAP**6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5154289	24ABB360A52	CAP**6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816566	24ABB360A52	CAP**6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816567	24ABB360A52	CAP**6024A**	59*P5A120E24**22	56,500	11.0	13.0
5154290	24ABB360A52	CAP**6025A**	59*N*A100V21**22	56,500	11.0	13.0
4816568	24ABB360A52	CAP**6025A**	59*N*A120V24**22	56,500	11.0	13.0
4816569	24ABB360A52	CAP**6025A**	59*P5A120E24**22	56,500	11.0	13.0
3873174	24ABB360A52	CAP**6025A**+TDR		57,500	11.0	13.0
3543145	24ABB360A52	CNPH*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3543146	24ABB360A52	CNPH*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
3543147	24ABB360A52	CNPH*6024A**	58PH*110-20	56,500	11.2	13.2
5154296	24ABB360A52	CNPH*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816575	24ABB360A52	CNPH*6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816576	24ABB360A52	CNPH*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3550508	24ABB360A52	CNPH*6024A**+TDR		57,000	11.0	13.0
3873183	24ABB360A52	CNPH*6124A**	58CV(A,X)110-20	57,000	11.0	13.0
3873184	24ABB360A52	CNPH*6124A**	58CV(A,X)135-22	57,000	11.0	13.2
3873185	24ABB360A52	CNPH*6124A**	58CV(A,X)155-22	57,500	11.0	13.2
3873186	24ABB360A52	CNPH*6124A**	58PH*110-20	57,000	11.0	13.2
3873187	24ABB360A52	CNPH*6124A**	58PH*135-20	57,000	11.0	13.2
5154297	24ABB360A52	CNPH*6124A**	59*N*A100V21**22	57,000	11.0	13.0
4816577	24ABB360A52	CNPH*6124A**	59*N*A120V24**22	56,500	11.0	13.0
4816578	24ABB360A52	CNPH*6124A**	59*P5A120E24**22	56,500	11.0	13.0
3873176	24ABB360A52	CNPH*6124A**+TDR		57,500	11.0	13.0
3543143	24ABB360A52	CNPV*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3543144	24ABB360A52	CNPV*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5154291	24ABB360A52	CNPV*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816570	24ABB360A52	CNPV*6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816571	24ABB360A52	CNPV*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3550507	24ABB360A52	CNPV*6024A**+TDR		57,000	11.0	13.0
3873179	24ABB360A52	CNPV*6124A**	58CV(A,X)135-22	57,500	11.0	13.5
3873180	24ABB360A52	CNPV*6124A**	58CV(A,X)155-22	57,500	11.0	13.5
3873181	24ABB360A52	CNPV*6124A**	58PH*135-20	57,500	11.0	13.5
5154292	24ABB360A52	CNPV*6124A**	59*N*A080V21**20	57,000	11.0	13.0
5154293	24ABB360A52	CNPV*6124A**	59*N*A100V21**22	57,500	11.2	13.2
4816573	24ABB360A52	CNPV*6124A**	59*N*A120V24**22	57,000	11.0	13.3
5154294	24ABB360A52	CNPV*6124A**	59*P5A080E21**20	57,000	11.0	13.0
5154295	24ABB360A52	CNPV*6124A**	59*P5A100E21**20	57,500	11.0	13.0
4816574	24ABB360A52	CNPV*6124A**	59*P5A120E24**22	57,000	11.0	13.3
3873175	24ABB360A52	CNPV*6124A**+TDR		57,500	11.0	13.0
3543148	24ABB360A52	CSPH*6012A**	58CV(A,X)135-22	56,500	11.2	13.2
3543149	24ABB360A52	CSPH*6012A**	58CV(A,X)155-22	56,500	11.2	13.2
3543150	24ABB360A52	CSPH*6012A**	58PH*110-20	56,500	11.2	13.2
3543151	24ABB360A52	CSPH*6012A**	58PH*135-20	56,500	11.2	13.2
5154298	24ABB360A52	CSPH*6012A**	59*N*A080V21**20	56,500	11.0	13.0
5154299	24ABB360A52	CSPH*6012A**	59*N*A100V21**22	57,000	11.0	13.0
4816579	24ABB360A52	CSPH*6012A**	59*N*A120V24**22	56,500	11.0	13.3
5154300	24ABB360A52	CSPH*6012A**	59*P5A080E21**20	56,500	11.0	13.0
4816580	24ABB360A52	CSPH*6012A**	59*P5A120E24**22	57,000	11.0	13.3
3550509	24ABB360A52	CSPH*6012A**+TDR		57,500	11.0	13.0
3873193	24ABB360A52	FB4CNF060		55,500	11.0	13.0
3543153	24ABB360A52	FE4ANB006+UI		57,500	11.5	13.5
3873177	24ABB360A52	FV4CNB006		57,500	11.5	13.5
3873192	24ABB360A52	FX4DN(B,F)061		57,500	11.0	13.5

24ABB3

See notes on page 61

AHRI COMBINATION RATINGS* CONTINUED

AHRI Ref. Number	Model Number	Indoor Coil Model Number	Furnace Model Number	Cooling Capacity	EER	SEER
3543109	24ABB360A62	†CAP**6024A**+TDR		57,500	11.0	13.0
3543117	24ABB360A62	CAP**6021A**	58PH*110-20	56,500	11.2	13.2
5154301	24ABB360A62	CAP**6021A**	59*N*A100V21**22	56,500	11.0	13.0
3550502	24ABB360A62	CAP**6021A**+TDR		56,500	11.0	13.0
3543118	24ABB360A62	CAP**6024A**	58CV(A,X)135-22	56,500	11.0	13.2
3543119	24ABB360A62	CAP**6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5154302	24ABB360A62	CAP**6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816581	24ABB360A62	CAP**6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816582	24ABB360A62	CAP**6024A**	59*P5A120E24**22	56,500	11.0	13.0
5154303	24ABB360A62	CAP**6025A**	59*N*A100V21**22	56,500	11.0	13.0
4816583	24ABB360A62	CAP**6025A**	59*N*A120V24**22	56,500	11.0	13.0
4816584	24ABB360A62	CAP**6025A**	59*P5A120E24**22	56,500	11.0	13.0
3873194	24ABB360A62	CAP**6025A**+TDR		57,500	11.0	13.0
3543122	24ABB360A62	CNPH*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3543123	24ABB360A62	CNPH*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
3543124	24ABB360A62	CNPH*6024A**	58PH*110-20	56,500	11.2	13.2
5154309	24ABB360A62	CNPH*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816590	24ABB360A62	CNPH*6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816591	24ABB360A62	CNPH*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3550504	24ABB360A62	CNPH*6024A**+TDR		57,000	11.0	13.0
3873203	24ABB360A62	CNPH*6124A**	58CV(A,X)110-20	57,000	11.0	13.0
3873204	24ABB360A62	CNPH*6124A**	58CV(A,X)135-22	57,000	11.0	13.2
3873205	24ABB360A62	CNPH*6124A**	58CV(A,X)155-22	57,500	11.0	13.2
3873206	24ABB360A62	CNPH*6124A**	58PH*110-20	57,000	11.0	13.2
3873207	24ABB360A62	CNPH*6124A**	58PH*135-20	57,000	11.0	13.2
5154310	24ABB360A62	CNPH*6124A**	59*N*A100V21**22	57,000	11.0	13.0
4816592	24ABB360A62	CNPH*6124A**	59*N*A120V24**22	56,500	11.0	13.0
4816593	24ABB360A62	CNPH*6124A**	59*P5A120E24**22	56,500	11.0	13.0
3873196	24ABB360A62	CNPH*6124A**+TDR		57,500	11.0	13.0
3543120	24ABB360A62	CNPV*6024A**	58CV(A,X)135-22	56,500	11.2	13.2
3543121	24ABB360A62	CNPV*6024A**	58CV(A,X)155-22	57,000	11.2	13.2
5154304	24ABB360A62	CNPV*6024A**	59*N*A100V21**22	56,500	11.0	13.0
4816585	24ABB360A62	CNPV*6024A**	59*N*A120V24**22	56,500	11.0	13.0
4816586	24ABB360A62	CNPV*6024A**	59*P5A120E24**22	56,500	11.0	13.0
3550503	24ABB360A62	CNPV*6024A**+TDR		57,000	11.0	13.0
3873199	24ABB360A62	CNPV*6124A**	58CV(A,X)135-22	57,500	11.0	13.5
3873200	24ABB360A62	CNPV*6124A**	58CV(A,X)155-22	57,500	11.0	13.5
3873201	24ABB360A62	CNPV*6124A**	58PH*135-20	57,500	11.0	13.5
5154305	24ABB360A62	CNPV*6124A**	59*N*A080V21**20	57,000	11.0	13.0
5154306	24ABB360A62	CNPV*6124A**	59*N*A100V21**22	57,500	11.2	13.2
4816588	24ABB360A62	CNPV*6124A**	59*N*A120V24**22	57,000	11.0	13.3
5154307	24ABB360A62	CNPV*6124A**	59*P5A080E21**20	57,000	11.0	13.0
5154308	24ABB360A62	CNPV*6124A**	59*P5A100E21**20	57,500	11.0	13.0
4816589	24ABB360A62	CNPV*6124A**	59*P5A120E24**22	57,000	11.0	13.3
3873195	24ABB360A62	CNPV*6124A**+TDR		57,500	11.0	13.0
3543125	24ABB360A62	CSPH*6012A**	58CV(A,X)135-22	56,500	11.2	13.2
3543126	24ABB360A62	CSPH*6012A**	58CV(A,X)155-22	56,500	11.2	13.2
3543127	24ABB360A62	CSPH*6012A**	58PH*110-20	56,500	11.2	13.2
3543128	24ABB360A62	CSPH*6012A**	58PH*135-20	56,500	11.2	13.2
5154311	24ABB360A62	CSPH*6012A**	59*N*A080V21**20	56,500	11.0	13.0
5154312	24ABB360A62	CSPH*6012A**	59*N*A100V21**22	57,000	11.0	13.0
4816594	24ABB360A62	CSPH*6012A**	59*N*A120V24**22	56,500	11.0	13.3
5154313	24ABB360A62	CSPH*6012A**	59*P5A080E21**20	56,500	11.0	13.0
4816595	24ABB360A62	CSPH*6012A**	59*P5A120E24**22	57,000	11.0	13.3
3550505	24ABB360A62	CSPH*6012A**+TDR		57,500	11.0	13.0
3873213	24ABB360A62	FB4CNF060		55,500	11.0	13.0
3543130	24ABB360A62	FE4ANB006+UI		57,500	11.5	13.5
3873197	24ABB360A62	FV4CNB006		57,500	11.5	13.5
3873212	24ABB360A62	FX4DN(B,F)061		57,500	11.0	13.5

* AHRI = Air Conditioning, Heating & Refrigeration Institute

† Tested combination

EER — Energy Efficiency Ratio — 'A' conditions — 80°F (26.6°C) indoor db/67°F (19.4°C) indoor wb & 95°F (35°C) outdoor wb.

SEER — Seasonal Energy Efficiency Ratio

TDR — Time-Delay Relay. In most cases, only one method should be used to achieve TDR function. Using more than one method in a system may cause degradation in performance. Use either the accessory Time-Delay Relay, KAATD0101TDR, or a furnace equipped with TDR. Most Carrier furnaces are equipped with TDR.

UI — User Interface

NOTES:

1. Ratings are net values reflecting the effects of circulating fan motor heat. Supplemental electric heat is not included.
2. Tested outdoor/indoor combinations have been tested in accordance with DOE test procedures for central air conditioners. Ratings for other combinations are determined under DOE computer simulation procedures.
3. Determine actual CFM values obtainable for your system by referring to fan performance data in fan coil or furnace coil literature.
4. Do not apply with capillary tube coils as performance and reliability are significantly affected.

24ABB3

DETAILED COOLING CAPACITIES#

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES ° F (° C)																	
CFM	EWB ° F (° C)	75 (23.9)			85 (29.4)			95 (35)			105 (40.6)			115 (46.1)			125 (51.7)		
		Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**
		Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†
525	72 (22.2)	20.79	10.51	1.27	19.89	10.18	9.83	18.93	9.83	1.58	17.94	9.47	1.77	16.87	9.09	15.67	8.67	2.20	2.20
	67 (19.4)	19.09	12.93	1.27	18.24	12.58	12.21	17.33	12.21	1.59	16.39	11.84	1.77	15.37	11.44	14.26	11.01	2.20	2.20
	63 (17.2)††	17.84	12.55	1.27	17.02	12.19	11.82	16.15	11.82	1.59	15.24	11.43	1.78	14.26	11.02	13.22	10.58	2.20	2.20
	62 (16.7)	17.53	15.32	1.27	16.74	14.95	14.57	15.91	14.57	1.59	15.04	14.16	1.78	14.17	14.17	13.33	13.33	2.20	2.20
	57 (13.9)	17.00	17.00	1.27	16.36	16.36	15.67	15.67	15.67	1.59	14.95	14.95	1.78	14.18	14.18	13.33	13.33	2.20	2.20
600	72 (22.2)	21.12	11.01	1.29	20.19	10.67	1.44	19.19	10.32	1.61	18.18	9.96	1.80	17.07	9.57	15.84	9.15	2.23	2.23
	67 (19.4)	18.54	13.74	1.29	18.54	13.39	1.45	17.80	13.02	1.61	16.63	12.65	1.80	15.59	12.24	14.44	11.80	2.23	2.23
	63 (17.2)††	18.17	13.32	1.30	17.32	12.96	1.45	16.43	12.58	1.62	15.49	12.19	1.80	14.48	11.77	13.40	11.33	2.23	2.23
	62 (16.7)	17.93	16.44	1.30	17.12	16.06	1.45	16.30	16.21	1.62	15.53	15.53	1.80	14.71	14.71	13.81	13.81	2.23	2.23
	57 (13.9)	17.70	17.70	1.30	17.02	17.02	1.45	16.29	16.29	1.62	15.53	15.53	1.80	14.71	14.71	13.81	13.81	2.23	2.23
675	72 (22.2)	21.35	11.48	1.32	20.39	11.14	1.47	19.37	10.79	1.64	18.34	10.43	1.83	17.20	10.04	15.94	9.61	2.25	2.25
	67 (19.4)	19.66	14.52	1.32	18.76	14.17	1.47	17.79	13.80	1.64	16.81	13.42	1.83	15.74	13.01	14.58	12.56	2.25	2.25
	63 (17.2)††	18.41	14.06	1.32	17.55	13.70	1.48	16.63	13.31	1.64	15.67	12.92	1.83	14.64	12.49	13.54	12.03	2.26	2.26
	62 (16.7)	18.28	18.11	1.32	17.55	17.55	1.48	16.79	16.79	1.64	15.99	15.99	1.83	15.13	15.13	14.18	14.18	2.25	2.25
	57 (13.9)	18.26	18.26	1.32	17.55	17.55	1.48	16.79	16.79	1.64	15.99	15.99	1.83	15.13	15.13	14.18	14.18	2.25	2.25

24ABB318(A,W)S2 Outdoor Section With CAP**1814A** Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL			POWER	FURNACE MODEL	COOLING INDOOR MODEL			CAPACITY	POWER	FURNACE MODEL
				Capacity	Power	Furnace Model			Capacity	Power	Furnace Model			
*CAP**1814A**	1.00	1.00	58CV(A,X)090-16	CSPH*2412A**	1.02	0.91	58CV(A,X)090-16	CSPH*2412A**	1.02	0.91	58CV(A,X)090-16	1.01	0.92	58VLR105-12
CAP**2414A**	1.02	1.01	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58HDV040--12	CNPV*2417A**	1.02	0.93	58HDV040--12	1.01	0.92	58VLR105-12
CAP**2417A**	1.02	1.01	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58HDV040--12	CNPV*2417A**	1.02	0.93	58HDV040--12	1.01	0.92	59*N*A060V17**14
CAP**3619A**	1.00	0.99	58CV(A,X)090-16	CSPH*2412A**	1.05	0.95	58HDV040--12	CSPH*2412A**	1.05	0.95	58HDV040--12	1.02	0.92	59*N*A060V17**14
CNPV*2417A**	1.02	1.01	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58HDV060--12	CNPV*2417A**	1.02	0.93	58HDV060--12	1.01	0.92	59*N*A060V17**14
CNPV*1814A**	1.00	1.00	58CV(A,X)090-16	CSPH*2412A**	1.05	0.95	58HDV060--12	CSPH*2412A**	1.05	0.95	58HDV060--12	1.02	0.92	59*N*A060V17**14
CNPV*1917A**	1.02	1.01	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)040-12	CNPV*2417A**	1.02	0.93	58ME(B,C)040-12	1.01	0.92	59*N*A060V17**14
CNPV*2414A**	1.02	1.01	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)040-12	CNPV*2417A**	1.02	0.93	58ME(B,C)040-12	1.01	0.92	59*N*A060V17**14
CNPV*2417A**	1.02	1.01	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)040-12	CNPV*2417A**	1.02	0.93	58ME(B,C)040-12	1.01	0.92	59*N*A060V17**14
CSPH*2412A**	1.01	0.92	58CV(A,X)090-16	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FBACNF018	1.01	0.92	58CV(A,X)090-16	CAP**2417A**	1.02	0.89	58ME(B,C)060-12	CAP**2417A**	1.02	0.89	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FBACNF018	1.01	0.92	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FBACNF024	1.01	0.92	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FBACNF024	1.01	0.92	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FE4ANF002	0.98	0.88	58CV(A,X)090-16	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FF1ENP018	0.99	0.99	58CV(A,X)090-16	CAP**2417A**	1.02	0.89	58ME(B,C)060-12	CAP**2417A**	1.02	0.89	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FF1ENP019	1.02	0.93	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FF1ENP024	0.99	0.99	58CV(A,X)090-16	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FF1ENP025	1.02	0.91	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FV4CNF002	0.98	0.88	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FX4DN(B,F)031	1.03	0.94	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FX4DNF019	1.02	0.93	58CV(A,X)090-16	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	CSPH*2412A**	1.02	0.91	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FX4DNF025	1.03	0.94	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FY5BNF018	1.01	1.00	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
FY5BNF024	1.01	1.00	58CV(A,X)090-16	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	CNPV*2417A**	1.02	0.93	58ME(B,C)060-12	1.01	0.92	59*N*A080V17**14
CAP**1814A**	0.99	0.90	58CV(A,X)070-12	CNPV*2417A**	1.01	0.90	58ME(B,C)060-14	CNPV*2417A**	1.01	0.90	58ME(B,C)060-14	1.01	0.92	59*N*A080V17**14
CAP**2414A**	1.01	0.90	58CV(A,X)070-12	CNPV*2417A**	1.01	0.90	58ME(B,C)060-14	CNPV*2417A**	1.01	0.90	58ME(B,C)060-14	1.01	0.92	59*N*A080V17**14
CNPV*1814A**	1.01	0.90	58CV(A,X)070-12	CAP**1814A**	1.01	0.92	58PH*045-08	CAP**1814A**	1.01	0.92	58PH*045-08	1.01	0.91	59M7A060V21**20
CNPV*1814A**	1.01	0.90	58CV(A,X)070-12	CNPV*2414A**	1.02	0.91	58PH*045-08	CNPV*2414A**	1.02	0.91	58PH*045-08	1.01	0.92	CVLAAR036105
CNPV*2414A**	1.01	0.90	58CV(A,X)070-12	CNPV*1814A**	1.01	0.90	58PH*045-08	CNPV*1814A**	1.01	0.90	58PH*045-08	1.01	0.92	CVMAAR036105
CSPH*2412A**	1.02	0.91	58CV(A,X)090-16	CNPV*2414A**	1.02	0.91	58PH*045-08	CNPV*2414A**	1.02	0.91	58PH*045-08	1.01	0.92	CVMAAB036098
CAP**2417A**	1.01	0.90	58CV(A,X)090-16	CNPV*2412A**	1.02	0.91	58PH*045-08	CNPV*2412A**	1.02	0.91	58PH*045-08	1.02	0.91	CVMAAB036098
CNPV*2417A**	1.01	0.90	58CV(A,X)090-16	CAP**2417A**	1.01	0.90	58UVB060-14	CAP**2417A**	1.01	0.90	58UVB060-14	1.02	0.91	CVMAAB036098
CNPV*1917A**	1.02	0.93	58CV(A,X)090-16	CNPV*1917A**	1.02	0.93	58UVB060-14	CNPV*1917A**	1.02	0.93	58UVB060-14	1.02	0.91	CVMAAB036098
CNPV*2417A**	1.01	0.90	58CV(A,X)090-16	CNPV*2417A**	1.01	0.90	58UVB060-14	CNPV*2417A**	1.01	0.90	58UVB060-14	1.02	0.91	CVMAAB036098

See notes on page 83

DETAILED COOLING CAPACITIES# CONTINUED

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES ° F (° C)																							
		75 (23.9)				85 (29.4)				95 (35)				105 (40.6)				115 (46.1)				125 (51.7)			
		CFM	EWB ° F (° C)	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**				
Total	Sens†			Total	Sens†		Total	Sens†		Total	Sens†		Total	Sens†		Total	Sens†		Total	Sens†					
700	72 (22.2)	27.09	13.27	1.65	25.82	12.82	1.85	24.63	12.41	2.06	23.42	12.00	2.30	22.08	11.54	2.56	20.57	11.04	2.84						
	67 (19.4)	24.89	16.41	1.65	23.83	15.99	1.84	22.71	15.56	2.05	21.55	15.13	2.29	20.30	14.66	2.56	18.89	14.14	2.84						
	63 (17.2)†	23.39	15.98	1.64	22.38	15.55	1.84	21.29	15.11	2.05	20.18	14.66	2.29	18.98	14.17	2.56	17.65	13.64	2.85						
	62 (16.7)	23.01	19.56	1.64	22.03	19.14	1.84	20.99	18.67	2.05	19.94	18.19	2.29	18.91	18.91	2.56	17.82	17.82	2.84						
	57 (13.9)	22.46	22.46	1.64	21.66	21.66	1.84	21.66	20.79	2.05	20.99	19.89	2.29	19.89	19.89	2.56	17.92	17.92	2.84						
	72 (22.2)	25.25	13.92	1.69	26.15	13.46	1.88	24.91	13.04	2.10	23.67	12.62	2.33	22.29	12.16	2.59	20.73	11.65	2.88						
	67 (19.4)	24.16	17.44	1.68	24.16	17.03	1.88	23.00	16.60	2.09	21.82	16.16	2.33	20.53	15.69	2.59	19.09	15.16	2.88						
	63 (17.2)†	23.76	16.95	1.68	22.72	16.53	1.87	21.60	16.08	2.09	20.46	15.63	2.33	19.22	15.14	2.59	17.98	14.60	2.88						
	62 (16.7)	23.47	20.99	1.68	22.49	20.52	1.87	21.52	20.52	2.09	20.58	19.54	2.33	19.54	19.54	2.59	18.38	18.38	2.88						
	57 (13.9)	23.30	23.30	1.68	22.44	22.44	1.87	21.53	21.53	2.09	20.58	20.58	2.33	19.54	19.54	2.59	18.38	18.38	2.88						
900	72 (22.2)	27.79	14.53	1.73	26.41	14.07	1.92	25.10	13.63	2.13	23.83	13.21	2.37	22.42	12.76	2.63	20.83	12.24	2.91						
	67 (19.4)	25.51	18.45	1.72	24.38	18.03	1.91	23.21	17.59	2.13	22.00	17.15	2.37	20.68	16.66	2.63	19.22	16.12	2.91						
	63 (17.2)†	24.03	17.89	1.72	22.96	17.47	1.91	21.82	17.01	2.12	20.66	16.55	2.36	19.39	16.05	2.63	18.01	15.49	2.92						
	62 (16.7)	23.97	23.97	1.72	23.07	23.07	1.91	22.11	22.11	2.12	21.12	21.12	2.36	20.03	20.03	2.63	18.82	18.82	2.91						
	57 (13.9)	23.96	23.96	1.72	23.07	23.07	1.91	22.11	22.11	2.12	21.12	21.12	2.36	20.04	20.04	2.63	18.82	18.82	2.91						

24ABB324(A)W31 Outdoor Section With CAP**2414A** Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL			FURNACE MODEL		
				MODEL	CAPACITY	POWER	MODEL	CAPACITY	POWER
*CAP**2414A**	1.00	1.00		CAP**2414A**	0.99	0.91	58CV(A.X)070-12	58CV(A.X)070-12	0.91
CAP**2417A**	1.00	1.00		CAP**3014A**	1.00	0.92	58CV(A.X)070-12	58CV(A.X)070-12	0.92
CAP**3014A**	1.01	1.01		CNP**2417A**	0.99	0.93	58CV(A.X)070-12	58CV(A.X)070-12	0.93
CAP**3017A**	1.01	1.01		CNP**3017A**	1.00	0.92	58CV(A.X)070-12	58CV(A.X)070-12	0.92
CAP**3619A**	1.01	1.01		CNP**3117A**	1.02	0.93	58CV(A.X)090-16	58CV(A.X)090-16	0.93
CAP**3621A**	1.02	1.02		CNP**2414A**	0.99	0.93	58CV(A.X)070-12	58CV(A.X)070-12	0.93
CNP**2417A**	1.00	1.00		CNPV*3014A**	1.00	0.92	58CV(A.X)070-12	58CV(A.X)070-12	0.92
CNP**3017A**	1.01	1.01		CSPH*2412A**	1.00	0.92	58CV(A.X)070-12	58CV(A.X)070-12	0.92
CNP**3619A**	1.01	1.01		CAP**2417A**	1.00	0.90	58CV(A.X)090-16	58CV(A.X)090-16	0.90
CNP**3621A**	1.02	1.02		CAP**3017A**	1.01	0.91	58CV(A.X)090-16	58CV(A.X)090-16	0.91
CNPV*2417A**	1.00	1.00		CNP**2417A**	0.99	0.91	58CV(A.X)090-16	58CV(A.X)090-16	0.91
CNPV*3017A**	1.01	1.01		CNP**3017A**	1.00	0.91	58CV(A.X)090-16	58CV(A.X)090-16	0.91
CNPV*3619A**	1.01	1.01		CNP**3117A**	1.02	0.93	58CV(A.X)090-16	58CV(A.X)090-16	0.93
CNPV*3621A**	1.02	1.02		CNPV*2417A**	0.99	0.91	58CV(A.X)090-16	58CV(A.X)090-16	0.91
CSPH*2412A**	1.00	1.00		CNPV*3017A**	1.01	0.91	58CV(A.X)090-16	58CV(A.X)090-16	0.91
CSPH*3017A**	1.01	1.01		CNPV*3117A**	1.02	0.93	58CV(A.X)110-20	58CV(A.X)110-20	0.93
FB4CNF024	0.99	0.99		CNPV*3017A**	1.00	0.93	58CV(A.X)110-20	58CV(A.X)110-20	0.93
FB4CNF024	0.99	0.95		CNPV*3117A**	1.03	0.92	58CV(A.X)090-16	58CV(A.X)090-16	0.92
FB4CNF030	1.03	0.94		CSPH*3012A**	1.01	0.91	58CV(A.X)090-16	58CV(A.X)090-16	0.91
FB4CNF030	1.02	0.93		CNP**2417A**	0.99	0.93	58CV(A.X)110-20	58CV(A.X)110-20	0.93
FE4AN(B)F003	1.02	0.92		CNP**3017A**	1.01	0.91	58CV(A.X)110-20	58CV(A.X)110-20	0.91
FE4ANF002	0.98	0.90		CNP**3117A**	1.02	0.93	58CV(A.X)110-20	58CV(A.X)110-20	0.93
FE5ANB004	1.04	0.90		CSPH*2412A**	1.01	0.92	58CV(A.X)110-20	58CV(A.X)110-20	0.92
FF1ENP024	0.98	0.98		CSPH*3012A**	1.01	0.91	58CV(A.X)110-20	58CV(A.X)110-20	0.91
FF1ENP025	1.00	0.94		CNP**2417A**	0.99	0.91	58CV(A.X)135-22	58CV(A.X)135-22	0.91
FF1ENP030	1.00	1.01		CNP**3017A**	1.01	0.91	58CV(A.X)135-22	58CV(A.X)135-22	0.91
FF1ENP031	1.01	0.95		CNP**3117A**	1.02	0.93	58CV(A.X)135-22	58CV(A.X)135-22	0.93
FV4CN(B)F003	1.02	0.92		CSPH*2412A**	1.01	0.92	58CV(A.X)135-22	58CV(A.X)135-22	0.92
FV4CNF002	0.98	0.90		CSPH*3012A**	1.01	0.91	58CV(A.X)135-22	58CV(A.X)135-22	0.91
FX4DN(B)F031	1.03	0.98		CNP**2417A**	0.99	0.91	58CV(A.X)155-22	58CV(A.X)155-22	0.91
FX4DN(B)F037	1.03	0.95		CNP**3017A**	1.01	0.91	58CV(A.X)155-22	58CV(A.X)155-22	0.91
FX4DNF025	1.02	0.93		CNP**3117A**	1.02	0.93	58CV(A.X)155-22	58CV(A.X)155-22	0.93
FY5BNF024	1.02	0.97		CSPH*2412A**	1.01	0.92	58CV(A.X)155-22	58CV(A.X)155-22	0.92
FY5BNF030	1.03	1.03		CSPH*3012A**	1.01	0.91	58CV(A.X)155-22	58CV(A.X)155-22	0.91

24ABB3

DETAILED COOLING CAPACITIES# CONTINUED

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES ° F (° C)																		
CFM	EWB ° F (° C)	75 (23.9)			85 (29.4)			95 (35)			105 (40.6)			115 (46.1)			125 (51.7)			
		Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	
		Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	Total	Sens†	
875	72 (22.2)	32.18	16.57	2.04	2.04	30.84	16.09	2.25	29.42	15.59	2.49	27.93	15.07	2.76	26.28	14.50	3.05	24.43	13.88	3.36
	67 (19.4)	29.70	20.70	2.03	2.03	28.44	19.62	2.25	27.08	19.68	2.49	25.67	19.13	2.75	24.11	18.54	3.04	22.39	17.88	3.35
	63 (17.2)††	27.91	20.13	2.03	2.03	26.69	19.62	2.25	25.39	19.07	2.49	24.02	18.50	2.75	22.52	17.88	3.04	20.68	17.21	3.35
	62 (16.7)	27.50	24.80	2.03	2.03	26.34	24.26	2.25	25.11	23.67	2.49	23.94	23.94	2.75	22.71	22.71	3.04	21.35	21.35	3.35
	57 (13.9)	27.10	27.10	2.03	2.03	26.12	26.12	2.25	25.05	25.05	2.49	23.94	23.94	2.75	22.71	22.71	3.04	21.35	21.35	3.35
	72 (22.2)	32.58	17.38	2.08	2.08	31.18	16.89	2.30	29.72	16.89	2.54	28.19	15.86	2.81	26.50	15.29	3.09	24.59	14.65	3.40
1000	67 (19.4)	30.08	22.03	2.08	2.08	28.79	21.53	2.30	27.40	21.00	2.54	25.96	20.45	2.80	24.36	19.85	3.09	22.60	19.17	3.40
	63 (17.2)††	28.31	21.38	2.08	2.08	27.06	20.87	2.30	25.72	20.31	2.53	24.32	19.74	2.80	22.78	19.11	3.09	21.11	18.42	3.40
	62 (16.7)	28.07	27.02	2.08	2.08	27.00	27.00	2.29	25.89	25.89	2.53	24.72	24.72	2.80	23.42	23.42	3.09	21.98	21.98	3.40
	57 (13.9)	28.04	28.04	2.08	2.08	27.01	27.01	2.29	25.89	25.89	2.53	24.72	24.72	2.80	23.42	23.42	3.09	21.98	21.98	3.40
	72 (22.2)	32.83	18.14	2.13	2.13	31.40	17.65	2.35	29.91	17.14	2.59	28.35	16.62	2.85	26.63	16.04	3.14	24.68	15.40	3.45
	67 (19.4)	30.36	23.30	2.13	2.13	29.03	22.80	2.34	27.62	22.26	2.58	26.15	21.70	2.85	24.58	20.28	3.14	22.76	20.38	3.45
1125	63 (17.2)††	28.59	22.57	2.12	2.12	27.32	22.05	2.34	25.95	21.49	2.58	24.53	21.90	2.85	22.98	20.26	3.13	21.29	19.53	3.44
	62 (16.7)	28.79	28.79	2.12	2.12	27.71	27.71	2.34	26.54	26.54	2.58	25.33	25.33	2.85	23.98	23.98	3.13	22.47	22.47	3.44
	57 (13.9)	28.79	28.79	2.12	2.12	27.71	27.71	2.34	26.55	26.55	2.58	25.33	25.33	2.85	23.98	23.98	3.13	22.47	22.47	3.44

24ABB30(A,W)S1 Outdoor Section With CAP**3014A** Indoor Section

COOLING INDOOR MODEL		CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL		CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL		CAPACITY	POWER	FURNACE MODEL
*CAP**3014A**		1.00	1.00		FF1ENP036	1.00	1.00			CSPH*3012A**	1.01	0.93	58CV(A,X)110--20	
CAP**3017A**		1.00	1.00		FF1ENP037	1.01	0.96			CSPH*3612A**	1.01	0.92	58CV(A,X)110--20	
CAP**3614A**		1.00	1.00		FV4CN(B,F)003	1.01	0.90			CNPV*3017A**	1.00	0.90	58CV(A,X)135--22	
CAP**3617A**		1.01	1.01		FV4CN(B,F)005	1.04	0.92			CNPV*3117A**	1.01	0.92	58CV(A,X)135--22	
CAP**3619A**		1.01	1.01		FV4CNF002	0.98	0.91			CNPV*3617A**	1.00	0.90	58CV(A,X)135--22	
CAP**3621A**		1.01	1.01		FX4DN(B,F)031	1.01	0.96			CSPH*3012A**	1.01	0.93	58CV(A,X)135--22	
CAP**4221A**		1.01	1.00		FX4DN(B,F)037	1.02	0.92			CSPH*3612A**	1.01	0.92	58CV(A,X)135--22	
CAP**4224A**		1.01	1.00		FX4DN(B,F)043	1.02	1.01			CNPV*3017A**	1.00	0.90	58CV(A,X)155--22	
CAP**4823A**		1.01	1.01		FY5BNF030	1.01	0.99			CNPV*3117A**	1.01	0.92	58CV(A,X)155--22	
CNPV*3017A**		1.00	1.00		FY5BNF036	1.01	0.99			CNPV*3617A**	1.00	0.90	58CV(A,X)155--22	
CNPV*3117A**		1.01	1.00		CAP**3014A**	0.99	0.92			CSPH*3012A**	1.01	0.91	58CV(A,X)155--22	
CNPV*3617A**		1.00	1.00		CAP**3614A**	1.00	0.93			CSPH*3612A**	1.01	0.92	58CV(A,X)155--22	
CNPV*4221A**		1.01	0.99		CNPV*3017A**	1.00	0.92			CAP**3619A**	1.01	0.99	58HDV040--12	
CSPH*3012A**		1.00	1.00		CNPV*3117A**	1.01	0.92			CNPV*3017A**	1.00	0.96	58HDV040--12	
CSPH*3612A**		1.01	0.99		CNPV*3617A**	1.00	0.93			CNPV*3117A**	1.01	0.96	58HDV040--12	
FB4CNF030		1.00	0.99		CNPV*4217A**	1.01	0.93			CNPV*3617A**	1.00	0.96	58HDV040--12	
FB4CNF036		1.00	0.94		CNPV*3014A**	0.99	0.92			CNPV*3017A**	1.00	0.99	58HDV040--12	
FB4CNF042		1.02	0.99		CSPH*3012A**	1.00	0.92			CNPV*3117A**	1.00	0.99	58HDV040--12	
FE4AN(B,F)003		1.01	0.90		CSPH*3612A**	1.01	0.92			CNPV*3617A**	1.02	0.96	58HDV040--12	
FE4AN(B,F)005		1.04	0.92		CAP**3017A**	1.00	0.90			CNPV*3621A**	1.00	0.99	58HDV040--12	
FE4ANF002		1.01	0.93		CAP**3617A**	1.00	0.90			CNPV*3717A**	1.04	0.97	58HDV060--12	
FE5ANB004		1.04	0.91		CNPV*3117A**	1.01	0.92			CSPH*3012A**	1.00	0.99	58HDV060--12	
FF1ENP030		0.99	1.01		CNPV*3617A**	1.00	0.93			CNPV*3617A**	1.01	0.96	58HDV060--12	
FF1ENP031		1.01	0.93		CNPV*4217A**	1.01	0.90			CNPV*3017A**	1.01	0.99	58HDV060--12	
		1.01	0.93		CNPV*3621A**	1.00	0.93			CNPV*3117A**	1.03	0.97	58HDV060--12	
					CSPH*3012A**	1.01	0.92			CNPV*3617A**	1.01	0.99	58HDV060--12	
					CSPH*3612A**	1.01	0.93			CNPV*3621A**	1.01	0.99	58HDV060--12	
					CAP**3621A**	1.01	0.91			CNPV*3717A**	1.04	0.97	58HDV060--12	
					CNPV*3017A**	1.00	0.93			CSPH*3012A**	1.00	0.99	58HDV060--12	
					CNPV*3117A**	1.01	0.92			CNPV*3617A**	1.01	0.96	58HDV060--12	
					CNPV*3617A**	1.00	0.93			CNPV*3617A**	1.01	0.99	58HDV060--12	
					CNPV*4217A**	1.01	0.90			CNPV*3017A**	1.01	0.99	58HDV060--12	
					CSPH*3012A**	1.00	1.00			CNPV*3117A**	1.00	0.99	58HDV060--12	
					CSPH*3612A**	1.00	0.99			CNPV*3617A**	1.01	0.99	58HDV060--12	
					FB4CNF030	1.00	0.94			CNPV*3621A**	1.01	0.96	58HDV060--12	
					FB4CNF036	1.00	0.94			CNPV*3017A**	1.01	0.99	58HDV060--12	
					FB4CNF042	1.02	0.99			CNPV*3117A**	1.03	0.97	58HDV060--12	
					FE4AN(B,F)003	1.01	0.90			CNPV*3617A**	1.01	0.99	58HDV060--12	
					FE4AN(B,F)005	1.04	0.92			CNPV*3621A**	1.01	0.99	58HDV060--12	
					FE4ANF002	1.01	0.93			CNPV*3717A**	1.04	0.97	58HDV060--12	
					FE5ANB004	1.04	0.91			CSPH*3012A**	1.00	0.99	58HDV060--12	
					FF1ENP030	0.99	1.01			CSPH*3617A**	1.01	0.96	58HDV060--12	
					FF1ENP031	1.01	0.93			CAP**4823A**	1.01	0.91	58HDV060--20	

DETAILED COOLING CAPACITIES# CONTINUED

24ABB30(A,W)31 Outdoor Section With CAP**3014A** Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
CNPV*3017A**	1.01	0.93	OVMAAB042112
CNPV*3117A**	1.03	0.93	OVMAAB042112
CNPV*3617A**	1.01	0.93	OVMAAB042112
CNPV*3621A**	1.01	0.93	OVMAAB042112
CNPV*3717A**	1.04	0.94	OVMAAB042112
CSPH*3012A**	1.01	0.95	OVMAAB042112
CSPH*3612A**	1.02	0.92	OVMAAB042112

See notes on page 83

DETAILED COOLING CAPACITIES# CONTINUED

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES ° F (° C)																							
		75 (23.9)				85 (29.4)				95 (35)				105 (40.6)				115 (46.1)				125 (51.7)			
		CFM	EWB ° F (° C)	Capacity MBtuh		Total System KW**	Capacity MBtuh	Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh	Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh	Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh	Total System KW**		
24ABB368(A,W)31 Outdoor Section With CAP*3617A Indoor Section																									
1050	72 (22.2)	40.22	21.00	2.54	38.50	20.34	2.79	36.66	19.65	3.07	34.69	18.93	3.39	32.56	18.15	3.76	30.22	17.30	4.20	27.34	16.45	4.18			
	67 (19.4)	36.61	25.73	2.51	35.00	25.05	2.76	33.29	24.35	3.04	31.46	23.60	3.36	29.49	22.81	3.74	27.34	21.95	4.18	25.29	21.07	4.19			
	63 (17.2)†	34.02	24.88	2.48	32.50	24.20	2.73	30.89	23.49	3.02	29.17	22.73	3.35	27.32	21.94	3.73	25.29	21.07	4.18	23.54	20.19	4.18			
	62 (16.7)	33.42	30.44	2.49	31.97	29.75	2.74	30.45	29.01	3.02	28.86	28.20	3.35	27.29	21.29	3.73	25.64	20.64	4.18	23.54	20.19	4.18			
	57 (13.9)	32.55	32.55	2.48	31.38	31.38	2.73	30.12	30.12	3.02	28.77	28.77	3.35	27.29	21.29	3.73	25.65	20.65	4.18	23.54	20.19	4.18			
1200	72 (22.2)	40.90	21.97	2.60	39.11	21.31	2.85	37.20	20.61	3.13	35.17	19.88	3.45	32.96	19.09	3.82	30.54	18.23	4.25	27.67	17.48	4.24			
	67 (19.4)	37.25	27.30	2.57	35.57	26.61	2.82	33.80	25.90	3.10	31.91	25.15	3.42	29.88	24.35	3.80	27.67	23.48	4.25	25.61	22.48	4.25			
	63 (17.2)†	34.63	26.36	2.54	33.04	25.68	2.79	31.38	24.94	3.08	29.60	24.18	3.42	27.69	23.37	3.79	25.61	22.48	4.25	23.48	20.29	4.24			
	62 (16.7)	34.19	32.60	2.54	32.73	31.85	2.80	31.24	31.24	3.08	29.83	29.83	3.41	28.26	26.26	3.79	26.52	26.52	4.24	24.24	22.48	4.24			
	57 (13.9)	33.87	33.87	2.55	32.61	32.61	2.80	31.27	31.27	3.08	29.83	29.83	3.41	28.26	26.26	3.79	26.52	26.52	4.24	24.24	22.48	4.24			
1350	72 (22.2)	41.40	22.89	2.66	39.55	22.22	2.91	37.60	21.52	3.19	35.50	20.77	3.51	33.24	19.97	3.88	30.75	19.10	4.31	27.93	18.23	4.30			
	67 (19.4)	37.72	28.79	2.63	36.00	28.11	2.88	34.19	27.39	3.16	32.26	26.63	3.48	30.19	25.81	3.86	27.93	24.92	4.30	25.88	23.82	4.30			
	63 (17.2)†	35.09	27.77	2.60	33.47	27.07	2.85	31.76	26.34	3.14	29.94	25.57	3.47	27.99	24.73	3.85	25.88	23.82	4.30	23.82	21.72	4.30			
	62 (16.7)	34.90	34.90	2.61	33.63	33.63	2.86	32.22	32.22	3.15	30.70	30.70	3.47	29.05	29.05	3.85	27.22	27.22	4.30	27.22	25.12	4.30			
	57 (13.9)	34.96	34.96	2.61	33.64	33.64	2.86	32.23	32.23	3.15	30.70	30.70	3.47	29.05	29.05	3.85	27.22	27.22	4.30	27.22	25.12	4.29			

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
CAP**3619A**	0.97	0.96		FFIENP036	0.99	0.99		FFIENP037	0.98	0.92		CNPH*4221A**	1.03	0.94	58CV(A)110-20	CNPH*4821A**	1.01	0.92	58CV(A)110-20
CAP**3621A**	1.00	0.99		FV4CN(B,F)003	0.99	0.90		FV4CN(B,F)005	1.03	0.94		CNPV*3621A**	0.99	0.93	58CV(A)110-20	CNPV*4821A**	1.01	0.92	58CV(A)110-20
CAP**4224A**	1.00	0.99		FV4CNB006	1.04	0.94		FV4CNF002	0.99	0.94		CNPH*4224A**	1.00	0.93	58CV(A)110-20	CNPH*4824A**	1.01	0.92	58CV(A)110-20
CAP**4817A**	1.03	1.00		FV4DN(B,F)037	1.02	0.92		FX4DN(B,F)043	1.02	0.92		CSPH*3612A**	0.99	0.90	58CV(A)110-20	CSPH*4212A**	1.00	0.91	58CV(A)110-20
CAP**4823A**	1.01	1.00		FX4DN(B,F)049	1.02	0.92		FX4DN(B,F)049	1.02	0.93		CSPH*4812A**	1.02	0.92	58CV(A)110-20	CSPH*4812A**	1.02	0.91	58CV(A)110-20
CAP**4824A**	1.02	1.01		FV6BNF036	0.98	0.97		FV6BNF042	1.00	0.99		CAP**4817A**	1.02	0.92	58CV(A)155-22	CAP**4224A**	1.00	0.91	58CV(A)155-22
CAP**6025A**	1.00	0.99		CAP**3614A**	0.96	0.91		CAP**3617A**	0.96	0.93	58CV(A)X070-12	CNPH*4821A**	1.01	0.94	58CV(A)135-22	CNPH*4824A**	1.01	0.92	58CV(A)135-22
CNPH*3617A**	1.01	1.00		CNPH*3617A**	0.98	0.93		CNPH*4221A**	0.99	0.94	58CV(A)X070-12	CNPH*4221A**	0.99	0.90	58CV(A)135-22	CNPH*4821A**	1.03	0.94	58CV(A)135-22
CNPH*4321A**	1.03	1.02		CNPH*4221A**	0.99	0.94		CNPH*4321A**	1.02	0.93	58CV(A)X070-12	CNPH*4321A**	1.02	0.93	58CV(A)135-22	CNPH*4821A**	1.01	0.92	58CV(A)135-22
CNPH*4821A**	1.02	1.01		CNPH*4821A**	1.02	0.93		CNPH*4821A**	1.01	0.94	58CV(A)X070-12	CNPH*4821A**	1.02	0.92	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.00	0.99		CSPH*3612A**	0.99	0.93		CSPH*4212A**	0.99	0.93	58CV(A)X090-16	CAP**4817A**	1.02	0.92	58CV(A)155-22	CAP**4224A**	1.00	0.91	58CV(A)155-22
CNPH*4821A**	1.04	1.03		CSPH*4212A**	0.99	0.93		CSPH*4812A**	1.02	0.95	58CV(A)X090-16	CNPH*3617A**	1.02	0.92	58CV(A)155-22	CNPH*4824A**	1.01	0.92	58CV(A)155-22
CNPH*4821A**	1.00	0.99		CSPH*4812A**	1.02	0.93		CAP**3617A**	0.99	0.92	58CV(A)X090-16	CAP**4817A**	1.02	0.92	58CV(A)155-22	CAP**4224A**	1.00	0.91	58CV(A)155-22
CNPH*4821A**	1.03	1.02		CAP**4817A**	0.98	0.93		CNPH*3617A**	0.98	0.93	58CV(A)X090-16	CNPH*4221A**	1.03	0.94	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.02	1.01		CNPH*3617A**	1.03	0.94		CNPH*4221A**	0.99	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.02	1.01		CNPH*4221A**	1.00	0.93		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.02	1.01		CNPH*4821A**	0.98	0.93		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.95		CNPH*4821A**	1.00	0.93		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.96		CNPH*4821A**	0.99	0.90		CNPH*4821A**	1.00	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.03	0.99		CNPH*4821A**	1.02	0.92		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.94		CNPH*4821A**	0.99	0.92		CNPH*4821A**	1.00	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.03	1.00		CNPH*4821A**	1.03	0.94		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.95		CNPH*4821A**	0.99	0.90		CNPH*4821A**	1.00	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.03	0.96		CNPH*4821A**	1.02	0.92		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.94		CNPH*4821A**	0.99	0.92		CNPH*4821A**	1.00	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.03	0.99		CNPH*4821A**	1.03	0.94		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.95		CNPH*4821A**	0.99	0.90		CNPH*4821A**	1.00	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.03	0.96		CNPH*4821A**	1.02	0.92		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.94		CNPH*4821A**	0.99	0.92		CNPH*4821A**	1.00	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.03	0.99		CNPH*4821A**	1.03	0.94		CNPH*4821A**	1.03	0.94	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.01	0.95		CNPH*4821A**	0.99	0.92		CNPH*4821A**	1.00	0.93	58CV(A)X090-16	CNPH*4821A**	1.01	0.90	58CV(A)155-22	CNPH*4821A**	1.02	0.91	58CV(A)155-22
CNPH*4821A**	1.03	0.96		CNPH*4821A**	1.02</														

DETAILED COOLING CAPACITIES# CONTINUED

24ABB36(A,W)31 Outdoor Section With CAP-3617A Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
CNPH*4321A**	1.03	0.96	OVLAA048112
CNPH*4821A**	1.02	0.95	OVLAA048112
CNPV*3621A**	0.99	0.98	OVLAA048112
CNPV*4221A**	1.00	0.95	OVLAA048112
CNPV*4324A**	1.03	0.94	OVLAA048112
CNPV*4821A**	1.02	0.95	OVLAA048112
CSPH*3612A**	1.02	0.96	OVLAA048112
CSPH*4812A**	1.02	0.95	OVLAA048112
CNPH*3617A**	1.01	0.96	OVLAA060154
CNPH*4221A**	1.02	0.97	OVLAA060154
CNPH*4321A**	1.03	0.92	OVLAA060154
CNPH*4821A**	1.04	0.95	OVLAA060154
CNPV*4324A**	1.03	0.94	OVLAA060154
CSPH*3612A**	1.03	0.96	OVLAA060154
CSPH*4212A**	1.03	0.94	OVLAA060154
CSPH*4812A**	1.05	0.95	OVLAA060154
CAP**3617A**	0.98	0.97	OVMAA036098
CNPH*3617A**	0.98	0.97	OVMAA036098
CNPH*4221A**	0.99	0.99	OVMAA036098
CNPH*4321A**	1.02	0.95	OVMAA036098
CNPV*3617A**	0.98	0.97	OVMAA036098
CNPV*3621A**	0.98	0.97	OVMAA036098
CNPV*3717A**	1.02	0.97	OVMAA036098
CNPV*4217A**	1.00	0.99	OVMAA036098
CNPV*4221A**	0.99	0.99	OVMAA036098
CSPH*3612A**	1.01	1.00	OVMAA036098
CSPH*4212A**	1.01	0.96	OVMAA036098
CAP**4817A**	0.99	0.98	OVMAA042112
CNPH*3617A**	1.02	0.95	OVMAA042112
CNPH*4221A**	0.99	0.98	OVMAA042112
CNPH*4321A**	0.99	0.94	OVMAA042112
CNPH*4821A**	1.02	0.93	OVMAA042112
CNPH*4821A**	1.01	0.94	OVMAA042112
CNPV*3617A**	0.99	0.98	OVMAA042112
CNPV*3621A**	0.99	0.98	OVMAA042112
CNPV*3717A**	1.02	0.97	OVMAA042112
CNPV*4217A**	1.01	0.95	OVMAA042112
CNPV*4221A**	0.99	0.94	OVMAA042112
CSPH*3612A**	1.01	0.94	OVMAA042112
CSPH*4212A**	1.02	0.95	OVMAA042112
CSPH*4812A**	1.02	0.95	OVMAA042112

See notes on page 83

DETAILED COOLING CAPACITIES# CONTINUED

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES ° F (° C)																							
		75 (23.9)				85 (29.4)				95 (35)				105 (40.6)				115 (46.1)				125 (51.7)			
		CFM	EWB ° F (° C)	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**	Capacity MBtuh		Total System KW**				
Total	Sens†			Total	Sens†		Total	Sens†		Total	Sens†		Total	Sens†		Total	Sens†								
1225	72 (22.2)	48.49	25.49	46.39	3.39	3.39	44.18	23.85	4.11	41.83	22.97	4.52	39.28	22.03	4.98	36.45	21.00	5.47	33.34	26.78	5.42				
	67 (19.4)	44.47	31.36	42.52	3.33	3.33	40.46	20.67	4.05	38.28	20.77	4.47	35.93	27.82	4.92	33.34	26.78	5.42	33.34	26.78	5.42				
	63 (17.2)†	41.53	30.43	39.69	3.29	3.29	37.74	28.72	4.01	35.68	27.80	4.43	33.47	26.84	4.88	31.05	25.79	5.38	31.05	25.79	5.38				
	62 (16.7)	40.83	37.19	39.07	3.28	3.28	37.22	35.45	4.00	35.29	34.48	4.42	33.32	33.32	4.88	31.36	31.36	5.38	31.36	31.36	5.38				
	57 (13.9)	39.73	36.29	38.29	3.26	3.26	36.76	36.76	4.00	35.12	35.12	4.42	33.34	33.34	4.88	31.36	31.36	5.38	31.36	31.36	5.38				
	72 (22.2)	49.21	26.62	47.02	3.47	3.47	44.73	24.95	4.19	42.30	24.06	4.61	39.67	23.11	5.06	36.75	22.07	5.55	36.75	22.07	5.55				
1400	67 (19.4)	45.16	33.20	43.14	3.42	3.42	41.00	31.49	4.13	38.75	30.59	4.55	36.34	29.63	5.01	33.67	28.57	5.50	33.67	28.57	5.50				
	63 (17.2)†	42.22	32.16	40.31	3.38	3.38	38.28	30.42	4.09	36.17	29.51	4.51	33.89	28.53	4.97	31.40	27.47	5.46	31.40	27.47	5.46				
	62 (16.7)	41.69	39.75	39.91	3.37	3.37	38.02	38.02	4.09	36.34	36.34	4.51	34.45	34.45	4.98	32.33	32.33	5.48	32.33	32.33	5.48				
	57 (13.9)	41.25	41.25	39.72	3.71	3.71	38.08	38.08	4.09	36.34	36.34	4.51	34.45	34.45	4.98	32.33	32.33	5.48	32.33	32.33	5.48				
	72 (22.2)	49.75	27.70	47.50	3.56	3.56	45.14	26.02	4.27	42.64	25.12	4.69	39.94	24.16	5.14	36.95	23.10	5.63	36.95	23.10	5.63				
	67 (19.4)	45.69	34.99	43.61	3.50	3.50	41.42	32.36	4.22	39.12	32.36	4.63	36.65	31.38	5.09	33.93	30.29	5.54	33.93	30.29	5.54				
1575	63 (17.2)†	42.75	33.85	40.79	3.46	3.46	38.72	32.11	4.17	36.55	31.18	4.59	34.23	30.18	5.05	31.68	29.07	5.54	31.68	29.07	5.54				
	62 (16.7)	42.52	42.08	40.87	3.46	3.46	39.14	39.14	4.18	37.31	37.31	4.61	35.32	35.32	5.07	33.09	33.09	5.56	33.09	33.09	5.56				
	57 (13.9)	42.49	42.49	40.87	3.46	3.46	39.15	39.15	4.18	37.32	37.32	4.61	35.32	35.32	5.07	33.09	33.09	5.56	33.09	33.09	5.56				

24ABB342(A,W)30 Outdoor Section With 42 Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
*CAP**4221A**	1.00	1.00	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CAP**4224A**	0.99	1.00	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CAP**4817A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CAP**4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CAP**4823A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CAP**6025A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4217A**	1.00	1.00	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4321A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)070-12	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16	CNPV*4217A**	1.00	0.94	58CV(A,X)090-16
CNPV*4821A**	1.01	1.01	58CV(A,X)												

DETAILED COOLING CAPACITIES# CONTINUED

24ABB342(A,W)30 Outdoor Section With 42 Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
CNPH*4321A**	1.00	0.94	59MN7A060V21**20
CNPH*4821A**	0.99	0.93	59MN7A060V21**20
CNPV*4221A**	0.98	0.95	59MN7A060V21**20
CNPV*4324A**	1.00	0.94	59MN7A060V21**20
CNPV*4821A**	0.99	0.93	59MN7A060V21**20
CNPV*4824A**	0.99	0.93	59MN7A060V21**20
CSPH*4212A**	1.00	0.94	59MN7A060V21**20
CSPH*4812A**	1.00	0.94	59MN7A060V21**20
CAP**4221A**	0.98	0.92	CVLAAR060120
CAP**4821A**	1.00	0.94	CVLAAR060120
CNPH*4221A**	0.98	0.92	CVLAAR060120
CNPH*4321A**	1.01	0.93	CVLAAR060120
CNPH*4821A**	1.00	0.92	CVLAAR060120
CNPH*4821A**	1.00	0.92	CVLAAR060120
CSPH*4212A**	1.00	0.94	CVLAAR060120
CSPH*4812A**	1.00	0.94	CVLAAR060120
CAP**4221A**	0.98	0.92	CVMAA R060120
CAP**4821A**	0.99	0.93	CVMAA R060120
CNPH*4221A**	0.98	0.93	CVMAA R060120
CNPH*4321A**	1.01	0.93	CVMAA R060120
CNPH*4821A**	1.00	0.94	CVMAA R060120
CNPV*4221A**	0.98	0.93	CVMAA R060120
CNPV*4821A**	1.00	0.94	CVMAA R060120
CSPH*4212A**	1.00	0.94	CVMAA R060120
CSPH*4812A**	1.00	0.94	CVMAA R060120
CAP**4221A**	0.99	0.99	CVLAA B048112
CAP**4821A**	1.00	1.00	CVLAA B048112
CNPH*4221A**	0.99	0.99	CVLAA B048112
CNPH*4321A**	1.01	0.97	CVLAA B048112
CNPH*4821A**	1.00	0.96	CVLAA B048112
CNPV*4221A**	0.99	0.99	CVLAA B048112
CNPV*4324A**	1.02	0.98	CVLAA B048112
CNPV*4821A**	1.00	0.96	CVLAA B048112
CNPV*4824A**	1.00	0.96	CVLAA B048112
CSPH*4212A**	1.01	0.99	CVLAA B048112
CSPH*4812A**	1.01	0.99	CVLAA B048112
CNPH*4221A**	1.00	0.98	CVLAA B060154
CNPH*4321A**	1.04	0.97	CVLAA B060154
CNPH*4821A**	1.02	0.96	CVLAA B060154
CNPV*4324A**	1.04	0.95	CVLAA B060154
CNPV*4824A**	1.02	0.96	CVLAA B060154
CSPH*4212A**	1.02	0.96	CVLAA B060154
CSPH*4812A**	1.00	0.97	CVLAA B060154
CAP**4817A**	1.00	0.96	OVNMAA B042112
CNPH*4221A**	0.98	0.96	OVNMAA B042112
CNPH*4321A**	1.01	0.95	OVNMAA B042112
CNPH*4821A**	1.00	0.96	OVNMAA B042112
CNPV*4217A**	0.99	0.97	OVNMAA B042112
CNPV*4221A**	0.98	0.96	OVNMAA B042112
CNPV*4821A**	1.00	0.96	OVNMAA B042112
CSPH*4212A**	1.00	0.96	OVNMAA B042112
CSPH*4812A**	1.00	0.96	OVNMAA B042112

See notes on page 83

DETAILED COOLING CAPACITIES# CONTINUED

EVAPORATOR AIR		CONDENSER ENTERING AIR TEMPERATURES ° F (° C)																							
		75 (23.9)				85 (29.4)				95 (35)				105 (40.6)				115 (46.1)				125 (51.7)			
		CFM	EWB ° F (° C)	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**	Capacity MBTuh		Total System KW**				
Total	Sens†			Total	Sens†		Total	Sens†		Total	Sens†		Total	Sens†		Total	Sens†								
1400	72 (22.2)	54.48	26.42	52.18	3.32	3.67	49.73	24.77	4.05	47.13	23.89	4.48	44.34	22.96	4.92	41.30	21.95	5.45	37.58	20.02	5.43				
	67 (19.4)	49.80	32.57	47.63	3.30	3.64	45.34	30.88	4.03	42.93	29.97	4.45	40.34	29.02	4.94	37.58	28.02	5.43	34.91	26.94	5.42				
	63 (17.2)†	46.41	31.55	44.36	3.28	3.63	42.19	29.82	4.01	39.89	28.90	4.44	37.46	27.94	4.91	34.91	26.94	5.42	31.58	24.86	5.42				
	62 (16.7)	45.58	38.68	43.61	3.28	3.62	41.55	36.89	4.01	39.45	39.21	4.43	37.47	37.47	4.91	35.38	35.38	5.42	32.93	35.38	5.42				
	57 (13.9)	44.55	42.94	42.94	3.27	3.62	41.23	41.23	4.01	39.42	39.42	4.43	37.47	37.47	4.91	35.39	35.39	5.42	32.93	35.39	5.42				
	72 (22.2)	55.34	27.67	52.95	3.40	3.75	50.42	26.01	4.13	47.73	25.12	4.56	44.84	24.17	5.02	41.69	23.15	5.52	38.00	29.98	5.51				
1600	67 (19.4)	50.62	34.60	48.38	3.38	3.72	46.00	32.88	4.11	43.51	31.98	4.53	40.84	31.01	5.00	38.00	29.98	5.51	35.33	28.77	5.49				
	63 (17.2)†	47.22	33.46	45.08	3.36	3.71	42.83	31.71	4.09	40.47	30.78	4.52	37.96	29.80	4.99	35.33	28.77	5.49	32.93	35.33	5.49				
	62 (16.7)	46.58	41.42	44.23	3.36	3.70	42.74	42.74	4.09	40.82	40.82	4.52	38.75	36.75	4.99	36.51	36.51	5.50	34.91	36.52	5.50				
	57 (13.9)	46.27	46.27	44.56	3.36	3.70	42.75	42.75	4.09	40.82	40.82	4.52	38.75	36.75	4.99	36.52	36.52	5.50	34.91	36.52	5.50				
	72 (22.2)	55.96	28.85	53.51	3.48	3.83	50.90	27.17	4.21	48.15	26.28	4.64	45.18	25.32	5.10	41.94	24.28	5.60	38.30	31.83	5.57				
	67 (19.4)	51.21	36.53	48.91	3.46	3.81	46.48	34.81	4.19	43.93	33.88	4.61	41.20	32.89	5.08	38.30	31.83	5.57	35.64	30.47	5.57				
1800	63 (17.2)†	47.80	35.26	45.61	3.44	3.79	43.31	33.50	4.17	40.89	32.56	4.60	38.33	31.55	5.06	35.64	30.47	5.57	32.93	35.64	5.57				
	62 (16.7)	47.66	47.66	45.87	3.44	3.79	43.97	43.97	4.17	41.94	41.94	4.60	39.77	39.77	5.07	37.41	37.41	5.58	35.64	37.41	5.58				
	57 (13.9)	47.67	47.67	45.88	3.44	3.79	43.97	43.97	4.17	41.95	41.95	4.60	39.77	39.77	5.07	37.41	37.41	5.58	35.64	37.41	5.58				

24ABB348(A,W)31 Outdoor Section With CAP**4821A** Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL		POWER	FURNACE MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL		POWER	FURNACE MODEL	CAPACITY	POWER	FURNACE MODEL	CAPACITY	POWER	FURNACE MODEL
				MODEL	MODEL						MODEL	MODEL								
*CAP**4821A**	1.00	1.00		CNPV*6124A**	1.01	0.97		CNPV*6124A**	1.01	0.97	58HDV080--20	1.01	0.97	58HDV080--20	1.01	0.97	58HDV080--20	1.01	0.97	58HDV080--20
CAP**4817A**	0.98	0.98		CNPV*6024A**	1.00	0.92		CSPH**4812A**	1.00	0.92	58CV(A,X)110--20	1.00	0.92	58CV(A,X)110--20	1.00	0.92	58CV(A,X)110--20	1.00	0.92	58CV(A,X)110--20
CAP**4823A**	1.00	1.00		CNPV*6124A**	1.01	0.97		CNPV*6124A**	1.01	0.97	58CV(A,X)110--20	1.01	0.97	58CV(A,X)110--20	1.01	0.97	58CV(A,X)110--20	1.01	0.97	58CV(A,X)110--20
CAP**4824A**	0.99	0.99		CNPV*4821A**	0.98	0.92		CNPV*4821A**	0.98	0.92	58CV(A,X)110--20	0.98	0.92	58CV(A,X)110--20	0.98	0.92	58CV(A,X)110--20	0.98	0.92	58CV(A,X)110--20
CAP**6021A**	1.00	0.98		CSPH**4812A**	1.00	0.92		CSPH**4812A**	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22
CAP**6024A**	1.01	0.99		CSPH**6012A**	1.00	0.92		CSPH**6012A**	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22
CAP**6025A**	1.00	1.00		CAP**4824A**	0.98	0.92		CAP**4824A**	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22
CNPV*4821A**	0.99	0.99		CAP**6024A**	1.00	0.92		CAP**6024A**	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22
CNPV*6024A**	1.01	0.99		CAP**6025A**	1.00	0.94		CAP**6025A**	1.00	0.94	58CV(A,X)135--22	1.00	0.94	58CV(A,X)135--22	1.00	0.94	58CV(A,X)135--22	1.00	0.94	58CV(A,X)135--22
CNPV*4821A**	0.99	0.99		CNPV*4821A**	0.98	0.92		CNPV*4821A**	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22
CNPV*6124A**	0.99	0.99		CNPV*6024A**	1.00	0.92		CNPV*6024A**	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22
CNPV*4824A**	0.99	0.99		CNPV*6124A**	1.01	0.97		CNPV*6124A**	1.01	0.97	58CV(A,X)135--22	1.01	0.97	58CV(A,X)135--22	1.01	0.97	58CV(A,X)135--22	1.01	0.97	58CV(A,X)135--22
CNPV*6024A**	1.01	0.99		CNPV*4824A**	0.98	0.92		CNPV*4824A**	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22
CNPV*6124A**	1.01	1.01		CNPV*6024A**	1.00	0.92		CNPV*6024A**	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22
CSPH**4812A**	1.00	1.00		CNPV*6124A**	1.01	0.93		CNPV*6124A**	1.01	0.93	58CV(A,X)135--22	1.01	0.93	58CV(A,X)135--22	1.01	0.93	58CV(A,X)135--22	1.01	0.93	58CV(A,X)135--22
CSPH**6012A**	1.01	0.99		CSPH**4812A**	0.98	0.92		CSPH**4812A**	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22	0.98	0.92	58CV(A,X)135--22
FB4CNF048	0.97	0.97		CSPH**6012A**	1.00	0.92		CSPH**6012A**	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22	1.00	0.92	58CV(A,X)135--22
FB4CNF048	0.98	0.98		CAP**4824A**	0.98	0.92		CAP**4824A**	0.98	0.92	58CV(A,X)155--22	0.98	0.92	58CV(A,X)155--22	0.98	0.92	58CV(A,X)155--22	0.98	0.92	58CV(A,X)155--22
FB4CNF060	0.99	0.95		CAP**4824A**	1.00	0.90		CAP**4824A**	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22
FE4AN(B,F)005	1.00	0.92		CAP**6025A**	1.00	0.92		CAP**6025A**	1.00	0.92	58CV(A,X)155--22	1.00	0.92	58CV(A,X)155--22	1.00	0.92	58CV(A,X)155--22	1.00	0.92	58CV(A,X)155--22
FE4ANB006	1.01	0.91		CNPV*4821A**	0.99	0.91		CNPV*4821A**	0.99	0.91	58CV(A,X)155--22	0.99	0.91	58CV(A,X)155--22	0.99	0.91	58CV(A,X)155--22	0.99	0.91	58CV(A,X)155--22
FV4CN(B,F)005	1.00	0.92		CNPV*6024A**	1.00	0.90		CNPV*6024A**	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22
FV4CN(B,F)006	1.01	0.91		CNPV*6124A**	1.01	0.93		CNPV*6124A**	1.01	0.93	58CV(A,X)155--22	1.01	0.93	58CV(A,X)155--22	1.01	0.93	58CV(A,X)155--22	1.01	0.93	58CV(A,X)155--22
FX4DN(B,F)049	1.01	0.93		CNPV*4824A**	0.98	0.90		CNPV*4824A**	0.98	0.90	58CV(A,X)155--22	0.98	0.90	58CV(A,X)155--22	0.98	0.90	58CV(A,X)155--22	0.98	0.90	58CV(A,X)155--22
FX4DN(B,F)061	1.02	0.94		CNPV*6024A**	1.00	0.90		CNPV*6024A**	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22
FV5BNB060	1.00	1.00		CNPV*6124A**	1.01	0.93		CNPV*6124A**	1.01	0.93	58CV(A,X)155--22	1.01	0.93	58CV(A,X)155--22	1.01	0.93	58CV(A,X)155--22	1.01	0.93	58CV(A,X)155--22
FV5BNB060	0.99	0.99		CSPH**4812A**	0.98	0.90		CSPH**4812A**	0.98	0.90	58CV(A,X)155--22	0.98	0.90	58CV(A,X)155--22	0.98	0.90	58CV(A,X)155--22	0.98	0.90	58CV(A,X)155--22
CAP**4817A**	0.98	0.94		CSPH**6012A**	1.00	0.90		CSPH**6012A**	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22	1.00	0.90	58CV(A,X)155--22
CNPV*4821A**	0.98	0.92		CAP**4823A**	0.99	0.99		CAP**4823A**	0.99	0.99	58HDV080--20	0.99	0.99	58HDV080--20	0.99	0.99	58HDV080--20	0.99	0.99	58HDV080--20
CNPV*6024A**	1.00	0.94		CNPV*4821A**	0.98	0.97		CNPV*4821A**	0.98	0.97	58HDV080--20	0.98	0.97	58HDV080--20	0.98	0.97	58HDV080--20	0.98	0.97	58HDV080--20
CNPV*6124A**	1.00	0.96		CNPV*6024A**	1.00	0.96		CNPV*6024A**	1.00	0.96	58HDV080--20	1.00	0.96	58HDV080--20	1.00	0.96	58HDV080--20	1.00	0.96	58HDV080--20
CSPH**4812A**	1.00	0.92		CNPV*6124A**	1.01	1.01		CNPV*61												

DETAILED COOLING CAPACITIES# CONTINUED

24ABB348(A,W)31 Outdoor Section With CAP**4821A** Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL	COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
CAP**6021A**	1.00	0.94	59*PSA080E21**20	CAP**4821A**	0.97	0.94	59MN7A060V21**20
CAP**6024A**	1.00	0.94	59*PSA080E21**20	CAP**4823A**	0.97	0.94	59MN7A060V21**20
CAP**6025A**	1.00	0.94	59*PSA080E21**20	CAP**4824A**	0.97	0.94	59MN7A060V21**20
CNPH*4821A**	0.99	0.95	59*PSA080E21**20	CAP**6021A**	0.99	0.93	59MN7A060V21**20
CNPH*6024A**	1.00	0.94	59*PSA080E21**20	CAP**6024A**	0.99	0.95	59MN7A060V21**20
CNPH*6124A**	1.01	0.95	59*PSA080E21**20	CAP**6025A**	0.99	0.95	59MN7A060V21**20
CNPV*4821A**	0.99	0.95	59*PSA080E21**20	CNPH*4821A**	0.97	0.93	59MN7A060V21**20
CNPV*4824A**	0.99	0.95	59*PSA080E21**20	CNPH*6024A**	0.99	0.93	59MN7A060V21**20
CNPV*6124A**	1.00	0.94	59*PSA080E21**20	CNPH*6124A**	0.97	0.95	59MN7A060V21**20
CSPH*4812A**	1.01	0.95	59*PSA080E21**20	CNPV*4812A**	0.98	0.94	59MN7A060V21**20
CSPH*6012A**	1.01	0.95	59*PSA080E21**20	CSPH*4812A**	0.98	0.94	59MN7A060V21**20
CAP**4821A**	0.98	0.96	59*PSA100E21**16	CSPH*6012A**	0.99	0.93	59MN7A060V21**20
CAP**4823A**	0.98	0.96	59*PSA100E21**16	CAP**4821A**	0.98	0.94	CVLAAR060120
CAP**4824A**	0.98	0.94	59*PSA100E21**16	CAP**6021A**	1.00	0.94	CVLAAR060120
CNPH*4821A**	1.00	0.96	59*PSA100E21**16	CNPH*4821A**	0.98	0.94	CVLAAR060120
CNPH*6024A**	1.00	0.96	59*PSA100E21**16	CNPH*4824A**	0.98	0.94	CVLAAR060120
CNPH*6124A**	1.00	0.96	59*PSA100E21**16	CNPH*6124A**	1.00	0.94	CVLAAR060120
CNPV*4812A**	0.98	0.94	59*PSA100E21**16	CSPH*4812A**	0.99	0.95	CVLAAR060120
CNPV*4824A**	0.98	0.94	59*PSA100E21**16	CSPH*6012A**	0.99	0.95	CVLAAR060120
CNPV*6124A**	1.00	0.96	59*PSA100E21**16	CAP**4821A**	1.00	0.96	CVMAAR060120
CSPH*4812A**	0.99	0.95	59*PSA100E21**16	CAP**6021A**	1.00	0.96	CVMAAR060120
CSPH*4812A**	1.00	0.94	59*PSA100E21**20	CNPH*4821A**	0.98	0.94	CVMAAR060120
CAP**4823A**	0.98	0.94	59*PSA100E21**20	CNPH*6124A**	1.00	0.96	CVMAAR060120
CAP**4824A**	0.98	0.94	59*PSA100E21**20	CNPV*4812A**	0.98	0.94	CVMAAR060120
CAP**6021A**	1.00	0.94	59*PSA100E21**20	CNPV*4824A**	0.98	0.94	CVMAAR060120
CAP**6024A**	1.00	0.94	59*PSA100E21**20	CNPV*6124A**	1.00	0.98	CVLAAB048112
CAP**6025A**	1.00	0.94	59*PSA100E21**20	CAP**6021A**	1.00	1.00	CVLAAB048112
CNPH*4821A**	0.99	0.95	59*PSA100E21**20	CNPH*4821A**	0.98	0.98	CVLAAB048112
CNPH*6024A**	1.00	0.94	59*PSA100E21**20	CNPH*6024A**	1.00	0.98	CVLAAB048112
CNPH*6124A**	1.01	0.95	59*PSA100E21**20	CNPH*6124A**	1.00	0.98	CVLAAB048112
CNPV*4812A**	0.98	0.95	59*PSA100E21**20	CSPH*6012A**	1.00	0.98	CVLAAB048112
CNPV*4824A**	0.98	0.95	59*PSA100E21**20	CNPH*4821A**	1.00	0.98	CVLAAB060154
CNPV*6124A**	1.00	0.96	59*PSA100E21**20	CNPH*6024A**	1.01	0.97	CVLAAB060154
CSPH*4812A**	0.99	0.94	59*PSA100E21**20	CNPH*6124A**	1.01	0.97	CVLAAB060154
CSPH*6012A**	1.01	0.95	59*PSA100E21**20	CNPV*4812A**	1.00	0.98	CVLAAB060154
CAP**4823A**	0.98	0.94	59*PSA120E24**22	CNPV*4824A**	1.00	0.98	CVLAAB060154
CAP**4824A**	0.98	0.94	59*PSA120E24**22	CNPH*4821A**	1.01	0.97	CVLAAB060154
CAP**6021A**	1.00	0.93	59*PSA120E24**22	CNPH*6024A**	1.01	0.97	CVLAAB060154
CAP**6024A**	1.00	0.93	59*PSA120E24**22	CNPH*6124A**	1.01	0.97	CVLAAB060154
CAP**6025A**	1.00	0.93	59*PSA120E24**22	CNPV*4812A**	1.00	0.98	CVLAAB060154
CNPH*4821A**	0.99	0.95	59*PSA120E24**22	CNPV*4824A**	1.00	0.98	CVLAAB060154
CNPH*6024A**	1.00	0.93	59*PSA120E24**22	CNPH*4821A**	1.00	0.98	CVLAAB060154
CNPH*6124A**	1.01	0.94	59*PSA120E24**22	CNPH*6024A**	1.00	0.98	CVLAAB060154
CNPV*4812A**	0.98	0.94	59*PSA120E24**22	CNPH*6124A**	1.01	0.97	CVLAAB060154
CNPV*4824A**	0.98	0.94	59*PSA120E24**22	CNPV*4812A**	1.00	0.98	CVLAAB060154
CNPV*6124A**	1.00	0.96	59*PSA120E24**22	CNPV*4824A**	1.00	0.98	CVLAAB060154
CSPH*4812A**	0.99	0.94	59*PSA120E24**22	CSPH*4812A**	1.01	0.97	CVLAAB060154
CSPH*6012A**	1.01	0.95	59*PSA120E24**22	CSPH*6012A**	1.01	0.97	CVLAAB060154

See notes on page 83

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
CAP**6021A**	1.00	0.94	59*PSA080E21**20
CAP**6024A**	1.00	0.94	59*PSA080E21**20
CAP**6025A**	1.00	0.94	59*PSA080E21**20
CNPH*4821A**	0.99	0.95	59*PSA080E21**20
CNPH*6024A**	1.00	0.94	59*PSA080E21**20
CNPH*6124A**	1.01	0.95	59*PSA080E21**20
CNPV*4821A**	0.99	0.95	59*PSA080E21**20
CNPV*4824A**	0.99	0.95	59*PSA080E21**20
CNPV*6124A**	1.00	0.94	59*PSA080E21**20
CSPH*4812A**	1.01	0.95	59*PSA080E21**20
CSPH*6012A**	1.01	0.95	59*PSA080E21**20
CAP**4821A**	0.98	0.96	59*PSA100E21**16
CAP**4823A**	0.98	0.96	59*PSA100E21**16
CAP**4824A**	0.98	0.94	59*PSA100E21**16
CNPH*4821A**	1.00	0.96	59*PSA100E21**16
CNPH*6024A**	1.00	0.96	59*PSA100E21**16
CNPH*6124A**	1.00	0.96	59*PSA100E21**16
CNPV*4812A**	0.98	0.94	59*PSA100E21**16
CNPV*4824A**	0.98	0.94	59*PSA100E21**16
CNPV*6124A**	1.00	0.96	59*PSA100E21**16
CSPH*4812A**	0.99	0.95	59*PSA100E21**16
CSPH*4812A**	1.00	0.94	59*PSA100E21**20
CAP**4823A**	0.98	0.94	59*PSA100E21**20
CAP**4824A**	0.98	0.94	59*PSA100E21**20
CAP**6021A**	1.00	0.94	59*PSA100E21**20
CAP**6024A**	1.00	0.94	59*PSA100E21**20
CAP**6025A**	1.00	0.94	59*PSA100E21**20
CNPH*4821A**	0.99	0.95	59*PSA100E21**20
CNPH*6024A**	1.00	0.94	59*PSA100E21**20
CNPH*6124A**	1.01	0.95	59*PSA100E21**20
CNPV*4812A**	0.98	0.95	59*PSA100E21**20
CNPV*4824A**	0.98	0.95	59*PSA100E21**20
CNPV*6124A**	1.00	0.96	59*PSA100E21**20
CSPH*4812A**	0.99	0.94	59*PSA100E21**20
CSPH*6012A**	1.01	0.95	59*PSA100E21**20
CAP**4823A**	0.98	0.94	59*PSA120E24**22
CAP**4824A**	0.98	0.94	59*PSA120E24**22
CAP**6021A**	1.00	0.93	59*PSA120E24**22
CAP**6024A**	1.00	0.93	59*PSA120E24**22
CAP**6025A**	1.00	0.93	59*PSA120E24**22
CNPH*4821A**	0.99	0.95	59*PSA120E24**22
CNPH*6024A**	1.00	0.93	59*PSA120E24**22
CNPH*6124A**	1.01	0.94	59*PSA120E24**22
CNPV*4812A**	0.98	0.94	59*PSA120E24**22
CNPV*4824A**	0.98	0.94	59*PSA120E24**22
CNPV*6124A**	1.00	0.96	59*PSA120E24**22
CSPH*4812A**	0.99	0.94	59*PSA120E24**22
CSPH*6012A**	1.01	0.95	59*PSA120E24**22

DETAILED COOLING CAPACITIES# CONTINUED

24ABB360(A,W)32 Outdoor Section With CAP**6024A** Indoor Section

COOLING INDOOR MODEL	CAPACITY	POWER	FURNACE MODEL
CAP**6021A**	0.98	1.00	59*PSA080E21**20
CAP**6024A**	0.98	1.00	59*PSA080E21**20
CAP**6025A**	0.98	1.00	59*PSA080E21**20
CNPH*6024A**	0.97	0.99	59*PSA080E21**20
CNPH*6124A**	0.98	0.98	59*PSA080E21**20
CNPV*6024A**	0.97	0.99	59*PSA080E21**20
CNPV*6124A**	0.99	0.99	59*PSA080E21**20
CSPH*6012A**	0.98	0.98	59*PSA080E21**20
CAP**6024A**	0.98	1.00	59*PSA100E21**20
CAP**6025A**	0.98	1.00	59*PSA100E21**20
CNPH*6024A**	0.98	1.00	59*PSA100E21**20
CNPH*6124A**	0.98	1.00	59*PSA100E21**20
CNPV*6024A**	0.98	1.00	59*PSA100E21**20
CNPV*6124A**	1.00	1.00	59*PSA100E21**20
CSPH*6012A**	0.99	1.01	59*PSA100E21**20
CAP**6024A**	0.98	0.98	59*PSA120E24**22
CAP**6025A**	0.98	0.98	59*PSA120E24**22
CNPH*6024A**	0.98	0.98	59*PSA120E24**22
CNPH*6124A**	0.98	0.98	59*PSA120E24**22
CNPV*6024A**	0.98	0.98	59*PSA120E24**22
CNPV*6124A**	0.99	0.99	59*PSA120E24**22
CSPH*6012A**	0.99	0.99	59*PSA120E24**22
CAP**6021A**	0.98	1.01	CVLAAR060120
CNPH*6024A**	0.98	1.00	CVLAAR060120
CNPH*6124A**	0.99	1.01	CVLAAR060120
CSPH*6012A**	0.99	0.99	CVLAAR060120
CAP**6021A**	0.98	1.03	CVMAAR060120
CNPH*6024A**	0.98	1.03	CVMAAR060120
CNPH*6124A**	0.98	1.02	CVMAAR060120
CSPH*6012A**	0.98	1.02	CVMAAR060120
CNPH*6024A**	0.99	1.07	OVLAAB060154
CNPH*6124A**	1.00	1.08	OVLAAB060154
CSPH*6012A**	1.00	1.07	OVLAAB060154

NOTES:

- * Tested combination.
 - † Total and sensible capacities are net capacities. Blower motor heat has been subtracted.
 - ‡ Sensible capacities shown are based on 80°F (27°C) entering air at the indoor coil. For sensible capacities at other than 80°F (27°C), deduct 835 Btuh (245 kW) per 1000 CFM (480 L/S) of indoor coil air for each degree below 80°F (27°C), or add 835 Btuh (245 kW) per 1000 CFM (480 L/S) of indoor coil air per degree above 80°F (27°C).
 - # Detailed cooling capacities are based on indoor and outdoor unit at the same elevation per AHRI standard 210/240 – 2008. If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.
 - ** System kw is total of indoor and outdoor unit kilowatts.
 - †† At TVA rating indoor condition (75°F edb/63°F ewb). All other indoor air temperatures are at 80°F edb.
- NOTE:** When the required data falls between the published data, interpolation may be performed. Extrapolation is not an acceptable practice.
EWB — Entering Wet Bulb
NOTE: When the required data fall between the published data, interpolation may be performed. Extrapolation is not an acceptable practice.

CONDENSER ONLY RATINGS*

SST °F (°C)		CONDENSER ENTERING AIR TEMPERATURES °F (°C)							
		55 (12.78)	65 (18.33)	75 (23.89)	85 (29.44)	95 (35.0)	105 (40.56)	115 (46.11)	125 (51.67)
24ABB318(A,W)32									
30 (-1.11)	TCG	16.10	15.20	14.20	13.30	12.30	11.30	10.20	9.10
	SDT	70.80	80.40	89.90	99.50	109.10	118.80	128.60	138.50
	KW	0.83	0.95	1.09	1.24	1.40	1.57	1.76	1.95
35 (1.67)	TCG	17.70	16.70	15.70	14.70	13.70	12.60	11.50	10.30
	SDT	71.90	81.40	90.90	100.40	109.90	119.60	129.40	139.10
	KW	0.83	0.95	1.09	1.24	1.40	1.58	1.77	1.97
40 (4.44)	TCG	19.50	18.40	17.40	16.20	15.10	14.00	12.80	11.50
	SDT	73.00	82.50	91.90	101.30	110.80	120.40	130.10	139.70
	KW	0.83	0.95	1.09	1.23	1.40	1.58	1.77	1.98
45 (7.22)	TCG	21.30	20.20	19.00	17.90	16.70	15.40	14.20	12.80
	SDT	74.20	83.60	93.00	102.30	111.70	121.20	130.70	140.30
	KW	0.83	0.95	1.08	1.23	1.40	1.58	1.78	1.99
50 (10.0)	TCG	23.30	22.00	20.80	19.50	18.20	16.90	15.60	14.20
	SDT	75.40	84.80	94.10	103.40	112.60	122.00	131.40	140.90
	KW	0.82	0.95	1.08	1.23	1.40	1.58	1.78	1.99
55 (12.78)	TCG	25.20	23.90	22.50	21.20	19.80	18.50	17.00	15.50
	SDT	76.70	86.00	95.20	104.40	113.60	122.90	132.20	141.50
	KW	0.82	0.94	1.08	1.23	1.39	1.58	1.78	1.99
24ABB324(A,W)31									
30 (-1.11)	TCG	21.30	20.10	18.90	17.70	16.50	15.20	14.00	12.60
	SDT	73.00	82.40	91.80	101.20	110.60	120.20	129.80	139.40
	KW	1.06	1.21	1.37	1.56	1.77	1.99	2.24	2.51
35 (1.67)	TCG	23.40	22.10	20.90	19.60	18.20	16.90	15.50	14.10
	SDT	74.40	83.60	93.00	102.30	111.70	121.10	130.60	140.20
	KW	1.06	1.21	1.38	1.57	1.77	2.00	2.25	2.52
40 (4.44)	TCG	25.60	24.20	22.90	21.50	20.00	18.60	17.10	15.60
	SDT	75.80	85.00	94.20	103.50	112.70	122.10	131.50	140.90
	KW	1.07	1.22	1.39	1.58	1.78	2.01	2.26	2.53
45 (7.22)	TCG	27.90	26.40	24.90	23.40	21.90	20.40	18.80	17.10
	SDT	77.30	86.30	95.50	104.70	113.80	123.10	132.30	141.60
	KW	1.08	1.23	1.40	1.58	1.79	2.02	2.27	2.54
50 (10.0)	TCG	30.20	28.60	27.00	25.40	23.70	22.10	20.40	18.60
	SDT	78.80	87.80	96.80	105.90	114.90	124.10	133.30	142.40
	KW	1.09	1.24	1.40	1.59	1.80	2.03	2.28	2.55
55 (12.78)	TCG	32.60	30.80	29.10	27.30	25.60	23.90	22.10	20.20
	SDT	80.30	89.20	98.20	107.10	116.10	125.20	134.20	143.10
	KW	1.09	1.25	1.41	1.60	1.81	2.03	2.28	2.55
24ABB330(A,W)31									
30 (-1.11)	TCG	25.40	24.00	22.60	21.10	19.60	18.00	16.40	14.60
	SDT	74.40	83.60	92.90	102.10	111.40	120.80	130.20	139.60
	KW	1.35	1.52	1.70	1.91	2.13	2.37	2.63	2.89
35 (1.67)	TCG	28.00	26.50	24.90	23.40	21.70	20.00	18.30	16.40
	SDT	75.90	85.00	94.20	103.40	112.60	121.90	131.20	140.50
	KW	1.35	1.52	1.71	1.92	2.15	2.39	2.65	2.92
40 (4.44)	TCG	30.70	29.10	27.40	25.70	24.00	22.20	20.30	18.40
	SDT	77.40	86.50	95.60	104.70	113.80	123.00	132.20	141.40
	KW	1.35	1.53	1.72	1.93	2.15	2.40	2.67	2.95
45 (7.22)	TCG	33.50	31.80	30.00	28.20	26.30	24.40	22.40	20.30
	SDT	79.00	88.00	97.00	106.10	115.10	124.20	133.30	142.30
	KW	1.36	1.53	1.72	1.93	2.16	2.42	2.69	2.97
50 (10.0)	TCG	36.50	34.60	32.70	30.70	28.70	26.70	24.60	22.30
	SDT	80.70	89.70	98.50	107.50	116.40	125.40	134.30	143.20
	KW	1.36	1.54	1.73	1.94	2.17	2.43	2.70	2.99
55 (12.78)	TCG	39.50	37.40	35.30	33.20	31.10	29.00	26.70	24.30
	SDT	82.40	91.30	100.10	108.90	117.80	126.60	135.40	144.20
	KW	1.37	1.54	1.74	1.95	2.18	2.44	2.71	3.00
24ABB336(A,W)31									
30 (-1.11)	TCG	30.30	28.80	27.20	25.50	23.80	22.00	20.00	18.00
	SDT	73.20	82.20	91.40	100.60	109.90	119.10	128.40	137.80
	KW	1.65	1.85	2.07	2.30	2.57	2.88	3.25	3.68
35 (1.67)	TCG	33.50	31.80	30.10	28.30	26.40	24.40	22.30	20.10
	SDT	74.80	83.80	92.80	102.00	111.10	120.30	129.50	138.70
	KW	1.66	1.87	2.08	2.32	2.59	2.90	3.26	3.69
40 (4.44)	TCG	37.00	35.10	33.20	31.20	29.20	27.00	24.80	22.40
	SDT	76.60	85.40	94.40	103.40	112.40	121.50	130.60	139.70
	KW	1.68	1.89	2.10	2.34	2.61	2.92	3.28	3.70
45 (7.22)	TCG	40.70	38.60	36.50	34.30	32.10	29.80	27.40	24.80
	SDT	78.50	87.20	96.00	104.90	113.80	122.80	131.80	140.80
	KW	1.70	1.91	2.13	2.37	2.63	2.94	3.30	3.72
50 (10.0)	TCG	44.60	42.30	40.00	37.70	35.30	32.80	30.20	27.40
	SDT	80.50	89.10	97.80	106.50	115.30	124.20	133.00	141.90
	KW	1.73	1.94	2.16	2.40	2.66	2.97	3.32	3.73
55 (12.78)	TCG	48.80	46.30	43.80	41.30	38.70	36.00	33.20	30.20
	SDT	82.60	91.10	99.60	108.20	116.90	125.60	134.30	143.00
	KW	1.77	1.97	2.19	2.43	2.70	3.00	3.35	3.76

24ABB3

See notes on page 104

CONDENSER ONLY RATINGS* CONTINUED

SST °F (°C)		CONDENSER ENTERING AIR TEMPERATURES °F (°C)							
		55 (12.78)	65 (18.33)	75 (23.89)	85 (29.44)	95 (35.0)	105 (40.56)	115 (46.11)	125 (51.67)
24ABB324(A,W)31									
30 (-1.11)	TCG	21.30	20.10	18.90	17.70	16.50	15.20	14.00	12.60
	SDT	73.00	82.40	91.80	101.20	110.60	120.20	129.80	139.40
	KW	1.06	1.21	1.37	1.56	1.77	1.99	2.24	2.51
35 (1.67)	TCG	23.40	22.10	20.90	19.60	18.20	16.90	15.50	14.10
	SDT	74.40	83.60	93.00	102.30	111.70	121.10	130.60	140.20
	KW	1.06	1.21	1.38	1.57	1.77	2.00	2.25	2.52
40 (4.44)	TCG	25.60	24.20	22.90	21.50	20.00	18.60	17.10	15.60
	SDT	75.80	85.00	94.20	103.50	112.70	122.10	131.50	140.90
	KW	1.07	1.22	1.39	1.58	1.78	2.01	2.26	2.53
45 (7.22)	TCG	27.90	26.40	24.90	23.40	21.90	20.40	18.80	17.10
	SDT	77.30	86.30	95.50	104.70	113.80	123.10	132.30	141.60
	KW	1.08	1.23	1.40	1.58	1.79	2.02	2.27	2.54
50 (10.0)	TCG	30.20	28.60	27.00	25.40	23.70	22.10	20.40	18.60
	SDT	78.80	87.80	96.80	105.90	114.90	124.10	133.30	142.40
	KW	1.09	1.24	1.40	1.59	1.80	2.03	2.28	2.55
55 (12.78)	TCG	32.60	30.80	29.10	27.30	25.60	23.90	22.10	20.20
	SDT	80.30	89.20	98.20	107.10	116.10	125.20	134.20	143.10
	KW	1.09	1.25	1.41	1.60	1.81	2.03	2.28	2.55
24ABB348(A,W)31									
30 (-1.11)	TCG	41.10	38.90	36.70	34.40	32.10	29.70	27.20	24.50
	SDT	73.80	83.00	92.30	101.60	111.00	120.40	129.70	139.10
	KW	2.19	2.46	2.76	3.10	3.47	3.87	4.30	4.76
35 (1.67)	TCG	45.20	42.80	40.50	38.00	35.50	32.90	30.20	27.40
	SDT	75.30	84.40	93.70	102.90	112.20	121.50	130.80	140.00
	KW	2.22	2.49	2.79	3.13	3.50	3.90	4.34	4.81
40 (4.44)	TCG	49.60	47.10	44.50	41.90	39.20	36.40	33.50	30.40
	SDT	76.90	86.00	95.10	104.30	113.40	122.60	131.80	141.00
	KW	2.24	2.51	2.82	3.15	3.53	3.93	4.38	4.85
45 (7.22)	TCG	54.30	51.60	48.80	46.00	43.10	40.10	36.90	33.60
	SDT	78.50	87.50	96.60	105.70	114.70	123.80	132.90	142.00
	KW	2.27	2.54	2.85	3.19	3.56	3.97	4.41	4.89
50 (10.0)	TCG	59.30	56.40	53.40	50.30	47.10	43.90	40.50	36.90
	SDT	80.20	89.20	98.10	107.10	116.10	125.10	134.10	143.00
	KW	2.30	2.58	2.88	3.22	3.59	4.00	4.45	4.92
55 (12.78)	TCG	64.60	61.40	58.10	54.80	51.40	47.90	44.20	40.30
	SDT	82.10	91.00	99.80	108.70	117.50	126.40	135.20	144.00
	KW	2.34	2.61	2.92	3.25	3.63	4.04	4.48	4.96
24ABB360(A,W)32									
30 (-1.11)	TCG	54.90	51.90	49.00	46.00	42.90	39.80	36.50	33.10
	SDT	77.60	86.40	95.30	104.20	113.20	122.20	131.20	140.20
	KW	2.73	3.07	3.45	3.88	4.34	4.85	5.41	6.01
35 (1.67)	TCG	60.30	57.10	53.90	50.70	47.30	43.90	40.30	36.50
	SDT	79.50	88.20	97.00	105.80	114.70	123.60	132.50	141.30
	KW	2.79	3.13	3.51	3.94	4.40	4.92	5.48	6.08
40 (4.44)	TCG	66.00	62.60	59.10	55.50	51.90	48.20	44.30	40.10
	SDT	81.60	90.20	98.80	107.50	116.30	125.00	133.80	142.50
	KW	2.86	3.20	3.58	4.00	4.47	4.98	5.54	6.15
45 (7.22)	TCG	72.10	68.30	64.50	60.70	56.70	52.60	48.40	43.80
	SDT	83.80	92.20	100.70	109.30	117.90	126.50	135.10	143.60
	KW	2.93	3.27	3.65	4.08	4.54	5.06	5.61	6.21
50 (10.0)	TCG	78.50	74.40	70.20	66.00	61.60	57.20	52.50	47.50
	SDT	86.10	94.40	102.70	111.20	119.60	128.10	136.50	144.80
	KW	3.01	3.35	3.73	4.15	4.62	5.13	5.68	6.27
55 (12.78)	TCG	85.10	80.60	76.10	71.40	66.70	61.80	56.70	51.20
	SDT	88.60	96.60	104.80	113.10	121.40	129.70	137.90	146.00
	KW	3.09	3.44	3.81	4.24	4.70	5.21	5.75	6.34

* AHRI listing applies only to systems shown in Combination Ratings table.

KW – Outdoor Unit Kilowatts Only.

SDT – Saturated Temperature Leaving Compressor (°F/°C)

SST – Saturated Temperature Entering Compressor (°F/°C)

TCG – Gross Cooling Capacity (1000 Btuh)

24ABB3

GUIDE SPECIFICATIONS

GENERAL

System Description

Outdoor-mounted, air-cooled, split-system air conditioner unit suitable for ground or rooftop installation. Unit consists of a hermetic compressor, an air-cooled coil, propeller-type condenser fan, and a control box. Unit will discharge supply air upward as shown on contract drawings. Unit will be used in a refrigeration circuit to match up to a packaged fan coil or coil unit.

Quality Assurance

- Unit will be rated in accordance with the latest edition of AHRI Standard 210.
- Unit will be certified for capacity and efficiency, and listed in the latest AHRI directory.
- Unit construction will comply with latest edition of ANSI/ASHRAE and with NEC.
- Unit will be constructed in accordance with UL standards and will carry the UL label of approval. Unit will have c-UL-us approval.
- Unit cabinet will be capable of withstanding Federal Test Method Standard No. 141 (Method 6061) 500-hr salt spray test.
- Air-cooled condenser coils will be leak tested at 150 psig and pressure tested at 450 psig.
- Unit constructed in ISO9001 approved facility.

Delivery, Storage, and Handling

- Unit will be shipped as single package only and is stored and handled per unit manufacturer's recommendations.

Warranty (for inclusion by specifying engineer)

- U.S. and Canada only.

PRODUCTS

Equipment

Factory assembled, single piece, air-cooled air conditioner unit. Contained within the unit enclosure is all factory wiring, piping, controls, compressor, refrigerant charge Puron® (R-410A), and special features required prior to field start-up.

Unit Cabinet

- Unit cabinet will be constructed of galvanized steel, bonderized, and coated with a powder coat paint.
- 3 phase equipment available with dense grille only.
- Single phase equipment available with wide (W) or dense (A) grille option.

AIR-COOLED, SPLIT-SYSTEM AIR CONDITIONER

24ABB3

1-1/2 TO 5 NOMINAL TONS

Fans

- Condenser fan will be direct-drive propeller type, discharging air upward.
- Condenser fan motors will be totally enclosed, 1-phase type with class B insulation and permanently lubricated bearings. Shafts will be corrosion resistant.
- Fan blades will be statically and dynamically balanced.
- Condenser fan openings will be equipped with coated steel wire safety guards.

Compressor

- Compressor will be hermetically sealed.
- Compressor will be mounted on rubber vibration isolators.

Condenser Coil

- Condenser coil will be air cooled.
- Coil will be constructed of aluminum fins mechanically bonded to copper tubes which are then cleaned, dehydrated, and sealed.

Refrigeration Components

- Refrigeration circuit components will include liquid-line shutoff valve with sweat connections, vapor-line shutoff valve with sweat connections, system charge of Puron® (R-410A) refrigerant, and compressor oil.
- Unit will be equipped with high-pressure switch, low pressure switch and filter drier for Puron refrigerant.

Operating Characteristics

- The capacity of the unit will meet or exceed _____ Btuh at a suction temperature of _____ °F/°C. The power consumption at full load will not exceed _____ kW.
- Combination of the unit and the evaporator or fan coil unit will have a total net cooling capacity of _____ Btuh or greater at conditions of _____ CFM entering air temperature at the evaporator at _____ °F/°C wet bulb and _____ °F/°C dry bulb, and air entering the unit at _____ °F/°C.
- The system will have a SEER of _____ Btuh/watt or greater at DOE conditions.

Electrical Requirements

- Nominal unit electrical characteristics will be _____ v, single phase, 60 hz. The unit will be capable of satisfactory operation within voltage limits of _____ v to _____ v.
- Nominal unit electrical characteristics will be _____ v, three phase, 60 hz. The unit will be capable of satisfactory operation within voltage limits of _____ v to _____ v.
- Unit electrical power will be single point connection.
- Control circuit will be 24v.

Special Features

- Refer to section of this literature identifying accessories and descriptions for specific features and available enhancements.

SYSTEM DESIGN SUMMARY

1. Intended for outdoor installation with free air inlet and outlet. Outdoor fan external static pressure available is less than 0.01-in. wc.
2. Minimum outdoor operating air temperature without low-ambient operation accessory is 55°F (12.8°C).
3. Maximum outdoor operating air temperature is 125°F (51.7°C).
4. For reliable operation, unit should be level in all horizontal planes.
5. For interconnecting refrigerant tube lengths greater than 80 ft (23.4 m) and/or 35 ft (10.7 m) vertical differential, consult Residential Piping and Longline Guideline and Service Manual available from equipment distributor.
6. If any refrigerant tubing is buried, provide a 6 in. (152.4 mm) vertical rise to the valve connections at the unit. Refrigerant tubing lengths up to 36 in. (914.4 mm) may be buried without further consideration. Do not bury refrigerant lines longer than 36 in. (914.4 mm).
7. Use only copper wire for electric connection at unit. Aluminum and clad aluminum are not acceptable for the type of connector provided.
8. Do not apply capillary tube indoor coils to these units.
9. Factory-supplied filter drier must be installed.

