

WHOLE-HOUSE HIGH EFFICIENCY MEDIA RETROFIT AIR CLEANERS

The High Efficiency Charged-Media Retrofit Air Cleaner has been designed to remove atmospheric and household dust, coal dust, pet dander, cooking smoke and grease, tobacco smoke particles, and more down to 0.3 micron (1/84,000 of an inch).

Ideal for homes with smokers, pets and mustiness.

Helps prolong the operating efficiency of the heating and cooling equipment.



STANDARD FEATURES

- High Efficiency MERV* 11 Media Filter, rated at 492 feet/ minute, removes airborne contaminants down to 0.3 micron.
- Filter material is constructed of continuous hydrophobic polyolefin fibers that will not shred or absorb moisture.
 They are cellulose free and will not sustain mold growth.
- Unique filter design features a structured density gradient with an electret charge for higher initial and sustained efficiency over the life of the filter.
- Extra deep, 5-1/4" filter contains more media material than other filters on the market. More surface area means more collection area, longer filter life and lower static pressure.
- Perfect fit filter has an exact fit with the cabinet. Does not contain foam, sponge or fiberglass filler. Means all the air is passing through the filter and not through filler material, thereby maximizing the system's ability to clean the air.
- User-friendly, easy-to-change filter cartridge means no fussing with complicated combs or brackets.
- Filter lasts up to one year in standard applications.
- Reversible air flow. Mounts in any position.
- Easy to replace with a High Efficiency Electronic Air Cleaner, which is capable of removing harmful contaminants as small as 0.01 micron (1/2,540,000 of an inch). For the most powerful air cleaning system available, add a True HEPA Air Cleaner to the Media or Electronic Air Cleaner.

CABINET CONSTRUCTION FEATURES

- Heavy gauge galvanized steel cabinet resists corrosion and provides trouble-free vertical or horizontal installation. Holes are provided to facilitate mounting to the duct work or air handling system.
- Durable powder coat paint finish on door resists corrosion.

MEDIA REPLACEMENT FILTERS

Replacement filters are packaged 3 per box. Replace 1 to 2 times per year depending on climate, home renovations, smoking in home, or number of pets.

Air Cleaner Model	Replacement Filter			
CMU1620AN	16x20x5-1/4-M11			
CMU1625AN	16x25x5-1/4-M11			
CMU2020AN	20x20x5-1/4-M11			
CMU2025AN	20x25x5-1/4-M11			

WARRANTY

Limited 5-Year Warranty (not including filter)

MERV 11*

^{*} MERV: Minimum Efficiency Reporting Value. Based on ASHRAE Standard 52.2.

MEDIA AIR CLEANERS FOR ALL NEW FURNACE & AIR HANDLER SIZES

SPECIFICATIONS

MODELS	CMU1620AN	CMU1625AN CMU2020AN		CMU2025AN	
Power Consumption	0	0	0	0	
House Size Area	<2400 ft ²	<3000 ft ²	<3000 ft ²	<3000 ft ²	
	<222.96 m ²	<278.70 m ²	<278.70 m ²	<278.70 m ²	
Airflow	up to 1200 cfm	up to 1400 cfm	up to 1400 cfm	up to 2000 cfm	
	up to 2039 m³/hr	up to 2379 m³/hr	up to 2379 m³/hr	up to 3398 m³/hr	
Duct Size	16 x 20 in	16 x 25 in	20 x 20 in	20 x 25 in	
	40.5 x 51 cm	40.6 x 63.5 cm	51.0 x 51.0 cm	51.0 x 63.5 cm	
Intake Dimensions	13.12 x 20.68 in	13.62 x 24.11 in	18.0 x 18.71 in	18.0 x 23.26 in	
(H x L)	33.3 x 52.5 cm	34.6 x 61.2 cm	45.7 x 47.5 cm	45.7 x 59.1 cm	
Cabinet Dimensions	7.5 x 17.4 x 23.75 in	7.5 x 17.41 x 26.64 in	7.5 x 22.3 x 21.75	7.5 x 22.3 x 26.29 in	
(W x H x L)	19.05 x 44.2 x 60.3 cm	19.1 x 44.2 x 67.3 cm	19.05 x 56.6 x 55.2 cm	19.05 x 56.6 x 66.8 cm	
Unit Weight	17 lbs	18 lbs	19 lbs	20 lbs	
	7.7 kg	8.2 kg	8.6 kg	9.1 kg	
Pressure Drop	.064 (in./wg.) @ 246 fpm	.066 (in./wg.) @ 246 fpm	.062 (in./wg.) @ 246 fpm	.069 (in./wg.) @ 246 fpm	
	.209 (in./wg.) @ 492 fpm	.217 (in./wg.) @ 492 fpm	.203 (in./wg.) @ 492 fpm	.207 (in./wg.) @ 492 fpm	
MERV Rating	11	11	11	11	
Replacement Filters	16x20x5-1/4-M11	16x25x5-1/4-M11	20x20x5-1/4-M11	20x25x5-1/4-M11	

DIMENSIONS

MODELS		DIMENSIONS							
TYPE	A1	A2	B1	B2	С	D	E		
CMU1620AN	15.94	17.41	23.18	23.7	1.25	13.12	20.68		
	(40.5)	(44.2)	(58.9)	(60.2)	(3.2)	(33.3)	(52.5)		
CMU1625AN	15.94	17.41	26.11	26.64	1.0	13.62	24.11		
	(40.5)	(44.2)	(66.3)	(67.7)	(2.6)	(34.6)	(61.2)		
CMU2020AN	20.83	22.3	21.21	21.74	1.25	18.0	18.71		
	(52.9)	(56.6)	(53.9)	(55.2)	(3.2)	(45.7)	(47.5)		
CMU2025AN	20.83	22.3	25.76	26.29	1.25	18.0	23.26		
	(52.9)	(56.6)	(65.5)	(66.8)	(3.2)	(45.7)	(59.1)		



