



Location:



4992TRM
Tub/Shower Trim
Specification Submittal

Model Numbers

- 4992TRM**
Tub/Shower Trim, Temptrol Pressure Balancing Shower Valve ordered separately

Feature Highlights

- Requires Temptrol® Pressure Balancing Shower Valve
- Metal lever handle
- Diverter tub spout included
- Components shall be metal and nonmetallic construction, plated in standard Polished Chrome finish
- Available with TA-10 flow control spindle and T-12A cap assembly for Temptrol valve bodies installed with Test Cap
- 2.0 GPM (7.6 L/min) flow rate standard
- 1 mode showerhead

Compliance

- ASME A112.18.1/CSA B125.1
- Lever handle meets ADA requirements



Options/Modifications

- MB** Matte Black finish
- STN** Satin Nickel finish
- 15** 1.5 GPM (5.7 L/Min) aerator
- L1** Less showerhead
- L4** Less head, arm, and flange
- L7** Less handle
- TC** With TA-10 flow control spindle + T-12A Assembly

Warranty

Limited Lifetime - to the original end purchaser in consumer/residential installations.

10 Years - for commercial/industrial installations. Refer to www.symmons.com/warranty for complete warranty information.



SKU Builder


Series	Finish	Modifier	Flow Rate	Trim (required)	Test Cap	Final SKU
4992	STN	L7	15	TRM		4992STNL715TRM
4992	MB			TRM	TC	4992MBTRMTC

Note: No more than two modifiers (L1-L7) and modifier order will follow numerical order.

Architectural/Engineering Specification

Symmons _____ Includes Verity tub and shower trim powered by the Temptrol® Pressure Balancing Showering Valve, featuring metal lever handle, diverter tub spout, and 1 mode showerhead with standard 2.0 gpm (7.6 L/min) flow restrictor. Components made from metal and nonmetallic materials plated in standard polished chrome finish. 10 Year Commercial Warranty. ASME A112.18.1/CSA B125.1 compliant and lever handle meets ADA compliance. Available options: "15 - 1.5 gpm (5.7 L/min) flow restrictor", "L1 - Less showerhead", "L4 - Less head, arm and flange", "L7 - Less handle", "STN - Satin Nickel finish", "MB - Matte Black finish", "TC - Test Cap Trim".

Dimensions



Notes:

- 1) All dimensions measured from nominal rough-in.
- 2) Dimensions are subject to change without notice.