



Product Data




CNPVP

A06008



CNPVT

A06007



CNPVU

A06004

This vertical design N-coil is a furnace coil designed to provide the highest standards of reliability and durability. The coils are available for use in Puron®, the environmentally-friendly refrigerant, and R-22 systems.

Both designs have a painted case (Taupe Metallic) and come with factory-installed thermostatic expansion valves (TXV). The coils are offered in different width configurations for use in multiple installation applications. Additionally, they are offered in a transition configuration, a design which simplifies having to make a field-supplied transition duct configuration. Easy maintenance is provided as the coil slides out of the cabinet after removing the access door and service panel. The coils are available in sizes 018 through 060 (1-1/2 to 5 tons).

Both the CNPVP and CNRVP are available in tin-plated copper coil models. These coils are built with special hairpins which are tin-plated to resist both general pitting corrosion and excessive indoor corrosion-Formicary Corrosion. (Formicary Corrosion is an industry phenomenon.)

STANDARD FEATURES

Water Management -These coil designs do an excellent job of water management. The coils are designed to avoid water blow-off into the ducts by directing condensate away from the fins and into the drain pan.

Durable Condensate Pan — Each coil is equipped with a corrosion-resistant condensate drain pan. The condensate drain pan is designed with a slope to help ensure proper drainage, improved moisture removal, and home comfort.

Compact Design — Unique design offers as much as 2-4 inches less in height to aid in tight installations.

Brass Inserts — Every condensate pan features two 3/4 in. female threaded brass insert connections. The unique brass inserts provide for a leak-free condensate line connection to prevent water damage.

Refrigerant Connections — The coils are provided with proven sweat-connections for leak-free operation maintaining system reliability.

Burst Pressures — These coils meet or exceed burst pressure of 2100 psi which is at least three to five times the pressure they will see in actual application.

Thermostatic Expansion Valves (TXV) — All the Bryant coils have refrigerant-specific factory-installed TXVs. These TXVs come with mechanical connections to the coil for easy change out in the field, without use of braze equipment.

Teflon Ring — The ring, installed inside the liquid line connection at the TXV, is the best option for preventing refrigerant leaks and future service calls. Teflon works with both Puron® and R-22 refrigerant.

Protective Tube Sheets — Protect the durable copper tubing from being damaged during the manufacturing and installation process.



Warranty — All Bryant coils feature a limited 5-year warranty on parts, with additional extended warranties available for the system. The “tin-plated copper coil” models come with a limited 10-year warranty on the coil.

MODEL NUMBER NOMENCLATURE

| 1 | 2 | 3 | 4 | 5 | 6-7 | 8-9 | 10 | 11 | 12 |
|-----------|------------|-------------------------------|--------------------|--|--|--|----------------|--|------------|
| C | N | P | V | P | 18 | 14 | A | C | A |
| Component | Coil Type | Refrigerant Type | Coil Configuration | Cabinet Finish | Unit Capacity | Cabinet Width | Revision Level | Tubing Design | Variations |
| C – Coil | N – N Coil | P – Puron TXV R – R-22 TXV | V – Upfl./Dnfl. | P – Painted U – Uncased T – Transition | 18 – 1 1/2 Ton 24 – 2 Ton 30 – 2 1/2 Ton 36 – 3 Ton 42 – 3 1/2 48 – 4 Ton 60 – 5 Ton | 14 – 14 in. 17 – 17 in. 21 – 21 in. 24 – 24 in. | A – Revision | C – Copper T – Tin-plated Copper | A – Basic |



CNPVP / CNRVP / CNPVU / CNRVU




A05429

CNPVP / CNRVP / CNPVU / CNRVU

DIMENSIONS



| UNIT | SERIES | A (IN.) | B (IN.) | C (IN.) | D (IN.) | E (IN.) | F (IN.) | SHIPPING WT. (LBS.) (NON-COATED HAIRPINS) | SHIPPING WT. (LBS.) (TIN-COATED HAIRPINS) |
|----------------------|--------|---------|----------|---------|---------|---------|---------|---|---|
| CN(P,R)VP1814A(C,T)A | A | 12-5/8 | 10-1/16 | 5-5/16 | 12-1/2 | 14-3/16 | 5/8 | 36.0 | 38.5 |
| CN(P,R)VP2414A(C,T)A | A | 14-5/8 | 12-1/16 | 5-5/16 | 12-1/2 | 14-3/16 | 5/8 | 39.5 | 40.0 |
| CN(P,R)VP2417A(C,T)A | A | 14-5/8 | 10-1/16 | 3-9/16 | 15-3/4 | 17-1/2 | 5/8 | 39.5 | 42.5 |
| CN(P,R)VP3014A(C,T)A | A | 17 | 13-5/8 | 5-5/16 | 12-1/2 | 14-3/16 | 3/4 | 46.5 | 50.0 |
| CN(P,R)VP3017A(C,T)A | A | 17 | 13-7/8 | 3-9/16 | 15-3/4 | 17-1/2 | 3/4 | 47.0 | 49.5 |
| CN(P,R)VP3617A(C,T)A | A | 17 | 13-7/8 | 3-9/16 | 15-3/4 | 17-1/2 | 3/4 | 48.5 | 51.0 |
| CN(P,R)VP3621A(C,T)A | A | 17 | 13-9/16 | 3-9/16 | 19-1/4 | 21 | 3/4 | 48.0 | 51.0 |
| CN(P,R)VP4221A(C,T)A | A | 19 | 15-5/8 | 3-9/16 | 19-1/4 | 21 | 7/8 | 56.5 | 59.5 |
| CN(P,R)VP4821A(C,T)A | A | 22-1/16 | 17-1/2 | 3-9/16 | 19-1/4 | 21 | 7/8 | 65.5 | 68.5 |
| CN(P,R)VP4824A(C,T)A | A | 22-1/16 | 17-1/4 | 3-9/16 | 22-3/4 | 24-1/2 | 7/8 | 62.0 | 65.0 |
| CN(P,R)VP6024A(C,T)A | A | 26-7/8 | 17-15/16 | 3-9/16 | 22-3/4 | 24-1/2 | 7/8 | 78.0 | 80.5 |



A05434

DIMENSIONS

| UNIT | SERIES | A (IN.) | B (IN.) | C (IN.) | D (IN.) | E (IN.) | F (IN.) | G (IN.) | SHIPPING WT. (LBS.) |
|------------------|--------|----------|----------|---------|---------|---------|----------|---------|---------------------|
| CN(P,R)VU1814ACA | A | 10-7/8 | 12-1/2 | 10-5/8 | 9-3/8 | 5-5/16 | 13 | 5/8 | 17.0 |
| CN(P,R)VU2414ACA | A | 12-7/8 | 12-9/16 | 12-5/8 | 11-7/16 | 5-5/16 | 15 | 5/8 | 21.0 |
| CN(P,R)VU3014ACA | A | 14-7/8 | 12-5/8 | 14-3/16 | 13 | 5-5/16 | 16-9/16 | 3/4 | 23.0 |
| CN(P,R)VU3617ACA | A | 14-11/16 | 15-15/16 | 14-7/16 | 13-1/4 | 3-9/16 | 16-13/16 | 3/4 | 26.0 |
| CN(P,R)VU4221ACA | A | 16-1/2 | 19-5/16 | 16-3/16 | 15 | 3-9/16 | 18-9/16 | 7/8 | 29.0 |
| CN(P,R)VU4821ACA | A | 20-9/16 | 19-5/16 | 18-1/16 | 16-7/8 | 3-9/16 | 20-7/16 | 7/8 | 33.0 |
| CN(P,R)VU6024ACA | A | 24-3/8 | 22-7/8 | 18-1/2 | 17-5/16 | 3-9/16 | 20-7/8 | 7/8 | 35.0 |



A05431

CNPVP / CNRVP / CNPVU / CNRVU

DIMENSIONS

| UNIT | SERIES | A (IN.) | B (IN.) | C (IN.) | D (IN.) | E (IN.) | SHIPPING WT. (LBS.) (NON-COATED HAIRPINS) | SHIPPING WT. (LBS.) (TIN-COATED HAIRPINS) |
|----------------------|--------|----------|---------|---------|---------|---------|---|---|
| CN(P,R)VT3617A(C,T)A | A | 19-13/16 | 16-1/8 | 15-3/4 | 17-1/2 | 3/4 | 48.5 | 51.0 |
| CN(P,R)VT4221A(C,T)A | A | 21-13/16 | 17-7/8 | 19-1/4 | 21 | 7/8 | 62.0 | 64.5 |
| CN(P,R)VT4821A(C,T)A | A | 24-7/8 | 19-3/4 | 19-1/4 | 21 | 7/8 | 71.0 | 73.5 |
| CN(P,R)VT6024A(C,T)A | A | 29-1/8 | 20-3/16 | 22-3/4 | 24-1/2 | 7/8 | 78.0 | 80.5 |

PERFORMANCE DATA

COOLING CAPACITIES (MBH) - Puron

| CNPV UNIT SIZE | INDOOR COIL AIR | | SATURATED TEMPERATURE LEAVING EVAPORATOR (°F) | | | | | | | | | | | | | | |
|-----------------------|-----------------|-----|---|-------|------|--------|-------|------|--------|-------|------|-------|-------|------|-------|-------|------|
| | | | 30 | | | 35 | | | 40 | | | 45 | | | 50 | | |
| | CFM | EWB | TC | SHC | BF | TC | SHC | BF | TC | SHC | BF | TC | SHC | BF | TC | SHC | BF |
| 1814 | 450 | 72 | 31.00 | 15.20 | 0.00 | 28.60 | 13.90 | 0.00 | 25.80 | 12.50 | 0.00 | 22.80 | 11.10 | 0.00 | 19.30 | 9.60 | 0.00 |
| | | 67 | 26.00 | 15.70 | 0.00 | 23.50 | 14.30 | 0.01 | 20.70 | 12.80 | 0.01 | 17.60 | 11.30 | 0.01 | 14.10 | 9.80 | 0.01 |
| | | 62 | 21.50 | 16.00 | 0.01 | 18.90 | 14.50 | 0.01 | 16.10 | 13.00 | 0.01 | 13.00 | 11.50 | 0.01 | 10.10 | 10.10 | 0.03 |
| | 600 | 72 | 38.30 | 18.70 | 0.00 | 35.30 | 17.10 | 0.00 | 32.00 | 15.50 | 0.00 | 28.20 | 13.80 | 0.00 | 23.90 | 12.00 | 0.01 |
| | | 67 | 32.30 | 19.50 | 0.01 | 29.20 | 17.80 | 0.02 | 25.70 | 16.10 | 0.02 | 21.80 | 14.30 | 0.02 | 17.50 | 12.40 | 0.02 |
| | | 62 | 26.70 | 20.10 | 0.02 | 23.50 | 18.40 | 0.02 | 20.00 | 16.60 | 0.02 | 16.20 | 14.80 | 0.02 | 12.90 | 12.90 | 0.06 |
| | 750 | 72 | 44.30 | 21.50 | 0.00 | 40.90 | 19.90 | 0.00 | 37.00 | 18.10 | 0.00 | 32.70 | 16.10 | 0.02 | 27.70 | 14.00 | 0.02 |
| | | 67 | 37.40 | 22.80 | 0.03 | 33.90 | 20.90 | 0.03 | 29.90 | 19.00 | 0.03 | 25.40 | 16.90 | 0.03 | 20.40 | 14.70 | 0.04 |
| | | 62 | 31.10 | 23.80 | 0.04 | 27.40 | 21.80 | 0.04 | 23.40 | 19.80 | 0.04 | 19.10 | 17.70 | 0.04 | 15.60 | 15.60 | 0.10 |
| 2414 2417 | 600 | 72 | 39.00 | 19.00 | 0.00 | 36.00 | 17.50 | 0.00 | 32.70 | 15.90 | 0.00 | 28.80 | 14.10 | 0.00 | 24.60 | 12.30 | 0.01 |
| | | 67 | 32.80 | 19.80 | 0.01 | 29.80 | 18.20 | 0.01 | 26.30 | 16.40 | 0.01 | 22.40 | 14.60 | 0.02 | 18.10 | 12.60 | 0.02 |
| | | 62 | 27.20 | 20.50 | 0.02 | 24.00 | 18.70 | 0.02 | 20.50 | 16.90 | 0.02 | 16.60 | 15.00 | 0.02 | 13.10 | 13.10 | 0.05 |
| | 800 | 72 | 47.10 | 22.80 | 0.00 | 43.60 | 21.10 | 0.00 | 39.60 | 19.30 | 0.00 | 35.00 | 17.30 | 0.02 | 29.90 | 15.10 | 0.02 |
| | | 67 | 39.80 | 24.20 | 0.03 | 36.10 | 22.30 | 0.03 | 32.00 | 20.30 | 0.03 | 27.30 | 18.10 | 0.03 | 22.00 | 15.90 | 0.03 |
| | | 62 | 33.10 | 25.40 | 0.03 | 29.30 | 23.40 | 0.03 | 25.10 | 21.20 | 0.03 | 20.50 | 19.00 | 0.04 | 16.70 | 16.70 | 0.09 |
| | 1000 | 72 | 53.40 | 25.90 | 0.00 | 49.50 | 24.20 | 0.00 | 45.10 | 22.10 | 0.02 | 40.00 | 19.90 | 0.03 | 34.10 | 17.50 | 0.04 |
| | | 67 | 45.30 | 27.90 | 0.05 | 41.20 | 25.90 | 0.05 | 36.60 | 23.70 | 0.05 | 31.30 | 21.30 | 0.05 | 25.20 | 18.70 | 0.05 |
| | | 62 | 37.80 | 29.60 | 0.05 | 33.60 | 27.40 | 0.05 | 28.80 | 25.10 | 0.05 | 23.80 | 22.70 | 0.06 | 20.00 | 20.00 | 0.13 |
| 3014 3017 | 750 | 72 | 48.00 | 23.50 | 0.00 | 44.00 | 21.40 | 0.00 | 39.70 | 19.20 | 0.00 | 34.80 | 17.00 | 0.00 | 29.40 | 14.60 | 0.01 |
| | | 67 | 40.30 | 24.20 | 0.01 | 36.20 | 22.00 | 0.02 | 31.80 | 19.70 | 0.02 | 26.80 | 17.40 | 0.02 | 21.40 | 15.00 | 0.02 |
| | | 62 | 33.20 | 24.80 | 0.02 | 29.10 | 22.50 | 0.02 | 24.60 | 20.20 | 0.02 | 19.90 | 17.90 | 0.02 | 15.60 | 15.60 | 0.05 |
| | 1000 | 72 | 58.70 | 28.50 | 0.00 | 53.90 | 26.10 | 0.00 | 48.50 | 23.60 | 0.00 | 42.50 | 20.90 | 0.02 | 35.80 | 18.10 | 0.03 |
| | | 67 | 49.40 | 29.90 | 0.03 | 44.40 | 27.30 | 0.03 | 38.90 | 24.60 | 0.04 | 32.90 | 21.70 | 0.04 | 26.20 | 18.80 | 0.04 |
| | | 62 | 40.80 | 30.90 | 0.04 | 35.80 | 28.20 | 0.04 | 30.30 | 25.40 | 0.04 | 24.60 | 22.60 | 0.05 | 19.90 | 19.90 | 0.10 |
| | 1250 | 72 | 67.40 | 32.70 | 0.00 | 61.90 | 30.10 | 0.00 | 55.70 | 27.30 | 0.02 | 48.80 | 24.20 | 0.04 | 41.10 | 21.00 | 0.05 |
| | | 67 | 56.80 | 34.70 | 0.05 | 51.20 | 31.80 | 0.06 | 44.90 | 28.70 | 0.06 | 37.80 | 25.50 | 0.06 | 30.10 | 22.20 | 0.06 |
| | | 62 | 47.10 | 36.30 | 0.06 | 41.30 | 33.20 | 0.06 | 35.00 | 30.10 | 0.06 | 28.60 | 27.00 | 0.07 | 23.70 | 23.70 | 0.14 |
| 3617 3621 T3617 | 900 | 72 | 58.10 | 28.30 | 0.00 | 53.40 | 25.90 | 0.00 | 48.00 | 23.30 | 0.00 | 42.10 | 20.60 | 0.01 | 35.50 | 17.80 | 0.02 |
| | | 67 | 48.90 | 29.50 | 0.02 | 44.00 | 26.90 | 0.03 | 38.50 | 24.20 | 0.03 | 32.50 | 21.30 | 0.03 | 25.90 | 18.40 | 0.03 |
| | | 62 | 40.40 | 30.40 | 0.03 | 35.40 | 27.70 | 0.03 | 29.90 | 24.90 | 0.03 | 24.20 | 22.10 | 0.04 | 19.40 | 19.40 | 0.08 |
| | 1200 | 72 | 70.00 | 33.90 | 0.00 | 64.30 | 31.20 | 0.00 | 57.80 | 28.30 | 0.02 | 50.70 | 25.10 | 0.04 | 42.70 | 21.80 | 0.05 |
| | | 67 | 58.90 | 35.90 | 0.05 | 53.10 | 32.90 | 0.05 | 46.50 | 29.70 | 0.05 | 39.30 | 26.40 | 0.06 | 31.20 | 22.90 | 0.06 |
| | | 62 | 48.80 | 37.50 | 0.06 | 42.80 | 34.30 | 0.06 | 36.30 | 31.00 | 0.06 | 29.60 | 27.80 | 0.06 | 24.40 | 24.40 | 0.13 |
| | 1500 | 72 | 79.30 | 38.60 | 0.00 | 72.90 | 35.60 | 0.02 | 65.70 | 32.30 | 0.05 | 57.50 | 28.80 | 0.06 | 48.50 | 25.10 | 0.07 |
| | | 67 | 67.00 | 41.30 | 0.08 | 60.40 | 38.00 | 0.08 | 53.00 | 34.40 | 0.08 | 44.70 | 30.70 | 0.08 | 35.50 | 26.80 | 0.09 |
| | | 62 | 55.70 | 43.60 | 0.09 | 48.80 | 40.00 | 0.09 | 41.60 | 36.50 | 0.09 | 34.20 | 32.90 | 0.10 | 28.80 | 28.80 | 0.18 |
| 4221 4224 T4221 | 1050 | 72 | 74.40 | 36.30 | 0.00 | 68.10 | 33.10 | 0.00 | 61.20 | 29.70 | 0.00 | 53.50 | 26.20 | 0.01 | 45.00 | 22.60 | 0.02 |
| | | 67 | 62.30 | 37.60 | 0.02 | 56.00 | 34.20 | 0.03 | 48.90 | 30.60 | 0.03 | 41.20 | 27.00 | 0.03 | 32.80 | 23.30 | 0.03 |
| | | 62 | 51.40 | 38.60 | 0.03 | 44.90 | 35.00 | 0.03 | 37.90 | 31.40 | 0.03 | 30.60 | 27.80 | 0.04 | 24.40 | 24.40 | 0.08 |
| | 1400 | 72 | 90.20 | 43.80 | 0.00 | 82.60 | 40.10 | 0.00 | 74.10 | 36.20 | 0.01 | 64.70 | 32.00 | 0.04 | 54.40 | 27.60 | 0.05 |
| | | 67 | 75.80 | 46.00 | 0.05 | 68.00 | 42.00 | 0.05 | 59.40 | 37.70 | 0.06 | 50.00 | 33.40 | 0.06 | 39.60 | 28.90 | 0.06 |
| | | 62 | 62.60 | 47.70 | 0.06 | 54.70 | 43.50 | 0.06 | 46.20 | 39.20 | 0.06 | 37.50 | 35.00 | 0.07 | 30.70 | 30.70 | 0.13 |
| | 1750 | 72 | 103.00 | 50.00 | 0.00 | 94.30 | 46.00 | 0.00 | 84.60 | 41.50 | 0.05 | 73.90 | 36.80 | 0.06 | 62.00 | 32.00 | 0.07 |
| | | 67 | 86.70 | 53.10 | 0.08 | 77.80 | 48.60 | 0.08 | 68.00 | 43.90 | 0.08 | 57.10 | 39.00 | 0.08 | 45.20 | 33.90 | 0.09 |
| | | 62 | 71.70 | 55.70 | 0.09 | 62.70 | 50.90 | 0.09 | 53.10 | 46.20 | 0.09 | 43.40 | 41.50 | 0.10 | 36.30 | 36.30 | 0.18 |
| 4821 4824 T4821 | 1200 | 72 | 79.30 | 38.70 | 0.00 | 72.90 | 35.40 | 0.00 | 65.70 | 31.90 | 0.00 | 57.70 | 28.20 | 0.00 | 48.80 | 24.40 | 0.01 |
| | | 67 | 66.60 | 40.20 | 0.02 | 60.00 | 36.60 | 0.02 | 52.70 | 32.90 | 0.02 | 44.60 | 29.10 | 0.02 | 35.70 | 25.10 | 0.03 |
| | | 62 | 55.00 | 41.30 | 0.03 | 48.30 | 37.60 | 0.03 | 40.90 | 33.80 | 0.03 | 33.10 | 30.00 | 0.03 | 26.30 | 26.30 | 0.07 |
| | 1600 | 72 | 96.00 | 46.60 | 0.00 | 88.30 | 42.90 | 0.00 | 79.60 | 38.90 | 0.00 | 69.90 | 34.50 | 0.03 | 59.10 | 30.00 | 0.04 |
| | | 67 | 80.90 | 49.20 | 0.04 | 72.90 | 45.00 | 0.04 | 64.10 | 40.70 | 0.05 | 54.20 | 36.10 | 0.05 | 43.30 | 31.40 | 0.05 |
| | | 62 | 67.00 | 51.20 | 0.05 | 58.80 | 46.80 | 0.05 | 49.90 | 42.30 | 0.05 | 40.70 | 37.90 | 0.05 | 33.30 | 33.30 | 0.11 |
| | 2000 | 72 | 109.40 | 53.10 | 0.00 | 100.70 | 49.10 | 0.00 | 90.90 | 44.60 | 0.03 | 79.90 | 39.80 | 0.05 | 67.50 | 34.70 | 0.06 |
| | | 67 | 92.40 | 56.70 | 0.06 | 83.40 | 52.20 | 0.07 | 73.30 | 47.40 | 0.07 | 62.00 | 42.20 | 0.07 | 49.50 | 36.90 | 0.07 |
| | | 62 | 76.70 | 59.70 | 0.07 | 67.50 | 54.90 | 0.08 | 57.40 | 49.90 | 0.08 | 47.20 | 44.90 | 0.08 | 39.50 | 39.50 | 0.16 |
| 6024 T6024 | 1600 | 72 | 103.20 | 50.40 | 0.00 | 94.40 | 45.90 | 0.00 | 84.80 | 41.10 | 0.00 | 74.10 | 36.30 | 0.00 | 62.40 | 31.20 | 0.02 |
| | | 67 | 86.40 | 52.10 | 0.02 | 77.50 | 47.20 | 0.02 | 67.80 | 42.30 | 0.02 | 57.10 | 37.20 | 0.03 | 45.40 | 32.10 | 0.03 |
| | | 62 | 71.20 | 53.30 | 0.03 | 62.20 | 48.30 | 0.03 | 52.40 | 43.30 | 0.03 | 42.30 | 38.30 | 0.03 | 33.50 | 33.50 | 0.07 |
| | 2000 | 72 | 120.70 | 58.70 | 0.00 | 110.40 | 53.60 | 0.00 | 99.00 | 48.20 | 0.00 | 86.40 | 42.50 | 0.02 | 72.60 | 36.70 | 0.03 |
| | | 67 | 101.20 | 61.30 | 0.03 | 90.70 | 55.70 | 0.04 | 79.20 | 50.00 | 0.04 | 66.60 | 44.10 | 0.04 | 52.80 | 38.10 | 0.05 |
| | | 62 | 83.40 | 63.20 | 0.05 | 72.80 | 57.40 | 0.05 | 61.40 | 51.60 | 0.05 | 49.70 | 46.00 | 0.05 | 40.30 | 40.30 | 0.11 |
| | 2400 | 72 | 135.60 | 65.80 | 0.00 | 124.10 | 60.30 | 0.00 | 111.20 | 54.40 | 0.01 | 97.00 | 48.00 | 0.04 | 81.30 | 41.50 | 0.05 |
| | | 67 | 113.90 | 69.30 | 0.05 | 102.10 | 63.20 | 0.06 | 89.10 | 56.90 | 0.06 | 74.80 | 50.30 | 0.06 | 59.20 | 43.60 | 0.06 |
| | | 62 | 94.10 | 72.10 | 0.06 | 82.10 | 65.70 | 0.06 | 69.30 | 59.30 | 0.06 | 56.40 | 53.00 | 0.07 | 46.50 | 46.50 | 0.14 |

See notes on page 8.

PERFORMANCE DATA

COOLING CAPACITIES (MBH) - R-22

| CNRV UNIT SIZE | INDOOR COIL AIR | | SATURATED TEMPERATURE LEAVING EVAPORATOR (°F) | | | | | | | | | | | | | | |
|-----------------------|--------------------|-----|---|-------|------|--------|-------|------|-------|-------|------|-------|-------|------|-------|-------|------|
| | | | 30 | | | 35 | | | 40 | | | 45 | | | 50 | | |
| | CFM | EWB | TC | SHC | BF | TC | SHC | BF | TC | SHC | BF | TC | SHC | BF | TC | SHC | BF |
| 1814 | 450 | 72 | 28.60 | 13.90 | 0.00 | 26.60 | 12.90 | 0.00 | 24.20 | 11.80 | 0.00 | 21.60 | 10.60 | 0.00 | 18.60 | 9.40 | 0.00 |
| | | 67 | 24.20 | 14.80 | 0.01 | 22.10 | 13.70 | 0.01 | 19.70 | 12.50 | 0.01 | 16.80 | 11.20 | 0.01 | 13.50 | 9.70 | 0.01 |
| | | 62 | 20.20 | 15.50 | 0.01 | 18.00 | 14.30 | 0.01 | 15.40 | 13.00 | 0.01 | 12.50 | 11.70 | 0.01 | 10.20 | 10.20 | 0.08 |
| | 600 | 72 | 33.70 | 16.40 | 0.00 | 31.40 | 15.30 | 0.00 | 28.70 | 14.10 | 0.00 | 25.60 | 12.80 | 0.01 | 22.00 | 11.40 | 0.01 |
| | | 67 | 28.70 | 17.80 | 0.02 | 26.20 | 16.60 | 0.02 | 23.40 | 15.30 | 0.02 | 20.10 | 13.80 | 0.02 | 16.30 | 12.20 | 0.02 |
| | | 62 | 24.00 | 19.00 | 0.02 | 21.50 | 17.80 | 0.02 | 18.60 | 16.40 | 0.02 | 15.40 | 14.80 | 0.03 | 13.00 | 13.00 | 0.12 |
| | 750 | 72 | 37.50 | 18.40 | 0.01 | 35.00 | 17.30 | 0.01 | 32.10 | 16.00 | 0.02 | 28.70 | 14.60 | 0.02 | 24.60 | 13.00 | 0.03 |
| | | 67 | 32.00 | 20.30 | 0.03 | 29.40 | 19.10 | 0.03 | 26.20 | 17.70 | 0.03 | 22.60 | 16.10 | 0.03 | 18.60 | 14.40 | 0.03 |
| | | 62 | 26.90 | 22.10 | 0.03 | 24.20 | 20.80 | 0.04 | 21.10 | 19.30 | 0.04 | 17.90 | 17.70 | 0.05 | 15.40 | 15.40 | 0.16 |
| 2414 2417 | 600 | 72 | 34.60 | 16.80 | 0.00 | 32.30 | 15.70 | 0.00 | 29.60 | 14.60 | 0.00 | 26.50 | 13.20 | 0.00 | 22.90 | 11.80 | 0.01 |
| | | 67 | 29.40 | 18.30 | 0.01 | 27.00 | 17.10 | 0.01 | 24.20 | 15.70 | 0.01 | 20.90 | 14.30 | 0.01 | 17.10 | 12.60 | 0.02 |
| | | 62 | 24.70 | 19.50 | 0.02 | 22.20 | 18.30 | 0.02 | 19.30 | 16.80 | 0.02 | 16.00 | 15.30 | 0.02 | 13.40 | 13.40 | 0.10 |
| | 800 | 72 | 39.50 | 19.40 | 0.01 | 37.10 | 18.40 | 0.01 | 34.20 | 17.10 | 0.02 | 30.70 | 15.70 | 0.02 | 26.60 | 14.10 | 0.02 |
| | | 67 | 33.90 | 21.60 | 0.03 | 31.20 | 20.40 | 0.03 | 28.00 | 19.00 | 0.03 | 24.30 | 17.40 | 0.03 | 20.10 | 15.60 | 0.03 |
| | | 62 | 28.60 | 23.70 | 0.03 | 25.80 | 22.30 | 0.03 | 22.60 | 20.80 | 0.04 | 19.30 | 19.10 | 0.05 | 16.80 | 16.80 | 0.16 |
| | 1000 | 72 | 43.20 | 21.50 | 0.03 | 40.60 | 20.50 | 0.04 | 37.50 | 19.20 | 0.04 | 33.80 | 17.70 | 0.04 | 29.30 | 16.00 | 0.04 |
| | | 67 | 37.10 | 24.50 | 0.05 | 34.30 | 23.20 | 0.05 | 30.90 | 21.80 | 0.05 | 26.80 | 20.10 | 0.05 | 22.20 | 18.20 | 0.05 |
| | | 62 | 31.50 | 27.30 | 0.05 | 28.60 | 25.90 | 0.05 | 25.30 | 24.30 | 0.06 | 22.30 | 22.30 | 0.11 | 19.60 | 19.60 | 0.21 |
| 3014 3017 | 750 | 72 | 45.90 | 22.30 | 0.00 | 42.50 | 20.60 | 0.00 | 38.60 | 18.80 | 0.00 | 34.10 | 16.80 | 0.01 | 28.60 | 14.60 | 0.01 |
| | | 67 | 38.90 | 23.70 | 0.02 | 35.30 | 21.90 | 0.02 | 31.00 | 19.80 | 0.02 | 26.00 | 17.50 | 0.02 | 20.30 | 15.10 | 0.02 |
| | | 62 | 32.30 | 24.80 | 0.02 | 28.30 | 22.80 | 0.02 | 24.00 | 20.60 | 0.02 | 19.30 | 18.30 | 0.03 | 15.90 | 15.90 | 0.12 |
| | 1000 | 72 | 53.80 | 26.20 | 0.00 | 49.90 | 24.40 | 0.01 | 45.40 | 22.40 | 0.02 | 40.30 | 20.20 | 0.03 | 34.30 | 17.80 | 0.03 |
| | | 67 | 45.70 | 28.40 | 0.03 | 41.60 | 26.40 | 0.04 | 37.00 | 24.20 | 0.04 | 31.20 | 21.70 | 0.04 | 24.40 | 18.80 | 0.04 |
| | | 62 | 38.30 | 30.40 | 0.04 | 34.00 | 28.20 | 0.04 | 29.00 | 25.80 | 0.04 | 23.80 | 23.20 | 0.06 | 20.00 | 20.00 | 0.16 |
| | 1250 | 72 | 59.80 | 29.30 | 0.03 | 55.50 | 27.40 | 0.04 | 50.60 | 25.30 | 0.04 | 44.80 | 22.90 | 0.05 | 38.40 | 20.40 | 0.05 |
| | | 67 | 50.90 | 32.30 | 0.06 | 46.40 | 30.20 | 0.06 | 41.30 | 27.80 | 0.06 | 35.40 | 25.30 | 0.06 | 27.90 | 22.20 | 0.06 |
| | | 62 | 42.70 | 35.10 | 0.06 | 38.30 | 32.90 | 0.06 | 33.10 | 30.30 | 0.07 | 27.70 | 27.50 | 0.09 | 23.70 | 23.70 | 0.21 |
| 3617 3621 T3617 | 900 | 72 | 53.50 | 26.00 | 0.00 | 49.50 | 24.10 | 0.00 | 45.10 | 22.10 | 0.01 | 40.00 | 19.90 | 0.02 | 33.80 | 17.40 | 0.02 |
| | | 67 | 45.40 | 27.90 | 0.03 | 41.30 | 25.90 | 0.03 | 36.60 | 23.70 | 0.03 | 30.70 | 21.10 | 0.03 | 24.00 | 18.30 | 0.03 |
| | | 62 | 37.90 | 29.70 | 0.03 | 33.50 | 27.40 | 0.03 | 28.50 | 24.90 | 0.03 | 23.20 | 22.30 | 0.05 | 19.30 | 19.30 | 0.15 |
| | 1200 | 72 | 61.60 | 30.10 | 0.02 | 57.20 | 28.20 | 0.03 | 52.10 | 26.00 | 0.04 | 46.20 | 23.50 | 0.04 | 39.60 | 20.90 | 0.05 |
| | | 67 | 52.40 | 33.10 | 0.05 | 47.80 | 30.90 | 0.05 | 42.50 | 28.50 | 0.05 | 36.30 | 25.80 | 0.06 | 28.60 | 22.60 | 0.06 |
| | | 62 | 44.00 | 35.90 | 0.06 | 39.40 | 33.60 | 0.06 | 34.00 | 30.90 | 0.06 | 28.30 | 28.00 | 0.08 | 24.10 | 24.10 | 0.20 |
| | 1500 | 72 | 67.50 | 33.40 | 0.06 | 62.90 | 31.40 | 0.06 | 57.40 | 29.10 | 0.07 | 50.80 | 26.50 | 0.07 | 43.60 | 23.70 | 0.08 |
| | | 67 | 57.70 | 37.40 | 0.08 | 52.70 | 35.10 | 0.08 | 46.90 | 32.60 | 0.08 | 40.30 | 29.80 | 0.08 | 32.20 | 26.50 | 0.09 |
| | | 62 | 48.60 | 41.20 | 0.08 | 43.70 | 38.80 | 0.09 | 38.30 | 36.10 | 0.09 | 32.90 | 32.90 | 0.13 | 28.30 | 28.30 | 0.25 |
| 4221 4224 T4221 | 1050 | 72 | 67.70 | 32.90 | 0.00 | 62.50 | 30.40 | 0.00 | 56.50 | 27.60 | 0.00 | 49.70 | 24.70 | 0.02 | 42.30 | 21.60 | 0.02 |
| | | 67 | 57.10 | 35.00 | 0.03 | 51.70 | 32.20 | 0.03 | 45.60 | 29.30 | 0.03 | 38.80 | 26.20 | 0.03 | 30.30 | 22.60 | 0.03 |
| | | 62 | 47.40 | 36.80 | 0.03 | 41.90 | 33.90 | 0.03 | 35.70 | 30.80 | 0.03 | 28.90 | 27.50 | 0.04 | 23.80 | 23.80 | 0.13 |
| | 1400 | 72 | 79.00 | 38.50 | 0.00 | 73.10 | 35.80 | 0.02 | 66.20 | 32.80 | 0.04 | 58.30 | 29.40 | 0.04 | 49.30 | 25.90 | 0.05 |
| | | 67 | 66.90 | 41.80 | 0.05 | 60.70 | 38.70 | 0.05 | 53.50 | 35.40 | 0.06 | 45.50 | 31.90 | 0.06 | 36.30 | 28.10 | 0.06 |
| | | 62 | 55.70 | 44.70 | 0.06 | 49.40 | 41.50 | 0.06 | 42.60 | 38.10 | 0.06 | 35.40 | 34.50 | 0.08 | 29.90 | 29.90 | 0.18 |
| | 1750 | 72 | 87.40 | 42.90 | 0.04 | 81.00 | 40.10 | 0.06 | 73.60 | 37.00 | 0.07 | 64.90 | 33.40 | 0.07 | 54.80 | 29.50 | 0.08 |
| | | 67 | 74.30 | 47.40 | 0.08 | 67.60 | 44.20 | 0.08 | 59.70 | 40.60 | 0.08 | 50.60 | 36.70 | 0.08 | 40.90 | 32.80 | 0.09 |
| | | 62 | 62.20 | 51.40 | 0.09 | 55.30 | 48.10 | 0.09 | 47.90 | 44.50 | 0.09 | 40.70 | 40.70 | 0.11 | 35.20 | 35.20 | 0.23 |
| 4821 4824 T4821 | 1200 | 72 | 72.40 | 35.20 | 0.00 | 67.30 | 32.70 | 0.00 | 61.20 | 30.00 | 0.00 | 54.20 | 27.00 | 0.01 | 46.30 | 23.70 | 0.02 |
| | | 67 | 61.40 | 37.70 | 0.02 | 55.90 | 35.00 | 0.02 | 49.50 | 32.00 | 0.02 | 42.40 | 28.80 | 0.02 | 34.10 | 25.20 | 0.03 |
| | | 62 | 51.20 | 40.00 | 0.03 | 45.50 | 37.00 | 0.03 | 39.20 | 33.90 | 0.03 | 32.20 | 30.50 | 0.03 | 26.70 | 26.70 | 0.12 |
| | 1600 | 72 | 83.80 | 41.00 | 0.00 | 78.00 | 38.40 | 0.02 | 71.30 | 35.40 | 0.03 | 63.30 | 32.10 | 0.03 | 54.00 | 28.50 | 0.04 |
| | | 67 | 71.40 | 44.90 | 0.04 | 65.20 | 42.00 | 0.04 | 58.00 | 38.70 | 0.05 | 49.50 | 35.00 | 0.05 | 40.30 | 31.20 | 0.05 |
| | | 62 | 59.80 | 48.50 | 0.05 | 53.40 | 45.30 | 0.05 | 46.30 | 41.90 | 0.05 | 39.00 | 38.30 | 0.07 | 33.40 | 33.40 | 0.17 |
| | 2000 | 72 | 92.10 | 45.50 | 0.04 | 86.00 | 42.90 | 0.05 | 78.70 | 39.80 | 0.05 | 70.10 | 36.40 | 0.06 | 60.00 | 32.50 | 0.06 |
| | | 67 | 78.70 | 50.90 | 0.07 | 72.10 | 47.80 | 0.07 | 64.30 | 44.40 | 0.07 | 55.10 | 40.40 | 0.07 | 44.90 | 36.30 | 0.07 |
| | | 62 | 66.30 | 55.90 | 0.07 | 59.60 | 52.60 | 0.07 | 52.10 | 48.90 | 0.08 | 44.90 | 44.90 | 0.11 | 39.20 | 39.20 | 0.22 |
| 6024 T6024 | 1600 | 72 | 93.60 | 45.40 | 0.00 | 86.30 | 41.90 | 0.00 | 77.90 | 38.00 | 0.00 | 68.30 | 33.80 | 0.01 | 58.00 | 29.60 | 0.02 |
| | | 67 | 78.90 | 48.10 | 0.02 | 71.20 | 44.20 | 0.02 | 62.70 | 40.10 | 0.02 | 53.20 | 35.70 | 0.03 | 41.70 | 30.80 | 0.03 |
| | | 62 | 65.40 | 50.40 | 0.03 | 57.70 | 46.30 | 0.03 | 49.20 | 42.00 | 0.03 | 39.60 | 37.40 | 0.04 | 32.50 | 32.50 | 0.12 |
| | 2000 | 72 | 106.40 | 51.70 | 0.00 | 98.20 | 47.90 | 0.00 | 88.80 | 43.70 | 0.02 | 78.00 | 39.10 | 0.03 | 65.80 | 34.10 | 0.03 |
| | | 67 | 89.90 | 55.50 | 0.04 | 81.30 | 51.30 | 0.04 | 71.50 | 46.70 | 0.04 | 60.60 | 41.80 | 0.04 | 48.30 | 36.60 | 0.04 |
| | | 62 | 74.70 | 58.90 | 0.04 | 65.90 | 54.40 | 0.04 | 56.60 | 49.70 | 0.05 | 46.50 | 44.80 | 0.06 | 38.90 | 38.90 | 0.16 |
| | 2400 | 72 | 116.60 | 57.00 | 0.00 | 107.90 | 53.00 | 0.03 | 97.70 | 48.50 | 0.04 | 85.90 | 43.60 | 0.05 | 72.30 | 38.20 | 0.05 |
| | | 67 | 98.90 | 61.90 | 0.06 | 89.60 | 57.50 | 0.06 | 78.90 | 52.50 | 0.06 | 66.60 | 47.20 | 0.06 | 53.70 | 41.80 | 0.06 |
| | | 62 | 82.30 | 66.40 | 0.06 | 72.90 | 61.70 | 0.06 | 62.70 | 56.70 | 0.07 | 52.60 | 51.60 | 0.08 | 44.70 | 44.70 | 0.19 |

See notes on page 8.

CNPVP / CNRVP / CNPVP / CNRVP / CNRVP

- CFM** — Cubic Ft. per Minute
- EWB** — Entering Wet Bulb (°F)
- LWB** — Leaving Wet Bulb (°F)
- TC** — Total Cooling Capacity 1000 Btuh
- BF** — Bypass Factor
- MBH** — 1000 Btuh
- SHC** — Sensible Heat Capacities (1000 Btuh)

NOTES:

1. Contact manufacturer for cooling capacities at conditions other than shown in table.
2. Formulas:

$$\text{Leaving db} = \text{entering db} - \frac{\text{sensible heat cap.}}{1.09 \times \text{CFM}}$$

$$\text{Leaving wb} = \text{wb corresponding to enthalpy of air leaving coil (h}_{LWB})$$

$$h_{LWB} = h_{EWB} - \frac{\text{total capacity (Btuh)}}{4.5 \times \text{CFM}}$$

Where h_{EWB} = enthalpy of air entering coil
3. SHC is based on 80°F db temperature of air entering the evaporator coil.
 Below 80°F db, subtract (Correction Factor x CFM) from SHC.
 Above 80°F db, add (Correction Factor x CFM) to SHC.
4. Direct interpolation is permissible. Do not extrapolate.
5. Fan motor heat has not been deducted.
6. All data points are based on 10°F superheat leaving coil and use of thermostatic expansion valve (TXV) device.
7. All units have sweat suction-tube connection and a liquid-tube connection. For 1-1/8-in. system suction tube, 3/4 x 1-1/8-in. suction tube connection adapter is available as accessory.
8. The CNPVP and CNPVU coils can be used in any properly designed system using Puron® refrigerant.
9. The CNRVP and CNRVU coils can be used in any properly designed system using R-22 refrigerant.
10. Before using maximum cfm shown in table, check coil static pressure drop to ensure system blower can provide necessary static pressure needed for coil and duct systems.
11. Bypass Factor = 0 indicates no psychometric solution. Use bypass factor of next lower EWB for approximation.

CNPVP / CNRVP / CNPVU / CNRVU

| BYPASS FACTOR | ENTERING AIR DRY BULB TEMPERATURE (°F) | | | | | |
|-------------------|--|------|------|------|------|-------------------------|
| | 79 | 78 | 77 | 76 | 75 | Under 75 |
| | 81 | 82 | 83 | 84 | 84 | Above 85 |
| Correction Factor | | | | | | |
| 0.10 | 0.98 | 1.96 | 2.94 | 3.92 | 4.91 | Use formula shown below |
| 0.20 | 0.87 | 1.74 | 2.62 | 3.49 | 4.36 | |
| 0.30 | 0.76 | 1.53 | 2.29 | 3.05 | 3.82 | |

Interpolation is permissible.

$$\text{Correction Factor} = 1.09 \times (1 - \text{BF}) \times (\text{db} - 80)$$

COIL STATIC PRESSURE DROP (IN. WC.)

Puron and R-22

| UNIT SIZE | Standard CFM | | | | | | | | | | | | | | | | | | |
|---------------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|------|
| | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1800 | 1900 | 2000 | 2100 | 2200 |
| 1814 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.078 | 0.114 | 0.156 | 0.198 | 0.253 | | | | | | | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 2414 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.070 | 0.103 | 0.143 | 0.182 | 0.233 | 0.290 | 0.354 | | | | | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 2417 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.089 | 0.128 | 0.171 | 0.214 | 0.269 | 0.336 | 0.413 | | | | | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 3014 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.048 | 0.068 | 0.090 | 0.112 | 0.140 | 0.170 | 0.203 | | | | | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 3017 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.064 | 0.091 | 0.122 | 0.150 | 0.188 | 0.224 | 0.263 | | | | | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 3617 T3617 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.042 | 0.060 | 0.080 | 0.102 | 0.128 | 0.157 | 0.188 | 0.222 | 0.259 | | | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 3621 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.055 | 0.076 | 0.104 | 0.127 | 0.158 | 0.190 | 0.225 | 0.266 | 0.309 | | | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 4221 T4221 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.035 | 0.048 | 0.062 | 0.076 | 0.093 | 0.111 | 0.132 | 0.153 | 0.177 | 0.201 | 0.228 | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 4821 T4821 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.049 | 0.066 | 0.085 | 0.100 | 0.122 | 0.144 | 0.171 | 0.192 | 0.217 | 0.245 | 0.276 | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 4824 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.030 | 0.041 | 0.054 | 0.066 | 0.082 | 0.099 | 0.118 | 0.137 | 0.158 | 0.180 | 0.205 | 0.231 | 0.259 | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 6024 T6024 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.043 | 0.061 | 0.082 | 0.103 | 0.128 | 0.157 | 0.189 | 0.221 | 0.259 | 0.299 | 0.341 | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 4824 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.056 | 0.079 | 0.107 | 0.133 | 0.166 | 0.200 | 0.236 | 0.276 | 0.315 | 0.361 | 0.413 | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 6024 T6024 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.049 | 0.066 | 0.085 | 0.100 | 0.122 | 0.144 | 0.171 | 0.192 | 0.217 | 0.245 | 0.276 | | | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 4824 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.032 | 0.050 | 0.066 | 0.081 | 0.097 | 0.114 | 0.131 | 0.150 | 0.169 | 0.190 | 0.211 | 0.233 | 0.257 | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 6024 T6024 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.043 | 0.059 | 0.078 | 0.101 | 0.126 | 0.153 | 0.181 | 0.207 | 0.234 | 0.260 | 0.288 | 0.319 | 0.354 | | | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |
| 6024 T6024 | Dry | | | | | | | | | | | | | | | | | | |
| | 0.082 | 0.096 | 0.112 | 0.129 | 0.145 | 0.163 | 0.171 | 0.191 | 0.212 | 0.235 | 0.258 | 0.283 | 0.310 | 0.336 | 0.366 | | | | |
| | Wet | | | | | | | | | | | | | | | | | | |

CNPVP / CNRVP / CNPVP / CNRVU

EMPTY COIL CASING ACCESSORY FOR UNCASSED N-COIL

| ACCESSORY PART NUMBER | NOMINAL COIL SIZES | DIMENSIONS (IN.) | | |
|-----------------------|---------------------------|------------------|---------|--------|
| | | HEIGHT | WIDTH | DEPTH |
| KCAKC2612ECC | CN(P,R)VU1814, 2414, 3014 | 17 | 14-3/16 | 20-1/2 |
| KCAKC2712ECC | CN(P,R)VU3617 | 17 | 17-1/2 | 20-1/2 |
| KCAKC2808ECC | CN(P,R)VU4221, 4821 | 22-1/16 | 21 | 20-1/2 |
| KCAKC2904ECC | CN(P,R)VU6024 | 26-5/16 | 24-1/2 | 20-1/2 |