



Project/Job Name:

Location:

Fixture Type:

Notes:

S11881 - 15 Watt LED; Fire Rated; 6 Inch Direct Wire Directional Downlight; Round Shape; White Finish; CCT Selectable; Dimmable; 120 Volts

- Air Tight
- Has Driver
- CCT Selectable
- IC Rated



ELECTRICAL

Technology:	LED
Watts:	15W
Volts:	120V
Lumens:	1280L
CRI:	90
Rg Value :	51
CCT (Kelvins):	2700K/3000K/3500K/4000K/5000K
Color Description:	Warm White to Natural Light
Beam Spread :	40
Hours Rated:	50000
Dimmable:	Yes-Dimmable
Dimmable Down To %:	100 to 10 percent
Dimming Type :	Triac
Incandescent Equivalent :	75W
Operating Temperature :	-20C (-4F) to +40C (+104F)
Replaceable Light Source :	No
Number of LEDs :	40
Connection:	Direct Wired
THD:	<30%
Power Factor :	>0.9
Warranty:	5 Year Limited - Fixtures

PACKAGING

Each UPC:	045923118814
Each Quantity:	1
Each Dimensions:	8.19 x 3.94 x 8.27
Case UPC:	10045923118811
Case Quantity:	12
Case Dimensions:	17.32 x 12.60 x 17.32

PHYSICAL

Finish:	White
Lens Finish:	Frost
Lens Material:	Poly methyl methacrylate (PMMA)
Finish Family:	White
Dimensions:	H:2.17" DIA:7.48"
Weight (Lbs.):	1.57
Material:	Aluminum

INSTALLATION

Max Drywall Thickness:	1 in.
Rec. Spacing Between Fixtures:	3 ft. to 4 ft.
Clearance Height:	3
Sloped Ceiling Compatible:	Yes
Can Size:	6 in.

COMPLIANCE

Safety Listing:	cETLus - Listed
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2684099
Energy Star Lamp Category:	Downlight Recessed
UL/ETL Application:	Covered Ceiling Mount
UL/ETL Standard:	ANSI/UL 1598; CSA-C22.2 No. 250.0
CA Prop 65:	Lead
BAA Compliant:	No
FCC Compliant:	Yes
RoHS Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions

INFO

Additional Info:	2-Hour Fire Rated
Specification Note:	Rotation Angle 360 degrees; Tilt Angle 80 degrees



S11881 - 15 Watt LED; Fire Rated; 6 Inch Direct Wire Directional Downlight; Round Shape; White Finish; CCT Selectable; Dimmable; 120 Volts

DIMMER COMPATIBILITY

Leviton	6672
Leviton	6674
Leviton	66DF-10W
Leviton	66ELV
Satco	80/2699
Satco	80/2700
Satco	80/2701
Satco	80/2702
Satco	80/2703
Satco	80/2704
Satco	86/103
Legrand	ADTP703TU
Lutron	AYCL-153P
Lutron	AYCL-253P
Lutron	CTCL-153P
Lutron	CTRP-253P
Eaton	DALo6P-C2
Leviton	DDL06
Leviton	DDMX1
Leviton	DG6HD
Leviton	DH6HD
Leviton	DL6HD
Leviton	DSEo6-10Z
Leviton	DSL06
Leviton	DSM10

Eaton DULo6P-C2

Lutron	DVCL-153P
Lutron	DVCL-253P
Lutron	DVRP-253P
Leviton	DW6HD
Leviton	DZ6HD
Lutron	HQR-3LD
Lutron	HQR-3PD
Lutron	HQRA-PRO
Lutron	HQRD-10D
Lutron	HQRD-10NBD
Lutron	HQRD-6CL
Lutron	HQRD-6ND
Lutron	HQRD-HN6BRL
Lutron	HQRD-PRO
Lutron	HRST-PRO-N
Leviton	IPE04-1L
Leviton	IPL06
Lutron	LECL-153P
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	MACL-LFQ
Lutron	MAELV-600
Precision	MR42400PLS
Lutron	MRF2-3LD
Lutron	MRF2-3PD
Lutron	MSCL-OP153M
Lutron	NTCL-250
Lutron	NTRP-250

Hubbell	NXFRD-UNV
Overdrive	ODMR0205
Lutron	PD-10NXD
Lutron	PD-3PCL
Lutron	PD-5NE
Lutron	PD-6WCL
Lutron	PHPM-WBX-120
Lutron	RCL-153PNL
Leviton	REL06-WW
Eaton	RF9640-ND
Legrand	RH703PTUTC
Legrand	RHCL450PTC
Leviton	RNL06-10Z
Lutron	RRD-10D
Lutron	RRD-3LD
Lutron	RRD-3PD
Lutron	RRD-6CL
Lutron	RRD-6ND
Lutron	RRD-H6BRL
Lutron	RRD-PRO
Lutron	RRST-PRO-N
Satco	S11270
Eaton	SAL06P
Lutron	SCL-153P
Lutron	SELV-300P
Lutron	SLV-600P
Lutron	ST-PRO-N
Lutron	STCL-153M

Eaton	SUF7
Eaton	TALo6P-C2
Lutron	TGCL-153PH
Leviton	TSLo6
Leviton	TSM10
Lutron	TTCL-100H
Leviton	VPEo6-1LZ
Eaton	VSULo6D
Acuity	WSX-PDT-WH
Legrand	WWRL5oWH