ELITA PRESSURE BALANCE SHOWER VALVE TRIM - LEVER HANDLE

SKU: 955084-L
Code: SHEL441001, SHEL441002, SH4001

FEATURES

Material: Metal
Required for Installation: Requires rough-in valve (SH4001)
Optional Accessory: Extension kit available (ACF4001EXT)

ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, Massachusetts Accepted, LISTED ID: SHEL441001*, SHEL441002*, SH4001


ADDITIONAL FEATURES

- Metal construction for ultimate strength and durability.
- When purchased with optional but required for install Rough-in Valve:
  - Pressure balance valve with integral stops.
  - One-piece cartridge design for ease of maintenance.
  - Back-to-back capability.
  - Ceramic disc valve cartridge.
  - Cast bronze valve body.
  - Adjustable temperature limit stop.
  - Quick remove plaster guard.
  - Easy mounting brackets.

ELITA PRESSURE BALANCE SHOWER VALVE TRIM - LEVER HANDLE

SKU: 955084-L
Code: SHEL441001, SHEL441002, SH4001

4-3/16" (107 mm)

4-11/16" (119 mm)

3-1/4" (82 mm)

3/4" (19 mm)

6-3/4" (172 mm)

2-7/8" (73 mm)

PRESSURE BALANCE TUB & SHOWER ROUGH-IN VALVE

SKU: 446520
Code: SH4001

FEATURES

Material: Brass
Flow Rate: 6.34 gpm (24.0 L/min) @ 80 psi
Connection Type: 1/2" MIP and SWT
Cartridge Type: Ceramic Disc

IAPMO, ASME A112.18.1/CSA B125.1, ASSE 1016 Type P, Massachusetts Accepted, LISTED ID: SH4001

ADDITIONAL FEATURES

- Pressure balance valve with integral stops.
- One-piece ceramic cartridge design for ease of maintenance.
- Back-to-back capability
- Adjustable temperature limit stop.
- Quick remove plaster guard and easy mounting brackets.

PRESSURE BALANCE TUB & SHOWER ROUGH-IN VALVE

4-7/8" (124 mm)

1/2" (12 mm) - 14NPT

1-3/4" (44 mm)

1-3/4" (44 mm)

3-7/8" (98 mm)

3-3/8" (85 mm)

1-7/8" (48 mm)

REVISED 11/27/2024