

500 Series, French Door Bottom Mount Refrigerator, 36", Black Stainless Steel, Total No Frost B36FD52SNB



- **QuickIce Pro System™:** The industry's fastest refrigerator ice maker\*, offers freshly filtered ice, replenished fast.
- **Spacious Standard Depth:** our sleek, freestanding refrigerators provide ample space for all of your perishables.
- **Bottle Fill:** fill your favorite glass or bottle hands-free using one touch bottle fill.
- **UltraClarityPro® Water Filter:** removes an astonishing >99.9% of sediments from your tap water.
- **MultiAirFlow™:** maintains consistent temperatures throughout the unit by evenly circulating cool air.


UPC code: ..... 825225970774  
Color: ..... black inox-antifingerprint  
Panel Ready: ..... Not Possible  
Silence Level: ..... 40 dB(A) re 1pW  
Fuse protection: ..... 10 A  
Volts: ..... 110-120 V  
Frequency: ..... 60 Hz  
ENERGY STAR® certified: ..... Yes  
Power Cord Length: ..... 66 15/16 "   
Plug Type: ..... 120V-3 prong  
Required Cutout Size (HxWxD) (in): ..... X  
Product Packaging Dimensions (HxWxD): ..... 73.03 x 39.29 x 35.98  
Total Unit Gross Capacity - AHAM: .....26.0 Cu Ft  
Refrigerator Gross Capacity: .....18.0 Cu Ft  
Freezer Gross Capacity: .....8.0 Cu Ft  
Net Weight: ..... 327.000 lbs  
Gross Weight: .....355.000 lbs




- BORPLFTR55 Ultraclarity PRO water filter  
FPETHKT50 Fresh Protect Ethylene Starter Kit  
FPETHRF50 Fresh Protect Ethylene Refill Kit

## 500 Series, French Door Bottom Mount Refrigerator, 36", Black Stainless Steel, Total No Frost B36FD52SNB

Measurements in inches (mm)




Measurements in inches (mm)




**A:** Add 1/4" (6 mm) with front leveling feet fully extended

Measurements in inches (mm)




Drawers can be pulled out with door open to 90°  
Drawers can be taken out with door completely opened

measurements in inches (mm)



measurements in inches (mm)



Leave  $\frac{1}{2}$ " (12.7) gap at the top and 1" (25.4) behind the refrigerator for proper ventilation.

It is recommended that you do not install the refrigerator near a heat source such as a stove or a range.