# **Two-Piece Elongated Toilet**



### **Product Features**

- · 1.28 gpf
- $\cdot\,$  Gravity-fed siphon jet flush
- $\cdot$  Vitreous china
- · 16-1/8" Elongated bowl
- · Rough-in: 10"
- · Flush Valve: 3"
- · Trapway: 2" Fully glazed
- · Water Spot: 9" x 7"
- · Side mounted chrome trip lever
- · Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt tank-to-bowl installation

#### **Optional Accessories/Available Parts**

**PF3712FLPK**Fill Valve Assembly**PF3712FVPK**Flush Valve Assembly

#### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CSA B45.1
- · MaP Rated 1000g
- Meets ADA requirements when installed according to ADA guidelines



Available Colors: White (WH)

Tank	
PF3710WH	10" Rough-in Tank
Bowl	
PF3701WH	Elongated Bowl - 16-1/8"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit **ferguson.com/PROFLO-vitreous-china-warranty** for detailed warranty information.

# **Two-Piece Elongated Toilet**





**Bowl Footprint Dimensions** 



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

### FERGUSON.COM/PROFLO

# **Two-Piece Elongated Toilet**



### **Product Features**

- · 1.28 gpf
- · Gravity-fed siphon jet flush
- $\cdot$  Vitreous china
- · 16-1/8" Elongated bowl
- · Rough-in: 12"
- · Flush Valve: 3"
- · Trapway: 2" Fully glazed
- · Water Spot: 9" x 7"
- · Side mounted chrome trip lever
- · Sanitary bar on bowl for easy cleaning
- $\cdot\,$  Quick connect, two-bolt tank-to-bowl installation

#### **Optional Accessories/Available Parts**

**PF3712FLPK**Fill Valve Assembly**PF3712FVPK**Flush Valve Assembly

#### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CSA B45.1
- · MaP Rated 1000g
- Meets ADA requirements when installed according to ADA guidelines



Available Colors: White (WH)

Tank	
PF3712WH	12" Rough-in Tank
Bowl	
PF3701WH	Elongated Bowl - 16-1/8"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit **ferguson.com/PROFLO-vitreous-china-warranty** for detailed warranty information.

# **Two-Piece Elongated Toilet**





**Bowl Footprint Dimensions** 



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

#### FERGUSON.COM/PROFLO

# **Two-Piece Elongated Toilet**



### **Product Features**

- $\cdot$  1.0/1.28 gpf dual flush
- · Gravity-fed siphon jet flush
- $\cdot\,$  Vitreous china
- $\cdot\,$  16-1/8" Elongated bowl
- · Rough-in: 12"
- · Flush Valve: 3"
- · Trapway: 2" Fully glazed
- · Water Spot: 9" x 7"
- · Side mounted chrome trip lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation

#### **Optional Accessories/Available Parts**

PF3712DFFLPK PF3712DFFVKIT PF3712DFPFVPK Fill Valve Assembly for PF3712DFPWH Flush Valve Assembly for PF3712DFWH Flush Valve Assembly for PF3712DFPWH

### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CSA B45.1
- · MaP Rated 1000g
- Meets ADA requirements when installed according to ADA guidelines



Available Colors: White (WH)

Tank	
PF3712DFWH	12" Rough-in Dual Flush Tank
PF3712DFPWH	12" Rough-in Dual Flush Push Button Tank
Bowl	
PF3701WH	Elongated Bowl - 16-1/8"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit **ferguson.com/PROFLO-vitreous-china-warranty** for detailed warranty information.

# **Two-Piece Elongated Toilet**





**Bowl Footprint Dimensions** 



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

### FERGUSON.COM/PROFLO