

ApolloPress 90° elbow PxP 3"



this article is part of a product group (807L.XL) that contains a total of 3 items

[view all 3 items](#) 

group: 807L.XL article: 10062067 category: fittingen product line: Apollo ApolloPress

The ApolloPress® 807L Large Diameter Press 90° Long Turn Elbow features a lead free dezincification resistant copper body, a patented stainless-steel solid cross-section grab ring, a nylon separation ring and an EPDM o-ring. ApolloPress® products are manufactured utilizing proven ASTM materials and standards.

- Lead Free Construction
- Leak Before Press® Technology
- Visual Element, Break Away Band (Pat# 9,532.451)

applications

potable water, heating, cooling,
compressed air, vacuum, steam,
sprinkler

segments

industry , fire protection , utility

approvals

IAPMO/ANSI/CAN Z1117 , ICC
LC1002 , CRN , FM , UL , ULC ,
NSF/ANSI 372 , NSF/ANSI 61

specifications - product Info

article	ApolloPress 90° elbow PxP 3"
article number with gtin	10062067 (00683264620674)
product number with gtin	10062067 (00683264620674)
manufacturer	Aalberts integrated piping systems Americas, Inc. (Apollo)
item group	807L.XL 807L.XL - ApolloPress 90° elbow, large (P x P)
size	3"
weight	3.43 lb
dimensions	8.56x8.56x3.68 "

specifications - technical

max operating pressure liquid	300 psi
min. medium temperature	32 °F
max medium temperature	250 °F

dimensions


d1	DN1	I1	z1	d2	DN2	I2	z2	radius	angle
79.4	3"	171	117	79.3	3"	171	117	95	90

specifications - characteristics

color	copper
materials	copper (CW024A (UNS C12200))
finishing	none
shape	Elbow, 90
connection type	press (V), press (V)
sealing	EPDM

specifications - general

product group	fittings (EPDM)
ETIM class	EC003024 Fitting with 2 connections
country of origin	Hungary
brand	Apollo
series	ApolloPress
product type	807L.XL
unsps	40172812



downloads

⬇ 807L.XL - jpg

⬇ ApolloPress Catalog - pdf

⬇ Diagram - png

⬇ ApolloPress Brochure - pdf