



506407 - SPBS-12HF

Add-on battery backup package system that allows a user to backup their existing sump pump and includes the 12 amp battery charger, 3360 GPH 12 volt backup pump, diaphragm switch pipe fittings for installation and battery box all in one package.

Item: 506407

Model: SPBS-12HF

★★★★★ (0) [Write a review](#)

Ratings

Frequency	60 Hz
Phase	Single-Phase
Volts	115 VAC
Lead Length	6 ft
Continuous Duty	No
Maximum Flow Rate - 60Hz	53 gpm / 3180 gph
Shut-Off	23 ft
Shut Off Height - 60Hz	75.46 ft
Max Solid Handling Size	0 "

Liquid

Max Fluid Temperature	120 °F
-----------------------	--------

Materials of Construction

Pump Base Material	Plastic
Pump Body Material	Plastic
Impeller Type	Semi-open
Impeller Material	Nylon
Motor Shaft End - Material	Stainless Steel
Intake Screen Material	Nylon
Seal Material	Viton Retainer
Seal Type	Mechanical Seal

Installation

Discharge Type	Barb
Discharge Size	2 "

Product Length	16.5 "
Product Width	9.75 "
Product Height	11 "
Pump Length	5.5 "
Product Weight	15.1 lb
Product Weight w/ Pack	16.1 lb
Carton Length	17.25 "
Carton Width	10.13 "
Carton Height	11.88 "

Other

Minimum Order Quantity	1
Electrical Agency Approvals	UL
Standard Warranty	36 Months

Documents



[Warranty](#)
[Terms](#)

Reviews



Rating Snapshot

Select a row below to filter reviews.

0 stars	<input type="radio"/>	0
0 stars	<input type="radio"/>	0
0 stars	<input type="radio"/>	0
0 stars	<input type="radio"/>	0
0 stars	<input type="radio"/>	0

0

Review this Product



Be the first to review this product

