



SDS1

SINK DRAIN SYSTEM



FEATURES

- Fully assembled (individually cartoned).
- Capable of running dry without damage to components.
- Severe duty rated oil and water resistant power cable.

ASSEMBLED COMPONENTS

- EP0411, 0.4 HP, ¾" solids handling pump is CSA listed.
- CSA listed pump
- A2H11 Vertimaster vertical level switch with 10 foot cord and piggyback plug is UL and CSA listed.
- 10 gallon structural foam basin and cover.
- 1½" NPT threaded vent, discharge and inlet connections.
- 1½" schedule 40 PVC discharge pipe (internal).

AGENCY LISTINGS




Tested to UL 778 and CSA 22.2 108 Standards
By Canadian Standards Association
File #LR38549

APPLICATIONS

- Laundry tray
- Wet bar sink
- Air conditioning condensate or dehumidifier water
- Residential dishwashers
- Beautician sink

SPECIFICATIONS

- 0.4 HP, 115 V, 1 PH, 1550 RPM, with 10' cord
- Maximum Amps: 12.
- ¾" maximum solids handling.
- Capacities: up to 55 GPM.
- Total heads: up to 24 feet.
- Built in overload with automatic reset.




PERFORMANCE RATINGS

Total Head (feet of water)	GPM
5	53
10	46
15	36
20	21
22.5	10

DIMENSIONS

(All dimensions are in inches. Do not use for construction purposes.)



Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're a global team unified in a common purpose: creating innovative solutions to meet our world's water needs. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. We move, treat, analyze, and return water to the environment, and we help people use water efficiently, in their homes, buildings, factories and farms. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise, backed by a legacy of innovation.

For more information on how Xylem can help you, go to www.xylem.com



Xylem Inc.
2881 East Bayard Street Ext., Suite A
Seneca Falls, NY 13148
Phone: (866) 325-4210
Fax: (888) 322-5877
www.gouldswatertechnology.com

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license.
© 2016 Xylem Inc. BSDS1 R1 September 2016