


Not Shown: A-2 and A-41



## Mueller® Super Centurion® 250, Super Centurion 200, and Centurion® Fire Hydrant Parts

Part numbers listed below are for 1-1/2" pent, National Standard Thread (NST). Contact Customer Service for all sizes and thread gauges. Super Centurion 350 hydrant parts - contact Customer Service for part numbers when replacing A-6, A-9, A-26, A-28, A-37, A-45, A-50, and A-84.

| Reference Number | Description                                                                                     | 1975 - 1987<br>4-1/2" and 5-1/4" | 1988 - Present<br>4-1/2" and 5-1/4"         |
|------------------|-------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------------|
| A-1              | Operating Nut - 1 1/2" Pent.<br>(Contact Customer Service for part number for all other sizes.) | 175234 (left)                    | 146440 (left)                               |
|                  |                                                                                                 | 175308 (right)                   | 146441 (right)                              |
| A-2              | Weather cap                                                                                     | 142818 (left)                    | Weather cap not used on Super Centurion 200 |
|                  |                                                                                                 | 142819 (right)                   |                                             |

|     |                                      |                | 1975 - Present<br>4-1/2" and 5-1/4" |
|-----|--------------------------------------|----------------|-------------------------------------|
| A-3 | Hold down nut o-ring                 |                | 194898                              |
|     |                                      |                | 1988 - Present<br>4-1/2" and 5-1/4" |
| A-4 | Hold Down Nut w/Anti Friction Washer | 281951 (left)  | Replaced w/A-84                     |
|     |                                      | 281952 (right) | A-85                                |

|     |                                   | 1975 - Present<br>4-1/2" and 5-1/4" |
|-----|-----------------------------------|-------------------------------------|
| A-5 | Bonnet o-ring                     | 142779                              |
| A-6 | Anti-friction washer              | 195546                              |
| A-7 | Oil plug                          | 194932                              |
| A-8 | Bonnet                            | 145703 (left)                       |
|     |                                   | 145704 (right)                      |
| A-9 | Bonnet bolt and nuts (8 required) | 280007                              |

|      |                        | 1975 - 1996<br>4-1/2" and 5-1/4" | 1997 - Later<br>4-1/2" and 5-1/4" |
|------|------------------------|----------------------------------|-----------------------------------|
| A-10 | Bonnet gasket / O-ring | 198357                           | 190348                            |

|      |                | 1975 - 1987<br>4-1/2" | 1988 - Present<br>4-1/2" | 1975-1976<br>5-1/4" | 1977 - 1986<br>5-1/4" | 1987 - Present<br>5-1/4" |
|------|----------------|-----------------------|--------------------------|---------------------|-----------------------|--------------------------|
| A-11 | Upper stem     | 287017 (left)         | 184092 (left)            | 184094 (left)       | 184193 (left)         | 184092 (left)            |
|      |                | 287018 (right)        | 184093 (right)           | 184095 (right)      | 184194 (right)        | 184093 (right)           |
|      | Overall length | 27-9/16"              | 27-9/16"                 | 29-1/32"            | 28-13/32"             | 27-9/16"                 |

|      |                          | 1975 - Present<br>4-1/2" and 5-1/4" |
|------|--------------------------|-------------------------------------|
| A-12 | Stem o-ring (2 required) | 194514                              |
| A-13 | Nozzle lock              | 143137                              |


|      |                                                                                          | 1975 - 1976<br>4-1/2" and 5-1/4"       | 1977 - Present<br>4-1/2" and 5-1/4"   |
|------|------------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------|
| A-14 | Pumper Nozzle - 4 1/2" NST Threads<br>(Contact Customer Service for other thread gauges) | 142761 - 40560<br>Nozzles Thread Right | 143124 - 40560<br>Nozzles Thread Left |

|      |                                                                                                               | 1975 - 2002<br>4-1/2" and 5-1/4" | 2003 - Present<br>4-1/2" and 5-1/4" |
|------|---------------------------------------------------------------------------------------------------------------|----------------------------------|-------------------------------------|
| A-15 | Pumper Nozzle Cap Gasket - 4 1/2" NST<br>(Gaskets vary according to nozzle size.)                             | 192345                           | 290273                              |
| A-16 | Pumper nozzle o-ring                                                                                          | 142781                           | 142781                              |
| A-17 | Pumper Nozzle Cap - 4 1/2" NST 1 1/2" Pent.<br>(Contact Customer Service for part number for all other sizes) | 158668-40560                     | 158668-40560                        |

|      |                                                                                 | 1975 - 1976<br>4-1/2" and 5-1/4"       | 1977 - Present<br>4-1/2" and 5-1/4"   |
|------|---------------------------------------------------------------------------------|----------------------------------------|---------------------------------------|
| A-18 | Hose Nozzle - 2 1/2" NST<br>(Contact Customer Service for other thread gauges.) | 142762 - 75298<br>Nozzles Thread Right | 143116 - 75298<br>Nozzles Thread Left |

|      |                                                                                            | 1975 - 2002<br>4-1/2" and 5-1/4"    | 2003 - Present<br>4-1/2" and 5-1/4" |
|------|--------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|
| A-19 | Hose Nozzle Cap Gasket - 2 1/2" NST<br>(Contact Customer Service for other thread gauges.) | 192342                              | 290272                              |
|      |                                                                                            | 1975 - Present<br>4-1/2" and 5-1/4" |                                     |
| A-20 | Hose nozzle o-ring                                                                         | 142847                              |                                     |

## Mueller<sup>®</sup> Super Centurion<sup>®</sup> 200 and 250 (new style drilled) Fire Hydrant Upper Stem



### A-11

| 200 psi and 250 psi Hydrant |                                   |        |                           |        |                           |                |
|-----------------------------|-----------------------------------|--------|---------------------------|--------|---------------------------|----------------|
| Valve Opening Size          | A-11 Upper Stem New Style Drilled |        |                           |        |                           | Overall Length |
|                             | Date of Manufacture               | Left   | Stem Identification Color | Right  | Stem Identification Color |                |
| 4-1/2"                      | 1975 - Present                    | 184092 | Black                     | 184093 | Red                       | 27 9/16"       |
| 5-1/4"                      | 1975 - 1976                       | 184094 | White                     | 184095 | Silver                    | 29 1/32"       |
| 5-1/4"                      | 1977 - 1986                       | 184193 | Orange                    | 184194 | Yellow                    | 28 13/32"      |
| 5-1/4"                      | 1987 - Present                    | 184092 | Black                     | 184093 | Red                       | 27 9/16"       |

| Valve Opening Size | 350 psi Hydrant     |        |                           |        |                           | Overall Length |
|--------------------|---------------------|--------|---------------------------|--------|---------------------------|----------------|
|                    | Date of Manufacture | Left   | Stem Identification Color | Right  | Stem Identification Color |                |
| 4-1/2"             | 2014 - Present      | 184092 | Black                     | 184093 | Red                       | 27 9/16"       |
| 5-1/4"             | 2014 - Present      | 184092 | Black                     | 184093 | Red                       | 27 9/16"       |

| Valve Opening Size | 250 psi "Snow Bury" Hydrant |        |                           |        |                           | Overall Length |
|--------------------|-----------------------------|--------|---------------------------|--------|---------------------------|----------------|
|                    | Date of Manufacture         | Left   | Stem Identification Color | Right  | Stem Identification Color |                |
| 5-1/4"             | 2014 - Present              | 241195 | Black                     | 241196 | Red                       | 33 9/16"       |