

ACCOR TECHNOLOGY, INC.




FlowTite[™]

Valves, Risers, Connectors, Test Caps & Outlet Boxes

A Valve for all Reasons!

FlowTite –The only stop valve that is code approved to be installed on copper , CPVC, or PEX pipe and backed by a written 10 year labor and material Warranty
One FlowTite Valve* Fits All.

Patented **PUSHON** Technology



CPVC PIPE

- Eliminate expensive, messy, glue-on valve adapters.
- Eliminate dissimilar material or overtightening warnings.
- No Teflon tape requirements.
- Internal stainless gripper teeth and o'ring move with thermal expansion and contraction of pipe.

PEX PIPE

- No leaking barb valve crimps by eliminating tool adjustments and crimping in tight places.
- "Dual" internal stainless rings with more hydraulic strength than the pipe.
- No copper stub outs.

COPPER PIPE

- **FlowTite** code approved and installed on copper since 1988.
- No leaking compression fittings, soldering, or packing nut adjustments.
- No permanent pipe damage from brass ferrule. **FlowTite** is removable and reusable.

PATENTED

Patented worldwide with additional patents pending.

CERTIFICATION LISTINGS



ACCOR TECHNOLOGY, INC.

**Model X (with dual internal stainless gripper rings!)*

Worldwide Patented PushOn Technology

Founded in Bellevue Washington in 1987, Accor Technology set out to make the next generation plumbing connection. After all, there was no reason why the plumbing market couldn't experience the same change and innovation seen in many US industries.

The ubiquitous angle stop valve has had minimal changes since its inception over 50 years ago until Accor Technology designed and marketed its worldwide-patented **PushOn** technology in 1988. During the development of the **FlowTite** angle stop valve, the company interviewed numerous plumbing contractors and builders asking one simple question. What problems do you experience with the old metal stop valves and risers?

The answer was a list that included: leaking packing seals, compression nuts requiring adjustments and difficulty attaching risers in tight places— all resulting in plumber and builder callbacks with little, if any, warranty protection.



Easy to use one-piece flexible faucet and dishwasher connectors eliminates leaking from copper fitting and tubing adjustments.



Innovative Product Design

Accor designed its patented **PushOn** technology to overcome common problems associated with compression style valves. The unique o-ring design of **FlowTite** eliminates packing seal leaks, and compression problems. The internal stainless steel gripper ring mechanically attaches to the pipe without tools, and is tested to over 1000 psi. The valves and couplings are removable by twisting off counterclockwise, and are reusable.

Original One Piece Valve and Flexible Connector System

Accor's patented **PushOn** technology makes its **FlowTite** valve the easiest and fastest valve and connector system to install. The design of the valve made it logical to attach the flexible connector in the factory. This "original one-piece" valve and flexible connector eliminates leaking field joints and human error providing a trouble free system. Years of in field experience has perfected our hydraulic stainless steel crimps, and High Performance™ connector construction.

Clean, White and Certified Health Safe

Accor's innovative design eliminates internal and external corrosion while introducing a clean, white look for today's homes. **FlowTite** is certified to health standards requested by the EPA and adopted by ANSI.



National Code Acceptance

FlowTite stop valves have more plumbing code listings than any other valve on the market - including IAPMO, ICC-ES, NSF 61/9, Warnock Hersey and other local codes. Valves are manufactured in accordance with ANSI-A112.18.1M, ANSI-NSF61, CAN-CSA B125 and meet requirements of UPC, IPC, and CSA. See page 21 for specific product listing information.



Proven Quality Since 1988

Accor Technology has proven reliability and a solid track record with millions of valves installed since 1988. Our unique 10-year labor and material warranty ensures dedication to quality control. The proven patented **PushOn** technology and the people that manufacture it, make Accor a company that you can trust.

Design Margin of Safety

The design criteria for all Accor's products have a high margin of safety well beyond the standards, backed with the strongest warranty in the business. Accor has been manufacturing its patented **PushOn** technology in its Wenatchee, WA plant since 1988.

Hot water pull (180°F under direct load).




Engineered for Leak Free Performance

State of the art injection molding.



Computerized welding monitors each valve.



Hydraulic crimping machines.



*Intermittent shock testing
(125psi - 180psi, 140°F, 30,000+ cycles).*

High Tech Manufacturing

State of the art injection molding and polymer material design allow Accor to improve the performance of its valves and couplings as compared to its metal counterparts.




Quality Control to Back Our Warranty

The focus of our production team is to provide the highest quality control that affords Accor Technology to offer its unique 10-year labor and material warranty.



*Daily hydrostatic testing
(shows 1400psi-actual pressure).*



Production air testing with ultrasonic leak detectors.

FlowTite 1/2" Angle Stop Valves

	page
• 1/2" PushOn valve x 3/8" comp.	1
• 1/2" PushOn valve x 3/8" cap with clip	1
• 1/2" PushOn valve x 1/4" comp.	1
• 1/2" NPT threaded valve	1

One-Piece FlowTite 1/2" Valves with High Performance Connectors

White:	page
Lavatory / sink supply kit	
• x 1/2" IPS nut	1
• x 3/8" brass comp. adapter	1
Toilet supply kit	
• x 7/8" ballcock nut	2
Dishwasher supply kit	
• x 3/8" brass elbow	2
• x 3/8" comp. nut	2
• x 1/2" IPS nut	3
Dual application supply kit	
• with inline tee x 1/2" IPS	3
Ice maker supply kit	
• x 1/4" comp. nut	3

Stainless:	page
Lavatory / sink supply kit	
• x 1/2" IPS nut	4
• x 3/8" brass comp. adapter	4
Toilet supply kit	
• x 7/8" ballcock nut	4
Dishwasher supply kit	
• x 3/8" brass elbow	5
• x 3/8" comp. nut	5
• x 1/2" IPS nut	5
Dual Application supply kit	
• with inline tee x 1/2" IPS	5

One-Piece FlowTite 1/2" Couplings with High Performance Connectors

White:	page
• 1/2" PushOn coupling x 1/2" PushOn coupling	6
• 1/2" PushOn coupling x 1/2" IPS nut	6
• 1/2" PushOn valve x 1/2" PushOn coupling	7
• 1/2" PushOn pipe repair kit	7

Stainless:	page
• 1/2" PushOn coupling x 1/2" PushOn coupling	8
• 1/2" PushOn coupling x 1/2" IPS nut	8
• 1/2" PushOn valve x 1/2" PushOn coupling	9
• 1/2" PushOn pipe repair kit	9

"HP Series" High Performance Connectors

White:	page
Lavatory / sink supply	
• 3/8" comp. nut x 1/2" IPS nut	10
• 1/2" IPS nut x 1/2" IPS nut	10
• 3/8" comp. nut x 3/8" comp. nut	10
• 3/8" comp. nut x 3/8" brass comp. adapter	11
• 1/2" comp. nut x 1/2" IPS nut	11
Toilet supply	
• 3/8" comp. nut x 7/8" ballcock nut	11
• 1/2" IPS nut x 7/8" ballcock nut	11
• 1/2" comp. nut x 7/8" ballcock nut	12
Dishwasher supply	
• 3/8" comp. nut x 3/8" brass elbow	12
• 3/8" comp. nut x 3/8" comp. nut	12
• 3/8" comp nut x 1/2" IPS nut	13
• 1/2" IPS nut x 1/2" IPS nut	13
Ice maker supply	
• 1/4" comp. nut x 1/4" comp. nut	13

Stainless:	page
Lavatory / sink supply	
• 3/8" comp. nut x 1/2" IPS nut	14
• 1/2" IPS nut x 1/2" IPS nut	14
• 3/8" comp. nut x 3/8" comp. nut	14
• 3/8" comp. nut x 3/8" brass comp. adapter	15
• 1/2" comp. nut x 1/2" IPS nut	15
Closet supply	
• 3/8" comp. nut x 7/8" ballcock nut	15
• 1/2" IPS nut x 7/8" ballcock nut	15
• 1/2" comp. nut x 7/8" ballcock nut	16
Dishwasher supply	
• 3/8" comp. nut x 3/8" brass elbow	16
• 3/8" comp. nut x 3/8" comp. nut	16
• 3/8" comp nut x 1/2" IPS nut	17
• 1/2" IPS nut x 1/2" IPS nut	17

FlowTite Ice Maker Outlet Boxes

	page
Box with valve	
• for copper pipe	18
• for copper pipe with attached connector	18
• for CPVC pipe	18
• for CPVC pipe with attached connector	19
• for PEX copper adaptor or made to order with PEX tubing	19
• for PEX with Kitec fitting	20
• for PEX copper adaptor or made to order with inline arrestor	21
Box only	20
Box accessories	20

FlowTite Test Caps & Couplings


	page
• 1/2" PushOn test cap	20
• 1/2" PushOn coupling	20
• 1/2" PushOn bleeder cap	20

FlowTite Accessories, Codes & Standards

FlowTite Accessories	page
• White escutcheon	21
• Applicator gauge	21
• Gripper ring	21
• Clips	21
Codes, Listings and Standards	22
Terms and Conditions	23

FlowTite 1/2" Angle Stop Valves

Product Code	Item Description	List Price (each)	Carton Quantity	Carton Weight
F PO5-3 (XF)	PushOn angle stop 1/2" nom. x 3/8" O.D. Comp. with escutcheon	4.72	100 ea	12 lb
F PO5-3 (XC)	PushOn angle stop 1/2" nom. x 3/8" O.D. Comp. cap & shut off clip with escutcheon	4.72	60 ea	7 lb
F PO5-2 (XF)	PushOn angle stop 1/2" nom. x 1/4" O.D. Comp. with escutcheon	5.68	60 ea	7 lb




One-Piece FlowTite 1/2" Valves with High Performance Connectors

Lavatory / sink supply kit

SOLD IN PAIRS


PushOn angle stop 1/2" nom. with attached white High Performance™ connector x 1/2" IPS nut with white escutcheon

Product Code	Length	List Price (pair)	Carton Quantity	Carton Weight
F PO5LP6-5 (XP)	6"	16.25	50 pair	22 lb
F PO5LP9-5 (XP)	9"	16.33	50 pair	25 lb
F PO5LP12-5 (XP)	12"	16.42	50 pair	27 lb
F PO5LP15-5 (XP)	15"	16.96	50 pair	30 lb
F PO5LP20-5 (XP)	20"	18.22	50 pair	33 lb
F PO5LP24-5 (XP)	24"	18.77	50 pair	35 lb
F PO5LP30-5 (XP)	30"	19.42	25 pair	20 lb
F PO5LP36-5 (XP)	36"	19.62	25 pair	23 lb



Lavatory & Sink supply kits for "Copper or Chrome Drop" faucets or "Track Packs" PushOn angle stop 1/2" nom. with attached white High Performance connector x 3/8" comp. adapter with white escutcheon

Product Code	Length	List Price (pair)	Carton Quantity	Carton Weight
F PO5LP6-3 (XC)	6"	17.20	50 pair	24 lb
F PO5LP9-3 (XC)	9"	17.50	50 pair	26 lb
F PO5LP12-3 (XC)	12"	18.06	50 pair	28 lb
F PO5LP15-3 (XC)	15"	18.61	50 pair	30 lb
F PO5LP20-3 (XC)	20"	19.86	50 pair	33 lb
F PO5LP24-3 (XC)	24"	20.41	50 pair	35 lb
F PO5LP30-3 (XC)	30"	21.04	25 pair	20 lb
F PO5LP36-3 (XC)	36"	21.27	25 pair	23 lb




One-Piece *FlowTite* 1/2" Valves with High Performance Connectors

White:

Toilet supply kit

PushOn angle stop 1/2" nom. with attached white High Performance connector x 7/8" ballcock nut with white escutcheon


Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5CP9-7 (XF)	9"	8.09	50 each	12 lb
F PO5CP12-7 (XF)	12"	8.14	50 each	13 lb
F PO5CP15-7 (XF)	15"	8.98	50 each	15 lb
F PO5CP20-7 (XF)	20"	9.11	50 each	16 lb



Dishwasher supply kit


PushOn angle stop 1/2" nom. with attached white High Performance connector x 3/8" M.I.P. brass elbow with white escutcheon

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5LP48-3 (XL)	48"	17.27	25 each	16 lb
F PO5LP60-3 (XL)	60"	17.81	25 each	18 lb
F PO5LP72-3 (XL)	72"	19.32	25 each	20 lb
F PO5LP84-3 (XL)	84"	20.61	25 each	23 lb



PushOn angle stop 1/2" nom. with attached white High Performance connector x 3/8" comp. nut with white escutcheon

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5LP48-3 (XE)	48"	13.99	25 each	13 lb
F PO5LP60-3 (XE)	60"	14.87	25 each	16 lb
F PO5LP72-3 (XE)	72"	15.90	25 each	18 lb
F PO5LP84-3 (XE)	84"	17.49	25 each	20 lb




One-Piece FlowTite 1/2" Valves with High Performance Connectors

White:

Dishwasher supply kit, continued from pg 2

PushOn angle stop 1/2" nom. with attached white High Performance connector x 1/2" IPS nut with white escutcheon

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5LP48-5 (XPE)	48"	13.99	25 each	13 lb
F PO5LP60-5 (XPE)	60"	14.87	25 each	16 lb
F PO5LP72-5 (XPE)	72"	15.90	25 each	18 lb
F PO5LP84-5 (XPE)	84"	17.49	25 each	20 lb



Dishwasher / ice maker dual application supply kit

PushOn angle stop 1/2" nom. with attached 20" white High Performance connector with inline comp. tee x 1/2" IPS nut with white escutcheon


Product Code	Item Description	List Price (each)	Carton Quantity	Carton Weight
F PO5LP4T15-5 (XPE)	3/8" comp. tee for dishwasher	16.34	50 each	28 lb
F PO5LP4I15-5 (XPE)	1/4" comp. tee for ice maker	17.16	50 each	28 lb



Ice maker supply kit

PushOn angle stop 1/2" nom. with attached white High Performance connector x 1/4" comp. nut with white escutcheon

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5IP24-2 (XF)	24"	10.98	25 each	7 lb
F PO5IP36-2 (XF)	36"	11.47	25 each	8 lb
F PO5IP48-2 (XF)	48"	11.96	25 each	10 lb
F PO5IP60-2 (XF)	60"	12.62	25 each	12 lb-
F PO5IP72-2 (XF)	72"	13.28	25 each	13 lb
F PO5IP84-2 (XF)	84"	13.93	25 each	14 lb



One-Piece FlowTite 1/2" Valves with High Performance Connectors


Stainless:

Lavatory / sink supply kit

SOLD IN PAIRS


PushOn angle stop 1/2" nom. with attached stainless High Performance connector x 1/2" IPS nut with white escutcheon

Product Code	Length	List Price (pair)	Carton Quantity	Carton Weight
F PO5LS6-5 (XP)	6"	21.07	50 pair	21 lb
F PO5LS9-5 (XP)	9"	21.56	50 pair	23 lb
F PO5LS12-5 (XP)	12"	22.02	50 pair	25 lb
F PO5LS15-5 (XP)	15"	22.66	50 pair	27 lb
F PO5LS20-5 (XP)	20"	22.98	50 pair	31 lb
F PO5LS24-5 (XP)	24"	24.06	50 pair	34 lb
F PO5LS30-5 (XP)	30"	26.48	25 pair	20 lb
F PO5LS36-5 (XP)	36"	29.23	25 pair	22 lb



Lavatory & Sink supply kits for "copper or chrome drop" faucets or "Track Packs" PushOn angle stop 1/2" nom. with attached stainless High Performance connector x 3/8" comp. adapter with white escutcheon


Product Code	Length	List Price (pair)	Carton Quantity	Carton Weight
F PO5LS6-3 (XC)	6"	20.71	50 pair	22 lb
F PO5LS9-3 (XC)	9"	22.71	50 pair	24 lb
F PO5LS12-3 (XC)	12"	23.66	50 pair	26 lb
F PO5LS15-3 (XC)	15"	24.30	50 pair	28 lb
F PO5LS20-3 (XC)	20"	24.62	50 pair	31 lb
F PO5LS24-3 (XC)	24"	25.70	50 pair	34 lb
F PO5LS30-3 (XC)	30"	28.12	25 pair	20 lb
F PO5LS36-3 (XC)	36"	30.87	25 pair	22 lb



Toilet supply kit

PushOn angle stop 1/2" nom. with attached stainless High Performance connector x 7/8" ballcock nut with white escutcheon

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5CS9-7 (XF)	9"	10.73	50 each	11 lb
F PO5CS12-7 (XF)	12"	10.84	50 each	12 lb
F PO5CS15-7 (XF)	15"	11.33	50 each	13 lb
F PO5CS20-7 (XF)	20"	11.95	50 each	14 lb



* 1/2" metal IPS nut can be substituted for 1/2" plastic IPS nut upon request.

One-Piece FlowTite 1/2" Valves with High Performance Connectors

Stainless:

Dishwasher supply kit

PushOn angle stop 1/2" nom. with attached stainless High Performance connector x 3/8" M.I.P. brass elbow with white escutcheon

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5LS48-3 (XL)	48"	25.48	25 each	15 lb
F PO5LS60-3 (XL)	60"	26.76	25 each	17 lb
F PO5LS72-3 (XL)	72"	29.99	25 each	19 lb
F PO5LS84-3 (XL)	84"	32.36	25 each	21 lb

PushOn angle stop 1/2" nom. with attached stainless High Performance connector x 3/8" comp. nut with white escutcheon

Product Code	Total Length	List Price (each)	Carton Quantity	Carton Weight
F PO5LS48-3 (XE)	48"	21.07	25 each	14 lb
F PO5LS60-3 (XE)	60"	23.49	25 each	15 lb
F PO5LS72-3 (XE)	72"	26.74	25 each	17 lb
F PO5LS84-3 (XE)	84"	30.84	25 each	19 lb





PushOn angle stop 1/2" nom. with attached stainless High Performance connector x 1/2" IPS nut with white escutcheon

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5LS48-5 (XPE)	48"	21.07	25 each	14 lb
F PO5LS60-5 (XPE)	60"	23.49	25 each	15 lb
F PO5LS72-5 (XPE)	72"	26.74	25 each	17 lb
F PO5LS84-5 (XPE)	84"	30.84	25 each	19 lb

Dishwasher / ice maker dual application supply kit

PushOn angle stop 1/2" nom. with attached 20" stainless High Performance connector with inline comp. tee x 1/2" IPS nut with white escutcheon

Product Code	Item Description	List Price (each)	Carton Quantity	Carton Weight
F PO5LS4T15-5 (XPE)	3/8" comp. tee for dishwasher	19.47	50 each	26 lb
F PO5LS4I15-5 (XPE)	1/4" comp. tee for ice maker	20.44	50 each	26 lb



One-Piece FlowTite 1/2" Couplings with High Performance Connectors

White:

PushOn coupling 1/2" nom. with attached white High Performance connector x PushOn coupling 1/2" nom.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PR50P12PR (XF)	12"	10.88	50 each	11 lb
F PR50P15PR (XF)	15"	11.91	50 each	13 lb
F PR50P20PR (XF)	20"	12.23	50 each	15 lb
F PR50P24PR (XF)	24"	12.57	50 each	17 lb
F PR50P30PR (XF)	30"	13.57	50 each	19 lb
F PR50P36PR (XF)	36"	13.63	25 each	11 lb
F PR50P48PR (XF)	48"	16.11	25 each	13 lb
F PR50P60PR (XF)	60"	17.18	25 each	15 lb
F PR50P72PR (XF)	72"	18.53	25 each	17 lb



PushOn coupling 1/2" nom. with attached white High Performance connector x 1/2" IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PR50LP12-5 (XPE)	12"	10.25	50 each	11 lb
F PR50LP15-5 (XPE)	15"	11.13	50 each	13 lb
F PR50LP20-5 (XPE)	20"	11.57	50 each	14 lb
F PR50LP24-5 (XPE)	24"	11.91	50 each	15 lb
F PR50LP30-5 (XPE)	30"	12.35	50 each	17 lb
F PR50LP36-5 (XPE)	36"	12.89	25 each	11 lb
F PR50LP48-5 (XPE)	48"	14.66	25 each	13 lb
F PR50LP60-5 (XPE)	60"	15.66	25 each	17 lb
F PR50LP72-5 (XPE)	72"	16.64	25 each	19 lb




* 1/2" metal IPS nut can be substituted for 1/2" plastic IPS nut upon request.

One-Piece FlowTite 1/2" Couplings with High Performance Connectors

White:

PushOn valve 1/2" nom. with attached white High Performance connector x PushOn coupling 1/2" nom.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5P12PR (XF)	12"	11.99	50 each	11 lb
F PO5P15PR (XF)	15"	12.23	50 each	12 lb
F PO5P20PR (XF)	20"	12.64	50 each	14 lb
F PO5P24PR (XF)	24"	13.88	50 each	16 lb
F PO5P30PR (XF)	30"	14.50	50 each	18 lb
F PO5P36PR (XF)	36"	14.98	25 each	14 lb
F PO5P48PR (XF)	48"	16.55	25 each	16 lb
F PO5P60PR (XF)	60"	17.52	25 each	20 lb
F PO5P72PR (XF)	72"	18.48	25 each	21 lb



One-piece pipe repair* or test kits (removable & reusable)

PushOn coupling 1/2" nom. with attached white High Performance connector x 1/2" IPS nut with threaded PushOn coupling 1/2" nom.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PR50P125TRK (XF)	12"	10.00	10 each	3 lb
F PR50P155TRK (XF)	15"	10.50	10 each	3 lb
F PR50P205TRK (XF)	20"	11.13	10 each	4 lb
F PR50P305TRK (XF)	30"	13.00	10 each	6 lb
F PR50P485TRK (XF)	48"	15.50	10 each	7 lb
F PR50P605TRK (XF)	60"	18.60	10 each	8 lb
F PR50P725TRK (XF)	72"	22.32	10 each	9 lb



One-Piece FlowTite 1/2" Couplings with High Performance Connectors

Stainless:


PushOn coupling 1/2" nom. with attached stainless High Performance connector x PushOn coupling 1/2" nom.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PR50S12PR (XF)	12"	14.11	50 each	9 lb
F PR50S15PR (XF)	15"	15.46	50 each	11 lb
F PR50S20PR (XF)	20"	17.59	50 each	13 lb
F PR50S24PR (XF)	24"	19.46	50 each	15 lb
F PR50S30PR (XF)	30"	22.09	50 each	17 lb
F PR50S36PR (XF)	36"	24.39	25 each	10 lb
F PR50S48PR (XF)	48"	30.85	25 each	12 lb
F PR50S60PR (XF)	60"	35.01	25 each	15 lb
F PR50S72PR (XF)	72"	40.20	25 each	17 lb



PushOn coupling 1/2" nom. with attached stainless High Performance connector x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PR50LS12-5 (XPE)	12"	12.91	50 each	9 lb
F PR50LS15-5 (XPE)	15"	14.28	50 each	11 lb
F PR50LS20-5 (XPE)	20"	16.49	50 each	13 lb
F PR50LS24-5 (XPE)	24"	18.27	50 each	15 lb
F PR50LS30-5 (XPE)	30"	20.99	50 each	17 lb
F PR50LS36-5 (XPE)	36"	23.63	25 each	11 lb
F PR50LS48-5 (XPE)	48"	28.98	25 each	13 lb
F PR50LS60-5 (XPE)	60"	34.33	25 each	17 lb
F PR50LS72-5 (XPE)	72"	39.69	25 each	18 lb




* 1/2" metal IPS nut can be substituted for 1/2" plastic IPS nut upon request.

One-Piece FlowTite 1/2" Couplings with High Performance Connectors

Stainless:

PushOn valve 1/2" nom. with attached stainless High Performance connector x PushOn coupling 1/2" nom.


Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PO5S12PR (XF)	12"	16.60	50 each	10 lb
F PO5S15PR (XF)	15"	17.94	50 each	11 lb
F PO5S20PR (XF)	20"	20.18	50 each	13 lb
F PO5S24PR (XF)	24"	22.08	50 each	15 lb
F PO5S30PR (XF)	30"	24.77	50 each	17 lb
F PO5S36PR (XF)	36"	28.07	25 each	13 lb
F PO5S48PR (XF)	48"	33.55	25 each	15 lb
F PO5S60PR (XF)	60"	39.03	25 each	19 lb
F PO5S72PR (XF)	72"	44.50	25 each	20 lb



One-piece pipe repair* or test kits (removable & reusable)

PushOn coupling 1/2" nom. with attached stainless High Performance connector x 1/2" IPS nut with threaded PushOn coupling 1/2" nom.

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
F PR50S125TRK (XF)	12"	16.43	10 each	2 lb
F PR50S155TRK (XF)	15"	17.28	10 each	2 lb
F PR50S205TRK (XF)	20"	19.26	10 each	3 lb
F PR50S305TRK (XF)	30"	21.80	10 each	4 lb
F PR50S485TRK (XF)	48"	25.25	10 each	5 lb
F PR50S605TRK (XF)	60"	29.00	10 each	6 lb
F PR50S725TRK (XF)	72"	33.00	10 each	8 lb



FlowTite “HP Series” High Performance Connectors

White:

Lavatory / sink supply

3/8" comp. nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP12-5 (F)	12"	4.17	50 each	11 lb
RLP15-5 (F)	15"	4.28	50 each	13 lb
RLP20-5 (F)	20"	4.47	50 each	15 lb
RLP24-5 (F)	24"	4.64	50 each	16 lb
RLP30-5 (F)	30"	4.86	50 each	19 lb
RLP36-5 (F)	36"	5.23	25 each	12 lb



1/2" metal* IPS nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R5LP12-5 (F)	12"	4.11	50 each	12 lb
R5LP15-5 (F)	15"	4.22	50 each	14 lb
R5LP20-5 (F)	20"	4.41	50 each	16 lb
R5LP24-5 (F)	24"	4.56	50 each	17 lb
R5LP30-5 (F)	30"	4.79	50 each	20 lb
R5LP36-5 (F)	36"	5.17	25 each	12 lb



3/8" comp. nut x 3/8" comp. nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP12-3 (F)	12"	4.23	50 each	11 lb
RLP15-3 (F)	15"	4.35	50 each	13 lb
RLP20-3 (F)	20"	4.53	50 each	15 lb
RLP24-3 (F)	24"	4.70	50 each	16 lb
RLP30-3 (F)	30"	4.92	50 each	19 lb
RLP36-3 (F)	36"	5.30	25 each	11 lb



* 1/2" plastic IPS nut can be substituted for 1/2" metal IPS nut upon request.

FlowTite "HP Series" High Performance Connectors

White:

Lavatory / sink supply, continued from pg 10

3/8" comp. nut x 3/8" brass comp. adapter

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP9-3 (CF)	9"	4.69	50 each	10 lb
RLP12-3 (CF)	12"	4.81	50 each	12 lb
RLP15-3 (CF)	15"	4.91	50 each	14 lb
RLP20-3 (CF)	20"	5.11	50 each	16 lb
RLP24-3 (CF)	24"	5.26	50 each	17 lb
RLP30-3 (CF)	30"	5.49	50 each	20 lb
RLP36-3 (CF)	36"	5.87	25 each	12 lb



1/2" comp. nut x 1/2" metal* IPS nut



Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RC5LP12-5 (F)	12"	4.30	50 each	12 lb
RC5LP15-5 (F)	15"	4.41	50 each	14 lb
RC5LP20-5 (F)	20"	4.60	50 each	16 lb
RC5LP24-5 (F)	24"	4.78	50 each	17 lb
RC5LP30-5 (F)	30"	5.01	50 each	20 lb
RC5LP36-5 (F)	36"	5.39	25 each	12 lb



Toilet supply

3/8" comp. nut x 7/8" ballcock nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RCP9-7 (F)	9"	4.18	50 each	10 lb
RCP12-7 (F)	12"	4.30	50 each	11 lb
RCP15-7 (F)	15"	4.41	50 each	13 lb



1/2" metal* IPS nut x 7/8" ballcock nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R5CP9-7 (F)	9"	4.12	50 each	10 lb
R5CP12-7 (F)	12"	4.23	50 each	11 lb


FlowTite “HP Series” High Performance Connectors

White:

Toilet supply, *continued from pg 11*

1/2" comp. nut x 7/8" ballcock nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RC5CP9-7 (F)	9"	4.30	50 each	10 lb
RC5CP12-7 (F)	12"	4.43	50 each	11 lb
RC5CP15-7 (F)	15"	4.54	50 each	13 lb



Dishwasher supply

3/8" comp. nut x 3/8" comp. nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP48-3 (E)	48"	5.80	25 each	13 lb
RLP60-3 (E)	60"	6.25	25 each	16 lb
RLP72-3 (E)	72"	6.73	25 each	18 lb
RLP84-3 (E)	84"	7.17	25 each	20 lb
RLP96-3 (E)	96"	7.62	25 each	24 lb
RLP120-3 (E)	120"	8.53	25 each	26 lb
RLP144-3 (E)	144"	9.43	25 each	28 lb



3/8" comp. nut x 3/8" M.I.P. brass elbow

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP48-3 (EL)	48"	8.09	25 each	15 lb
RLP60-3 (EL)	60"	8.54	25 each	18 lb
RLP72-3 (EL)	72"	9.00	25 each	20 lb
RLP84-3 (EL)	84"	9.46	25 each	22 lb
RLP96-3 (EL)	96"	9.91	25 each	26 lb
RLP120-3 (EL)	120"	10.82	25 each	28 lb



* 1/2" plastic IPS nut can be substituted for 1/2" metal IPS nut upon request.

FlowTite "HP Series" High Performance Connectors

White:

Dishwasher supply, continued from pg 12

3/8" comp. nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLP48-5 (E)	48"	5.74	25 each	13 lb
RLP60-5 (E)	60"	6.19	25 each	16 lb
RLP72-5 (E)	72"	6.65	25 each	18 lb
RLP84-5 (E)	84"	7.11	25 each	20 lb
RLP96-5 (E)	96"	7.56	25 each	24 lb
RLP120-5 (E)	120"	8.47	25 each	26 lb
RLP144-5 (E)	144"	9.36	25 each	28 lb



1/2" metal* IPS nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R5LP48-5 (E)	48"	5.67	25 each	14 lb
R5LP60-5 (E)	60"	6.12	25 each	17 lb
R5LP72-5 (E)	72"	6.59	25 each	19 lb
R5LP84-5 (E)	84"	7.05	25 each	21 lb
R5LP96-5 (E)	96"	7.50	25 each	25 lb
R5LP120-5 (E)	120"	8.39	25 each	27 lb
R5LP144-5 (E)	144"	9.30	25 each	29 lb



Ice maker and filter supply

1/4" comp. nut x 1/4" comp. nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R2IP24-2 (F)	24"	6.23	25 each	6 lb
R2IP36-2 (F)	36"	6.88	25 each	7 lb
R2IP48-2 (F)	48"	7.70	25 each	9 lb
R2IP60-2 (F)	60"	8.46	25 each	10 lb
R2IP72-2 (F)	72"	9.34	25 each	11 lb
R2IP84-2 (F)	84"	10.16	25 each	12 lb
R2IP96-2 (F)	96"	10.98	25 each	14 lb
R2IP120-2 (F)	120"	12.78	25 each	17 lb



FlowTite "HP Series" High Performance Connectors

Stainless:

Lavatory and sink supply

3/8" comp. nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS12-5 (F)	12"	5.67	50 each	10 lb
RLS15-5 (F)	15"	6.30	50 each	12 lb
RLS20-5 (F)	20"	7.36	50 each	13 lb
RLS24-5 (F)	24"	8.25	50 each	15 lb
RLS30-5 (F)	30"	9.54	50 each	18 lb
RLS36-5 (F)	36"	10.95	25 each	10 lb



1/2" metal* IPS nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R5LS12-5 (F)	12"	5.15	50 each	10 lb
R5LS15-5 (F)	15"	6.25	50 each	12 lb
R5LS20-5 (F)	20"	7.31	50 each	14 lb
R5LS24-5 (F)	24"	8.20	50 each	15 lb
R5LS30-5 (F)	30"	9.50	50 each	18 lb
R5LS36-5 (F)	36"	10.90	25 each	10 lb



3/8" comp. nut x 3/8" comp. nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS12-3 (F)	12"	5.72	50 each	10 lb
RLS15-3 (F)	15"	6.36	50 each	12 lb
RLS20-3 (F)	20"	7.42	50 each	13 lb
RLS24-3 (F)	24"	8.29	50 each	15 lb
RLS30-3 (F)	30"	9.59	50 each	18 lb
RLS36-3 (F)	36"	11.01	25 each	10 lb



* 1/2" plastic IPS nut can be substituted for 1/2" metal IPS nut upon request.

FlowTite "HP Series" High Performance Connectors

Stainless:

Lavatory and sink supply, *continued from pg 14*

3/8" comp. nut x 3/8" brass comp. adapter

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS9-3 (CF)	9"	5.53	50 each	9 lb
RLS12-3 (CF)	12"	6.17	50 each	11 lb
RLS15-3 (CF)	15"	6.82	50 each	13 lb
RLS20-3 (CF)	20"	7.88	50 each	14 lb
RLS24-3 (CF)	24"	8.76	50 each	16 lb
RLS30-3 (CF)	30"	10.05	50 each	19 lb
RLS36-3 (CF)	36"	11.46	25 each	11 lb

1/2" comp. nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RC5LS12-5 (F)	12"	5.84	50 each	10 lb
RC5LS15-5 (F)	15"	6.49	50 each	12 lb
RC5LS20-5 (F)	20"	7.58	50 each	13 lb
RC5LS24-5 (F)	24"	8.50	50 each	15 lb
RC5LS30-5 (F)	30"	9.83	50 each	18 lb
RC5LS36-5 (F)	36"	11.27	25 each	10 lb



Toilet supply

3/8" comp. nut x 7/8" ballcock nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RCS9-7 (F)	9"	5.12	50 each	9 lb
RCS12-7 (F)	12"	5.77	50 each	10 lb
RCS15-7 (F)	15"	6.41	50 each	12 lb

1/2" metal* IPS nut x 7/8" ballcock nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R5CS9-7 (F)	9"	5.07	50 each	9 lb
R5CS12-7 (F)	12"	5.71	50 each	10 lb
R5CS15-7 (F)	15"	6.36	50 each	12 lb




FlowTite "HP Series" High Performance Connectors

Stainless:

Toilet supply *continued from pg 15*

1/2" comp. nut x 7/8" ballcock nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RC5CS9-7 (F)	9"	5.27	50 each	9 lb
RC5CS12-7 (F)	12"	5.94	50 each	10 lb
RC5CS15-7 (F)	15"	6.60	50 each	12 lb



Dishwasher supply

3/8" comp. nut x 3/8" comp. nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS48-3 (E)	48"	13.61	25 each	12 lb
RLS60-3 (E)	60"	16.20	25 each	15 lb
RLS72-3 (E)	72"	18.80	25 each	17 lb
RLS84-3 (E)	84"	21.38	25 each	19 lb
RLS96-3 (E)	96"	23.96	25 each	23 lb
RLS120-3 (E)	120"	29.12	25 each	25 lb
RLS144-3 (E)	144"	34.28	25 each	27 lb



3/8" comp. nut x 3/8" M.I.P. brass elbow

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS48-3 (EL)	48"	15.45	25 each	14 lb
RLS60-3 (EL)	60"	18.05	25 each	16 lb
RLS72-3 (EL)	72"	20.64	25 each	18 lb
RLS84-3 (EL)	84"	23.23	25 each	20 lb
RLS96-3 (EL)	96"	25.80	25 each	21 lb
RLS120-3 (EL)	120"	30.96	25 each	23 lb
RLS144-3 (EL)	144"	36.12	25 each	24 lb



* 1/2" plastic IPS nut can be substituted for 1/2" metal IPS nut upon request.

FlowTite "HP Series" High Performance Connectors

Stainless:

Dishwasher supply, continued from pg 16

3/8" comp. nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
RLS48-5 (E)	48"	13.54	25 each	12 lb
RLS60-5 (E)	60"	16.14	25 each	15 lb
RLS72-5 (E)	72"	18.75	25 each	17 lb
RLS84-5 (E)	84"	21.33	25 each	19 lb
RLS96-5 (E)	96"	23.91	25 each	23 lb
RLS120-5 (E)	120"	29.07	25 each	25 lb
RLS144-5 (E)	144"	34.24	25 each	27 lb



1/2" metal* IPS nut x 1/2" metal* IPS nut

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
R5LS48-5 (E)	48"	13.49	25 each	13 lb
R5LS60-5 (E)	60"	16.10	25 each	16 lb
R5LS72-5 (E)	72"	18.69	25 each	18 lb
R5LS84-5 (E)	84"	21.27	25 each	20 lb
R5LS96-5 (E)	96"	23.85	25 each	24 lb
R5LS120-5 (E)	120"	29.02	25 each	26 lb
R5LS144-5 (E)	144"	34.18	25 each	28 lb



FlowTite Ice Maker Outlet Boxes with Copper Pipe

Ice maker box assemblies as a whole are not listed by NSF-61/9. The FlowTite valves and connectors used in these assemblies are NSF 61/9 listed. Accor® only uses Copper, CPVC, and PEX pipe that meets the requirements of the applicable industry standards for each type of pipe.

Ice maker box with valve only

Round high impact polystyrene box with installed stop valve 1/2" nom. x 1/4" comp. outlet with faceplate and 8" copper pipe stub out

Product Code	List Price (each)	Carton Quantity	Carton Weight
OBPO5-2 (F)	16.59	6 each	6 lb
OBPO5-2 (T) T rack pack	16.59	12 each	12 lb



Ice maker box— one piece

Round high impact polystyrene box with installed stop valve 1/2" nom. with factory attached white High Performance connector x 1/4" comp. nut with faceplate and protective cover and 8" copper pipe stub out

Product Code	Length	List Price (each)	Carton Quantity	Carton Weight
OBPO5IP24-2 (F)	24" for Inline Filter	21.30	6 each	6 lb
OBPO5IP24-2 (T)	24" Track pack	21.30	12 each	12 lb
OBPO5IP84-2 (F)	84"	24.91	6 each	9 lb
OBPO5IP84-2 (T)	84" Track pack	24.91	12 each	18 lb



FlowTite Ice Maker Outlet Boxes with CPVC Pipe

Ice maker box with valve only

Round high impact polystyrene box with installed stop valve 1/2" nom. x 1/4" comp. outlet with faceplate and 6" CPVC pipe stub out

Product Code	List Price (each)	Carton Quantity	Carton Weight
VBPO5-2 (F)	16.32	6 each	6 lb
VBPO5-2 (T) Track pack	16.32	12 each	12 lb



Ice maker box— one piece

Round high impact polystyrene box with installed stop valve 1/2" nom. with factory attached white High Performance connector x 1/4" comp. nut with faceplate and protective cover and 6" CPVC pipe stub out

Product Code		List Price (each)	Carton Quantity	Carton Weight
VBPO5IP24-2 (F)	24" for Inline Filter	22.12	6 each	5 lb
VBPO5IP24-2 (T)	24" Track pack	22.12	12 each	10 lb
VBPO5IP84-2 (F)	84"	26.05	6 each	9 lb
VBPO5IP84-2 (T)	84" Track pack	26.05	12 each	18 lb



FlowTite Ice Maker Outlet Boxes with PEX Copper Adaptor or made to order PEX Tubing

Ice maker box with valve only

Round high impact polystyrene box with installed stop valve 1/2" nom. x 1/4" comp. outlet with faceplate— 2 1/2" copper adapter for PEX (SDR 9 tubing conforms to ASTM F876/F877 and crimp rings made to F1807)

Product Code		List Price (each)	Carton Quantity	Carton Weight
XBPO5-2 (F)		18.38	6 each	6 lb
XBPO5-2 (T)	Track pack	18.38	12 each	12 lb
PBPO5-2 (WT)	Wirsbo trk pk	17.90	12 each	12 lb
PBPO5-2 (RT)	Rehau trk pk	17.90	12 each	12 lb



Ice maker box— one piece

Round high impact polystyrene box with installed stop valve 1/2" nom. with factory attached white High Performance connector x 1/4" comp. nut with faceplate and protective cover— 2 1/2" copper adapter for PEX (SDR 9 tubing conforms to ASTM F876/F877 and crimp rings made to F1807)

Product Code		List Price (each)	Carton Quantity	Carton Weight
XBPO5IP24-2 (F)	24" for Inline Filter	22.78	6 each	7 lb
XBPO5IP24-2 (T)	24" Track pack	22.78	12 each	14 lb
XBPO5IP84-2 (F)	84"	26.81	6 each	9 lb
XBPO5IP84-2 (T)	84" Track pack	26.81	12 each	18 lb
PBPO5IP84-2 (WT)	84" Wirsbo trk pk	27.50	12 each	16 lb
PBPO5IP84-2 (RT)	84" Rehau trk pk	27.50	12 each	15 lb



FlowTite Ice Maker Outlet Boxes with Copper Pipe and Kitec Fitting

Ice maker box with valve only

Round high impact polystyrene box with installed stop valve 1/2" nom. x 1/4" comp. outlet with faceplate—7" copper stub out with factory attached Kitec Fitting for PE-AL-PE & PEX-AL-PEX tubing

Product Code		List Price (each)	Carton Quantity	Carton Weight
IBP05-2 (T)	Track Pack	24.00	12 each	12 lb

Ice maker box—one piece

Round high impact polystyrene box with installed stop valve 1/2" nom. with factory attached High Performance connector x 1/4" comp. nut with faceplate and protective cover—7" copper stub out with factory attached Kitec Fitting for PE-AL-PE & PEX-AL-PEX tubing

Product Code		List Price (each)	Carton Quantity	Carton Weight
IBP05IP84-2 (T)	84"	31.07	12 each	17 lb


FlowTite Ice Maker Outlet Box Accessories

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
BOXONLY-I	Round empty high impact polystyrene box	7.21	6 each	6 lb
FACEPLATE-I	FlowTite ice maker box face plate	3.38	6 each	1 lb
BXCOV	Clear protective cover for FlowTite ice maker boxes	1.64	6 each	1 lb

1/2" FlowTite Test Caps and Couplings


removable and reusable

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5CAP (F)	1/2" PushOn test cap Copper/CPVC only	1.59	100 each	5 lb
PO5CAP (XF)	1/2" PushOn test cap for PEX only			
PR50T5 (XF)	1/2" PushOn coupling x 1/2" male IPS	2.20	100 each	5 lb
PR50T5C (XF)	1/2" PushOn bleeder cap with removable 1/2" brass cap and seal	3.01	100 each	5 lb



Miscellaneous

Product Code	Description	List Price (each)	Carton Quantity	Carton Weight
PO5E	White plastic escutcheon	.36	25 each	1 lb
PO5RING*	1/2" PushOn pipe holder ring	.36	25 each	1 lb
CLIP	Plastic removable clip for handle	.20	100 each	1 lb
PO5 AP	1/2" PushOn applicator gauge	1.34	50 each	4 lb



* attached to every valve and coupling kit

FlowTite Ice Maker Outlet Boxes with Factory Installed Water Hammer Arresters

Ice maker outlet box with copper pipe and inline arrester

Round high impact polystyrene box with installed stop valve 1/2" nom. with factory attached white High Performance connector x 1/4" comp. nut with faceplate and protective cover and 8" copper pipe stub out

Product Code	List Price (each)	Carton Quantity	Carton Weight
OBP05IP84-2A (T) 84" Track Pack	56.00	12 each	21 lbs.

Ice maker outlet box with CPVC pipe and inline arrester

Round high impact polystyrene box with installed stop valve 1/2" nom. with factory attached white High Performance connector x 1/4" comp. nut with faceplate and protective cover and 6" CPVC pipe stub out

Product Code	List Price (each)	Carton Quantity	Carton Weight
VBP05IP84-2A (T) 84" Track Pack	62.50	12 each	21 lbs.

Ice maker outlet box with copper adapter for PEX and inline arrester

Round high impact polystyrene box with installed stop valve 1/2" nom. with factory attached white High Performance connector x 1/4" comp. nut with faceplate and protective cover—2 1/2" copper adapter for PEX (SDR 9 tubing conforms to ASTM F876/F877 and crimp rings made to F1807)

Product Code	List Price (each)	Carton Quantity	Carton Weight
XBP05IP84-2A (T) 84" Track Pack	59.00	12 each	21 lbs.
PBP05IP84-2A (WT) 84" Wisbo Trk pk	60.00	12 each	21 lbs.
PBP05IP84-2A (RT) 84" Rehau Trk pk	59.00	12 each	21 lbs.

Accor Codes, Listings and Standards

FlowTite	Product:	Listings:	Mfg. in accordance with:
	Angle stop valves:	NSF 61/9 Listed IAPMO File 2657 (cUPC/IPC, CSA) ICC-ES Legacy Report 97-54* (IPC) ETL-Semko/Warnock Hersey (CSA) other city, county and state approvals	ANSI/ NSF 61/9 Certified ASME A112.18.1 CSA B125 ASTM F877 (PEX)
	Coupling connectors:	NSF 61/9 Listed IAPMO File 2657 (cUPC/IPC, CSA) ICC-ES Legacy Report 97-54** (IPC) ETL-Semko/Warnock Hersey (CSA)	ANSI/ NSF 61/9 Certified ASME A112.18.1 CSA B125
	HP Series connectors:	NSF 61/9 Listed IAPMO File 3969 (UPC/IPC, CSA) ETL-Semko/Warnock Hersey (CSA)	ANSI / NSF 61/9 Certified ASME A112.18.6 CSA B125
	Ice maker boxes:	IAPMO File 3893 (UPC/IPC)	PS54-92
	Test caps, couplings, repair kits:	NSF 61/9 Listed ETL-Semko/Warnock Hersey (CSA)	ANSI / NSF 61/9 Certified ASME A112.18.1 CSA B125

* all angle stop valves except dual application valves
** reports available for specific models

Code Key

ANSI	American National Standard Institute
ASME	American Society of Mechanical Engineers
ASTM	American Society for Testing & Materials
ICC-ES	International Code Council - Evaluation Service
CSA	Canadian Standards Association
IAPMO	International Association of Plumbing & Mechanical Officials
IPC	International Plumbing Code
NSF	National Sanitation Foundation
UPC	Uniform Plumbing Code

FlowTite Terms and Conditions

Freight

Full freight prepaid on \$1,500 (net) of assorted Accor merchandise including all FlowTite products to one destination within the 48 contiguous United States. We reserve the right to ship via most economical way and by lowest approved freight classification. Orders will be shipped from Wenatchee, Washington.

General

All discounts are for orders shipped to one destination.

Prices

All prices subject to change without notice. Orders will be invoiced at prices at time of shipment. A 5% surcharge will be added to orders of less than carton quantity.*

Returns

Any return of any products must be approved by Accor Technology, Inc. and issued a Return Goods Authorization number (RGA). Absolutely no returns will be accepted or replaced without an RGA#. Accor reserves the right to deny any RGA request of non-defective product. Approved requests will include a service charge of 25% of the net purchased price of the goods plus all transportation expenses. Loss and/or damage claims must be reported within 5 days of receipt of order. Material returned with our consent will be replaced less the value of the freight and 25% handling charge.

Terms

Payment terms: 2% - 10th prox net 30.

Past due invoices will be subject to a service charge of 2% per month (or maximum rate allowed by law, whichever is less.)

* Carton quantities as shown on Full Line Price Catalog.

New FlowTite Icemaker Box



Accor's round FlowTite icemaker box, with integral one-piece valve and factory applied 7' flexible connector, eliminates callbacks and costly floor damage. This unique design prevents crooked installations and the protective cover at rough in maintains the clean, white look (patent pending).



The “core” of Accor Technology is found in its patented **PushOn** technology. The company, which started making the best angle stop over 12 years ago, has expanded its coupling technology to connectors, test caps, and ice maker boxes. New product introductions will continue with the same objective— a clean, modern look that is easily installed and superior in long term performance!

*Thank you for choosing
Accor's products!*

FlowTite the Clean Look for Today's Home



ACCOR TECHNOLOGY, INC.
10 YEAR LIMITED WARRANTY



Backed by the Best Owners Warranty on the Market

Headquarters

Accor Technology, Inc.
1400 - 112th Avenue SE Suite 100
Bellevue, WA 98004
1-877-647-5870 toll free
(425) 453-5410 local
(425) 289-0056 fax

Made in the U.S.A.

Customer Service Manufacturing

337 East Penny Rd Wenatchee, WA 98801
1-800-447-5848 toll free (509) 662-0608
local (509) 664-3233 fax

Regional Offices

West
East
Midwest
Texas
Southeast
Canada

www.accortechnology.com

Patented Worldwide

Patented worldwide with additional patents pending.

Certification Listings

