


Manual Roll Groovers





Note: Tool box and accessories sold separately



915 ROLL GROOVER

The RIDGID® 915 Roll Groover is a manual roll groover for in-place field applications. The 915 requires only $3\,^{1}/_{2}$ " of clearance to travel around a pipe and a minimum of $2\,^{3}/_{4}$ " of exposed pipe for grooving. With the appropriate roll sets, the 915 can groove from 1 $^{1}/_{4}$ " to 12" pipe, the widest range in its class! The 915's cast-in handle allows for easy transport or chaining the groover down to prevent theft. The 915 is a must for service work crews.

- Easy to use Depth Setting Gauge Helps make accurate grooves.
- Easy Roll Set Change Out Up to 12" pipe capacity in one unit for service versatility.
- Cast-in Carrying Handle Easy to transport or lock up to prevent theft.
- Included Ratchet 90° bend-in handle makes grooving easier.

SPECIFICATIONS

- Capacity
- 1 1/4" 12" Schedule 10 steel and stainless steel pipe
- -2"-8" K, L, M, DWV copper
- 1 1/4" 6" Schedule 40 PVC
- 1 1/2", 2 1/2" 3" Schedule 80 PVC
- Weight 23 lbs. (including ratchet)
- Operation Feed screw with 1/2" ratchet wrench (included)

| Catalog No | Catalog No. Model No. Description | | We | ight |
|-------------|---------------------------------------|--------------------------------------------------------------------|-----|------|
| Catalog No. | Widdel No. | Description | lb. | kg |
| 88232 | 915 | 915 Roll Groover with 2" - 6" Sch. 10 (2" - 3 ½" Sch. 40) Roll Set | 23 | 10.4 |

Standard Equipment

| Catalog No. Model No. | Description | 88232 915 |
|--------------------------|----------------------------------|--------------|
| 93642 | Groove Roll 2" - 6" | ı |
| 93757 | Drive Roll 2" - 6 | ı |
| 92202 | Ratchet 1/2" Drive with 90° Bend | I |

Accessories

| Catalog No. | Description | Wei | ght |
|-------------|-----------------------------------------------------------------------------------------|------|-----|
| Catalog No. | Description | lb. | kg |
| 92437 | Drive and Groove Roll Set for 1 1/4" - 1 1/2" Sch. 10 or 40 Steel, Stainless Steel, PVC | 2.0 | 0.9 |
| 92447 | Drive and Groove Roll Set for 4" - 6" Sch. 40 Steel, PVC | 4.5 | 1.9 |
| 92442 | Drive and Groove Roll Set for 8" - 12" Sch. 10 Steel, Stainless Steel, PVC | 4.5 | 1.9 |
| 92452 | Drive and Groove Roll Set for 2" - 8" Copper Tube Type K, L, M, and DWV | 2.0 | 0.9 |
| 93497 | 915 Tool Box | 21.5 | 9.7 |
| 76827 | Metric Diameter Tape | 0.5 | 0.1 |
| 76822 | Inch Diameter Tape | 0.5 | 0.1 |
| 93642 | Groove Roll 2" - 6" | 0.9 | 0.4 |
| 93757 | Drive Roll 2" - 6" | 1.3 | 0.6 |

Note: A Roll Groove Set consists of a Groove Roll and a Drive Roll. Copper Roll Groove Set includes Black Reaction Arm and one Copper Stabilizer Pad. Note: Tool box and accessories sold separately



Combo Roll Groovers





975 Roll Groover with Power Drive

975 COMBO ROLL GROOVER

The Model 975 Combo Roll Groover is two tools in one, and is the only one that has the same capacity for Schedule 10 and 40. Like other RIDGID® roll groovers, the 975 mounts on the RIDGID 300 Power Drive for machine-powered roll grooving jobs. It also designed to manually roll groove in-place pipe.

- Auto Tracking & Depth Setting Gauge Means Easier Use The 975 Combo Groover includes new, patented auto tracking technology for significantly easier grooving. Whether you're doing machine-powered or manual grooving, the AutoTracking gauge keeps the pipe automatically engaged to the groover throughout the grooving process. The 975 also includes a permanently depth setting gauge for quicker, repeatable set-up.
- Less Hand Force Required When manually roll grooving, the 975's 55% higher gear reduction
 means less hand force required versus competitive manual roll groovers. This is especially helpful for
 over-head roll grooving.
- Durability And Portability A tough, ductile iron construction means the 975 can absorb jobsite
 abuse and provide accurate grooves time after time. A cast-in handle makes the 975 easily portable
 to and from the jobsite.

SPECIFICATIONS

- Capacity
 - 1 ¹/₄" 6" Schedule 10 and Schedule 40 steel, aluminum, and PVC pipe
 - 2 ¹/₂" − 6" Schedule 10 stainless steel pipe
 - 1 ¹/₄" 2" Schedule 40 stainless steel pipe
 - $-1\frac{1}{2}$ " -3" Schedule 80 PVC pipe
 - With roll change, 2" 8" copper tube (Type K, L, M, and DWV)
- Depth Adjustment Adjusting screw and integral, index depth gauge
- Autotracking System Incorporated offset for pipe (rolls are slightly pitched to adjust)
- Actuation Feed screw with 1/2" ratchet wrench (included), or any 15/16" hex wrench
- Power Drive Mounting RIDGID 300 Power Drive 38/57 RPM (reverse direction only)

| Catalon No | Catalog No. Model No. Description | | Weight | |
|-------------|---------------------------------------|-------------------------------------------------|--------|------|
| Catalog No. | MIOUE! NO. | Description | lb. | kg |
| 25638 | 975 | 975 Combo Roll Groover | 26.1 | 11.0 |
| 32828 | 975 | 975 Combo Roll Groover for Use with Copper Tube | 20.1 | 11.9 |





Standard Equipment

| Catalog No. Model No. Power Drive Mounting | Description | 25638 975 Model 300 | 32828 975 Model 300 |
|--------------------------------------------------|--------------------------------------|---------------------------|---------------------------|
| 30883 | Shaft, Drive | I | |
| 30933 | Roll Groove | I | |
| 30703 | Ratchet, ½" Drive With 90° Bend | I | I |
| 30708 | Extension, ½" Drive, Locking | I | I |
| 87682 | Support Bar (2) | ı | I |
| 32833 | Roll Set Kit for 2" - 8" Copper Tube | | I |

Accessories

| Catalog No. | Model No | Description | Wei | ight |
|-------------|-----------|--------------------------------------|------|------|
| Catalog No. | Model No. | Description | | kg |
| 32833 | 975 | Roll Set Kit for 2" - 8" Copper Tube | 5 | 2.3 |
| 67662 | - | Adapter Bracket for 300 compact | 30.0 | 13.6 |
| 76822 | - | Inch Diameter Tape | 1/ | 0.1 |
| 76827 | - | Metric Diameter Tape | 72 | 0.1 |





POWER-DRIVEN 916 ROLL GROOVER

The RIDGID® Model 916 Roll Groover is the most durable and efficient lightweight portable unit available. Built with a solid, durable cast-iron housing, it withstands heavy usage, yet is light enough for easy transportation. The 916 features a patented single stroke feed mechanism that allows for accurate operation quickly and effortlessly.

- Specifically designed for field service roll grooving applications.
- Quick and easy mount to RIDGID 300 Power Drive, 535 or 300 Compact Threading Machines.
- Cam-type feed actuation translates into minimum operator effort to form roll grooves.
- Depth adjustment screw separate from feed mechanism allows for consistent groove depth.
- Lightweight for easy transport and storage.
- Integral feed handle is part of overall unit. No extra tools required.
- Easy serviceability drive and groove rolls are easy to change.

SPECIFICATIONS

- Capacity
 - 1 1/4" 6" Schedule 10 steel and stainless steel
- 1 ¹/₄" 3" Schedule 40 steel and stainless steel
- Optional 2" 6" copper (Type K, L, M, DWV)
- Optional 1" Schedule 10, 40 steel pipe
- $-1\frac{1}{4}$ " $1\frac{1}{2}$ " and 2" 6" AWWA roll sets

| Cotolog No | Model No | Model No. Description | Weight | |
|-------------------------|-------------|----------------------------------------------------|--------|------|
| Catalog No. Wodel No. | Description | lb. | kg | |
| 45007 | | Roll Groover for 300 Power Drive | 33 | 15 |
| 46852 | 916 | Roll Groover for Copper Tubing for 300 Power Drive | 34 | 15.5 |
| 60382 | 910 | Roll Groover for 535 | 33 | 4.5 |
| 48307 | | Roll Groover for 300 Compact/ 1233 | 33 | 10 |

Standard Equipment

| Catalog No. Model No. Power Drive Mounting | Description | 45007 916 Model 300 | 46852 916 Model 300 | 60382 916 Model 535 | 48307 916 Models 300 Compact/1233 |
|--------------------------------------------------|------------------------|---------------------------|---------------------------|---------------------------|--------------------------------------------|
| 45397 | Shaft, ASM Drive 916 | ı | ı | ı | ı |
| 45587 | Roll, Groove w/bearing | I | I | I | ı |

Accessories

| Catalog No | Description | We | ight |
|-------------|-----------------------------------------------|-----|------|
| Catalog No. | Description | lb. | kg |
| 45347 | Roll Set f/1" incl. Ref. No. 35 36 | | |
| 45352 | Roll Set f/Copper Tubing incl. Ref. No. 35 36 | 6 | 2.6 |
| 69667 | Roll Set 11/4" to 11/2" (AWWA) | 0 | 2.0 |
| 69692 | Roll Set 2" to 6" (AWWA) | | |
| 67662 | Adapter Bracket for 300 Compact | 30 | 13.6 |
| 76822 | Inch Diameter Tape | 1/6 | 0.1 |
| 76827 | Metric Diameter Tape | 12 | U,I |





918 ROLL GROOVER

The RIDGID® Model 918 Hydraulic Roll Groover features a powerful 15-ton hydraulic ram in a compact, easy to transport unit. With one man set-up and operation, the 918 is the ideal groover for job site requirements. The 918 mounts quickly to RIDGID 300 power drive, 535, 1822, or 1224 Threading Machines. Designed to provide maximum efficiency, the 918 is capable of grooving up to 12" Schedule 10 and 8" Schedule 40 standard wall pipes.

- Compact lightweight design allows for easy transport.
- Extensive grooving capacity for a wide range of applications.
- Rugged, durable housing enables unit to withstand harsh use.
- Two-stage pump plus 15 ton ram permit quick and smooth operation.
- Quick easy set-up. Easy rollset changeout.
- Specifically designed groove and drive rolls product consistent, accurate grooves throughout the capacity range.

SPECIFICATIONS

- Capacity
 - 1" 12" Sch. 10 Steel, Stainless Steel
 - 1" 8" Sch 40 Steel, PVC
 - -1" 2" Sch 40 Stainless Steel
 - 2" 6" Copper (Type K, L, M, & DWV)
 - 2 ½"-4" Sch 80 PVC

| Catalag Na | Model No | Description | We | ight |
|-------------|-------------------|-----------------------------------------------|-----|------|
| Galalog No. | Model No. | Description | lb. | kg |
| 48297 | 918-1 | 918 Roll Groover w/300 Power Drive Mount Kit | 104 | 47.2 |
| 48377 | 918-2 | 918 Roll Groover w/1822 Power Drive Mount Kit | 134 | 60.9 |
| 48382 | 918-4 | 918 Roll Groover w/1224 Carriage Mount Kit | 131 | 59.5 |
| 48387 | 918-5 | 918 Roll Groover w/535 Carriage Mount Kit | 117 | 53.1 |
| 47222 | 918 on l y | 918 Roll Groover Only | 95 | 43.1 |

Standard Equipment

| Catalog No. Model No. Power Drive Mounting | Description | 48297 918-1 Model 300 | 48377 918-2 Model 1822 | 48362 918-4 Model 1224 | 48367 918-5 Model 535 | 47222 918 only |
|--------------------------------------------------|--------------------------------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-------------------|
| 48405 | Roll Set for 8"-12" Sch 10 (8" Sch 40) With Carry Case | ı | ı | ı | ı | ı |
| 49217 | Groove Roll 2" - 6" | ı | ı | ı | ı | ı |
| 51432 | Drive Roll 2" - 6" | ı | ı | ı | ı | ı |
| 53987 | Roll Storage Case | I | I | I | ı | I |
| 29087 | T Handle hex key 1/8" | I | I | ı | ı | ı |
| 54317 | Box Wrench | I | I | I | I | I |
| 48292 | 300 Power Drive Mount Kit Only | I | | | | |
| 48392 | 1822 Carriage Mount Only | | ı | | | |
| 48397 | 1224 Carriage Mount Kit Only | | | I | | |
| 48402 | 535 Carriage Mount Kit Only | | | | I | |

Mounting Kit Only

| Catalog No | Model No | Model No. Description | Weight | |
|-------------|-----------|--------------------------------|--------|------|
| Catalog No. | Wodel No. | Description | lb. | kg |
| 48292 | 911 | 300 Power Drive Mount Kit Only | 9 | 4 |
| 48392 | 912 | 1822 Carriage Mount Kit Only | 39 | 17.7 |
| 48397 | 914 | 1224 Carriage Mount Kit Only | 36 | 16.4 |
| 48402 | 915 | 535 Carriage Mount Kit Only | 22 | 10 |


Accessories

| Catalog No. | Description | We | ight |
|-------------|-------------------------------------------------------------------|----|------|
| Catalog No. | . Description | | kg |
| 48405 | Roll Set for 8"-12" Sch 10 (8" Sch 40) With Carry Case | 18 | 8.2 |
| 48407 | Roll Set for 1 1/4"-1 1/2" Sch 10/40 With Carry Case | 10 | 4.5 |
| 48412 | Roll Set for 1" Sch 10/40 and 1 ¼"-1 ½" Sch 10/40 with Carry Case | 20 | 9 |
| 48417 | Roll Set for 2"-6" Copper | 10 | 4.5 |
| 59992 | 2 ½"- 12" Stabilizer for Grooving Nipples | 11 | 5 |
| 49662 | Tool Box | 5 | 2 |
| 76822 | Inch Diameter Tape | 14 | 0.1 |
| 76827 | Metric Diameter Tape | /2 | 0.1 |

Note: A Roll Set consists of a Groove Roll and a Drive Roll. Note: Do not use to groove 8" schedule 40 steel pipe harder than 150 Brinnel.







918-I ROLL GROOVER

The RIDGID® Model 918-I Roll Grooving Machine is capable of grooving 1" to 8" schedule 40 and 1" to 12" schedule 10 pipe faster than any roll grooving machine in its class. Powered by a ½ HP universal motor and heavy-duty transmission, it produces high quality grooves consistently and effortlessly. Comes standard with a rugged wheel stand built for mobility in the shop without compromising stability. The stand's tray is tough enough to support 200 lbs. Features a custom-designed, two-stage hydraulic pump that minimizes pipe flare, operator fatigue and hydraulic fluid leaks.

SPECIFICATIONS

- Capacity
 - 1" 12" Schedule 10 steel and stainless steel
 - 1" 8" Schedule 40 steel, stainless steel and PVC
 - -2" 6" copper (types K, L, M & DWV)
 - 1 1/2", 2 1/2" -4" Schedule 80 PVC
- Motor Universal, 45 RPM (no load). Approved by CSA to CSA and UL standards.
- Motor Control On/off heavy-duty with foot switch

| Catalog No. | Model No | Boll Grooving Machine Complete | Voltage | Wei | ight |
|-------------|-----------|--------------------------------|---------|-----|-------|
| Catalog No. | WOUCH NO. | Description | V | lb. | kg |
| 64977 | 918-I | Roll Grooving Machine Complete | 115 | 185 | 0.4.1 |
| 65902 | | Roll Grooving Machine | 230 | 100 | 84.1 |

Standard Equipment

| Catalog No. Model No. | Description | 64977 918-I | 65902 918-I |
|--------------------------|--------------------------------------------------------|----------------|----------------|
| 36642 | Footswitch, ASM | ı | ı |
| 48405 | Roll Set for 8"-12" Sch 10 (8" Sch 40) With Carry Case | I | I |
| 49217 | Groove Roll 2" - 6" | ı | ı |
| 51432 | Drive Roll 2" - 6" | ı | ı |
| 59992 | 2 ½"- 12" Stabilizer for Grooving Nipples | ı | ı |
| 64192 | Stand, ASM 9181 | I | I |
| 49087 | T-Handle Hex Key, 1/8" | I | ı |
| 54317 | Box Wrench | I | ı |
| 67192 | Spanner Wrench | I | ı |
| 67197 | Hex Key %" | I | I |
| 53987 | Roll Storage Case | I | I |

Accessories

| Catalag Na | Description | Weight | |
|-------------|-------------------------------------------------------------------|------------|-----|
| Catalog No. | Description | | kg |
| 48405 | Roll Set for 8"-12" Sch 10 (8" Sch 40) With Carry Case | 18 | 8.2 |
| 48407 | Roll Set for 1 1/4"-1 1/2" Sch 10/40 With Carry Case | 10 | 4.5 |
| 48412 | Roll Set for 1" Sch 10/40 and 1 ¼"-1 ½" Sch 10/40 with Carry Case | 20 | 9 |
| 48417 | Roll Set for 2"-6" Copper | 10 | 4.5 |
| 59992 | 2 ½"- 12" Stabilizer for Grooving Nipples | 11 | 5 |
| 76822 | Inch Diameter Tape | 1/. | 0.1 |
| 76827 | Metric Diameter Tape | <i>y</i> 2 | 0.1 |

Note: A Roll Set consists of a Groove Roll and a Drive Roll.

Note: Do not use to groove 8" schedule 40 steel pipe harder than 150 Brinnel.





920 ROLL GROOVER

The RIDGID® 920 Roll Groover takes grooving to a whole new level. With a capacity range of 2" - 24" diameter pipe, the 920 has the largest capacity of any RIDGID roll groover. It is also the largest non-stationary groover on the market. The 920 mounts to the RIDGID 300 Power Drive for use in the field or shop. Also available is the RJ624 Large Diameter Pipe Support for grooving pipe up to 24" in diameter, a perfect complement to the 920 Roll Groover.

- · Largest grooving capacity in its class.
- Transportation Mode Detachable wheels enable one man to easily move the 920 around a jobsite.
 Also available is a Model No. 32 Transporter.
- Patented Depth Setting Gauge Easy and accurate groove depth setting does not require adjusting
 the protective quarding.
- Built-in Pressure Gauge Helps operator monitor hydraulic pressure to control flare and optimize groove time.
- Front Roll Set Change-Out User can switch groove roll sets quickly and easily.
- Easy Adjust Support Legs Helpful when leveling the groover on uneven ground.

SPECIFICATIONS

- Capacity
 - -2" 12" Schedule 5, 10, & 40 steel, stainless steel and aluminum
 - 14" 16" Schedule 5 & 10 steel, stainless steel and aluminum
 - 18" 24" .250 wall steel, stainless steel and aluminum
 - 2" 8" Schedule 40 PVC
 - 2 1/2" 4 Schedule 80 PVC
 - -2" -8" copper (K & L)
 - $-2 \frac{1}{2}$ " 8" copper (K, L, & M)
 - -3" 8" copper (DWV)

| Catalog No. | Model No | Description | Weight | |
|-------------|-----------|--------------------------------------------------------------------------------------|--------|------|
| Catalog No. | Model No. | Description | lb. | kg |
| 95782 | 920 | 920 Roll Groover with 2"- 6" Sch. 40, 8"-12" Sch. 40 and 14"-16" Std. Wall Roll Sets | 380 | 90.3 |

Standard Equipment

| Catalog No. Model No. | Description | 95782 920 |
|-------------------------------|-------------------------------------------------------|--------------|
| 42575 | #32 Transporter (for Power Drives and Tristand Vises) | ı |
| 920 | Training Video And User Manual | ı |
| 10843 | Set of Rolls 2-6" 920 | I |
| 10848 | Set of Rolls 8-12" 920 | I |
| 10853 Set of Rolls 14-16" 920 | | ı |

Accessories

| Cotolog No | Model No | Description | Wei | ght |
|-------------|-----------|--------------------------------------------------------------------------|--------|------|
| Galalog No. | Model No. | Description | lb. | kg |
| 42575 | 32 | #32 Transport Cart | 14 1/4 | 6.5 |
| 76822 | | Inch Diameter Tape | 1/4 | 0.1 |
| 76827 | | Metric Diameter Tape | 72 | 0,1 |
| 96372 | RJ624 | Large Diameter Pipe Stand | 167 | 75.7 |
| 96982 | | Drive and Groove Roll Set for 2" - 8" Copper Tube Type K, L, M, and DMV | 20 | 9 |
| 96987 | | Drive and Groove Roll Set for 18" - 20" Sch. 10 Steel or Stainless Steel | 21 | 9.5 |
| 96992 | | Drive and Groove Roll Set for 22" - 24" Sch. 10 Steel or Stainless Steel | 22 | 10 |
| 96997 | | Drive and Groove Roll Set for 4" - 6" Sch. 40 Steel or Stainless Steel | 20 | 9 |