
UPGRADABLE

PRESSURE BALANCE BATH/SHOWER FITTING VOLUME AND TEMPERATURE CONTROL VALVE



R120 Valve Body Shown

GENERAL DESCRIPTION:

Cast brass body, washerless 47mm ceramic disc valve cartridge with volume and temperature control, and hot limit safety stop. Pressure balancing cartridge maintains constant output temperature in response to changes in relative hot and cold supply pressure. One-half inch inlets and outlets (choice of direct sweat or threaded). Available with screwdriver stops. Rough-in plaster guard designed for use as thin-wall mounting adaptor. Valve body will accept a variety of decorative Bath/Shower trim kits.

PRODUCT FEATURES:

Cast Brass Valve Body: Durable - Quality that will last a lifetime. Ideal material for prolonged contact with water.

Ceramic Disc Valve Cartridge: Assures a lifetime of drip-free performance. Allows easy control over both water temperature and volume.

Pressure Balancing Valve Cartridge: Maintains constant output temperature in response to changes in relative hot and cold supply pressure. Diaphragm system engineered to eliminate cross flow. Avoids failure due to mineral deposits - ideal for use in hard water

Adjustable Hot Limit Safety Stop: Limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding.

Exclusive Plaster Guard: Plaster guard is designed to protect valve during installation and serve as a mounting plate for thin-wall installations. Two piece design allows valve to be tested prior to trim installation.

Wide Rough-in Range: From 1-5/8" to 3-1/4".

MODEL NUMBER:


- R120 Pressure Balance Rough Valve Body only
 Direct sweat inlets/outlets. LESS trim.
- R120SS Pressure Balance Rough Valve Body only with Screwdriver stops

Direct sweat inlets/outlets. Screwdriver stops. LESS trim.

- R125 Pressure Balance Rough Valve Body only Female thread inlets/outlets. LESS trim.
- ☐ R125SS Pressure Balance Rough Valve Body only with Screwdriver stops

Female thread inlets/outlets. Screwdriver stops. LESS trim.

See reverse for available trim kits.



SUGGESTED SPECIFICATION:

Bath/shower fitting shall feature a cast brass valve body. Shall feature ceramic disc valve cartridge which allows user to control both water temperature and volume. Fitting shall be equipped with pressure balancing cartridge engineered to eliminate cross flow and avoid failure due to mineral deposits. Shall also feature a hot limit safety stop. Fitting shall be: Rough Valve Body - American Standard Model # R12 _____, Trim Kit - American Standard Model # _____.




UPGRADABLE

PRESSURE BALANCE BATH/SHOWER FITTING VOLUME AND TEMPERATURE CONTROL VALVE

Valve + Trim: Trim Kit & Valve Body Packaged Separately

To order: Specify valve body **and** trim kit desired Example: R120 - Direct Sweat Valve Body T495.502 - Reliant+ Bath/Shower Trim Kit

ဟ				
ШŬ	R120	R120SS	R125	R125SS
VALVE	Direct Sweat Inlets/Outlets	Direct Sweat Inlets/Outlets w/ Screwdriver Stops	Female Thread Inlets/Outlets	Female Thread Inlets/Outlets w/ Screwdriver Stops



CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ANSI A 117.1 ASSE 1016 ASME A112.18.1 CSA B 125

• Showerhead with 2.5gpm/9.5L.min. flow restrictor.

TRIM KITS		Colony "Soft"	Reliant+ Lever	Reliant 3	Princeton	Seva	Ceramix	Standard	Jasmine	Tendence
핕	B/S	T675.502	T495.502	T385.502	T508.502	T480.502	T000.502	T6282	T808.502	T086.502
	Shower	T675.501	T495.501	T385.501	T508.501	T480.501	T000.501	T6281	T808.501	T086.501
	Valve	T675.500	T495.500	T385.500	T508.500	T480.500	T000.500	T6280	T808.500	T086.500
			Reliant+ Loop	Reliant 3 w/mod Plate						
			T495.562 T495.561 T495.560	T385.522 T385.521 T385.520						

TRIM KITS FOR VOLUME & TEMPERATURE CONTROL VALVES

Trim Kits for R120, R120SS, R125, R125SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.**Trim Kits for R120, R120SS, R125, R125SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.**

2.5gpm/9.5L/min. maxin	2.5gpm/9.5L/min. maximum flow. TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.					
Trim Kit	Model # Description	Finishes*	Roughing-In Dimensions			
COLONY SOFT	T675.502 BATH/SHOWER Trim Kit Metal Lever handle "Easy Clean" Showerhead Shower arm and flange Slip-on Diverter tub spout T675.501 SHOWER ONLY Trim Kit Metal Lever handle "Easy Clean" Showerhead Shower arm and flange T675.500 VALVE ONLY Trim Kit Metal Lever handle	.002 Polished Chrome .099 Polished Brass (PVD)	FINISHED WALL 4 FINISHED WALL (1 102mm) 7 FIEF 74 FOR HEAD (1 188mm)			
RELIANT+	T495.502 BATH/SHOWER Trim Kit Brass wall escutcheon Metal Lever handle "Easy Clean" Showerhead Shower arm and flange Slip-on Diverter tub spout T495.501 SHOWER ONLY Trim Kit Brass wall escutcheon Metal Lever handle "Easy Clean" Showerhead Shower arm and flange	.002 Polished Chrome .099 Polished Brass (PVD) .299 Pol. Chrome/Brass (PVD) mix.	1-5/8" TO 3-1/4" (4/1 mm - 63mm) FINISHED WALL FI			
	T495.500 VALVE ONLY Trim Kit • Brass wall escutcheon • Metal Lever handle	.002 Polished Chrome	A" = 5-105 REF (100mm) TOP OF TUB RING BOTTOM OF TUB			
RELIANT+ LOOP	T495.562 BATH/SHOWER Trim Kit Brass wall escutcheon Metal Lever Loop handle "Easy Clean" Showerhead Shower arm and flange Slip-on Diverter tub spout T495.561 SHOWER ONLY Trim Kit Brass wall escutcheon Metal Lever Loop handle "Easy Clean" Showerhead Shower arm and flange	.002 Polished Chrome .099 Polished Brass (PVD) .299 Pol. Chrome/Brass (PVD) mix.	1-58° TO 3-14' (4'mm - 6'mm) FINSNED WALL 4' REF. (10'mm) 6' REF. (10'mm) (15mm) (15mm) (15mm) (15mm) (15mm) (15mm)			
	T495.560 VALVE ONLY Trim Kit Brass wall escutcheon Metal Lever Loop handle	.002 Polished Chrome	4 + 5-1/8" REF + (100mm) TOP OF TUB RIM BOTTOM OF TUB			
Reliant 3	T385.502 BATH/SHOWER Trim Kit Metal wall escutcheon Metal lever handle "Easy Clean" Showerhead Shower arm and flange Slip-on diverter tub spout LESS valve T385.501 SHOWER ONLY Trim Kit Metal wall escutcheon Metal lever handle "Easy Clean" Showerhead Shower arm and flange LESS valve	.002 Polished Chrome .295 Satin Nickel (PVD)	1-56" TO 3-1/4" (41mn - 83mn) FINSHED WALL 1DSmm (4-1/4 REF.) (158mn) (158mn) (158mn) (158mn) (158mn) (158mn) (158mn) (158mn)			
	T385.500 VALVE ONLY Trim Kit Metal wall escutcheon Metal lever Handle LESS valve		(102mm) (102mm			

TRIM KITS FOR VOLUME & TEMPERATURE CONTROL VALVES

Trim Kits for R120, R120SS, R125, R125SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.**

Trim Kit	Model # Description	Finishes*	Roughing-In Dimensions
Reliant 3	T385.522 BATH/SHOWER Trim Kit Metal wall escutcheon Metal lever Loop handle "Easy Clean" Showerhead Shower arm and flange Slip-on diverter tub spout LESS valve T385.521 SHOWER ONLY Trim Kit Metal wall escutcheon Metal lever Loop handle "Easy Clean" Showerhead Shower arm and flange LESS valve T385.520 VALVE ONLY Trim Kit Metal wall escutcheon Metal lever Loop Handle LESS valve	.002 Polished Chrome .295 Satin Nickel (PVD)	1.58m* TO 3-1/4* (41mm - 83mm) FINISHED WALL 1.58mm (4-1/4 REF.) (58mm) (4-1/4 REF.) (6 REF) (102mm) (25mm) (25mm) (25mm) (25mm) (25mm) (330mm) (330mm) (300mm) (300mm) (300mm) (300mm) (300mm)
PRINCETON	T508.502 BATH/SHOWER Trim Kit Metal Lever Handle Wall escutcheon Showerhead, arm and flange Slip-on diverter tub spout LESS Valve T508.501 SHOWER ONLY Trim Kit Metal Lever Handle Wall escutcheon Showerhead, arm and flange LESS Valve T508.500 VALVE ONLY Trim Kit Metal Lever Handle Wall escutcheon	.002 Polished Chrome .295 Satin Nickel (PVD)	FINSHED WALL 4° REF. (102mm) 7° REF. (175mm) 112 REF. (25mm) 4° FOR HEAD (25mm) 112 REF. (175mm) 112 REF. (175mm) 112 REF. (175mm) TOP OF TUB RIM
SEVA	T480.502 BATH/SHOWER Trim Kit Brass wall escutcheon Metal Lever handle "Vario" adjustable showerhead Shower arm and flange Slip-on Diverter tub spout T480.501 SHOWER ONLY Trim Kit Brass wall escutcheon Metal Lever handle "Vario" adjustable showerhead Shower arm and flange T480.500 VALVE ONLY Trim Kit Brass wall escutcheon Metal Lever handle	.002 Polished Chrome .295 Satin Nickel (PVD) .299 Pol. Chrome/Brass (PVD) mix.	FINISHED WALL 1-5/8" TO 3-1/4" (4 mm - 85mm.) 1/0 REF. 7" REF. 7" FOR READ CLEANANCE (188mm) 1-1/2 REF. (102 mm) 5-1/8" REF. (102 mm) 5-1/8" REF. (102 mm) FOP OF TUB RIM
CERAMIX	T000.502 BATH/SHOWER Trim Kit Brass wall escutcheon Metal Lever handle "Vario" adjustable showerhead Cast Brass shower arm Cast Brass diverter tub spout T000.501 SHOWER ONLY Trim Kit Brass wall escutcheon Metal Lever handle "Vario" adjustable showerhead Cast Brass shower arm	.002 Polished Chrome .062 Black Nickel/Brass mix. (PVD) .099 Polished Brass (PVD) .295 Satin Nickel (PVD) .297 Satin/Brass mixage (PVD) .299 Pol. Chrome/Brass (PVD) mix.	FINISHED WALL 1-58" TO 3-1/4" (41mm - 83mm) 4" REF. (102mm) 7" REF. (173mm) 7" REF. (182mm) (43/4" (182mm) (182mm) (182mm) (182mm) (170mm) (170mm)
	T000.500 VALVE ONLY Trim Kit Brass wall escutcheon Metal Lever handle	Note: Trim kits CANNOT be used with Ceramix spool type valves.	(102 mm) TOP OF TUB RIM

TRIM KITS FOR VOLUME & TEMPERATURE CONTROL VALVES

Trim Kits for R120, R120SS, R125, R125SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. TRIM KITS ONLY. **VALVE MUST BE ORDERED SEPARATELY.**

Trim Kit Model # Description		Finishes*	Roughing-In Dimensions
STANDARD	T6282 BATH/SHOWER Trim Kit Metal wall escutcheon Porcelain Lever Handle T'' Adjustable showerhead Cast brass I.P.S. diverter tub spout	T6282 Polished Chrome T6282S Satin Nickel (PVD)	FINISHED (2-1/4 - 3-1/4) WALL 130mm (5-18)REE (7-1/2) REF.
	T6281 SHOWER ONLY Trim Kit Metal wall escutcheon Porcelain Lever Handle 5" Adjustable showerhead	T6281 Polished Chrome T6281S Satin Nickel (PVD)	1880mm (74) FOR HEAD CLEARANCE (75.8) OPTIONAL 25mm
	T62820 BATH/SHOWER Trim Kit Metal wall escutcheon Porcelain Lever Handle	T6280 Polished Chrome T6280S Satin (PVD)	102mm (7-1/8) 102mm (8-6F) TOP OF TUB RIIM BOTTOM OF TUB
JASMINE	T808.502 BATH/SHOWER Trim Kit		2" FINISHED WALL (41mm - 83mm)
	Brass wall escutcheon Metal Lever Handle Rain showerhead Cast brass shower arm Cast brass diverter tub spout T808.501 SHOWER ONLY Trim Kit Brass wall escutcheon Metal Lever Handle Rain showerhead Cast brass shower arm T808.500 BATH/SHOWER Trim Kit Brass wall escutcheon Metal Lever Handle	.002 Polished Chrome .008 Polished Nickel .068 Blackened Bronze (PVD) .099 Polished Brass (PVD) .221 Satin (PVD)/Pol.Chrome mix295 Satin Nickel (PVD) .297 Satin/Brass mixage (PVD) .299 Pol. Chrome/Brass (PVD) mix.	(S1mm) 1-12' REF. (123mm) 8.5' REF. (218mm) 7.58' (194mm) 18' (457mm) opional 1-12' REF. (194mm) 7.58' (194mm) 7.58' (194mm) 7.58' (194mm) 7.58' (194mm) 7.58' (194mm) 7.58' (194mm)
TENDENCE	T086.502 BATH/SHOWER Trim Kit Brass wall escutcheon Metal Lever Handle "Vario" adjustable showerhead Cast brass shower arm Cast brass diverter tub spout T086.501 SHOWER ONLY Trim Kit Brass wall escutcheon Metal Lever Handle "Vario" adjustable showerhead Cast brass shower arm T086.500 BATH/SHOWER Trim Kit	.002 Polished Chrome .295 Satin Nickel (PVD)	FINSHED WALL 1-58° TO 3-1/4" (1178-nm) 1-127 980nm 1-127 980nm 1-127 980nm 127 FOR HEAD (150mm) 127 REF (150mm) 980nm 128 REF (150mm) 7-58° TO 3-1/4" (100mm) 7-7-58° TO 3-1/4" (100mm)
	Brass wall escutcheon Metal Lever Handle		(127mm) TOP OF TUB RIM BOTTOM OF TUB

- *EverCleanTM Finish:
 Offered on: Polished Chrome (002), Stainless Steel (075), Polished Brass (099) and Satin Nickel (295) finish. (and any combination of these finishes).

One wipe effortlessly removes spots.
 Eliminates the need for cleaners and scrubbing.
 EverClean Finish is offered on Jasmine, Tendence, Ceramix and Reliant 3.