


AMERICAN Flow Control Submittal Information

IP-71 INDICATOR POST



IL1510-1

NOTE:

1. Listed by Underwriters Laboratories, Inc. and Approved by Factory Mutual Approvals.



AMERICAN
FLOW CONTROL

THE RIGHT WAY

AMERICAN Flow Control
P.O. Box 2727
Birmingham, Al. 35202-2727
Phone: 1-800-326-8051
Fax: 1-800-610-3569
E-mail: afcsales@american-usa.com


Waterous Company
125 Hardman Avenue South
South St. Paul, Mn. 55075-1191
Phone: 1-888-266-3686
Fax: 1-800-601-2809
E-mail: afcsales@american-usa.com

WWW.AMERICAN-USA.COM

Model Number	Valve Size				
	3" & 4"	6"	8"	10"	12"
	Trench Depth	Trench Depth	Trench Depth	Trench Depth	Trench Depth
1A	2'0" - 3'0"	2'0" - 3'6"	2'6" - 4'0"	3'0" - 4'6"	3'6" - 4'6"
2A	3'6" - 5'0"	4'0" - 5'6"	4'6" - 6'0"	5'0" - 6'6"	5'0" - 6'6"
3A	5'6" - 7'0"	6'0" - 7'6"	6'6" - 8'0"	7'0" - 8'6"	7'0" - 8'6"
4A	7'6" - 9'0"	8'0" - 9'6"	8'6" - 10'0"	9'0" - 10'6"	9'0" - 10'6"
5A	9'6" - 11'0"	10'0" - 11'6"	10'6" - 12'0"	11'0" - 12'6"	11'0" - 12'6"
6A	11'6" - 13'0"	12'0" - 13'6"	12'6" - 14'0"	13'0" - 14'6"	13'0" - 14'6"
7A	13'6" - 15'0"	14'0" - 15'6"	14'6" - 16'0"	15'0" - 16'6"	15'0" - 16'6"

Model Number	Valve Size		
	14"	18"	18"
	Trench Depth	Trench Depth	Trench Depth
1B	4'0" - 5'0"	4'6" - 5'6"	4'6" - 6'0"
2B	5'6" - 7'0"	6'0" - 7'6"	6'6" - 8'0"
3B	7'6" - 9'0"	8'0" - 9'6"	8'6" - 10'0"
4B	9'6" - 11'0"	10'0" - 11'6"	10'6" - 12'0"
5B	11'6" - 13'0"	12'0" - 13'6"	12'6" - 14'0"
6B	13'6" - 15'0"	14'0" - 15'6"	14'6" - 16'0"
7B	15'6" - 17'0"	16'0" - 17'6"	16'6" - 18'0"

Dimension	Valve Size								
	Series 2500	Series 2500-1					Series 2500		
	3"	4"	6"	8"	10"	12"	14"	16"	18"
A	8.97	10.38	13.75	16.94	20.34	23.78	29.25	32.75	35.62



Open Direction ☐ Left(C.C.W.) ☐ Right(C.W.)



AMERICAN
FLOW CONTROL


THE RIGHT WAY

AMERICAN Flow Control
P.O. Box 2727
Birmingham, Al. 35202-2727
Phone: 1-800-326-8051
Fax: 1-800-610-3569
E-mail: afcsales@american-usa.com

Waterous Company
125 Hardman Avenue South
South St. Paul, Mn. 55075-1191
Phone: 1-888-266-3686
Fax: 1-800-601-2809
E-mail: afcsales@american-usa.com

WWW.AMERICAN-USA.COM

Ref No.	Description	Material	Quantity
IP-1	Operating Stem Nut	Bronze ASTM B763 UNS C86500	1
IP-2	Operating Wrench	Gray Iron ASTM A126 Class B	1
IP-3	Eye Bolt	Steel	1
IP-4	Retaining Ring	Steel	1
IP-5	Body	Gray Iron ASTM A126 Class B	1
IP-6-1	Base	Ductile Iron ASTM A536 Grade 65-45-12	1
IP-7	Extension Barrel	Ductile Iron ASTM A536 Grade 65-45-12	1
IP-8	Set Screw	Steel	2
IP-9	Hex Head Bolt	Zinc Plated Steel	1
IP-10	Extension Rod	Steel	1
IP-11	Coupling	Gray Iron ASTM A126 Class B	1
IP-12	Cotter Pin	Steel	2
IP-13	Target Carrier	Bronze ASTM B763 UNS C84400	1
IP-14	Target Plate - Open	Aluminum	2
IP-15	Target Plate - Shut	Aluminum	2
IP-16	Target Clamp	Stainless Steel	2
IP-17	Target Screw and Nut	Aluminum	7
IP-17-L+	Target Screw and Nut	Aluminum	1
IP-18	Window	Glass	2
IP-19	Ferrule	Stainless Steel	2
IP-20	Ferrule Screw	Stainless Steel	4
IP-21	Pipe Plug	Steel	1
IP-40	O-Ring	Buna N Rubber	1



IL 1510



AMERICAN
FLOW CONTROL

THE RIGHT WAY

AMERICAN Flow Control
P.O. Box 2727
Birmingham, Al. 35202-2727
Phone: 1-800-326-8051
Fax: 1-800-610-3569
E-mail: afcsales@american-usa.com

Waterous Company
125 Hardman Avenue South
South St. Paul, Mn. 55075-1191
Phone: 1-888-266-3686
Fax: 1-800-601-2809
E-mail: afcsales@american-usa.com

WWW.AMERICAN-USA.COM