

PISTON KIT CHART

(SEE WARNING ON LAST PAGE.)

OUTDOOR UNIT	INDOOR UNIT BTU's	INDOOR PISTON SIZE	PISTON KIT PART NO.
CKL18-1*	18000	.052	(2)
	24000	.052	B1789852 (3)
	29000	.052	B1789852 (3)
	31000	.055	B1789855 (3)
	32000	.055	B1789855 (3)
	36000	.055	B1789855 (3)
	AH18	.049	(2)
	AE(R)24	.055	B1789855 (3)
CKL24-1*	24000	.059	(2)
	29000	.059	(2)
	30000	.059	B1789859 (3)
	31000	.062	B1789862 (3)
	32000	.062	B1789862 (3)
	36000	.062	B1789862 (3)
	AE(R)24	.062	(2)
			(3)
CKL30-1*	24000	.065	(4)
	29000	.065	(2)
	30000	.065	B1789865 (3)
	31000	.065	B1789865 (3)
	32000	.065	B1789865 (3)
	36000	.065	B1789865 (3)
	42000	.068	B1789868 (3)
	49000	.068	B1789868 (3)
CKL36-1*	AE(R)30	.068	(2)
	AE(R)36	.068	B1789868 (3)
	35000	.071	(2)
	36000	.071	(2)
	42000	.073	B1789873 (3)
	49000	.073	B1789873 (3)
	AE(R)36	.074	(2)
			(2)
CKL42-1*	42000	.078	B1789878 (3)
	47000	.078	B1789878 (3)
	48000	.078	B1789878 (3)
	49000	.078	B1789878 (3)
	60000	.078	B1789878 (3)
	AE(R)48	.082	(2)
			(2)
			(2)
CKL49-1*/3*	47000	.082	(2)
	48000	.082	(2)
	49000	.082	(2)
	59000	.082	B1789882 (1)
	60000	.082	B1789882 (1)
	61000	.082	B1789882 (1)
			(2)
			(2)
CKL60-1*/3*	60000	.090	(2)
	61000	.090	(2)
	62000	.090	(2)
	AE(R)60	.090	(2)
			(2)
			(2)
			(2)
			(2)
CKL62-1*	59000	.093	B1789893 (1)
	60000	.093	B1789893 (1)
	61000	.093	B1789893 (1)
	62000	.093	B1789893 (1)
	AE(R)60	.093	B1789893 (1)
			(2)
			(2)
			(2)
CLJ18-1*	18000	.055	B1789855 (1)
	24000	.055	B1789855 (1)
	29000	.055	B1789855 (1)
	30000	.055	B1789855 (1)
	31000	.055	B1789855 (1)
	32000	.055	B1789855 (1)
	36000	.055	B1789855 (1)
	AH18	.052	B1789852 (3)
CLJ24-1*	AE(R)24	.055	B1789855 (1)
	24000	.057	B1789857 (1)
	29000	.057	B1789857 (1)
	30000	.057	B1789857 (1)
	31000	.057	B1789857 (1)
	32000	.057	B1789857 (1)
	36000	.057	B1789857 (1)
	AE(R)24	.057	B1789857 (1)
CLJ30-1*	30000	.065	(2)
	31000	.065	B1789865 (1)
	32000	.065	B1789865 (1)
	36000	.065	B1789865 (1)
	AE(R)30	.065	B1789865 (1)
	AE(R)36	.065	B1789865 (1)
			(2)
			(2)

(*) SIGNIFIES UNIT REVISION.

(1) PISTON SUPPLIED WITH THE OUTDOOR UNIT.

(2) PISTON SUPPLIED WITH THE INDOOR UNIT.

(3) PURCHASE PISTON KIT FROM DISTRIBUTOR.

(4) B1789865 PISTON PROVIDED IN THE INDOOR UNIT.

(5) PISTON PROVIDED IN THE OUTDOOR UNIT LIQUID LINE SERVICE VALVE.

OUTDOOR UNIT	INDOOR UNIT BTU's	INDOOR PISTON SIZE	PISTON KIT PART NO.
CLJ36-1*	36000	.071	(2)
	42000	.073	B1789873 (1)
	47000	.073	B1789873 (1)
	49000	.073	B1789873 (1)
	AE(R)36	.074	(2)
			(2)
			(2)
			(2)
CLJ42-1*	42000	.078	(2)
	48000	.078	B1789878 (1)
	49000	.078	B1789878 (1)
	59000	.078	B1789878 (1)
	60000	.078	B1789878 (1)
	AE(R)48	.078	B1789878 (1)
			(2)
			(2)
CLJ48-1*	48000	.082	(2)
	49000	.082	(2)
	59000	.082	B1789882 (1)
	60000	.082	B1789882 (1)
	61000	.082	B1789882 (1)
	62000	.082	B1789882 (1)
	AE(R)48	.082	(2)
			(2)
CLJ60-1*	59000	.093	B1789893 (1)
	60000	.093	B1789893 (1)
	61000	.093	B1789893 (1)
	62000	.093	B1789893 (1)
	AE(R)60	.093	B1789893 (1)
			(2)
			(2)
			(2)
CLT24-1*/CRT24-1*	24000	.055	B1789855 (1)
	29000	.055	B1789855 (1)
	31000	.055	B1789855 (1)
	32000	.055	B1789855 (1)
	36000	.055	B1789855 (1)
	42000	.055	B1789855 (1)
	49000	.055	B1789855 (1)
	AE(R)24	.055	B1789855 (1)
CLT30-1*/CRT30-1*	30000	.065	(2)
	32000	.065	B1789865 (1)
	36000	.065	B1789865 (1)
	42000	.065	B1789865 (1)
	49000	.065	B1789865 (1)
	AE(R)36	.065	B1789865 (1)
			(2)
			(2)
CLT36-1*/CRT36-1*	47000	.074	B1789874 (1)
	48000	.074	B1789874 (1)
	49000	.074	B1789874 (1)
	60000	.074	B1789874 (1)
	AE(R)36	.074	(2)
			(2)
			(2)
			(2)
CLT42-1*/CRT42-1*	42000	.078	(2)
	48000	.078	B1789878 (3)
	49000	.078	B1789878 (3)
	61000	.080	B1789880 (1)
	62000	.080	B1789880 (1)
	AE(R)48	.082	(2)
			(2)
			(2)
CLT48-1*/CRT48-1*	48000	.082	(2)
	49000	.082	(2)
	60000	.082	B1789882 (1)
	61000	.082	B1789882 (1)
	62000	.082	B1789882 (1)
	AE(R)48	.082	(2)
			(2)
			(2)
CLT60-1*/CRT60-1*	60000	.088	B1789888 (1)
	61000	.088	B1789888 (1)
	62000	.088	B1789888 (1)
	AE(R)60	.088	B1789888 (1)
			(2)
			(2)
			(2)
			(2)
CLQ24-1*	31000	.059	B1789859 (1)
	32000	.059	B1789859 (1)
	36000	.059	B1789859 (1)
	42000	.059	B1789859 (1)
	47000	.059	B1789859 (1)
	49000	.059	B1789859 (1)
	AE(R)24	.059	B1789859 (1)
			(2)
CLQ30-1*	31000	.065	B1789865 (1)
	32000	.065	B1789865 (1)
	36000	.065	B1789865 (1)
	60000	.065	B1789865 (1)
	61000	.065	B1789865 (1)
	62000	.065	B1789865 (1)
	AE(R)36	.065	B1789865 (1)
			(2)
CLQ36-1*	49000	.073	B1789873(1)
	60000	.073	B1789873(1)
	61000	.073	B1789873(1)
	62000	.073	B1789873(1)
	AE(R)36	.073	B1789873(1)
			(2)
			(2)
			(2)
CLQ42-1*	49000	.080	B1789880 (1)
	60000	.080	B1789880 (1)
	61000	.080	B1789880 (1)
	62000	.080	B1789880 (1)
	AE(R)48	.080	B1789880 (1)
			(2)
			(2)
			(2)
CLQ48-1*	49000	.082	(2)
	60000	.082	B1789882 (1)
	61000	.082	B1789882 (1)
	62000	.082	B1789882 (1)
	AE(R)48	.082	(2)
			(2)
			(2)
			(2)
CLQ60-1*	60000	.090	(2)
	61000	.090	(2)
	62000	.090	(2)
	AE(R)60	.090	(2)
			(2)
			(2)
			(2)
			(2)



PISTON KIT CHART (cont'd)

OUTDOOR UNIT	INDOOR UNIT BTU's	INDOOR PISTON SIZE	PISTON KIT PART NO.
CPLE18-1*	18000	.052	(2)
	24000	.052	B1789852 (3)
	29000	.052	B1789852 (3)
	36000	.052	B1789852 (3)
CPLE24-1*	24000	.059	(2)
	29000	.059	(2)
	30000	.059	B1789859 (3)
	31000	.059	B1789859 (3)
	32000	.059	B1789859 (3)
CPLE30-1*	36000	.059	B1789859 (3)
	29000	.065	B1789865 (3)
	30000	.065	(2)
	31000	.068	(2)
	32000	.068	(2)
CPLE36-1*	36000	.068	B1789868 (3)
	48000	.068	B1789868 (3)
	35000	.073	B1789873 (1)
	36000	.073	B1789873 (1)
	42000	.073	B1789873 (1)
CPLE42-1*	47000	.073	B1789873 (1)
	48000	.073	B1789873 (1)
	49000	.073	B1789873 (1)
	42000	.078	(2)
	47000	.078	B1789878 (3)
CPLE48-1*	48000	.078	B1789878 (3)
	49000	.078	B1789878 (3)
	47000	.082	(2)
	49000	.082	(2)
	59000	.082	B1789882 (3)
CPLE60-1*/3*	60000	.082	B1789882 (3)
	61000	.082	B1789882 (3)
	62000	.082	B1789882 (3)
	61000	.092	B1789892 (1)
	61000	.092	B1789892 (1)
CPLJ18-1*	18000	.052	(2)
	24000	.055	B1789855 (1)
	32000	.055	B1789855 (1)
	36000	.055	B1789855 (1)
	AE(R)24	.055	B1789855 (1)
CPLJ24-1*	24000	.059	(2)
	30000	.059	B1789859 (1)
	31000	.059	B1789859 (1)
	32000	.059	B1789859 (1)
	36000	.059	B1789859 (1)
CPLJ30-1*	42000	.059	B1789859 (1)
	AE(R)24	.059	B1789859 (1)
	30000	.065	(2)
	32000	.068	(2)
	36000	.068	B1789868 (1)
CPLJ36-1*	42000	.068	B1789868 (1)
	AE(R)30	.068	(2)
	AE(R)36	.068	B1789868 (1)
	36000	.071	(2)
	42000	.074	B1789874 (1)
CPLJ42-1*	49000	.074	B1789874 (1)
	AE(R)36	.074	(2)
	42000	.078	(2)
	49000	.078	B1789878 (1)
	60000	.078	B1789878 (1)
	61000	.078	B1789878 (1)
	AE(R)48	.078	B1789878 (1)

(*) SIGNIFIES UNIT REVISION.

(1) PISTON SUPPLIED WITH THE OUTDOOR UNIT.

(2) PISTON SUPPLIED WITH THE INDOOR UNIT.

(3) PURCHASE PISTON KIT FROM DISTRIBUTOR.

(4) B1789865 PISTON PROVIDED IN THE INDOOR UNIT.

(5) PISTON PROVIDED IN THE OUTDOOR UNIT LIQUID LINE SERVICE VALVE.

OUTDOOR UNIT	INDOOR UNIT BTU's	INDOOR PISTON SIZE	PISTON KIT PART NO.
CPLJ48-1*	48000	.082	(2)
	49000	.084	B1789884 (1)
	60000	.084	B1789884 (1)
	61000	.084	B1789884 (1)
	AE(R)48	.084	B1789884 (1)
CPLJ60-1*	60000	.090	(2)
	61000	.090	(2)
	62000	.090	(2)
	AE(R)60	.090	(2)
CPLT24-1*/CPRT24-1*	32000	.062	B1789862 (1)
	36000	.062	B1789862 (1)
	42000	.062	B1789862 (1)
	AE(R)24	.062	(2)
CPLT30-1*/CPRT30-1*	32000	.071	B1789871 (1)
	36000	.071	(2)
	42000	.071	B1789871 (1)
	AE(R)30	.071	B1789871 (1)
CPLT36-1*/CPRT36-1*	AE(R)36	.071	B1789871 (1)
	48000	.073	B1789873 (1)
	49000	.073	B1789873 (1)
	60000	.073	B1789873 (1)
CPLT42-1*/CPRT42-1*	AE(R)36	.073	B1789873 (1)
	49000	.078	B1789878 (1)
	60000	.078	B1789878 (1)
	61000	.078	B1789878 (1)
CPLT48-1*/CPRT48-1*	AE(R)48	.078	B1789878 (1)
	61000	.084	B1789884 (1)
	AE(R)48	.084	B1789884 (1)
	61000	.092	B1789892 (1)
CPLT60-1*/CPRT60-1*	AE(R)60	.092	B1789892 (1)
	AE(R)60	.092	B1789892 (1)

EXPORT UNITS

CKF36-2L*	36000	.067	(2)
CKF36-5L*	36000	.067	(2)
CKF48-5L*	48000	.076	(2)
CKF60-5L*	60000	.089	(2)
CKF70-5L*	60000	.089	(2)
CPKF24-2L*	24000	.059	(2)
CPKF36-2L*	36000	.067	(2)
CPKF36-5L*	36000	.067	(2)
CPKF36-2L*	48000	.067	B1789867 (3)
CPKF36-5L*	48000	.067	B1789867 (3)
CPKF42-5L*	48000	.073	B1789873 (3)
CPKF48-2L*	48000	.076	(2)
CPKF48-5L*	48000	.076	(2)
CPKF60-5L*	60000	.089	(2)
CPKF61-5L*	60000	.092	B1789892 (3)

MINI SPLIT UNITS

HDC12-1*	12000	.045	(5)
	18000	.045	(5)
HDC18-1*	18000	.052	(5)
	24000	.052	(5)
HDC24-1*	24000	.055	(5)
HDP12-1*	12000	.045	(5)
	18000	.045	(5)
HDP18-1*	18000	.052	(5)
	24000	.052	(5)
HDP24-1*	24000	.055	(5)

THROUGH THE WALL UNITS

TWC18-1*	18000	.052	(2)
TWC24-1*	24000	.059	(2)
	30000	.059	B1789859 (3)
TWCR30-1*	36000	.062	B1789862 (1)

PISTON KIT CHART (cont'd)

OUTDOOR UNIT	INDOOR UNIT BTU's	INDOOR PISTON SIZE	PISTON KIT PART NO.
GSC130181A*	AC18 ACNF18 AWB24 AWUF18 All other ARI Matches	.055 .055 .055 .055 .055	B1789855 (1) B1789855 (2) B1789855 (1) B1789855 (2) B1789855 (1)
GSC130241A*	AC30 ACNF24 AWB24/AWUF24 # All other ARI Matches	.059 .059 .059 .059	B1789859 (3) B1789859 (2) B1789859 (2) B1789859 (2)
GSC130241C*	AC30 ACNF24 AWB24/AWUF24 # All other ARI Matches	.059 .059 .059 .061	B1789859 (3) B1789859 (2) B1789859 (2) B1789861 (2)
GSC130301A*/3A*	AC36 ACNF30 AWB36 AWUF36 # All other ARI Matches	.065 .065 .068 .068 .065	B1789865 (2) B1789865 (2) B1789868 (3) B1789868 (3) B1789865 (2)
GSC130361A*/3A*	AWB36 AWUF36 # All other ARI Matches	.071 .071 .074	B1789871 (2) B1789871 (2) B1789874 (2)
GSC130361B*	#All ARI Matches	.071	B1789871 (2)
GSC130421A*	#All ARI Matches	.078	B1789878 (2)
GSC130481A*/3A*/4A*	All ARI Matches	.082	B1789882 (1)
GSC130601A*/3A*/4A*	#All ARI Matches	.093	B1789893 (2)
GSH130181A*	All ARI Matches	.052	B1789852 (1)
GSH130181B*	All ARI Matches	.055	B1789855 (1)
GSH130191A*	AC30 ACNF24 AWB24 AWUF18	.052 .052 .052 .052	B1789852 (1) B1789852 (1) B1789852 (1) B1789852 (1)
GSH130241A*/B*	AWB36 AWUF36 All other ARI Matches	.061 .061 .061	B1789861 (1) B1789861 (1) B1789861 (1)
GSH130251A*	AC30 ACNF24 AWB36 AWUF36	.061 .061 .061 .061	B1789861 (1) B1789861 (1) B1789861 (1) B1789861 (1)
GSH130301A*	All ARI Matches	.068	B1789868 (1)
GSH130301B*	All ARI Matches	.070	B1789870 (1)
GSH130311A*	AC36 ACNF30 AWB36 AWUF36	.065 .065 .065 .065	B1789865 (1) B1789865 (2) B1789865 (1) B1789865 (1)
GSH130361A*/3A*/1B*	All ARI Matches	.073	B1789873 (1)
GSH130421A*	All ARI Matches	.082	B1789882 (1)
GSH130481A*/3A*/4A*	All ARI Matches	.084	B1789884 (1)
GSH130601A*/3A*/4A*	#All ARI Matches	.093	B1789893 (2)
GSH140361A*	#All ARI Matches	.076	B1789876 (1)
GSH140421A*	#All ARI Matches	.078	B1789878 (1)
GSH140481A*	#All ARI Matches	.088	B1789888 (1)
ASC130181A*	All ARI Matches	.055	B1789855 (1)
ASC130241A*	All ARI Matches	.061	B1789861 (1)
ASC130301A*	#All ARI Matches	.065	B1789865 (2)
ASC130361A*	All ARI Matches	.071	B1789871 (1)
ASC130421A*	#All ARI Matches	.078	B1789878 (2)
ASC130481A*	All ARI Matches	.082	B1789882 (1)
ASC130601A*	#All ARI Matches	.093	B1789893 (2)
SSZ140361A*	#All ARI Matches	.071	B1789871 (1)
SSZ140421A*	#All ARI Matches	.076	B1789876 (1)
SSZ140481A*	#All ARI Matches	.080	B1789880 (1)
SSZ140601A*	#All ARI Matches	.088	B1789888 (1)

(*) SIGNIFIES UNIT REVISION.

(1) PISTON SUPPLIED WITH THE OUTDOOR UNIT.

(2) PISTON SUPPLIED WITH THE INDOOR UNIT.

(3) PURCHASE PISTON KIT FROM DISTRIBUTOR.

(4) B1789865 PISTON PROVIDED IN THE INDOOR UNIT.

(5) PISTON PROVIDED IN THE OUTDOOR UNIT LIQUID LINE SERVICE VALVE.

(#) GOODMAN® AND AMANA® INDOOR UNIT ONLY.

OUTDOOR UNIT	INDOOR UNIT BTU's	INDOOR PISTON SIZE	PISTON KIT PART NO.
ASH130181A*	All ARI Matches	.052	B1789852 (1)
ASH130241A*	All ARI Matches	.062	B1789862 (1)
ASH130301A*	# All ARI Matches	.065	B1789865 (2)
ASH130361A*	All ARI Matches	.073	B1789873 (1)
ASH130421A*	All ARI Matches	.082	B1789882 (1)
ASH130481A*	All ARI Matches	.084	B1789884 (1)
ASH130601A*	#All ARI Matches	.093	B1789893 (2)
GSC140181A*	All ARI Matches	.053	B1789853 (1)
GSC140181B*	All ARI Matches	.055	B1789855 (1)
GSC140241A*	All ARI Matches	.061	B1789861 (1)
GSC140241B*	All ARI Matches	.062	B1789862 (1)
GSC140301A*/1B*	All ARI Matches	.067	B1789867 (1)
GSC140361A*	All ARI Matches	.074	B1789874 (1)
GSC140361B*	All ARI Matches	.072	B1789872 (1)
GSC140421A*	All ARI Matches	.078	B1789878 (1)
GSC140421B*	All ARI Matches	.080	B1789880 (1)
GSC140481A*	All ARI Matches	.084	B1789884 (1)
GSC140481B*	All ARI Matches	.082	B1789882 (1)
GSC140601A*	All ARI Matches	.096	B1789896 (1)
GSC140601B*	All ARI Matches	.092	B1789892 (1)
ASX140181A*	All ARI Matches	.049	B1789849 (1)
ASX140241A*	All ARI Matches	.057	B1789857 (1)
ASX140301A*	All ARI Matches	.063	B1789863 (1)
ASX140361A*	All ARI Matches	.067	B1789867 (1)
ASX140421A*	All ARI Matches	.074	B1789874 (1)
ASX140481A*	All ARI Matches	.079	B1789879 (1)
ASX140601A*	All ARI Matches	.088	B1789888 (1)
SSX140181A*	All ARI Matches	.049	B1789849 (1)
SSX140241A*	All ARI Matches	.057	B1789857 (1)
SSX140301A*	All ARI Matches	.063	B1789863 (1)
SSX140361A*	All ARI Matches	.067	B1789867 (1)
SSX140421A*	All ARI Matches	.074	B1789874 (1)
SSX140481A*	All ARI Matches	.079	B1789879 (1)
SSX140601A*	All ARI Matches	.088	B1789888 (1)
A/GSX130181A*	All ARI Matches	0.049	B1789849 (1)
A/GSX130241A*	All ARI Matches	0.053	B1789853 (1)
A/GSX130301A*	All ARI Matches	0.059	B1789859 (1)
A/GSX130361A*	All ARI Matches	0.068	B1789868 (1)
A/GSX130421A*	All ARI Matches	0.074	B1789874 (1)
A/GSX130481A*	All ARI Matches	0.080	B1789880 (1)
A/GSX130601A*	All ARI Matches	0.092	B1789892 (1)
A/GSZ130181A*	All ARI Matches	0.049	B1789849 (1)
A/GSZ130241A*	All ARI Matches	0.057	B1789857 (1)
A/GSZ130301A*	All ARI Matches	0.063	B1789863 (1)
A/GSZ130361A*	All ARI Matches	0.068	B1789868 (1)
A/GSZ130421A*	All ARI Matches	0.074	B1789874 (1)
A/GSZ130481A*	All ARI Matches	0.078	B1789878 (1)
A/GSZ130601A*	All ARI Matches	0.088	B1789888 (1)

PISTON KIT CHART (cont'd)

OUTDOOR UNIT	INDOOR PISTON SIZE	PISTON KIT PART NUMBER
VCA18C2*	.051	2027 2601 (1)
VCA24C2*	.059	2027 2603 (1)
VCA30C2*	.063	2027 2604 (1)
VCA36C2*	.071	2027 2612 (1)
VCA42C2*	.076	2027 2607 (1)
VCA48C2*	.082	2027 2614 (1)
VCA60C2*	.092	2027 2609 (1)
VCC18C2*	.051	2027 2601 (1)
VCC24C2*	.059	2027 2603 (1)
VCC30C2*	.065	2027 2611 (1)
VCC36C2*	.072	2027 2606 (1)
VCC42C2*	.076	2027 2607 (1)
VCC48C2*	.082	2027 2614 (1)
VCC60C2*	.092	2027 2609 (1)
VHA18C2*	.055	2027 2602 (1)
VHA24C2*	.063	2027 2604 (1)
VHA30C2*	.065	2027 2611 (1)
VHA36C2*	.071	2027 2612 (1)
VHA42C2*	.076	2027 2607 (1)
VHA48C2*	.084	2027 2608 (1)
VHA60C2*	.092	2027 2609 (1)
VHC18C2*	.055	2027 2602 (1)
VHC24C2*	.065	2027 2611 (1)
VHC30C2*	.065	2027 2611 (1)
VHC36C2*	.076	2027 2607 (1)
VHC42C2*	.078	2027 2617 (1)
VHC48C2*	.084	2027 2608 (1)
VHC60C2*	.092	2027 2609 (1)
RCB18C2*	.053	2027 2613 (1)
RCB24C2*	.059	2027 2603 (1)
RCB30C2*	.065	2027 2611 (1)
RCB36C2*	.071	2027 2612 (1)
RCB42C2*	.076	2027 2607 (1)
RCB48C2*	.084	2027 2608 (1)
RCB60C2*	.092	2027 2609 (1)

(*) SIGNIFIES UNIT REVISION.

(1) PISTON SUPPLIED WITH THE OUTDOOR UNIT.

(2) PISTON SUPPLIED WITH THE INDOOR UNIT.

(3) PURCHASE PISTON KIT FROM DISTRIBUTOR.

(4) B1789865 PISTON PROVIDED IN THE INDOOR UNIT.

(5) PISTON PROVIDED IN THE OUTDOOR UNIT LIQUID LINE SERVICE VALVE.

OUTDOOR UNIT	INDOOR PISTON SIZE	PISTON KIT PART NUMBER
RCC18C2*	.055	2027 2602 (1)
RCC24C2*	.055	2027 2602 (1)
RCC30C2*	.063	2027 2604 (1)
RCC36C2*	.069	2027 2605 (1)
RCC42C2*	.076	2027 2607 (1)
RCC48C2*	.084	2027 2608 (1)
RCE24C2*	.055	2027 2602 (2)
RCE30C2*	.063	2027 2604 (2)
RCE36C2*	.069	2027 2605 (2)
RCE42C2*	.076	2027 2607 (2)
RCE48C2*	.084	2027 2608 (2)
RCE60C2*	.092	2027 2609 (2)
RHA18C2*	.055	2027 2602 (2)
RHA24C2*	.063	2027 2604 (2)
RHA30C2*	.065	2027 2611 (2)
RHA36C2*	.069	2027 2605 (2)
RHA42C2*	.074	2027 2607 (2)
RHA48C2*	.084	2027 2608 (2)
RHA60C2*	.090	2027 2616 (2)
RHE18C2*	.055	2027 2602 (2)
RHE24C2*	.065	2027 2611 (2)
RHE30C2*	.069	2027 2605 (2)
RHE36C2*	.076	2027 2607 (2)
RHE42C2*	.082	2027 2614 (2)
RHE48C2*	.092	2027 2609 (2)
RHE60C2*	.098	2027 2610 (2)
RHF24C2*	.055	2027 2602 (2)
RHF30C2*	.063	2027 2604 (2)
RHF36C2*	.069	2027 2605 (2)
RHF42C2*	.076	2027 2607 (2)
RHF48C2*	.084	2027 2608 (2)

WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSORS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THESE INSTRUCTIONS.