

Fig. 259

Pipe Saddle Support with U-Bolt

Size Range: 4" through 36" pipe

Material: Cast iron stanchion saddle with steel yoke and nuts. 14" through 36" carbon steel saddle with steel yoke. 4" through 12" steel saddle available on special request.

Finish: Plain or Zinc Plated (Hot-Dip Galvanized optional)

Service: Stanchion type support with additional stability provided by U-bolt attachment to pipe.

Approvals: Complies with Federal Specification A-A-1192A (Type 37), ANSI/MSS SP-69 and MSS SP-58 (Type 37).

Installation: Same as pipe saddle support Fig. 258, except that yoke is attached to saddle after pipe is in place.

Features: U-bolt yoke provides stability.

Ordering: Specify pipe size to be supported, figure number, name, material and finish.

Order Separately: Figure 63P Square Cut End Stanchion. Specify "H" and pipe size to be supported by Figure 259.



Fig. 259 Cast Iron



Fig. 259 Fabricated Steel




Fig. 259 Cast Iron

Fig. 259 Fabricated Steel

FIG. 259: DIMENSIONS (IN) • WEIGHTS (LBS)							
Pipe Size	Weight	A	B Cast	B Fabricated	C Cast	C Fabricated	Max Load
4	10.8	3	4 ³ / ₁₆	3 ⁵ / ₈	3 ⁵ / ₈	4	3,800
5	12.1		4 ¹³ / ₁₆	4 ¹ / ₈			
6	12.7		5 ⁷ / ₁₆	4 ¹¹ / ₁₆			
8	21.3		6 ¹⁵ / ₁₆	6 ¹¹ / ₁₆			
10	25.7		8 ⁷ / ₁₆	7 ³ / ₄			
12	31.2		9 ¹⁵ / ₁₆	8 ³ / ₄			
14	28.0	4	-	10 ¹ / ₂	-	6	5,300
16	31.0			11 ¹ / ₂			
18	40.0			13 ¹ / ₂			
20	43.0			14 ¹ / ₂			7,300
22	46.0			15 ¹ / ₂			
24	52.0			17 ¹ / ₂			
26	55.0			18 ¹ / ₂			
30	69.0			20 ⁵ / ₈			
32	73.0			21 ⁵ / ₈			
36	81.0			23 ⁵ / ₈			

* Standard Wall Pipe

The above load ratings are applicable to the saddle only and are not applicable to the stanchion or other means used to support the saddle.




Fig. 63, Type P

Square Cut End for use with Figure 258 or 259 Pipe Saddle Support

PROJECT INFORMATION		APPROVAL STAMP	
Project:		<input type="checkbox"/> Approved	
Address:		<input type="checkbox"/> Approved as noted	
Contractor:		<input type="checkbox"/> Not approved	
Engineer:		Remarks:	
Submittal Date:			
Notes 1:			
Notes 2:			