

Schedule 40 Fittings Technical
Schedule 40 Fittings Dimensions & Information




Wye - Reducing

(Continued)

Socket x Socket x Socket

1/2" - 2" - 235 psi Maximum Internal Pressure Rating @ 73°F (23°C)
 2-1/2" - 6" - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)
 8" - Larger & All Fabricated Sizes - 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)



Part Number	Size	G	G1	G2	H	H1	H2	L	M	M1	Approx. Wt. (Lbs.)
475-530 ¹	6X3	1/32	8- 1/4	6-21/32	3- 1/32	10- 1/4	9-21/32	12-11/16	7- 9/16	5- 7/16	9.62
475-532	6X4	31/32	6- 9/16	5-11/16	3-15/16	8-27/32	8-23/32	12-21/32	7- 9/16	5- 7/16	8.84
475-578F ²	8X2	9/16	9- 3/4	9- 3/16	4-13/16	11- 1/2	13- 7/16	18- 1/4	9- 1/4	2-11/16	11.90
475-579F ²	8X2-1/2	1	10-3/16	9-5/8	5-1/4	12-3/16	13-7/8	19-1/8	9-1/4	3-1/4	13.00
475-580F ²	8X3	1- 5/16	10- 7/8	9-15/16	5- 9/16	13- 1/8	14- 3/16	19- 3/4	9- 1/4	3-15/16	14.31
475-582	8X4	1/2	9-1/16	8-1/4	3-17/32	11-5/16	12-1/4	15-25/32	9-23/32	5-1/4	14.81
475-582F ²	8X4	2- 1/16	11- 7/8	10-11/16	6- 5/16	14- 1/8	14-15/16	21- 1/4	9- 1/4	5	16.31
475-585F ²	8X6	3- 1/2	12-13/16	12- 1/8	7- 3/4	16- 1/16	16- 3/8	24- 1/8	9- 1/4	7- 3/16	21.03
475-621F ²	10X2	1/2	11- 3/16	10- 1/4	4- 3/4	12-15/16	15- 1/2	20- 1/4	11- 1/2	2-11/16	17.95
475-622F ²	10X2-1/2	1/8	11-5/8	10-5/8	5-1/8	13-5/8	15-7/8	21	11-1/2	3-1/4	20.81
475-623F ²	10X3	1/2	12- 5/16	11- 1/4	5- 3/4	14- 9/16	16- 1/2	22- 1/4	11- 1/2	3-15/16	20.25
475-624F ²	10X4	1- 7/16	13- 5/16	12- 3/16	6-11/16	15- 9/16	17- 7/16	24- 1/8	11- 1/2	5	22.99
475-626	10X6	-3/16	12	11	4-13/16	15	16	20- 25/32	12- 1/16	7-21/32	28.18
475-626F ²	10X6	3- 1/2	14- 1/4	14- 1/4	8- 3/4	17- 1/2	19- 1/2	28- 1/4	11- 1/2	7- 3/16	29.73
475-628	10X8	1-7/8	12-5/8	11-15/16	6-15/16	16-5/8	16-15/16	23-13/16	12- 1/32	9-3/4	34.14
475-628F ²	10X8	5- 1/8	15-11/16	15- 7/8	10- 3/8	19-15/16	21- 1/8	31- 1/2	11- 1/2	9- 1/4	34.14
475-661F ²	12X2	1- 1/8	12- 9/16	11- 5/8	5- 1/8	14- 5/16	17- 7/8	23	13- 9/16	2-11/16	25.41
475-663F ²	12X3	3/8	13-11/16	12- 3/8	5- 7/8	15-15/16	18- 5/8	24- 1/2	13- 9/16	3-15/16	28.74
475-664F ²	12X4	3/8	14-11/16	13- 1/8	6- 5/8	16-15/16	19- 3/8	26	13- 9/16	5	32.24
475-666F ²	12X6	2- 3/8	15- 5/8	15- 1/8	8- 5/8	18- 7/8	21- 3/8	30	13- 9/16	7- 3/16	38.41
475-668F ²	12X8	3- 7/8	17- 1/16	16- 5/8	10- 1/8	21- 5/16	22- 7/8	33	13- 9/16	9- 1/4	45.53
475-670F ²	12X10	5- 3/8	18- 1/8	18- 1/8	11- 5/8	23- 3/8	24- 3/8	36	13- 9/16	11- 1/2	55.50
475-691F ²	14X2	2	13- 7/16	12	5	15- 3/16	19	24	14- 7/8	2-11/16	33.48
475-693F ²	14X3	3/4	14- 9/16	13- 1/4	6- 1/4	16-13/16	20- 1/4	26- 1/2	14- 7/8	3-15/16	33.06
475-694F ²	14X4	0	15- 9/16	14	7	17-13/16	21	28	14- 7/8	5	37.44
475-696F ²	14X6	1- 1/2	16- 1/2	15- 1/2	8- 1/2	19- 3/4	22- 1/2	31	14- 7/8	7- 3/16	45.39
475-698F ²	14X8	3	17-15/16	17	10	22- 3/16	24	34	14- 7/8	9- 1/8	52.01
475-700F ²	14X10	4- 1/2	19	18- 1/2	11- 1/2	24- 1/4	25- 1/2	37	14- 7/8	11- 1/2	64.61
475-702F ²	14X12	7	20-15/16	21	14	27- 3/16	28	42	14- 7/8	13- 9/16	74.55
475-751F ²	16X2	2	14- 3/4	14	6	16- 1/2	22	28	17	2-11/16	46.49
475-753F ²	16X3	1- 1/8	15- 7/8	14- 7/8	6- 7/8	18- 1/8	22- 7/8	29- 3/4	17	3-15/16	48.45
475-754F ²	16X4	1/2	16- 7/8	15- 1/2	7- 1/2	19- 1/8	23- 1/2	31	17	5	53.59
475-756F ²	16X6	1- 7/8	17-13/16	17- 7/8	9- 7/8	21- 1/16	25- 7/8	35- 3/4	17	7- 3/16	63.81
475-758F ²	16X8	2- 1/2	19- 1/4	18- 1/2	10- 1/2	23- 1/2	26- 1/2	37	17	9- 1/4	68.83
475-760F ²	16X10	4	20- 5/16	20	12	25- 9/16	28	40	17	11- 1/2	80.02
475-762F ²	16X12	5- 1/2	22- 1/4	21- 1/2	13- 1/2	28- 1/2	29- 1/2	43	17	13- 9/16	89.53
475-764F ²	16X14	6- 3/8	22- 1/2	22- 3/8	14- 3/8	29- 1/2	30- 3/8	44- 3/4	17	14- 7/8	100.41
475-781F ²	18X2	3-1/8	16-1/16	14-7/8	5-7/8	17-13/16	23-7/8	29-3/4	19-1/8	2-11/16	61.34
475-783F ²	18X3	1-5/8	17-3/16	16-3/8	7-3/8	19-7/16	25-3/8	32-3/4	19-1/8	3-15/16	67.07
475-784F ²	18X4	1-1/8	18-3/16	16-7/8	7-7/8	20-7/16	25-7/8	33-3/4	19-1/8	5	71.03