

## Polly-Pigs Industrial Pipeline Cleaners



Maximum Pipeline Cleaning Performance	For over 35 years Girard Industries has been committed to helping operators clean a wide variety of pipelines. This strong commitment guided Girard in developing the industry's first patented turning pattern Polly-Pigs. Girard has consistently controlled manu- facturing quality and design integrity to assure maximum pipeline cleaning performance. Years of manufacturing expe- rience and proven results have	earned Girard Industries the reputation as the leading manu- facturer of industrial pipeline pigs. The Polly-Pig design is bullet shaped with a sealed concave base. These pigs are made of high quality open cell poly- urethane foam. They have tough polyure- thane elastomer coating and are available in a variety of pat- terns and abrasives to suit every need.
Polly-Pig Features	<ul> <li>Made of flexible open cell foam</li> <li>Enables the pig to negotiate</li> <li>90° ells, tees, valves, and</li> <li>pipeline diameter changes.</li> <li><i>Twenty-eight different types</i></li> <li>For various applications from</li> <li>light cleaning and drying to</li> <li>heavy build-up removal.</li> </ul>	<ul> <li>Cleans any size pipe <ul> <li>From small lines less than</li> </ul> </li> <li>2 inches to 144 inches.</li> <li>Travels in almost any piping system — Polly-Pigs travel in almost any piping system which has adequate flow and volume to move the pig.</li> </ul>
Polly-Pig Models	There are four basic types of Polly-Pigs: drying, wiping, cleaning, and scraping. Each are available in three grades of durability: Scarlet, Red, and Yellow series. <i>Scarlet Series</i> —Heavy den- sity (9-10 lbs/ft <sup>3</sup> ) polyure- thane foam. Available in 8 styles from heavy wiping to heavy scraping. <i>Red Series</i> —Medium density (5-8 lbs/ft <sup>3</sup> ) polyure- thane foam. Available in 8 styles from regular wiping to	regular scraping. Yellow Series —Light density (1-2 lbs/ft <sup>3</sup> ) density polyure- thane foam. Available in 6 styles for various degrees of drying, cleaning, and scraping. Special Applications —Up to 20 lbs/ft <sup>3</sup> density polyurethane foam. Available in 6 styles for batching, special cleaning, and scraping. Custom made Polly- Pigs are also available for spe- cial needs. Consult the factory for details and additional litera- ture.
A Wide Range of Pipeline Applications	<ul> <li>Gathering</li> <li>Water &amp; Waste Water</li> <li>Transmission</li> <li>Air &amp; Gas</li> <li>Fire Protection</li> <li>Distribution</li> <li>Fuel</li> <li>Tailing</li> <li>Liquor</li> </ul>	<ul> <li>Injection</li> <li>Slurry</li> <li>Cooling</li> <li>Packaging</li> <li>Fly Ash &amp; Bottom Ash</li> <li>Chill</li> <li>Loading &amp; Disposal</li> <li>Process</li> <li>Product</li> </ul>

н	leavy Density (9-10 lbs/ft³)	Medium Density (5-8 lbs/ft³)
	<b>SBD</b> (Scarlet Bare Durafoam) Heavy Wiping & Dewatering	RBS (Red Bare Squeegee) Regular Wiping & Dewatering
VD	<b>SSS</b> (Scarlet Single Spiral) Heavy Wiping	RSS (Red Single Spiral) Regular Wiping
	<b>SCC</b> (Scarlet Criss-Cross) Heavy Cleaning & Dewatering	RCC (Red Criss-Cross) Regular Cleaning & Dewatering
	<b>SCC-WB</b> (Scarlet Criss-Cross Wire Brush) Heavy Scraping	RCC-WB (Red Criss-Cross Wire Brush) Regular Scraping
	<b>SCC-SC</b> (Scarlet Criss-Cross Silicon Carbide) Heavy Scraping	RCC-SC (Red Criss-Cross Silicon Carbide) Regular Scraping
	<b>SCC-T</b> (Scarlet Criss-Cross Turning) Heavy Cleaning & Dewatering	RCC-T (Red Criss-Cross Turning) Regular Cleaning & Dewatering
	<b>SCC-WB-T</b> (Scarlet Criss-Cross Wire Brush Turning) Heavy Scraping	RCC-WB-T (Red Criss-Cross Wire Brush Turning) Regular Scraping
	<b>SCC-SC-T</b> (Scarlet Criss-Cross Silicon Carbide Turning) Heavy Scraping	RCC-SC-T (Red Criss-Cross Silicon Carbide Turning) Regular Scraping
L	ight Density (1-2 lbs/ft³)	Special Applications
	<b>YBS</b> (Yellow Bare Swab) Drying	Unicast Batching & Purging
	<b>YBS-B</b> (Yellow Bare Swab Bullet) Drying	Maxi-Brush Heavy Wire Maximum Scraping
	<b>YCC</b> (Yellow Criss-Cross) Light Cleaning	Maxi-Brush Light Wire Maximum Scraping
	<b>YCC-SC</b> (Yellow Criss-Cross Silicon Carbide) Light Scraping	Gray Hard Scale Industrial Scraping
	<b>YCC-T</b> (Yellow Criss-Cross Turning) Light Cleaning	BCC-PB (Blue Criss-Cross Plastic Brush) Non-Abrasive Brushing
	<b>YCC-SC-T</b> (Yellow Criss-Cross Silicon Carbide Turning) Light Scraping	KRG Drying for polyethylene Pipe



Girard engineers and manufactures a full line of pipeline pigs.

Steel Mandrel Pigs • Polyurethane Spheres • Polly-Pigs Solid Cast Polyurethane Pigs • Replacement Cups & Discs

Unmatched performance and proven results. That's what you get from Girard.





©2003 Girard Industries