INSTALL WITH CONFIDENCE • INSTALE CON CONFIANZA











FLUSH VALVES WITHOUT MOUNTING FARS VÁLVIII AS DE DESCARGA SIN ORFIAS DE MONTA IE

FILISH VALVES WITH MOUNTING FARS VÁLVIII AS DE DESCARGA CON OREIAS DE MONTA IE



MOUNT NEW COLOQUE EL ΤΑΡΏΝ



LEAVE 1/2" SLACK.

Best for **3.5** GPF Toilets (Before 1994) Ideal para inodoros de 13,24 lpd (Anteriores a 1994)

Flexible Frame Flapper Guide Guía de tapones de marcos flexibo 503 504 5051 Universal Fit: Works on Most 2" Brass and Plastic Flush Valves De adaptación universal: funciona con la mayoría de las válvulas de descarga de plástico y de latón de 5.08 cm. Kink-Free Metal Chain Eliminates Chain Hang Up 8 Cadena anti-plieques elimina la posibilidad de que se atore

Microban®: Fights Flapper Breakdown Due to Bacteria Microban® : combata el desgaste del tapón a causa de bacterias Long Life, Chlorine Resistant € De larga vida útil resistente al cloro

Adjustable for Maximum Performance and Water Savings Se ajusta para un rendimiento máximo y ahorro de aqua

For newer toilets (after 1994), please use Fluidmaster flapper model 502