



(N1) 1. FIT / FORM / FUNCTION SHALL FOLLOW PS-E.008.
(N2) 2. APPLY LOCTITE 680.



BILL OF MATERIAL (CURRENT LEVEL)				
ITEM	PT/ASSY	DESCRIPTION	TYPE	QTY.
1	2681-BA	LIGHT FIXTURE ARM SUB ASSY	ASSEMBLY	1
2	2681-TS	SHADE	PART	1
3	2781-CT	CANDLE TUBE	PART	1
4	92275	1/8" X 3" NPT x NPT PIPE NIPPLE, GALVANIZED	PART	1
5	98006	LABEL, UL LISTED	PART	1
6	98012	LABEL, WALL MOUNT ONLY	PART	1
7	98079	LABEL, MONTH YEAR E222146	PART	1
8	98083	LABEL, 60 WATTS MAX	PART	1
9	98088	LABEL, MIN 75 C SUPPLY CONDUCTORS	PART	1
10	98113	LABEL,PXXXX INCANDESCENT FOR DAMP LOCATIONS	PART	1
11	CB-002	LIGHT MOUNTING PACK	ASSEMBLY	1
12	CL-PR	PLASTIC RING	PART	1
13	CL7-15	THREADED BODY CANDELABRA LAMP HOLDER	PART	1



-	C	EN-3127	08/30/16	R.S
-	B	EN-2243	08/06/12	-
-	A	EN-1417	12/23/09	-
ZONE	REV	DESCRIPTION	DATE	APPROVED

COPYRIGHT 2005 BRASSTECH, INC.
THESE DRAWINGS AND THE DESIGNS
DEPICTED HEREIN ARE THE PROPRIETARY
PROPERTY OF BRASSTECH. ANY USE
OR REPRODUCTION IS SUBJECT TO
THE EXPRESS APPROVAL OF BRASSTECH.
UNAUTHORIZED USE IS STRICTLY
PROHIBITED. ALL RIGHTS RESERVED.

		-	-
TESTING	-	-	-
ASSEMBLY	-	-	-
PLATING	-	-	-
POLISHING	-	NEXT ASSY	USED ON
MACHINING	-	APPLICATION	
TOOLING FIXTURE #		REMOVE ALL BURRS AND SHARP EDGES	

UNITS ARE: INCHES (MM)
TOLERANCES ARE:
FRACTIONS DECIMALS AN
 $\pm 1/16"$
.X $\pm .1$ [2.5]
.XX $\pm .06$ [1.5]

X.XXX DENOTES CRITICAL DIMS.
ALL THREADS ARE CRITICAL


DRAWN	JINSON	08/30/16
CHECKED	RAVINDRA	08/30/16
APPROVED	R.S	08/30/16

BRASSTECH
INCORPORATED


2001 CARNEGIE AVE.
SANTA ANA, CA 92705
(949) 417-5207

s. LONDON TERRACE SINGLE LIGHT

DWG NO.	2681	REV	C
SCALE	250	REF. -	SHEET OF 3



BRASSTECH INCORPORATED		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	2681	REV	C
SCALE	.375	REF.	-
SHEET	2	OF	3



BRASSTECH INCORPORATED		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	2681	REV	C
SCALE .500	REF. -	SHEET 3	OF 3