

48" SHOWER MODULE K-1687


Features

- Acrylic
- Integral high-dome ceiling
- Grab bar and shelf
- Integral soap ledges
- 48" (121.9 cm) x 36" (91.4 cm) x 90" (228.6 cm)

Codes/Standards Applicable

Specified model meets or exceeds the following:

- ANSI Z124.2
- IAPMO/UPC
- CSA B45



Colors/Finishes

- 0: White
- Other: Refer to Price Book for additional colors/finishes

Accessories:

- CP: Polished Chrome
- PB: Polished Brass
- G: Brushed Chrome
- NA: None applicable

Specified Model

Model	Description	Colors/Finishes		
K-1687	Shower module	<input type="checkbox"/> 0	<input type="checkbox"/> Other_____	
Required Accessory				
K-9459	Sonata accessory kit	<input type="checkbox"/> CP	<input type="checkbox"/> Other_____	
Recommended Accessories				
K-9132	Drain	<input type="checkbox"/> CP	<input type="checkbox"/> Other_____	
Optional Accessories (continued on page 2)				
K-1652, K-1663	Steam generator and control kit	<input type="checkbox"/> NA		
K-1695, K-1647-PC	Power Clean™ steam generator and control kit	<input type="checkbox"/> CP	<input type="checkbox"/> PB	<input type="checkbox"/> Other_____
K-9499	Removable shower seat	<input type="checkbox"/> 0	<input type="checkbox"/> Other_____	

Product Specification:

The acrylic shower module shall be 48" (121.9 cm) in length, 36" (91.4 cm) in width, and 90" (228.6 cm) in height. Shower module shall have integral high dome ceiling, integral soap ledges, grab bar, and shelf. Shower module shall be Kohler Model K-1687-_____.

SONATA®

Optional Accessories			
K-1665	Dome Light	<input type="checkbox"/> CP	<input type="checkbox"/> G <input type="checkbox"/> Other_____
K-704234	Senza® bypass shower door*	<input type="checkbox"/> SH	<input type="checkbox"/> BH <input type="checkbox"/> Other_____
K-704134	Portico™ bypass shower door*	<input type="checkbox"/> SH	<input type="checkbox"/> BH <input type="checkbox"/> Other_____

* Refer to Fixtures Price Book for shower door and glass options.

Technical Information

Fixture:	
Weight	159 lbs (72.1 kg)
Configuration	1-piece
Drain	3-3/8" (8.6 cm) D.


Installation Notes

Install this product according to the installation guide.

Fixture not drilled for supply fittings.

Shimming is required to level the fixture.

The K-1652/K-1663 or K-1695/K-1647-PC steam generator/control kit are designed for use with this product. Kohler shall not be responsible for problems encountered due to the installation and use of other manufacturer's steam generators.



Product Diagram