



Stainless Steel Sink

ESS-2100

Product description

Standard, Stainless Steel 1-Station Wall-Mounted Scrub Sink.

Compliances & Certifications



(BAA Compliant, BABAA Compliant, cUPC Certified)

Code ESS-2100

Downloads

- [Optima ESS-2000_3000 Series Installation Instructions.pdf](#)
- [Optima ESS-2000_3000 Series \(Spanish\) Installation Instructions.pdf](#)
- [EHS-1000-ESS-2000-3000 Series Repair and Maintenance Guide.pdf](#)
- [Sink Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan - Company Overview](#)

Details

- Material:
 - Stainless Steel
- Mounting: Wall-Mounted
- Width: 30" (762mm)

Features

Single Station Stainless Steel Scrub Sink with Sensor Activated, 24 VAC, Chrome Plated Brass Hand Washing Faucet with the following features:

- Sink constructed from 16 gauge, Type 304 stainless steel with bead blast finish on sink bowl interior for superior wash-down characteristics
- 16 gauge "lift-out" style front access panel for easy maintenance access
- Unit supplied with 20" flexible supply hoses
- Sloan OPTIMA Faucet for hands-free operation
- Sink is shipped pre-plumbed for easy installation

Recommended specifications

Sloan Stainless Series Scrub Sink model no. ESS 2X00. Product to be made of 16 gauge type 304 stainless steel with Sloan sensor faucets. Sink design to be ADA compliant.

Suggested Faucets

Warranty


[View Warranty Information](#)

Notes




All information contained within this document subject to change without notice.

[Find a compatible faucet](#) for this sink.

[Find a matching soap dispenser](#) for this sink.



Z" CLIP DETAIL



‡ MOUNTING HEIGHT CAN VARY TO MEET INSTALLATION REQUIREMENTS.