

Cast Iron Threaded Fittings



Distributed by:



www.duncanco.com

612-331-1776



Cast Iron Threaded Fittings

Specifications

-  branded cast iron threaded fittings are UL Listed and FM Approved at 300psi
- Rated to 125 WSP
- Casting date on each fitting
- Grey iron castings conform to ASTM A126
- Cast iron fitting dimensions conform to ASME B16.4 Class 125
- NPT threads on fittings conform to ASME B1.20.1
- Cast iron fittings have SCI Trademark and are 100% air tested
- Manufacturing facility is ISO 9001:2008 and ISO 14001
- ProPak™ Packaging



SCI ProPak™ System




Fig. 37E 1 – 90° Elbow

Size in	Part Number	A in	Packing		Weight lb
			Inner	Master	
1/2	37E 1004	1.13	90	180	0.3
3/4	37E 1006	1.31	50	100	0.5
1	37E 1010	1.50	35	70	0.8
1-1/4	37E 1012	1.75	20	40	1.3
1-1/2	37E 1014	1.94	15	30	1.7
2	37E 1020	2.25	7	14	2.7
2-1/2	37E 1024	2.70	4	8	4.3




Fig. 37RE1 – 90° Reducing Elbow

Size in	Part Number	A in	B in	Packing		Weight lb
				Inner	Master	
1 x 1/2	37RE1010004	1.36	1.26	50	100	0.5
1 x 3/4	37RE1010006	1.45	1.38	40	80	0.7
1-1/4 x 1/2	37RE1012004	1.53	1.34	32	64	0.8
1-1/4 x 3/4	37RE1012006	1.63	1.45	28	56	0.9
1-1/4 x 1	37RE1012010	1.67	1.58	25	50	1.0
1-1/2 x 1/2	37RE1014004	1.75	1.52	25	50	1.0
1-1/2 x 3/4	37RE1014006	1.75	1.52	20	40	1.1
1-1/2 x 1	37RE1014010	1.80	1.65	18	36	1.3
1-1/2 x 1-1/4	37RE1014012	1.88	1.82	14	28	1.5
2 x 1/2	37RE1020004	1.97	1.60	15	30	1.4
2 x 3/4	37RE1020006	1.97	1.60	15	30	1.6
2 x 1	37RE1020010	2.02	1.73	12	24	1.8
2 x 1-1/2	37RE1020014	2.16	2.02	10	20	2.3




Fig. 37F 1 – 45° Elbow

Size in	Part Number	A in	Packing		Weight lb
			Inner	Master	
1	37F 1010	1.26	40	80	0.7
1-1/4	37F 1012	1.29	22	44	1.2
1-1/2	37F 1014	1.44	16	32	1.5
2	37F 1020	1.69	8	16	2.6




Fig. 37T 1 – Tee

Size in	Part Number	A in	Packing		Weight lb
			Inner	Master	
1/2	37T 1004	1.13	60	120	0.4
3/4	37T 1006	1.31	30	60	0.7
1	37T 1010	1.50	20	40	1.1
1-1/4	37T 1012	1.75	12	24	1.8
1-1/2	37T 1014	1.94	8	16	2.4
2	37T 1020	2.25	5	10	3.8




Fig. 37RC1 – Hex Coupling

Size in	Part Number	A in	Packing		Weight lb
			Inner	Master	
1 x 1/2	37RC1010004	1.69	60	120	0.5
1 x 3/4	37RC1010006	1.69	50	100	0.6
2 x 1 (not hex)	37RC1020010	2.81	16	32	1.5