

MASTER LOCK

ELECTRONIC DEADBOLT with LIGHT UP keypad

**Master
Lock**

2 locks per case

- Meets ANSI grade performance standards.
- Available with either Kwikset or Schlage keyways

Stock No.	Finish
<i>KW1 Keyway</i>	
DSKP0603PD	Polished Brass
DSKP0605D	Antique Brass
DSKP0612D	Aged Bronze
DSKP0615D	Satin Nickel
<i>SC1 Keyway</i>	
DSKP0603P	Polished Brass
DSKP0605	Antique Brass
DSKP0612	Aged Bronze
DSKP0615	Satin Nickel



FEATURES—

- Programmable keypad stores up to 20 unique 4 to 10 digit user codes.
- Easy programming - add or delete user codes as needed.
- Admin code - prevents unauthorized user code adds or changes. Only the person with the admin code can reprogram.
- Keypad illuminates for easy nighttime use.
- **NightWatch™** feature prevents an intruder from entering, even if they have a copy of the key.
- **BumpStop™** advanced cylinder technology resists bump attacks.
- Silvabond antimicrobial finish provides a permanent barrier to fight the spread of germs, mold and mildew by contact.
- Meets ANSI grade performance standards.
- Uses four AAA batteries - included.
- Back up key may be used for keyed access.



NightWatch™ locks out all keys, even copies of your key. Enjoy the peace of mind knowing that unaccounted keys are rendered harmless.



BumpStop™ Advanced Cylinder Technology. Specially engineered to resist bump attacks, one of the fastest growing home security threats.



When the NightWatch feature is engaged, the lock cannot be opened from the outside, even with a duplicate key. Can only be engaged or disengaged from the inside of the home.

To use: lock the deadbolt. Press up on the safety button while pulling lever to engage NightWatch® lockout feature.

SPECIFICATIONS

DOOR THICKNESS:	1-3/8" to 2"
BACKSET:	2 round corner latches, one 2-3/8" and one 2-3/4". Use the one you need.
STRIKE:	1-1/8" x 2-3/4" square corner
BORE:	2-1/8" x 1"
*KEYWAYS:	KW1 Kwikset or SC1 Schlage
FINISHES:	03P Polished Brass
	05 Antique Brass
	12 Aged Bronze
	15 Satin Nickel

*NOTE: Lock with the SC1 keyway uses Ilco 15995 cylinder so many keyways are available by changing the cylinder.

©ZIPF LOCK COMPANY

KEY ACCESSORIES

(By manufacturer's name)

BALL CHAIN COMPONENTS



No. 6 nickel plated steel ball chain comes on a roll of 100 feet. No. 6 is 1/8" diameter in size. Couplings: hole in the back of the connector can be used to loop the chain, attach a ring or other fitting for added versatility

•**Spools**

Stock No.	No of Pcs	PKG
LKC-31700	100 ft.	No. 6 Nickel Plated Steel

•**Couplings**

Stock No.	No of Pcs	PKG
LKC-31900	100/pkg	No. 6 Nickel Plated Brass

BALL CHAIN

Pre-cut ball chain with connector attached. Keeps keys securely together. Chain ball locks into end of connector to close. Made of nickel-plated steel. 4-1/2" long.



Stock No.	No of Pcs	PKG
LKC-31402	2/cd-5/pkg	Skin card

MITY-MITE® KEY RING

Flexible, flat link stainless steel. Collapses to fit easily in a pocket. Measures 5-3/8" in length.



Stock No.	No of Pcs	PKG
LKC-43201	1/cd-5/pkg	Skin card



The Flexible Remote Skins®



LKC-48800
4 of each remote



LKC-48801
For Ford



LKC-48901
For GM



LKC-49001
Universal

Transform your car remote! Protect, customize and repair your car remote. Made of soft, water-resistant neoprene which limits fraying. Tough, clear vinyl window provides high visibility of remote buttons. Slip the cover over a broken remote to make broken remote usable again. Available in three models: GM, Ford & Universal (fits most Toyota and Honda remotes)

Examples of some Lucky Line packaging, subject to change



Master Lock



Outside: 4.69" x 2"
Inside: 3.85" x 1.6"



207D

- Magnetic key case.
- Case fits most keys - even keys with integrated fob.
- Rust-free, durable plastic construction.
- Recessed magnet securely attaches and holds to any steel surface.
- Improved sliding cover design with built-in stop to prevent cover from being dropped or misplaced.
- New discreet design to conceal your keys.

Starrett

KEY CADDY



SK-1

Heavy-duty die-cast case with a 21" stainless steel chain and large key ring. Returns keys and other articles automatically. Ideal for custodians, watchmen, service station attendants and many others. Also great for welders to carry torch igniters. Available with regular belt clip that clips over belt

SR-001843

Key case with powerful magnet attaches to almost any clean surface. Stor-A-Key can be used for emergency access to vehicle or house keys. Weather resistant plastic will not rust. Foam insert and strap keeps key in place.



A UTC Fire & Security Company



REMEMBER: If you don't see what you need, please contact us with your requirements.

©ZIPF LOCK COMPANY

KEY CABINETS



SELECT ACCESS Key Storage Security Program No Lockouts — No Schedule Conflicts



**Portable
5400D**




**Wall Mount
5401D**

Large key storage compartment—holds over 5 door or car keys. 4-dial resettable combination lock—provides simple, set-your-own combination convenience. Solid die cast body—reinforced to withstand hammering and sawing. Zinc lock body and shutter door—weather resistant for years of dependable operation.

SHURLOK

- Never be locked out again.
- Patented feature—One combination opens the shackle and another combination opens key department.
- Secure—10,000 possible combinations.
- No front lid to fall off.
- Durable—all metal construction.
- Hardened steel shackle.
- Easier to use and recombine.
- Zero locking—can be opened in dark or by vision impaired.
- Rust resistant
- 1 year warranty.

Stock No.	Description
SL-200W BLACK	Box
SL-170	Lever grip



- Hangs easily on door knob, fence, pipe, etc.
- Protective rubber shell.
- Change combo as needed.
- No tools necessary.

•**KeySafe Original (Portable)**

Stock No.	Color
SR-000394	Black
SR-001010	Titanium



- Holds up to 5 keys.
- Attaches securely to any wall or flat surface.
- Change combo as needed.
- Includes mounting hardware.

•**KeySafe Original (Permanent)**

Stock No.	Color
SR-000404	Black
SR-001011	Titanium



- Hangs easily on door knob, fence, pipe, etc.
- Protective rubber shell.
- Change combo as needed.
- No tools necessary.

•**KeySafe Original (Portable)**

Stock No.	Color
SR-001192	Titanium
SR-001350	Clay
SR-001352	Black

KEYING KITS & KEYING ACCESSORIES

ORIGINAL KITS

AMERICAN



AJ-SK8

For servicing American rekeyable pin tumbler padlocks.

AJ-TCR-3

For servicing American tubular cam locks and padlocks.

ASSA

AS-PK4 (Special Order)

Pin kit No. 4 Mini Pin Kit for ASSA Twin & V-10.



Kwikset

KW-272 Pin Kit (not pictured)

For Professional keying of Kwikset residential locks. Kit has colored top, master & bottom pins(also anti-pick top pins), PK balls, tumbler springs, 5, 6 & low profile deadbolt pin spring covers, plug retainers, key gauge, plug follower, cylinder removal tool, knob control lug and special cylinder spring.


KW-236 Builder Pin Kit (small-not pictured)

Master Lock



Stock No. Description
MA-291 For 21, 27 and Pro Series Rekeyable Padlocks
REKEYING PARTS KIT includes: Spool pins, master pins, bottom pins, driver pins, key cut gauges, cylinder assembly tool, allen wrenches, retaining nuts, cylinder extensions, tumbler springs, trap doors, and for new style 6000/7000: driver pins, spool pins and e clips. Kit also has convenient reference chart.


Stock No. Description
MA-8491 For Rekeying Python™ Locking Cable
REKEYING PARTS KIT includes: Disc tumblers 0 thru 6, cylinder retaining discs, plug assemblies, driver springs, service keys, key cut gauge, keying tool.



NL-V70P-1

NL-V70P-1 Pin Tumbler Keying Kit, includes:
 100 Pcs. ea. 1, 2, 3 and 4 Drivers.
 100 Pcs. ea. 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 Tumblers.
 250 Pcs. ea. Tumbler Springs.
 100 Pcs. ea. Tumbler Retainers.
 50 Pcs. ea. C3735 and C3738 Plug Retainers.

CompX NATIONAL



NL-V71D-3 Disc Tumbler Keying Kit, includes:
 100 Pcs. ea. 00, 22, 44, and 66 Tumblers.
 250 Pcs. Tumbler Springs.

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

For manufacturers not shown, see LAB kits on pages 388-391

LOCKER LOCKS

**Master
Lock.**

Built-in Key Operated Locker Locks



Stock No.	Description
1710	Manual deadbolt locking.
1714	Spring Bolt-Automatic locking
Fits both right and left handed doors. 5 pin tumbler Stock KD & KA (40H102) MK Factory Order	

**BLOCK
GUARD**
Anti-Shim Technology



Combination Padlocks with Key-Controlled Mechanism. Great for School, Industrial, gymnasium locker rooms.

All features of No. 1500, plus key-controlled mechanism with brass cylinder, nickel-silver tumbler security. Designed for special installations such as schools, industrial plants, gymnasium locker rooms, etc. Not recommended for over-the-counter sales. Special security feature — keyway in back of lock. Individual user operates lock by dialing combination. Authorized person has control key, providing easy access to all lockers (control keys must be ordered separately). Installation record maintained at factory, on factory ordered padlocks, permitting extension system under same key.

Stock No.	Description	Minimum
1525 V689	Key-controlled Padlock	of 10
1525K V689	V689 Key	padlocks

Other numbers factory order only

See "Padlocks" section of catalog for other padlocks.

SmoothSpin™ Combination Padlocks with Key-Controlled Mechanism. Great for School, Industrial, gymnasium locker rooms.

**Minimum
of 10
padlocks**

SmoothSpin™ combination Different, control key feature, standard 11/16" shackle clearance, 9/32" shackle diameter, black dial. See 1525 padlock above for more information.

Stock No.	Description
2076 V689	Key-controlled Padlock
1525K V689	V689 Key



**BLOCK
GUARD**
Anti-Shim Technology

New Patent Pending BlockGuard® Anti-Shim Technology – a new latching mechanism that is designed to stop shimmying!

©ZIPF LOCK COMPANY

PADLOCKS



Discontinued. Call for closeout prices.

PRO-SERIES™ ALUMINUM PADLOCKS

Make OSHA Compliance Easy!!

Brightly colored locks for easy identification

1-9/16" wide body

- Solid Aluminum Lock Bodies ▪ Powder Coated Lock Bodies
- Hardened Steel Shackles ▪ Stainless Steel Ball Bearings
- Brass Spool Pin Tumblers ▪ Rekeyable Lock Bodies

1-9/16" wide solid aluminum body and 5-pin W6000 removable cylinder. Brightly colored locks for easy identification. Powder-coated finish last longer than anodized. 1/4" dia. hardened steel shackle. Shackle clearance 1-1/16" or 1-9/16" vertical, 25/32" horizontal.

Keyed Different With 5 pin W6000 Keyway
\$6835 KD 1-1/16" vertical clearance
\$6835 LF KD 1-9/16" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
\$6835 KA 1-1/16" vertical clearance
\$6835 LF KA 1-9/16" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway
\$6835 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
\$6835W1 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway
\$6835W27 KZ 1-1/16" vertical clearance

Without Cylinder
\$6835WO 1-1/16" vertical clearance
\$6835WO LF 1-9/16" vertical clearance
\$6835WCS Body only-no shackle

***KEYED ALIKE NUMBERS STOCKED:**

- 6835 BLK KA: 10G604.
- 6835 BLK LF KA: 10G604.
- 6835 BLU KA: 10G605.
- 6835 BLU LF KA: 10G605.
- 6835 GRN KA: 10G606.
- 6835 GRN LF KA: 10G606.
- 6835 ORJ KA: 10G607.
- 6835 ORJ LF KA: 10G607.
- 6835 RED KA: 10G608.
- 6835 RED LF KA: 10G608.
- 6835 YLW KA: 10G609.
- 6835 YLW LF KA: 10G609.

TO ORDER:

Specify Padlock No. and Color
 (Ex.) **6835BLK KD**
6835RED LF KA
6835W1 YLW KZ

See page 489 for cylinders and shackles.

REMEMBER —
If we don't have the Master product in stock that you need, we can order and in MOST cases have it shipped straight to you...QUICKLY.



SOLID BRASS BODY

Solid brass bodies. Brass pin tumbler cylinder. Hardened steel shackle (Except No. 120 standard steel shackle), chrome plated. 2 brass keys. All padlocks are retail carded.

	Body Width	Shackle Diameter	Horizontal Shackle Clearance	Vertical Shackle Clearance	Pin Tumblers
Keyed Different					
140D KD	1-9/16"	1/4"	13/16"	7/8"	4
150D KD	2"	9/32"	1"	1"	5
160D KD	2-3/8"	11/32"	1-1/4"	1-1/8"	5
Keyed Alike*					
120D KA	3/4"	5/32"	1/4"	7/16"	3
130D KA	1-3/16"	3/16"	9/16"	5/8"	4
140D KA	1-9/16"	1/4"	13/16"	7/8"	4
150D KA	2"	9/32"	1"	1"	5

***KEYED ALIKE NUMBERS STOCKED:**
120D KA: 1A31, 1A36, 1A38. **130D KA:** 1B005, 1B008.
140D KA: 1G022, 1G032. **150D KA:** 1K062, 1K069.

PADLOCKS



SOLID BRASS BODY

Case hardened shackle resists sawing and filing. Brass body and cylinder provide extra resistance to the elements. Pin tumbler cylinder provides greater pick resistance.

Keyed Different	Body Width	Shackle Diameter	Horizontal Shackle Clearance	Vertical Shackle Clearance	Pin Tumblers
4130 KD	1-1/8"	3/16"	9/16"	9/16"	3
4140 KD	1-1/2"	1/4"	13/16"	13/16"	4
4150 KD	1-7/8"	9/32"	1"	15/16"	5
Keyed Alike*					
4130 KA	1-1/8"	3/16"	9/16"	9/16"	3
4140 KA	1-1/2"	1/4"	13/16"	13/16"	4
4150 KA	1-7/8"	9/32"	1"	15/16"	5

*KEYED ALIKE NUMBERS STOCKED:
 4130 KA: 142, 314.
 4140 KA: 2341, 3231.
 4150 KA: 41242, 41332

RETAIL CARDED SOLID BRASS BODY

Solid brass body is strong, durable and resists corrosion. Dual ball locking for added protection from prying and hammering. Hardened steel shackles for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. 1-3/4" wide body, Shackle diameter: 5/16", Horizontal shackle clearance: 13/16".



Keyed Different with K81KR Keyway
576DPF 1" vertical clearance
576DLHPF 2" vertical clearance

RETAIL CARDED SOLID BRASS BODY REKEYABLE

1-3/4" solid brass body is strong, durable and resists corrosion. Dual ball locking for added protection from prying and hammering. Hardened boron alloy shackles for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. 1-3/4" wide body, Shackle diameter: 5/16", Horizontal shackle clearance: 29/32". **Removable cylinder for replacing or repinning.**



Keyed Different with K81KR Keyway
996DPF 1-3/16" vertical clearance

LAMINATED BRASS BODY PIN TUMBLER



4 KA
1-1/2" wide body



6 KA
2" wide body

Keyed Alike*	Body Width	Shackle Diameter	Horizontal Shackle Clearance	Vertical Shackle Clearance	Pin Tumblers
4 KA 3476	1-1/2"	9/32"	5/8"	3/4"	4
6 KA A482	2"	3/8"	15/16"	1"	4

**We pride ourselves on our customer service.
 We urge you to test us today and every day!**

©ZIPF LOCK COMPANY

PADLOCKS



**Master
Lock**

PRO-SERIES™ BRASS PADLOCKS

Ideal When Corrosion is a Concern

- Solid Brass Lock Bodies ▪ Stainless Steel Ball Bearings
- Hardened Steel and Boron Alloy Shackles
- Brass Spool Pin Tumblers ▪ Rekeyable Lock Bodies

1-9/16" wide body

1-9/16" wide solid brass body and 5-pin W6000 removable cylinder. 1/4" dia. hardened steel shackle. Shackle clearance 1-1/16" or 1-9/16" vertical, 25/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

6830 KD 1-1/16" vertical clearance

6830 LF KD 1-9/16" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6830 KA 1-1/16" vertical clearance

6830 LF KA 1-9/16" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6830 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6830W1 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6830W27 KZ 1-1/16" vertical clearance

Without Cylinder

6830WO 1-1/16" vertical clearance

6830WO LF 1-9/16" vertical clearance

6830WCS Body only-no shackle

*KEYED ALIKE NUMBERS STOCKED:

6830KA: 10G601.

1-3/4" wide body

1-3/4" wide solid brass body and 5-pin W6000 removable cylinder. 5/16" dia. hardened boron alloy shackle. Shackle clearance 1-3/16" or 2-7/16" vertical, 29/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

6840 KD 1-3/16" vertical clearance

6840 LJ KD 2-7/16" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6840 KA 1-3/16" vertical clearance

6840 LJ KA 2-7/16" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6840 KZ 1-3/16" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6840W1 KZ 1-3/16" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6840W27 KZ 1-3/16" vertical clearance

Without Cylinder

6840WO 1-3/16" vertical clearance

6840WO LJ 2-7/16" vertical clearance

6840WCS Body only-no shackle

*KEYED ALIKE NUMBERS STOCKED:

6840KA: 10G602.

2" wide body

2" wide solid brass body and 5-pin W6000 removable cylinder. 3/8" dia. hardened boron alloy shackle. Shackle clearance 1-1/2" or 2-1/2" vertical, 29/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

6850 KD 1-1/2" vertical clearance

6850 LJ KD 2-1/2" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6850 KA 1-1/2" vertical clearance

6850 LJ KA 2-1/2" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6850 KZ 1-1/2" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6850W1 KZ 1-1/2" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6850W27 KZ 1-1/2" vertical clearance

Without Cylinder

6850WO 1-1/2" vertical clearance

6850WO LJ 2-1/2" vertical clearance

6850WCS Body only-no shackle

PRO-SERIES™ BRASS PADLOCKS

Interchangeable Core (Core not included)
Accepts Best®, KSP®, Kaba® and Lori® Cores.

1-9/16" wide solid brass body, 1/4" dia. hardened steel shackle. Shackle clearance 1-1/16" or 1-9/16" vertical, 25/32" horizontal.

Without Cylinder

6831WO 1-1/16" vertical clearance

6831WO LF 1-9/16" vertical clearance



1-3/4" wide solid brass body, 5/16" dia. hardened steel shackle. Shackle clearance 1-3/16" or 2-7/16" vertical, 25/32" horizontal.

Without Cylinder

6841WO 1-3/16" vertical clearance

6841WO LJ 2-7/16" vertical clearance

If you don't see it here please contact us today. We have quick access to every padlock Master makes.

©ZIPF LOCK COMPANY

468_{v1} SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.
(PL-44)

PADLOCKS



PRO-SERIES™ BRASS PADLOCKS With Door Key Compatible Cylinder



Use the same key that opens your security doors. (improve key control - security - convenience - safety. Already keyed to your specific requirements. A padlock for any application requirement. A perfect connection to your door security system, including Schlage®, Kwikset®, Weiser®, Yale® and more.

6842 Series — 1-3/4" wide brass body, 1-3/16" vertical shackle clearance, 25/32" horizontal shackle clearance.

6852 Series — 2" wide brass body, 1-1/2" vertical shackle clearance, 29/32" horizontal shackle clearance.

1-3/4" wide Stock No.	2" wide Stock No.	Keyway Description
	6852 D01	Corbin® 59A1-A2
	6852 D02	Sargent® S/U, Harloc SE-1 (composite). Lori L200
6842 D03	6852 D03	Yale® 8
6842 D04	6852 D04	Schlage® C
6842 D07	6852 D07	Corbin®/Russwin® L4
6842 D10	6852 D10	Arrow® K5, K6, L6A
6842 D11	6852 D11	Russwin® 981/852
6842 D12		Kwikset® (composite)
	6852 D13	Weiser® (composite)
6842 D15	6852 D15	Yale® GA
6842 D28	6852 D28	Schlage® P (accepts C-L)
6842 D29	6852 D29	Corbin® 60
6842 D30		Russwin® D1
6842 D34		Schlage® E
6842 D36	6852 D36	Sargent® LA-LC (composite)
6842 D70	6852 D70	Sargent® RA-RC (composite)

PRO-SERIES™ BRASS PADLOCKS Without Cylinder



Accepts Schlage® (key-in-knob), Schlage® Primus, Assa®, Lori® #1539, Medeco® # 20W200

2" wide solid brass body accepts Schlage® (key-in-knob), Schlage® Primus, Assa®, Lori® #1539, Medeco® # 20W200 cylinders. 3/8" diameter hardened boron alloy shackle. Shackle clearance 1-1/2" or 2-1/2" vertical, 29/32" horizontal. **CYLINDER DRIVERS LISTED BELOW ARE REQUIRED.**

Without Cylinder

6852WO	1-1/2" vertical clearance
6852WO LJ	2-1/2" vertical clearance

CYLINDER DRIVERS (REQUIRED FOR 6852WO SERIES PADLOCKS)

Stock#	Description (poly bagged, 6 units per bag, SOLD BY THE BAG ONLY)
0298-0626	For Lori Cylinder #1539 6 pin cylinder for "A" series knob sets
0298-0628	For Schlage 6 pin cylinder for "A" series knob sets

Same as 6852's above
but without cylinder.

©ZIPF LOCK COMPANY

PADLOCKS

CABLE/CHAIN PADLOCKS



- 1-1/8" wide laminated steel body.
- 3 ft. steel cable with protective vinyl sleeve.
- 3/16" diameter cable.

No.	Padlock	Tumbler Type	Cable Length
119D KD	105	warded	3'

KD-Keyed different.



- Combination cable lock.
- 1-7/8" double armored body.
- 3 ft. cable. 3/16" diameter.

1519D

Master Lock



Ideal for ladders, generators, toolboxes and gates. Integrated keyed locking mechanisms for strong pick resistance. Flexible steel cables for strong cut resistance. Protective coating helps prevent scratching. Smoke color cables with yellow lock body connectors. 3/8" diameter cable.

8154DPF 6' cable with lock

Patented locking mechanism holds the cable tight at any position from 1' to 6' for infinite locking positions. Rekeyable disc tumbler cylinder (1K keyway). 100% steel braided cable. Weather tough and rust resistant lock body. Vinyl sleeve and lock body bumper prevents scratching. Velcro strap holds excess cable for compact storage.

6' Python Adjustable Locking Cable

Contractor Grade Yellow body with Black Bumper

8413 KD Keyed Different

Commercial Boxed Yellow body with Black Bumper

8413 KA Keyed Alike: 3381, 3918,

Python Keying Kit (required for keying Python)

Contains components to rekey the Python disc tumbler cylinder

MA-8491 Keying Kit



Python
adjustable locking cable

"Set-Your-Own Combination" Luggage Lock

Security, convenience and style combined. Personal size combination locks are ideal for use with luggage, briefcases, sport bags and tool boxes. And with the Master Lock "Set-Your-Own Combination" lock, a simple four-step process allows the user to set a combination that's easy to remember because it's truly personal. In addition, the "combination window" design on the body of the lock makes the numbers easy to read.

For portable, convenient security on luggage, briefcases and cabinets, the Master Lock "Set-Your-Own Combination" is the lock of choice.

1. Corrosion-Resistant Brass-Plated Steel Shackle
2. Windows Make Viewing Combination Quick & Accurate
3. Black Zinc Alloy Body Complements Lockables
4. Combination Can Be Easily Changed
5. Ideal for Luggage, Briefcases, Sport Bags, Backpacks, Tool Boxes and Cabinets
6. Lifetime Guarantee



646D 3/4" lock



647D 1-1/4" lock

©ZIPF LOCK COMPANY

470 v1 SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.
(PL-44)

PADLOCKS

COMBINATION PADLOCKS



Minimum of 10 padlocks



Strong double-wall construction — stainless steel outer case over wrought steel inner case. 3-number locking mechanism. Double-acting, solid steel locking lever. Self-locking, automatically disarranging tumblers. Inner parts rustproofed. Practically unlimited combinations. Case width 1-7/8". Brass dial, finished in black enamel with white numerals. Nickel-plated dialing knob, with diamond knurled edge. Built-in "sound effect" to prevent picking. Nickel-plated steel swivel shackle, diameter 9/32. Clearances: vertical - 3/4", horizontal - 13/16".

All features of No. 1500, plus key-controlled mechanism with brass cylinder, nickel-silver tumbler security. Designed for special installations such as schools, industrial plants, gymnasium locker rooms, etc. Not recommended for over-the-counter sales. Special security feature — keyway in back of lock. Individual user operates lock by dialing combination. Authorized person has control key, providing easy access to all lockers (control keys must be ordered separately). Installation record maintained at factory, on factory ordered padlocks, permitting extension system under same key.

The 2001 more than doubles combination lock strength and security. Hardened boron alloy shackle resists cutting, sawing, prying and impact. Dual ball-bearing deadbolt locks both shackle legs. Stainless steel outer case surrounds massive solid inner case. Rugged rim-reinforced dial resists prying and knock-off. Smooth 3-number dialing. Thousands of possible combinations. Self-locking, automatically disarranging tumblers, and dial spin-off. Combinations can't be "felt out". Case width 2-3/16". Shackle diameter 5/16". Clearances: vertical 1", horizontal 15/16". Black dial. Lifetime warranty.

No.	Description
1500	Combination Different
1500 KA	Combination Alike

No.	Description
1525 V689	Key-controlled Padlock
1525K V689	V689 Key

No.	Description
2001	Combination Different
2001 KA	Combination Alike

*KEYED ALIKE NUMBERS STOCKED:
1500 KA: 904226.

Other numbers factory order only

*KEYED ALIKE NUMBERS STOCKED:
2001 KA: 800001.



SmoothSpin™ Combination Padlocks with Key-Controlled Mechanism. Great for School, Industrial, gymnasium locker rooms.

Minimum of 10 padlocks



SmoothSpin™ combination Different, control key feature, standard 11/16" shackle clearance, 9/32" shackle diameter, black dial. See 1525 padlock above for more information.

Stock No.	Description
2076 V689	Key-controlled Padlock
1525K V689	V689 Key

RESETTABLE COMBINATION PADLOCKS



175



177



178BLK



176LH

Set-your-own 4-digit combination convenience and security. Reset to any of 10,000 personalized combinations. 2" wide solid brass case for strength and weatherability. Hardened steel shackles for cut resistant. No. 177 shrouded shackle provides maximum cut resistance. No. 178BLK offers economical die cast construction, black in color.

Stock No.	Shackle Diameter	Horizontal Shackle Clearance	Vertical Shackle Clearance
175	5/16"	1"	1"
175 LH	5/16"	1"	2-1/4"
176 LH	5/16"	1"	2-1/4"
177	5/16"	1"	1"
178BLK	5/16"	1"	1"

K176CR
Control key for 176 padlocks. (P812)

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

471 v1
(PL-44)

PADLOCKS

HASPS

GENERAL USE HASPS



Hard wrought steel bodies for strength. Hardened steel staples resist cutting and sawing. Hardened steel locking eyes for strong cut resistance. Tamper proof hinges help resist prying.

No.	Hasp Length	Up to Shackle Dia.
702D	2-1/2"	9/32"
703D	3-1/2"	11/32"
704D	4-1/2"	1/2"

HEAVY-DUTY GENERAL HASP




Hardened steel body with reinforced plate for strength. Hardened steel staples resist cutting and sawing. Hardened steel locking eyes for strong cut resistance. Tamper proof hinges help resist prying.

No.	Hasp Length	Up to Shackle Dia.
706D	6"	9/16"



PADLOCK EYES



Steel padlock eyes with large diameter shackle hole (accepts up to 1/2" diameter shackle) Mount virtually anywhere. Ideal for gates and shed doors.

60 Flat orientation Padlock eyes

HIGH SECURITY HASPS - RETAIL CARDED



721DPF
Single Hinge
8" length
Shackle Dia. up to 7/16"



720DPF
Single Hinge
6-1/4" length
Shackle Dia. up to 7/16"



722DPF
Double Hinge
7-3/4" length
Shackle Dia. up to 7/16"

High Security - Special Application


Single and double hinged designs are ideal to fit most corners and angles to secure hard-to-lock property. Recommended for use with Master Lock medium and high security padlocks.

- Heavy gauge hardened steel protects against cutting and sawing.
- Hardened Boron Alloy staple resist cutting and sawing.
- Rolled edges protect against prying and conceal mounting screws.
- Hinge pins are hidden and are virtually impossible to remove.

HEAVY DUTY HASPS - RETAIL CARDED



730DPF
Straight
7-1/4" length
Shackle Dia. up to 7/16"



731DPF
90° Angle Bracket
5-3/16" length
Shackle Dia. up to 7/16"



732DPF
90° Angle Bar
4-3/4" length
Shackle Dia. up to 7/16"



770
7-1/4" length x 4-1/2" width
For use with 6270 & 6271 padlocks.

©ZIPF LOCK COMPANY

472 v1
(PL-44)

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

PADLOCKS

PRO SERIES



WEATHER TOUGH™ REKEYABLE COMMERCIAL USE PADLOCKS

Pro Series Weather Tough™ rekeyable padlocks from Master Lock not only stand up to severe abuse, they also stand up to severe weather. Designed especially for outdoor commercial use, these Pro Series locks feature tough hardened BORON alloy shackles to repel saws and bolt cutters. Dual locking shackles resist forcing or prying, and special pick resistant spool pins prevent unauthorized entry. But what makes these padlocks unique is their weather tough design. A durable thermal plastic cover protects the lock body and key cylinder from dirt, dust, and other contaminants. Special drain channels actually move water and other debris through the lock body and away from the lock mechanism for years of trouble free operation in the most severe conditions. Pro Series Weather Tough™ locks are ideal for outdoor commercial applications where weather is a problem and security is a concern.



2-1/8" wide body



2-3/8" wide body



2-5/8" wide body

Master Pro Series Weather Tough™ padlock with 2-1/8" wide steel case and 5-pin W6000 removable cylinder. Replaceable 5/16" dia. hardened BORON alloy shackle. Shackle clearance 1-1/8" or 2-3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

Keyed Different With 5 pin W6000 Keyway

6121 KD 1-1/8" vertical clearance

6121LJ KD 2-3/8" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6121 KA 1-1/8" vertical clearance

6121LJ KA 2-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6121 KZ 1-1/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6121W1 KZ 1-1/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6121W27 KZ 1-1/8" vertical clearance

Without Cylinder

6121WO 1-1/8" vertical clearance

6121WO LJ 2-3/8" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

6121 KA:
10G015, 10G016, 10G030, 10G214, 10G221, 10G450.

6121LJ KA:
10G010, 10G056, 10G214, 10G393, 10G450.

Master Pro Series Weather Tough™ padlock with 2-3/8" wide steel case and 5-pin W6000 removable cylinder. Replaceable 3/8" dia. hardened BORON alloy shackle. Shackle clearance 1-3/8" or 2-3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

Keyed Different With 5 pin W6000 Keyway

6125 KD 1-3/8" vertical clearance

6125LJ KD 2-3/8" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6125 KA 1-3/8" vertical clearance

6125LJ KA 2-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6125 KZ 1-3/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6125W1 KZ 1-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6125W27 KZ 1-3/8" vertical clearance

Without Cylinder

6125WO 1-3/8" vertical clearance

6125WO LJ 2-3/8" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

6125 KA:
10G330, 10G376.

6125LJ KA:
10G300, 11G019

Master Pro Series Weather Tough™ padlock with 2-5/8" wide steel case and 5-pin W6000 removable cylinder. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 1-3/8" or 1-7/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

Keyed Different With 5 pin W6000 Keyway

6127 KD 1-3/8" vertical clearance

6127LH KD 1-7/8" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6127 KA 1-3/8" vertical clearance

6127LH KA 1-7/8" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6127 KZ 1-3/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6127W1 KZ 1-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6127W27 KZ 1-3/8" vertical clearance

Without Cylinder

6127WO 1-3/8" vertical clearance

6127WO LH 1-7/8" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

6127 KA:
10G016, 10G106, 10G180, 10G235, 10G377, 10G380, 10G740

▪ See page 489 for cylinders and shackles for 6121, 6125, 6127 Series padlocks ▪

If you don't see it here please contact us today. We have quick access to every padlock Master makes.

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

473_{v1}
(PL-44)

© ZIPF LOCK COMPANY

PADLOCKS

See page 489 for cylinders and shackles

PRO SERIES



HIGH SECURITY REKEYABLE COMMERCIAL USE PADLOCKS

Pro Series High Security rekeyable padlocks from Master Lock match your toughest security threats. Designed especially for high security commercial use, these Padlocks feature hardened BORON alloy shackles which provide up to 16,000 pounds of shackle pull strength and include dual deadbolt locking for extreme resistance to prying. Massive steel shackle guard repels saw and bolt cutter attacks. Five pin cylinders with special pick resistant spool pins make the locks virtually impossible to pick. These features combine to make Pro Series High Security locks stand up to an incredible attack. All locks have precision, removable cylinders and replaceable shackles.



2-1/8" wide body

Master Pro Series High Security padlock with 2-1/8" wide steel case and 5-pin W6000 removable cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 5/16" dia. hardened BORON alloy shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

Keyed Different With 5 pin W6000 Keyway
6321 KD 3/4" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6321 KA 3/4" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway
6321 KZ 3/4" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6321W1 KZ 3/4" vertical clearance

Without Cylinder
6321WO 3/4" vertical clearance

*KEYED ALIKE NUMBERS STOCKED:
6321 KA: 10G158, 10G563



2-3/8" wide body

Master Pro Series High Security padlock with 2-3/8" wide steel case and 5-pin W6000 removable cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 3/8" dia. hardened BORON alloy shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

Keyed Different With 5 pin W6000 Keyway
6325 KD 3/4" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6325 KA 3/4" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway
6325 KZ 3/4" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6325W1 KZ 3/4" vertical clearance

Without Cylinder
6325WO 3/4" vertical clearance

*KEYED ALIKE NUMBERS STOCKED:
6325 KA: 10G016, 10G158, 10G377, 10G388, 10G468



2-5/8" wide body

Master Pro Series High Security padlock with 2-5/8" wide steel case and 5-pin W6000 removable cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

Keyed Different With 5 pin W6000 Keyway
6327 KD 3/4" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6327 KA 3/4" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway
6327 KZ 3/4" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6327W1 KZ 3/4" vertical clearance

Without Cylinder
6327WO 3/4" vertical clearance

*KEYED ALIKE NUMBERS STOCKED:
6327 KA: 10G158, 10G306

Master Pro Series High Security padlock with 2-1/2" wide steel case and 5-pin W6000 removable cylinder. Massive solid steel lock body is hardened for saw and hammer resistance. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 1-1/8" or 2" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently.



2-1/2" wide body

Keyed Different With 5 pin W6000 Keyway
6230 KD 1-1/8" vertical clearance
6230LH KD 2" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6230 KA 1-1/8" vertical clearance
6230LH KA 2" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway
6230 KZ 1-1/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6230W1 KZ 1-1/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway
6230W27 KZ 1-1/8" vertical clearance

Without Cylinder
6230WO 1-1/8" vertical clearance
6230WO LH 2" vertical clearance

*KEYED ALIKE NUMBERS STOCKED:
6230 KA: 10G127.

©ZIPP LOCK COMPANY

PADLOCKS

PRO-SERIES



WEATHER TOUGH® & HIGH SECURITY PADLOCKS



SERIES 6400 & 6500 INTERCHANGEABLE CORE PADLOCKS

- For Added Convenience And Key Control
- Accepts Best®, KSP®, Kaba®, and Lori® Cylinders
 - Laminated Steel Padlocks
 - Boron Alloy Shackles
 - Dual Ball Bearing Shackle Locking



▪ 2-1/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6421WO	1-1/8"	7/8"	5/16"
6421WO LJ	2-3/8"	7/8"	5/16"

▪ 2-1/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6521WO	3/4"	7/8"	5/16"

▪ 2-5/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6427WO	1-3/8"	7/8"	7/16"
6427WO LH	1-7/8"	7/8"	7/16"

▪ 2-5/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6527WO	3/4"	7/8"	7/16"

SERIES 6600 & 6700 DOOR HARDWARE CYLINDER PADLOCKS

- For Added Convenience And Key Control
- Accepts Standard Door Hardware Cylinders including Schlage®, Medeco®, and Lori® 1539 Series
 - Lock bodies come complete with cylinder retainer plugs
 - **Lock bodies require cylinder drivers - order separately**
 - Rekeyable, only an allen wrench is needed to complete cylinder replacement
 - Laminated Steel Padlocks
 - Boron Alloy Shackles



▪ 2-1/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6621WO	1-1/8"	7/8"	5/16"
6621WO LJ	2-3/8"	7/8"	5/16"

▪ 2-1/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6721WO	3/4"	7/8"	5/16"

▪ 2-5/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6627WO	1-3/8"	7/8"	7/16"
6627WO LH	1-7/8"	7/8"	7/16"

▪ 2-5/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6727WO	3/4"	7/8"	7/16"

CYLINDER DRIVERS (REQUIRED FOR 6600 & 6700 SERIES PADLOCKS)

- Stock# Description (poly bagged, 6 units per bag, **SOLD BY THE BAG ONLY**)
- 0298-0626** For Lori Cylinder #1539 6 pin cylinder for "A" series knob sets
 - 0298-0628** For Schlage 6 pin cylinder for "A" series knob sets

©ZIPP LOCK COMPANY

PADLOCKS

LAMINATED PIN TUMBLER PADLOCKS

NOTE: The new design shown is a rolling change. We cannot guarantee that you don't get the old style, shown below.



1-3/4" wide body



1-1/2" wide body

1-3/4" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Hardened steel shackle, diameter 5/16". Clearances: vertical 15/16", 1-1/2", 2-1/2", 5-3/4" horizontal 3/4". 2 brass keys, thousands of changes.

Keyed Different

- 1 KD** 15/16" vertical clearance.
- 1LF KD** 1-1/2" vertical clearance.
- 1LJ KD** 2-1/2" vertical clearance.
- 1LN KD** 5-3/4" vertical clearance.

Keyed Alike*

- 1 KA** 15/16" vertical clearance
- 1LF KA** 1-1/2" vertical clearance.
- 1LJ KA** 2-1/2" vertical clearance.
- 1LN KA** 5-3/4" vertical clearance.

Master Keyed

- 1 MK** 15/16" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

- 1 KA**
2001, 2002, 2004, 2006, 2007, 2008, 2012, 2016, 2093, 2094, 2120, 2126, 2174, 2179, 2246, 2314, 2334, 2342, 2359, 2387, 2396, 2402, 2428, 2506, 2692, 2769.
- 1LF KA**
2001, 2002, 2402, 2490.
- 1LJ KA**
2002, 2126, 2204, 2359, 2387, 2402, 2506, X2094.
- 1LN KA**
2001, 2530, 2558, X2282.
- 1 MK (Also stock cut master keys for below)**
SM19, SM202.

When you buy from ZIPF LOCK you have access to EVERY MASTER PADLOCK. IF we don't have it in stock we can order it for you and in most cases have it shipped direct to you...QUICKLY!

1-1/2" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Hardened steel shackle, diameter 9/32". Clearances: vertical 3/4", 1-1/2", 2", horizontal 5/8". 2 brass keys, thousands of changes.

Keyed Different

- 3 KD** 3/4" vertical clearance.
- 3LF KD** 1-1/2" vertical clearance.
- 3LH KD** 2" vertical clearance.

Keyed Alike*

- 3 KA** 3/4" vertical clearance
- 3LF KA** 1-1/2" vertical clearance.
- 3LH KA** 2" vertical clearance.

Master Keyed

- 3 MK** 3/4" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

- 3 KA**
0302, 0356, 0405, 0464, 0533, 0536, 0707, 3202, 3210, 3212, 3213, 3217, 3220, 3221, 3232, 3237, 3248, 3252, 3303, 3354, 3369, 3484, 3753, 3779, 3918, A389.
- 3LF KA**
0464, 0536, 3252, 3303, 3369, 3753.
- 3LH KA**
0851, 0889, 3210, 3752, 3753, 3867.



1-1/2" wide body

KEY RETAINING (Same as No. 3 at above)

Ensures padlock is not left unlocked

Keyed Different

- 11 KD** 3/4" vertical clearance.
- 11LF KD** 1-1/2" vertical clearance.
- 11LH KD** 2" vertical clearance.

Master Lock



Master's #3 padlock with a hi-tech blue plastic cover!

Quick snap cap minimizes key cylinder jams caused by dust, dirt, and freezing. Hi-tech thermoplastic cover withstands temperature extremes and sunlight without becoming brittle or cracked. Hardened steel shackle with molded cover.

Stock No. Description

Boxed Product—

- 312** Keyed Different
- 312 KA** Keyed Alike (3409 or 3410)



1-3/4" Wide Body

- 1N KD** Keyed Different
- 1N KA** Keyed Alike

1-1/2" Wide Body

- 3N KD** Keyed Different
- 3N KA** Keyed Alike

2" Wide Body

- 5N KD** Keyed Different
- 5N KA** Keyed Alike

Lock bumping — an easy and undetectable lock picking technique, uses a specially-crafted bump key to open a pin tumbler lock.

BumpStop® employs an innovative, patent pending design which prevents the transfer of force from the bump key to the pins — so the lock stays locked.

PADLOCKS

LAMINATED PIN TUMBLER PADLOCKS



NEW
STYLE*



2" wide body

2" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Hardened boron alloy shackle, diameter 3/8". Clearances: vertical 1", 1-1/2", 2-1/2", horizontal 15/16". 2 brass keys, thousands of changes.

Keyed Different

- 5 KD** 1" vertical clearance.
- 5LF KD** 1-1/2" vertical clearance.
- 5LJ KD** 2-1/2" vertical clearance.

Keyed Alike*

- 5 KA** 1" vertical clearance
- 5LF KA** 1-1/2" vertical clearance.
- 5LJ KA** 2-1/2" vertical clearance.

Master Keyed

- 5 MK** 1" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

- 5 KA**
A112, A118, A163, A272, A383, A389, A473, A614, A690, A1010.
- 5LF KA**
A272, A473, **A627**, A844.
- 5LJ KA**
A272, A383, A389.
- 5 MK (Also stock cut master keys for below)**
SM897.

**RETAIL CARDERD PRODUCT
with yellow bumper**



Key Different

- 5TRILFPF** 1-1/2" vertical clearance
3-Pack of No. 5LF keyed alike.

ONE KEY SYSTEM™ - (UP)

Customers want their padlocks to work with their existing keys. Until now, their options have been limited. They could search for a retailer that stocked their number, factory order the padlocks and wait weeks, or buy padlocks that don't match their keys and add more keys, and confusion, to their key ring.

The **Master Lock One Key System™** solves the problem. Now every No. 1, No. 3 or No. 5 padlock your customer buys can be keyed to their existing key (1K keyway), on the spot.

It's easy and convenient. If the customer's key is a Master 1K keyway, in-store customer keying of a Master No. 1, No. 3 or No. 5 padlock can be performed in minutes.

MA-376

Punch tool to set up the cylinder of an un-coded "UP" padlock with the tap of a hammer.



NOTE:The new design shown is a rolling change. We cannot guarantee that you don't get the old style, shown below.




1-3/4" wide body

- 1UP** 15/16" vertical clearance
- 1UP LJ** 2-1/2" vertical clearance




1-1/2" wide body


- 3UP** 3/4" vertical clearance
- 3UP LF** 1-1/2" vertical clearance



Insert key into padlock cylinder.



Using the fixture, push the plug into the cylinder to shear the pins.



Continue pushing the plug into lock body. Padlock is now custom keyed.

*(Patent Pending)



2" wide body

- 5UP** 1" vertical clearance
- 5UP LF** 1-1/2" vertical clearance

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

477_{v1}
(PL-44)

PADLOCKS

LAMINATED PIN TUMBLER PADLOCKS

Master Lock



1-1/8" wide body

1-1/8" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Steel shackle, diameter 3/16". Clearances: vertical 9/16", 1-1/2", 2-1/2", horizontal 1/2". 2 brass keys, over 1500 changes.

Keyed Different

- 7 KD** 9/16" vertical clearance.
- 7LF KD** 1-1/2" vertical clearance.
- 7LJ KD** 2-1/2" vertical clearance.

Keyed Alike*

- 7 KA** 9/16" vertical clearance
- 7LF KA** 1-1/2" vertical clearance.
- 7LJ KA** 2-1/2" vertical clearance.

Master Keyed

- 7 MK** 9/16" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

7 KA
P105, P150, P153, P282, P287, P375, P451, P467, P493, P506, P508, P605, P609, P761, P797, P848.

7LF KA
P445, P709, P812.
7LJ KA
P812.

7 MK (Also stock cut master keys for below)
SM69.



2-1/2" wide body

2-1/2" wide laminated steel body. 5 pin tumbler cylinder. Hardened boron alloy shackle, diameter 7/16". Clearances: vertical 1-1/4", 2", horizontal 13/16". Paracentric keyway, more than 9000 changes.

Keyed Different

- 15 KD** 1-1/4" vertical clearance.
- 15LH KD** 2" vertical clearance.

Keyed Alike*

- 15 KA** 1-1/4" vertical clearance
- 15LH KA** 2" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

15 KA
10N042, 10N650, 19N451.
15LH KA
10N134, 10N650.

NOTE: The new design shown is a rolling change. We cannot guarantee that you don't get the old style, shown below.



2" wide body

2" wide laminated steel body. 5 pin tumbler cylinder. Hardened boron alloy shackle, diameter 7/16". Clearances: vertical 1", 2", horizontal 3/4". Paracentric keyway, more than 9000 changes.

Keyed Different

- 17 KD** 1" vertical clearance.
- 17LH KD** 2" vertical clearance.

Keyed Alike*

- 17 KA** 1" vertical clearance
- 17LH KA** 2" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

17 KA
10T369, 10T455, 19T455.
17LH KA
10T365.

RETAIL CARDED PRODUCT with yellow bumper



Key Different

- 15DPF** 1-1/4" vertical clearance

RETAIL CARDED PRODUCT with yellow bumper



Key Different

- 17DPF** 1" vertical clearance

We pride ourselves on our customer service. We urge you to test us today and every day!



WIDE BODY

Extra wide reach for commercial freezers and other special applications. Removable cylinder can be replaced or repinned. 3-1/4" wide laminated steel body. Hardened boron alloy shackle, diameter 5/16". Clearance: vertical 3", horizontal 2-1/4"

- | No. | Description |
|---------------|-----------------------|
| 101 KD | Keyed differently |
| 101 KA | Keyed Alike #10L467 |
| 101WO | Lock without cylinder |

Separate cylinders available to match other Master padlocks. **SEE PAGE 490.**

©ZIPF LOCK COMPANY

478 v2 SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.
 (PL-44)

PADLOCKS

LAMINATED BRASS BODY PIN TUMBLER PADLOCKS



1-1/2" wide body

1-1/2" wide brass laminated body. 4 pin tumbler cylinder. Hardened steel shackle, chrome plated, diameter 9/32". Dual brass locking levers. Clearances: vertical 3/4", horizontal 5/8". 2 brass keys.

Keyed Alike*

4 KA 3/4" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

4 KA
3476



2" wide body

2" wide brass laminated body. 4 pin tumbler cylinder. Hardened boron alloy shackle, chrome plated, diameter 3/8". Dual brass locking levers. Clearances: vertical 1", horizontal 15/16". 2 brass keys.

Keyed Alike*

6 KA 1" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

6 KA
A482

COVERED LAMINATED REKEYABLE PIN TUMBLER PADLOCKS — RETAIL CARDED



Keyed Different
911DPF KD 1-1/8" vertical clearance

Designed to meet the needs of contractors and small businesses. 2-1/8" wide reinforced laminated steel body. Hardened boron alloy shackle, 5/16" diameter, for maximum cut resistance. Horizontal shackle clearance is 7/8". 5-pin cylinder helps prevent picking. Removable cylinder can be replaced or repinned. Dual ball bearing locking for maximum pry resistance. "FlexFit" keyway cover minimizes jamming. Ideal for outdoor applications.



Keyed Different
931DPF KD 3/4" vertical clearance

Designed to meet the needs of contractors and small businesses. 2-1/8" wide reinforced laminated steel body for superior strength and weatherability. Solid metal shroud for maximum pry and cut resistance. Hardened boron alloy shackle, 5/16" diameter, for maximum cut resistance. Horizontal shackle clearance is 7/8". 5-pin cylinder helps prevent picking. Removable cylinder can be replaced or repinned. Dual ball bearing locking for maximum pry resistance.

Cannot find what you need?
It simple ...
just give us a call...



©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

479 v2
(PL-44)

PADLOCKS

LAMINATED REKEYABLE PIN TUMBLER PADLOCKS

High-security padlocks from Master, offering special removable-cylinder provision. Easy for authorized person to quickly match-up to existing keyed-alike or master-keyed systems, or to change lock cylinder whenever the security of an existing key becomes doubtful due to loss of key, turnover in personnel, etc. Nos. 21, 25 and 27 are also available with separate shackles allowing users to install a variety of shackle lengths in lock bodies on-the-spot, eliminating the need to stock extensive inventories (lock bodies come with shackle retainer plate unclenched; simply add desired shackle and clench the plate to permanently anchor the shackle in the body).

SERIES 21

1-3/4" wide laminated steel body. Pin tumbler cylinder and special keyway. Hardened steel shackle 5/16" diameter. Shackle clearance 15/16", 1-1/2", 2-1/2" or 5-3/4" vertical, 3/4" horizontal. Dual hardened-steel levers lock each shackle independently. (Bodies also available without shackles installed to accept a range of optional long shackles.)

Keyed Different With 5 Pin 27K Keyway
21 KD 15/16" vertical clearance.
21LF KD 1-1/2" vertical clearance.
21LJ KD 2-1/2" vertical clearance.

Keyed Different With 4 Pin 1K Keyway
21W1 KD 15/16" vertical clearance.

Keyed Alike* With 5 Pin 27K Keyway
21 KA 15/16" vertical clearance.
21LF KA 1-1/2" vertical clearance.
21LJ KA 2-1/2" vertical clearance.

Keyed Alike* With 4 Pin 1K Keyway
21W1 KA 15/16" vertical clearance.

Keyed 0-Bitted With 5 Pin 27K Keyway
21 KZ 15/16" vertical clearance.

Keyed 0-Bitted With 4 Pin 1K Keyway
21W1 KZ 15/16" vertical clearance.
21W1LF KZ 1-1/2" vertical clearance.
21W1LJ KZ 2-1/2" vertical clearance.


Without Cylinder
21WO 15/16" vertical clearance.
21WO LF 1-1/2" vertical clearance.
21WO LJ 2-1/2" vertical clearance.
21WO LN 5-3/4" vertical clearance.
21WCS Body only-no shackle.

***KEYED ALIKE NUMBERS STOCKED:**
21 KA: 10L315, 10L464.
21LF KA: 10L533.
21LJ KA: 10L504.
21W1 KA: 2115, 2130, X2366.



New Style*

1-3/4" wide body



SERIES 25

2" wide laminated steel body. Pin tumbler cylinder and special keyway. Hardened boron alloy shackle 3/8" diameter. Shackle clearance 1" or 2-1/2" vertical, 15/16" horizontal. Dual hardened-steel levers lock each shackle independently.

Keyed Different With 5 Pin 27K Keyway
25 KD 1" vertical clearance.

Keyed Alike* With 5 Pin 27K Keyway
25 KA 1" vertical clearance.

Keyed 0-Bitted With 5 Pin 27K Keyway
25 KZ 1" vertical clearance.

Keyed 0-Bitted With 4 Pin 1K Keyway
25W1 KZ 1" vertical clearance.

Without Cylinder
25WO 1" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**
25 KA: Please call.



New Style*

2" wide body

▪ See next page for cylinders and shackles for 21, 25 Series padlocks ▪

***NOTE:** The new design shown is a rolling change. We cannot guarantee that you don't get the old style, shown below.



PADLOCKS

LAMINATED REKEYABLE PIN TUMBLER PADLOCKS

**Master
Lock.**

SERIES 27

2" wide laminated steel body. Pin tumbler cylinder and special keyway. hardened boron alloy shackle 7/16" diameter. Shackle clearance 1" or 2" vertical, 3/4" horizontal. Dual hardened-steel levers lock each shackle independently.

Keyed Different With 5 Pin 27K Keyway
27 KD 1" vertical clearance.

Keyed Alike* With 5 Pin 27K Keyway
27 KA 1" vertical clearance.

Keyed 0-Bitted With 5 Pin 27K Keyway
27 KZ 1" vertical clearance.

Keyed 0-Bitted With 4 Pin 1K Keyway
27W1 KZ 1" vertical clearance.

Without Cylinder

27WO 1" vertical clearance.

27WO LH 2" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:
27 KA: 10L130, 10L466.



**New
Style***

2" wide body

▪ See below for cylinders and shackles ▪

**NOW Sold as each
Minimum of 2**

CYLINDERS FOR 21, 25, 27, 101, 220, 230 PADLOCKS

NOW sold as each, minimum 2 of a number, 4 pin cylinder (294W1) includes special plug extension. Cylinder may be used in 21, 25 and 27 padlocks. 5 Pin cylinder (295W15 thru W81KR) may be used in 21, 25, 27, 220 and 230 padlocks.

Same 4 Pin cyl. used in Nos. 1, 2, 3, 4, 5, 6 Padlocks.

294W1 KD Keyed Different.

294W1 KA Keyed Alike:2159.

294W1 KZ 0-Bitted.

Same 5 Pin cyl. used in No. 15 Padlock.

295W15 KD Keyed Different.

295W15 KA Keyed Alike: 19N451.

Same 5 Pin cyl. used in No. 17 Padlock.

295W17 KD Keyed Different.

295W17 KA Keyed Alike: 10T402, 19T458.



Same cylinder used in Nos. 21, 27, 220, 230 Padlocks.

295W27 KD Keyed Different.

Same 5 Pin Cyl. used in No. 81 Master Keyed Padlock.

295W81KM MK KD Master Keyed/Keyed Different

295W81KM MK KA Master Keyed/Keyed Alike: 11M65.

295W81KM KZ 0-Bitted.

Same 5 Pin Cyl. used in No. 81 Padlock.

295W81KR KD Keyed Different.

SEPARATE SHACKLES FOR 21, 25, 27 PADLOCKS

For #21WCS locks (Shackle springs included).

No.	Qty.	Description
292S21	5	Standard shackles 15/16"
292S21-LF	5	Extra-length 1-1/2" shackles
292S21-LJ	5	Extra-length 2-1/2" shackles
292S21-LN	5	Extra-length 5-3/4" shackles
292S21-A	10	Assorted length shackles 2 — Standard length 3 — 1-1/2", 3 — 2-1/2", 2 — 5-3/4"

NOTE: Shackles sold by the package only. Package quantity listed under "Qty".

For #25 WCS locks (shackle springs preassembled on 25WCS lock bodies).

No.	Qty.	Description
292S25	5	Standard shackles 1"
292S25-LJ	5	Extra-length 2-1/2" shackles

For #27 WCS locks (shackle springs preassembled on 27WCS lock bodies).

No.	Qty.	Description
292S27	5	Standard shackles 1"
292S27-LH	5	Extra-length 2" shackles

QUICK SERVICE, COURTEOUS SERVICE, KNOWLEDGEABLE SERVICE
"WHERE SERVICE IS A HABIT WITH US"

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

481_{v1}
(PL-44)

PADLOCKS

WARDER TYPE LAMINATED PADLOCKS

**Master
Lock.**



3/4" wide body

3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 1/8". Clearances: vertical 5/16", horizontal 1/4". 2 keys. **Retail Carded.**

Keyed Different

9D KD 5/16" vertical clearance.



1" wide body

1" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 5/32". Clearances: vertical 7/16", horizontal 13/32". 2 keys. Keyed different padlocks are **Retail Carded.**

Keyed Different

10D KD 7/16" vertical clearance.



1-1/2" wide body

1-1/2" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 1/4". Clearances: vertical 5/8", horizontal 9/16". 2 keys.

Keyed Different

22 KD 5/8" vertical clearance.



BREAKAWAY SHACKLE

The padlocks that's made to be broken! Regular Master #500 laminated steel padlock with specially constructed shackle that can easily be shattered in an emergency by a blow from a hammer, wrench or similar instrument. Specified by leading fire insurance underwriters for equipping sprinkler shut-off valves and fire hoses. Prevents tampering with the hose housing or sprinkler system, but provides fast, easy access when necessary. Also permits ready inspection by fire inspectors and fire equipment servicing companies. Padlock has 1-3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 9/32". Clearances: vertical 13/16", horizontal 13/16". 2 keys.

Keyed Alike*

500BRK KA 13/16" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**
500BRK KA: 197, 267.



1-3/4" wide body

1-3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle, diameter 9/32". Clearances: vertical 1-1/2", horizontal 13/16". 2 keys.

Keyed Alike*

500 LF KA 1-1/2" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**
500 LF KA
195.



510

517

1-3/4" wide body

1-3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. 510 has adjustable and removeable 3" (ratchet) shackle with vertical clearance of 5/8" to 2". 517 has adjustable and removeable 7" (ratchet) shackle with vertical clearance of 2-3/4" to 5-3/8". Shackle diameter 9/32", horizontal 13/16". 2 keys.

Keyed Alike*

510 KA 5/8 to 2" vertical clearance.

517 KA 2-3/4" to 5-3/8" vertical clear.

***KEYED ALIKE NUMBERS STOCKED:**
510 KA: F27.
517 KA: F29.

PADLOCKS

-\$-Discontinued. Call for closeout prices



SAFETY LOCKOUT PADLOCKS Complete and Easy OSHA Device Compliance



- "Safety Lockout" identification on lock and key.
- Write-on labels for custom identification.
- Eight bright body colors.
- **One Restricted Safety Key (400K) per pad lock. Additional keys Factory order.**
- One key provided per lock - for improved safety. Additional keys available when required.
- Six pin cylinder.
- **Durable lightweight non-conductive Xenoy® body is ideal for harsh environments.**
- Key retaining.
- Dedicated safety keyway.
- Extra length shackle.



\$410 SERIES Available KA or KD
1-1/2" wide, 1-3/4" high dedicated safety lockout padlock with 1-1/2" shackle and available in 8 colors.

\$411 SERIES Available KA or KD
1-1/2" wide, 3" high dedicated safety lockout padlock with 1-1/2" shackle and available in 8 colors.

Keyed Different

410 BLK KD
410 BLU KD
410 GRN KD
410 ORJ KD
410 RED KD
410 PRP KD
410 TEL KD
410 YLW KD

Keyed Alike

410 BLK KA
410 BLU KA
410 GRN KA
410 ORJ KA
410 RED KA
410 PRP KA
410 TEL KA
410 YLW KA

COLORS:

BLK	Black
BLU	Blue
GRN	Green
ORJ	Orange
RED	Red
PRP	Purple
TEL	Teal
YLW	Yellow

Keyed Different

411 BLK KD
411 BLU KD
411 GRN KD
411 ORJ KD
411 RED KD
411 PRP KD
411 TEL KD
411 YLW KD

Keyed Alike

411 BLK KA
411 BLU KA
411 GRN KA
411 ORJ KA
411 RED KA
411 PRP KA
411 TEL KA
411 YLW KA

LIMITED SUPPLY

OPTIONS AVAILABLE BY SPECIAL ORDER:

- Master Keyed
- Ink stamping of key number on label
- Second Key provided with order
- Reserved key numbers
- 4 pin cylinder
- 5 pin cylinder
- 5 pin cylinder (81 kwy)
- Customized labels

-\$-Discontinued. Call for closeout prices



SEE PAGE 466 FOR 6835 SAFETY PADLOCKS

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

483_{v1}
(PL-44)

PADLOCKS

REKEYABLE SOLID STEEL PADLOCKS



PRO SERIES



Excellent security against physical attacks. Heavy case hardened steel body. Hardened steel (7030) and boron alloy (7040-7050) shackles for superior cut resistance. 5-pin tumbler Pro Series provides tens of thousands of key changes. **Has W600A cylinder (American Lock keyway)**

	Body Width	Shackle Diameter	Horizontal Shackle Clearance	Vertical Shackle Clearance
Keyed Different				
7030 W600KD	1-9/16"	1/4"	25/32"	1-1/16"
7040 W600KD	1-3/4"	5/16"	29/32"	1-3/16"
7050 W600KD	2"	3/8"	29/32"	1-1/2"
Keyed Alike*				
7030 W600KA	1-9/16"	1/4"	25/32"	1-1/16"
7040 W600KA	1-3/4"	5/16"	29/32"	1-3/16"
7050 W600KA	2"	3/8"	29/32"	1-1/2"

***KEYED ALIKE NUMBERS STOCKED:**
7030 KA: 44725. **7040 KA:** 22487.
7050 KA: 22634.

REKEYABLE SOLID STEEL PRO SERIES PADLOCK

Master Pro Series High Security padlock with 2-1/2" wide steel case and 5-pin W6000 removable cylinder. Massive solid steel lock body is hardened for saw and hammer resistance. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 1-1/8" or 2" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently.



2-1/2" wide body

Keyed Different With 5 pin W6000 Keyway

- 6230 KD** 1-1/8" vertical clearance
- 6230LH KD** 2" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

- 6230 KA** 1-1/8" vertical clearance
- 6230LH KA** 2" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

- 6230 KZ** 1-1/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

- 6230W1 KZ** 1-1/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

- 6230W27 KZ** 1-1/8" vertical clearance

Without Cylinder


- 6230WO** 1-1/8" vertical clearance
- 6230WO LH** 2" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**
6230 KA: 10G127.

REKEYABLE SOLID STEEL PRO SERIES PADLOCK



6270



770

Hidden shackle lock and guarded hasp is ideal for vans, trucks, gates and vending. Defeats attempts to pry and cut. Hardened solid steel lock body withstands forcible attacks. Complete with high security 6-pin Pro Series cylinder.

Stock No.	Description
6270 KD	Keyed Different
6270 KA	Keyed Alike (10G377 or 408K377)
770	Hasp for 6270 Series Padlock 7-1/4" x 4-1/2"

REKEYABLE SOLID STEEL PRO SERIES PADLOCK — RETAIL CARDED



High security padlock resist tough abuse. 2-1/2" wide hardened solid steel body. Hardened boron alloy shackle for superior cut resistance. 5-pin tumbler cylinder for added security. Removable cylinder can be replaced or repinned. Industrial grade materials to withstand attacks. Shackle diameter: 7/16". Horizontal shackle clearance: 7/8".

- Keyed Different**
- 930DLHPF KD** 2" vertical clearance

©ZIPF LOCK COMPANY

484 _{v2} SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.
 (PL-44)

PADLOCKS



SOLID STEEL PRO SERIES PADLOCK — RETAIL CARDED

Chrome plated solid steel body is strong, durable and resists rust and corrosion. Dual ball locking for added protection from prying and hammering. Hardened steel shackle for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. **530**: shackle dia.: 9/32", Horizontal shackle clearance: 3/4". **532**: shackle dia.: 3/8", Horizontal shackle clearance: 1"



1-1/2" wide body

530DPF KD 15/16" vertical clearance

2" wide body

532DPF KD 1-1/4" vertical clearance

532DLHPF KD 2" vertical clearance

REKEYABLE SOLID STEEL PRO SERIES PADLOCK — RETAIL CARDED

Solid steel body is strong, durable and resists rust and corrosion. Dual ball locking for added protection from prying and hammering. Hardened boron alloy shackle for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. Shackle dia.: 5/16", Horizontal shackle clearance: 29/32".



1-3/4" wide body



991DPF KD 1-3/16" vertical clearance

REKEYABLE DIE-CAST ZINC BODY PADLOCKS

Chrome plated, hardened 7/16" diameter boron alloy shackle



2" wide body



2-1/2" wide body

Rekeyable round padlock with 2" wide solid body. 5 pin tumbler W27 cylinder. Hardened boron alloy shackle 7/16" diameter. Shackle clearance 1" or 2" vertical, 3/4" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple-plated copper-nickel-chrome finish.

Keyed Different

220 KD 1" vertical clearance.

220LH KD 2" vertical clearance.

Keyed Alike*

220 KA 1" vertical clearance.

Without Cylinder

220WO 1" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

220 KA: 10L036, 10L566.

Rekeyable round padlock with 2-1/2" wide solid body. 5 pin tumbler W27 cylinder. Hardened boron alloy shackle 7/16" diameter. Shackle clearance 1" or 2" vertical, 15/16" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple-plated copper-nickel-chrome finish.

Keyed Different

230 KD 1" vertical clearance.

230LH KD 2" vertical clearance.

Keyed Alike*


230 KA 1" vertical clearance.

Without Cylinder

230WO 1" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

230 KA: 10L033, 10L134.



▪ See page 490 for cylinders ▪

©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

485_{v2}


(PL-44)

PADLOCKS

TITANIUM SERIES™ SHROUDED PADLOCKS



Titanium Series™ reinforced for High-Tech strength. No rust lifetime guarantee. "Bolt cutter tough" and "crowbar resistant" hardened steel shrouded shackle offers extreme cut and pry resistance. Weather tough™ patented sliding keyway cover keeps dirt and grime from jamming the locking mechanism. Scratch proof and durable ABS plastic bumper. Key retaining feature ensures padlock is not left unlocked. **185**: Shackle diameter: 9/32", Horizontal shackle clearance: 5/8", Vertical shackle clearance: 5/8". **187**: Shackle diameter: 5/16", Horizontal shackle clearance: 3/4", Vertical shackle clearance: 15-16".



1-15/16" wide body

185D Keyed Different

185D KA Keyed Alike: P399

2-5/16" wide body

187D Keyed Different

187D KA Keyed Alike: 3475

SPECIALTY PADLOCKS

PIN TUMBLER HASPLOCK




The first hasplock which provides the maximum protection of precision 4 pin tumbler security! Ideal for garage doors, tool and equipment sheds, cabins, washrooms, boat houses, trucks, warehouses, etc. Rugged 1-3/4" wide laminated steel padlock permanently attached to heavy-duty slide bolt and 4-1/2" wrought steel hasp... can't be misplaced, lost or stolen. Easy to install — works on doors opening right or left. Unique pinless hinge. Extra strong rounded staple of hardened steel. Tapered design, with rolled edges to conceal screws. Cadmium rustproofing. Specially inked serial number, erasable for added security. Complete with 7 cadmium plated screws. 2 brass keys.

475 KA Keyed alike - 2905

D-Individually packaged for use on pegboards or in counter displays. Six in a shelf pack.

GUN LOCK



The world standard in trigger lock design. Steel and zinc body for maximum durability. 4-pin tumbler cylinder helps prevent picking. Durable metal construction. Protective rubber pads shield gun from scratches. Fits most handguns, rifles and shotguns.

Keyed Alike*

90D KA

***KEYED ALIKE NUMBERS STOCKED:**
90D KA: P104.

GUN LOCK




Easy to install and set. Features positive locking with adjustable ratchet mechanism. Offers added convenience of keyless resettable combination. Special cushion pads protect gun's finish from marring or scratching. fits many handguns, rifles and shotguns.

Combination Gun Lock

94DSPT

ARMOR LOCK



Armored hardened steel shackle defies cutting. 1-3/4" laminated steel body for superior strength. 4-pin tumbler cylinder helps prevent picking. Shackle guard protects against bolt cutters and hacksaws. Shackle fits openings 1/2" diameter or larger; shackle guard removable to accommodate openings 9/32" diameter. Clearances: vertical 15/16", horizontal 7/16". Ideal for securing trailers, cables and chains. 2 keys.

Keyed Alike*

37 KA 15/16" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**
37 KA: 3383.

©ZIPF LOCK COMPANY

486 v1 SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.
(PL-44)

PADLOCKS

SPECIALTY PADLOCKS



MAXIMUM SECURITY

Fully shielded design minimizes shackle exposure. Key retaining feature ensures padlock is not left unlocked. 2-3/4" wide stainless steel body. Hardened steel shackle, diameter 3/8". Clearances: vertical 3/4", horizontal 3/4". 4-pin cylinder. Double deadbolt locking to guard against pulling. Lifetime guarantee.

Keyed Different

40D KD

Keyed Alike*

40D KA

*KEYED ALIKE NUMBERS STOCKED:
40DKA: 0313, 0340, 0370, 0452, 0476.

SOLID RECTANGULAR BRASS TRAILER COUPLER LOCK



605DAT

2-1/4" solid brass coupler lock with anti-sawing pin for maximum protection. Case-hardened steel shackle resists cutting and sawing. Solid brass case resists corrosion. Precision pin tumbler mechanism for superior pick resistance.


UNIVERSAL TRAILER COUPLER LOCK



377DAT

Universal coupler lock fits 1-7/8" and 2" ball diameters of the following coupler brands: Reese®, Fulton, Valley, Attwood®, Putnam, Marvel, Ideal, Acme, Dutton-Lainson and UFP. Easy to install and remove. Resists rust and corrosion. Guards against trailer towaway theft.

CLASS III/IV RECEIVER HITCH LOCK 5/8" PIN & SNAP-ON RECEIVER LOCK



375DAT

5/8" pin fits standard 2" receiver tube. Nickel-plated, hardened steel pin resists corrosion and provides strong cut and shear resistances. The lock body snaps (and locks) onto the receiver pin for fast and trouble-free application. The pin tumbler mechanism offers maximum pick resistance while the solid brass keyway and vinyl cover allows for extended weather protection.



WIDE BODY

Extra wide reach for commercial freezers and other special applications. Removable cylinder can be replaced or repinned. 3-1/4" wide laminated steel body. Hardened boron alloy shackle, diameter 5/16". Clearance: vertical 3", horizontal 2-1/4"

No. Description

101 KD Keyed differently

101 KA Keyed Alike #10L467

101WO Lock without cylinder

Separate cylinders available to match other Master padlocks. **SEE PAGE 489.**

SPARE TIRE LOCKS

262DAT

Spare tire lock, lug nut style. Ideal for locking spare tires on RV's, truck, etc.



©ZIPF LOCK COMPANY

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.

487^{v1}

(PL-44)

PADLOCKS

Sold by the bag
(12 per bag)

MISCELLANEOUS



PADLOCK CHAINS AND SHACKLE COLLARS —FOR MOST MASTER PADLOCKS—

CHAINS

71CS

9" long lightweight zinc plated steel chain with chain holder attached; fits all Master shackle collars which must be ordered separately.

71CH

9" long heavy-duty zinc plated steel chain with chain holder attached. Fits all Master shackle collars EXCEPT 71SC7. Order shackle collars separately.

COLLARS

71SC7

Fits 7/32" diameter shackles and smaller. For Nos. 7, 7LF, 7LJ, 8, 8LF, 105, 105LF.

COLLARS(Con't)

71SC9

Fits 9/32" diameter shackles and smaller. For Nos. 3, 3LF, 3LH, 4, 4LF, 4LH, 11, 500, 500LF, 1500 series, 1525.

71SC10

Fits 5/16" diameter shackles and smaller. For Nos. 1, 1LF, 1LJ, 1LN, 2, 2LF, 2LJ, 21, 21LF, 21LJ, 21LN, 81, 81LF, 81LJ, 81LN, 82, 82LF, 82LJ, 101, 175, 175LH, 2001.

71SC12

Fits 3/8" diameter shackles and smaller. For Nos. 5, 5LF, 5LJ, 6, 6LF, 6LJ, 25, 25LF, 25LJ, 25WO.

COLLARS(Con't)

71SC14

Fits 7/16" diameter shackles and smaller. For Nos. 15, 17, 220, 220LH, 230, 230LH, 27, 27LH.

71TAG

1/2" x 1-3/4" brass tag with ring for attaching to shackle collars listed.



Collars furnished complete with rivets for attaching to shackle.

DUAL FUNCTION DOOR SECURITY BAR

Adjusts to fit most Sliding and Hinged doors



For Sliding Doors

Stock No.
265D (White)

For Hinged Doors



- Non-marring yoke (removable for sliding doors)
- Designed to fit most doors, simple push button adjustment.
- High strength steel tube. 20-gauge.
- Portable. Collapsible, to fit most suitcases and garment bags.
- Pivoting ball joint for full contact on floor.
- Padded foot provides sure grip on most floors.
- Lifetime Guarantee.

ADJUSTABLE LOCK & ALARM FOR SLIDING WINDOWS & PATIO DOORS



Stock No.
266D (White)

Pressure activated 110dB alarm. Fits larger sliding windows & patio doors. Excellent visual deterrent.



LIGHTWEIGHT CHAINS

3/16" lightweight welded steel chain. Case-hardened, zinc plated. Flexible green vinyl protective cover.
74D 6' chain

©ZIPF LOCK COMPANY

PADLOCKS

MISCELLANEOUS



PRO SERIES REPLACEMENT SHACKLES

Most Pro Series padlock shackles are removable and can be interchanged with extra length shackles to minimize inventory requirements and fit a wide variety of locking applications. Standard replacement shackles for Pro Series High Security padlocks are also available. All Pro Series shackles are made of extra tough BORON alloy for extreme resistance to bolt cutter, prybar, saw and other physical attacks. **Sold in bags of 6 each.**

For No. 6121, 6421, 6621, 6840 Series

293S6121 Standard 1-1/8" shackle
293S6121-LJ Extra length 2-3/8" shackle
293S6121-LN Extra length 5-5/8" shackle
For No. 6125, 6850, 6851, 6852 Series
293S6125 Standard 1-3/8" shackle

For No. 6127, 6427, 6627 Series

293S6127-LH Extra length 1-7/8" shackle
For No. 6321, 6521, 6721 Series
293S6321LS Short length 3/4"

NOW sold as each
Minimum 2 of a number

SEPARATE CYLINDERS

All Pro Series padlocks from Master Lock have removable cylinders that can be changed instantly whenever security is compromised due to lost keys or employee turnover. Separate cylinders can be ordered in four, five and six pin configurations depending upon the security level desired. Optional six pin cylinders provide high security, high pick resistance, and over 100,000 possible key changes to virtually eliminate any possibility of duplication. Five pin W6000 cylinders include special pick resistant spool pins and are standard on all Pro Series padlocks. All cylinders can be pinned to match existing Master padlock key systems. **Minimum 2 of a cylinder** (includes 2 keys per cylinder)

For 6121, 6125, 6127, 6230, 6321, 6325, 6327, 6830, 6835, 6840 and 6850 Series

Four pin W1 cylinder.

296W1 KD Keyed Different.
296W1 KZ 0-Bitted.

Five pin W15 cylinders.

296W15 KD Keyed Different.
296W15 KZ 0-Bitted.

Five pin W17 cylinders.

296W17 KD Keyed Different.

Five pin W27 cylinders.

296W27 KD Keyed Different.
296W27 KZ 0-Bitted.

Five pin W81 cylinders.

296W81 KZ 0-Bitted.

Five pin W6000 cylinders.

296W6000 KZ 0-Bitted.

Five pin W600A (American Lock) cylinders.

296W600A KA Keyed Alike: ?

Six pin W7000 cylinders.

296W7000 KD Keyed Different.
296W7000 KZ 0-Bitted.

Six pin W700A (American Lock) cylinders.

296W700A KD Keyed Different.
296W700A KZ 0-Bitted.

PADLOCKS

MISCELLANEOUS



NOW Sold as each
Minimum of 2

CYLINDERS FOR 21, 25, 27, 101, 220, 230 PADLOCKS

NOW sold as each, minimum 2 of a number, 4 pin cylinder (294W1) includes special plug extension. Cylinder may be used in 21, 25 and 27 padlocks. 5 Pin cylinder (295W15 thru W81KR) may be used in 21, 25, 27, 220 and 230 padlocks.

Same 4 Pin cyl. used in Nos. 1, 2, 3, 4, 5, 6 Padlocks.

- 294W1 KD** Keyed Different.
- 294W1 KA** Keyed Alike: 2159.
- 294W1 KZ** 0-Bitted.

Same 5 Pin cyl. used in No. 15 Padlock.

- 295W15 KD** Keyed Different.
- 295W15 KA** Keyed Alike: 19N451.

Same 5 Pin cyl. used in No. 17 Padlock.

- 295W17 KD** Keyed Different.
- 295W17 KA** Keyed Alike: 10T402, 19T458.



Same cylinder used in Nos. 21, 27, 220, 230 Padlocks.

- 295W27 KD** Keyed Different.

Same 5 Pin Cyl. used in No. 81 Master Keyed Padlock.

- 295W81KM MK KD** Master Keyed/Keyed Different
- 295W81KM MK KA** Master Keyed/Keyed Alike: 11M65.
- 295W81KM KZ** 0-Bitted.

Same 5 Pin Cyl. used in No. 81 Padlock.

- 295W81KR KD** Keyed Different.

SEPARATE SHACKLES FOR 21, 25, 27 PADLOCKS

For #21WCS locks (Shackle springs included).

No.	Qty.	Description
292S21	5	Standard shackles 15/16"
292S21-LF	5	Extra-length 1-1/2" shackles
292S21-LJ	5	Extra-length 2-1/2" shackles
292S21-LN	5	Extra-length 5-3/4" shackles
292S21-A	10	Assorted length shackles
		2 — Standard length
		3 — 1-1/2", 3 — 2-1/2", 2 — 5-3/4"


For #25 WCS locks (shackle springs preassembled on 25WCS lock bodies).

No.	Qty.	Description
292S25	5	Standard shackles 1"
292S25-LJ	5	Extra-length 2-1/2" shackles

NOTE: Shackles sold by the package only. Package quantity listed under "Qty".

PUSH/PULL/KICK PLATES

DOOR PULLS



Stock No.	CTC	Dimensions
DJ-15	6"	6-3/4" x 2-1/4" x 1-1/2"
DJ-16	8"	8-3/4" x 2-1/4" x 1-1/2"
DJ-17	10"	10-3/4" x 2-1/4" x 1-1/2"

Finishes: 605, 613, 628, 629, 630
ANSI J401. 3/4" diam. Made from solid bar stock.

DON-JO



DJ-35
Finishes: 605, 613, 625
Dimensions: 7-1/2" x 2" x 1-1/2".
C to C: 5-1/2". ANSI: J401.



DJ-36
Finishes: 605, 613
Dimensions: 7-1/2" x 2" x 1-1/2"
C to C: 5-1/2". ANSI: J401.

DIMENSIONS - Overall x Projection x Clearance

©ZIPF LOCK COMPANY

490_{v2} SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH ■ - SUPPLIES LIMITED - PLEASE INQUIRE.
(PL-44)