






SALES REPRESENTATIVE

**U.S. PATENT
3,597,889 4,149,693
CANADIAN PATENT
NO. 936147**



“T” BAR HANGERS

	CAT #	THESE “T” BARS ARE MADE TO FIT MOST STANDARD RECESSED LIGHT FIXTURES	STD. PACK	WEIGHT STD. PACKS (LBS.)
1	1-75	TO USE WITH 1-1/2 DEEP BOX	50 UNITS	22
2	3-80	TO USE WITH 2-1/8 DEEP BOX	50 UNITS	22
3	7-23D	JUNCTION BOX SUPPORT	50 SETS	26
4	2-40	FOR RECESSED LIGHT	50 SETS	52
5	2-40S	FOR RECESSED LIGHT ATLAS - PRESCOLITE	50 SETS	38
6	2-40D	FOR RECESSED LIGHT - 100W-150W SQUARE ATLAS	50 SETS	46
7	F1-75T	VERTICAL MOUNT T-BAR FOR RECESSED FIXTURES	50 SETS	45
8	F251T	FOR HALO H7-S	50 SETS	26
9	2-40ST	FOR LIGHTOLIER 1102 SERIES	50 SETS	26
10	1-16R	MULTIPLE SWITCH BOX HOLDER	50 UNITS	20
11	1-23A	26" CEILING BAR	50 UNITS	35
12	1-23E	18" CEILING BAR	50 UNITS	25
13	2-28A	26" BAR	50 UNITS	34
14	2-28B	18" BAR	100 UNITS	49
15	2-28C	12" BAR	100 UNITS	35
16	F2-40T	FOR LIGHTOLIER 7054 - FOR SUSPENDED CEILING	50 SETS	38
17	7-26A	FOR LIGHTOLIER 7054-27" FOR WOOD CEILING	50 SETS	37
18	2112	21" BAR HANGER 1 1/2" OFFSET MOUNT WITH PLASTER RING	50 UNITS	26



1-888-FOR-T-BAR (1-888-367-8227)


MANUFACTURING CO., INC.

500 Lynnway, Lynn, MA 01905

Phone: (781) 581-1892 • Fax: (781) 595-3734 • www.AGMFG.net

RIGID - IMC CONDUIT - ONE HOLE STRAP - MALLEABLE IRON


One Hole Strap
MALLEABLE IRON



Catalog Number	Size	Std. Pkg.	Pounds per Master Carton	Master Carton Quantity	DIM A	DIM B	DIM C
451	1/2"	100	40	500	2.25	1.00	.63
452	3/4"	100	50	500	2.50	1.25	.69
453	1"	50	40	250	2.58	1.42	.82
454	1-1/4"	50	50	250	3.16	1.81	.86
455	1-1/2"	25	60	250	3.76	2.07	1.02
456	2"	20	60	100	4.70	2.52	1.18
457	2-1/2"	20	85	100	5.25	3.05	1.39
458	3"	20	80	100	6.75	3.88	1.48
459	3-1/2"	10	180	50	7.45	4.56	1.72
460	4"	10	200	50	7.96	4.92	1.92

RIGID CLAMP BACK - MALLEABLE IRON


Clamp Back
MALLEABLE IRON



Catalog Number	Size	Std. Pkg.	Pounds per Master Carton	Master Carton Quantity	Dim A	Dim B	Dim C
461	1/2"	100	32	500	2.38	1.05	.46
462	3/4"	100	44	500	2.50	1.13	.53
463	1"	50	35	250	2.98	1.25	.51
464	1-1/4"	50	45	250	3.53	1.35	.67
465	1-1/2"	25	54	250	3.92	1.61	.55
466	2"	20	44	100	5.15	2.06	.81
467	2-1/2"	20	70	100	5.73	2.42	.80
468	3"	20	90	100	6.40	2.90	.80
469	3-1/2"	10	140	50	7.16	2.90	1.10
470	4"	10	180	50	8.90	3.05	1.10

STEEL ZINC PLATED CONDUIT HANGERS


Conduit Hangers
WITH BOLT ASSEMBLED
ZINC PLATED STEEL
AFTER FABRICATION
with bolts



Catalog Number	Trade Size	Rigid	EMT	Std. Pkg.	Pounds Per Master Carton	Master Carton Quantity	Dim A	Dim B
525	0-B	1/2"	1/2"	100	67	1000	1.87	.75
526	1-B	3/4"	3/4"	50	85	1000	2.23	.88
527	2-B	1"	1"	50	50	500	2.54	.88
528	2 1/2-B	-	1-1/4"	50	31	250	2.86	.88
529	3-B	1-1/4"	1-1/2"	50	35	250	3.23	.88
530	4-B	1-1/2"		50	47	250	3.70	1.10
531	5-B	2"	2"	25	61	250	4.11	1.19
532	6-B	2-1/2"	2-1/2"	25	73	250	4.64	1.25
533	7-B	3"	3"	25	85	250	5.05	1.25
534	8-B	3-1/2"	3-1/2"	20	73	200	5.90	1.25
535	9-B	4"	4"	20	80	200	6.00	1.25

STAINLESS STEEL CONDUIT HANGERS


Conduit Hangers
STAINLESS STEEL
with bolts assembled



Catalog Number	Trade Size	Rigid	EMT	Std. Pkg.	Pounds Per Master Carton	Master Carton Quantity	Dim A	Dim B
725	0-B	1/2"	1/2"	100	67	1000	1.87	.75
726	1-B	3/4"	3/4"	50	85	1000	2.23	.88
727	2-B	1"	1"	50	50	500	2.54	.88
728	2 1/2-B	-	1-1/4"	25	31	250	2.86	.88
729	3-B	1-1/4"	1-1/2"	25	35	250	3.23	.88
730	4-B	1-1/2"	-	25	47	250	3.70	1.10
731	5-B	2"	2"	25	61	250	4.11	1.19
732	6-B	2-1/2"	2-1/2"	25	73	250	4.64	1.25
733	7-B	3"	3"	25	85	250	5.05	1.25
734	8-B	3-1/2"	3-1/2"	20	73	200	5.90	1.25
735	9-B	4"	4"	20	80	200	6.00	1.25

TWO HOLE STRAPS - GALVANIZED STEEL - EMT

Two Hole Straps GALVANIZED STEEL




Catalog Number	EMT Size	Pipe Size	Std. Pkg.	Pounds per Master Carton	Master Carton Quantity	Dim. A	Dim. B	Dim. C
601	1/2"		100	30	1000	2.20	.75	.57
602	3/4"		100	31	1000	2.72	.95	.64
603	1"		50	25	500	3.02	1.15	.69
604	1-1/4"		50	17	250	3.68	1.50	.76
605	1-1/2"		50	25	250	4.25	1.71	.88
606	2"		50	35	250	4.87	2.16	1.00

TWO HOLE STRAPS - GALVANIZED STEEL - CONDUIT

FITS RIGID CONDUIT AND PIPE


Two Hole Straps GALVANIZED STEEL



Catalog Number	EMT Size	Pipe Size	Std. Pkg.	Pounds per Master Carton	Master Carton Quantity	Dim. A	Dim. B	Dim. C
626		1/2"	100	30	1000	2.59	.89	.75
627		3/4"	100	52	1000	2.88	1.07	.75
628		1"	50	32	500	3.25	1.32	.75
629		1-1/4"	50	24	250	4.15	1.63	.87
630		1-1/2"	50	27	250	4.75	1.92	1.00
631		2"	50	37	250	5.13	2.32	1.00
632	2-1/2"	2-1/2"	25	44	250	5.86	2.92	1.00
633	3"	3"	25	60	250	6.53	3.50	1.00
634	3-1/2"	3-1/2"	25	98	250	7.46	4.00	1.00
635	4"	4"	25	101	250	7.96	4.50	1.00
636	5"	5"	10	49	50	8.50	5.60	.75
637	6"	6"	10	57	50	9.38	6.50	.75

RIGID CONDUIT AND PIPE IPS/HEAVY


One Hole Straps ZINC PLATED STEEL AFTER FABRICATION





Catalog Number	EMT Size	Pipe Size	Std. Pkg.	Pounds per Master Carton	Master Carton Quantity	Dim. A	Dim. B	Dim. C
551		1/2"	100	33	1000	1.82	.82	.62
552		3/4"	100	42	1000	2.23	1.09	.75
553		1"	50	36	500	2.63	1.32	.88
554		1-1/4"	50	68	500	2.72	1.48	.75
555		1-1/2"	50	55	250	3.66	1.92	1.00
556		2"	50	75	250	4.16	2.33	1.13
557	2-1/2"	2-1/2"	25	170	250	5.10	3.00	1.25
558	3"	3"	25	210	250	5.57	3.56	1.25
559	3-1/2"	3-1/2"	20	240	100	6.25	4.06	1.25
560	4"	4"	20	190	100	6.84	4.55	1.25

THINWALL CONDUIT EMT

One Hole Straps ZINC PLATED STEEL AFTER FABRICATION




Catalog Number	EMT Size	Pipe Size	Std. Pkg.	Pounds per Master Carton	Master Carton Quantity	Dim. A	Dim. B	Dim. C
575	3/8" AC/MC	1/4"	100	15	1000	1.12	.23	.57
576	1/2"	HEAVY DUTY	100	45	1000	1.66	.75	.57
577	1/2"		100	24	1000	1.66	.75	.57
578	3/4"		100	37	1000	1.95	.96	.63
579	1"		100	34	500	2.14	1.10	.72
580	1-1/4"		50	57	500	3.20	1.40	.88
581	1-1/2"		50	50	250	3.50	1.60	1.00
582	2"		50	64	250	3.83	2.28	1.13



TOP BEAM CLAMP

CAT. NO.	Description	Max Load	B	C	D	E	F	weight ea
352-EG	1/4-20 3/4" Flange Electro Zinc	250 LBS	1 5/8	1 1/2	1	1/4	1/2	.29
353	3/8-16 3/4" Flange	400 LBS	1 5/8	1 1/2	1	3/4	1/2	.33
353-EG	3/8-16 3/4" Flange Electro Zinc	400 LBS	1 5/8	1 1/2	1	3/4	1/2	.33
354	3/8-16 1-1/4" Flange	400 LBS	1 5/8	1 7/8	1 1/16	1 1/4	1/2	.37
354-EG	3/8-16 1-1/4" Flange Electro Zinc	400 LBS	1 5/8	1 7/8	1 1/16	1 1/4	1/2	.37
360	1/2-13 3/4" Flange	500 LBS	1 11/16	1 1/2	1	3/4	1/2	.34
360-EG	1/2-13 3/4" Flange Electro Zinc	500 LBS	1 11/16	1 1/2	1	3/4	1/2	.34
361	1/2-13 1-1/4" Flange	500 LBS	1 5/8	1 7/8	1 1/16	1 1/4	1/2	.35
361-EG	1/2-13 1-1/4" Flange Electro Zinc	500 LBS	1 5/8	1 7/8	1 1/16	1 1/4	1/2	.35




STEEL UNIVERSAL BEAM CLAMPS


Catalog Number	Description	Std. Pkg.	Pounds Per Master Carton	Master Carton Quantity	Dim A	Dim B	Dim C
1651	1/4-20 TAPPED	50	62	500	1 7/16	1 5/8	7/8
1652	3/8 TAPPED	50	86	250	2	2 1/8	1 3/16

MALLEABLE IRON BEAM CLAMPS

Catalog Number	Trade Size	Description	Std. Pkg.	Pounds Per Master Carton	Master Carton Quantity	Dim A	Dim B	Dim C
1653	1"	1/4-20 TAPPED	50	53	250	1 3/8	1 3/8	1 3/16
1655	2"	3/8-16 TAPPED	25	115	250	1 3/4	1 7/8	1 5/16
1656	2-1/2"	1/2-13 TAPPED	20	180	250	2 1/8	2 1/2	2 1/2




4" ROUND SWIVEL FIXTURE HANGER




Catalog Number	Description	Standard Carton	Pounds Per Master Carton	Dim A	Dim B
663	For 3 3/4" and 4" Octagon Boxes Pivot Threaded For 1/2" Pipe or 3/4" Pipe	25	50	4 1/16	2 1/16

4" SQUARE SWIVEL FIXTURE HANGER




Catalog Number	Description	Standard Carton	Pounds Per Master Carton	Dim A	Dim B
665	For 4" Square Boxes with Pivot Threaded for 1/2" Pipe, 3/4" Pipe	25	50	4 3/16	2 1/16

MALLEABLE IRON INSULATED GROUNDING BUSHINGS FOR THREADED RIGID CONDUIT AND IMC




Cat #	Trade Size	Grounding Lug Capacity	Dim A	Dim B	Dim C	Unit Pack	Standard Pack	Weight (lbs) per 100 Pcs
912	1/2"	#14 - #4	1.34	1.19	0.61	100	1000	7
913	3/4"	#14 - #4	1.47	1.45	0.64	50	500	11
914	1"	#14 - #4	1.63	1.76	0.72	25	250	15
915	1 1/4"	#14 - #4	1.80	2.10	0.74	25	250	18
916	1 1/2"	#14 - #4	2.11	2.33	0.80	25	250	23
917	2"	#14 - #2/0	2.55	2.79	0.85	25	250	32
918	2 1/2"	#14 - #2/0	2.84	3.33	1.10	-	10	57
919	3"	#14 - #2/0	3.11	3.87	1.10	-	10	73
920	3 1/2"	#14 - #2/0	3.38	4.42	1.10	-	10	88
921	4"	#14 - #2/0	3.62	4.89	1.10	-	10	118
922	5"	#6 - #250MCM	4.80	6.00	1.13	-	10	165
923	6"	#6 - #250MCM	5.46	7.31	1.13	-	10	203

EMT PLASTIC BUSHING (BANG ON-TYPE)



CAT. NO.	SIZE	STND. PACK	WEIGHT PER STANDARD PACK	Dim A	Dim B
513	1/2"	100	1 lb	.520	.840
514	3/4"	100	1 lb	.531	1.056
515	1"	100	1 lb	.625	1.278
516	1 1/4"	50	1 lb	.614	1.640
517	1 1/2"	50	1 lb	.630	1.915
518	2"	50	2 lbs	.627	2.327
519	2 1/2"	25	2 lbs	1.230	3.065
520	3"	25	2 lbs	1.230	3.695
521	3 1/2"	25	2 lbs	1.230	4.311
522	4"	25	2 lbs	1.230	4.812

RIGID PLASTIC BUSHING (THREADED)




CAT. NO.	SIZE	STND. PACK	WEIGHT PER STANDARD PACK	Dim A	Dim B	Dim C
501	1/2"	100	1 lb	1.045	.365	.595
502	3/4"	100	1 lb	1.281	.365	.780
503	1"	100	1 lb	1.640	.492	1.020
504	1 1/4"	50	1 lb	2.000	.485	1.304
505	1 1/2"	50	1 lb	2.260	.488	1.513
506	2"	50	2 lbs	2.628	.550	1.948
507	2 1/2"	25	2 lbs	3.226	.678	2.280
508	3"	25	2 lbs	3.930	.680	2.865
509	3 1/2"	20	3 lbs	4.425	.675	3.323
510	4"	20	3 lbs	4.925	.687	3.788
511	5"	10	3 lbs	6.295	.976	4.920
512	6"	10	3 lbs	7.461	.990	5.900

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.

REDUCING WASHERS


Reducing Washers



Catalog Number	Size	Std. Pkg	Pounds per Master Carton	Master Carton Quantity	Dim A	Dim B
RW 1	3/4" - 1/2"	200	20	1000	.87	1.51
RW 2	1" - 1/2"	200	20	1000	.87	1.75
RW 3	1" - 3/4"	200	20	1000	1.06	1.75
RW 4	1 1/4" - 1/2"	100	30	1000	.87	2.23
RW 5	1 1/4" - 3/4"	100	30	1000	1.06	2.23
RW 6	1 1/4" - 1"	100	20	1000	1.36	2.23
RW 7	1 1/2" - 1/2"	50	20	500	.87	2.62
RW 8	1 1/2" - 3/4"	50	20	500	1.06	2.62
RW 9	1 1/2" - 1"	50	20	500	1.36	2.62
RW 10	1 1/2" - 1 1/4"	50	15	500	1.69	2.62
RW 11	2" - 1/2"	25	20	250	.87	3.27
RW 12	2" - 3/4"	25	20	250	1.06	3.27
RW 13	2" - 1"	25	18	250	1.36	3.27
RW 14	2" - 1 1/4"	25	15	250	1.69	3.27
RW 15	2" - 1 1/2"	25	15	250	1.99	3.27
RW 16	2 1/2" - 1/2"	25	20	250	.87	3.27
RW 17	2 1/2" - 3/4"	25	20	250	1.06	3.27
RW 18	2 1/2" - 1"	25	18	250	1.36	3.27
RW 19	2 1/2" - 1 1/4"	25	15	250	1.69	3.27
RW 20	2 1/2" - 1 1/2"	25	13	250	1.99	3.27
RW 21	2 1/2" - 2"	25	10	250	2.43	3.27
RW 22	3" - 1/2"	25	6	25	.87	4.49
RW 23	3" - 3/4"	25	5	25	1.06	4.49
RW 24	3" - 1"	25	5	25	1.36	4.49
RW 25	3" - 1 1/4"	25	4	25	1.69	4.49
RW 26	3" - 1 1/2"	25	3	25	1.99	4.49
RW 27	3" - 2"	25	2	25	2.43	4.49
RW 28	3" - 2 1/2"	25	2	25	2.94	4.49
RW 29	3 1/2" - 1/2"	10	3	10	.87	5.00
RW 30	3 1/2" - 3/4"	10	3	10	1.06	5.00
RW 31	3 1/2" - 1"	10	3	10	1.36	5.00
RW 32	3 1/2" - 1 1/4"	10	3	10	1.69	5.00
RW 33	3 1/2" - 1 1/2"	10	3	10	1.99	5.00
RW 34	3 1/2" - 2"	10	3	10	2.43	5.00
RW 35	3 1/2" - 2 1/2"	10	2	10	2.94	5.00
RW 36	3 1/2" - 3"	10	2	10	3.56	5.00
RW 37	4" - 1/2"	10	3	10	.87	5.50
RW 38	4" - 3/4"	10	3	10	1.06	5.50
RW 39	4" - 1"	10	3	10	1.36	5.50
RW 40	4" - 1 1/4"	10	2	10	1.69	5.50
RW 41	4" - 1 1/2"	10	2	10	1.99	5.50
RW 42	4" - 2"	10	2	10	2.43	5.50
RW 43	4" - 2 1/2"	10	2	10	2.94	5.50
RW 44	4" - 3"	10	2	10	3.56	5.50
RW 45	4" - 3 1/2"	10	1	10	4.05	5.50

KNOCK-OUT SEALS

Snap-In Type




Catalog Number	Size	Standard Package	Pounds Per Master Carton	Master Carton Quantity	Dim A	Dim B
410	1/2"	100	15	1000	1.08	.40
411	3/4"	100	20	1000	1.24	.37
412	1"	100	29	500	1.49	.35
413	1 1/4"	50	35	250	1.81	.30
414	1 1/2"	50	30	250	2.21	.35
415	2"	25	40	250	2.67	.37

KNOCK-OUT SEALS

3 Pieces

Knock-Out Seals

3 Pieces



Catalog Number	Size	Standard Package	Pounds Per Master Carton	Master Carton Quantity
310	1/2"	100	15	500
311	3/4"	100	19	500
312	1"	50	13	250
313	1 1/4"	50	23	250
314	1 1/2"	50	30	250
315	2"	50	43	250
416	2 1/2"	10	12	50
417	3"	10	19	50
418	3 1/2"	10	22	50
419	4"	10	28	50

KNOCK-OUT SEALS

3 Pieces with 1/16" Neoprene Gasket

Knock-Out Seals

3 Piece With 1/16"
Neoprene Gasket




Catalog Number	Size	Standard Package
310G	1/2"	BULK
311G	3/4"	BULK
312G	1"	BULK
313G	1 1/4"	BULK
314G	1 1/2"	BULK
315G	2"	BULK
316G	2 1/2"	BULK
317G	3"	BULK
318G	3 1/2"	BULK
319G	4"	BULK

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.


NON-METALLIC LIQUIDTIGHT CONNECTORS

STRAIGHT - GRAY



Cat #	Size	Unit/Ctn	Ship Case	Wt/Case	A	B	C
NMS-38	3/8"	25	100	7	2.00	.44	1.09
NMS-50	1/2"	25	100	6	2.00	.44	1.09
NMS-75	3/4"	10	100	8	2.03	.46	1.30
NMS-100	1"	5	50	12	2.25	.57	1.50
NMS-125	1 1/4"	5	50	12	2.00	.57	2.40
NMS-150	1 1/2"	5	20	14	2.25	.57	2.68
NMS-200	2"	2	20	9	2.50	.57	3.31



90° ANGLE - GRAY



Cat #	Size	Unit/Ctn	Ship Case	Wt/Case	A	B	C
NM90-38	3/8"	10	100	9	2.56	2.14	1.09
NM90-50	1/2"	10	100	8	2.56	2.14	1.09
NM90-75	3/4"	10	100	11	2.84	2.38	1.30
NM90-100	1"	5	50	8	2.25	2.81	1.50
NM90-125	1 1/4"	2	20	8	3.96	3.36	2.40
NM90-150	1 1/2"	2	20	10	4.13	3.45	2.68
NM90-200	2"	1	10	9	4.68	4.04	3.31



MALLEABLE IRON LIQUIDTIGHT FITTINGS

STRAIGHT





Cat #	Trade Size	Packed	Dim A	Dim B	Dim C	Weight (lbs) per 100 Pcs
MST-38	3/8"	25/250	1.140	0.500	1.150	16
MST-50	1/2"	25/250	1.250	0.500	1.280	18
MST-75	3/4"	20/200	1.280	0.520	1.550	29
MST-100	1 "	10/100	1.430	0.650	1.800	40
MST-125	1 1/4"	5/50	1.500	0.660	2.250	56
MST-150	1 1/2"	4/40	1.610	0.730	2.440	71
MST-200	2"	3/30	1.760	0.750	2.970	100
MST-250	2 1/2"	5	2.180	1.010	4.010	367
MST-300	3"	5	2.500	1.150	4.180	461
MST-350	3 1/2"	5	2.610	1.180	5.250	675
MST-400	4"	5	2.740	1.250	5.780	797

90° DEGREE



Cat #	Trade Size	Packed	Dim A	Dim B	Dim C	Dim D	Weight (lbs) per 100 Pcs
M90-38	3/8"	15/150	1.140	0.500	1.150	1.480	16
M90-50	1/2"	15/150	1.250	0.500	1.280	1.510	18
M90-75	3/4"	10/100	1.280	0.520	1.550	1.540	29
M90-100	1 "	5/50	1.430	0.650	1.800	1.810	40
M90-125	1 1/4"	4/40	1.500	0.660	2.250	2.160	56
M90-150	1 1/2"	3/30	1.610	0.730	2.440	2.430	71
M90-200	2"	2/20	1.760	0.750	2.970	2.820	100
M90-250	2 1/2"	1	2.180	1.010	4.010	4.410	367
M90-300	3"	1	2.500	1.150	4.180	5.500	461
M90-350	3 1/2"	1	2.610	1.180	5.250	5.930	675
M90-400	4"	1	2.740	1.250	5.780	8.340	797

45° DEGREE




Cat #	Trade Size	Packed	Dim A	Dim B	Dim C	Dim D	Weight (lbs) per 100 Pcs
M45-38	3/8"	15/150	1.140	0.500	1.150	1.370	16
M45-50	1/2"	15/150	1.250	0.500	1.280	1.370	18
M45-75	3/4"	10/100	1.280	0.520	1.550	1.500	29
M45-100	1 "	5/50	1.430	0.650	1.800	1.810	40
M45-125	1 1/4"	4/40	1.500	0.660	2.250	1.940	56
M45-150	1 1/2"	3/30	1.610	0.730	2.440	2.400	71
M45-200	2"	2/20	1.760	0.750	2.970	2.640	100
M45-250	2 1/2"	1	2.180	1.010	4.010	7.810	367
M45-300	3"	1	2.500	1.150	4.180	9.150	461
M45-350	3 1/2"	1	2.610	1.180	5.250	11.220	675
M45-400	4"	1	2.740	1.250	5.780	12.540	797

A & G MANUFACTURING CO., INC.
 YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.


MALLEABLE IRON RIGID COMPRESSION CONNECTORS FOR THREADLESS RIGID CONDUIT AND IMC

CONNECTOR



Catalog Number	Trade Size	Dim A	Dim B	Dim C	Unit Pack	Standard Pack	Weight (lbs) per 100 Pcs
863	1/2"	1.500	0.500	1.500	25	250	20
864	3/4"	1.500	0.500	1.625	25	250	22
865	1"	1.688	0.563	2.000	10	100	34
866	1 1/4"	2.000	0.688	2.375	5	50	52
867	1 1/2"	2.063	0.688	2.625	2	20	65
868	2"	2.250	0.875	3.313	5	25	107
869	2 1/2"	2.936	1.250	3.750	1	10	243
870	3"	3.125	1.375	4.250	1	5	295
871	3 1/2"	3.125	1.375	4.750	1	5	383
872	4"	3.375	1.500	5.313	1	5	467
873	5"	4.250	1.818	6.016	-	1	760
874	6"	4.563	2.000	7.625	-	1	1100

COUPLING




Catalog Number	Trade Size	Dim A	Dim B	Dim C	Unit Pack	Standard Pack	Weight (lbs) per 100 Pcs
875	1/2"	1.813	0.500	1.500	25	250	30
876	3/4"	1.875	0.500	1.625	10	100	32
877	1"	2.188	0.563	2.000	5	50	44
878	1 1/4"	2.625	0.688	2.375	5	50	78
879	1 1/2"	2.688	0.750	2.625	2	20	93
880	2"	3.063	0.938	3.313	5	25	159
881	2 1/2"	4.500	2.000	3.750	1	10	277
882	3"	4.938	2.250	4.250	1	5	393
883	3 1/2"	5.000	2.250	4.750	1	5	547
884	4"	5.625	2.438	5.313	1	5	626
885	5"	6.250	2.713	6.016	-	1	1220
886	6"	6.875	2.975	7.625	-	1	1300

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.


MALLEABLE IRON RIGID SET-SCREW CONNECTORS FOR THREADLESS RIGID CONDUIT AND IMC

CONNECTOR



Catalog Number	Trade Size	Dim A	Dim B	Dim C	Unit Pack	Standard Pack	Weight (lbs) per 100 Pcs
887	1/2"	1.375	0.438	1.313	25	250	13
888	3/4"	1.688	0.500	1.563	25	100	21
889	1"	1.938	0.563	1.875	5	25	38
890	1 1/4"	2.188	0.625	2.188	5	25	44
891	1 1/2"	2.313	0.625	2.500	5	20	67
892	2"	2.438	0.625	2.938	2	10	105
893	2 1/2"	3.188	0.750	3.625	2	10	190
894	3"	3.813	0.875	4.250	1	5	272
895	3 1/2"	4.313	0.938	4.688	1	5	368
896	4"	4.625	0.938	5.188	1	5	427
897	5"	4.750	1.375	6.500	-	1	695
898	6"	4.938	1.500	7.500	-	1	911

COUPLING




Catalog Number	Trade Size	Dim A	Dim B	Dim C	Unit Pack	Standard Pack	Weight (lbs) per 100 Pcs
900	1/2"	1.750	0.750	1.375	20	100	30
901	3/4"	2.000	0.875	1.563	20	100	32
902	1"	2.688	1.188	1.875	5	50	44
903	1 1/4"	2.750	1.250	2.188	5	25	78
904	1 1/2"	3.188	1.500	2.500	5	20	93
905	2"	3.375	1.563	3.000	2	10	159
906	2 1/2"	4.000	1.718	3.125	2	10	277
907	3"	4.250	1.938	3.750	1	5	393
908	3 1/2"	4.500	2.250	4.250	1	5	547
909	4"	4.750	2.625	4.750	1	5	626
910	5"	6.000	2.818	6.500	-	1	1220
911	6"	6.500	3.000	7.500	-	1	1300-

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.


ALUMINIUM CONDUIT BODIES COMBINATION THREADED - SET SCREW

EMT & RIGID LB TYPE




Cat #	Size	Max # Conductors	Unit Ctn	Ship Case	Wt/Case	A	B	C
DLB50	1/2"	1#6AWG	10	100	28	4.56	2.06	1.31
DLB75	3/4"	2#6AWG	10	50	19	5.31	2.37	1.48
DLB100	1"	3#6AWG	5	25	18	6.25	2.63	1.75
DLB125	1 1/4"	3#2AWG	2	10	13	8.22	3.50	2.40
DLB150	1 1/2"	3#2AWG	2	10	14	8.22	3.75	2.40
DLB200	2"	3#2/0AWG	2	5	13	10.13	4.13	3.10

EMT & RIGID LL TYPE




Cat #	Size	Max # Conductors	Unit Ctn	Ship Case	Wt/Case	A	B	C
DLL50	1/2"	1#6AWG	10	100	28	4.56	1.31	2.06
DLL75	3/4"	2#6AWG	10	50	23	5.31	1.62	2.23
DLL100	1"	3#6AWG	5	25	18	6.25	1.88	2.50
DLL125	1 1/4"	3#2AWG	2	10	14	8.22	2.50	3.40
DLL150	1 1/2"	3#2AWG	2	10	16	8.22	2.67	3.48
DLL200	2"	3#2/0	2	5	14	10.48	3.29	4.07

EMT & RIGID LR TYPE




Cat #	Size	Max # Conductors	Unit Ctn	Ship Case	Wt/Case	A	B	C
DLR50	1/2"	1#6AWG	10	100	29	4.56	1.31	2.06
DLR75	3/4"	2#6AWG	10	50	24	5.31	1.62	2.23
DLR100	1"	3#6AWG	5	25	19	6.25	1.88	2.50
DLR125	1 1/4"	3#2AWG	2	10	14	8.22	2.50	3.40
DLR150	1 1/2"	3#2AWG	2	10	17	8.22	2.67	3.48
DLR200	2"	3#2/0AWG	2	5	4	10.48	3.29	4.07

EMT & RIGID T TYPE



Cat #	Size	Max # Conductors	Unit Ctn	Ship Case	Wt/Case	A	B	C
DT50	1/2"	1#6AWG	10	100	32	5.32	1.31	2.02
DT75	3/4"	2#6AWG	10	50	26	6.00	1.62	2.22
DT100	1"	3#6AWG	5	25	18	7.06	1.88	2.56
DT125	1 1/4"	3#2AWG	2	10	17	7.25	2.50	3.50
DT150	1 1/2"	3#2AWG	2	10	19	9.25	2.67	3.50
DT200	2"	3#2/0AWG	2	5	5	11.50	3.29	4.25


EMT & RIGID C TYPE



Cat #	Size	Max # Conductors	Unit Ctn	Ship Case	Wt/Case	A	B	C
DC50	1/2"	1#6AWG	10	100	24	5.35	1.31	1.31
DC75	3/4"	2#6AWG	10	50	21	6.00	1.62	1.48
DC100	1"	3#6AWG	5	25	15	7.06	1.88	1.75
DC125	1 1/4"	3#2AWG	2	10	15	9.25	2.50	2.40
DC150	1 1/2"	3#2AWG	2	10	17	9.25	2.67	2.40
DC200	2"	3#2/0AWG	2	5	13	11.50	3.29	3.05


ALUMINIUM CONDUIT BODIES SET SCREW

EMT LB TYPE




Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
LBE250	2 1/2"	3#2/0AWG	1	6	12.500	5.437	4.450
LBE300	3"	3#4/0AWG	1	6	12.500	5.657	4.450
LBE350	3 1/2"	3#500MCM	1	8	12.500	6.922	5.500
LBE400	4"	3#500MCM	1	8	12.500	6.922	5.500

EMT T TYPE




Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
TE250	2 1/2"	3#4/0AWG	1	7	13.500	4.060	5.825
TE300	3"	3#250MCM	1	7	13.500	4.685	5.825
TE350	3 1/2"	3#350MCM	1	9	15.937	5.450	7.060
TE400	4"	4#350MCM	1	9	15.937	5.450	7.060

EMT LR TYPE




Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
LRE250	2 1/2"	3#4/0AWG	1	6	12.500	5.437	4.450
LRE300	3"	3#250MCM	1	6	12.500	5.657	4.450
LRE350	3 1/2"	3#350MCM	1	8	15.500	6.922	5.500
LRE400	4"	4#350MCM	1	8	15.500	6.922	5.500

EMT LL TYPE



Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
LLE250	2 1/2"	3#2/0AWG	1	6	12.500	5.437	4.450
LLE300	3"	3#4/0AWG	1	6	12.500	5.657	4.450
LLE350	3 1/2"	3#500MCM	1	8	15.500	6.922	5.500
LLE400	4"	3#500MCM	1	8	15.500	6.922	5.500


EMT C TYPE



Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
CE250	2 1/2"	3#2/0AWG	1	6	13.00	4.063	5.709
CE300	3"	3#4/0AWG	1	7	12.50	4.682	5.506
CE350	3 1/2"	3#500MCM	1	8	15.50	5.452	6.171
CE400	4"	3#500MCM	1	8	15.50	5.452	6.171


ALUMINIUM CONDUIT BODIES THREADED

RIGID LB TYPE




Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
LB250	2 1/2"	3#2/0AWG	1	6	12.500	5.437	4.450
LB300	3"	3#4/0AWG	1	6	12.500	5.657	4.450
LB350	3 1/2"	3#500MCM	1	8	12.500	6.922	5.500
LB400	4"	3#500MCM	1	8	12.500	6.922	5.500

RIGID T TYPE




Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
T250	2 1/2"	3#4/0AWG	1	7	13.500	4.060	5.825
T300	3"	3#250MCM	1	7	13.000	4.685	5.825
T350	3 1/2"	3#350MCM	1	9	15.937	5.450	7.060
T400	4"	4#350MCM	1	9	15.937	5.450	7.060

RIGID LR TYPE




Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
LR250	2 1/2"	3#4/0AWG	1	6	13.000	4.063	5.709
LR300	3"	3#250MCM	1	6	12.750	4.682	5.506
LR350	3 1/2"	3#350MCM	1	8	15.500	5.452	6.171
LR400	4"	4#350MCM	1	8	15.500	5.452	6.171

RIGID LL TYPE



Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
LL250	2 1/2"	3#4/0AWG	1	6	13.000	4.063	5.709
LL300	3"	3#250MCM	1	6	12.750	4.682	5.506
LL350	3 1/2"	3#350MCM	1	8	15.500	5.452	6.171
LL400	4"	4#350MCM	1	8	15.500	5.452	6.171


RIGID C TYPE



Cat #	Size	Max # Conductors	Ship Case	Wt/Case	A	B	C
C250	2 1/2"	3#4/0AWG	1	6	13.500	4.060	5.825
C300	3"	3#250MCM	1	6	13.000	4.685	5.825
C350	3 1/2"	3#350MCM	1	8	15.937	5.450	7.060
C400	4"	4#350MCM	1	8	15.937	5.450	7.060

CONDUIT BODY GASKET


Conduit Body Gasket 1/16 NEOPRENE



Catalog Number	Size	Std. Pkg	Pounds per Master Carton	Master Carton Quantity	Dim A	Dim B
110	1/2"	100	10	500	1.30	3.85
111	3/4"	100	12	500	1.55	4.62
112	1"	50	15	250	1.75	5.29
113	1-1/4-1 1/2"	50	13	250	2.72	7.18
114	2"	25	6	250	3.08	9.46
115	2-1/2-3"	25	25	25	4.40	12.50
116	3-1/2-4"	25	45	25	5.70	15.10

CONDUIT BODY COVER - ALUMINUM


Conduit Body Cover ALUMINUM



Catalog Number	Size	Std. Pkg	Pounds per Master Carton	Master Carton Quantity	Dim A	Dim B
671A	1/2"	50	10	250	1.32	3.95
672A	3/4"	50	15	250	1.56	4.64
673A	1"	20	12	100	1.80	5.40
674A	1-1/4-1 1/2"	20	13	100	2.54	7.26
675A	2"	20	6	50	3.18	9.58
676A	2-1/2-3"	10	7	10	4.34	12.42
677A	3-1/2-4"	10	9	10	5.65	15.16


CONDUIT BODY COVER - GALVANIZED STEEL

Conduit Body Cover GALVANIZED STEEL



Catalog Number	Size	Std. Pkg	Pounds per Master Carton	Master Carton Quantity	Dim A	Dim B
671S	1/2"	50	15	250	1.32	3.95
672S	3/4"	50	20	250	1.56	4.64
673S	1"	20	18	100	1.80	5.40
674S	1-1/4-1 1/2"	20	15	100	2.54	7.26
675S	2"	20	6	50	3.18	9.58
676S	2-1/2-3"	10	7	10	4.34	12.42
677S	3-1/2-4"	10	9	10	5.65	15.16

3 PC MALLEABLE IRON RIGID COUPLINGS



Cat #	Size	Wt/Case	Packed	A	B
851	1/2"	40	100	1.43	1.36
852	3/4"	30	100	1.63	1.58
853	1"	23	50	1.81	1.89
854	1 1/4"	55	25	2.19	2.38
855	1 1/2"	44	25	2.31	2.83
856	2"	44	10	2.44	3.29
857	2 1/2"	37	10	2.52	4.03
858	3"	20	10	2.58	4.62
859	3 1/2"	29	5	2.65	5.35
860	4"	18	5	3.82	5.87
861	5"	12	5	4.38	7.00

JACK CHAIN

Jack Chain



Catalog Number	Description
105	#12 Pre Galv Chain - 100' Spools / Work Load 29lbs
105S	#12 Stainless Steel- 100' Box / Work Load 29lbs
106	#12 Pre Galv Chain - 1000' Bucket / Work Load 29lbs
107	#10 Pre Galv Chain - 100' Boxes / Work Load 43lbs
108	#10 Pre Galv Chain - 500' Bucket / Work Load 43lbs

FLOURESCENT FIXTURE CHAIN

Flourescent
Fixture Chain



Catalog Number	Description	Standard Pack	Standard Weight
FC300	1 yd. Lengths Work Load 50 lbs.	100	35 lbs.

TIE WIRE

Catalog Number	Size	Standard Carton
104	16 GA Black Annealed - 360'	20 Rolls

S. HOOK


S Hook




CAT.#	SIZE	DESCRIPTION	STND BOX	STND PACK WEIGHT
SHJC12	1 1/4" X.105	S HOOK	100	1 LB
SHJC10	1 1/2" X.135	S HOOK	100	2 LBS

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.


Duct Seal
GRAY
ASBESTOS FREE



Two Hole Straps
ZINC PLATED STEEL
AFTER FABRICATION






**NEW
ITEM**



UTILITY POLE

CAT2-29A
EXTRA
LONG



DUCT SEAL

Catalog Number	Description	Standard Package	Pounds per Master Carton	Master Carton Quantity
DS1	1 POUND	50	50	50
DS5	5 POUND	10	50	10

NAIL PLATES

Catalog Number	Description	Standard Package	Pounds Per Master Carton	Master Carton Quantity	Dim A	Dim B
1661	Nail Plates	100	43	500	1-1/2"	2-3/4"
1662	Nail Plates	100	70	500	1-5/8"	5"

TWO HOLE STRAPS FOR SERVICE ENTRANCE CABLE

Catalog Number	Service Entrance Cable Size	Standard Package	Pounds Per Master Carton	Master Carton Quantity	Dim A	Dim B	Dim C
591A	6/3 RANGE	100	21	1000	2.40	.50	.75
592B	3/3	100	35	1000	2.75	.60	.75
593C	3 — 1/0	50	21	500	3.14	.81	.75
594D	3 — 4/0	50	22	500	3.50	.93	.75

CONDUIT RISER TWO HOLE STRAPS
12GA HOT DIPPED GALVANIZED 9/32" HOLE SIZE

Catalog Number	Conduit Size	Standard Package	Pounds Per Master Carton
CR-400	4"	10	7
CR-500	5"	10	9
CR-600	6"	10	11

BOX SUPPORT

CAT#	DESCRIPTION	STANDARD PACKAGE	POUNDS PER MASTER CARTON	MASTER CARTON QUANTITY	Dim A	Dim B	Dim C
2-29A	Dry Wall Outlet	100 Sets	32	500	5-1/4"	2-1/8"	1-1/2"
2-29B	Box Support	50 Sets	32	500	5-1/4"	2-1/8"	1-1/2"

LAMP HOLDERS

Catalog Number	Description	Pounds Per Master Carton	Standard Carton
120	Rubber Pigtail	10	50
121	Porcelian Keyless	30	50
122	Porcelian Pullchain	37	50
123	Plastic Keyless	20	100
124	Plastic Pullchain	25	100

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.

3 STRAND TWISTED POLYPROPYLENE ROPE

Catalog Number	Size	Std. Breaking Strength (lbs)	Weight Each
31660	3/16" x 600' REEL	715	4 LBS
31612	3/16" x 1200' REEL	715	8 LBS
31636	3/16" x 3600' REEL	715	24 LBS
14250	1/4" x 250' REEL	1238	3 LBS
14600	1/4" x 600' REEL	1238	8 LBS
14120	1/4" x 1200' REEL	1238	15 LBS
51660	5/16" x 600' REEL	1881	11 LBS
51612	5/16" x 1200' REEL	1881	22 LBS
38250	3/8" x 250' REEL	2673	7 LBS
38600	3/8" x 600' REEL	2673	17 LBS
38120	3/8" x 1200' REEL	2673	34 LBS
12250	1/2" x 250' REEL	4158	12 LBS
12600	1/2" x 600' REEL	4158	29 LBS
12120	1/2" x 1200' REEL	4158	57 LBS
58600	5/8" x 600' REEL	6138	45 LBS
34600	3/4" x 600' REEL	8415	65 LBS
26500	6500' BUCKET PULL-LINE	210	10 LBS
92200	2200' #9 TWINE NYLON TUBE	85	1 LB
52200	2200' BUCKET PULL-LINE	500	10 LBS

POLYESTER MEASURE / PULLING TAPE

Cat	Description	Weight Each
12125	1/2" x 3,000' REEL 1250 LBS BREAKING STRENGTH	26 lbs
58180	5/8" x 3,000' REEL 1800 LBS BREAKING STRENGTH	35 lbs
34500	3/4" x 500' REEL 2500 LBS BREAKING STRENGTH	8 lbs
34150	3/4" X 1500' REEL 2500 LBS BREAKING STRENGTH	24 lbs
34250	3/4" x 3,000' REEL 2500 LBS BREAKING STRENGTH	46 lbs
31630	CONDUIT MEASURING TAPE, 3000' REEL 160 LBS BREAKING STRENGTH	4 lbs

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.

ELECTRICAL TAPE

RUBBER SPLICING TAPE

CAT.#	SIZE	DESCRIPTION	STND BOX	STND PACK WEIGHT
220	3/4" X 22'	RUBBER SPLICING TAPE	100 ROLLS	41 LBS
221	2" X 22'	RUBBER SPLICING TAPE	50 ROLLS	54 LBS

FRICTION TAPE

CAT.#	SIZE	DESCRIPTION	STND BOX	STND PACK WEIGHT
222	3/4" X 60'	FRICTION TAPE	100 ROLLS	45 LBS
223	2" X 60'	FRICTION TAPE	25 ROLLS	27 LBS

PVC TAPE

CAT.#	SIZE	DESCRIPTION	STND BOX	STND PACK WEIGHT
224	3/4" X 60'	7 MIL BLACK PVC TAPE	250 ROLLS	44 LBS
225	3/4" X 60'	7 MIL RED PVC TAPE	100 ROLLS	44 LBS
226	3/4" X 60'	7 MIL WHITE PVC TAPE	100 ROLLS	44 LBS
227	3/4" X 60'	7 MIL BLUE PVC TAPE	100 ROLLS	44 LBS
228	3/4" X 60'	7 MIL GREEN PVC TAPE	100 ROLLS	44 LBS
229	3/4" X 60'	7 MIL ORANGE PVC TAPE	100 ROLLS	44 LBS
230	3/4" X 60'	7 MIL YELLOW PVC TAPE	100 ROLLS	44 LBS
231	3/4" X 60'	7 MIL BROWN PVC TAPE	100 ROLLS	44 LBS
232	3/4" X 60'	7 MIL GRAY PVC TAPE	100 ROLLS	44 LBS
233	2" X 60yds	DUCT TAPE ECONOMY GRADE	24 ROLLS	30 LBS

\$750.00
PRE-PAID ORDER
SHIPPED SAME DAY



MANUFACTURING CO., INC.


500 LYNNWAY • LYNN, MASSACHUSETTS 01905

"SHAKE N' SEAL" Electrical Splice Kits

The "Shake n' Seal" kits allow for users to splice wires in any environment, they are completely submersible in water and provide a permanent water tight seal! "Shake n' Seal" protects from moisture voltage leaks, as well as helps eliminate deterioration. Not only are the kits safe and easy to use, they do not require a torch or flame.

PART #	DESCRIPTION
ES137S	1 3/4" Diameter Electrical Splice Kit up to 600v
ES200S	2" Diameter Electrical Splice Kit up to 600v
ES200SV	2" Diameter Electrical Splice Kit with Mold up to 600V
ES1150	1 1/2" Diameter Electrical Splice Kit with Boot up to 5KV

ES137S & ES200S



ES200SV



ES1150



- Around swimming pools
- For irrigation systems controls
- For golf course water controls
- For Outdoor Lighting
- Underground Utilities
- Submersible in Water
- Immediate Burial
- No Mess, Quick Cure - 4 minutes

Kit Selector Guide

Wire Type	Butt Splice Configuration			Through Splice Configuration	
	ES137S	ES200S	ES200SV	ES200SV	ES1150
	No. of Conductors (Max.)			No. of Conductors (Max.)	
18-16	10	20	14	14	-
14-12	6	12	9	9	-
10	4	8	6	6	-
8	3	6	4	4	4
6	2	2	2	2	3
4	2	2	2	2	2
3	2	2	2	2	2
2	1	2	2	2	2
1	1	2	2	2	2
1/0					2
2/0					2
3/0					2
4/0					2
250 mcm					2




Online Training: www.urasealtraining.com




1-888-FORT-BAR • FAX: (781) 595-3734 • WWW.AGMFG.NET

4" SQUARE BOX COVERS




Catalog Number	Description	Standard Package	Pounds Per Master Carton	Master Carton Quantity
642	4" Square Cover Blank	100	240	1000
643	4" Round or Octagon Box Cover Blank	100	170	1000
642KO	4" Square Cover with 1/2" K.O.	50	120	500
643KO	4" Round or Octagon Box Cover with 1/2" K.O.	50	135	500
644	4" Sq. 1 Toggle Sw. Cvr.	50	40	100
645	4" Sq. 2 Toggle Sw. Cvr.	50	40	100
646	4" Sq. 1 Toggle 1 Duplex	50	31	100
647	4" Sq. 1 Duplex Recept	50	36	100
648	4" Sq. 2 Duplex Recept	50	36	100
649	4" Sq. 30-50 Amp Recept	50	37	100
650	4" Sq. 1 GFCI	50	35	100
651	4" Sq. 2 GFI Cover	50	30	100
652	4" SQ. 1 Single Recept 1-13/32" Diameter Cover	50	40	100
653	4" SQ. 2 Single Recept 1-13/32" Diameter Cover	50	39	100
654	4" SQ. 20 Amp. Recept 1-19/32" Diameter Cover	50	36	100
655	4" SQ. 30 Amp Twist Lock 1-23/32" Diameter Cover	50	37	100
656	4" SQ. 1 Toggle 1 GFI/Deco SW	50	31	100
657	1 Duplex Receptical 1 GFI/Deco	50	31	100
658	1 Toggle 1 Single Recep 1-13/32" Diameter	50	32	100
659	1 Duplex Recept 1 Single Recept 1-13/32" Diameter	50	33	100
660	30-60 Amp Rec 2-7/16" Diameter	50	32	100

5" ROUND CEILING "BLANK UP" CANOPIES



Catalog Number	Description	Standard Pack	Weight Per Standard Pack
667	5" Round Cover .25" deep with 8/32 screws included. Screw holes 2-3/4" cc to fit Sq. to round plaster rings or 3-1/4" round boxes. Painted gloss white.	50	24
668	5" Round Cover .25" deep with 8/32 screws included. Screw holes 3-1/2" cc to fit 4" round/octagon box. Painted gloss white.	50	24

4" SQUARE TO ROUND PLASTER RING




CAT. NO.	SIZE	PACK
702-SR	1/2"	50
703-SR	5/8"	50
704-SR	3/4"	50
705-SR	1"	50
706-SR	1-1/4"	50

4" ROUND PLASTER RING


CAT. NO.	SIZE	PACK
703-R	5/8"	50

4" SQUARE RAISED RINGS ONE DEVICE




CAT. #	DESCRIPTION	STND PACK	STND PACK WEIGHT	MASTER CARTON
700	FLAT	50	7 LBS	500
701	1/4"	50	9 LBS	500
702	1/2"	50	10 LBS	500
703	5/8"	50	12 LBS	500
704	3/4"	50	13 LBS	500
705	1"	25	8 LBS	250
706	1 1/4"	25	11 LBS	250
707	1 1/2"	25	10 LBS	250
708	2"	25	10 LBS	250

4" SQUARE RAISED RINGS TWO DEVICE



CAT. #	DESCRIPTION	STND PACK	STND PACK WEIGHT	MASTER CARTON
710	FLAT	50	4 LBS	500
711	1/4"	50	6 LBS	500
712	1/2"	50	8 LBS	500
713	5/8"	50	10 LBS	500
714	3/4"	50	11 LBS	500
715	1"	25	7 LBS	250
716	1 1/4"	25	9 LBS	250
717	1 1/2"	25	10 LBS	250
718	2"	25	11 LBS	250

OIL & GAS EMERGENCY ON/OFF COVERS - PAINTED RED



644-G
644-O


645-G
645-O




683-G
683-O



683-GWP
683-OWP



645-GWP
645-OWP



643-G
643-O

PART NO.	STD BOX QTY	DESCRIPTION
644-G 644-O	50 50	4" SQ BOX COVER - 1 TOGGLE - GAS 4" SQ BOX COVER - 1 TOGGLE - OIL
645-G 645-O	50 50	4" SQ BOX COVER - 2 TOGGLE - GAS 4" SQ BOX COVER - 2 TOGGLE - OIL
683-G 683-O	50 50	HANDY BOX COVER - GAS HANDY BOX COVER - OIL
683-GWP 683-OWP	50 50	WALL PLATE - 1 TOGGLE - GAS WALL PLATE - 1 TOGGLE - OIL
645-GWP 645-OWP	50 50	WALL PLATE - 2 TOGGLE - GAS WALL PLATE - 2 TOGGLE - OIL
643-G 643-O	50 50	4" ROUND COVER - 1 TOGGLE - GAS 4" ROUND COVER - 1 TOGGLE - OIL

Handy Box Covers



680




681



682



683



684



685




686

HANDY BOX COVERS

Catalog Number	EMT Size Pipe Size	Std. Pkg	Standard Pkg. Weight	Master Carton Quantity
680	BLANK	25	2 LBS	250
681	1/2 KO	25	2 LBS	250
682	DUPLEX RECEP	25	2 LBS	250
683	TOGGLE SWITCH	25	2 LBS	250
684	1 GFI / DECORA	25	2 LBS	250
685	SINGLE RECEP. 1.4 DIA	25	2 LBS	250
686	POWER OUTLET 1.6 DIA	25	2 LBS	250


A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.

4-11/16" SQUARE RAISED RINGS ONE DEVICE



CAT. NO.	DESCRIPTION	STND. PACK	WEIGHT PER STANDARD PACK
800	FLAT	50	15
801	1/4"	50	16
802	1/2"	50	17
803	5/8"	50	18
804	3/4"	50	21
805	1"	25	23
806	1-1/4"	25	25
807	1-1/2"	25	27
808	2"	25	30

4-11/16" SQUARE RAISED RINGS TWO DEVICE



CAT. NO.	DESCRIPTION	STND. PACK	WEIGHT PER STANDARD PACK
810	FLAT	50	15
811	1/4"	50	16
812	1/2"	50	17
813	5/8"	50	18
814	3/4"	50	21
815	1"	25	23
816	1-1/4"	25	25
817	1-1/2"	25	27
818	2"	25	30

4-11/16" BOX COVERS (1/2" RAISED)



641



641KO



72C32



72C35



72C36



72C38



72C39



72C41



72C42



72C44



72C47



72C48



72C49







72C50



72C51

CAT.#	DESCRIPTION	STND BOX	STND PACK WEIGHT
641	FLAT BLANK	100	39 LBS
641KO	BLANK w/ 1/2 KO	50	17 LBS
72C32	SINGLE RECPT 1-13/32"	25	12 LBS
72C35	1 TOGGLE SWITCH	25	13 LBS
72C36	2 TOGGLE SWITCH	25	13 LBS
72C38	1 DUPLEX RECPT	25	13 LBS
72C39	2 DUPLEX RECPT	25	12 LBS
72C41	1 TOGGLE 1 DUPLEX	25	12 LBS
72C42	20 AMP RECPT 1-19/32"	25	12 LBS
72C44	30-50 AMP RECPT 2-9/64"	25	12 LBS
72C47	1 GFCI RECPT	25	11 LBS
72C48	1 GFCI/DECO 1 TOGGLE	25	11 LBS
72C49	2 GFCI	25	11 LBS
72C50	30-60 AMP RECPT 2-7/16"	25	10 LBS
72C51	1 DUPLEX 1 GFCI	25	10 LBS

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.

	PART# SGB-16 SCREW GUN BRACKET MOUNT 1 1/2" OR 2 1/8" DEEP BOXES. ADJUSTABLE 11" TO 18" STUD SPACING. STD BOX 50 PCS
	PART# SGB-24 SCREW GUN BRACKET MOUNT 1 1/2" OR 2 1/8" AND 2 1/2" DEEP BOXES. ADJUSTABLE 17" TO 26" STUD SPACING. STD BOX 50 PCS
	PART# CS6 CABLE SUPPORT CABLE SUPPORT - NON-METALLIC CABLE OR METAL CLAD CABLE TO WOOD OR METAL STUDS. STD BOX 100 PCS
	PART# BMB-23 BOX MOUNTING BRACKET EASILY ATTACHES 4" AND 4 11/16" OUTLET BOXES TO METAL STUDS. SUPPORTS LEG REDUCES MOVEMENT OF BOX IN WALL. STUD DEPTH 2 1/2" AND 3 1/2". STD BOX 100 PCS
	PART# BMB-16 BOX MOUNTING BRACKET MOUNT UP TO THREE 4" or 4 11/16" BOXES/PLASTER RINGS 16" STUD SPACING. STD BOX 100 PCS
MOUNTING PLATE BRACKET • MOUNT ANY STANDARD LOW VOLTAGE DEVICE IN 1/2" TO 1 1/4" WALLS • ELIMINATES THE NEED FOR AN ELECTRICAL BOX WHEN INSTALLING LOW VOLTAGE CLASS 2 WIRING	
	CAT# MPB-1 SINGLE GANG MOUNTING PLATE BRACKET WITH SCREWS. STD BOX 100 PCS
	CAT# MPB-2 TWO GANG MOUNTING PLATE BRACKET WITH SCREWS STD BOX 100 PCS

A & G MANUFACTURING CO., INC.
YOUR SOURCE FOR QUALITY, SERVICE, AND EFFICIENT BUYING.

NOTES

[illegible]

NOTES

[illegible]

TERMS AND CONDITIONS

MINIMUM BILLING: A minimum billing charge of \$50.00 net.

TERMS: NET 30 DAYS. No cash discount, 1 1/2% all bills over due 30 days. Prices and models subject to change without notice.

DELIVERY: Full freight allowed on orders of \$750.⁰⁰ or more net value within the Continental United States, A & G reserves the right to ship via the least expensive route. If special routing is requested, any additional expense must be assumed by the customer.

RETURNED GOODS: Merchandise must be returned only with the written consent of A&G MANUFACTURING CO., INC. with original invoice. Returned shipments must be prepaid to our warehouse. A handling charge of 20% will be made on all returns. No handling charge on returned merchandise deemed defective in our material or workmanship.

CLAIMS: All goods shipped at purchaser's risk. Transportation company assumes responsibility when shipment is picked up by them. Claims for carton shortages or damaged goods must be taken up with transportation company.



1-888-FOR-T-BAR (1-888-367-8227)

MANUFACTURING CO., INC.

500 Lynnway, Lynn, MA 01905

Phone (781) 581-1892 • Fax (781) 595-3734 • www.AGMFG.net