


Collated Nails, Staples & Brads



Collated Fastener Selection Made Easy



Where will the fastener be used?

- Yellow Label Background** For Interior Use Bright & Coated
- Green Label Background** For Outdoor Use Galvanized
- Silver/Green Label Background** For Outdoor Use Exterior Galvanized for Treated Lumber
- Red Label Background** For Outdoor Use Stainless Steel for Treated Lumber, Redwood and Cedar
- Blue Label Background** Roofing

Label example*

* Center color stripe on label below matches page color within the catalog



What type of fastener do you need?

Framing, Siding & Roofing Nails

- Red Stripe on Label** Wire Collated
- Beige Stripe on Label** Plastic Collated
- Aqua/Purple Stripe on Label** Paper Collated

Finishing Nails & Brads

- Red Stripe on Label** Adhesive Collated 15 Gauge (FN Series)
- Aqua Stripe on Label** Mylar® Collated 15 Gauge (DA Series)
- Purple Stripe on Label** Adhesive Collated 16 & 18 Gauge

Staples-all adhesive collated

- Red Stripe on Label** 16 Gauge BCS Series
18 Gauge SX Series
- Aqua Stripe on Label** 16 Gauge P Series,
N Series
18 Gauge L Series
- Purple Stripe on Label** 16 Gauge GSW Series,
GS Series
- Beige Stripe on Label** 16 Gauge 76 Series

Slap Hammer Staples

- Red Stripe on Label** STCR Series
SHCR Series
- Beige Stripe on Label** 50 Series
- White Stripe on Label** A11 & A19 Series



Table of Contents

	Page Number Page Color*
How to Select a Fastener	2
General Fastener Information	
Common Collated Fastener Coatings and Finishes	3
Common Collated Nail Shanks	3
Coil Roofing Nails & Tools	
15° Wire Collation	4
Coil Framing Nails & Tools	
15° Round Head Wire Collation	5-6
15° Round Head Wire Collation Mini-coil	7-8
Stick Framing Nails & Tools	
21° Round Head Plastic Collation	9-12
28° Clipped Head Plastic Collation	13
28° Clipped Head Wire Collation	14-15
33° Clipped Head Paper Collation	16-17
Finish & Brad Nails & Tools	
15 Gauge "FN" Finish Nails	18
15 Gauge "DA" Finish Nails	19-20
16 Gauge Finish Brads	21-22
18 Gauge Finish Brads	23-24
Flooring Staples, Cleats & Tools	
15 Gauge Flooring Staples	25
Flooring Cleats	25
Staples & Tools	
16 Gauge "BCS" Wide Crown	26
16 Gauge "P" Wide Crown	27
16 Gauge "GSW" Wide Crown	28
16 Gauge "BCS" Medium Crown	29
16 Gauge "N" Medium Crown	30
16 Gauge "GS" Medium Crown	31
16 Gauge "76" Medium Crown	32
18 Gauge "SX" Narrow Crown	33
18 Gauge "L" Narrow Crown	34-35
"50" Series Hammer Tacker	36
"A" Series Hammer Tacker	37
"STCR" Series Hammer Tacker	38
"SHCR" Series Hammer Tacker	38
Do-It-Yourself Convenience Tubs	
15° Coil Roofing Nails	39
15° Coil Nails Wire Collation	39
21° Stick Framing Nails Plastic Collation	40
28° Stick Framing Nails Wire Collation	41
15 Gauge Flooring Staples	41
Tool & Fastener Cross Reference	42-52



* Page color matches the label color stripe in the diagram on facing page



Grip-Rite® - We know fasteners!

Whether you are a pro or a weekend warrior, selecting the optimal fastener for your tool and for your project can be quite a challenge. There are as many, or more, brands of collated fasteners as there are pneumatic tool manufacturers on the market today. The last thing you need to worry about is getting back to your work site and the fasteners not fitting your tool, or not having the correct type of fastener for the project. How do you know which fastener is the right fastener for you? Look no further than Grip-Rite®, the most popular brand of fasteners in America.

Grip-Rite Collated Fasteners have the optimal fastener for your tool and for your project. PrimeSource Building Products, Inc. is the largest purveyor of fasteners in the world. We have called on that market strength, and over 30 years of expertise in fasteners, to create the Grip-Rite Collated Fastener line.

Grip-Rite's color-coded packaging and labeling takes the guesswork out of matching a fastener to a tool and to a project (see label illustration on inside front cover).

Each Grip-Rite Collated Fastener is of the highest quality, and is guaranteed not to jam when used in the tool for which it is designed. Why pay a higher price for "brand-name" fasteners from the people who build tools, when you can have top-quality collated fasteners, guaranteed to fit your tool, at a better price, from the people who specialize in fasteners?!

How to choose the right fastener for your project

There are many sizes and styles of fasteners available. As construction materials and techniques evolve, fasteners are redesigned to keep pace with the changing technology. Fastener needs vary project to project, and the safety and life expectancy of the project can be extended or compromised based upon the fastener used.

Fasteners have been designed to meet the special needs of projects such as roofing, siding, framing, and other applications and in many cases are known by the application for which they are intended (roofing nails, finish nails, etc.) Be sure to use the correct type of fastener for your project.

Consider where the fastener will be used (inside, outside, with treated lumber, etc.). This will establish


whether or not a fastener with additional protection against corrosion and rust will be needed. Outdoor applications and other high-moisture environments will require a fastener specifically designed for these conditions.

The "new" treated lumbers

Many woods are treated with chemicals to prevent rot and insect infestation, and these chemicals can also corrode fasteners. Only Grip-Rite stainless steel fasteners or fasteners that meet or exceed ASTM A 153 Class D for galvanization are recommended for use with treated lumber.

There is some discoloration that occurs naturally, regardless what material is used to pierce the wood. Wood contains tannin, a self-preserving organism found in the wood itself. When wood is penetrated, tannins are released to protect the wood. However, tannins love zinc mono-chromate (found in dachrotized and dichrotized fasteners) and react quickly when they meet. This reaction creates the brown rust color you see around the head of fasteners, or when gravity takes over, the streaking running down the pickets in a fence. So while some discoloration is to be expected, the goal is to minimize additional staining whenever possible. For the ultimate in protection against rust and corrosion, be sure to use Grip-Rite Collated Fasteners stainless steel fasteners.

Look for the yellow oval which designates for use with treated lumber.



How to choose the right fastener for your tool

Grip-Rite's color-coded packaging and labeling takes the guesswork out of matching a fastener to a tool and a fastener to the project.

■ Let's say you **know the make and model of the tool** you are using. Turn to the Tool/Fastener Cross Reference. Tool brands are listed alphabetically; once you have found the manufacturer, identify your tool model. Turn to the page (s) indicated for the Grip-Rite Collated Fasteners that fit your tool.

■ If you **know the type of fastener** you need, turn to the Table of Contents. Find the type of tool you are using (framer, roofer, etc.) then the style (21°, paper collated, etc.). Turn to the page (s) indicated for the Grip-Rite Collated Fasteners that fit your tool. Tool brands and models are also listed with the fasteners for which they are intended.

General Fastener Information

Common Collated Fastener Coatings & Finishes

Fasteners are available in a variety of materials and finishes. Most fasteners are made of steel unless otherwise noted. All collated fasteners are vinyl coated for ease of use.

Bright - Bright, uncoated steel finish intended for use where corrosion resistance is not required.

Vinyl coated - Eases nail driving and provides greater holding power.

Galvanized - Treated with layer of zinc for enhanced resistance to corrosion and rust.

Mechanically galvanized - Zinc coating applied by tumbling with powdered zinc and glass beads. Offers increased corrosion resistance, comparable to hot galvanized when equivalent amount of zinc is used.

Hot dipped galvanized - Nails are immersed in molten zinc to insure thicker, even coating. Meet or exceed ASTM A 153 Class D for galvanization.

PrimeGuard Plus-coated - Patented polymer coating offering protection equivalent to hot dipped galvanized.

Exterior galvanized - Recommend for use with treated lumber. Fasteners are either hot dipped galvanized or PrimeGuard Plus-coated.

Stainless steel - Lifetime guarantee against rust and corrosion; recommended for use with cedar, redwood, or treated lumber.

Common Collated Nail Shanks

Smooth - Most common for everyday projects, provides the least amount of holding power.



Barbed - Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.



Screw/Spiral - Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.



Ring/Annular Thread - A series of closely spaced concentric rings around shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives greatest holding power in soft or medium woods.



15° Coil Roofing Nails

Primary applications include:
Roofing Shingles & Vinyl
Siding*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacture	Model
A-PLUS	R-45
ATRO	45 ROOFING ROLL
BASSO	NR 31/45
BEA	SN-500, 554DC, 552DC
BESCO	RF3145
BOSTITCH	RN45B, RN46, N12, N12-40
CAMPBELL HAUSFELD	NC1545
CRAFTSMAN	18445
DE POAN	DPN-6D2
DUO-FAST	DRN-45
EZ FASTEN	CRN45AA
FASCO	R4CN 15W-45CT, R3C-CN15W-32CT ROOF
GREX	CR45, CR50
GRIP-RITE	GRTCR175
GRIZZLY	G6771
HAUBOLD	RNC450W, RNC45W
HILTI	RFC-134B
HITACHI	NV 45AB, NV45AC

Grip-Rite Collated Fasteners that fit these tools can be found on this page and page 39 of this catalog.

Manufacture	Model
INTERCHANGE	ICB-CN45R
JAMERCO	JTCN45RA
JEPSON	PRN45C
MAKITA	AN-451
MAX	CN450R
NICHE RICH	17A 2052
NIKOTA	RF3145
PASLODE	3175/44RCU
PNEU TOOLS	RC150
PORTER CABLE	RN 175
RIGID	RN1750RNA
SESCO	SCN 200R, SCN40R
SPOTNAILS	KRN 45, VRN45
STAN TECH	SDCN 10B-1
T.C. INTERNATIONAL	UNC 175R
TRIDENT ASSOC.	CRW45AA
TRUSTY	CN45R
UNICATCH	UN175R

15° Coil Nails

Primary applications include:
Framing, Sheathing, Subfloors, Roof
Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model
APLUS	C-70, C-65, C-57, C-50, C-90, C-100
ATRO	ROLL 85, RHC 700, RHC 900, RHC 1000
BASSO	C33/90-B1, C25/65L-A1, C25/60- A1, C33/90-A1, C31/65-A1
BEA	T701, 900DC, 800DC, 566DC, 550DC, 700DC
BOSTITCH	N80CB, N86C, N100CPP, N70C, N64CP, N100C
DEPOAN	DPN-6C1/CN1583
EZ FASTEN	CN90, CN70AA, CN70HD
FASCO	R5 CN15W-90A, F5 CN15W65, F5C CN15W90, F5 CN15W65 SIC REG, F5C CN15W75
GREX	CN70, CN90
HAUBOLD	RNC90 WI, RNC65 WKI, RNC700WII, RN60 PII/BS

Grip-Rite Collated Fasteners that fit these tools can be found on pages 5, 6 and 39 of this catalog.

Manufacturer	Model
HITACHI	NV83A, NV65AB, NV65AC, NV75AG, NV65AH
INTERCHANGE	ICB-CN83
MAKITA	AN-901, AN-621
MAX	HN90, CN565, CN565S, CN565D, CN890S, CN100, CN70, CN665, CN890II, CN80, CN80F
NIKEMA	565CN70, 590CN90, 451CN60
PANREX	PR-565P
PASLODE	F275C, P275C, 4275/CN70, F325C, P350C, 5325/CN80, 4250/65CP
PATEK	CN565
PORTER CABLE	COIL250, COIL350
SESCO	SCN 300, SCN 60, SCN 65
SPOTNAILS	YCN83, MCW64
TRIDENT ASSOC.	CN70

1" x .120 (Roofing Nail) Galvanized Smooth
GALVANIZADOS Y RECUBIERTOS • À REVÊTEMENT GALVANISÉ

COIL ROOFING NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:
• BOSTITCH RN45B-1 & N12B
• GRIP-RITE GRPCR175 & 200
• HITACHI NV45AB & AC
• PASLODE 3175 RCU
• PORTER CABLE RN175
• PRIMEAIR PCR175 & 200
• SESCO SCN 200R & SCN 40R
• Most Other Coil Roofing Nailers

ROUND HEADS / CABEZAS REDONDAS / TÊTES RONDES
HIGH WIRE WELD / ALAMBRE SOLDADO ALTO / A FIL SOLDÉ HAUT

COUNT/TOTAL NOMBRE: **7,200**

ITEM # / ART. / ARTICLE: **GRCR2DGAL**

7 64666 99354 9

Size	Shank Style	SKU	Quantity
3/4"	Smooth	GRCR19GAL	7.2M Carton
7/8"	Smooth	GRCR2DCGAL	7.2M Carton
1"	Smooth	GRCR2DGAL	7.2M Carton
1-1/4"	Smooth	GRCR3DGAL	7.2M Carton
1-1/4"	Smooth	GRCR3DGALB	3.84M Bucket
1-1/2"	Smooth	GRCR4DGAL	7.2M Carton
1-3/4"	Smooth	GRCR5DGAL	7.2M Carton
2"	Smooth	GRCR6DGAL	7.2M Carton
1-1/4"	Ring	GRCR3DRGAL	7.2M Carton
1-1/2"	Ring	GRCR4DRGAL	7.2M Carton

1" x .120 (Roofing Nail) Stainless Steel Ring
AROS DE ACERO INOXIDABLE • EN ACIER INOXYDABLE CRANTÉ

COIL ROOFING NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:
• BOSTITCH RN45B-1 & N12B
• GRIP-RITE GRPCR175 & 200
• HITACHI NV45AB & AC
• PASLODE 3175 RCU
• PORTER CABLE RN175
• SESCO SCN 200R & SCN 40RN
• Most Other Coil Roofing Nailers

ROUND HEADS / CABEZAS REDONDAS / TÊTES RONDES
HIGH WIRE WELD / ALAMBRE SOLDADO ALTO / A FIL SOLDÉ HAUT

COUNT/TOTAL NOMBRE: **7,200**

ITEM # / ART. / ARTICLE: **GRCR2DRSS**

7 64666 90453 8

Approved for exterior use with all types of treated lumber.

Size	Shank Style	SKU	Quantity
1"	Ring	GRCR2DRSS	7.2M Carton
1-1/4"	Ring	GRCR3DRSS	7.2M Carton
1-1/2"	Ring	GRCR4DRSS	7.2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

3" x .120 (10D Sinker) Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

STANDARD COIL NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:
• Bostitch N80C & N86C
• Grip-Rite GRPCF325
• Hitachi NV50A
• Paslode F275C & F325C
• Porter Cable COIL250 & COIL350
• PrimeAir PCF325
• Senco SCN 3000, SCN 60 & SCN 65
• Most Other 15 Deg. Coil Wire Weld Nailers

ROUND HEADS / CABEZAS REDONDAS / TÊTES RONDES
WIRE WELD / ALAMBRE SOLDADO / A FIL SOLDÉ

COUNT/TOTAL NOMBRE: **2,500**

ITEM # / ART. / ARTICLE: **GRC10PD**

7 64666 99653 3

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .099	Smooth	Cooler	GRC6P99D	3M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRC8PD	3M Carton
8D 2-1/2" x .131	Smooth	Common	GRC8PZD	3M Carton
10D 3" x .120	Smooth	Sinker	GRC10PD	2.5M Carton
10D 3" x .131	Smooth	Framer	GRC10PZD	2.5M Carton
12D 3-1/4" x .120	Smooth	Box	GRC12PD	2.5M Carton
16D 3-1/4" x .131	Smooth	Short	GRC12PZD	2.5M Carton
6D 2" x .099	Ring	Cooler	GRC6R99D	3M Carton
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99D	3M Carton
8D 2-3/8" x .113	Ring	Cooler	GRC8RD	3M Carton
12D 3-1/4" x .120	Screw	Box	GRC12SD	2.5M Carton

2" x .099 (6D Sheathing) Galvanized Smooth
GALVANIZADOS Y RECUBIERTOS • À REVÊTEMENT GALVANISÉ

STANDARD COIL NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:
• Bostitch N80C & N86C
• Grip-Rite GRPCF325
• Hitachi NV50A
• Paslode F275C & F325C
• Porter Cable COIL250 & COIL350
• PrimeAir PCF325
• Senco SCN 3000, SCN 60 & SCN 65
• Most Other 15 Deg. Coil Wire Weld Nailers

ROUND HEADS / CABEZAS REDONDAS / TÊTES RONDES
WIRE WELD / ALAMBRE SOLDADO / A FIL SOLDÉ

COUNT/TOTAL NOMBRE: **3,000**

ITEM # / ART. / ARTICLE: **GRC6P99DG**

7 64666 99648 9

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .099	Smooth	Cooler	GRC6P99DG	3M Carton
8D 2-3/8" x .099	Smooth	Sheathing	GRC8P99DG	3M Carton
8D 2-1/2" x .131	Smooth	Cooler	GRC8PZDG	3M Carton
10D 3" x .120	Smooth	Sinker	GRC10PDG	2.5M Carton
12D 3-1/4" x .120	Smooth	Box	GRC12PDG	2.5M Carton
16D 3-1/4" x .131	Smooth	Short	GRC12PZDG	2.5M Carton
6D 2" x .099	Ring	Cooler	GRC6R99DG	3M Carton
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DG	3M Carton
8D 2-1/2" x .131	Ring	Cooler	GRC8RZDG	3M Carton
10D 3" x .120	Ring	Sinker	GRC10RDG	2.5M Carton
12D 3-1/4" x .120	Ring	Box	GRC12RDG	2.5M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

15° Coil Nails

Primary applications include:
Framing, Sheathing, Subfloors, Roof
Decking & Exterior Decks*



2" x .099 Ring (6D Sheathing) Exterior Galvanized Smooth

EXTERIOR GALVANIZADOS • EXTERNE GALVINISE

STANDARD COIL NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Bostitch N80C & N86C
- Grip-Rite GRPCF325
- Hitachi NV83A
- Paslode F275C & F325C
- Porter Cable COIL250 & COIL350
- PrimeAir PCF325
- Senco SCN 3000, SCN 60 & SCN 65
- Most Other 15 Deg. Coil Wire Weld Nailers

For use on exterior applications and with ACQ lumber. PrimeGuard Plus Zinc Polymer coating is equivalent to Galvanization that meets ASTM A153 Class D. Staining and streaking can occur with all treated lumber.

ITEM #: **GRC6P99DHG**
ART. ARTICLE:

Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .099	Smooth	Sheathing	GRC6P99DHG	3M Carton
10D 3" x .120	Smooth	Sinker	GRC10PDHG	2.5M Carton
12D 3-1/4" x .120	Smooth	Box	GRC12PDHG	2.5M Carton
6D 2" x .099	Ring	Cooler	GRC6R99DHG	3M Carton
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DHG	3M Carton
10D 3" x .120	Ring	Sinker	GRC10RDHG	2.5M Carton
12D 3-1/4" x .120	Ring	Box	GRC12RDHG	2.5M Carton

3" x .120 (10D Box) Stainless Steel Ring

AROS DE ACERO INOXIDABLE • EN ACIER INOXYDABLE CRANTÉ

STANDARD COIL NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Bostitch N80C & N86C
- Grip-Rite GRPCF325
- Hitachi NV50A
- Paslode F275C & F325C
- Porter Cable COIL250 & COIL350
- PrimeAir PCF325
- Senco SCN 3000, SCN 60 & SCN 65
- Most Other 15 Deg. Coil Wire Weld Nailers


For use on exterior applications and with all treated lumber. Stainless steel fasteners are recommended for use with cedar and redwood. PrimeGuard Plus Zinc Polymer coating is equivalent to Galvanization that meets ASTM A153 Class D. Staining and streaking can occur with all treated lumber.

ITEM #: **GRC10RDSS**
ART. ARTICLE:

Stainless Steel				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .099	Ring	Cooler	GRC6R99DSS	3M Carton
8D 2-3/8" x .099	Ring	Sheathing	GRC8R99DSS	3M Carton
10D 3" x .120	Ring	Sinker	GRC10RDSS	2.5M Carton
12D 3-1/4" x .120	Ring	Box	GRC12RDSS	2.5M Carton

15° "Mini" Coil Nails

Primary applications include:
Framing, Siding, Fencing &
Cedar Shake*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 7 and 8 of this catalog.

Manufacturer	Model
APLUS	C-70, C-65, C-57, C-50
BASSO	C25/65L-A1
BEA	566DC, 550DC, 700DC
BOSTITCH	N63CP, N64C, N55C, N50C, N55CP, N65CP
DUO-FAST	N55
EZ FASTEN	CN70AA, CN70HD
FASCO	R4 CN15W-50CT
HAUBOLD	N55
HITACHI	NV 65AH

Manufacturer	Model
MAKITA	AN611
MAX	CN565S, CN565, CN665, CN55, CN70
NIKEMA	451CN60
PANREX	PR-565P
PASLODE	3250/HSF, 3225/N55
PATEK	CN565
PORTER CABLE	COIL200
SENCO	SCN 55, SCN 56
SPOTNAILS	MCW64

1-1/4" x .080 (3D Siding/Fencing) Galvanized Ring

AROS GALVANIZADOS RECUBIERTOS • À REVÊTEMENT GALVANISÉ CRANTÉ

"MINI" COIL NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Bostitch N63CP & N64C-1
- Grip-Rite GRPCP250
- Hitachi NV65AH, NV65AC, NV50A1
- Max CN565S, CN552S
- PrimeAir PCP250
- Senco SCN55S

Should not be used on treated lumber. Should not be used where nail face will be in contact with treated lumber. The use of Grip-Rite Collated Fasteners on treated lumber is recommended for all outdoor projects.

ITEM #: **GRC3R80DG**
ART. ARTICLE:

Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
7D 2-3/16" x .092	Smooth	Fencing/Siding	GRC7P90DG	3M Carton
3D 1-1/4" x .080	Ring	Fencing/Siding	GRC3R80DG	3M Carton
4D 1-1/2" x .080	Ring	Fencing/Siding	GRC4R80DG	3M Carton
5D 1-3/4" x .080	Ring	Fencing/Siding	GRC5R80DG	3M Carton
6D 2" x .092	Ring	Fencing/Siding	GRC6R90DG	3M Carton
7D 2-3/16" x .092	Ring	Fencing/Siding	GRC7R90DG	3M Carton
8D 2-1/2" x .092	Ring	Fencing/Siding	GRC8R90DG	3M Carton

1-3/4" x .080 Ring (5D Siding/Fencing) Exterior Galvanized Ring

EXTERIOR GALVANIZADOS • EXTERNE GALVINISE

"MINI" COIL NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Bostitch N63CP & N64C-1
- Grip-Rite GRPCP250
- Hitachi NV65AH, NV65AC, NV50A1
- Max CN565S, CN552S
- PrimeAir PCP250
- Senco SCN55S

For use on exterior applications and with ACQ lumber. PrimeGuard Plus Zinc Polymer coating is equivalent to Galvanization that meets ASTM A153 Class D. Staining and streaking can occur with all treated lumber.

ITEM #: **GRC5R80DHG**
ART. ARTICLE:

Exterior Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
7D 2-3/16" x .092	Smooth	Fencing/Siding	GRC7P90DHG	3M Carton
8D 2-1/2" x .092	Smooth	Fencing/Siding	GRC8P90DHG	3M Carton
5D 1-3/4" x .080	Ring	Fencing/Siding	GRC5R80DHG	3M Carton
6D 2" x .092	Ring	Fencing/Siding	GRC6R90DHG	3M Carton
7D 2-3/16" x .092	Ring	Fencing/Siding	GRC7R90DHG	3M Carton
8D 2-1/2" x .092	Ring	Fencing/Siding	GRC8R90DHG	3M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

15° "Mini" Coil Nails

Primary applications include:
Framing, Siding, Fencing &
Cedar Shake*



Grip-Rite Collated 1-3/4" x .090 (5D Siding/Fencing)
Stainless Steel Ring
AROS DE ACERO INOXIDABLE • EN ACIER INOXYDABLE CRANTÉ

"MINI" COIL NAILS

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:
• Bostitch N63CP & N64C-1
• Grip-Rite GRPCP250
• Hitachi NV65AH, NV65AC, NV50A1
• Max CN56SS, CN552S
• PrimeAir PCP250
• Senco SCN55S

ROUND HEADS
CABEZAS REDONDAS
TÊTES RONDES

WIRE WELD
ALAMBRE SOLDADO
À FIL SOUDÉ

3,000

ITEM #
ARTICLE: **GRC5R90DSS**

ISANTA ASSOCIATE MEMBER


7 64666 90122 3

Approved for exterior use with all types of treated lumber.

Stainless Steel				
Size	Shank Style	Nail Type	SKU	Quantity
4D1-1/2" x .090	Ring	Fencing/Siding	GRC4R90DSS	3M Carton
5D1-3/4" x .080	Ring	Fencing/Siding	GRC5R80DSS	3M Carton
5D1-3/4" x .090	Ring	Fencing/Siding	GRC5R90DSS	3M Carton
6D2" x .092	Ring	Fencing/Siding	GRC6R90DSS	3M Carton
7D2-3/16" x .092	Ring	Fencing/Siding	GRC7R90DSS	3M Carton
8D2-1/2" x .092	Ring	Fencing/Siding	GRC8R90DSS	3M Carton

21° Stick Framing Nails- Plastic Collated

Primary applications include: Framing,
Sheathing, Subfloors & Roof Decking*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 10-12 and 40 of this catalog.

Manufacture	Model
AIRY	AVA2100CRK
APACH	AN-9021, AN-9021AC
APLUS	S-130A, S-100A, S-90D
ATRO/ISM	RHS921
BASSO	A22/100-A1, A22/90H-B1
BEA	R90-946, R100-950, R130-957
BERRY-FAST	3000, 3500, 4100, 4500
BESCO	RHF9021
BOSTITCH	N95RHN, N90RHN, KN85PP-1, N95-162, N79RH, N88RH
CAMPBELL	NS2090
HAUSFELD	
CRAFTSMAN	18436, 19034
DEPOAN	DPN 6C50-RN2290
DEWALT	D51845, D51844
DUO-FAST	CN350B, SNP 83, CN325B, NSP-350F, CN350, CN137
EZ FASTEN	SN9021
FASCO	R5C RHN 20-90 SS-CT, F6C RHN 20-100
GREX	SF 9021H
GRIP-RITE	GRTRH350
GRIZZLY	G6050
HAUBOLD	RH90, RN100D, RN90PII, RN130 R, RN130 R/DB
HILTI	RHN-9020
HITACHI	NR83A, NR90AC, NR90AC2, NR83A2
HOLZ-HER	3500 SERIES
INTERCHANGE	ICB-FN88

Manufacture	Model
JADE	JT350PL
JAMERCO	JTNFH90A
JEPSON	PF21FH
JIT	FN2190
J-K	89
MAKITA	AN922, AN8300
MAX	SN890RH, SN80, SN90
NICHE RICH	17A2051
NIKEMA	590RN100, 590RN90
NIKOTA	RHF9021
PANREX	PR-9021P
PASLODE	5325 SRH, 5350/SRN-20
PATEK	PR9021
PORTER CABLE	FR 350NC, FR350MAG, FR350, FR 350A
PREBENA	9FAK100
RIGID	R350RHA
SESCO	SN60, SN65, SN65C, FRAMEPRO 652, FRAMEPRO 602, FRAMEPRO 650
SPOTNAILS	YPR90
STAN TECH	SDN 11 B-1, SDN 11
T.C. INTERNATIONAL	SRN 90, UNS 350
TRIDENT ASSOC.	SRN90
TRUSTY	AF9021, TYI2190FN
UNICATCH	UNS 350 PL

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

21° Stick Framing Nails- Plastic Collated

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



Grip Rite COLLATED
3" x .120 (10D Sinker) Coated Smooth
 RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

ROUND HD, PLASTIC STRIP

For Use With / Para Usar Con / Utilize Avec:
 • Dewalt D51845
 • Duo-Fast CN350B & NSP350F
 • Grip-Rite GRPRH350
 • Hitachi NR83A & NR90AC2
 • Porter Cable FR350 & FR350 MAG
 • PrimeAir PRH350
 • Senco All Frame Pro 600 FRH & 700 FRH series
 • Most Other 21 Deg. RH Nailers

Should not be used in humid areas.
 *Always use full fastener range in humid areas, ensuring full shank penetration.
 The use of Grip Rite Collated nails and plastic strips is recommended for all outdoor projects.

ROUND HEADS
 CABEZAS REDONDAS
 TÊTES RONDES

PLASTIC STRIP
 TIRA PLÁSTICA
 BANDA DE PLÁSTICO

ITEM #
 ART. #
GR301

ISANTA ASSOCIATE MEMBER


7 64666 99190 3

Coated				
Size	Shank Style	Nail Type	SKU	Quantity
4D1-1/2" x .148	Smooth	Hanger Nail	GR112148	6M Carton
6D 2" x .113	Smooth	Common	GR03	5M Carton
6D 2" x .113	Smooth	Common	GR03L	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GR07	5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GR07L	2.5M Carton
8D 2-1/2" x .131	Smooth	Common	GR212131	5M Carton
8D 2-1/2" x .131	Smooth	Common	GR8D131	4M Carton
10D 2-1/8" x .148	Smooth	Ply	GR218148	5M Carton
10D 2-1/8" x .148	Smooth	Ply	GR7D148	4M Carton
10D 2-1/4" x .148	Smooth	Ply	GR214148	5M Carton
10D 2-1/4" x .148	Smooth	Ply	GR7DL148	4M Carton
10D 2-3/8" x .148	Smooth	Ply	GR238148	5M Carton
10D 2-3/8" x .148	Smooth	Ply	GR8D148	4M Carton
10D 3" x .120	Smooth	Framer	GR301	4M Carton
10D 3" x .120	Smooth	Framer	GR301L	2M Carton
10D 3" x .131	Smooth	Framer	GR014	4M Carton
10D 3" x .131	Smooth	Framer	GR014L	2M Carton
10D 3" x .148	Smooth	Common	GR3148	4M Carton
12D 3-1/4" x .120	Smooth	Framer	GR444	4M Carton
12D 3-1/4" x .120	Smooth	Framer	GR444L	2M Carton
12D 3-1/4" x .148	Smooth	Common	GR314148	4M Carton
12D 3-1/4" x .162	Smooth	Short-Common	GR314162	2.5M Carton
16D 3-1/4" x .131	Smooth	Short	GR024	4M Carton
16D 3-1/4" x .131	Smooth	Short	GR024L	2M Carton
16D 3-3/8" x .131	Smooth	Sinker	GR338	4M Carton
16D 3-3/8" x .131	Smooth	Sinker	GR338L	2M Carton
16D 3-1/2" x .131	Smooth	Box	GR312131	4M Carton
16D 3-1/2" x .131	Smooth	Box	GR312131L	2M Carton
16D 3-1/2" x .162	Smooth	Common	GR312162	2.5M Carton
6D 2" x .113	Ring	Common	GR04	5M Carton
6D 2" x .113	Ring	Common	GR04L	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GR08R	5M Carton
8D 2-3/8" x .113	Ring	Cooler	GR08RL	2.5M Carton
10D 3" x .131	Ring	Framer	GR014R	4M Carton
8D 2-3/8" x .113	Screw	Cooler	GR016	5M Carton
10D 2-1/8" x .148	Screw	Ply	GR218148S	5M Carton
10D 2-3/8" x .148	Screw	Ply	GR238148S	5M Carton
10D 3" x .120	Screw	Sinker	GR3120S	4M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

21° Stick Framing Nails- Plastic Collated

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



Grip Rite COLLATED
2 3/8" x .113 (8D Cooler) Galvanized Ring
 AROS GALVANIZADOS RECUBIERTOS • À REVÊTEMENT GALVANISÉ CRANTÉ

ROUND HD, PLASTIC STRIP

For Use With / Para Usar Con / Utilize Avec:
 • Dewalt D51845
 • Duo-Fast CN350B & NSP350F
 • Grip-Rite GRPRH350
 • Hitachi NR83A & NR90AC2
 • Porter Cable FR350 & FR350 MAG
 • PrimeAir PRH350
 • Senco All Frame Pro 600 FRH & 700 FRH series
 • Most Other 21 Deg. RH Nailers

Should not be used in humid areas.
 *Always use full fastener range in humid areas, ensuring full shank penetration.
 The use of Grip Rite Collated nails and plastic strips is recommended for all outdoor projects.

ROUND HEADS
 CABEZAS REDONDAS
 TÊTES RONDES

PLASTIC STRIP
 TIRA PLÁSTICA
 BANDA DE PLÁSTICO

ITEM #
 ART. #
GR08G

ISANTA ASSOCIATE MEMBER

7 64666 99319 8

Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Common	GR05G	5M Carton
6D 2" x .113	Smooth	Common	GR05GL	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GR09G	5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GR09GL	2.5M Carton
8D 2-1/2" x .131	Smooth	Common	GR212131G	5M Carton
10D 3" x .120	Smooth	Framer	GR301G	4M Carton
10D 3" x .120	Smooth	Framer	GR301GL	2M Carton
10D 3" x .131	Smooth	Framer	GR033G	4M Carton
12D 3-1/4" x .120	Smooth	Box	GR444G	4M Carton
12D 3-1/4" x .120	Smooth	Box	GR444GL	2M Carton
16D 3-1/4" x .131	Smooth	Short	GR034G	4M Carton
16D 3-1/4" x .131	Smooth	Short	GR034GL	2M Carton
16D 3-3/8" x .131	Smooth	Sinker	GR338G	4M Carton
6D 2" x .113	Ring	Common	GR04G	5M Carton
8D 2-3/8" x .113	Ring	Cooler	GR08G	5M Carton
8D 2-3/8" x .113	Ring	Cooler	GR08GL	2.5M Carton
10D 3" x .120	Ring	Sinker	GR408G	4M Carton
10D 3" x .120	Ring	Sinker	GR408GL	2M Carton

Mechanically Galvanized				
Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GR238113MG	5M Carton
16D 3-14" x .131	Smooth	Short	GR314131MG	4M Carton

Mechanically Galvanized, Casing Head				
Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler-Casing	GR238CS	2.5M Carton
16D 3-1/4" x .131	Smooth	Short-Casing	GR314CS	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

21° Stick Framing Nails- Plastic Collated

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



2" x .113 Ring (6D Cooler) Exterior Galvanized Ring
EXTERIOR GALVANIZADOS • EXTERNE GALVANISE

ROUND HD, PLASTIC STRIP
Grip-Rite Collated Stainless Steel Fasteners are recommended for all outdoor projects.

For Use With / Para Usar Con / Utilize Avec:
 • Dewalt D51845
 • Duo-Fast CN350B & NSP350F
 • Grip-Rite GRPRH350
 • Hitachi NR83A & NR90AC2
 • Porter Cable FR350 & FR350 MAG
 • Prime Air PRH350
 • Senco All Frame Pro 600 FRH & 700 FRH series
 • Most Other 21 Deg. RH Nailers

For use on exterior applications and with ACO lumber. PrimeGuard Plus Zinc Polymer coating is equivalent to Galvanization that meets ASTM A153 Class D. Seaming and strapping can occur with all treated lumber.

ITEM # ART. ARTICLE **GR04HG**

ISANTA MEMBER

64666 90607 5

Approved for exterior use with all types of treated lumber.

Exterior Galvanized					
Size	Shank Style	Nail Type	SKU	Quantity	
6D 2" x .113	Smooth	Common	GR05HG	5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GR09HG	5M Carton	
8D 2-3/8" x .113	Smooth	Cooler	GR09HGL	2.5M Carton	
8D 2-1/2" x .131	Smooth	Common	GR212131HG	5M Carton	
10D 3" x .120	Smooth	Framer	GR301HG	4M Carton	
10D 3" x .120	Smooth	Framer	GR301HGL	2M Carton	
10D 3" x .131	Smooth	Framer	GR033HG	4M Carton	
12D 3-1/4" x .120	Smooth	Box	GR444HG	4M Carton	
12D 3-1/4" x .120	Smooth	Box	GR444HGL	2M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034HG	4M Carton	
16D 3-1/4" x .131	Smooth	Short	GR034HGL	2M Carton	
6D 2" x .113	Ring	Common	GR04HG	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08RHG	5M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08HGL	2.5M Carton	
10D 3"x.120	Ring	Short	GR408HG	4M Carton	
10D 3"x.120	Ring	Short	GR408HGL	2M Carton	
10D 2-3/8" x .113	Screw	Framer	GR016HG	5M Carton	
10D 3" x .120	Screw	Framer	GR015HG	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SHG	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SHGL	2M Carton	

3" x .120 (10D Sinker) Stainless Steel Screw
TORNILLOS DE ACERO INOXIDABLE • A BOIS, EN ACIER INOXIDABLE

ROUND HD, PLASTIC STRIP

For Use With / Para Usar Con / Utilize Avec:
 • Dewalt D51845
 • Duo-Fast CN350B & NSP350F
 • Grip-Rite GRPRH350
 • Hitachi NR83A & NR90AC2
 • Porter Cable FR350 & FR350 MAG
 • Prime Air PRH350
 • Senco All Frame Pro 600 FRH & 700 FRH series
 • Most Other 21 Deg. RH Nailers

For use on exterior applications and with all treated lumber. Lifetime warranty against rust and corrosion. Tarnish acids found naturally in lumber can cause staining and streaking. The use of Grip-Rite Collated stainless steel fasteners is recommended for all outdoor projects.

ITEM # ART. ARTICLE **GR015SS**

ISANTA MEMBER

64666 90466 8

Approved for exterior use with all types of treated lumber.

Stainless Steel					
Size	Shank Style	Nail Type	SKU	Quantity	
8D 2-3/8" x .113	Smooth	Cooler	GR439SS	2.5M Carton	
10D 3" x .131	Smooth	Framer	GR4395SS	2M Carton	
16D 3-1/4" x .131	Smooth	Short	GR440SS	2M Carton	
8D 2-3/8" x .113	Ring	Cooler	GR08RSS	5M Carton	
10D 3" x .120	Ring	Framer	GR408SS	4M Carton	
10D 3" x .120	Screw	Framer	GR015SS	4M Carton	
12D 3-1/4" x .120	Screw	Box	GR444SSS	4M Carton	


Approved for exterior use with all types of treated lumber.

Stainless Steel, Casing Head					
Size	Shank Style	Nail Type	SKU	Quantity	
8D 2-3/8" x .113	Smooth	Casing-Cooler	GR238CSSS	2.5M Carton	

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

28° Stick Framing Nails- Plastic Collated

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model	Manufacturer	Model
BASSO	N90PH-A1	DUO FAST	NSPM-325F

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

2 3/8" x .113 (8D Cooler) Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

28° CLIPPED HD, PLASTIC STRIP

For Use With / Para Usar Con / Utilize Avec:
 • Duo-Fast CN325

Should not be used in treated lumber. Should not be used where surface rust is unacceptable. Tarnish acids found naturally in lumber can cause staining and streaking. The use of Grip-Rite Collated stainless steel fasteners is recommended for all outdoor projects.

ITEM # ART. ARTICLE **GR603L**

ISANTA MEMBER

64666 99734 9

Coated

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GR603L	2.5M Carton
10D 3" x .120	Smooth	Sinker	GR615L	2M Carton
10D 3" x .131	Smooth	Framer	GR606L	2M Carton
16D 3-1/4" x .131	Smooth	Short	GR607L	2M Carton

2 3/8" x .113 (8D Cooler) Galvanized Smooth
GALVANIZADOS Y RECUBIERTOS • À REVÊTEMENT GALVANISÉ

28° CLIPPED HD, PLASTIC STRIP

FOR USE WITH/PARA USAR CON/UTILIZE AVEC:
 • Duo-Fast CN325

Should not be used in treated lumber. Should not be used where surface rust is unacceptable. Tarnish acids found naturally in lumber can cause staining and streaking. The use of Grip-Rite Collated stainless steel fasteners is recommended for all outdoor projects.

ITEM # ART. ARTICLE **GR611GL**

ISANTA MEMBER

64666 99735 6


Galvanized

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GR611GL	2.5M Carton
16D 3-1/4" x .131	Smooth	Short	GR613GL	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

28° Stick Framing Nails- Wire Collated

Primary applications include: Framing, Sheathing,
Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 14, 15 and 41 of this catalog.

Manufacturer	Model	Manufacturer	Model
AIRY	ANB2883CRK	DEPOAN	6C51-CN2890
APACH	AN-9028AN-9028AC	EZ FASTEN	SRN9028
APLUS	S-90B	FASCO	R5C HHN 28-90 SS CT
ATRO/ISM	CHS-928	GREX	SF9028H
BASSO	N90SB	JAMERCO	JTAFN2890
BESCO	CHF9028	MAX	SN890CH/28
BOSTITCH	N80SB, N70S, N79WW, N16, N100S, N86S, N80S, N88WW	PORTER CABLE	FM350A
CAMPBELL HAUSFELD	NS2890	STAN TECH	1526B
CRAFTSMAN	18430, 19035	TRUSTY	TYI2890FN
		UNICATCH	UNS350P8

Grip Rite
COLLATED

2" x .113 (6D Cooler) Coated Smooth

RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

CLIPPED HD, WIRE WELD

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Atro CHS928
- Bostitch N80SB, N79WW, N88WW
- Campbell Hausfeld NS289000
- Devilbiss SFN6
- Grip-Rite GRPWCH350
- Max SN890CH/28
- PrimeAir PWCH350

Should not be used on treated lumber. Should not be used where exterior rust is unacceptable. Some acids found naturally in lumber can cause staining and cracking. The use of a water repellent preservative is recommended for all exterior projects.

ITEM # ART. ARTICLE: **GRS6D**

ISANTA MEMBER

7 64666 99632 8

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6D	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8D	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10D	2M Carton
10D 3" x .131	Smooth	Framer	GRS10DZ	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRS12D	2M Carton
16D 3-1/4" x .131	Smooth	Short	GRS12DZ	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZ	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DR	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DR	2.5M Carton

Grip Rite
COLLATED

2" x .113 (6D Cooler) Galvanized Smooth

GALVANIZADOS Y RECUBIERTOS • À REVÊTEMENT GALVANISÉ

CLIPPED HD, WIRE WELD

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Atro CHS928
- Bostitch N80SB, N79WW, N88WW
- Campbell Hausfeld NS289000
- Devilbiss SFN6
- Grip-Rite GRPWCH350
- Max SN890CH/28
- PrimeAir PWCH350

Should not be used on treated lumber. Should not be used where exterior rust is unacceptable. Some acids found naturally in lumber can cause staining and cracking. The use of a water repellent preservative is recommended for all exterior projects.

ITEM # ART. ARTICLE: **GRS6DG**

ISANTA MEMBER


7 64666 99633 5

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6DG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8DG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10DG	2M Carton
12D 3-1/4" x .120	Smooth	Cooler	GRS12DG	2M Carton
16D 3-1/4" x .131	Smooth	Short	GRS12DZG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZG	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DRG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DRG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRG	2M Carton
12D 3-1/4" x .120	Ring	Cooler	GRS12DRG	2M Carton
12D 3-1/4" x .120	Screw	Cooler	GRS12DSG	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

28° Stick Framing Nails- Wire Collated

Primary applications include: Framing, Sheathing,
Subfloors, Roof Decking & Exterior Decks*



Grip Rite
COLLATED

2" x .113 (6D Cooler) Exterior Galvanized Smooth

EXTERIOR GALVANIZADOS • EXTERNE GALVANISÉ

CLIPPED HD, WIRE WELD

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Atro CHS928
- Bostitch N80SB, N79WW, N88WW
- Campbell Hausfeld NS289000
- Devilbiss SFN6
- Grip-Rite GRPWCH350
- Max SN890CH/28
- PrimeAir PWCH350

Should not be used on treated lumber. Should not be used where exterior rust is unacceptable. Some acids found naturally in lumber can cause staining and cracking. The use of a water repellent preservative is recommended for all exterior projects.

ITEM # ART. ARTICLE: **GRS6DHG**

ISANTA MEMBER

7 64666 90592 4

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRS6DHG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRS8DHG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRS10DHG	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRS12DHG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRS16DZHG	2M Carton
6D 2" x .113	Ring	Cooler	GRS6DRHG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRS8DRHG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRHG	2M Carton
12D 3-1/4" x .120	Ring	Box	GRS12DRHG	2M Carton
12D 3-1/4" x .120	Screw	Cooler	GRS16DSHG	2M Carton

Grip Rite
COLLATED

3" x .120 (10D Sinker) Stainless Steel Ring

AROS DE ACERO INOXIDABLE • EN ACIER INOXYDABLE CRANTE

CLIPPED HD, WIRE WELD

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC:

- Atro CHS928
- Bostitch N80SB, N79WW, N88WW
- Campbell Hausfeld NS289000
- Devilbiss SFN6
- Grip-Rite GRPWCH350
- Max SN890CH/28
- PrimeAir PWCH350

Should not be used on treated lumber. Should not be used where exterior rust is unacceptable. Some acids found naturally in lumber can cause staining and cracking. The use of a water repellent preservative is recommended for all exterior projects.

ITEM # ART. ARTICLE: **GRS10DRSS**

ISANTA MEMBER


7 64666 99903 9

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Ring	Cooler	GRS8DRSS	2.5M Carton
10D 3" x .120	Ring	Sinker	GRS10DRSS	2M Carton
12D 3-1/4" x .120	Ring	Box	GRS12DRSS	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

33° Stick Framing Nails- Paper Collation

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.		Grip-Rite Collated Fasteners that fit these tools can be found on pages 16 and 17 of this catalog.	
Manufacturer	Model	Manufacturer	Model
AIRY	AUA3490CRK	PASLODE	IMPULSE350, IMPULSE300,
APACH	AN-9034, AN-9024AC		IMPULSE325, GN212,
APLUS	S-90E		F-350S, 5350, SK312, IMCT,
ATRO/ISM	CHS 933		5325
BASSO	N90PA-A1	PATEK	PR0034
BESCO	CHF9034, CHF9030	PORTER CABLE	FC350, FC350A
BOSTITCH	N90PT, N79PT	RIGID	R350CHA
DEPOAN	DPN6052	SENCO	SN2, SN325+, FRAMEPRO
DEWALT	D51823, D51822		751 EXP THINK TRAC, SN70,
EZ FASTEN	SN9034		FRAMEPRO 751XP,
FASCO	R5C HHN 31-90 SS CT, F5C		FRAMEPRO 651, FRAME
	HHN 31-83, F6 HHN 31-90		PRO 601, FRAMEPRO 751 EXP
GREX	SF9034H		THINK, SN3, SN4,
GRIP-RITE	GRTCH350		FRAMEPRO 701EXP THINK
HILTI	CHN9033		TRAC, FRAMEPRO 701 EXP
HITACHI	NR83AA, NR83AA2, NR90AA,		THINK, SN2+
	NR90AD	SPOTNAILS	YTD90
INTERCHANGE	ICB-DF88	STAN TECH	SDN11-PT-1
JADE	JT350 P4	T.C. INTERNATIONAL	UNS 350 P4/P8
JAMERCO	JTAFN3190	TECH FORGE	1521
MAKITA	AN-942	TRUSTY	TYI3490FN, AF0034
MAX	SN890CH/34	UNICATCH	UNS 350P4
PANREX	PR-0034P		

2" x .113 (6D Cooler) Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

CLIPPED HD, PAPER TAPE

FOR USE WITH / PARA USAR CON / UTILIZÉ AVEC:
 • Paslode Power Master Plus, 5325S & SK312
 • Paslode Impulse
 • Senco All Frame Pro 600 & 700 series SN325+, SN70, FP751XP
 • Hitachi NR83AA
 • Dewalt D51823
 • Porter Cable FC350
 • Grip-Rite GRPCH350
 • PrimeAir PCH350
 • Most Other 33 Deg Paper Tape Nailers

Should not be used in treated lumber.
 Should not be used where surface rust is unacceptable.
 Tarnish will form naturally in lumber that cause staining and staining.
 The use of Grip-Rite Collated stainless steel fasteners is recommended for all outdoor projects.


ITEM # ART **GRSP6D**

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRSP6D	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRSP8D	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRSP10D	2M Carton
10D 3" x .131	Smooth	Framer	GRSP10DZ	2M Carton
12D 3-1/4" x .120	Smooth	Box	GRSP12D	2M Carton
12D 3-1/4" x .131	Smooth	Short	GRSP12DZ	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRSP16DZ	2M Carton
6D 2 x .113	Ring	Cooler	GRSP6DR	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8DR	2.5M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

33° Stick Framing Nails- Paper Collation

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



2" x .113 (6D Cooler) Galvanized Smooth
GALVANIZADOS • GALVINISÉ

CLIPPED HD, PAPER TAPE

FOR USE WITH / PARA USAR CON / UTILIZÉ AVEC:
 • Dewalt D51823
 • Grip-Rite GRPCH350
 • Hitachi NR83AA & NR90AA
 • Paslode Power Master Plus, Impulse, 53005 & SK312
 • Porter Cable FC350
 • Senco All Frame Pro 600 & 700 series SN325+, SN70
 • Most Other 33 Deg Paper Tape Nailers

Should not be used in treated lumber.
 Should not be used where surface rust is unacceptable.
 Tarnish will form naturally in lumber that cause staining and staining.
 The use of Grip-Rite Collated stainless steel fasteners is recommended for all outdoor projects.

ITEM # ART **GRSP6DG**

Size	Shank Style	Nail Type	SKU	Quantity
6D 2" x .113	Smooth	Cooler	GRSP6DG	2.5M Carton
8D 2-3/8" x .113	Smooth	Cooler	GRSP8DG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRSP10DG	2M Carton
10D 3" x .131	Smooth	Framer	GRSP10DZG	2M Carton
12D 3-1/4" x .131	Smooth	Short	GRSP12DZG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRSP16DZG	2M Carton
6D 2" x .113	Ring	Cooler	GRSP6DRG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRSP10DRG	2M Carton
12D 3-1/4" x .120	Ring	Box	GRSP12DRG	2M Carton

2 3/8" x .113 (8D Cooler) Exterior Galvanized Smooth
EXTERIOR GALVANIZADOS • EXTERNE GALVINISÉ

CLIPPED HD, PAPER TAPE

Grip-Rite Collated Stainless Steel Fasteners are recommended for all outdoor projects.

FOR USE WITH / PARA USAR CON / UTILIZÉ AVEC:
 • Dewalt D51823
 • Grip-Rite GRPCH350
 • Hitachi NR83AA & NR90AA
 • Paslode Power Master Plus, Impulse, 53005 & SK312
 • Porter Cable FC350
 • Senco All Frame Pro 600 & 700 series SN325+, SN70
 • Most Other 33 Deg Paper Tape Nailers

For use on exterior applications and with ACQ lumber.
 Primed/Laminated Ply Film Polymer coating is available in Galvanization that meets ASTM A153 Class D.
 Staining and streaking can occur with all treated lumber.

ITEM # ART **GRSP8DHG**

Approved for exterior use with all types of treated lumber.

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Smooth	Cooler	GRSP8DHG	2.5M Carton
10D 3" x .120	Smooth	Sinker	GRSP10DHG	2M Carton
12D 3-1/4" x .131	Smooth	Short	GRSP12DZHG	2M Carton
16D 3-1/2" x .131	Smooth	Box	GRSP16DZHG	2M Carton
6D 2" x .113	Ring	Cooler	GRSP6DRHG	2.5M Carton
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRHG	2.5M Carton
10D 3" x .120	Ring	Sinker	GRSP10DRHG	2M Carton
12D 3-1/4" x .120	Ring	Box	GRSP12DRHG	2M Carton
16D 3-1/2" x .131	Ring	Short	GRSP16ZRHG	2M Carton

2 3/8" x .113 (8D Cooler) Stainless Steel Ring
AROS DE ACERO INOXIDABLE • EN ACIER INOXYDABLE CRANTÉ

CLIPPED HD, PAPER TAPE

FOR USE WITH / PARA USAR CON / UTILIZÉ AVEC:
 • Dewalt D51823
 • Grip-Rite GRPCH350
 • Hitachi NR83AA & NR90AA
 • Paslode Power Master Plus, Impulse, 53005 & SK312
 • Porter Cable FC350
 • PrimeAir PCH350
 • Senco All Frame Pro 600 & 700 series SN325+, SN70
 • Most Other 33 Deg Paper Tape Nailers

ITEM # ART **GRSP8DRSS**

Approved for exterior use with all types of treated lumber.

Size	Shank Style	Nail Type	SKU	Quantity
8D 2-3/8" x .113	Ring	Cooler	GRSP8DRSS	2.5M Carton
10D 3" x .120	Ring	Short	GRSP10DRSS	2M Carton
12D 3-1/4" x .120	Ring	Box	GRSP12DRSS	2M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

15 Gauge Angled "FN" Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
ATRO/ISM	MONZA 64
BASSO	FN-64S-3
BESCO	AFN1564B
BOSTITCH	N60FN, N62FN, N62FNK, N59N
DEPOAN	DPN6610/FN64

Manufacturer	Model
MAKITA	AF-632
SPOTNAILS	XBFN64
STAN TECH	SDN-15BR
TRUSTY	TYI261565AB

1-1/4" x NAILS/CLAVOS/CLOUS
15 Gauge Galvanized • Calibre 15 Galvanizados • Diametre 15 Galvanisé

"FN" ANGLED FINISH NAILS

For Use With/Para Usar Con/UTILIZE AVEC:
• BOSTITCH N62FNK-2, N60FN-2 & FN59
• STAN TECH SDN 15BR

Count/Total/Nombre: **3,650**

Adhesive Collation Combinados Con Adhesivo Assemblage De Adhésif

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

Item # ART. Article: **GRFN1520**

7 64666 99664 9

Galvanized Wire

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRFN1520	3.65M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRFN1524	3.65M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRFN1528	3.65M per Box	4 Boxes per Case
2"	15 Gauge	GRFN1532	3.65M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRFN1540	3.65M per Box	4 Boxes per Case

1-1/2" x NAILS/CLAVOS/CLOUS
15 Gauge Stainless Steel • Calibre 15 Liso Y De Acero Inoxidable • Diametre 15 En Acero Inoxidable Liso

"FN" ANGLED FINISH NAILS

For Use With/Para Usar Con/UTILIZE AVEC:
• BOSTITCH N62FNK-2, N60FN-2 & FN59
• STAN TECH SDN 15BR
• MAX NF550-65, AF631

Count/Total/Nombre: **3,650**

Adhesive Collation Combinados Con Adhesivo Assemblage De Adhésif

For use on exterior applications and with all treated lumber.
Lifetime warranty against rust and corrosion.
Some tools cannot automatically handle case staining and streaking.
The use of PrimeGuard Plus stainless steel fasteners is recommended for all outdoor projects.

Item # ART. Article: **GRFN1524SS**

7 64666 90238 1


Stainless Steel

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	15 Gauge	GRFN1524SS	3.65M per Box	4 Boxes per Case
2"	15 Gauge	GRFN1532SS	3.65M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRFN1540SS	3.65M per Box	4 Boxes per Case

Approved for exterior use with all types of treated lumber.

15 Gauge Angled "DA" Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on pages 19 and 20 of this catalog.

Manufacture	Model
ACCUSET	A250FN
AIRY	AMB0564CRK
APACH	DA-64
APLUS	DA-65, DA-50
B2B	15BA65S
BEA	SKDA663-770
BESCO	AFN1564S
CAMPBELL HAUSFELD	NB3565
CRAFTSMAN	18448
DEPOAN	DPN 6612/DA21
DE VILBISS	AFN 5
DEWALT	D51275K
DUO-FAST	DA FN6480
EZ FASTEN	DA 50, DA65
FASCO	R4-BA65 CTR3C-BA50 CT
GREX	AF64
GRIP-RITE	GRTAN250
GRIZZLY	G6049
HITACHI	NT65AA, NT65MA

Manufacture	Model
INTERCHANGE	ICB-BN1564S
JAMERCO	JTAFN1464A
JEPSON	PFN1564
JIT	NA1565
MAX	NF550/15-65
NIKOTA	AFN1564S
PORTER CABLE	DA250A, CDA250, DA250B
PREBENA	5X-DA-63
RIGID	R250AFA
SENCO	SFN-1SFN-2B, FINISHPRO 41XP, SFN-1+, SNF30 AIRFREE41, FINISHPRO 35XP, SFN-40
SPOTNAILS	XBA1564, KBA1564
T.C. INTERNATIONAL	UB 15250A4
TRIDENT ASSOC.	DA65, DA50
TRUSTY	TYI341564DA
UNICATCH	UN15250A4

1 1/4" x NAILS/CLAVOS/CLOUS
15 Gauge Brite • Calibre 15 Recubrimiento • Diametre 15 À Revêtement

"DA" ANGLED FINISH NAILS

For Use With/Para Usar Con/Utilize AVEC:
• Senco SFN1, SFN2B, SFN30, SFN40
• Finish Pro 35 and 41XP
• Porter Cable DA250A
• Hitachi NT65AA
• Duo-Fast DAFN6480
• MAX NF550
• Dewalt D51275K
• Grip-Rite GRPAN250
• PrimeAir PAN250
• Most Other 15ga Finish Nailers

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

Item # ART. Article: **GRDA15L**

Count/Total/Nombre: **4,000**

Mylar Collation Combinados Con Mylar Assemblage De Mylar

7 64666 99751 6

Bright Wire

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRDA15L	4M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRDA17L	4M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRDA19L	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21L	4M per Box	4 Boxes per Case
2-1/4"	15 Gauge	GRDA23L	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25L	4M per Box	4 Boxes per Case

1 1/4" x NAILS/CLAVOS/CLOUS
15 Gauge Galvanized • Calibre 15 Galvanizados • Diametre 15 Galvanisé

"DA" ANGLED FINISH NAILS

For Use With/Para Usar Con/Utilize AVEC:
• Senco SFN1, SFN2B, SFN30, SFN40
• Finish Pro 35 and 41XP
• Porter Cable DA250A
• Hitachi NT65AA
• Duo-Fast DAFN6480
• MAX NF550
• Dewalt D51275K
• Grip-Rite GRPAN250
• PrimeAir PAN250
• Most Other 15ga Finish Nailers

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

Item # ART. Article: **GRDA15GL**

Count/Total/Nombre: **4,000**

Mylar Collation Combinados Con Mylar Assemblage De Mylar

7 64666 99751 8

Galvanized Wire

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/4"	15 Gauge	GRDA15GL	4M per Box	4 Boxes per Case
1-1/2"	15 Gauge	GRDA17GL	4M per Box	4 Boxes per Case
1-3/4"	15 Gauge	GRDA19GL	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21GL	4M per Box	4 Boxes per Case
2-1/4"	15 Gauge	GRDA23GL	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25GL	4M per Box	4 Boxes per Case


* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

15 Gauge Angled "DA" Finish Nails

Primary applications include: Casing, Finish, Trim, Moulding & Cabinets*

Mylar® Adhesive Collation



1 1/2" x NAILS/CLAVOS/CLOUS
15 Gauge Stainless Steel
Calibre 15 Liso y De Acero Inoxidable
Diametre 15 En Acier Inoxydable Lisse

"DA" ANGLED FINISH NAILS

Count Total Number: **4,000**

GRDA17SSL


7 64666 90234 3

Approved for exterior use with all types of treated lumber.

Stainless Steel				
Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	15 Gauge	GRDA17SSL	4M per Box	4 Boxes per Case
2"	15 Gauge	GRDA21SSL	4M per Box	4 Boxes per Case
2-1/2"	15 Gauge	GRDA25SSL	4M per Box	4 Boxes per Case

16 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on page 22 of this catalog.

Manufacture	Model
ACCUSET	A250SM
AIRY	AFA0551COB, AFA0350CRB, AMB0365CRK
APACH	LT-1650E, LT-1664E, LT-50LAC, LT-1650, LT-1664
APLUS	FH/SI-03, F16/64, F16/50, F16/50L
ATRO/ISM	MINOR 600, TIP 50, BN16-200
B2B	16B65S, 16B50S
BASSO	B16/50-A1, B16/50-C1, 16/64LW, 16/64-A1, 16/50-B1, 16/50LW-1
BEA	S451-142, SK400
BERRYFAST	BC50
BESCO	PN31832, PN31850, TK2IN1, NT1664, NT1650
BOSTITCH	T36, T35, T35-40, SB-1664FN
CAMPBELL	NB00050
HAUSFELD	
CRAFTSMAN	18441, 1844
DEPOAN	DPN-6A54/F50MO, 66B/FT64, DPN-6A53/FT50
DE VILBISS	NF2502X4
DEWALT	D51256K
DUO-FAST	BFN-740, LFN748, LFN764A
EZ FASTEN	F16/50R, BN16/50AC, BN16/64AC, F16/50AC
FASCO	R3C-FN50 CT, R3T FN-70 CT, F26C-FN50SS
GREX	1664, NT1650
GRIP-RITE	GRTFN250
GRIZZLY	G6048, H2910, G7578
HAUBOLD	SKN64A/16, SKN40 V/16, SKS64 A/16


Manufacture	Model
HILTI	FBN-212N
HITACHI	NT 65A, NT65A2
HOLZ HER	BC50
INTERCHANGE	ICB-BF1650L, ICB-BF1664L
JAMERCO	JTFN1650A, JTFN1664A
JEPSON	PFN1664
JIT	1651, 1665
MAX	NF352-ST/16-50
NICHE RICH	17A2004
NIKEMA	440S GG51, 440S GG66
NIKOTA	TK2 IN 1, NT1664, NT1650
OMER	1463, 1463NS, 1450
PANREX IND.	PR-1664P
PASLODE	3250-F16, T215-F16, MU-112B, F16200, IM250, IM250II, 3200-F16
PORTA-NAILS	462
PORTER CABLE	FN250A, FN250B, FN250, FN250AK
PREBENA	3MN-63
RIGID	R250SFA
SESCO	AIRFREE 32, FINISHPRO 32XP
SPOTNAILS	FB 1632, KB 1564, HG 1640, XB 1564, WB 1650
SUPCO	1650A, 1664
T.C. INTERNATIONAL	UB 16200C, UB 16250B
TRIDENT ASSOC.	F16150AC, BN 16150AC, BN16164AC
TRUSTY	TY11650L, TY11650H, TY11664
UNICATCH	UN 16200A
UNITECH	1506, 1505, 1519

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

16 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



3/4" x BRADS/PUNTILLAS/POINTES
16 GAUGE · GALVANIZED
 Calibre 16 · Galvanizados · Diametre 16 · Galvanist

16 ga. FINISH BRADS

For Use With:
 Para Usar Con:
 Utilize Avec:

- Paslode #3250F16, MU-112F, MU-212F
- Porter Cable FN250A
- Duo-Fast LFN748, LFN 764 & ABFN740
- Bostitch SB-1664FN
- Craftsman 18314 & 18321
- MAX NF 352
- Dewalt D51256K
- Grip-Rite GRPFN 250
- PrimeAir PFN 250
- Senco Finish Pro 32
- Most Other 16ga Finish Nailers

Should not be used in treated lumber.
 Should not be used where surface rust is unacceptable.
 Tannic acids found naturally in lumber can cause staining and streaking.
 The use of Grip-Rite Collated stainless steel fasteners is recommended for all outdoor projects.

COUNT/TOTAL/NUMBRE **2,500**

ITEM# ART# ARTICLE **GRF1634**

7 64666 99760 8

2" x BRADS/PUNTILLAS/POINTES
16 GAUGE STAINLESS STEEL BRADS
 Calibre 16-De Acero Inoxidable Puntillas - Diametre 16-En Acier Inoxydable Pointes

16 ga. FINISH BRADS

For Use With:
 Para Usar Con:
 Utilize Avec:

- Bostitch SB-1664FN
- Craftsman 18314, 18321, 18431
- DeWalt D51256
- Duo Fast BFN740
- Grip Rite GRPFN250
- Hitachi NT165A
- MAX NF352-ST/16-50
- Porter Cable FN250A, CFN250
- PrimeAir PFN250
- Most Other 16ga Brad Nailers

Should not be used in treated lumber.
 Should not be used where surface rust is unacceptable.
 Tannic acids found naturally in lumber can cause staining and streaking.
 The use of Grip-Rite Collated stainless steel fasteners is recommended for all outdoor projects.

COUNT/TOTAL/NUMBRE **2,500**

ITEM# ART# ARTICLE **GRF162SS**

7 64666 90243 5

Galvanized Wire

Size	Gauge	SKU	Box Quantity	Case Pack
3/4"	16 Gauge	GRF1634	2.5M per Box	12 Boxes per Case
7/8"	16 Gauge	GRF1678	2.5M per Box	12 Boxes per Case
1"	16 Gauge	GRF161	2.5M per Box	12 Boxes per Case
1-1/8"	16 Gauge	GRF16118	2.5M per Box	12 Boxes per Case
1-1/4"	16 Gauge	GRF16114	2.5M per Box	12 Boxes per Case
1-1/2"	16 Gauge	GRF16112	2.5M per Box	12 Boxes per Case
1-3/4"	16 Gauge	GRF16134	2.5M per Box	12 Boxes per Case
2"	16 Gauge	GRF162	2.5M per Box	12 Boxes per Case
2-1/4"	16 Gauge	GRF16214	2.5M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRF16212	2.5M per Box	12 Boxes per Case

Stainless Steel

Size	Gauge	SKU	Box Quantity	Case Pack
1-1/2"	16 Gauge	GRF16112SS	2.5M per Box	12 Boxes per Case
2"	16 Gauge	GRF162SS	2.5M per Box	12 Boxes per Case
2-1/2"	16 Gauge	GRF16212SS	2.5M per Box	12 Boxes per Case

Approved for exterior use with all types of treated lumber.

18 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated. Grip-Rite Collated Fasteners that fit these tools can be found on page 24 of this catalog.


Manufacture	Model	Manufacture	Model
ACCUSET	A125BN, A200BN, A2N125	GRIZZLY	G6045, G6046, G6047, G8126, G9248, H2911, H2912, H2913
AIRY	ATA6232SRK, ADA021CRK, ADA6250CRK, ADA0257COK, AJA1316SNE, ATA0232SRB, ATT249S, ATA0241SRB	HAUBOLD	SKN30 JN/12, SKN40 V/12, SKN30 JN/1
APACH	LNF-50AC, LNF-42AC, LNF-32AC, LU-50F, LU-32F, LU-50FAC, LU-32FAC, LNF-30AC	HILTI	BN 136B
APLUS	F18/32, F18/35, F18/35C, F18/32C, F18/50, F18/57, F18/50C, F18/30, F18/30	HITACHI	NT32AE, NT45A, NT50AD
ATRO/ISM	TI-PIN 44, MINOR TIPIN 30, MINOR TIPIN 38, BN18-125	HOLZ HER	BC-130
B2B	18B32S	INTERCHANGE	ICB-BF1832M3, ICB-BF1850M3
BASSO	BS50P-A1, F18/50P-A1, B18/35P-A2, B18/35-A1, 18/50, BS50-A1, B18/50-A1, B18/50P-A2, BS32P-A1, B18/32P-A2	JAMERCO	JTBN1832, JTBN1842A, JTBN1850A, JT1838SB42
BEA	S125	JEPSON	PFN1832
BERRYFAST	BC 140, BC120, BC 130	JIT	1832, 1850
BESCO	SF1850, SB1840, BN1850, BN1842, BN1832	J-K	TNF201/18-25, TJDPB607 2, TJ DPN6018 2
BOSTITCH	T29-30, BT31-1B, BT35B, BT50B, SB2N1, SB-1842BN, SB-1850BN	MAKITA	AF-502, AF-503
CAMPBELL	NB0040, NB0030	MAX	NF201/18-35, NF221/18-55, NF201/18-25
HAUSFELD		NICHE RICH	17A2002, 17A2003, 17A2001
CRAFTSMAN	18433, 18454	NIKEMA	420S GF/32, 420S GF51
DEPOAN	GA52/F50MD	NIKOTA	BN1850, SB1840, BN1832
DE VILBISS	NB1252X4, NBSCN2X4, NB2002X4	OMER	1250, 1240, 1220, 1220D
DEWALT	D51238K	PASLODE	T125-F18, T200-F18, IM200-F18, 2138-F18II
DUO-FAST	BB 4440, DBN 4440	PORTER CABLE	BN 125, BN 200
EZ FASTEN	COMBI 40/50, F18/50AC, F18/57R, F18/30AC, F18/32AC	PREBENA	2K-J50, SPJ-50-SDS, 2X-J32SD-S90
FASCO	F20P GN-31CT, F20T GN-40CT, F26C-GN50SS, R3C GN50 CT	RIGID	R213BNA
GREX	1832, 1850, BS5032	SENCO	FINISHPRO 15XP, FINISHPRO 18XP, SDN18BR, FINISHPRO 25XP, FINISHPRO2N1, SLP20, AIRFREE25
GRIP-RITE	GRTBN200	SPOTNAILS	CB 1820, TB1840, WB 1850, CB1832, DB1825, HLB-1520BP
		STAN TECH	SDN18BR
		SUPCO	1832, 1850
		T.C. INTERNATIONAL	UB 18125C, UB 18200B
		TRADESMAN	8460, 8480
		TRIDENT ASSOC.	F18150AC, F18132A
		TRUSTY	TYI1832, TYI1850, TYI1840
		UNICATCH	UB 18200A
		UNITECH	1503A

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

18 Gauge Finish Brads

Primary applications include: Casing, Finish, Trim, Moulding, Base & Cabinets*



3/4" x BRADS/PUNTILLAS/POINTES
18 GAUGE - GALVANIZED
Calibre 18 - Galvanizados - Diametre 18 - Galvanise

18 ga. FINISH BRADS

For Use With/Para Usar Con/Utilize Avec:
• Senco Finish Pro15, 18, 25SP, SL20, LSA, LSS
• Porter Cable BN125 & BN200
• Hitachi NT45A & NT50AD
• Makita AF501, 502, 503
• Bostitch SB-1842BN & SB-1850BN
• Duo-Fast BB4440
• Craftsman 18309 & 18310
• Dewalt DS12SK
• Grip-Rite GRFB125, GRFFB200
• Prime Air PFB125, PFB200
• Most Other 18ga Brad Nailers

Should not be used in treated lumber.
Lignin naturally found in lumber can cause staining and streaking.
The use of Grip-Rite Collated stainless steel fasteners is recommended for all lumber projects.

ITEM #
ARTICLE: **GRF1834**

COUNT/TOTAL/NUMBRE
5,000

7 64666 19976 7

Size	Gauge	SKU	Box Quantity	Case Pack
5/8"	18 Gauge	GRF1858	5M per Box	12 Boxes per Case
3/4"	18 Gauge	GRF1834	5M per Box	12 Boxes per Case
1"	18 Gauge	GRF181	5M per Box	12 Boxes per Case
1-1/8"	18 Gauge	GRF18118	5M per Box	12 Boxes per Case
1-3/16"	18 Gauge	GRF181316	5M per Box	12 Boxes per Case
1-1/4"	18 Gauge	GRF18114	5M per Box	12 Boxes per Case
1-1/2"	18 Gauge	GRF18112	5M per Box	10 Boxes per Case
1-3/4"	18 Gauge	GRF18134	5M per Box	10 Boxes per Case
2"	18 Gauge	GRF182	5M per Box	10 Boxes per Case

3/4" x BRADS/PUNTILLAS/POINTES
18 GAUGE STAINLESS STEEL BRADS
Calibre 18 - De Acero Inoxidable Puntillas - Diametre 18 - En Acier Inoxidable Pointes

18 ga. FINISH BRADS

FOR USE WITH/PARA USAR CON/UTILIZE AVEC:
• Senco Finish Pro15, 18, 25SP, SL20, LSA, LSS
• Porter Cable BN125 & BN200
• Hitachi NT45A & NT50AD
• Makita AF501, 502, 503
• Bostitch SB-1842BN & SB-1850BN
• Duo-Fast BB4440
• Craftsman 18309 & 18310
• Dewalt DS12SK
• Grip-Rite GRFB125, GRFFB200
• Prime Air PFB125, PFB200
• Most Other 18ga Brad Nailers

For use on exterior applications and with all treated lumber.
Lignin naturally found in cedar and redwood can cause staining and streaking.
The use of Grip-Rite Collated stainless steel fasteners is recommended for all lumber projects.

ITEM #
ARTICLE: **GRF1834SS**

COUNT/TOTAL/NUMBRE
5,000


7 64666 51898 8

Approved for exterior use with all types of treated lumber.

Size	Gauge	SKU	Box Quantity	Case Pack
3/4"	18 Gauge	GRF1834SS	5M per Box	12 Boxes per Case
1"	18 Gauge	GRF181SS	5M per Box	12 Boxes per Case
1-1/4"	18 Gauge	GRF18114SS	5M per Box	12 Boxes per Case
1-1/2"	18 Gauge	GRF18112SS	5M per Box	10 Boxes per Case
2"	18 Gauge	GRF182SS	5M per Box	10 Boxes per Case

15 Gauge Flooring Staples

Primary applications include: Hardwood Flooring*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model	Manufacturer	Model
BOSTITCH	MIII FS	POWER NAIL	445FS
GRIP-RITE	GR200FS	TRUSTY	FS50

Grip-Rite Collated Fasteners that fit these tools can be found on this page and on page 41 of this catalog.

1 1/2" x 1/2" CROWN / ANCHO / KIRGEUR
15 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 15 • Agrafes Galvanisé Diametre 15

FOR USE WITH/PARA USAR CON/UTILIZE AVEC:
• ATRO FALCON 16NC
• BOSTITCH MIII FS

CROWN WIDTH ANCHO KIRGEUR
1/2"

COUNT/TOTAL/NUMBRE
5,000

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

ITEM #
ARTICLE: **GRBCS1512**

7 64666 99886 6

Crown	Leg	Gauge	SKU	Quantity
1/2"	1-1/2"	15 Gauge	GRBCS1512	5M Carton
1/2"	1-3/4"	15 Gauge	GRBCS1514	5M Carton
1/2"	2"	15 Gauge	GRBCS1516	5M Carton

18 Gauge Finish Brads & Tools

Flooring Cleats

Primary applications include: Hardwood Flooring*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model	Manufacturer	Model
BOSTITCH	MIII FN	POWER NAIL	445, 345, 55
GRIP-RITE	GR200LCN	PRIMATECH	P210, H300, Q500
PORTER CABLE	FCN 200	SENCO	SHF50, SHF15, SHF10

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

1 1/2" "L" Shaped Hardwood Flooring Cleats
Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

FLOORING CLEAT

FOR USE WITH/PARA USAR/UTILIZE AVEC:
• GRIP-RITE GR300, CN
• PORTER CABLE FCN200
• POWERNAIL 45, 345, 445
• PRIMATECH P210, H300
• SENCO SHF50, SHF15, SHF10
• BOSTITCH MIII FS

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

ITEMS/ARTICLE:
GRFLN150

COUNT/TOTAL/NUMBRE
1,000

7 64666 53239 7

Coated	Size	SKU	Quantity
	1-1/2"	GRFLN150	1M Carton
	1-3/4"	GRFLN175	1M Carton
	2"	GRFLN200	1M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

15 Gauge Flooring Staples, Cleats & Tools

16 Gauge "BCS" Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacture	Model
ATRO/ISM	100, MINOR 38
BASSO	N25/38
BEA	140, 145/32-178
BERRYFAST	1115, 1110
BESCO	WS2538
BOSTITCH	T40 S2, T50-52, T35-32, 438S2, T35-8, 450S2

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
CRAFTSMAN	18415
FASCO	R3 ATW-38ROOF
HILTI	SW-112A
OMER	WS 38, WS 38ROOFING
SPOTNAILS	HL 1612A, HL 1620, XS 1650, HL1616A, XS 1640, HL 1612AW

Grip-Rite Collated 3/4" x 1" CROWN / ANCHO / KIRGEUR
16 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. WIDE CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZE AVEC:
 • BOSTITCH T40 S2 & T50 S2
 • ATRO PANTA 16WC & MINOR 38
 • SPOTNAILS HL1612 & HL1616A
 Most other 1" Medium Crown Staplers

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

ITEM # ART. ARTICLE: **GRBCS1097**

COUNT/TOTAL/NOMBRE: **10,000**

7 64666 99800 1

Crown	Leg	Gauge	SKU	Quantity
1"	3/4"	16 Gauge	GRBCS1097	10M Carton
1"	7/8"	16 Gauge	GRBCS1098	10M Carton
1"	1"	16 Gauge	GRBCS1099	10M Carton
1"	1-1/4"	16 Gauge	GRBCS1101	10M Carton
1"	1-1/2"	16 Gauge	GRBCS1102	10M Carton
1"	1-3/4"	16 Gauge	GRBCS1116	10M Carton
1"	2"	16 Gauge	GRBCS1117	10M Carton

16 Gauge "P" Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model
APLUS	P-50
BASSO	N26/38, N26/38P
BESCO	WS 2638
DEPOAN	DPN-6651
DUO-FAST	KW 1748, RNS-1748I, KWR 1748RS 1748
EZ FASTEN	WS 16/38
FASCO	R3 SNW-38CTR
GREG	2638

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
HITACHI	N 3824A
INTERCHANGE	ICB-SF2640S
JEPSON	PSW1638
NIKOTA	WS2638
OMER	WP 38, WP 38ROOFING
SESCO	PW, MW, SPS
SPOTNAILS	XS 3640, XS 3650, HL 1612AT
STAN TECH	SDS 16-1

Grip-Rite Collated 5/8" x 1" CROWN / ANCHO / KIRGEUR
16 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. WIDE CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZE AVEC:
 • Senco PW, SPS, MW
 • Hitachi N3824A
 • Duo - Fast KW-1748A, KWR-1748A & RS-1748A
 • Craftsman 18307
 • Grip-Rite GRPSWB150
 • PrimeAir PSWB150
 • Most Other 1" Wide Crown Staplers

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.


ITEM # ART. ARTICLE: **GRP10**

CROWN WIDTH ANCHO KIRGEUR: **1"**

COUNT/TOTAL/NOMBRE: **10,000**

7 64666 99079 1

Crown	Leg	Gauge	SKU	Quantity
1"	5/8"	16 Gauge	GRP10	10M Carton
1"	3/4"	16 Gauge	GRP11	10M Carton
1"	7/8"	16 Gauge	GRP12	10M Carton
1"	1"	16 Gauge	GRP13	10M Carton
1"	1-1/4"	16 Gauge	GRP15	10M Carton
1"	1-1/2"	16 Gauge	GRP17	10M Carton
1"	1-3/4"	16 Gauge	GRP19	10M Carton
1"	2"	16 Gauge	GRP21	10M Carton




* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

16 Gauge "GSW" Wide Crown Staples

Primary applications include: Lath, Insulation, Butt Joining, Sheathing & Roofing*

15/16"



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model
B2B	16W50P, 16W38P
BASSO	140/38
FASCO	R3 PSW-38CT
HAUBOLD	PN 3232JW
JIT	1651S

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
OMER	WK 38, WK 38ROOFING
PASLODE	3200-W16, 3150-W16R, MU112-W-16R
SPOTNAILS	XS 2650, XS 2640

Grip-Rite Collated 3/4" x 15/16" CROWN / ANCHO / KIRGEUR
16 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. WIDE CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZE AVEC

CROWN WIDTH / ANCHO / KIRGEUR: 15/16"
COUNT/TOTAL/NUMBRE: 10,000

- Paslode MU-112-W16
- Haubold PN 3232JW
- FASCO PSE-38R & F30 PSW-38R

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.


ITEM # / ARTICLE: **GRGSW1634**

Crown	Leg	Gauge	SKU	Quantity
15/16"	3/4"	16 Gauge	GRGSW1634	10M Carton
15/16"	7/8"	16 Gauge	GRGSW1678	10M Carton
15/16"	1"	16 Gauge	GRGSW161	10M Carton
15/16"	1-1/4"	16 Gauge	GRGSW16114	10M Carton
15/16"	1-1/2"	16 Gauge	GRGSW16112	10M Carton
15/16"	1-3/4"	16 Gauge	GRGSW16134	10M Carton
15/16"	2"	16 Gauge	GRGSW162	10M Carton

16 Gauge "BCS" Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*

1/2"



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacturer	Model
AIRY	AMB1751CRK
APACH	LU-964, LU-951
ATRO/ISM	VULCANO 16NC-VS
BASSO	N851P
BESCO	MS951
BOSTITCH	T40S4, T50S4, T36-50, T36-1, 538S4, 438S4, 650S4

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
CRAFTSMAN	18410
FASCO	R4P HD-50CT TL
HILTI	SM 300
JIT	938, 951
SPOTNAILS	HL 7616AP
TRUSTY	TY116964B, TY116964B T35-8, 450S2

Grip-Rite Collated 1" x 1/2" CROWN / ANCHO / KIRGEUR
16 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. MEDIUM CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZE AVEC

CROWN WIDTH / ANCHO / KIRGEUR: 1/2"
COUNT/TOTAL/NUMBRE: 10,000

- ATRO PANTA 16NC
- BOSTITCH T40 S4 & T50 S4
- CAMPBELL HAUSFELD ASM0050
- GRIP-RITE GRPSIB200
- PRIMEAIR PSIB200
- SPOTNAILS HL7616
- SUPCO MC 7650

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

ITEM # / ARTICLE: **GRBCS1105**

Crown	Leg	Gauge	SKU	Quantity
1/2"	1"	16 Gauge	GRBCS1105	10M Carton
1/2"	1-1/4"	16 Gauge	GRBCS1107	10M Carton
1/2"	1-1/2"	16 Gauge	GRBCS1109	10M Carton
1/2"	1-3/4"	16 Gauge	GRBCS1111	10M Carton
1/2"	2"	16 Gauge	GRBCS1112	10M Carton




* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

16 Gauge "N" Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
AIRY	AMB1551CRK
APACH	LU-864, LU-864KG, LU-851KG
APLUS	N-50, N-64
ATRO/ISM	VULCANO 100
B2B	16M50S
BASSO	N16-951
BEA	14/40-723, 14/50-763, 14/32-613, 14/40-713, 14/50-800, 14/50-800SEQ, 14/50-800QR,
BESCO	MS951FS MS851
EZ FASTEN	MS16/50, MS16/50A, MS16/50H, MS16/64A, MS16/64, MS16/64H
FASCO	F45C-G-55TL, R3C G40 CT, R4P-G-50
GREX	1140, 1151
GRIZZLY	G6044
HITACHI	N 5008ACN, N 5008AB, N 5008AA, N 5008AI
INTERCHANGE	ICT-SF-167851S

Manufacture	Model
JAMERCO	JTSN1650
JIT	1150
MAX	TA551/16-11
NICHE RICH	17A3001
NIKOTA	MS851
OMER	M2 45, MS 50, 700 50, 700 45, MS 38CL, MS 38NS, MS 30NOSAG, 700 32NOSAG
PANREX IND.	PR-16851P
PORTER CABLE	MS 200
PREBENA	3ML44
SENCO	M1, M2 50, SKSN, SNS 45, SNS 50, SNS 40
SPOTNAILS	XS76-8650, XS6650, MS76-865i
STAN TECH	SDS16-716
T.C. INTERNATIONAL US	16716A
TRIDENT ASSOC.	MS16/50A
TRUSTY	TY116851S, TY116864S, 16851

1" x 7/16" CROWN / ANCHO / KIRGEUR 16 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. MEDIUM CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZE AVEC

CROWN WIDTH ANCHO KIRGEUR 7/16"

COUNT/TOTAL/NUMBRE 10,000

- Paslode® 3200-S16, 3200-S16P, PA-200 & IM200-S16
- Porter Cable MS200
- Hitachi N5008AB
- Fasco F4 PS16-50
- Grip-Rite GRSP1B200
- PrimeAir PSIB200
- Most Other 1/2" Medium Crown Staplers

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

ITEM# ART# ARTICLE GRN13

7 64666 99823 0

Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity
7/16"	1"	16 Gauge	GRN13	10M Carton
7/16"	1-1/4"	16 Gauge	GRN15	10M Carton
7/16"	1-1/2"	16 Gauge	GRN17	10M Carton
7/16"	1-3/4"	16 Gauge	GRN19	10M Carton
7/16"	2"	16 Gauge	GRN21	10M Carton

1 1/2" x 7/16" CROWN / ANCHO / KIRGEUR 16 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. MEDIUM CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZE AVEC

CROWN WIDTH ANCHO KIRGEUR 7/16"

COUNT/TOTAL/NUMBRE 10,000

- Fasco F4P G-50C1 TL
- Grip Rite GRPS1200
- Hitachi N 5008 AC
- Paslode 3200/50 116P & 3150/38 116
- Porter Cable MS200
- PrimeAir PSI 200
- Most Other 7/16" Medium Crown Staplers

Not to be used in treated lumber.
Lifetime warranty against rust and corrosion.
Do not use in treated lumber or on exterior applications.
Do not use in treated lumber or on exterior applications.

ITEM# ART# ARTICLE GRN17SS

7 64666 99426 3

Stainless Steel


Approved for exterior use with all types of treated lumber.

Crown	Leg	Gauge	SKU	Quantity
7/16"	1-1/2"	16 Gauge	GRN17SS	10M Carton
7/16"	1-3/4"	16 Gauge	GRN19SS	10M Carton
7/16"	2"	16 Gauge	GRN21SS	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

16 Gauge "GS" Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
APACH	LU-951PD
BASSO	7616
BERRYFAST	1320
FASCO	R3C HD-40 VIL-SID, F45C-HD-55TL
GRIZZLY	G6772

Manufacturer	Model
NIKEMA	450 16NC
OMER	S4 50
PASLODE	3150-S16, 3200 S16P, PA-200, IM200 S16, 5200, 4200S16P
SPOTNAILS	MS6650i
TRUSTY	TY116851KG, TY116864KG

1" x 1/2" CROWN / ANCHO / KIRGEUR 16 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. MEDIUM CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZE AVEC

CROWN WIDTH ANCHO KIRGEUR 1/2"

COUNT/TOTAL/NUMBRE 10,000

- Paslode® 3200-S16, 3200-S16P, PA-200 & IM200-S16
- Porter Cable MS200
- Hitachi N5008AB
- Fasco F4 PS16-50
- Grip-Rite GRSP1B200
- PrimeAir PSIB200
- Most Other 1/2" Medium Crown Staplers

Not to be used in treated lumber.
Not to be used where surface rust is unacceptable.

ITEM# ART# ARTICLE GRGS161

7 64666 99822 3


Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity
1/2"	1"	16 Gauge	GRGS161	10M Carton
1/2"	1-1/4"	16 Gauge	GRGS16114	10M Carton
1/2"	1-1/2"	16 Gauge	GRGS16112	10M Carton
1/2"	1-3/4"	16 Gauge	GRGS16134	10M Carton
1/2"	2"	16 Gauge	GRGS162	10M Carton

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

16 Gauge "76" Medium Crown Staples

Primary applications include: Sheathing, Crates, Pallets, Fencing, Decking, Doors & Cabinet Backs*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacture	Model
DUO-FAST	MS-7664E, SM-7648, SM-7664
HITACHI	N 5008AB

Manufacture	Model
PASLODE	3200-S16P, PA-200, IM200-S16
PORTER CABLE	MS 200

Grip-Rite COLLATED
1" x 7/16" CROWN / ANCHO / KIRGEUR
16 GAUGE GALVANIZED STAPLES
 Grapas Galvanizados De Calibre 16 • Agrafes Galvanisé Diametre 16

16 ga. MEDIUM CROWN STAPLES

FOR USE WITH/PARA USAR CON/UTILIZÉ AVEC: **CROWN WIDTH ANCHO KIRGEUR 1/2"** **COUNT/TOTAL/NOMBRE 10,000**

- Paslode® 3200-S16, 3200-S16P, PA-200 & IM200-S16
- Porter Cable MS200
- Hitachi N5008AB
- Pasco F4 PS16-50
- Grip-Rite GRSP1B200
- PrimeAir PSIB200
- Most Other 1/2" Medium Crown Staplers

Not to be used in treated lumber.
 Not to be used where surface rust is unacceptable.


ITEM # **GR7632**

Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity
7/16"	1"	16 Gauge	GR7632	10M Carton
7/16"	1-1/4"	16 Gauge	GR7640	10M Carton
7/16"	1-1/2"	16 Gauge	GR7648	10M Carton
7/16"	1-3/4"	16 Gauge	GR7656	10M Carton
7/16"	2"	16 Gauge	GR7664	10M Carton

18 Gauge "SX" Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT

Manufacturer	Model
NIKEMA	430 90
TRUSTY	TY19025, TY19040L, TY19040H, AS3290

Grip-Rite COLLATED
1/2" x 7/32" CROWN/ANCHO/KIRGEUR
18 GAUGE GALVANIZED STAPLES
 Grapas Galvanizados De Calibre 18 - Agrafes Galvanisé Diametre 18

18 GAUGE GALVANIZED STAPLES

FOR USE WITH / PARA USAR CON / UTILIZÉ AVEC: **Count - Total - Nombre 5,000**
 Bostitch S32SX & T40SX-CT
 Grip-Rite GRPSNB125 & GRPSNB150
 PrimeAir PSNB125 & PSNB150


Approximate 7/32"

Not to be used in treated lumber.
 Not to be used where surface rust is unacceptable.

ITEM # **GRSX12G**

Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity	Case Pack
7/32"	1/2"	18 Gauge	GRSX12G	5M per Box	10 Boxes per Case
7/32"	3/4"	18 Gauge	GRSX34G	5M per Box	10 Boxes per Case
7/32"	7/8"	18 Gauge	GRSX78G	5M per Box	8 Boxes per Case
7/32"	1"	18 Gauge	GRSX1G	5M per Box	8 Boxes per Case
7/32"	1-1/8"	18 Gauge	GRSX118G	5M per Box	8 Boxes per Case
7/32"	1-3/16"	18 Gauge	GRSX1316G	5M per Box	8 Boxes per Case
7/32"	1-1/4"	18 Gauge	GRSX114G	5M per Box	6 Boxes per Case
7/32"	1-3/8"	18 Gauge	GRSX138G	5M per Box	6 Boxes per Case




* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
 NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
 CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

18 Gauge "L" Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Manufacture	Model
ACCUSET	A100LS, A150LS, A2N125
AIRY	ADA6250CRK, ADA0637CRK, ATA6232SRK, ATA0632CRK, ATA0616S, ATA0626SRB
APACH	LU-9032AC, LU-9032, LU-9025, LU9025AC, LU-50F, LU-9040AC, LU-9040LB, LU-9040H
APLUS	LU-9040 HAD, LU-50FAC
ATRO/ISM	90/25, F18/35C, F18/32C, F18/50C, 90/40, 90/40L, 90/40LP
B2B	90/32, 18 NC 150, 90/32 LM, MINOR 90/40
BASSO	18N32S, 18N38S
BEA	S90/40LP-A1, S90/40L-A1, S90/30-A1, 90/40LW, BS50P-A1, BS50-A1, BS32P-A1, S90/25P-C1, 90/40 A1, S90/25P-B2
BERRYFAST	90/38-150, 90/40-621, 90/40-711, 90/25-552, 90/38-157, 90/32-611
BESCO	90/30, 90/40
CAMPBELL	SB1840, NS9038HG, W9038HD, NS9038LW, TK2IN1, NS9025, NS9025FS
HAUSFELD	SN258K
CRAFTSMAN	18496, 18449, 18435, 18454, 18396
DEPOAN	DPN 763, 673/9040
DE VILBISS	NCS 2, SCN1002X4, NBSCN2X4
DUO-FAST	KN1848A, KG1836, DNS1840
EZ FASTEN	90/25AC, 90/40AC, COMBI 40/50, NS90/40AC, 90/40F
FASCO	F20P 90/25, F20T 90/30, R3C-90/40, F26C-90/40SS, F26C-90/32SS, F20T40CT,


Grip-Rite Collated Fasteners that fit these tools can be found on page 35 of this catalog.

Manufacture	Model
GREX	9025, 9032, 9040, 9032F, BS 5032
GRIZZLY	G6042, G6043, G8126, G9248, H2913, H2912
HAUBOLD	PN6040H
HILTI	SN-114B, SN-118
HITACHI	N 3804A, N3804 AA, N3804AB
INTERCHANGE	ICB-SF0425SK, ICB-SF9040B
JAMERCO	JTS061825, JT1838SB42, JTS061838H, JTS061825A
JEPSON	PSN1832
JIT	9038A, 9032
MAKITA	AT638
NIKEMA	430 92
NIKOTA	SB 1840, TK2IN1, NS9038HD, NS9025
OMER	9040, 9038 CLD3, 9038B, 9032, 9032R, 9038
PORTA NAILS	462
PORTER CABLE	NS 100, NS 150, NSS 150
PREBENA	3M-E-50-PR, 2P-E40-S90, 2X-E25SD-S90
RIGID	R213BNA
SENCO	LN4450, KN4450, SLS25XP-L, FINISHPRO SN1, SKS L, SLS 20L, SLS 15, SLS18
SPOTNAILS	HL3852, WS4840W2, FS 4825, WS4840, TS4825, TRL 3852
STAN TECH	SDS 18-14, SDS 18-LM14, SDS-18-14-24
SUPCO	9040
T.C. INTERNATIONAL	US2238A, US1814C
TRADESMAN	8470, 8480
TRIDENT ASSOC.	90/40 AC

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

18 Gauge "L" Narrow Crown Staples

Primary applications include: Casing, Finish, Trim, Moulding, Base and Cabinets*



3/4" x 1/4" CROWN/ANCHO/KIRGEUR
18 GAUGE GALVANIZED STAPLES
Grapas Galvanizados De Calibre 18 - Agrafes Galvanise Diametre 18

18 ga. NARROW CROWN STAPLES

Count - Total - Nombre **5,000**

For Use with / Para Usar Con / Utilize Avec:
Grip-Rite GRPSNB125, GRPSNB150
Hitachi N3804AB
Porter Cable NS150 & NS100
PrimeAir PSNB125, PSNB150
Senco SLS15, 18, SKSL series, LN4450
Most other narrow crown staplers

Not to be used in treated lumber
Not to be used where surface rust is unacceptable

ITEM # **GRL11**
ART. Article


ISANTA ASSOCIATE MEMBER

Galvanized Wire

Crown	Leg	Gauge	SKU	Quantity	Case Pack
1/4"	3/4"	18 Gauge	GRL11	5M per Box	16 Boxes per Case
1/4"	7/8"	18 Gauge	GRL12	5M per Box	12 Boxes per Case
1/4"	1"	18 Gauge	GRL13	5M per Box	12 Boxes per Case
1/4"	1-1/8"	18 Gauge	GRL14	5M per Box	10 Boxes per Case
1/4"	1-1/4"	18 Gauge	GRL15	5M per Box	10 Boxes per Case
1/4"	1-1/2"	18 Gauge	GRL17	5M per Box	10 Boxes per Case

"50" Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BEA	95/16-425
DUO-FAST	HT755, CS5000, EWC-5018A, SURESHOT 5020, HT550, CT 859, HT755M
EZ FASTEN	95/16AB
FASCO	T-HT550, T-R19
GREX	G50/8E, 5018

Manufacturer	Model
NIKEMA	50 4000
OMER	5016, 5016SCL, 5016SL, 5016CL, 5016CLV
PATEK	HT550, HT550H
PREBENA	IM-D16-S90
SPOTNAILS	BS8018, BS5018

5/16" x 1/2" CROWN/ANCHO/KIRGEUR GALVANIZED STAPLES
Grapas Galvanizados - Agrafes Galvanise

"50" HAMMER TACKER STAPLES

For Use with / Para Usar Con / Utilize Avec:
Duo-Fast HT550, HT755
SLAPSHOT

Count - Total - Nombre
5,000

Not to be used in treated lumber
Not for exterior use


ITEM #
ART. GR5010516C
Article

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
1/2"	1/4"	GR50814C	5M per Box	20 Boxes per Case
1/2"	5/16"	GR5010516C	5M per Box	20 Boxes per Case
1/2"	3/8"	GR501238C	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

"A11" Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
AIRY	AZA5016S, AZA5016SOK
ARROW	T50, T50PBN, ETF50PBN, ETG50BN, ETFX50, HT 50
BOSTITCH	PHT150C, TR200, TR100, TRE500
DUO-FAST	SLAPSHOT
FASCO	T-R11, F1AA11-16AUTOL/M
GREX	GHT 5000

Manufacturer	Model
INTERCHANGE	ICB-A11-TACKER, ME-T50
PATEK	HT54R, HT11, HT11H
PREBENA	HHPF09, HPPF14-S90
RAPID	R-11, A-11
SENCO	PC0705
SPOTNAILS	85060
STAN TECH	SDH20
T.C. INTERNATIONAL	US A11

1/4" x 3/8" CROWN/ANCHO/KIRGEUR GALVANIZED STAPLES
Grapas Galvanizados - Agrafes Galvanise

"A11" HAMMER TACKER STAPLES

For Use with / Para Usar Con / Utilize Avec:
Arrow HT50, Duo-Fast ST18,
GreX GHT 5000, Grip-Rite GRR11,
Rapid 11, Senco "11" Stap Hammer,
Stan Tech SDH20

Count - Total - Nombre
5,000


Not to be used in treated lumber
Not for exterior use

ITEM #
ART. GRA1114
Article

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRA1114	5M per Box	20 Boxes per Case
3/8"	5/16"	GRA11516	5M per Box	20 Boxes per Case
3/8"	3/8"	GRA1138	5M per Box	20 Boxes per Case
3/8"	3/8"	GRA1138125	1.25M per Box	32 Boxes per Case

"A19" Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
RAPID	R19

Manufacturer	Model
--------------	-------

1/4" x 3/8" CROWN/ANCHO/KIRGEUR GALVANIZED STAPLES
Grapas Galvanizados - Agrafes Galvanise

"A11" HAMMER TACKER STAPLES

For Use with / Para Usar Con / Utilize Avec:
Grip-Rite GRR19
Rapid R19

Count - Total - Nombre
5,000

Not to be used in treated lumber
Not for exterior use


ITEM #
ART. GRA1914
Article

Galvanized Wire				
Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRA1914	5M per Box	20 Boxes per Case
3/8"	3/8"	GRA1938	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL

STCR Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt*



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, T5-8DR, T15/T-80CT, H30-8, EHS-300

Manufacturer	Model
J-K	694
PREBENA	HHD-10
RAPID	31

1/4" x 7/16" CROWN/ANCHO/KIRGEUR GALVANIZED STAPLES
Grapas Galvanizados - Agrafes Galvanise

"STCR" HAMMER TACKER STAPLES

For Use with / Para Usar Con / Utilize Avec: Bostitch H30-8

Count - Total - Nombre **5,000**


Not to be used in treated lumber
Not to be used where surface rust is unacceptable.

ITEM #
ART. GRSTCR14
Article

Crown	Leg	SKU	Box Quantity	Case Pack
7/16"	1/4"	GRSTCR14	5M per Box	20 Boxes per Case
7/16"	5/16"	GRSTCR516	5M per Box	20 Boxes per Case
7/16"	3/8"	GRSTCR38	5M per Box	20 Boxes per Case
7/16"	1/2"	GRSTCR12	5M per Box	20 Boxes per Case
7/16"	9/16"	GRSTCR916	5M per Box	20 Boxes per Case

SHCR Series Hammer Tacker Staples

Primary applications include: Insulation, House Wrap & Roofing Felt



Grip-Rite Collated Fasteners are designed to fit the tools and models indicated.

Grip-Rite Collated Fasteners that fit these tools can be found on this page of this catalog.

Manufacturer	Model
BOSTITCH	H2B

Manufacturer	Model

3/8" x 3/8" CROWN/ANCHO/KIRGEUR GALVANIZED STAPLES
Grapas Galvanizados - Agrafes Galvanise

"SHCR" HAMMER TACKER STAPLES

For Use with / Para Usar Con / Utilize Avec: Bostitch H2B

Count - Total - Nombre **5,000**

Not to be used in treated lumber
Not to be used where surface rust is unacceptable.

ITEM #
ART. GRSHCR38
Article

Crown	Leg	SKU	Box Quantity	Case Pack
3/8"	1/4"	GRSHCR14	5M per Box	20 Boxes per Case
3/8"	3/8"	GRSHCR38	5M per Box	20 Boxes per Case

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

Do-It-Yourself Convenience Tubs

15° Coil Roofing Nails

Primary applications include: Roofing Shingles & Vinyl Siding*



1-1/4" x .120 (Roofing Nail) Galvanized Ring
ANOS GALVANIZADOS RECUBIERTOS • À REVÊTEMENT GALVANISÉ CRANTÉ

COIL ROOFING NAILS

FOR USE WITH/PARA USAR CONSULTAR AVEC:
• BOSTITCH BV450 & N12B
• GRIP-RITE GRPC175 & 200
• HITACHI NV450 & AC
• PASLIDE 175 & 200
• PORTER CABLE BV175
• PRIMEAIR PC175 & 200
• SENCOR SCN 200R & SCN 400R
• Most Other Coil Roofing Nailers

Should not be used in treated lumber.
Do not use where surface rust is unacceptable.
Do not use where surface rust is unacceptable.
The use of Grip-Rite Collated fasteners and hardware is recommended for all outdoor projects.

ITEM #
ART. GRCR3TRC
Article

CAUTION: YOU MUST WEAR SAFETY GLASSES

Size	Shank Style	SKU	Tub Quantity	Case Pack	Cases Per Skid
1-1/4"	Ring	GRCR3TRC	600 per tub	6 tubs per case	48 cases

Size	Shank Style	SKU	Tub Quantity	Case Pack	Cases Per Skid
1-1/4"	Smooth	GRCR3TRC	600 per tub	6 tubs per case	48 cases

Tool listings for these fasteners can be found on page 4



15° Coil Nails

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



2-3/8" x .113 (8D Cooler) Coated Smooth
RECUBRIMIENTO LISO • À REVÊTEMENT LISSE

STANDARD COIL NAILS

FOR USE WITH/PARA USAR CONSULTAR AVEC:
• Bostitch NB8C & NB8C
• Grip-Rite GRPCF325
• Hitachi NV38A
• Paslode F275C & F325C
• Porter Cable COIL230 & COIL350
• PrimeAir PCF325
• Sencor SCN 200R, SCN 60 & SCN 65
• Most Other 13 Deg. Coil Wire Nailers

Should not be used in treated lumber.
Do not use where surface rust is unacceptable.
Do not use where surface rust is unacceptable.
The use of Grip-Rite Collated fasteners and hardware is recommended for all outdoor projects.

ITEM #
ART. GRTC8PD
Article

CAUTION: YOU MUST WEAR SAFETY GLASSES

Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRTC8PD	500 per tub	6 tubs per case	48 cases
10D 3"x.120	Smooth	Sinker	GRTC10PD	500 per tub	6 tubs per case	48 cases

Tool listings for these fasteners can be found on page 5



* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

Do-It-Yourself Convenience Tubs

21° Stick Framing Nails- Plastic Collated

Primary applications include: Framing, Sheathing, Subfloors & Roof Decking*



Coated						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRT07	500 per tub	4 tubs per case	80 cases
10D 3"x.131	Smooth	Framer	GRT014	500 per tub	4 tubs per case	80 cases
16D 3-1/4"x.131	Smooth	Sinker	GRT024	500 per tub	4 tubs per case	80 cases
16D 3-1/2"x.131	Smooth	Box	GRT312131	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 9




Exterior Galvanized						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
6D 2"x.113	Ring	Cooler	GRT04HG	500 per tub	4 tubs per case	100 cases
8D 2-3/8"x.113	Ring	Cooler	GRT08RHG	500 per tub	4 tubs per case	100 cases
10D 3"x.120	Ring	Sinker	GRT408HG	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 9

Do-It-Yourself Convenience Tubs

28° Stick Framing Nails- Wire Collated

Primary applications include: Framing, Sheathing, Subfloors, Roof Decking & Exterior Decks*



Coated						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
8D 2-3/8"x.113	Smooth	Cooler	GRTS8D	500 per tub	12 tubs per case	42 cases
10D 3"x.120	Smooth	Sinker	GRTS10D	500 per tub	4 tubs per case	80 cases
12D 3-1/4"x.120	Smooth	Box	GRTS12D	500 per tub	4 tubs per case	80 cases
16D 3-1/2"x.131	Smooth	Box	GRTS16DZ	500 per tub	4 tubs per case	80 cases

Tool listings for these fasteners can be found on page 14




Exterior Galvanized						
Size	Shank Style	Nail Type	SKU	Tub Quantity	Case Pack	Cases Per Skid
6D 2"x.113	Ring	Cooler	GRTS6DRHG	500 per tub	12 tubs per case	42 cases
8D 2-3/8"x.113	Ring	Cooler	GRTS8DRHG	500 per tub	12 tubs per case	42 cases

Tool listings for these fasteners can be found on page 14



15 Gauge Flooring Staples

Primary applications include: Hardwood Flooring*



Galvanized Wire						
Crown	Leg	Gauge	SKU	Tub Quantity	Case Pack	Cases Per Skid
1/2"	2"	15 Gauge	GRTBCS1516	500 per tub	12 tubs per case	56 cases

Tool listings for these fasteners can be found on page 25

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.

* Only stainless steel fasteners are recommended for use with cedar and redwood, and carry a lifetime guarantee against rust and corrosion when used with these materials.
NOT ALL TOOLS ACCEPT THE FULL FASTENER RANGE.
CHECK YOUR TOOL MANUFACTURER'S OWNER MANUAL.



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
ACCUSET	15 GAUGE ANGLED "DA" FINISH NAILER	A250FN	19-20
ACCUSET	16 GAUGE FINISH BRAD NAILER	A250SM	22
ACCUSET	18 GAUGE "L" NARROW CROWN STAPLER	A100LS, A150LS, A2N125	35
ACCUSET	18 GAUGE FINISH BRAD NAILER	A125BN, A200BN, A2N125	24
AIRY	"A11" HAMMER TACKER STAPLER	AZA5016S, AZA5016SOK	37
AIRY	15 GAUGE ANGLED "DA" FINISH NAILER	AMB0564CRK	19-20
AIRY	16 GAUGE "BCS" MEDIUM CROWN STAPLER	AMB1751CRK	29
AIRY	16 GAUGE "N" MEDIUM CROWN STAPLER	AMB1551CRK	30
AIRY	16 GAUGE FINISH BRAD NAILER	AFA0551COB, AFA0350CRB, AMB0365CRK	22
AIRY	18 GAUGE "L" NARROW CROWN STAPLER	ADA6250CRK, ADA0637CRK, ATA6232SRK, ATA0632CRK, ATA0616S, ATA0626SRB	35
AIRY	18 GAUGE FINISH BRAD NAILER	ATA6232SRK, ADA021CRK, ADA6250CRK, ADA0257COK, AJA1316SNE, ATA0232SRB, ATT249S, ATA0241SRB	24
AIRY	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AVA2100CRK	10-12, 40
AIRY	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	ANB2883CRK	14-15, 41
AIRY	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	AUA3490CRK	16-17
APACH	15 GAUGE ANGLED "DA" FINISH NAILER	DA-64	19-20
APACH	16 GAUGE "BCS" MEDIUM CROWN STAPLER	LU-964, LU-951	29
APACH	16 GAUGE "GS" MEDIUM CROWN STAPLER	LU-951PD	31
APACH	16 GAUGE "N" MEDIUM CROWN STAPLER	LU-864, LU-864KG, LU-851KG	30
APACH	16 GAUGE FINISH BRAD NAILER	LT-1650E, LT-1664E, LT-50LAC, LT-1650, LT-1664	22
APACH	18 GAUGE "L" NARROW CROWN STAPLER	LU-9032AC, LU-9032, LU-9025, LU9025AC, LU-50F, LU-9040AC, LU-9040LB, LU-9040H, LU-9040 HAD, LU-50FAC	35
APACH	18 GAUGE FINISH BRAD NAILER	LNF-50AC, LNF-42AC, LNF-32AC, LU-50F, LU-32F, LU-50FAC, LU-32FAC, LNF-30AC	24
APACH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AN-9021, AN-9021AC	10-12, 40
APACH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	AN-9028, AN-9028AC	14-15, 41
APACH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	AN-9034, AN-9024AC	16-17
APLUS	15 GAUGE ANGLED "DA" FINISH NAILER	DA-65, DA-50	19-20
APLUS	16 GAUGE "N" MEDIUM CROWN STAPLER	N-50, N-64	30
APLUS	16 GAUGE "P" WIDE CROWN STAPLER	P-50	27
APLUS	16 GAUGE FINISH BRAD NAILER	FH/SI-03, F16/64, F16/50, F16/50L	22
APLUS	18 GAUGE "L" NARROW CROWN STAPLER	90/25, F18/35C, F18/32C, F18/50C, 90/40, 90/40L, 90/40LP	35
APLUS	18 GAUGE FINISH BRAD NAILER	F18/32, F18/35, F18/35C, F18/32C, F18/50, F18/57, F18/50C, F18/30, F18/30	24
APLUS	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	S-130A, S-100A, S-90D	10-12, 40
APLUS	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	S-90B	14-15, 41
APLUS	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	S-90E	16-17
APLUS	COIL FRAMING/SIDING NAILER	C-70, C-65, C-57, C-50, C-90, C-100	5-6, 39
APLUS	COIL ROOFING NAILER	R-45	4, 39
APLUS	MINI-COIL FRAMING/SIDING NAILER	C-70, C-65, C-57, C-50	7-8
ARROW	"A11" HAMMER TACKER STAPLER	T50, T50PBN, ETF50PBN, ETG50BN, ETFX50, HT 50	37
ATRO	COIL FRAMING/SIDING NAILER	ROLL 85, RHC 700, RHC 900, RHC 1000	5-6, 39
ATRO	COIL ROOFING NAILER	45 ROOFING ROLL	4, 39
ATRO/ISM	15 GAUGE ANGLED "FN" FINISH NAILER	MONZA 64	18
ATRO/ISM	16 GAUGE "BCS" MEDIUM CROWN STAPLER	VULCANO 16NC-VS	29
ATRO/ISM	16 GAUGE "BCS" WIDE CROWN STAPLER	100, MINOR 38	26
ATRO/ISM	16 GAUGE "N" MEDIUM CROWN STAPLER	VULCANO 100	30
ATRO/ISM	16 GAUGE FINISH BRAD NAILER	MINOR 600, TIP 50, BN16-200	22

Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
ATRO/ISM	18 GAUGE "L" NARROW CROWN STAPLER	90/32, 18 NC 150, 90/32 LM, MINOR 90/40	35
ATRO/ISM	18 GAUGE FINISH BRAD NAILER	TI-PIN 44, MINOR TIPIN 30, MINOR TIPIN 38, BN18-125	24
ATRO/ISM	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHS921	10-12, 40
ATRO/ISM	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	CHS-928	14-15, 41
ATRO/ISM	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	CHS-933	16-17
B2B	15 GAUGE ANGLED "DA" FINISH NAILER	15BA65S	19-20
B2B	16 GAUGE "GSW" WIDE CROWN STAPLER	16W50P, 16W38P	28
B2B	16 GAUGE "N" MEDIUM CROWN STAPLER	16M50S	30
B2B	16 GAUGE FINISH BRAD NAILER	16B65S, 16B50S	22
B2B	18 GAUGE "L" NARROW CROWN STAPLER	18N32S, 18N38S	35
B2B	18 GAUGE FINISH BRAD NAILER	18B32S	24
BASSO	15 GAUGE ANGLED "FN" FINISH NAILER	FN-64S-3	18
BASSO	16 GAUGE "BCS" MEDIUM CROWN STAPLER	N851P	29
BASSO	16 GAUGE "BCS" WIDE CROWN STAPLER	N25/38	26
BASSO	16 GAUGE "GS" MEDIUM CROWN STAPLER	7616	31
BASSO	16 GAUGE "GSW" WIDE CROWN STAPLER	140/38	28
BASSO	16 GAUGE "N" MEDIUM CROWN STAPLER	N16-951	30
BASSO	16 GAUGE "P" WIDE CROWN STAPLER	N26/38, N26/38P	27
BASSO	16 GAUGE FINISH BRAD NAILER	B16/50-A1, B16/50-C1, 16/64LW, 16/64-A1, 16/50-B1, 16/50LW-1	22
BASSO	18 GAUGE "L" NARROW CROWN STAPLER	S90/40LP-A1, S90/40L-A1, S90/30-A1, 90/40LW, BS50P-A1, BS50-A1, BS32P-A1, S90/25P-C1, 90/40 A1, S90/25P-B2	35
BASSO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	A22/100-A1, A22/90H-B1	10-12, 40
BASSO	COIL FRAMING/SIDING NAILER	C33/90-B1, C25/65L-A1, C25/60-A1, C33/90-A1, C31/65-A1	5-6, 39
BASSO	COIL ROOFING NAILER	NR 31/45	4, 39
BASSO	MINI-COIL FRAMING/SIDING NAILER	C25/65L-A1	7-8
BASSO	18 GAUGE FINISH BRAD NAILER	BS50P-A1, F18/50P-A1, B18/35P-A2, B18/35-A1, 18/50, BS50-A1, B18/50-A1, B18/50P-A2, BS32P-A1, B18/32P-A2	24
BASSO	28° CLIPPED HEAD PLASTIC COLLATED FRAMING NAILER	N90PH-A1	13
BASSO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	N90SB	14-15, 41
BASSO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	N90PA-A1	16-17
BEA	"50" HAMMER TACKER STAPLER	95/16-425	36
BEA	15 GAUGE ANGLED "DA" FINISH NAILER	SKDA663-770	19-20
BEA	16 GAUGE "BCS" WIDE CROWN STAPLER	145/32-178	26
BEA	16 GAUGE "N" MEDIUM CROWN STAPLER	14/40-713, 14/50-763, 14/50-800, 14/50-800SEQ, 14/50-800QR, 14/32-613	30
BEA	16 GAUGE FINISH BRAD NAILER	S451-142, SK400	22
BEA	18 GAUGE "L" NARROW CROWN STAPLER	90/38-150, 90/40-621, 90/40-711, 90/25-552, 90/38-157, 90/32-611	35
BEA	18 GAUGE FINISH BRAD NAILER	S125	24
BEA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	R90-946, R100-950, R130-957	10-12, 40
BEA	COIL FRAMING/SIDING NAILER	T701, 900DC, 800DC, 566DC, 550DC, 700DC	5-6, 39
BEA	COIL ROOFING NAILER	SN-500, 554DC, 552DC	4, 39
BEA	MINI-COIL FRAMING/SIDING NAILER	566DC, 550DC, 700DC	7-8
BERRYFAST	16 GAUGE "BCS" WIDE CROWN STAPLER	1115, 1110	26
BERRYFAST	16 GAUGE "GS" MEDIUM CROWN STAPLER	1320	31
BERRYFAST	16 GAUGE FINISH BRAD NAILER	BC50	22
BERRYFAST	18 GAUGE "L" NARROW CROWN STAPLER	90/30, 90/40	35
BERRYFAST	18 GAUGE FINISH BRAD NAILER	BC 140, BC120, BC 130	24



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
BERRYFAST	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	3000, 3500, 4100, 4500	10-12, 40
BESCO	15 GAUGE ANGLED "DA" FINISH NAILER	AFN1564S	19-20
BESCO	15 GAUGE ANGLED "FN" FINISH NAILER	AFN1564B	18
BESCO	16 GAUGE "BCS" MEDIUM CROWN STAPLER	MS951	29
BESCO	16 GAUGE "BCS" WIDE CROWN STAPLER	WS2538	26
BESCO	16 GAUGE "N" MEDIUM CROWN STAPLER	MS951FS	30
BESCO	16 GAUGE "P" WIDE CROWN STAPLER	WS 2638	27
BESCO	16 GAUGE FINISH BRAD NAILER	PN31832, PN31850, TK2IN1, NT1664, NT1650	22
BESCO	18 GAUGE "L" NARROW CROWN STAPLER	SB1840, NS9038HG, W9038HD, NS9038LW, TK2IN1, NS9025, NS9025FS	35
BESCO	18 GAUGE FINISH BRAD NAILER	SF1850, SB1840, BN1850, BN1842, BN1832	24
BESCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHF9021	10-12, 40
BESCO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	CHF9028	14-15, 41
BESCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	CHF9034, CHF9030	16-17
BESCO	COIL ROOFING NAILER	RF3145	4, 39
BOSTITCH	"A11" HAMMER TACKER STAPLER	PHT150C, TR200, TR100, TRE500	37
BOSTITCH	"SHCR" HAMMER TACKER STAPLER	H2B	38
BOSTITCH	"STCR" HAMMER TACKER STAPLER	PC5000, PC4000, PC2000, PC1000, P6C-80, P6C-8, T5-8DR, T15/T-80CT, H30-8, EHS-300	38
BOSTITCH	15 GAUGE ANGLED "FN" FINISH NAILER	N60FN, N62FN, N62FNK, N59N	18
BOSTITCH	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	MIII FN	25
BOSTITCH	15 GAUGE HARDWOOD FLOORING STAPLER	MIII FS	25, 41
BOSTITCH	16 GAUGE "BCS" MEDIUM CROWN STAPLER	T40S4, T50S4, T36-50, T36-1, 538S4, 438S4, 650S4	29
BOSTITCH	16 GAUGE "BCS" WIDE CROWN STAPLER	T40-S2, T50-52, T35-32, 438S2, T35-8, 450S2	26
BOSTITCH	16 GAUGE FINISH BRAD NAILER	T36, T35, T35-40, SB-1664FN	22
BOSTITCH	18 GAUGE "SX" NARROW CROWN STAPLER	SB-150SX, SB2N1, SB150SX-HD, T35-15, T28-5, S32SX, T40SX-CT	33
BOSTITCH	18 GAUGE FINISH BRAD NAILER	T29-30, BT31-1B, BT35-B, BT50-B, SB2N1, SB-1842BN, SB-1850BN	24
BOSTITCH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	N95RHN, N90RHN, KN85PP-1, N95-162, N79RH, N88RH	10-12, 40
BOSTITCH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	N80SB, N70S, N79WW, N16, N100S, N86S, N80S, N88WW	14-15, 41
BOSTITCH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	N90PT, N79PT	16-17
BOSTITCH	COIL FRAMING/SIDING NAILER	N80CB, N86C, N100CPP, N70C, N64CP, N100C	5-6, 39
BOSTITCH	COIL ROOFING NAILER	RN45B, RN46, N12, N12-40	4, 39
BOSTITCH	MINI-COIL FRAMING/SIDING NAILER	N63CP, N64C, N55C, N50C, N55CP, N65CP	7-8
CAMPBELL HAUSFELD	15 GAUGE ANGLED "DA" FINISH NAILER	NB3565	19-20
CAMPBELL HAUSFELD	16 GAUGE FINISH BRAD NAILER	NB00050	22
CAMPBELL HAUSFELD	18 GAUGE "L" NARROW CROWN STAPLER	SN258K	35
CAMPBELL HAUSFELD	18 GAUGE FINISH BRAD NAILER	NB0040, NB0030	24
CAMPBELL HAUSFELD	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	NS2090	10-12, 40
CAMPBELL HAUSFELD	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	NS2890	14-15, 41
CAMPBELL HAUSFELD	COIL ROOFING NAILER	NC1545	4, 39
CRAFTSMAN	15 GAUGE ANGLED "DA" FINISH NAILER	18448	19-20
CRAFTSMAN	16 GAUGE "BCS" MEDIUM CROWN STAPLER	18410	29
CRAFTSMAN	16 GAUGE "BCS" WIDE CROWN STAPLER	18415	26
CRAFTSMAN	16 GAUGE FINISH BRAD NAILER	18441, 1844	22
CRAFTSMAN	18 GAUGE "L" NARROW CROWN STAPLER	18496, 18449, 18435, 18454, 18396	35
CRAFTSMAN	18 GAUGE FINISH BRAD NAILER	18433, 18454	24
CRAFTSMAN	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	18436, 19034	10-12, 40
CRAFTSMAN	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	18430, 19035	14-15, 41
CRAFTSMAN	COIL ROOFING NAILER	18445	4, 39



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
DE VILBISS	15 GAUGE ANGLED "DA" FINISH NAILER	AFN 5	19-20
DE VILBISS	16 GAUGE FINISH BRAD NAILER	NF2502X4	22
DE VILBISS	18 GAUGE "L" NARROW CROWN STAPLER	NCS2, SCN1002X4, NBSCN2X4	35
DE VILBISS	18 GAUGE FINISH BRAD NAILER	NB1252X4, NBSCN2X4, NB2002X4	24
DEPOAN	15 GAUGE ANGLED "DA" FINISH NAILER	DPN-6612/DA21	19-20
DEPOAN	15 GAUGE ANGLED "FN" FINISH NAILER	DPN-6610/FN64	18
DEPOAN	16 GAUGE "P" WIDE CROWN STAPLER	DPN-6651	27
DEPOAN	16 GAUGE FINISH BRAD NAILER	DPN-6A54/F50MO, 66B/FT64, DPN-6A53/FT50	22
DEPOAN	18 GAUGE "L" NARROW CROWN STAPLER	DPN-763, 673/9040	35
DEPOAN	18 GAUGE FINISH BRAD NAILER	GA52/F50MD	24
DEPOAN	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	DPN-6C50-RN2290	10-12, 40
DEPOAN	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	6C51-CN2890	14-15, 41
DEPOAN	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	DPN-6052	16-17
DEPOAN	COIL FRAMING/SIDING NAILER	DPN-6C1/CN1583	5-6, 39
DEPOAN	COIL ROOFING NAILER	DPN-6D2	4, 39
DEWALT	15 GAUGE ANGLED "DA" FINISH NAILER	D51275K	19-20
DEWALT	16 GAUGE FINISH BRAD NAILER	D51256K	22
DEWALT	18 GAUGE FINISH BRAD NAILER	D51238K	24
DEWALT	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	D51845, D51844	10-12, 40
DEWALT	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	D51823, D51822	16-17
DUO-FAST	"50" HAMMER TACKER STAPLER	HT 755, CS 5000, EWC-5018A, SURESHOT 5020, HT550, CT 859, HT 755M	36
DUO-FAST	"A11" HAMMER TACKER STAPLER	SLAPSHOT	37
DUO-FAST	15 GAUGE ANGLED "DA" FINISH NAILER	DA FN6480	19-20
DUO-FAST	16 GAUGE "76" MEDIUM CROWN STAPLER	SM-7664E, SM-7648, SM-7664	32
DUO-FAST	16 GAUGE "P" WIDE CROWN STAPLER	KW-1748, RNS-1748I, KWR-1748RS	27
DUO-FAST	16 GAUGE FINISH BRAD NAILER	BFN-740, LFN-748, LFN-764A	22
DUO-FAST	18 GAUGE "L" NARROW CROWN STAPLER	KN1848A, KG1836, DNS1840	35
DUO-FAST	18 GAUGE FINISH BRAD NAILER	BB 4440, DBN 4440	24
DUO-FAST	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	CN350B, SNP 83, CN325B, NSP350F, CN350, CN137	10-12, 40
DUO-FAST	28° CLIPPED HEAD PLASTIC COLLATED FRAMING NAILER	NSPM-325F	13
DUO-FAST	COIL ROOFING NAILER	DRN-45	4, 39
DUO-FAST	MINI-COIL FRAMING/SIDING NAILER	N55	7-8
EZ FASTEN	"50" HAMMER TACKER STAPLER	95/16AB	36
EZ FASTEN	15 GAUGE ANGLED "DA" FINISH NAILER	DA50, DA65	19-20
EZ FASTEN	16 GAUGE "N" MEDIUM CROWN STAPLER	MS16/50, MS16/50A, MS16/50H, MS16/64A, MS16/64, MS16/64H	30
EZ FASTEN	16 GAUGE "P" WIDE CROWN STAPLER	WS16/38	27
EZ FASTEN	16 GAUGE FINISH BRAD NAILER	F16/50R, BN16/50AC, BN16/64AC, F16/50AC	22
EZ FASTEN	18 GAUGE "L" NARROW CROWN STAPLER	90/25AC, 90/40AC, COMBI 40/50, NS90/40AC, 90/40F	35
EZ FASTEN	18 GAUGE FINISH BRAD NAILER	COMBI 40/50, F18/50AC, F18/57R, F18/30AC, F18/32AC	24
EZ FASTEN	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SN9021	10-12, 40
EZ FASTEN	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	SRN9028	14-15, 41
EZ FASTEN	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SN9034	16-17
EZ FASTEN	COIL FRAMING/SIDING NAILER	CN90, CN70AA, CN70HD	5-6, 39
EZ FASTEN	COIL ROOFING NAILER	CRN45AA	4, 39
EZ FASTEN	MINI-COIL FRAMING/SIDING NAILER	CN70AA, CN70HD	7-8
FASCO	"50" HAMMER TACKER STAPLER	T-HT550, T-R19	36
FASCO	"A11" HAMMER TACKER STAPLER	T-R11, F1AA11-16AUTOL/M	37
FASCO	15 GAUGE ANGLED "DA" FINISH NAILER	R4-BA65 CTR3C-BA50 CT	19-20



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
FASCO	16 GAUGE "BCS" MEDIUM CROWN STAPLER	R4P HD-50CT TL	29
FASCO	16 GAUGE "BCS" WIDE CROWN STAPLER	R3 ATW-38ROOF	26
FASCO	16 GAUGE "GS" MEDIUM CROWN STAPLER	R3 CHD-40 VIL-SID, F45C-HD-55TL	31
FASCO	16 GAUGE "GSW" WIDE CROWN STAPLER	R3 PSW-38CT	28
FASCO	16 GAUGE "N" MEDIUM CROWN STAPLER	F45C-G-55TL, R3C G40 CT, R4P-G-50	30
FASCO	16 GAUGE "P" WIDE CROWN STAPLER	R3 SNW-38CTR	27
FASCO	16 GAUGE FINISH BRAD NAILER	R3C-FN50 CT, R3T FN-70 CT, F26C-FN50SS	22
FASCO	18 GAUGE "L" NARROW CROWN STAPLER	F20P 90/25, F20T 90/30, R3C-90/40, F26C-90/40SS, F26C-90/32SS, F20T40CT, F20 T90/40 CT	35
FASCO	18 GAUGE FINISH BRAD NAILER	F20P GN-31CT, F20T GN-40CT, F26C-GN50SS, R3C-GN50CT	24
FASCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	R5C RHN 20-90 SS-CT, F6C RHN 20-100	10-12, 40
FASCO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	R5C HHN 28-90 SS CT	14-15, 41
FASCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	R5C HHN 31-90 SS CT, F5C HHN 31-83, F6 HHN 31-90	16-17
FASCO	COIL FRAMING/SIDING NAILER	R5 CN15W-90A, F5 CN15W65, F5C CN15W90, F5 CN15W65 SIC REG, F5C CN15W75	5-6, 39
FASCO	COIL ROOFING NAILER	R4CN 15W-45CT, R3C-CN15W-32CT ROOF	4, 39
FASCO	MINI-COIL FRAMING/SIDING NAILER	R4 CN15W-50CT	7-8
GREX	"50" HAMMER TACKER STAPLER	G50/8E, 5018	36
GREX	"A11" HAMMER TACKER STAPLER	GHT 5000	37
GREX	15 GAUGE ANGLED "DA" FINISH NAILER	AF64	19-20
GREX	16 GAUGE "N" MEDIUM CROWN STAPLER	1140, 1151	30
GREX	16 GAUGE "P" WIDE CROWN STAPLER	2638	27
GREX	16 GAUGE FINISH BRAD NAILER	1664, NT1650	22
GREX	18 GAUGE "L" NARROW CROWN STAPLER	9025, 9032, 9040, 9032F, BS 5032	35
GREX	18 GAUGE FINISH BRAD NAILER	1832, 1850, BS5032	24
GREX	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SF9021H	10-12, 40
GREX	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	SF9028H	14-15, 41
GREX	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SF9034H	16-17
GREX	COIL FRAMING/SIDING NAILER	CN70, CN90	5-6, 39
GREX	COIL ROOFING NAILER	CR45, CR50	4, 39
GRIP-RITE	15 GAUGE ANGLED "DA" FINISH NAILER	GRTAN250	19-20
GRIP-RITE	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	GR200LCN	25
GRIP-RITE	15 GAUGE HARDWOOD FLOORING STAPLER	GR200FS	25, 41
GRIP-RITE	16 GAUGE FINISH BRAD NAILER	GRTFN250	22
GRIP-RITE	18 GAUGE FINISH BRAD NAILER	GRTBN200	24
GRIP-RITE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	GRTRH350	10-12, 40
GRIP-RITE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	GRTCH350	16-17
GRIP-RITE	COIL ROOFING NAILER	GRTCR175	4, 39
GRIZZLY	15 GAUGE ANGLED "DA" FINISH NAILER	G6049	19-20
GRIZZLY	16 GAUGE "GS" MEDIUM CROWN STAPLER	G6772	31
GRIZZLY	16 GAUGE "N" MEDIUM CROWN STAPLER	G6044	30
GRIZZLY	16 GAUGE FINISH BRAD NAILER	G6048, H2910, G7578	22
GRIZZLY	18 GAUGE "L" NARROW CROWN STAPLER	G6042, G6043, G8126, G9248, H2913, H2912	35
GRIZZLY	18 GAUGE FINISH BRAD NAILER	G6045, G6046, G6047, G8126, G9248, H2911, H2912, H2913	24
GRIZZLY	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	G6050	10-12, 40
GRIZZLY	COIL ROOFING NAILER	G6771	4, 39
HAUBOLD	16 GAUGE "GSW" WIDE CROWN STAPLER	PN3232JW	28
HAUBOLD	16 GAUGE FINISH BRAD NAILER	SKN64A/16, SKN40 V/16, SKS64 A/16	22
HAUBOLD	18 GAUGE "L" NARROW CROWN STAPLER	PN6040H	35
HAUBOLD	18 GAUGE FINISH BRAD NAILER	SKN30 JN/12, SKN40 V/12, SKN30 JN/1	24



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
HAUBOLD	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RH90, RN100D, RN90PII, RN130 R, RN130 R/DB	10-12, 40
HAUBOLD	COIL FRAMING/SIDING NAILER	RNC90 WI, RNC65 WKI, RNC700WII, RN60 PII/BS	5-6, 39
HAUBOLD	COIL ROOFING NAILER	RNC450W, RNC45W	4, 39
HAUBOLD	MINI-COIL FRAMING/SIDING NAILER	N55	7-8
HILTI	16 GAUGE "BCS" MEDIUM CROWN STAPLER	SM-300	29
HILTI	16 GAUGE "BCS" WIDE CROWN STAPLER	SW-112A	26
HILTI	16 GAUGE FINISH BRAD NAILER	FBN-212N	22
HILTI	18 GAUGE "L" NARROW CROWN STAPLER	SN-114B, SN-118	35
HILTI	18 GAUGE FINISH BRAD NAILER	BN-136B	24
HILTI	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHN-9020	10-12, 40
HILTI	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	CHN-9033	16-17
HILTI	COIL ROOFING NAILER	RFC-134B	4, 39
HITACHI	15 GAUGE ANGLED "DA" FINISH NAILER	NT 65AA, NT 65MA	19-20
HITACHI	16 GAUGE "76" MEDIUM CROWN STAPLER	N 5008AB	32
HITACHI	16 GAUGE "N" MEDIUM CROWN STAPLER	N 5008ACN, N 5008AB, N 5008AA, N 5008AI	30
HITACHI	16 GAUGE "P" WIDE CROWN STAPLER	N 3824A	27
HITACHI	16 GAUGE FINISH BRAD NAILER	NT 65A, NT65A2	22
HITACHI	18 GAUGE "L" NARROW CROWN STAPLER	N 3804A, N3804 AA, N3804AB	35
HITACHI	18 GAUGE FINISH BRAD NAILER	NT 32AE, NT 45A, NT 50AD	24
HITACHI	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	NR 83A, NR 90AC, NR 90AC2, NR 83A2	10-12, 40
HITACHI	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	NR 83AA, NR 83AA2, NR 90AA, NR 90AD	16-17
HITACHI	COIL FRAMING/SIDING NAILER	NV 83A, NV 65AB, NV 65AC, NV 75AG, NV 65AH	5-6, 39
HITACHI	COIL ROOFING NAILER	NV 45AB, NV 45AC	4, 39
HITACHI	MINI-COIL FRAMING/SIDING NAILER	NV 65AH	7-8
HOLZ HER	16 GAUGE FINISH BRAD NAILER	BC 50	22
HOLZ HER	18 GAUGE FINISH BRAD NAILER	BC 130	24
HOLZ HER	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	3500 SERIES	10-12, 40
INTERCHANGE	"A11" HAMMER TACKER STAPLER	ICB-A11-TACKER, ME-T50	37
INTERCHANGE	15 GAUGE ANGLED "DA" FINISH NAILER	ICB-BN1564S	19-20
INTERCHANGE	16 GAUGE "N" MEDIUM CROWN STAPLER	ICB-SF-167851S	30
INTERCHANGE	16 GAUGE "P" WIDE CROWN STAPLER	ICB-SF2640S	27
INTERCHANGE	16 GAUGE FINISH BRAD NAILER	ICB-BF1650L, ICB-BF1664L	22
INTERCHANGE	18 GAUGE "L" NARROW CROWN STAPLER	ICB-SF0425SK, ICB-SF9040B	35
INTERCHANGE	18 GAUGE FINISH BRAD NAILER	ICB-BF1832M3, ICB-BF1850M3	24
INTERCHANGE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	ICB-FN88	10-12, 40
INTERCHANGE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	ICB-DF88	16-17
INTERCHANGE	COIL FRAMING/SIDING NAILER	ICB-CN83	5-6, 39
INTERCHANGE	COIL ROOFING NAILER	ICB-CN45R	4, 39
JADE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	JT350PL	10-12, 40
JADE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	JT350 P4	16-17
JAMERCO	15 GAUGE ANGLED "DA" FINISH NAILER	JTAFN1464A	19-20
JAMERCO	16 GAUGE "N" MEDIUM CROWN STAPLER	JTSN1650	30
JAMERCO	16 GAUGE FINISH BRAD NAILER	JTFN1650A, JTFN1664A	22
JAMERCO	18 GAUGE "L" NARROW CROWN STAPLER	JTS061825, JT1838SB42, JTS061838H, JTS061825A	35
JAMERCO	18 GAUGE FINISH BRAD NAILER	JTBN1832, JTBN1842A, JTBN1850A, JT1838SB42	24
JAMERCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	JTNFH90A	10-12, 40
JAMERCO	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	JTAFN2890	14-15, 41
JAMERCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	JTAFN3190	16-17
JAMERCO	COIL ROOFING NAILER	JTCN45RA	4, 39
JEPSON	15 GAUGE ANGLED "DA" FINISH NAILER	PFN1564	19-20
JEPSON	16 GAUGE "P" WIDE CROWN STAPLER	PSW1638	27
JEPSON	16 GAUGE FINISH BRAD NAILER	PFN1664	22
JEPSON	18 GAUGE "L" NARROW CROWN STAPLER	PSN1832	35



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
JEPSON	18 GAUGE FINISH BRAD NAILER	PFN1832	24
JEPSON	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	PF21FH	10-12, 40
JEPSON	COIL ROOFING NAILER	PRN45C	4, 39
JIT	15 GAUGE ANGLED "DA" FINISH NAILER	NA1565	19-20
JIT	16 GAUGE "BCS" MEDIUM CROWN STAPLER	938, 951	29
JIT	16 GAUGE "GSW" WIDE CROWN STAPLER	1651S	28
JIT	16 GAUGE "N" MEDIUM CROWN STAPLER	1150	30
JIT	16 GAUGE FINISH BRAD NAILER	1651, 1665	22
JIT	18 GAUGE "L" NARROW CROWN STAPLER	9038A, 9032	35
JIT	18 GAUGE FINISH BRAD NAILER	1832, 1850	24
JIT	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	FN2190	10-12, 40
J-K	"STCR" HAMMER TACKER STAPLER	694	38
J-K	18 GAUGE FINISH BRAD NAILER	TNF201/18-25, TJDPB607 2, TJDPN6018 2	24
J-K	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	89	10-12, 40
MAKITA	15 GAUGE ANGLED "FN" FINISH NAILER	AF-632	18
MAKITA	18 GAUGE "L" NARROW CROWN STAPLER	AT-638	35
MAKITA	18 GAUGE FINISH BRAD NAILER	AF-502, AF-503	24
MAKITA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AN-922, AN-8300	10-12, 40
MAKITA	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	AN-942	16-17
MAKITA	COIL FRAMING/SIDING NAILER	AN-901, AN-621	5-6, 39
MAKITA	COIL ROOFING NAILER	AN-451	4, 39
MAKITA	MINI-COIL FRAMING/SIDING NAILER	AN-611	7-8
MAX	15 GAUGE ANGLED "DA" FINISH NAILER	NF550/15-65	19-20
MAX	16 GAUGE "N" MEDIUM CROWN STAPLER	TA551/16-11	30
MAX	16 GAUGE FINISH BRAD NAILER	NF352-ST/16-50	22
MAX	18 GAUGE FINISH BRAD NAILER	NF201/18-35, NF221/18-55, NF201/18-25	24
MAX	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SN890RH, SN80, SN90	10-12, 40
MAX	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	SN890CH/28	14-15, 41
MAX	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SN890CH/34	16-17
MAX	COIL FRAMING/SIDING NAILER	HN90, CN565, CN565S, CN565D, CN890S, CN100, CN70, CN665, CN890II, CN80, CN80F	5-6, 39
MAX	COIL ROOFING NAILER	CN450R	4, 39
MAX	MINI-COIL FRAMING/SIDING NAILER	CN565S, CN565, CN665, CN55, CN70	7-8
NICHE RICH	16 GAUGE "N" MEDIUM CROWN STAPLER	17A3001	30
NICHE RICH	16 GAUGE FINISH BRAD NAILER	17A2004	22
NICHE RICH	18 GAUGE FINISH BRAD NAILER	17A2002, 17A2003, 17A2001	24
NICHE RICH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	17A2051	10-12, 40
NICHE RICH	COIL ROOFING NAILER	17A2052	4, 39
NIKEMA	"50" HAMMER TACKER STAPLER	50 4000	36
NIKEMA	16 GAUGE "GS" MEDIUM CROWN STAPLER	450 16NC	31
NIKEMA	16 GAUGE FINISH BRAD NAILER	440S GG51, 440S GG66	22
NIKEMA	18 GAUGE "L" NARROW CROWN STAPLER	430 92	35
NIKEMA	18 GAUGE "SX" NARROW CROWN STAPLER	430 90	33
NIKEMA	18 GAUGE FINISH BRAD NAILER	420S GF/32, 420S GF51	24
NIKEMA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	590RN100, 590RN90	10-12, 40
NIKEMA	COIL FRAMING/SIDING NAILER	565CN70, 590CN90, 451CN60	5-6, 39
NIKEMA	MINI-COIL FRAMING/SIDING NAILER	451CN60	7-8
NIKOTA	15 GAUGE ANGLED "DA" FINISH NAILER	AFN1564S	19-20
NIKOTA	16 GAUGE "N" MEDIUM CROWN STAPLER	MS851	30
NIKOTA	16 GAUGE "P" WIDE CROWN STAPLER	WS2638	27
NIKOTA	16 GAUGE FINISH BRAD NAILER	TK2IN1, NT1664, NT1650	22
NIKOTA	18 GAUGE "L" NARROW CROWN STAPLER	SB1840, TK2IN1, NS9038HD, NS9025	35
NIKOTA	18 GAUGE FINISH BRAD NAILER	BN1850, SB1840, BN1832	24



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
NIKOTA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	RHF9021	10-12, 40
NIKOTA	COIL ROOFING NAILER	RF3145	4, 39
OMER	"50" HAMMER TACKER STAPLER	5016, 5016SCL, 5016SL, 5016CL, 5016CLV	36
OMER	16 GAUGE "BCS" WIDE CROWN STAPLER	WS 38, WS 38ROOFING	26
OMER	16 GAUGE "GS" MEDIUM CROWN STAPLER	S4 50	31
OMER	16 GAUGE "GSW" WIDE CROWN STAPLER	WK 38, WK 38ROOFING	28
OMER	16 GAUGE "N" MEDIUM CROWN STAPLER	M2 45, MS 50, 700 50, 700 45, MS 38CL, MS 38NS, MS 30NOSAG, 700 32NOSAG	30
OMER	16 GAUGE "P" WIDE CROWN STAPLER	WP 38, WP 38ROOFING	27
OMER	16 GAUGE FINISH BRAD NAILER	1463, 1463NS, 1450	22
OMER	18 GAUGE "L" NARROW CROWN STAPLER	9040, 9038 CLD3, 9038B, 9032, 9032R, 9038	35
OMER	18 GAUGE FINISH BRAD NAILER	1250, 1240, 1220, 1220D	24
PANREX IND.	16 GAUGE "N" MEDIUM CROWN STAPLER	PR-16851P	30
PANREX IND.	16 GAUGE FINISH BRAD NAILER	PR-1664P	22
PANREX IND.	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	PR-9021P	10-12, 40
PANREX IND.	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	PR-0034P	16-17
PANREX IND.	COIL FRAMING/SIDING NAILER	PR-565P	5-6, 39
PANREX IND.	MINI-COIL FRAMING/SIDING NAILER	PR-565P	7-8
PASLODE	16 GAUGE "76" MEDIUM CROWN STAPLER	3200-S16P, PA-200, IM200-S16	32
PASLODE	16 GAUGE "GS" MEDIUM CROWN STAPLER	3150-S16, 3200-S16P, PA-200, IM200-S16, 5200, 4200-S16P	31
PASLODE	16 GAUGE "GSW" WIDE CROWN STAPLER	3200-W16, 3150-W16R, MU112-W-16R	28
PASLODE	16 GAUGE FINISH BRAD NAILER	3250-F16, T215-F16, MU-112B, F-16200, IM250, IM250II, 3200-F16	22
PASLODE	18 GAUGE FINISH BRAD NAILER	T125-F18, T200-F18, IM200-F18, 2138-F18II	24
PASLODE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	5325 SRH, 5350/SRN-20	10-12, 40
PASLODE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	IMPULSE350, IMPULSE300, IMPULSE325, GN212, F-350S, 5350, SK312, IMCT, 5325	16-17
PASLODE	COIL FRAMING/SIDING NAILER	F275C, P275C, 4275/CN70, F325C, P350C, 5325/CN80, 4250/65CP	5-6, 39
PASLODE	COIL ROOFING NAILER	3175/44RCU	4, 39
PASLODE	MINI-COIL FRAMING/SIDING NAILER	3250/HSF, 3225/N55	7-8
PATEK	"50" HAMMER TACKER STAPLER	HT550, HT550H	36
PATEK	"A11" HAMMER TACKER STAPLER	HT54R, HT11, HT11H	37
PATEK	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	PR9021	10-12, 40
PATEK	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	PR0034	16-17
PATEK	COIL FRAMING/SIDING NAILER	CN565	5-6, 39
PATEK	MINI-COIL FRAMING/SIDING NAILER	CN565	7-8
PNEU TOOLS	COIL ROOFING NAILER	RC150	4, 39
PORTA-NAIL	16 GAUGE FINISH BRAD NAILER	462	22
PORTA-NAIL	18 GAUGE "L" NARROW CROWN STAPLER	461	35
PORTER CABLE	15 GAUGE ANGLED "DA" FINISH NAILER	DA250A, CDA250, DA250B	19-20
PORTER CABLE	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	FCN 200	25
PORTER CABLE	16 GAUGE "76" MEDIUM CROWN STAPLER	MS 200	32
PORTER CABLE	16 GAUGE "N" MEDIUM CROWN STAPLER	MS 200	30
PORTER CABLE	16 GAUGE FINISH BRAD NAILER	FN250A, FN250B, FN250, FN250AK	22
PORTER CABLE	18 GAUGE "L" NARROW CROWN STAPLER	NS 100, NS 150, NSS 150	35
PORTER CABLE	18 GAUGE FINISH BRAD NAILER	BN125, BN200	24
PORTER CABLE	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	FR350NC, FR350MAG, FR350, FR 350A	10-12, 40
PORTER CABLE	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	FM350A	14-15, 41
PORTER CABLE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	FC350, FC350A	16-17
PORTER CABLE	COIL FRAMING/SIDING NAILER	COIL250, COIL350	5-6, 39
PORTER CABLE	COIL ROOFING NAILER	RN 175	4, 39



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
PORTER CABLE	MINI-COIL FRAMING/SIDING NAILER	COIL200	7-8
POWER NAIL	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	445, 345, 55	25
POWER NAIL	15 GAUGE HARDWOOD FLOORING STAPLER	445FS	25, 41
PREBENA	"50" HAMMER TACKER STAPLER	IM-D16-S90	36
PREBENA	"A11" HAMMER TACKER STAPLER	HHPF09, HPPF14-S90	37
PREBENA	"STCR" HAMMER TACKER STAPLER	HHD10	38
PREBENA	15 GAUGE ANGLED "DA" FINISH NAILER	5X-DA-63	19-20
PREBENA	16 GAUGE "N" MEDIUM CROWN STAPLER	3ML-44	30
PREBENA	16 GAUGE FINISH BRAD NAILER	3MN-63	22
PREBENA	18 GAUGE "L" NARROW CROWN STAPLER	3M-E-50-PR, 2P-E40-S90, 2X-E25SD-S90	35
PREBENA	18 GAUGE FINISH BRAD NAILER	2K-J50, SPJ-50-SDS, 2X-J32SD-S90	24
PREBENA	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	9FAK100	10-12, 40
PRIMATECH	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	P210, H300, Q500	25
RAPID	"A11" HAMMER TACKER STAPLER	R-11, A-11	37
RAPID	"A19" HAMMER TACKER STAPLER	R-19	37
RAPID	"STCR" HAMMER TACKER STAPLER	31	38
RIGID	15 GAUGE ANGLED "DA" FINISH NAILER	R250AFA	19-20
RIGID	16 GAUGE FINISH BRAD NAILER	R250SFA	22
RIGID	18 GAUGE "L" NARROW CROWN STAPLER	R150FSA	35
RIGID	18 GAUGE FINISH BRAD NAILER	R213BNA	24
RIGID	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	R350RHA	10-12, 40
RIGID	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	R350CHA	16-17
RIGID	COIL ROOFING NAILER	R1750RNA	4, 39
SENCO	"A11" HAMMER TACKER STAPLER	PC0705	37
SENCO	15 GAUGE ANGLED "DA" FINISH NAILER	SFN-1SFN-2B, FINISHPRO 41XP, SFN-1+, SNF30, AIRFREE41, FINISHPRO 35XP, SFN-40	19-20
SENCO	15 GAUGE HARDWOOD FLOORING CLEAT NAILER	SHF50, SHF15, SHF10	25
SENCO	16 GAUGE "N" MEDIUM CROWN STAPLER	M1, M2 50, SKSN, SNS 45, SNS 50, SNS 40	30
SENCO	16 GAUGE "P" WIDE CROWN STAPLER	PW, MW, SPS	27
SENCO	16 GAUGE FINISH BRAD NAILER	AIRFREE 32, FINISHPRO 32XP	22
SENCO	18 GAUGE "L" NARROW CROWN STAPLER	LN4450, KN4450, SLS25XP-L, FINISHPRO SN1, SKS L, SLS 20L, SLS 15, SLS18	35
SENCO	18 GAUGE FINISH BRAD NAILER	FINISHPRO 15XP, FINISHPRO 18XP, SDN18BR, FINISHPRO 25XP, FINISHPRO2N1, SLP20, AIRFREE25	24
SENCO	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SN60, SN65, SN65C, FRAMEPRO 652, FRAMEPRO 602, FRAMEPRO 650, FRAMEPRO 752XP, FRAMEPRO 702XP	10-12, 40
SENCO	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SN2, SN325+, FRAMEPRO 751 EXP THINK TRAC, SN70, FRAMEPRO 751XP, FRAMEPRO 651, FRAMEPRO 601, FRAMEPRO 751 EXP THINK, SN3, SN4, FRAMEPRO 701EXP THINK TRAC, FRAMEPRO 701 EXP THINK, SN2+	16-17
SENCO	COIL FRAMING/SIDING NAILER	SCN 300, SCN 60, SCN 65	5-6, 39
SENCO	COIL ROOFING NAILER	SCN 200R, SCN 40R	4, 39
SENCO	MINI-COIL FRAMING/SIDING NAILER	SCN 55, SCN 56	7-8
SPOTNAILS	"50" HAMMER TACKER STAPLER	BS8018, BS5018	36
SPOTNAILS	"A11" HAMMER TACKER STAPLER	85060	37
SPOTNAILS	15 GAUGE ANGLED "DA" FINISH NAILER	XBA1564, KBA1564	19-20
SPOTNAILS	15 GAUGE ANGLED "FN" FINISH NAILER	XBFN64	18
SPOTNAILS	16 GAUGE "BCS" MEDIUM CROWN STAPLER	HL 7616AP	29
SPOTNAILS	16 GAUGE "BCS" WIDE CROWN STAPLER	HL 1612A, HL 1620, XS 1650, HL1616A, XS 1640, HL 1612AW	26



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
SPOTNAILS	16 GAUGE "GS" MEDIUM CROWN STAPLER	MS 6650i	31
SPOTNAILS	16 GAUGE "GSW" WIDE CROWN STAPLER	XS 2650, XS 2640	28
SPOTNAILS	16 GAUGE "N" MEDIUM CROWN STAPLER	XS 76-8650, XS 6650, MS 76-865i	30
SPOTNAILS	16 GAUGE "P" WIDE CROWN STAPLER	XS 3640, XS 3650, HL 1612AT	27
SPOTNAILS	16 GAUGE FINISH BRAD NAILER	FB 1632, KB 1564, HG 1640, XB 1564, WB 1650	22
SPOTNAILS	18 GAUGE "L" NARROW CROWN STAPLER	HL3852, WS4840W2, FS4825, WS4840, TS4825, TRL3852	35
SPOTNAILS	18 GAUGE FINISH BRAD NAILER	CB1820, TB1840, WB1850, CB1832, DB1825, HLB-1520BP	24
SPOTNAILS	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	YPR90	10-12, 40
SPOTNAILS	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	YTD90	16-17
SPOTNAILS	COIL FRAMING/SIDING NAILER	YCN83, MCW64	5-6, 39
SPOTNAILS	COIL ROOFING NAILER	KRN 45, VRN45	4, 39
SPOTNAILS	MINI-COIL FRAMING/SIDING NAILER	MCW 64	7-8
STAN TECH	"A11" HAMMER TACKER STAPLER	SDH-20	37
STAN TECH	15 GAUGE ANGLED "FN" FINISH NAILER	SDN-15BR	18
STAN TECH	16 GAUGE "N" MEDIUM CROWN STAPLER	SDS-16-716	30
STAN TECH	16 GAUGE "P" WIDE CROWN STAPLER	SDS-16-1	27
STAN TECH	18 GAUGE "L" NARROW CROWN STAPLER	SDS-18-14, SDS-18-LM14, SDS-18-14-24	35
STAN TECH	18 GAUGE FINISH BRAD NAILER	SDN-18BR	24
STAN TECH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SDN-11 B-1, SDN-11	10-12, 40
STAN TECH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	1526B	14-15, 41
STAN TECH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	SDN11-PT-1	16-17
STAN TECH	COIL ROOFING NAILER	SDCN-10B-1	4, 39
SUPCO	16 GAUGE FINISH BRAD NAILER	1650A, 1664	22
SUPCO	18 GAUGE "L" NARROW CROWN STAPLER	9040	35
SUPCO	18 GAUGE FINISH BRAD NAILER	1832, 1850	24
T.C. INTERNATIONAL	"A11" HAMMER TACKER STAPLER	US A11	37
T.C. INTERNATIONAL	15 GAUGE ANGLED "DA" FINISH NAILER	UB 15250A4	19-20
T.C. INTERNATIONAL	16 GAUGE "N" MEDIUM CROWN STAPLER	US 16716A	30
T.C. INTERNATIONAL	16 GAUGE FINISH BRAD NAILER	UB 16200C, UB 16250B	22
T.C. INTERNATIONAL	18 GAUGE "L" NARROW CROWN STAPLER	US 2238A, US1814C	35
T.C. INTERNATIONAL	18 GAUGE FINISH BRAD NAILER	UB 18125C, UB 18200B	24
T.C. INTERNATIONAL	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SRN 90, UNS 350	10-12, 40
T.C. INTERNATIONAL	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	UNS 350 P4/P8	16-17
T.C. INTERNATIONAL	COIL ROOFING NAILER	UNC 175R	4, 39
TECH FORGE	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	1521	16-17
TRADESMAN	18 GAUGE "L" NARROW CROWN STAPLER	8470, 8480	35
TRADESMAN	18 GAUGE FINISH BRAD NAILER	8460, 8480	24
TRIDENT ASSOC.	15 GAUGE ANGLED "DA" FINISH NAILER	DA65, DA50	19-20
TRIDENT ASSOC.	16 GAUGE "N" MEDIUM CROWN STAPLER	MS16/50A	30
TRIDENT ASSOC.	16 GAUGE FINISH BRAD NAILER	F16150AC, BN16150AC, BN16164AC	22
TRIDENT ASSOC.	18 GAUGE "L" NARROW CROWN STAPLER	90/40 AC	35
TRIDENT ASSOC.	18 GAUGE FINISH BRAD NAILER	F18150AC, F18132A	24
TRIDENT ASSOC.	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	SRN90	10-12, 40
TRIDENT ASSOC.	COIL FRAMING/SIDING NAILER	CN70	5-6, 39
TRIDENT ASSOC.	COIL ROOFING NAILER	CRW45AA	4, 39
TRUSTY	15 GAUGE ANGLED "DA" FINISH NAILER	TYI341564DA	19-20
TRUSTY	15 GAUGE ANGLED "FN" FINISH NAILER	TYI261565AB	18
TRUSTY	15 GAUGE HARDWOOD FLOORING STAPLER	FS50	25, 41
TRUSTY	16 GAUGE "BCS" MEDIUM CROWN STAPLER	TYI16964B, TYI16964B	29
TRUSTY	16 GAUGE "GS" MEDIUM CROWN STAPLER	TYI16851KG, TYI16864KG	31
TRUSTY	16 GAUGE "N" MEDIUM CROWN STAPLER	TYI16851S, TYI16864S, 16851	30



Tool & Fastener Cross Reference

Tool Brand	Tool Type	Tool Model	Fasteners on page
TRUSTY	16 GAUGE FINISH BRAD NAILER	TY11650L, TY11650H, TY11664	22
TRUSTY	18 GAUGE "SX" NARROW CROWN STAPLER	TY19025, TY19040L, TY19040H, AS3290	33
TRUSTY	18 GAUGE FINISH BRAD NAILER	TY11832, TY11850, TY11840	24
TRUSTY	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	AF9021, TY12190FN	10-12, 40
TRUSTY	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	TY12890FN	14-15, 41
TRUSTY	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	TY13490FN, AF0034	16-17
TRUSTY	COIL ROOFING NAILER	CN45R	4, 39
UNICATCH	15 GAUGE ANGLED "DA" FINISH NAILER	UN 15250A4	19-20
UNICATCH	16 GAUGE FINISH BRAD NAILER	UN 16200A	22
UNICATCH	18 GAUGE FINISH BRAD NAILER	UB 18200A	24
UNICATCH	21° ROUND HEAD PLASTIC COLLATED FRAMING NAILER	UNS 350 PL	10-12, 40
UNICATCH	28° CLIPPED HEAD WIRE COLLATED FRAMING NAILER	UNS 350P8	14-15, 41
UNICATCH	33° CLIPPED HEAD PAPER COLLATED FRAMING NAILER	UNS 350P4	16-17
UNICATCH	COIL ROOFING NAILER	UN 175R	4, 39
UNITECH	16 GAUGE FINISH BRAD NAILER	1506, 1505, 1519	22
UNITECH	18 GAUGE FINISH BRAD NAILER	1503A	24
UNITECH	16 GAUGE FINISH BRAD NAILER	1506, 1505, 1519	18
UNITECH	18 GAUGE FINISH BRAD NAILER	1503A	20



Grip-Rite™ Flexible Strip Collated Screws



- ✓ Collated screws from Grip-Rite, the most popular brand of fasteners in the U.S.
- ✓ Designed for use with tools from: Grip-Rite, Grabber, Hitachi, Milwaukee, Pam, and Senco
- ✓ Screws are produced in an ISO 9002 certified environment and meet or exceed ASTM C 1002/C 954
- ✓ Choose from a variety of styles and sizes for indoor and outdoor construction

Grip-Rite Collated Drywall Screws

- ✓ Phillips drive designed to cam out before being overdriven.
- ✓ Sharp point for ease of penetration into medium to soft materials.
- ✓ Phosphate coating provides base for drywall mud and other finishes.
- ✓ Coarse thread for attaching to wood, fine thread for attaching to metal.

Size	Thread	Finish	SKU	Screws per Strip	Strips per Box	Screws per Box	Boxes per Carton	Cartons per Pallet
6 x 1-1/4"	Coarse	Black Phosphate	CS114C	50 screws	20 strips	1M	10 boxes	18 cartons
6 x 1-5/8"	Coarse	Black Phosphate	CS158C	50 screws	20 strips	1M	10 boxes	18 cartons
7 x 2"	Coarse	Black Phosphate	CS200C	50 screws	20 strips	1M	10 boxes	18 cartons
6 x 1-1/4"	Fine	Black Phosphate	FS114C	50 screws	20 strips	1M	10 boxes	18 cartons
6 x 1-5/8"	Fine	Black Phosphate	FS158C	50 screws	20 strips	1M	10 boxes	18 cartons
7 x 2"	Fine	Black Phosphate	FS200C	50 screws	20 strips	1M	10 boxes	18 cartons

Grip-Rite Collated Subfloor Screws

- ✓ #2 Square drive recess deep and cleanly formed, reducing spin-outs.
- ✓ Flat head leaves smooth finish, nibs under the head allow it to countersink into the wood.
- ✓ Sharp point for ease of penetration into medium to soft materials. 1-3/4" also available in Type 17 point.



Size	Thread	Finish	SKU	Screws per Strip	Strips per Box	Screws per Box	Boxes per Carton	Cartons per Pallet
8 x 1-3/4"	Coarse	Yellow Zinc	SF134C	50 screws	20 strips	1M	10 boxes	18 cartons
8 x 2"	Coarse	Yellow Zinc	SF200C	50 screws	20 strips	1M	8 boxes	18 cartons
8 x 2-1/2"	Coarse	Yellow Zinc	SF212C	50 screws	20 strips	1M	6 boxes	24 cartons
8 x 1-3/4"	Coarse	Yellow Zinc	SF134T17C*	50 screws	20 strips	1M	10 boxes	18 cartons

*Type 17 Point

Two great brands, one great product line

- ✓ Grip-Rite PrimeGuard Plus fasteners are certified with the Rust-Oleum® stamp of approval. Rust-Oleum has been trusted by America for protection against rust and corrosion since 1921. Now that trusted protection extends to PrimeGuard Plus fasteners.
- ✓ Lifetime guarantee against rust and corrosion.
- ✓ For use with all treated lumber.
- ✓ For exterior applications, including decks, siding, gazebos, and playsets.
- ✓ These fasteners are not approved for projects using redwood or cedar, for marine projects, or within 5 miles of coastline. Only stainless steel fasteners are recommended for these projects.



PrimeGuard Plus Exterior Decking & Fencing Screws

- ✓ #2 Square drive recess deep and cleanly formed, reducing spin-outs.
- ✓ Flat head leaves smooth finish, nibs under the head allow it to countersink into the wood.
- ✓ Type 17 point reduces need to pre-drill boards; refer to composite wood manufacturers' instructions, as some pre-drilling may be required.

Size	Thread	Finish	SKU	Screws per Strip	Strips per Box	Screws per Box	Boxes per Carton	Cartons per Pallet
8 x 1-5/8"	Coarse	PrimeGuard Plus	PGP158C	50 screws	20 strips	1M	10 boxes	18 cartons
8 x 2"	Coarse	PrimeGuard Plus	PGP200C	50 screws	20 strips	1M	8 boxes	18 cartons
8 x 2-1/2"	Coarse	PrimeGuard Plus	PGP212C	50 screws	20 strips	1M	6 boxes	24 cartons
8 x 3"	Coarse	PrimeGuard Plus	PGP300C	50 screws	16 strips	800	6 boxes	24 cartons

Tools & Accessories

Description	SKU
Screw Gun Driver	
Auto Feed Screw Gun Attachment 1"-3"	GR300
Screw Gun Extension Pole	
Auto Feed Screw Gun Extension Pole	GREXT300
Adaptors	
Aluminum adaptor for Bosch Screw-Driver	GRB100
Aluminum adaptor for Dewalt Screw-Driver	GRD100
Aluminum adaptor for Hitachi Screw-Driver	GRH100
Aluminum adaptor for Makita Screw-Driver	GRM100
Aluminum adaptor for Milwaukee Screw-Driver	GRMW100
Aluminum adaptor for Porter-Cable Screw-Driver	GRPC100
Aluminum adaptor for Ridgid Screw-Driver	GRR100
Driver Bits	
3" Phillips bit - 2 per pack	GR3PH2PK
3" Phillips bit - 50 per pack	GR3PH500
3" Square bit - 2 per pack	GR3SQ2PK
3" Square bit - 50 per pack	GR3SQ500



Grip-Rite is a trademark of PrimeSource Building Products, Inc. Other product and company names listed may be trademarks of their respective owners.

Rust-Oleum is a registered trademark of Rust-Oleum Brand Company used under license by PrimeSource Building Products. ©Rust-Oleum Brand Company. All rights reserved.

Distributed by/Distribuido por/Imported by/Importé par:

PRIME SOURCE
BUILDING PRODUCTS, INC.
and
BUILDING PRODUCTS CANADA CORPORATION
are Incho Companies

Carrollton, Texas 75006 USA
www.primesourcebp.com

800-676-7777 - USA
866-512-1418 - Canada
www.grip-rite.com

© 2008, PrimeSource Building Products, Inc.

02/2008
GRCS55



**Grip-Rite®
for all your fastening needs!**

Grip-Rite Fas'ners' color-coded packaging and point-of-purchase materials help you to select the optimal fastener for your project:

- Yellow - General Construction
- Green - Outdoor Construction
- Blue - Roofing & Siding
- Red & Orange - Drywall
- Purple - Specialty Screws
- Gray - PrimeGuard Ten®
- Gold - PrimeGuard Plus®-coated, Aluminum, & Copper
- Silver - PrimeGuard Plus® Stainless Steel




Table of Contents	Page
How to Select a Fastener	2
Fastener Coatings and Finishes	3
General Construction Fasteners	
General Construction	4-7
Finish and Trim Work	8
Flooring and Masonry	8-10
Miscellaneous	11-13
Outdoor Construction Fasteners	
General Construction	14-16
Finish and Trim Work	16-17
Deck and Landscape	17-18
Miscellaneous	18-19
PrimeGuard Ten® Exterior Screws	19
Roofing and Siding Fasteners	
Roofing and Siding	20-21
Roofing	22-23
Siding	24
Drywall Fasteners	
Drywall Nails	25-26
Drywall Screws	26-27
Specialty Fasteners	
General Construction Screws	28
Finish and Trim Work Screws	28
Metal to Wood Screws	28
Wood to Metal Screws	29
Metal to Metal Screws	29-31
Miscellaneous Screws	31
PrimeGuard Plus® Exterior Fasteners	
Stainless Steel Fasteners	32-34
PrimeGuard Plus-Coated Fasteners	35-36
Aluminum Nails	36
Copper Nails	36
Screw Bits	37
Anchor Bolts	38-39
Threaded Rod	39
An Overview of Nails	
History	40
Nail Heads	41
Nail Shanks	41
An Overview of Screws	
History	42
Screw Drives	43
Screw Heads	43
Screw Shanks/Threads	43
Screw Points	43-44
Index of Fasteners	45-48



How to select the right fastener for your project

Grip-Rite®, the most popular brand of fasteners in America, brings you the most comprehensive selection of nails and screws under one brand. No matter what the project or what size the job, Grip-Rite has the optimal fastening solution, available nationwide and from a dealer near you.

There are many sizes and styles of nails and screws available. As construction materials and techniques evolve, fastener design keeps pace with the changing technology. Fastener needs vary project to project, and the safety and life expectancy of the project can be extended or compromised based upon the fastener used.

Grip-Rite's color-coded packaging and point-of-purchase materials help you to select the most appropriate fastener for your project:

-  Yellow - General Construction
-  Green - Outdoor Construction
-  Blue - Roofing & Siding
-  Red & Orange - Drywall
-  Purple - Specialty Screws
-  Gray - PrimeGuard Ten®
-  Gold - PrimeGuard Plus®-coated, Aluminum, and Copper
-  Silver - PrimeGuard Plus Stainless Steel

When selecting a fastener, be sure to consider the following:

1. **Determine what the materials are that are being joined.** This will establish whether a nail or screw and the type of nail or screw needed

Attaching to wood:

- **Hardwood, such as redwood and cedar:** Stainless steel is the only recommended fastener for redwood and cedar.
- **Softwood, such as pine or other untreated lumber:** For greater holding power, use ring shank nails instead of smooth or spiral shank.
- **Treated lumber:** Chemicals used to prevent rot and insect infestation may increase fastener corrosion. PrimeGuard Plus-coated and stainless steel fasteners carry a lifetime guarantee against rust and corrosion when used with any treated lumber. Grip-Rite hot-dipped galvanized fasteners are also approved for use with treated lumber. Look for the yellow starburst for treated lumber fasteners.

- **Composite lumber:** Consists primarily of recycled plastic trash bags and waste wood fibers. Special fasteners have been developed to accommodate the unique characteristics of this material, including PrimeGuard Plus composite deck screws in colors that match the most popular composite decking hues.
 - **Attached to steel:** If attaching to steel, thicker steel may require a self-drilling point, whereas a sharp or self-piercing point may be more appropriate for thinner steel.
2. **Determine the total thickness of the material being joined.** This will establish the length of the fastener needed.

Examples for determining total material thickness:

- 1/2" plywood to 1/2" plywood = 1/2" + 1/2" = total thickness
- 20 gauge steel (.033) to 1/2" plywood = .033 + .5 = total thickness
- 20 gauge steel (.033) to 18 gauge steel (.043) = .033 + .043 = total thickness

Fastener length for any material-to-wood will be determined by the specific embedment requirement, although 3/4" to 1" will normally be required. Steel-to-steel or composite-to-steel connections will require three screw threads to be exposed.

The length for most nails is measured from the center of the bearing surface of the fastener (the head) to the end of the point. Casing nails, finish nails, and brads are measured from the top of their head rather than from beneath it. Duplex nails are measured from the underside of the lowest head.

The length of a screw is measured from the bearing surface of the fastener to the end of the point. For example, a flat head is measured from the top of the head to the end of the point, whereas a hex washer head is measured from under the head to the point.

3. **Determine where the fastener will be used.** Inside? Outside? High-moisture area? This will establish whether or not a fastener with additional protection against corrosion and rust will be needed. Outdoor applications and other high-moisture environments will require a fastener specifically designed for these conditions.

4. Determine how many fasteners will be needed.

- **Roofing** - estimate that five pounds of nails will apply 3 squares of shingles
- **Siding** - estimate that five pounds of nails will apply 2 squares of siding
- **Drywall** - estimate that one pound of 1-1/4" screws will apply nine 4'x8' sheets of drywall
- **Decking** - estimate that five pounds of 2" screws will apply 500 lineal feet of top decking
- **Framing** - estimate that one pound of nails will frame 10' for 16" on-center framing

Screws Versus Nails

There may seem to be many nails and screws designed to perform the same function. However, in general, nails take less time to drive, but screws provide a tighter fit, a neater appearance, and the ability to be removed with relatively less damage to the surrounding material. Nails are most commonly used to fasten wood to wood, but are also used with masonry, drywall, and plastic. Screws can be used with those same materials, but are exclusively recommended when attaching to steel.

Fasteners - General Information

Fastener Coatings and Finishes

Most fasteners are made of steel unless otherwise noted.

Bright - Bright, uncoated steel finish intended for use where corrosion resistance is not required.

Blued - Degreased and heat-cleaned to form thin blue oxide film required by lathers.

Cement coated - Resin coating which provides short-term holding power.

Vinyl coated - Eases nail driving and provides greater holding power.

Phosphate coated - Chemically treated with a gray ferric phosphate protective coating. Surface is also etched for greater holding power. Good base for paints and other finishes.

Electrogalvanized - Zinc coating applied to steel with an electrical charge. Offers limited resistance to rust.

Mechanically galvanized - Zinc coating applied by tumbling with powdered zinc and glass beads. Offers increased corrosion resistance, comparable to hot galvanized when equivalent amount of zinc is used.

Hot galvanized - Zinc coating applied by a heat treatment. Offers increased corrosion resistance.

Hot dipped galvanized - Zinc coating applied by dipping into molten zinc. All Grip-Rite hot-dipped galvanized meet the ASTM A-153 standard for hot-dipped galvanized.



Gold dichromate - Gold-colored zinc dichromate applied over electrogalvanized surface for additional corrosion resistance. In addition, gold color provides a more aesthetically pleasing appearance.

PrimeGuard Ten® - Proprietary coating that carries a 10-year guarantee against rust and corrosion when used with treated lumber.



PrimeGuard Plus® - Proprietary coating that provides lifetime guarantee against rust and corrosion, including treated lumber.



Stainless steel - Lifetime guarantee against rust and corrosion. Use when working with cedar, redwood, or treated lumber.



Aluminum - For specialty applications when working with aluminum, such as gutters and trim. Lifetime guarantee against rust and corrosion. Not for use with treated lumber.

Copper - For specialty applications when working with copper or where appearance is a factor (copper weathered by age and exposure to elements can provide desirable appearance).



Resistance to Bending

Certain applications require a "harder" than normal fastener, such as concrete, masonry, or extremely hard woods. The type of steel that the fastener is made of and any treatments after the manufacture of the fastener can increase the fastener's stiffness.

- Regular stock steel - bright, non-hardened, usually low or medium low-carbon steel. This is the standard unless otherwise specified.
- Stiff stock - bright, non-hardened, usually medium or medium-high carbon steel. Harder and stiffer than a regular stock steel nail.
- Tempered hardened steel - After manufacturing, fastener is heated, resulting in a hardened outer surface with increased resistance to bending.



GENERAL CONSTRUCTION



General Construction

Common Nail

Most popular nail and versatile style. For construction, carpentry and framing. Larger shank provides greater resistance to bending. Made to conform to ASTM F1667

Common Nail Bright Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	14	13/64"	543	3C
1-1/2"	4D	12-1/2	1/4"	294	4C
1-3/4"	5D	12-1/2	1/4"	254	5C
2"	6D	11-1/2	17/64"	167	6C
2-1/4"	7D	11-1/2	17/64"	150	7C
2-1/2"	8D	10-1/4	9/32"	101	8C
3"	10D	9	5/16"	66	10C
3-1/4"	12D	9	5/16"	61	12C
3-1/2"	16D	8	11/32"	47	16C
4"	20D	6	13/32"	29	20C
4-1/2"	30D	5	7/16"	22	30C
5"	40D	4	15/32"	17	40C
5-1/2"	50D	3	1/2"	13	50C
6"	60D	2	17/32"	10	60C

Common Nail Coated Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11-1/2	17/64"	167	6CTDC
2-1/2"	8D	10-1/4	9/32"	101	8CTDC
3"	10D	9	5/16"	66	10CTDC
3-1/4"	12D	9	5/16"	61	12CTDC
3-1/2"	16D	8	11/32"	47	16CTDC
4"	20D	6	13/32"	29	20CTDC

Common Nail Bright Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11-1/2	17/64"	167	6ATC
2-1/2"	8D	10-1/4	9/32"	101	8ATC
3"	10D	9	5/16"	66	10ATC
3-1/4"	12D	9	5/16"	61	12ATC
3-1/2"	16D	8	11/32"	47	16ATC
4"	20D	6	13/32"	29	20ATC
4-1/2"	30D	5	7/16"	22	30ATC
5"	40D	4	15/32"	17	40ATC
6"	60D	2	17/32"	10	60ATC

Common Nail Coated Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11-1/2	17/64"	167	6CTDATC
2-1/2"	8D	10-1/4	9/32"	101	8CTDATC
3"	10D	9	5/16"	66	10CTDATC
3-1/2"	16D	8	11/32"	47	16CTDATC

Common Nail Bright Spiral Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11-1/2	17/64"	167	6STC
2-1/4"	7D	11-1/2	17/64"	150	7STC
2-1/2"	8D	10-1/4	9/32"	101	8STC
3-1/2"	16D	8	11/32"	47	16STC

Common Nail Bright Ardox Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11-1/2	17/64"	167	6ADXC
2-1/2"	8D	10-1/4	9/32"	101	8ADXC
3-1/2"	16D	8	11/32"	47	16ADXC
4"	20D	6	13/32"	29	20ADXC

Box Nail

For construction, carpentry, framing, and box making. Smooth, thin shank reduces wood splitting. Made to conform to ASTM F1667

Box Nail Bright Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	14-1/2	7/32"	635	3BX
1-1/2"	4D	14	7/32"	473	4BX
1-3/4"	5D	14	7/32"	406	5BX
2"	6D	12-1/2	17/64"	236	6BX
2-1/4"	7D	12-1/2	17/64"	210	7BX
2-1/2"	8D	11-1/2	19/64"	145	8BX
3"	10D	10-1/2	5/16"	94	10BX
3-1/4"	12D	10-1/2	5/16"	88	12BX
3-1/2"	16D	10	11/32"	71	16BX
4"	20D	9	3/8"	52	20BX
5"	40D	8	13/32"	35	40BX

Box Nail Coated Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	14-1/2	7/32"	635	3CTDBX
1-1/2"	4D	14	7/32"	473	4CTDBX
1-3/4"	5D	14	7/32"	406	5CTDBX
2"	6D	12-1/2	17/64"	236	6CTDBX
2-1/4"	7D	12-1/2	17/64"	210	7CTDBX
2-1/2"	8D	11-1/2	19/64"	145	8CTDBX
3"	10D	10-1/2	5/16"	94	10CTDBX
3-1/4"	12D	10-1/2	5/16"	88	12CTDBX
3-1/2"	16D	10	11/32"	71	16CTDBX
4"	20D	10	11/32"	62	20CTDBX

Box Nail Bright Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	12-1/2	17/64"	236	6ATBX
2-1/2"	8D	11-1/2	19/64"	145	8ATBX
3-1/2"	16D	10	11/32"	71	16ATBX

Box Nail Gold Dichromate Ardox Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	4D	14	7/32"	580	4GADXBX
2"	6D	13	17/64"	310	6GADXBX
2-1/2"	8D	12	19/64"	195	8GADXBX
3"	10D	11	5/16"	131	10GADXBX
3-1/2"	16D	9	11/32"	93	16GADXBX

Duplex Nail

For temporary construction where nail removal is required, such as concrete forming and scaffoldings. Smooth, uncoated shank and double head ease removal (second head remains exposed). Made to conform to ASTM F1667

Duplex Nail Bright Double-head Shank

Size*	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-3/4"	6D	11-1/2	3/16" / 17/64"	156	6DUP
2-1/4"	8D	10-1/4	15/64" / 9/32"	90	8DUP
2-3/4"	10D	9	1/4" / 5/16"	59	10DUP
2-7/8"	12D	9	1/4" / 5/16"	57	12DUP
3"	16D	8	9/32" / 11/32"	45	16DUP
3-1/2"	20D	6	5/16" / 3/8"	28	20DUP

*Measurement is from nail point to under bottom head.

Framing Nail

Used for general construction where thinner shank for driving ease is desired. Thinner than a common nail, but slightly heavier than a box nail of comparable length.

Framing Nail Coated Barbed Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
3"	10D	10-1/4	19/64"	91	10CTDFRM
3-1/4"	12D	10-1/4	19/64"	84	12CTDFRM



GENERAL CONSTRUCTION



General Construction

Sinker

For construction, carpentry and framing. Checkered countersunk head designed to sink flush with surface. Vinyl-coated smooth shank for easier nailing and firmer holding power. Made to conform to ASTM F1667

Sinker		Coated Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/8"	3D	15-1/2"	11/64"	923	3CTDSKR
1-3/8"	4D	14	13/64"	527	4CTDSKR
1-5/8"	5D	13-1/2"	7/32"	387	5CTDSKR
1-7/8"	6D	13	15/64"	293	6CTDSKR
2-1/8"	7D	12-1/2"	1/4"	223	7CTDSKR
2-3/8"	8D	11-1/2"	17/64"	153	8CTDSKR
2-7/8"	10D	11	9/32"	111	10CTDSKR
3-1/8"	12D	10	5/16"	81	12CTDSKR
3-1/4"	16D	9	11/32"	64	16CTDSKR
3-3/4"	20D	7	3/8"	40	20CTDSKR
4-1/4"	30D	6	13/32"	30	30CTDSKR
4-3/4"	40D	5	7/16"	23	40CTDSKR
5-3/4"	60D	3	1/2"	14	60CTDSKR

Cooler Nail

Used for general construction and framing. Similar to coated sinker, but with smooth flat head instead of checkered countersunk. Made to conform to ASTM F1667

Cooler Nail		Vinyl Coated Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-3/8"	4D	14	7/32"	493	4COOL
1-7/8"	6D	13	1/4"	278	6COOL
2-1/8"	7D	12-1/2"	17/64"	212	7COOL
2-3/8"	8D	11-1/2"	9/32"	144	8COOL
2-7/8"	10D	11	19/64"	105	10COOL
3-1/8"	12D	11	19/64"	83	12COOL
3-1/4"	16D	9	3/8"	69	16COOL

Polebarn Nail

For load-bearing wooden structures where superior holding power is necessary. Nails are made of higher carbon steel for greater stiffness. Made to conform to ASTM F1667

Polebarn Nail		Bright Stiff Stock Ring Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11	9/32"	149	6RSPO
2-1/2"	8D	9	5/16"	78	8RSPO
3"	10D	9	5/16"	66	10RSPO
3-1/4"	12D	9	5/16"	61	12RSPO
3-1/2"	16D	9	5/16"	57	16RSPO
4"	20D	7	3/8"	35	20RSPO
4-1/2"	30D	7	3/8"	31	30RSPO
5"	40D	7	3/8"	28	40RSPO
5-1/2"	50D	7	3/8"	26	50RSPO
6"	60D	5	15/32"	17	60RSPO
7"	70D	5	15/32"	15	70RSPO
8"	80D	5	15/32"	13	80RSPO
10"	100D	5	15/32"	12	100RSPO

Polebarn Nail Tempered Hardened Steel Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
2-1/2"	8D	9	5/16"	8TRSPO
3"	10D	9	5/16"	10TRSPO
3-1/4"	12D	9	5/16"	12TRSPO
3-1/2"	16D	9	5/16"	16TRSPO
4"	20D	7	3/8"	20TRSPO
4-1/2"	30D	7	3/8"	30TRSPO
5"	40D	7	3/8"	40TRSPO
5-1/2"	50D	7	3/8"	50TRSPO
6"	60D	5	15/32"	60TRSPO
7"	70D	5	15/32"	70TRSPO
8"	80D	5	15/32"	80TRSPO

Fence Staple

Generally used for attaching woven wire fence, welded fence, or barbed wire to wooden fence posts. Made to conform to ASTM F1667

Fence Staple		Bright Smooth or Barbed		
Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
1"	9	1/4"	106	1FS
1-1/8"	9	1/4"	97	118FS
1-1/4"	9	1/4"	87	114FS
1-1/2"	9	1/4"	72	112FS
1-3/4"	9	1/4"	61	134FS
2"	9	1/4"	53	2FS

Fence Staple Cement Coated Smooth or Barbed

Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
1-1/4"	9	1/4"	87	114CCFS
1-1/2"	9	1/4"	72	112CCFS
1 3/4"	9	1/4"	61	134CCFS

Joist Hanger Nail

For attaching joist hangers to wood studs. Short, heavy gauge nail provides increased holding power without fully penetrating wood.

Joist Hanger Nail		Bright Smooth or Barbed Shank		
Size	Gauge	Head Size	Approx. Count Per	SKU
1-1/4"	9	5/16"	149	114JST
1-1/2"	9	5/16"	125	112JST
1-3/4"	9	5/16"	65	134JST
2-1/2"	8	11/32"	62	212JST
1-1/4"	10-1/4	5/16"	194	114JST10
1-1/2"	10-1/4	5/16"	165	112JST10
1-1/4"	11	9/32"	240	114JST11
1-1/2"	11	9/32"	200	112JST11

Joist Hanger Nail Bright Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	9	5/16"	125	112ATJST
1-3/4"	9	5/16"	62	134ATJST
2-1/2"	0.250"	1/2"	27	212ATJST

Truss Nail

For attaching truss plates. As multiple nails are commonly used with truss plates, truss nails are thinner than joist hanger nails to minimize splitting of the wood trusses.

Truss Nail		Coated Smooth Shank		
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	11	9/32"	223	114CTDTS
1-3/8"	11	9/32"	181	138CTDTS
1-1/2"	11	9/32"	168	112CTDTS

Truss Nail Coated Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	11	5/16"	128	112CTDRSTS



GENERAL CONSTRUCTION



Finish and Trim Work

Finish Nail

For trim and fine finishing work. Small diameter and cupped head for countersinking beneath the wood surface for filling and smooth finished appearance. Made to conform to ASTM F1667

Finish Nail		Bright Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1"	2D	16-1/2"	0.086"	1,473	2F
1-1/4"	3D	15-1/2"	0.099"	880	3F
1-1/2"	4D	15"	0.1055"	630	4F
1-3/4"	5D	15"	0.1055"	535	5F
2"	6D	13"	0.135"	288	6F
2-1/4"	7D	13"	0.135"	254	7F
2-1/2"	8D	12-1/2"	0.142"	196	8F
3"	10D	11-1/2"	0.155"	124	10F
3-1/4"	12D	11-1/2"	0.155"	113	12F
3-1/2"	16D	11"	0.162"	93	16F
4"	20D	10"	0.177"	65	20F

Finish Nail		Gold Dichromate Ardox Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	15"	0.099"	833	3GADXF
1-1/2"	4D	14"	0.1055"	595	4GADXF
2"	6D	13"	0.135"	330	6GADXF
2-1/2"	8D	12"	0.142"	221	8GADXF
3"	10D	11-3/4"	0.155"	153	10GADXF
3-1/2"	16D	11"	0.162"	121	16GADXF

Casing Nail

For trim and fine finishing work. Heavier gauge suitable for door jams and window mouldings. Made to conform to ASTM F1667

Casing Nail		Bright Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2-1/2"	8D	11-1/2"	0.155"	147	8CAS
3-1/4"	12D	10-1/2"	0.17"	88	12CAS
3-1/2"	16D	10"	0.177"	74	16CAS

Trim Nail

For attaching hardwood mouldings (a.k.a. hardwood trim nail or moulding nail). Brad-style head for ease of concealment.

Trim Nail Tempered Hardened Steel Smooth Shank				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1"	15	7/64"	1,099	1TTRM
1-1/4"	15	7/64"	869	114TTRM
1-1/2"	15	7/64"	694	112TTRM
2"	15	7/64"	437	2TTRM
2-1/2"	13-1/2	1/8"	351	212TTRM

Flooring and Masonry

Underlayment Nail

For laying plywood or composition underlayment over existing wood floors or floor joists. Ringed shank for greater holding power.

Underlayment Nail Bright Ring Shank				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1"	12-1/2	1/4"	624	1ATUL
1-1/4"	12-1/2	1/4"	345	114ATUL
1-3/8"	12-1/2	1/4"	315	138ATUL
1-1/2"	12-1/2	1/4"	290	112ATUL
1-5/8"	12-1/2	1/4"	270	158ATUL
1-3/4"	12-1/2	1/4"	250	134ATUL
1-7/8"	12-1/2	1/4"	216	178ATUL
2"	12-1/2	1/4"	204	2ATUL
2-1/8"	12	17/64"	171	218ATUL
2-1/4"	12	17/64"	182	214ATUL
2-1/2"	12	17/64"	117	212ATUL
2-3/8"	11-1/2	19/64"	141	238ATUL

Underlayment Nail Electrogalvanized Ring Shank				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1"	12-1/2	1/4"	624	1EGATUL
1-1/2"	12-1/2	1/4"	290	112EGATUL

Cut Flooring Nail

For securing hardwood strip flooring to subfloor and to secure wood framing or furring strips to brick, block or concrete. Wide side of nail should always be driven parallel to the grain of the wood.

Cut Flooring Nail Tempered Hardened Steel Cut					
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	4D	N/A	N/A	165	4CUTFLR
2"	6D	N/A	N/A	104	6CUTFLR
2-1/4"	7D	N/A	N/A	88	7CUTFLR
2-1/2"	8D	N/A	N/A	78	8CUTFLR
3"	10D	N/A	N/A	53	10CUTFLR
3-1/2"	16D	N/A	N/A	35	16CUTFLR

Flooring Nail

For securing hardwood strip flooring to subfloor.

Flooring Nail Tempered Hardened Steel Spiral Shank					
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	4D	14"	5/32"	370	4FLR
2"	6D	11-1/2"	13/64"	180	6FLR
2-1/4"	7D	11-1/2"	13/64"	160	7FLR
2-1/2"	8D	11-1/2"	13/64"	110	8FLR
3"	10D	11-1/2"	1/4"	82	10FLR
3-1/2"	16D	9"	9/32"	58	16FLR

Cut Masonry Nail

For attaching wood to cinder block, mortar joints, brick walls, and fresh concrete. Blunt point and tapered shank reduce splitting.

Cut Masonry Nail Tempered Hardened Steel Cut					
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	N/A	N/A	115	3CUTMAS
1-1/2"	4D	N/A	N/A	125	4CUTMAS
2"	6D	N/A	N/A	85	6CUTMAS
2-1/4"	7D	N/A	N/A	78	7CUTMAS
2-1/2"	8D	N/A	N/A	64	8CUTMAS
3"	10D	N/A	N/A	48	10CUTMAS
3-1/4"	12D	N/A	N/A	32	12CUTMAS
3-1/2"	16D	N/A	N/A	34	16CUTMAS
4"	20D	N/A	N/A	29	20CUTMAS

Masonry Nail

For attaching furring strips and floor plates to uncured concrete.

Masonry Nail Tempered Hardened Steel Fluted Shank				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/8"	9	11/32"	420	38TFMAS
1/2"	9	11/32"	355	12TFMAS
5/8"	9	11/32"	279	58TFMAS
3/4"	9	11/32"	248	34TFMAS
1"	9	11/32"	186	1TFMAS
1-1/4"	9	11/32"	152	114TFMAS
1-1/2"	9	11/32"	128	112TFMAS
1-3/4"	9	11/32"	112	134TFMAS
2"	9	11/32"	98	2TFMAS
2-1/4"	9	11/32"	84	214TFMAS
2-1/2"	9	11/32"	78	212TFMAS
2-3/4"	9	11/32"	56	234TFMAS
3"	9	11/32"	78	3TFMAS
3-1/4"	9	11/32"	60	314TFMAS
3-1/2"	8	11/32"	48	312TFMAS
3-3/4"	8	3/8"	45	334TFMAS
4"	7	3/8"	35	4TFMAS



GENERAL CONSTRUCTION



Flooring and Masonry

Metal Round Cap Masonry Nail

For attaching foam insulation to exterior surfaces. Fluted to penetrate masonry without cracks.



Masonry Nail Tempered Hardened Steel Fluted Shank With Metal Round Cap

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
7/8"	8	1"	117	78RTFMS25
1"	8	1"	104	1RTFMS25
1-1/4"	8	1"	83	114RTFMS25
1-1/2"	8	1"	70	112RTFMS25
1-3/4"	8	1"	61	134RTFMS25
2"	8	1"	52	2RTFMS25
2-1/2"	8	1"	41	212RTFMS25
3"	8	1"	34	3RTFMS25
4"	8	1"	11	4RTFMS25

Masonry "Stub" Nail

Similar to masonry nails, but with larger head. Used for a variety of applications that call for a smooth masonry-style nail, including fastening pipe conduit, switch boxes, corner beads or wire mesh to masonry walls.

Stub Nail Tempered Hardened Steel Counter-sunk Head Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/8"	9	3/8"	391	389GTSTB
1/2"	9	3/8"	335	129GTSTB
5/8"	9	3/8"	279	589GTSTB
3/4"	9	3/8"	248	349GTSTB
1"	9	3/8"	186	19GTSTB
2-1/2"	9	3/8"	78	2129GTSTB

Stub Nail Electrogalvanized Counter-sunk Head Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/8"	9	3/8"	391	38EGSTB
1/2"	9	3/8"	335	12EGSTB
5/8"	9	3/8"	279	58EGSTB
3/4"	9	3/8"	248	34EGSTB
1"	9	3/8"	186	1EGSTB
1-1/4"	9	3/8"	152	114EGSTB
1-1/2"	9	3/8"	128	112EGSTB
2"	9	3/8"	98	2EGSTB
2-1/2"	9	3/8"	78	212EGSTB

Tension Pin

For attaching furring strips, clips, hangers, etc. to concrete block or mortared joints.

Tension Pin Tempered Hardened Steel Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/8"	14	3/16"	610	118TP

Tension Pin Electrogalvanized Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/8"	14	3/16"	610	118EGTP

Miscellaneous

Spike

Used to secure railroad ties, landscaping timbers and thick members used in log home construction.



Spike Bright Smooth Shank

Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	5/16"	5/8"	7	7SPK
8"	3/8"	3/4"	4	8SPK
10"	3/8"	3/4"	3	10SPK
12"	3/8"	3/4"	2.5	12SPK
14"	3/8"	3/4"	2	14SPK

Spike Bright Ring Shank

Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	5/16"	5/8"	7	7RSSPK
8"	3/8"	3/4"	4	8RSSPK
10"	3/8"	3/4"	3	10RSSPK

Spike Bright Spiral Shank

Size	Diameter	Head Size	Approx. Count Per Pound	SKU
8"	5/16"	17/32"	6	8STSPK
10"	5/16"	17/32"	5	10STSPK
12"	5/16"	17/32"	4	12STSPK

Gutter Spike

Used for securing gutters. Thinner shank and larger head than landscaping spikes. Also used as tile nails in certain geographic areas.



Gutter Spike Painted Smooth Shank

Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	3/16"	7/16"	16	7BRGTSPK (brown)
8"	3/16"	7/16"	14	8BRGTSPK (brown)
7"	3/16"	7/16"	16	7WGTSPK (white)

Panel Board Nail

Used to attach panel board to wood furring or studs.



Panel Board Nail Tempered Hardened Steel Painted Ring Shank

Size	Gauge	Head Size	Approx. Count*	SKU
1"	16-1/2	0.101"	334 / 887	1PBWH (white)
1-5/8"	16-1/2	0.101"	192 / 544	158PBWH (white)
1"	16-1/2	0.101"	334 / 887	1PBGG (beige)
1-5/8"	16-1/2	0.101"	192 / 544	158PBGG (beige)
1"	16-1/2	0.101"	334 / 887	1PBBLK (black)
1-5/8"	16-1/2	0.101"	192 / 544	158PBBLK (black)
1"	16-1/2	0.101"	334 / 887	1PBLBR (light brown)
1-5/8"	16-1/2	0.101"	192 / 544	158PBLBR (light brown)
1"	16-1/2	0.101"	334 / 887	1PBMBR (medium brown)
1-5/8"	16-1/2	0.101"	192 / 544	158PBMBR (medium brown)
1"	16-1/2	0.101"	334 / 887	1PBBR (brown)
1-5/8"	16-1/2	0.101"	192 / 544	158PBBR (brown)
1"	16-1/2	0.101"	334 / 887	1PBDBR (dark brown)
1-5/8"	16-1/2	0.101"	192 / 544	158PBDBR (dark brown)
1"	16-1/2	0.101"	334 / 887	1PBGRY (gray)
1-5/8"	16-1/2	0.101"	192 / 544	158PBGRY (gray)

* First figure is count per six ounces, second number is count per pound.



GENERAL CONSTRUCTION



Miscellaneous

Wrought Head Cut Nail 
 Three-sided head and black oxide coating ideal for authentic restoration and antique effect.

Cut Nail		Wrought Three-sided Head Smooth Bulged Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	N/A	N/A	68	6CUTWH
2-1/2"	8D	N/A	N/A	48	8CUTWH

Foundry Nail 
 Used for foundry casting work, concrete form work and metal sculpturing.

Foundry Nail		Bright Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
3"	9	1/2"	64	3FO	
4"	9	1/2"	49	4FO	
5"	9	1/2"	40	5FO	
6"	9	1/2"	33	6FO	

Hinge Nail 
 Used for fastening antique hinges and face-nailing doors.

Hinge Nail		Bright Smooth Shank			
Size	Diameter	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	1/4"	1/2"	53	112HINGE	
2"	1/4"	1/2"	39	2HINGE	

Nursery Nail 
 Used for fastening burlap around tree root balls.

Nursery Nail		Bright Oval Head Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	14	1/4"	270	214OHN	
2-1/4"	14	1/4"	240	21414OHN	

Pallet Nail 
 Provides maximum holding power for pallet construction and increased pallet life. Round, well-centered heads feed smoothly and efficiently through automated nailing equipment.

Pallet Nail		Stiff Stock Ring Shank No Point			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	11-1/2	9/32"	210	1121112RN	
2"	11-1/2	9/32"	160	21112RN	
2-1/4"	11-1/2	9/32"	145	2141112RN	

Pallet Nail		Stiff Stock Ring Shank Blunt Diamond Point			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	11-1/2	9/32"	160	21112RBD	
2-1/4"	11	9/32"	128	21411RBD	
2-1/2"	11	9/32"	117	21211RBD	
3"	11	9/32"	105	311RBD	

Pallet Nail		Stiff Stock Spiral Shank No Point			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	11	9/32"	188	11211SN	
1-5/8"	11	9/32"	180	15811SN	
1-3/4"	11	9/32"	170	13411SN	
2"	11	9/32"	144	211SN	
2-1/4"	11	9/32"	129	21411SN	
2-1/2"	11	9/32"	117	21211SN	
3"	11	9/32"	105	311SN	
1-1/2"	11-1/2	9/32"	211	1121112SN	
1-5/8"	11-1/2	9/32"	203	1581112SN	
1-3/4"	11-1/2	9/32"	193	1341112SN	
2"	11-1/2	9/32"	163	21112SN	
2-1/4"	11-1/2	9/32"	146	2141112SN	
2-1/2"	11-1/2	9/32"	133	2121112SN	
1-1/2"	12	1/4"	260	11212SN	
1-5/8"	12	1/4"	244	15812SN	
1 3/4"	12	1/4"	235	13412SN	
2"	12	1/4"	211	212SN	
2-1/4"	12	1/4"	185	21412SN	
2-1/2"	12	1/4"	171	21212SN	

Pallet Nail		Stiff Stock Spiral Shank Blunt Diamond Point			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	11	9/32"	188	11211SBD	
1-5/8"	11	9/32"	180	15811SBD	
1-3/4"	11	9/32"	170	13411SBD	
2"	11	9/32"	144	211SBD	
2-1/4"	11	9/32"	129	21411SBD	
2-1/2"	11	9/32"	117	21211SBD	
3"	11	9/32"	105	311SBD	
1-1/2"	11-1/2	9/32"	211	1121112SBD	
1-5/8"	11-1/2	9/32"	203	1581112SBD	
1-3/4"	11-1/2	9/32"	193	1341112SBD	
2"	11-1/2	9/32"	163	21112SBD	
2-1/4"	11-1/2	9/32"	146	2141112SBD	
2-1/2"	11-1/2	9/32"	133	2121112SBD	
1-1/2"	12	1/4"	260	11212SBD	
1-5/8"	12	1/4"	244	15812SBD	
1-3/4"	12	1/4"	235	13412SBD	
2"	12	1/4"	211	212SBD	
2-1/4"	12	1/4"	185	21412SBD	
2-1/2"	12	1/4"	171	21212SBD	

Pallet Nail		Tempered Hardened Steel Spiral Shank No Point			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2-1/4"	11-1/2	9/32"	146	2141112TN	
2-1/2"	11	9/32"	117	21211TN	



OUTDOOR CONSTRUCTION



General Construction

Common Nail



For construction, carpentry, and framing. Galvanized coating and larger shank provide greater strength. Made to conform to ASTM F1667

Common Nail Electrogalvanized Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	3D	14	13/64"	3EGC
1-1/2"	4D	12-1/2	1/4"	4EGC
2"	6D	11-1/2	17/64"	6EGC
2-1/2"	8D	10-1/4	9/32"	8EGC
3"	10D	9	5/16"	10EGC
3-1/4"	12D	9	5/16"	12EGC
3-1/2"	16D	8	11/32"	16EGC
4"	20D	6	13/32"	20EGC
4-1/2"	30D	5	7/16"	30EGC
5"	40D	4	15/32"	40EGC
6"	60D	2	17/32"	60EGC

Common Nail Hot-dipped Galvanized Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	3D	14	13/64"	3HGC
1-1/2"	4D	12-1/2	1/4"	4HGC
1-3/4"	5D	12-1/2	1/4"	5HGC
2"	6D	11-1/2	17/64"	6HGC
2-1/4"	7D	11-1/2	17/64"	7HGC
2-1/2"	8D	10-1/4	9/32"	8HGC
3"	10D	9	5/16"	10HGC
3-1/4"	12D	9	5/16"	12HGC
3-1/2"	16D	8	11/32"	16HGC
4"	20D	6	13/32"	20HGC
4-1/2"	30D	5	7/16"	30HGC
5"	40D	4	15/32"	40HGC
5-1/2"	50D	3	1/2"	50HGC
6"	60D	2	17/32"	60HGC

Common Nail Electrogalvanized Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	4D	12-1/2	1/4"	4EGATC
2"	6D	11-1/2	17/64"	6EGATC
2-1/2"	8D	10-1/4	9/32"	8EGATC
3"	10D	9	5/16"	10EGATC
3-1/4"	12D	9	5/16"	12EGATC
3-1/2"	16D	8	11/32"	16EGATC
4"	20D	6	13/32"	20EGATC

Common Nail Hot-dipped Galvanized Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	3D	14	13/64"	3HGATC
1-1/2"	4D	12-1/2	1/4"	4HGATC
2"	6D	11-1/2	17/64"	6HGATC
2-1/2"	8D	10-1/4	9/32"	8HGATC
3"	10D	9	5/16"	10HGATC
3-1/4"	12D	9	5/16"	12HGATC
3-1/2"	16D	8	11/32"	16HGATC
4"	20D	6	13/32"	20HGATC
5"	40D	4	15/32"	40HGATC
6"	60D	2	17/32"	60HGATC

Box Nail



For construction, carpentry, and framing. Thinner shank reduces wood splitting. Made to conform to ASTM F1667

Box Nail Electrogalvanized Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1"	2D	15-1/2	3/16"	2EGBX
1-1/4"	3D	14-1/2	7/32"	3EGBX
1-1/2"	4D	14	7/32"	4EGBX
1-3/4"	5D	14	7/32"	5EGBX
2"	6D	12-1/2	17/64"	2EGBX
2-1/4"	7D	12-1/2	17/64"	7EGBX
2-1/2"	8D	11-1/2	19/64"	8EGBX
3"	10D	10-1/2	5/16"	10EGBX
3-1/4"	12D	10-1/2	5/16"	12EGBX
3-1/2"	16D	10	11/32"	16EGBX
4"	20D	9	3/8"	20EGBX
4-1/2"	30D	9	3/8"	30EGBX
5"	40D	8	13/32"	40EGBX

Box Nail Hot-dipped Galvanized Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	3D	14-1/2	7/32"	3HGBX
1-1/2"	4D	14	7/32"	4HGBX
1-3/4"	5D	14	7/32"	5HGBX
2"	6D	12-1/2	17/64"	2HGBX
2-1/4"	7D	12-1/2	17/64"	7HGBX
2-1/2"	8D	11-1/2	19/64"	8HGBX
3"	10D	10-1/2	5/16"	10HGBX
3-1/4"	12D	10-1/2	5/16"	12HGBX
3-1/2"	16D	10	11/32"	16HGBX
4"	20D	9	3/8"	20HGBX
4-1/2"	30D	9	3/8"	30HGBX
5"	40D	8	13/32"	40HGBX

Fence Nail



Used for fencing

Fence Nail Electrogalvanized Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-3/4"	5D	10	9/32"	134EGATBX

Polebarn Nail



For load-bearing wooden structures where superior holding power is necessary. Made to conform to ASTM F1667

Polebarn Nail Hot-dipped Galvanized Stiff Stock Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
2"	6D	11	9/32"	6HGRSPO
2-1/2"	8D	9	5/16"	8HGRSPO
3"	10D	9	5/16"	10HGRSPO
3-1/4"	12D	9	5/16"	12HGRSPO
3-1/2"	16D	9	5/16"	16HGRSPO
4"	20D	7	3/8"	20HGRSPO
4-1/2"	30D	7	3/8"	30HGRSPO
5"	40D	7	3/8"	40HGRSPO
5-1/2"	50D	7	3/8"	50HGRSPO
6"	60D	5	15/32"	60HGRSPO
7"	70D	5	15/32"	70HGRSPO
8"	80D	5	15/32"	80HGRSPO

Polebarn Nail Hot-dipped Galvanized Tempered Hardened Steel Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3"	10D	9	5/16"	10HGTPO
3-1/4"	12D	9	5/16"	12HGTPO
3-1/2"	16D	9	5/16"	16HGTPO
4"	20D	7	3/8"	20HGTPO
4-1/2"	30D	7	3/8"	30HGTPO
5"	40D	7	3/8"	40HGTPO
6"	60D	5	15/32"	60HGTPO
8"	80D	5	15/32"	80HGTPO

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

Poultry Net Staple



For attaching poultry net (a.k.a. chicken wire) fencing to wood. Made to conform to ASTM F1667

Poultry Net Staple Electrogalvanized Smooth or Barbed

Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
3/4"	14	1/4"	500	34EGPNS

Poultry Net Staple Electrogalvanized Smooth or Barbed

Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
3/4"	14	1/4"	500	34HGPNS

Vineyard Staple



For attaching vineyard trellis wire to vineyard post.

Vineyard Staple Electrogalvanized Smooth or Barbed

Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
1"	12	1/4"	201	1EG12FS
1-1/4"	12	1/4"	151	114EG12FS
1-1/2"	12	1/4"	137	112EG12FS

Fence Staple



For attaching wire fence to wood posts. Secondary uses include attaching suspended ceilings to wood rafters using galvanized tie wire, and insulation installation. Made to conform to ASTM F1667

Fence Staple Electrogalvanized Smooth or Barbed

Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
1"	9	1/4"	106	1EGFS
1-1/8"	9	1/4"	97	118EGFS
1-1/4"	9	1/4"	87	114EGFS
1-1/2"	9	1/4"	72	112EGFS
1-3/4"	9	1/4"	61	134EGFS
2"	9	1/4"	53	2EGFS
2-1/2"	6	1/4"	26	212EGFS



OUTDOOR CONSTRUCTION



General Construction

Fence Staple		Hot Galvanized Smooth or Barbed		
Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
1"	9	1/4"	106	1HGFS
1-1/8"	9	1/4"	97	118HGFS
1-1/4"	9	1/4"	87	114HGFS
1-1/2"	9	1/4"	72	112HGFS
1-3/4"	9	1/4"	61	134HGFS
2"	9	1/4"	53	2HGFS
2-1/2"	6	1/4"	26	212HGFS

Joist Hanger Nail 

For attaching joist hangers to wood studs. Short, heavy gauge nail provides increased holding power without fully penetrating wood.

Joist Hanger Nail		Electrogalvanized Smooth or Barbed Shank		
Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
1-1/4"	9	5/16"	149	114EGJST
1-1/2"	9	5/16"	125	112EGJST
2-1/2"	8	11/32"	62	212EGJST
1-1/4"	10-1/4	9/32"	194	114EGJST10
1-1/2"	10-1/4	9/32"	165	112EGJST10
1-1/4"	11	9/32"	240	114EGJST11
1-1/2"	11	9/32"	125	112EGJST11

Joist Hanger Nail		Hot-dipped Galvanized Smooth or Barbed Shank		
Size	Gauge	Crown Size	Approx. Count Per Pound	SKU
1-1/4"	9	5/16"	149	114HGJST
1-1/2"	9	5/16"	125	112HGJST
1-3/4"	9	5/16"	65	134HGJST
1-1/4"	10-1/4	9/32"	194	114HGJST10
1-1/2"	10-1/4	9/32"	165	112HGJST10
1-1/4"	11	9/32"	240	114HGJST11
1-1/2"	11	9/32"	200	112HGJST11

Joist Hanger Nail		Hot-dipped Galvanized Ring Shank		
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	9	5/16"	149	114HGATJST

Finish and Trim Work

Finish Nail 

For trim and fine finishing work. Small, countersinking head for nail concealment. Made to conform to ASTM F1667

Finish Nail		Electrogalvanized Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	15-1/2"	0.099"	635	3EGF
1-1/2"	4D	15	0.1055"	473	4EGF
1-3/4"	5D	15	0.1055"	406	5EGF
2"	6D	13	0.135"	236	6EGF
2-1/2"	8D	12-1/2"	0.142"	145	8EGF
3"	10D	11-1/2"	0.155"	94	10EGF
3-1/4"	12D	11-1/2"	0.155"	88	12EGF
3-1/2"	16D	11	0.162"	71	16EGF
4"	20D	10	0.177"	52	20EGF

Finish Nail		Hot-dipped Galvanized Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1"	2D	16-1/2"	0.086"	1,473	2HGF
1-1/4"	3D	15-1/2"	0.099"	880	3HGF
1-1/2"	4D	15	0.1055"	630	4HGF
1-3/4"	5D	15	0.1055"	535	5HGF
2"	6D	13	0.135"	288	6HGF
2-1/2"	8D	12-1/2"	0.142"	196	8HGF
3"	10D	11-1/2"	0.155"	124	10HGF
3-1/4"	12D	11-1/2"	0.155"	113	12HGF
3-1/2"	16D	11	0.162"	93	16HGF
4"	20D	10	0.177"	65	20HGF

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

Casing Nail 

For trim, window frames and decks. Made to conform to ASTM F1667

Casing Nail		Electrogalvanized Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/8"	3D	14-1/2"	0.099"	654	3EGCAS
1-1/2"	4D	14	0.1205"	489	4EGCAS
1-3/4"	5D	14	0.1205"	414	5EGCAS
2"	6D	12-1/2"	0.142"	244	6EGCAS
2-1/2"	8D	11-1/2"	0.155"	147	8EGCAS
3"	10D	10-1/2"	0.17"	96	10EGCAS
3-1/4"	12D	10-1/2"	0.17"	88	12EGCAS
3-1/2"	16D	10	0.177"	74	16EGCAS

Casing Nail		Hot-dipped Galvanized Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/2"	4D	14	0.1205"	489	4HGCAS
2"	6D	12-1/2"	0.142"	244	6HGCAS
2-1/2"	7D	12-1/2"	0.142"	215	7HGCAS
2-1/2"	8D	12-1/2"	0.155"	147	8HGCAS
3"	10D	10-1/2"	0.17"	96	10HGCAS
3-1/4"	12D	10-1/2"	0.17"	88	12HGCAS
3-1/2"	16D	10	0.177"	74	16HGCAS
4"	20D	9	0.192"	66	20HGCAS

Casing Nail		Hot-dipped Galvanized Spiral Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2-1/2"	8D	11-1/2"	0.155"	147	8HGSTCAS
3"	10D	10-1/2"	0.17"	96	10HGSTCAS
3-1/4"	12D	10-1/2"	0.17"	88	12HGSTCAS
3-1/2"	16D	10	0.177"	74	16HGSTCAS

Deck and Landscape

Patio/Deck Nail 

For patio and deck construction.

Patio/Deck Nail		Hot-dipped Galvanized Ring Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11	9/32"	138	6HGRSPD
2-1/2"	8D	11	9/32"	106	8HGRSPD
3"	10D	10	9/32"	76	10HGRSPD
3-1/4"	12D	10	9/32"	76	12HGRSPD
3-1/2"	16D	9	5/16"	52	16HGRSPD
4"	20D	7	3/8"	32	20HGRSPD
4-1/2"	30D	7	3/8"	28	30HGRSPD
5"	40D	7	3/8"	26	40HGRSPD
6"	60D	5	7/16"	17	60HGRSPD

Patio/Deck Nail		Hot-dipped Galvanized Spiral Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11	9/32"	138	6HGSTPD
2-1/2"	8D	11	9/32"	106	8HGSTPD
3"	10D	10	9/32"	76	10HGSTPD
3-1/4"	12D	10	9/32"	76	12HGSTPD
3-1/2"	16D	9	5/16"	52	16HGSTPD
4"	20D	7	3/8"	32	20HGSTPD
4-1/2"	30D	7	3/8"	28	30HGSTPD
5"	40D	7	3/8"	26	40HGSTPD
6"	60D	5	7/16"	17	60HGSTPD

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.



OUTDOOR CONSTRUCTION



Deck and Landscape

Spike 
Used to secure railroad ties, landscaping timbers and thick members used in log home construction.

Spike Hot-dipped Galvanized Smooth Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	5/16"	5/8"	7	7HGSPK
8"	3/8"	3/4"	4	8HGSPK
10"	3/8"	3/4"	3	10HGSPK
12"	3/8"	3/4"	3	12HGSPK
14"	3/8"	7/8"	2	14HGSPK

Spike Hot-dipped Galvanized Ring Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	5/16"	5/8"	7	7HGRSSPK
8"	3/8"	3/4"	4	8HGRSSPK
10"	3/8"	3/4"	3	10HGRSSPK
12"	3/8"	3/4"	3	12HGRSSPK

Spike Hot-dipped Galvanized Spiral Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
8"	5/16"	17/32"	6	8HGSTSPK
10"	5/16"	17/32"	5	10HGSTSPK
12"	5/16"	17/32"	4	12HGSTSPK

Timber Tie 
For securing landscape timbers. Similar to a spike, but thinner to minimize splitting.

Timber Tie Hot-dipped Galvanized Spiral Shank					
Size	Diameter	Head Size	Approx. Count Per Pound	SKU	
6"	60D	1/4"	1/2"	10	6HGTT

Miscellaneous

Gutter Spike 
Long, strong spikes drive well. Oval heads hold firmly, have good appearance. For use with both galvanized steel and aluminum gutters.

Gutter Spike Electrogalvanized Smooth Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	3/16"	7/16"	16	7EGGTSPK
8"	3/16"	7/16"	14	8EGGTSPK

Gutter Spike Hot-dipped Galvanized Smooth Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	3/16"	7/16"	16	7HGGTSPK
8"	3/16"	7/16"	14	8HGGTSPK

Gutter Spike Hot-dipped Galvanized Painted Smooth Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
8"	3/16"	7/16"	14	8WHGTSPK (white)

Gutter Spike Electrogalvanized Ring Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	3/16"	7/16"	16	7EGRSGTSPK
8"	3/16"	7/16"	14	8EGRSGTSPK

Gutter Spike Hot-dipped Galvanized Ring Shank				
Size	Diameter	Head Size	Approx. Count Per Pound	SKU
7"	3/16"	7/16"	16	7HGRSGTSPK
8"	3/16"	7/16"	14	8HGRSGTSPK

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

Fine Nail 
Extra-thin shank with standard head suitable for working with thin pieces of wood, such as crates or furring. Electrogalvanized nail commonly used to apply chamfer strip. Hot galvanized nail also known as "lobster pot nails", as used to repair lobster crates. Also used for plywood in soffits and with cedar shingles.

Fine Nail Electrogalvanized Smooth Shank					
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/8"	3D	16	5/32"	938	3EGFINE

Fine Nail Hot-dipped Galvanized Smooth Shank					
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/8"	3D	16	5/32"	938	3HGFINE

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

Exterior Screws

Exterior Screw PrimeGuard Ten® Bugle Head Sharp Point 
Ten-year warranty against rust and corrosion, including when used with treated lumber. For outdoor projects including decks and fences.

Exterior Screw PrimeGuard Ten Ten-year Warranty Bugle Head Coarse Thread					
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1" x 6	#2 Phillips	Sharp	10M	313	PTN1S
1-1/4" x 6	#2 Phillips	Sharp	8M	218	PTN114S
1-5/8" x 6	#2 Phillips	Sharp	5M	200	PTN158S
2" x 7	#2 Phillips	Sharp	3.5M	134	PTN2S
2-1/4" x 7	#2 Phillips	Sharp	3M	125	PTN214S
2-1/2" x 8	#2 Phillips	Sharp	2.5M	86	PTN212S
3" x 8	#2 Phillips	Sharp	2M	75	PTN3S
3-1/2" x 10	#2 Phillips	Sharp	1.5M or 1M	43	PTN312S
4" x 10	#2 Phillips	Sharp	1M	43	PTN4S
5" x 10	#2 Phillips	Sharp	1M	37	PTN5S
6" x 10	#2 Phillips	Sharp	1M	32	PTN6S
1" x 6	#2 Square	Sharp	10M	313	PTN1SQ
1-1/4" x 6	#2 Square	Sharp	8M	218	PTN114SQ
1-5/8" x 6	#2 Square	Sharp	5M	200	PTN158SQ
2" x 7	#2 Square	Sharp	3.5M	134	PTN2SQ
2-1/4" x 7	#2 Square	Sharp	3M	125	PTN214SQ
2-1/2" x 8	#2 Square	Sharp	2.5M	86	PTN212SQ
3" x 8	#2 Square	Sharp	2M	75	PTN3SQ
3-1/2" x 10	#2 Square	Sharp	1.5M or 1M	43	PTN312SQ
4" x 10	#2 Square	Sharp	1M	43	PTN4SQ
5" x 10	#2 Square	Sharp	1M	37	PTN5SQ
6" x 10	#2 Square	Sharp	1M	32	PTN6SQ



ROOFING & SIDING



Roofing and Siding

Roofing Nail
For applying roofing asphalt shingles, insulation board, and felt-to-wood substrates. Large head and heavier shank gauge provide greater holding power. Electrogalvanized nail also appropriate for use with vinyl siding. Made to conform to ASTM F1667



Roofing Nail		Electrogalvanized Smooth or Barbed Shank		
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1/2"	11	7/16"	528	12EGRFG
5/8"	11	7/16"	436	58EGRFG
3/4"	11	7/16"	348	34EGRFG
7/8"	11	7/16"	306	78EGRFG
1"	11	7/16"	272	1EGRFG
1-1/4"	11	7/16"	218	114EGRFG
1-1/2"	11	7/16"	186	112EGRFG
1-3/4"	11	7/16"	152	134EGRFG
2"	11	7/16"	144	2EGRFG
2-1/2"	11	7/16"	114	212EGRFG
3"	11	7/16"	92	3EGRFG
3-1/2"	11	7/16"	89	312EGRFG
4"	11	7/16"	78	4EGRFG

Roofing Nail		Electrogalvanized Smooth or Barbed Shank		
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1/2"	11	7/16"	510	12HGRFG
5/8"	11	7/16"	417	58HGRFG
3/4"	11	7/16"	315	34HGRFG
7/8"	11	7/16"	280	78HGRFG
1"	11	7/16"	255	1HGRFG
1-1/4"	11	7/16"	210	114HGRFG
1-1/2"	11	7/16"	180	112HGRFG
1-3/4"	11	7/16"	150	134HGRFG
2"	11	7/16"	138	2HGRFG
2-1/2"	11	7/16"	108	212HGRFG
3"	11	7/16"	90	3HGRFG
3-1/2"	11	7/16"	87	312HGRFG
4"	11	7/16"	77	4HGRFG

Roofing Nail		Electrogalvanized Ring Shank		
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
7/8"	11	7/16"	306	78EGRSRFG
1"	11	7/16"	272	1EGRSRFG
1-1/4"	11	7/16"	218	114EGRSRFG
1-1/2"	11	7/16"	186	112EGRSRFG

Roofing Nail Hot-dipped Galvanized Ring Shank				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1"	11	7/16"	255	1HGATRFG
1-1/4"	11	7/16"	210	114HGATRFG
1-1/2"	11	7/16"	180	112HGATRFG
1-3/4"	11	7/16"	150	134HGATRFG
2"	11	7/16"	138	2HGATRFG
2-1/2"	11	7/16"	108	212HGATRFG
3"	11	7/16"	90	3HGATRFG

Tin Cap
Used with fasteners to create a larger surface area for holding materials in place.



Tin Cap Round Metal Cap		
Diameter	Approx. Count Per Pound*	SKU
1-5/8"	250	TINSM
2"	150	TINMD

* Based on approximate metal cap thickness of .007"

Grip-Cap Plastic Cap Nail
For anchoring housewrap, sheathing, and felt. Wide head and ringed shank for greater holding power.



Grip-Cap Nail Electrogalvanized Ring Shank With Round Plastic Cap				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/4"	12	1"	266	GC34
7/8"	12	1"	275	GC78
1"	12	1"	250	GC1
1-1/4"	12	1"	212	GC114
1-1/2"	12	1"	185	GC112
1-3/4"	12	1"	168	GC134
2"	12	1"	153	GC2
2-1/2"	11	1"	133	GC212
3"	11	1"	117	GC3

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

Grip-Cap® Metal Cap Nail
For applying roofing asphalt shingles, insulation board, and felt-to-wood substrates. Large head and heavier shank gauge provide greater holding power.



Grip-Cap Nail Bright Ring Shank With Square Metal Cap				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/4"	12	1"	90	34MSCAP
7/8"	12	1"	88	78MSCAP
1"	12	1"	85	1MSCAP
1-1/4"	12	1"	81	114MSCAP
1-1/2"	12	1"	77	112MSCAP
1-3/4"	12	1"	67	134MSCAP
2"	12	1"	63	2MSCAP
2-1/2"	11	1"	57	212MSCAP
3"	11	1"	53	3MSCAP
3-1/2"	9	1"	49	312MSCAP
4"	9	1"	44	4MSCAP

Grip-Cap Nail Bright Ring Shank With Round Metal Cap				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/4"	12	1"	117	34MRCAP
7/8"	12	1"	112	78MRCAP
1"	12	1"	107	1MRCAP
1-1/4"	12	1"	100	114MRCAP
1-1/2"	12	1"	84	112MRCAP
1-3/4"	12	1"	79	134MRCAP
2"	12	1"	74	2MRCAP
2-1/2"	11	1"	67	212MRCAP
3"	11	1"	60	3MRCAP
3-1/2"	9	1"	42	312MRCAP
4"	9	1"	37	4MRCAP
5"	8	1"	27	5MRCAP
6"	8	1"	24	6MRCAP

Grip-Cap Nail Electrogalvanized Ring Shank With Square Metal Cap				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/4"	12	1"	90	34EGMSCAP
7/8"	12	1"	88	78EGMSCAP
1"	12	1"	85	1EGMSCAP
1-1/4"	12	1"	81	114EGMSCAP
1-1/2"	12	1"	77	112EGMSCAP
1-3/4"	12	1"	67	134EGMSCAP
2"	12	1"	63	2EGMSCAP
2-1/2"	11	1"	57	212EGMSCAP

Grip-Cap Nail Bright Spiral Shank With Round Metal Cap				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/4"	12	1"	117	34MRSTCAP
1"	12	1"	107	1MRSTCAP
1-1/4"	12	1"	100	114MRSTCAP
1-1/2"	12	1"	84	112MRSTCAP
1-3/4"	12	1"	79	134MRSTCAP
2"	12	1"	74	2MRSTCAP
2-1/2"	11	1"	67	212MRSTCAP
3"	11	1"	60	3MRSTCAP
3-1/2"	9	1"	42	312MRSTCAP
4"	9	1"	37	4MRSTCAP
5"	8	1"	27	5MRSTCAP
6"	8	1"	24	6MRSTCAP

Grip-Cap Nail Electrogalvanized Ring Shank With Round Metal Cap				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/4"	12	1"	117	34EGMRCAP
7/8"	12	1"	112	78EGMRCAP
1"	12	1"	107	1EGMRCAP
1-1/4"	12	1"	100	114EGMRCAP
1-1/2"	12	1"	84	112EGMRCAP
2"	12	1"	74	2EGMRCAP
2-1/2"	11	1"	67	212EGMRCAP
3"	11	1"	60	3EGMRCAP
3-1/2"	9	1"	42	312EGMRCAP
4"	9	1"	37	4EGMRCAP
5"	8	1"	27	5EGMRCAP
6"	8	1"	24	6EGMRCAP



ROOFING & SIDING



Roofing

Roofing Nail with Neoprene Washer 

For steel roofing and fiberglass roofing. Neoprene washer provides an effective waterproof seal.

Roofing Nail Electrogalvanized Ring Shank With Neoprene Washer				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	10	3/8"	118	112EGNEO
1-3/4"	10	3/8"	107	134EGNEO
2"	10	3/8"	96	2EGNEO
2-1/2"	10	3/8"	80	212EGNEO
3"	10	3/8"	66	3EGNEO
3-1/2"	9	3/8"	50	312EGNEO

Roofing Nail Hot-dipped Galvanized Ring Shank With Neoprene Washer				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	10	3/8"	118	112HGNEO
1-3/4"	10	3/8"	107	134HGNEO
2"	10	3/8"	96	2HGNEO
2-1/2"	10	3/8"	80	212HGNEO
3"	10	3/8"	66	3HGNEO
3-1/2"	9	3/8"	50	312HGNEO

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

Roofing Nail Hot-dipped Galvanized Painted Ring Shank With Neoprene Washer				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	10	3/8"	118	112BRNEO (brown)
1-3/4"	10	3/8"	107	134BRNEO (brown)
2"	10	3/8"	96	2BRNEO (brown)
2-1/2"	10	3/8"	80	212BRNEO (brown)
3"	10	3/8"	66	3BRNEO (brown)
3-1/2"	9	3/8"	50	312BRNEO (brown)
1-1/2"	10	3/8"	118	112GRNEO (gray)
1-3/4"	10	3/8"	107	134GRNEO (gray)
2"	10	3/8"	96	2GRNEO (gray)
2-1/2"	10	3/8"	80	212GRNEO (gray)
1-1/2"	10	3/8"	118	112BKNEO (black)
1-3/4"	10	3/8"	107	134BKNEO (black)
2"	10	3/8"	96	2BKNEO (black)
2-1/2"	10	3/8"	80	212BKNEO (black)
3"	10	3/8"	66	3BKNEO (black)
3-1/2"	9	3/8"	50	312BKNEO (black)
1-1/2"	10	3/8"	118	112RDNEO (red)
1-3/4"	10	3/8"	107	134RDNEO (red)
2"	10	3/8"	96	2RDNEO (red)
2-1/2"	10	3/8"	80	212RDNEO (red)
3"	10	3/8"	66	3RDNEO (red)
3-1/2"	9	3/8"	50	312RDNEO (red)
1-1/2"	10	3/8"	118	112TNNEO (tan)
1-3/4"	10	3/8"	107	134TNNEO (tan)
2"	10	3/8"	96	2TNNEO (tan)
2-1/2"	10	3/8"	80	212TNNEO (tan)
3"	10	3/8"	66	3TNNEO (tan)
3-1/2"	9	3/8"	50	312TNNEO (tan)
1-1/2"	10	3/8"	118	112WHNEO (white)
1-3/4"	10	3/8"	107	134WHNEO (white)
2"	10	3/8"	96	2WHNEO (white)
2-1/2"	10	3/8"	80	212WHNEO (white)
3"	10	3/8"	66	3WHNEO (white)
3-1/2"	9	3/8"	50	312WHNEO (white)

Shingle Nail 

For attaching thin sidewall shingles. Large, flat head drives easily. Sturdy slim shank prevents splitting.**

Shingle Nail Electrogalvanized Smooth Shank					
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	14	7/32"	528	3EGSHG
1-1/2"	4D	12	9/32"	252	4EGSHG

Shingle Nail Hot-dipped Galvanized Smooth Shank					
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	3D	13	19/64"	425	3HGSHG
1-3/8"	3-1/2D	12-1/2	9/32"	345	312HGSHG
1-1/2"	4D	12	9/32"	271	4HGSHG

Lead Head Nail 

For metal roofing applications. Lead head flattens out with impact, creating a seal against the metal roof.

Lead Head Nail Bright Smooth Shank				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-3/4"	10	3/8"	88	134LH
2-1/2"	10	3/8"	71	212LH

Tile Nail 

For use with clay roofing tiles. Long shank is sturdy enough to insert through the predrilled hole in Spanish tile, while the oversized head prevents the nail from going all the way through the hole.

Tile Nail Electrogalvanized Smooth Shank				
Size	Gauge	Head Size	Approx. Count Per Pound	SKU
4"	9	15/32"	50	4EGTL
4-1/2"	9	15/32"	45	412EGTL
5"	9	15/32"	38	5EGTL
5-1/2"	8	15/32"	36	512EGTL
6"	8	15/32"	32	6EGTL
8"	8	15/32"	28	8EGTL

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

** Grip-Rite stainless steel nails or screws should be used for all redwood and cedar projects, for marine projects, and within 5 miles of coastline.



ROOFING & SIDING

Siding

Shake Nail



For cedar shake applications. Smaller head for concealment. Slender shank minimizes splitting. Checkered head reduces hammer slippage.

Shake Nail Hot-dipped Galvanized Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-3/4"	5D	14	5/32"	344	5HGSMMSK
2"	6D	14	5/32"	232	6HGSMMSK

Shake Nail Hot-dipped Galvanized Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-3/4"	5D	14	5/32"	404	134HGSK
2"	6D	14	5/32"	354	2HGSK
2-1/2"	8D	14	5/32"	294	212HGSK

Split-proof™ Wood Siding Nail



Thinner shank and blunt point minimizes splitting. Ringed shank for greater holding power. Checkered head reduces hammer slippage.

Wood Siding Nail Hot-dipped Galvanized Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	14	3/16"	283	6HGRSSS
2-1/2"	8D	13	7/32"	189	8HGRSSS
3"	10D	13	7/32"	153	10HGRSSS
3-1/4"	12D	12	1/4"	113	12HGRSSS
3-1/2"	16D	12	1/4"	104	16HGRSSS

Wood & Hardboard Siding Nail



For attaching wood and hardboard siding. Extra-stiff shank for greater holding power.

Hardboard Siding Nail Hot-dipped Galvanized Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11-1/2	7/32"	173	6HGSMHS
2-1/4"	7D	11-1/2	7/32"	156	7HGSMHS
2-1/2"	8D	11-1/2	7/32"	140	8HGSMHS
3"	10D	11	1/4"	108	10HGSMHS
3-1/4"	12D	11	1/4"	92	12HGSMHS
3-1/2"	16D	10-1/2	17/64"	80	16HGSMHS

Hardboard Siding Nail Hot-dipped Galvanized Spiral Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11-1/2	7/32"	173	6HGSTHS
2-1/4"	7D	11-1/2	7/32"	156	7HGSTHS
2-1/2"	8D	11-1/2	7/32"	140	8HGSTHS
3"	10D	11	1/4"	108	10HGSTHS
3-1/4"	12D	11	1/4"	92	12HGSTHS
3-1/2"	16D	10-1/2	17/64"	80	16HGSTHS

Oval Head Siding Nail



For blind nailing of wood siding and clapboard.

Oval Head Siding Nail Hot-dipped Galvanized Spiral Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	12	15/64"	192	6HGOHS
2-1/4"	7D	12	15/64"	179	7HGOHS
2-1/2"	8D	12	15/64"	156	8HGOHS
3"	10D	12	15/64"	113	10HGOHS

Furring Nail



For attaching stucco wire mesh to exterior of structure in preparation for the application of stucco mud. Nail with wad used with paper that does not have wadding pre-attached. Nail without wad used with paper that has wadding already attached.

Furring Nail Electrogalvanized Smooth Shank With Wad

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	12	3/8"	263	112SMFUR
1-3/4"	12	3/8"	197	134SMFUR

Furring Nail Electrogalvanized Smooth Shank w/o Wad

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	12	3/8"	263	112EGFUR

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

** Grip-Rite stainless steel nails or screws should be used for all redwood and cedar projects, for marine projects, and within 5 miles of coastline.



Drywall Nails

Drywall Nail



For attaching gypsum boards to wood studs. Cupped saucer-head designed to countersink into drywall for ease of concealment. Long diamond point reduces cracking in drywall. Made to conform to ASTM C514

Drywall Nail Phosphate Coated Cupped Head Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-3/8"	13	19/64"	320	138PCDW
1-3/8"	13-1/2	9/32"	360	138PCDW135
1-3/8"	14	1/4"	508	138PCDW14
1-1/2"	13	19/64"	295	112PCDW
1-5/8"	13	19/64"	270	158PCDW
1-7/8"	13	19/64"	279	178PCDW
1-3/4"	13	19/64"	298	134PCDW
2"	13	19/64"	242	2PCDW
2-1/8"	13	19/64"	230	218PCDW
2-3/8"	11-1/2	3/8"	148	238PCDW

Drywall Nail Phosphate Coated Cupped Head Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-3/8"	12-1/2	19/64"	316	138PCATDW

Drywall Nail



For attaching gypsum boards to wood studs. Long diamond point reduces cracking in drywall. Made to conform to ASTM C514

Drywall Nail Cement Coated Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	13	11/32"	325	114CTDDW
1-3/8"	13	11/32"	302	138CTDDW
1-3/8"	13	3/8"	310	138CTDDWLH
1-1/2"	13	11/32"	281	112CTDDW
1-1/2"	13	3/8"	285	112CTDDWLH
1-5/8"	13	11/32"	264	158CTDDW
1-3/4"	13	11/32"	248	134CTDDW
1-7/8"	13	11/32"	234	178CTDDW
2"	13	11/32"	208	2CTDDW
2"	13	3/8"	235	2CTDDWLH
2-1/2"	13	11/32"	168	212CTDDW

Drywall Nail Vinyl Coated Barbed Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-5/8"	13	11/32"	264	158VCDW
2"	13	11/32"	208	2VCDW

Drywall Nail Bright Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	12-1/2	19/64"	324	114ATDW
1-3/8"	12-1/2	19/64"	316	138ATDW
1-1/2"	12-1/2	19/64"	308	112ATDW
1-5/8"	12-1/2	19/64"	295	158ATDW
1-3/4"	12-1/2	19/64"	209	134ATDW
1-7/8"	12-1/2	19/64"	174	178ATDW
2"	12-1/2	19/64"	160	2ATDW
2-1/4"	12-1/2	19/64"	111	214ATDW
2-1/2"	12-1/2	19/64"	62	212ATDW

Drywall Nail Blued Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	12-1/2	19/64"	324	114BLDW
1-3/8"	12-1/2	19/64"	316	138BLDW
1-1/2"	12-1/2	19/64"	308	112BLDW
1-5/8"	12-1/2	19/64"	295	158BLDW
1-3/4"	12-1/2	19/64"	209	134BLDW
2"	12-1/2	19/64"	160	2BLDW

Drywall Nail Electrogalvanized Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1"	12-1/2	19/64"	340	1EGDW
1-1/4"	12-1/2	19/64"	324	114EGDW
1-3/8"	12-1/2	19/64"	316	138EGDW
1-1/2"	12-1/2	19/64"	308	112EGDW
1-5/8"	12-1/2	19/64"	295	158EGDW
1-7/8"	12-1/2	19/64"	174	178EGDW
2"	12-1/2	19/64"	160	2EGDW

Drywall Nail Hot Galvanized Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	12-1/2	19/64"	324	114HGDW
1-1/2"	12-1/2	19/64"	308	112HGDW



DRYWALL

Drywall Nails

Lath Nail 

Heat sterilized to create blue oxide film resistant to corrosion. For attaching lathing material.

Lath Nail		Blued Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1"	2D	16-1/2"	9/64"	1,280	2BLULATH
1-1/8"	3D	16"	9/32"	984	3BLULATH
1-1/2"	4D	14"	7/32"	442	4BLULATH

Plasterboard Nail 

Large, flat head holds drywall secure, won't pull through. Blued sterilized finish for wallboard and composition plasterboard. Galvanized coating prevents "rusting through" in below-grade applications. Made to conform to ASTM C514

Plasterboard Nail		Blued Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/8"	13	19/64"	440	118BLPL	
1-1/4"	13	19/64"	415	114BLPL	
1-1/2"	13	3/8"	307	112BLPL	

Plasterboard Nail		Coated Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	13	19/64"	415	114CTDPL	
1-1/2"	13	3/8"	307	112CTDPL	

Plasterboard Nail		Electrogalvanized Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	13	19/64"	415	114EGPL	
1-1/2"	13	19/64"	307	112EGPL	
1-3/8"	12	3/8"	307	138EGPL	

Plasterboard Nail		Hot Galvanized Smooth Shank			
Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
1-1/4"	13	19/64"	415	114HGPL	
1-1/2"	13	19/64"	307	112HGPL	

Drywall Screws

Drywall Screw 

For attaching gypsum board to wood studs. Made to conform to ASTM C1002.

Drywall Screw		Bugle Head Black Phosphate Coarse Thread				
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU	
1" x 6	#2 Phillips	Sharp	10M	313	1CDWS	
1-1/8" x 6	#2 Phillips	Sharp	10M	286	118CDWS	
1-1/4" x 6	#2 Phillips	Sharp	8M	129	114CDWS	
1-1/2" x 6	#2 Phillips	Sharp	6M	250	112CDWS	
1-5/8" x 6	#2 Phillips	Sharp	5M	200	158CDWS	
2" x 6	#2 Phillips	Sharp	3.5M	175	2CDWS	
2-1/4" x 6	#2 Phillips	Sharp	3M	136	214CDWS	
2-1/2" x 8	#2 Phillips	Sharp	2.5M	119	212CDWS	
3" x 8	#2 Phillips	Sharp	2M	83	3CDWS	
3-1/2" x 10	#2 Phillips	Sharp	1M	43	312CDWS	
3-3/4" x 10	#2 Phillips	Sharp	1M	43	334CDWS	
4" x 10	#2 Phillips	Sharp	1M	43	4CDWS	
4-1/2" x 10	#2 Phillips	Sharp	1M	42	412CDWS	
5" x 10	#2 Phillips	Sharp	1M	37	5CDWS	
6" x 10	#2 Phillips	Sharp	1M	32	6CDWS	
1-1/4" x 6	#2 Square	Sharp	8M	258	114SCDWS	
1-5/8" x 6	#2 Square	Sharp	5M	200	158SCDWS	
2" x 6	#2 Square	Sharp	3.5M	175	2SCDWS	
2-1/2" x 8	#2 Square	Sharp	2.5M	238	212SCDWS	
3" x 8	#2 Square	Sharp	2M	83	3SCDWS	

Drywall Screw 

For attaching gypsum board to light-gauge steel studs. Made to conform to ASTM C1002.

Drywall Screw		Bugle Head Black Phosphate Fine Thread				
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU	
1" x 6	#2 Phillips	Sharp	10M	313	1DWS	
1-1/8" x 6	#2 Phillips	Sharp	10M	286	118DWS	
1-1/4" x 6	#2 Phillips	Sharp	8M	258	114DWS	
1-5/8" x 6	#2 Phillips	Sharp	5M	200	158DWS	
2" x 6	#2 Phillips	Sharp	3.5M	175	2DWS	
2-1/4" x 6	#2 Phillips	Sharp	3M	136	214DWS	
2-1/2" x 8	#2 Phillips	Sharp	2.5M	119	212DWS	
3" x 8	#2 Phillips	Sharp	2M	83	3DWS	
3-1/2" x 10	#2 Phillips	Sharp	1M	65	312DWS	
3-3/4" x 10	#2 Phillips	Sharp	1M	43	334DWS	
4" x 10	#2 Phillips	Sharp	1M	42	4DWS	
4-1/2" x 10	#2 Phillips	Sharp	1M	40	412DWS	
5" x 10	#2 Phillips	Sharp	1M	37	5DWS	
6" x 10	#2 Phillips	Sharp	1M	32	6DWS	

Drywall Screw 

For attaching gypsum board to 20-14 gauge steel studs. Made to conform to ASTM C954

Drywall Screw		Bugle Head Black Phosphate Fine Thread				
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU	
1" x 6	#2 Phillips	Self-drill	10M	313	1SDDW	
1-1/8" x 6	#2 Phillips	Self-drill	10M	286	118SDDW	
1-1/4" x 6	#2 Phillips	Self-drill	8M	258	114SDDW	
1-5/8" x 6	#2 Phillips	Self-drill	5M	200	158SDDW	
1-7/8" x 6	#2 Phillips	Self-drill	4M	182	178SDDW	
2-3/8" x 8	#2 Phillips	Self-drill	3M	125	238SDDW	
2-5/8" x 8	#2 Phillips	Self-drill	2M	100	258SDDW	
3" x 8	#2 Phillips	Self-drill	2M	83	3SDDW	

Drywall Screw		Bugle Head Zinc Plated Fine Thread				
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU	
1" x 6	#2 Phillips	Self-drill	10M	313	1ZSDS	
1-1/8" x 6	#2 Phillips	Self-drill	10M	286	118ZSDS	
1-1/4" x 6	#2 Phillips	Self-drill	8M	258	114ZSDS	
1-5/8" x 6	#2 Phillips	Self-drill	5M	200	158ZSDS	
1-7/8" x 6	#2 Phillips	Self-drill	4M	182	178ZSDS	
2" x 6	#2 Phillips	Self-drill	3.5M	175	2ZSDS	
2-3/8" x 8	#2 Phillips	Self-drill	3M	125	238ZSDS	
2-5/8" x 8	#2 Phillips	Self-drill	2M	100	258ZSDS	
3" x 8	#2 Phillips	Self-drill	2M	83	3ZSDS	
3-1/2" x 8	#2 Phillips	Self-drill	1M	43	312ZSDS	

Drywall Screw 

For attaching gypsum board to light-gauge steel. Also suitable for wood and plastic applications.

Drywall Screw		Bugle Head Phosphate Coated High-Low Thread				
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU	
1" x 6	#2 Phillips	Sharp	10M	333	1HLDW	
1-1/4" x 7	#2 Phillips	Sharp	8M	235	114HLDW	
1-5/8" x 7	#2 Phillips	Sharp	5M	185	158HLDW	
2" x 7	#2 Phillips	Sharp	3.5M	140	2HLDW	
2-1/4" x 7	#2 Phillips	Sharp	3M	136	214HLDW	
2-1/2" x 8	#2 Phillips	Sharp	2.5M	119	212HLDW	
3" x 8	#2 Phillips	Sharp	2M	105	3HLDW	

Laminator Screw 

For temporary fastening of gypsum board to gypsum board in double wall requirements. Made to conform to ASTM C1002.

Laminator Screw		Bugle Head Coarse Thread				
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU	
1-1/2" x 10	#2 Phillips	Sharp	5M	128	112LS	



SPECIALTY FASTENERS



General Construction

General Purpose Screw

For wood to wood applications. Yellow zinc is cosmetically appealing for general woodworking (no rust protection). Made to conform to ASTM C1002.



General Purpose Screw Bugle Head Yellow Zinc Coated Coarse Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1" x 6	#2 Phillips	Sharp	10M	313	1GS
1-1/4" x 6	#2 Phillips	Sharp	8M	258	114GS
1-5/8" x 6	#2 Phillips	Sharp	5M	200	158GS
2" x 6	#2 Phillips	Sharp	5M	250	2GS
2-1/4" x 6	#2 Phillips	Sharp	3M	136	214GS
2-1/2" x 8	#2 Phillips	Sharp	2.5M	119	212GS
3" x 8	#2 Phillips	Sharp	2M	83	3GS
3-1/2" x 10	#2 Phillips	Sharp	1M	43	312GS
4" x 10	#2 Phillips	Sharp	1M	43	4GS
5" x 10	#2 Phillips	Sharp	1M	37	5GS
6" x 10	#2 Phillips	Sharp	1M	32	6GS

Finish and Trim Work

Trim Screw

For attaching wood trim and base over gypsum board to wood substrate or metal studs. Use sharp point with wood and light-gauge metal studs, self-drill with 20-14 gauge metal studs.



Trim Screw Trim Head Phosphate Coated Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1-5/8" x 6	#1 Phillips	Sharp	5M	208	158THDW
2-1/4" x 6	#1 Phillips	Sharp	3M	143	214THDW
3" x 8	#2 Phillips	Sharp	2M	87	3THDW
1" x 6	#1 Square	Sharp	10M	323	1STHDW
1-5/8" x 6	#1 Square	Sharp	5M	208	158STHDW
2-1/4" x 6	#1 Square	Sharp	3M	143	214STHDW
3" x 8	#2 Square	Sharp	2M	87	3STHDW

Trim Screw Trim Head Zinc Coated Fine Thread					
Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1" x 6	#1 Square	Self-drill	10M	313	1SDTH
1-5/8" x 6	#1 Square	Self-drill	5M	217	158SDSTH
2-1/4" x 6	#1 Square	Self-drill	3M	158	214SDSTH

Metal to Wood

Hex Washer Head with Neoprene Washer Screw

For attaching metal roofing and siding to wood framing. Neoprene washer provides an effective waterproof seal.



Metal to Wood Screw Hex Washer Head With Neoprene Washer Galvanized

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1" x 9	1/4" Hex	Sharp	2.5M	115	1WF
1-1/2" x 9	1/4" Hex	Sharp	2.5M	93	112WF
2" x 9	1/4" Hex	Sharp	2M	76	2WF
2-1/2" x 9	1/4" Hex	Sharp	1.5M	65	212WF
1" x 10 -16	1/4" Hex	Type 17	2.5M	122	1W
1-1/2" x 10 -16	1/4" Hex	Type 17	2.5M	95	112W
2" x 10 -16	1/4" Hex	Type 17	2M	81	2W
2-1/2" x 10 -16	1/4" Hex	Type 17	1.5M	68	212W
3" x 10 -16	1/4" Hex	Type 17	1M	59	3W

Metal to Wood Screw Hex Washer Head with Neoprene Washer Galvanized & Painted

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1" x 10 -16	1/4" Hex	Sharp	2.5M	115	1WFW (white)
1-1/2" x 10 -16	1/4" Hex	Sharp	2.5M	93	112WFW (white)
2" x 9 -16	1/4" Hex	Sharp	2M	76	2WFW (white)
2-1/2" x 9 -16	1/4" Hex	Sharp	1M	65	212WFW (white)

Wood to Metal

Plywood to Metal Screw

For attaching 1/4"-1/2" plywood to 18-12 gauge metal.



Wood to Metal Screw Wafer Head Zinc Coated Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
3/4" x 10	#2 Phillips	#3 Self-drill	8M	211	WHD10034
1" x 10	#2 Phillips	#3 Self-drill	8M	235	WHD10100
1-1/4" x 10	#2 Phillips	#3 Self-drill	4M	121	WHD10114
1-1/2" x 10	#2 Phillips	#3 Self-drill	4M	105	WHD10112

Wood to Metal Screw

For attaching 5/8"-3/4" plywood to 18-12 gauge metal. Wings reduce pre-drilling of wood.



Wood to Metal Screw Wafer Head Zinc Coated Fine Thread with Wings

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1-7/16" x 10	#2 Phillips	#3 Self-drill	3M	107	WHD10176

Metal to Metal

Pan Framing Screw

For attaching steel track to studs. Use sharp point for 25-20 gauge track to 25-20 gauge metal studs, self-drill for 20-16 gauge track to 20-16 gauge metal studs.



Pan Framing Screw Pan Framing Head Phosphate Coated Fine Thread

Size	Drive	Bulk Point	Approx. Carton Quantity	Count Per Pound	SKU
7/16" x 7	#2 Phillips	Sharp	10M or 15M	400	716FPHS
7/16" x 7	#2 Phillips	Self-drill	10M or 15M	400	716SDPH

Pan Framing Screw Pan Framing Head Zinc Coated Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
7/16" x 7	#2 Phillips	Self-drill	10M or 15M	400	716ZSDPH

Pan Head Screw

For attaching strapping or furring channel to electrical boxes or fixtures.



Pan Head Screw Zinc Coated Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1/2" x 6	#2 Phillips	#2 Self-drill	15M	484	PHD06012
1/2" x 8	#2 Phillips	#2 Self-drill	10M	303	PHD08012
1/2" x 10	#2 Phillips	#2 Self-drill	8M	216	PHD10012
5/8" x 10	#2 Phillips	#2 Self-drill	7M	206	PHD10058
3/4" x 10	#2 Phillips	#3 Self-drill	6M	176	PHD10034

Modified Truss Screw

For attaching metal lath in stucco and other applications to wood or metal studs. Use sharp point for wood and 25-20 gauge metal studs, self-drill for 20-16 gauge metal studs.



Modified Truss Screw Modified Truss Zinc Coated Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1/2" x 8	#2 Phillips	Self-drill	10M	270	MTD08012
9/16" x 8	#2 Phillips	Self-drill	10M	227	MTD08916
3/4" x 8	#2 Phillips	Self-drill	10M	208	MTD08034
1" x 8	#2 Phillips	Self-drill	8M	186	MTD08100
1-1/4" x 8	#2 Phillips	Self-drill	6M	154	MTD08114
1-5/8" x 8	#2 Phillips	Self-drill	3M	125	MTD08158
1/2" x 8	#2 Phillips	Sharp	10M	270	MTS08012
9/16" x 8	#2 Phillips	Sharp	10M	227	MTS08916
3/4" x 8	#2 Phillips	Sharp	8M	167	MTS08034
1" x 8	#2 Phillips	Sharp	5M	116	MTS08100
1-1/4" x 8	#2 Phillips	Sharp	5M	128	MTS08114
1-5/8" x 8	#2 Phillips	Sharp	5M	208	MTS08158
1-7/8" x 8	#2 Phillips	Sharp	4M	103	MTS08178



SPECIALTY FASTENERS



Metal to Metal

Hex Washer Head Screw



For metal-to-metal fastening.
 1/4" drive thread pitch 18 used with sheet metal and light-steel framing.
 5/16" drive thread pitch 16 used with sheet metal and medium-steel fastening.
 5/16 drive thread pitch 14 used commonly with up to 5 gauge steel.
 3/8" drive thread pitch 14 used with heavy gauge steel.
 5/16" drive thread pitch 24 used in heavier gauge metal, fastening sheet metal panels or clips.

Metal to Metal Screw Hex Washer Head Zinc Coated Fine Thread Pitch 18

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1/2" x 8	1/4" Hex	#2 Self-drill	10M	303	HHD08012
5/8" x 8	1/4" Hex	#2 Self-drill	10M	256	HHD08058
3/4" x 8	1/4" Hex	#2 Self-drill	10M	227	HHD08034
1" x 8	1/4" Hex	#3 Self-drill	8M	190	HHD08100
1-1/4" x 8	1/4" Hex	#3 Self-drill	6M	162	HHD08114
1-1/2" x 8	1/4" Hex	#3 Self-drill	4M	143	HHD08112
2" x 8	1/4" Hex	#3 Self-drill	3M	115	HHD00200

Metal to Metal Screw Hex Washer Head Zinc Coated Fine Thread Pitch 16

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1/2" x 10	5/16" Hex	#2 Self-drill	8M	200	HHD10012
5/8" x 10	5/16" Hex	#2 Self-drill	7M	171	HHD10058
3/4" x 10	5/16" Hex	#2 Self-drill	6M	158	HHD10034
1" x 10	5/16" Hex	#2 Self-drill	5M	132	HHD10100
1-1/4" x 10	5/16" Hex	#2 Self-drill	4M	118	HHD10114
1-1/2" x 10	5/16" Hex	#2 Self-drill	3M	100	HHD10112
2" x 10	5/16" Hex	#2 Self-drill	2M	80	HHD10200

Metal to Metal Screw Hex Washer Head Zinc Coated Fine Thread Pitch 14

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
3/4" x 12	5/16" Hex	#3 Self-drill	5M	119	HHD12034
1" x 12	5/16" Hex	#3 Self-drill	3M	100	HHD12100
1-1/4" x 12	5/16" Hex	#3 Self-drill	3M	86	HHD12114
1-1/2" x 12	5/16" Hex	#3 Self-drill	3M	75	HHD12112
2" x 12	5/16" Hex	#3 Self-drill	2M	61	HHD12200
2-1/2" x 12	5/16" Hex	#3 Self-drill	1M	61	HHD12212
3" x 12	5/16" Hex	#3 Self-drill	1M	43	HHD12300
4" x 12	5/16" Hex	#3 Self-drill	500	22	HHD12400
3/4" x 14	3/8" Hex	#3 Self-drill	4M	78	HHD14034
1" x 14	3/8" Hex	#3 Self-drill	3M	68	HHD14100
1-1/4" x 14	3/8" Hex	#3 Self-drill	2M	59	HHD14114
1-1/2" x 14	3/8" Hex	#3 Self-drill	1M	50	HHD14112
2" x 14	3/8" Hex	#3 Self-drill	1M	40	HHD14200
2-1/2" x 14	3/8" Hex	#3 Self-drill	1M	37	HHD14212
3" x 14	3/8" Hex	#3 Self-drill	1M	33	HHD14300
4" x 14	3/8" Hex	#3 Self-drill	500	17	HHD14400

Metal to Metal Screw Hex Washer Head Zinc Coated Fine Thread Pitch 24

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
7/8" x 12	5/16" Hex	#4 Self-drill	4M	133	HHD12078

Stitch/Lap Screw



For fastening of overlapping light gauge metal panels or sheets.

Metal to Metal Screw Hex Washer Head Zinc Coated Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
7/8" x 14	5/16" Hex	#1 Self-drill	2.5M	79	78L

Slotted Hex Washer Head Screw



Self-piercing needle point penetrates sheet metal for 0.0209" to 0.0358". For attaching H.V.A.C., electrical, and plumbing to metal framing, and for use with sheet metal.

Metal to Metal Screw Slotted Hex Washer Head Zinc Coated Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1/2" x 7	1/4" Hex	Self-piercing	15M	395	HHS07012
1/2" x 8	1/4" Hex	Self-piercing	10M	323	HHS08012
3/4" x 8	1/4" Hex	Self-piercing	10M	263	HHS08034
1" x 8	1/4" Hex	Self-piercing	8M	211	HHS08100
1-1/2" x 8	1/4" Hex	Self-piercing	5M	156	HHS08112
2" x 8	1/4" Hex	Self-piercing	3M	115	HHS08200

Hex Washer Head with Neoprene Washer Screw



For use in metal building applications when moisture needs to be sealed out. Neoprene washer provides an effective waterproof seal.

Metal to Metal Screw Hex Washer Head With Neoprene Washer Zinc Coated Fine Thread

Size	Drive	Point	Carton	Bulk Count Per Quantity	Approx. SKU Pound
1-1/4" x 10	5/16" Hex	#3 Self-drill	4M	91	ASD10114
1-1/4" x 14	5/16" Hex	#3 Self-drill	2M	50	ASD14114
1-1/2" x 14	5/16" Hex	#3 Self-drill	2M	44	ASD14112
1" x 14	5/16" Hex	#3 Self-drill	3M	58	ASD14100
2" x 14	5/16" Hex	#3 Self-drill	1M	36	ASD14200
3/4" x 14	5/16" Hex	#3 Self-drill	4M	65	ASD14034

Metal to Metal Screw Hex Washer Head with Neoprene Washer Galvanized Fine Thread

Size	Drive	Point	Carton	Bulk Count Per Quantity	Approx. SKU Pound
3/4" x 12 - 14	1/4" Hex	#3 Self-drill	2.5M	79	34M
1" x 12 - 14	1/4" Hex	#3 Self-drill	2.5M	68	1M
1-1/4" x 12 - 14	1/4" Hex	#3 Self-drill	2.5M	72	114M
1-1/2" x 12 - 14	1/4" Hex	#3 Self-drill	2M	56	112M
2" x 12 - 14	1/4" Hex	#3 Self-drill	1.5M	51	2M
2-1/2" x 12 - 14	1/4" Hex	#3 Self-drill	1M	46	212M

Miscellaneous

Cabinet Screw



For attaching cabinets to wood.

Cabinet Screw Round Washer Head Yellow Zinc Coated Coarse Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
2-3/8" x 8	Combo	Type 17	2M	104	238CAB
3" x 8	Combo	Type 17	2M	80	3CAB

Cement Board Screw



For attaching cement board to wood or metal studs. Use spade point for wood or 25-20 gauge metal studs, self-drill for 20-14 gauge metal studs.

Cement Board Screw Wafer Head Rust Resistant Coating Fine Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1-1/4" x 8	#2 Phillips	Self-drill	5M	161	114SDCB
1-5/8" x 8	#2 Phillips	Self-drill	5M	128	158SDCB

Cement Board Screw Wafer Head Rust Resistant Coating High-low Thread

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1-1/4" x 8	#2 Phillips	Spade	5M	161	114SPCB
1-5/8" x 8	#2 Phillips	Spade	5M	128	158SPCB

Overhead Garage Door Screw



For attaching overhead garage door hardware to metal.

Garage Door Screw Hex Head Zinc Coated Fine Thread Pitch 24

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1" x 14 - 20	7/16" Hex	#3 Self-drill	2.5M	68	HHD47161



PRIMEGUARD PLUS®



PrimeGuard Plus® Premium Exterior Fasteners

PrimeGuard Plus fasteners are specifically designed for optimal performance, appearance, and value for all outdoor projects. All Grip-Rite PrimeGuard Plus® fasteners carry a lifetime guarantee against rust and corrosion. Look for PrimeGuard Plus nails, screws, collated fasteners, and collated screws made of:

- stainless steel
- PrimeGuard Plus-coated
- copper
- aluminum

What makes exterior fasteners different?

Corrosion resistance. Indoor applications somewhat shield nails and screws from moisture and other factors that can cause the fastener to corrode. However, fences, decks, sheds, siding, and other outdoor projects are continuously exposed to the elements. And so are the fasteners holding them together.

Fastener corrosion resistance is evaluated using an "hour rating" system, based upon the Kesternich test. This process involves placing fasteners in a basket and subjecting them to a salt spray and acid rain simulation. When the fastener breaks down or starts to rust, the time frame becomes the fastener's rating.

Fastener Finish	Approximate Rating (Hours)
Yellow Zinc	48
Dacrotized	300-500
PrimeGuard Ten	1,000
PrimeGuard Plus	1,500

These ratings do not translate to exactly how long a screw will be in a deck board before it begins to corrode, but it seems logical that the longer the fastener maintains its integrity, the better.

What can cause a fastener to corrode? Rain, salt and snow from winter conditions, cleaning solutions, etc. Not only is the holding power of the fastener compromised but also the metal itself begins to react with the wood surrounding it, causing unsightly discoloration and staining.

Many woods are treated with chemicals to prevent rot and insect infestation, and these chemicals can also corrode fasteners. Dacrotized and electrogalvanized fasteners are not suitable for use with this wood. PrimeGuard Plus-coated fasteners and stainless steel fasteners are approved for use with all treated lumber, and still carry their lifetime guarantee against rust and corrosion when used with this material.

There is some discoloration that occurs naturally, regardless what material is used to pierce the wood. Wood contains tannins, self-preserving water-soluble compounds, that are often released when wood is penetrated. The tannins themselves may cause discoloration. This is commonly known as "extractive staining".

Tannins, acidic by nature, may also react with the iron in fasteners, leading to additional blue/black gray staining.

Some woods, especially fire-resistant types such as cedar and redwood, contain relatively more tannins than other species. Only PrimeGuard Plus stainless steel fasteners are recommended for use with cedar and redwood, and still carry a lifetime guarantee when used with these woods.

So while some discoloration is to be expected, the goal is to minimize additional staining whenever possible.

Save time and money: Use PrimeGuard Plus premium exterior fasteners to avoid rust and corrosion, extending the life and beauty of your deck, fence, gazebo, or other exterior project. PrimeGuard Plus - lifetime guarantee against rust and corrosion.

PrimeGuard Plus Stainless Steel Fasteners

- Only stainless steel is recommended for use with all redwood and cedar projects, for marine projects, and within 5 miles of coastline.
- Lifetime guarantee against rust and corrosion when used with any wood, including all treated lumber.

Exterior Screw

For patio and deck construction. Square drive recess is deep and cleanly formed, eliminating spin-outs (square drive bit included in every package). Bugle head is self-countersinking, leaving a smooth finish. Partially threaded shank allows the screw to draw to pieces of wood together, creating a tighter fit. Type 17 point minimizes need for pre-drilling. Insures quick and easy penetration into wood, even into treated yellow pine. #305 Stainless Steel

Exterior Screw Stainless Steel

Size	Drive	Point	Bulk Bucket Quantity	Approx. Count Per Pound	SKU	
1-1/4"	8	#2 Square	Type 17	25#	185	P114SLS
1-5/8"	8	#2 Square	Type 17	25#	150	P158SLS
2"	8	#2 Square	Type 17	25#	128	P2SLS
2-1/2"	10	#2 Square	Type 17	25#	82	P212SLS
3"	10	#2 Square	Type 17	25#	68	P3SLS
3-1/2"	10	#2 Square	Type 17	25#	58	P312SLS
4"	10	#2 Square	Type 17	25#	40	P4SLS

All PrimeGuard Plus screws include a matching free bit in every package!

Trim Screw

For attaching trim and railings when using poly or composite lumber. Square drive recess is deep and cleanly formed, eliminating spin-outs (square drive bit included in every package). Smaller diameter trim head is easier to conceal and leaves a smooth finish. Type 17 point minimizes need for pre-drilling (check with deck manufacturer's instructions, as some pre-drilling may still be required). #305 Stainless Steel

Trim Screw Stainless Steel

Size	Drive	Point	Bulk Bucket Quantity	Approx. Count Per Pound	SKU	
1-5/8"	7	#1 Square	Type 17	25#	195	P158SLTS
2-1/4"	7	#1 Square	Type 17	25#	138	P214SLTS
3"	7	#2 Square	Type 17	25#	98	P3SLTS

Patio/Deck Nail

For patio and deck construction. Ring shank or spiral shank for greater holding power. Use ring shank with softer woods, spiral shank with harder woods to minimize splitting. #304 Stainless Steel

Patio/Deck Nail Stainless Steel Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11	9/32"	152	P6SLRSD
2-1/2"	8D	11	9/32"	122	P8SLRSD
3"	10D	10	9/32"	84	P10SLRSD
3-1/4"	12D	10	9/32"	77	P12SLRSD
3-1/2"	16D	9	5/16"	58	P16SLRSD

Patio/Deck Nail Stainless Steel Spiral Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU	
2"	6D	11	9/32"	152	P6SLSTD
2-1/2"	8D	11	9/32"	122	P8SLSTD
3"	10D	10	9/32"	84	P10SLSTD
3-1/4"	12D	10	9/32"	77	P12SLSTD
3-1/2"	16D	9	5/16"	58	P16SLSTD



PRIMEGUARD PLUS®



PrimeGuard Plus Stainless Steel Fasteners

Common Nail

For construction, carpentry, and framing. For permanent heavy-duty construction where vibration can work nails loose. Larger shank provides greater strength. #304 Stainless Steel.



Common Nail		Stainless Steel Ring Shank			
Size		Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	4D	12-1/2"	1/4"	316	P4SLRSC
2"	6D	11-1/2"	17/64"	181	P6SLRSC
2-1/2"	8D	10"	9/32"	106	P8SLRSC
3"	10D	9"	5/16"	69	P10SLRSC
3-1/4"	12D	9"	5/16"	63	P12SLRSC
3-1/2"	16D	8"	11/32"	49	P16SLRSC

Box Nail


For construction, carpentry, and framing. Thinner shank reduces wood splitting. #304 Stainless Steel.



Box Nail		Stainless Steel Ring Shank			
Size		Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	4D	14	7/32"	228	P4SLRSBX
2"	6D	12-1/2"	17/64"	144	P6SLRSBX
2-1/2"	8D	12-1/2"	9/32"	94	P8SLRSBX
3"	10D	11-1/2"	9/32"	67	P10SLRSBX
3-1/2"	16D	11"	9/32"	44	P16SLRSBX

Shake Nail

For cedar shake applications. Smaller head for concealment. Slender shank minimizes splitting. Checkered head reduces hammer slippage. #304 Stainless Steel.



Shake Nail		Stainless Steel Ring Shank			
Size		Gauge	Head Size	Approx. Count Per Pound	SKU
1-3/4"	5D	14	5/32"	337	P5SLSHAKE

Split-Proof™ Wood Siding Nail

For split-prone woods such as cedar and redwood. Thinner shank and blunt point minimizes splitting. Ringed shank for greater holding power. Checkered head reduces hammer slippage. #304 Stainless Steel



Siding Nail		Stainless Steel Ring Shank			
Size		Gauge	Head Size	Approx. Count Per Pound	SKU
2"	6D	14	5/32"	270	P6SLSPF
2-1/2"	8D	14	5/32"	200	P8SLSPF
3"	10D	13	7/32"	153	P10SLSPF

Trim Nail

For attaching wood trim, especially redwood and cedar. #304 Stainless Steel.



Trim Nail		Stainless Steel Smooth Shank			
Size		Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	15	3/16"	685	P114SLT	

Trim Nail		Stainless Steel Painted Smooth Shank			
Size		Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	15	3/16"	685	P114SLTB (brown)	
1-1/4"	15	3/16"	685	P114SLTW (white)	

Joist Hanger Nail

For attaching joist hangers to wood studs. Short, heavy gauge nail provides increased holding power without fully penetrating wood. #304 Stainless Steel.



Joist Hanger Nail		Stainless Steel Smooth or Barbed Shank			
Size		Gauge	Size	Head Count Per Pound	Approx. SKU
1-1/4"	10	5/16"	147	P114SLJS	
1-1/2"	9	5/16"	126	P112SLJS	

• These fasteners are not approved for projects using redwood or cedar, for marine projects, or within 5 miles of coastline. Only stainless steel fasteners are recommended for these projects.

PrimeGuard Plus-Coated Fasteners

- Feature a proprietary polymer coating that protects the fastener against corrosive elements.
- Lifetime guarantee against rust and corrosion, including when used with treated lumber
- These fasteners are not approved for projects using redwood or cedar, for marine projects, or within 5 miles of coastline. Only stainless steel fasteners are recommended for these projects.

Exterior Screw

For patio and deck construction. Bugle head countersinks into the wood more easily with minimal tearing of wood fiber. The head also gives the screw more "meat" in the neck to limit the possibility of the head popping off. Partially



threaded shank allows the screw to draw to pieces of wood together, creating a tighter fit. Type 17 point minimizes need for pre-drilling. Insures quick and easy penetration into wood, even into treated yellow pine.



Combo drive - designed to work easily with either Phillips or square drive bit. This unique combo drive head reduces stripping and spin-outs.



Star drive - six-lobed, star-shaped recess provides quick bit engagement and greater torque control. Recommended for use with hard wood species.

Exterior Screw PrimeGuard Plus-Coated

Size		Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1-1/4"	8	Combo	Type 17	8M	184	P114S (green)
1-5/8"	8	Combo	Type 17	5M	147	P158S (green)
2"	8	Combo	Type 17	3.5M	126	P2S (green)
2-1/2"	9	Combo	Type 17	2.5M	87	P212S (green)
3"	9	Combo	Type 17	2M	73	P3S (green)
3-1/2"	10	Combo	Type 17	1M	56	P312S (green)
4"	10	Combo	Type 17	1M	50	P4S (green)
1-1/4"	8	Combo	Type 17	8M	184	P114SB (brown)
1-5/8"	8	Combo	Type 17	5M	147	P158SB (brown)
2"	8	Combo	Type 17	3.5M	126	P2SB (brown)
2-1/2"	9	Combo	Type 17	2.5M	87	P212SB (brown)
3"	9	Combo	Type 17	2M	73	P3SB (brown)
3-1/2"	10	Combo	Type 17	1M	56	P312SB (brown)
4"	10	Combo	Type 17	1M	50	P4SB (brown)
1-1/4"	8	Combo	Type 17	8M	184	P114SGD (gold)
1-5/8"	8	Combo	Type 17	5M	147	P158SGD (gold)
2"	8	Combo	Type 17	3.5M	126	P2SGD (gold)
2-1/2"	9	Combo	Type 17	2.5M	87	P212SGD (gold)
3"	9	Combo	Type 17	2M	73	P3SGD (gold)
3-1/2"	10	Combo	Type 17	1M	56	P312SGD (gold)
4"	10	Combo	Type 17	1M	50	P4SGD (gold)
1-1/4"	8	Combo	Type 17	8M	184	P114SR (red)
1-5/8"	8	Combo	Type 17	5M	147	P158SR (red)
2"	8	Combo	Type 17	3.5M	126	P2SR (red)
2-1/2"	9	Combo	Type 17	2.5M	87	P212SR (red)
3"	9	Combo	Type 17	2M	73	P3SR (red)
3-1/2"	10	Combo	Type 17	1M	56	P312SR (red)
4"	10	Combo	Type 17	1M	50	P4SR (red)

Exterior Screw PrimeGuard Plus-Coated

Size		Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU
1-1/4"	8	Star T-20	Type 17	8M	184	P114ST (green)
1-5/8"	8	Star T-20	Type 17	5M	147	P158ST (green)
2"	8	Star T-20	Type 17	3.5M	126	P2ST (green)
2-1/2"	9	Star T-25	Type 17	2.5M	87	P212ST (green)
3"	9	Star T-25	Type 17	2M	73	P3ST (green)
3-1/2"	10	Star T-25	Type 17	1M	56	P312ST (green)
4"	10	Star T-25	Type 17	1M	50	P4ST (green)
1-1/4"	8	Star T-20	Type 17	8M	184	P114STB (brown)
1-5/8"	8	Star T-20	Type 17	5M	147	P158STB (brown)
2"	8	Star T-20	Type 17	3.5M	126	P2STB (brown)
2-1/2"	9	Star T-25	Type 17	2.5M	87	P212STB (brown)
3"	9	Star T-25	Type 17	2M	73	P3STB (brown)
3-1/2"	10	Star T-25	Type 17	1M	56	P312STB (brown)
4"	10	Star T-25	Type 17	1M	50	P4STB (brown)
1-1/4"	8	Star T-20	Type 17	8M	184	P114STGD (gold)
1-5/8"	8	Star T-20	Type 17	5M	147	P158STGD (gold)
2"	8	Star T-20	Type 17	3.5M	126	P2STGD (gold)
2-1/2"	9	Star T-25	Type 17	2.5M	87	P212STGD (gold)
3"	9	Star T-25	Type 17	2M	73	P3STGD (gold)
3-1/2"	10	Star T-25	Type 17	1M	56	P312STGD (gold)
4"	10	Star T-25	Type 17	1M	50	P4STGD (gold)
1-1/4"	8	Star T-20	Type 17	8M	184	P114STR (red)
1-5/8"	8	Star T-20	Type 17	5M	147	P158STR (red)
2"	8	Star T-20	Type 17	3.5M	126	P2STR (red)
2-1/2"	9	Star T-25	Type 17	2.5M	87	P212STR (red)
3"	9	Star T-25	Type 17	2M	73	P3STR (red)
3-1/2"	10	Star T-25	Type 17	1M	56	P312STR (red)
4"	10	Star T-25	Type 17	1M	50	P4STR (red)

All PrimeGuard Plus screws include a matching free bit in every package!



PRIMEGUARD PLUS®



PrimeGuard Plus-Coated Fasteners

Composite Deck Screw

For composite wood materials. Pancake head reduces over-driving and leaves a smooth finish. Concave underside of the head traps excess material beneath. Square drive recess is deep and cleanly formed which reduces spin-outs (square bit included in package). Shank has two types of threads: oversized threads near top of screw help pull excess composite material back into hole, while coarse thread on remainder of shank easily penetrates material. Type 17 point minimizes need for pre-drilling and insures quick and easy penetration.



Composite Deck Screw PrimeGuard Plus-Coated

Size	Drive	Point	Bulk Carton Quantity	Approx. Count Per Pound	SKU	
1-1/4"	8	Square	Type 17	8M	197	H114CSB (brown)
1-5/8"	8	Square	Type 17	5M	156	H158CSB (brown)
2"	8	Square	Type 17	3.5M	126	H2CSB (brown)
2-1/2"	9	Square	Type 17	2.5M	88	H212CSB (brown)
3"	9	Square	Type 17	2M	73	H3CSB (brown)
3-1/2"	10	Square	Type 17	1M	55	H312CSB (brown)
3-3/4"	10	Square	Type 17	1M	47	H334CSB (brown)
1-1/4"	8	Square	Type 17	8M	197	H114CSG (gray)
1-5/8"	8	Square	Type 17	5M	156	H158CSG (gray)
2"	8	Square	Type 17	3.5M	126	H2CSG (gray)
2-1/2"	9	Square	Type 17	2.5M	88	H212CSG (gray)
3"	9	Square	Type 17	2M	73	H3CSG (gray)
3-1/2"	10	Square	Type 17	1M	55	H312CSG (gray)
3-3/4"	10	Square	Type 17	1M	47	H334CSG (gray)
1-1/4"	8	Square	Type 17	8M	197	H114CSR (red)
1-5/8"	8	Square	Type 17	5M	156	H158CSR (red)
2"	8	Square	Type 17	3.5M	126	H2CSR (red)
2-1/2"	9	Square	Type 17	2.5M	88	H212CSR (red)
3"	9	Square	Type 17	2M	73	H3CSR (red)
3-1/2"	10	Square	Type 17	1M	55	H312CSR (red)
3-3/4"	10	Square	Type 17	1M	47	H334CSR (red)

PrimeGuard Plus Aluminum Fasteners

Aluminum offers enhanced performance when used with wood or asbestos siding and shingles, roofing, aluminum and vinyl siding and trim, plastic panels, gutters and downspouts, porches, decks, and outdoor furniture. The surface of aluminum fasteners is ideally suited for painting. Aluminum fasteners are not recommended for use with treated lumber.

Vinyl Siding Nail

For attaching vinyl siding. Oversized 3/8" head for increased holding power.



Vinyl Siding Nail Aluminum Ring Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/2"	12	3/8"	577	112ASDG
2"	12	3/8"	414	2ASDG

Trim Nail

For attaching aluminum gutters, trim and other similar projects. Thin, smooth shank for easy installation. Available in white and brown.



Trim Nail Aluminum Painted Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-1/4"	12-1/2	7/32"	1,040	P114ATB (brown)
1-1/4"	12-1/2	7/32"	1,040	P114ATW (white)

Roofing Nail with Neoprene Washer

For aluminum roofing and fiberglass roofing. Neoprene washer provides an effective waterproof seal.



Roofing Nail Aluminum Ring Shank With Neoprene Washer

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
1-3/4"	9	3/8"	260	134ANEO

PrimeGuard Plus Copper Fasteners

Copper fasteners are used for specialty applications when working with copper or where appearance is a factor (copper weathered by age and exposure to elements can provide desirable appearance). Neither galvanized nor stainless steel should ever be used with copper, since a corrosive chemical reaction is created between these materials.

Roofing Nail

For attaching copper flashing and other decorative copper roofing elements. Large head for greater holding power. Smooth shank for ease of penetration.



Roofing Nail Copper Smooth Shank

Size	Gauge	Head Size	Approx. Count Per Pound	SKU
3/4"	11	3/8"	295	P34CPRFG
1"	11	3/8"	229	P1CPRFG
1-1/4"	11	3/8"	187	P114CPRFG
1-1/2"	11	3/8"	155	P112CPRFG
1-3/4"	11	3/8"	139	P134CPRFG
2"	11	3/8"	84	P2CPRFG
2-1/2"	11	3/8"	70	P212CPRFG

Screw Bits

Screw Bits

Grip-Rite screw bits are designed for use with all Grip-Rite screws, along with all other brands. Packaged to complement the PrimeGuard Plus Premium Exterior Fasteners product line, Grip-Rite screw bits are available in both 1" and 2" lengths. Be sure to match the screw bit style to the screw drive.

Screw Bit	Screw Bit			
	Drive	Bit Length	Quantity Per Card	SKU
	Phillips #2	1 inch	5	PPHBIT1
	Phillips #2	2 inches	5	PPHBIT2
	Square #2	1 inch	5	PSQBIT1
	Square #2	2 inches	5	PSQBIT2
	Star T-20	1 inch	5	PSTARBIT1
	Star T-20	2 inches	5	BSTARBIT2
	Star T-25	1 inch	5	PSTARBIT125
	Star T-25	2 inches	5	PSTARBIT225
	Combo	1 inch	5	PCOMBOBIT1
	Combo	2 inches	5	PCOMBOBIT2






ANCHOR BOLTS



Anchor Bolts

Anchor Bolts

For attaching bottom plate or sill plate to newly poured concrete foundation. Hot-dipped galvanized anchor bolts and plates are recommended when working with treated lumber



Anchor Bolt Specification

Size	Thread Length	Bend Length	Total Length
1/2"	1.75" +0.24" / -0.0"	1.25" +0.12" / -0.062"	±0.12"
5/8"	3.75" +0.24" / -0.0"	1.5" +0.12" / -0.062"	±0.12"
3/4"	3.75" +0.24" / -0.0"	2" +0.12" / -0.062"	±0.12"
7/8"	3.75" +0.24" / -0.0"	2" +0.12" / -0.062"	±0.12"
1"	4" +0.24" / -0.0"	2.5" +0.12" / -0.062"	±0.12"

Anchor Bolt with Round Washer



Anchor Bolt Hot-dipped Galvanized with Nut & SAE Washer ASTM A307 and ASTM A153 Class C

Size	Quantity Per Box	Boxes Per Pallet	SKU
1/2 x 6"	50	50	126GAB50
1/2 x 8"	50	50	128GAB50
1/2 x 10"	50	50	1210GAB50
1/2 x 12"	50	50	1212GAB50
1/2 x 14"	50	50	1214GAB50
1/2 x 16"	50	50	1216GAB50
1/2 x 18"	50	50	1218GAB50
5/8" x 8"	25	50	588HGAB25
5/8" x 10"	25	50	5810HGAB25
5/8" x 12"	25	50	5812HGAB25
5/8" x 14"	25	50	5814HGAB25
5/8" x 16"	25	50	5816HGAB25

Anchor Bolt Bright with Nut & Round SAE Washer ASTM A307

Size	Quantity Per Box	Boxes Per Pallet	SKU
3/8" x 6"	50	100	386AB50
3/8" x 8"	50	100	388AB50
1/2" x 6"	50	50	126AB50
1/2" x 8"	50	50	128AB50
1/2" x 10"	50	50	1210AB50
1/2" x 12"	50	50	1212AB50
1/2" x 14"	50	50	1214AB50
1/2" x 16"	50	50	1216AB50
1/2" x 18"	50	50	1218AB50
5/8" x 8"	25	50	588AB25
5/8" x 10"	25	50	5810AB25
5/8" x 12"	25	50	5812AB25
5/8" x 14"	25	50	5814AB25
5/8" x 16"	25	50	5816AB25
3/4" x 10"	20	25	3410AB20
3/4" x 12"	20	25	3412AB20
3/4" x 14"	20	25	3414AB20
3/4" x 15"	20	20	3415AB20
3/4" x 18"	20	20	3418AB20

Anchor Bolt with Square Washer



Anchor Bolt Bright with Nut & Square Slotted Washer ASTM A307

Size	Washer Size	Quantity Per Box	Boxes Per Pallet	SKU
5/8" x 10"	3"x3"x3/16"	25	50	5810AB325

Anchor Bolt Galvanized with Nut & Square Washer ASTM A307

Size	Washer Size	Quantity Per Box	Boxes Per Pallet	SKU
5/8" x 8"	2"x2"x1/8"	25	50	588GAB25
5/8" x 10"	2"x2"x1/8"	25	50	5810GAB25

Anchor Bolt Hot-dipped Galvanized with Nut & Square Washer ASTM A307 & ASTM A153

Washer Size	Size	Quantity Per Box	Boxes Per Pallet	SKU
1/2 x 8"	2"x2"x1/8"	50	50	128GABS50
1/2 x 10"	2"x2"x1/8"	50	50	1210GABS50
5/8" x 8"	3"x3"x3/16"	25	50	588GAB325
5/8" x 10"	3"x3"x3/16"	25	50	5810GAB325
5/8" x 12"	3"x3"x3/16"	25	50	5812GAB325
5/8" x 16"	3"x3"x3/16"	25	50	5816GAB325
5/8" x 18"	3"x3"x3/16"	25	50	5818GAB325

* All Grip-Rite hot-dipped galvanized fasteners meet ASTM A-153 requirements and can be used with treated lumber.

Threaded Rod

Threaded rods can be used any place that a long bolt is required, as the rod can be cut to the desired length. Used to hang ductwork, sprinkler heads, etc.



Threaded Rod Bright Unplated Coarse Thread

Size	Threads Per Inch	Weight (Each)	Pieces Per Tube	Tubes Per Pallet	SKU
3/8" x 6'	16	1.76 Lbs.	25	50	AT38072
3/8" x 10'	16	2.93 Lbs.	25	25	AT38120
1/2" x 10'	13	5.34 Lbs.	12	25	AT12120
5/8" x 10'	11	8.44 Lbs.	8	25	AT58120
3/4" x 6'	10	7.45 Lbs.	5	50	AT34072
3/4" x 10'	10	12.41 Lbs.	5	25	AT34120
3/4" x 12'	10	14.90 Lbs.	5	25	AT34144
7/8" x 10'	9	17.00 Lbs.	4	25	AT78120
7/8" x 12'	9	20.41 Lbs.	4	25	AT78144
1" x 10'	8	22.33 Lbs.	3	25	AT1120
1-1/8" x 10'	7	28.15 Lbs.	2	25	AT118120
1-1/8" x 12'	7	33.77 Lbs.	2	25	AT118144
1-1/4" x 10'	7	35.05 Lbs.	2	25	AT114120
1-1/2" x 10'	6	51.26 Lbs.	1	25	AT112120

Threaded Rod Zinc Plated Coarse Thread

Size	Threads Per Inch	Weight (Each)	Pieces Per Tube	Tubes Per Pallet	SKU
1/4" x 6'	20	0.73 Lbs.	50	50	ATZ14072
1/4" x 10'	20	1.23 Lbs.	50	25	ATZ14120
3/8" x 6'	16	1.76 Lbs.	25	50	ATZ37072
3/8" x 10'	16	2.93 Lbs.	25	25	ATZ38120
3/8" x 12'	16	3.51 Lbs.	25	25	ATZ38144
1/2" x 6'	13	3.20 Lbs.	12	50	AT12072
1/2" x 10'	13	5.34 Lbs.	12	25	ATZ12120
1/2" x 12'	13	6.39 Lbs.	12	25	ATZ12144
5/8" x 6'	11	5.07 Lbs.	8	50	ATZ58072
5/8" x 10'	11	8.44 Lbs.	8	25	ATZ58120
3/4" x 6'	10	7.45 Lbs.	5	50	ATZ34072
3/4" x 10'	10	12.41 Lbs.	5	25	ATZ34120
3/4" x 12'	10	14.90 Lbs.	5	25	ATZ34144
7/8" x 6'	9	10.21 Lbs.	4	50	ATZ78072
7/8" x 10'	9	17.00 Lbs.	4	25	ATZ78120
1" x 10'	8	22.33 Lbs.	3	25	ATZ1120
1-1/8" x 10'	7	28.15 Lbs.	2	25	ATZ118120
1-1/4" x 10'	7	35.05 Lbs.	2	25	ATZ114120
1-1/2" x 10'	6	51.26 Lbs.	1	25	ATZ112120

Threaded Rod Hot-dipped Galvanized Coarse Thread

Size	Threads Per Inch	Weight (Each)	Pieces Per Tube	Tubes Per Pallet	SKU
1/2" x 10'	10'	5.34 Lbs.	12	25	ATHG12120
5/8" x 10'	10'	8.44 Lbs.	8	25	ATHG58120
3/4" x 10'	10'	12.41 Lbs.	5	25	ATHG34120
7/8" x 10'	10'	17.00 Lbs.	4	25	ATHG78120
1" x 10'	10'	22.33 Lbs.	3	25	ATHG1120
1-1/8" x 10'	10'	28.15 Lbs.	2	25	ATHG118120
1-1/4" x 10'	10'	35.05 Lbs.	2	25	ATHG114120
1-1/2" x 10'	10'	51.26 Lbs.	1	25	ATHG112120

An Overview of Nails

A Brief History of Nails

The use of nails goes back thousands of years. Bronze nails, found in Egypt, have been dated to 3400 B.C., but the Romans are generally credited with the first use of iron. The earliest nails were hand-forged, usually square in shape with all four sides tapering to a point, and resembled spikes, suited for the building materials commonly in use. Over time, as building materials evolved and new products were introduced, customized nails were developed to keep pace with the changing industry.

Prior to the American Revolution, England was the largest manufacturer of nails in the world. However, nails were virtually impossible to obtain in the American Colonies, where it was not unusual for families to have a small nail manufacturing process in their homes by the hearth. Entire families made nails not only for their own use but also for barter. Even Thomas Jefferson had his own nail producing facilities at Monticello, and he took great pride in them.

The first major innovation in nail production occurred in the late 1700s, with the introduction of cut nails. Cut or "square" nails are not actually "cut", but are sheared from steel plate that is the thickness of the nail shank. The invention of water-powered "slitting mills" made this new technology possible, and rapidly put the United States at the forefront of nail manufacturing. Hot iron was hammered or later, rolled, into sheets, which were then slit into long, square-sectioned bars by shear-like rollers. Two sides of the cut nail shank are parallel as they represent the thickness of the plate from which they were sheared. The cutting machine tapers the other two sides of the shank, while a second machine forms the nail head.

Cut nails could be produced much more quickly and somewhat less expensively than hand-forged nails, and starting in the mid-1800s, began to dominate the industry. A machine that produced stamped nails with a simple head was also introduced at this time with limited success. Still, nails continued to be expensive to produce and used sparingly. It was not uncommon for a building to be burned down and the ashes combed for the nails for reuse.

"Modern" nail manufacturing may have started in the U.S. as early as the 1850s with the importation of French wire nail machinery. These nails were not intended for construction but for other light-duty applications such as bookbinding. The early 1900s is generally accepted as the turning point for wire nail production, from which point on they have dominated the industry. Wire nails have a round shank, and are produced by steel wire fed into a machine that grips the wire, cuts it, makes the head, and chisels the point, all in one operation. The process is totally mechanized, can produce thousands of nails per minute, and provides a significantly less expensive nail than previous methods.

The relatively low-cost wire nails have all but replaced cut nails. However, the cut nail has a holding power of approximately four times a wire nail. It is because of this impressive holding power and the hardness of the nail that cut nails are still used today for projects such as masonry and flooring.

What Does Penny Mean?

The term "penny", as it refers to nails, is thought to have originated in medieval England to describe the price of 100 nails. For example, 100 3-1/2" nails would cost 16 pence, whereas 100 2-1/2" nails could be purchased for 6 pence. This system of classifying nails by size according to price was in place by 1477 A.D. The letter "d" used to represent "penny", stands for the Latin name given to Roman coins, denarius. Traditionally, nails used for wood-to-wood applications (decking, wood siding, framing, etc.) are referred to in penny sizes, while nails for non-wood applications (roofing, siding, etc.) are referred to in inches.

Nails usually start at 2d (1" long), and range up to 60d (6" long). From 2d to 16d the penny length increases by quarter inches. Above 16d, the size increases by half inches. Nails longer than 60d or shorter than 2d are described in inches or fractions thereof. A very thick nail or one longer than 6" is considered a spike. A nail less than 1" long are called wire nails if they have a head, and brads if they have a very small head or none at all.

Nail Heads

-  **Flat head** - Most common nail head. Provides large surface area for greater holding power.
-  **Large flat head** - Larger than standard head, usually more than 3 to 3-1/2 times the shank diameter. Provides greatest surface area for ultimate holding power. For applications such as sheathing and insulation.
-  **Checkered flat head** - Helps to stop slippage of the hammer on the head with applications such as framing, where excessive hammering may take place.
-  **Countersunk head** - Conically shaped bearing surface, which compresses the surface of the material under it as it is driven. Aids in concealment of the fastener head.
-  **Deep countersunk head** - Reduced holding power, but increased concealment of the fastener head. Using primarily on casing nails.
-  **Brad head** - Deep, circular, barrel-shaped head. Reduced holding power, but increased concealment of the fastener head. Used primarily with finish and trim work.
-  **Duplex head** - For temporary nailing jobs, such as scaffolding and concrete framing.
-  **Cupped head** - Concave or recessed top surface to accommodate material to aid with concealment. Used primarily with drywall fasteners.
-  **Oval head** - Used in certain geographic areas primarily with siding to avoid contact between the hammer and the siding.

Nail Points

-  **Diamond point** - Most common nail point. To avoid splitting wood, best for medium to soft wood.
-  **Long diamond point** - For use with dry-wall. Eases driving into harder materials.
-  **Blunt point** - Reduces splitting, but not as easy to drive as a diamond point.

Nail Shanks

-  **Smooth** - Most common for everyday projects, provides the least amount of holding power.
-  **Barbed** - Horizontal or herring-bone indentations in the shank. Relatively better hold than smooth shank, but far less than a comparable threaded nail.
-  **Screw/spiral** - Designed to drive into hard woods and dense materials. Nail actually turns when driven, much like wood screws. Very good holding power.
-  **Ardox** - Designed to drive into hard woods and dense materials. Square wire is twisted to form the spiral shank, which results in the threads reaching all the way to the head of the nail. In comparison, most nails are made from round steel wire and the spiral or ring shanks are actually cut into the wire.
-  **Ring/annular thread** - A series of closely spaced concentric rings around shank. Nail does not turn when driven; instead, the wood fibers are forced over the ring shoulders into their annular grooves like wedges. Gives greatest holding power in soft or medium woods.
-  **Fluted** - Vertical thread for driving into cinder block, mortar joints, or other relatively soft masonry to minimize cracking and provide high holding power.

An Overview of Screws

A Brief History of Screws

Debate still rages today as to who actually invented the screw. Some scholars credit the Pythagorean philosopher Archytas of Tarentum (c. 400 B.C.) for identifying the helical shape that forms the thread of the screw. But it is generally accepted that the ancient Greek engineer Archimedes is the "Father of the Screw" (c. 287 B.C.). Early screws were hand-carved of wood and lacking a point, more closely resembled a bolt rather than a modern screw. Not yet used as a fastener, these early screws were used in wine, linen, and olive oil screw presses, as well as in water presses for irrigation and for pumping mines and ship bilges. These were the common applications of screws for roughly the next two thousand years.

The marvelous leap from screws for wine presses to screws for fastening may have developed in response to the limitations of nails. Hand-forged nails of the day were thick and long, and therefore could not be used for joining thin or fine materials, including metal. Also, nails could not be easily extracted without damage to the surrounding material, and their holding power was limited only to the strength of the fibers holding them in place. Somewhere along the way the metal screw was born.

By the 1500s, hand-forged metal screws could be found in metal armor, locks, and clocks but were not yet in use for common joinery applications. These early screws could be described as a nail with a threaded shank and a slot in its head for ease of removal. Both the threading and the slot were carved by hand, which led to significant differences from one screw to the next. The process was extremely laborious and time consuming, resulting in a very expensive fastener.

The late 1700s ushered in the era of mass-produced screws. This started with the development of machines

that could mechanically and evenly carve the screw threads, which was a tremendous leap forward. Initially, the slot in the head of the screw still needed to be hand cut with a hack saw, but as time went on the technique was perfected and this step became part of the overall process. These first machine-made screws had blunt points, but by the late 1800s further innovations had led to the development of mills capable of producing pointed screws.

Just as with nails, as new building materials and techniques are introduced, screw drives, heads, threads, and points have evolved to keep pace with the changing technology.

Pilot Holes

Pilot holes are used only with screws to ease driving into the material. A self-drilling screw virtually reduces the need for a pilot point, but there are several instances where pilot holes are needed:

- When attaching to masonry.
- When working with aged hardwoods. Excessive driving resistance may be encountered around knots and tight grain. A pilot hole will prevent splitting and make driving the screw easier.
- When working close to the edge of material. Wood may split, depending on the grain of the wood. Drywall and particle board can develop distortions due to the compression of the material, resulting in reduced holding power.

A pilot hole should be equal to or just less than the root diameter of the screw thread. In hardwoods, pilot hole depth should equal the screw length. In particle board and softwoods, pilot hole depth should be 2/3 of the screw length. This allows the leading two or three threads to penetrate solid material and insures adequate pull out strength.

Screw Drives

-  **Slot** - Driven by a flat-bladed screwdriver. Earliest known style of drive.
-  **Phillips** - "+" shaped recess designed to cam out before being overdriven.
-  **Square** - Fits securely on driver bit, enabling one-handed fastening.
-  **Combination** - Accommodates either Phillips or square driver (bit).
-  **Srar** - Six-sided drive easy on bits and provides better torque transfer than other drive designs.

Screw Heads

-  **Bugle head** - Tapered, countersinking head compresses the surface of the material under it as it is driven.
-  **Flat head** - Fits snug up against the material, unlike bugle head, which is designed to "sink" into the substrate.
-  **Pan head** - Flat bearing surface is ideal for attaching light-gauge steel to light-gauge steel (i.e., track lighting).
-  **Pan framing head** - Flared bottom of head rests flush against steel; prevents dimpling of steel.
-  **Round washer head** - Broad head bottom provides additional holding power. Use image of cabinet screw head.
-  **Trim head** - For fine carpentry applications. Countersunk like finishing nails.
-  **Washer head/modified truss** - Provides a larger bearing area for working with softer materials.
-  **Wafer head** - Flat, wide head ideal for installing cement board.
-  **Hex washer head** - Hex head can be driven with nut driver.

Screw Shanks/Threads

-  **Coarse thread** - Provides superior holding power when attaching to wood.
-  **Fine thread** - Provides superior holding power when attaching to light-gauge steel.
-  **High-low thread** - For attaching drywall to light-gauge steel studs or wood studs. Provide higher strip-out resistance.
-  **Twin-lead/double-lead** - Two helixes spiraling around the screw shank. Provides increased holding power and potentially faster application speed.

Screw Points

Most screw drives, heads, and threads are consistent from one industry to the next. However, there is a more pronounced difference when it comes to screw points. As Grip-Rite fasteners are intended primarily for general and specialty construction projects, points designed for machinery, automobile assembly, and other heavy industry are not featured here.

Wood Applications:

-  **Sharp point** - Standard screw point for fastening into wood and other medium to soft materials. May also be referred to as a "Type A" point.
-  **Type 17** - Long, sharp point with flute, which creates its own pilot point as well as displaces some of wood pitch.
-  **Spade point** - Resembles a shovel or spade. Used primarily to attach cement board to wood or light-gauge steel. The spade point penetrates the board without cracking it.

Screw Drives



Slot - Driven by a flat-bladed screwdriver. Earliest known style of drive.

Phillips - "+" shaped recess designed to cam out before being overdriven.

Square - Fits securely on driver bit, enabling one-handed fastening.



Combination - Accommodates either Phillips or square driver (bit).

Srar - Six-sided drive easy on bits and provides better torque transfer than other drive designs.

Wood to Metal Applications




Winged point/shank- Used with self-drilling point when attaching wood to steel or other hard material. Wings or "reamers" reduce pre-drilling of the wood. Wings break off when they hit the second material to allow the threads to engage for a tight joinery.



Pilot point - Used for attaching up to 3/4" to 1-1/8" materials to thin gauge steel. The leading blank shank reduces thread engagement, which is the primary cause of jacking.

Common Nail Sizes

PENNY SIZE



What Does A Penny Mean?

The term penny originated in England many years ago. Ten penny, four penny, etc., nails got their names from the fact that one hundred nails of that size cost ten pence, four pence, etc. Today penny represents the definite length of a nail measured from the head to the tip of the point. the term penny is still shown by using the English Pence sign d.

Number of Gauge	American Standard Wire Gauge	
	inch	mm
0	.3065	7.785
1	.2830	7.188
2	.2625	6.667
3	.2437	6.189
4	.2253	5.722
5	.2070	5.257
6	.1920	4.876
7	.1770	4.495
8	.1620	4.114
9	.1483	3.766
10	.1350	3.429
11	.1205	3.060
12	.1055	2.679
13	.0915	2.324
14	.0800	2.032
15	.0720	1.828
16	.0625	1.587
17	.0540	1.371
18	.0475	1.206
19	.0410	1.041
20	.0348	0.883

Index of Fasteners

	Page		Page
Anchor Bolts		Nail-Drywall	
Bright	38	Barbed Shank-Vinyl Coated	25
Hot-dipped Galvanized	39	Ring Shank-Blued	2
		Ring Shank-Bright	25
Grip Cap Nails	20-21	Ring Shank-Electrogalvanized	25
		Ring Shank-Hot-dipped Galvanized	25
Nail-Box		Ring Shank-Phosphate Coated Cupped Head	25
Ardox Shank-Gold Dichromate	5	Smooth Shank-Cement Coated	25
Ring Shank-Bright	5	Smooth Shank-Phosphate Coated Cupped Head	25
Ring Shank-Stainless Steel	34		
Smooth Shank-Bright	5	Nail-Duplex	
Smooth Shank-Coated	5	Double-head Shank-Bright	5
Smooth Shank-Electrogalvanized	14		
Smooth Shank-Hot-dipped Galvanized	14	Nail-Fence	
		Ring Shank-Electrogalvanized	15
Nail-Caps			
Ring Shank-Bright Metal Round Cap	21	Nail-Fine	
Ring Shank-Bright Metal Square Cap	21	Smooth Shank-Electrogalvanized	19
Ring Shank-Electrogalvanized Metal Round Cap	21	Smooth Shank-Hot-dipped Galvanized	19
Ring Shank-Electrogalvanized Metal Square Cap	21		
Ring Shank-Electrogalvanized Plastic Round Cap	20	Nail-Finish	
Spiral Shank-Bright Metal Round Cap	21	Ardox Shank-Gold Dichromate	8
Also see Masonry Nail		Smooth Shank-Bright	8
		Smooth Shank-Electrogalvanized	16
Nail-Casing		Smooth Shank-Hot-dipped Galvanized	16
Smooth Shank-Bright	8		
Smooth Shank-Electrogalvanized	17	Nail-Flooring	
Smooth Shank-Hot-dipped Galvanized	17	Cut-Tempered Hardened Steel	9
Spiral Shank-Hot-dipped Galvanized	17	Spiral Shank-Tempered Hardened Steel	9
Nail-Common		Nail-Foundry	
Ardox Shank-Bright	4	Smooth Shank-Bright	12
Ring Shank-Bright	4		
Ring Shank-Coated	4	Nail-Framing	
Ring Shank-Electrogalvanized	14	Barbed Shank-Coated	5
Ring Shank-Hot-dipped Galvanized	14		
Ring Shank-Stainless Steel	34	Nail-Furring	
Smooth Shank-Bright	4	Smooth Shank-Electrogalvanized with Wad	24
Smooth Shank-Coated	4	Smooth Shank-Electrogalvanized without Wad	24
Smooth Shank-Electrogalvanized	14		
Smooth Shank-Hot-dipped Galvanized	14	Nail-Hinge	
Spiral Shank-Bright	4	Smooth Shank-Bright	12
Nail-Cooler		Nail-Joist Hanger	
Smooth Shank-Vinyl Coated	6	Ring Shank-Bright	7
		Ring Shank-Hot-dipped Galvanized	16
		Smooth or Barbed Shank-Bright	7
		Smooth or Barbed Shank-Electrogalvanized	16
		Smooth or Barbed Shank-Hot-dipped Galvanized	16
		Smooth or Barbed Shank-Stainless Steel	34



Nail-Lath		Ring Shank-Hot-dipped Galvanized Painted with Neoprene Washer	22
Smooth Shank-Blued	26	Smooth Shank-Copper	36
Nail-Lead Head		Also see Shake Nail, Lead Head Nail, Tile Roofing Nail	
Smooth Shank-Bright	23		
Nail-Masonry		Nail-Roofing and Siding	
Cut-Tempered Hardened Steel	9	Smooth or Barbed Shank-Electrogalvanized	20
Fluted Shank-Tempered Hardened Steel	9	Smooth or Barbed Shank-Hot-dipped Galvanized	20
Fluted Shank-Tempered Hardened Steel with Metal Round Cap	10	Ring Shank-Electrogalvanized	20
Also see "Stub" Masonry Nail		Ring Shank-Hot-dipped Galvanized	20
		Also see Cap Nail, Shake Nail, Shingle Nail	
Nail-Nursery		Nail-Shake	
Smooth Shank-Bright Oval Head	12	Ring Shank-Hot-dipped Galvanized	24
		Ring Shank-Stainless Steel	34
Nail-Pallet		Smooth Shank-Hot-dipped Galvanized	24
Ring Shank-Stiff Stock Blunt Diamond Point	13		
Ring Shank-Stiff Stock No Point	13	Nail-Shingle	
Spiral Shank-Stiff Stock Blunt Diamond Point	13	Smooth Shank-Electrogalvanized	23
Spiral Shank-Stiff Stock No Point	13	Smooth Shank-Hot-dipped Galvanized	23
Spiral Shank-Tempered Hardened Steel No Point	13		
Nail-Panel Board		Nail-Sinker	
Ring Shank-Tempered Hardened Steel Painted	11	Smooth Shank-Coated	6
		Nail-"Stub" Masonry	
Nail-Patio/Deck		Smooth Shank-Electrogalvanized with Countersunk Head	10
Ring Shank-Hot-dipped Galvanized	17	Smooth Shank-Tempered Hardened Steel with Countersunk Head	10
Ring Shank-Stainless Steel	33		
Spiral Shank-Hot-dipped Galvanized	17	Nail-Tile Roofing	
Spiral Shank-Stainless Steel	33	Smooth Shank-Electrogalvanized	23
Nail-Plasterboard		Nail-Timber Tie	
Smooth Shank-Blued	26	Spiral Shank-Hot-dipped Galvanized	18
Smooth Shank-Coated	26		
Smooth Shank-Electrogalvanized	26	Nail-Trim	
Smooth Shank-Hot-dipped Galvanized	26	Smooth Shank-Aluminum Painted	36
Nail-Polebarn		Smooth Shank-Tempered Hardened Steel	8
Ring Shank-Bright Stiff Stock	6	Smooth Shank-Stainless Steel	34
Ring Shank-Hot-dipped Galvanized Stiff Stock	15	Smooth Shank-Stainless Steel Painted	34
Ring Shank-Hot-dipped Galvanized Tempered Hardened Steel	15	Nail-Truss	
Ring Shank-Tempered Hardened Steel	6	Ring Shank-Coated	7
		Smooth Shank-Coated	7
Nail-Roofing		Nail-Underlayment	
Ring Shank-Aluminum with Neoprene Washer	22	Ring Shank-Bright	8
Ring Shank-Electrogalvanized with Neoprene Washer	22	Ring Shank-Electrogalvanized	8
Ring Shank-Hot-dipped Galvanized with Neoprene Washer	22		

Nail-Vinyl Siding		Screw-Drywall	
Smooth Shank-Aluminum	36	Bugle Head Phillips-Self-drill Fine Thread Black Phosphate	27
Nail-Wrought Head		Bugle Head Phillips-Self-drill Fine Thread Zinc Plated	27
Smooth Bulged Shank-Wrought Three-sided Head	12	Bugle Head Phillips-Sharp Coarse Thread Black Phosphate	26
Nail-Wood & Hardboard Siding		Bugle Head Phillips-Sharp Fine Thread Black Phosphate	27
Smooth Shank-Hot-dipped Galvanized	24	Bugle Head Phillips-Sharp High-Low Black Phosphate	27
Spiral Shank-Hot-dipped Galvanized	24	Bugle Head Square-Sharp Coarse Thread Black Phosphate	26
Nail-Wood Siding		Also see Laminator Screw	
Smooth Shank-Hot-dipped Galvanized Oval Head	34	Screw-Exterior	
Ring Shank-Hot-dipped Galvanized Split-Proof™	34	Bugle Head Phillips-Sharp Coarse Thread PrimeGuard Ten-coated	19
Ring Shank-Stainless Steel Split-Proof™	34	Bugle Head Square-Sharp Coarse Thread PrimeGuard Ten-coated	19
		Bugle Head Square-Type 17 Coarse Thread Stainless Steel	33
Plate Washers		Counter Sunk Head Combo-Type 17 Coarse Thread PrimeGuard Plus-coated	35
Square-Bright	38	Counter Sunk Head Star-Type 17 Coarse Thread PrimeGuard Plus-coated	35
Square-Hot-dipped Galvanized	39	Screw-Bits	
PrimeGuard Plus® Premium Exterior Fasteners	32-36	Screw-Cabinet	
PrimeGuard Ten™ Exterior Fasteners	19	Phillips-Type 17 Coarse Thread Zinc Plated	31
Screw-Bits	37	Screw-Cement Board	
Screw-Cabinet		Wafer Head Phillips-Self-drill Fine Thread Rust-resistant	31
Phillips-Type 17 Coarse Thread Zinc Plated	31	Wafer Head Phillips-Spade Point High-Low Thread Rust-resistant	31
Screw-Cement Board		Screw-Composite Deck	
Wafer Head Phillips-Self-drill Fine Thread Rust-resistant	31	Pancake Head Square-Type 17 Dual Thread PrimeGuard Plus-coated	36
Wafer Head Phillips-Spade Point High-Low Thread Rust-resistant	31	Screw-Framing	
Screw-Composite Deck		Pan Head Phillips-Self-drill Fine Thread Phosphate Coated	29
Pancake Head Square-Type 17 Dual Thread PrimeGuard Plus-coated	36	Pan Head Phillips-Self-drill Fine Thread Zinc Plated	29
		Pan Head Phillips-Sharp Fine Thread Phosphate Coated	29



Screw-Laminator		Screw-Wood to Metal	
Bugle Head Phillips-Sharp Coarse Thread	27	Wafer Head Phillips-Self-drill Fine Thread Thread Zinc Plated	29
Screw-Metal to Metal		Wafer Head Phillips-Self-drill Fine Thread Thread with Wings Zinc Plated	29
Hex Washer Head-Self-drill Fine Thread Zinc Plated	30	Spike-Gutter	
Hex Washer Head-Stitched/Lap Screw Zinc Plated	30	Ring Shank-Electrogalvanized	18
Hex Washer Head with Neoprene Washer-Self-drill Fine Thread Galvanized	31	Ring Shank-Hot-dipped Galvanized	18
Hex Washer Head with Neoprene Washer-Self-drill Fine Thread Zinc Plated	31	Smooth Shank-Electrogalvanized	18
Slotted Hex Washer Head-Self-piercing Fine Thread Zinc Plated	31	Smooth Shank-Hot-dipped Galvanized	18
Also see Framing Screw, Modified Truss Screw, Pan Head Screw		Smooth Shank-Hot-dipped Galvanized Painted	18
Screw-Metal to Wood		Smooth Shank-Painted	11
Hex Washer Head with Neoprene Washer-Sharp Galvanized	28	Spike-Landscape	
Hex Washer Head with Neoprene Washer-Sharp Galvanized and Painted	28	Ring Shank-Bright	11
Hex Washer Head with Neoprene Washer-Type 17 Galvanized	28	Ring Shank-Hot-dipped Galvanized	18
Screw-Modified Truss		Smooth Shank-Bright	11
Modified Truss Head Phillips-Self-drill Fine Thread Zinc Plated	29	Smooth Shank-Hot-dipped Galvanized	18
Modified Truss Head Phillips-Sharp Fine Thread Zinc Plated	29	Spiral Shank-Bright	11
Screw-Overhead Garage Door		Spiral Shank-Hot-dipped Galvanized	18
Hex Washer Head-Self-drill Zinc Plated	31	Staple-Fence	
Screw-Pan Head		Smooth or Barbed-Bright	7
Pan Head Phillips-Self-drill Fine Thread Zinc Plated	29	Smooth or Barbed-Cement Coated	7
Screw-Trim		Smooth or Barbed-Electrogalvanized	15
Trim Head Square-Type 17 Coarse Tread Stainless Steel	33	Smooth or Barbed-Hot Galvanized	15
Screw-Wood (interior)		Staple-Poultry Net	
Bugle Head Phillips-Sharp Coarse Thread Gold Dichromate	28	Smooth or Barbed-Electrogalvanized	15
		Smooth or Barbed-Hot Galvanized	15
		Staple-Vineyard	
			15
		Tension Pin	
		Smooth Shank-Electrogalvanized	10
		Smooth Shank-Tempered Hardened Steel	10
		Threaded Rod	
		Coarse Thread-Bright Unplated	39
		Coarse Thread-Zinc Plated	39
		Coarse Thread-Hot-dipped Galvanized	39

Tested to the max

Fasteners are subjected to simulated salt spray and acid rain conditions to evaluate their corrosion resistance. The fasteners earn an hourly rating based upon how long they withstand these treatments before corrosion occurs. Galvanized fasteners, traditionally used for outdoor applications, are rated at approximately 300-500 hours. By contrast, PrimeGuard Plus fasteners are rated at 1000+ hours, equivalent to a lifetime in a "real-world" setting.



Electrogalvanized Nail **Dacrotized Screw**

The elements can cause electrogalvanized and dacrotized fasteners to corrode, which may compromise their holding power and create discoloration. PrimeGuard Plus fasteners, however, have a lifetime guarantee against rust and corrosion.



Natural wood

When working with wood, keep in mind that some discoloration occurs naturally, regardless of what type of fastener is used. Wood contains tannin, a self-preserving substance, which is released by wood to protect itself. Tannin reacts quickly with standard fasteners, creating the brown rust color that streaks down the pickets in a fence or around the heads of fasteners in a deck. While the use of PrimeGuard Plus fasteners will minimize such staining, some discoloration is natural and is to be expected.

Treated lumber

The same chemicals used to treat lumber to prevent rot and insect infestation can damage the fasteners used with this wood. Electrogalvanized or dacrotized fasteners are not suitable for use with treated wood. PrimeGuard Plus coated fasteners and stainless steel fasteners, however, are approved for use with treated lumber, and carry their lifetime guarantee against rust and corrosion when used with this material.

Specialty building materials

Aluminum, copper and even composite decking have unique characteristics that require the use of specialty fasteners. PrimeGuard Plus specialty fasteners carry a lifetime guarantee when used with the designated building materials.



Help your next project to last a lifetime

Each PrimeGuard Plus fastener is designed to make installation easy, has incredible holding power, and carries a lifetime guarantee against rust and corrosion.

PrimeGuard Plus fasteners are available in 6-ounce, 1#, 5#, 25#, and 30# clear, resealable, reusable plastic tubs and bulk boxes (packaging varies by style of fastener).

For more information on PrimeGuard Plus Premium Exterior Fasteners, contact:


(Retailer imprint here)



© 2003, PrimeSource

2115 East Belt Line Road
Carrollton, Texas 75006
1-800-676-7777
www.primesourcebp.com

PGPBRO
10/03



PrimeGuard® Plus Premium Exterior Fasteners

Your lifetime guarantee against rust and corrosion.





Why you need a premium exterior fastener.

Your deck, gazebo, cedar siding, or any other exterior project that involves wood deserves only the best exterior fasteners. . . PrimeGuard Plus Premium Exterior Fasteners, all with a lifetime guarantee against rust and corrosion. The elements (sun, wind and water) are tough on exterior building materials and can cause fastener deterioration. Plus, the new treated lumbers are extremely corrosive to standard fasteners. Corrosion can compromise the holding power of the fastener, and the metal itself can react to the wood surrounding it, causing unsightly discoloration and staining.

Choose only the best – PrimeGuard Plus Premium Exterior Fasteners – with a lifetime guarantee against rust and corrosion to prolong the beauty and durability of your project.

The right fastener for every exterior project

PrimeGuard Plus is a full line of superior nails and screws specifically designed for optimal performance, appearance and value in outdoor projects. PrimeGuard Plus fasteners are ideal for all types of wood including redwood, cedar, treated lumber and composite decking, as well as aluminum trim, copper flashing, and general construction.



PrimeGuard Plus – the complete line of exterior fasteners

PrimeGuard Plus Stainless Steel Fasteners

Because it provides additional protection against tannic reaction, stainless steel is the only fastener material recommended for use with redwood and cedar. PrimeGuard Plus stainless steel fasteners carry a lifetime guarantee against rust and corrosion when used with any wood, including treated lumber.

PrimeGuard Plus Coated Fasteners

These screws feature a patented polymer coating that protects the fastener against corrosion. Available colors include brown, gold, gray, green, and red. PrimeGuard Plus-coated screws carry a lifetime guarantee against rust and corrosion (including use with treated lumber).

PrimeGuard Plus Aluminum Fasteners

Aluminum is the best choice for use with aluminum gutters, trim and similar projects. The surface of aluminum fasteners takes paint exceptionally well.

PrimeGuard Plus Copper Fasteners

PrimeGuard Plus copper fasteners are intended for specialty applications when working with copper, or where appearance is a factor (copper weathered by age and exposure to the elements creates a desirable appearance). Galvanized or stainless steel fasteners should never be used with copper, since a corrosive chemical reaction occurs when the two metals are in contact.

PrimeGuard Plus Screws feature:

- Coarse threads for optimal penetration into wood.
- A sharper Type 17 point, which minimizes the need for pre-drilling. This point penetrates easily into wood (even treated yellow pine).
- One of several drive styles. Each package contains one complimentary bit.
 -  **Square drive** - deep, cleanly formed recess, which eliminates spinouts.
 -  **Combo drive** - works easily with either Phillips or square drive bit. This unique, patented head design reduces stripping and spinouts.
 -  **Star drive head** - six-lobed, star-shaped recess provides quick bit engagement and greater torque control. Recommended for use with hard wood species.

	Decking	General Construction	Fencing	Roofing	Siding
STAINLESS STEEL					
Exterior Screw-Square Drive	X	X	X		
Trim Screw-Square Drive	X	X			
Deck Nail-Ring Shank	X				
Deck Nail-Spiral Thread	X				
Common Nail-Smooth Shank	X	X	X		
Common Nail-Ring Shank	X	X	X		
Box Nail-Ring Shank	X	X	X		
Split-proof Siding Nail-Ring Shank					X
Cedar/Shake Nail-Ring Shank				X	X
Roofing Nail-Smooth Shank				X	
Trim Nail-Smooth Shank					X
PRIMEGUARD PLUS-COATED					
Exterior Screw-Combo Drive	X	X	X		
Exterior Screw-Star Drive	X	X	X		
Composite Deck Screw-Square Drive	X				
ALUMINUM					
Trim Nails-Smooth Shank	X	X			
Aluminum Siding Nail-Smooth Shank					X
Roofing Nail-Smooth Shank				X	
Roofing Nail with Neoprene Washer-Ring Shank				X	
Roofing Nail with Neoprene Washer-Spiral Thread				X	
COPPER					
Roofing Nail-Smooth Shank				X	
Roofing Nail-Ring Shank				X	

PrimeGuard Plus Nails feature:

- Either a smooth, ring or spiral shank:
 - Smooth shank is the easiest to drive, yet offers the least holding power. 
 - Ring shank offers exceptional holding power in soft or medium woods. Use where vibration could work the fastener loose (such as on stair treads). 
 - Spiral shank is ideal for driving into hard woods and dense materials. The fastener actually turns when driven, much like wood screws, for excellent holding power. Good for use near ends of boards, to prevent splitting. 