

# SPECIFICATION SUBMITTAL SHEET

JONES STEPHENS CORPORATION

## STANDARD TWO-HOLE SCHEDULE 40 BATH WASTE KITS

*specification submittal sheet*


PART NO. B07-110



- UPC approved
- Two-hole face plates
- Bolt holes on top elbows are pre-threaded
- All drains 3/8" thread size for testing

**\*NOTE:** Please use suffix "T" when ordering any waste and overflow kit to have test kit included. Add \$4.99 to list price. When a complete kit with a two-hole test kit is ordered, a one-hole face plate with aluminum conversion bar will be supplied.

• SEE THE JONES STEPHENS CATALOG FOR MORE INFORMATION ON THIS AND OTHER ITEMS.



STANDARD HALF KIT - NO PIPE OR TEE

PART NO.	A	B	C	D	E
□ B07-110	3 -3/16"	2 -1/4"	2 -3/4"	2 -1/4"	3 -1/2"

from **Jones Stephens Corp.**  
**PlumBest**

updated 05/28/03

*Quality Products for the Plumbing Professional*

3249 Moody Parkway • Moody, Alabama • 205•640•7200 • Toll Free 1•800•35•JONES  
Fax (205) 640-7070 • Toll Free Fax 1•800•462•6991  
www.plumbest.com