

Residential and Commercial

PRODUCT SOLUTIONS CATALOG

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION









AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



THE BRANDS PROFESSIONAL PLUMBERS CHOOSE.




The brands professional plumbers choose.

IPS manufactures the brands professional plumbers choose, combining world class customer service with innovative highly-reliable products that help contractors work faster and smarter. With ten residential and commercial brands available on one order, one shipment and one invoice – we will never stop working to exceed your expectations.

Brand Overview		2			
Product Innovation		4			
IPS Corporation Timeline		7			
Weld-On®		8			
Selection Guide		11			
Cements, Primers & Cleaners	CAT 1	12			
Christy's Solvent Cements	CAT 1	18			
Solvent Welding Applicators & Accessories	CAT *	29			
Sealants, Compounds & Lubricants	CAT 2	32			
Guy Gray™		36			
Washing Machine Outlet Boxes	CAT 4	38			
Ice Maker Outlet Boxes	CAT 5	47			
Fire-Rated Washing Machine Outlet Boxes	CAT 4	50			
Fire-Rated Ice Maker Boxes	CAT 5	56			
Fire-Rated Specialty Outlet Boxes	CAT 5	58			
Dialysis & Dryer Boxes	CAT 5	62			
Faceplates & Accessories	CAT *	63			
Water-Tite®		64			
Washing Machine Outlet Box Design Options Guide		66			
Washing Machine Outlet Boxes	CAT 4	67			
Wide-mouth Washing Machine Outlet Boxes	CAT 4	72			
Ice Maker Outlet Box Design Options Guide		74			
Ice Maker Outlet Boxes	CAT 5	75			
Dishwasher and Utility Outlet Boxes	CAT 5	79			
Angle Stop & Toilet Connection Boxes	CAT 5	80			
Gas Outlet Boxes	CAT 5	81			
Kitchen Boxes	CAT 5	82			
Supply Valve Box Parts & Accessories	CAT *	84			
MultiBox™ Outlet Boxes	CAT 4 & 5	87			
Hammer Arresters	CAT 23	99			
Closet & Urinal Flanges	CAT 10	100			
Stabilizer Systems	CAT 14	105			
Clamps & Insulators	CAT 15	107			
Strapping, J-Hooks & Hangers	CAT 16	114			
Tub Protectors & Boxes	CAT 18	116			
Stud Guards	CAT 18	118			
Shower Pan Liner	CAT 20	119			
Roof Flashings	CAT 21	120			
Tough Pans®		130			
Dry Lift Series	CAT 17	132			
Pro Series	CAT 17	132			
			Aluminum Heater Pans	CAT 17	133
			Plastic Water Heater Pans	CAT 17	134
			Water Heater Stands	CAT 17	135
			Roof Top Blox®		136
			Blox	CAT 21	138
			Blox Accessories	CAT *	139
			Test-Tite®		140
			Pneumatic Test Plugs	CAT 11	142
			Mechanical Test Plugs	CAT 12	150
			Test Caps	CAT 13	155
			Pressure Gauges	CAT 11	158
			AB&A™		160
			Access Panels & Doors	CAT 3	162
			Cast Iron Drains & Cleanouts	CAT 6	164
			Light Commercial Drains	CAT 7	168
			Backwater Valves	CAT 7	175
			Shower & Floor Drains	CAT 8	180
			Waste & Overflow	CAT 9	196
			Lav Drains, Traps, Cleanout Covers & Plugs	CAT 19	237
			Studor®		244
			Air Admittance Valves	CAT 22	246
			Truebro®		252
			Undersink Protection Systems	CAT 24	256
			Christy's®		260
			Christy's Solvent Cements	CAT 1	18
			Saws & Cutting Tools	CAT 25	262
			Pipe Preparation	CAT 25	264
			Job Site Essentials	CAT 26	266
			Gloves	CAT 26	267
			Tapes	CAT 26	269




The era of plastic piping in the United States began in 1954 with the introduction of Weld-On® PVC 710™, America's first plastic pipe cement. Through the 1960's, IPS Corporation introduced several other PVC, transition and ABS cements, cleaners and primers. Today, Weld-On offers the widest range of solvent cements for plumbing, industrial grade pipe and fittings up to 30". Weld-On formulations are all low-VOC, all the time.



Beginning with the industry's first washing machine outlet box in 1958, the Guy Gray™ line has evolved into a broad line of high-quality products, including FR-12 Fire-rated Boxes, Stainless Steel, White Powder Coated, Dual Drain, Dishwasher, Dryer, Gas, Coffee Maker and Dialysis Outlet Boxes. The initial offering of domestic valves now includes Single Lever, Quarter-turn and Hammer Arrestor Valves with Solder, F1807, CPVC and other connections.



In 1969, Water-Tite standardized laundry connections with the first plastic Washing Machine Recessed Outlet Box. In 1978, IPS Corporation's reputation as industry innovators expanded with the first recessed Ice Maker Outlet Box. Labor-saving products also include the 4N1™ Multi-Size Roof Flashing, Right Strap™ Multi-Functional Clamp, Single Shot Insulating Clamp, Techno Flange®, Angle Stop Boxes and Dimple Valve, and Stabilizer Support System. Today, the Water-Tite product line offers a wide range of plastic labor-saving specialty plumbing products.



The Roof Top Blox® is a revolutionary roof top support block system that works with height extension rods, support brackets, pipe rollers, strut, and more. The Blox is versatile enough for every roof plumbing support, roof piping support, and roof platform support need. In addition, the packaging makes transporting roof support blocks to the job – and roof top – a faster and more efficient process. Engineered with contractors in mind, the Roof Top Blox system is designed to be quickly installed, expanded, and adjusted from just the top side. Easier installation and lasting dependability make Roof Top Blox the best roof block choice to specify or install for supporting pipes and mechanical equipment on flat commercial roofs.




In 2019, IPS Corporation acquired Tough Pans®, a drain pan product line designed for gas and electric water heaters and washing machines. Tough Pans is the most innovative drain pan line on the market, engineered with the strongest materials to produce a nearly indestructible pan. The Dry Lift and Pro series water heater pans can be used on gas or electric tanks and are extremely durable and flexible. The Dry Lift Series of drain pans uses built in risers to lift tanks 1.5", extending tank life and making connecting to the drain valve effortless.



Since 1931, the AB&A™ product family has grown to include a full line of plastic and brass bath wastes, plastic, cast-iron and brass plumbing drains and fittings, cleanouts and associated accessories. Easy-to-install AB&A bath wastes are offered in an assortment of special finishes to complement today's designs and customer preferences. A wide range of lavatory, floor and shower drains are available in plastic, bronze or cast brass. Recognized for consistent high quality, AB&A products are used in both new construction and retrofit markets.




The Test-Tite® brand has over 40 years of experience in manufacturing a complete line of pneumatic and mechanical test plugs. Our full line of pneumatic test plugs include standard, multi-size, cleanout, long and bypass pneumatic plugs for use in residential, commercial and underground markets. Pneumatic plugs, up to 15" diameter, come standard with a Pressure Relief Valve – the first full line of Pressure Relief Plugs in the Plumbing industry. Our pneumatic plugs come standard with a heavy wall thickness which is backed by a 3 year warranty. Our full line of mechanical test plugs include Twist-Tite wing nut test plugs, T-Cone Cleanout and Repair Plugs, Twist 'N Seal®, Flush Cleanout Repair Plugs, and the all new Mechanical Cleanout Test Plug.



In 1970, Studor's founder, Sture Ericson, developed Air Admittance Valve (AAV) technology, which was brought to the United States in 1986. Today, Studor® remains the only specialized AAV manufacturer in the world, with millions of valves successfully installed in North America and worldwide. Studor has pioneered AAV technology since its introduction in the USA. Accordingly, AAVs are commonly referred to as "Studor vents" – the brand name in the industry. The expertise in designing plumbing systems by Studor engineers is unmatched. Remember, "It's not a Studor valve unless it says so!"



The Truebro line consists of protective undersink pipe covers and plumbing enclosures for ADA compliance in handicap-accessible lavatories and sinks – for both new construction and retrofit markets. The Lav Guard® 2, Lav Shield®, Basin Guard®, and Soft Guard Plus™ are professional ADA-mandated protection systems designed for durability, aesthetics, and sanitary installations. The Lav Guard® 2 series of undersink pipe wraps offer E-Z Tear to Fit and built-in fasteners for fast, easy installation. Lav Shield® is an attractive, designer-style, tamper-resistant ADA-engineered protective lavatory enclosure. Basin Guard® is a clean and durable design for ADA-compliance in lavatories installed into countertops.



In 2019, IPS Corporation acquired T. Christy Enterprises, one of North America's premier manufacturers of solvent cements and provider of a broad range of accessories. Christy's specializes in creating products that meet the needs of professional contractors with easy use, compatibility with adverse conditions and proven reliability.

Dry Lift and Pro Series Pans

Dry Lift and Pro Series Pans are the most innovative drain pans available. Engineered to be durable yet flexible, Dry Lift and Pro Series Pans are nearly indestructible, able to remain intact even after being run over by a UPS truck. The Dry Lift Series uses built in risers to lift tanks 1.5", extending tank life and making the drain valve connection easy. The Dry Lift and Pro Series Pans replace metal pans for less and are twice as thick as the ICC minimum.

Approved for use on Gas or Electric tanks

Durable and flexible with a lifetime warranty

ASTM E-84 Class A Rating



Mainline Backflow Products

IPS expanded its AB&A backwater valve offering with the addition of the Adapt-a-Valves™, Fullport Backwater Valves, Extendable Straight-Fit™ Valves, Flush Cleanout Caps, and Test-Eze Pressure Testing Devices. IPS has incorporated Greenskin™ and Pro-Flash Building Envelope Seals into the Water-Tite brand.

Products integrated into the AB&A and Water-Tite brands

Backwater valves prevent flooding caused by sewer backups



Christy's Cement, Job Site Essentials, & Pipe Preparation

Christy's is a premier brand of accessories, adhesives, solvents, and sealants in the plumbing, pool & spa, irrigation, and waterworks industries. IPS has integrated the Christy's brand and added parts of the product line into the Water-Tite, Weld-On, and Test-Tite brands.

Christy's items are now part of the Christy's, Water-Tite, Weld-On, and Test-Tite brands

Product offering includes cements, jobsite tools, and items for pipe preparation

Two new categories (25 – Pipe Preparation and 26 – Job Site Essentials).



Water-Tite 4N1[®] Roof Vent Pipe Flashing

Water-Tite's 4N1 flashing is an extension to the industry leading 3N1[®] and 3N4 pipe flashing offering. Available in galvanized steel, aluminum, copper, and hardbase plastic, the 4N1 flashing covers all common residential vent pipes sizes 1-1/4" through 4". With sealing tear-away collars, the 4N1 is the only flashing product needed on the job.

Galvanized steel and aluminum available in mill finish, black, brown, & weathered gray

Reduces inventory of single-size, 3N1, or 3N4 flashings

Proprietary flexible PVC collar carries a Life of the Roof warranty



TRAP-TITE™ Waterless Trap Seal

When a trap primer fails, sewer gas, bugs, and unpleasant odors can enter the building through the drain. Trap-Tite's patented, easy to install design solves these common issues as water can freely pass down through the Trap-Tite, but gases, bugs, and odors are blocked by the one way seal. The Trap-Tite is easily inserted into the hub or the barrel of a new or existing drain.

Available in 2", 3", 3-1/2" and 4"

Eliminates the need for chemical trap seal applications

Compatible with most commercial cast iron drains

Affordable and eco-friendly alternative to trap primers

Can be installed in new or retrofit construction

Perfect in areas where the floor drain receives irregular maintenance



Test-Tite® Pressure Relief Pneumatic Test Plugs

Test-Tite® now offers a totally redesigned series of pneumatic test plugs (1-1/2" - 4") with pressure relief valves. The built-in valve releases excess pressure above recommended inflation pressure, reducing the risk of over-inflation when testing or temporarily blocking DWV systems. Relieved air pressure exhausts through top of plug – not into the test area – and the plug returns to proper size and inflation pressure, which results in a safer operation. Because the redesigned test plugs with pressure relief valves prevent over-inflation, life expectancy of the product is increased substantially. Test-Tite now offers test plugs with a pressure relief valve in sizes up to 24".

Standard and long pneumatic plug styles

Available in 1-1/2" – 15" sizes for plumbing applications

No moving parts to fail, malfunction, or plug

Three-year limited warranty



IPS Corporation
is committed
to developing
products that
enable plumbing
professionals to do
quality work, faster.

- 1954** **WELD-ON®**
First solvent welding products for America's plumbing industry
- 1969** **WATER-TITE**
First plastic washing machine box
- 1978** **WATER-TITE**
First ice maker box, recessing supply valve in the wall
- 1987** **WATER-TITE**
First adjustable, multi-size residential roof vent flashings
- 1998** **STUDOR®**
IPS Corporation acquires STUDOR, Inc.
- 2000** **GUY GRAY™**
IPS Corporation acquires respected GUY GRAY line of boxes.
- 2004** **TRUEBRO®**
IPS Corporation acquires TRUEBRO, Inc.
- 2005** **WATER-TITE**
Patented Techno Flange and Single Shot products eliminate installation risks, reduce installation time.
- 2009** **WELD-ON®**
Entire line of solvent cements and primers for plastic piping systems is all low-VOC, all the time
- 2010** **TEST-TITE®**
Mechanical cleanout test plug requires no tools for quick installation
- TEST-TITE®**
Patented pressure relief pneumatic test plug reduces risk of over-inflation
- 2011** **AB&A™**
IPS Corporation acquires AB&A Corp. and its line of bath drains
- 2012** **WELD-ON®**
Weld-On launches a line of cements exclusively for the plumbing industry
- 2013** **WATER-TITE & GUY GRAY™**
IPS Corporation announces a full lead-free product offering
- 2015** **WATER-TITE**
Water-Tite launches the MultiBox™ System
- 2016** **ROOF TOP BLOX®**
IPS Corporation acquires Roof Top Blox
- 2017** **WATER-TITE**
Water-Tite launches new line of Kitchen Boxes
- 2018** **AB&A**
AB&A adds Champagne Bronze and Matte Black finishes to offering
- WATER-TITE & GUY GRAY™**
IPS Corporation offers REHAU EVERLOC+™ valve connections
- 2019** **DRY LIFT AND PRO SERIES PANS**
IPS Corporation acquires Tough Pans drain pan line
- T CHRISTY'S**
IPS Corporation acquires T Christy Enterprises

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



WELD-ON®

1954

Weld-On® pioneered the solvent cement industry

The plastic piping era in the United States began with the introduction of Weld-On's first plastic pipe cement. Ever since, Weld-On cements, cleaners and primers have been delivering industry-leading performance and revolutionizing plastic piping assembly.



Today

Weld-On® is a global leader in solvent welding technology

Recognized as the world's premium line of products for joining plastic pipes and fittings, today's Weld-On solvent cements, primers and cleaners meet low-VOC (Volatile Organic Compound) emission limits. These eco-friendly, plumber-friendly products are yet another industry first, from the industry's first plastic pipe cement provider.



- WELD-ON
- GUY GRAY
- WATER-TITE
- TOUGH PANS
- ROOF TOP BLOX
- TEST-TITE
- AB&A
- STUDOR
- TRUEBRO
- CHRISTY'S

WELD-ON®

IPS CORPORATION

PLUMBING CEMENTS

1954 – Weld-On® pioneered the solvent cement industry

The plastic piping era in the United States began with the introduction of Weld-On®'s first plastic pipe cement. Ever since, Weld-On cements, cleaners and primers have been delivering industry-leading performance and revolutionizing plastic piping assembly.

Today's Weld-On® – a global leader in solvent welding technology

Recognized as the world's premium line of products for joining plastic pipes and fittings, today's Weld-On solvent cements, primers and cleaners meet low-VOC (Volatile Organic Compound) emission limits. These eco-friendly, plumber-friendly products are yet another industry first, from the industry's first plastic pipe cement provider.



Choosing the Correct Product

For assistance in selecting the right Weld-On® products for your application, please refer to the selection guide.

	COLOR	GRADE	Nominal Pipe Size	mm	in	20	25	32	40	50	63	75	90	110	160	200	250	315	355	600	800	
						1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4	6	8	10	12	14	24	30	
PRIMERS	AQUA BLUE	I	P75																			
	PURPLE CLEAR	I	P70																			
	PURPLE CLEAR	P	Plumbing Primer																			
SPECIALTY	GREEN	P	794***																			
	LIGHT AMBER	P	790**																			
ABS	BLACK BLACK	P	778																			
	BLACK BLACK	P	773																			
	MILKY YELLOW	P	P70																			
CPVC	GRAY	I	729																			
	ORANGE GRAY	I	724 ^o																			
	ORANGE GRAY	I	714																			
	ORANGE GRAY	P	713																			
	YELLOW	P	Flow ^{†a} Guard Gold [®]																			
	YELLOW	P	Flow ^{†a} Guard Gold [®]																			
PVC	CLEAR BLUE	P	795																			
	BLUE TO CLEAR	I	738 [†]																			
	BLUE TO CLEAR	P	737 [†]																			
	BLUE	P	735 [†]																			
	CLEAR	P	727 [†]																			
	AQUA BLUE	I	725 [†]																			
	EXTRA HEAVY BODY	I	719																			
	HEAVY BODY	I	782																			
	HEAVY BODY	I	711																			
	MEDIUM BODY	I	721 [†]																			
	MEDIUM BODY	I	705 [†]																			
	MEDIUM BODY	P	781 [†]																			
	REGULAR BODY	I	710																			
REGULAR BODY	P	702																				
REGULAR BODY	P	780																				

REGULAR BODIED CEMENT

for pipe size up to 4"

MEDIUM BODIED CEMENT

for pipe size up to 6"

HEAVY BODIED CEMENT

for pipe size up to 12"

EXTRA HEAVY BODIED CEMENT

for pipe size up to 30"

Graphic above is intended as a general reference. Some exceptions apply. See Selection Guide for specific details.

Pipe Format

Schedule 40/PN3.2, PN4, PN6

Schedule 80/PN10, PN16

- † Can be used without a primer with fittings having an interference fit (unless primer required by local code).
- ^a Flow Guard Gold[®] is a registered trademark of the Lubrizol Corp.
- ^o For CPVC and PVC Chemical Piping Systems
- ** PVC and CPVC
- *** ABS to PVC Transition Joints
- CTS: Copper Tube Size
- P: Plumbing Grade
- I: Industrial Grade



780™ PVC Plumbing, Clear, Regular-Bodied, Fast-Setting



- Regular-bodied, fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 4" (110 mm) diameter (except Schedule 80)
- Specially formulated for plumbing applications, including PVC foam core pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
14004 ●●	1/4 Pt. Can with Applicator Cap	14004	24
14003 ●●	1/2 Pt. Can with Applicator Cap	14003	24
14002 ●●	Pt. Can with Applicator Cap	14002	12
14001 ●●	Qt. Can with Applicator Cap	14001	12
14000 ●●	Gal. Can with Screw-on Cap	14000	6

781™ PVC Plumbing, Clear, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 6" (160 mm) diameter, Schedule 80 through 4" (110 mm) diameter
- Specially formulated for plumbing applications, including PVC foam core pipe
- Can be used without primer on non-pressure systems if local codes permit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
14009 ●●	1/4 Pt. Can with Applicator Cap	14009	24
14008 ●●	1/2 Pt. Can with Applicator Cap	14008	24
14007 ●●	Pt. Can with Applicator Cap	14007	12
14006 ●●	Qt. Can with Applicator Cap	14006	12
14005 ●●	Gal. Can with Screw-on Cap	14005	6

781™ PVC Plumbing, Gray, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 6" (160 mm) diameter, Schedule 80 through 4" (110 mm) diameter
- Specially formulated for plumbing applications, including PVC foam core pipe
- Can be used without primer on non-pressure systems if local codes permit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
14014 ●●	1/4 Pt. Can with Applicator Cap	14014	24
14013 ●●	1/2 Pt. Can with Applicator Cap	14013	24
14012 ●●	Pt. Can with Applicator Cap	14012	12
14011 ●●	Qt. Can with Applicator Cap	14011	12
14010 ●●	Gal. Can with Screw-on Cap	14010	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

782™ PVC Plumbing, Clear, Heavy-Bodied, Medium-Setting



- Heavy-bodied, medium-setting, low-VOC PVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter Specially formulated for plumbing applications, including PVC foam core pipe
- Heavy-bodied, medium-setting, low-VOC PVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter
- Good gap filling properties and its medium set allows more working time in warm weather
- Specially formulated for plumbing applications, including PVC foam core pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
14019 ●●	1/4 Pt. Can with Applicator Cap	14019	24
14018 ●●	1/2 Pt. Can with Applicator Cap	14018	24
14017 ●●	Pt. Can with Applicator Cap	14017	12
14016 ●●	Qt. Can with Applicator Cap	14016	12
14015 ●●	Gal. Can with Screw-on Cap	14015	6

782™ PVC Plumbing, Gray, Heavy-Bodied, Medium-Setting



- Heavy-bodied, medium-setting, low-VOC PVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter Specially formulated for plumbing applications, including PVC foam core pipe
- Heavy-bodied, medium-setting, low-VOC PVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter
- Good gap filling properties and its medium set allows more working time in warm weather
- Specially formulated for plumbing applications, including PVC foam core pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
14023 ●●	1/2 Pt. Can with Applicator Cap	14023	24
14022 ●●	Pt. Can with Applicator Cap	14022	12
14021 ●●	Qt. Can with Applicator Cap	14021	12



727™ PVC Hot 'R Cold™ Clear, Medium-Bodied, Very Fast-Setting



- Medium-bodied, very fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 6" (160 mm) diameter, Schedule 80 through 4" (110 mm) diameter
- Premium formula for all weather conditions (-15°F to 110°F, -26°C to 43°C)
- Excellent for industrial, irrigation, electrical conduit, pool & spa and plumbing, including PVC foam core pipe
- Can be used without primer on non-pressure systems if local codes permit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
10842 ●●	Pt. Can with Applicator Cap	107270031	12
10841 ●●	Qt. Can with Applicator Cap	107270021	12
10840 ●●	Gal. Can with Screw-on Cap	107270011	6

735™ PVC Wet 'N Fast™ Blue, Medium-Bodied, Extremely Fast-Setting



- Medium-bodied, extremely fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 6" (160 mm) diameter, schedule 80 through 4" (110 mm) diameter
- Plumbing quality cement for wet conditions and/or quick pressurization
- Can be used without primer on non-pressure systems if local codes permit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
12498 ●●	1/4 Pt. Can with Applicator Cap	107350951	24
12497 ●●	1/2 Pt. Can with Applicator Cap	107350941	24
12496 ●●	Pt. Can with Applicator Cap	107350931	12
12495 ●●	Qt. Can with Applicator Cap	107350921	12
12494 ●●	Gal. Can with Screw-on Cap	107350911	6

737™ PVC Turf 'N Ag™ Blue, Medium-Bodied, Very Fast-Setting



- Medium-bodied, very fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 8" (200 mm) diameter, Schedule 80 through 4" (110 mm) diameter
- Works well in wet conditions and/or quick pressurization
- Blue color fades to clear in sunlight
- High quality blue cement has a slightly higher viscosity making it ideal for turf and agricultural applications and excellent for PVC Well casing
- Can be used without primer on non-pressure systems if local codes permit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
11985 ●●	1/4 Pt. Can with Applicator Cap	107370951	24
11984 ●●	1/2 Pt. Can with Applicator Cap	107370941	24
10990 ●●	Pt. Can with Applicator Cap	107370931	12
10989 ●●	Qt. Can with Applicator Cap	107370921	12
10988 ●●	Gal. Can with Screw-on Cap	107370911	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

795™ Flexible PVC Clear, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC PVC solvent cement for use on flex/flex and flex/rigid PVC with interference fit through 6" (160 mm) diameter, Schedule 80 through 3" (90 mm) diameter
- Premium cement specially formulated for use on flexible and/or rigid PVC
- Forms flexible, high-strength, water-resistant joints

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10283 ●●	1/4 Pt. Can with Applicator Cap	107950051	24
10282 ●●	1/2 Pt. Can with Applicator Cap	107950041	24
10281 ●●	Pt. Can with Applicator Cap	107950031	12
10280 ●●	Qt. Can with Applicator Cap	107950021	12
10278 ●●	Gal. Can with Screw-on Cap	107950011	6

795™ Flexible PVC Blue, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC PVC solvent cement for use on flex/flex and flex/rigid PVC with interference fit through 6" (160 mm) diameter, Schedule 80 through 3" (90 mm) diameter
- Premium cement specially formulated for use on flexible and/or rigid PVC
- Forms flexible, high-strength, water-resistant joints

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
11905 ●●	Qt. Can with Applicator Cap	107950921	12
11727 ●●	Gal. Can with Screw-on Cap	107950911	6

710™ PVC Clear, Regular-Bodied, Very Fast-Setting



- Regular-bodied, very fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 2" (63 mm) diameter (except Schedule 80)
- Specially formulated for irrigation piping. Also suitable for electrical conduit, pool & spa and plumbing, including PVC foam core pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10115 ●●	1/4 Pt. Can with Applicator Cap	107100051	24
10114 ●●	1/2 Pt. Can with Applicator Cap	107100041	24
10113 ●●	Pt. Can with Applicator Cap	107100031	12
10112 ●●	Qt. Can with Applicator Cap	107100021	12
10111 ●●	Gal. Can with Screw-on Cap	107100011	6



705™ PVC Clear, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 6" (160 mm) diameter, Schedule 80 through 4" (110 mm) diameter
- Can be used without primer on non-pressure systems if local codes permit
- High-strength formula for industrial, irrigation, DWV, electrical conduit, pool & spa and plumbing, including PVC foam core pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10100 ●●	1/4 Pt. Can with Applicator Cap	107050051	24
10097 ●●	1/2 Pt. Can with Applicator Cap	107050041	24
10093 ●●	Pt. Can with Applicator Cap	107050031	12
10089 ●●	Qt. Can with Applicator Cap	107050021	12
10085 ●●	Gal. Can with Screw-on Cap	107050011	6

705™ PVC Gray, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 6" (160 mm) diameter, Schedule 80 through 4" (110 mm) diameter
- Can be used without primer on non-pressure systems if local codes permit
- High-strength formula for industrial, irrigation, DWV, electrical conduit, pool & spa and plumbing, including PVC foam core pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10101 ●●●●	1/4 Pt. Can with Applicator Cap	107050151	24
10098 ●●●●	1/2 Pt. Can with Applicator Cap	107050141	24
10094 ●●●●	Pt. Can with Applicator Cap	107050131	12
10090 ●●●●	Qt. Can with Applicator Cap	107050121	12
14810 ●●●●	Gal. Can with Screw-on Cap	107050111	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

711™ PVC Gray, Heavy-Bodied, Medium-Setting



- Heavy-bodied, medium-setting, low-VOC PVC cement for all classes and schedules with interference fit, including Schedule 80 through 12" (315 mm) diameter
- High-strength is ideal for industrial piping systems
- Good gap-filling properties and its medium set allows more working time in warm weather

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10123 ●●●	1/2 Pt. Can with Applicator Cap	107110141	24
10121 ●●●	Pt. Can with Applicator Cap	107110131	12
10119 ●●●	Qt. Can with Applicator Cap	107110121	12
10117 ●●●	Gal. Can w/ Screw-on Wide-mouth Cap	107110111	6

721™ PVC Blue, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, high-strength, low-VOC PVC solvent cement. Suitable for use on rigid PVC with interference fit Sch. 40 through 6" and Sch. 80 through 4"
- Premium, high-strength formulation for irrigation, DWV, pool & spa, plumbing and non-pressure application
- Can be used without primer on non-pressure systems if local codes permit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10849 ●●	1/4 Pt. Can with Applicator Cap	107210951	24
10163 ●●	1/2 Pt. Can with Applicator Cap	107210941	24
10162 ●●	Pt. Can with Applicator Cap	107210931	12
10161 ●●	Qt. Can with Applicator Cap	107210921	12
10160 ●●	Gal. Can with Screw-on Cap	107210911	6



719™ PVC Gray, Extra Heavy-Bodied, Slow-Setting



- Extra heavy-bodied, slow-setting, low-VOC PVC cement for all classes and schedules with interference fit, including Schedule 80 through 30" (800 mm) diameter
- Ideal for fabrication of large fittings and applications requiring high gap filling properties. Suitable for irrigation, conduit, pressure and non-pressure applications

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
10156 ●●●	Qt. Triple Tight Paint Can	107190122	12
13078 ●●●	Gal. Wide-mouth Can	107190115	6

719™ PVC White, Extra Heavy-Bodied, Slow-Setting



- Extra heavy-bodied, slow-setting, low-VOC PVC cement for all classes and schedules with interference fit, including Schedule 80 through 30" (800 mm) diameter
- Premium, high-strength formulation for large size industrial piping systems
- Ideal for fabrication of large fittings and applications requiring high gap filling properties. Suitable for irrigation, conduit, pressure and non-pressure application

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
12658 ●●	10.3 oz Tube	107190266	24
10159 ●●	Pt. Triple Tight Paint Can	107190232	12
10157 ●●	Qt. Triple Tight Paint Can	107190222	12
10155 ●●	Gal. Triple Tight Paint Can	107190212	4

Red Hot Blue Glue



- Contractor preferred, premium formulation
- Medium body, very fast set
- All classes and Schedules through 6" diameter interference fit (Schedule 80 through 4")
- Can be used without primer if local codes permit for non-pressure systems up to 6" and pressure systems below 4"
- Blue in color

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
505200 ●●	Red Hot Blue Glue PVC Cement, 4 oz, Low Voc (1/4 Pint)	RH-RHBV-QP-48	48
505197 ●●	Red Hot Blue Glue PVC Cement, 8 oz, Low Voc (1/2 Pint)	RH-RHBV-HP-36	36
505199 ●●	Red Hot Blue Glue PVC Cement, 16 OZ, Low Voc (Pint)	RH-RHBV-PT-24	24
505201 ●●	Red Hot Blue Glue PVC Cement, 32 OZ, Low Voc (Quart)	RH-RHBV-QT-12	12
505195 ●●	Red Hot Blue Glue PVC Cement, 128 OZ, Low Voc (Gallon)	RH-RHBV-GL-6	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

750™ HotWeld™ PVC Blue, Medium-Bodied, Extremely Fast-Setting



- Medium-bodied, fast-setting, PVC solvent cement for use on rigid PVC with interference fit Sch. 40 through 6" and Sch. 80 through 4"
- Premium, hot blue formulation, excellent for use in challenging conditions including wet, damp or cold applications with superior long-term performance
- One-step cement that can be used without primer on Sch. 40 pipe and fittings if local code permits
- Low-VOC formulation that complies with LEED 2009 requirements

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
13754 ●●	1/4 Pt. Can with Applicator Cap	13754	24
13753 ●●	1/2 Pt. Can with Applicator Cap	13753	24
13752 ●●	Pt. Can with Applicator Cap	13752	12
13751 ●●	Qt. Can with Applicator Cap	13751	12
13750 ●●	Gal. Can with Screw-on Cap	13750	6

725™ PVC Wet 'R Dry™ Aqua Blue, Medium-Bodied, Extremely Fast-Setting



- Medium-bodied, extremely fast-setting, low-VOC PVC cement for all classes and schedules with interference fit through 6" (160 mm) diameter, Schedule 80 through 4" (110 mm) diameter
- Premium formula for wet conditions and/or quick pressurization
- Suitable for irrigation, plumbing, and pool & spa applications
- Can be used without primer on non-pressure systems if local codes permit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10850 ●●	1/4 Pt. Can with Applicator Cap	107250951	24
10167 ●●	1/2 Pt. Can with Applicator Cap	107250941	24
10166 ●●	Pt. Can with Applicator Cap	107250931	12
10165 ●●	Qt. Can with Applicator Cap	107250921	12
10164 ●●	Gal. Can with Screw-on Cap	107250911	6



713™ CPVC Orange, Regular-Bodied, Fast-Setting



- Regular-bodied, fast-setting, low-VOC CPVC cement for copper tube size and Schedule 40 pipe and fittings with interference fit through 2" (63 mm) diameter
- Specially formulated for plumbing applications
- For potable water to 180°F (82°C)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
10129 ●●	1/2 Pt. Can with Applicator Cap	107130651	24
10128 ●●	Pt. Can with Applicator Cap	107130641	24
10127 ●●	Qt. Can with Applicator Cap	107130631	12
10126 ●●	Gal. Can with Screw-on Cap	107130621	12

FlowGuard Gold® CPVC Yellow, Medium-Bodied, Fast-Setting



- Regular-bodied, fast-setting, low-VOC CPVC cement for copper tube size and Schedule 40 pipe and fittings with interference fit through 2" (63 mm) diameter
- Specially formulated for plumbing applications
- For potable water to 180°F (82°C)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
11029 ●●●	1/4 Pt. Can with Applicator Cap	127130851	24
11028 ●●●	1/2 Pt. Can with Applicator Cap	127130841	24
11027 ●●●	Pt. Can with Applicator Cap	127130831	12
11026 ●●●	Qt. Can with Applicator Cap	127130821	12
11025 ●●●	Gal. Can with Screw-on Cap	127130811	6

FlowGuard Gold® is a registered trademark of The Lubrizol Corporation.

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

714™ CPVC Orange, Heavy-Bodied, Medium-Setting



- Heavy-bodied, medium-setting, low-VOC CPVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter
- Industrial quality for non-chemical applications up to 180°F (82°C)
- Approved for use on Corzan® CPVC piping systems

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10137 ●●●	1/2 Pt. Can with Applicator Cap	107140641	24
10135 ●●●	Pt. Can with Applicator Cap	107140631	12
10132 ●●●	Qt. Can with Applicator Cap	107140621	12
10130 ●●●	Gal. Can with Screw-on Cap	107140611	6

714™ CPVC Gray, Heavy-Bodied, Medium-Setting



- Heavy-bodied, medium-setting, low-VOC CPVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter
- Industrial quality for non-chemical applications up to 180°F (82°C)
- Approved for use on Corzan® CPVC piping systems

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10134 ●●	Pt. Can with Applicator Cap	107140131	12
10131 ●●	Qt. Can with Applicator Cap	107140121	12

724™ CPVC Orange, Heavy-Bodied, Medium-Setting



- Heavy-bodied, medium-setting, low-VOC CPVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter
- Premium, high-strength, chemical-resistant solvent cement for use with CPVC piping systems carrying acids, bases, salts and hypochlorites
- Ideal for use in waste water plants
- May be used on PVC industrial piping systems for chemical applications
- Approved for Corzan® CPVC piping systems

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
13531 ●●	Pt. Can with Applicator Cap	13531	12
12818 ●●	Qt. Can with Applicator Cap	107240621	12
12817 ●●	Gal. Can w/ Screw-on Wide-mouth Cap	107240611	6



724™ CPVC Gray, Heavy-Bodied, Medium-Setting



- Heavy-bodied, medium-setting, low-VOC CPVC cement for all classes and schedules with interference fit through 12" (315 mm) diameter
- Premium, high-strength, chemical-resistant solvent cement for use with CPVC piping systems carrying acids, bases, salts and hypochlorites
- Ideal for use in waste water plants
- May be used on PVC industrial piping systems for chemical applications
- Approved for Corzan® CPVC piping systems

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
11890 ●●	Pt. Can with Applicator Cap	107240131	12
11659 ●●	Qt. Can with Applicator Cap	107240121	12
12233 ●●	Gal. Can w/ Screw-on Wide-mouth Cap	107240111	6

729™ CPVC Gray, Extra Heavy-Bodied, Slow-Setting



- Extra heavy-bodied, slow-setting, low-VOC CPVC cement for all classes and schedules of industrial piping with interference fit through 24" (600 mm) diameter
- May be used for chemical applications Industrial quality cement for applications requiring high gap filling properties
- Ideal for fabrication of large fittings

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10845 ●●	Qt. Triple Tight Paint Can	107290122	12
10844 ●●	Gal. Triple Tight Paint Can	107290112	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

771™ ABS Milky, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC ABS cement for all classes and schedules with interference fit through 8" (200 mm) diameter
- Specially formulated for plumbing applications (DWV, sewer & drain pipe), conduit and foam cores

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10233 ●●●	Pt. Can with Applicator Cap	107710531	12
10232 ●●●	Qt. Can with Applicator Cap	107710521	12
10230 ●●●	Gal. Can with Screw-on Cap	107710511	6

771™ ABS Yellow, Medium-Bodied, Fast-Setting (For Canada)



- Medium-bodied, fast-setting, low-VOC ABS cement for all classes and schedules with interference fit through 8" (200 mm) diameter
- Specially formulated for plumbing applications (DWV, sewer & drain pipe), conduit and foam cores

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10969 ●●●●	1/4 Pt. Can with Applicator Cap	107710851	24
10968 ●●●●	1/2 Pt. Can with Applicator Cap	107710841	24
10967 ●●●●	Pt. Can with Applicator Cap	107710831	12
10966 ●●●●	Qt. Can with Applicator Cap	107710821	12
10965 ●●●●	Gal. Can with Screw-on Cap	107710811	6

773™ ABS Black, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC ABS cement for all classes and schedules with interference fit through 8" (200 mm) diameter
- Specially formulated for plumbing applications (DWV, sewer & drain pipe), conduit and foam core

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10246 ●●●	1/4 Pt. Can with Applicator Cap	107730351	24
10245 ●●●	1/2 Pt. Can with Applicator Cap	107730341	24
10244 ●●●	Pt. Can with Applicator Cap	107730331	12
10243 ●●●	Qt. Can with Applicator Cap	107730321	12
10241 ●●●	Gal. Can with Screw-on Cap	107730311	6



790™ Multi-Purpose Clear, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC multi-purpose cement for all classes and schedules with interference fit through 6" (160 mm) diameter, Sch. 80 through 4" (110 mm) diameter
- High-strength cement for PVC and CPVC pipe and fittings

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10260	1/4 Pt. Can with Applicator Cap	107900051	24
10259	1/2 Pt. Can with Applicator Cap	107900041	24
10258	Pt. Can with Applicator Cap	107900031	12
10257	Qt. Can with Applicator Cap	107900021	12
11248	Gal. Can with Screw-on Cap	107900011	6

794™ ABS-PVC Transition Green, Medium-Bodied, Fast-Setting



- Medium-bodied, fast-setting, low-VOC transition cement for all classes and schedules with interference fit through 6" (160 mm) diameter (not for Schedule 80)
- Specifically designed for use on ABS to PVC transition joints in non-pressure systems
- Suitable for sewer, DWV, and conduit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
13369 ●●	1/4 Pt. Can with Applicator Cap	13369	24
10275 ●●	1/2 Pt. Can with Applicator Cap	107940741	24
10274 ●●	Pt. Can with Applicator Cap	107940731	12
10273 ●●	Qt. Can with Applicator Cap	107940721	12
10272 ●●	Gal. Can with Screw-on Cap	107940711	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR.
IPS CORPORATION

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Plumbing Primer, Purple



- Quality low-VOC primer essential for proper softening and preparation of PVC and CPVC pipe and fitting surfaces
- Specially formulated for plumbing applications

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
14028 ●●	1/4 Pt. Can with Applicator Cap	14028	24
14027 ●●	1/2 Pt. Can with Applicator Cap	14027	24
14026 ●●	Pt. Can with Applicator Cap	14026	12
14025 ●●	Qt. Can with Applicator Cap	14025	12
14024 ●●	Gal. Can with Screw-on Cap	14024	6

Plumbing Primer, Clear



- Quality low-VOC primer essential for proper softening and preparation of PVC and CPVC pipe and fitting surfaces
- Specially formulated for plumbing applications

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
14033 ●●	1/4 Pt. Can with Applicator Cap	14033	24
14032 ●●	1/2 Pt. Can with Applicator Cap	14032	24
14031 ●●	Pt. Can with Applicator Cap	14031	12
14030 ●●	Qt. Can with Applicator Cap	14030	12
14029 ●●	Gal. Can with Screw-on Cap	14029	6



P-70™ Purple Primer



- Premium, industrial-strength, low-VOC primer essential for proper softening and preparation of PVC and CPVC pipe and fitting surfaces
- Specially recommended for use on Schedule 80 (PN 10 and higher) and large size pipe
- Excellent for cold weather applications

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10229 ●●	1/4 Pt. Can with Applicator Cap	107700451	24
10227 ●●	1/2 Pt. Can with Applicator Cap	107700441	24
10225 ●●	Pt. Can with Applicator Cap	107700431	12
10223 ●●	Qt. Can with Applicator Cap	107700421	12
10221 ●●	Gal. Can with Screw-on Cap	107700411	6

P-70™ Clear Primer



- Premium, industrial-strength, low-VOC primer essential for proper softening and preparation of PVC and CPVC pipe and fitting surfaces
- Specially recommended for use on Schedule 80 (PN 10 and higher) and large size pipe
- Excellent for cold weather applications

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10228 ●●	1/4 Pt. Can with Applicator Cap	107700051	24
10226 ●●	1/2 Pt. Can with Applicator Cap	107700041	24
10224 ●●	Pt. Can with Applicator Cap	107700031	12
10222 ●●	Qt. Can with Applicator Cap	107700021	12
10220 ●●	Gal. Can with Screw-on Cap	107700011	6

P-75™ Wet 'R Dry™ Aqua Blue Primer



- Premium, fast-acting, industrial-strength, low-VOC primer essential for proper softening and preparation of PVC and CPVC pipe and fitting surfaces
- For use with 725™ Wet 'R Dry™ Cements
- Specially formulated for wet and/or quick set applications

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10250 ●	1/2 Pt. Can with Applicator Cap	107750941	24
10249 ●	Pt. Can with Applicator Cap	107750931	12
10248 ●	Qt. Can with Applicator Cap	107750921	12
10247 ●	Gal. Can with Screw-on Cap	107750911	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

C-65™ Clear Cleaner



- Low-VOC cleaner for removal of oil and grease from the surfaces of PVC, CPVC, ABS and STYRENE pipe and fittings
- Recommended for use before priming of pipe and fittings

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10204	1/4 Pt. Can with Applicator Cap	107650051	24
10203	1/2 Pt. Can with Applicator Cap	107650041	24
10202	Pt. Can with Applicator Cap	107650031	12
10201	Qt. Can with Applicator Cap	107650021	12
10200	Gal. Can with Screw-on Cap	107650011	6

PC-64™ Purple Primer-Conditioner



- Low-VOC formula for surface preparation of PVC and CPVC pipe and fittings before solvent cement application

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10875	1/4 Pt. Can with Applicator Cap	107640451	24
10874	1/2 Pt. Can with Applicator Cap	107640441	24
10873	Pt. Can with Applicator Cap	107640431	12
10872	Qt. Can with Applicator Cap	107640421	12
10871	Gal. Can with Screw-on Cap	107640411	6

PC-64™ Clear Primer-Conditioner



- Low-VOC formula for surface preparation for PVC and CPVC pipe and fittings before solvent cement application

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
12656	Qt. Can with Applicator Cap	107640021	12

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

600™ Clear, Regular-Bodied Contact Adhesive



- Contact adhesive for Polyethylene, Polypropylene, PVC, ABS and Styrene non-pressure drainage systems through 4" diameter; HVAC duct applications through 6" diameter interference fit
- Clear, regular-bodied and fast-setting

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10077	Pt. Can with Applicator Cap	106000031	12
10076	Qt. Can with Applicator Cap	106000021	12

810™ White Repair and Fabrication Adhesive



- Two-component, high-strength, low-VOC reactive adhesive for PVC, CPVC, and other dissimilar materials (acrylic, clay, Styrene, fiberglass reinforced polyester, and concrete)
- Product can withstand very high pressure and is high impact-resistant
- Great for repairing cracks or leaky pipe valves and fittings
- Excellent gap-filling property which is ideal for fabricating fittings and joining saddles to pipe
- Good for bonding large diameter PVC and CPVC pipe and fittings

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10813	4 Oz. Plastic Jar with Screw-on Cap	10810K151	6
10812	Pt. Plastic Jar with Screw-on Cap	10810K131	4
10811	Qt. Plastic Jar with Screw-on Cap	10810K121	4
10810	Gal. Plastic Jar with Screw-on Cap	10810K111	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Can Applicator Brushes and Daubers

- Available in fixed and adjustable handle styles
- Options for 1/4 pint, 1/2 pint, pint and quart cans
- Designed to fit standard pint and quart can types



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
12121	PB-1 Brush in Plastic Cap w/Handle for Pt. & Qt. Cans	006010000	25
10832	SuperDauber 75, 3/4" Adjustable Dauber	001720000	50
10833	SuperDauber 150, 1-1/4" Adjustable Dauber	001710000	50
10004	DP-75 Cap Dauber for 3/4" up to 1-1/2" Pipe Diameter	006150000	50
10005	DP-150 Cap Dauber 1-1/2" for up to 3" Pipe Diameter	006160000	50
12429	DQ-75 Cap Dauber 3/4" for up to 1-1/2" Pipe Diameter	006580000	50
10006	DQ-150 Cap Dauber 1-1/2" for up to 3" Pipe Diameter	006170000	50
13199	DH-38, 3/8" Cap Dauber for FlowGuard Gold® 1/4 & 1/2 Pint Cans	006200000	50
10003	Pint Sized Cap Dauber 3/4" for FlowGuard Gold®	006190000	50
11831	DQ-50, 1/2" Cap Dauber for FlowGuard Gold® Qt. Can	006180000	50

Can Applicator Rollers and Swabs

- Available in a range of applicator options
- Products designed to handle 3"-8" pipe diameters
- Applicator options to fit standard and empty cans
- Suitable for empty and wide-mouth cans



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
10007	3020 Roll-A-Weld 3" Roller for MT-653 Qt. Can	006300000	24
11957	6020 4" Roller for MT-651 Qt. Can	006330000	24
10008	7020 Jumbo Roll-A-Weld 7" Roller for MT-648 Gal. Can	006310000	20
10009	4020 4" Swab for MT-648 Gal. Can	006320000	24
12071	5020 4" Swab for MT-651 Qt. Can	006340000	24
13360	8020 4" Cotton Swab, Wire Handle for 6" Diameter or Larger Pipe	13360	24
10006	DQ-150 Cap Dauber 1-1/2" for up to 3" Pipe Diameter	006170000	50
13199	DH-38, 3/8" Cap Dauber for FlowGuard Gold® 1/4 & 1/2 Pint Cans	006200000	50
10003	Pint Sized Cap Dauber 3/4" for FlowGuard Gold®	006190000	50
11831	DQ-50, 1/2" Cap Dauber for FlowGuard Gold® Qt. Can	006180000	50

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

SuperSwab™ Applicator



- Shed-resistant swab material-best for smooth full application of cements or primers
- Product designed to handle 4"-8" pipe diameters
- Extra-long handle for convenient grip
- Adjustable length and dual cap design that fits quart and gallon containers
- Disposable swab, reusable handle

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
14108	SuperSwab (swab and handle included)	14108	12
14111	SuperSwab - bulk pack (swabs and handles included)	14111	24
14109	Replacement swabs (4 swabs per bag)	14109	3 bags
14112	Replacement swabs - bulk pack	14112	24

Easy Twist™ Can Opener



- Ergonomically designed to easily open cement cans without damaging can
- Tightens and seals the cap with an extra torque

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
14550	Easy Twist, 8-pack display	14550	8

Empty Containers



- Applicator not included
- For solvent cements or primers

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
10010	MT-648 Gal. Can with 2 7/8" Neck	006480000	6
10012	MT-651 Qt. Can with 1 3/4" Neck	006510000	12
10014	MT-653 Qt. Can with Triple Tight Paint Can	006530000	12
10015	MT-654 Pt. Can with 1 3/4" Neck	006540000	12

Cement and Primer Carriers



- For carrying quart and pint cans

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
12891	CanTote™ for carrying quart & pint cement cans	001870000	24
14147	CanTote™ for carrying quart & pint cement cans	14147	6

ALL SEAL™ Beige Plastic and Metal Pipe Thread Sealant



- Multi-purpose sealant
- Slow drying, soft-setting, formula allows ample time to work with pipe joints. Also easy for disassembly
- Creamy, non-separating consistency provides excellent thread coverage
- Very low-VOC content: 152 g/L
- Product is grit-free to provide leak-proof seal on pipe threads
- For sealing and lubricating all metal and plastic (ABS, PVC, CPVC, Polypropylene & Nylon) piping systems carrying various materials
- 2-year shelf life

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87660 ●●	1/4 Pt. Can with Brush in Cap Applicator	R5123	24
87665 ●●	1/2 Pt. Can with Brush in Cap Applicator	R5124	24
87670 ●●	Pt. Can with Brush in Cap Applicator	R5125	12

BLUE SEAL™ Blue Plastic and Metal Pipe Thread Sealant



- Industrial grade sealant
- Excellent for industrial applications and pipe lines in high vibration environments
- Contains finely homogenized PTFE particles for filling cracks and thread imperfections – ensuring leak-proof seal
- Heavy duty, grit-free formula
- For sealing and lubricating all metal and plastic (ABS, PVC, CPVC, Polypropylene & Nylon) piping systems carrying various materials
- Zero VOC content
- 3-year shelf life

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87685 ●●	1/2 Pt. Can with Brush in Cap Applicator	R5134	24
87690 ●●	Pt. Can with Brush in Cap Applicator	R5135	12
87695 ●●	Qt. Can with Brush in Cap Applicator	R5136	12



PTFE Thread Seal Tapes

- Meets Fed. mil SPEC T-27730A
- Virgin PTFE Particles
- Contractor Quality
- Great Stretch/Tear Properties



PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87755	3/4" x 520" PTFE Tape	TA-SW520	70
80310	1/2" x 520" PTFE Tape	TA-S520	100
87720	1" x 520" PTFE Tape	TA-SX520	50
87750	3/4" x 260" PTFE Tape	TA-SW260	70
80315	1/2" x 260" PTFE Tape	TA-S260	100
80320	1/2" x 260" Yellow PTFE Tape Designed for Gas Lines of all Types	TA-USTT1226Y	12
80325	1/2" x 260" Pink PTFE Tape for Plumbers and Pipe Fitters	TA-USTT1226P	12
513544	1/2" x 260" Gray PTFE Tape for use on all Stainless Steel Fittings	TA-USTT1226GRAY	144
513547	1/2" x 260" White PTFE Tape Designed for Oxygen Applications	TA-USTT1252	144
513543	Tape, Green Oxygen PTFE Thread Seal, 1/2"	TA-USTT1226G	144





White Seal Plus™ White Plastic and Metal Pipe Thread Sealant



- Multi-purpose sealant with PTFE
- Contains finely homogenized PTFE particles for filling cracks and thread imperfections – ensuring a leak-proof seal
- Non-setting formula allows easy disassembly of joints without damage to pipe, fittings or threads
- Protects threaded areas from rust and corrosion and prevents galling
- For sealing and lubricating all metal and plastic (ABS, PVC, CPVC, Polypropylene & Nylon) piping systems carrying various materials.1 Compatible with FlowGuard Gold®, BlazeMaster® and Corzan®
- Zero VOC content
- 3-year shelf life

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
80200 ●●	1.7 Oz. Tube	R5002	12
87725 ●●	1/4 Pt. Can with Brush in Cap Applicator	R5163	24
87730 ●●	1/2 Pt. Can with Brush in Cap Applicator	R5164	24
87735 ●●	Pt. Can with Brush in Cap Applicator	R5165	12
87740 ●●	Qt. Can with Brush in Cap Applicator	R5166	12

505™ Key-Tite® Green Metal Pipe Thread Sealant



- Special formulation seals and lubricates metal pipe joints as well as protects them from rusting and seizing
- Applicable for all types of metal joints (threaded, flanged or gasketed)
- For sealing and lubricating all metal piping systems carrying various materials

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
10069	1/4 Pt. Can with Brush in Cap Applicator	105050051	24
10068	1/2 Pt. Can with Brush in Cap Applicator	105050041	24
10064	Pt. Can with Brush in Cap Applicator	105050031	12
10063	Qt. Triple Tight Paint Can	105050022	12

Epoxy Putty Stick



- Quick-hardening sealant/adhesive
- Plugs, seals, patches or repairs most materials except polyethylene or polypropylene
- Excellent for underwater repairs
- Non-toxic, safe for potable water line
- Hardens in 20 minutes and cures in 1 hour
- Lead-free and non-toxic

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
84055	4 Oz. Epoxy Putty Stick	REP1	24

Pipe Stick Joint Compound



- Thread sealant for metal and plastic pipe
- Lead-free and non-toxic
- Prevents rust and corrosion allowing easier disassembly

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
81255	1.3 Oz. Pipe Stick Joint Compound	R5071	12/box 144/case

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Soft Seal™ Plumbers Putty



- Weld-On Soft Seal Plumber's Putty is compatible with ABS, PVC, and all metals. Check other manufacturer's putty installation instructions to ensure compatibility with ABS and PVC plastics
- For setting and sealing plumbing fixtures and drains
- Will not harden, crack or crumble
- Complies with Federal Specification TT-P-1536A
- Lead-free, non-corrosive and stainless
- 100% waterproof

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
80100	14 Oz. Poly Tub	R5101	24
80103	3 Lb. Poly Tub	R5103	6
80105	5 Lb. Poly Tub	R5105	6

Stain Free Soft Seal™ Plumbers Putty



- Stain-free for use on granite, marble, stone, quarts and fiberglass
- For setting and sealing plumbing fixtures and drains
- Do not apply on ABS surfaces
- Will not harden, crack or crumble
- 100% waterproof
- Complies with Federal Specification TT-P-1536A

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
80111	14 oz Poly Tub	80111	24
80112	3 Lb. Poly Tub	80112	6

182™ Roof Flashing Cement



- For repairing and sealing leaks around flashings, sky lights, vents, gutter and other protrusions
- Wet or dry weather plastic cement

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
10051	Qt. Triple Tight Paint Can	101820021	12
10050	Gal. Triple Tight Paint Can	101820011	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Light Cutting Oil

- For light-duty manual or low-RPM machine threading of ferrous and non-ferrous metals as well as for drilling, reaming and rolling machines using ferrous and non-ferrous metals



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
80424	Qt. Poly Bottle	R1523	24
80425	Gal. Poly Bottle	R1525	6

Dark Cutting Oil

- For medium- to heavy-duty cutting, threading, drilling, reaming and rolling machines using ferrous and non-ferrous metals
- High-grade oil blend



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
80420	Qt. Poly Bottle	R1623	12
80421	Gal. Poly Bottle	R1625	6

Brushes and Sand Cloth

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
81352	Acid Brushes	R5401	144
81610	1/2" Premium Duty Fitting Brush	R5553	12
81620	3/4" Premium Duty Fitting Brush	R5555	12
81625	1" Premium Duty Fitting Brush	R5557	12
81630	1-1/4" Premium Duty Fitting Brush	R5559	12
81635	1-1/2" Premium Duty Fitting Brush	R5561	12
81640	2" Premium Duty Fitting Brush	R5563	12
87795	1/2" Heavy Duty Wire Handle Fitting Brush	R5581	12
87800	3/4" Heavy Duty Wire Handle Fitting Brush	R5583	12
87805	1" Heavy Duty Wire Handle Fitting Brush	R5585	12
81651	Combination 4-n-1 Copper Tube & Fitting Brush	R5566	10
81560	1/2" Copper Tube Cleaning Brush	R5570	36
81565	3/4" Copper Tube Cleaning Brush	R5575	36
81400	2 Yds. x 1-1/2" Sand Cloth	R5451	24
81405	10 Yds. x 1-1/2" Sand Cloth	R5455	24
81410	25 Yds. x 1-1/2" Sand Cloth	R5460	24
81500	5 Yds. x 1-1/2" Open Mesh Cloth	R5501	24
81505	10 Yds. x 1-1/2" Open Mesh Cloth	R5503	24
80890	Flame Stopper 9" x 12" Torch Protector	RFS1	25



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

EZ Flush™ Pipe Lubricant



- Applicable for joining all metal and plastic gasketed pipes
- Lubricates slip-on or "O" ring type joints without harming rubber or plastic gaskets
- Easily flushes out of piping system
- Non-toxic and non corrosive
- No taste or odor transferred to fluids in piping system

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87717 ●	Pt. Poly Tub	87717	24
87718 ●	Qt. Poly Tub	87718	12
87719 ●	Gal. Poly Tub	87719	4
87721 ●	5 Gal. Poly Tub	87721	1

Seal Lube Gasket Lubricant



- Primes and lubricates slip-on or "O" ring type joints with rubber or synthetic rubber gaskets
- Non-toxic and non-corrosive
- No taste or odor
- 100% water soluble

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87705 ●	Pt. Poly Tub	R5175	12
87710 ●	Qt. Poly Tub	R5176	12
87715 ●	Gal. Poly Tub	R5177	4

Slik Seal™ Plumbers Grease



- For lubricating valve stems, faucets, ball cocks, ensuring smooth operation
- Does not include silicone
- 100% waterproof
- Combination of lithium soap, solvent refined basestock and additives
- Excellent for hot water steam or potable water systems

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
80427 ●	1 Oz. Tin	R301	24



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION


TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



GUY GRAY™

1958


The first-ever washing machine outlet box manufacturer

Starting with the original washing machine outlet box in 1958, the Guy Gray™ line has always featured innovative metal-box solutions to keep pace with an ever-evolving industry.

Today

Now the first choice for all metal outlet boxes

What began as a handful of galvanized metal boxes is now an extensive, widely trusted product line – the industry's No. 1 choice in metal outlet boxes. Guy Gray™ also offers a wide range of domestic valves and fire-rated boxes.



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF-TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Center Drain Galvanized Washing Machine Outlet Boxes



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Rough opening: 10" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 11-5/8" W x 9-1/2" H
- Domestic valves
- Unassembled
- 3/4" Hose outlet



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82026	1/2" MIP/Sweat Conx. Valve, 1-1/2" Threaded Drain Fitting	B150	6
82032	1/2" MIP/Sweat Conx. Valve, 2" Threaded Drain Fitting	B200	6
82036	Top-mount 1/2" MIP/Sweat Conx. Valves, 2" Threaded Drain Fitting	BB200TS	6
81974	1/2" F1807 Conx., 2" Threaded Drain	B200X	6
81975	1/2" CPVC Conx., 2" Threaded Drain	B200C	6
97091	Replacement Faceplate for Models B, BB, WB, FB, & BIM; 20 Ga. Galvanized ¹	B	1

Center Drain Galvanized Washing Machine Outlet Boxes with Duplex Receptacle



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Duplex receptacle: 20 amp, 110 volt
- Available with GFCI Receptacle: 20 Amp, 125 Volt
- Rough opening: 12-1/4" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 13-3/4" W x 9-1/2" H
- Domestic valves
- Unassembled
- 3/4" Hose outlet



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82033	1/2" MIP/Sweat Conx. Valve, 2" Threaded Drain Fitting	BE200	6
82037	Top-mount 1/2" MIP/Sweat Conx. Valves, 2" Threaded Drain Fitting	BBE200TS	6

With GFCI Receptacle

82633	1/2" MIP/Sweat Valves, GFCI Recpt.	BE200GF	6
82636	Top Mount 1/2" MIP/Sweat Valves, GFCI Recpt.	BBE200TSGF	6
97092	Replacement Faceplate for Models BE, BBE, WBE, & FBE; 20 Ga. Galvanized ¹	BE	1

¹Faceplates are Category *

Center Drain Galvanized Washing Machine Outlet Boxes with Duplex & Dryer Receptacles



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Duplex receptacle: 20 amp, 110 volt
- Dryer receptacle: 30 amp, 220 volt, 3-wire
- Available with GFCI Receptacle: 20 Amp, 125 Volt
- Rough opening: 14-1/4" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 15-3/4" W x 9-1/2" H
- Domestic valves, unassembled
- 3/4" Hose outlet

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82028 ●	1/2" MIP/Sweat Conx. Valve, 1-1/2" Threaded Drain Fitting	BED150	6
82034 ●	1/2" MIP/Sweat Conx. Valve, 2" Threaded Drain Fitting	BED200	6
81978 ●	1/2" MIP/F1807 Valves, Duplex & 3 Wire Recpt.	BED200P	6
82038 ●	Top-mount 1/2" MIP/Sweat Conx. Valves, 2" Threaded Drain Fitting	BBED200TS	6
With GFCI Receptacle			
82632 ●	1/2" MIP/Sweat Valves, 1-1/2" Threaded Drain - GFCI & 3 Wire Recpt.	BED150GF	6
82634 ●	1/2" MIP/Sweat Valves, GFCI & 3 Wire Recpt.	BED200GF	6
82679 ●	1/2" MIP/F1807 Valves, GFCI & 3 Wire Recpt.	BED200PGF	6
82637 ●	Top Mount 1/2" MIP/Sweat Valve, GFCI & 3 Wire Recpt.	BBED200TSGF	6
97093	Replacement Faceplate for Models BED, BBED, WBED, & FBED; 20 Ga. Galvanized ¹	BED	1

¹ Faceplates are Category *



Center Drain Galvanized Washing Machine Outlet Boxes with Duplex and Dryer Receptacles on Right



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Duplex receptacle: 20 amp, 110 volt
- Dryer receptacle: 30 amp, 220 volt
- Available with GFCI Receptacle: 20 Amp, 125 Volt
- Rough opening: 14" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 15-3/4" W x 9-1/2" H
- Domestic valves, unassembled
- 3/4" Hose outlet

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82142 ●	1/2" MIP/Sweat Conn. Valve, 2" Drain, 3 Wire 220V Receptacle	NWBED200-3	6
82035 ●	1/2" MIP/Sweat Conn. Valve, 2" Drain, 4 Wire 220V Receptacle	NWBED200-4	6
With GFCI Receptacle			
82671 ●	1/2" MIP/Sweat Valves, GFCI & 3 Wire Recpt.	NWBED2003GF	6
82635 ●	1/2" MIP/Sweat Valves, GFCI & 4 Wire Recpt.	NWBED2004GF	6
97094	Replacement Faceplate for Models NWBED, WNWBED, & NWFBED; 20 Ga. Galvanized ¹	NWBED	1

Right Drain Galvanized Washing Machine Outlet Boxes



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Rough opening: 10" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 11-5/8" W x 9-1/2" H
- Unassembled

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82030 ●	1/2" MIP/Sweat Conn. Domestic Valve, 1-1/2" Threaded Drain Fitting	FB150	6
82039 ●	1/2" MIP/Sweat Conn. Domestic Valve, 2" Threaded Drain Fitting	FB200	6
82031 ●	1/2" MIP/Sweat Conn. Single-Lever Valve, 1-1/2" Threaded Drain Fitting	WB150	6
82043 ●	1/2" MIP/Sweat Conn. Single-Lever Valve, 2" Threaded Drain Fitting	WB200	6
97091	Replacement Faceplate for Models B, BB, WB, FB, & BIM; 20 Ga. Galvanized ¹	B	1

¹Faceplates are Category *

Right Drain Galvanized Washing Machine Outlet Boxes with Hammer Arrester Valves



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Rough opening: 10" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 11-5/8" W x 9-1/2" H
- Unassembled

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82048 ●	Single-Lever Valve w/Hammer Arresters, 2" Drain	WB200HA	6
97091	Replacement Faceplate for Models B, BB, WB, FB, & BIM; 20 Ga. Galvanized ¹	B	1

Right Drain Galvanized Washing Machine Outlet Boxes with Duplex Receptacle



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Duplex receptacle: 20 amp, 110 volt
- Available with GFCI Receptacle: 20 Amp, 125 Volt
- Rough opening: 12-1/4" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 13-3/4" W x 9-1/2" H
- Unassembled

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82040 ●	1/2" MIP/Sweat Conx. Valve, Domestic	FBE200	6
82044 ●	1/2" MIP/Sweat Conx. Single-Lever Valve	WBE200	6
82047 ●	1/2" MIP/Sweat Arrester Valve, Single Lever Valve	WBE200HA	6
With GFCI Receptacle			
82638 ●	1/2" MIP/Sweat Valves, GFCI Recpt.	FBE200GF	6
82668 ●	1/2" MIP/Sweat Single-Lever Valve, GFCI Recpt.	WBE200GF	6
82631 ●	1/2" MIP/Sweat Single-Lever Valve, GFCI Recpt.	WBE200HAGF	6
97092	Replacement Faceplate for Models BE, BBE, WBE, & FBE; 20 Ga. Galvanized ¹	BE	1

¹ Faceplates are Category *



Right Drain Galvanized Washing Machine Outlet Boxes with Duplex and Dryer Receptacle



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male Threaded drain fitting & locknut included
- Duplex Receptacle: 20 amp, 110 volt
- Available with GFCI Receptacle: 20 Amp, 125 Volt
- Dryer Receptacle: 30 amp, 220 volt, 3-wire
- Rough Opening: 14-1/4" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 15-3/4" W x 9-1/2" H
- Unassembled

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82041	1/2" MIP/Sweat Conx. Valve, Domestic	FBED200	6
82045	1/2" MIP/Sweat Conx. Single-Lever Valve	WBED200	6

With GFCI Receptacle

82639	1/2" MIP/Sweat Valves, GFCI & 3 Wire Recpt.	FBED200GF	6
82669	1/2" MIP/Sweat, Single-Lever Valve, GFCI & 3 Wire Recpt.	WBED200GF	6
97093	Replacement Faceplate for Models BED, BBED, WBED, & FBED; 20 Ga. Galvanized ¹	BED	1

Right Drain Galvanized Washing Machine Outlet Boxes with Duplex and Dryer Receptacle on Right



- 20-gauge box / 20-gauge faceplate
- G90 hot-dipped galvanized steel (Unpainted)
- Male threaded drain fitting & locknut included
- Duplex receptacle: 20 amp, 110 volt
- Available with GFCI Receptacle: 20 Amp, 125 Volt
- Dryer receptacle: 30 amp, 3 or 4-wire
- Rough opening: 14" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 15-3/4" W x 9-1/2" H
- Unassembled

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82042	1/2" MIP/Sweat Conx. Valves, 4 Wire 220 V Receptacle, Domestic	NWFBED200-4	6
82046	1/2" MIP/Sweat Conx. Single-Lever Valves, 3 Wire 250 V Receptacle	WNBED200-3	6
82144	1/2" MIP/Sweat Conx. Single-Lever Valves, 4 Wire 250 V Receptacle	WNBED200-4	6
81979	1/2" MIP/Sweat, Single-Lever Arrester Valve, Duplex & 4 Wire Recpt.	WNBED2004HA	6

With GFCI Receptacle

82640	1/2" MIP/Sweat Valves, GFCI & 4 Wire Recpt.	NWFBED2004FG	6
82670	1/2" MIP/Sweat, Single-Lever Valve, GFCI & 3 Wire Recpt.	WNBED2003GF	6
82678	1/2" MIP/Sweat, Single-Lever Valve, GFCI & 4 Wire Recpt.	WNBED2004GF	6
82680	1/2" MIP/Sweat Single Lvr Arrester Valve, GFCI & 4 Wire Recpt.	WNBED2004HAGF	6
97094	Replacement Faceplate for Models NWBED, WNBED, & NWFBED; 20 Ga. Galvanized ¹	NWBED	1

¹Faceplates are Category *

“T” Series Center Drain White Powder-Coated Cold Rolled Steel Washing Machine Outlet Boxes



- 20-gauge box / 20-gauge faceplate
- Knockouts in top, bottom and sides
- Watertight construction with sloped bottom
- White powder coat finish on cold rolled steel
- Rough opening: 12 3/4" W x 8-1/4" H x 3" D
- Faceplate dimension: 14" W x 9 1/4" H
- 2" PVC, ABS or Slipnut Drain Kit included [2" male adapter or pipe nipple not included in Slipnut Kit]
- Available with quarter-turn ball valve, quarter-turn ball valves with hammer arresters or domestic valves
- Unassembled



PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82139	Domestic MIP Valve, 1/2" Sweat Conx., 2" Threaded Drain Fitting	T200	6
82135	Domestic MIP Valve, 1/2" Sweat Conx., 2" PVC Drain Fitting	T200TPPVC	6
82353	Brass Qtr-turn Valves, 1/2" Sweat Conx., 2" PVC Drain Fitting	T200TPPVCQT	6
82136	Domestic MIP Valve, 1/2" Sweat Conx., 2" ABS Drain Fitting	T200TPABS	6
82147	Brass Qtr-turn Valves, 1/2" Sweat Conx., 2" ABS Drain Fitting	T200TPABSQT	6
82311	Brass Qtr-turn Valves, 1/2" Sweat Conx., 2" Slipnut Drain Kit	T200QT	6
82145	Brass Qtr-turn Valves, 1/2" CPVC Conx., 2" PVC Drain Fitting	T200TPPVCCPVC	6
82158	Brass Qtr-turn Arrester Valves, 1/2" Sweat Conx., 2" PVC Drain Fitting	T200TPPVCHA	6
82159	Brass Qtr-turn Arrester Valves, 1/2" CPVC Conx., 2" Slipnut Drain Kit	T200TPPVCHA	6
82137	Box w/o Valves, 2" PVC Drain Fitting	T200TPPLV	6
82138	Box w/o Valves, 2" ABS Drain Fitting	T200TPABSLV	6
82140	Box w/o Valves, 2" Threaded Drain Fitting	T200LV	6
97095	Replacement Faceplate for Model T150, T200; 20 Ga. White ¹	T	1

“TT” Series Center Drain White Powder-Coated Cold Rolled Steel Washing Machine Outlet Boxes



- 20-gauge box / 20-gauge faceplate
- White powder coat finish on cold rolled steel
- Lip guard on bottom to prevent overflow
- Extra deep faceplate accommodates up to 2 pieces of 5/8" drywall
- Rough opening: 8-1/4" W x 5-5/8" H x 3-1/2" D
- Faceplate dimension: 10-7/8" W x 8-3/8" H
- Available with quarter-turn ball valves or domestic valves
- Reversible right or left and center drain option
- 2" PVC, ABS or Slipnut Drain Kit included [2" male adapter or pipe nipple not included in Slipnut Kit]
- Unassembled

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82340	Dual outlet 1/2" Qtr-turn Sweat Valves, 2" Slipnut Drain Kit	TT200	6
82341	Dual outlet 1/2" Qtr-turn Sweat Valves, 2" Slipnut Drain Kit	TT200QTS	6
82342	Dual outlet 1/2" Domestic Sweat Valves, 2" PVC Drain Fitting	TT200TPPVC	6
82343	Dual outlet 1/2" Qtr-turn Sweat Valves, 2" PVC Drain Fitting	TT200TPPVCS	6
82344	Dual outlet 1/2" Qtr-turn CPVC Valves, 2" PVC Drain Fitting	TT200TPPVCC	6
82345	Dual outlet 1/2" Qtr-turn F1807 Valves, 2" PVC Drain Fitting	TT200TPPVCP	6
82346	Dual outlet 1/2" Domestic Sweat Valves, 2" ABS Drain Fitting	TT200TPABS	6
82348	Dual outlet 1/2" Qtr-turn CPVC Valves, 2" ABS Drain Fitting	TT200TPABSC	6
82306	Dual Outlet, 1/2" Qtr-Turn Wirsbo Valves, 2" PVC Drain Fitting	TT200TPPVCW	6
97095	Replacement Faceplate for Model T150, T200; 20 Ga. White ¹	T	1

¹ Faceplates are Category *

WELD-ON

GUY GRAY

WATER-TITE

TOUGH PANS

ROOF-TOP BLOK

TEST-TITE

AB&A

STUDOR

TRUEBRO

CHRISTY'S

Reversible Drain White Powder-Coated Econo Metal Washing Machine Outlet Box



- 20-gauge box / 20-gauge faceplate
- White powder coat finish on cold rolled steel
- Lip guard on bottom to prevent overflow
- Extra-deep faceplate accommodates up to 2 pieces of 5/8" drywall
- Rough opening: 8-1/4" W x 5-5/8" H x 3-1/2" D
- Faceplate dimension: 10-7/8" W x 8-3/8" H
- Available with Quarter-turn ball valves or domestic valves
- Reversible right or left and center drain option
- Unassembled
- 2" PVC, ABS or Slipnut Drain Kit included (2" male adapter or pipe nipple not included in Slipnut Kit)



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82112	Reversible Qtr-turn Valves – 1/2" Sweat Conx.	MWB-3	5
82114	Reversible Qtr-turn Valves – 1/2" CPVC Conx.	MWB-5	5
82116	Reversible Single-lever Valve – 1/2" Sweat Conx.	MWB-7	5
82148	Reversible Qtr-turn Hammer Arrestor Valves – 1/2" Sweat Conx.	MWB-16	5
82152	Reversible Qtr-turn Valves – 1/2" Sweat Conx./PVC Drain Conx.	MWB-17	5
82153	Reversible Qtr-turn Valves – 1/2" Sweat Conx./ABS Drain Conx.	MWB-18	5
82157	Reversible Single-lever Valve w/Hammer Arrestor	MWB-20	5
82165	1/2" Qtr-turn F1807 Valve – 2" ABS Drain Conx.	MWB25	5
82184	1/2" Qtr-turn F1960@ Valves – 2" Slipnut Drain Kit	MWB23	5
82314	Box w/o Valves, Slipnut Drain Kit	MWBRLV	5
Contractor Packs			
82113	Reversible Qtr-turn Valves – 1/2" Sweat Conx.	MWB-4	5
82115	Reversible Qtr-turn Valves – 1/2" CPVC Conx.	MWB-6	5
82117	Reversible Single-lever Valve – 1/2" Sweat Conx.	MWB-8	5
90504	Replacement Faceplate for Model MWB ¹	90504	1

¹Faceplates are Category *

Center Drain White Powder-Coated Econo Metal Washing Machine Outlet Box



- 20-gauge box / 20-gauge faceplate
- White powder coat finish on cold rolled steel
- Lip guard on bottom to prevent overflow
- Extra deep faceplate accommodates up to 2 pieces of 5/8" drywall
- Rough opening: 8-1/4" W x 5-5/8" H x 3-1/2" D
- Faceplate dimension: 10-7/8" W x 8-3/8" H
- Available with Quarter-turn ball valves or domestic valves
- Unassembled
- 2" PVC, ABS or Slipnut Drain Kit included (2" male adapter or pipe nipple not included in Slipnut Kit)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82118 ●	Center Drain Qtr-turn Valves, 1/2" Sweat Conx.	MWB-9	5
82120 ●	Center Drain Qtr-turn Valves, 1/2" CPVC Conx.	MWB-11	5
Contractor Packs			
82119 ●	Center Drain Qtr-turn Valves, 1/2" Sweat Conx.	MWB-10	5
82121 ●	Center Drain Qtr-turn Valves, 1/2" CPVC Conx.	MWB-12	5
90504	Replacement Faceplate for Model MWB ¹	90504	1

Dual Control Single-Lever Washing Machine Outlet Box



- Hot and cold valves can be operated individually or together. Inserting pin through lever holes combines controls.
- Faceplate design allows flush installation and covers the entire box for a clean finish
- One-piece box design, no loose parts to assemble
- Solid, one-piece high-impact resin construction with raised drip guard contains and directs hose leaks down the drain
- Snap-on frame
- Oversized knockouts will not fall down drain

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82472 ●	Dual Handle Single-lever Valve Box, Installed, 1/2" Sweat Conx.	DLWB1	5
89284	Replacement Faceplate for 82472 ¹	89284	1

¹ Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Center Drain White Powder-Coated Econo Metal Washing Machine Outlet Box



- 20-gauge box / 20-gauge faceplate
- White powder coat on cold rolled steel finish
- Lip guard on bottom to prevent overflow
- Extra deep faceplate accommodates up to
- 2 pieces of 5/8" drywall
- Rough opening: 8-1/4" W x 5-5/8" H x 3-1/2" D
- Faceplate dimension: 10-7/8" W x 8-3/8" H
- Available with Quarter-turn ball valves or domestic valves
- Assembled
- 2" PVC, ABS or Slipnut Drain Kit included
(2" male adapter or pipe nipple not included in Slipnut Kit)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82122 ●	1/2" Qtr-turn Sweat Valves Installed, 2" Slipnut Drain Kit	MWB-13	5
82146 ●	1/2" Qtr-turn F1807 Valves Installed, 2" Slipnut Drain Kit	MWB-15	5
82154 ●	1/2" Qtr-turn Sweat Valves Installed, Arrester, 2" Slipnut Drain Kit	MWB-19	5
86161 ●	1/2" Qtr-turn F1960 Valves Installed, Arrester, 2" PVC Drain Kit	MWB-30	5
Top Mount			
82161 ●	1/2" Qtr-turn Sweat Valves Installed, 2" ABS Drain Kit	MWB21	5
86162 ●	1/2" Qtr-turn Sweat Valves Installed, 2" Slipnut Drain Kit	MWB26	5
82162 ●	1/2" Qtr-turn F1960 Valves Installed, 2" ABS Drain Kit	MWB22	5
86163 ●	1/2" Qtr-turn CPVC Valves Installed, Arrester, 2" Slipnut Drain Kit	MWB27	5
86164 ●	1/2" Qtr-turn F1807 Valves Installed, Arrester, 2" Slipnut Drain Kit	MWB28	5
90504	Replacement Faceplate for Model MWB ¹	90504	1

Stainless Steel Washing Machine Outlet Box



- Box and faceplate made of 304 stainless steel
- Available with Quarter-turn valves or domestic valves
- Will not rust or corrode
- Rough opening: 8-1/4" W x 6-1/4" H x 3-1/2" D
- Faceplate dimension: 10-7/8" W x 8-3/8" H
- Center drain outlet w/2" slipnut to be used with 2" pipe nipple or male adapter
- 2" adapter not included
- Assembled

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82170 ●	Stainless Steel Center Drain, 1/2" Qtr-turn Sweat Valves	SSWB1	5
82171 ●	Stainless Steel Center Drain, 1/2" Domestic Sweat Valves	SSWB2	5
82172 ●	Stainless Steel Center Drain, 1/2" Qtr-turn Sweat Valves, Top-mount	SSWB1TM	5
82307 ●	Stainless Steel Center Drain, 1/2" Domestic Sweat Valves, Top-mount	SSWB2TM	5
82327 ●	Stainless Steel Center Drain, 1/2" Sweat Arrester Valves	SSWB3	5
82174 ●	Stainless Steel Drain Outlet Box w/2" drain opening Drain kit, no valves	SSDB1	5
97116	Replacement Faceplate for Model SSWB, SSIB & SSDB Stainless Steel ¹	97116	1

¹Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Lead-Free Galvanized Ice Maker Outlet Box



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Rough Opening: 10" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 11-5/8" W x 9-1/2" H
- Unassembled

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88510 ●	Qtr-turn Valve, 1/2" Sweat Connection	BIM875QTSAB	6
88158 ●	Domestic Valve, 1/2" Sweat Connection	BIM875AB	6
88512 ●	Qtr-turn Valve, 1/2" CPVC Connection	BIM876QTCAB	6
88514 ●	Qtr-turn Valve, 1/2" F1807 Connection	BIM877QTPAB	6
88517 ●	Qtr-turn Hammer Arrester Valve, 1/2" Wirsbo® Connection	BIM878QTWAB	6
97091	Replacement Faceplate for Models B, BB, WB, FB, & BIM; 20 Ga. Galvanized ¹	B	1

Lead-Free Metal Powder-Coated Ice Maker Outlet Box



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Rough opening: 4-1/8" W x 4-3/4" H x 2" D
- Faceplate dimension: 7" W x 7" H
- Assembled

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88133 ●	Qtr-turn Valve, 1/2" Sweat Connection, White	MIB1AB	5
88530 ●	Domestic Valve Installed, 1/2" Sweat Conx.	MIB1DAB	5
88534 ●	Qtr-turn Valve Installed, 1/2" Sweat Conx., Cont. Pack	MIB4AB	10
88532 ●	Qtr-turn Valve Installed, 1/2" CPVC Conx.	MIB2AB	5
88178 ●	Qtr-turn Valve, 1/2" F1807 Connection, White	MIB3AB	5
88535 ●	Qtr-turn Valve, 1/2" F1960 Connection	MIB5AB	5
90254	Replacement Faceplate Metal IMOB (7" x 7") 20 Ga. Steel ¹	7063	1

¹ Faceplates are Category *



Lead-Free Metal Powder-Coated Ice Maker Outlet Box with Hammer Arrestor Valve



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Rough opening: 4-1/8" W x 4-3/4" H x 2" D
- Faceplate dimension: 7" W x 7" H
- Assembled



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88531 ●	Qtr-turn Valve, 1/2" Sweat Connection with Arrestor	MIB1HAAB	5
88533 ●	Qtr-turn Valve, 1/2" CPVC Connection with Arrestor	MIB2HAAB	5
90254	Replacement Faceplate Metal IMOB (7" x 7") 20 Ga. Steel ¹	7063	1

Lead-Free Metal Powder-Coated Commercial Ice Maker Outlet Box with Drain

- Ideal for commercial coffee maker, dishwasher, or ice maker applications
- Valve contains 3/8" compression outlet
- Valve can be installed in multiple configurations
- 3/8" brass plated, Qtr-turn hammer arrestor valve meeting Lead Free requirements NSF61 NSF/ANSI 372
- Slipnut Drain Included (2" male adapter or pipe nipple not included in Slipnut Kit)
- Valve complies with ASSE 1010
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88436	2" Slipnut Drain, Brass Qtr-turn Hammer Arrestor Valve, Installed, 1/2" Sweat Conn., 3/8" Compression Outlet	RMDW1AB	5
90504	Replacement Faceplate for Model MWB ¹	90504	1

¹Faceplates are Category *

Lead-Free Stainless Steel Ice Maker Outlet Box



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and stamping
- Rough Opening: 10" W x 8-3/4" H x 3-1/2" D
- Faceplate dimension: 10-7/8" W x 8-3/8" H
- Assembled

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88164 ●	Qtr-turn Valve, 1/2" Sweat Connection	SSIB1AB	5
88177 ●	Domestic Valve, 1/2" Sweat Connection	SSIB2AB	5
97116	Replacement Faceplate for Model SSWB, SSIB & SSDB Stainless Steel ¹	97116	5

Lead-Free Mini Stainless Steel Ice Maker Outlet Box



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Small, compact design
- 20 Gauge Box / 20 Gauge Faceplate
- Rough opening: 4-1/8" W x 4-3/4" H x 2" D
- Faceplate dimensions: 7" W x 7" H

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88521 ●	Qtr-turn Valve, 1/2" Sweat Connection	SSMIB1AB	5
88522 ●	Qtr-turn Valve, 1/2" CPVC Connection	SSMIB2AB	5
88523 ●	Qtr-turn Valve, 1/2" F1807 Connection	SSMIB3AB	5
88524 ●	Qtr-turn Valve, 1/2" F1960 Connection	SSMIB5AB	5
97151	Replacement Faceplate for Model SSMIB ¹	97151	1

Lead-Free Mini Stainless Steel Ice Maker Outlet Box with Hammer Arrestor Valve



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Small, compact design
- 20 Gauge Box / 20 Gauge Faceplate
- Rough opening: 4-1/8" W x 4-3/4" H x 2" D
- Faceplate dimensions: 7" W x 7" H
- Valve complies with ASSE 1010

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88525 ●	Qtr-turn Arrestor Valve, 1/2" Sweat Connection	SSMIB6AB	5
88526 ●	Qtr-turn Arrestor Valve, 1/2" CPVC Connection	SSMIB7AB	5
88527 ●	Qtr-turn Arrestor, 1/2" F1807 Connection	SSMIB8AB	5
88528 ●	Qtr-turn Arrestor Valve, 1/2" F1960 Connection	SSMIB9AB	5
97151	Replacement Faceplate for Model SSMIB ¹	97151	1

¹ Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF-TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



FR-12 Metal Washing Machine Outlet Box with Quarter-Turn Valves



- Manufactured from heavy duty steel with a white powder-coated finish
- 2 intumescent pads attached to inside and back of outlet box
- Simple installation – just nail or screw to stud
- No loose pieces to assemble allows quick installation
- ELC Certified
- Rough opening: 5-3/8" W x 5-7/8" H x 3-1/8" D
- Faceplate dimension: 8-1/2" W x 8-1/2" H
- 1hr & 2hr rated
- Drains may be nominal 2" or larger PVC, ABS, or metallic pipe
- Available in Quarter-turn, domestic and single-lever valve; with and without hammer arresters installed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	LBS/ CASE
82567	Qtr-turn Valve, 1/2" Sweat Connection	FRM12S	22
82569	Qtr-turn Valve, 1/2" CPVC Connection	FRM12C	22
82571	Qtr-turn Valve, 1/2" F1807 Connection	FRM12P	20
82573	Qtr-turn Valve, 1/2" F1960 Connection	FRM12W	23
97983	Replacement Faceplate for Model FR, Metal ¹	97983	1



FR-12 Metal Washing Machine Outlet Box with Single-Lever Valve



- Manufactured from heavy duty steel with a white powder-coated finish
- 2 intumescent pads attached to inside and back of outlet box
- Simple installation – just nail or screw to stud
- No loose pieces to assemble allows quick installation
- ELC Certified
- Rough opening: 5-3/8" W x 5-7/8" H x 3-1/8" D
- Faceplate dimension: 8-1/2" W x 8-1/2" H
- 1 and 2 HR rating—see design specification for exact rating
- Drains may be nominal 2" or larger PVC, ABS, or metallic pipe
- Available in quarter-turn, domestic and single-lever valve; with and without hammer arresters installed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82575	Single-lever Valve, 1/2" Sweat Connection	FRM12SS	5
82577	Single-lever Valve, 1/2" CPVC Connection	FRM12CS	5
82579	Single-lever Valve, 1/2" F1807 Connection	FRM12PS	5
82581	Single-lever Valve, 1/2" F1960 Connection	FRM12WS	5
97983	Replacement Faceplate for Model FR, Metal ¹	97983	1

¹Faceplates are Category *

FR-12 Metal Washing Machine Outlet Box with Quarter-Turn Hammer Arrester Valves



- Manufactured from heavy duty steel with a white powder-coated finish
- 2 intumescent pads attached to inside and back of outlet box
- Simple installation – just nail or screw to stud
- No loose pieces to assemble allows quick installation
- Rough opening: 5-3/8" W x 5-7/8" H x 3-1/8" D
- Faceplate dimension: 8-1/2" W x 8-1/2" H
- ELC Certified
- 1 and 2 HR rating—see design specification for exact rating
- Drains may be nominal 2" or larger PVC, ABS, or metallic pipe
- Available in quarter-turn, domestic and single-lever valve; with and without hammer arresters installed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82583 ●	Qtr-turn Arrester Valve, 1/2" Sweat Connection	FRM12SHA	5
82585 ●	Qtr-turn Arrester Valve, 1/2" CPVC Connection	FRM12CHA	5
82587 ●	Qtr-turn Arrester Valve, 1/2" F1807 Connection	FRM12PHA	5
82589 ●	Qtr-turn Arrester Valve, 1/2" F1960 Connection	FRM12WHA	5
97983	Replacement Faceplate for Model FR, Metal ¹	97983	1

FR-12 Metal Washing Machine Outlet Box with Single-Lever Hammer Arrester Valve



- Manufactured from heavy duty steel with a white powder-coated finish
- 2 intumescent pads attached to inside and back of outlet box
- Simple installation – just nail or screw to stud
- No loose pieces to assemble allows quick installation
- Rough opening: 5-3/8" W x 5-7/8" H x 3-1/8" D
- Faceplate dimension: 8-1/2" W x 8-1/2" H
- ELC Certified
- 1 and 2 HR rating—see design specification for exact rating
- Drains may be nominal 2" or larger PVC, ABS, or metallic pipe
- Available in quarter-turn, domestic and single-lever valve; with and without hammer arresters installed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82591 ●	Single-lever Arrester Valve, 1/2" Sweat Connection	FRM12SSHA	5
82593 ●	Single-lever Arrester Valve, 1/2" F1807 Connection	FRM12PSHA	5
97983	Replacement Faceplate for Model FR, Metal ¹	97983	1

¹ Faceplates are Category *

FR-12 Plastic Washing Machine Outlet Box with Quarter-Turn Valves



- Intumescent pad attached to back of outlet box
- Molded-in test cap for testing of DWV drain system – test cap will not fall down the drain
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- Preloaded nails for right or left stud bay installation
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- 1hr & 2hr rated
- Made of high-temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82355 ●	Qtr-turn Valve, 1/2" Sweat Connection	FR12S	5
82357 ●	Qtr-turn Valve, 1/2" CPVC Connection	FR12C	5
82359 ●	Qtr-turn Valve, 1/2" F1807 Connection	FR12P	5
82361 ●	Qtr-turn Valve, 1/2" F1960 Connection	FR12W	5
Contractor Packs			
82356 ●	Qtr-turn Valve, 1/2" Sweat Connection	FR12SCP	10
82358 ●	Qtr-turn Valve, 1/2" CPVC Connection	FR12CCP	10
82360 ●	Qtr-turn Valve, 1/2" Connection	FR12PCP	10
82362 ●	Qtr-turn Valve, 1/2" F1960 Connection	FR12WCP	10
83370 ●	Qtr-turn Valves, 1/2" REHAU EVERLOC+™	FR12RCP	10
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

¹Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

FR-12 Plastic Washing Machine Outlet Box with Single-Lever Valves



- Intumescent pad attached to back of outlet box
- Molded-in test cap for testing of DWV drain system – test cap will not fall down the drain
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- Preloaded nails for right or left stud bay installation
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- 1hr & 2hr rated
- Made of high-temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82363 ●	Single-lever Valve, 1/2" Sweat Connection	FR12SS	5
82365 ●	Single-lever Valve, 1/2" CPVC Connection	FR12CS	5
82367 ●	Single-lever Valve, 1/2" F1807 Connection	FR12PS	5
82369 ●	Single-lever Valve, 1/2" F1960 Connection	FR12WS	5
Contractor Packs			
82364 ●	Single-lever Valve, 1/2" Sweat Connection	FR12SSCP	10
82366 ●	Single-lever Valve, 1/2" CPVC Connection	FR12CSCP	10
82368 ●	Single-lever Valve, 1/2" F1807 Connection	FR12PSCP	10
82370 ●	Single-lever Valve, 1/2" F1960 Connection	FR12WSCP	10
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

¹ Faceplates are Category *



FR-12 Plastic Washing Machine Outlet Box with Quarter-Turn Hammer Arrester Valves



- Intumescent pad attached to back of outlet box
- Molded-in test cap for testing of DWV drain system – test cap will not fall down the drain
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- Preloaded nails for right or left stud bay installation
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- 1hr & 2hr rated
- Made of high temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs			
82371 ●	Qtr-turn Arrester Valve, 1/2" Sweat Connection	FR12SHA	5
82373 ●	Qtr-turn Arrester Valve, 1/2" CPVC Connection	FR12CHA	5
82375 ●	Qtr-turn Arrester Valve, 1/2" F1807 Connection	FR12PHA	5
82377 ●	Qtr-turn Arrester Valve, 1/2" F1960 Connection	FR12WHA	5
Contractor Packs			
82372 ●	Qtr-turn Arrester Valve, 1/2" Sweat Connection	FR12SHACP	10
82374 ●	Qtr-turn Arrester Valve, 1/2" CPVC Connection	FR12CHACP	10
82376 ●	Qtr-turn Arrester Valve, 1/2" F1807 Connection	FR12PHACP	10
82378 ●	Qtr-turn Arrester Valve, 1/2" F1960 Connection	FR12WHACP	10
83371 ●	Qtr-turn Arrester Valves, 1/2" REHAU EVERLOC+™	FR12RHACP	10
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

¹Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

FR-12 Plastic Washing Machine Outlet Box with Single-Lever Hammer Arrester Valves



- Intumescent pad attached to back of outlet box
- Molded-in test cap for testing of DWV drain system – test cap will not fall down the drain
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- Preloaded nails for right or left stud bay installation
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- 1hr & 2hr rated
- Made of high temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82379 ●	Single-lever Arrester Valve, 1/2" Sweat Connection	FR12SSHA	5
82381 ●	Single-lever Arrester Valve, 1/2" F1807 Connection	FR12PSHA	5
Contractor Packs			
82380 ●	Single-lever Arrester Valve, 1/2" Sweat Connection	FR12SSHACP	5
82382 ●	Single-lever Arrester Valve, 1/2" F1807 Connection	FR12PSHACP	5
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

FR-12 Plastic Washing Machine Outlet Box with Domestic Valves



- Intumescent pad attached to back of outlet box
- Molded-in test cap for testing of DWV drain system – test cap will not fall down the drain
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- Preloaded nails for right or left stud bay installation
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- 1hr & 2hr rated
- Made of high temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82383 ●	Domestic Valve, 1/2" Sweat Connection	FR12DS	5
Contractor Packs			
82384 ●	Domestic Valve, 1/2" Sweat Connection	FR12DSCP	10
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

¹ Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

FR-12 Metal Ice Maker Outlet Box with Domestic Valve



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Manufactured from heavy duty steel with a white powder-coated finish
- 2 intumescent pads attached to inside and back of outlet box
- Simple installation – just nail or screw to stud
- No loose pieces to assemble allows quick installation
- Rough opening: 5-3/8" W x 5-7/8" H x 2-1/4" D
- Faceplate dimension: 8-1/2" W x 8-1/2" H
- ELC Certified
- 1hr & 2hr rated – see design specification for exact rating
- Available in Quarter-turn and domestic valves; with and without hammer arresters installed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82399 ●	Domestic Valve, 1/2" Sweat Connection	FRMIB12ABDS	5
97983	Replacement Faceplate for Model FR, Metal ¹	97983	1

FR-12 Metal Ice Maker Outlet Box



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Manufactured from heavy duty steel with a white powder-coated finish
- 2 intumescent pads attached to inside and back of outlet box
- Simple installation – just nail or screw to stud
- No loose pieces to assemble allows quick installation
- Rough opening: 5-3/8" W x 5-7/8" H x 2-1/4" D
- Faceplate dimension: 8-1/2" W x 8-1/2" H
- ELC Certified
- 1hr & 2hr rated – see design specification for exact rating
- Available in Quarter-turn and domestic valves; with and without hammer arresters installed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82390 ●	Qtr-turn Valve, 1/2" Sweat Connection	FRMIB12ABS	5
82393 ●	Qtr-turn Valve, 1/2" CPVC Connection	FRMIB12ABC	5
82395 ●	Qtr-turn Valve, 1/2" F1807 Connection	FRMIB12ABP	5
82397 ●	Qtr-turn Valve, 1/2" F1960 Connection	FRMIB12ABW	5
97983	Replacement Faceplate for Model FR, Metal ¹	97983	1

FR-12 Metal Ice Maker Outlet Box with Hammer Arrester Valves



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Manufactured from heavy duty steel with a white powder-coated finish
- 2 intumescent pads attached to inside and back of outlet box
- Simple installation – just nail or screw to stud
- No loose pieces to assemble allows quick installation
- Rough opening: 5-3/8" W x 5-7/8" H x 2-1/4" D
- Faceplate dimension: 8-1/2" W x 8-1/2" H
- ELC Certified
- 1hr & 2hr rated – see design specification for exact rating
- Available in Quarter-turn and domestic valves; with and without hammer arresters installed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82392 ●	Qtr-turn Arrester Valve, 1/2" Sweat Connection	FRMIB12ABSHA	5
82394 ●	Qtr-turn Arrester Valve, 1/2" CPVC Connection	FRMIB12ABCHA	5
82396 ●	Qtr-turn Arrester Valve, 1/2" F1807 Connection	FRMIB12ABPHA	5
82398 ●	Qtr-turn Arrester Valve, 1/2" F1960 Connection	FRMIB12ABWHA	5
97983	Replacement Faceplate for Model FR, Metal ¹	97983	1

FR-12 Plastic Lead-Free Ice Maker Outlet Boxes with Quarter-turn Valves



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and stamping
- Intumescent pad attached to back of outlet box
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR-12 Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- Preloaded nails for right or left stud bay installation
- ELC Certified
- 1hr & 2hr rated
- Made of high temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82408 ●	Qtr-turn Valve, 1/2" Sweat Connection	FRIB12ABS	5
82411 ●	Qtr-turn Valve, 1/2" CPVC Connection	FRIB12ABC	5
82413 ●	Qtr-turn Valve, 1/2" F1807 Connection	FRIB12ABP	5
82415 ●	Qtr-turn Valve, 1/2" F1960 Connection	FRIB12ABW	5
Contractor Packs			
82409 ●	Qtr-turn Valve, 1/2" Sweat Connection	FRIB12ABSCP	10
82412 ●	Qtr-turn Valve, 1/2" CPVC Connection	FRIB12ABCCP	10
82414 ●	Qtr-turn Valve, 1/2" F1807 Connection	FRIB12ABPCP	10
82416 ●	Qtr-turn Valve, 1/2" F1960 Connection	FRIB12ABWCP	10
83374 ●	Qtr-turn Valve, 1/2" REHAU EVERLOC+™	FRIB12ABRCP	10
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

FR-12 Plastic Lead-Free Ice Maker Outlet Boxes



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and stamping
- Intumescent pad attached to back of outlet box
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR series boxes
- Simple installation – just nail or screw to stud
- Preloaded nails for right or left stud bay installation
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- 1hr & 2hr rated
- Made of high temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82389 ●	Domestic Valve, 1/2" Sweat Connection	FRIB12ABDS	5
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

¹ Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



FR-12 Plastic Lead-Free Ice Maker Outlet Box with Hammer Arrestor Valve



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Intumescent pad attached to back of outlet box
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR-12 Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- Preloaded nails for right or left stud bay installation
- ELC Certified
- 1hr & 2hr rated
- Made of high temperature resin
- No special wrapping or sheet rock fabrication needed
- City of LA listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82417 ●	Qtr-turn Arrestor Valve, 1/2" Sweat Connection	FRIB12ABSHA	5
82419 ●	Qtr-turn Arrestor Valve, 1/2" CPVC Connection	FRIB12ABCHA	5
82421 ●	Qtr-turn Arrestor Valve, 1/2" F1807 Connection	FRIB12ABPHA	5
82423 ●	Qtr-turn Arrestor Valve, 1/2" F1960 Connection	FRIB12ABWHA	5
Contractor Packs			
82418 ●	Qtr-turn Arrestor Valve, 1/2" Sweat Connection	FRIB12ABSHACP	10
82420 ●	Qtr-turn Arrestor Valve, 1/2" CPVC Connection	FRIB12ABCHACP	10
82422 ●	Qtr-turn Arrestor Valve, 1/2" F1807 Connection	FRIB12ABPHACP	10
82424 ●	Qtr-turn Arrestor Valve, 1/2" F1960 Connection	FRIB12ABWHACP	10
83371 ●	Qtr-turn Arrestor Valves, 1/2" REHAU EVERLOC+™	FR12RHACP	10
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

¹Faceplates are Category *

FR-12 Plastic Gas Outlet Boxes



- Intumescent pad attached to back of outlet box
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR-12 Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- Rough opening: 6" W x 6" H x 3-1/8" D
- Faceplate dimension: 8-5/16" W x 7-7/8" H
- Preloaded nails for right or left stud bay installation
- One faceplate fits washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- Valves are CSA listed to ANSI Z21/CSA9.1
- 1hr & 2hr rated
- Made of high-temperature resin
- No special wrapping or sheet rock fabrication needed

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82446 ●	1/2" IPS Gas Valve	FRGB12IP	5
82448 ●	1/2" Female Gas Valve, for use on CSST	FRGB12CSST	5

FR-12 Plastic Air Admittance Valve Recess Outlet Box



- Simple installation – just nail or screw to stud
- Preloaded nails for right or left stud bay installation
- AAV not included
- Rough opening: 6" W x 6" H x 3" D
- Faceplate dimension: 9-1/2" W x 9-1/2" H
- ELC Certified
- 1hr & 2hr rated
- Made of high-temperature resin
- No special wrapping or sheet rock fabrication needed
- Replacement grill and screws available, product code #48254

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82456 ●	Air Admittance Valve Outlet Box, 1-1/2" female adaptor included	FRAAV12	5



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

FR-12 Auxiliary Drain Outlet Box



- Intumescent pad attached to back of outlet box
- Molded-in test cap for testing of DWV drain system – test cap will not fall down the drain
- Snap-on frame accommodates up to 1" drywall and is interchangeable with all FR-12 Fire-rated plastic outlet boxes
- Simple installation – just nail or screw to stud
- Condensate line not included
- Preloaded nails for right or left stud bay installation
- One faceplate fits plastic washer, ice maker, gas, AAV and auxiliary drain outlet boxes
- ELC Certified
- 1hr & 2hr rated
- Made of high-temperature resin
- No special wrapping or sheet rock fabrication needed
- Ideal for overhead auxiliary drain line discharge

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82458	Fire-rated Auxiliary Drain Outlet Box	FRAD12	5
89282	Replacement Faceplate for Model FR, Plastic ¹	FR7070	1

Stainless Steel Gas Outlet Boxes



- Provides a recessed valve installation allowing appliances to be closer to wall
- Two valve options: 1/2" iron pipe & 3/4" iron pipe
- Valves are CSA listed to ANSI Z21/CSA9.1

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87887	1/2" IP Stainless Steel Gas Box	SSGB12IP	5
87888	3/4" IP Stainless Steel Gas Box	SSGB34IP	5
87889	1/2" CSST Stainless Steel Gas Box	SSGB12CSST	5
97116	Replacement Faceplate for Model SSWB, Stainless Steel ¹	97116	1

Metal Gas Outlet Box



- 20-gauge box / 20-gauge faceplate
- Provides a recessed valve installation allowing appliances to be closer to the wall
- Rough opening: 4-1/8" W x 4-3/4" H x 2" D
- Faceplate dimension: 7" W x 7" H
- White powder coat on cold rolled steel finish
- Valves are CSA listed to ANSI Z21/CSA9.1
- Test plug provided for testing of valve assembly

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
88112	CSA Listed 1/2" IPS Gas Valve	MGB1	5
90254	Replacement Faceplate for Metal IMOB (7" x 7") 20 Ga. Steel ¹	7063	1

¹Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Metal Dishwasher, Commercial Ice Maker, and Coffee Maker Outlet Boxes



- One box design with installed valve or arrester valve saves considerable installation time versus installing separate boxes or separate valves and Hammer Arresters
- Ideal for coffee kiosks, sink/faucet and toilet connections
- Rough opening: 4-1/8" W x 4-3/4" H x 2" D
- Faceplate dimension: 7" W x 7" H
- 3/8" Outlet – Quarter-turn valve with Hammer
- Arrester Installed
- Available with Sweat, CPVC and F1807 Qtr-turn connections; with or without Hammer Arresters

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
87939 ●	3/8" Outlet, Qtr-turn Arrester Valve, 1/2" Sweat Conx.	MDWB1AB	5
87940 ●	3/8" Outlet, Qtr-turn Arrester Valve, 1/2" CPVC Conx.	MDWB2AB	5
87944 ●	3/8" Outlet, Qtr-turn Arrester Valve, 1/2" F1807 Conx.	MDWB3AB	5
87964 ●	3/8" Outlet, Qtr-turn, 1/2" Sweat Conx.	MDWB4AB	5
87965 ●	3/8" Outlet, Qtr-turn, 1/2" CPVC Conx.	MDWB5AB	5
87966 ●	3/8" Outlet, Qtr-turn, 1/2" F1807 Conx.	MDWB6AB	5
90254	Replacement Faceplate for Metal IMOB (7" x 7") 20 Ga. Steel ¹	7063	1

¹ Faceplates are Category *

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Dialysis Supply and Waste Box



- Built from 316 stainless steel to prevent corrosion
- Access door may be positioned in any convenient orientation; includes concealed hinge and Cam Cylinder lock and two keys
- Stainless steel wall flange provides multiple, mounting options to cover space between wall and box; secure with Phillips head screws (supplied)
- Waste outlet can be directly connected to 2" nominal size glass or plastic drain with mechanical coupling
- Tapped holes on mounting plate allow for easy assembly of valves
- Unassembled
- Tailpiece waste connection is 2-3/8" OD stainless steel
- Interior seams are continuous welded with a bead blast finish to provide a water-tight seal and smooth finish
- Equipment drain tube support is located directly over the drain to eliminate splatter and minimize clean up
- PVC valves are ball-style with EPDM seals and O-ring; 1/2" FPT Sch 80; flushing nipple is included
- Single or double valve capability for greater flexibility
- Large mounting flanges provide easy securement of box to wall, eliminating the need to build supports
- Valves comply with ASTM F1970-05
- 1/2" inlet and 3/4" hose bibb connection



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
With PVC Valves			
82643 ●	Dialysis Box, One Valve, Less Door	DBSS1	4
82644 ●	Dialysis Box, One Valve, Locking Door	DBSS1D	4
82645 ●	Dialysis Box, Two Valves, Less Door	DBSS2	4
82646 ●	Dialysis Box, Two Valves, Locking Door	DBSS2D	4
With Stainless Steel Valves			
82688 ●	One Valve, Less Door	DBSS1SV	4
82689 ●	One Valve, Locking Door	DBSS1DSV	4
82690 ●	Two Valves, Less Door	DBSS2SV	4
82691 ●	Two Valves, Locking Door	DBSS2DSV	4
Accessories			
82647 ●	One Valve Hole, Less Valves, Locking Door	DBSS1DLV	4
82648 ●	Two Valve Holes, Less Valves, Locking Door	DBSS2DLV	4
97208	Frame (Faceplate) for "no door" application	97208	1
97211	Frame (Faceplate) for "door" applications	97211	1
97212	Replacement Door, Lock & Key	97212	20

Dryerbox® Metal Dryer Boxes



- Sturdy 22-gauge molded aluminized steel
- Locate the dryer against the wall
- Flex is protected from getting compressed, gain 5 feet of duct run
- Reduces fire hazard
- Lint buildup is minimized
- Meets code requirements as a clean-out
- Doubles as gas connection receptacle

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82425	2x6 Upward Exhaust Outlet	DB-425	5
82426	2x4 Upward Exhaust Outlet	DB-350	6
82427	2x6 Downward Exhaust Outlet	DB-4D	5
82428	2x4 Downward Exhaust Outlet	DB-3D	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Guy Gray™ Faceplates and Accessories

- Strong, durable replacement faceplates
- Heavy-duty galvanized
- Wide frame allows for clean finish



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Faceplates			
89284	Replacement Faceplate for 82472	89284	1
90254	Metal IMOB (7" x 7") 20 Ga. Steel for MIB	7063	1
97091	Replacement Faceplate for Models B, BB, WB, FB, & BIM; 20 Ga. Galvanized	B	1
97092	Replacement Faceplate for Models BE, BBE, WBE, & FBE; 20 Ga. Galvanized	BE	1
97093	Replacement Faceplate for Models BED, BBED, WBED, & FBED; 20 Ga. Galvanized	BED	1
97094	Replacement Faceplate for Models NWBED, WNWBED, & NWFBED; 20 Ga. Galvanized	NWBED	1
97095	Replacement Faceplate for Model T150, T200; 20 Ga. White	T	1
90504	Replacement Faceplate for Model MWB	90504	1
89282	Replacement Faceplate for Model FR, Plastic	FR7070	1
97983	Replacement Faceplate for Model FR, Metal	97983	1
97116	Replacement Faceplate for Model SSWB, SSIB & SSDB Stainless Steel	97116	1
97151	Replacement Faceplate for SSMIB	97151	1
Accessories			
97031	7/8" Rubber Washer	903P	1
97032	3/4" and 1/2" Reducing Washers	RW1	1
97036	2" Rubber Gasket	L2411	1
97038	2" Chase Drain Nipple	CN200	1
97046	2" Flange Nut	5225	1
97034	2" Chrome-Plated Nut	5062	1
Tamper-Resistant Cover Plates			
96997	Tamper-resistant cover for Models B, BB, WB, FB & BIM	BTRC	6
96998	Tamper-resistant cover for Models BED, BBED, WBED, FBED, BBE, WBE & FBE	BEDTRC	6
96999	Tamper-resistant cover for Models NWBED, WNWBED, NWFBED <i>Furnished with tamper-resistant screws</i>	NWBEDTRC	6
90355	Screwdriver for tamper-resistant covers	90355	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION


TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



WATER-TITE

1969

Saving time and effort since 1969

The Water-Tite Washing Machine Recessed Outlet Box – the industry's first plastic construction – standardized laundry connections in 1969. In 1978, Water-Tite's recessed Ice Maker Outlet Box allowed contractors to save more time in the kitchen too.

Today

More labor-saving specialty products than ever

For more than 40 years, Water-Tite products have been helping plumbers reduce installation time while maintaining a high level of quality. Today, Water-Tite's line includes a wide range of innovative, labor-saving specialty plumbing products. From roof flashings to support systems and much more, Water-Tite has the products that help plumbers work faster and smarter.



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

DESIGN OPTIONS GUIDE

Water-Tite offers a comprehensive line of Washing Machine Outlet Boxes, Handles, and Valve Connections for your installation needs. All Water-Tite and Guy Gray® valves comply with ASME A112.18.1. All integral hammer arrester valves also comply with ASSE1010. See the following pages for additional details on all of the components.

Washing Machine Outlet Boxes



DU-All® Dual-Drain Washing Machine Outlet Boxes



Econo Center Drain Washing Machine Outlet Boxes



Wide-mouth Washing Machine Outlet Boxes



MultiBox® Washing Machine Outlet Boxes

Valve Types



Quarter-turn (Red or Blue)



MultiBox Quarter-turn (Left or Right)



Domestic



Quarter-turn Hammer Arrester (Red or Blue)



MultiBox Hammer Arrester (Left or Right)



Single-lever Hammer Arrester



Single-lever

Valve Connections



1/2" Copper Sweat



1/2" CPVC
ASTM D2846



1/2" Crimp
ASTM F1807



1/2" Cold
Expansion
ASTM F1960



Long Shank
Extension



REHAU EVERLOC+™

DU-All™ Dual-Drain Washing Machine Outlet Boxes



Standard Pack

- Back of box rests against the back sheetrock wall for sturdy installation. Flat box side for secure mounting to the stud
- Solid one-piece construction with raised drip guard contains and directs leaks down the drain
- Forward mounted valves give easy access for on/off operation
- Various valve-mounting options allow dual drain, right drain only or left drain only
- Can be inverted for top-mount and center drain option
- Second drain can be used to easily receive a REDI-VENT™ AAV when valves are in forward configuration
- EZ Out Test Caps are raised for easy removal and KOs are oversized so they won't fall down drain
- Textured, snap-on frame with hot and cold supply designations embossed on front, accommodates up to 1" drywall for a clean finish
- DU-All™ and Center Drain Econo Box faceplates are interchangeable
- Rough opening: 8-1/4" W x 6-1/8" H x 3-3/4" D
- Faceplate dimension: 10-3/16" W x 8-13/16" H
- Extended mounting flange provided
- Faceplate unassembled in contractor packs



Contractor Pack
(shown without faceplate)



Top-mount Invert outlet box
for Top-mount option.
(shown without faceplate)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82052	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	W2700	10
82054	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W2701	10
82056	Brass Qtr-turn Valves, Installed, 1/2" F1807 Conx.	W2702	10
85131	Brass Qtr-turn Valves, Installed, 3/8" F1807 Conx.	W2738	10
82001	Brass Qtr-turn Valves, Installed, 1/2" F1960 Conx.	W2711	10
82321	Brass Qtr-turn Valves, Installed, 1/2" Viega Conx.	W2722	10
82746	Brass Qtr-turn Valves, Installed, 1/2" REHAU EVERLOC+™	W2705	10
85610	Domestic Adapter Valves, Installed, 1/2" Sweat Conx.	W2312D	10
85630	Single-lever Valve, Installed, 1/2" Sweat Conx.	W2800	10
85637	Single-lever Valve, Installed, 1/2" CPVC Conx.	W2801	10
85682	Single-lever Valve, Installed, 1/2" F1807 Conx.	W2800X	10
85741	Single-lever Valve, Installed, 1/2" F1960 Conx.	W2811	10
85614	Brass Qtr-turn Valves, Unassembled, 1/2" Sweat Conx.	W2412	10
82107	Brass Qtr-turn Valves, Unassembled, 1/2" CPVC Conx.	W2704	10
82008	Brass Qtr-turn Valves, Unassembled, 1/2" F1960 Conx.	W2713	10
85604	Washer Box Only – No Valves	W2012	10
Contractor Packs			
82053	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	W2700CP	20
82055	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W2701CP	20
82057	Brass Qtr-turn Valves, Installed, 1/2" F1807 Conx.	W2702CP	20
85132	Brass Qtr-turn Valves, Installed, 3/8" F1807 Conx.	W2738CP	20
82002	Brass Qtr-turn Valves, Installed, 1/2" F1960 Conx.	W2711CP	20
82322	Brass Qtr-turn Valves, Installed, 1/2" Viega Conx.	W2722CP	20
82747	Brass Qtr-turn Valves, Installed, 1/2" REHAU EVERLOC+™	W2705CP	20
85632	Single-lever Valve, Installed, 1/2" Sweat Conx.	W2800CP	20
85638	Single-lever Valve, Installed, 1/2" CPVC Conx.	W2801CP	20
85742	Single-lever valve, Installed, 1/2" F1960	W2811CP	20
Dual-Drain Display Packs			
82013	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	R2512B	6
82017	Single-lever Valve, Installed, 1/2" Sweat Conx.	R2800B	6
82000	Washer Box Only – No Valves	R2012B	6





DU-All™ Dual-Drain Washing Machine Outlet Boxes with Hammer Arrestor Valves

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Standard Pack

- Patented one-piece design speeds installation versus separate drain and valve boxes – Patent # 4,934,410
- Back of box rests against the back sheetrock wall for sturdy installation
- Solid one-piece construction with raised drip guard contains and directs leaks down the drain
- Forward mounted valves give easy access to homeowners for on/off operation
- Various valve mounting options allow dual drain, right drain only or left drain only
- Can be inverted for top-mount and center drain option
- Flat box side for secure mounting to the stud
- EZ Out Test Caps are raised for easy removal and
- KOs are oversized so they won't fall down drain
- Textured, snap-on frame, with hot and cold supply designations embossed on front, accommodates up to 1" drywall for a clean finish
- DU-All™ and Center Drain Econo Box faceplates are interchangeable
- Rough opening: 8-1/4" W x 6-1/8" H x 3-3/4" D
- Faceplate dimension: 10-3/16" W x 8-13/16" H
- Extended mounting flange provided
- Faceplate unassembled in contractor packs



Contractor Pack
(shown without faceplate)



Top-mount Invert outlet box
for Top-mount option.
(shown without faceplate)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Hammer Arrestor Standard Packs			
85703 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" Sweat Conx.	W2700HA	10
85706 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" CPVC Conx.	W2701HA	10
85714 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" F1807 Conx.	W2702HA	10
81998 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" F1960 Conx.	W2711HA	10
85701 ●	Single-lever Arrestor Valve, Installed, 1/2" Sweat Conx.	W2800HA	10
85717 ●	Single-lever Arrestor Valve, Installed, 1/2" CPVC Conx.	W2801HA	10
85719 ●	Single-lever Arrestor Valve, Installed, 1/2" F1807 Conx.	W2802HA	10
85748 ●	Single-lever Arrestor Valve, Installed, 1/2" F1960	W2811HA	10
82748 ●	Single-lever Arrestor Valve, Installed REHAU EVERLOC+™	W2705HA	10
Hammer Arrestor Contractor Packs			
85704 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" Sweat Conx.	W2700HACP	20
85707 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" CPVC Conx.	W2701HACP	20
85723 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" F1807 Conx.	W2702HACP	20
81999 ●	Brass Qtr-turn Arrestor Valves, Installed, 1/2" F1960 Conx.	W2711HACP	20
85702 ●	Single-lever Arrestor Valve, Installed, 1/2" Sweat Conx.	W2800HACP	20
85718 ●	Single-lever Arrestor Valve, Installed, 1/2" CPVC Conx.	W2801HACP	20
85749 ●	Single-lever Arrestor Valve, Installed, 1/2" F1960	W2811HACP	20
82749 ●	Single-lever Arrestor Valve, Installed REHAU EVERLOC+™	W2705HACP	20

DU-All™ 10 N 1® Dual-Drain Washing Machine Outlet Box



Standard Pack

- Patented one-piece design speeds installation versus separate drain and valve boxes – Patent # 4,934,410
- Back of box rests against the back sheetrock wall for sturdy installation
- Solid one-piece construction with raised drip guard contains and directs leaks down the drain
- Various valve mounting options allow dual drain, right drain only, left drain only, bottom or top-mount
- Valves unassembled for contractor's mounting option
- Multiple drain options
- Flat box side for secure mounting to the stud
- EZ Out Test Caps are raised for easy removal and KO's are oversized so they won't fall down drain
- Textured, snap-on frame, with hot and cold supply designations embossed on the front, accommodates up to 1" drywall for a clean finish
- DU-All™ and Center Drain Econo Box faceplates are interchangeable
- Rough opening: 8-1/4" W x 6-1/8"H x 3-3/4" D
- Faceplate dimension: 10-3/16" W x 8-13/16" H
- Extended mounting flange provided
- Faceplate unassembled in contractor packs



Contractor Pack
(shown without faceplate)



Top-mount Invert outlet box
for Top-mount option.
(shown without faceplate)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
85121 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" Sweat Conx.	W2121	10
85123 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" CPVC Conx.	W2250	10
85125 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" F1807 Conx.	W2122	10
85614 ●	Brass Qtr-turn Valves, Unassembled, 1/2" Sweat Conx.	W2412	10
82107 ●	Brass Qtr-turn Valves, Unassembled, 1/2" CPVC Conx.	W2704	10
82008 ●	Brass Qtr-turn Valves, Unassembled, 1/2" F1960 Conx.	W2713	10
Contractor Packs			
85122 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" Sweat Conx.	W2121CP	20
85124 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" CPVC Conx.	W2250CP	20
85126 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" F1807 Conx.	W2122CP	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Econo Center Drain Washing Machine Outlet Boxes

- Box can be inverted for top-mount valves and center drain option
- Textured, snap-on frame accommodates up to 1" drywall for a clean finish
- Center Drain Econo Box and DU-All™ faceplates are interchangeable
- One-piece construction with raised drip guard contains potential leaks down the drain
- Raised EZ-out test caps allow for easy removal
- Oversized KOs will not fall down drain
- Brass Quarter-turn valves installed
- Rough opening: 8-1/4" W x 6-1/8" H x 3-3/4"D
- Faceplate dimension: 10-3/16" W x 8-13/16" H
- Extended mounting flange provided
- Covered by one or more of the following patents –D411,870; D471,960
- Faceplate unassembled in contractor packs



Standard Pack

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs			
82064	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	W4700	10
82066	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W4701	10
82068	Brass Qtr-turn Valves, Installed, 1/2" F1807 Conx.	W4702	10
82003	Brass Qtr-turn Valves, Installed, 1/2" F1960 Conx.	W4711	10
82308	Brass Qtr-turn Valves, Installed, 1/2" Viega Conx.	W4722	10
82752	Brass Qtr-turn Valves, Installed, 1/2" REHAU EVERLOC+™	W4705	10
87204	Washer Box Only – No Valves	W4012	10



Contractor Pack
(shown without faceplate)

Contractor Packs			
82065	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	W4700CP	20
82067	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W4701CP	20
82069	Brass Qtr-turn Valves, Installed, 1/2" F1807 Conx.	W4702CP	20
82073	Brass Qtr-turn Valves, Installed, 3/8" F1807 Conx.	W4738CP	10
82004	Brass Qtr-turn Valves, Installed, 1/2" F1960 Conx.	W4711CP	20
82753	Brass Qtr-turn Valves, Installed, 1/2" REHAU EVERLOC+™	W4705CP	20
82774	Widemouth WMOB REHAU EVERLOC+™	W8905HACP	10



Top-mount Invert outlet box
for Top-mount option.
(shown without faceplate)

Center Drain Display Pack			
81977	Brass Qtr-turn Valves, Installed 1/2" F1807	R4702	4



Display Pack

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Econo Center Drain Washing Machine Outlet Boxes with Hammer Arrester Valves



Standard Pack

- Box can be inverted for top-mount valves and center drain option
- Textured, snap-on frame accommodates up to 1" drywall for a clean finish
- Center Drain Econo Box and DU-All™ faceplates are interchangeable
- One-piece construction with raised drip guard contains potential leaks down the drain
- Raised EZ-out test caps allow for easy removal
- Oversized KOs will not fall down drain
- Brass Hammer Arrester valves installed
- Rough opening: 8-1/4" W x 6-1/8" H x 3-3/4"D
- Faceplate dimension: 10-3/16" W x 8-13/16" H
- Extended mounting flange provided
- Products covered by one or more of the following patents – D411,870; D471,960
- Faceplate unassembled in contractor packs



Contractor Pack
(shown without faceplate)



Top-mount Invert outlet box
for Top-mount option.
(shown without faceplate)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Hammer Arrester Standard Packs			
85708 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" Sweat Conx.	W4700HA	10
85711 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" CPVC Conx.	W4701HA	10
85716 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" F1807 Conx.	W4702HA	10
85738 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" F1960	W4711HA	10
82754 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" REHAU EVERLOC+™	W4705HA	10
Hammer Arrester Contractor Packs			
85709 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" Sweat Conx.	W4700HACP	20
85713 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" Sweat Conx./Less Frame	W4700HACPLF	20
85712 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" CPVC Conx.	W4701HACP	20
85722 ●	Brass Qtr-turn Arrester Valves, Installed 1/2" F1807	W4702HACP	20
85739 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" F1960	W4711HACP	20
82755 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" REHAU EVERLOC+™	W4705HACP	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Right-hand Wide-Mouth Outlet Boxes



- Wide-mouth opening for drainage of auxiliary line
- Drain line partition for separation of washer discharge hose and auxiliary discharge line
- Discharge guide tube holds discharge line firmly and protects against splashes
- One drain outlet, no additional fittings
- One-piece molded in test cap will not fall down drain line
- Four mounting brackets included
- Rough opening: 10-1/4" W x 6" H x 3-5/8" D
- Faceplate dimension: 13" W x 5-5/8" H
- Faceplate unassembled in contractor packs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
87351 ●	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	W8900	10
87355 ●	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W8901	10
87359 ●	Brass Qtr-turn Valves, Installed, 1/2" F1807 Conx.	W8902	10
87378 ●	Brass Qtr-turn Valves, Installed, 1/2" F1960 Conx.	W8911	10
87349 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" Sweat Conx.	W8912	10
87386 ●	Brass Qtr-turn Valves, Uninstalled, 1/2" F1960 Conx.	W8411	10
82771 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" REHAU EVERLOC+™	W8905	10
87363 ●	Single-lever Valve, Installed, 1/2" Sweat Conx.	W8904	10
Contractor Packs			
87353 ●	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	W8900CP	10
87357 ●	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W8901CP	10
87361 ●	Brass Qtr-turn Valves, Installed, 1/2" F1807 Conx.	W8902CP	10
87365 ●	Single-lever Valve, Installed, 1/2" Sweat Conx.	W8904CP	10
87379 ●	Brass Qtr-turn Valves, Installed, 1/2" F1960 Conx.	W8911CP	10
87398 ●	Single-lever Valve, Installed, 1/2" F1960 Conx.	W8914CP	10
Top-mount Contractor Packs			
87385 ●	Brass Qtr-turn Valves, Installed, Top-mount, 1/2" Sweat Conx.	W8900CPTM	10
87383 ●	Brass Qtr-turn Valves, Installed, Top-mount, 1/2" CPVC Conx.	W8901CPTM	10
87384 ●	Brass Qtr-turn Valves, Installed, Top-mount, 1/2" F1807 Conx.	W8902CPTM	10
87382 ●	Brass Qtr-turn Valves, Installed, Top-mount, 1/2" F1960 Conx.	W8911CPTM	10
82772 ●	Brass Qtr-turn Valves, Installed, Top-mount, 1/2" REHAU EVERLOC+™	W8905CP	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Right-hand Wide-Mouth Outlet Boxes with Hammer Arresters



- Wide-mouth opening for drainage of auxiliary line
- Drain line partition for separation of washer discharge hose and auxiliary discharge line
- Discharge guide tube holds discharge line firmly and protects against splashes
- One drain outlet, no additional fittings
- One-piece molded in test cap will not fall down drain line
- Four mounting brackets included
- Rough opening: 10-1/4" W x 6" H x 3-5/8" D
- Faceplate dimension: 13" W x 5 5/8" H
- Faceplate unassembled in contractor packs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Hammer Arrester Standard Pack			
87404 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" F1807 Conx.	W8902HA	10
82773 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" REHAU EVERLOC+	W8905HA	10
Hammer Arrester Contractor Packs			
87390 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" Sweat Conx.	W8900HACP	10
87407 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" CPVC Conx.	W8901HACP	10
87401 ●	Brass Qtr-turn Arrester Valves, Installed, 1/2" F1960 Conx.	W8911HACP	10
87400 ●	Single-lever Valve, Installed, 1/2" F1960 Conx.	W8914HACP	10
87388 ●	Brass Qtr-turn Arrester Valves, Installed, Top-mount, 1/2" Sweat Conx.	W8900HACPTM	10
82774 ●	Brass Qtr-turn Arrester Valves, Installed, Top-mount, 1/2" REHAU EVERLOC+	W8905HACP	10
Display Pack			
87408 ●	Brass Qtr-turn Arrester Valves, Installed, Top-mount, 1/2" F1960 Conx.	W8911HACPTM	10



Left-hand Wide-Mouth Outlet Boxes



- Wide-mouth opening for drainage of auxiliary line
- Drain line partition for separation of washer discharge hose and auxiliary discharge line
- Discharge guide tube holds discharge line firmly and protects against splashes
- One drain outlet, no additional fittings
- One-piece molded in test cap will not fall down drain line
- Four mounting brackets included
- Rough opening: 10-1/4" W x 6" H x 3-5/8" D
- Faceplate dimension: 13" W x 5-5/8" H
- Faceplate unassembled in contractor packs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
87367 ●	Brass Qtr-turn Valves, Installed, 1/2" Sweat Conx.	W8900LD	10
87371 ●	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W8901LD	10
87374 ●	Brass Qtr-turn Valves, Installed, 1/2" F1807 Conx.	W8902LD	10
87380 ●	Brass Qtr-turn Valves, Installed, 1/2" F1960 Conx.	W8911LD	10
Contractor Packs			
87373 ●	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W8901LDLDCP	10
Hammer Arrester Contractor Packs			
87409 ●	Brass Qtr-turn Valves, Installed, 1/2" CPVC Conx.	W8901LDHACP	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

DESIGN OPTIONS GUIDE

Water-Tite offers a comprehensive line of Ice Maker Outlet Boxes, Handles, and Valve Connections for your installation needs. All Water-Tite and Guy Gray® valves comply with lead-free laws and ASME A112.18.1. All integral hammer arrester valves also comply with ASSE1010. See the following pages for additional details on all of the components.

Ice Maker Outlet Boxes



Plastic Square
Ice Maker Outlet Boxes



Plastic Round
Ice Maker Outlet Boxes



Plastic Mini-Round
Outlet Boxes



MultiBox™ Ice Maker
Outlet Boxes

Valve Types – Compression Connection



Quarter-turn



MultiBox Quarter-
turn



Domestic



Quarter-turn
Hammer Arrester



MultiBox Hammer
Arrester



Quarter-turn
w/o Hammer Arrester

Valve Connections



1/2" Copper Sweat



1/2" CPVC
ASTM D2846



1/2" Crimp
ASTM F1807



3/8" Crimp
ASTM F1807



1/2" Cold
Expansion
ASTM F1960



Long Shank
Extension



REHAU EVERLOC+

Plastic Lead-free Ice Maker Outlet Boxes



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and stamping
- Rough opening: 5 3/4" W x 4 7/8" H x 3-1/2" D
- Faceplate dimension 8-1/4" W x 7-5/16" H
- Contour box design allows easy valve access
- One-piece box and flange design needs no additional support framing nor support framing labor
- Snap-on faceplate accommodates up to 3/4" drywall
- Faceplate unassembled in contractor packs
- Product covered by one or more of the following patents – D411,870; D471,960

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Lead-free Standard Packs			
87967 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9700	10
87971 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9701	10
87969 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9702	10
87973 ●	Brass Qtr-turn Valve, Installed, 1/2" F1960 Conx.	AB9711	10
88017 ●	Brass Domestic Valve, Installed, 1/2" Sweat Conx.	AB9000A	10
87952 ●	Brass Qtr Turn Valve, Installed, 1/2" Viega PF Conx.	AB9722	10
87954 ●	Brass Qtr Turn Valve, Installed, 3/8" F1807 Conx.	AB9738	10
88008 ●	Ice Maker Box Only - No Valves	W9000LV	10
82821 ●	Brass Qtr Turn Valve, Installed, REHAU EVERLOC+™ Conx.	AB9705	10
Lead-free Contractor Packs			
87968 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9700CP	20
87972 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9701CP	20
87970 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9702CP	20
87974 ●	Brass Qtr-turn Valve, Installed, 1/2" F1960 Conx.	AB9711CP	20
87953 ●	Brass Qtr Turn Valve, Installed, 1/2" Viega PF Conx.	AB9722CP	20
87955 ●	Brass Qtr Turn Valve, Installed, 3/8" F1807 Conx.	AB9738CP	20
82822 ●	Brass Qtr Turn Valve, Installed, REHAU EVERLOC+™ Conx.	AB9705CP	20
Lead-free Hammer Arrester Standard Packs			
87978 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" Sweat Conx.	AB9700HA	10
87982 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" CPVC	AB9701HA	10
87980 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1807 Conx.	AB9702HA	10
87984 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1960 Conx.	AB9711HA	10
82823 ●	IBrass Qtr-turn Arrester Valve, Installed, REHAU EVERLOC+™	AB9705HA	10
Lead-free Hammer Arrester Contractor Packs			
87979 ●	Brass Qtr Turn Arrester Valve, Installed, 1/2" Sweat Conx.	AB9700HACP	20
87983 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" CPVC Conx.	AB9701HACP	20
87981 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1807	AB9702HACP	20
87985 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1960	AB9711HACP	20
82824 ●	IBrass Qtr-turn Arrester Valve, Installed, REHAU EVERLOC+™	AB9705HACP	20
Lead-free Display Packs			
88182 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	RAB9000B	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Round Ice Maker Outlet Box with Hose



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- 72" stainless steel braided hose comes attached to valve
- Hose is replaceable
- Round faceplate enables easier installation after wallboard is installed
- Flat-sided walls ensure rigid mount against stud bay
- Rough opening: 6" diameter x 3-1/2" deep
- Faceplate diameter: 8" round
- Protective cover protects valves and hose from paint and debris during construction
- Additional top knockouts molded in box to allow for mounting shut-off valves or gas valves
- Faceplate unassembled in contractor packs
- Four molded-in flanges enable easy and secure installation

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs			
88480 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9800	10
88482 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9801	10
88484 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9802	10
88486 ●	Brass Qtr-turn Valve, Installed, 1/2" F1960 Conx.	AB9811	10
88068 ●	Round IM Supply Box only, less valves and SS Hose	W9800LV	10
Contractor Packs			
88481 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9800CP	20
88483 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9801CP	20
88485 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9802CP	20
88487 ●	Brass Qtr-turn Valve, Installed, 1/2" F1960 Conx.	AB9811CP	20

Round Ice Maker Outlet Box, Less Hose



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Round faceplate enables easier installation after wallboard is installed
- Protective cover protects valves and hose from paint and debris during construction
- Rough opening: 6" diameter x 3-1/2" deep
- Faceplate diameter: 8" round
- Flat-sided walls ensure rigid mount against stud bay
- Additional top knockouts molded in box to allow for mounting shut-off valves or gas valves
- Faceplate unassembled in contractor packs
- Four molded-in flanges enable easy and secure installation

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs			
88488 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9900	10
88491 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9901	10
88493 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9902	10
88496 ●	Brass Qtr-turn Valve, Installed, 1/2" F1960 Conx.	AB9911	10
Contractor Packs			
88489 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9900CP	20
88492 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9901CP	20
88494 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9902CP	20
88497 ●	Brass Qtr-turn Valve, Installed, 1/2" F1960 Conx.	AB9911CP	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Round Ice Maker Outlet Box with Hammer Arrester Valve, Less Hose



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88498 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1960 Conx.	AB9911HACP	20
88490 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" Sweat Conx.	AB9900HACP	20
88495 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1807 Conx.	AB9902HACP	20

Round Mini Ice Maker Outlet Box With Hammer Arrester Valve & Preloaded Mounting Nails



- Pre-loaded nails provide strong rigid mount
- Nails are reversible and box can be mounted to left or right-hand stud bay
- Round trim ring faceplate accommodates up to 1" drywall
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and stamping
- Rough opening: 4-3/4" diameter x 2-3/8" deep
- Faceplate diameter: 6-1/8" round
- Valve options: Copper, CPVC, PEX, and Wirsbo®
- Molded-in side support brackets support box to stud bay
- Available in standard and contractor packs
- Brass quarter-turn valve installed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
88372 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" Sweat Conx.	AB9200HA	10
88376 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" CPVC Conx.	AB9201HA	10
88377 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1807 Conx.	AB9202HA	10
88379 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1960	AB9211HA	10
Contractor Packs			
88373 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" Sweat Conx.	AB9200HACP	20
88381 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" CPVC Conx.	AB9201HACP	20
88378 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1807 Conx.	AB9202HACP	20
88380 ●	Brass Qtr-turn Arrester Valve, Installed, 1/2" F1960	AB9211HACP	20



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Round Mini Lead-free Ice Maker Outlet Box and Preloaded Mounting Nails



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Pre-loaded nails provide strong rigid mount
- Nails are reversible and box can be mounted to left or right-hand stud bay
- Round trim ring faceplate accommodates up to 1" drywall
- Molded-in side support brackets supports box to stud bay
- Rough opening: 4-3/4" diameter x 2-3/8" deep
- Faceplate diameter: 6-1/8" round
- Valve options: Copper, CPVC, PEX and Wirsbo®
- Brass quarter-turn valve installed
- Faceplate unassembled in contractor packs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Lead-free Standard Packs			
87989 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9200	10
87993 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9201	10
87991 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9202	10
87995 ●	Brass Qtr-turn Valve, 1/2" F1960 Conx.	AB9211	10
88399 ●	Brass Qtr Turn Valve, 1/2" Viega Conx.	AB9222	10
88382 ●	Brass Qtr Turn Valve, Installed, 3/8" F1807 Conx.	AB9238	10
Lead-free Contractor Packs			
87990 ●	Brass Qtr-turn Valve, Installed, 1/2" Sweat Conx.	AB9200CP	20
87994 ●	Brass Qtr-turn Valve, Installed, 1/2" CPVC Conx.	AB9201CP	20
87992 ●	Brass Qtr-turn Valve, Installed, 1/2" F1807 Conx.	AB9202CP	20
87996 ●	Brass Qtr-turn Valve, 1/2" F1960 Conx.	AB9211CP	20

Round Mini Ice Maker Outlet Box with Domestic Valve and Preloaded Mounting Nails



- Pre-loaded nails provide strong rigid mount
- Nails are reversible and box can be mounted to left or right-hand stud bay
- Round trim ring faceplate accommodates up to 1" drywall
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Valves feature white handle and ✓ stamping
- Rough opening: 4-3/4" diameter x 2-3/8" deep
- Faceplate diameter: 6-1/8" round
- Valve options: Copper, CPVC, PEX, and Wirsbo®
- Molded-in side support brackets support box to stud bay
- Available in standard and contractor packs
- Brass quarter-turn valve installed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88374 ●	Domestic Valve, Installed, 1/2" Sweat Conx.	AB9200D	10

Round Mini Plastic Dishwasher, Commercial Ice Maker, and Coffee Maker Outlet Box with Preloaded Mounting Nails



- One box design with installed valve or arrester valve saves considerable installation time versus installing separate boxes or separate valves and Hammer Arresters
- 3/8" outlet, quarter-turn valve pre-installed
- Preloaded, reversible nails provide strong rigid mount
- Rough opening: 4-3/4" diameter x 2-3/8" deep
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Faceplate diameter: 6-1/8" round
- Round faceplate design accommodates up to 1" sheet rock
- Available with Sweat, CPVC and PEX Qtr-turn connections; with or without Hammer Arresters
- Ideal for coffee kiosks, sink/faucet and toilet connections
- Molded-in side support brackets support box to stud bay

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs with Arrester Valves			
87934 ●	Brass Qtr-turn Arrester Valve, 3/8" Outlet, Installed, 1/2" Sweat Conx.	AB9300HA	10
87935 ●	Brass Qtr-turn Arrester Valve, 3/8" Outlet, Installed, 1/2" CPVC Conx.	AB9301HA	10
87937 ●	Brass Qtr-turn Arrester Valve, 3/8" Outlet, Installed, 1/2" F1807 Conx.	AB9302HA	10
87960 ●	3/8" Outlet, Qtr-turn, 1/2" Sweat Conx.	AB9300	10
87961 ●	3/8" Outlet, Qtr-turn, 1/2" CPVC Conx.	AB9301	10
87962 ●	3/8" Outlet, Qtr-turn, 1/2" F1807 Conx.	AB9302	10
Contractor Packs with Arrester Valves			
87938 ●	Brass Qtr-turn Arrester Valve, 3/8" Outlet, Uninstalled, 1/2" F1807 Conx.	AB9302HACP	20

Utility Outlet Boxes, No Valves



- Box contains 16 knockouts for custom configuration
- Integrated stabilizer bar slots allow for center of the stud bay mount using a stabilizer bar
- Easily and quickly mounts to stud with four integrated mounting ears
- Available with standard faceplate or solid faceplate for concealment

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82760 ●	Utility Box with Solid Frame, No Valves	1500	10
97252	Utility Box Solid Frame [replacement frame-only for 82760]	97252	40
82761 ●	Utility Box with Standard Frame, No Valves	1501	10
97251	Utility Box Standard Frame [replacement frame-only for 82761]	97251	40



Angle Stop Connection Boxes



- Box 6-1/8" W x 7-1/8" H x 3-3/8" D
- Drain connection with knock-out test cap molded in box couples with standard 1-1/2" DWV fitting hubs
- Reduces numerous labor steps through 2 construction phases to a few easy steps in a single phase
- Eliminates the temporary materials needed to stub-out supply and drain systems for sinks, lavatories and laundry/utility trays
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Frame 8" W x 9" H
- One-piece box with surrounding flange needs no additional support framing and labor and allows nailing directly to stud or intricate positioning on stabilizer bars
- Box may be mounted at any rotation (drain to the top, bottom, right or left)
- Snap-on frame accommodates up to 1" drywall
- Quarter-turn or domestic valves available
- Faceplate unassembled in contractor packs



PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87828 ●	3/8" Chrome Qtr-turn Angle Stops Installed – 1/2" F1807 Conx.	3512XAB	10
87829 ●	3/8" Chrome Qtr-turn Angle Stops Installed – 1/2" F1807-Cont. Pack	3512XABCP	20
87826 ●	3/8" Chrome Qtr-turn Angle Stops Installed – 1/2" CPVC Conx.	3001AB	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Mini Round Gas Outlet Box



- Provides a recessed valve installation allowing appliances to be closer to wall
- Preloaded nails provide a strong rigid mount
- Nails are reversible and box can be mounted to the left or right-hand stud bay
- Two valve options: 1/2" iron pipe & 1/2" CSST Tubing
- Valves are CSA listed to ANSI Z21/CSA9.1
- Test plug provided for testing of valve assembly
- Round trim ring fits mini ice maker box & accommodates up to 1" sheet rock
- Molded side support brackets support box to stud bay
- Faceplate unassembled in contractor packs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
88106 [†] ●	Mini Gas Outlet Box, with nails & 1/2" valve for iron pipe	W5700	10
Contractor Pack			
88107 [†] ●	Mini Gas Outlet Box, with nails & 1/2" valve for iron pipe	W5700CP	10

[†]Pre-loaded nail

Round Gas Outlet Box



- Provides a recessed valve installation allowing appliances to be closer to wall
- Three valve options: 1/2" iron pipe, 1/2" CSST tubing and 3/4" iron pipe
- Valves are CSA listed to ANSI Z21/CSA9.1
- Four molded-in flanges enable easy and secure installation
- Round face plate enables easier installation after wallboard is installed
- Flat-sided walls ensure rigid mount against stud bay

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
87860 ●	Large Round, 1/2" IPS Gas Valve	W5912IP	5
87861 ●	Large Round, 3/4" IPS Gas Valve	W5934IP	5
87862 ●	Large Round, 1/2" Female Gas Valve CSST	W5912CSST	5

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF-TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ Kitchen Outlet Box

- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Extra large frame provides three breaklines for custom fit to cabinetry
- Extra large frame provides extra 1" coverage for potential cabinet rough cuts
- Available with three standard qtr.-turn valves or two standard qtr.-turn valves and one hammer arrester valve



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Pack			
83195	Three 3/8" Outlet Valves, 1/2" Sweat	ASDW1200	10
83196	Three 3/8" Outlet Valves, 1/2" CPVC	ASDW1201	10
83197	Three 3/8" Outlet Valves, 1/2" F1807	ASDW1202	10
83198	Three 3/8" Outlet Valves, 1/2" F1960	ASDW1211	10
83384	Three 3/8" Outlet Valves, 1/2" REHAU EVERLOC+™	ASDW1205	10
Hammer Arrester			
83199	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" Sweat	ASDW1200HA	10
83206	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" CPVC	ASDW1201HA	10
83207	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" F1807	ASDW1202HA	10
83208	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" F1960	ASDW1211HA	10
83386	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" REHAU EVERLOC+™	ASDW1205HA	10

Fire-Rated MultiBox™ Kitchen Outlet Box

- Intumescent pad attached to back of outlet box
- Extra large frame provides three breaklines for custom fit to cabinetry
- Extra large frame provides extra 1" coverage for potential cabinet rough cuts
- 1hr & 2hr rated
- Available with three standard qtr.-turn valves or two standard qtr.-turn valves and one hammer arrester valve
- ELC Certified
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Pack			
83310	Three 3/8" Outlet Valves, 1/2" Sweat	FRASDW1200	10
83311	Three 3/8" Outlet Valves, 1/2" CPVC	FRASDW1201	10
83312	Three 3/8" Outlet Valves, 1/2" F1807	FRASDW1202	10
83313	Three 3/8" Outlet Valves, 1/2" F1960	FRASDW1211	10
83338	Three 3/8" Outlet Valves, 1/2" REHAU EVERLOC+™	MBFRAB1205	10
Contractor Packs			
83339	Three 3/8" Outlet Valves, 1/2" REHAU EVERLOC+™	MBFRAB1205CP	10
Hammer Arrester			
83314	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" Sweat	FRASDW1200HA	10
83315	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" CPVC	FRASDW1201HA	10
83316	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" F1807	FRASDW1202HA	10
83317	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" F1960	FRASDW1211HA	10
83340	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" REHAU EVERLOC+™	MBFRAB1205HA	10
Hammer Arrester Contractor Packs			
83341	Three 3/8" Outlet Valves, Includes One Integral HA, 1/2" REHAU EVERLOC+™	MBFRAB1205HACP	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Utility Kitchen Outlet Box with Three Valves



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Available with three qtr-turn hammer arrester valves
- Easily and quickly mounts to stud with four integrated mounting ears
- Top and bottom stabilizer bar slots
- Custom configurations available upon request

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82762	Three 3/8" Hammer Arrester Valves, Sweat	15003HA	5
82763	Three 3/8" Hammer Arrester Valves, CPVC	15013HA	5
82764	Three 3/8" Hammer Arrester Valves, F1807	15023HA	5
82765	Three 3/8" Hammer Arrester Valves, F1960	15113HA	5
82760	Utility Box with Solid Frame, No Valves	1500	10
82761	Utility Box with Standard Frame, No Valves	1501	10

Utility Kitchen Outlet Box with Four Valves



- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Available with four qtr-turn hammer arrester valves
- Easily and quickly mounts to stud with four integrated mounting ears
- Top and bottom stabilizer bar slots
- Custom configurations available upon request

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82766	Four 3/8" Qtr-turn Valves, Sweat	15004	5
82767	Four 3/8" Qtr-turn Valves, CPVC	15014	5
82768	Four 3/8" Qtr-turn Valves, F1807	15024	5
82769	Four 3/8" Qtr-turn Valves, F1960	15114	5
82760	Utility Box, No Valves - Solid Frame	1500	10
82761	Utility Box, No Valves - Standard Frame	1501	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Water-Tite Faceplates

- Strong, durable replacement faceplates
- Wide frame allows for clean finish
- White to match existing box



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
89267	Dual-Drain & Standard WMOB [10-3/16" x 8-13/16"]	W7070	1
89277	Wide-Mouth WMOB Faceplate	89277	1
89266	Square Plastic IMOB [8-1/4" x 7-5/16"] for 9700-series	W7011	1
89279	Mini Ice Maker and Gas Outlet Box Faceplate	89279	1
89275	Round IMOB Faceplate	89255	1
90266	Angle Stop Box [8" x 9"]	7067	1
82945	MultiBox Faceplate Open	MBF1200	10
82946	MultiBox Faceplate Solid	MBF1211	10
82947	MultiBox Faceplate Louvered	MBF1222	10
82974	MultiBox Faceplate, Extra Deep	MBF1233	10

Outlet Box Accessories & Replacement Parts



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88285	Short [4"] Washer Box Mounting Flange	7003	1
88290	Long [7-11/16"] Washer Box Mounting Flange	7003 A	1
90195	Grommet for WMOB & IMOB Compression Supply	7009	1
89917	Metal Locknut for 1/2" Supply Valves	6240	1
89431	Plastic Locknut for 1/2" CPVC Supply Valves	89431	1
88650	1/4" Cap for Ice Maker Valve, Brass [one cap]	88650	1
88651	3/8" Cap for Angle Stop Valves, Brass [pair]	88651	1
88652	3/4" Cap for Ice Washing Machine Valves, Brass [pair]	88652	1

Gas Outlet Box Valves

- Easy quarter-turn
- CSA listed to ANSI Z21/CSA9.1
- Furnished with end plug for testing of valve
- Also compatible with Guy Gray products



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88311	1/2" Gas Valve Kit for Iron Pipe	88311	1
88312	1/2" Gas Valve Kit for CSST Tubing	88312	1
88313	3/4" Gas Valve Kit for Iron Pipe	203A04	1

Washing Machine Outlet Box Valves



- Brass finish
- Easy quarter-turn
- 3/4" Hose Bibb Connection
- Easy valve replacement for repairs
- Complies with ASME A112.18.1
- Also compatible with Guy Gray products

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88400 ●	Qtr-turn Brass Valve, Red Handle, 1/2" Sweat Connection	88400	1
88401 ●	Qtr-turn Brass Valve, Blue Handle, 1/2" Sweat Connection	88401	1
88402 ●	Qtr-turn Brass Valve, Red Handle, 1/2" F1807 Connection	88402	1
88403 ●	Qtr-turn Brass Valve, Blue Handle, 1/2" F1807 Connection	88403	1
88250 ●	Qtr-turn Brass Valve, Red Handle, 1/2" CPVC Connection	88250	1
88251 ●	Qtr-turn Brass Valve, Blue Handle, 1/2" CPVC Connection	88251	1
88406 ●	Qtr-turn Brass Valve, Red Handle, 1/2" F1960 Connection	88406	1
88407 ●	Qtr-turn Brass Valve, Blue Handle, 1/2" F1960 Connection	88407	1
90011 ●	Domestic Adapter Valve (Blue Handle), 1/2" Sweat Connection	6404AVEID	1
90374 ●	Domestic Adapter Valve (Red Handle), 1/2" Sweat Connection	6404AVEIDR	1
88260 ●	Single-lever Valve, 1/2" Sweat Connection	6408	1
88262 ●	Single-lever Valve, 1/2" CPVC Connection	88262	1
88242 ●	Dual Handle Single Lever Valve ONLY, 1/2" Sweat Conx.	HS88242	5
88170 ●	Long Shank Extension Only, 1/2" Sweat Connection	6401A	1

Lead-Free Ice Maker Outlet Box Valves



- Lead-free compliant
- Valves feature white handle and stamping
- Easy quarter-turn
- Brass finish
- 1/4" compression connection
- Complies with ASME A112.18.1
- Also compatible with Guy Gray products

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88416 ●	Lead-free , Qtr-turn Valve, White Handle, 1/2" Sweat Connection	88416	1
88417 ●	Lead-free , Qtr-turn Valve, White Handle, 1/2" F1807 Connection	88417	1
88418 ●	Lead-free , Qtr-turn Valve, White Handle, 1/2" CPVC Connection	88418	1
88419 ●	Lead-free , Qtr-turn Valve, White Handle, 1/2" F1960 Connection	88419	1

Lead Free Ice Maker Outlet Box Hammer Arrester Valves



- Lead-free compliant
- Valves feature white handle and stamping
- Easy quarter-turn
- Brass finish
- 1/4" compression connection
- Complies with ASME A112.18.1
- Also compatible with Guy Gray products

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88366 ●	Lead-free , Qtr-turn Arrester Valve, White Handle, 1/2" Sweat Connection	88366	1
88367 ●	Lead-free , Qtr-turn Arrester Valve, White Handle, 1/2" F1807 Connection	88367	1
88368 ●	Lead-free , Qtr-turn Arrester Valve, White Handle, 1/2" CPVC Connection	88368	1
88369 ●	Lead-free , Qtr-turn Arrester Valve, White Handle, 1/2" F1960 Connection	88369	1

Washing Machine Outlet Box Hammer Arrester Valves



- Brass finish
- Easy quarter-turn
- 3/4" Hose Bibb Connection
- Easy valve replacement for repairs
- Complies with ASSE 1010
- Complies with ASME A112.18.1
- Also compatible with Guy Gray products

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
88351 ●	Qtr-turn Arrester Brass Valve, Red Handle, 1/2" Sweat Connection	88351	1
88352 ●	Qtr-turn Arrester Brass Valve, Blue Handle, 1/2" Sweat Connection	88352	1
88353 ●	Qtr-turn Arrester Brass Valve, Red Handle, 1/2" F1807 Connection	88353	1
88354 ●	Qtr-turn Arrester Brass Valve, Blue Handle, 1/2" F1807 Connection	88354	1
88356 ●	Qtr-turn Arrester Brass Valve, Red Handle, 1/2" CPVC Connection	88356	1
88357 ●	Qtr-turn Arrester Brass Valve, Blue Handle, 1/2" CPVC Connection	88357	1
88358 ●	Qtr-turn Arrester Brass Valve, Red Handle, 1/2" F1960 Connection	88358	1
88359 ●	Qtr-turn Arrester Brass Valve, Blue Handle, 1/2" F1960 Connection	88359	1
88269 ●	Single-lever Valve, 1/2" Sweat Connection	88269	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ System - Washing Machine Outlet Boxes, Single Box



- For top mount water supply
- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Water softener drain adapter can be used in this configuration (see pg. 93)
- Forged brass qtr-turn valves
- Integrated drain knock outs will not fall down the drain after DWV test
- Anti-rotational valve design
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate includes cable tie bosses to secure drain hose

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82890 ●	Single Box System, 1/2" Sweat	MBS1200	10
82891 ●	Single Box System, 1/2" CPVC	MBS1201	10
82892 ●	Single Box System, 1/2" F1807	MBS1202	10
82893 ●	Single Box System, 1/2" F1960	MBS1211	10
83166 ●	Single Box System, 1/2 REHAU EVERLOC+™	MBS1205	10
Contractor Packs			
82894 ●	Single Box System, 1/2" Sweat	MBS1200CP	10
82895 ●	Single Box System, 1/2" CPVC	MBS1201CP	10
82896 ●	Single Box System, 1/2" F1807	MBS1202CP	10
82897 ●	Single Box System, 1/2" F1960	MBS1211CP	10
82953 ●	Single Box System, Single Lever, 1/2" F1960	MBS1211SLCP	10
83167 ●	Single Box System, 1/2 REHAU EVERLOC+™	MBS1205CP	10
Hammer Arrester Standard Packs			
82898 ●	Single Box System w/Hammer Arresters, 1/2" Sweat	MBS1200HA	10
82899 ●	Single Box System w/Hammer Arresters, 1/2" CPVC	MBS1201HA	10
82900 ●	Single Box System w/Hammer Arresters, 1/2" F1807	MBS1202HA	10
82901 ●	Single Box System w/Hammer Arresters, 1/2" F1960	MBS1211HA	10
83168 ●	Single Box System w/Hammer Arresters, 1/2" REHAU EVERLOC+™	MBS1205HA	10
Hammer Arrester Contractor Packs			
82902 ●	Single Box System w/Hammer Arresters, 1/2" Sweat	MBS1200HACP	10
82903 ●	Single Box System w/Hammer Arresters, 1/2" CPVC	MBS1201HACP	10
82904 ●	Single Box System w/Hammer Arresters, 1/2" F1807	MBS1202HACP	10
82905 ●	Single Box System w/Hammer Arresters, 1/2" F1960	MBS1211HACP	10
83169 ●	Single Box System w/Hammer Arresters, 1/2" REHAU EVERLOC+™	MBS1205HACP	10
House Pack: Washing Machine Outlet Box and Ice Maker Outlet Box Contractor Packs			
82958 ●	Single Box System and Ice Maker Box, F1807	MBSAB1202CP	10
82959 ●	Single Box System and Ice Maker Box, F1960	MBSAB1211CP	10
House Pack: Washing Machine Outlet Box and Ice Maker Outlet Box with Hammer Arrester			
82969 ●	Single Box System and Ice Maker Box, F1807	MBSAB1202HACP	10
82973 ●	Single Box System and Ice Maker Box, F1960	MBSAB1211HACP	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ System - Washing Machine Outlet Boxes with Auxiliary Drain Boxes



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Nine valve knock-outs in box only
- Two drain knock-outs: 2" in standard washing machine drain, optional 1" to pipe valve box to DWV system
- Integrated drain knock outs will not fall down the drain after DWV test
- Anti-rotational valve design
- Forged brass qtr-turn valves
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate includes cable tie bosses to secure drain hose

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82906 ●	Dual Box System, 1/2" Sweat	MB1200	10
82907 ●	Dual Box System, 1/2" CPVC	MB1201	10
82908 ●	Dual Box System, 1/2" F1807	MB1202	10
82909 ●	Dual Box System, 1/2" F1960	MB1211	10
83172 ●	Dual Box System, 1/2" REHAU EVERLOC+™	MB1205	10
Contractor Packs			
82910 ●	Dual Box System, 1/2" Sweat	MB1200CP	10
82911 ●	Dual Box System, 1/2" CPVC	MB1201CP	10
82912 ●	Dual Box System, 1/2" F1807	MB1202CP	10
82913 ●	Dual Box System, 1/2" F1960	MB1211CP	10
83173 ●	Dual Box System, 1/2" REHAU EVERLOC+™	MB1205CP	10
Hammer Arrester Standard Packs			
82914 ●	Dual Box System w/Hammer Arresters, 1/2" Sweat	MB1200HA	10
82915 ●	Dual Box System w/Hammer Arresters, 1/2" CPVC	MB1201HA	10
82916 ●	Dual Box System w/Hammer Arresters, 1/2" F1807	MB1202HA	10
82917 ●	Dual Box System w/Hammer Arresters, 1/2" F1960	MB1211HA	10
83174	Dual Box System w/Hammer Arresters, 1/2" REHAU EVERLOC+™	MB1205HA	10
Hammer Arrester Contractor Packs			
82918 ●	Dual Box System w/Hammer Arresters, 1/2" Sweat	MB1200HACP	10
82919 ●	Dual Box System w/Hammer Arresters, 1/2" CPVC	MB1201HACP	10
82920 ●	Dual Box System w/Hammer Arresters, 1/2" F1807	MB1202HACP	10
82921 ●	Dual Box System w/Hammer Arresters, 1/2" F1960	MB1211HACP	10
82954 ●	Dual Box System Single Lever w/Hammer Arresters, 1/2" F1960	MB1211SLHACP	10
83175 ●	Dual Box System w/Hammer Arresters, 1/2" REHAU EVERLOC+™	MB1205HACP	10

MultiBox™ System - Washing Machine Outlet Box (Box Only)



- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Nine valve knock-outs in box only
- Two drain knock-outs: 2" in standard washing machine drain, optional 1" to pipe valve box to DWV system
- Integrated drain knock outs will not fall down the drain after DWV test
- Anti-rotational valve design
- Forged brass qtr-turn valves
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate includes cable tie bosses to secure drain hose

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Box Only			
82938 ●	MultiBox Box Only Open Frame	MBS1200DB1	10
82948 ●	MultiBox Box Only Solid Frame	MBS1200DB2	10
82949 ●	MultiBox Box Only Louvered Frame	MBS1200DB3	10
82952 ●	MultiBox Box Only Open Frame, Contractor Pack	MBS1200DB1CP	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ System - Ice Maker Outlet Box



- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- 2" standard drain, for optional use
- Integrated drain knock outs will not fall down the drain after DWV test
- Anti-rotational valve design
- Forged brass qtr-turn valves
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82922 ●	1/4" Outlet, 1/2" Sweat	AB1200	10
82923 ●	1/4" Outlet, 1/2" CPVC	AB1201	10
82924 ●	1/4" Outlet, 1/2" F1807	AB1202	10
82925 ●	1/4" Outlet, 1/2" F1960	AB1211	10
83378 ●	1/4" Outlet, 1/2" REHAU EVERLOC+™	AB1205	10
Contractor Packs			
82926 ●	1/4" Outlet, 1/2" Sweat	AB1200CP	10
82927 ●	1/4" Outlet, 1/2" CPVC	AB1201CP	10
82928 ●	1/4" Outlet, 1/2" F1807	AB1202CP	10
82929 ●	1/4" Outlet, 1/2" F1960	AB1211CP	10
83379 ●	1/4" Outlet, 1/2" REHAU EVERLOC+™	AB1205CP	10
Hammer Arrester Standard Packs			
82930 ●	1/4" Outlet w/Hammer Arrester, 1/2" Sweat	AB1200HA	10
82931 ●	1/4" Outlet w/Hammer Arrester, 1/2" CPVC	AB1201HA	10
82932 ●	1/4" Outlet w/Hammer Arrester, 1/2" F1807	AB1202HA	10
82933 ●	1/4" Outlet w/Hammer Arrester, 1/2" F1960	AB1211HA	10
83380 ●	1/4" Outlet w/Hammer Arrester, 1/2" REHAU EVERLOC+™	AB1205HA	10
Hammer Arrester Contractor Packs			
82934 ●	1/4" Outlet w/Hammer Arrester, 1/2" Sweat	AB1200HACP	10
82935 ●	1/4" Outlet w/Hammer Arrester, 1/2" CPVC	AB1201HACP	10
82936 ●	1/4" Outlet w/Hammer Arrester, 1/2" F1807	AB1202HACP	10
82937 ●	1/4" Outlet w/Hammer Arrester, 1/2" F1960	AB1211HACP	10
83381 ●	1/4" Outlet w/Hammer Arrester, 1/2" REHAU EVERLOC+™	AB1205HACP	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ System - Specialty Outlet Boxes



- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Extra large faceplate comes standard with kitchen boxes providing breaklines for custom fit to cabinetry and an extra 1" coverage for potential rough cuts
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- Anti-rotational valve design
- All faceplates fit up to two sheets of 5/8" drywall
- MultiBox Dishwasher/Commercial Ice Maker boxes can be inverted to utilize the 2" drain
- Standard and deep faceplates include cable tie bosses to secure drain hose
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching
- Forged brass qtr-turn valves
- MultiBox Dishwasher/Commercial Ice Maker boxes can be inverted to utilize the 2" drain

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Angle Stop Boxes			
83187 ●	Two 3/8" Outlet Valves, 1/2" Sweat	AS1200	10
83188 ●	Two 3/8" Outlet Valves, 1/2" CPVC	AS1201	10
83189 ●	Two 3/8" Outlet Valves, 1/2" F1807	AS1202	10
83190 ●	Two 3/8" Outlet Valves, 1/2" F1960	AS1211	10
Dishwasher/Commercial Ice Maker Outlet Boxes			
83191 ●	3/8" Outlet Valve w/ Hammer Arrester, 1/2" Sweat	DW1200HA	10
83192 ●	3/8" Outlet Valve w/ Hammer Arrester, 1/2" CPVC	DW1201HA	10
83193 ●	3/8" Outlet Valve w/ Hammer Arrester, 1/2" F1807	DW1202HA	10
83194 ●	3/8" Outlet Valve w/ Hammer Arrester, 1/2" F1960	DW1211HA	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



MultiBox™ System - Specialty Outlet Boxes

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- Anti-rotational valve design
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate includes cable tie bosses to secure drain hose
- Valves are CSA listed to ANSI Z21/CSA9.1
- Forged brass qtr-turn valves

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Toilet Connection Boxes			
83183 ●	3/8" Outlet Valve, 1/2" Sweat	TC1200	10
83184 ●	3/8" Outlet Valve, 1/2" CPVC	TC1201	10
83185 ●	3/8" Outlet Valve, 1/2" F1807	TC1202	10
83186 ●	3/8" Outlet Valve, 1/2" F1960	TC1211	10
Gas Outlet Boxes			
82940 ●	1/2" Gas Valve	MBG1212IP	10
82941 ●	1/2" Gas Valve	MBG1212CSST	10
82942 ●	3/4" Gas Valve	MBG1234IP	10
Studor® Air Admittance Valve Box Kit			
82939 ●	Aux. Drain Box, Redi-Vent, Louvered Frame	MBS1200AAV	10

Auxiliary Drain Adapter



- Snaps into drain box
- Provides a 1" air gap and can be used with the washing machine drain hose
- Can accommodate up to three auxiliary drain lines from low volume appliances

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82943	MultiBox Aux Drain Adapter	MB1250AD	10

Water Softener Drain Adapter



- Contains integral pipe retainer
- Provides a 1" air gap and can be used with the washing machine drain hose
- Can accommodate one drain line up to 7GPM


PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82944	MultiBox Water Softener Drain	MB1250WS	10

MultiBox™ System - Faceplates



- Available in standard, louvered and solid
- All faceplates fit any MultiBox configuration including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate includes cable tie bosses to secure drain hose
- Standard frame available in an extra deep option
- Extra deep faceplate comes standard with kitchen boxes
- Separate adapter not required for 2-hour fire wall

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Faceplates Only			
82945	MultiBox Faceplate Open	MBF1200	10
82946	MultiBox Faceplate Solid	MBF1211	10
82947	MultiBox Faceplate Louvered	MBF1222	10
82974	MultiBox Faceplate, Extra Deep	MBF1233	10



TOP VIEW

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOC
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ System - Fire-Rated Washing Machine Outlet Boxes



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



- Intumescent pad attached to back of outlet box
- 1hr & 2hr rated
- ELC Certified
- For top mount water supply
- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Water softener drain adapter can be used in this configuration (see pg. 93)
- Integrated drain knock outs will not fall down the drain after DWV test
- Anti-rotational valve design
- Forged brass qtr-turn valves
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate includes cable tie bosses to secure drain hose

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83036 ●	Single Box System, 1/2" Sweat	MBFRS1200	10
83037 ●	Single Box System, 1/2" CPVC	MBFRS1201	10
83038 ●	Single Box System, 1/2" F1807	MBFRS1202	10
83039 ●	Single Box System, 1/2" F1960	MBFRS1211	10
83326 ●	Single Box System, 1/2" REHAU EVERLOC+™	MBFRS1205	10
Contractor Packs			
83040 ●	Single Box System, 1/2" Sweat	MBFRS1200CP	10
83041 ●	Single Box System, 1/2" CPVC	MBFRS1201CP	10
83042 ●	Single Box System, 1/2" F1807	MBFRS1202CP	10
83043 ●	Single Box System, 1/2" F1960	MBFRS1211CP	10
83327 ●	Single Box System, 1/2" REHAU EVERLOC+™	MBFRS1205CP	10
Hammer Arrester Standard Packs			
83044 ●	Single Box System w/Hammer Arresters, 1/2" Sweat	MBFRS1200HA	10
83045 ●	Single Box System w/Hammer Arresters, 1/2" CPVC	MBFRS1201HA	10
83046 ●	Single Box System w/Hammer Arresters, 1/2" F1807	MBFRS1202HA	10
83047 ●	Single Box System w/Hammer Arresters, 1/2" F1960	MBFRS1211HA	10
83328 ●	Single Box System w/Hammer Arresters, 1/2" REHAU EVERLOC+™	MBFRS1205HA	10
Hammer Arrester Contractor Packs			
83048 ●	Single Box System w/Hammer Arresters, 1/2" Sweat	MBFRS1200HACP	10
83049 ●	Single Box System w/Hammer Arresters, 1/2" CPVC	MBFRS1201HACP	10
83050 ●	Single Box System w/Hammer Arresters, 1/2" F1807	MBFRS1202HACP	10
83051 ●	Single Box System w/Hammer Arresters, 1/2" F1960	MBFRS1211HACP	10
83329 ●	Single Box System w/Hammer Arresters, 1/2" REHAU EVERLOC+™	MBFRS1205HACP	10

MultiBox™ System - Fire-Rated Washing Machine Outlet Boxes with Auxiliary Drain Boxes



- Intumescent pad attached to back of each outlet box
- 1hr & 2hr rated
- ELC Certified
- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Nine valve knock-outs in box only
- Two drain knock-outs: 2" in standard washing machine drain, optional 1" to pipe valve box to DWV system
- Integrated drain knock outs will not fall down the drain after DWV test
- Anti-rotational valve design
- Forged brass qtr-turn valves
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83052	Dual Box System, 1/2" Sweat	MBFR1200	10
83053	Dual Box System, 1/2" CPVC	MBFR1201	10
83054	Dual Box System, 1/2" F1807	MBFR1202	10
83055	Dual Box System, 1/2" F1960	MBFR1211	10
83332	Dual Box System, 1/2" REHAU EVERLOC+™	MBFR1205	10
Contractor Packs			
83056	Dual Box System, 1/2" Sweat	MBFR1200CP	10
83057	Dual Box System, 1/2" CPVC	MBFR1201CP	10
83058	Dual Box System, 1/2" F1807	MBFR1202CP	10
83059	Dual Box System, 1/2" F1960	MBFR1211CP	10
83321	Dual Box System, Single Lever 1/2" F1960	MBFR1211SLCP	10
83333	Dual Box System, 1/2" REHAU EVERLOC+™	MBFR1205CP	10
Hammer Arrester Standard Packs			
83060	Dual Box System w/Hammer Arresters, 1/2" Sweat	MBFR1200HA	10
83061	Dual Box System w/Hammer Arresters, 1/2" CPVC	MBFR1201HA	10
83062	Dual Box System w/Hammer Arresters, 1/2" F1807	MBFR1202HA	10
83063	Dual Box System w/Hammer Arresters, 1/2" F1960	MBFR1211HA	10
83334	FR MultiBox WMOB REHAU EVERLOC+™	MBFR1205HA	10
Hammer Arrester Contractor Packs			
83064	Dual Box System w/Hammer Arresters, 1/2" Sweat	MBFR1200HACP	10
83065	Dual Box System w/Hammer Arresters, 1/2" CPVC	MBFR1201HACP	10
83066	Dual Box System w/Hammer Arresters, 1/2" F1807	MBFR1202HACP	10
83067	Dual Box System w/Hammer Arresters, 1/2" F1960	MBFR1211HACP	10
83325	Dual Box System w/Hammer Arresters, Single Lever 1/2" F1960	MBFR1211SLHACP	10
83335	Dual Box System w/Hammer Arresters, Single Lever 1/2" REHAU EVERLOC+™	MBFR1205HACP	10
FR Auxiliary Drain Box Only			
83068	Drain Box Only, Open Frame	MBFRS1200DB1	10
83086	Drain Box Only, Solid Frame	MBFRS1200DB2	10
83087	Drain Box Only, Louvered Frame	MBFRS1200DB3	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



MultiBox™ System - Fire-Rated Ice Maker Outlet Box

- Intumescent pad attached to back of outlet box
- 1hr & 2hr rated
- ELC Certified
- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- 2" standard drain, for optional use
- Integrated drain knock outs will not fall down the drain after DWV test
- Anti-rotational valve design
- Forged brass qtr-turn valves
- MultiBox faceplates fit any Multibox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Valves are IAPMO listed to ASME A112.18.1 / CSA B125.1 and are NSF 61/NSF 372 compliant to lead leaching



PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83069	1/4" Outlet, 1/2" Sweat	MBFRAB1200	10
83070	1/4" Outlet, 1/2" CPVC	MBFRAB1201	10
83071	1/4" Outlet, 1/2" F1807	MBFRAB1202	10
83072	1/4" Outlet, 1/2" F1960	MBFRAB1211	10
Contractor Packs			
83073	1/4" Outlet, 1/2" Sweat	MBFRAB1200CP	10
83074	1/4" Outlet, 1/2" CPVC	MBFRAB1201CP	10
83075	1/4" Outlet, 1/2" F1807	MBFRAB1202CP	10
83076	1/4" Outlet, 1/2" F1960	MBFRAB1211CP	10
Hammer Arrester Standard Packs			
83077	1/4" Outlet w/ Hammer Arrester, 1/2" Sweat	MBFRAB1200HA	10
83078	1/4" Outlet w/ Hammer Arrester, 1/2" CPVC	MBFRAB1201HA	10
83079	1/4" Outlet w/ Hammer Arrester, 1/2" F1807	MBFRAB1202HA	10
83080	1/4" Outlet w/ Hammer Arrester, 1/2" F1960	MBFRAB1211HA	10
Hammer Arrester Contractor Packs			
83081	1/4" Outlet w/ Hammer Arrester, 1/2" Sweat	MBFRAB1200HACP	10
83082	1/4" Outlet w/ Hammer Arrester, 1/2" CPVC	MBFRAB1201HACP	10
83083	1/4" Outlet w/ Hammer Arrester, 1/2" F1807	MBFRAB1202HACP	10
83084	1/4" Outlet w/ Hammer Arrester, 1/2" F1960	MBFRAB1211HACP	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ System - Fire-Rated Specialty Outlet Boxes



- Intumescent pad attached to back of outlet box
- 1hr & 2hr rated
- ELC Certified
- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Extra large faceplate comes standard with kitchen boxes providing breaklines for custom fit to cabinetry and an extra 1" coverage for potential rough cuts
- Forged brass qtr-turn valves
- Anti-rotational valve design
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard and deep faceplates include cable tie bosses to secure drain hose
- Valves comply with the requirements of NSF 61-G and the "Reduction of Lead in Drinking Water Act"
- [Federal Public Law 111-380]
- MultiBox Dishwasher/Commercial Ice Maker boxes can be inverted to utilize the 2" drain



PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
FR Angle Stop Boxes			
83092 ●	Two 3/8" Outlet Valves, 1/2" Sweat	FRAS1200	10
83093 ●	Two 3/8" Outlet Valves, 1/2" CPVC	FRAS1201	10
83094 ●	Two 3/8" Outlet Valves, 1/2" F1807	FRAS1202	10
83095 ●	Two 3/8" Outlet Valves, 1/2" F1960	FRAS1211	10



FR Dishwasher/Commercial Ice Maker Outlet Boxes with Hammer Arrestor			
83096 ●	3/8" Outlet Valve w/ Hammer Arrestor, 1/2" Sweat	FRDW1200HA	10
83097 ●	3/8" Outlet Valve w/ Hammer Arrestor, 1/2" CPVC	FRDW1201HA	10
83098 ●	3/8" Outlet Valve w/ Hammer Arrestor, 1/2" F1807	FRDW1202HA	10
83099 ●	3/8" Outlet Valve w/ Hammer Arrestor, 1/2" F1960	FRDW1211HA	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MultiBox™ System - Fire-Rated Specialty Outlet Boxes



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



- Intumescent pad attached to back of outlet box
- 1hr & 2hr rated
- ELC Certified
- Integrated mounting flanges - no clips to lose or hassle with
- Top and bottom stabilizer bar slots
- Optional nail slots
- Extra large faceplate comes standard with kitchen boxes providing breaklines for custom fit to cabinetry and an extra 1" coverage for potential rough cuts
- Forged brass qtr-turn valves
- Anti-rotational valve design
- MultiBox faceplates fit any MultiBox configuration, including fire-rated
- All faceplates fit up to two sheets of 5/8" drywall
- Standard faceplate includes cable tie bosses to secure drain hose
- Valves are CSA listed to ANSI Z21/CSA9.1

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
FR Toilet Connection Boxes			
83088 ●	3/8" Outlet Valves, 1/2" Sweat	FRTC1200	10
83089 ●	3/8" Outlet Valves, 1/2" CPVC	FRTC1201	10
83090 ●	3/8" Outlet Valves, 1/2" F1807	FRTC1202	10
83091 ●	3/8" Outlet Valves, 1/2" F1960	FRTC1211	10
FR Gas Outlet Boxes			
83347 ●	1/2" Gas Valve	FRMBG1212IP	10
83348 ●	1/2" Gas Valve	FRMBG1212CSST	10
83349 ●	3/4" Gas Valve	FRMBG1234IP	10
FR Studor® Air Admittance Valve Box Kit			
83085 ●	Aux. Drain Box, Redi-Vent, Louvered Frame	MBFRS1200AAV	10

Hammer Arresters



Ignoring water hammer can lead to costly damage within any plumbing system. Water-Tite "AA" Single Fixture Shock-Buster™ Hammer Arresters are the solution to eliminating water hammer in residential and light commercial supply lines. All our Hammer Arresters are manufactured to the highest standards that our customers have come to expect. Shock-Buster Hammer Arresters contain all the necessary approvals to pass code inspection in any territory. "AA" Hammer Arresters must be installed as close to the valve as possible; recommended to be no more than 6' from the valve being protected.

- "AA" single fixture size
- Guaranteed for the lifespan of the plumbing system
- UPC listed
- ASSE Certified to ANSI/ASSE 1010-2004 standard
- Approved for sealed wall installations with no access panel required
- May be installed at any angle
- Conforms to IPC Code



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86600 ●	3/4" x 3/4" Arrester For Washing Machine	86600	25
86601 ●	1/2" Male Sweat Arrester	86601	50
86590 ●	1/2" MIP Connection Arrester (Lead-free)	86590	50
86603 ●	3/4" Male Sweat Arrester	86603	50
86604 ●	1/2" CPVC Socket Arrester	86604	50
86624 ●	1/2" CPVC Male Inlet Arrester	86624	50
86592 ●	1/4" x 1/4" Compression Tee Arrester (Lead-free)	86592	25
86593 ●	3/8" x 3/8" Compression Tee Arrester (Lead-free)	86593	25
86595 ●	3/8" x 3/8" Reverse Nut Tee Arrester (Lead-free)	86595	25
86596 ●	5/8" x 5/8" Reverse Nut Tee Arrester (Lead-free)	86596	25
86597 ●	3/8" x 3/8" F1807 Barb Tee Arrester (Lead-free)	86597	25
86598 ●	1/2" x 1/2" F1807 Barb Tee Arrester (Lead-free)	86598	25
86621 ●	1/2" F1807 Barb Arrester	86621	50
86599 ●	1/2" x 1/2" F1960 Tee Arrester (Lead-free)	86599	25

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Techno Flange® Closet Flanges



- One-piece knockout will not fall down drain line
- Knockout breaks out in one piece
- Inset test cap cannot be damaged by construction equipment
- Beveled hub design allows easier insertion into 4" foam core pipe
- Available with stainless steel or powder-coated adjustable ring
- FLUSH-TITE design allows flush installation inside 4" pipe
- Fits 3" or 4" Sch. 40 DWV pipe
- Patent 7,055,184 B2



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86132 ●	Standard Pattern w/Techno Knockout for 3" or 4" PVC Pipe	4830TFK	40
86137 ●	Standard Pattern w/Techno Knockout for 3" or 4" ABS Pipe	5830TFK	40

Flush•Tite Closet Flanges



- Solvent weld installation only
- For over 3" or inside 4" Sch. 40 DWV pipe
- Available for 4" hub fit
- Available in standard or long pattern, with or without pipe stop
- Also available for inside 3" pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
86150 ●	Standard Pattern w/o Knockout for PVC Pipe, w/o Pipe Stop	48302	40
86155 ●	Standard Pattern w/o Knockout for ABS Pipe, w/o Pipe Stop	58302	40
86151	Long Pattern w/o Knockout for PVC Pipe, w/o Pipe Stop	4830LP	40
86140 ●	Long Pattern w/o Knockout for PVC Pipe, with Pipe Stop	4830	40
86145 ●	Long Pattern w/o Knockout for ABS Pipe, with Pipe Stop	5830	40
86149	Fits Inside 3" Sch. 40 DWV PVC Pipe, w/o Knockout	48301	20
86160	Fits Inside 3" Sch. 40 DWV ABS Pipe, w/o Knockout	58301	20
86130 ●	Standard Pattern with Knockout for PVC Pipe	4830KO	40
86135 ●	Standard Pattern with Knockout for ABS Pipe	5830KO	40
86131	Long Pattern with Knockout for PVC Pipe	4830LPK	40
86126	Fits Over 4" Sch. 40 DWV PVC Pipe, w/o Knockout	4824	20
86127	Fits Over 4" Sch. 40 DWV ABS Pipe, w/o Knockout	5824	20
86128	Fits Over 4" Sch. 40 DWV PVC Pipe, With Knockout	4824KO	20
86129	Fits Over 4" Sch. 40 DWV ABS Pipe, With Knockout	5824KO	20

Techno Flange® Closet Flanges with Metal Adjustable Ring



- One-piece knockout will not fall down drain line
- Knockout breaks out in one piece
- Inset test cap cannot be damaged by construction equipment
- Beveled hub design allows easier insertion into 4" foam core pipe
- Available with stainless steel or powder-coated adjustable ring
- Flush•Tite design allows flush installation inside 4" pipe
- Fits 3" or 4" Sch. 40 DWV pipe
- Patent 7,055,184 B3



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86173 ●	With Techno Knockout for 3" or 4" PVC Pipe	4830ATF	40
86177 ●	With Techno Knockout for 3" or 4" PVC Pipe/SS Ring	4830ASTF	40
86178 ●	With Techno Knockout for 3" or 4" ABS Pipe/SS Ring	5830ASTF	40

Flush•Tite Closet Flanges with Metal Adjustable Ring



- Metal adjustable ring allows for easy alignment of bolts and screws
- For over 3" or inside 4" Sch. 40 DWV pipe
- Available in standard or long pattern, with or without pipe stop
- Also available for 4" hub fit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86166 ●	Without Knockout for 3" or 4" PVC Pipe, w/o Pipe Stop	4830A2	40
86175 ●	Without Knockout for 3" or 4" ABS Pipe, w/o Pipe Stop	5830A2	40
86179 ●	With Stainless Steel Ring, 3" or 4" PVC, w/o Pipe Stop	4830AS2	40
86182 ●	With Stainless Steel Ring, 3" or 4" ABS, w/o Pipe Stop	5830AS2	40
86165 ●	With Knockout for 3" or 4" PVC Pipe	4830A	40
86170 ●	With Knockout for 3" or 4" ABS Pipe	5830A	40
86141 ●	Fits Over 4" Sch. 40 DWV PVC Pipe, w/o Knockout	4824A	20
86142 ●	Fits Over 4" Sch. 40 DWV ABS Pipe, w/o Knockout	5824A	20

Offset Closet Flange



- 1-1/2" offset from center
- All plastic

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
86180 ●	For 3" or 4" PVC Pipe	4831	20
86185 ●	For 3" or 4" ABS Pipe	5831	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Offset Closet Flange with Metal Ring



- Adjustable ring allows for easy alignment of bolts and screws
- Full 3" flow allows for a clog-free opening
- Fits 3" or 4" PVC and ABS DWV Pipe
- 1.5" offset allows for margin of error for pipe flange alignment



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
With Adjustable Stainless Steel Ring			
86181 ●	3" x 4" PVC Offset Closet Flange with Stainless Steel Ring	4831M	20
86186 ●	3" x 4" ABS Offset Closet Flange with Stainless Steel Ring	5831M	20
With Adjustable Stainless Steel Ring and Knockout			
86245 ● NEW	3" x 4" PVC Offset Closet Flange with Stainless Steel Ring & Knockout	4831 MKO	20
86246 ● NEW	3" x 4" ABS Offset Closet Flange with Stainless Steel Ring & Knockout	5831 MKO	20
With Powder Coated Steel Ring			
86247 ● NEW	3" x 4" PVC Offset Closet Flange with Powder Coated Steel Ring	4831A	20
86248 ● NEW	3" x 4" ABS Offset Closet Flange with Powder Coated Steel Ring	5831A	20

45° Closet Flange



- Allows for plumbing in tight areas
- Available as all plastic or with stainless steel adjustable ring
- Available with or without knockout



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86196 ●	45° PVC Closet Flange w/ Plastic Adjustable Ring	4845P	20
86197 ●	45° ABS Closet Flange w/ Plastic Adjustable Ring	5845P	20
86198 ●	45° PVC Closet Flange w/ S. S. Adjustable Ring	4845S	20
86199 ●	45° ABS Closet Flange w/ S. S. Adjustable Ring	5845S	20
86201 ●	45° PVC Closet Flange w/ Plastic Adjustable Ring/KO	4845PK0	20
86203 ●	45° PVC Closet Flange w/ S. S. Adjustable Ring/KO	4845SK0	20

Long Closet Flange

- Allows for plumbing in tight areas
- Available with stainless steel ring
- Available without knockout
- 3" Spigot (Fits Inside 3" Hub)



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86147	Long Closet Flange – PVC	4846S	10
86148	Long Closet Flange – ABS	5846S	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Push 'N Repair® Closet Flange



- One-piece construction / gasket permanently attached to hub of flange
- Seals the entire length of the tailpiece extension
- Can be cut to desired length
- Available in PVC or ABS
- No bolts to tighten
- Full 3" of flow, no obstructions of bolts
- Easy push-in installation
- Pre-lubricated gasket
- Fits 4" PVC, DWV, No-hub-service weight & extra heavy cast iron

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86191	3" PVC Push N' Repair Closet Flange	4843	5
86192	3" ABS Push N' Repair Closet Flange	5843	5
86193	4" PVC Push N' Repair Closet Flange	4844	5
86194	4" ABS Push N' Repair Closet Flange	5844	5

Stainless Steel Extension Ring



- Stainless Steel will not rust
- Use multiple rings to adjust height

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86187	Stainless Steel Ring Only	86187	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Closet Flange Extension Rings



- Builds up existing closet flange when new flooring leaves it below grade for proper seal
- At 1/4" thick, multiples may be stacked to desired height
- 1 pair per header sleeve

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
86208	Pair of 1/4" Thick Extension Rings	86208	20 Pr.
86209	Kit of 3 Extension Rings & 2 Closet Bolts, Nuts, Washers	86209	20 Kits

Closet Flange Stabilizer



- Eliminates water closet from rocking
- Optimal for concrete slabs or wooden floors
- 9-3/8" x 9-3/8"

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
86133	4" Closet Flange Stabilizer	CS4	25

Adjustable Urinal Flange Kits



- Horizontal slots accommodate mounting centers from 3-1/2 to 7"
- Kits include flange, bolts, nuts, washers and gaskets
- Available for spigot or socket joint
- Fits 2" Sch. 40 DWV Pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
68004	Urinal Fl Socket Adj PVC 2"	ABA8548	20
68005	Urinal Fl Spigot Adj PVC 2"	ABA8549	20
65362	Urinal Fl Socket Adj ABS 2"	ABA8545	20
65363	Urinal Fl Spigot Adj ABS 2"	ABA8546	20

Wax Closet Gaskets



- 100% pure petroleum wax gasket
- Fits 3" or 4" waste lines
- Provides a permanent seal impervious to vermin, odors, gases and acids

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82550	Standard Wax Gasket	RWG1	48
82563	Standard Wax Gasket, Tray Packaged	RWG1T	48
87760	Standard Wax Gasket w/Brass Closet Bolt Kit	RWG3	48
82556	Std. Wax Gasket w/Double Nut Brass Closet Bolts	RWG7	48
82555	Wax Gasket with Plastic Horn	RWG2	24
82564	Standard Wax Gasket with Plastic Horn, Tray Packaged	RWG2T	24
82552	Wax Gasket with Plastic Horn w/Brass Closet Bolt Kit	RWG4	24
82557	Wax Gasket w/ Plastic Horn w/Double Nut Brass Closet Bolts	RWG8	24
82554	Wax Gasket with Plastic Horn w/Brass Plated Closet Bolt Kit	RWG6	24
82565	Reinforced Wax Gasket with Plastic Horn	RNWG1	24
82560	Jumbo Wax Gasket	RWG1J	48
82561	Jumbo Wax Gasket with Horn	RWG2J	24
82559	Jumbo Wax Gasket with Horn & 3.5" Double Nut Bolt Kit	RWG10	24
82553	Jumbo Wax Gasket with 3.5" Brass Plated Bolt Kit	RWG5	24

PEX Bend Supports



- Provides versatile, rigid, 90-degree support for PEX tubing
- When snapped into PEX Bend Support Bracket, offers a full 360-degree rotation with positive locking at 45 degree intervals
- Reduces noise and vibration
- Plastic material eliminates cutting or scratching of tubing
- For residential or commercial applications
- Fits 3/8" and 1/2" tubing
- Offers three installation options – mounting directly to stud or overhead joist, through stabilizer bar, or snapped into PEX Bend Support Bracket

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
86673 ●	1/2" PEX Bend Support, Ceiling/Stud Mount	PBS2	50
86672 ●	1/2" PEX Bend Support, Bar Mount	PBS1	100
86652	18" PEX Support Bar	PS18	50
86653	26" PEX Support Bar	PS26	50

Stabilizer Bar Kits



- Insulators are available for horizontal runs of 1/2" or 3/4" tube
- Supports all CTS tubing
- Kits include a 20" or 26" stabilizer bar, 2 tube insulators and 4 nails
- Horizontal insulators are available in CPVC
- Impact-resistant to 0°F (-18°C) Max temp: 160°F (71°C) continuous

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Horizontal Run Stabilizer Bar Kits			
86694 ●	20" Bar with Plastic Insulators for 1/2" CTS	S2012PH	50
86696 ●	20" Bar with Plastic Insulators for 3/4" CTS	S2034PH	50
86698 ●	26" Bar with Plastic Insulators for 1/2" CTS	S2612PH	50
86699 ●	26" Bar with Plastic Insulators for 3/4" CTS	S2634PH	50
Vertical Run Stabilizer Bar Kits			
86701	20" Bar with Plastic Insulators for 1/2" CTS	S2012PV	50
86702	20" Bar with Plastic Insulators for 3/4" CTS	S2034PV	50
86703	26" Bar with Plastic Insulators for 1/2" CTS	S2612PV	50
86704	26" Bar with Plastic Insulators for 3/4" CTS	S2634PV	50

Stabilizer Bars



- Bars are available in 20" lengths for 16" stud bays & 26" lengths for 24" stud bays

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
86650 ●	20" Stabilizer Bar for 16" Stud Bays	S20	100
86655 ●	26" Stabilizer Bar for 24" Stud Bays	S26	100



Plastic Stabilizer Insulators

- Plastic insulators are available for vertical and horizontal tube runs
- Horizontal insulators fit 1/2" and 3/4" tube
- Vertical insulators fit 1/2" or 3/4" tube
- To be used with stabilizer bar
- Impact-resistant to 0°F (-18°C) Max temp: 160°F (71°C) continuous
- Stabilizers covered by one or more of the following U.S. Patents: 5,154,375; 5,236,158; 5,230,488; 5,267,710; 5,370,345



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86670	Plastic Horizontal Insulators for 1/2" CTS (50/Bag)	S12PH	200
86675	Plastic Horizontal Insulators for 3/4" CTS (50/Bag)	S34PH	200
86685	Plastic Vertical Insulators for 1/2" CTS (50/Bag)	S12PV	200
86690	Plastic Vertical Insulators for 3/4" CTS (50/Bag)	S34PV	200

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Combination Clamps



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Suspension Insulator



Pipe Insulator

Suspension Clamp



Half Clamp



Two-hole Pipe Clamp

- Plastic full clamp preloaded with nail
- Supports 1/2", 3/4" and 1" copper tube size
- Supports all CTS tubing
- Impact-resistant to 0°F (-18°C) Max temp: 160°F continuous

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
82864 ●	Combination Half, Supports 1/2" & 3/4", with Preloaded Nail (100/Bag)	CH1234	1000
82865 ●	Combination Half, Supports 3/4" IPS / 1.250" CTS, with Preloaded Nail (25/Bag)	CH34114	100
82957 ●	Combination Suspension, Supports 1/2" & 3/4" CTS (100/Bag)	CI31234	1000
82979 ●	Combination Suspension/Insulator, Supports 1/2" & 3/4" CTS (50/Bag)	CI1341234	500
83015 ●	Combination Two Hole, Supports 1/2" & 3/4" CTS (100/Bag)	CC61234	1000
82972 ●	Combination Pipe Insulator, Supports 1/2" & 3/4" CTS (50/Bag)	CI41234	500

Half Clamps



- Plastic half clamp preloaded with nail
- Supports copper and PEX tubing
- Not recommended for CPVC tubing
- Impact-resistant to 0°F (-18°C) Max temp: 160°F continuous

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs			
82846 ●	Supports 3/8" CTS, with Preloaded Nail (100/Bag)	H138	1000
82850 ●	Supports 1/2" CTS, with Preloaded Nail (50/Bag)	H112	2000
82855 ●	Supports 3/4" CTS, with Preloaded Nail (50/Bag)	H134	1000
82860 ●	Supports 1" CTS, with Preloaded Nail (50/Bag)	H101	500
Display Packs			
82840 ●	Supports 1/2" CTS, with Preloaded Nail (5/Bag)	RH112C	10
82845 ●	Supports 3/4" CTS, with Preloaded Nail (5/Bag)	RH134C	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Clamp-Tite Full Clamps



- Plastic full clamp preloaded with nail
- Supports 1/2", 3/4" and 1" copper tube size
- Supports all CTS tubing
- Impact-resistant to 0°F (-18°C) Max temp: 160°F continuous



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83795 ●	Supports 1/2" CTS, with Preloaded Nail (100/Bag)	F212	1000
83800 ●	Supports 3/4" CTS, with Preloaded Nail (50/Bag)	F234	500
83805 ●	Supports 1" CTS, with Preloaded Nail (25/Bag)	F201	250

Full Clamps



- 1/2", 3/4", 1" CTS with pre-loaded nails
- Isolates supply tubing from wood framing
- Impact-resistant to 0°F (-18°C)
- Maximum temp. 160°F continuous
- Supports all CTS tubing



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83797 ●	Supports 1/2" CTS, with Preloaded Nail (100/Bag)	F212LF	500
83798 ●	Supports 3/4" CTS, with Preloaded Nail (50/Bag)	F234LF	500
83799 ●	Supports 1" CTS, with Preloaded Nail (25/Bag)	F201LF	250

Single Shot® Insulating Suspension Clamps



- Pre-loaded nail
- Easy installation snaps onto any CTS pipe system to provide a hands free installation
- Reduces noise caused by expansion and contraction
- Supports all CTS tubing
- Impact-resistant to 0°F (-18°C) Max Temp: 160°F continuous



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82980 ●	1/2" Single Shot Insulator with Preloaded Nail (50/bag)	SS512	1000
82981 ●	3/4" Single Shot Insulator with Preloaded Nail (50/bag)	SS534	1000
82982 ●	1" Single Shot Insulator with Preloaded Nail (50/bag)	SS501	500

Insulating Suspension Clamps



- Plastic insulating suspension clamp reduces noise from tubing expansion and contraction
- Supports copper, PEX and ideally isolates CPVC tubing from wood
- Impact-resistant to 0°F (-18°C) Max temp: 160°F (71°C) continuous
- Supports all CTS tubing

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82957 ●	Combination, Supports 1/2" & 3/4" CTS (100/Bag)	CI31234	1000
82951 ●	Supports 1/2" CTS (50/Bag)	I312	2000
82955 ●	Supports 3/4" CTS (50/Bag)	I334	1000
82960 ●	Supports 1" CTS (50/Bag)	I301	500
82961 ●	Supports 1-1/4" CTS (50/Bag)	I314	250
82962 ●	Supports 1-1/2" CTS (25/Bag)	I315	250
82963 ●	Supports 2" CTS (25/Bag)	I320	250

Right Strap™ Multi-Functional Pipe Clamps



- Patent # 6,073,891
- Installs 2 ways – half clamp, full clamp
- For all metal and plastic 1/2", 3/4" and 1" copper tube size materials
- Supports all CTS tubing
- Factory-assembled for half-clamp installation
- Allows for expansion and contraction of supply tubing
- Greatly reduces the chance for noise common to overly restrictive systems
- No pinning, no binding, no complaints!



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
82852 ●	Supports 1/2" CTS, with Preloaded Nail (50/Bag)	82852	2000
82854 ●	Supports 3/4" CTS, with Preloaded Nail (50/Bag)	82854	1000
82856 ●	Supports 1" CTS, with Preloaded Nail (50/Bag)	82856	500
Display Packs			
82841 ●	Supports 1/2" CTS, with Preloaded Nail (5/Bag)	82841	10
82842 ●	Supports 3/4" CTS, with Preloaded Nail (5/Bag)	82842	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



2-Hole Pipe Clamps

- Plastic 2-hole pipe clamp reduces noise from tubing expansion and contraction
- Isolates CPVC tubing from wood
- Impact-resistant to 0°F (-18°C) Max temp: 160°F continuous
- Supports all CTS tubing




PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs			
83015 ●	Combination, Supports 1/2" & 3/4" CTS (100/Bag)	CC61234	1000
83003 ●	Supports 1/2" CTS (100/Bag)	C612	2000
83008 ●	Supports 3/4" CTS (100/Bag)	C634	1000
83010 ●	Supports 1" CTS (50/Bag)	C601	500
83012 ●	Supports 1-1/4" CTS (50/Bag)	C614	250
83013 ●	Supports 1-1/2" CTS (25/Bag)	C615	250
83014 ●	Supports 2" CTS (25/Bag)	C620	250

Pipe Insulators



- Plastic pipe insulator reduces noise from tubing expansion and contraction
- Supports tubing from wood
- Fits 1 3/8" hole
- Impact-resistant to 0°F (-18°C) Max temp: 160°F continuous
- Supports all CTS tubing



PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Packs			
82965 ●	Supports 1/2" CTS (25/Bag)	I412	1000
82970 ●	Supports 3/4" CTS (25/Bag)	I434	1000
82975 ●	Supports 1" CTS (25/Bag)	I401	1000
Display Packs			
82966 ●	Supports 1/2" CTS (5/Bag)	RI 412C	10
82971 ●	Supports 3/4" CTS (5/Bag)	RI 434C	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Long Pattern Pipe Insulators



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOC
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



- Long Pattern insulators isolates supply tube from wood
- Supports all CTS tubing
- Impact-resistant to 0°F (-18°C) Max temp: 160°F continuous

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82967 ●	1/2" Long Pattern Insulator/Gray/25 bag	82967	1000
82968 ●	3/4" Long Pattern Insulator/Gray/25 bag	82968	1000

Combination Suspension/Insulator Clamp



- Fits two sizes of pipe
- Supports all CTS tubing
- Impact resistant to 0°F (-18°C), max temp: 160°F continuous

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82979 ●	Combination, Supports 1/2" & 3/4" CTS (50/Bag)	CII341234	500

Metal Stud Insulators



- For use in metal studs and galvanized super-tight brackets
- Plastic pipe insulator reduces noise from tubing expansion and contraction
- Impact-resistant to 0°F (-18°C) Max temp: 160°F continuous
- Supports copper, CPVC and PEX tubing through metal studs
- Fits 1-11/32" hole

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
89148	Supports 3/8", 1/2", 3/4" CTS (50/Bag)	MSI1	500
89150	Supports 1/2" CTS (100/Bag)	MSI3	1000
89151	Supports 3/4" CTS (100/Bag)	MSI4	1000
89152	Supports 1" CTS (50/Bag)	MSI5	500



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Metal Stud Insulators For CPVC Piping



- CPVC Pipe can be cemented to insulator
- Isolates supply tubing from metal studs
- Impact-resistant to 0°F (-18°C) Max Temp: 160°F (71°C) continuous
- Plastic metal stud insulators
- Compatible with CPVC pipe
- Fits 1-11/32" hole

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
89158	Supports 1/2" CTS (100/Bag)	MSI6	200
89161	Supports 3/4" CTS (100/Bag)	MSI7	200

Metal Stud Insulators For DWV Piping



- Plastic metal stud insulators for DWV piping
- Isolates DWV piping from metal studs
- Impact-resistant to 0°F (-18°C) Max Temp: 160°F (71°C) continuous
- Fits 2-5/8" Hole

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
89165	Supports 1-1/2" DWV in metal studs (25 per bag)	MSI15	500
89166	Supports 2" DWV in metal studs (25 per bag)	MSI20	500

Metal Stud Punch



- Lightweight, high-strength
- Non-slip rubber grips

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
89160	Punch Offset head, 1-11/32" hole in up to 22ga; for 3/8" through 1" CTS Metal Stud Insulators	MSP1	1

Metal DWV Hanger with Plastic Sleeve

- Secures 1-1/2" – 4" DWV piping
- Galvanized
- 3/4" width
- Minimum 12" stem length
- Plastic sleeve provides additional pipe protection



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82834	1-1/2" Galvanized DWV hanger with plastic sleeve, 3/4" width	MH421	50
82835	2" Galvanized DWV hanger with plastic sleeve, 3/4" width	MH422	50
82836	3" Galvanized DWV hanger with plastic sleeve, 3/4" width	MH423	50
82837	4" Galvanized DWV hanger with plastic sleeve, 3/4" width	MH424	50

Metal DWV Hanger without Plastic Sleeve

- Secures 1-1/2" – 4" DWV piping
- Galvanized, uncoated
- 3/4" width



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82830	1-1/2" Galvanized DWV hanger uncoated, 12" stem length	MH321	50
82831	2" Galvanized DWV hanger uncoated, 12" stem length	MH322	50
82832	3" Galvanized DWV hanger uncoated, 12" stem length	MH323	50
82833	4" Galvanized DWV hanger uncoated, 12" stem length	MH324	50
82838	1-1/2" Galvanized DWV hanger uncoated, 48" stem length	MH4821	25
82839	2" Galvanized DWV hanger uncoated, 48" stem length	MH4822	25
82843	3" Galvanized DWV hanger uncoated, 48" stem length	MH4823	25
82844	4" Galvanized DWV hanger uncoated, 48" stem length	MH4824	25

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Hang-Tite™ Pipe Holders

- New I-beam construction so shaft will not flex
- 3/4" snap lock saddle on 1-1/2" – 4" Hang-Tites
- Saddle wrap around exceeds 75% of pipe circumference to eliminate popouts
- Allows for expansion & contraction
- Nails attached to top of J-Hooks
- Nail holes spaced 1" apart on both sides of I-beam shaft
- High-impact-resistant ABS material
- For PVC or ABS schedule 40 DWV pipe
- Hang-Tite™ Extension available



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
White			
93140	1/2" CTS/5" Shank (25/Bag, w/Nails)	93140	200
93142	3/4" CTS/5" Shank (25/Bag, w/Nails)	93142	200
93144	1" CTS/5" Shank (25/Bag, w/Nails)	93144	200
93145	1-1/4" CTS/5" Shank (25/Bag, w/Nails)	93145	200
93150	1-1/2" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93150	200
93155	2" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93155	200
93160	3" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93160	200
93161	3" Sch. 30 DWV/8" Shank 25 per bag w/nails attached	93161	200
93165	4" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93165	100
Black			
93166	1-1/2" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93166	200
93167	2" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93167	200
93168	3" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93168	200
93169	4" Sch. 40 DWV/8" Shank 25 per bag w/nails attached	93169	100

Copper Clad Wire Pipe Hangers

- Copper-clad for corrosion resistance
- Self-nailing
- Heavy-gauge wire construction for suspending copper & CPVC tubing



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83130	6" Suspension for 1/2" CTS (12/Bag)	RCPH12	50
83135	6" Suspension for 3/4" CTS (12/Bag)	RCPH34	50

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Plastic Hanger Strapping



- Flexible, non-conductive, non-abrasive
- Can be cut with shears, snips or utility knife
- 3/4" wide, .050 thick with 1/8" holes spaced 3/4" apart
- Supports 25 lb. per section at 4-foot intervals

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83030 ●	10' Roll x 3/4"	RHS10	20
83035 ●	25' Roll x 3/4"	RHS25	20
83025 ●	100' Roll x 3/4"	HS1	20


Galvanized Metal Hanger Strapping



- 24- & 28-gauge rolls
- 3/4" rolls in 10' lengths

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
84025	10' Roll x 3/4" [28-gauge]	RGS7	50
84030	10' Roll x 3/4" [24-gauge]	RGS8	50

Sure-Tite™ Support Brackets



- Sure-Tite™ copper-plated brackets are available in two lengths, 20" & 26", for use in residential or commercial applications
- Can be nailed or screwed to wood or metal studs
- For use on lavatories, toilets, hose bibs, water heater or any water supply penetrating a wall
- Brackets available with several hole patterns depending on your need
- Simple installation, just nail bracket in place and solder the pipe to bracket
- Reduce cost in the field, less expense than fabricating brackets or cutting wood blocks
- Rigid installation

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
86618	20" Copper-plated w/1/2" holes/16-gauge	86618	50
86626	26" Copper-plated w/1/2" holes/16-gauge	86626	50
86619	20" Copper-plated w/1/2" extruded holes/16-gauge	86619	25
86718	20" Copper-plated w/1/2", 3/4" & 1" holes/16-gauge	86718	50
86726	26" Copper-plated w/1/2", 3/4" & 1" holes/16-gauge	86726	50
86614	18" Copper-plated w/1/2" snap-in, 3/4" & 1" holes/16-gauge	86614	50
86832	18" Galvanized w/1-11/32" holes for MSI insulators/20-gauge	86832	50
86632	26" Galvanized w/1-11/32" holes for MSI insulators/20-gauge	86632	50

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Bathtub Protectors



- Corrugated bed design for optimum protection



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83250	Standard Protector for 14" or 16" Deep Tubs (60" x 30")	TP1	35
83252	Standard Protector for 14" or 16" Deep Tubs (60" x 30")/Bulk pack on skid	TP1B	210
83255	Oval Protector for 16" Deep Tubs (60" x 42")	TP2	25
83253	Oval Protector for 16" Deep Tubs (60" x 42")/Bulk pack on skid	TP2B	200

Tub Boxes



- Plastic forms that create access for tub trap and drain in slab foundation. No concrete to chisel. Simply invert box over drain rough, pour slab and cut out box bottom prior to tub installation
- Creates access for tub trap & drain in slab foundation



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83301	Large 7" Deep Box 11-1/2" x 11-1/2" Bottom ID [13 x 13 Top ID]	TX1	20
83300	Small 6 1/2" Deep Box [12" x 8 1/8" Top OD]	TX2	20
83302 ●	Heavy Duty 7-3/4" Deep Box [14-1/2" x 14-1/2" Top OD] Injection Molded, High Impact Plastic with Pipe Knockouts Compatible with 1-1/2" and 2" Pipe. Bottom Panel Scored for Easy Breakout.	TX3	5 Pair



Circular Valve Boxes



- Durable plastic construction
- Cover has snap-lock & lift-hold

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83350	Small 6" Diameter Top OD w/Green Snap-in Lid	VB1	36
83353	7" Diameter Top OD w/Green Snap-in Lid	VB1S	1
83355	Large 10" Diameter Top OD w/Green Snap-in Lid	VB2	1
83354	Lid Only, 7" Diameter Top OD	VB1SL	60
83357	Lid Only, 10" Diameter Top OD	VB2L	1

Rectangular Meter Boxes



- High-impact plastic construction
- Cover has snap-lock & lift-hold

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83360	10" Box (12" x 10" Top OD) w/Green Snap-in Lid	VB3	1
83365	12" Standard Box (17-3/4" x 12 1/2" Top OD) w/Green Snap-in Lid	VB4	1
83366	6" Extension for 12" Standard Boxes	VB4X	1
83367	12" Jumbo Box (20 1/2" x 14-1/2" Top OD) w/Green Snap-in Lid	VB5	1
83369	6" Extension for Jumbo Meter Boxes	VB5X	1
83361	Lid Only, 10" Box	VB3L	1
83352	Lid Only, 12" Box	VB4L	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Stud Guards and FHA Plates

- Self-anchoring galvanized steel plates (18-gauge)
- Prevents damage to piping & wiring from wallboard nails
- Fast & easy installation



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
84005	1-1/2" x 3" Galvanized Steel Stud Guard	RSG13	100
84010	1-1/2" x 5" Galvanized Steel Stud Guard	RSG15	100
84000	1-1/2" x 9" Galvanized Steel FHA Plate	RFHA1	100

Pipe Sleeving



- Protects supply tubing in slab foundation
- Color coded – red for hot; blue for cold
- Available in .004, .006, .010 and .025 thickness



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83405 ●	Red .004 for 1/2" – 1" Tubing (200' Roll)	WTSR4	20
83407 ●	Blue .004 for 1/2" – 1" Tubing (200' Roll)	WTSB4	20
83400 ●	Red .006 for 1/2" – 1" Tubing (200' Roll)	WTSR	20
83404 ●	Blue .006 for 1/2" – 1" Tubing (200' Roll)	WTSB	20
83409 ●	Red .010 for 1/2" – 1" Tubing (100' Roll)	WTSR10	20
83410 ●	Blue .010 for 1/2" – 1" Tubing (100' Roll)	WTSB10	20
83411 ●	Black .006 for 1-1/4" – 2" Tubing (200' Roll)	WTSBK	10
83412* ●	Red .025 Heavy Duty PVC for 1/2" – 3/4" Tubing (50' Roll)	WTSR2734	1
83413* ●	Blue .025 Heavy Duty PVC for 1/2" – 3/4" Tubing (50' Roll)	WTSB2734	1
83416 ●	Red .025 Ultra-Flex Heavy for 1/2" – 1" Tubing (100' Roll)	WTSR32	1
83417 ●	Blue .025 Ultra-Flex Heavy for 1/2" – 1" Tubing (100' Roll)	WTSB32	1
83418 ●	Red .025 Ultra-Flex Heavy for 1/2" – 1" Tubing (50' Roll)	WTSR3210	1
83419 ●	Blue .025 Ultra-Flex Heavy for 1/2" – 1" Tubing (50' Roll)	WTSB3210	1

Ultra-Flex Heavy 25 mil. Pipe Sleeving is ideal for both CPVC and Copper Piping Systems.

* For use with Copper pipe only

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Shower Pan Liner



- 40 mil thick, gray
- No underlay mount required – may be glued directly to drain for positive seal
- Meets ASTM D-4551
- Meets FHA & HUD requirements for shower pan



PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83440 ●	40 mil. Membrane 4' x 50' (200 Sq. Ft.)	P445	1 Roll
83445 ●	40 mil. Membrane 5' x 40' (200 Sq. Ft.)	P454	1 Roll
83446 ●	40 mil. Membrane 6' x 50' (300 Sq. Ft.)	P465	1 Roll
83447 ●	40 mil. Membrane 4' x 100' (400 Sq. Ft.)	P441	1 Roll
83448 ●	40 mil. Membrane 5' x 100' (500 Sq. Ft.)	P451	1 Roll
83449 ●	40 mil. Membrane 6' x 100' (600 Sq. Ft.)	P461	1 Roll
83450 ●	6' X 6' Shower Pan Liner	P466K	1
83456 ●	40 mil. Membrane 5' x 500' (2500 Sq. Ft.)	P450	1 Roll
83457 ●	40 mil. Membrane 6' x 500' (3000 Sq. Ft.)	P460	1 Roll
40 Mil. PVC Shower Dam Corners			
85530 ●	40 mil. PVC Shower Dam Corners	SDC1	40
PVC Liner Cement			
10835 [†] ●	PVC Shower Pan Liner Solvent Cement (1 Pint)	106600031	12

[†] Product Category #1 – Cements, Primers & Cleaners

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF-TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Multi-Size 4N1™, 3N1® and 3N4 Hard Plastic Base Roof Flashings



- Adjustable multi-size flashing fits 1-1/4" – 3" and 3" – 4" vent pipe
- Tested for ultraviolet, ozone and weather resistance
- Elastomer collar heat tested to 180°F
- Approved for type "B" installations

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81709 ●●	12" x 16" Base for 1-1/4"–1-1/2", 2", 3", 4" Vent Pipe	HB41	20
81700 ●●	11 1/8" x 15" Base for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	HB31	20

Multi-Size 3N1® and 3N4 Flexible Plastic Base Roof Flashings



- Adjustable multi-size flashing fits 1-1/4" – 3" and 3" – 4" vent pipe
- Tested for ultraviolet, ozone and weather resistance
- 100% flexible
- Elastomer collar heat tested to 180°F
- Approved for type "B" installations

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81705 ●●	10" x 13 1/4" Base for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	FB31	20
81707 ●●	12" x 14-3/4" Base for 3" or 4" Vent Pipe	FB34	20

Multi-Size 4N1®, 3N1® & 3N4 Galvanized Steel Base Roof Flashings



- 24-gauge galvanized base
- Adjustable multi-size flashing fits 1-1/4" – 3" and 3" – 4" vent pipe
- Tested for ultraviolet, ozone and weather resistance
- Elastomer collar heat tested to 180°F
- Approved for type "B" installations
- Available in black, brown, weathered gray, and mill finish

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81711 ●●	12" x 16" Base for 1-1/4"–1-1/2", 2", 3", 4" Vent Pipe	GB41	20
81710 ●●	10 3/4" x 14-1/2" Base for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	GB31	20
81713 ●●	18" x 18" Base for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	GB3118	15
81723 ●●	1-1/4"/ 1-1/2", 2" or 3" Galvanized bent edge flashing	GB3118BE	10
81724 ●●	3" or 4" Galvanized bent edge flashing	GB3418BE	10

Caution: Do not use Petroleum base mastics, sealing compounds or paints on collar portion of all flashings, on all hardbase, flexible or rain collars.

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Multi-Size 4N1®, 3N1® & 3N4 Aluminium Base Roof Flashings



- Adjustable multi-size flashing fits 1-1/4" – 3" and 3" – 4" vent pipe
- Tested for ultraviolet, ozone and weather resistance
- Elastomer collar heat tested to 180°F
- Approved for type "B" installations
- Available in black, brown, weathered gray, and mill finish

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81716 ●●	12" x 16" Base for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	AB41	20
81715 ●●	10 3/4" x 14-1/2" Base for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	AB31	20
81718 ●●	18" x 18" Base for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	AB3118	15

Multi-Size 4N1® Copper Base Roof Flashings



- Adjustable multi-size flashing fits 1-1/4" – 4"
- Tested for ultraviolet, ozone and weather resistance
- Elastomer collar heat tested to 180°F
- Approved for type "B" installations

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81942 ●●	12" x 16" Base for 1/4", 1/2", 2", 3" or 4" Vent Pipe	CB41	5

Caution: Do not use Petroleum base mastics, sealing compounds or paints on collar portion of all flashings, on all hardbase, flexible or rain collars.





Standard Hard Plastic Base Roof Flashings

- Thermoplastic hard base with elastomer collar
- Approved for type "B" installations
- 18" x 18" available for code required areas
- Tested for ultraviolet, ozone and weather resistance
- Elastomer collar heat tested to 180°F



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard			
81750	9 1/4" x 13" Base for 1-1/4" or 1-1/2" Vent Pipe	HB1	20
81751	11 1/8" x 15" Base for 1-1/4" or 1-1/2" Vent Pipe	HB1LB	20
81755	9 1/4" x 13" Base for 2" Vent Pipe	HB2	20
81756	11 1/8" x 15" Base for 2" Vent Pipe	HB2LB	20
81760	11 1/8" x 15" Base for 3" Vent Pipe	HB3	20
81765	12" x 15 1/2" Base for 4" Vent Pipe	HB4	20
18" x 18"			
81931	18" x 18" Base for 1-1/4" or 1-1/2" Vent Pipe	HB118	10
81932	18" x 18" Base for 2" Vent Pipe	HB218	10
81933	18" x 18" Base for 3" Vent Pipe	HB318	10
81936	18" x 18" Base for 1-1/4", 1-1/2", 2" and 3" Vent Pipe	HB3118	10

Standard All Flexible Roof Flashings



- Tested for ultraviolet, ozone and weather resistance
- Approved for Type "B" installations
- Elastomer collar heat tested to 180°F



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
81800	9" x 11-3/8" Base for 1-1/4" or 1-1/2" Vent Pipe	FB1	20
81805	9" x 11-3/8" Base for 2" Vent Pipe	FB2	20
81810	10" x 13 1/4" Base for 3" Vent Pipe	FB3	20
81815	12" x 14-3/4" Base for 4" Vent Pipe	FB4	20

Caution: Do not use Petroleum base mastics, sealing compounds or paints on collar portion of all flashings, on all hardbase, flexible or rain collars.

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Standard Galvanized Steel Base Roof Flashings



- 24-gauge galvanized base with elastomer collar
- Fits any roof pitch to 45°
- Elastomer collar heat tested to 180°F
- Tested for ultraviolet, ozone and weather resistance

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard			
81850 ●●	8-3/4" x 12 1/2" Base for 1-1/4" or 1-1/2" Vent Pipe	GB1	20
81855 ●●	8-3/4" x 12 1/2" Base for 2" Vent Pipe	GB2	20
81860 ●●	10 3/4" x 14-1/2" Base for 3" Vent Pipe	GB3	20
81865 ●●	12" x 16" Base for 4" Vent Pipe	GB4	20
81870 ●●	8-3/4" x 12 1/2" Base for 1/2", 3/4" or 1" Tubing	GB5	20
18" x 18"			
81872 ●●	18" x 18" Base for 1-1/4" or 1-1/2" Vent Pipe	GB118	15
81874 ●●	18" x 18" Base for 2" Vent Pipe	GB218	15
81876 ●●	18" x 18" Base for 3" Vent Pipe	GB318	15
81878 ●●	18" x 18" Base for 4" Vent Pipe	GB418	15
81879 ●●	18" x 18" Base for 1/2", 3/4" or 1" Tubing	GB518	15

Standard Aluminium Base Roof Flashings



- Aluminum base with elastomer collar
- Approved for Type "B" installations
- Elastomer collar heat tested to 180°F
- Tested for ultraviolet, ozone and weather resistance

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard			
81900 ●●	8-3/4" x 12 1/2" Base for 1-1/4" or 1-1/2" Vent Pipe	AB1	20
81905 ●●	8-3/4" x 12 1/2" Base for 2" Vent Pipe	AB2	20
81910 ●●	10 3/4" x 14-1/2" Base for 3" Vent Pipe	AB3	20
81915 ●●	12" x 16" Base for 4" Vent Pipe	AB4	20
81916 ●●	8-3/4" x 12 1/2" Base for 1/2", 3/4" and 1" Tubing	AB5	20
18" x 18"			
81920 ●●	18" x 18" Base for 1-1/4" or 1-1/2" Vent Pipe	AB118	15
81925 ●●	18" x 18" Base for 2" Vent Pipe	AB218	15
81930 ●●	18" x 18" Base for 3" Vent Pipe	AB318	15
81935 ●●	18" x 18" Base for 4" Vent Pipe	AB418	15

Caution: Do not use Petroleum base mastics, sealing compounds or paints on collar portion of all flashings, on all hardbase, flexible or rain collars.

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Standard Size Rain Collars



- Can be used to repair the elastomer sealing collar on all types of residential "no caulk" roof vent flashings quickly and easily
- Eliminates the need for a mastic or caulking type messy repair job
- Fully tested for ultraviolet, ozone and weather resistance
- Better appearance than a mastic repair job
- Can be used to instantly repair a leak during a wet period, until the flashing can be replaced at a later time
- Large size covers the entire existing elastomer collar
- For patching leaking no-caulk-style flashings
- Individual size and multi-size adjustable models available

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81725	Collar for 1-1/2" Vent Pipe	RC1	100
81730	Collar for 2" Vent Pipe	RC2	100
81735	Collar for 3" Vent Pipe	RC3	75
81740	Collar for 4" Vent Pipe	RC4	75
81745	Collar for 1/2", 3/4", 1" Vent Pipe (25 bag)	RC5	100

Low-Profile Collars



- For all metal style roof flashings
- Designed to fit all metal coned roof jacks/flashings 1" - 4"
- Requires no mastic, caulking or taping for a total waterproof seal
- Low-profile size
- Manufactured using a special EPDM material with UV inhibitor
- Life of the roof system warranty

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81739 ●●	Low Profile Collar for 1" Vent Pipe (25 bag)	LPC1	100
81741 ●●	Low Profile Collar for 1-1/2" Vent Pipe (25 bag)	LPC15	100
81742 ●●	Low Profile Collar for 2" Vent Pipe (25 bag)	LPC2	100
81743 ●●	Low Profile Collar for 3" Vent Pipe (25 bag)	LPC3	100
81744 ●●	Low Profile Collar for 4" Vent Pipe (25 bag)	LPC4	100

Multi-Size 4N1™, 3N1® and 3N4 Rain Collars



- Can be used to repair the elastomer sealing collar on all types of residential "no caulk" roof vent flashings quickly and easily
- Eliminates the need for a mastic or caulking type messy repair job
- Can be used to instantly repair a leak during a wet period, until the flashing can be replaced at a later time
- Large size covers the entire existing elastomer collar
- Fully tested for ultraviolet, ozone and weather resistance
- Individual sizes and multi-size adjustable models available
- Better appearance than a mastic

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81720 ●●	Collar for 1-1/4", 1-1/2", 2" or 3" Vent Pipe	RC31	20
81721 ●●	4N1® Collar for 1 1/4", 1 1/2", 2" or 3" Vent Pipe	RC41	20

Caution: Do not use Petroleum base mastics, sealing compounds or paints on collar portion of all flashings, on all hardbase, flexible or rain collars.

Specialty Solar Collars & Flashings



- Commercial & residential: water-tight seal for solar mounting system
- Requires no mastic, caulking or taping – mess free

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81870	8-3/4" x 12 1/2" Galvanized Base for 1/2", 3/4" or 1" Tubing	GB5	20
81879	18" x 18" Galvanized Base for 1/2", 3/4" or 1" Tubing	GB518	15
81916	8-3/4" x 12 1/2" Aluminum Base for 1/2", 3/4" and 1" Tubing	AB5	20
81937	18" x 18" Aluminum Base for 1/2", 3/4" or 1" Tubing	AB518	15
81745	Collar Only for 1/2", 3/4", 1" Vent Pipe (25 bag)	RC5	100

Electrical Mast Roof Flashing



- Simplifies replacement of deteriorating flashings around electrical masts on shingle roofing
- Flashing base is reinforced with strong, rigid galvanized mesh
- Split-boot design
- 20-year warranty
- Constructed of durable EPDM rubber
- Manufactured in an ISO9001 registered factory

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81746	Electrical Mast RetroFit Roof Flashing, 0 to 3-3/8"	EFB1	15

Multi-Size Metal Roof Pipe Flashings



- Each flashing is adjustable to fit several pipe diameters – eight models to fit 1/4" through 13" pipe sizes
- One-piece construction for easy installation
- Made of long life, flexible, weatherproof EPDM rubber
- UV- and ozone-resistant EPDM rubber won't crack
- Flexible, corrosion-resistant aluminum base ring conforms to any roof panel configuration
- Clearly marked pipe diameters ensure a tight accurate fit
- Pleated cone adjusts to any roof pitch
- Continuous service temperature range of -65°F to 250°F

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
81820	1/4" – 2 1/2" EPDM Roof Flashing	81820	10
81821	1 3/4" – 3" EPDM Roof Flashing	81821	10
81822	1/4" – 5" EPDM Roof Flashing	81822	10
81823	3" – 6-1/4" EPDM Roof Flashing	81823	10
81824	4 1/4" – 7-3/4" EPDM Roof Flashing	81824	5
81825	5" – 9" EPDM Roof Flashing	81825	5
81827	7" – 13" EPDM Roof Flashing	81827	5

Caution: Do not use Petroleum base mastics, sealing compounds or paints on collar portion of all flashings, on all hardbase, flexible or rain collars.

WELD-ON

GUY GRAY

WATER-TITE

TOUGH PANS

ROOF TOP BLOK

TEST-TITE

AB&A

STUDOR

TRUEBRO

CHRISTY'S

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Galvanized Steel SnapCap™



COLOR OPTIONS:

-  Black
-  Brown
-  Weathered Gray

- All-Flow™ capability: patent pending counterbalanced damper works with any CFM fan
- 3", 4", & 6" adapters for multiple application sizes
- Heavy gauge flange and housing
- Three powder coated finishes available
- Adapter set and cable tie included with each SnapCap™

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
81680	SnapCap - Galvanized Steel, Brown	SCBRG	1
81681	SnapCap - Galvanized Steel, Black	SCBLG	1
81682	SnapCap - Galvanized Steel, Weathered Gray	SCGRG	1

Aluminium SnapCap™



COLOR OPTIONS:


-  Black
-  Brown
-  Weathered Gray

- All-Flow™ capability: patent pending counterbalanced damper works with any CFM fan
- 3", 4", & 6" adapters for multiple application sizes
- Heavy gauge flange and housing
- Three powder coated finishes available
- Adapter set and cable tie included with each SnapCap™

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
81683	SnapCap - Aluminum, Brown	SCBRAL	1
81684	SnapCap - Aluminum, Black	SCBLAC	1
81685	SnapCap - Aluminum, Weathered Gray	SCGRAL	1

Caution: Do not use Petroleum base mastics, sealing compounds or paints on collar portion of all flashings, on all hardbase, flexible or rain collars.


Greenskin Building Seals



- For all types of interior or exterior penetrations through buildings.
- Use with HVAC, electrical, plumbing, etc.
- Perfect weathertight poly seal
- Easy to use, flexible continuous membrane
- No caulking
- No taping joints
- Spacer button allows air flow behind seal
- No trapped moisture in wall cavity

PRODUCT	DESCRIPTION	MODEL
81411	10x10 Greenskin Fits 0.5" DWV	WTGS10NPS05
81412	10x10 Greenskin Fits 0.75" DWV	WTGS10NPS075
81413	10x10 Greenskin Fits 1" DWV	WTGS10NPS1
81414	10x10 Greenskin Fits 1.25" DWV	WTGS10NPS125
81415	10x10 Greenskin Fits 1.5" DWV	WTGS10NPS15
81416	10x10 Greenskin Fits 2" DWV	WTGS10NPS2
81417	12x12 Greenskin Fits 3" DWV	WTGS12NPS3
81418	12x12 Greenskin Fits 4" DWV	WTGS12NPS4
81419	12x12 Greenskin Fits 4" Duct	WTGS12HVAC4
81420	12x12 Greenskin Fits 5" Duct	WTGS12HVAC5
81421	12x12 Greenskin Fits 6" Duct	WTGS12HVAC6
81422	15x15 Greenskin Fits 8" Duct	WTGS15HVAC8
81423	12x12 Greenskin Single Gang RT	WTGS12ELB
81424	12x12 Greenskin Single Gang RT	WTGS12ELR

Faceplates with Gasket Backing



PRODUCT	DESCRIPTION	MODEL
81425	6x12 Faceplate - Two 2" Holes	WTMLFP6122
81426	6x12 Faceplate - Two 3" Holes	WTMLFP6123
81427	6x12 Faceplate - Blank	WTMLFP612BG
81428	6x16 Faceplate - Two 2" Holes	WTMLFP6162
81429	6x16 Faceplate - Two 3" Holes	WTMLFP6163
81430	6x16 Faceplate - Blank	WTMLFP616BG
81431	4.5x10 Faceplate - Two 2" Holes	WTMLFP4102
81432	4.5x10 Faceplate - Blank	WTMLFP410BG
81433	8x8 Faceplate - One 4" Hole	WTMLFP884
81434	8x8 Faceplate - Blank	WTMLFP88BG
81435	6x6 Faceplate - One 3" Hole	WTMLFP663
81436	6x6 Faceplate - One 2" Hole	WTMLFP662
81437	6x6 Faceplate - One 1.5" Hole	WTMLFP6615
81438	6x6 Faceplate - One Blank	WTMLFP66BG

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION


AB&A
IPS CORPORATION

STUDOR.
IPS CORPORATION

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Faceplates without Gasket Backing



PRODUCT	DESCRIPTION	MODEL
81439	6x16 Faceplate - Blank No Gasket	WTMLFP616B
81440	6x16 Faceplate - Blank No Gasket	WTMLFP612B
81441	4.5x10 Faceplate - Blank No Gasket	WTMLFP410B
81442	8x8 Faceplate - Blank No Gasket	WTMLFP88B
81443	6x6 Faceplate - Blank No Gasket	WTMLFP66B
81444	6x6 Faceplate - Thick No Gasket	WTMLFP66BTH

Gasket Backing

PRODUCT	DESCRIPTION	MODEL
66324	6x16 Backing Gasket Only	WTMLFP616G
66325	6x16 Backing Gasket Only	WTMLFP612G
66326	4.5x10 Backing Gasket Only	WTMLFP410G
66327	8x8 Backing Gasket Only	WTMLFP88G
66328	6x6 Backing Gasket Only	WTMLFP66G
66329	6x6 Backing Gasket Only	WTMLFP1218G
66330	12x18 Backing Gasket Only	WTMLFP2412G

Meter Pocket



PRODUCT	DESCRIPTION	MODEL
81445	9x16 Meter Pocket-Meter Sockets	WTMP916



Pro-Flash



- Non-breathable and flexible
- Weather tight elastomeric seal
- Score lines allow for multiple pipe sizes
- Easily integrates into your building envelope system
- Flexible membrane easily forms around any contours of the building (trims, corners, etc.)
- No caulking or taping

PRODUCT	DESCRIPTION	MODEL
81446	1/8"-3/8" NPS Proflash 12-Pk	WTPFGR2512PK
81447	0.5"-1.75" NPS Proflash 12-Pk	WTPFGR5015012PK
81448	2" NPS-4" Proflash 12-Pk	WTPFGR20035012PK
81449	4" SDR35-6" NPS Proflash 12-Pk	WTPFGR35065012PK
81450	1/8"-3/8" NPS Proflash 12-Pk	WTPFGR2525PK
81451	0.5"-1.75" NPS Proflash 12-Pk	WTPFGR5015025PK
81452	2" SDR35-6" NPS Proflash 12-Pk	WTPFGR20035025PK
81453	4" SDR35-6" NPS Proflash 12-Pk	WTPFGR35065025PK

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



TOUGH PANS®

PRODUCT OVERVIEW

Tough Pans Water Heater Pans

In 2019, IPS Corporation acquired the Dry Lift and Pro Series Water Heater protection pans which are designed for gas and electric water heaters.

The Dry Lift and Pro Series pans were added to IPS Corporation's high quality aluminum and plastic pans to form the most extensive protection pan line in the industry - now known as Tough Pans.

The Dry Lift and Pro Series pans are the most innovative drain pan line on the market, engineered with the strongest materials to produce a nearly indestructible pan. The Dry Lift and Pro series water heater pans can be used on gas or electric tanks and are extremely durable and flexible. The Dry Lift Series of drain pans uses built in risers to lift tanks 1.5", extending tank life and making connecting to the drain valve effortless.



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Dry Lift Series



- For use with gas or electric tanks
- Patented lift system for easy valve connection and extended tank life
- ASTM E-84 Class A Rating
- Constructed with the strongest materials for extreme toughness and flexibility

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Dry Lift Pans			
87090	Dry Lift WH Pan 23" with CPVC Adapter	VP23RC	1
87091	Dry Lift WH Pan 23" with PVC Adapter	VP23RP	1
87092	Dry Lift WH Pan 25" with CPVC Adapter	VP25RC	1
87093	Dry Lift WH Pan 25" with PVC Adapter	VP25RP	1
87094	Dry Lift WH Pan 27" with CPVC Adapter	VP27RC	1
87095	Dry Lift WH Pan 27" with PVC Adapter	VP27RP	1

Pro Series



- For use with gas or electric tanks
- ASTM E-84 Class A Rating
- Constructed with the strongest materials for extreme toughness and flexibility

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Pro Series Pans			
87110	PRO WH Pan 19" with CPVC Adapter	VP19PC	1
87111	PRO WH Pan 19" with PVC Adapter	VP19PP	1
87112	PRO WH Pan 21" with CPVC Adapter	VP21PC	1
87113	PRO WH Pan 21" with PVC Adapter	VP21PP	1
87114	PRO WH Pan 23" with CPVC Adapter	VP23PC	1
87115	PRO WH Pan 23" with PVC Adapter	VP23PP	1
87116	PRO WH Pan 25" with CPVC Adapter	VP25PC	1
87117	PRO WH Pan 25" with PVC Adapter	VP25PP	1
87118	PRO WH Pan 27" with CPVC Adapter	VP27PC	1
87119	PRO WH Pan 27" with PVC Adapter	VP27PP	1
87120	PRO WH Pan 31" with CPVC Adapter	VP31PC	1
87121	PRO WH Pan 31" with PVC Adapter	VP31PP	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Aluminium Water Heater Pans, PVC Drain Connection



- Durable 25 mil. aluminum circular pans recommended for gas water heater protection
- Drain adapter fits over 1" and inside 1-1/2" PVC pipe
- 2" clearance around diameter of heater pan recommended
- 2 1/8" deep
- Will not rust
- Pre-drilled with drain kit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87030	18" ID x 20" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP18203	10
87000	20" ID x 22" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP2022	10
87003	22" ID x 24" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP2224	10
87006	24" ID x 26" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP2426	10
87010	26" ID x 28" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP2628	10
87031	28" ID x 30" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP2830	5
87013	30" ID x 32" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP3032	5
87041	32" ID x 34" OD Pan, 1" x 1-1/2" PVC Drain Conx.	AHP3234	5

Aluminium Water Heater Pans, CPVC Drain Connection



- Durable 25 mil. aluminum circular pans recommended for gas water heater protection
- Drain adapter fits over 1" and inside 1-1/2" PVC pipe
- 2" clearance around diameter of heater pan recommended
- 2 1/8" deep
- Will not rust
- Pre-drilled with drain kit
- Furnished with 1" CPVC drain kit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87035	18" ID x 20" OD Pan, 1" CPVC Drain Conx.	AHP1820C	10
87002	20" ID x 22" OD Pan, 1" CPVC Drain Conx.	AHP2022C	10
87005	22" ID x 24" OD Pan, 1" CPVC Drain Conx.	AHP2224C	10
87008	24" ID x 26" OD Pan, 1" CPVC Drain Conx.	AHP2426C	10
87012	26" ID x 28" OD Pan, 1" CPVC Drain Conx.	AHP2628C	10
87033	28" ID x 30" OD Pan, 1" CPVC Drain Conx.	AHP2830C	5
87014	30" ID x 32" OD Pan, 1" CPVC Drain Conx.	AHP3032C	5
87074	32" ID x 34" OD Pan, 1" CPVC Drain Conx.	AHP3234C	5

Aluminium Water Heater Pans, PVC Drain Connection, No Hole



- Durable 25 mil. aluminum circular pans recommended for gas water heater protection
- Drain adapter fits over 1" and inside 1-1/2" PVC pipe
- 2" clearance around diameter of heater pan recommended
- 2 1/8" deep
- Will not rust
- Pre-drilled with drain kit
- Furnished with drain kit

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
87001	20" ID x 22" OD Pan, 1" PVC Drain Conx./No Hole	AHP2022NH	10
87004	22" ID x 24" OD Pan, 1" PVC Drain Conx./No Hole	AHP2224NH	10
87007	24" ID x 26" OD Pan, 1" PVC Drain Conx./No Hole	AHP2426NH	10
87011	26" ID x 28" OD Pan, 1" PVC Drain Conx./No Hole	AHP2628NH	10
87015	30" ID x 32" OD Pan, 1" PVC Drain Conx./No Hole	AHP3032NH	5

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

Plastic Water Heater Pans, PVC Drain Connection



- Circular pans recommended for electric water heater protection
- PVC drain adapter fits over 1" PVC or inside 1-1/2" PVC pipe
- 2" clearance around diameter of heater pan recommended
- 2 1/2" deep
- New plastic material allows for increased flexibility and ease of installation
- 1-piece construction
- Furnished with PVC drain kit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86970	18" ID x 20" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP1820	20
86975	20" ID x 22" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP2022	20
86980	22" ID x 24" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP2224	20
86985	24" ID x 26" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP2426	20
86990	26" ID x 28" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP2628	10
86997	28" ID x 30" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP2830	5
86995	30" ID x 32" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP3032	5
87066	32" ID x 34" OD Pan, 1" x 1-1/2" PVC Drain Conx.	HP3234	5

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Plastic Water Heater Pans, CPVC Drain Connection



- Circular pans recommended for electric water heater protection
- CPVC adapter fits 1" CPVC pipe
- 2" clearance around diameter of heater pan recommended
- 2 1/2" deep
- New plastic material allows for increased flexibility and ease of installation
- 1-piece construction
- Furnished with 1" CPVC drain kit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86979	20" ID x 22" OD Pan, 1" CPVC Drain Conx.	HP2022C	20
86984	22" ID x 24" OD Pan, 1" CPVC Drain Conx.	HP2224C	20
86989	24" ID x 26" OD Pan, 1" CPVC Drain Conx.	HP2426C	20
86994	26" ID x 28" OD Pan, 1" CPVC Drain Conx.	HP2628C	10
86999	28" ID x 30" OD Pan, 1" CPVC Drain Conx.	HP2830C	5
86998	30" ID x 32" OD Pan, 1" CPVC Drain Conx.	HP3032C	5
87073	32" ID x 34" OD Pan, 1" CPVC Drain Conx.	HP3234C	5

Plastic Water Heater Pans, PVC Drain Connection, No Hole



- Circular pans recommended for electric water heater
- 2" clearance around diameter of heater pan recommended
- 2 1/2" deep
- New plastic material allows for increased flexibility and ease of installation
- 1-piece construction
- Furnished with PVC drain kit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86976	20" ID x 22" OD Pan Undrilled, 1" x 1-1/2" PVC Drain Connection	HP2022NH	20
86981	22" ID x 24" OD Pan Undrilled, 1" x 1-1/2" PVC Drain Connection	HP2224NH	20
86986	24" ID x 26" OD Pan Undrilled, 1" x 1-1/2" PVC Drain Connection	HP2426NH	20
86991	26" ID x 28" OD Pan Undrilled, 1" x 1-1/2" PVC Drain Connection	HP2628NH	10
86996	30" ID x 32" OD Pan Undrilled, 1" x 1-1/2" PVC Drain Connection	HP3032NH	5

Plastic Washing Machine Pans



- 1" PVC drain connection included
- Provides protection from washing machine overflow or hose failure
- High-impact plastic – will not rust
- Pan not drilled
- 1" to 2" clearance around diameter of pan recommended

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83200	27" x 29" ID/27 1/2" x 29-1/2" Top OD Pan w/1" x 1-1/2" PVC Drain	WMP1	5
83202	28-1/4" x 28-1/4" ID/29 1/8" x 29 1/8" Top OD Pan w/1" x 1-1/2" PVC Drain	WMP2	5
83203	28" x 30" ID/31 x 33 Top OD Pan w/1" x 1-1/2" PVC Drain	WMP3	5
83204	28-1/4" x 28-1/4" ID/29 1/8" x 29 1/8" Top OD Pan w/1" x 1-1/2" PVC Drain/ Bulk	WMP2B	75
83205	29" x 34" ID/31" x 36" Top OD Pan w/ 1" x 1-1/2" PVC Drain	WMP4	5

Adapter Kit For All Plastic, Aluminium and Washing Machine Pans



- Can be used with aluminum or plastic water heater pans and washing machine pans
- PVC adapter fits over 1" and inside 1-1/2" PVC pipe
- Kit comes with adapter, rubber washer and lock nut
- Combination adapter is 1" x 1-1/2"

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
88371	PVC 1" x 1-1/2" Adapter	88371	5
89075	CPVC 1" x 1-1/2" Adapter	89075	5

Water Heater Stand



- Durable galvanized steel stand recommended for 30 – 50 gal. capacity gas water heater protection
- Easy screw & nut assembly

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83180	18-Gauge 21" x 21" x 18" Stand (650# Weight Limit)	WHS1	1
83181	16-Gauge 24" x 24" x 18" Stand (1300# Weight Limit)	WHS2	1



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION


TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



ROOF TOP BLOX

PRODUCT OVERVIEW

Versatile, time-saving roof top support block system

The Roof Top Blox® is a revolutionary roof top support block system that works with height extension rods, support brackets, pipe rollers, strut, and more. The Blox is versatile enough for every roof plumbing support, roof piping support, and roof platform support need. In addition, the packaging makes transporting roof support blocks to the job – and roof top – a faster and more efficient process.

Engineered with contractors in mind, the Roof Top Blox system is designed to be quickly installed, expanded, and adjusted from just the top side. Easier installation and lasting dependability make Roof Top Blox the best roof block choice to specify or install for supporting pipes and mechanical equipment on flat commercial roofs.



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

Roof Top Blox Adjustable Pipe Support



- Made of Polypropylene Copolymer
- Bundled in 8 pack totes
- Includes on-board galvanized strap
- 250 lbs. max weight single point
- 350 lbs. max weight with strut
- Perfect solution for supporting piping and equipment on flat commercial roofs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
80600	Roof Top Blox-Adj Pipe Support (8-pack)	RTB01	8

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

1.5" Blox Height Extension



- Fastens directly on top of Blox
- Two #10 screws provided
- Use to elevate Blox to 6" overall height
- 100 lbs./45 kg max loads when directly mounted to blox or when elevated on threaded rods
- Available in 24 or 48 packs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
80601	1.5" Blox Height Extension	XTB0224	24

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

Securing Brackets



- Pair of securing brackets secure Blox directly to roof surface
- Help to secure Blox to protect against moderate wind, water and snow loads
- Brackets lock onto engineered mounting tabs with two #12x3/4" screws, then glue to roof surface with structural adhesive

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
80607	Securing Bracket (1 pair)	SCB07	32

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

Small & Large Pipe Rollers



- Small aluminum roller supports 1" - 3" diameter pipe
- Large aluminum roller supports 4" - 6" diameter pipe
- Use on long pipe runs to allow for expansion and contraction of piping
- Can be mounted centrally or side by side on Blox
- Can be mounted directly on Blox or elevated with extension rods (R0D03)
- Includes strut, bolts and mounting screws (Large rollers only)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Small Pipe Rollers			
80605	1" - 3" Small Pipe Roller	R0L05	16
80611	1"-3" Small Pipe Roller Less Containment Band	R0L08	16
Large Pipe Roller			
80606	4" - 6" Large Pipe Roller	R0L06	8
80611	1"-3" Small Pipe Roller Less Containment Band	R0L08	16



STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

12" Extension Rods



- 11-1/2" long, 1/2" diameter zinc coated threaded rods with nuts and washers
- Use with XTBO2, STRO4, ROL05 or ROL06 to elevate piping up to 14" overall height
- Insert rods a minimum of 1" into blox, not to exceed 3"

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
80603	12" Extension Rods	ROD03	24

10" Galvanized Slotted Strut



- Mounts directly to Blox top with #14x1 sheet metal screws and washers
- Can also be installed elevated with threaded extension rods
- Accepts strut clamps
- 350 lbs./158 kg max. static load when strut is applied to Blox

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
80604	10" Slotted Steel Strut	STR04	24

M-1® Structural Adhesive



- Non-solvent based, flexible, high-bond M-1 adhesive
- 10 oz. tube bonds 10 pairs of SCB07
- Bonds SCB07 Securing Brackets to all roof surfaces and materials
- Available in gray or white (Not to be applied under Blox)

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
80608	Structural Adhesive, Gray	ADH12	24
80609	Structural Adhesive, White	ADH12WH	24

Primer for M-1® Adhesive



- Primer required for bonding with ADH12 to TPO roofing systems.
- One pint primes TPO membranes for 35 pairs of
- Securing Brackets

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
80610	TPO Primer, F1280 (pint)	PRI13	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION


TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



TEST-TITE®

PRODUCT OVERVIEW

40+ years of field-tested reliability

For more than four decades now, Test-Tite® products have featured a full range of pneumatic and mechanical test plugs. Plumbers worldwide have come to rely on Test-Tite time- and field-tested plugs, turning to them for use in residential, commercial, and underground markets.

Test plugs, tools, hoses and more

Test-Tite pneumatic plugs come with a three-year warranty and include the full plumbing line of Pressure Relief Test Plugs up to 15" in diameter. Test-Tite mechanical plugs feature the all new patented Mechanical Cleanout Test Plug, as well as the Flush Cleanout Repair Plugs. The full Test-Tite product line also includes test caps, hoses and accessories.



- WELD-ON
- GUY GRAY
- WATER-TITE
- TOUGH PANS
- ROOF-TOP BLOK
- TEST-TITE
- AB&A
- STUDOR
- TRUEBRO
- CHRISTY'S

Pressure Relief Pneumatic Test Plugs



- Pressure relief automatically resets as the pressure in the plug vents below release pressure
- Pressure relief has no moving parts to fail or malfunction
- Molded as one-piece with no seams or bonded parts
- Pressure relief exhausts out of the top of the plug not into test area
- Internal pressure relief device releases pressure when plug exceeds maximum pressure levels
- Works in place of “standard” pneumatic plugs
- 5 sealing ribs in the center portion of the plug for positive sealing
- Three-year limited warranty
- Patents Pending
- 3” and 4” plugs are available with 48” long chains (bulk packs only). Contact IPS for availability

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83581	1-1/4” – 1-1/2” PR Test Plug Boxed	83581	6
83582	2” Pressure Relief Test Plug	83582	6
83583	3” Pressure Relief Test Plug	83583	6
83584	4” Pressure Relief Test Plug	83584	6
Bulk Packs			
83585	1-1/4” – 1-1/2” PR Test Plug Bulk	83585	12
83586	2” Pressure Relief Test Plug	83586	12
83587	3” Pressure Relief Test Plug	83587	12
83588	4” Pressure Relief Test Plug	83588	12

Large Pressure Relief Pneumatic Test Plugs



- Designed for testing or to temporarily stop the flow
- Each size is designed for one specific pipe size
- Can be used in a variety of fitting applications and are suitable for most pipe materials
- Conforms to irregular pipe shapes to seal effectively
- Manufactured from a durable natural rubberMetal cap/core tool is also included

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83625	5” Standard Pneumatic Test Plug w/ PR Valve	83625	1
83626	6” Standard Pneumatic Test Plug w/ PR Valve	83626	1
83628	8” Standard Pneumatic Test Plug w/ PR Valve	83628	1
83630	10” Standard Pneumatic Test Plug w/ PR Valve	83630	1
83632	12” Standard Pneumatic Test Plug w/ PR Valve	83632	1
83635	15” Standard Pneumatic Test Plug w/ PR Valve	83635	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Multi-Size Pneumatic Test Plugs



- Designed for the testing of pipelines or to temporarily stop the flow
- Can be used individually as a test plug or together with another plug for testing
- Each plug is designed for two or more pipe sizes
- Plugs are suitable for many different pipe materials
- Manufactured from a durable natural rubber compound
- 4"-6" diameter and smaller come with a 12" chain and a ring assembly attached to a molded inflation valve
- Metal cap/core tool is also included

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83211	3/4" – 1-1/2" Multi-Size Standard Pneumatic Test Plug	83211	1
83212	1-1/4" – 2" Multi-Size Standard Pneumatic Test Plug	83212	6
83225	2" – 3" Multi-Size Standard Pneumatic Test Plug	83225	6
83234	3" – 4" Multi-Size Standard Pneumatic Test Plug	83234	6
83246	4" – 6" Multi-Size Standard Pneumatic Test Plug	83246	1
83248	4" – 8" Multi-Size Standard Pneumatic Test Plug w/ PR Valve	83248	1
83268	6" – 8" Multi-Size Standard Pneumatic Test Plug w/ PR Valve	83268	1
83261	6" – 10" Multi-Size Standard Pneumatic Test Plug w/ PR Valve	83261	1
83282	8" – 12" Multi-Size Standard Pneumatic Test Plug w/ PR Valve	83282	1
83216	10" – 16" Multi-Size Standard Pneumatic Test Plug w/ PR Valve	83216	1
83218	12" – 18" Multi-Size Standard Pneumatic Test Plug w/ PR Valve	83218	1
83633	12" – 24" Large Diameter Multi-Size Pneumatic Test Plug w/ PR Valve	83633	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION


STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Pressure Relief Long Pneumatic Test Plugs


- Designed for the testing of pipelines or to temporarily stop the flow
- Designed to be used in a "Y" to block flow from the main sewer line
- Suitable for many different pipe materials
- Manufactured from a durable natural rubber compound
- Each size comes with a 24" chain and ring assembly attached to a pressure relief valve
- Also included with each plug is a 36" inflation hose




PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83642	2" Long Pneumatic Test Plug w/ PR Valve	83642	1
83643	3" Long Pneumatic Test Plug w/ PR Valve	83643	1
83644	4" Long Pneumatic Test Plug w/ PR Valve	83644	1
83646	4" – 6" Long Pneumatic Test Plug w/ PR Valve	83646	1
Bulk Packs			
83542	2" Long Pneumatic Test Plug w/ PR Valve	83542	6
83543	3" Long Pneumatic Test Plug w/ PR Valve	83543	6
83544	4" Long Pneumatic Test Plug w/ PR Valve	83544	6

Multi-Size Dual Stage Long Pneumatic Test Plugs

- Designed for the testing of pipelines or to temporarily stop the flow
- Designed to be used in a "Y" to block flow from the main sewer line
- The multi-size dual-stage long is designed to release the test media before completely deflating and removing the plug
- Suitable for many different pipe materials
- Manufactured from a durable natural rubber compound
- Each size comes with a 24" chain and ring assembly attached to a pressure relief valve
- Also included with each plug is a 36" inflation hose



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83123	2" – 3" Multi-Size – Dual-Stage Long Pneumatic Test Plug w/ PR Valve	83123	1
83134	3" – 4" Multi-Size – Dual-Stage Long Pneumatic Test Plug w/ PR Valve	83134	1
83146	4" – 6" Multi-Size – Dual-Stage Long Pneumatic Test Plug w/ PR Valve	83146	1



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION


AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION


Pneumatic Cleanout Test Plugs



- Designed for the testing of plumbing pipelines above the cleanout tee
- Each size is designed for one specific pipe size
- Design of this plug will allow for passing of the test water or air by deflating the plug
- After deflation, the plug can be unscrewed from the test tee
- Manufactured from a durable natural rubber compound
- Each size comes with a molded-in inflation valve

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Packs			
83651	1-1/2" Cleanout Pneumatic Test Plug	83651	6
83652	2" Cleanout Pneumatic Test Plug	83652	6
83653	3" Cleanout Pneumatic Test Plug	83653	6
83654	4" Cleanout Pneumatic Test Plug	83654	6
Bulk Packs			
83661	1-1/2" Cleanout Pneumatic Test Plug – Bulk Pack	83661	12
83662	2" Cleanout Pneumatic Test Plug – Bulk Pack	83662	12
83663	3" Cleanout Pneumatic Test Plug – Bulk Pack	83663	12
83664	4" Cleanout Pneumatic Test Plug – Bulk Pack	83664	12

Pneumatic Bypass Plugs



- Designed for the bypassing of water or sewage in pipelines or to temporarily stop the flow
- Can also be adapted to use in air testing of sewer lines
- Each plug is designed for one pipe size
- Plugs can be used in a variety of applications and are suitable for many different pipe materials
- Manufactured from a durable natural rubber compound
- Sizes 1-1/2" through 5" come with a 12" chain and ring assembly
- Sizes 3" and larger come with a pressure relief valve
- Sizes 6" through 15" come with an eyebolt for connecting a rope or inflation/lift line

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83671	1-1/2" Pneumatic Bypass Plug	83671	1
83672	2" Pneumatic Bypass Plug	83672	1
83673	3" Pneumatic Bypass Plug w/ PR Valve	83673	1
83674	4" Pneumatic Bypass Plug w/ PR Valve	83674	1
83675	5" Pneumatic Bypass Plug w/ PR Valve	83675	1
83676	6" Pneumatic Bypass Plug w/ PR Valve	83676	1
83678	8" Pneumatic Bypass Plug w/ PR Valve	83678	1
83680	10" Pneumatic Bypass Plug w/ PR Valve	83680	1
83682	12" Pneumatic Bypass Plug w/ PR Valve	83682	1
83685	15" Pneumatic Bypass Plug w/ PR Valve	83685	1



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Multi-Size Pneumatic Bypass Plugs



- Designed for the bypassing of water or sewage in pipelines or to temporarily stop the flow
- Can also be adapted to use in air testing of sewer lines
- Plugs can be used in a variety of applications and are suitable for many different pipe materials
- Each plug is designed for two or more pipe sizes
- Manufactured from a durable natural rubber compound
- Each plug comes with an eyebolt for connecting a rope or inflation/lift line and a pressure relief valve

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83761	6" – 10" Multi-Size Pneumatic Bypass Plug w/ PR Valve	83761	1
83802	8" – 12" Multi-Size Pneumatic Bypass Plug w/ PR Valve	83802	1
83816	10" – 16" Multi-Size Pneumatic Bypass Plug w/ PR Valve	83816	1
83818	12" – 18" Multi-Size Pneumatic Bypass Plug w/ PR Valve	83818	1
83824	12" – 24" Multi-Size Pneumatic Bypass Plug w/ PR Valve	83824	1


Large Multi-Size Pneumatic Bypass Plugs



- Designed for the bypassing of water or sewage in pipelines or to temporarily stop the flow
- Can also be adapted to use in air testing of sewer lines
- Each plug is designed for two or more pipe sizes
- Can be used in a variety of applications and are suitable for many different pipe materials
- Manufactured from a durable natural rubber compound

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83860	15" – 30" Multi-Size Pneumatic Bypass Plug	83860	1
83861	20" – 36" Multi-Size Pneumatic Bypass Plug	83861	1
83865	24" – 48" Multi-Size Pneumatic Bypass Plug	83865	1
83877	48" – 72" Multi-Size Pneumatic Bypass Plug	83877	1


Multi-Size Pneumatic Front Air Test Plugs



- Designed for the testing of pipelines or to temporarily stop the flow
- Can be used individually as a test plug or together with another plug for testing
- Each plug is designed for two or more pipe sizes
- Plugs are suitable for many different pipe materials
- Manufactured from a durable natural rubber compound
- Sizes 12" - 24" and smaller come with pressure relief valve
- Each size comes with an eyebolt at each end for connecting directly to another Air

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
84048	4" – 8" Multi-Size Pneumatic Front Air Test Plugs w/ PR Valve	84048	1
84082	8" – 12" Multi-Size Pneumatic Front Air Test Plugs w/ PR Valve	84082	1
84118	12" – 18" Multi-Size Pneumatic Front Air Test Plugs w/ PR Valve	84118	1
84124	12" – 24" Multi-Size Pneumatic Front Air Test Plugs w/ PR Valve	84124	1
84146	15" – 30" Multi-Size Pneumatic Front Air Test Plugs	84146	1
84147	20" – 36" Multi-Size Pneumatic Front Air Test Plugs	84147	1
84148	24" – 48" Multi-Size Pneumatic Front Air Test Plugs	84148	1
84149	36" – 60" Multi-Size Pneumatic Front Air Test Plugs	84149	1
84151	48" – 72" Multi-Size Pneumatic Front Air Test Plugs	84151	1
84152	60" – 96" Multi-Size Pneumatic Front Air Test Plugs	84152	1

Multi-Size Pneumatic Back Air Test Plugs



- Designed for the testing of pipelines or to temporarily stop the flow
- Can be used individually as a test plug or together with another plug for testing
- Each plug is designed for two or more pipe sizes
- Plugs are suitable for many different pipe materials
- Manufactured from a durable natural rubber compound
- Sizes 12" - 24" and smaller come with pressure relief valve
- Each size comes with an eyebolt at each end for connecting directly to another Air

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83948	4" – 8" Multi-Size Pneumatic Back Air Test Plugs w/ PR Valve	83948	1
83962	8" – 12" Multi-Size Pneumatic Back Air Test Plugs w/ PR Valve	83962	1
83968	12" – 18" Multi-Size Pneumatic Back Air Test Plugs w/ PR Valve	83968	1
83974	12" – 24" Multi-Size Pneumatic Back Air Test Plugs w/ PR Valve	83974	1
83975	15" – 30" Multi-Size Pneumatic Back Air Test Plugs	83975	1
83976	20" – 36" Multi-Size Pneumatic Back Air Test Plugs	83976	1
83978	24" – 48" Multi-Size Pneumatic Back Air Test Plugs	83978	1
83979	36" – 60" Multi-Size Pneumatic Back Air Test Plugs	83979	1
83981	48" – 72" Multi-Size Pneumatic Back Air Test Plugs	83981	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Drain Flush



- Connects to garden hose to safely, cleanly, and easily clear drain pipes of obstructions with water pressure
- Works in minutes without harsh chemicals
- Effective up to 1,000'
- Sizes available for most common residential drain applications
- Completely reusable
- One-year replacement guarantee

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83500	Drain Flush for 1" – 2" Drains	RDF 12	12
83505	Drain Flush for 1-1/2" – 3" Drains	RDF 13	12
83510	Drain Flush for 3" – 4" Drains	RDF 34	6
83515	Drain Flush for 3" – 6" Drains	RDF 36	6

Extension Hoses



- Pressure rated at 250 psig
- Made with brass fitting and ferrules
- Extension hoses each have a male and female fitting to connect directly to an inflation valve

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83692	2-Ft. Extension Hose	83692	6
83693	3-Ft. Extension Hose	83693	6
83695	5-Ft. Extension Hose	83695	6
83696	10-Ft. Extension Hose	83696	1
83697	20-Ft. Extension Hose	83697	1
83698	30-Ft. Extension Hose	83698	1
83703	40-Ft. Extension Hose	83703	1

Air Test Caps



- Used for converting a bypass plug to a Front Air Test Plug
- Each cap includes two fittings for inflation and reading pressure
- Each cap thread is standard pipe thread
- Caps are PVC for easy removal

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83921	1-1/2" Air Test Cap, Quick Disconnect	83921	1
83922	3" Air Test Cap, Quick Disconnect	83922	1
83923	4" Air Test Cap, Quick Disconnect	83923	1

Replacement Fittings



- Replacement parts for Test-Tite testing equipment

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
99577	Quick Disconnect, Hose	99577	1
99851	1/4" Disconnect Plug	99851	1
99751	Inflator, for Extension Hose	99751	1
99752	Deflator, for Extension Hose	99752	1
99694	1/4" Tank Valve	99694	1

Pump with Gauge



- Easy-to-read pressure gauge
- Includes thumb-lock disconnect
- Includes foot base
- Inflation noses on all pumps can be replaced

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83700	Black Pump w/Gauge – Hi Impact Plastic Body	83700	1
83710	Red Pump w/Gauge – Steel Body	83710	1

Air Test Hoses



- Each hose is 3/8" ID for maximum inflation volume
- Hoses rated at 250 psig
- Each hose comes with brass quick disconnects

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83905	10-Ft. Monitor Hose, 3/8" Hose	83905	1
83906	20-Ft. Monitor Hose, 3/8" Hose	83906	1
83907	30-Ft. Monitor Hose, 3/8" Hose	83907	1
83908	40-Ft. Monitor Hose, 3/8" Hose	83908	1
83909	10-Ft. Inflation Lift Hose, 3/8"	83909	1
83910	20-Ft. Inflation Lift Hose, 3/8"	83910	1
83911	30-Ft. Inflation Lift Hose, 3/8"	83911	1
83912	40-Ft. Inflation Lift Hose, 3/8"	83912	1

Inflation / Lift Hoses



- Extension hoses each have a male and female fitting to connect directly to an inflation valve
- Includes a quick snap connection on lift line

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83732	10-Ft. Inflation/Lift Hose	83732	1
83733	20-Ft. Inflation/Lift Hose	83733	1
83734	30-Ft. Inflation/Lift Hose	83734	1
83735	40-Ft. Inflation/Lift Hose	83735	1



Twist 'N Seal® Pipe Sealing Plug

- Stop water flow while soldering or cementing pipe fittings
- Holds up to 60 psig
- Quick and easy to use
- Comes individually or in a kit
- Simple to change sizes – just unscrew rubber seal and replace
- No tools required



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83782	Small tool with 1/2" seal already attached	83782	6
83783	Small tool with 3/4" seal already attached	83783	6
83784	Small tool with 1" seal already attached	83784	6
83787	Large tool with 1-1/4" seal already attached	83787	1
83788	Large tool with 1-1/2" seal already attached	83788	1
83789	Large tool with 2" seal already attached	83789	1
83785	1/2" – 1" Twist 'N Seal Kit	83785	6
83790	1-1/4" – 2" Twist 'N Seal Kit w/ Carrying Case	83790	1
83791	1/2" – 2" Twist 'N Seal Kit w/ Carrying Case	83791	1
83792	1/2" – 1" Twist 'N Seal Kit w/ Carrying Case	83792	1
97470	1/2" Replacement Seal	97470	6
97471	3/4" Replacement Seal	97471	6
97472	1" Replacement Seal	97472	6
97528	1-1/4" Replacement Seal	97528	1
97529	1-1/2" Replacement Seal	97529	1
97530	2" Replacement Seal	97530	1
97543	Carrying Case	97543	1

Mechanical Cleanout Test Plugs

- Clear cap provides a "window" to monitor the test media as it drains
- Expandable rubber gasket provides air and water tight seal
- Tests up to 40 vertical feet
- Durable design; plated steel parts will not rust
- No tools, hoses or gauges are required for installation
- Hand-tighten in seconds
- Available in 2-, 3-, 4- and 6-inch diameters



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83656	2" Mechanical Cleanout Test Plug, for PVC/ABS DWV	MC02	6
83649	2" Mechanical Cleanout Test Plug, for Cast Iron	MC02CI	6
83657	3" Mechanical Cleanout Test Plug - Bulk Pack	MC03	6
83658	4" Mechanical Cleanout Test Plug - Bulk Pack	MC04	6
83659	6" Mechanical Cleanout Test Plug, for PVC/ABS DWV	MC06	1
83660	6" Mechanical Cleanout Test Plug, for Cast Iron	MC06CI	1
90442	2" Rubber Seal Only for MC02 Plug	90442	1
90446	2" Rubber Seal Only for MC02CI Plug	90446	1
90443	3" Rubber Seal Only for MC03 Plug	90443	1
90444	4" Rubber Seal Only for MC04 Plug	90444	1
90447	6" Rubber Seal Only for MC06 Plug	90447	1
90448	6" Rubber Seal Only for MC06CI Plug	90448	1
90445	Pop-It Seal Only for 2", 3", and 4"	90445	1

Metal Wing Nut Test Plugs



- Cost-effective plug
- Used for plugging open-ended pipe
- Rubber sealing ring

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
88386	Tests 1-1/2" Drain Pipe	RWN 1	6
88387	Tests 2" Drain Pipe	RWN 2	6
88388	Tests 3" Drain Pipe	RWN 3	6
88389	Tests 4" Drain Pipe	RWN 4	6
88384	Tests 5" Drain Pipe	RWN 5	5
88390	Tests 6" Drain Pipe	RWN 6	5


Twist-Tite Mechanical Test Plugs



- Oversized wingnut with wrench pad for easy removal
- Made of high-impact ABS material
- This model for end-of-pipe only
- Will not rust or corrode
- Neoprene gasket

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83591	1-1/2" Mechanical Test Plug	MWN 1	10
83592	2" Mechanical Test Plug	MWN 2	10
83593	3" Mechanical Test Plug	MWN 3	10
83594	4" Mechanical Test Plug	MWN 4	10
83596	6" Mechanical Test Plug	MWN 6	5
83598	8" Mechanical Test Plug	MWN 8	5

Inside Pipe Twist-Tite Mechanical Test Plugs



- Oversized wingnut with wrench pad for easy removal
- Made of high-impact ABS material
- This model for inside-pipe only
- Will not rust or corrode
- Neoprene gasket

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
83595	4" Inside Pipe Twist-Tite	MWN 9	10
83597	6" Inside Pipe Twist-Tite	MWN 10	5
83599	8" Inside Pipe Twist-Tite	MWN 11	5



Flush Mechanical Cleanout Repair Plug

- Holds up to 50 feet of back pressure
- Seals air tight! (Does not rely on threads to seal)
- Back pressure actually increases sealing ability
- Completely flush inside and out
- Can install cleanout cover over plug
- Cannot fall into the pipe
- Comes with 5/16" wrench
- Center is tapped for screw, and can be covered with cleanout cover
- Patent 7,464,727



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83687	2" Flush Mechanical Cleanout Repair Plug	FCRP2	10
83688	3" Flush Mechanical Cleanout Repair Plug	FCRP3	10
83689	3-1/2" Flush Mechanical Cleanout Repair Plug	FCRP35	10
83690	4" Flush Mechanical Cleanout Repair Plug	FCRP4	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

T-Cone Combination Cleanout Test Plugs



- Economical, rust-proof and reusable
- Positive sealing
- Tests up to 50 feet of head pressure

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86375	Tests 1-1/2" Sch. 40 DWV	S 152	50
86385	Tests 2" Sch. 40 DWV & Type "M" Copper Tube	S 202	50
86520	Flush Mount Recessed Plug; Tests 2" Sch. 40 DWV	CS 202	50
86390	Tests 3" Sch. 40 & Copper DWV; 2" Cast Iron Hub	S 302	10
86526	Flush Mount Recessed Plug; Tests 3" Sch. 40 & Copper DWV, Type "M" Copper	CS 302	50
86455	Tests 3" Sch. 40 Socket	S 300	50
86395	Tests 4" Type "M" Copper Tube, Cast Iron Closet Bend (SW), VCP Barrel	S 401	50
86400	Tests 4" Sch. 40 & Copper DWV, PVC S&D, Cast Iron & VCP Barrel; 3" Cast Iron Hub	S 402	10
86535	Flush Mount Recessed Plug; Tests 4" Sch. 40 & Copper DWV, PVC S&D, Cast Iron Barrel	CO 402	50
86420	Tests 6" Copper DWV, PVC PSM (SDR 35), PVC DR-14, CI & VCP Barrel	S601	36
86425	Tests 6" Sch. 40 DWV, PVC DR-18, Cast Iron Barrel (EH)	S602	36
86435	Tests 8" Sch. 40 DWV, PVC PSM (SDR 35), PVC DR-18, VCP Barrel	S802	20

T-Cone Flush Mount Cleanouts with Cover Plate



- Easy-to-install and remove
- Fits DWV pipe
- Positive sealing
- For flush or below ground applications
- Cover plate protects and identifies sewer cleanout

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86315	3" Cleanout Plug with Cover Plate & Screw	CO 302C	50
86320	4" Cleanout Plug with Cover Plate & Screw	CO 402C	50

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

T-Cone Cleanout Repair Plugs



- Easy and economical repairs to damaged/corroded, metal or plastic
- Cleanout threads – no need to replace fitting
- Epoxy sealant included for airtight and watertight repairs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86335	Fits 1-1/2" Female Cleanout Adapter	EB 152E	50
86340	Fits 2" Female Cleanout Adapter	EB 220E	50
86345	Fits 3" Female Cleanout Adapter	EB 320E	50
86350	Fits 3-1/2" Female Cleanout Adapter	EB 350E	50
86355	Fits 4" Female Cleanout Adapter	EB 420E	50

2-Way Wrench For T-Cone Cleanout Test and Repair Plugs



- For tightening 1" through 6" combination cleanout test plugs and cleanout repair plugs with raised head
- For t-cone cleanout test and repair plugs
- Also fits 3" through 4" recessed drive plugs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86545	T-Cone 2-Way Wrench	SM 106	1

Deep Techno-Caps™ - PVC



- Extra deep solvent weld socket provides room for errors on pipe that is not cut straight
- Offers an economical solution to heavy duty PVC or ABS schedule 40 DWV end caps
- Tested to 5 stories of head pressure (22 psig)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
87531	Tests 1-1/2" Deep PVC DWV Pipe (50/Bag)	TC 1D	800
87532	Tests 2" Deep PVC DWV Pipe (50/Bag)	TC 2D	600
87533	Tests 3" Deep PVC DWV Pipe (25/Bag)	TC 3D	250
87534	Tests 4" Deep PVC DWV Pipe (25/Bag)	TC 4D	150

Deep Techno-Caps™ - ABS



- Extra deep solvent weld socket provides room for errors on pipe that is not cut straight
- Offers an economical solution to heavy duty PVC or ABS schedule 40 DWV end caps
- Tested to 5 stories of head pressure (22 psig)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
87536	Tests 1-1/2" Deep ABS DWV Pipe (50/Bag)	TC 1AD	800
87537	Tests 2" Deep ABS DWV Pipe (50/Bag)	TC 2AD	600
87538	Tests 3" Deep ABS DWV Pipe (25/Bag)	TC 3AD	250
87539	Tests 4" Deep ABS DWV Pipe (25/Bag)	TC 4AD	150

Techno-Caps™ - PVC



- Heavy duty PVC test cap
- For 1-1/2", 2", 3" and 4" DWV pipe
- Can be solvent-welded on PVC pipe
- Will not clog or fall into pipe
- Can be tested up to 40' of water of 17 psig
- Also available in orange

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
87503	Tests 1-1/2" PVC DWV Pipe (100/Bag)	TC 1	800
87505	Tests 2" PVC DWV Pipe (100/Bag)	TC 2	600
87510	Tests 3" PVC DWV Pipe (50/Bag)	TC 3	250
87515	Tests 4" PVC DWV Pipe (25/Bag)	TC 4	150
87516	Tests 6" PVC DWV Pipe (10/Bag)	TC 6	50

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF-TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Techno-Caps™ - ABS



- Heavy duty ABS test cap
- Can be solvent-welded
- For 1-1/2", 2", 3" and 4" DWV pipe
- Will not clog or fall into pipe
- Can be tested up to 40' of water of 17 psig

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
87526	Tests 1-1/2" ABS DWV Pipe (100/Bag)	TC 1A	800
87527	Tests 2" ABS DWV Pipe (100/Bag)	TC 2A	600
87528	Tests 3" ABS DWV Pipe (50/Bag)	TC 3A	250
87529	Tests 4" ABS DWV Pipe (25/Bag)	TC 4A	150

Combination Kap-On Test Caps



- Moderate-pressure test cap
- Higher rated than plug-on test caps
- For 1-1/2", 2", 3" and 4" DWV pipe
- Each cap can be used for two sizes
- Solvent-welded onto PVC or ABS pipe
- Can be tested up to 30' of water or 12 psig

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86615	Tests 1-1/2" & 2" DWV Pipe (100/Bag)	K0 12	500
86620	Tests 3" & 4" DWV Pipe (50/Bag)	K0 34	250

Plug-On Test Caps



- Low-pressure test cap
- For 1-1/2", 2", 3" and 4" DWV pipe
- Solvent-welded onto PVC or ABS pipe
- Can be tested up to 10' of water or 4.3 psig

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
85000	Tests 1-1/2" DWV Pipe (100/Bag)	5817 P1-1/2	2000
85005	Tests 2" DWV Pipe (50/Bag)	5817 P2	1500
85010	Tests 3" DWV Pipe (25/Bag)	5817 P3	600
85015	Tests 4" DWV Pipe (20/Bag)	5817 P4	340

Slip-On Caps



- For 1-1/2", 2", 3" and 4" DWV pipe
- Pushed onto PVC or ABS pipe
- Normally used as a "dust cap" to keep out debris
- Not designed for pressure
- Orange plastic

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
85450	Slip-on Test Cap for 1-1/2" DWV [40/Bag]	S0 1	600
85455	Slip-on Test Cap for 2" DWV [25/Bag]	S0 2	400
85460	Slip-on Test Cap for 3" DWV [25/bag]	S0 3	150
85465	Slip-on Test Cap for 4" DWV	S0 4	90

Flexible PVC Test Caps with Stainless Steel Clamp



- Moderate-pressure test cap
- For 1-1/2", 2", 3", 4" and 6" DWV pipe
- Can be used as a cleanout cap
- Used on plastic, steel, copper and cast iron pipe
- Flexible PVC construction
- Stainless steel clamp will not rust
- Can be tested up to 30' of water or 13 psig

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83711	1-1/2" Cleanout Test Cap w/S.S. Clamping Band	83711	100
83712	2" Cleanout Test Cap w/S.S. Clamping Band	83712	100
83713	3" Cleanout Test Cap w/S.S. Clamping Band	83713	50
83714	4" Cleanout Test Cap w/S.S. Clamping Band	83714	50
83706	6" Cleanout Test Cap w/S.S. Clamping Band	83706	20

Shower Rough-In Test Plug



- Combination test plug and shower stub-out
- Hi-viz plastic for easy visibility
- Smooth threaded end for easy plastering
- Reusable and long lasting
- No tools required

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
83803	Shower Rough-In Test Plug	STP1	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ABA
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Liquid Filled Pressure Gauges

- For Service Applications Where Pulsation/ Corrosion/ or Vibration is Present
- Stainless Steel Case
- Glycerin Filled
- Brass 1/4" NPT Connection
- CRN Registered



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
2 1/2 Inch Face			
513990	2 1/2 inch Liquid Filled DIAL/ 0-15 PSI (1/10th)	TG-LF-15-25	50
513999	2 1/2 inch Liquid Filled DIAL/ 0-30 PSI	TG-LF-30-25	50
514003	2 1/2 inch Liquid Filled DIAL/ 0-60 PSI	TG-LF-60-25	50
513988	2 1/2 inch Liquid Filled DIAL/ 0-100 PSI	TG-LF-100-25	50
513992	2 1/2 inch Liquid Filled DIAL/ 0-160 PSI	TG-LF-160-25	50
513995	2 1/2 inch Liquid Filled DIAL/ 0-200 PSI	TG-LF-200-25	50
513997	2 1/2 inch Liquid Filled DIAL/ 0-300 PSI	TG-LF-300-25	50
514000	2 1/2 inch Liquid Filled DIAL/ 0-400 PSI	TG-LF-400-25	50
514004	Vacuum Gauge LIQUID FILLED/ -30 to 0 Hg	TG-LFVG-30-25	1
4 Inch Face			
513991	4 inch Liquid Filled DIAL/ 0-15 PSI (1/10th)	TG-LF-15-4	50
513989	4 inch Liquid Filled DIAL/ 0-100 PSI	TG-LF-100-4	50
513993	4 inch Liquid Filled DIAL/ 0-160 PSI	TG-LF-160-4	50
513998	4 inch Liquid Filled DIAL/ 0-300 PSI	TG-LF-300-4	50

No Bottom Pressure Gauges

- Steel Case with Shatterproof Dial
- Brass 1/4" NPT Connection
- Use Air/ H2O/ Oil/ Gas or Anything Non-Corrosive to Brass
- Not for Oxygen Service
- CRN Registered



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
2 Inch Face			
514010	2 inch Pressure Gauge/ 0-15 PSI (1/10th)	TG-NB-15-20	100
514021	2 inch Pressure Gauge/ 0-30 PSI	TG-NB-30-20	100
514026	2 inch Pressure Gauge/ 0-60 PSI	TG-NB-60-20	100
514007	2 inch Pressure Gauge/ 0-100 PSI	TG-NB-100-20	100
514012	2 inch Pressure Gauge/ 0-160 PSI	TG-NB-160-20	100
514015	2 inch Pressure Gauge/ 0-200 PSI	TG-NB-200-20	100
2 1/2 Inch face			
514011	2 1/2 inch Pressure Gauge/ 0-15 PSI (1/10th)	TG-NB-15-25	100
514022	2 1/2 inch Pressure Gauge/ 0-30 PSI	TG-NB-30-25	100
514027	2 1/2 inch Pressure Gauge/ 0-60 PSI	TG-NB-60-25	100
514008	2 1/2 inch Pressure Gauge/ 0-100 PSI	TG-NB-100-25	100
514013	2 1/2 inch Pressure Gauge/ 0-160 PSI	TG-NB-160-25	50
514016	2 1/2 inch Pressure Gauge/ 0-200 PSI	TG-NB-200-25	100
514019	2 1/2 inch Pressure Gauge/ 0-300 PSI	TG-NB-300-25	100
514024	2 1/2 inch Pressure Gauge/ 0-600 PSI	TG-NB-600-25	50

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

No Bottom Pressure Gauges



- Steel Case with Shatterproof Dial
- Brass 1/4" NPT Connection
- Use Air/ H2O/ Oil/ Gas or Anything Non-Corrosive to Brass
- Not for Oxygen Service
- CRN Registered

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
3-1/2 inch face			
514023	3-1/2 inch Pressure Gauge/ 0-30 PSI	TG-NB-30-35	50
514009	3-1/2 inch Pressure Gauge/ 0-100 PSI	TG-NB-100-35	50
514020	3-1/2 inch Pressure Gauge/ 0-300 PSI	TG-NB-300-35	50

Low Pressure Air Test Gauge



- Suited for Low Pressure Measurement Where the Conventional Bourdon Tube Cannot Perform Reliably
- CRN Registered
- 2 1/2" Dial

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
514006	2 1/2 inch Low Pressure Air Test Gauge – 0-5 PSI	TG-LP-05-25	1

Air Test Gauges



- Steel Case with 2" Shatterproof Dial
- Precision Made Parts
- NPT Connection
- Steel Body
- CRN Registered

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513977	2 inch Air Test Gauge 0-15 PSI [1/10th]	TG-A-15-20	100
513978	2 inch Air Test Gauge 0-30 PSI	TG-A-30-20	50
513979	2 inch Air Test Gauge 0-60 PSI	TG-A-60-20	50
513976	2 inch Air Test Gauge 0-100 PSI	TG-A-100-20	50
513980	Air Test Gauge Body w/ Air Valve	TG-A-BAV	100
513987	Air Valve with Cap	TG-A-VCAP	100

Water Test Gauge



- Precision Made
- Steel Case
- Brass FHT Connection
- CRN Registered

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
2 Inch Face			
514030	Water Test Gauge 2 inch DIAL/ 0-160 PSI	TG-W-160-20	50
514034	Water Test Gauge 2 inch DIAL/ 0-160 PSI Lazy Hand	TG-WLH-160-20	50
514032	Water Test Gauge 2 inch DIAL/ 0-300 PSI	TG-W-300-20	50
514035	Water Test Gauge 2 inch DIAL/ 0-300 PSI Lazy Hand	TG-WLH-300-20	50
2 1/2 Inch Face			
514031	Water Test Gauge 2 1/2 inch DIAL/ 0-160 PSI	TG-W-160-25	50
514033	Water Test Gauge 2 1/2 inch DIAL/ 0-300 PSI	TG-W-300-25	50

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION


TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



AB&ATM

OVERVIEW

Broader offering for plumbing wholesalers & contractors

IPS Corporation acquired the American Brass & Aluminum Foundry (AB&A) in 2010. Since 1931, the AB&A product family has grown to include a full line of plastic and brass bath wastes, plastic, cast iron and brass plumbing drains and fittings, cleanouts, and associated accessories.

High quality wastes and drains

Easy-to-install AB&A bath wastes are offered in an assortment of special finishes to complement today's designs and customer preferences. A wide range of lavatory, floor, and shower drains are available in plastic, bronze, or cast brass. Recognized for their consistent high quality, AB&A products are used in both new construction and retrofit markets.



IPS CORPORATION
WELD-ON

IPS CORPORATION
GUY GRAY

IPS CORPORATION
WATER-TITE

IPS CORPORATION
TOUGH PANS

IPS CORPORATION
ROOF TOP BLOX

IPS CORPORATION
TEST-TITE

IPS CORPORATION
AB&A

IPS CORPORATION
STUDOR

IPS CORPORATION
TRUEBRO

IPS CORPORATION
CHRISTY'S

White Plastic Snap-In



- Plastic snap-in access door
- ABS molded high impact, non-corrosive plastic
- Surface or flush mounting
- Reversible frame

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
67906	6" x 9"	ABA6715	12
85150	8" x 8"	RAP8X8	10
85152	12" x 12"	ABA6712	12
85155	14" x 14"	RAP1414	10
67908	14" x 29"	ABA6718	6

16Ga Mild Steel - White Prime Coated



- Full length hinge
- Rounded corners to minimize bent corners
- Interchangeable locks

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
67909	6" x 6" w/ Screwdriver Lock	ABA6724	1
67900	8" x 8" w/ Screwdriver Lock	ABA6725	1
67901	10" x 10" w/ Screwdriver Lock	ABA6727	1
67902	12" x 12" w/ Screwdriver Lock	ABA6729	1
67903	14" x 14" w/ Screwdriver Lock	ABA6731	1
67913	14" x 14" Mesh w/ Screwdriver Lock	ABA6731M	1
67904	16" x 16" w/ Screwdriver Lock	ABA6733	1
67929	18" x 18" w/ Screwdriver Lock	ABA6748	1
67930	24" x 24" w/ Screwdriver Lock	ABA6749	1
69930*	24" x 24" w/Screwdriver Lock	ABA9924	1

*Vertical or horizontal installation

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

16Ga #304 Stainless Steel



- Full length hinge
- Rounded corners to minimize bent corners
- Interchangeable locks

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
67915	6" x 6" w/ Screwdriver Lock	ABA6734	1
67905	8" x 8" w/ Screwdriver Lock	ABA6735	1
67920	10" x 10" w/ Screwdriver Lock	ABA6737	1
67922	12" x 12" w/ Screwdriver Lock	ABA6739	1
67925	14" x 14" w/ Screwdriver Lock	ABA6741	1
67926	16" x 16" w/ Screwdriver Lock	ABA6743	1
67927	18" x 18" w/ Screwdriver Lock	ABA6744	1
67928	24" x 24" w/ Screwdriver Lock	ABA6745	1

Replacement Locks



- Full length hinge
- Rounded corners to minimize bent corners
- Interchangeable locks

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
69771	5-Pack of Assorted Keys	ABA6773	1
67991	Cylinder Lock only (same key)	ABA6776	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOC
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Trap-Tite Waterless Trap Seal

- Mitigates trap seal loss due to evaporation
- Prevents harmful sewer gases from entering building
- Protects against entry of vermin into habitable spaces
- Sealing rings on the outer edge of the Trap-Tite will keep device in place for the life of the product while the inner flaps will open when liquids pour down the drain.
- ASSE 1072 rated AF-GW
- Rated for grease-laden waste applications



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
69420 ●	2" Waterless Trap Seal	TT2	24
69430 ●	3" Waterless Trap Seal	TT3	24
69435 ●	3-1/2" Waterless Trap Seal	TT35	24
69440 ●	4" Waterless Trap Seal	TT4	24


Cast Iron Shower Drain

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60210 ●	2" Quick-Set Replaces AB&A 564-S (7120 Series)	ABA564	1



Strainers

- Includes protection plate



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 3 1/4" Steel Grate w/ Screws – 2 7/8" Center to Center (7120 Series)			
69569	Chrome Grate & Crown	ABA5145	15
69615	Satin Nickel Grate & Crown	ABA5149SN	1
69614	Oil Rubbed Bronze Grate & Crown	ABA5149ORB	1

Cast Iron Floor Cleanout

- Non-adjustable nickel bronze top



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60309	3" No-Hub	ABA553	12
60300	4" No-Hub	ABA554	8

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Cast Iron Cess Pool Drain



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60226	4" No-Hub x 8-1/2" Top	ABA634	1

Cast Iron "Set-N-Go" Closet Ring



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60003	3" x 2" with Test Cap	ABA032	1
60002	4" x 2" with Test Cap	ABA042	1
60005	4" x 4" with Test Cap	ABA044	1

Cast Iron Roof Drain



- 6-1/2" dome

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60213 ●	3" No-hub Bottom Outlet	ABA573	1
60214 ●	4" No-hub Bottom Outlet	ABA574	1
60216 ●	3" No-hub Side Outlet	ABA583	1

Cast Iron Roof Drain with Overflow Combo



- Overflow combo
- 8-3/4" CD
- 6 1/2" dome

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60219	2" No-hub Outlet	ABA602	1
60220 ●	3" No-hub Outlet	ABA603	1
60222 ●	4" No-hub Outlet	ABA604	1
60218	6 1/2" Dome with Ring & Hardware	ABA586	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Cast Iron Floor Cleanout



- 4" adjustable nickel bronze top

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60233	2" No-Hub	ABA512	1

Cast Iron Floor Drain with Trap Primer



- 5" adjustable nickel bronze top
- Tapped for Primer

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
60200 ●	2" No-Hub	ABA502	1
60231 ●	3" No-Hub	ABA503	1
60232 ●	4" No-Hub	ABA504	1
60227	Round Replacement Grate	ABA8612	8

Floor Sinks



- Porcelain-coated cast iron
- UPC Listed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Square – 12" x 12" Flange Dimension – 6" Deep			
60400 ●	2" No-hub Connection	ABA302	1
60401 ●	3" No-hub Connection	ABA303	1
60402	3" Push-On Connection	ABA303PO	1
60403 ●	4" No-hub Connection	ABA304	1
Square – 12" x 12" Flange Dimension – 8" Deep			
60405 ●	2" No-hub Connection	ABA312	1
60406 ●	3" No-hub Connection	ABA313	1
Round- 8" Flange Dimension – 6" Deep			
60414 ●	2" No-hub Connection	ABA352	1
60415 ●	3" No-hub Connection	ABA353	1

Floor Sink Grates



- Porcelain-coated cast iron
- UPC Listed



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Square Grate – 12"			
60500 ●	Half Grate	ABA402	1
60501 ●	Three-quarter Grate	ABA403	1
60502 ●	Full Grate	ABA404	1
Round Grate – 8"			
60512 ●	Half Grate	ABA432	1
60514 ●	Full Grate	ABA434	1

Floor Sink Accessories



- Porcelain-coated cast iron
- UPC Listed



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Sediment Baskets For Cast Iron Sinks			
65800	For 12" Square	ABA480	6
Dome Strainers			
67100	4" Aluminum Dome Strainer for Cast Iron Sinks	ABA489	6



Drain Strainers & Cleanout Covers, & Crowns

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Nickel Bronze Drain Strainer			
69207	4"	ABA8595	3
69208	5"	ABA8600	3
69209	6"	ABA8610	3
Nickel Bronze Cleanout Cover			
69214	5"	ABA8637	3
69215	6"	ABA8640	3
Nickel Bronze Round Crown			
68102	5"	ABA8620	3
69212	6"	ABA8630	3
Screws			
69228	Stainless Steel Screws	ABA8825	100

Adjustable General Purpose Drains with Crown

- With crown



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
5" Nickel Bronze Drain Tapped & Plugged w/ Crown – 3" x 4" Bushing			
65319	ABS	ABA8190	6
65804	PVC	ABA8195	6
6" Nickel Bronze Drain Tapped & Plugged w/ Crown – 3" x 4" Bushing			
65002	PVC	ABA8225	6
6" Nickel Bronze Drain w/ Crown – 4" Fitting Adapter			
65493	PVC	ABA8135	6
6" Chrome Cover-all Strainer – 4" Fitting Adapter			
85895	PVC	4841B	6

Adjustable General Purpose Drains without Crown



- Less crown

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
5" Nickel Bronze Drain Tapped & Plugged Less Crown – 3" x 4" Bushing			
65805	PVC	ABA8205	6
6" Nickel Bronze Drain Tapped & Plugged Less Crown – 3" x 4" Bushing			
65323	PVC	ABA8235	6

Adjustable General Purpose Cleanouts with Crown



- With crown

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
5" Nickel Bronze CO Tapped & Plugged w/ Crown – 3" x 4" Bushing			
65326	ABS	ABA82505	6
65806	PVC	ABA82555	6
6" Nickel Bronze CO Tapped & Plugged w/ Crown – 3" x 4" Bushing			
65301	PVC	ABA8255	6
6" Nickel Bronze CO w/ Crown – 4" Fitting Adapter			
65003	PVC	ABA8165	6
6" Scored Skid Resistant Brass Cover-all Cover – 4" Fitting Adapter			
85910	ABS	5841A4	10
85905	PVC	4841A4	10



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Adjustable General Purpose Cleanouts without Crown

- Less crown



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
6" Nickel Bronze Cleanout Less Crown – 4" Fitting Adapter			
65317	PVC	ABA8175	6
6" Polished Brass Cleanout Crown - 4" Fitting Adapter			
65300	PVC	ABA8176	6

General Purpose Drains



- Less crown



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Snap-In Plastic Drain			
85945	ABS For 2" Pipe	5802	20
85955	ABS For 3" Pipe	5803	20
85965	ABS For 4" Pipe	5804	20
85940	PVC For 2" Pipe	4802	20
85950	PVC For 3" Pipe	4803	20
85960	PVC For 4" Pipe	4804	20



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Snap-In Plastic Drain with Stainless Steel Cover			
85951	PVC For 3" Pipe	4803S	20
85961	PVC For 4" Pipe	4804S	20

2" X 3" (Fits 2" or 3" DWV Pipe)

85820 ●	ABS with Stainless Steel Cover-all Strainer	5840S2	20
82151 ●	ABS with SS Cover-all Strainer – Display Pack	R5842S	6
85830 ●	ABS with Chromed Brass Cover-all Strainer	5840B2	20
85815 ●	PVC with Stainless Steel Cover-all Strainer	4840S2	20
82150 ●	PVC with SS Cover-all Strainer – Display Pack	R4842S	6
85816 ●	PVC with Stainless Steel Strainer	4840PS2	20
85825 ●	PVC with Chromed Brass Cover-all Strainer	4840B2	20

3" X 4" (Fits 3" or 4" DWV Pipe)

85840 ●	ABS with Stainless Steel Strainer	5840S3	20
85835 ●	PVC with Stainless Steel Strainer	4840S3	20

4" (Fits over 4" DWV Pipe)

85855 ●	PVC with Chromed Brass Strainer	4840B4	20
---------	---------------------------------	--------	----



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

General Purpose Area Drain



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82338	2" x 3" PVC	4880	10
82339	2" x 3" ABS	5880	10

Press-In Stainless Steel Drain Covers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
67033	3" for 1-1/2" Pipe	ABA2462	25
67034	3" for 2" Pipe	ABA2463	25
67035	4" for 3" Pipe	ABA2464	25
67036	5" for 4" Pipe	ABA2465	25

Bell Trap Drain



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82320	6" x 6" with Outlet for 1-1/2" or 2" PVC Pipe*	BTP612	20
82325	9" x 9" with Outlet for 3" or 4" PVC Pipe	BTP934	10
82330	9" x 9" with Outlet for 4" PVC Pipe (Hub Fit)	BTP940	10

*Use 2" Coupling to Convert to 2" Outlet

Heavy-Duty Traffic Floor Drain



- PVC with Grate
- Optimum durability for high traffic areas
- Complete with full grate and debris bucket
- Fits 3" or 4" Sch. 40 DW



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
65810 ●	3" PVC with PVC Grate	ABA8510	1



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Commercial Roof Drains



- Plastic drain assemblies with cast iron or plastic domes
- Drain kits include 86125 underdeck clamping collar
- Underdeck clamping collar available.

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
86120	With Plastic Dome for 3" ABS Pipe	5865	1
86122	With Plastic Dome for 4" ABS Pipe	5866	1
86100	With Cast Iron Dome for 3" ABS Pipe	5863	1
86110	With Cast Iron Dome for 4" ABS Pipe	5864	1
86115	With Plastic Dome for 3" PVC Pipe	4865	1
86121	With Plastic Dome for 4" PVC Pipe	4866	1
86095	With Cast Iron Dome for 3" PVC Pipe	4863	1
86105	With Cast Iron Dome for 4" PVC Pipe	4864	1
86125	Underdeck Clamping Collar for Above Roof Drains	5555	1
86097	Drain Kit, Plastic Dome for 3" PVC Pipe	4863PK	1
86107	Drain Kit, Plastic Dome for 4" PVC Pipe	4864PK	1
86096	Drain Kit, Cast Iron Dome for 3" PVC Pipe	4863K	1
86106	Drain Kit, Cast Iron Dome for 4" PVC Pipe	4864K	1

Integral Trap Floor Drain



- One piece ABS or PVC drain body
- Conforms to ASTM D2661 (ABS) / ASTM D2665 (PVC)
- Factory installed 1-1/2" cleanout plug
- 3-3/4" deep sump bowl
- 3" trap seal
- Available with or without backwater device

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82332	2" ABS Floor Drain with Integral Trap	5878	10
82334	2" ABS Floor Drain with Trap/ Backwater Device	5879	10
82331	2" PVC Floor Drain with Integral Trap	4878	10
82336	2" PVC Floor Drain with Integral Trap – Bulk Pack	4878B	90
82333	2" PVC Floor Drain with Trap/ Backwater Device	4879	10
82335	Backwater Device for 2" FIP Threads	BD2	10

Sewer Pop-Up™ Cleanout and Relief Valve



- Automatic relief valve for sewer cleanout riser. Relieves blocked sewage outside house, preventing potentially costly property damage inside.
- For standard 3" or 4" cleanout connections
- Individually boxed

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
86010	Pop Valve™ Relief Valve	RSP1	12

ABACO Floor Cleanout Access Covers



- Bronze frame and solid scoriated cover
- Used where a solid cover is required
- Frame includes anchor lugs, screws included

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
65303	Round Crown 6" with Screws	ABA8880	6
65365	Round Crown 7" with Screws	ABA8884	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Plastic Saddle Tee Kits

- Includes saddle tee, V-bolts, nuts and washer
- Individually bagged
- Used for tapping into a 3" or 4" DWV line



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82650	2" Inlet for 3" Sch. 40 DWV PVC Pipe	4870K	20
82655	2" Inlet for 4" Sch. 40 DWV PVC Pipe	4871K	20
82660	3" Inlet for 4" Sch. 40 DWV PVC Pipe	R4873K	10
82652	4" Inlet for 4" Sch. 40 DWV PVC Pipe	4872K	10
86310	Sponge Saddle Gasket for Saddle Tees	SADGAS	20

Floor Sinks – PVC – 12" x 12" Flange Dimension




- 3/4" top grate available in three styles: full, three-quarter and half
- Aluminum dome strainers or flat strainers available



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Single Size Floor Sinks			
60527 ●	2" Sink Base Only	ABA8575	3
60533 ●	2" Sink with Full Grate and Dome Strainer	ABA8576	1
60954	2" Sink with Full Grate and Flat Bottom Strainer	ABA8592	1
65801 ●	3" Sink Base Only	ABA8579	3
60525 ●	3" Sink with Full Grate and Dome Strainer	ABA8580	1
60949	3" Sink with Full Grate and Flat Bottom Strainer	ABA8591	1
60528 ●	4" Sink Base Only	ABA8583	3
60535 ●	4" Sink with Full Grate and Dome Strainer	ABA8584	1
60955	4" Sink with Full Grate and Flat Bottom Strainer	ABA8593	1



Multi-Size Floor Sinks			
60540	2" x 3" Sink Base Only	ABA8560	1
60541	2" x 3" Sink with Full Grate and Dome Strainer	ABA8561	1
60542	2" x 3" Sink with Full Grate and Flat Bottom Strainer	ABA8562	1
60543	3" x 4" Sink Base Only	ABA8563	1
60544	3" x 4" Sink with Full Grate and Dome Strainer	ABA8564	1
60545	3" x 4" Sink with Full Grate and Flat Bottom Strainer	ABA8565	1



Floor Sink Accessories			
69223	Full Grate Only	ABA8810	12
69224	Three-quarter Grate Only	ABA8811	12
65802	Half Grate Only	ABA8812	12
69245	2" Aluminum Dome Strainer	ABA8587	1
69246	3" Aluminum Dome Strainer	ABA8588	1
69705	4" Aluminum Dome Strainer	ABA8589	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Backwater Valves



- Positive sealing / backflow prevention
- With screw-in cover



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
With Plastic Screw-in Cover			
86215 ●	Fits 3" Sch. 40 ABS Pipe	BWW3A	4
86225 ●	Fits 4" Sch. 40 ABS Pipe	BWW4A	2
86210 ●	Fits 3" Sch. 40 PVC Pipe	BWW3P	4
86220 ●	Fits 4" Sch. 40 PVC Pipe	BWW4P	2
86235 ●	Fits 6" Sch. 40 PVC Pipe	BWW6P	1
With 18" Plastic Riser and Snap-on Cover			
86211 ●	Fits 3" Sch. 40 PVC Pipe	BWW3PAS	1
86221 ●	Fits 4" Sch. 40 PVC Pipe	BWW4PAS	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Mainline® Fullport Backwater Valves

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
4" Fullport Backwater Valve			
66000 ●	4" ABS Mainline Fullport Backwater Valve	ABAML4963A	1
66001 ●	4" PVC Mainline Fullport Backwater Valve	ABAML4963P	1
4" Fullport Backwater Valve - Parts			
66100	4" Mainline Gate	ABAPA4963G	1
66101	Clear Lid & Cleanout	ABAPA4963LCO	1
66102	Refurbish Kit Bolts / Gasket / O-ring	ABAPA4963RK	1



Mainline® Automatic Backwater Valves

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
4" ML-FR4 Backwater Valve			
66002	4" Mainline Automatic Backwater Valve	ABAMLFR4	2
4" ML-FR4 Backwater Valve - Parts			
66103	ML-FR4 Full Kit	ABAPA4FRFULL	1
66104	ML-FR4 External Kit	ABAPA4FREXT	1
66105	ML-FR4 Internal Kit	ABAPA4FRINT	1

Access Box

AB&A
IPS CORPORATION

STUDOR.
IPS CORPORATION

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
66003	20 x 13 Plastic Access Box	ABAPE2013	1
66106	Access Box lid	ABAPE2013LID	1

Extendable 3" Adapt-A-Valve



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Extendable 3" Adapt-A-Valve			
66004 ●	3" ABS Backwater Valve Body + (Normally Closed) Cassette	ABAML3XAC	1
66005 ●	3" PVC Backwater Valve Body + (Normally Closed) Cassette	ABAML3XPC	1
66006 ●	3" ABS Backwater Valve Body + (Normally Open) Cassette	ABAML3XAO	1
66007 ●	3" PVC Backwater Valve Body + (Normally Open) Cassette	ABAML3XP0	1
Extendable 3" Adapt-A-Valve - Parts			
66107 ●	Backwater Valve Cassette (Normally Closed)	ABAPA3CASS1NC	24
66108 ●	Backwater Valve Cassette (Normally Open)	ABAPA3CASS1NO	24
66109 ●	TEST-EZE Gate / Pressure testing	ABAML3TZ	24
66110 ●	ABS Body Housing Only	ABAML3BDY1A	24
66111 ●	PVC Body Housing Only	ABAML3BDY1P	24

Extendable 4" Adapt-A-Valve



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Extendable 4" Adapt-A-Valve			
66008	4" ABS Backwater Valve Body + (Normally Closed) Cassette	ABAML4XAC	1
66009	4" PVC Backwater Valve Body + (Normally Closed) Cassette	ABAML4XPC	1
66010	4" ABS Backwater Valve Body + (Normally Open) Cassette	ABAML4XAO	1
66011	4" PVC Backwater Valve Body + (Normally Open) Cassette	ABAML4XP0	1
Extendable 4" Adapt-A-Valve - Parts			
66112	Backwater Valve Cassette (Normally Closed)	ABAPA4CASS1NC	8
66113	Backwater Valve Cassette (Normally Open)	ABAPA4CASS1NO	8
66114	TEST-EZE Gate/pressure testing	ABAML4TZ	24
66115	TEST-EZE Gate/pressure testing (bagged with key)	ABAML4TZB	24
66116	ABS Body Housing Only	ABAML4BDY1A	8
66117	PVC Body Housing Only	ABAML4BDY1P	8



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR.
IPS CORPORATION

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Extendable 4" Inspection Chamber



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
66118	4x4x8 IC Body Housing Only	ABAML448IC	1
66119	Lid ONLY - red	ABA8ICLIDR	1
66120	Lid ONLY - green	ABA8ICLIDG	1
66121	Lid ONLY - blue	ABA8ICLIDB	1
66122	IC Collar PVC	ABA8AAVCOL	1
66123	Combo Lid / Collar - red	ABA8ICLIDCOLR	6
66124	Combo Lid / Collar - green	ABA8ICLIDCOLG	6
66125	Combo Lid / Collar - blue	ABA8ICLIDCOLB	6
66126	4" PVC Sewer Adapter	ABA44SWRADP	45
66127	6" PVC Sewer Adapter	ABA66SWRADP	32
66128	8" PVC Sewer Adapter	ABA88SWRADP	12

TERMEX Valve



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
66129	TERMEX Valve Normally Closed	ABATERMEXC	1
66130	TERMEX Valve Normally Open	ABATERMEXO	1
66131	3" ABS Extendable TERMEX Valve Normally Closed	ABATERMEX3SFA	1
66132	3" PVC Extendable TERMEX Valve Normally Open	ABATERMEX3SFP	1
66133	4" ABS Extendable TERMEX Valve Normally Closed	ABATERMEX4SFA	1
66134	4" PVC Extendable TERMEX Valve Normally Open	ABATERMEX4SFP	1
66135	6" ABS Extendable TERMEX Valve Normally Closed	ABATERMEX6SFA	1
66136	6" PVC Extendable TERMEX Valve Normally Open	ABATERMEX6SFP	1

TEST-EZE Pressure Testing Devices



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
66137	ABS Pressure Testing Device - Housing	ABAML3TTA	24
66138	PVC Pressure testing Device - Housing	ABAML3TTP	24
66139	Test Gate	ABAML3TTG	24
66140	Spacer Gate	ABAML3BLG	24
66141	3" Pipe Plug	ABAML3TEPP	1
66142	4" Pipe Plug	ABAML4TEPP	1
66143	3" Pipe Plug w/ float and string	ABAML3TEPPA	1
66144	4" Pipe Plug w/ float and String	ABAML4TEPPA	1

Extendable Straight Fit Valves



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Extendable Straight Fit Valves			
66012 ●	3x3x4 ABS Straight Fit Valve	ABAMLSF334A	1
66013 ●	3x3x4 PVC Straight Fit Valve	ABAMLSF334P	1
66014 ●	4x4x6 ABS Straight Fit Valve	ABAMLSF446A	1
66015 ●	4x4x6 PVC Straight Fit Valve	ABAMLSF446P	1
66016 ●	6x6x8 ABS Straight Fit Valve	ABAMLSF668A	1
66017 ●	6x6x8 PVC Straight Fit Valve	ABAMLSF668P	1
Extendable Straight Fit Valves - Parts			
66145	3" Straight Fit Gate Closed	ABAPA3SFGATE	1
66146	3" SMART CURVE Snake Guide	ABAPA3SFSG	1
66147	3" Gate for Pressure testing	ABAMLSF3TG	1
66148	4" Straight Fit Gate Closed	ABAPA4SFGATE	1
66149	4" SMART CURVE Snake Guide	ABAPA4SFSG	1
66150	4" Gate for Pressure testing	ABAMLSF4TG	1
66151	6" Straight Fit Gate Closed	ABAPA6SFGATE	1
66152	6" SMART CURVE Snake Guide	ABAPA6SFSG	1
66153	6" Gate for Pressure testing	ABAMLSF6TG	1

Flush Cap Clean Outs



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
66018 ●	4" ABS Flush Cap Cleanout	ABAML4FCADWW	20
66019 ●	4" PVC Flush Cap Cleanout	ABAML4FCPDWW	20
66020 ●	6" ABS Flush Cap Cleanout	ABAML6FCADWW	14
66021 ●	6" PVC Flush Cap Cleanout	ABAML6FCPDWW	14
66022 ●	6" SDR Flush Cap Cleanout	ABAML6FCPSDR	14



Fiberglass and Acrylic Floor Shower Drains

- Available connections: solvent weld, SUREFIT, caulk, no-caulk, and 2" male or female IPS
- Designed for pre-formed shower bases

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PLASTIC BODY DRAINS			
Solvent Weld – 2"			
67015 ●	ABS – White Plastic Strainer – Snap-in (7210 Series)	ABA3400	36
67017 ●	PVC – White Plastic Strainer – Snap-in (7210 Series)	ABA3408	36
67016 ●	ABS – Stainless Steel Strainer – Snap-in (7200 Series)	ABA3401	36
67018 ●	PVC – Stainless Steel Strainer – Snap-in (7200 Series)	ABA3409	36

Solvent Weld OR No-Caulk – 2"			
86055 ●	ABS – Stainless Steel Strainer – Snap-in (44010 Series)	5820G	20
86050 ●	PVC – Stainless Steel Strainer – Snap-in (44010 Series)	4820G	20
82405 ●	PVC – Stainless Steel Strainer – Snap-in – Display Pack (6305 Series)	R4820G	6

No-Caulk – 2" SUREFIT Joint			
67012 ●	ABS – White Plastic Strainer – Snap-in (7103 Series)	ABA3200	20
67065 ●	PVC – White Plastic Strainer – Snap-in (7103 Series)	ABA3202	20
67013 ●	ABS – Stainless Steel Strainer – Snap-in (7101 Series)	ABA3201	20
67014 ●	PVC – Stainless Steel Strainer – Snap-in (7101 Series)	ABA3203	20

No-Caulk – 2" Gasket for DWV			
67021	White Plastic with Plastic Strainer – Snap-in (7210 Series)	ABA3520	36
67022	White Plastic with SS Strainer – Snap-in (7200 Series)	ABA3521	36

BRASS BODY DRAINS			
No-Caulk – 2" SUREFIT Joint			
67041	SUREFIT Joint – Brass Body – 2" – SS Snap-in (7101 Series)	ABA6508	18

No-Caulk – 2" Gasket for DWV			
67042	No-Caulk – Brass Body – 2" – SS Snap-in (7200 Series)	ABA6520	18


IPS – 2" Female Thread			
67218	2" Female IPS – Brass Body – SS Snap-in (7200 Series)	ABA6828	8

Caulk – 2"			
67040	Caulk Type – Brass Body – 2" – SS Snap-in (7101 Series)	ABA6500	18

Fiberglass and Acrylic Floor Shower Drain Components

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Plastic Shower Drain Locknut (3400 - 3456 Series)			
69521	ABS Locknut	ABA7005	15
68068	PVC Locknut	ABA7006	15
No-Caulk Components			
69202	"No-Caulk" Neoprene Sealing Joint for DWV Pipe	ABA7215	15
60925	"No Caulk" Neoprene Sealing Joint for CTS Pipe	ABA7216	
69203	Caulking Key	ABA7218	15
69204	Brass - Inside Caulking Ring	ABA7226	15
SUREFIT Components			
69500	SUREFIT Gasket Set	ABA2400	36

Snap-In Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 4 1/4" Snap-In Steel Grate (7200-7210 Series)			
69554	Chrome	ABA7200	15
69555	Chrome – Carded	ABA7200CARD	15
69560	Satin Nickel – Carded	ABA7205SNCARD	1
69776	Venetian Bronze – Carded	ABA7205VBCARD	1
69773	Oil Rubbed Bronze – Carded	ABA7205ORB CARD	1
69181	White (Plastic ABS)	ABA7210	15
63348	White (Plastic ABS) – Carded	ABA7210CARD	15
Round 4 1/4" Snap-In Steel Grate (7101-7103 Series)			
69774	Chrome – Carded	ABA7101CARD	15
64991	Satin Nickel – Carded	ABA7101SNCARD	1
69536	Venetian Bronze – Carded	ABA7101VBCARD	1
69530	Oil Rubbed Bronze – Carded	ABA7101ORB CARD	1
69524	White (Plastic ABS)	ABA7103	15
69770	White (Plastic ABS) – Carded	ABA7103CARD	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Receptor Base Fiberglass Shower Drains



- Fits 2" pipe (solvent weld)
- Residential showers with preformed bases
- Strainers: round snap-in or screw down
- Available in ABS (black) or PVC (white)
- Easy to use test plug is included
- Tightening bar included



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Solvent Weld – 2" Rib Grip – SS Screw Down Strainer (44000 Series)			
63490	ABS	ABA34490	20
63500	PVC	ABA34500	20
Solvent Weld – 2" Rib Grip – SS Snap-On Strainer (44010 Series)			
63491	ABS	ABA34490SNAP	20
63501	PVC	ABA34500SNAP	20

Offset Receptor Base Fiberglass Shower Drains



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Offset Solvent Weld – 2" – SS Strainer (44000 Series)			
67032	PVC	ABA3465	20
67076	ABS	ABA3469	20

Replacement Grates for Receptor Base & Tile Drains – Round



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 4 1/4" Stamped SS Shower Grate w/Screws on 2-5/8" Center - Cover-All (44000 Series)			
63614	Round Stamped Grate w/Screws CP	ABA44000	12
63615	Round Stamped Grate w/Screws SN	ABA44000SN	4
63616	Round Stamped Grate w/Screws VB	ABA44000VB	4
63617	Round Stamped Grate w/Screws ORB	ABA44000ORB	4
Round 4 1/4" Stamped SS Shower Grate Snap-In - Cover-All (44010 Series)			
63618	Round Stamped Snap-In Grate CP	ABA44010	12
63619	Round Stamped Snap-In Grate SN	ABA44010SN	4
63620	Round Stamped Snap-In Grate VB	ABA44010VB	4
63621	Round Stamped Snap-In Grate ORB	ABA44010ORB	4
63643	Round Stamped Snap-In Grate MB	ABA44010MB	4
63646	Round Stamped Snap-In Grate CB	ABA44010CB	4

Tile Shower Drain with Reversible Clamping Ring - Round Stamped Grate



- Fits 2" hub or 3" inside fit (solvent weld)
- Residential showers with tile flooring
- Strainers: round or square, stamped steel snap-in or screw down, and heavy cast brass screw down
- Square barrel accessory allows installer to convert round drains to square
- Available in ABS (black) or PVC (gray)
- Easy to use test plug is included

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Round Stamped Strainer (44000 Series)			
63601	Tile Shower Round Stamped CP – ABS	ABA44601	20
63641	Tile Shower Round Stamped Plas Crown CP – ABS	ABA44601CR	20
63600	Tile Shower Round Stamped Snap CP – ABS	ABA44601SNAP	20
PVC Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Round Stamped Strainer (44000 Series)			
63608	Tile Shower Round Stamped CP – PVC	ABA44701	20
63642	Tile Shower Round Stamped Plas Crown CP – PVC	ABA44701CR	20
63607	Tile Shower Round Stamped Snap CP – PVC	ABA44701SNAP	20

Replacement Grates for Receptor Base & Tile Drains – Round



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 4" Stamped SS Shower Grate w/Screws on 3-3/8" Center - Plastic Crown (7102 Series)			
69835	Round Stamped Grate w/Screws Crown CP	ABA7102CARD	15
69543	Round Stamped Grate w/Screws Crown SN	ABA7102SNCARD	15
69544	Round Stamped Grate w/Screws Crown VB	ABA7102VBCARD	15
69541	Round Stamped Grate w/Screws Crown ORB	ABA7102ORBCARD	15

WELD-ON
 GUY GRAY
 WATER-TITE
 TOUGH PANS
 ROOF TOP BLOX
 TEST-TITE
 AB&A
 STUDDOR
 TRUEBRO
 CHRISTY'S


Tile Shower Drain with Reversible Clamping Ring - Square Stamped Grate

- Fits 2" hub or 3" inside fit (solvent weld)
- Residential showers with tile flooring
- Strainers: round or square, stamped steel snap-in or screw down, and heavy cast brass screw down
- Square barrel accessory allows installer to convert round drains to square
- Available in ABS (black) or PVC (gray)
- Easy to use test plug is included



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Square Stamped Strainer (44030 Series)			
63602	Tile Shower Square Stamped CP	ABA44601SQ	20
63630	Tile Shower Square Stamped Snap CP	ABA44601SQSNAP	20
PVC Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Square Stamped Strainer (44030 Series)			
63609	Tile Shower Square Stamped CP	ABA44701SQ	20
63631	Tile Shower Square Stamped Snap CP	ABA44701SQSNAP	20

Replacement Grates for Receptor Base & Tile Drains – Square



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Square 4 1/4" Stamped SS Shower Grate w/Screws on 2-5/8" Center (44030 Series)			
63626	Square Stamped Grate w/ Screws CP	ABA44030	12
63627	Square Stamped Grate w/ Screws SN	ABA44030SN	4
63628	Square Stamped Grate w/ Screws VB	ABA44030VB	4
63629	Square Stamped Grate w/ Screws ORB	ABA44030ORB	4
Square 4 1/4" Stamped SS Shower Grate Snap-In (44050 Series)			
63639	Square Stamped Snap-In Grate CP	ABA44050	12
63632	Square Stamped Snap-In Grate SN	ABA44050SN	4
63633	Square Stamped Snap-In Grate VB	ABA44050VB	4
63634	Square Stamped Snap-In Grate ORB	ABA44050ORB	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION


Tile Shower Drain with Reversible Clamping Ring - Round Cast Brass Grate



- Fits 2" hub or 3" inside fit (solvent weld)
- Residential showers with tile flooring
- Strainers: round or square, stamped steel snap-in or screw down, and heavy cast brass screw down
- Square barrel accessory allows installer to convert round drains to square
- Available in ABS (black) or PVC (gray)
- Easy to use test plug is included

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
ABS Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Round Cast Brass Strainer (44020 Series)			
63603	Tile Shower Round Cast CP (44020 Series)	ABA44603	20
63661	Tile Shower Round Cast SN (44020 Series)	ABA44603SN	4
63662	Tile Shower Round Cast ORB (44020 Series)	ABA44603ORB	4
63663	Tile Shower Round Cast VB (44020 Series)	ABA44603VB	4
PVC Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Round Cast Brass Strainer (44020 Series)			
63610	Tile Shower Round Cast CP (44020 Series)	ABA44703	20
63664	Tile Shower Round Cast SN (44020 Series)	ABA44703SN	4
63665	Tile Shower Round Cast VB (44020 Series)	ABA44703VB	4
63666	Tile Shower Round Cast ORB (44020 Series)	ABA44703ORB	4

Strainers



- Available connections: 2" x 3" solvent weld or 2" no-caulk
- Available strainers: round stamped stainless steel, round heavy duty cast brass, or square heavy duty cast brass

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Round 4 1/4" Cast Brass Shower Grate w/Screws on 2-5/8" Center (44020 Series)			
63622	Round Cast Grate w/ Screws CP	ABA44020	4
63623	Round Cast Grate w/ Screws SN	ABA44020SN	4
63624	Round Cast Grate w/ Screws VB	ABA44020VB	4
63625	Round Cast Grate w/ Screws ORB	ABA44020ORB	4
63644	Round Cast Grate w/ Screws MB	ABA44020MB	4
63647	Round Cast Grate w/ Screws CB	ABA44020CB	4




Tile Shower Drain with Reversible Clamping Ring - Square Cast Brass Grate

- Fits 2" hub or 3" inside fit (solvent weld)
- Residential showers with tile flooring
- Strainers: round or square, stamped steel snap-in or screw down, and heavy cast brass screw down
- Square barrel accessory allows installer to convert round drains to square
- Available in ABS (black) or PVC (gray)
- Easy to use test plug is included



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Square Cast Brass Strainer (44040 Series)			
63604	Tile Shower Square Cast CP	ABA44603SQ	20
63605	Tile Shower Square Cast SN	ABA44603SQSN	4
63606	Tile Shower Square Cast VB	ABA44603SQVB	4
63660	Tile Shower Square Cast ORB	ABA44603SQORB	4
PVC Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Square Cast Brass Strainer (44040 Series)			
63611	Tile Shower Square Cast CP	ABA44703SQ	20
63667	Tile Shower Square Cast SN	ABA44703SQSN	4
63668	Tile Shower Square Cast VB	ABA44703SQVB	4
63669	Tile Shower Square Cast ORB	ABA44703SQORB	4

Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Square 4 1/4" Cast Brass Shower Grate w/Screws on 2-5/8" Center (44040 Series)			
63635	Square Cast Grate w/ Screws CP	ABA44040	4
63636	Square Cast Grate w/ Screws SN	ABA44040SN	4
63637	Square Cast Grate w/ Screws VB	ABA44040VB	4
63638	Square Cast Grate w/ Screws ORB	ABA44040ORB	4
63645	Square Cast Grate w/ Screws MB	ABA440400MB	4
63648	Square Cast Grate w/ Screws CB	ABA440400CB	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tile Shower Drain with Reversible Clamping Ring - Round Cast Brass Grate - Brass Barrel



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Round Cast Brass Barrel & Strainer (7212 Series)			
63800	Tile Shower Round Brass Barrel Cast Chrome	ABA44603BB	4
63804	Tile Shower Round Brass Barrel Cast Satin Nickel	ABA44603BBSN	4
63805	Tile Shower Round Brass Barrel Cast Venetian Bronze	ABA44603BBVB	4
63806	Tile Shower Round Brass Barrel Cast Oil-Rubbed Bronze	ABA44603BBORB	4
PVC Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Round Cast Brass Barrel & Strainer (7212 Series)			
63802	Tile Shower Round Brass Barrel Cast Chrome	ABA44703BB	4
63810	Tile Shower Round Brass Barrel Cast Satin Nickel	ABA44703BBSN	4
63811	Tile Shower Round Brass Barrel Cast Venetian Bronze	ABA44703BBVB	4
63812	Tile Shower Round Brass Barrel Cast Oil-Rubbed Bronze	ABA44703BBORB	4

Round Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 3 15/16" Cast Brass Shower Grate w/ Screws on 3-3/8" Center – For Brass Strainer Barrels (7212 Series)			
63349	Round Cast Grate w/ Screws Crown Chrome	ABA7212CARD	15
67312	Round Cast Grate w/ Screws Crown Satin Nickel	ABA7213SNCARD	15
67315	Round Cast Grate w/ Screws Crown Venetian Bronze	ABA7213VBCARD	15
67309	Round Cast Grate w/ Screws Crown Oil-Rubbed Bronze	ABA7213ORBCARD	15
67310	Round Cast Grate w/ Screws Crown Polished Nickel	ABA7213PNCARD	15

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION


CHRISTY'S
IPS CORPORATION

Tile Shower Drain with Reversible Clamping Ring - Square Cast Brass Grate - Brass Barrel



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Square Cast Brass Barrel & Strainer (72121 Series)			
63801	Tile Shower Square Brass Barrel Cast Chrome	ABA44603BBSQ	4
63807	Tile Shower Square Brass Barrel Cast Satin Nickel	ABA44603BBSQSN	4
63808	Tile Shower Square Brass Barrel Cast Venetian Bronze	ABA44603BBSQVB	4
63809	Tile Shower Square Brass Barrel Cast Oil-Rubbed Bronze	ABA44603BBSQORB	4
PVC Body, Flange, and Tailpiece - 2" x 3" Solvent Weld, Round Cast Brass Barrel & Strainer (7212 Series)			
63803	Tile Shower Square Brass Barrel Cast Chrome	ABA44703BBSQ	4
63813	Tile Shower Square Brass Barrel Cast Satin Nickel	ABA44703BBSQSN	4
63814	Tile Shower Square Brass Barrel Cast Venetian Bronze	ABA44703BBSQVB	4
63815	Tile Shower Square Brass Barrel Cast Oil-Rubbed Bronze	ABA44703BBSQORB	4

Square Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Square 4 1/4" Cast Brass Shower Grate w/ Screws on 3-3/8" Center (72121 Series)			
69799	Square Cast Grate w/ Screws Chrome (for brass barrel)	ABA72121CARD	15
69802	Square Cast Grate w/ Screws Satin Nickel (for brass barrel)	ABA72132SNCARD	15
69803	Square Cast Grate w/ Screws Venetian Bronze (for brass barrel)	ABA72132VBCARD	15
69804	Square Cast Grate w/ Screws Oil-Rubbed Bronze (for brass barrel)	ABA72132ORBCARD	15

Accessories for Tile Shower Drains



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS			
63696	ABS Square Barrel w/Snap-In Grate Chrome	ABA44601SQSNAP	12
PVC			
63695	PVC Square Barrel w/Snap-In Grate CP	ABA44701SQSNAPB	4
PVC			
63694	PVC Long Round Barrel (no grate)	ABA447701LB	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION


General Purpose Drains



- 1-1/2" male IPS
- For mobile homes & RVs

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
67028	White Plastic Grate – Snap-in (7103 Series)	ABA3100	36
67029	Stainless Steel Grate – Snap-in (7101 Series)	ABA3101	36

Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 4 1/4" Snap-In Steel Grate (7101-7103 Series)			
69774	Chrome – Carded	ABA7101CARD	15
64991	Satin Nickel – Carded	ABA7101SNCARD	1
69536	Venetian Bronze – Carded	ABA7101VBCARD	1
69530	Oil Rubbed Bronze – Carded	ABA7101ORBCARD	1
69524	White (Plastic ABS)	ABA7103	15
69770	White (Plastic ABS) – Carded	ABA7103CARD	1

Cast Bronze Shower Drains – Complete – Round



Available connections:

- 2" IPS
- 2" caulk
- 2" sweat

Strainer options:

- Stamped stainless steel
- Round heavy duty cast brass
- Recommended for copper pan installations

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
1 3/8" Brass Barrel w/ 4 1/2" Stainless Steel Grate (7135 Series)			
67037	2" Caulk	ABA6410	18
67038	2" IPS	ABA6420	18
67178	2" Sweat	ABA6430	8
2 1/2" Brass Barrel w/ 4 1/2" Stainless Steel Grate (7135 Series)			
67177	2" Caulk	ABA6415	8
67039	2" IPS	ABA6425	8
67179	2" Sweat	ABA6435	8

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION


AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round Stainless Steel Grate w/ Screws (7135 Series)			
69552	Chrome – Carded	ABA7135CARD	6
69289	Satin Nickel – Carded	ABA7137SNCARD	6
69128	Oil Rubbed Bronze – Carded	ABA7137ORBCARD	6

Cast Bronze Shower Drains – Complete



Available connections:


- 2" IPS
- 2" caulk
- 2" sweat

Strainer options:

- Stamped stainless steel
- Round heavy duty cast brass
- Recommended for copper pan installations

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
1 3/8" Barrel w/ 4 1/2" Square Cast Brass Grate (72121 Series)			
67190	2" Caulk Chrome	ABA6600	8
67193	2" IPS Chrome	ABA6610	18
67196	2" Sweat Chrome	ABA6620	8
2 1/2" Barrel w/ 4 1/2" Square Cast Brass Grate (72121 Series)			
67192	2" Caulk Chrome	ABA6605	8
67044	2" IPS Chrome	ABA6615	18
67197	2" Sweat Chrome	ABA6622	8

Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Square 4 1/4" Cast Brass Shower Grate w/ Screws on 3-3/8" Center (72121 Series)			
69799	Chrome – Carded	ABA72121CARD	6
69802	Satin Nickel – Carded	ABA72132SNCARD	1
69803	Venetian Bronze – Carded	ABA72132VBCARD	1
69804	Oil Rubbed Bronze – Carded	ABA72132ORBCARD	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Cast Bronze Shower Drains – Components

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Cast Brass Drain Body Only (6400, 6500, 6600 Series)			
68261	2" Caulk	ABA7232	1
67205	2" IPS	ABA7233	1
68239	2" Sweat	ABA7234	1
1 3/8" Brass Barrel Only (6500, 6600 Series)			
67206	Chrome	ABA7240	1
2 1/2" Brass Barrel Only (6500, 6600 Series)			
67207	Chrome	ABA7242	1
Screws for Brass Body Drains (6400, 6500, 6600 series) – 1/4" 8-32			
60053	For CP, SN, PN, SC, SP	ABA8827	10
60093	For VB, ORB	ABA8827ORB	10
69840	Friction Ring & Gasket Set	ABA6861	12

Cast Bronze Shower Drains – Complete

- Adjustable with clamping ring



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
67240	2" FIP with Chrome Plated Stainless Steel Grate	ABA6320	4

WELD-ON
GUY GRAY
WATER-TITE
TOUGH PANS
ROOF TOP BLOK
TEST-TITE
AB&A
STUDOR
TRUEBRO
CHRISTY'S



Non-adjustable EZZ Set Shower Drains

Available connections:

- 1-1/2" IPS
- 2" IPS
- 2" caulk
- 2" no-caulk
- 2" No-hub
- 2" solvent weld
- 2" SUREFIT
- Recommended for hot mop applications



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
EZZ Set Shower Drain - Cast Iron Top and Body – Chrome Plated Grate & Crown (#7120)			
67002	2" IPS	ABA5065	4
67144	2" Caulk	ABA5070	4
67003	2" No-hub	ABA5073	4
67146	2" No-Caulk w/ Rubber Connector	ABA5074	4



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Los Angeles Style EZZ Set Shower Drain - Cast Iron Top and Body – Chrome Plated Grate & Crown (7120 Series)			
67147	2" IPS	ABA5080	4
67148	2" Caulk	ABA5085	4
67149	2" No-hub	ABA5090	4



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Los Angeles Style EZZ Set Shower Drain - Cast Iron Top with Plastic Body – Chrome Plated Grate & Crown (7120 Series)			
67001	ABS – 2" Solvent Weld	ABA5040	4
67140	PVC – 2" Solvent Weld	ABA5045	4



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Los Angeles Style EZZ Set Shower Drain - Plastic Top and Body – Chrome Plated Grate & Crown (#7120)			
67000 ●	ABS – 2" Solvent Weld	ABA5000	15
67136 ●	PVC – 2" Solvent Weld	ABA5008	15
67138	PVC – No-Caulk SUREFIT Connection	ABA5020	15

Strainers

- Includes protection plate (pictured)



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 3 1/4" Steel Grate w/ Screws – 2 7/8" Center to Center (7120 Series)			
69569	Chrome Grate & Crown	ABA5145	15
69615	Satin Nickel Grate & Crown	ABA5149SN	1
69614	Oil Rubbed Bronze Grate & Crown	ABA5149ORB	1

Components

- For use in cast iron no-caulk drains
- For use with the 67175 drain

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
69232	Rubber Drain Connector	ABA6910	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Cast Iron Adjustable Shower Drain



Available connections:

- 2" IPS
- 2" caulk
- 2" no-hub
- 2" no-caulk

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Wide-Bodied			
2" IPS Drain with Round Cast Brass Grate (7212 Series)			
67154	Chrome	ABA52007212	4
2" Caulk Drain with Round Cast Brass Grate (7212 Series)			
67159	Chrome	ABA52047212	4
2" No-hub Drain with Round Cast Brass Grate (7212 Series)			
67160	Chrome	ABA52087212	4
Narrow-Bodied			
2" No-Caulk Drain with Round Cast Brass Grate (7212 Series)			
67175	Chrome	ABA5225	4

Round Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 3 15/16" Cast Brass Shower Grate w/ Screws on 3-3/8" Center – For Brass Strainer Barrels (7212 Series)			
63349	Round Cast Grate w/ Screws Crown Chrome	ABA7212CCARD	15
67312	Round Cast Grate w/ Screws Crown Satin Nickel	ABA7213SNCARD	15
67315	Round Cast Grate w/ Screws Crown Venetian Bronze	ABA7213VBCARD	15
67309	Round Cast Grate w/ Screws Crown Oil-Rubbed Bronze	ABA7213ORBCARD	15
67310	Round Cast Grate w/ Screws Crown Polished Nickel	ABA7213PNCARD	15

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION


CHRISTY'S
IPS CORPORATION

Cast Iron Adjustable Shower Drain



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
2" IPS Drain with Square Cast Brass Grate (72121 Series)			
67155	Chrome	ABA520072121	4
2" Caulk Drain with Square Cast Brass Grate (72121 Series)			
67271	Chrome	ABA520472121	4
2" No-hub Drain with Square Cast Brass Grate (72121 Series)			
67161	Chrome	ABA520872121	4

Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Square 4 1/4" Cast Brass Shower Grate w/Screws on 3-3/8" Center - For Brass Strainer Barrels (72121 Series)			
69799	Chrome – Carded	ABA72121CARD	15
69802	Satin Nickel – Carded	ABA72132SNCARD	1
69803	Venetian Bronze – Carded	ABA72132VBCARD	1
69804	Oil Rubbed Bronze – Carded	ABA72132ORBCARD	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION


CHRISTY'S
IPS CORPORATION

Adjustable Drain with 1-½" Top Flange



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS Flange & Body – 2" Solvent Weld Connection			
67024 ●	White Plastic Snap-in Grate (7103 Series)	ABA3900	15
67025 ●	Stainless Steel Snap-in Grate (7101 Series)	ABA3901	15
ABS Flange & Body – 2" SUREFIT Connection			
67023 ●	Stainless Steel Snap-in Grate (7101 Series)	ABA3601	15

Strainers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Round 4 1/4" Snap-In Steel Grate (7101-7103 Series)			
69774	Chrome – Carded	ABA7101CARD	15
64991	Satin Nickel – Carded	ABA7101SNCARD	1
69536	Venetian Bronze – Carded	ABA7101VBCARD	1
69530	Oil Rubbed Bronze – Carded	ABA7101ORBCARD	1
69524	Oil Rubbed Bronze – Carded	ABA7103	15
69770	White (Plastic ABS) – Carded	ABA7103CARD	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow – “Classic” Full Kits w/Flex Pipe & Test Kit



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- With 16” and 24” FLEX pipe
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204
- Test Kits available on page 202

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
16” ABS Flex Full Kits			
61758	Push eN Lift Chrome	ABA2225FLEX	12
61666	Touch Toe Chrome	ABA2242FLEXCS	12
16” PVC Flex Full Kits			
61231	Push eN Lift Chrome	ABA2226FLEXHF	12
62139	Turn Top Chrome	ABA2259FLEXHF	12
61237	Touch Toe Chrome	ABA2243FLEXCSHF	12
24” PVC Flex Full Kits			
60948	Push eN Lift Chrome	ABA2226FLEX24HF	12
62244	Turn Top Chrome	ABA2259FLEX24HF	12
63408	Touch Toe Chrome	ABA2243FLEX24CSHF	12

Schedule 40 Waste & Overflow – “Classic” Full Kit Rough Ins w/Flex Pipe & Test Kit

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
16” PVC Flex Full Kit Rough Ins			
61415	Chrome	ABA2259RIFLEXHF	12
24” PVC Flex Full Kit Rough Ins			
61715	Chrome	ABA2259RIFLEX24HF	12

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow – “Classic” One-Piece Direct Drain Full Kits w/Flex Pipe & Test Kit



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Available in multiple lengths of FLEX pipe
- Custom lengths available to match tub specs
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204
- Test Kits available on page 202

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS One-Piece Direct Drain Flex Full Kits			
65501	16" Push eN Lift Chrome	ABA2227FLEX16HF	12
65506	15.5" Push eN Lift Chrome	ABA2227FLEX155HF	12
65510	15" Push eN Lift Chrome	ABA2227FLEX15HF	12
65508	14.5" Push eN Lift Chrome	ABA2227FLEX145HF	12
65509	14" Push eN Lift Chrome	ABA2227FLEX14HF	12
PVC One-Piece Direct Drain Flex Full Kits			
65601	16" Push eN Lift Chrome	ABA2228FLEX16HF	12
65606	15.5" Push eN Lift Chrome	ABA2228FLEX155HF	12
65607	15" Push eN Lift Chrome	ABA2228FLEX15HF	12
65608	14.5" Push eN Lift Chrome	ABA2228FLEX145HF	12
65609	14" Push eN Lift Chrome	ABA2228FLEX14HF	12

Schedule 40 Waste & Overflow – “Classic” One-Piece Direct Drain Full Kit Rough Ins w/Flex Pipe & Test Kit

- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- With 16" and 24" FLEX pipe
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204
- Test Kits available on page 202

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS One-Piece Direct Drain Flex Full Kit Rough Ins			
65540	16" Push eN Lift Chrome 1P Flex RI - 16"	ABA2227RIFLEX16HF	12
PVC One-Piece Direct Drain Flex Full Kit Rough Ins			
65541	16" Push eN Lift Chrome	ABA2228RIFLEX16HF	12
65542	15.5" Push eN Lift Chrome	ABA2228RIFLEX155HF	12
65543	15" Push eN Lift Chrome	ABA2228RIFLEX15HF	12
65544	14.5" Push eN Lift Chrome	ABA2228RIFLEX145HF	12
65545	14" Push eN Lift Chrome	ABA2228RIFLEX14HF	12
65546	16" Push eN Lift Satin Nickel	ABA2228RIFLEX16SNHF	12
65547	15.5" Push eN Lift Satin Nickel	ABA2228RIFLEX155SNHF	12
65548	15" Push eN Lift Satin Nickel	ABA2228RIFLEX15SNHF	12
65549	14.5" Push eN Lift Satin Nickel	ABA2228RIFLEX145SNHF	12
65550	14" Push eN Lift Satin Nickel	ABA2228RIFLEX14SNHF	12

Continued on next page



Schedule 40 Waste & Overflow – “Classic” One-Piece Direct Drain Full Kit Rough Ins w/Flex Pipe & Test Kit (continued)

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PVC One-Piece Direct Drain Flex Full Kit Rough Ins (continued)			
65551	16" Push eN Lift Venetian Bronze	ABA2228RIFLEX16VBHF	12
65552	15.5" Push eN Lift Venetian Bronze	ABA2228RIFLEX155VBHF	12
65553	15" Push eN Lift Venetian Bronze	ABA2228RIFLEX15VBHF	12
65554	14.5" Push eN Lift Venetian Bronze	ABA2228RIFLEX145VBHF	12
65555	14" Push eN Lift Venetian Bronze	ABA2228RIFLEX14VBHF	12
65556	16" Push eN Lift Matte Black	ABA2228RIFLEX16MBHF	12
65557	15.5" Push eN Lift Matte Black	ABA2228RIFLEX155MBHF	12
65558	15" Push eN Lift Matte Black	ABA2228RIFLEX15MBHF	12
65559	14.5" Push eN Lift Matte Black	ABA2228RIFLEX145MBHF	12
65560	14" Push eN Lift Matte Black	ABA2228RIFLEX14MBHF	12
65565	16" Push eN Lift Champagne Bronze	ABA2228RIFLEX16CBHF	12
65566	15.5" Push eN Lift Champagne Bronze	ABA2228RIFLEX155CBHF	12
65567	15" Push eN Lift Champagne Bronze	ABA2228RIFLEX15CBHF	12
65568	14.5" Push eN Lift Champagne Bronze	ABA2228RIFLEX145CBHF	12
65569	14" Push eN Lift Champagne Bronze	ABA2228RIFLEX14CBHF	12

Schedule 40 Waste & Overflow – “Classic” Full Kits w/Test



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204
- Test Kits available on page 202



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS			
62094 ●	ABS with Push eN Lift Chrome Stopper	ABA2225HF	10
61741 ●	ABS with Turn Top Chrome Stopper	ABA2258HF	10
61236 ●	ABS with Touch Toe Chrome Stopper	ABA2242CSHF	10
61226 ●	ABS with Flip Top Chrome Stopper	ABA2210HF	10
PVC			
61023 ●	PVC with Push eN Lift Chrome Stopper	ABA2226HF	10
61025 ●	PVC with Turn Top Chrome Stopper	ABA2259HF	10
61024 ●	PVC with Touch Toe Chrome Stopper	ABA2243CSHF	10
61227 ●	PVC with Flip Top Chrome Stopper	ABA2211HF	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow – “Classic” Half Kits w/Test Kit – ABS



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204
- Test Kits available on page 202

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS with Push eN Lift Stopper			
62001 ●	Chrome	ABA2217HF	20
62003 ●	Chrome with Zinc Strainer	ABA2217ZHF	20
62002 ●	Chrome with Zinc Strainer & ABS Stopper	ABA2217PZHF	20
62486 ●	Chrome with Metal Test kit	ABA2217MHF	20
62005 ●	Satin Nickel	ABA2221SNHF	20
62006 ●	Venetian Bronze	ABA2221VBHF	20
62004 ●	Oil Rubbed Bronze	ABA22210RBHF	20
62501 ●	White	ABA2221WHF	20
62489 ●	Champagne Bronze	ABA2221CBHF	20
62281 ●	Matte Black	ABA2221MBHF	20
ABS with Turn Top Stopper			
62127 ●	Chrome	ABA2250HF	20
62015 ●	Chrome with Zinc Strainer & Stopper	ABA2250ZHF	20
ABS with Touch Toe Stopper			
62012 ●	Chrome	ABA2234CSHF	20
62109 ●	Satin Nickel	ABA2238SNCSHF	6
62915 ●	Venetian Bronze	ABA2238VBSCSF	6
62104 ●	Oil Rubbed Bronze	ABA22380RBSCSF	6
ABS with Flip Top Stopper			
62480 ●	Chrome	ABA2200HF	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow – “Classic” Half Kits w/Test Kit – PVC



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204
- Test Kits available on page 202



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PVC with Push eN Lift Stopper			
62007 ●	Chrome	ABA2218HF	20
62038 ●	Chrome with Zinc Strainer	ABA2218ZHF	20
62037 ●	Chrome with Zinc Strainer & ABS Stopper	ABA2218PZHF	20
62487 ●	Chrome with Metal Test kit	ABA2218MHF	20
62009 ●	Satin Nickel	ABA2222SNHF	20
62092 ●	Venetian Bronze	ABA2222VBHF	20
62008 ●	Oil Rubbed Bronze	ABA2222ORBHF	20
62093 ●	White	ABA2222OWHF	20
62262 ●	Champagne Bronze	ABA2222CBHF	20
62280 ●	Matte Black	ABA2222MBHF	20
PVC with Turn Top Stopper			
62016 ●	Chrome	ABA2251HF	20
62017 ●	Chrome with Zinc Strainer & Stopper	ABA2251ZHF	20
PVC with Touch Toe Stopper			
62013 ●	Chrome	ABA2235CSHF	20
62014 ●	Satin Nickel	ABA2239SNCSHF	6
62124 ●	Venetian Bronze	ABA2239VBCSHF	6
62117 ●	Oil Rubbed Bronze	ABA2239ORBCSHF	6
PVC with Flip Top Stopper			
62000 ●	Chrome	ABA2201HF	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow – “Classic” Half Kits w/Test Kit & Straight Drain Fitting



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Strainer and stopper brass unless noted
- Additional special finish kits available on page 204
- Test Kits available below

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
ABS Half Kits			
62142 ●	Half Kit “Classic” with Push eN Lift Stopper Chrome – Hub Adapter	ABA2282HF	6
62278 ●	Half Kit “Classic” with Touch Toe Stopper Chrome – Hub Adapter	ABA2298CSHF	6
PVC Half Kits			
62276 ●	Half Kit “Classic” with Push eN Lift Stopper Chrome – Hub Adapter	ABA2283HF	6
62145 ●	Half Kit “Classic” with Touch Toe Stopper Chrome – Hub Adapter	ABA2299CSHF	6

Schedule 40 Waste & Overflow – “Classic” Half Kits w/Test Kit & Direct Drain Fitting



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Strainer and stopper brass unless noted
- Additional special finish kits available on page 204

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
ABS Half Kits			
65502 ●	Direct Drain “Classic” with Push eN Lift Stopper Chrome	ABA2227HF	20
65503 ●	Direct Drain “Classic” with Touch Toe Stopper Chrome	ABA2227CSHF	20
PVC Half Kits			
65602 ●	Direct Drain “Classic” with Push eN Lift Stopper Chrome	ABA2228HF	20
65603 ●	Direct Drain “Classic” with Touch Toe Stopper Chrome	ABA2228CSHF	20
ABS Rough In Kits			
65513 ●	Direct Drain “Classic” Rough In Kit Direct Drain Chrome	ABA2227RIHF	20
PVC Rough In Kits			
65610 ●	Direct Drain “Classic” Rough In Kit Direct Drain Chrome	ABA2228RIHF	20

Schedule 40 Waste & Overflow – “Classic” Rough-in Kits w/Test Kit



- Less Pipe and Tee
- Includes Strainer
- Thin gasket included for thick-walled tubs (e.g. marble)
- Strainer is brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS			
62070 ●	Chrome	ABA2217RIHF	20
62072 ●	Chrome with Zinc Strainer	ABA2217RIPZHF	20
62497 ●	Satin Nickel	ABA2221SNRIHF	6
62492 ●	Oil Rubbed Bronze	ABA22210RBRIHF	6
PVC			
62073 ●	Chrome	ABA2218RIHF	20
62078 ●	Chrome with Slip Condensate Overflow Elbow	ABA22181RICOSHF	20
62074 ●	Chrome with Threaded Condensate Overflow Elbow	ABA22181RICOTHF	20
62075 ●	Chrome with Metal Test kit	ABA2218RIMHF	20
62076 ●	Chrome with Zinc Strainer	ABA2218RIZHF	20
62079 ●	Chrome with Zinc Strainer for Turn Top Stopper	ABA2251RIZHF	20
62088 ●	Satin Nickel	ABA2222SNRIHF	6
62249 ●	Oil Rubbed Bronze	ABA22220RBRIHF	6
62374 ●	White	ABA2222WRIHF	6

Waste & Overflow Test Kits



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
“Classic” Overflow Test Cap			
69601	ABS	ABA2352	15
68210	PVC	ABA2353	15
Strainer Test Stopper			
68685	Plastic	ABA6918	12
68038	Metal	ABA6918M	12

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

“Classic” Trim Kits



- For both ABS and PVC rough-in kits shown above
- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Stopper, strainer, and classic high-flow capacity overflow plate
- Strainer and stopper are brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper			
62082 ●	Chrome	ABA2218TKHF	20
62087 ●	Chrome ABS Stopper	ABA2218TKPZHF	20
62084 ●	Satin Nickel	ABA2222SNTKHF	6
62264 ●	Venetian Bronze	ABA2221VBTKHF	6
62493 ●	Oil Rubbed Bronze	ABA2221ORBTKHF	6
62236 ●	White	ABA2222WTKHF	6
62271 ●	Champagne Bronze	ABA2221CBTKHF	6
62273 ●	Matte Black	ABA2221MBTKHF	6
Turn Top Stopper			
61050 ●	Chrome	ABA2250TKHF	20
62325 ●	Chrome with Zinc Stopper	ABA2250TKZHF	20
Touch Toe			
62099 ●	Chrome	ABA2235TKHF	20

WELD-ON
IPSCORP

GUY GRAY
IPSCORP

WATER-TITE
IPSCORP

TOUGH PANS
IPSCORP

ROOF TOP BLOK
IPSCORP

TEST-TITE
IPSCORP

ABA
IPSCORP

STUDOR
IPSCORP

TRUEBRO
IPSCORP

CHRISTY'S
IPSCORP

“Classic” Finish Kits



- For both ABS and PVC rough-in kits shown above
- Includes stopper and Classic high-flow capacity overflow plate
- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Stopper is brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper			
63276 ●	Chrome	ABA2377HF	3
63281 ●	Polished Brass	ABA2378PBHF	3
64055 ●	Satin Nickel	ABA2378SNHF	20
64058 ●	Venetian Bronze	ABA2378VBHF	20
64054 ●	Oil Rubbed Bronze	ABA2378ORBHF	20
63282 ●	Polished Nickel	ABA2378PNHF	3
63285 ●	Satin Chrome	ABA2378SCHF	3
64056 ●	Satin Pearl	ABA2378SPHF	3
64059 ●	White	ABA2378WHF	3
63279 ●	Biscuit	ABA2378BIHF	3
63283 ●	Champagne Bronze	ABA2378CBHF	3
63287 ●	Matte Black	ABA2378MBHF	3
Turn Top Stopper			
63263 ●	Chrome	ABA2371HF	6
Touch Toe Stopper			
63246 ●	Chrome	ABA2365CSHF	20
63251 ●	Polished Brass	ABA2366PBCSHF	6
63255 ●	Satin Nickel	ABA2366SNCSHF	6
63260 ●	Venetian Bronze	ABA2366VBCSHF	6
63250 ●	Oil Rubbed Bronze	ABA2366ORBCSHF	6
63261 ●	White	ABA2366WCSHF	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow - One-Hole Full Kits



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 209



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS with Push en Lift Stopper			
61026 ●	Chrome	ABA906	20
61281 ●	Chrome with Retaining Clip & Test Kit	ABA906CT	20
61029 ●	Satin Nickel	ABA910SN	20
61289 ●	Satin Nickel with Retaining Clip & Test Kit	ABA910SNCT	20
61292 ●	Venetian Bronze	ABA910VB	20
61293 ●	Venetian Bronze with Retaining Clip & Test Kit	ABA910VBCT	20
61287 ●	Oil Rubbed Bronze	ABA910ORB	20
61288 ●	Oil Rubbed Bronze with Retaining Clip & Test Kit	ABA910ORBCT	20
61294 ●	White	ABA910W	20
ABS with Turn Top Stopper			
61040 ●	Chrome	ABA1101	20
61054 ●	Chrome with Retaining Clip & Test Kit	ABA1101CT	20
ABS with Touch Toe Stopper			
61034 ●	Chrome	ABA1200CS	20
61793 ●	Chrome with Retaining Clip & Test Kit	ABA1200CSCT	20
PVC with Push en Lift Stopper			
61030 ●	Chrome	ABA911	20
61295 ●	Chrome with Retaining Clip & Test Kit	ABA911CT	20
61268 ●	Satin Nickel	ABA915SN	20
61783 ●	Satin Nickel with Retaining Clip & Test Kit	ABA915SNCT	20
61301 ●	Venetian Bronze	ABA915VB	20
61302 ●	Venetian Bronze with Retaining Clip & Test Kit	ABA915VBCT	20
61297 ●	Oil Rubbed Bronze	ABA915ORB	20
61784 ●	Oil Rubbed Bronze with Retaining Clip & Test Kit	ABA915ORBCT	20
61711 ●	White	ABA915W	20
PVC with Turn Top Stopper			
61042 ●	Chrome	ABA1106	20
PVC with Touch Toe Stopper			
61637 ●	Chrome	ABA1210CS	20
61799 ●	Chrome with Retaining Clip & Test Kit	ABA1210CSCT	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow - One-Hole Half Kits w/Test Kit – ABS



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 209



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS with Push eN Lift Stopper			
62021 ●	Chrome	ABA951	20
62022 ●	Chrome with Retaining Clip & Test Kit	ABA951CT	20
62023 ●	Chrome with Zinc Strainer & ABS Stopper	ABA951PZ	20
62024 ●	Chrome w/ Zinc Strainer, ABS Stopper, Clip, Test Kit	ABA951PZCT	20
62027 ●	Satin Nickel	ABA955SN	20
62169 ●	Satin Nickel with Retaining Clip & Test Kit	ABA955SNCT	6
62029 ●	Venetian Bronze	ABA955VB	20
62171 ●	Venetian Bronze with Retaining Clip & Test Kit	ABA955VBCT	6
62026 ●	Oil Rubbed Bronze	ABA955ORB	20
62164 ●	Oil Rubbed Bronze with Retaining Clip & Test Kit	ABA955ORBCT	6
62172 ●	White	ABA955W	20
62958 ●	White with Retaining Clip & Test Kit	ABA955WCT	6
ABS with Turn Top Stopper			
62442 ●	Chrome	ABA1305	20
62444 ●	Chrome with Retaining Clip & Test Kit	ABA1305CT	20
62565 ●	Chrome with Zinc Strainer	ABA1305Z	6
62934 ●	Chrome with Zinc Strainer, Clip & Test Kit	ABA1305ZCT	6
ABS with Touch Toe Stopper			
62400 ●	Chrome	ABA1260CS	6
62289 ●	Chrome with Retaining Clip & Test Kit	ABA1260CSCT	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow - One-Hole Half Kits – PVC



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 209



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PVC with Push en Lift Stopper			
62030 ●	Chrome	ABA956	20
62033 ●	Chrome with Retaining Clip & Test Kit	ABA956CT	20
62032 ●	Chrome with Retaining Clip & Metal Test Kit	ABA956CM	20
62982 ●	Chrome with Zinc Strainer & ABS Stopper	ABA956PZ	20
62183 ●	Chrome w/ Zinc Strainer, ABS Stopper, Clip, Test Kit	ABA956PZCT	20
62039 ●	Satin Nickel	ABA960SN	20
62040 ●	Satin Nickel with Retaining Clip & Test Kit	ABA960SNCT	6
62197 ●	Venetian Bronze	ABA960VB	20
62198 ●	Venetian Bronze with Retaining Clip & Test Kit	ABA960VBCT	6
62190 ●	Oil Rubbed Bronze	ABA960ORB	20
62191 ●	Oil Rubbed Bronze with Retaining Clip & Test Kit	ABA960ORBCT	6
62199 ●	White	ABA960W	20
62970 ●	White with Retaining Clip & Test Kit	ABA960WCT	6
PVC with Turn Top Stopper			
62059 ●	Chrome	ABA1310	20
62454 ●	Chrome with Retaining Clip & Test Kit	ABA1310CT	20
62058 ●	Chrome with Zinc Strainer	ABA1310Z	6
62288 ●	Chrome with Zinc Strainer, Clip & Test Kit	ABA1310ZCT	6
PVC with Touch Toe Stopper			
62048 ●	Chrome	ABA1263S	20
62339 ●	Chrome with Retaining Clip and Test Kit	ABA1263SCT	20

Schedule 40 Waste & Overflow – One-Hole Half Kits w/Test Kit & Straight Drain Fitting



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 209



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS One Hole Kits			
62412 ●	Half Kits with Chrome Push en Lift Stopper	ABA801	6
PVC One Hole Kits			
62416 ●	Half Kits with Chrome Push en Lift Stopper	ABA809	6

Schedule 40 Waste & Overflow – One-Hole Half Kits w/Test Kit & Direct Drain Fitting



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 209



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS One Hole Kits			
65504 ●	Half Kits with Chrome Push en Lift Stopper, 1-1/2" Direct Drain Shoe	ABA807	20
PVC One Hole Kits			
65604 ●	Half Kits with Chrome Push en Lift Stopper, 1-1/2" Direct Drain Shoe	ABA808	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow – One-Hole Rough-in Kits w/Test Kit



- Less pipe and tee; includes strainer
- Strainer is brass unless noted



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS			
62041 ●	Chrome with Retaining Clip and Test Kit	ABA951RICT	20
62042 ●	Chrome with Zinc Strainer, Clip and Test Kit	ABA951RIPZCT	20
PVC			
62044 ●	Chrome with Retaining Clip and Test Kit	ABA956RICT	20
62054 ●	Chrome with Zinc Strainer, Clip and Test Kit	ABA956RIPZCT	20

One-Hole Trim Kits



- Stopper and one-hole overflow plate
- Stopper is brass unless noted



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper			
62050 ●	Chrome	ABA951TK	20
62051 ●	Chrome with ABS Stopper	ABA951TKPZ	20
Turn Top Stopper			
62250 ●	Chrome	ABA1310TKZ	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

One-Hole Finish Kits



- Stopper, strainer, and one-hole overflow plate
- Strainer and stopper are brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper			
63084	Chrome	ABA1615	3
63085	Polished Brass	ABA1617	3
64003	Satin Nickel	ABA1619SN	20
64004	Venetian Bronze	ABA1619VB	20
64002	Oil Rubbed Bronze	ABA16190RB	20
64011	Champagne Bronze	ABA1619CB	20
64010	Matte Black	ABA1619MB	20
Push eN Lift Stopper – 1 3/8" – 16 – Fine Thread			
63102	Chrome	ABA1630	3
63106	Satin Nickel	ABA1634SN	3
64969	Venetian Bronze	ABA1634VB	3
63105	Oil Rubbed Bronze	ABA16340RB	3
Touch Toe Stopper			
63394	Chrome	ABA1520CS	3
63386	Satin Nickel	ABA1524SNCS	6
63396	Venetian Bronze	ABA1524VBCS	6
63387	Oil Rubbed Bronze	ABA15240RBCS	6

Schedule 40 Waste & Overflow - Two-Hole Full Kits



- Additional special finish kits available on page 165
- Strainer and stopper are brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS with Push eN Lift Stopper			
61303 ●	Chrome	ABA926	20
ABS with Turn Top Stopper			
61041 ●	Chrome	ABA1125	20
ABS with Touch Toe Stopper			
61825 ●	Chrome	ABA1230S	20
PVC with Push eN Lift Stopper			
61306 ●	Chrome	ABA931	20
PVC with Turn Top Stopper			
61043 ●	Chrome	ABA1130	20
PVC with Touch Toe Stopper			
61038	Chrome	ABA1236CS	20



Schedule 40 Waste & Overflow – Two-Hole Half Kits w/Test Kit – ABS



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 213



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS with Push eN Lift Stopper			
62202 ●	Chrome	ABA971	20
62203 ●	Chrome with Retaining Clip & Test kit	ABA971CT	20
62295 ●	Chrome with Zinc Strainer and ABS Stopper	ABA971PZ	20
62296 ●	Chrome with Zinc Strainer, ABS Stopper, Clip, & Test	ABA971PZCT	20
62207 ●	Satin Nickel	ABA975SN	6
62299 ●	Venetian Bronze	ABA975VB	6
62205 ●	Oil Rubbed Bronze	ABA975ORB	6
ABS with Turn Top Stopper			
62461 ●	Chrome	ABA1330	20
ABS with Touch Toe Stopper			
62429 ●	Chrome	ABA1280S	20
62818 ●	Satin Nickel	ABA1284SNCS	6
62815 ●	Venetian Bronze	ABA1284VBSCS	6
62313 ●	Oil Rubbed Bronze	ABA1284ORBSCS	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow – Two-Hole Half Kits w/Test Kit – PVC



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 213

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PVC with Push eN Lift Stopper			
62018 ●	Chrome	ABA976	20
62212 ●	Chrome with Retaining Clip & Test kit	ABA976CT	20
62036 ●	Chrome with Zinc Strainer & ABS Stopper	ABA976PZ	20
62305 ●	Chrome with Zinc Strainer, ABS Stopper, Clip, & Test	ABA976PZCT	20
62219 ●	Satin Nickel	ABA980SN	6
62223 ●	Venetian Bronze	ABA980VB	6
62216 ●	Oil Rubbed Bronze	ABA980ORB	6
PVC with Turn Top Stopper			
62062 ●	Chrome	ABA1335	20
62066 ●	Chrome with Zinc Strainer, Stopper, Clip & Test	ABA1335ZCT	20
PVC with Touch Toe Stopper			
62045 ●	Chrome	ABA1285CS	20
62439 ●	Satin Nickel	ABA1289SNCS	6
62441 ●	Venetian Bronze	ABA1289VBCS	6
62436 ●	Oil Rubbed Bronze	ABA1289ORBCS	6

Schedule 40 Waste & Overflow – Two-Hole Half Kits w/Test Kit & Straight Drain Fitting



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS with Touch Toe Stopper			
62346 ●	Chrome -- Hub Adapter	ABA851	20
PVC with Touch Toe Stopper			
62421 ●	Chrome -- Hub Adapter	ABA859	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR.
IPS CORPORATION

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Schedule 40 Waste & Overflow - Two-Hole Rough-In Kits w/Test Kit



- Less pipe and tee
- Includes strainer
- Strainer is brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS			
62043 ●	Chrome with Retaining Clip and Test Kit	ABA971RIT	20
62350 ●	Chrome with Zinc Strainer, Clip and Test Kit	ABA971RIPZCT	20
PVC			
62972 ●	Chrome with Retaining Clip and Test Kit	ABA976RICT	20
62034 ●	Chrome with Zinc Strainer, Clip and Test Kit	ABA976RIZT	20

Schedule 40 Waste & Overflow – Two-Hole Half Kits w/Test Kit & Direct Drain Fitting



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS			
65505 ●	Two-Hole ABS Half Kits PshNLft CP, 1-1/2" Direct Drain Shoe	ABA901	20
PVC			
65605 ●	Two-Hole PVC Half Kit PshNLft CP, 1-1/2" Direct Drain Shoe	ABA902	20

Two-Hole Trim Kits



- Stopper and two-hole overflow plate
- Stopper is brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper			
62055 ●	Chrome	ABA976TK	20
62988 ●	Chrome with ABS Stopper	ABA976TKP	20
Turn Top Stopper			
62510 ●	Chrome	ABA1335TK	20

Two-Hole Finish Kits

- Stopper, strainer, and two-hole overflow plate
- Strainer and stopper are brass unless noted



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper			
63090	Chrome	ABA1620	6
63095	Satin Nickel	ABA1624SN	20
64005	Venetian Bronze	ABA1624VB	20
63094	Oil Rubbed Bronze	ABA16240RB	20
Turn Top Stopper			
64048	Chrome	ABA1555	6
Touch Toe Stopper			
63015	Chrome	ABA1525S	6
63019	Satin Nickel	ABA1529SNS	6
63021	Venetian Bronze	ABA1529VBS	6
63016	Oil Rubbed Bronze	ABA15290RBS	6
Push eN Lift Stopper – 1 3/8" – 16 – Fine Thread Strainer with Bushing to 1-1/2" – 11-1/2			
64050	Chrome	ABA16356899	20
64052	Satin Nickel	ABA16396899SN	20
64053	Venetian Bronze	ABA16396899VB	20
64051	Oil Rubbed Bronze	ABA163968990RB	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

One-Hole Converter Finish Kits



- Strainer and stopper are brass unless noted



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
With 1 3/8"-16 Fine Thread Strainer, Bushing to 1-1/2"-11-1/2, Push eN Lift Stopper, 1-Hole Overflow Plate with Converter Bar and Screw			
64008	Chrome – Bulk Pack	ABA1658	20
64917	Chrome – Retail Carded	ABA1658CARD	20
64925	Polished Brass – Retail Carded	ABA1660CARD	3
64021	Satin Nickel – Bulk Pack	ABA1662SN	20
64930	Satin Nickel – Retail Carded	ABA1662SNCARD	10
64023	Venetian Bronze – Bulk Pack	ABA1662VB	20
64932	Venetian Bronze – Retail Carded	ABA1662VBCARD	10
64019	Oil Rubbed Bronze – Bulk Pack	ABA1662ORB	20
64929	Oil Rubbed Bronze – Retail Carded	ABA1662ORBCARD	10
64015	Polished Nickel – Retail Carded	ABA1662PNCARD	1
64933	White – Retail Carded	ABA1662WCARD	1
With 1-1/2"-16 Fine Thread Strainer, Bushing to 1-1/2"-11-1/2, Push eN Lift Stopper, 1-Hole Overflow Plate with Converter Bar and Screw			
64009	Chrome – Bulk Pack	ABA1658L	20
With 1 3/8"-16 Fine Thread Strainer, Bushing to 1-1/2"-11-1/2, Touch Toe Stopper, 1-Hole Overflow Plate with Converter Bar and Screw			
64026	Chrome	ABA1700	20
64946	Chrome – Retail Carded	ABA1700CARD	10
With 1-1/2"-11-1/2 Coarse Thread Strainer, "Kohler" Bushing, Push eN Lift Stopper, 1-Hole Overflow Plate with Converter Bar and Screw			
63168	Chrome	ABA1673	10
63333	Chrome – Retail Carded	ABA1673CARD	3
63359	Satin Nickel – Retail Carded	ABA1678SNCARD	1
63360	Venetian Bronze – Retail Carded	ABA1678VBCARD	1
63400	Oil Rubbed Bronze – Retail Carded	ABA1678ORBCARD	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Finish Kits (Stopper and Strainer Only)



- Strainer and stopper are brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper			
64001	Chrome	ABA1625	20
Push eN Lift Stopper – 1 3/8" – 16 – Fine Thread			
63120	Chrome	ABA1640	20
Push eN Lift Stopper – 3" Wide Flange – 16 Fine Thread			
63242	Chrome	ABA1787	3
Turn Top Stopper – Zinc Stopper/Strainer			
64000	Chrome	ABA1560	20
Turn Top Stopper – 1 3/8" – 16 – Fine Thread			
63055	Chrome	ABA1575	20
Touch Toe Stopper			
63056	Chrome	ABA1580CS	6

"Classic" Press-In Trim Kits

- Stopper is brass unless noted



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Press-In Strainer with "Classic" High-flow Capacity Overflow Plate and Push eN Lift Stopper			
60170	Chrome	ABA965033HF	6
60111	Satin Nickel	ABA96504SN3HF	6
60115	Venetian Bronze	ABA96504VB3HF	6
60108	Oil Rubbed Bronze	ABA96504ORB3HF	6
60116	White	ABA96504W3	6
60322	Champagne Bronze	ABA96504CB3HF	6
60321	Matte Black	ABA96504MB3HF	6
Press-In Strainer with "Classic" High-flow Capacity Overflow Plate and Turn Top Stopper			
60187	Chrome	ABA965073HF	6

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

One-Hole Press-In Trim Kits



- Stopper is brass unless noted

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Press-In Strainer with "One-Hole" Overflow Plate & Matching Screw, Converter Bar, and Push eN Lift Stopper			
60104	Chrome	ABA965031	6
60110	Satin Nickel	ABA96504SN1	6
60114	Venetian Bronze	ABA96504VB1	6
60171	Oil Rubbed Bronze	ABA965040RB1	6
60345	White	ABA96504W1	6
60324	Champagne Bronze	ABA96504CB1	6
60323	Matte Black	ABA96504MB1	6
Press-In Strainer with "One-Hole" Overflow Plate & Matching Screw, Converter Bar, and Turn Top Stopper			
60185	Chrome	ABA965071	6

Two-Hole Press-In Trim Kits



- Stopper is brass unless noted

Press-In Strainer with "Two-Hole" Overflow Plate & Matching Screws and Push eN Lift Stopper			
60169	Chrome	ABA965032	6
60174	Satin Nickel	ABA96504SN2	6
60177	Venetian Bronze	ABA96504VB2	6
60107	Oil Rubbed Bronze	ABA965040RB2	6
Press-In Strainer with "Two-Hole" Overflow Plate & Matching Screws and Turn Top Stopper			
60186	Chrome	ABA965072	6

Cable Driven Tubular Plastic Full Kit



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 213

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PVC Tubular for 17" to 22" Deep Tubs			
61327	Less Trim	ABA652NT	1
61022	Chrome	ABA652	1

Cable Driven Sched 40 Waste & Overflow Half Kit (Less Pipe & Tee) with Solid Brass Trim

- Additional special finish kits available above



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS with 27" Cable			
69725	Less Trim	ABA700NT	1
69723	Chrome	ABA700	1
PVC with 27" Cable			
61864	Less Trim	ABA710NT	1
69742	Chrome	ABA710	1
ABS with 35" Cable			
69842	Less Trim	ABA720NT	1
69726	Chrome	ABA720	1
PVC with 35" Cable			
61875	Less Trim	ABA730NT	1
69743	Chrome	ABA730	1
ABS with 45" Cable			
61885	Less Trim	ABA740NT	1
69727	Chrome	ABA740	1
PVC with 45" Cable			
69746	Less Trim	ABA750NT	1
69744	Chrome	ABA750	1

Cable Driven Solid Brass Finish Kits



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PVC Tubular for 17" to 22" Deep Tubs			
63300	Chrome	ABA770	1
63306	Satin Nickel	ABA773SN	1
63309	Venetian Bronze	ABA773VB	1
63302	Oil Rubbed Bronze	ABA773ORB	1
63312	White	ABA773W	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Plastic Waste & Overflow – ABS

- Strainer and stopper are brass unless noted
- Additional special finish kits for stopper-style available on page 213
- Additional special finish kits for trip lever available on page 229



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
ABS – Trip Lever			
61198	Chrome	ABA1480	10
61203	Satin Nickel	ABA1484SN	1
61977	Venetian Bronze	ABA1484VB	1
61978	Oil Rubbed Bronze	ABA1484ORB	1
ABS – Simple As ABC Trip Lever			
61199	Chrome	ABA14809	10
61995	Satin Nickel	ABA14849SN	1
61996	Venetian Bronze	ABA14849VB	1
61202	Oil Rubbed Bronze	ABA14849ORB	1
ABS with Push eN Lift Stopper			
61217	Chrome	ABA1501	10
60713	Chrome with Zinc Strainer	ABA1501Z	10
ABS with Turn Top Stopper			
61210	Chrome	ABA1490	10
ABS with Touch Toe Stopper			
60734	Chrome	ABA1470CS	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Plastic Waste & Overflow – PVC



- Strainer and stopper are brass unless noted
- Additional special finish kits for stopper-style available on page 161
- Additional special finish kits for trip lever available on page 229

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
PVC – Trip Lever			
61006	Chrome	ABA1485	10
61207	Satin Nickel	ABA1489SN	1
61209	Venetian Bronze	ABA1489VB	1
61494	Oil Rubbed Bronze	ABA14890RB	1
PVC – Simple As ABC Trip Lever			
61013	Chrome	ABA14859	10
61206	Satin Nickel	ABA14899SN	1
60705	Venetian Bronze	ABA14899VB	1
60706	Oil Rubbed Bronze	ABA148990RB	1
PVC with Push eN Lift Stopper			
61001	Chrome	ABA1506	10
61047	Chrome with Zinc Strainer	ABA1506Z	10
61221	Satin Nickel	ABA1512SN	1
61224	Venetian Bronze	ABA1512VB	1
61659	Oil Rubbed Bronze	ABA15120RB	1
PVC with Turn Top Stopper			
61014	Chrome	ABA1495	10
61016	Chrome with Zinc Strainer and Stopper	ABA1495Z	10
PVC with Touch Toe Stopper			
61005	Chrome	ABA1475CS	10

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Plastic Waste & Overflow – Heavy Duty – “Classic” w/ Test Kit – PVC



- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Thicker drain shoe and overflow elbow
- Includes compression nut
- Heavier gauge on linkage
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Length			
PVC Standard Length with Push eN Lift Stopper			
61245	Chrome	ABA4018HF	3
61692	Satin Nickel	ABA4021SNHF	1
61716	Venetian Bronze	ABA4021VBHF	1
61246	Oil Rubbed Bronze	ABA40210RBHF	1
PVC Standard Length with Turn Top Stopper			
61251	Chrome	ABA4051HF	3
PVC Standard Length with Touch Toe Stopper			
61249	Chrome	ABA4034CSHF	3
Extra Long			
PVC Extra Long with Push eN Lift Stopper			
60781	Chrome	ABA4026HF	3
60784	Satin Nickel	ABA4029SNHF	1
60785	Venetian Bronze	ABA4029VBHF	1
61521	Oil Rubbed Bronze	ABA40290RBHF	1
PVC Extra Long with Turn Top Stopper			
61252	Chrome	ABA4057HF	3
PVC Extra Long with Touch Toe Stopper			
61701	Chrome	ABA4041HF	3

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Plastic Waste & Overflow – Heavy Duty – ABS



- Thicker drain shoe and overflow elbow
- Includes compression nut
- Heavier gauge on linkage
- Thicker drain shoe and overflow elbow

- Strainer and stopper are brass unless noted
- Additional special finish kits for stopper style available on page 213
- Additional special finish kits for trip lever available on page 229

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Length			
ABS Standard Length Trip Lever			
61051	Chrome	ABA4161	12
ABS Standard Length with Push eN Lift Stopper			
61258	Chrome	ABA4146	12
ABS Standard Length with Turn Top Stopper			
61275	Chrome	ABA4165	12
ABS Standard Length with Touch Toe Stopper			
60924	Chrome	ABA4164CS	12
Extra Long			
ABS Extra Long Trip Lever			
61270	Chrome	ABA41619	9
ABS Extra Long with Push eN Lift Stopper			
60887	Chrome	ABA41469	9
ABS Extra Long with Turn Top Stopper			
60917	Chrome	ABA41659	9
ABS Extra Long with Touch Toe Stopper			
60937	Chrome	ABA41649CS	9

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Plastic Waste & Overflow – Heavy Duty – PVC

- Thicker drain shoe and overflow elbow
- Includes compression nut
- Heavier gauge on linkage
- Thicker drain shoe and overflow elbow

- Strainer and stopper are brass unless noted
- Additional special finish kits for stopper style available on page 213
- Additional special finish kits for trip lever available on page 229



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Length			
PVC Standard Length Trip Lever			
61052	Chrome	ABA4151	12
PVC Standard Length with Push eN Lift Stopper			
61256	Chrome	ABA4136	12
PVC Standard Length with Turn Top Stopper			
61264	Chrome	ABA4155	12
PVC Standard Length with Touch Toe Stopper			
61263	Chrome	ABA4154S	12
Extra Long			
PVC Extra Long Trip Lever			
61053	Chrome	ABA41519	9
PVC Extra Long with Push eN Lift Stopper			
61679	Chrome	ABA41369	9
PVC Extra Long with Turn Top Stopper			
60921	Chrome	ABA41559	9
PVC Extra Long with Touch Toe Stopper			
61262	Chrome	ABA41549CS	9

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Brass Waste & Overflow – “Classic” w/ Test Kit



- Rough-in only available – contact sales representative
- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Available with half or full ferrules
- Poly washers standard in compression nuts
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Length			
20 GA Standard Length with Push eN Lift Stopper			
61002 ●	Chrome	ABA14506HF	12
17 GA Standard Length with Push eN Lift Stopper			
61003 ●	Chrome	ABA1450617GAHF	12
20 GA Standard Length with Turn Top Stopper			
61191 ●	Chrome	ABA14518HF	12
17 GA Standard Length with Turn Top Stopper			
61192 ●	Chrome	ABA1451817GAHF	12
20 GA Standard Length with Touch Toe Stopper			
64502 ●	Chrome	ABA14511SHF	12
17 GA Standard Length with Touch Toe Stopper			
61638 ●	Chrome	ABA1451117GASHF	12
Extra Long			
17 GA Extra Long with Push eN Lift Stopper			
61004 ●	Chrome	ABA1450817GAHF	9
17 GA Extra Long with Turn Top Stopper			
64498 ●	Chrome	ABA1452117GAHF	9
17 GA Extra Long with Touch Toe Stopper			
64519 ●	Chrome	ABA1451517GASHF	9

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF-TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Tubular Brass Two-Hole Slip Joint Kits with Test Kit

- Strainer and stopper are brass unless noted
- Available with half or full ferrules
- Poly washers standard in compression nuts

- Additional special finish kits for stopper style available on page 213
- Additional special finish kits for trip lever available on page 229



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Length			
20 GA Standard Length Trip Lever			
61010 ●	Chrome	ABA1430G	12
61012 ●	Chrome with Retaining Clip	ABA1430GC	12
61123 ●	Satin Nickel	ABA1434SN	3
64102 ●	Venetian Bronze	ABA1434VB	3
61122 ●	Oil Rubbed Bronze	ABA14340RB	3
17 GA Standard Length Trip Lever			
61007 ●	Chrome	ABA143017GA	12
20 GA Standard Length with Push eN Lift Stopper			
61031 ●	Chrome	ABA1440	12
17 GA Standard Length with Push eN Lift Stopper			
61138 ●	Chrome	ABA144017GA	12
20 GA Standard Length with Turn Top Stopper			
61046 ●	Chrome	ABA1435	12
17 GA Standard Length with Turn Top Stopper			
61125 ●	Chrome	ABA143517GA	12
20 GA Standard Length with Touch Toe Stopper			
64198 ●	Chrome	ABA1421CS	12
17 GA Standard Length with Touch Toe Stopper			
64205 ●	Chrome	ABA1421CS17GA	12
Extra Long			
20 GA Extra Long Trip Lever			
61008 ●	Chrome	ABA14309G	9
17 GA Extra Long Trip Lever			
61009 ●	Chrome	ABA1430917GAG	9
20 GA Extra Long with Push eN Lift Stopper			
61144 ●	Chrome	ABA14409	9
17 GA Extra Long with Push eN Lift Stopper			
61145 ●	Chrome	ABA1440917GA	9
20 GA Extra Long with Turn Top Stopper			
61128 ●	Chrome	ABA14359	9
17 GA Extra Long with Turn Top Stopper			
61129 ●	Chrome	ABA1435917GAC	9
20 GA Extra Long with Touch Toe Stopper			
64212 ●	Chrome	ABA14219CS	9
17 GA Extra Long with Touch Toe Stopper			
64219 ●	Chrome	ABA14219CS17GA	9

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Brass Waste & Overflow – Side Outlet w/ Bent Tail Piece



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 213

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20 GA Standard Length with Push eN Lift Stopper			
61155 ●	Chrome	ABA14463	1
17 GA Standard Length with Push eN Lift Stopper			
64238 ●	Chrome	ABA1446317GA	1
20 GA Standard Length with Turn Top Stopper			
61157 ●	Chrome	ABA14459	1
17 GA Standard Length with Turn Top Stopper			
61158 ●	Chrome	ABA1445917GA	1
20 GA Standard Length with Touch Toe Stopper			
64257 ●	Chrome	ABA14461CS	1
17 GA Standard Length with Touch Toe Stopper			
64264 ●	Chrome	ABA14461CS17GA	1

Tubular Brass Waste & Overflow – Drain in Shoe



- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 213

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20 GA Standard Length with Push eN Lift Stopper			
61687 ●	Chrome	ABA14473	1
17 GA Standard Length with Push eN Lift Stopper			
61694 ●	Chrome	ABA1447317GA	1
20 GA Standard Length with Turn Top Stopper			
61165 ●	Chrome	ABA14469	1
17 GA Standard Length with Turn Top Stopper			
61166 ●	Chrome	ABA1446917GA	1
20 GA Standard Length with Touch Toe Stopper			
64299 ●	Chrome	ABA14471CS	1
17 GA Standard Length with Touch Toe Stopper			
64306 ●	Chrome	ABA1447117GACS	1

Tubular Brass Waste & Overflow – Simply Solder Tee, “Classic” w/ Test Kit



- Rough-in only available – contact sales representative
- “Classic” high-flow capacity slotted overflow plate provides greater drainage through the tub overflow
- Thin gasket included for thick-walled tubs (e.g. marble)
- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 204

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Length			
20 GA Standard Length with Push eN Lift Stopper			
61446 ●	Chrome	ABA14407CLSHF	12
17 GA Standard Length with Push eN Lift Stopper			
64538 ●	Chrome	ABA1440717CLSHF	12
20 GA Standard Length with Turn Top Stopper			
64576 ●	Chrome	ABA14357CLSHF	12
17 GA Standard Length with Turn Top Stopper			
61445 ●	Chrome	ABA1435717GA CLSHF	12
20 GA Standard Length with Touch Toe Stopper			
64591 ●	Chrome	ABA14217CSCLSHF	12
17 GA Standard Length with Touch Toe Stopper			
64598 ●	Chrome	ABA14217CS17CLSHF	12
Extra Long			
17 GA Extra Long with Push eN Lift Stopper			
61718 ●	Chrome	ABA1440817CLSHF	9
17 GA Extra Long with Turn Top Stopper			
64587 ●	Chrome	ABA1435817CLSHF	9
17 GA Extra Long with Touch Toe Stopper			
64612 ●	Chrome	ABA14218CS17CLSHF	9

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Tubular Brass Waste & Overflow – Simply Solder Tee



- Strainer and stopper are brass unless noted
- Additional special finish kits for stopper style available on page 214
- Additional special finish kits for trip lever available on page 229

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Length			
20 GA Standard Length Trip Lever			
61101 ●	Chrome	ABA14307	12
17 GA Standard Length Trip Lever			
61102 ●	Chrome	ABA1430717GA	12
20 GA Standard Length with Push eN Lift Stopper			
61140 ●	Chrome	ABA14407	12
17 GA Standard Length with Push eN Lift Stopper			
61141 ●	Chrome	ABA1440717GA	12
20 GA Standard Length with Turn Top Stopper			
61126 ●	Chrome	ABA14357	12
17 GA Standard Length with Turn Top Stopper			
61000 ●	Chrome	ABA1435717GA	12
20 GA Standard Length with Touch Toe Stopper			
64414 ●	Chrome	ABA14217CS	12
17 GA Standard Length with Touch Toe Stopper			
64421 ●	Chrome	ABA1421717GACS	12
Extra Long			
20 GA Extra Long Trip Lever			
61103 ●	Chrome	ABA14308	9
17 GA Extra Long Trip Lever			
61444 ●	Chrome	ABA1430817GA	9
20 GA Extra Long with Push eN Lift Stopper			
61142 ●	Chrome	ABA14408	9
17 GA Extra Long with Push eN Lift Stopper			
61717 ●	Chrome	ABA1440817GA	9
20 GA Extra Long with Turn Top Stopper			
61127 ●	Chrome	ABA14358	9
17 GA Extra Long with Turn Top Stopper			
64410 ●	Chrome	ABA1435817GA	9
20 GA Extra Long with Touch Toe Stopper			
64428 ●	Chrome	ABA14218CS	9
17 GA Extra Long with Touch Toe Stopper			
64435 ●	Chrome	ABA1421817GACS	9

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF-TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



Tubular Brass Waste & Overflow – Brass “Pop-up”

- Strainer and stopper are brass unless noted
- Additional special finish kits available on page 229



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20 GA Standard Length Side Outlet w/ Bent Tail Piece			
61153 ●	Chrome	ABA14455	1
17 GA Standard Length Side Outlet w/ Bent Tail Piece			
61154 ●	Chrome	ABA1445517GA	1
20 GA Standard Length Drain-in-Shoe			
61162 ●	Chrome	ABA14465	1
17 GA Standard Length Drain-in-Shoe			
61163 ●	Chrome	ABA1446517GA	1



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Trip Lever Finish Kits – Available Carded for Retail Display



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Chrome			
64036	Full Kit – Bulk	ABA1720	12
64944	Full Kit – Carded	ABA1720CARD	12
63207	Grid & Screw Only	ABA1720G	12
63208	Trip Lever Plate and Screws Only	ABA1720T	12
Polished Brass			
64936	Full Kit – Carded	ABA1722CARD	12
63211	Full Kit - Bulk	ABA1722	12
Satin Nickel			
64040	Full Kit – Bulk	ABA1723SN	12
64940	Full Kit – Carded	ABA1723SNCARD	12
Venetian Bronze			
63224	Full Kit – Bulk	ABA1723VB	12
64941	Full Kit – Carded	ABA1723VBCARD	12
Oil Rubbed Bronze			
64039	Full Kit – Bulk	ABA1723ORB	12
64938	Full Kit – Carded	ABA1723ORBCARD	12
Polished Nickel			
64939	Full Kit – Carded	ABA1723PNCARD	12

Trip Lever “Pop-up” Finish Kits



- Strainer and stopper are brass unless noted



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Pop-up Strainer Trip Lever Plate and Screws			
61175	Chrome	ABA14476	12



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Waste & Overflow One Hole Test Kits



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
68683	One-Hole Test Kit	ABA6916	12
68684	One-Hole Metal Test Kit	ABA6916M	12

Waste & Overflow Two Hole Test Kits



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
69510	Two-Hole Test Kit (plastic only)	ABA6919	12

Waste & Overflow Test Kits



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
"Classic" Overflow Test Cap			
69601	ABS	ABA2352	15
68210	PVC	ABA2353	15
Strainer Test Stopper			
68685	Plastic	ABA6918	12
68038	Metal	ABA6918M	12

Brass Waste & Overflow Fittings



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
2-Hole Overflow Elbow & Tube			
68184	Standard 20Ga	ABA281	1
68138	Standard 17Ga	ABA282	1
60095	Long 20Ga	ABA281L	1
60096	Long 17Ga	ABA282L	1
Classic Overflow Elbow & Tube			
60098	Standard 20Ga	ABA281CLC	1
60099	Standard 17Ga	ABA282CLC	1
60097	Long 20Ga	ABA281LCLC	1
60094	Long 17Ga	ABA282LCLC	1
Waste Arm & Shoe			
60123	Drain-in-tee Shoe with 5" Tube 20Ga	ABA254	1
60090	Drain-in-tee Shoe with 5" Tube 17Ga	ABA253	1
60064	Drain-in-tee Shoe with 9" Tube 20Ga	ABA254L	1
60122	Drain-in-tee Shoe with 9" Tube 17Ga	ABA253L	1
Brass Waste Tees and Fittings			
68137	Slip Tee	ABA248	1
68080	Simply Solder Tee	ABA3460053C	1
61181	Side Outlet	ABA14482	1
69000	Straight Tailpiece 20Ga	ABA4101820	1
68120	Straight Tailpiece 17Ga	ABA41018	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Waste & Overflow Accessories

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Linkages			
69607	"G" Style	ABA41857	1
60063	"G" Style – Long	ABA41857XL	1
Slip Nuts & Washers			
68850	1-1/2" Brass Slip Nuts – Rough Brass	ABA285	50
69809	Full Brass Ferrule 1-1/2"	ABA168	50
69578	Half Brass Ferrule 1-1/2"	ABA168H	50
Washers & Gaskets			
69668	"G" Style Overflow Gasket	ABA6855	1
69514	Heavy Overflow Gasket	ABA6854	1
69516	Sponge Overflow Gasket	ABA6859	1
69998	Thin Sponge Overflow Gasket (for thick tubs)	ABA6960	1
69900	Classic Overflow Locking Washer - PVC	ABA2350HF	15
69513	Rubber Strainer Washer	ABA6850	1
63000	Metal Converter Bar – 2-Hole to 1-Hole	ABA4227	10
69611	Retaining Clip w/ Screws for 2-Hole Elbow	ABA4230	25
Inside Pipe Cutters			
69604	Inside Pipe Cutter 2" Bulk Pack	ABA2450	12
69501	Inside Pipe Cutter 2" Retail Pack	ABA2450CARD	12
69502	Inside Pipe Cutter 3" Bulk Pack	ABA2451	12
69503	Inside Pipe Cutter 3" Retail Pack	ABA2451CARD	12
69504	Inside Pipe Cutter Replacement Blades – 3 Pack Bulk	ABA2452	12
69505	Inside Pipe Cutter Replacement Blades – 3 Pack Retail	ABA2452CARD	12

Schedule 40 Waste & Overflow Fittings



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Overflow Elbows			
69597	Classic (Male Threaded) ABS	ABA2344	15
69598	Classic (Male Threaded) PVC	ABA2345	15
69602	Classic Long (Male Threaded) ABS	ABA2361	15
68457	Classic Long (Male Threaded) PVC	ABA2362	15
68079	Classic (Male Threaded) With Condensate Connection - Threaded PVC	ABA2356	15
68066	Classic (Male Threaded) With Condensate Connection - Slip PVC	ABA2359	15
69572	1-Hole ABS	ABA1208A	15
69622	1-Hole PVC	ABA1208P	15
69580	2-Hole ABS	ABA1508A	15
69582	2-Hole PVC	ABA1508P	15
Waste Fittings			
69570	Drain Shoe ABS	ABA1204A	15
69571	Drain Shoe PVC	ABA1204P	15
69567	Straight Adapter (H x FPT) ABS	ABA1513	15
69568	Straight Adapter (H x FPT) PVC	ABA1514	15
Direct Drain Tees			
65500	ABS Direct Drain Tee Only, 1-1/2	ABA2227DD	15
65600	PVC Direct Drain Tee Only, 1-1/2	ABA2228DD	15



Waste & Overflow Strainers

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Brass Waste Strainer – 1-1/2" – 11-1/2 Coarse Thread – For 3/8" Post Stopper			
69512	Chrome	ABA6820	15
69642	Polished Brass	ABA6822	1
69645	Satin Nickel	ABA6824SN	15
69646	Venetian Bronze	ABA6824VB	1
69644	Oil Rubbed Bronze	ABA6824ORB	1
68083	Satin Pearl	ABA6824SP	1
69647	White	ABA6824W	1
Brass Waste Strainer – 1-1/2" – 11-1/2 Coarse Thread – Flip Top			
69808	Chrome	ABA682088	1
69643	Satin Nickel	ABA6824SN88	1
69333	Venetian Bronze	ABA6824VB88	1
69334	Oil Rubbed Bronze	ABA6824ORB88	1
Brass Waste Strainer – 1 3/8" – 16 Fine Thread – For 3/8" Post Stopper			
69648	Chrome	ABA6830	1
69336	Polished Brass	ABA6832	1
68052	Satin Nickel	ABA6834SN	1
69337	Venetian Bronze	ABA6834VB	1
69649	Oil Rubbed Bronze	ABA6834ORB	1
69338	Polished Nickel	ABA6834PN	1
69339	Satin Chrome	ABA6834SC	1
69340	Satin Pearl	ABA6834SP	1
69342	White	ABA6834W	1
69344	Wrought Iron/Matte Black	ABA6834WI	1
Brass Waste Strainer – 1-1/2" – 14 Fine Thread – For 3/8" Post Stopper			
69638	Chrome	ABA6805	1
Brass Waste Strainer – 1-1/2" – 16 Fine Thread – For 3/8" Post Stopper			
69639	Chrome	ABA6810	1
69640	Chrome – 3" Flange	ABA6812	1
Brass Adapter Bushings			
69520	1.625" – 16 Thread to 1.865" 11-1/2 Thread	ABA6899	20
69767	1.625" – 16 Thread to 1.8" 16 Thread	ABA6901	1
69769	1.865" – 11-1/2 Thread to 2.11 – 16 Thread (Kohler®)	ABA6903	1

Kohler® is a registered trademark of Kohler Co.



Stopper Only



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Push eN Lift Stopper – 3/8" Post			
63005	Chrome	ABA1595	20
63071	Chrome – ABS	ABA1595P	20
63072	Polished Brass	ABA1597	1
63074	Satin Nickel	ABA1599SN	20
63077	Venetian Bronze	ABA1599VB	20
63073	Oil Rubbed Bronze	ABA15990RB	20
69351	Satin Chrome	ABA1599SC	1
63075	Satin Pearl	ABA1599SP	1
68090	White	ABA1599W	1

Push eN Lift Stopper – Short Stem – 3/8" Post			
63173	Chrome	ABA1680	1



Push eN Lift Stopper – With 3/8" and 5/16" Posts			
63004	Chrome	ABA1648	20
63126	Polished Brass	ABA1650	1
63127	Satin Nickel	ABA1652SN	1
69357	Venetian Bronze	ABA1652VB	1

Turn Top Stopper – 3/8" Post			
63080	Chrome - Zinc (Flapper Style)	ABA1605	20
68043	Chrome - Zinc (O-Ring Style)	ABA1605Z0	20



Touch Toe Stopper – 3/8" Post			
66828	Chrome (Stopper only)	ABA1580CSS	20
69367	Polished Brass (includes Strainer)	ABA1582CS	1
63060	Satin Nickel (includes Strainer)	ABA1584SNCS	1
63324	Venetian Bronze (includes Strainer)	ABA1584VBCS	1
68198	Oil Rubbed Bronze (includes Strainer)	ABA1584RBCS	1
69369	White (includes Strainer)	ABA1584WCS	1

Touch Toe Stopper – Short Stem – 3/8" Post			
63066	Chrome	ABA1590	20



Push eN Lift or Turn Top Post Only			
68075	2" Long – 5/16" Post	ABA6893	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Overflow Plates

- Classic high-flow capacity slotted overflow plate provides greater drainage through the tub overflow



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
"Classic" High-flow Capacity Overflow Plate			
63002	Chrome	ABA2340HF	15
69590	Polished Brass	ABA2342PBHF	1
69591	Satin Nickel	ABA2342SNHF	1
69594	Venetian Bronze	ABA2342VBHF	1
69589	Oil Rubbed Bronze	ABA2342ORBHF	1
68551	Polished Nickel	ABA2342PNHF	1
68552	Satin Chrome	ABA2342SCHF	1
69592	Satin Pearl	ABA2342SPHF	1
69595	White	ABA2342WHF	1
69588	Biscuit	ABA2342BIHF	1



"Classic" Solid Overflow Plate			
69991	Chrome	ABA2550	15
69992	Satin Nickel	ABA2551	15
69993	Venetian Bronze	ABA2552	15
69994	Oil-Rubbed Bronze	ABA2553	15



"One-Hole" Overflow Plate with 2-1/4" Screw			
63001	Chrome	ABA6835	15
69653	Satin Nickel	ABA6841SN	1
69654	Venetian Bronze	ABA6841VB	1
69652	Oil Rubbed Bronze	ABA6841ORB	1
68215	Polished Nickel	ABA6841PN	1
68246	Satin Chrome	ABA6841SC	1
69655	White	ABA6841W	1
69828	Biscuit	ABA6841BI	1



"Two-Hole" Overflow Plate with two 2-1/4" Screws			
69656	Chrome	ABA6845	15
69658	Polished Brass	ABA6847	1
69662	Satin Nickel	ABA6849SN	1
69664	Venetian Bronze	ABA6849VB	1
69661	Oil Rubbed Bronze	ABA6849ORB	1
69374	Polished Nickel	ABA6849PN	1
68143	Satin Chrome	ABA6849SC	1
69375	Satin Pearl	ABA6849SP	1
69376	Biscuit	ABA6849BI	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Lavatory Drains



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Brass Body with Push eN Lift Stopper			
68304	Chrome With Overflow	ABA1728	12
68319	Chrome Less Overflow	ABA1728S	1
Brass Body with Flip Top Stopper			
68363	Chrome With Overflow	ABA1748	12
68364	Chrome Less Overflow	ABA1748S	1
68368	Satin Nickel With Overflow	ABA1749SN	1
68369	Satin Nickel Less Overflow	ABA1749SNS	1
Heavy Brass Grid Drain with 6" 17Ga Tailpiece and Brass Locknut			
68309	Chrome With Overflow	ABA1736	20
68349	Chrome Less Overflow	ABA1736S	1
68355	Satin Nickel With Overflow	ABA1738SN	1
68356	Satin Nickel Less Overflow	ABA1738SNS	1
Heavy Brass Offset Lavatory Strainer 17Ga – ADA Complaint			
68361	Chrome With Overflow	ABA1739	20
Brass Lavatory Drain – “Pop-up”			
68308	Chrome With Overflow	ABA1733	20
68343	Chrome Less Overflow	ABA1733S	1

Tub Spouts



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
68375	5" Zinc – 1/2" FIPS at Nose End – No Diverter	ABA1920	12
68376	5" Zinc – 1/2" Slide Connection – No Diverter	ABA1930	12
68377	5" Zinc – 1/2" FIPS at Nose End – With Diverter	ABA1935	12
68762	5" Zinc – 1/2" Slide Connection – With Diverter	ABA1945	12
68382	5" Brass – 1/2" x 3/4" FIPS at Nose End – With Diverter	ABA1960	12



Los Angeles Style P-Traps

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Heavy Duty Cast Brass with Cast Brass Slip Joint Nut			
68300	Rough Brass 1-1/2" x 1-1/2"	ABA102	10
68405	Rough Brass 1-1/4" x 1-1/2"	ABA103	10
68301	Chrome Plated 1-1/2" x 1-1/2"	ABA107	10
68302	Chrome Plated 1-1/4" x 1-1/2"	ABA108	10
Heavy Duty Cast Brass Extra Low Seal "G" Trap			
68310	Rough Brass 1-1/2" x 1-1/2"	ABA120	1
Heavy Duty Cast Brass Low Pattern Trap			
68313	Rough Brass 1-1/2" x 1-1/2"	ABA130	1
ABS LA Pattern Trap with Union			
69511	1-1/2" x 1-1/2"	ABA3221A	50
69605	1-1/2" x 1-1/4"	ABA3221B	50
ABS Slip Joint Nut			
69508	1-1/2" x 1-1/2"	ABA3931	50
69509	1-1/2" x 1-1/4"	ABA3933	50



Cleanout Covers



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Plastic Flat with 2 1/2" Wood Screw			
68400	Chrome – 4 1/2"	ABA1645	25
68401	Chrome – 5 1/2"	ABA1655	25
68402	Chrome – 7 1/2"	ABA1675	10
68870	Chrome – 9-1/2"	ABA1695	5
68403	White – 4 1/2"	ABA1646	25
68404	White – 5 1/2"	ABA1656	25
68869	White – 7 1/2"	ABA1676	10
68871	White – 9-1/2"	ABA1696	5
Plastic Bell with 2 1/2" Wood Screw			
68450	Chrome – 4 1/2"	ABA1745	25
68451	Chrome – 5 1/2"	ABA1755	25
68452	Chrome – 7 1/2"	ABA1775	25
68453	White – 4 1/2"	ABA1746	25
68454	White – 5 1/2"	ABA1756	25
68455	White – 7 1/2"	ABA1776	25
24-gauge Stainless Steel Cleanout Cover			
68813	3" with 1/4" x 20 Screw	ABA1840	25
68480	4" with 1/4" x 20 Screw	ABA1841	25
68481	5" with 1/4" x 20 Screw	ABA1842	25
68482	6" with 1/4" x 20 Screw	ABA1843	25
68819	7" with 1/4" x 20 Screw	ABA1844	25
68820	8" with 1/4" x 20 Screw	ABA1845	25
68823	10" with 1/4" x 20 Screw	ABA1848	25
69254	4" with 5/16" Screw	ABA18416865516	25
69262	5" with 5/16" Screw	ABA18426865516	25
Cleanout & Cover Packages with ABS Quick-Fit Cleanout Fitting and Tapped Plug			
69574	4 1/2" White Bell Cover – 2" DWV Pipe	ABAKCOB2	25
69575	4 1/2" White Bell Cover – 3" DWV Pipe	ABAKCOB3	25

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Los Angeles Style Brass Cleanout Plugs

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Raised Head			
68600	Raised Head 1-1/2"	ABA175	5
68601	Raised Head 2"	ABA176	10
68602	Raised Head 2 1/2"	ABA177	10
68603	Raised Head 3"	ABA178	10
68604	Raised Head 3-1/2"	ABA179	10
68605	Raised Head 4"	ABA180	5
68811	Raised Head 5"	ABA181	1
68812	Raised Head 6"	ABA182	1
Countersunk			
68828	Countersunk – Slotted Head 1-1/2"	ABA201	5
68650	Countersunk – Slotted Head 2"	ABA202	10
68651	Countersunk – Slotted Head 2 1/2"	ABA203	10
68652	Countersunk – Slotted Head 3"	ABA204	10
68653	Countersunk – Slotted Head 3-1/2"	ABA205	10
68654	Countersunk – Slotted Head 4"	ABA206	5
68829	Countersunk – Slotted Head 5"	ABA207	1
68830	Countersunk – Slotted Head 6"	ABA208	1
68655	Countersunk – Slotted Head 1-1/2" – Tapped 5/16"	ABA215	5
68656	Countersunk – Slotted Head 2" – Tapped 5/16"	ABA216	10
68831	Countersunk – Slotted Head 2 1/2" – Tapped 5/16"	ABA217	10
68657	Countersunk – Slotted Head 3" – Tapped 5/16"	ABA218	10
68658	Countersunk – Slotted Head 3-1/2" – Tapped 5/16"	ABA219	10
68659	Countersunk – Slotted Head 4" – Tapped 5/16"	ABA220	5
68832	Countersunk – Slotted Head 5" – Tapped 5/16"	ABA221	1
68833	Countersunk – Slotted Head 6" – Tapped 5/16"	ABA222	1
69257	Countersunk – Slotted Head 1-1/2" – Tapped 1/4"	ABA21514	10
69267	Countersunk – Slotted Head 2" – Tapped 1/4"	ABA21614	10
69258	Countersunk – Slotted Head 2 1/2" – Tapped 1/4"	ABA21714	10
69284	Countersunk – Slotted Head 3" – Tapped 1/4"	ABA21814	10
69290	Countersunk – Slotted Head 3-1/2" – Tapped 1/4"	ABA21914	10
69291	Countersunk – Slotted Head 4" – Tapped 1/4"	ABA22014	5
69285	Countersunk – Slotted Head 5" – Tapped 1/4"	ABA22114	1

Southern Style Brass Cleanout Plugs



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Raised Head			
68700	Raised Head 1-1/2"	ABA235	5
68701	Raised Head 2"	ABA236	5
68837	Raised Head 2 1/2"	ABA237	20
68839	Raised Head 3"	ABA238	20
68702	Raised Head 3-1/2"	ABA239	20
68703	Raised Head 4"	ABA240	15
68843	Raised Head 5"	ABA241	10
68845	Raised Head 6"	ABA242	5
69778	Raised Head 8"	ABA243	5
69779	Raised Head 10"	ABA244	1



Countersunk			
68834	Countersunk – 1-1/2"	ABA235CS	25
68750	Countersunk – 2"	ABA236CS	25
68751	Countersunk – 2 1/2"	ABA237CS	20
68492	Countersunk – 3"	ABA238CS	20
68753	Countersunk – 3-1/2"	ABA239CS	20
68754	Countersunk – 4"	ABA240CS	15
68844	Countersunk – 5"	ABA241CS	10
68846	Countersunk – 6"	ABA242CS	5

Quick-Fit Cleanout Fitting with Plastic Countersunk Plug
(Fits inside Sched 40 DWV Pipe)



PRODUCT	DESCRIPTION	MODEL	LBS/ CASE
68500 ●	ABS – 2" (with 1-1/2" plug)	ABA200CA	
68501 ●	ABS – 3" (with 2 1/2" plug)	ABA300CA	
68502 ●	ABS – 4" (with 3-1/2" plug)	ABA400CA	
68503 ●	PVC – 2" (with 1-1/2" plug)	ABA200CP	
68504 ●	PVC – 3" (with 2 1/2" plug)	ABA300CP	
68505 ●	PVC – 4" (with 3-1/2" plug)	ABA400CP	

Quick-Fit Cleanout Fitting Only (Fits inside Sched 40 DWV Pipe)



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
68800 ●	ABS – 2"	ABA200A	50
68801 ●	ABS – 3"	ABA300A	50
68802 ●	ABS – 4"	ABA400A	50
68827 ●	PVC – 2"	ABA200P	50
68872 ●	PVC – 3"	ABA300P	50
68864 ●	PVC – 4"	ABA400P	50

WELD-ON
GUY GRAY
WATER-TITE
TOUGH PANS
ROOF TOP BLOK
TEST-TITE
AB&A
STUDOR
TRUEBRO
CHRISTY'S

Plastic Countersunk Plug



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
68506	ABS – 1-1/2"	ABA3051CA	50
68507	ABS – 2"	ABA3052CA	50
68512	ABS – 2 1/2"	ABA3055CA	50
68509	ABS – 3"	ABA3053CA	50
68513	ABS – 3-1/2"	ABA3056CA	25
68511	ABS – 4"	ABA3054CA	25
68514	PVC – 1-1/2"	ABA3051CP	50
68515	PVC – 2"	ABA3052CP	50
68860	PVC – 2 1/2"	ABA3055CP	50
68516	PVC – 3"	ABA3053CP	50
68518	PVC – 3-1/2"	ABA3056CP	25
68517	PVC – 4"	ABA3054CP	25

Plastic Countersunk Plug with 1/4" x 20 Threaded Brass Insert



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
68853	ABS – 1-1/2" – with 1/4" Threaded Insert	ABA3051CAI	20
68508	ABS – 2" – with 1/4" Threaded Insert	ABA3052CAI	20
68859	ABS – 2 1/2" – with 1/4" Threaded Insert	ABA3055CAI	20
68510	ABS – 3" – with 1/4" Threaded Insert	ABA3053CAI	20
69780	ABS – 3-1/2" – with 1/4" Threaded Insert	ABA3056CAI	20
68857	ABS – 4" – with 1/4" Threaded Insert	ABA3054CAI	20
68854	PVC – 1-1/2" – with 1/4" Threaded Insert	ABA3051CPI	20
68855	PVC – 2" – with 1/4" Threaded Insert	ABA3052CPI	20
68407	PVC – 2 1/2" – with 1/4" Threaded Insert	ABA3055CPI	20
68856	PVC – 3" – with 1/4" Threaded Insert	ABA3053CPI	20
68861	PVC – 3-1/2" – with 1/4" Threaded Insert	ABA3056CPI	20
68858	PVC – 4" – with 1/4" Threaded Insert	ABA3054CPI	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Plastic Square Head Plug



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
68490	ABS – 1-1/2"	ABA3051RA	50
68491	ABS – 2"	ABA3052RA	50
68494	ABS – 2 1/2"	ABA3055RA	50
68752	ABS – 3"	ABA3053RA	50
68755	ABS – 3-1/2"	ABA3056RA	25
68493	ABS – 4"	ABA3054RA	25
68756	PVC – 1-1/2"	ABA3051RP	50
68757	PVC – 2"	ABA3052RP	50
68760	PVC – 2 1/2"	ABA3055RP	50
68758	PVC – 3"	ABA3053RP	50
68761	PVC – 3-1/2"	ABA3056RP	25
68759	PVC – 4"	ABA3054RP	25

Press In Cleanout Fitting – For Use with Sched 40 DWV Pipe



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
68550	ABS 2" x 3" with Countersunk Plastic Plug	ABA450	20
64648	ABS 2" x 3" with Countersunk Brass Plug	ABA451	20
85919	ABS 3" x 4" with Countersunk Plastic Plug	5896	10
85916	PVC 2" x 3" with Countersunk Plastic Plug	4895	10
68866	PVC 2" x 3" with Countersunk Brass Plug	ABA457	20
85918	PVC 3" x 4" with Countersunk Plastic Plug	4896	10
68867	PVC 3" x 4" with Countersunk Brass Plug	ABA459	20

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION


TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION



STUDOR®

OVERVIEW

There's a reason everyone calls AAVs "Studor"® vents

When Studor developed the first Air Admittance Valves in the 1970's, it was developing AAV technology that would become the standard. The technology provides Drainage Waste and Vent systems the option to reduce the number of vents through the roof and allows for only one open vent to the atmosphere per building system.

Still the only specialized AAV manufacturer in the world

Studor AAVs were introduced to the U.S. in 1986, and Studor engineers have been refining the technology ever since. Today, the Studor line of specialized AAVs is bigger than ever, offering the most complete AAV line on the market – with millions of valves installed in North America and worldwide.



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MAXI-VENT®



The unique design of the Studor® MAXI-VENT™ provides plumbing ventilation to prevent the loss of water seals in traps without the need for costly roof penetration and vent piping.

- Can be used as an individual, branch, circuit or stack vent
- Will vent up to 500 DFUs on a stack
- Fits 3" with no-hub type coupling
- Fits 4" with rubber gasket provided
- Reduces the number of fire-stopping applications
- ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, ETL, ICC-ES PMG-1025, C-IAPMO
- Exclusive vermin protection system
- Limited lifetime warranty for replacement of defective valves
- Residential or commercial use
- Expands architectural design limits

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20342	3" or 4" Connection	20342	6
20302	3" or 4" Connection	20302	24

MAXI-CAP™



The unique design of the Studor® MAXI-VENT™ provides plumbing ventilation to prevent the loss of water seals in traps without the need for costly roof penetration and vent piping.

- Prior to installing a MAXI-VENT, MAXI-CAP can be painted to match roof color for aesthetics.
- Studor recommends the use of the MAXI-CAP when installing the MAXI-VENT outdoors

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20398	Fits on MAXI VENT	20398	1

MINI-VENT®



X-Pack



Protective cover

The unique design of the Studor® MINI-VENT™ provides plumbing ventilation to prevent the loss of water seals in traps without the need for costly roof penetration and vent piping.

- Can be used as an individual, branch, circuit or stack vent
- Fits 1-1/2" and 2" pipe sizes
- Will vent up to 160 DFUs on a branch
- Will vent up to 24 DFUs on stack
- Expands architectural design limits
- Reduces the number of fire-stopping applications
- Exclusive vermin protection system
- Limited lifetime warranty for replacement of defective valves
- Residential or commercial use
- ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, ETL, ICC-ES PMG-1025, C-IAPMO
- The protective cover may be used outdoors and indoors to protect against dust and to keep items from blocking the air intake

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Pack			
20341	1-1/2" or 2" PVC Adapter	20341	6
20340	1-1/2" or 2" ABS Adapter	20340	6
20301	1-1/2" or 2" PVC Adapter w/Protective Cover	20301	24
20300	1-1/2" or 2" ABS Adapter w/Protective Cover	20300	24
X-Pack*			
20305	1-1/2" or 2" PVC Adapter	20305	40
20336	1-1/2" or 2" ABS Adapter	20336	40

*The X-Pack is the MINI-VENT™ with hang tag.



REDI-VENT®



Simplify drainage and waste venting with the Studor® REDI-VENT® Air Admittance Valve. The unique design of the Studor® REDI-VENT® provides ventilation to prevent the loss of water seals in traps without the need for expensive roof penetration and vent piping.

- For venting single fixtures, kitchen sinks and bathroom groups including back to back applications up to 20 DFUS
- Exclusive vermin protection system
- Expands architectural design limits
- Compact design for tight applications
- Fits 1-1/2" and 2" pipe sizes
- Limited lifetime warranty for replacement of defective valves
- Residential or commercial use
- ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14, ETL, ICC-ES PMG-1025, C-IAPMO

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Standard Pack			
20346 ●●●●●●	1-1/2" or 2" PVC Adapter	20346	24
20349 ●●●●●●	1-1/2" or 2" ABS Adapter	20349	24
Bulk Pack			
20299 ●●●●●●	1-1/2" or 2" PVC Adapter	20299	60
20298 ●●●●●●	1-1/2" or 2" ABS Adapter	20298	60
REDI-VENT Adapter*			
44833	PVC Adapter for REDI-VENT for use in Du-All WM0B	44833	25
44834	ABS Adapter for REDI-VENT for use in Du-All WM0B	44834	25

*REDI-VENT® Adapter is specially designed for use in DU-All washer box

AAV-TEE



- Tubular tee installs in-line with 1-1/2 or 1 1/4 tubular trap
- Includes REDI-VENT® air admittance valve capable of venting up to 20 DFU
- Tee branch mounts REDI-VENT the required 4" above the horizontal drain line

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20391 ●	AAV Tee with REDI-VENT®	20391	6
40800 ●	AAV Tee Only	40800	24

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Recessed Air Admittance Valve Boxes



The unique design of the Studor® MINI-VENT™ provides plumbing ventilation to prevent the loss of water seals in traps without the need for costly roof penetration and vent piping.

- Can be used with any MINI-VENT™, TEC-VENT™ or REDI-VENT™
- Fire-rated box does not come with an AAV
- Can also be used as the termination point for an open pipe side wall vent as an alternative to venting through the roof

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20380 ●●	Studor AAV Recess Box	20380	10
20381 ●●	Studor AAV Recess Box with REDI-VENT™	20381	10
20385	Louvered Faceplate Only	20385	20

Fire-Rated

82456* ●	Fire-rated Air Admittance Valve Outlet Box, 1-1/2" female adaptor included	FRAAV12	5
----------	--	---------	---

*82456 is a Category 5 product.

P.A.P.A.®



The Studor® P.A.P.A.® is the perfect compliment to the existing range of Studor Air Admittance Valves (AAVs). Together they form the Studor Single Pipe System (SSPS), a Total Solution to a building's venting requirements. Studor Air Admittance Valves will protect the water seal of the system's branch fixtures while the P.A.P.A. effectively deals with positive pressure. This combination maintains perfect system balance, quickly and efficiently restoring even atmospheric pressure conditions throughout the system thus avoiding siphonage of any trap.

The Advantages:

- The Studor P.A.P.A. as part of the complete Studor System
- Provides complete protection against positive pressures in the system
- Replaces extensive vent piping saving material and installation costs
- Provides greater freedom of design for engineers, architects and design professionals
- Reduces the need for fire stopping devices preventing the chimney effect in the pipes, reducing the risk of fire spreading upwards between floors
- Eliminates leak prone roof penetrations –only one roof penetration is required no matter how tall the building
- Can be retrofitted into an existing drainage system to solve positive pressure problems
- Prevents propagation of odorous sewer gases
- Requires no maintenance, as all Studor products are non-mechanical devices
- Is guaranteed for a lifetime equivalent to that of the drainage system in which it is installed
- Listed to ASSE 1030, WMTS463:2015
- Commercial use only

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20357	P.A.P.A. (Positive Air Pressure Attenuator)	20357	1



TEC-VENT®



Simplify drainage and waste venting with the air admittance valve designed specifically for commercial applications. The unique design of the Studor® TEC-VENT® provides plumbing ventilation to prevent the loss of water seals in traps without the need for costly roof penetration and vent piping.

- Classified in accordance with UL2043 for installation in plenums when the system is designed by a design professional and approved by local inspector
- Manufactured from flame-retardant polycarbonate resin
- High tensile strength
- Will vent up to 160 DFUs
- Exclusive vermin protection system
- Expands architectural design limits
- Reduces the number of fire-stopping applications
- UV rated for outside installations
- Limited lifetime warranty for replacement of defective valves
- Residential or Commercial Use
- ANSI/ASSE 1051, ANSI/ASSE 1050, NSF 14,
- UL 2043, ICC-ES PMG, C-IAPMO, ICC-ES-PMG-1025

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20344 ●●●●●	TEC-VENT®	20344	24

CHEM-VENT®



Simplify drainage and waste venting with the air admittance valve designed specifically for chemical waste systems. The unique design of the Studor® CHEM-VENT® provides plumbing ventilation to prevent the loss of water seals in traps within chemical waste systems.

- Can be installed in chemical waste systems when the system is designed by a design professional
- WARNING!! Studor CHEM-VENT® cannot be installed in applications where vented fumes are required to pass through biological and/or chemical filters before being released to the atmosphere
- Will vent up to 6 DFUs
- Exclusive vermin protection system
- Expands architectural design limits
- ASSE 1049, NSF 14
- Manufactured from Flame Retardant Polypropylene conforming to ASTM D-4101
- The Sch 40 dimensions of the valve tail piece allows direct mounting on any fusion or MJ fitting
- Through the use of readily available adapters, the valve can also be connected to CPVC, glass and Duriron® systems (designer to check for chemical comparability)
- Limited lifetime warranty for replacement of defective valves
- Commercial use

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20345	CHEM-VENT®	20345	12

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

MAXI-FILTRA®



Replacement cartridge

The Studor® MAXI-FILTRA® operates as a two-way vent, which filters air in both directions. Its replaceable active carbon filter is designed to eliminate bad odors produced by the plumbing drainage system. The MAXI-FILTRA is for outdoor use only, particularly for use with septic systems, but can also be installed on existing open vent pipes and in systems in which air admittance valves (AAVs) are installed.

- Can be installed vertically or horizontally
- Contains replaceable carbon filter that can last up to two years
- Outdoor use only
- Fits 3" with no-hub type coupling
- Fits 4" with rubber gasket provided
- UV Rated

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
20297	Two-Way Vent	20297	25
20700	Replacement Cartridge	20700	20

WELD-ON
 GUY GRAY
 WATER-TITE
 TOUGH PANS
 ROOF TOP BLOK
 TEST-TITE
 A&A
 STUDOR
 TRUEBRO
 CHRISTY'S

CHRISTY'S
IPS CORPORATION

TRUEBRO
IPS CORPORATION

STUDOR
IPS CORPORATION

AB&A
IPS CORPORATION

TEST-TITE
IPS CORPORATION


ROOF TOP BLOX
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

WATER-TITE
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WELD-ON
IPS CORPORATION



TRUEBRO®

OVERVIEW

Dedicated to “Making America Accessible”

The Truebro® product line consists of protective undersink pipe covers and plumbing enclosures for ADA compliance in handicap-accessible lavatories and sinks – for both new construction and retrofit markets.

Still the only specialized AAV manufacturer in the world

The Lav Guard® 2, Lav Shield®, Basin Guard™, and Soft-Guard Plus™ are professional ADA-mandated protection systems designed for durability, aesthetics and sanitary installations. Specifying, stocking or installing Truebro is your assurance of protecting people with disabilities while providing quality, durability and improved aesthetics.



IPS CORPORATION
WELD-ON

IPS CORPORATION
GUY GRAY

IPS CORPORATION
WATER-TITE

IPS CORPORATION
TOUGH PANS

IPS CORPORATION
ROOF TOP BLOK

IPS CORPORATION
TEST-TITE

IPS CORPORATION
AB&A

IPS CORPORATION
STUDOR

IPS CORPORATION
TRUEBRO

IPS CORPORATION
CHRISTY'S



Lav Guard® 2



Lav Guard® 2 E-Z series provides the durable, attractive, ADA-compliant undersink protection that the original Truebro Lav Guard® is famous for. Built-in E-Z Grip fasteners and internal E-Z Tear-To-Fit trimming features eliminate the need for tools, and provide for a clean, tamper-resistant, super-fast professional installation.

- E-Z Tear-To-Fit feature makes trimming super-fast and contractor-friendly—no tools required
- E-Z Grip built-in fasteners are quick, strong, and reusable
- Universal design fits more P-traps and thumb wings on plastic compression nuts

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
100 Series - Fits all 1-1/4" or 1-1/2" Cast Brass or Tubular P-traps			
82188 ●	One Angle Valve and Supply Cover	99-EZ	15
82190 ●	One P-Trap Cover	100-EZ	15
82192 ●	One P-Trap Cover, One angle Valve & Supply Cover	101-EZ	15
82193 ●	One P-Trap Cover, Two angle Valve & Supply Cover	102-EZ	15
82194 ●	One P-Trap Cover, Two angle Valve & One offset cover	103-EZ	15
82189 ●	One 14" Extension for Water Supply	EX 99-EZ	15
82191 ●	One 14" Extension for Drain Waste Arm or Tailpiece	EX 100-EZ	15
82195 ●	One 5" Offset Tailpiece Wheelchair Strainer Assembly	105-EZ	15
82196 ●	Kohler 6" Offset	105-K	15
82197 ●	One Basket Strainer Cover & Offset Waste Cover	106-EZ	15
82198 ●	Two Basket Strainer Covers & Center or End Outlet Waste Cover	107-EZ	1
400 Series - Fits all 1-1/2" Schedule 40 Plastic P-traps			
82199 ●	One P-Trap Cover	400	15
82200 ●	One P-Trap Cover, One angle Valve & Supply Cover	401	15
82201* ●	One P-Trap Cover, Two angle Valve & Supply Cover	402	15

* 105-EZ can be used in conjunction with the 400 series if a tailpiece is required.



99EZ



EX99EZ



100EZ



EX100EZ



101EZ



102EZ



103EZ



105EZ



106EZ



107EZ

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION


AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Basin Guard™



Basin Guard™ is an ADA-compliant undersink piping enclosure for kitchen, classroom and lavatory sinks. Basin Guard can be installed where ever counter tops and sidewalls are present and the proper ADA sink is installed. Provides an attractive way to conceal piping and mechanical connections. Bottom opening allows for easy service access.

- ADA-conforming design protects wheelchair users from scalding and sharp, abrasive surfaces. When installed, all plumbing and mechanical components are concealed
- Strict code compliance minimizes risk. The Basin Guard complies with ADA article 4.19.4, California Plumbing Code
- 1504.2.1, ANSI A117.1, BOCA P 1203.4, and other state and local regulations. Basin Guard also has a flammability resistance, tested in accordance with Underwriters Laboratories for the UL 94 standard with a V-0 rating
- 36" and 42" enclosures are easy to specify, stock and install. May be used with virtually any ADA-compliant sink or restroom lavatory where countertops and sidewalls are present
- High-impact, UV-protected vinyl maximizes product life cycle. The Basin Guard is molded from impact-resistant, stain-resistant and chemical-resistant protective vinyl for durability, safety and long life

PRODUCT	DESCRIPTION	MODEL	LBS/ CASE
82234 ●	36" Basin Guard-White	36W	12
82236 ●	42" Basin Guard-White	42W	14

IPS CORPORATION
WELD-ON

IPS CORPORATION
GUY GRAY

IPS CORPORATION
WATER-TITE

IPS CORPORATION
TOUGH PANS

IPS CORPORATION
ROOF TOP BLOX

IPS CORPORATION
TEST-TITE

IPS CORPORATION
AB&A

IPS CORPORATION
STUDOR

IPS CORPORATION
TRUEBRO

IPS CORPORATION
CHRISTY'S



Lav Shield®

Lav Shield® provides ADA-compliant undersink protection and meets requirements for wheelchair accessibility. Durable, single-piece construction conceals piping, electronic faucet connections, mixing valves, trap primers and instantaneous hot water heaters. [Lavatory "rough in" should be considered to allow mounting room for water heater—contact us for specifications.] Pre-cut Lav Shields are cut to fit various lavatory models, field adjustment may be needed for exact fit.

- "Total enclosure" deters tampering
- Single-piece configuration for easy service
- Pre-cut Lav Shields are not stocked and not available for return
- High-impact, UV-protected vinyl



Exposed



Enclosed



Standard Lav Shield

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
Standard Lav Shield			
82202 ●	Standard Lav Shield	20181	1
97775 ●	Standard Lav Shield Bulk	20184	4
Pre-Cut Lav Shield			
82203 ●	American Standard Comrade	2018ASC1	1
97768 ●	American Standard Comrade Bulk	2018ASC4	4
82204 ●	American Standard Declyn	2018ASD1	1
97783 ●	American Standard Declyn Bulk	2018ASD4	4
82205 ●	American Standard Lucerne	2018ASL1	1
97717 ●	American Standard Lucerne Bulk	2018ASL4	4
82206 ●	American Standard Murro	2018ASM1	1
97790 ●	American Standard Murro Bulk	2018ASM4	4
82207 ●	American Standard Lucerne [Old]	2018ASOL	1
97710 ●	American Standard Lucerne [Old] Bulk	2018ASOL4	4
97964 ●	American Standard Penlyn Bulk	2018ASP4	4
82208 ●	American Standard Roxalyn	2018ASR1	1
97797 ●	American Standard Roxalyn Bulk	2018ASR4	4
97966 ●	American Standard Regalyn	2018ASRG1	1
97967 ●	American Standard Regalyn Bulk	2018ASRG4	4
82209 ●	Bradley Imperial	2018BDI1	1
97804 ●	Bradley Imperial Bulk	2018BDI4	4
97916 ●	Briggs Milton	2018BM1	1
97912 ●	Briggs Milton Bulk	2018BM4	4
82210 ●	Briggs Whitman	2018BRW1	1
97811 ●	Briggs Whitman Bulk	2018BRW4	4
82211 ●	Crane Harwich	2018CRH1	1
97723 ●	Crane Harwich Bulk	2018CRH4	4
82212 ●	Crane Norwich	2018CRN1	1
97818 ●	Lav Shield Crane Norwich 4 Bulk	2018CRN4	4
82213 ●	Crane Westmont	2018CRW1	1
97730 ●	Crane Westmont Bulk	2018CRW4	4
82214 ●	Crane Yorkshire	2018CRY1	1
97825 ●	Crane Yorkshire Bulk	2018CRY4	4
82215 ●	Eljer Blair	2018ELB1	1

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO®
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Lav Shield® (Continued)



Exposed



Enclosed



Standard Lav Shield

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
Pre-Cut Lav Shield (Continued)			
97832 ●	Eljer Blair Bulk	2018ELB4	4
82216 ●	Eljer Delwyn	2018ELD1	1
97839 ●	Eljer Delwyn Bulk	2018ELD4	4
82217 ●	Eljer Mayburne	2018ELM1	1
97846 ●	Eljer Mayburne Bulk	2018ELM4	4
82218 ●	Eljer Signature	2018ELS1	1
97737 ●	Eljer Signature Bulk	2018ELS4	4
82219 ●	Eljer Bucknell	2018ELU1	1
97853 ●	Eljer Bucknell Bulk	2018ELU4	4
82220 ●	Gerber Hayes	2018GRH1	1
97860 ●	Gerber Hayes Bulk	2018GRH4	4
82324 ●	Gerber Monticello Bulk	2018GRM4	4
82221 ●	Gerber Plymouth	2018GRP1	1
97867 ●	Gerber Plymouth Bulk	2018GRP4	4
97962 ●	Kohler Brenham	2018KOB1	1
82222 ●	Kohler Chesapeake	2018KOC1	1
97874 ●	Kohler Chesapeake Bulk	2018KOC4	4
82223 ●	Kohler Greenwich, Model 202	2018KOG1	1
97744 ●	Kohler Greenwich, Model 202 Bulk	2018KOG4	4
97922 ●	Kohler Greenwich, Model 203	2018KONG1	1
97923 ●	Kohler Greenwich, Model 203 Bulk	2018KONG4	4
82224 ●	Kohler Hudson	2018KOH1	1
97881 ●	Kohler Hudson Bulk	2018KOH4	4
82225 ●	Kohler Kingston	2018KOK1	1
97751 ●	Kohler Kingston Bulk	2018KOK4	4
97911 ●	Kohler Pinoir	2018KOP1	1
97915 ●	Kohler Pinoir Bulk	2018KOP4	4
82226 ●	Kohler Soho	2018KOS1	1
97888 ●	Kohler Soho Bulk	2018KOS4	4
82228 ●	Mansfield 2018 HB-NS	2018MAN1	1
97902 ●	Mansfield 2018 HB-NS Bulk	2018MAN4	4
82401 ●	Sloan SS-3003	2018SLSS3003	1
82404 ●	Sloan SS-3003 Bulk	2018SLSS30034	4
82229 ●	Toto LT307	2018TOL1	1
97758 ●	Toto LT307 Bulk	2018TOL4	4
97937 ●	New Zurn Z5344	2018ZNNZ1	1
97938 ●	New Zurn Z5344 Bulk	2018ZNNZ4	4
97940 ●	Zurn Lav Z5430	Z53401	1
97941 ●	Zurn Lav Z5430 Bulk	Z53404	4

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Lav Shield® Accessories

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82187	Lav Shield Standard Fasteners [?]	20184F	1
82292	Tamper Resistant Fasteners [?]	TRFAST	1

Custom Finished Lav Shield



Lav Shield® represents the “next generation” of ADA compliant undersink protection by meeting mandated knee and toe clearance requirements for wheelchair users. Durable, single-piece construction prevents pipe and component tampering, and conceals all lavatory piping, electronic faucet connections, mixing valves, trap primers, and instantaneous water heaters — a truly attractive alternative to individual component covers that will satisfy even the most discriminating designer.

- “Total enclosure” deters tampering
- Single-piece configuration for easy service
- Custom finished Lav Shields are not stocked
- High-impact, UV-protected vinyl



PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82721 ●	Dipped Lav Shield - 1 Pk Architectural Brushed Aluminum	WTP-907	1
82722 ●	Dipped Lav Shield - 1 Pk Stainless Steel	WTP-270	1
82723 ●	Dipped Lav Shield - 1 Pk Stainless Steel Over Black	WTP-270B	1
82726 ●	Dipped Lav Shield - 1 Pk Rosewood	WTP-488	1
82727 ●	Dipped Lav Shield - 1 Pk Burlwood	WTP-496	1
82728 ●	Dipped Lav Shield - 1 Pk Monaco Walnut	WTP-538	1
82731 ●	Dipped Lav Shield - 1 Pk Black Marble	WTP-512	1
82732 ●	Dipped Lav Shield - 1 Pk Gray Marble	WTP-659G	1
82733 ●	Dipped Lav Shield - 1 Pk Architectural White Marble	WTP-659W	1
82736 ●	Dipped Lav Shield - 1 Pk Italian Leather Espresso	WTP-715	1
82741 ●	Dipped Lav Shield - 1 Pk Sport Carbon	WTP-940	1

Available Finishes



Architectural Brushed Aluminum

Stainless Steel

Stainless Steel Over Black

Rosewood

Burlwood

Monaco Walnut



Black Marble

Gray Marble

Architectural White Marble

Italian Leather Espresso

Sport Carbon

Soft Guard Plus™



Soft Guard Plus™ provides undersink pipe protection that should be specified for installation to all drainage piping including hot and cold water valves and supplies under lavatories to meet ADA compliance. Soft Guard Plus features a base material that has been tested in accordance with testing standard ASTM E84-07 with a 25 flame spread/450 smoke index and a 1/8" soft PVC vinyl material to maximize ADA and UPC compliance.



- 25 Flame/450 smoke index
- Anti-microbial finish
- Hook and loop fastening system
- Available in white or black
- Optional snap-to-lock fasteners provide tamper resistance
- Buy American Act Compliant
- Fits Sch. 40 P-traps and flexible braided hoses

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
82521 ●	Supply and valve cover – White	82521	10
82522 ●	P-Trap cover only – White	82522	10
82523 ●	Offset cover only – White	82523	10
82524 ●	P-Trap/1 valve – White	82524	10
82525 ●	P-Trap/2 valve covers – White	82525	10
82527 ●	P-Trap/2 valve covers & 1 offset cover – White	82527	10
82492 ●	Supply and valve cover – Black	82492	10
82493 ●	P-Trap cover only – Black	82493	10
82494 ●	Offset cover only – Black	82494	10
82495 ●	P-Trap/1 valve – Black	82495	10
82496 ●	P-Trap/2 valve covers – Black	82496	10
82528 ●	Soft-Guard™ Plus Disposal Cover, White	82528	4



Supply and valve cover



P-Trap cover



Disposal cover



Offset cover

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOK
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

TRUEBRO
IPS CORPORATION

STUDOR
IPS CORPORATION

AB&A
IPS CORPORATION

TEST-TITE
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TOUGH PANS
IPS CORPORATION

WATER-TITE
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WELD-ON
IPS CORPORATION




CHRISTY'S™

OVERVIEW

Christy's

In 2019, IPS Corporation acquired T. Christy Enterprises, one of North America's premier manufacturers of solvent cements and provider of a broad range of accessories. IPS has integrated the Christy's brand and added parts of the product line into the Water-Tite®, Weld-On®, and Test-Tite® brands.



- WELD-ON™
- GUY GRAY™
- WATER-TITE™
- TOUGH PANS™
- ROOF TOP BLOK™
- TEST-TITE™
- AB&A™
- STUDOR™
- TRUEBRO™
- CHRISTY'S™

WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

SuperSaws



- 24", 36", 48" cable saw
- Made from domestic stainless steel aircraft cable
- Heavy duty ergonomic "T" handles
- Designed for cutting PVC pipe in confined spaces
- Ideal for irrigation and plumbing applications

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513137	SuperSaw 24" Cable Saw	SCS-24	100
513139	SuperSaw 36" Cable Saw	SCS-36	12
513141	SuperSaw 48" Cable Saw	SCS-48	12

High Tension Hacksaw



- 12" - 18 TPI
- High tension durable hacksaw
- Rubber grip handle
- Bi-metal blade, cuts on both 45

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
510166	High Tension Rubber Hacksaw	225X-2	12/24

PVC-ABS Hand Saw



- Aluminum handle saw with rubber cushion grip
- Suitable for plywood, asbestos, plastics, hardboard, metals, wood and plastic & fiber pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
514534	Saw, Hand, 12" PVC/ABS	ABAB1238BW	12
514535	Saw, Hand, 18" PVC/ABS	ABAB1240BBW	12

Replacement Blades



- Industrial Quality
- Bi-Metal Construction, Spring Steel Back
- Shatter/Shock/High Heat Resistant
- Red Vinyl pack

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
VIPER HACKSAW BLADES			
514623	Viper Hacksaw Blades 12" – 18 TPI	TC1218	10/100
514626	Viper Hacksaw Blades 12" – 24 TPI	TC1224	10/100
514628	Viper Hacksaw Blades 12" – 32 TPI	TC1232	10/100
HANDSAW BLADES			
514536	Handsaw Replacement 12" Blade	HS433BD-12	6/24
514537	Handsaw Replacement 18" Blade	HS433BD-18	6/24
RECIPROCATING BLADES			
514640	Reciprocating Blade 6" - 6 TPI	TC656R	5
514635	Reciprocating Blade 6" - 14 TPI	TC614R	5
514636	Reciprocating Blade 6" - 18 TPI	TC618R	5
514638	Reciprocating Blade 6" - 24 TPI	TC624R	5
514643	Reciprocating Blade 8" - 10 TPI	TC810R	5
514630	Reciprocating Blade 12" - 6 TPI	TC156R	5
514621	Reciprocating Blade 12" - 14 TPI	TC110R	5

Red Razor Cutter



- Radius blade for cleaner cuts
- Industrial Quality
- Ratchet action PVC pipe cutter to 1-5/8"
- Heat treated high carbon steel blade, chrome plating
- Vinyl Hang Pouch

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
513860	PVC Pipe Cutter, Christy's, Red Razor, Cuts up to 1-5/8"	TC-PC-158	1

EZ-CUT Pipe & Hose Cutter



- Durable stainless steel blade
- Finger indentation for a firm grip

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
513569	EZ-CUT 1 1/8" Pipe & Hose Cutter	TC118SS	6
513597	EZ-CUT 2" Pipe & Hose Cutter	TC200SS	6
513581	EZ-CUT 1-1/2" Pipe & Hose Cutter	TC150SS	1

Spring Loaded Pipe & Hose Cutter



- Spring Loaded Pipe and Tubing Cutter
- Spring Loaded Cutter
- Ideal for Pipe and Hose up to 1-3/8"
- Easy Grip Handle with Reversible Steel Blade
- Vinyl Hang Pouch

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
514664	Spring Loaded Pipe & Hose Cutter	TC-PCSL-138	1

Replacement Blades



- Heat treated carbon steel, with chrome plating

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
513598	Replacement Blade for Red Razor Cutter 2 (TC-PC-2)	TC-2-BLADE	25/50
513585	Replacement blade for Red Razor Cutter 1-5/8" (TC-PC-158)	TC-158-BLADE	50/100
510735	Replacement Blade for EZ-CUT 1-1/2" Pipe & Hose Cutter (TC150SS)	BT150SS	25/50
513873	Replacement Blade for 2" Long Handle PVC Pipe	TC-PCHD-2-BD	



WELD-ON
IPS CORPORATION

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Plastic Pipe Prep Tools



- Plastic pipe cable saw features T-handles
- Deburring tool for PVC, CPVC, ABS, PE & PB pipe

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
12739	36" Plastic Pipe Cable Saw for up to 8" Diameter T-Style Handle	CST-36	24
12079	DEB-2 Plastic Pipe Deburring Tool for Sizes 1/2" – 2" IPS	006350000	6

Self-Locking Tape Measure



- 1" x 25' Self-Locking Tape Measure
- Revolutionary Self-Locking Tape Measure
- Hang Pack

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513577	1" x 25' Self-Locking Tape Measure	TC-125SL	12/24

Tape Measure w/ Chrome Plated Case



- 1" x 25' Tape Measure
- Chrome Plated Case
- Hang Pack

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513601	1" x 25' Tape Measure with Chrome Plated Case	TC425	10

Duct Tape



- 9 mil
- Individually Shrink Wrapped

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513200	2" x 60 YD Silver Cloth Duct Tape	TA-33-DT398	24
513229	2" x 60 YD Red Cloth Duct Tape	TA-DT260R	24
513226	2" x 60 YD Black Cloth Duct Tape	TA-DT260BLK	24

Abrasion Cloth



- Long Lasting and Waterproof
- Usable on Both Sides

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
81505	10 Yds. x 1-1/2" Open Mesh Cloth	R5503	24
81405	10 Yds. x 1-1/2" Sand Cloth	R5455	24
81400	2 Yds. x 1-1/2" Sand Cloth	R5451	24
81410	25 Yds. x 1-1/2" Sand Cloth	R5460	24
81500	5 Yds. x 1-1/2" Open Mesh Cloth	R5501	24

4-Way Faucet Key



- Valve/ Faucet/ Sillcock Sizes 1/4

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
510328	Universal 4-Way Faucet Key	4WKEY	6

No Hub Torque Wrench



- 5/16" Hex Socket

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
512567	No Hub Torque Wrench	NH7020	6

CATEGORY 16

Plumber's Tape



- Galvanized Steel Strap with Alternate Nail and Bolt Holes
- Bulk Pack
- 3/4" x10' 28 Gauge – Light

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
84025	Plumbers Tape – 3/4" x10' 28 Gauge – Light	RGS7	50

WELD-ON
GUY GRAY
WATER-TITE
TOUGH PANS
ROOF TOP BLOK
TEST-TITE
AB&A
STUDOR
TRUEBRO
CHRISTY'S

WELD-ON
IPS CORPORATION

Terry Rags



- 100% White Cotton – Good Quality
- Absorbent and Re-Washable
- Measures 14" x 17" Fully Hemmed

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513893	Terry Rags	TC-RAGS	16

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

Reclaimed Flannel Wipes



- Soft and Absorbent
- Idea for Single-Use Applications

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
512931	Reclaimed Flannel Wipes – 5 lbs.	RFW5	1

TOUGH PANS
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

Multi-Purpose Towels



- Heavy Duty/ Pre-Moistened
- Removes Embedded Grime Easily
- 90 Towels Per Dispenser

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
512975	Multi-Purpose Towels	RH-PW1	6

TEST-TITE
IPS CORPORATION

AB&A
IPS CORPORATION

Load Buster Clean-Up Bags



- Black
- Durable Trash Bags for Multi-Use Applications
- 3 mil/ 32" x 50"
- 45 gallon
- 20/box

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513836	Load Buster Clean-Up Bags	TC-GB-320	1/200

STUDOR
IPS CORPORATION

TRUEBRO
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Rough Surface Non-Slip Glove



- A Unique Process Allows the Surface of the Gloves to be Coated with Small PVC Chips
- They are Coated with a PVC/NBR Blend for Added Chemical Resistance
- Great for Ugly, Oily Jobs! Provides Better Grip and Hand Protection
- Preferred by Plumbers for Use with Drain Snakes
- Use with Nitrile Gloves Underneath for Added Protection

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
510264	Rough Surface Non-Slip Gauntlet Cuff Glove – Large	4112	12/72
510262	Rough Surface Non-Slip Knit Wrist Glove – Large	4100	12/72

Black Foam Nitrile Breathable Nylon Knit Glove



- Tight Fit Provides Tactile Sensitivity
- Revolutionary Nitrile-Foam Coating Provides Breathability and Long-Lasting Grip
- Materials: Nylon Liner, Nitrile-Foam Coating

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
512568	Black Foam Nitrile Breathable Nylon Knit Glove – Large	NITEXP200L	12
512570	Black Foam Nitrile Breathable Nylon Knit Glove – Extra-Large	NITEXP200XL	12

Coated Palm Gloves



- Tight Weave Cotton String Knit with Palm and Fingers Coated in Natural Blue Latex
- Highly Durable with Excellent Wet Grip
- Open Back for superior Ventilation
- Hang Tag

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
514509	Blue Flex Coated Palm Gloves – Large	9680-L	12/144
514516	Blue Flex Coated Palm Gloves – Extra-Large	9680-XL	12/144

Latex Gloves – Heavy Duty



- Heavy Duty/ Blue Latex with a Longer, Beaded Cuff and Heavier Latex for High Risk Situations
- 13 mil Palm Thickness, 15 mil fingertip thickness
- Textured Finish Allows for a Better Wet and Dry Grip
- Ideal for Industrial Applications
- Powder free
- NFPA Certified
- 50 Pieces Per Box
- Box Quantity Only

PRODUCT	DESCRIPTION	MODEL	UNITS/CASE
510180	Professional Blue Latex Gloves, Powder Free – Large	2815-L	10
510182	Professional Blue Latex Gloves, Powder Free – X-Large	2815-XL	10

WELD-ON
IPS CORPORATION

Nitrile Gloves



- 4 mil / Disposable Ultra Strong Gloves
- 100 Pieces Per Box
- Box Quantity Only

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
510146	Blue Nitrile Industrial Gloves – Large	2010W-L	10
510148	Blue Nitrile Industrial Gloves – Extra-Large	2010W-XL	10

GUY GRAY
IPS CORPORATION

WATER-TITE
IPS CORPORATION

Latex Gloves – Disposable



- 5mil / Latex Disposable Gloves
- Ideal for Hand Protection During Solvent Cementing
- 100 Pieces Per Box
- Box Quantity Only

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
510176	Latex Disposable Gloves, 5 Mil (100/Bx) – Large	2800-L	10
510179	Latex Disposable Gloves, 5 Mil (100/Bx) – Extra-Large	2800-XL	10

TOUGH PANS.
IPS CORPORATION

ROOF TOP BLOX
IPS CORPORATION

Work Gloves



- Non-Slip Palm Ideal for Carrying Soil Pipe and Sprinkler Pipe
- Heavy Duty Band for Wrist Protection

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513594	Grip Pro Work Glove – Medium	TC-1960L	12/144
513595	Grip Pro Work Glove – Extra-Large	TC-1960M	12/144
513596	Grip Pro Work Glove – Large	TC-1960XL	12/144

TEST-TITE
IPS CORPORATION

Leather Double Palm Work Glove



- Joint Palm Construction
- Select Shoulder Split Leather
- 2.5 inch Rubberized Safety Cuff
- Gunn Cut Pattern
- Hang Pack

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
510778	Gloves, Leather Double Palm	CL5012DP	12/72

AB&A
IPS CORPORATION

STUDOR.
IPS CORPORATION

Leather Drivers Glove



- Quality smooth leather
- Unlined
- Shirred Elastic Wrist, Keystone Thumb
- Hang Tag

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
510372	Leather Drivers Glove – Large	6110-L	12/72
510375	Leather Drivers Glove – Extra-Large	6110-XL	12/72

TRUEBRO.
IPS CORPORATION

CHRISTY'S
IPS CORPORATION

Leather Palm Work Glove



- Split Cowhide Leather Palm Gloves
- 2.5 inch Rubberized Safety Cuff
- Gunn Cut Pattern
- Hang Tag

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
510207	Leather Palm Work Glove – Large	3260	12/120

Foil Tape



- Aluminum Foil Backed Tape with Aggressive Adhesive
- Ideal for Sealing Heating and Air Conditioning Ducts and Vents/ and can be Used for Electro-Plating
- Temperature Range -20°F to 150°F
- Shrink Wrapped
- 2.7 mil

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513548	2" x 50 YD Foil Tape	TA-UT250FT	24

Caution Tape



- 3 inch, 4 mil – Non-Detectable
- Yellow

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513208	3" x 1000 ft Roll/ 4 mil – Non-Detectable	TA-CTN-3-1000	1
513210	3" x 300 ft Roll/ 4 mil – Non-Detectable	TA-CTN-3-300	30

Barricade Tape



- Elongation is >400% at Break Point
- 3 mil Virgin LLDPE/LDPE

PRODUCT	DESCRIPTION	MODEL	UNITS/ CASE
513214	3" Red "Danger Do Not Enter" Tape, 300 ft	TA-DNG-3-300	30
513213	3" Red "Danger Do Not Enter" Tape, 1000 ft	TA-DNG-3-1000	10

WELD-ON
GUY GRAY
WATER-TITE
TOUGH PANS
ROOF TOP BLOK
TEST-TITE
AB&A
STUDOR
TRUEBRO
CHRISTY'S

INDEX BY PRODUCT NUMBER

Product	Page										
10003	29	10200	27	10873	27	14004	12	20391	248	60322	215
10004	29	10201	27	10874	27	14005	12	20398	246	60323	216
10005	29	10202	27	10875	27	14006	12	20700	251	60324	216
10006	29	10203	27	10965	23	14007	12	40800	248	60345	216
10007	29	10204	27	10966	23	14008	12	44833	248	60400	166
10008	29	10220	26	10967	23	14009	12	44834	248	60401	166
10009	29	10221	26	10968	23	14010	12	60002	165	60402	166
10010	30	10222	26	10969	23	14011	12	60003	165	60403	166
10012	30	10223	26	10988	14	14012	12	60005	165	60405	166
10014	30	10224	26	10989	14	14013	12	60053	191	60406	166
10015	30	10225	26	10990	14	14014	12	60063	232	60414	166
10050	33	10226	26	11025	20	14015	13	60064	231	60415	166
10051	33	10227	26	11026	20	14016	13	60090	231	60500	167
10063	32	10228	26	11027	20	14017	13	60093	191	60501	167
10064	32	10229	26	11028	20	14018	13	60094	231	60502	167
10068	32	10230	23	11029	20	14019	13	60095	231	60512	167
10069	32	10232	23	11248	24	14021	13	60096	231	60514	167
10076	28	10233	23	11659	22	14022	13	60097	231	60525	174
10077	28	10241	23	11727	15	14023	13	60098	231	60527	174
10085	16	10243	23	11831	29	14024	25	60099	231	60528	174
10089	16	10244	23	11890	22	14025	25	60104	216	60533	174
10090	16	10245	23	11905	15	14026	25	60107	216	60535	174
10093	16	10246	23	11957	29	14027	25	60108	215	60540	174
10094	16	10247	26	11984	14	14028	25	60110	216	60541	174
10097	16	10248	26	11985	14	14029	25	60111	215	60542	174
10098	16	10249	26	12071	29	14030	25	60114	216	60543	174
10100	16	10250	26	12079	264	14031	25	60115	215	60544	174
10101	16	10257	24	12121	29	14032	25	60116	215	60545	174
10111	15	10258	24	12233	22	14033	25	60122	231	60705	219
10112	15	10259	24	12429	29	14108	30	60123	231	60706	219
10113	15	10260	24	12494	14	14109	30	60169	216	60713	218
10114	15	10272	24	12495	14	14111	30	60170	215	60734	218
10115	15	10273	24	12496	14	14112	30	60171	216	60781	220
10117	17	10274	24	12497	14	14147	30	60174	216	60784	220
10119	17	10275	24	12498	14	14550	30	60177	216	60785	220
10121	17	10278	15	12656	27	14810	16	60185	216	60917	221
10123	17	10280	15	12658	18	20297	251	60186	216	60921	222
10126	20	10281	15	12739	264	20298	248	60187	215	60924	221
10127	20	10282	15	12817	21	20299	248	60200	166	60925	181
10128	20	10283	15	12818	21	20300	247	60210	164	60937	221
10129	20	10810	28	12891	30	20301	247	60213	165	60948	196
10130	21	10811	28	13078	18	20302	246	60214	165	60949	174
10131	21	10812	28	13199	29	20305	247	60216	165	60954	174
10132	21	10813	28	13360	29	20336	247	60218	165	60955	174
10134	21	10832	29	13369	24	20340	247	60219	165	61000	227
10135	21	10833	29	13531	21	20341	247	60220	165	61001	219
10137	21	10835	119	13750	19	20342	246	60222	165	61002	223
10155	18	10840	14	13751	19	20344	250	60226	165	61003	223
10156	18	10841	14	13752	19	20345	250	60227	166	61004	223
10157	18	10842	14	13753	19	20346	248	60231	166	61005	219
10159	18	10844	22	13754	19	20349	248	60232	166	61006	219
10164	19	10845	22	14000	12	20357	249	60233	166	61007	224
10165	19	10850	19	14001	12	20380	249	60300	164	61008	224
10166	19	10871	27	14002	12	20381	249	60309	164	61009	224
10167	19	10872	27	14003	12	20385	249	60321	215	61010	224

INDEX BY PRODUCT NUMBER

Product	Page										
61012	224	61199	218	61694	225	62042	208	62223	211	62988	212
61013	219	61202	218	61701	220	62043	212	62236	203	63000	232
61014	219	61203	218	61711	205	62044	208	62244	196	63001	236
61016	219	61206	219	61715	196	62045	211	62249	202	63002	236
61022	216	61207	219	61716	220	62048	207	62250	208	63004	235
61023	198	61209	219	61717	227	62050	208	62262	200	63005	235
61024	198	61210	218	61718	226	62051	208	62264	203	63015	213
61025	198	61217	218	61741	198	62054	208	62271	203	63016	213
61026	205	61221	219	61758	196	62055	212	62273	203	63019	213
61029	205	61224	219	61783	205	62058	207	62276	201	63021	213
61030	205	61226	198	61784	205	62059	207	62278	201	63055	215
61031	224	61227	198	61793	205	62062	211	62280	200	63056	215
61034	205	61231	196	61799	205	62066	211	62281	199	63060	235
61038	209	61236	198	61825	209	62070	202	62288	207	63066	235
61040	205	61237	196	61864	217	62072	202	62289	206	63071	235
61041	209	61245	220	61875	217	62073	202	62295	210	63072	235
61042	205	61246	220	61885	217	62074	202	62296	210	63073	235
61043	209	61249	220	61977	218	62075	202	62299	210	63074	235
61046	224	61251	220	61978	218	62076	202	62305	211	63075	235
61047	219	61252	220	61995	218	62078	202	62313	210	63077	235
61050	203	61256	222	61996	218	62079	202	62325	203	63080	235
61051	221	61258	221	62000	200	62082	203	62339	207	63084	209
61052	222	61262	222	62001	199	62084	203	62346	211	63085	209
61053	222	61263	222	62002	199	62087	203	62350	212	63090	213
61054	205	61264	222	62003	199	62088	202	62374	202	63094	213
61101	227	61268	205	62004	199	62092	200	62400	206	63095	213
61102	227	61270	221	62005	199	62093	200	62412	207	63102	209
61103	227	61275	221	62006	199	62094	198	62416	207	63105	209
61122	224	61281	205	62007	200	62099	203	62421	211	63106	209
61123	224	61287	205	62008	200	62104	199	62429	210	63120	215
61125	224	61288	205	62009	200	62109	199	62436	211	63126	235
61126	227	61289	205	62012	199	62117	200	62439	211	63127	235
61127	227	61292	205	62013	200	62124	200	62441	211	63168	214
61128	224	61293	205	62014	200	62127	199	62442	206	63173	235
61129	224	61294	205	62015	199	62139	196	62444	206	63207	229
61138	224	61295	205	62016	200	62142	201	62454	207	63208	229
61140	227	61297	205	62017	200	62145	201	62461	210	63211	229
61141	227	61301	205	62018	211	62164	206	62480	199	63224	229
61142	227	61302	205	62021	206	62169	206	62486	199	63242	215
61144	224	61303	209	62022	206	62171	206	62487	200	63246	204
61145	224	61306	209	62023	206	62172	206	62489	199	63250	204
61153	228	61327	216	62024	206	62176	206	62492	202	63251	204
61154	228	61415	196	62026	206	62183	207	62493	203	63255	204
61155	225	61444	227	62027	206	62190	207	62497	202	63260	204
61157	225	61445	226	62029	206	62191	207	62501	199	63261	204
61158	225	61446	226	62030	207	62197	207	62510	212	63263	204
61162	228	61494	219	62032	207	62198	207	62565	206	63276	204
61163	228	61521	220	62033	207	62199	207	62815	210	63279	204
61165	225	61637	205	62034	212	62202	210	62818	210	63281	204
61166	225	61638	223	62036	211	62203	210	62915	199	63282	204
61175	229	61659	219	62037	200	62205	210	62934	206	63283	204
61181	231	61666	196	62038	200	62207	210	62958	206	63285	204
61191	223	61679	222	62039	207	62212	211	62970	207	63287	204
61192	223	61687	225	62040	207	62216	211	62972	212	63300	217
61198	218	61692	220	62041	208	62219	211	62982	207	63302	217

INDEX BY PRODUCT NUMBER

Product	Page										
63306	217	63638	186	64039	229	65301	169	65608	197	66122	178
63309	217	63639	184	64040	229	65303	173	65609	197	66123	178
63312	217	63641	183	64048	213	65317	170	65610	201	66124	178
63324	235	63642	183	64050	213	65319	168	65800	167	66125	178
63333	214	63643	182	64051	213	65323	169	65801	174	66126	178
63348	181	63644	185	64052	213	65326	169	65802	174	66127	178
63349	187	63645	186	64053	213	65362	104	65804	168	66128	178
63359	214	63646	182	64054	204	65363	104	65805	169	66129	178
63360	214	63647	185	64055	204	65365	173	65806	169	66130	178
63386	209	63648	186	64056	204	65493	168	65810	171	66131	178
63387	209	63660	186	64058	204	65500	233	66000	176	66132	178
63394	209	63661	185	64059	204	65501	197	66001	176	66133	178
63396	209	63662	185	64102	224	65502	201	66002	176	66134	178
63400	214	63663	185	64198	224	65503	201	66003	176	66135	178
63408	196	63664	185	64205	224	65504	207	66004	177	66136	178
63490	182	63665	185	64212	224	65505	212	66005	177	66137	178
63491	182	63666	185	64219	224	65506	197	66006	177	66138	178
63500	182	63667	186	64238	225	65508	197	66007	177	66139	178
63501	182	63668	186	64257	225	65509	197	66008	177	66140	178
63600	183	63669	186	64264	225	65510	197	66009	177	66141	178
63601	183	63694	188	64299	225	65513	201	66010	177	66142	178
63602	184	63695	188	64306	225	65540	197	66011	177	66143	178
63603	185	63696	188	64410	227	65541	197	66012	179	66144	178
63604	186	63800	187	64414	227	65542	197	66013	179	66145	179
63605	186	63801	188	64421	227	65543	197	66014	179	66146	179
63606	186	63802	187	64428	227	65544	197	66015	179	66147	179
63607	183	63803	188	64435	227	65545	197	66016	179	66148	179
63608	183	63804	187	64498	223	65546	197	66017	179	66149	179
63609	184	63805	187	64502	223	65547	197	66018	179	66150	179
63610	185	63806	187	64519	223	65548	197	66019	179	66151	179
63611	186	63807	188	64538	226	65549	197	66020	179	66152	179
63614	182	63808	188	64576	226	65550	197	66021	179	66153	179
63615	182	63809	188	64587	226	65551	198	66022	179	66324	128
63616	182	63810	187	64591	226	65552	198	66100	176	66325	128
63617	182	63811	187	64598	226	65553	198	66101	176	66326	128
63618	182	63812	187	64612	226	65554	198	66102	176	66327	128
63619	182	63813	188	64648	243	65555	198	66103	176	66328	128
63620	182	63814	188	64917	214	65556	198	66104	176	66329	128
63621	182	63815	188	64925	214	65557	198	66105	176	66330	128
63622	185	64000	215	64929	214	65558	198	66106	176	66828	235
63623	185	64001	215	64930	214	65559	198	66107	177	67000	192
63624	185	64002	209	64932	214	65560	198	66108	177	67001	192
63625	185	64003	209	64933	214	65565	198	66109	177	67002	192
63626	184	64004	209	64936	229	65566	198	66110	177	67003	192
63627	184	64005	213	64938	229	65567	198	66111	177	67012	180
63628	184	64008	214	64939	229	65568	198	66112	177	67013	180
63629	184	64009	214	64940	229	65569	198	66113	177	67014	180
63630	184	64010	209	64941	229	65600	233	66114	177	67015	180
63631	184	64011	209	64944	229	65601	197	66115	177	67016	180
63632	184	64015	214	64946	214	65602	201	66116	177	67017	180
63633	184	64019	214	64969	209	65603	201	66117	177	67018	180
63634	184	64021	214	64991	181	65604	207	66118	178	67021	180
63635	186	64023	214	65002	168	65605	212	66119	178	67022	180
63636	186	64026	214	65003	169	65606	197	66120	178	67023	195
63637	186	64036	229	65300	170	65607	197	66121	178	67024	195

INDEX BY PRODUCT NUMBER

Product	Page										
67025	195	67905	163	68368	237	68605	240	68853	242	69367	235
67028	189	67906	162	68369	237	68650	240	68854	242	69369	235
67029	189	67908	162	68375	237	68651	240	68855	242	69374	236
67032	182	67909	162	68376	237	68652	240	68856	242	69375	236
67033	171	67913	162	68377	237	68653	240	68857	242	69376	236
67034	171	67915	163	68382	237	68654	240	68858	242	69420	164
67035	171	67920	163	68400	239	68655	240	68859	242	69430	164
67036	171	67922	163	68401	239	68656	240	68860	242	69435	164
67037	189	67925	163	68402	239	68657	240	68861	242	69440	164
67038	189	67926	163	68403	239	68658	240	68864	241	69500	181
67039	189	67927	163	68404	239	68659	240	68866	243	69501	232
67040	180	67928	163	68405	238	68683	230	68867	243	69502	232
67041	180	67929	162	68407	242	68684	230	68869	239	69503	232
67042	180	67930	162	68450	239	68685	202	68870	239	69504	232
67044	190	67991	163	68451	239	68700	241	68871	239	69505	232
67065	180	68004	104	68452	239	68701	241	68872	241	69508	238
67076	182	68005	104	68453	239	68702	241	69000	231	69509	238
67100	167	68038	202	68454	239	68703	241	69128	190	69510	230
67136	192	68043	235	68455	239	68750	241	69181	181	69511	238
67138	192	68052	234	68457	233	68751	241	69202	181	69512	234
67140	192	68066	233	68480	239	68752	243	69203	181	69513	232
67144	192	68068	181	68481	239	68753	241	69204	181	69514	232
67146	192	68075	235	68482	239	68754	241	69207	168	69516	232
67147	192	68079	233	68490	243	68755	243	69208	168	69520	234
67148	192	68080	231	68491	243	68756	243	69209	168	69521	181
67149	192	68083	234	68492	241	68757	243	69212	168	69524	181
67154	193	68090	235	68493	243	68758	243	69214	168	69530	181
67155	194	68102	168	68494	243	68759	243	69215	168	69536	181
67159	193	68120	231	68500	241	68760	243	69223	174	69541	183
67160	193	68137	231	68501	241	68761	243	69224	174	69543	183
67161	194	68138	231	68502	241	68762	237	69228	168	69544	183
67175	193	68143	236	68503	241	68800	241	69232	192	69552	190
67177	189	68184	231	68504	241	68801	241	69245	174	69554	181
67178	189	68198	235	68505	241	68802	241	69246	174	69555	181
67179	189	68210	202	68506	242	68811	240	69254	239	69560	181
67190	190	68215	236	68507	242	68812	240	69257	240	69567	233
67192	190	68239	191	68508	242	68813	239	69258	240	69568	233
67193	190	68246	236	68509	242	68819	239	69262	239	69569	164
67196	190	68261	191	68510	242	68820	239	69267	240	69570	233
67197	190	68300	238	68511	242	68823	239	69284	240	69571	233
67205	191	68301	238	68512	242	68827	241	69285	240	69572	233
67206	191	68302	238	68513	242	68828	240	69289	190	69574	239
67207	191	68304	237	68514	242	68829	240	69290	240	69575	239
67218	180	68308	237	68515	242	68830	240	69291	240	69578	232
67240	191	68309	237	68516	242	68831	240	69333	234	69580	233
67271	194	68310	238	68517	242	68832	240	69334	234	69582	233
67309	187	68313	238	68518	242	68833	240	69336	234	69588	236
67310	187	68319	237	68550	243	68834	241	69337	234	69589	236
67312	187	68343	237	68551	236	68837	241	69338	234	69590	236
67315	187	68349	237	68552	236	68839	241	69339	234	69591	236
67900	162	68355	237	68600	240	68843	241	69340	234	69592	236
67901	162	68356	237	68601	240	68844	241	69342	234	69594	236
67902	162	68361	237	68602	240	68845	241	69344	234	69595	236
67903	162	68363	237	68603	240	68846	241	69351	235	69597	233
67904	162	68364	237	68604	240	68850	232	69357	235	69598	233

INDEX BY PRODUCT NUMBER

Product	Page										
69601	202	69828	236	81423	127	81712	120	81920	123	82067	70
69602	233	69835	183	81424	127	81713	120	81925	123	82068	70
69604	232	69840	191	81425	127	81714	120	81930	123	82069	70
69605	238	69842	217	81426	127	81715	121	81931	122	82073	70
69607	232	69900	232	81427	127	81716	121	81932	122	82107	67
69611	232	69930	162	81428	127	81717	121	81933	122	82112	44
69614	164	69991	236	81429	127	81718	121	81935	123	82113	44
69615	164	69992	236	81430	127	81719	121	81936	122	82114	44
69622	233	69993	236	81431	127	81720	124	81937	125	82115	44
69638	234	69994	236	81432	127	81721	124	81942	121	82116	44
69639	234	69998	232	81433	127	81723	120	81974	38	82117	44
69640	234	80100	33	81434	127	81724	120	81975	38	82118	45
69642	234	80103	33	81435	127	81725	124	81977	70	82119	45
69643	234	80105	33	81436	127	81730	124	81978	39	82120	45
69644	234	80111	33	81437	127	81735	124	81979	42	82121	45
69645	234	80112	33	81438	127	81739	124	81998	68	82122	46
69646	234	80200	32	81439	128	81740	124	81999	68	82135	43
69647	234	80310	31	81440	128	81741	124	82000	67	82136	43
69648	234	80315	31	81441	128	81742	124	82001	67	82137	43
69649	234	80320	31	81442	128	81743	124	82002	67	82138	43
69652	236	80325	31	81443	128	81744	124	82003	70	82139	43
69653	236	80420	34	81444	128	81745	124	82004	70	82140	43
69654	236	80421	34	81445	128	81746	125	82008	67	82142	40
69655	236	80424	34	81446	129	81750	122	82013	67	82144	42
69656	236	80425	34	81447	129	81751	122	82017	67	82145	43
69658	236	80427	35	81448	129	81755	122	82026	38	82146	46
69661	236	80600	138	81449	129	81756	122	82028	39	82147	43
69662	236	80601	138	81450	129	81760	122	82030	40	82148	44
69664	236	80603	139	81451	129	81765	122	82031	40	82150	170
69668	232	80604	139	81452	129	81800	122	82032	38	82151	170
69705	174	80605	138	81453	129	81805	122	82033	38	82152	44
69723	217	80606	138	81500	34	81810	122	82034	39	82153	44
69725	217	80607	138	81505	34	81815	122	82035	40	82157	44
69726	217	80608	139	81560	34	81820	125	82036	38	82158	43
69727	217	80609	139	81565	34	81821	125	82037	38	82159	43
69742	217	80610	139	81610	34	81822	125	82038	39	82161	46
69743	217	80611	138	81620	34	81823	125	82039	40	82162	46
69744	217	80890	34	81625	34	81824	125	82040	41	82165	44
69746	217	81255	32	81630	34	81825	125	82041	42	82170	46
69767	234	81352	34	81635	34	81827	125	82042	42	82171	46
69769	234	81400	34	81640	34	81850	123	82043	40	82172	46
69770	181	81405	34	81651	34	81855	123	82044	41	82174	46
69771	163	81410	34	81680	126	81860	123	82045	42	82184	44
69773	181	81411	127	81681	126	81865	123	82046	42	82187	258
69774	181	81412	127	81682	126	81870	123	82047	41	82188	254
69776	181	81413	127	81683	126	81872	123	82048	41	82189	254
69778	241	81414	127	81684	126	81874	123	82052	67	82190	254
69779	241	81415	127	81685	126	81876	123	82053	67	82191	254
69780	242	81416	127	81700	120	81878	123	82054	67	82192	254
69799	188	81417	127	81702	120	81879	123	82055	67	82193	254
69802	188	81418	127	81705	120	81900	123	82056	67	82194	254
69803	188	81419	127	81707	120	81905	123	82057	67	82195	254
69804	188	81420	127	81709	120	81910	123	82064	70	82196	254
69808	234	81421	127	81710	120	81915	123	82065	70	82197	254
69809	232	81422	127	81711	120	81916	123	82066	70	82198	254

INDEX BY PRODUCT NUMBER

Product	Page										
82199	254	82342	43	82414	57	82587	51	82761	79	82903	87
82200	254	82343	43	82415	57	82589	51	82762	83	82904	87
82201	254	82344	43	82416	57	82591	51	82763	83	82905	87
82202	256	82345	43	82417	58	82593	51	82764	83	82906	88
82203	256	82346	43	82418	58	82631	41	82765	83	82907	88
82204	256	82348	43	82419	58	82632	39	82766	83	82908	88
82205	256	82353	43	82420	58	82633	38	82767	83	82909	88
82206	256	82355	52	82421	58	82634	39	82768	83	82910	88
82207	256	82356	52	82422	58	82635	40	82769	83	82911	88
82208	256	82357	52	82423	58	82636	38	82771	72	82912	88
82209	256	82358	52	82424	58	82637	39	82772	72	82913	88
82210	256	82359	52	82425	62	82638	41	82773	73	82914	88
82211	256	82360	52	82426	62	82639	42	82774	70	82915	88
82212	256	82361	52	82427	62	82640	42	82821	75	82916	88
82213	256	82362	52	82428	62	82643	62	82822	75	82917	88
82214	256	82363	53	82446	59	82644	62	82823	75	82918	88
82215	256	82364	53	82448	59	82645	62	82824	75	82919	88
82216	257	82365	53	82456	59	82646	62	82830	113	82920	88
82217	257	82366	53	82458	60	82647	62	82831	113	82921	88
82218	257	82367	53	82472	45	82648	62	82832	113	82922	90
82219	257	82368	53	82492	259	82650	174	82833	113	82923	90
82220	257	82369	53	82493	259	82652	174	82834	113	82924	90
82221	257	82370	53	82494	259	82655	174	82835	113	82925	90
82222	257	82371	54	82495	259	82660	174	82836	113	82926	90
82223	257	82372	54	82496	259	82668	41	82837	113	82927	90
82224	257	82373	54	82521	259	82669	42	82838	113	82928	90
82225	257	82374	54	82522	259	82670	42	82839	113	82929	90
82226	257	82375	54	82523	259	82671	40	82840	107	82930	90
82228	257	82376	54	82524	259	82678	42	82841	109	82931	90
82229	257	82377	54	82525	259	82679	39	82842	109	82932	90
82234	255	82378	54	82527	259	82680	42	82843	113	82933	90
82236	255	82379	55	82528	259	82688	62	82844	113	82934	90
82292	258	82380	55	82550	104	82689	62	82845	107	82935	90
82306	43	82381	55	82552	104	82690	62	82846	107	82936	90
82307	46	82382	55	82553	104	82691	62	82850	107	82937	90
82308	70	82383	55	82554	104	82721	258	82852	109	82938	89
82311	43	82384	55	82555	104	82722	258	82854	109	82939	92
82314	44	82389	57	82556	104	82723	258	82855	107	82940	92
82320	171	82390	56	82557	104	82726	258	82856	109	82941	92
82321	67	82392	56	82559	104	82727	258	82860	107	82942	92
82322	67	82393	56	82560	104	82728	258	82864	107	82943	93
82324	257	82394	56	82561	104	82731	258	82865	107	82944	93
82325	171	82395	56	82563	104	82732	258	82890	87	82945	84
82327	46	82396	56	82564	104	82733	258	82891	87	82946	84
82330	171	82397	56	82565	104	82736	258	82892	87	82947	84
82331	172	82398	56	82567	50	82741	258	82893	87	82948	89
82332	172	82399	56	82569	50	82746	67	82894	87	82949	89
82333	172	82401	257	82571	50	82747	67	82895	87	82951	109
82334	172	82404	257	82573	50	82748	68	82896	87	82952	89
82335	172	82405	180	82575	50	82749	68	82897	87	82953	87
82336	172	82408	57	82577	50	82752	70	82898	87	82954	88
82338	171	82409	57	82579	50	82753	70	82899	87	82955	109
82339	171	82411	57	82581	50	82754	71	82900	87	82957	107
82340	43	82412	57	82583	51	82755	71	82901	87	82958	87
82341	43	82413	57	82585	51	82760	79	82902	87	82959	87

INDEX BY PRODUCT NUMBER

Product	Page										
82960	109	83062	95	83185	92	83332	95	83505	148	83680	145
82961	109	83063	95	83186	92	83333	95	83510	148	83682	145
82962	109	83064	95	83187	91	83334	95	83515	148	83685	145
82963	109	83065	95	83188	91	83335	95	83542	144	83687	152
82965	110	83066	95	83189	91	83338	82	83543	144	83688	152
82966	110	83067	95	83190	91	83339	82	83544	144	83689	152
82967	111	83068	95	83191	91	83340	82	83581	142	83690	152
82968	111	83069	96	83192	91	83341	82	83582	142	83692	148
82969	87	83070	96	83193	91	83347	98	83583	142	83693	148
82970	110	83071	96	83194	91	83348	98	83584	142	83695	148
82971	110	83072	96	83195	82	83349	98	83585	142	83696	148
82972	107	83073	96	83196	82	83350	117	83586	142	83697	148
82973	87	83074	96	83197	82	83352	117	83587	142	83698	148
82974	84	83075	96	83198	82	83353	117	83588	142	83700	149
82975	110	83076	96	83199	82	83354	117	83591	151	83703	148
82979	107	83077	96	83200	135	83355	117	83592	151	83706	157
82980	108	83078	96	83202	135	83357	117	83593	151	83710	149
82981	108	83079	96	83203	135	83360	117	83594	151	83711	157
82982	108	83080	96	83204	135	83361	117	83595	151	83712	157
83003	110	83081	96	83205	135	83365	117	83596	151	83713	157
83008	110	83082	96	83206	82	83366	117	83597	151	83714	157
83010	110	83083	96	83207	82	83367	117	83598	151	83732	149
83012	110	83084	96	83208	82	83369	117	83599	151	83733	149
83013	110	83085	98	83211	143	83370	52	83625	142	83734	149
83014	110	83086	95	83212	143	83371	54	83626	142	83735	149
83015	107	83087	95	83216	143	83374	57	83628	142	83761	146
83025	115	83088	98	83218	143	83378	90	83630	142	83782	150
83030	115	83089	98	83225	143	83379	90	83632	142	83783	150
83035	115	83090	98	83234	143	83380	90	83633	143	83784	150
83036	94	83091	98	83246	143	83381	90	83635	142	83785	150
83037	94	83092	97	83248	143	83384	82	83642	144	83787	150
83038	94	83093	97	83250	116	83386	82	83643	144	83788	150
83039	94	83094	97	83252	116	83400	118	83644	144	83789	150
83040	94	83095	97	83253	116	83404	118	83646	144	83790	150
83041	94	83096	97	83255	116	83405	118	83649	150	83791	150
83042	94	83097	97	83261	143	83407	118	83651	145	83792	150
83043	94	83098	97	83268	143	83409	118	83652	145	83795	108
83044	94	83099	97	83282	143	83410	118	83653	145	83797	108
83045	94	83123	144	83300	116	83411	118	83654	145	83798	108
83046	94	83130	114	83301	116	83412	118	83656	150	83799	108
83047	94	83134	144	83302	116	83413	118	83657	150	83800	108
83048	94	83135	114	83310	82	83416	118	83658	150	83802	146
83049	94	83146	144	83311	82	83417	118	83659	150	83803	157
83050	94	83166	87	83312	82	83418	118	83660	150	83805	108
83051	94	83167	87	83313	82	83419	118	83661	145	83816	146
83052	95	83168	87	83314	82	83440	119	83662	145	83818	146
83053	95	83169	87	83315	82	83445	119	83663	145	83824	146
83054	95	83172	88	83316	82	83446	119	83664	145	83860	146
83055	95	83173	88	83317	82	83447	119	83671	145	83861	146
83056	95	83174	88	83321	95	83448	119	83672	145	83865	146
83057	95	83175	88	83325	95	83449	119	83673	145	83877	146
83058	95	83180	135	83326	94	83450	119	83674	145	83905	149
83059	95	83181	135	83327	94	83456	119	83675	145	83906	149
83060	95	83183	92	83328	94	83457	119	83676	145	83907	149
83061	95	83184	92	83329	94	83500	148	83678	145	83908	149

INDEX BY PRODUCT NUMBER

Product	Page										
83909	149	85630	67	86096	172	86196	102	86619	115	87011	133
83910	149	85632	67	86097	172	86197	102	86620	156	87012	133
83911	149	85637	67	86100	172	86198	102	86621	99	87013	133
83912	149	85638	67	86105	172	86199	102	86624	99	87014	133
83921	148	85682	67	86106	172	86201	102	86626	115	87015	133
83922	148	85701	68	86107	172	86203	102	86632	115	87030	133
83923	148	85702	68	86110	172	86208	104	86650	105	87031	133
83948	147	85703	68	86115	172	86209	104	86652	105	87033	133
83962	147	85704	68	86120	172	86210	175	86653	105	87035	133
83968	147	85706	68	86121	172	86211	175	86655	105	87041	133
83974	147	85707	68	86122	172	86215	175	86670	106	87066	134
83975	147	85708	71	86125	172	86220	175	86672	105	87073	134
83976	147	85709	71	86126	100	86221	175	86673	105	87074	133
83978	147	85711	71	86127	100	86225	175	86675	106	87090	132
83979	147	85712	71	86128	100	86235	175	86685	106	87091	132
83981	147	85713	71	86129	100	86245	102	86690	106	87092	132
84000	118	85714	68	86130	100	86246	102	86694	105	87093	132
84005	118	85716	71	86131	100	86247	102	86696	105	87094	132
84010	118	85717	68	86132	100	86248	102	86698	105	87095	132
84025	115	85718	68	86133	104	86310	174	86699	105	87110	132
84030	115	85719	68	86135	100	86315	153	86701	105	87111	132
84048	147	85722	71	86137	100	86320	153	86702	105	87112	132
84055	32	85723	68	86140	100	86335	154	86703	105	87113	132
84082	147	85738	71	86141	101	86340	154	86704	105	87114	132
84118	147	85739	71	86142	101	86345	154	86718	115	87115	132
84124	147	85741	67	86145	100	86350	154	86726	115	87116	132
84146	147	85742	67	86147	102	86355	154	86832	115	87117	132
84147	147	85748	68	86148	102	86375	153	86970	134	87118	132
84148	147	85749	68	86149	100	86385	153	86975	134	87119	132
84149	147	85815	170	86150	100	86390	153	86976	134	87120	132
84151	147	85816	170	86151	100	86395	153	86979	134	87121	132
84152	147	85820	170	86155	100	86400	153	86980	134	87204	70
85000	156	85825	170	86160	100	86420	153	86981	134	87349	72
85005	156	85830	170	86161	46	86425	153	86984	134	87351	72
85010	156	85835	170	86162	46	86435	153	86985	134	87353	72
85015	156	85840	170	86163	46	86455	153	86986	134	87355	72
85121	69	85855	170	86164	46	86520	153	86989	134	87357	72
85122	69	85895	168	86165	101	86526	153	86990	134	87359	72
85123	69	85905	169	86166	101	86535	153	86991	134	87361	72
85124	69	85910	169	86170	101	86545	154	86994	134	87363	72
85125	69	85916	243	86173	101	86590	99	86995	134	87365	72
85126	69	85918	243	86175	101	86592	99	86996	134	87367	73
85131	67	85919	243	86177	101	86593	99	86997	134	87371	73
85132	67	85940	170	86178	101	86595	99	86998	134	87373	73
85150	162	85945	170	86179	101	86596	99	86999	134	87374	73
85152	162	85950	170	86180	101	86597	99	87000	133	87378	72
85155	162	85951	170	86181	102	86598	99	87001	133	87379	72
85450	157	85955	170	86182	101	86599	99	87002	133	87380	73
85455	157	85960	170	86185	101	86600	99	87003	133	87382	72
85460	157	85961	170	86186	102	86601	99	87004	133	87383	72
85465	157	85965	170	86187	103	86603	99	87005	133	87384	72
85530	119	86010	173	86191	103	86604	99	87006	133	87385	72
85604	67	86050	180	86192	103	86614	115	87007	133	87386	72
85610	67	86055	180	86193	103	86615	156	87008	133	87388	73
85614	67	86095	172	86194	103	86618	115	87010	133	87390	73

INDEX BY PRODUCT NUMBER

Product	Page										
87398	72	87888	60	88182	75	88482	76	89917	84	97543	150
87400	73	87889	60	88242	85	88483	76	90011	85	97710	256
87401	73	87934	79	88250	85	88484	76	90195	84	97717	256
87404	73	87935	79	88251	85	88485	76	90254	47	97723	256
87407	73	87937	79	88260	85	88486	76	90266	84	97730	256
87408	73	87938	79	88262	85	88487	76	90355	63	97737	257
87409	73	87939	61	88269	86	88488	76	90374	85	97744	257
87503	155	87940	61	88285	84	88489	76	90442	150	97751	257
87505	155	87944	61	88290	84	88490	77	90443	150	97758	257
87510	155	87952	75	88311	84	88491	76	90444	150	97768	256
87515	155	87953	75	88312	84	88492	76	90445	150	97775	256
87516	155	87954	75	88313	84	88493	76	90446	150	97783	256
87526	156	87955	75	88351	86	88494	76	90447	150	97790	256
87527	156	87960	79	88352	86	88495	77	90448	150	97797	256
87528	156	87961	79	88353	86	88496	76	90504	44	97804	256
87529	156	87962	79	88354	86	88497	76	93140	114	97811	256
87531	155	87964	61	88356	86	88498	77	93142	114	97818	256
87532	155	87965	61	88357	86	88510	47	93144	114	97825	256
87533	155	87966	61	88358	86	88512	47	93145	114	97832	257
87534	155	87967	75	88359	86	88514	47	93150	114	97839	257
87536	155	87968	75	88366	86	88521	49	93155	114	97846	257
87537	155	87969	75	88367	86	88522	49	93160	114	97853	257
87538	155	87970	75	88368	86	88523	49	93161	114	97860	257
87539	155	87971	75	88369	86	88524	49	93165	114	97867	257
87660	31	87972	75	88371	135	88525	49	93166	114	97874	257
87665	31	87973	75	88372	77	88526	49	93167	114	97881	257
87670	31	87974	75	88373	77	88527	49	93168	114	97888	257
87685	31	87978	75	88374	78	88528	49	93169	114	97902	257
87690	31	87979	75	88376	77	88530	47	96997	63	97911	257
87695	31	87980	75	88377	77	88531	48	96998	63	97912	256
87705	35	87981	75	88378	77	88532	47	96999	63	97915	257
87710	35	87982	75	88379	77	88533	48	97031	63	97916	256
87715	35	87983	75	88380	77	88534	47	97032	63	97922	257
87717	35	87984	75	88381	77	88535	47	97034	63	97923	257
87718	35	87985	75	88382	78	88650	84	97036	63	97937	257
87719	35	87989	78	88384	151	88651	84	97038	63	97938	257
87720	31	87990	78	88386	151	88652	84	97046	63	97940	257
87721	35	87991	78	88387	151	89075	135	97091	38	97941	257
87725	32	87992	78	88388	151	89148	111	97092	38	97962	257
87730	32	87993	78	88389	151	89150	111	97093	39	97964	256
87735	32	87994	78	88390	151	89151	111	97094	40	97966	256
87740	32	87995	78	88399	78	89152	111	97095	43	97967	256
87750	31	87996	78	88400	85	89158	112	97116	49	97983	50
87755	31	88008	75	88401	85	89160	112	97151	49	99577	148
87760	104	88017	75	88402	85	89161	112	97208	62	99694	148
87795	34	88068	76	88403	85	89165	112	97211	62	99751	148
87800	34	88106	81	88406	85	89166	112	97212	62	99752	148
87805	34	88107	81	88407	85	89266	84	97251	79	99851	148
87826	80	88112	60	88416	85	89267	84	97252	79	505195	18
87828	80	88133	47	88417	85	89275	84	97470	150	505197	18
87829	80	88158	47	88418	85	89277	84	97471	150	505199	18
87860	81	88164	49	88419	85	89279	84	97472	150	505200	18
87861	81	88170	85	88436	48	89282	52	97528	150	505201	18
87862	81	88177	49	88480	76	89284	45	97529	150	510146	268
87887	60	88178	47	88481	76	89431	84	97530	150	510148	268

Product	Page										
510166	262	513991	158								
510176	268	513992	158								
510179	268	513993	158								
510180	267	513995	158								
510182	267	513997	158								
510207	269	513998	158								
510262	267	513999	158								
510264	267	514000	158								
510328	265	514003	158								
510372	268	514004	158								
510375	268	514006	159								
510735	263	514007	158								
510778	268	514008	158								
512567	265	514009	159								
512568	267	514010	158								
512570	267	514011	158								
512931	266	514012	158								
512975	266	514013	158								
513137	262	514015	158								
513139	262	514016	158								
513141	262	514019	158								
513200	264	514020	159								
513208	269	514021	158								
513210	269	514022	158								
513213	269	514023	159								
513214	269	514024	158								
513226	264	514026	158								
513229	264	514027	158								
513543	31	514030	159								
513544	31	514031	159								
513547	31	514032	159								
513548	269	514033	159								
513569	263	514034	159								
513577	264	514035	159								
513581	263	514509	267								
513585	263	514516	267								
513594	268	514534	262								
513595	268	514535	262								
513596	268	514536	262								
513597	263	514537	262								
513598	263	514621	262								
513601	264	514623	262								
513836	266	514626	262								
513860	263	514628	262								
513873	263	514630	262								
513893	266	514635	262								
513976	159	514636	262								
513977	159	514638	262								
513978	159	514640	262								
513979	159	514643	262								
513980	159	514664	263								
513987	159										
513988	158										
513989	158										
513990	158										

INDEX BY MODEL NUMBER

Product	Page	Product	Page	Product	Page	Product	Page
400	254	13752	19	20336	247	83216	143
401	254	13753	19	20340	247	83218	143
402	254	13754	19	20341	247	83225	143
1500	79	14000	12	20342	246	83234	143
1501	79	14001	12	20344	250	83246	143
3260	269	14002	12	20345	250	83248	143
4100	267	14003	12	20346	248	83261	143
4112	267	14004	12	20349	248	83268	143
4802	170	14005	12	20357	249	83282	143
4803	170	14006	12	20380	249	83542	144
4804	170	14007	12	20381	249	83543	144
4824	100	14008	12	20385	249	83544	144
4830	100	14009	12	20391	248	83581	142
4831	101	14010	12	20398	246	83582	142
4843	103	14011	12	20700	251	83583	142
4844	103	14012	12	40800	248	83584	142
4863	172	14013	12	44833	248	83585	142
4864	172	14014	12	44834	248	83586	142
4865	172	14015	13	48301	100	83587	142
4866	172	14016	13	48302	100	83588	142
4878	172	14017	13	58301	100	83625	142
4879	172	14018	13	58302	100	83626	142
4880	171	14019	13	80111	33	83628	142
4895	243	14021	13	80112	33	83630	142
4896	243	14022	13	81820	125	83632	142
5062	63	14023	13	81821	125	83633	143
5225	63	14024	25	81822	125	83635	142
5555	172	14025	25	81823	125	83642	144
5802	170	14026	25	81824	125	83643	144
5803	170	14027	25	81825	125	83644	144
5804	170	14028	25	81827	125	83646	144
5824	100	14029	25	82492	259	83651	145
5830	100	14030	25	82493	259	83652	145
5831	101	14031	25	82494	259	83653	145
5843	103	14032	25	82495	259	83654	145
5844	103	14033	25	82496	259	83661	145
5863	172	14108	30	82521	259	83662	145
5864	172	14109	30	82522	259	83663	145
5865	172	14111	30	82523	259	83664	145
5866	172	14112	30	82524	259	83671	145
5878	172	14147	30	82525	259	83672	145
5879	172	14550	30	82527	259	83673	145
5880	171	15004	83	82528	259	83674	145
5896	243	15014	83	82841	109	83675	145
6240	84	15024	83	82842	109	83676	145
6408	85	15114	83	82852	109	83678	145
7003	84	20181	256	82854	109	83680	145
7009	84	20184	256	82856	109	83682	145
7063	47	20297	251	82967	111	83685	145
7067	84	20298	248	82968	111	83692	148
13360	29	20299	248	83123	144	83693	148
13369	24	20300	247	83134	144	83695	148
13531	21	20301	247	83146	144	83696	148
13750	19	20302	246	83211	143	83697	148
13751	19	20305	247	83212	143	83698	148

Product	Page	Product	Page	Product	Page	Product	Page
83700	149	84146	147	88401	85	99577	148
83703	148	84147	147	88402	85	99694	148
83706	157	84148	147	88403	85	99751	148
83710	149	84149	147	88406	85	99752	148
83711	157	84151	147	88407	85	99851	148
83712	157	84152	147	88416	85	1710000	29
83713	157	86187	103	88417	85	1720000	29
83714	157	86208	104	88418	85	1870000	30
83732	149	86209	104	88419	85	6010000	29
83733	149	86590	99	88650	84	6150000	29
83734	149	86592	99	88651	84	6160000	29
83735	149	86593	99	88652	84	6170000	29
83761	146	86595	99	89075	135	6180000	29
83782	150	86596	99	89255	84	6190000	29
83783	150	86597	99	89277	84	6200000	29
83784	150	86598	99	89279	84	6300000	29
83785	150	86599	99	89284	45	6310000	29
83787	150	86600	99	89431	84	6320000	29
83788	150	86601	99	90355	63	6330000	29
83789	150	86603	99	90442	150	6340000	29
83790	150	86604	99	90443	150	6350000	264
83791	150	86614	115	90444	150	6480000	30
83792	150	86618	115	90445	150	6510000	30
83802	146	86619	115	90446	150	6530000	30
83816	146	86621	99	90447	150	6540000	30
83818	146	86624	99	90448	150	6580000	29
83824	146	86626	115	90504	44	101820011	33
83860	146	86632	115	93140	114	101820021	33
83861	146	86718	115	93142	114	105050022	32
83865	146	86726	115	93144	114	105050031	32
83877	146	86832	115	93145	114	105050041	32
83905	149	87717	35	93150	114	105050051	32
83906	149	87718	35	93155	114	106000021	28
83907	149	87719	35	93160	114	106000031	28
83908	149	87721	35	93161	114	106600031	119
83909	149	88250	85	93165	114	107050011	16
83910	149	88251	85	93166	114	107050021	16
83911	149	88262	85	93167	114	107050031	16
83912	149	88269	86	93168	114	107050041	16
83921	148	88311	84	93169	114	107050051	16
83922	148	88312	84	97116	49	107050111	16
83923	148	88351	86	97151	49	107050121	16
83948	147	88352	86	97208	62	107050131	16
83962	147	88353	86	97211	62	107050141	16
83968	147	88354	86	97212	62	107050151	16
83974	147	88356	86	97251	79	107100011	15
83975	147	88357	86	97252	79	107100021	15
83976	147	88358	86	97470	150	107100031	15
83978	147	88359	86	97471	150	107100041	15
83979	147	88366	86	97472	150	107100051	15
83981	147	88367	86	97528	150	107110111	17
84048	147	88368	86	97529	150	107110121	17
84082	147	88369	86	97530	150	107110131	17
84118	147	88371	135	97543	150	107110141	17
84124	147	88400	85	97983	50	107130621	20

INDEX BY MODEL NUMBER

Product	Page	Product	Page	Product	Page	Product	Page
107130631	20	107700051	26	10810K151	28	2018K0G1	257
107130641	20	107700411	26	15003HA	83	2018K0G4	257
107130651	20	107700421	26	15013HA	83	2018K0H1	257
107140121	21	107700431	26	15023HA	83	2018K0H4	257
107140131	21	107700441	26	15113HA	83	2018K0K1	257
107140611	21	107700451	26	2010W-L	268	2018K0K4	257
107140621	21	107710511	23	2010W-XL	268	2018K0NG1	257
107140631	21	107710521	23	20184F	258	2018K0NG4	257
107140641	21	107710531	23	2018ASC1	256	2018K0P1	257
107190115	18	107710811	23	2018ASC4	256	2018K0P4	257
107190122	18	107710821	23	2018ASD1	256	2018K0S1	257
107190212	18	107710831	23	2018ASD4	256	2018K0S4	257
107190222	18	107710841	23	2018ASL1	256	2018MAN1	257
107190232	18	107710851	23	2018ASL4	256	2018MAN4	257
107190266	18	107730311	23	2018ASM1	256	2018SLSS3003	257
107240111	22	107730321	23	2018ASM4	256	2018SLSS30034	257
107240121	22	107730331	23	2018ASOL	256	2018TOL1	257
107240131	22	107730341	23	2018ASOL4	256	2018TOL4	257
107240611	21	107730351	23	2018ASP4	256	2018ZNNZ1	257
107240621	21	107750911	26	2018ASR1	256	2018ZNNZ4	257
107250911	19	107750921	26	2018ASR4	256	203A04	84
107250921	19	107750931	26	2018ASRG1	256	225X-2	262
107250931	19	107750941	26	2018ASRG4	256	2800-L	268
107250941	19	107900011	24	2018BDI1	256	2800-XL	268
107250951	19	107900021	24	2018BDI4	256	2815-L	267
107270011	14	107900031	24	2018BM1	256	2815-XL	267
107270021	14	107900041	24	2018BM4	256	3001AB	80
107270031	14	107900051	24	2018BRW1	256	3512XAB	80
107290112	22	107940711	24	2018BRW4	256	3512XABCP	80
107290122	22	107940721	24	2018CRH1	256	36W	255
107350911	14	107940731	24	2018CRH4	256	42W	255
107350921	14	107940741	24	2018CRN1	256	4803S	170
107350931	14	107950011	15	2018CRN4	256	4804S	170
107350941	14	107950021	15	2018CRW1	256	4820G	180
107350951	14	107950031	15	2018CRW4	256	4824A	101
107370911	14	107950041	15	2018CRY1	256	4824K0	100
107370921	14	107950051	15	2018CRY4	256	4830A	101
107370931	14	107950911	15	2018ELB1	256	4830A2	101
107370941	14	107950921	15	2018ELB4	257	4830AS2	101
107370951	14	127130811	20	2018ELD1	257	4830ASTF	101
107640021	27	127130821	20	2018ELD4	257	4830ATF	101
107640411	27	127130831	20	2018ELM1	257	4830K0	100
107640421	27	127130841	20	2018ELM4	257	4830LP	100
107640431	27	127130851	20	2018ELS1	257	4830LPK	100
107640441	27	100-EZ	254	2018ELS4	257	4830TFK	100
107640451	27	101-EZ	254	2018ELU1	257	4831A	102
107650011	27	102-EZ	254	2018ELU4	257	4831M	102
107650021	27	103-EZ	254	2018GRH1	257	4831MK0	102
107650031	27	105-EZ	254	2018GRH4	257	4840B2	170
107650041	27	105-K	254	2018GRM4	257	4840B4	170
107650051	27	106-EZ	254	2018GRP1	257	4840PS2	170
107700011	26	107-EZ	254	2018GRP4	257	4840S2	170
107700021	26	10810K111	28	2018K0B1	257	4840S3	170
107700031	26	10810K121	28	2018K0C1	257	4841A4	169
107700041	26	10810K131	28	2018K0C4	257	4841B	168

Product	Page	Product	Page	Product	Page	Product	Page
4845P	102	AB1201HA	90	AB9700CP	75	ABA1200CS	205
4845PK0	102	AB1201HACP	90	AB9700HA	75	ABA1200CSCT	205
4845S	102	AB1202	90	AB9700HACP	75	ABA1204A	233
4845SK0	102	AB1202CP	90	AB9701	75	ABA1204P	233
4846S	102	AB1202HA	90	AB9701CP	75	ABA1208A	233
4863K	172	AB1202HACP	90	AB9701HA	75	ABA1208P	233
4863PK	172	AB1205	90	AB9701HACP	75	ABA1210CS	205
4864K	172	AB1205CP	90	AB9702	75	ABA1210CSCT	205
4864PK	172	AB1205HA	90	AB9702CP	75	ABA1230S	209
4870K	174	AB1205HACP	90	AB9702HA	75	ABA1236CS	209
4871K	174	AB1211	90	AB9702HACP	75	ABA1260CS	206
4872K	174	AB1211CP	90	AB9705	75	ABA1260CSCT	206
4878B	172	AB1211HA	90	AB9705CP	75	ABA1263S	207
4WKEY	265	AB1211HACP	90	AB9705HA	75	ABA1263SCT	207
5817 P1-1/2	156	AB2	123	AB9705HACP	75	ABA1280S	210
5817 P2	156	AB218	123	AB9711	75	ABA1284ORBCS	210
5817 P3	156	AB3	123	AB9711CP	75	ABA1284SNCS	210
5817 P4	156	AB31	121	AB9711HA	75	ABA1284VBCS	210
5820G	180	AB3118	121	AB9711HACP	75	ABA1285CS	211
5824A	101	AB318	123	AB9722	75	ABA1289ORBCS	211
5824K0	100	AB34	121	AB9722CP	75	ABA1289SNCS	211
5830A	101	AB3418	121	AB9738	75	ABA1289VBCS	211
5830A2	101	AB4	123	AB9738CP	75	ABA130	238
5830AS2	101	AB41	121	AB9800	76	ABA1305	206
5830ASTF	101	AB418	123	AB9800CP	76	ABA1305CT	206
5830K0	100	AB5	123	AB9801	76	ABA1305Z	206
5830TFK	100	AB518	125	AB9801CP	76	ABA1305ZCT	206
5831A	102	AB9000A	75	AB9802	76	ABA1310	207
5831M	102	AB9200	78	AB9802CP	76	ABA1310CT	207
5831MK0	102	AB9200CP	78	AB9811	76	ABA1310TKZ	208
5840B2	170	AB9200D	78	AB9811CP	76	ABA1310Z	207
5840S2	170	AB9200HA	77	AB9900	76	ABA1310ZCT	207
5840S3	170	AB9200HACP	77	AB9900CP	76	ABA1330	210
5841A4	169	AB9201	78	AB9900HACP	77	ABA1335	211
5845P	102	AB9201CP	78	AB9901	76	ABA1335TK	212
5845S	102	AB9201HA	77	AB9901CP	76	ABA1335ZCT	211
5846S	102	AB9201HACP	77	AB9902	76	ABA1421717GACS	227
6110-L	268	AB9202	78	AB9902CP	76	ABA14217CS	227
6110-XL	268	AB9202CP	78	AB9902HACP	77	ABA14217CS17CLSHF	226
6401A	85	AB9202HA	77	AB9911	76	ABA14217CSCLSHF	226
6404AVEID	85	AB9202HACP	77	AB9911CP	76	ABA1421817GACS	227
6404AVEIDR	85	AB9211	78	AB9911HACP	77	ABA14218CS	227
7003A	84	AB9211CP	78	ABA032	165	ABA14218CS17CLSHF	226
903P	63	AB9211HA	77	ABA042	165	ABA14219CS	224
9680-L	267	AB9211HACP	77	ABA044	165	ABA14219CS17GA	224
9680-XL	267	AB9222	78	ABA102	238	ABA1421CS	224
99-EZ	254	AB9238	78	ABA103	238	ABA1421CS17GA	224
AB1	123	AB9300	79	ABA107	238	ABA143017GA	224
AB118	123	AB9300HA	79	ABA108	238	ABA14307	227
AB1200	90	AB9301	79	ABA1101	205	ABA1430717GA	227
AB1200CP	90	AB9301HA	79	ABA1101CT	205	ABA14308	227
AB1200HA	90	AB9302	79	ABA1106	205	ABA1430817GA	227
AB1200HACP	90	AB9302HA	79	ABA1125	209	ABA1430917GAG	224
AB1201	90	AB9302HACP	79	ABA1130	209	ABA14309G	224
AB1201CP	90	AB9700	75	ABA120	238	ABA1430G	224

INDEX BY MODEL NUMBER

Product	Page	Product	Page	Product	Page	Product	Page
ABA1430GC	224	ABA1480	218	ABA1599SP	235	ABA168H	232
ABA1434ORB	224	ABA14809	218	ABA1599VB	235	ABA1695	239
ABA1434SN	224	ABA14849ORB	218	ABA1599W	235	ABA1696	239
ABA1434VB	224	ABA14849SN	218	ABA1605	235	ABA1700	214
ABA1435	224	ABA14849VB	218	ABA1605Z0	235	ABA1700CARD	214
ABA143517GA	224	ABA14840RB	218	ABA1615	209	ABA1720	229
ABA14357	227	ABA1484SN	218	ABA1617	209	ABA1720CARD	229
ABA1435717GA	227	ABA1484VB	218	ABA1619CB	209	ABA1720G	229
ABA1435717GACLSHF	226	ABA1485	219	ABA1619MB	209	ABA1720T	229
ABA14357CLSHF	226	ABA14859	219	ABA1619ORB	209	ABA1722	229
ABA14358	227	ABA14899ORB	219	ABA1619SN	209	ABA1722CARD	229
ABA1435817CLSHF	226	ABA14899SN	219	ABA1619VB	209	ABA1723ORB	229
ABA1435817GA	227	ABA14899VB	219	ABA1620	213	ABA1723ORBCARD	229
ABA14359	224	ABA1489ORB	219	ABA1624ORB	213	ABA1723PNCARD	229
ABA1435917GAC	224	ABA1489SN	219	ABA1624SN	213	ABA1723SN	229
ABA1440	224	ABA1489VB	219	ABA1624VB	213	ABA1723SNCARD	229
ABA144017GA	224	ABA1490	218	ABA1625	215	ABA1723VB	229
ABA14407	227	ABA1495	219	ABA1630	209	ABA1723VBCARD	229
ABA1440717CLSHF	226	ABA1495Z	219	ABA1634ORB	209	ABA1728	237
ABA1440717GA	227	ABA1501	218	ABA1634SN	209	ABA1728S	237
ABA14407CLSHF	226	ABA1501Z	218	ABA1634VB	209	ABA1733	237
ABA14408	227	ABA1506	219	ABA16356899	213	ABA1733S	237
ABA1440817CLSHF	226	ABA1506Z	219	ABA16396899ORB	213	ABA1736	237
ABA1440817GA	227	ABA1508A	233	ABA16396899SN	213	ABA1736S	237
ABA14409	224	ABA1508P	233	ABA16396899VB	213	ABA1738SN	237
ABA1440917GA	224	ABA1512ORB	219	ABA1640	215	ABA1738SNS	237
ABA14455	228	ABA1512SN	219	ABA1645	239	ABA1739	237
ABA1445517GA	228	ABA1512VB	219	ABA1646	239	ABA1745	239
ABA14459	225	ABA1513	233	ABA1648	235	ABA1746	239
ABA1445917GA	225	ABA1514	233	ABA1650	235	ABA1748	237
ABA14461CS	225	ABA1520CS	209	ABA1652SN	235	ABA1748S	237
ABA14461CS17GA	225	ABA1524ORBCS	209	ABA1652VB	235	ABA1749SN	237
ABA14463	225	ABA1524SNCS	209	ABA1655	239	ABA1749SNS	237
ABA1446317GA	225	ABA1524VBCS	209	ABA1656	239	ABA175	240
ABA14465	228	ABA1525S	213	ABA1658	214	ABA1755	239
ABA1446517GA	228	ABA1529ORBS	213	ABA1658CARD	214	ABA1756	239
ABA14469	225	ABA1529SNS	213	ABA1658L	214	ABA176	240
ABA1446917GA	225	ABA1529VBS	213	ABA1660CARD	214	ABA177	240
ABA1447117GACS	225	ABA1555	213	ABA1662ORB	214	ABA1775	239
ABA14471CS	225	ABA1560	215	ABA1662ORBCARD	214	ABA1776	239
ABA14473	225	ABA1575	215	ABA1662PNCARD	214	ABA178	240
ABA1447317GA	225	ABA1580CS	215	ABA1662SN	214	ABA1787	215
ABA14476	229	ABA1580CSS	235	ABA1662SNCARD	214	ABA179	240
ABA14482	231	ABA1582CS	235	ABA1662VB	214	ABA180	240
ABA1450617GAHF	223	ABA1584ORBCS	235	ABA1662VBCARD	214	ABA181	240
ABA14506HF	223	ABA1584SNCS	235	ABA1662WCARD	214	ABA182	240
ABA1450817GAHF	223	ABA1584VBCS	235	ABA1673	214	ABA1840	239
ABA1451117GASHF	223	ABA1584WCS	235	ABA1673CARD	214	ABA1841	239
ABA14511SHF	223	ABA1590	235	ABA1675	239	ABA18416865516	239
ABA1451517GASHF	223	ABA1595	235	ABA1676	239	ABA1842	239
ABA1451817GAHF	223	ABA1595P	235	ABA1678ORBCARD	214	ABA18426865516	239
ABA14518HF	223	ABA1597	235	ABA1678SNCARD	214	ABA1843	239
ABA1452117GAHF	223	ABA1599ORB	235	ABA1678VBCARD	214	ABA1844	239
ABA1470CS	218	ABA1599SC	235	ABA168	232	ABA1845	239
ABA1475CS	219	ABA1599SN	235	ABA1680	235	ABA1848	239

Product	Page	Product	Page	Product	Page	Product	Page
ABA1920	237	ABA2221MBHF	199	ABA2228RIFLEX155MBHF	198	ABA2342WHF	236
ABA1930	237	ABA2221MBTKHF	203	ABA2228RIFLEX155SNHF	197	ABA2344	233
ABA1935	237	ABA2221ORBHF	199	ABA2228RIFLEX155VBHF	198	ABA2345	233
ABA1945	237	ABA2221ORBRIHF	202	ABA2228RIFLEX15CBHF	198	ABA235	241
ABA1960	237	ABA2221ORBTKHF	203	ABA2228RIFLEX15HF	197	ABA2350HF	232
ABA200A	241	ABA2221SNHF	199	ABA2228RIFLEX15MBHF	198	ABA2352	202
ABA200CA	241	ABA2221SNRIHF	202	ABA2228RIFLEX15SNHF	197	ABA2353	202
ABA200CP	241	ABA2221SNTKHF	203	ABA2228RIFLEX15VBHF	198	ABA2356	233
ABA200P	241	ABA2221VBHF	199	ABA2228RIFLEX16CBHF	198	ABA2359	233
ABA201	240	ABA2221VBTKHF	203	ABA2228RIFLEX16HF	197	ABA235CS	241
ABA202	240	ABA2221WHF	199	ABA2228RIFLEX16MBHF	198	ABA236	241
ABA203	240	ABA2222CBHF	200	ABA2228RIFLEX16SNHF	197	ABA2361	233
ABA204	240	ABA2222MBHF	200	ABA2228RIFLEX16VBHF	198	ABA2362	233
ABA205	240	ABA2222ORBHF	200	ABA2228RIFLEX55CBHF	198	ABA2365CSHF	204
ABA206	240	ABA2222ORBRIHF	202	ABA2228RIHF	201	ABA2366ORBESHF	204
ABA207	240	ABA2222OWHF	200	ABA2234CSHF	199	ABA2366PBCSHF	204
ABA208	240	ABA2222SNHF	200	ABA2235CSHF	200	ABA2366SNCSHF	204
ABA215	240	ABA2222SNRIHF	202	ABA2235TKHF	203	ABA2366VBCSHF	204
ABA21514	240	ABA2222VBHF	200	ABA2238ORBESHF	199	ABA2366WCSHF	204
ABA216	240	ABA2222WRIHF	202	ABA2238SNCSHF	199	ABA236CS	241
ABA21614	240	ABA2222WTKHF	203	ABA2238VBCSHF	199	ABA237	241
ABA217	240	ABA2225FLEX	196	ABA2239ORBESHF	200	ABA2371HF	204
ABA21714	240	ABA2225HF	198	ABA2239SNCSHF	200	ABA2377HF	204
ABA218	240	ABA2226FLEX24HF	196	ABA2239VBCSHF	200	ABA2378BIHF	204
ABA21814	240	ABA2226FLEXHF	196	ABA2242CSHF	198	ABA2378CBHF	204
ABA219	240	ABA2226HF	198	ABA2242FLEXCS	196	ABA2378MBHF	204
ABA21914	240	ABA2227CSHF	201	ABA2243CSHF	198	ABA2378ORBHF	204
ABA220	240	ABA2227DD	233	ABA2243FLEX24CSHF	196	ABA2378PBHF	204
ABA2200HF	199	ABA2227FLEX145HF	197	ABA2243FLEXCSHF	196	ABA2378PNHF	204
ABA22014	240	ABA2227FLEX14HF	197	ABA2250HF	199	ABA2378SCHF	204
ABA2201HF	200	ABA2227FLEX155HF	197	ABA2250TKHF	203	ABA2378SNHF	204
ABA221	240	ABA2227FLEX15HF	197	ABA2250TKZHF	203	ABA2378SPHF	204
ABA2210HF	198	ABA2227FLEX16HF	197	ABA2250ZHF	199	ABA2378VBHF	204
ABA22114	240	ABA2227HF	201	ABA2251HF	200	ABA2378WHF	204
ABA2211HF	198	ABA2227RIFLEX16HF	197	ABA2251RIZHF	202	ABA237CS	241
ABA2217HF	199	ABA2227RIHF	201	ABA2251ZHF	200	ABA238	241
ABA2217MHF	199	ABA2228CSHF	201	ABA2258HF	198	ABA238CS	241
ABA2217PZHF	199	ABA2228DD	233	ABA2259FLEX24HF	196	ABA239	241
ABA2217RIHF	202	ABA2228FLEX145HF	197	ABA2259FLEXHF	196	ABA239CS	241
ABA2217RIPZHF	202	ABA2228FLEX14HF	197	ABA2259HF	198	ABA240	241
ABA2217ZHF	199	ABA2228FLEX155HF	197	ABA2259RIFLEX24HF	196	ABA2400	181
ABA22181RICOSHF	202	ABA2228FLEX15HF	197	ABA2259RIFLEXHF	196	ABA240CS	241
ABA22181RICOTHF	202	ABA2228FLEX16HF	197	ABA2282HF	201	ABA241	241
ABA2218HF	200	ABA2228HF	201	ABA2283HF	201	ABA241CS	241
ABA2218MHF	200	ABA2228RIFLEX145CBHF	198	ABA2298CSHF	201	ABA242	241
ABA2218PZHF	200	ABA2228RIFLEX145HF	197	ABA2299CSHF	201	ABA242CS	241
ABA2218RIHF	202	ABA2228RIFLEX145MBHF	198	ABA2340HF	236	ABA243	241
ABA2218RIMHF	202	ABA2228RIFLEX145SNHF	197	ABA2342BIHF	236	ABA244	241
ABA2218RIZHF	202	ABA2228RIFLEX145VBHF	198	ABA2342ORBHF	236	ABA2450	232
ABA2218TKHF	203	ABA2228RIFLEX14CBHF	198	ABA2342PBHF	236	ABA2450CARD	232
ABA2218TKPZHF	203	ABA2228RIFLEX14HF	197	ABA2342PNHF	236	ABA2451	232
ABA2218ZHF	200	ABA2228RIFLEX14MBHF	198	ABA2342SCHF	236	ABA2451CARD	232
ABA222	240	ABA2228RIFLEX14SNHF	197	ABA2342SNHF	236	ABA2452	232
ABA2221CBHF	199	ABA2228RIFLEX14VBHF	198	ABA2342SPHF	236	ABA2452CARD	232
ABA2221CBTKHF	203	ABA2228RIFLEX155HF	197	ABA2342VBHF	236	ABA2462	171

INDEX BY MODEL NUMBER

Product	Page	Product	Page	Product	Page	Product	Page
ABA2463	171	ABA3055CP	242	ABA404	167	ABA44050SN	184
ABA2464	171	ABA3055CPI	242	ABA4041HF	220	ABA44050VB	184
ABA2465	171	ABA3055RA	243	ABA4051HF	220	ABA44601	183
ABA248	231	ABA3055RP	243	ABA4057HF	220	ABA44601CR	183
ABA253	231	ABA3056CA	242	ABA41018	231	ABA44601SNAP	183
ABA253L	231	ABA3056CAI	242	ABA4101820	231	ABA44601SQ	184
ABA254	231	ABA3056CP	242	ABA4136	222	ABA44601SQSNAP	188
ABA254L	231	ABA3056CPI	242	ABA41369	222	ABA44601SQSNAP	184
ABA2550	236	ABA3056RA	243	ABA4146	221	ABA44603	185
ABA2551	236	ABA3056RP	243	ABA4151	222	ABA44603BB	187
ABA2552	236	ABA3100	189	ABA41519	222	ABA44603BBORB	187
ABA2553	236	ABA3101	189	ABA41549CS	222	ABA44603BBSN	187
ABA281	231	ABA312	166	ABA4154S	222	ABA44603BBSQ	188
ABA281CLC	231	ABA313	166	ABA4155	222	ABA44603BBSQORB	188
ABA281L	231	ABA3200	180	ABA41559	222	ABA44603BBSQSN	188
ABA281LCLC	231	ABA3201	180	ABA4161	221	ABA44603BBSQVB	188
ABA282	231	ABA3202	180	ABA41619	221	ABA44603BBVB	187
ABA282CLC	231	ABA3203	180	ABA41649CS	221	ABA44603ORB	185
ABA282L	231	ABA3221A	238	ABA4164CS	221	ABA44603SN	185
ABA282LCLC	231	ABA3221B	238	ABA4165	221	ABA44603SQ	186
ABA285	232	ABA3400	180	ABA41659	221	ABA44603SQORB	186
ABA300A	241	ABA3401	180	ABA41857	232	ABA44603SQSN	186
ABA300CA	241	ABA3408	180	ABA41857XL	232	ABA44603SQVB	186
ABA300CP	241	ABA3409	180	ABA4227	232	ABA44603VB	185
ABA300P	241	ABA34490	182	ABA4230	232	ABA44701	183
ABA302	166	ABA34490SNAP	182	ABA432	167	ABA44701CR	183
ABA303	166	ABA34500	182	ABA434	167	ABA44701SNAP	183
ABA303PO	166	ABA34500SNAP	182	ABA44000	182	ABA44701SQ	184
ABA304	166	ABA3460053C	231	ABA44000ORB	182	ABA44701SQSNAP	184
ABA3051CA	242	ABA3465	182	ABA44000SN	182	ABA44701SQSNAPB	188
ABA3051CAI	242	ABA3469	182	ABA44000VB	182	ABA44703	185
ABA3051CP	242	ABA352	166	ABA44010	182	ABA44703BB	187
ABA3051CPI	242	ABA3520	180	ABA44010CB	182	ABA44703BBORB	187
ABA3051RA	243	ABA3521	180	ABA44010MB	182	ABA44703BBSN	187
ABA3051RP	243	ABA353	166	ABA440100RB	182	ABA44703BBSQ	188
ABA3052CA	242	ABA3601	195	ABA44010SN	182	ABA44703BBSQORB	188
ABA3052CAI	242	ABA3900	195	ABA44010VB	182	ABA44703BBSQSN	188
ABA3052CP	242	ABA3901	195	ABA44020	185	ABA44703BBSQVB	188
ABA3052CPI	242	ABA3931	238	ABA44020CB	185	ABA44703BBVB	187
ABA3052RA	243	ABA3933	238	ABA44020MB	185	ABA44703ORB	185
ABA3052RP	243	ABA400A	241	ABA44020ORB	185	ABA44703SN	185
ABA3053CA	242	ABA400CA	241	ABA44020SN	185	ABA44703SQ	186
ABA3053CAI	242	ABA400CP	241	ABA44020VB	185	ABA44703SQORB	186
ABA3053CP	242	ABA400P	241	ABA44030	184	ABA44703SQSN	186
ABA3053CPI	242	ABA4018HF	220	ABA44030ORB	184	ABA44703SQVB	186
ABA3053RA	243	ABA402	167	ABA44030SN	184	ABA44703VB	185
ABA3053RP	243	ABA4021ORBHF	220	ABA44030VB	184	ABA44701LB	188
ABA3054CA	242	ABA4021SNHF	220	ABA44040	186	ABA44SWRADP	178
ABA3054CAI	242	ABA4021VBHF	220	ABA440400CB	186	ABA450	243
ABA3054CP	242	ABA4026HF	220	ABA440400MB	186	ABA451	243
ABA3054CPI	242	ABA40290RBHF	220	ABA440400RB	186	ABA457	243
ABA3054RA	243	ABA4029SNHF	220	ABA44040SN	186	ABA459	243
ABA3054RP	243	ABA4029VBHF	220	ABA44040VB	186	ABA480	167
ABA3055CA	242	ABA403	167	ABA44050	184	ABA489	167
ABA3055CAI	242	ABA4034CSHF	220	ABA440500RB	184	ABA5000	192

Product	Page	Product	Page	Product	Page	Product	Page
ABA5008	192	ABA6712	162	ABA6845	236	ABA72132ORBCARD	188
ABA502	166	ABA6715	162	ABA6847	236	ABA72132SNCARD	188
ABA5020	192	ABA6718	162	ABA6849BI	236	ABA72132VBCARD	188
ABA503	166	ABA6724	162	ABA6849ORB	236	ABA72130RBCARD	187
ABA504	166	ABA6725	162	ABA6849PN	236	ABA7213PNCARD	187
ABA5040	192	ABA6727	162	ABA6849SC	236	ABA7213SNCARD	187
ABA5045	192	ABA6729	162	ABA6849SN	236	ABA7213VBCARD	187
ABA5065	192	ABA6731	162	ABA6849SP	236	ABA7215	181
ABA5070	192	ABA6731M	162	ABA6849VB	236	ABA7216	181
ABA5073	192	ABA6733	162	ABA6850	232	ABA7218	181
ABA5074	192	ABA6734	163	ABA6854	232	ABA7226	181
ABA5080	192	ABA6735	163	ABA6855	232	ABA7232	191
ABA5085	192	ABA6737	163	ABA6859	232	ABA7233	191
ABA5090	192	ABA6739	163	ABA6861	191	ABA7234	191
ABA512	166	ABA6741	163	ABA6893	235	ABA7240	191
ABA5145	164	ABA6743	163	ABA6899	234	ABA7242	191
ABA5149ORB	164	ABA6744	163	ABA6901	234	ABA730	217
ABA5149SN	164	ABA6745	163	ABA6903	234	ABA730NT	217
ABA52007212	193	ABA6748	162	ABA6910	192	ABA740	217
ABA520072121	194	ABA6749	162	ABA6916	230	ABA740NT	217
ABA52047212	193	ABA6773	163	ABA6916M	230	ABA750	217
ABA520472121	194	ABA6776	163	ABA6918	202	ABA750NT	217
ABA52087212	193	ABA6805	234	ABA6918M	202	ABA770	217
ABA520872121	194	ABA6810	234	ABA6919	230	ABA7730RB	217
ABA5225	193	ABA6812	234	ABA6960	232	ABA773SN	217
ABA553	164	ABA6820	234	ABA700	217	ABA773VB	217
ABA554	164	ABA682088	234	ABA7005	181	ABA773W	217
ABA564	164	ABA6822	234	ABA7006	181	ABA801	207
ABA573	165	ABA68240RB	234	ABA700NT	217	ABA807	207
ABA574	165	ABA68240RB88	234	ABA710	217	ABA808	207
ABA583	165	ABA6824SN	234	ABA7101CARD	181	ABA809	207
ABA586	165	ABA6824SN88	234	ABA7101ORBCARD	181	ABA8135	168
ABA602	165	ABA6824SP	234	ABA7101SNCARD	181	ABA8165	169
ABA603	165	ABA6824VB	234	ABA7101VBCARD	181	ABA8175	170
ABA604	165	ABA6824VB88	234	ABA7102CARD	183	ABA8176	170
ABA6320	191	ABA6824W	234	ABA7102ORBCARD	183	ABA8190	168
ABA634	165	ABA6828	180	ABA7102SNCARD	183	ABA8195	168
ABA6410	189	ABA6830	234	ABA7102VBCARD	183	ABA8205	169
ABA6415	189	ABA6832	234	ABA7103	181	ABA8225	168
ABA6420	189	ABA68340RB	234	ABA7103CARD	181	ABA8235	169
ABA6425	189	ABA6834PN	234	ABA710NT	217	ABA82505	169
ABA6430	189	ABA6834SC	234	ABA7135CARD	190	ABA8255	169
ABA6435	189	ABA6834SN	234	ABA7137ORBCARD	190	ABA82555	169
ABA6500	180	ABA6834SP	234	ABA7137SNCARD	190	ABA851	211
ABA6508	180	ABA6834VB	234	ABA720	217	ABA8510	171
ABA652	216	ABA6834W	234	ABA7200	181	ABA8545	104
ABA6520	180	ABA6834WI	234	ABA7200CARD	181	ABA8546	104
ABA652NT	216	ABA6835	236	ABA7205ORBCARD	181	ABA8548	104
ABA6600	190	ABA6841BI	236	ABA7205SNCARD	181	ABA8549	104
ABA6605	190	ABA6841ORB	236	ABA7205VBCARD	181	ABA8560	174
ABA6610	190	ABA6841PN	236	ABA720NT	217	ABA8561	174
ABA6615	190	ABA6841SC	236	ABA7210	181	ABA8562	174
ABA6620	190	ABA6841SN	236	ABA7210CARD	181	ABA8563	174
ABA6622	190	ABA6841VB	236	ABA72121CARD	188	ABA8564	174
ABA66SWRADP	178	ABA6841W	236	ABA7212CARD	187	ABA8565	174

INDEX BY MODEL NUMBER

Product	Page	Product	Page	Product	Page	Product	Page
ABA8575	174	ABA915VBCT	205	ABA965072	216	ABAML6FCADWW	179
ABA8576	174	ABA915W	205	ABA965073HF	215	ABAML6FCPDWW	179
ABA8579	174	ABA926	209	ABA971	210	ABAML6FCPSDR	179
ABA8580	174	ABA931	209	ABA971CT	210	ABAMLF4	176
ABA8583	174	ABA951	206	ABA971PZ	210	ABAMLSF334A	179
ABA8584	174	ABA951CT	206	ABA971PZCT	210	ABAMLSF334P	179
ABA8587	174	ABA951PZ	206	ABA971RIPZCT	212	ABAMLSF3TG	179
ABA8588	174	ABA951PZCT	206	ABA971RIT	212	ABAMLSF446A	179
ABA8589	174	ABA951RICT	208	ABA975ORB	210	ABAMLSF446P	179
ABA859	211	ABA951RIPZCT	208	ABA975SN	210	ABAMLSF4TG	179
ABA8591	174	ABA951TK	208	ABA975VB	210	ABAMLSF668A	179
ABA8592	174	ABA951TKPZ	208	ABA976	211	ABAMLSF668P	179
ABA8593	174	ABA955ORB	206	ABA976CT	211	ABAMLSF6TG	179
ABA8595	168	ABA955ORBCT	206	ABA976PZ	211	ABAPA3CASS1NC	177
ABA8600	168	ABA955SN	206	ABA976PZCT	211	ABAPA3CASS1NO	177
ABA8610	168	ABA955SNCT	206	ABA976RICT	212	ABAPA3SFGATE	179
ABA8612	166	ABA955VB	206	ABA976RIZT	212	ABAPA3SFSG	179
ABA8620	168	ABA955VBCT	206	ABA976TK	212	ABAPA4963G	176
ABA8630	168	ABA955W	206	ABA976TKP	212	ABAPA4963LCO	176
ABA8637	168	ABA955WCT	206	ABA980ORB	211	ABAPA4963RK	176
ABA8640	168	ABA956	207	ABA980SN	211	ABAPA4CASS1NC	177
ABA8810	174	ABA956CM	207	ABA980VB	211	ABAPA4CASS1NO	177
ABA8811	174	ABA956CT	207	ABA9924	162	ABAPA4FREXT	176
ABA8812	174	ABA956PZ	207	ABAB1238BW	262	ABAPA4FRFULL	176
ABA8825	168	ABA956PZCT	207	ABAB1240BBW	262	ABAPA4FRINT	176
ABA8827	191	ABA956RICM	206	ABAKCOB2	239	ABAPA4SFGATE	179
ABA8827ORB	191	ABA956RICT	208	ABAKCOB3	239	ABAPA4SFSG	179
ABA8880	173	ABA956RIPZCT	208	ABAML3BDY1A	177	ABAPA6SFGATE	179
ABA8884	173	ABA960ORB	207	ABAML3BDY1P	177	ABAPA6SFSG	179
ABA88SWRADP	178	ABA960ORBCT	207	ABAML3BLG	178	ABAPAPE2013LID	176
ABA8AAVCOL	178	ABA960SN	207	ABAML3TEPP	178	ABAPE2013	176
ABA8ICLIDB	178	ABA960SNCT	207	ABAML3TEPPA	178	ABATERMEX3SFA	178
ABA8ICLIDCOLB	178	ABA960VB	207	ABAML3TTA	178	ABATERMEX3SFP	178
ABA8ICLIDCOLG	178	ABA960VBCT	207	ABAML3TTG	178	ABATERMEX4SFA	178
ABA8ICLIDCOLR	178	ABA960W	207	ABAML3TTP	178	ABATERMEX4SFP	178
ABA8ICLIDG	178	ABA960WCT	207	ABAML3TZ	177	ABATERMEX6SFA	178
ABA8ICLIDR	178	ABA965031	216	ABAML3XAC	177	ABATERMEX6SFP	178
ABA901	212	ABA965032	216	ABAML3XAO	177	ABATERMEXC	178
ABA902	212	ABA965033HF	215	ABAML3XPC	177	ABATERMEXO	178
ABA906	205	ABA96504CB1	216	ABAML3XP0	177	ADH12	139
ABA906CT	205	ABA96504CB3HF	215	ABAML448IC	178	ADH12WH	139
ABA910ORB	205	ABA96504MB1	216	ABAML4963A	176	AHP18203	133
ABA910ORBCT	205	ABA96504MB3HF	215	ABAML4963P	176	AHP1820C	133
ABA910SN	205	ABA96504ORB1	216	ABAML4BDY1A	177	AHP2022	133
ABA910SNCT	205	ABA96504ORB2	216	ABAML4BDY1P	177	AHP2022C	133
ABA910VB	205	ABA96504ORB3HF	215	ABAML4FCADWW	179	AHP2022NH	133
ABA910VBCT	205	ABA96504SN1	216	ABAML4FCPDWW	179	AHP2224	133
ABA910W	205	ABA96504SN2	216	ABAML4TEPP	178	AHP2224C	133
ABA911	205	ABA96504SN3HF	215	ABAML4TEPPA	178	AHP2224NH	133
ABA911CT	205	ABA96504VB1	216	ABAML4TZ	177	AHP2426	133
ABA915ORB	205	ABA96504VB2	216	ABAML4TZB	177	AHP2426C	133
ABA915ORBCT	205	ABA96504VB3HF	215	ABAML4XAC	177	AHP2426NH	133
ABA915SN	205	ABA96504W1	216	ABAML4XAO	177	AHP2628	133
ABA915SNCT	205	ABA96504W3	215	ABAML4XPC	177	AHP2628C	133
ABA915VB	205	ABA965071	216	ABAML4XP0	177	AHP2628NH	133

Product	Page	Product	Page	Product	Page	Product	Page
AHP2830	133	BWV4A	175	F212	108	FRAS1200	97
AHP2830C	133	BWV4P	175	F212LF	108	FRAS1201	97
AHP3032	133	BWV4PAS	175	F234	108	FRAS1202	97
AHP3032C	133	BWV6P	175	F234LF	108	FRAS1211	97
AHP3032NH	133	C601	110	FB1	122	FRASDW1200	82
AHP3234	133	C612	110	FB150	40	FRASDW1200HA	82
AHP3234C	133	C614	110	FB2	122	FRASDW1201	82
AS1200	91	C615	110	FB200	40	FRASDW1201HA	82
AS1201	91	C620	110	FB3	122	FRASDW1202	82
AS1202	91	C634	110	FB31	120	FRASDW1202HA	82
AS1211	91	CB41	121	FB34	120	FRASDW1211	82
ASDW1200	82	CC61234	107	FB4	122	FRASDW1211HA	82
ASDW1200HA	82	CH1234	107	FBE200	41	FRDW1200HA	97
ASDW1201	82	CH34114	107	FBE200GF	41	FRDW1201HA	97
ASDW1201HA	82	CI31234	107	FBED200	42	FRDW1202HA	97
ASDW1202	82	CI41234	107	FBED200GF	42	FRDW1211HA	97
ASDW1202HA	82	CII341234	107	FCRP2	152	FRGB12CSST	59
ASDW1205	82	CL5012DP	268	FCRP3	152	FRGB12IP	59
ASDW1205HA	82	CN200	63	FCRP35	152	FRIB12ABC	57
ASDW1211	82	CO 302C	153	FCRP4	152	FRIB12ABCCP	57
ASDW1211HA	82	CO 402	153	FR12C	52	FRIB12ABCHA	58
B	38	CO 402C	153	FR12CCP	52	FRIB12ABCHACP	58
B150	38	CS 202	153	FR12CHA	54	FRIB12ABDS	57
B200	38	CS 302	153	FR12CHACP	54	FRIB12ABP	57
B200C	38	CS4	104	FR12CS	53	FRIB12ABPCP	57
B200X	38	CST-36	264	FR12CSCP	53	FRIB12ABPHA	58
BB200TS	38	DB-350	62	FR12DS	55	FRIB12ABPHACP	58
BBE200TS	38	DB-3D	62	FR12DSCP	55	FRIB12ABRCP	57
BBE200TSGF	38	DB-425	62	FR12P	52	FRIB12ABS	57
BBED200TS	39	DB-4D	62	FR12PCP	52	FRIB12ABSCP	57
BBED200TSGF	39	DBSS1	62	FR12PHA	54	FRIB12ABSHA	58
BD2	172	DBSS1D	62	FR12PHACP	54	FRIB12ABSHACP	58
BE	38	DBSS1DLV	62	FR12PS	53	FRIB12ABW	57
BE200	38	DBSS1DSV	62	FR12PSCP	53	FRIB12ABWCP	57
BE200GF	38	DBSS1SV	62	FR12PSHA	55	FRIB12ABWHA	58
BED	39	DBSS2	62	FR12PSHACP	55	FRIB12ABWHACP	58
BED150	39	DBSS2D	62	FR12RCP	52	FRM12C	50
BED150GF	39	DBSS2DLV	62	FR12RHACP	54	FRM12CHA	51
BED200	39	DBSS2DSV	62	FR12S	52	FRM12CS	50
BED200GF	39	DBSS2SV	62	FR12SCP	52	FRM12P	50
BED200P	39	DLWB1	45	FR12SHA	54	FRM12PHA	51
BED200PGF	39	DW1200HA	91	FR12SHACP	54	FRM12PS	50
BEDTRC	63	DW1201HA	91	FR12SS	53	FRM12PSHA	51
BIM875AB	47	DW1202HA	91	FR12SSCP	53	FRM12S	50
BIM875QTSAB	47	DW1211HA	91	FR12SSHA	55	FRM12SHA	51
BIM876QTCAB	47	EB 152E	154	FR12SSHACP	55	FRM12SS	50
BIM877QTPAB	47	EB 220E	154	FR12W	52	FRM12SSHA	51
BT150SS	263	EB 320E	154	FR12WCP	52	FRM12W	50
BTP612	171	EB 350E	154	FR12WHA	54	FRM12WHA	51
BTP934	171	EB 420E	154	FR12WHACP	54	FRM12WS	50
BTP940	171	EFB1	125	FR12WS	53	FRMBG1212CSST	98
BTRC	63	EX 100-EZ	254	FR12WSCP	53	FRMBG1212IP	98
BWV3A	175	EX 99-EZ	254	FR7070	52	FRMBG1234IP	98
BWV3P	175	F201	108	FRAAV12	59	FRMIB12ABC	56
BWV3PAS	175	F201LF	108	FRAD12	60	FRMIB12ABCHA	56

INDEX BY MODEL NUMBER

Product	Page	Product	Page	Product	Page	Product	Page
FRMIB12ABDS	56	HP2628	134	MBF1211	84	MBFRS1201HA	94
FRMIB12ABP	56	HP2628C	134	MBF1222	84	MBFRS1201HACP	94
FRMIB12ABPHA	56	HP2628NH	134	MBF1233	84	MBFRS1202	94
FRMIB12ABS	56	HP2830	134	MBFR1200	95	MBFRS1202CP	94
FRMIB12ABSHA	56	HP2830C	134	MBFR1200CP	95	MBFRS1202HA	94
FRMIB12ABW	56	HP3032	134	MBFR1200HA	95	MBFRS1202HACP	94
FRMIB12ABWHA	56	HP3032C	134	MBFR1200HACP	95	MBFRS1205	94
FRTC1200	98	HP3032NH	134	MBFR1201	95	MBFRS1205CP	94
FRTC1201	98	HP3234	134	MBFR1201CP	95	MBFRS1205HA	94
FRTC1202	98	HP3234C	134	MBFR1201HA	95	MBFRS1205HACP	94
FRTC1211	98	HS1	115	MBFR1201HACP	95	MBFRS1211	94
GB1	123	HS433BD-12	262	MBFR1202	95	MBFRS1211CP	94
GB118	123	HS433BD-18	262	MBFR1202CP	95	MBFRS1211HA	94
GB2	123	HS88242	85	MBFR1202HA	95	MBFRS1211HACP	94
GB218	123	I301	109	MBFR1202HACP	95	MBG1212CSST	92
GB3	123	I312	109	MBFR1205	95	MBG1212IP	92
GB31	120	I314	109	MBFR1205CP	95	MBG1234IP	92
GB3118	120	I315	109	MBFR1205HA	95	MBS1200	87
GB3118BE	120	I320	109	MBFR1205HACP	95	MBS1200AAV	92
GB318	123	I334	109	MBFR1211	95	MBS1200CP	87
GB34	120	I401	110	MBFR1211CP	95	MBS1200DB1	89
GB3418	120	I412	110	MBFR1211HA	95	MBS1200DB1CP	89
GB3418BE	120	I434	110	MBFR1211HACP	95	MBS1200DB2	89
GB4	123	KO 12	156	MBFR1211SLCP	95	MBS1200DB3	89
GB41	120	KO 34	156	MBFR1211SLHACP	95	MBS1200HA	87
GB418	123	L2411	63	MBFRAB1200	96	MBS1200HACP	87
GB5	123	LPC1	124	MBFRAB1200CP	96	MBS1201	87
GB518	123	LPC15	124	MBFRAB1200HA	96	MBS1201CP	87
H101	107	LPC2	124	MBFRAB1200HACP	96	MBS1201HA	87
H112	107	LPC3	124	MBFRAB1201	96	MBS1201HACP	87
H134	107	LPC4	124	MBFRAB1201CP	96	MBS1202	87
H138	107	MB1200	88	MBFRAB1201HA	96	MBS1202CP	87
HB1	122	MB1200CP	88	MBFRAB1201HACP	96	MBS1202HA	87
HB118	122	MB1200HA	88	MBFRAB1202	96	MBS1202HACP	87
HB1LB	122	MB1200HACP	88	MBFRAB1202CP	96	MBS1205	87
HB2	122	MB1201	88	MBFRAB1202HA	96	MBS1205CP	87
HB218	122	MB1201CP	88	MBFRAB1202HACP	96	MBS1205HA	87
HB2LB	122	MB1201HA	88	MBFRAB1211	96	MBS1205HACP	87
HB3	122	MB1201HACP	88	MBFRAB1211CP	96	MBS1211	87
HB31	120	MB1202	88	MBFRAB1211HA	96	MBS1211CP	87
HB3118	122	MB1202CP	88	MBFRAB1211HACP	96	MBS1211HA	87
HB318	122	MB1202HA	88	MBFRAB9705	82	MBS1211HACP	87
HB34	120	MB1202HACP	88	MBFRAB9705CP	82	MBS1211SLCP	87
HB4	122	MB1205	88	MBFRAB9705HA	82	MBSAB1202CP	87
HB41	120	MB1205CP	88	MBFRAB9705HACP	82	MBSAB1202HACP	87
HP1820	134	MB1205HA	88	MBFRS1200	94	MBSAB1211CP	87
HP2022	134	MB1205HACP	88	MBFRS1200AAV	98	MBSAB1211HACP	87
HP2022C	134	MB1211	88	MBFRS1200CP	94	MC02	150
HP2022NH	134	MB1211CP	88	MBFRS1200DB1	95	MC02CI	150
HP2224	134	MB1211HA	88	MBFRS1200DB2	95	MC03	150
HP2224C	134	MB1211HACP	88	MBFRS1200DB3	95	MC04	150
HP2224NH	134	MB1211SLHACP	88	MBFRS1200HA	94	MC06	150
HP2426	134	MB1250AD	93	MBFRS1200HACP	94	MC06CI	150
HP2426C	134	MB1250WS	93	MBFRS1201	94	MDWB1AB	61
HP2426NH	134	MBF1200	84	MBFRS1201CP	94	MDWB2AB	61

Product	Page	Product	Page	Product	Page	Product	Page
MDWB3AB	61	MWB26	46	R5123	31	RH-RHBV-GL-6	18
MDWB4AB	61	MWB27	46	R5124	31	RH-RHBV-HP-36	18
MDWB5AB	61	MWB28	46	R5125	31	RH-RHBV-PT-24	18
MDWB6AB	61	MWBRLV	44	R5134	31	RH-RHBV-QP-48	18
MGB1	60	MWN 1	151	R5135	31	RH-RHBV-QT-12	18
MH321	113	MWN 10	151	R5136	31	RH112C	107
MH322	113	MWN 11	151	R5163	32	RH134C	107
MH323	113	MWN 2	151	R5164	32	RHS10	115
MH324	113	MWN 3	151	R5165	32	RHS25	115
MH421	113	MWN 4	151	R5166	32	RI412C	110
MH422	113	MWN 6	151	R5175	35	RI434C	110
MH423	113	MWN 8	151	R5176	35	RMDW1AB	48
MH424	113	MWN 9	151	R5177	35	RNWG1	104
MH4821	113	NH7020	265	R5401	34	ROD03	139
MH4822	113	NITEXP200L	267	R5451	34	ROLO5	138
MH4823	113	NITEXP200XL	267	R5455	34	ROLO6	138
MH4824	113	NWBED	40	R5460	34	ROLO8	138
MIB1AB	47	NWBED200-3	40	R5501	34	RSG13	118
MIB1DAB	47	NWBED200-4	40	R5503	34	RSG15	118
MIB1HAAB	48	NWBED2003GF	40	R5553	34	RSP1	173
MIB2AB	47	NWBED2004GF	40	R5555	34	RTB01	138
MIB2HAAB	48	NWBEDTRC	63	R5557	34	RW1	63
MIB3AB	47	NWFBED200-4	42	R5559	34	RWG1	104
MIB4AB	47	NWFBED2004FG	42	R5561	34	RWG10	104
MIB5AB	47	P441	119	R5563	34	RWG1J	104
MSI1	111	P445	119	R5566	34	RWG1T	104
MSI15	112	P450	119	R5570	34	RWG2	104
MSI20	112	P451	119	R5575	34	RWG2J	104
MSI3	111	P454	119	R5581	34	RWG2T	104
MSI4	111	P460	119	R5583	34	RWG3	104
MSI5	111	P461	119	R5585	34	RWG4	104
MSI6	112	P465	119	R5842S	170	RWG5	104
MSI7	112	P466K	119	RAB9000B	75	RWG6	104
MSP1	112	PBS1	105	RAP1414	162	RWG7	104
MWB-10	45	PBS2	105	RAP8X8	162	RWG8	104
MWB-11	45	PR113	139	RC1	124	RWN 1	151
MWB-12	45	PS18	105	RC2	124	RWN 2	151
MWB-13	46	PS26	105	RC3	124	RWN 3	151
MWB-15	46	R1523	34	RC31	124	RWN 4	151
MWB-16	44	R1525	34	RC4	124	RWN 5	151
MWB-17	44	R1623	34	RC41	124	RWN 6	151
MWB-18	44	R1625	34	RC5	124	S 152	153
MWB-19	46	R2012B	67	RCPH12	114	S 202	153
MWB-20	44	R2512B	67	RCPH34	114	S 300	153
MWB-3	44	R2800B	67	RDF 12	148	S 302	153
MWB-4	44	R301	35	RDF 13	148	S 401	153
MWB-5	44	R4702	70	RDF 34	148	S 402	153
MWB-6	44	R4820G	180	RDF 36	148	S12PH	106
MWB-7	44	R4842S	170	REP1	32	S12PV	106
MWB-8	44	R4873K	174	RFHA1	118	S20	105
MWB-9	45	R5002	32	RFS1	34	S2012PH	105
MWB21	46	R5071	32	RFW5	266	S2012PV	105
MWB22	46	R5101	33	RGS7	115	S2034PH	105
MWB23	44	R5103	33	RGS8	115	S2034PV	105
MWB25	44	R5105	33	RH-PW1	266	S26	105

INDEX BY MODEL NUMBER

Product	Page	Product	Page	Product	Page	Product	Page
S2612PH	105	T200TPABSLV	43	TC118SS	263	TG-W-160-25	159
S2612PV	105	T200TPABSQT	43	TC1200	92	TG-W-300-20	159
S2634PH	105	T200TPCPVCHA	43	TC1201	92	TG-W-300-25	159
S2634PV	105	T200TPPLV	43	TC1202	92	TG-WLH-160-20	159
S34PH	106	T200TPPVC	43	TC1211	92	TG-WLH-300-20	159
S34PV	106	T200TPPVCCPVC	43	TC1218	262	TP1	116
S601	153	T200TPPVCHA	43	TC1224	262	TP1B	116
S602	153	T200TPPVCT	43	TC1232	262	TP2	116
S802	153	TA-33-DT398	264	TC150SS	263	TP2B	116
SADGAS	174	TA-CTN-3-1000	269	TC156R	262	TRFAST	258
SCB07	138	TA-CTN-3-300	269	TC200SS	263	TT2	164
SCBLAC	126	TA-DNG-3-1000	269	TC425	264	TT200	43
SCBLG	126	TA-DNG-3-300	269	TC614R	262	TT200QTS	43
SCBRAL	126	TA-DT260BLK	264	TC618R	262	TT200TPABS	43
SCBRG	126	TA-DT260R	264	TC624R	262	TT200TPABSC	43
SCGRAL	126	TA-S260	31	TC656R	262	TT200TPPVC	43
SCGRG	126	TA-S520	31	TC810R	262	TT200TPPVCC	43
SCS-24	262	TA-SW260	31	TG-A-100-20	159	TT200TPPVCCP	43
SCS-36	262	TA-SW520	31	TG-A-15-20	159	TT200TPPVCS	43
SCS-48	262	TA-SX520	31	TG-A-30-20	159	TT200TPPVCSW	43
SDC1	119	TA-USTT1226G	31	TG-A-60-20	159	TT3	164
SM 106	154	TA-USTT1226GRAY	31	TG-A-BAV	159	TT35	164
SO 1	157	TA-USTT1226P	31	TG-A-VCAP	159	TT4	164
SO 2	157	TA-USTT1226Y	31	TG-LF-100-25	158	TX1	116
SO 3	157	TA-USTT1252	31	TG-LF-100-4	158	TX2	116
SO 4	157	TA-UT250FT	269	TG-LF-15-25	158	TX3	116
SS501	108	TC 1	155	TG-LF-15-4	158	VB1	117
SS512	108	TC 1A	156	TG-LF-160-25	158	VB1S	117
SS534	108	TC 1AD	155	TG-LF-160-4	158	VB1SL	117
SSDB1	46	TC 1D	155	TG-LF-200-25	158	VB2	117
SSGB12CSST	60	TC 2	155	TG-LF-30-25	158	VB2L	117
SSGB12IP	60	TC 2A	156	TG-LF-300-25	158	VB3	117
SSGB34IP	60	TC 2AD	155	TG-LF-300-4	158	VB3L	117
SSIB1AB	49	TC 2D	155	TG-LF-400-25	158	VB4	117
SSIB2AB	49	TC 3	155	TG-LF-60-25	158	VB4L	117
SSMIB1AB	49	TC 3A	156	TG-LFVG-30-25	158	VB4X	117
SSMIB2AB	49	TC 3AD	155	TG-LP-05-25	159	VB5	117
SSMIB3AB	49	TC 3D	155	TG-NB-100-20	158	VB5X	117
SSMIB5AB	49	TC 4	155	TG-NB-100-25	158	VP19PC	132
SSMIB6AB	49	TC 4A	156	TG-NB-100-35	159	VP19PP	132
SSMIB7AB	49	TC 4AD	155	TG-NB-15-20	158	VP21PC	132
SSMIB8AB	49	TC 4D	155	TG-NB-15-25	158	VP21PP	132
SSMIB9AB	49	TC 6	155	TG-NB-160-20	158	VP23PC	132
SSWB1	46	TC-125SL	264	TG-NB-160-25	158	VP23PP	132
SSWB1TM	46	TC-158-BLADE	263	TG-NB-200-20	158	VP23RC	132
SSWB2	46	TC-1960L	268	TG-NB-200-25	158	VP23RP	132
SSWB2TM	46	TC-1960M	268	TG-NB-30-20	158	VP25PC	132
SSWB3	46	TC-1960XL	268	TG-NB-30-25	158	VP25PP	132
STP1	157	TC-2-BLADE	263	TG-NB-30-35	159	VP25RC	132
STR04	139	TC-GB-320	266	TG-NB-300-25	158	VP25RP	132
T	43	TC-PC-158	263	TG-NB-300-35	159	VP27PC	132
T200	43	TC-PCHD-2-BD	263	TG-NB-60-20	158	VP27PP	132
T200LV	43	TC-PCSL-138	263	TG-NB-60-25	158	VP27RC	132
T200QT	43	TC-RAGS	266	TG-NB-600-25	158	VP27RP	132
T200TPABS	43	TC110R	262	TG-W-160-20	159	VP31PC	132

Product	Page	Product	Page	Product	Page	Product	Page
VP31PP	132	W4700HACPLF	71	W8911HACPTM	73	WTMLFP6163	127
W2012	67	W4701	70	W8911LD	73	WTMLFP616B	128
W2121	69	W4701CP	70	W8912	72	WTMLFP616BG	127
W2121CP	69	W4701HA	71	W8914CP	72	WTMLFP616G	128
W2122	69	W4701HACP	71	W8914HACP	73	WTMLFP6615	127
W2122CP	69	W4702	70	W9000LV	75	WTMLFP662	127
W2250	69	W4702CP	70	W9800LV	76	WTMLFP663	127
W2250CP	69	W4702HA	71	WB150	40	WTMLFP66B	128
W2312D	67	W4702HACP	71	WB200	40	WTMLFP66BG	127
W2412	67	W4705	70	WB200HA	41	WTMLFP66BTH	128
W2700	67	W4705CP	70	WBE200	41	WTMLFP66G	128
W2700CP	67	W4705HA	71	WBE200GF	41	WTMLFP884	127
W2700HA	68	W4705HACP	71	WBE200HA	41	WTMLFP88B	128
W2700HACP	68	W4711	70	WBE200HAGF	41	WTMLFP88BG	127
W2701	67	W4711CP	70	WBED200	42	WTMLFP88G	128
W2701CP	67	W4711HA	71	WBED200GF	42	WTMP916	128
W2701HA	68	W4711HACP	71	WHS1	135	WTP-270	258
W2701HACP	68	W4722	70	WHS2	135	WTP-270B	258
W2702	67	W4738CP	70	WMP1	135	WTP-488	258
W2702CP	67	W5700	81	WMP2	135	WTP-496	258
W2702HA	68	W5700CP	81	WMP2B	135	WTP-512	258
W2702HACP	68	W5912CSST	81	WMP3	135	WTP-538	258
W2704	67	W5912IP	81	WMP4	135	WTP-659G	258
W2705	67	W5934IP	81	WNWBED200-3	42	WTP-659W	258
W2705CP	67	W7011	84	WNWBED200-4	42	WTP-715	258
W2705HA	68	W7070	84	WNWBED2003GF	42	WTP-907	258
W2705HACP	68	W8411	72	WNWBED2004GF	42	WTP-940	258
W2711	67	W8900	72	WNWBED2004HA	42	WTPFGR20035012PK	129
W2711CP	67	W8900CP	72	WNWBED2004HAGF	42	WTPFGR20035025PK	129
W2711HA	68	W8900CPTM	72	WTGS10NPS05	127	WTPFGR2512PK	129
W2711HACP	68	W8900HACP	73	WTGS10NPS075	127	WTPFGR2525PK	129
W2713	67	W8900HACPTM	73	WTGS10NPS1	127	WTPFGR35065012PK	129
W2722	67	W8900LD	73	WTGS10NPS125	127	WTPFGR35065025PK	129
W2722CP	67	W8901	72	WTGS10NPS15	127	WTPFGR5015012PK	129
W2738	67	W8901CP	72	WTGS10NPS2	127	WTPFGR5015025PK	129
W2738CP	67	W8901CPTM	72	WTGS12ELB	127	WTSB	118
W2800	67	W8901HACP	73	WTGS12ELR	127	WTSB10	118
W2800CP	67	W8901LD	73	WTGS12HVAC4	127	WTSB2734	118
W2800HA	68	W8901LDACP	73	WTGS12HVAC5	127	WTSB32	118
W2800HACP	68	W8901LDHACP	73	WTGS12HVAC6	127	WTSB3210	118
W2800X	67	W8902	72	WTGS12NPS3	127	WTSB4	118
W2801	67	W8902CP	72	WTGS12NPS4	127	WTSBK	118
W2801CP	67	W8902CPTM	72	WTGS15HVAC8	127	WTSR	118
W2801HA	68	W8902HA	73	WTMLFP1218G	128	WTSR10	118
W2801HACP	68	W8902LD	73	WTMLFP2412G	128	WTSR2734	118
W2802HA	68	W8904	72	WTMLFP4102	127	WTSR32	118
W2811	67	W8904CP	72	WTMLFP410B	128	WTSR3210	118
W2811CP	67	W8905	72	WTMLFP410BG	127	WTSR4	118
W2811HA	68	W8905CP	72	WTMLFP410G	128	XTB0224	138
W2811HACP	68	W8905HA	73	WTMLFP6122	127	Z53401	257
W4012	70	W8905HACP	70	WTMLFP6123	127	Z53404	257
W4700	70	W8911	72	WTMLFP612B	128		
W4700CP	70	W8911CP	72	WTMLFP612BG	127		
W4700HA	71	W8911CPTM	72	WTMLFP612G	128		
W4700HACP	71	W8911HACP	73	WTMLFP6162	127		

INDEX BY MODEL NUMBER

Product

Page

Product

Page

Product


Page

Product

Page

NOTES

A series of horizontal dotted lines for taking notes.



IPS[®]

CORPORATION

IPS Corporation
500 Distribution Parkway
Collierville, TN 38017

800-888-8312
901-853-5008 fax

ipscorp.com
plumbing@ipscorp.com