



Table of Contents

1 Terms & Conditions

2 Round Pipe

- 2 KD Pipe
- 3 Spiral Pipe
- 4 6' N-Flex
- 5 7 1/2' & 10' N-Flex

3 Elbows & Angles

- 8 Adjustable 90° Elbows (Straight & Donut)
- 9 Adjustable 45° Angles
- 10 Long Radius Adjustable 90° Elbows & 45° Angles
- 11 Spotwelded Standard & Long Radius 90° Elbows & 45° Angles

4 T-Wyes

- 14 T-Wyes & True Tees
- 15 Dual Branch T-Wyes & Dual Branch True Tees
- 16 Splitter Wyes
- 17 Pant Wyes
- 18 Vent Wyes and Tees & T-Wye Branches

5 Saddle Taps

- 20 Saddle Taps 45° & 90° Flat and Non-Specific Radius
- 21 Saddle Taps 45° & 90° for Spiral
- 22 Rectangular Saddle Taps

6 Reducers & Tapers

- 24 T-Wye Reducers & Short Tapers
- 25 Sure-fit Reducers/Increasers
- 26 Pancake Reducers/Increasers & Flue Reducers

7 Collars, Connectors & Dampers

- 28 Start Collars & Heavy Duty Start Collars
- 29 Air-Tite Start Collars & Duct Board Start Collars
- 30-31 Sheet Metal Spin-Ins
- 32 Damper Disks & Volume Dampers

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Table of Contents

8 Collars, Connectors & Dampers (continued)

33 Spiral Pipe Coupling & FS Connectors

34 Round End Caps

9 Ceiling Boxes, Riser, Register, Perimeter Material

36 Standard Ceiling Boxes & B-Boxes

37 Side Outlet Ceiling Box & 8"-14" Ceiling Boxes

38-39 Return Air Cans

40-41 Floor Boxes

42 Register Boxes

43 Register Boots

44 Perimeter Boot

45 Perimeter Boot Adapter & Concrete Box

46 Riser Pipe & Riser Elbows

10 Roofing Products

48 Conductor Flashings, Cooler Flashings & Cooler Clips

49 T-Tops & China Caps

50 Econo Vents, Bonnet Tops, Plumbing Flashings & Roof Curbs

51 Canted Fan Curbs & Vented Fan Curbs

52 Rotary Bases

11 Vent, Linear, & Hanger Material

54 Wall Cap & Dryer Vent

55 Eyebrows, Fan Boots, Vent Material, Conductor Pipe & Vent Pipe

56 Linear Material & Flat Stock

57 Angle Material & Hanger Material

58 Soffit Boxes & Combustion Air Cans

12 Specialties

60-61 Sleeves & Plenums

62 Mixing Boxes & Drain Pans

Terms and Conditions

Guarantee	Air Duct Products, Inc. (ADP) products are guaranteed to be free from defects in material and workmanship.
Prices	Prices in the ADP catalog are list prices. Your Customer Service Representative will provide you with the multiplier to calculate net prices. Prices in this catalog, as well as multipliers and terms, are subject to change without notice.
Terms	Purchases made during the billing cycle (<i>26th of the prior month through the 25th of the current month</i>) will be due the 10th of the following month. If paid by the 10th a 2% discount will be allowed. All amounts will be net the 11th and no discounts will be allowed. Balances not paid by the 25th of the month will be considered delinquent and assessed a finance charge of 1% per month.
Acceptance of Orders	Orders are subject to ADP approval and are not binding until officially approved. You will receive a sales order acknowledgment on the same day of receipt of your purchase order.
Change Orders and Cancellations	Orders for custom and non-standard items are non-cancelable after production has begun the manufacturing process. Orders for ADP standard items may be cancelled at no charge providing material has not been staged or loaded. Cancellation after standard orders have been staged or loaded are subject to a 5% cancellation fee. Change orders may be made within 24 hours of receipt of original order and must be in writing. Changes made after 24 hours may result in re-scheduling delivery of the order.
Codes and Ordinances	The customer assumes all responsibility for ordering material in proper gauges and specifications to meet the requirements of the job, local codes and ordinances.
Shipping	Orders are F.O.B. Air Duct Products, Inc., Fullerton, California. Full Freight Allowed (FFA) deliveries are available within designated ADP delivery areas. Orders of \$1000.00 are freight prepaid. Deliveries to areas not covered by our scheduled service area can be arranged. Delivery schedule and terms are subject to change without notice. ADP will confirm all orders the day prior to delivery. Damaged goods or shortages must be reported to the ADP Customer Service Department within 48 hours of delivery for consideration. ADP will not be held responsible for failure to deliver when conditions are beyond our control.

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Terms and Conditions


Job Site Deliveries	Job site deliveries can be made by special arrangement and will include a \$50.00 delivery charge per drop off. There will also be a \$25.00 per half hour waiting charge. A legible map with clear instructions to the job site, including the name and phone number of the person responsible for receipt of delivery must be provided. Make certain the site can be accessed by a tractor and 53 foot trailer and provide a suitable drop-off place.
Will Calls	Scheduled will calls are available at ADP between the hours of 8:00 am and 5:00 pm, Monday through Friday.
Packaging	Where applicable, standard product sizes and packaging are indicated in the ADP catalog. ADP reserves the right to change the standard packaging and quantities as necessary. Packaging standards are established by ADP unless otherwise arranged.
Returns	Returns and replacements are subject to prior approval via a Returned Goods Authorization (RGA). Calls should be made within 48 hours of delivery. Non-standard and custom order items are non-returnable. Returns will not be accepted without an RGA. A 15% re-stocking charge will apply to all returns of stock items in resalable condition. Credit will be issued upon verification and acceptance of return.
Material	ADP products are made from galvanized prime material, unless otherwise indicated.
Miscellaneous	ADP reserves the right to revise or improve its products, packaging, pricing, delivery times, and other services without prior notice. All orders are subject to credit approval.

AIR DUCT PRODUCTS



951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387



KD Pipe



Spiral Pipe



N-Flex

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

36" KD Pipe


SIZE	30 GA
3"	\$ 5.22
4"	6.50
5"	7.76
6"	9.04
7"	10.30
8"	11.58
9"	12.84
10"	14.10

SIZE	28 GA
12"	\$ 17.63
14"	20.31
16"	23.28

SIZE	26 GA
3"	\$ 6.74
4"	8.46
5"	10.15
6"	11.87
7"	13.56
8"	15.28
9"	16.97
10"	18.66
12"	22.03
14"	25.41
16"	29.16
18"	32.57
20"	35.88

SIZE	24 GA
5"	\$ 12.30
6"	14.42
7"	16.49
8"	18.61
9"	20.69
10"	22.77
12"	26.92
14"	31.07
16"	35.68
18"	39.88
20"	43.95
22"	48.14
24"	52.54
26"	56.53
28"	60.68
30"	64.92

5021./5025.



5021. 36" KD

5025. 60" KD

60" KD Pipe

SIZE	30 GA
3"	\$ 8.27
4"	10.40
5"	12.50
6"	14.63
7"	16.73
8"	18.87
9"	20.96
10"	23.06

SIZE	28 GA
12"	\$ 28.95
14"	33.41
16"	38.36

SIZE	26 GA
3"	\$ 10.80
4"	13.67
5"	16.48
6"	19.35
7"	22.16
8"	25.03
9"	27.85
10"	30.66
12"	36.29
14"	41.92
16"	48.16

SIZE	24 GA
5"	\$ 20.06
6"	23.59
7"	27.05
8"	30.58
9"	34.05
10"	37.51
12"	44.43
14"	51.35
16"	59.03

Sold in quantities of:

3" & 4" 5 per bundle

5" - 16" 10 per bundle

18" - 30" shipped loose

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


10' Spiral Pipe

SIZE	26 GA
4"	\$ 21.44
5"	30.36
6"	35.86
7"	41.30
8"	47.34
9"	53.26
10"	60.24
12"	71.72
14"	84.20
16"	95.62
18"	107.58
20"	137.98

SIZE	24 GA
4"	\$ 34.34
5"	41.30
6"	51.32
7"	60.78
8"	67.20
9"	77.22
10"	84.68
12"	101.14
14"	118.54
16"	130.96
18"	147.96
20"	163.36
22"	180.30
24"	198.22
26"	217.14
28"	236.08
30"	252.48

SIZE	22 GA
7"	\$ 62.72
8"	71.14
9"	79.58
10"	89.82
12"	108.08
14"	127.18
16"	141.88
18"	160.56
20"	177.46
22"	196.54
24"	217.00
26"	233.90
28"	251.22
30"	269.90

5011.



5011. *Crimp by raw*

5012. *Raw by raw*

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

N-Flex 6 Foot



Underwriters
Laboratories

With Collars	
<i>Insulated</i>	
TYPE	R4.2
SIZE	5066.
4"	\$ 17.96
5"	20.60
6"	23.15
7"	25.65
8"	28.24
9"	31.09
10"	33.66
12"	39.68
14"	46.05
16"	52.13
18"	57.69
20"	65.37
22"	72.31
24"	81.35



With Collars	
<i>Insulated</i>	
TYPE	R6
SIZE	5065.
4"	\$ 20.44
5"	22.77
6"	25.36
7"	28.49
8"	31.53
9"	34.59
10"	37.27
12"	43.56
14"	50.37
16"	56.52
18"	62.40
20"	69.98
22"	77.23

With Collars	
<i>Insulated</i>	
TYPE	R8
SIZE	5064.
4"	\$ 26.19
5"	29.24
6"	32.44
7"	36.15
8"	39.33
9"	42.99
10"	46.91
12"	53.56
14"	61.51
16"	69.23
18"	76.79
20"	87.49
22"	97.69

With Collars	
<i>Bare</i>	
TYPE	Uncomp.
SIZE	5042.
4"	\$ 7.45
5"	8.76
6"	10.08
7"	11.45
8"	12.76
9"	14.08
10"	15.39
12"	18.08
14"	21.30
16"	24.41
18"	27.04
20"	30.49
22"	33.12
24"	35.75

No Collars	
<i>Bare</i>	
TYPE	Uncomp.
SIZE	5049.
4"	\$ 4.99
5"	6.24
6"	7.30
7"	8.37
8"	9.44
9"	10.51
10"	11.88
12"	14.02
14"	16.15
16"	18.53
18"	20.67
20"	23.16
22"	25.30
24"	28.03

N-Flex Standards:
Sealed male/female locking collar
22" & 24" are not UL Approved



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

N-Flex 7.5 Foot



Underwriters
Laboratories

With Collars	
<i>Insulated</i>	
TYPE	R4.2
SIZE	5067.
4"	\$ 21.19
5"	24.45
6"	27.60
7"	30.68
8"	33.88
9"	37.40
10"	40.57
12"	47.98
14"	55.56
16"	62.89
18"	69.76
20"	78.83
22"	87.38
24"	98.08

With Collars	
<i>Insulated</i>	
TYPE	R6
SIZE	5068.
4"	\$ 24.12
5"	27.00
6"	30.19
7"	34.02
8"	37.75
9"	41.50
10"	44.81
12"	52.52
14"	60.61
16"	68.02
18"	75.25
20"	84.18
22"	93.04

With Collars	
<i>Insulated</i>	
TYPE	R8
SIZE	5069.
4"	\$ 32.96
5"	36.91
6"	41.04
7"	45.85
8"	49.95
9"	54.70
10"	59.78
12"	68.39
14"	78.34
16"	88.11
18"	97.91
20"	111.29
22"	124.60

With Collars	
<i>Bare</i>	
TYPE	Uncomp.
SIZE	5043.
4"	\$ 8.78
5"	10.43
6"	12.08
7"	13.78
8"	15.43
9"	17.08
10"	18.73
12"	22.09
14"	25.98
16"	29.76
18"	33.06
20"	37.17
22"	40.47
24"	43.77

N-Flex 10 Foot



Underwriters
Laboratories

Compressed		
SIZE	5041.	
3"	\$ 6.79	36 per box
4"	8.77	25 per box

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Notes


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Adjustable 90° Elbows




*Spotwelded & Long Radius
90° Elbows*



Adjustable 45° Angles



*Spotwelded & Long Radius
45° Angles*



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Straight (standard) Elbows

SIZE	30 GA
3"	\$ 1.70
4"	1.97
5"	2.52
6"	3.21
7"	3.86
8"	4.64
9"	6.13
10"	7.53

SIZE	28 GA
12"	\$ 9.19
14"	12.01
16"	14.59

SIZE	26 GA
3"	\$ 2.04
4"	2.43
5"	3.14
6"	4.03
7"	4.90
8"	5.93
9"	7.79
10"	9.12
12"	11.21
14"	14.71
16"	17.91

SIZE	24 GA
12"	\$ 13.45
14"	17.71
16"	21.58

Sold in quantities of:

5227. Straight

3" 81 per tray

4" 98 per tray

5" 72 per tray

6" 50 per tray

7" - 9" 32 per tray

10" & 12" 18 per tray

14" & 16" 8 per tray


Donut (turned 90°) Elbows

SIZE	30 GA
6"	\$ 3.66
7"	4.31
8"	5.10
9"	6.59
10"	7.99

SIZE	28 GA
12"	\$ 9.68
14"	12.49
16"	15.08

SIZE	26 GA
6"	\$ 4.49
7"	5.36
8"	6.40
9"	8.28
10"	9.61
12"	11.72
14"	15.21
16"	18.44
18"	30.74
20"	37.02
22"	47.58

SIZE	24 GA
12"	\$ 13.93
14"	18.25
16"	22.13
18"	35.46
20"	42.26
22"	54.43
24"	66.52
26"	73.07
28"	91.96



Sold in quantities of:

5221. Donut

6" - 10" 12 per bundle

12" - 16" 4 per bundle

18" & up Loose 90°

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Adjustable Angles

SIZE	30 GA
5"	\$ 1.68
6"	3.30
7"	3.54
8"	4.08
9"	4.68
10"	5.59

SIZE	28 GA
12"	\$ 7.82
14"	8.73
16"	9.62

SIZE	26 GA
5"	\$ 2.06
6"	3.82
7"	4.14
8"	4.87
9"	5.68
10"	6.58
12"	9.24
14"	10.39
16"	11.51
18"	13.23
20"	17.21
22"	18.64

SIZE	24 GA
8"	\$ 5.58
9"	6.58
10"	7.69
12"	10.82
14"	12.23
16"	13.61
18"	15.59
20"	20.48
22"	22.24
24"	25.30
26"	28.61
28"	32.15




- 5227.** *Straight Elbows*
5221. *Donut Elbows*
5201. *Adjustable Angles*

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Long Radius Adjustable Elbows

5228.



Long Radius Elbow Standards:

- Male x Female crimp one end
- 5 Gore
- 1.5 x Radius

SIZE	26 GA
5"	\$ 8.94
6"	10.44
7"	12.17
8"	14.16
9"	16.29
10"	21.06
12"	26.46
14"	32.96
16"	40.23
18"	50.17

SIZE	24 GA
5"	\$ 9.91
6"	11.76
7"	13.88
8"	16.33
9"	18.95
10"	24.27
12"	30.90
14"	38.90
16"	47.84
18"	59.66
20"	70.85


SIZE	22 GA
5"	\$ 11.18
6"	13.48
7"	16.12
8"	19.18
9"	22.44
10"	28.49
12"	36.75
14"	46.72
16"	57.86
18"	72.14
20"	86.10

5228. Long Radius Adjustable Elbows

5208. Long Radius Adjustable Angles

Long Radius Adjustable Angles

5208.



Long Radius Angle Standards:

- Male x Female crimp one end
- 3 Gore
- 1.5 x Radius

SIZE	26 GA
5"	\$ 5.40
6"	6.24
7"	7.19
8"	8.28
9"	9.43
10"	11.43
12"	14.34
14"	17.73
16"	21.54
18"	26.98

SIZE	24 GA
5"	\$ 5.99
6"	7.02
7"	8.19
8"	9.53
9"	10.94
10"	13.24
12"	16.81
14"	20.99
16"	25.67
18"	32.10
20"	37.91

SIZE	22 GA
5"	\$ 6.76
6"	8.05
7"	9.51
8"	11.18
9"	12.93
10"	15.62
12"	20.07
14"	25.28
16"	31.12
18"	38.83
20"	46.08

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Spotwelded Standard & Long Radius Elbows

SIZE	26 GA
6"	\$ 13.70
7"	15.44
8"	17.40
9"	21.85
10"	24.26
12"	29.77
14"	37.88
16"	45.18
18"	53.29

SIZE	24 GA
6"	\$ 15.03
7"	17.17
8"	19.58
9"	24.53
10"	27.51
12"	34.28
14"	43.86
16"	52.84
18"	62.94
20"	74.14

SIZE	22 GA
6"	\$ 16.78
7"	19.44
8"	22.46
9"	28.07
10"	31.77
12"	40.21
14"	51.73
16"	62.93
18"	75.51
20"	89.46




- 5225.** Spotwelded Standard Radius 90° Elbows
- 5224.** Spotwelded Long Radius 90° Elbows
- 5205.** Spotwelded Standard 45° Angles
- 5204.** Spotwelded Long Radius 45° Angles

Spotwelded Standard & Long Radius Angles

SIZE	26 GA
6"	\$ 8.19
7"	9.15
8"	10.22
9"	13.78
10"	15.07
12"	16.63
14"	22.18
16"	26.01
18"	31.28

SIZE	24 GA
6"	\$ 8.98
7"	10.16
8"	11.48
9"	15.31
10"	16.90
12"	18.81
14"	25.46
16"	30.17
18"	36.42
20"	42.24

SIZE	22 GA
6"	\$ 10.02
7"	11.49
8"	13.14
9"	17.32
10"	19.31
12"	21.69
14"	29.78
16"	35.65
18"	43.19
20"	50.44



- Please specify the following:*
- Male x Female, Male x Male or Female x Female
 - Standard Radius (.75) or Long Radius (1.5) same price
- Standard is Male x Female crimp one end

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Notes

AIR DUCT PRODUCTS


951.351.8484 office

714.563.0888 office


714.563.0887 fax

800.974.3387


T-Wyes




Dual Branch T-Wyes




True Tees




Dual Branch True Tees




Splitter Wyes




Pant Wyes



Vent Wyes



Vent Tees



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

T-Wyes


SIZE	30 GA
3"	\$ 5.10
4"	5.75
5"	6.32
6"	7.23
7"	8.07
8"	8.71
9"	9.62
10"	11.17

SIZE	28 GA
12"	\$ 15.08
14"	18.41
16"	22.20

SIZE	26 GA
3"	\$ 5.88
4"	6.86
5"	8.38
6"	9.11
7"	10.16
8"	11.76
9"	13.14
10"	14.20
12"	18.34
14"	22.30
16"	25.37
18"	32.20
20"	36.20
22"	43.15
24"	53.12

SIZE	24 GA
6"	\$ 10.68
7"	12.09
8"	13.36
9"	14.57
10"	17.30
12"	20.58
14"	26.61
16"	29.16
18"	33.82
20"	41.02
22"	50.21
24"	61.01
26"	85.14
28"	93.17

SIZE	22 GA
8"	\$ 16.12
9"	19.03
10"	21.97
12"	24.77
14"	32.28
16"	35.45
18"	47.36
20"	50.52
22"	61.69
24"	75.50
26"	100.10
28"	115.22
30"	131.99
32"	162.92
34"	170.10



True Tees


SIZE	30 GA
5"	\$ 6.84
6"	7.79
7"	8.84
8"	10.00
9"	11.26
10"	12.63

SIZE	28 GA
5"	\$ 7.05
6"	8.06
7"	9.18
8"	10.41
9"	11.75
10"	13.21
12"	16.45
14"	20.14
16"	24.27

SIZE	26 GA
5"	\$ 7.96
6"	9.24
7"	10.65
8"	12.20
9"	13.90
10"	15.73
12"	19.83
14"	24.48
16"	29.69
18"	35.47
20"	41.81
22"	48.71
24"	56.18

SIZE	24 GA
12"	\$ 23.57
14"	29.29
16"	35.70
18"	42.81
20"	50.60
22"	59.09
24"	68.27
26"	78.14
28"	88.71
30"	99.97

SIZE	22 GA
20"	\$ 62.18
22"	72.76
24"	84.20
26"	96.49
28"	109.66
30"	123.69



5101. T-Wyes

5121. True Tees

5111. Dual Branch T-Wyes

5125. Dual Branch True Tees

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Dual Branch T-Wyes


SIZE	30 GA
5"	\$ 10.31
6"	11.92
7"	13.73
8"	15.75
9"	17.96
10"	20.36

SIZE	28 GA
5"	\$ 10.65
6"	12.36
7"	14.29
8"	16.43
9"	18.78
10"	21.35
12"	27.14
14"	33.80
16"	41.30

SIZE	26 GA
5"	\$ 12.10
6"	14.26
7"	16.70
8"	19.40
9"	22.36
10"	25.60
12"	32.91
14"	41.30
16"	50.78
18"	61.34
20"	72.98
22"	85.70
24"	99.50

SIZE	24 GA
12"	\$ 39.30
14"	49.63
16"	61.28
18"	74.27
20"	88.58
22"	104.23
24"	121.21
26"	139.52
28"	159.16
30"	180.13

SIZE	22 GA
20"	\$ 109.12
22"	128.61
24"	149.77
26"	172.59
28"	197.07
30"	223.20



Dual Branch True Tees


SIZE	30 GA
5"	\$ 10.46
6"	11.75
7"	13.18
8"	14.75
9"	16.45
10"	18.30

SIZE	28 GA
5"	\$ 10.75
6"	12.12
7"	13.65
8"	15.32
9"	17.13
10"	19.10
12"	23.47
14"	28.44
16"	33.99

SIZE	26 GA
5"	\$ 12.01
6"	13.74
7"	15.67
8"	17.77
9"	20.06
10"	22.55
12"	28.06
14"	34.33
16"	41.34
18"	49.10
20"	57.60
22"	66.86
24"	76.86

SIZE	24 GA
12"	\$ 33.15
14"	40.85
16"	49.47
18"	59.02
20"	69.48
22"	80.86
24"	93.16
26"	106.38
28"	120.53
30"	135.58

SIZE	22 GA
20"	85.11
22"	99.30
24"	114.62
26"	131.09
28"	148.72
30"	167.48



AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Splitter Wyes

SIZE	30 GA
6 x x	\$ 13.34
6 x 4 x 4	11.28
8 x x	17.40
8 x 6 x 4	12.32
8 x 6 x 6	12.86
8 x 8 x 6	14.29
9 x x	16.06
9 x 7 x 7	15.36
10 x x	21.96
10 x 6 x 6	14.47
10 x 8 x 6	17.45
10 x 8 x 8	17.81
10 x 10 x 6	19.48
10 x 10 x 8	21.25

SIZE	28 GA
12 x x	\$ 28.03
12 x 8 x 8	18.74
12 x 10 x 6	22.65
12 x 10 x 8	22.66
12 x 10 x 10	23.12
12 x 12 x 6	23.92
14 x x	32.55
14 x 10 x 10	24.51
14 x 12 x 8	25.80
14 x 12 x 10	26.97
14 x 12 x 12	28.01
16 x x	41.38
16 x 12 x 12	31.78
16 x 14 x 10	32.01
16 x 14 x 12	34.70
16 x 14 x 14	35.28

SIZE	26 GA
6 x x	\$ 15.88
6 x 4 x 4	13.11
8 x x	21.11
8 x 6 x 4	14.52
8 x 6 x 6	15.24
9 x x	19.43
9 x 7 x 7	18.59
10 x x	27.05
10 x 6 x 6	17.00
10 x 8 x 6	21.00
10 x 8 x 8	21.47
10 x 10 x 6	23.72
10 x 10 x 8	26.09
12 x x	32.15
12 x 8 x 8	20.72
12 x 10 x 6	25.66
12 x 10 x 8	25.70
12 x 10 x 10	26.80
12 x 12 x 6	27.19
14 x x	37.86
14 x 10 x 10	25.53
14 x 12 x 8	29.42
14 x 12 x 10	30.82
14 x 12 x 12	32.05
16 x x	48.09
16 x 12 x 12	36.27
16 x 14 x 10	36.52
16 x 14 x 12	39.88
16 x 14 x 14	39.98
18 x x	50.39



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Pant Wyes

SIZE	30 GA
6"	\$ 15.25
7"	15.70
8"	16.20
9"	17.35
10"	18.75

SIZE	28 GA
6"	\$ 16.50
7"	17.00
8"	17.51
9"	18.70
10"	20.20
12"	21.75
14"	24.50
16"	28.25


SIZE	26 GA
6"	\$ 17.82
7"	18.36
8"	19.00
9"	19.75
10"	21.00
12"	22.50
14"	25.10
16"	29.25
18"	35.00
20"	42.00

SIZE	24 GA
10"	22.68
12"	25.30
14"	28.90
16"	33.60
18"	41.20
20"	50.00

SIZE	22 GA
16"	36.96
18"	45.32
20"	55.00

5133. *Splitter Wyes*


5131. *Pant Wyes*




AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Vent Wyes and Tees (Reverse Flow)



A
5152.



A
5151.

SIZE	30 GA
3"	\$ 5.88
4"	6.46
5"	7.03
6"	7.67
7"	8.75
8"	9.61
9"	10.62
10"	11.65

SIZE	28 GA
3"	\$ 5.99
4"	6.61
5"	7.22
6"	7.89
7"	9.05
8"	9.96
9"	11.04
10"	12.13
12"	14.05
14"	16.86
16"	18.73

SIZE	26 GA
3"	\$ 6.47
4"	7.25
5"	8.02
6"	8.87
7"	10.33
8"	11.48
9"	12.84
10"	14.22
12"	16.64
14"	20.19
16"	22.55
18"	25.69


SIZE	24 GA
6"	\$ 9.96
7"	11.75
8"	13.16
9"	14.84
10"	16.54
12"	19.52
14"	23.87
16"	26.77
18"	30.64

5151. *Vent Wyes*

5152. *Vent Tees*

5106. *T-Wye Branches*

T-Wye Branches



5106

SIZE	30 GA
3"	\$ 1.91
4"	2.17
5"	2.75
6"	3.09
7"	3.63
8"	4.09
9"	4.43
10"	5.48





SIZE	28 GA
3"	\$ 1.96
4"	2.23
5"	2.85
6"	3.21
7"	3.79
8"	4.28
9"	4.64
10"	5.75
12"	7.14

SIZE	26 GA
3"	\$ 2.16
4"	2.50
5"	3.28
6"	3.74
7"	4.47
8"	5.09
9"	5.54
10"	6.95
12"	8.70





AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Saddle Taps




Rectangular Saddle Taps




AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387




5301.



5303.



5307.



5309.

- 5301.** 45° Flat
- 5302.** 45° Flat with Damper
- 5303.** 45° Radius
- 5304.** 45° Radius with Damper
- 5307.** 90° Flat
- 5308.** 90° Flat with Damper
- 5309.** 90° Radius
- 5310.** 90° Radius with Damper

Saddle Taps - Flat & Non-specified Radius

28 GA	No Damper		w/Damper	
SIZE	45°	90°	45°	90°
5"	\$ 6.61	\$ 4.79	\$ 12.93	\$ 11.11
6"	7.38	5.30	13.81	11.72
7"	8.22	5.85	14.75	12.38
8"	9.50	6.44	16.17	13.11
9"	10.63	6.99	17.45	13.81
10"	11.60	7.75	18.60	14.74

26 GA	No Damper		w/Damper	
SIZE	45°	90°	45°	90°
5"	\$ 7.56	\$ 5.42	\$ 13.94	\$ 11.80
6"	8.54	6.06	15.04	12.56
7"	9.59	6.76	16.24	13.40
8"	11.21	7.50	18.02	14.32
9"	12.63	8.20	19.64	15.20
10"	13.87	9.16	21.08	16.38
12"	17.37	11.02	25.09	18.74
14"	21.33	13.11	29.65	21.42
16"	25.38	15.41	34.39	24.41
18"	33.78	17.93	43.57	27.72

24 GA	No Damper		w/Damper	
SIZE	45°	90°	45°	90°
5"	\$ 8.62	\$ 6.12	\$ 15.05	\$ 12.56
6"	9.82	6.91	16.41	13.50
7"	11.12	7.77	17.88	14.53
8"	13.10	8.68	20.07	15.65
9"	14.86	9.54	22.06	16.74
10"	16.37	10.72	23.84	18.19
12"	20.69	13.01	28.77	21.10
14"	25.56	15.58	34.37	24.39
16"	30.54	18.41	40.20	28.07
18"	40.87	21.51	51.50	32.14


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Saddle Taps - Specified Radius

28 GA	No Damper		w/Damper	
SIZE	45°	90°	45°	90°
5"	\$ 7.35	\$ 6.28	\$ 13.68	\$ 12.61
6"	8.32	6.90	14.74	13.32
7"	9.39	7.37	15.93	13.91
8"	10.71	8.16	17.38	14.83
9"	12.15	8.76	18.97	15.58
10"	13.46	9.57	20.45	16.56


5305.



*Sized to Fit
Specific Radius*

26 GA	No Damper		w/Damper	
SIZE	45°	90°	45°	90°
5"	\$ 8.28	\$ 6.93	\$ 14.66	\$ 13.31
6"	9.50	7.71	16.00	14.21
7"	10.86	8.31	17.50	14.95
8"	12.52	9.31	19.33	16.12
9"	14.33	10.06	21.33	17.06
10"	15.99	11.08	23.21	18.30
12"	20.19	13.35	27.91	21.07
14"	24.27	15.62	32.59	23.93
16"	29.69	17.85	38.70	26.86
18"	35.69	20.76	45.48	30.54

5311.



5305. 45°

5306. 45° with Damper

5311. 90°

5312. 90° with Damper

Please specify the following on your order:

- Branch diameter
- Spiral Pipe diameter
- 45° or 90°

(e.g. 10" tap on 14" pipe 45° Saddle Tap)


24 GA	No Damper		w/Damper	
SIZE	45°	90°	45°	90°
5"	\$ 9.31	\$ 7.65	\$ 15.75	\$ 14.09
6"	10.82	8.61	17.40	15.19
7"	12.48	9.35	19.24	16.11
8"	14.52	10.57	21.49	17.54
9"	16.75	11.50	23.96	18.70
10"	18.79	12.75	26.26	20.22
12"	23.96	15.55	32.05	23.63
14"	28.98	18.34	37.80	27.15
16"	35.65	21.09	45.31	30.75
18"	43.03	24.65	53.66	35.28

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Rectangular Saddle Taps


Style 1




Style 2



Style 3



Style 4



SIZE	Price
6 x 4	\$ 14.61
6 x 6	15.92
8 x 4	15.32
8 x 6	16.69
10 x 4	16.03
10 x 6	17.46
10 x 8	19.00
12 x 4	16.74
12 x 6	18.22
12 x 8	19.83
12 x 10	21.55
14 x 6	18.99
14 x 8	20.65
14 x 10	22.44
14 x 12	24.34
16 x 6	19.76
16 x 8	21.48

SIZE	Price
16 x 10	\$ 23.32
16 x 12	25.28
16 x 14	27.36
18 x 6	20.60
18 x 8	22.30
18 x 10	24.20
18 x 12	26.22
18 x 14	28.36
20 x 6	21.29
20 x 8	23.13
20 x 10	25.09
20 x 12	27.16
20 x 14	29.36
20 x 16	31.67
24 x 8	24.78
24 x 10	26.85
24 x 12	29.05

Saddle Tap Standards:

- 26 GA, 6" tall with 1" flange
- Place order by measurements of inside dimension

Example for type 1 & 3:

12 x 6 measures 14 x 8 outside dimension

Please specify the following on your order:


- Pipe diameter saddle is to fit
- Inside dimensions of Saddle Tap
- Style of Saddle Tap (1,2,3 or 4)

Example: 12 x 6 on 18 Style 2


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


T-Wye Reducer




Short Taper




Sure-fit Reducer




Sure-fit Increaser




Pancake Increaser



Pancake Reducer



Flue Reducer



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


T-Wye Reducers

SIZE	30 GA
4 x —	\$ 2.04
5 x —	2.46
6 x —	2.84
7 x —	3.06
8 x —	3.66
9 x —	4.05
10 x —	4.39

SIZE	28 GA
9 x —	\$ 4.25
10 x —	4.61
12 x —	5.96
14 x —	7.34
16 x —	8.86

SIZE	26 GA
4 x —	\$ 2.42
5 x —	2.97
6 x —	3.49
7 x —	3.78
8 x —	4.59
9 x —	5.12
10 x —	5.57
12 x —	7.27
14 x —	9.02
16 x —	10.92
18 x —	12.24
20 x —	14.03

SIZE	24 GA
4 x —	\$ 2.76
5 x —	3.44
6 x —	4.07
7 x —	4.43
8 x —	5.43
9 x —	6.07
10 x —	6.63
12 x —	8.72
14 x —	10.87
16 x —	13.22
18 x —	14.77
20 x —	16.85



6"
5241.

5241. T-Wye Reducers

5242. Short Tapers

T-Wye Reducer Standards:

- 6" tall
- One bead
- Maximum recommended reduction is two (2) inches

Short Tapers


SIZE	30 GA
4 x —	\$ 2.36
5 x —	2.79
6 x —	3.23
7 x —	3.60
8 x —	4.10
9 x —	4.65
10 x —	5.09

SIZE	28 GA
9 x —	\$ 4.89
10 x —	5.36
12 x —	6.88
14 x —	8.11
16 x —	9.17

SIZE	26 GA
4 x —	\$ 2.84
5 x —	3.42
6 x —	4.01
7 x —	4.50
8 x —	5.18
9 x —	5.92
10 x —	6.52
12 x —	8.43
14 x —	9.98
16 x —	10.38
18 x —	11.32
20 x —	11.75

SIZE	24 GA
4 x —	\$ 3.28
5 x —	3.99
6 x —	4.71
7 x —	5.32
8 x —	6.15
9 x —	7.06
10 x —	7.80
12 x —	10.15
14 x —	12.06
16 x —	12.55
18 x —	13.71
20 x —	14.24

5242.



Short Taper Standards:

- 9" tall
- Two beads

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Sure-fits

SIZE	30 GA
4 x —	\$ 3.41
5 x —	3.83
6 x —	4.24
7 x —	4.62
8 x —	5.19
9 x —	5.93
10 x —	6.51

SIZE	28 GA
12 x —	\$ 7.99
14 x —	8.51
16 x —	9.97


SIZE	26 GA
4 x —	\$ 3.87
5 x —	4.42
6 x —	4.98
7 x —	5.49
8 x —	6.26
9 x —	7.25
10 x —	7.84
12 x —	8.91
14 x —	9.49
16 x —	11.21
18 x —	12.53
20 x —	14.36
22 x —	16.22
24 x —	21.45

SIZE	24 GA
4 x —	\$ 4.27
5 x —	4.96
6 x —	5.65
7 x —	6.27
8 x —	7.22
9 x —	8.43
10 x —	9.04
12 x —	10.48
14 x —	11.19
16 x —	13.30
18 x —	14.93
20 x —	17.18
22 x —	19.47
24 x —	25.90

5244. *Sure-fit Reducer*


5234. *Sure-fit Increaser*

5244.



- Sure-fit Reducer Standards:*
- Total height of 7"
 - 2" tall collar at each end
 - Crimp is on small end

5234.



- Sure-fit Increaser Standards:*
- Total height of 7"
 - 2" tall collar at each end
 - Crimp is on large end

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Pancakes


SIZE	30 GA
4 x —	\$ 2.71
5 x —	3.01
6 x —	3.22
7 x —	3.42
8 x —	3.63
9 x —	3.86
10 x —	4.10

SIZE	28 GA
12 x —	\$ 4.81
14 x —	5.47
16 x —	6.15


SIZE	26 GA
4 x —	\$ 2.93
5 x —	3.33
6 x —	3.60
7 x —	3.87
8 x —	4.16
9 x —	4.46
10 x —	4.80
12 x —	5.52
14 x —	6.35
16 x —	7.22
18 x —	8.09
20 x —	8.97

SIZE	24 GA
4 x —	\$ 3.12
5 x —	3.62
6 x —	3.95
7 x —	4.28
8 x —	4.63
9 x —	5.01
10 x —	5.42
12 x —	6.31
14 x —	7.33
16 x —	8.40
18 x —	9.47
20 x —	10.55

5245.



5235.



Pancake Reducer Standards:

- Total height of 5"
- 2" tall collar at small end
- 3" tall collar at large end
- Crimp on small end

Pancake Increaser Standards:

- Total height 5"
- 2" tall collar at small end
- 3" tall collar at large end
- Crimp on large end


5245. Pancake Reducer

5235. Pancake Increaser

5248. Flue Reducer

Flue Reducers

5248.




SIZE	30 GA
4 x —	\$ 1.81
5 x —	1.97
6 x —	2.15
7 x —	2.34
8 x —	2.49

SIZE	26 GA
4 x —	\$ 1.95
5 x —	2.16
6 x —	2.40
7 x —	2.66
8 x —	2.85



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Start Collars




Duct Board Start Collars




Air-Tite Start Collars




Spin-Ins




Dampers




Round End Cap




Round End Plug




Volume Dampers



Spiral Coupling



FS Connectors



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Start Collars

30 GA	5250.	5251.
SIZE	5"	6"
4"	\$ 1.20	\$ 1.55
5"	1.38	1.76
6"	1.55	1.97
7"	1.73	2.18
8"	1.92	2.41
9"	2.10	2.60
10"	2.28	2.82
12"	2.63	3.24
14"	3.04	3.66
16"	3.39	4.08
18"	3.74	4.50
20"	4.10	4.93

26 GA	5250.	5251.
SIZE	5"	6"
4"	\$ 1.46	\$ 1.86
5"	1.70	2.14
6"	1.93	2.43
7"	2.17	2.71
8"	2.42	3.01
9"	2.66	3.27
10"	2.90	3.57
12"	3.37	4.13
14"	3.91	4.70
16"	4.38	5.26
18"	4.84	5.82
20"	5.33	6.40
22"	5.79	6.96
24"	6.38	7.53

Heavy Duty	
24 GA	5253.
SIZE	6"
14"	7.01
16"	7.70
18"	8.39
20"	9.10
22"	9.79
24"	10.49

Heavy Duty	
22 GA	5253.
SIZE	6"
16"	9.10
18"	9.95
20"	10.84
22"	11.70
24"	12.57


Start Collar Standards:

- Available 25 pieces per bundle
- Available in 5" and 6" heights
 - Damper holes
- Available with double bead
 - 5254.dd 5"
 - 5255.dd 6"

Heavy Duty Start Collar Standards:


- 10 pieces per bundle
- Crimp and bead at top
 - 6" tall
- Only available in 24 GA or heavier
 - Available with double bead
 - 5257.dd

5250./5251.



Crimp and bead at top

5253.




AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Air-Tite Start Collars

30 GA	Collar Only	Collar w/ Damper	Collar w/ Scoop	w/ Scoop & Damper
SIZE	5281.	5282.	5283.	5284.
4"	\$ 4.98	\$ 7.43	\$ 6.21	\$ 10.55
5"	5.36	7.88	6.68	11.10
6"	5.99	8.59	7.36	11.86
7"	6.57	9.29	8.00	12.61
8"	7.11	9.95	8.71	13.45
9"	7.78	10.76	9.66	14.54
10"	8.44	11.58	10.40	15.44



Air-Tite Standards:
- 1 1/2" gasket attached to flange with peel-off backing

28 GA	Collar Only	Collar w/ Damper	Collar w/ Scoop	w/ Scoop & Damper
SIZE	5281.	5282.	5283.	5284.
12"	\$ 9.70	\$ 13.29	\$ 12.04	\$ 17.53
14"	10.66	14.72	13.56	19.52
16"	11.90	16.51	15.63	22.14

26 GA	Collar Only	Collar w/ Damper	Collar w/ Scoop	w/ Scoop & Damper
SIZE	5281.	5282.	5283.	5284.
18"	\$ 14.53	\$ 20.52	\$ 19.78	\$ 27.67
20"	16.16	23.03	22.89	31.65

Duct Board Start Collars


Duct Board Start Collars are available in sizes from 4" to 20"

Please use the following part numbers:


Collar Only 5291.dd
Collar w/Damper 5292.dd
Collar w/Scoop 5293.dd
w/Scoop & Damper 5294.dd

Call for pricing


5291.




5292.



5293.



5294.




AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Sheet Metal Spin-Ins

30 GA				
SIZE	5285.	5286.	5287.	5288.
4"	\$ 2.77	\$ 4.74	\$ 3.53	\$ 6.21
5"	2.99	5.21	3.83	6.76
6"	3.20	5.76	4.09	7.37
7"	3.41	6.40	4.36	8.06
8"	3.62	7.13	4.74	8.96
9"	3.83	7.94	5.23	10.06
10"	4.04	8.85	5.52	11.04

28 GA				
SIZE	5285.	5286.	5287.	5288.
12"	4.62	11.38	6.49	13.95
14"	5.07	13.95	7.50	17.09
16"	5.52	16.90	8.78	20.87



TC (no damper)
All diameters = 6" long



TCD (with standard damper)
Length = diameter + 2"

Duct Board Spin-Ins

Duct Board Spin-Ins are available in sizes from 4" to 20"

Please use the following part numbers:

Spin-In Only	5295.dd
Spin-In w/Damper	5296.dd
Spin-In w/Scoop	5297.dd
w/Scoop & Damper	5298.dd

Call for pricing

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Sheet Metal Spin-Ins

26 GA				
SIZE	5285.	5286.	5287.	5288.
4"	\$ 3.08	\$ 5.08	\$ 3.93	\$ 6.65
5"	3.36	5.71	4.33	7.39
6"	3.64	6.45	4.68	8.20
7"	3.92	7.31	5.04	9.13
8"	4.21	8.28	5.55	10.34
9"	4.49	9.38	6.21	11.82
10"	4.77	10.59	6.60	13.13
12"	5.34	13.37	7.57	16.31
14"	5.90	16.62	8.84	20.27
16"	6.47	20.34	10.45	25.04
18"	7.04	24.54	11.81	30.02
20"	7.60	29.20	14.69	37.01


24 GA				
SIZE	5285.	5286.	5287.	5288.
14"	6.83	19.58	10.33	23.80
16"	7.52	24.16	12.31	29.66
18"	8.22	29.32	13.98	35.79
20"	8.91	35.05	17.53	44.38

5287.



TCE (no damper)
All diameters = 6" long

5288.



TCDE (with standard damper)
Length = diameter + 2"

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Damper Disks with Standard Hardware

SIZE	30 GA
4"	\$ 2.86
5"	2.93
6"	3.02
7"	3.13
8"	3.25
9"	3.40
10"	3.56


SIZE	28 GA
4"	\$ 2.87
5"	2.94
6"	3.04
7"	3.15
8"	3.29
9"	3.44
10"	3.61
12"	4.01
14"	4.48
16"	5.02

SIZE	26 GA
4"	\$ 2.90
5"	3.00
6"	3.12
7"	3.26
8"	3.43
9"	3.62
10"	3.84
12"	4.34
14"	4.93
16"	5.62
18"	6.41
20"	7.28

SIZE	24 GA
4"	\$ 2.93
5"	3.05
6"	3.20
7"	3.38
8"	3.59
9"	3.82
10"	4.09
12"	4.70
14"	5.43
16"	6.28
18"	7.25
20"	8.33
22"	9.52
24"	10.84

SIZE	22 GA
16"	7.15
18"	8.36
20"	9.70
22"	11.19
24"	12.83

5262.



5262. Damper w/ Hardware

5263. Volume Damper

5351. Spiral Coupling

5355. FS Connector

Volume Dampers

Dia	30 GA
4"	\$ 5.05
5"	5.33
6"	5.63
7"	5.94
8"	6.28
9"	6.95
10"	7.72


Dia	28 GA
4"	\$ 5.12
5"	5.41
6"	5.73
7"	6.06
8"	6.42
9"	7.14
10"	7.96
12"	9.86
14"	12.14
16"	14.78

Dia	26 GA
4"	\$ 5.40
5"	5.76
6"	6.17
7"	6.59
8"	7.04
9"	7.95
10"	8.98
12"	11.38
14"	14.25
16"	17.59
18"	21.40
20"	25.71

Dia	24 GA
4"	\$ 5.71
5"	6.16
6"	6.65
7"	7.18
8"	7.73
9"	8.84
10"	10.12
12"	13.07
14"	16.60
16"	20.70
18"	25.39
20"	30.69
22"	36.53
24"	42.95

Dia	22 GA
16"	\$ 24.80
18"	30.64
20"	37.24
22"	44.52
24"	52.52

5263.



Length =
Diameter - 2"
(4" - 8" diameter
= 6" length)

Standard hardware
used is light duty,
with one spring-
loaded bearing and
double wing nuts
and washers

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Spiral Coupling

SIZE	26 GA
4"	\$ 2.60
5"	2.88
6"	3.17
7"	3.45
8"	3.73
9"	4.02
10"	4.30
12"	4.86
14"	5.43
16"	6.00
18"	6.56
20"	7.13

SIZE	24 GA
4"	\$ 2.87
5"	3.22
6"	3.57
7"	3.91
8"	4.26
9"	4.61
10"	4.96
12"	5.65
14"	6.35
16"	7.05
18"	7.74
20"	8.44
22"	9.13
24"	9.83
26"	10.53

SIZE	22 GA
16"	\$ 8.43
18"	9.30
20"	10.16
22"	11.03
24"	11.90
26"	12.76
28"	13.63
30"	14.50



Spiral Coupling Standards:

- Undersized to fit *inside* of spiral pipe
- Bead in the middle of coupling
 - 6" tall
- Shipped assembled

FS Connectors


SIZE	30 GA
4"	\$ 1.50
5"	1.71
6"	1.92
7"	2.14
8"	2.36
9"	2.55
10"	2.77

SIZE	26 GA
4"	\$ 1.81
5"	2.10
6"	2.38
7"	2.66
8"	2.96
9"	3.22
10"	3.52
12"	4.08
14"	4.65
16"	5.21
18"	5.77
20"	6.35

SIZE	24 GA
4"	\$ 2.10
5"	2.44
6"	2.79
7"	3.14
8"	3.51
9"	3.83
10"	4.19
12"	4.88
14"	5.58
16"	6.28
18"	6.96
20"	7.67

SIZE	22 GA
16"	\$ 7.67
18"	8.53
20"	9.42

5355.



FS Connector Standards:

- 6" tall
- Crimped at the top & bottom
- One bead in the middle
- Shipped KD (*not shown*)

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Round End Caps/Plugs

SIZE	30 GA
3"	\$ 1.40
4"	1.54
5"	1.69
6"	1.87
7"	2.06
8"	2.27
9"	2.50
10"	2.75


SIZE	28 GA
3"	\$ 1.42
4"	1.57
5"	1.74
6"	1.92
7"	2.13
8"	2.35
9"	2.59
10"	2.86
12"	3.44
14"	4.09
16"	4.82

SIZE	26 GA
3"	\$ 1.51
4"	1.70
5"	1.91
6"	2.15
7"	2.40
8"	2.69
9"	2.99
10"	3.32
12"	4.06
14"	4.88
16"	5.80
18"	6.81
20"	7.92
22"	9.12
24"	10.42


SIZE	24 GA
4"	\$ 1.84
5"	2.10
6"	2.39
7"	2.71
8"	3.06
9"	3.44
10"	3.84
12"	4.74
14"	5.76
16"	6.89
18"	8.13
20"	9.50
22"	10.98
24"	12.57
26"	14.28
28"	16.11

SIZE	22 GA
16"	\$ 8.32
18"	9.87
20"	11.57
22"	13.41
24"	15.40
26"	17.53
28"	19.81
30"	22.23

5341. Cap



5342. Plug



*Round
End Cap/Plug Standards:*

- Round End Cap fits over crimped pipe and is not crimped
- Round End Plug fits inside raw pipe, and is crimped – 2" deep


5341. Round End Cap

5342. Round End Plug


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Ceiling Box




B-Box




Side Outlet Ceiling Box




Return Air Can Blank




Return Air Can with Collar





Floor Box



Riser Pipe




Riser Elbows




Register Box


Concrete Box




PH1



Register Boot



Perimeter Boot Adapter



AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

4" Deep Ceiling Boxes


30 GA	5456.	5457.	5458.
SIZE	No Collar w/ PG	w/Collar & PG	w/Collar No PG
06 x — x —	\$ 3.88	\$ 5.02	\$ 4.09
06 x 06 x (4-6)		4.88	
08 x — x —	4.74	6.20	4.97
08 x 08 x (4-8)		5.95	
10 x — x —	5.69	7.45	5.94
10 x 10 x (6-10)		7.11	
12 x — x —	6.73	8.50	7.00
12 x 12 x (6-12)		8.36	
14 x — x —	7.85	10.01	8.15
14 x 14 x (6-14)		9.70	
16 x — x —	9.07	12.44	9.38
16 x 16 x (8-16)		12.13	
18 x — x —	10.38	14.03	10.71
18 x 18 x (8-18)		13.65	
20 x — x —	11.78	15.65	12.13
20 x 20 x (10-20)		15.26	

26 GA	5456.	5457.	5458.
SIZE	No Collar w/ PG	w/Collar & PG	w/Collar No PG
06 x — x —	\$ 4.63	\$ 6.05	\$ 5.06
06 x 06 x (4-6)		5.86	
08 x — x —	5.72	7.44	6.24
08 x 08 x (4-8)		7.23	
10 x — x —	6.93	9.09	7.55
10 x 10 x (6-10)		8.72	
12 x — x —	8.26	10.65	8.97
12 x 12 x (6-12)		10.33	
14 x — x —	9.71	12.41	10.51
14 x 14 x (6-14)		12.07	
16 x — x —	11.28	15.10	12.18
16 x 16 x (8-16)		14.92	
18 x — x —	12.97	17.18	13.96
18 x 18 x (8-18)		16.89	
20 x — x —	14.78	19.53	15.87
20 x 20 x (10-20)		18.99	


5456 No Collar



5457. With Collar & PG




5458. With Collar No PG



B-Boxes with Ears

5451.



A x B x C	30 GA
06 x — x (4-6)	\$ 4.87
08 x — x (4-8)	5.08
10 x — x —	7.16
10 x 04 x (4-6)	5.18
10 x 06 x (4-8)	5.70
12 x — x —	7.79
12 x 04 x (4-6)	5.35
12 x 06 x (4-8)	6.02
14 x — x —	8.65
14 x 06 x (4-9)	6.44
14 x 08 x (6-10)	7.23

A x B x C	26 GA
06 x — x (4-6)	\$ 5.84
08 x — x (4-8)	6.12
10 x — x —	8.77
10 x 04 x (4-6)	6.30
10 x 06 x (4-8)	6.97
12 x — x —	10.39
12 x 04 x (4-6)	6.82
12 x 06 x (4-8)	7.39
14 x — x —	11.85
14 x 06 x (4-9)	7.95
14 x 08 x (6-10)	8.94


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Side Outlet Ceiling Boxes

30 GA		26 GA	
COLLAR SIZE	Multiply Girth x	COLLAR SIZE	Multiply Girth x
4"	\$.31	4"	\$.37
5"	.33	5"	.39
6"	.34	6"	.40
7"	.35	7"	.42
8"	.37	8"	.46
9"	.38	9"	.48
10"	.41	10"	.51
12"	.44	12"	.57
14"	.49	14"	.64
16"	.55	16"	.72
18"	.61	18"	.79
20"	.67	20"	.87

5455



To calculate:
Side (a+a+b+b) x
collar size multiplier
= List

Side Outlet Standards:

- Box height 2" taller than collar
- 30 GA

8"- 14" Deep Ceiling Boxes

30 GA	Depth				
SIZE	8"	10"	11"	12"	14"
06 x 06	\$ 7.75	\$ 9.89	\$ 11.10	\$ 12.40	\$ 15.26
08 x 08	8.96	11.29	12.59	13.97	17.01
10 x 10	10.27	12.78	14.16	15.64	18.85
12 x 12	11.67	14.35	15.83	17.39	20.79
14 x 14	13.16	16.02	17.58	19.23	22.81
16 x 16	14.73	17.77	19.42	21.17	24.92

26 GA	Depth				
SIZE	8"	10"	11"	12"	14"
06 x 06	\$ 9.60	\$ 12.48	\$ 14.10	\$ 15.85	\$ 19.69
08 x 08	11.17	14.29	16.04	17.90	21.98
10 x 10	12.86	16.23	18.09	20.07	24.39
12 x 12	14.67	18.28	20.26	22.36	26.92
14 x 14	16.60	20.45	22.55	24.77	29.57
16 x 16	18.66	22.74	24.96	27.30	32.34

5451. B-Box w/Ears

5455. Side Outlet Ceiling Box

5492. Deep Ceiling Box

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Return Air Cans With PG

30 GA			4" Deep		6" Deep	
SIZE		SIZE	Blank	W/Collar	Blank	W/Collar
A	x	B	5481.	5486.	5482.	5487.
12.25	x	12.25	\$ 8.75	\$ 12.26	\$ 11.05	\$ 14.97
14.25	x	14.25	9.31	12.42	11.47	15.13
16.25	x	16.25	10.54	13.94	12.88	16.75
18.25	x	18.25	11.85	15.57	14.38	18.59
20.25	x	12.25	10.36	13.96	12.70	16.66
	x	14.25	11.08	14.79	13.52	17.60
	x	16.25	11.81	15.63	14.33	18.53
	x	18.25	12.54	16.47	15.15	19.47
	x	20.25	13.26	17.30	15.97	20.41
22.25	x	22.25	14.76	19.02	17.64	22.34
24.25	x	12.25	11.45	15.54	13.98	18.44
	x	14.25	12.27	16.47	14.88	19.48
	x	16.25	13.08	17.41	15.79	20.52
	x	18.25	13.90	18.35	16.69	21.56
	x	20.25	14.71	19.29	17.60	22.60
	x	24.25	16.35	21.16	19.41	24.69
25.25	x	12.25	11.73	15.85	14.30	18.81
	x	14.25	12.56	16.81	15.22	19.87
	x	16.25	13.40	17.78	16.15	20.94
	x	18.25	14.24	18.74	17.08	22.01
	x	20.25	15.08	19.71	18.01	23.07
	x	24.25	16.75	21.63	19.86	25.21

28 GA			4" Deep		6" Deep	
SIZE		SIZE	Blank	W/Collar	Blank	W/Collar
A	x	B	5481.	5486.	5482.	5487.
30.25	x	12.25	\$ 13.65	\$ 18.74	\$ 16.63	\$ 22.16
	x	14.25	14.66	19.89	17.73	23.42
	x	16.25	15.66	21.05	18.83	24.69
	x	18.25	16.67	22.21	19.93	25.95
	x	20.25	17.67	23.36	21.03	27.22
	x	24.25	19.68	25.67	23.23	29.75
36.25	x	12.25	15.38	21.05	18.64	24.80
	x	14.25	16.53	22.37	19.88	26.23
	x	16.25	17.68	23.69	21.13	27.66
	x	18.25	18.83	25.01	22.37	29.09
	x	20.25	19.97	26.33	23.61	30.52
	x	24.25	22.27	28.97	26.10	33.38
40.25	x	20.25	21.51	28.10	25.34	32.50
	x	22.25	22.75	29.53	26.68	34.04
	x	24.25	23.99	30.95	28.01	35.58
	x	26.25	25.24	32.38	29.35	37.12
44.25	x	20.25	23.04	29.86	27.06	34.48
	x	22.25	24.38	31.40	28.50	36.13
	x	24.25	25.72	32.94	29.93	37.78
	x	26.25	27.06	34.48	31.36	39.43
46.25	x	20.25	23.81	30.74	27.92	35.48
	x	22.25	25.19	32.34	29.40	37.18
	x	24.25	26.58	33.93	30.89	38.88
	x	26.25	27.97	35.52	32.37	40.58
48.25	x	20.25	24.58	31.62	28.79	36.47
	x	22.25	26.01	33.27	30.31	38.22
	x	24.25	27.44	34.92	31.84	39.98
	x	26.25	28.87	36.57	33.37	41.74

5481./5482.



AIR DUCT PRODUCTS

951.351.8484 office

714.563.0888 office


714.563.0887 fax

800.974.3387

Return Air Cans With PG

26 GA			4" Deep		6" Deep	
SIZE		SIZE	Blank	W/Collar	Blank	W/Collar
A	x	B	5481.	5486.	5482.	5487.
12.25	x	12.25	\$ 9.74	\$ 13.53	\$ 12.41	\$ 17.33
14.25	x	14.25	11.20	15.70	14.12	19.50
16.25	x	16.25	12.79	17.75	15.94	21.69
18.25	x	18.25	14.50	19.96	17.89	24.19
20.25	x	12.25	12.55	17.78	15.70	21.57
	x	14.25	13.49	18.92	16.76	22.84
	x	16.25	14.44	20.05	17.83	24.12
	x	18.25	15.38	21.18	18.89	25.39
	x	20.25	16.32	22.31	19.95	26.67
22.25	x	22.25	18.27	24.65	22.14	29.29
24.25	x	12.25	13.96	19.92	17.35	23.99
	x	14.25	15.02	21.19	18.53	25.41
	x	16.25	16.08	22.47	19.71	26.83
	x	18.25	17.14	23.74	20.90	28.25
	x	20.25	18.21	25.02	22.08	29.66
	x	24.25	20.33	27.57	24.45	32.50
25.25	x	12.25	14.31	20.34	17.76	24.48
	x	14.25	15.40	21.65	18.97	25.94
	x	16.25	16.49	22.96	20.18	27.39
	x	18.25	17.59	24.27	21.40	28.85
	x	20.25	18.68	25.58	22.61	30.30
	x	24.25	20.86	28.21	25.04	33.21
30.25	x	12.25	16.06	22.45	19.82	26.95
	x	14.25	17.31	23.94	21.18	28.58
	x	16.25	18.55	25.43	22.54	30.22
	x	18.25	19.79	26.92	23.91	31.86
	x	20.25	21.04	28.41	25.27	33.49
	x	24.25	23.52	31.40	27.99	36.76




26 GA			4" Deep		6" Deep	
SIZE		SIZE	Blank	W/Collar	Blank	W/Collar
A	x	B	5481.	5486.	5482.	5487.
36.25	x	12.25	\$ 18.17	\$ 25.32	\$ 22.28	\$ 30.25
	x	14.25	19.60	27.02	23.83	32.10
	x	16.25	21.02	28.73	25.37	33.95
	x	18.25	22.44	30.44	26.91	35.81
	x	20.25	23.86	32.15	28.46	37.66
	x	24.25	26.71	35.56	31.54	41.36
40.25	x	20.25	25.75	34.41	30.58	40.21
	x	22.25	27.29	36.26	32.25	42.20
	x	24.25	28.84	38.11	33.91	44.20
	x	26.25	30.38	39.97	35.57	46.20
44.25	x	20.25	27.64	36.67	32.71	42.76
	x	22.25	29.30	38.67	34.49	44.90
	x	24.25	30.96	40.66	36.28	47.04
	x	26.25	32.63	42.66	38.06	49.18
46.25	x	20.25	28.58	37.80	33.77	44.04
	x	22.25	30.30	39.87	35.62	46.25
	x	24.25	32.03	41.94	37.46	48.46
	x	26.25	33.75	44.01	39.30	50.67
48.25	x	20.25	29.52	38.94	34.84	45.31
	x	22.25	31.31	41.08	36.74	47.60
	x	24.25	33.09	43.22	38.64	49.88
	x	26.25	34.87	45.36	40.55	52.16



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Floor Boxes






30 GA	5475.	5476.	5478.
SIZE AxBxC	w/ PG 1 1/2" Deep	w/ PG & Ears 1 1/2" Deep	w/ PG 3" Deep
06 x — x —	\$ 5.20	\$ 5.90	\$ 6.08
08 x — x —	6.81	8.25	8.84
08 x 04 x (4-6)	5.67	6.45	6.98
08 x 06 x 06	6.15	7.18	7.77
10 x — x —	7.98	10.37	10.98
10 x 04 x (4-8)	6.44	6.93	7.67
10 x 06 x (6-8)	6.21	8.16	7.82
12 x — x —	8.97	11.18	12.20
12 x 04 x (6-7)	7.15	7.68	8.42
12 x 06 x (6-8)	6.46	9.28	8.54
12 x 08 x 08	7.99	9.33	10.01
14 x — x —	11.38	12.96	14.03
14 x 04 x (6-8)	8.00	9.43	8.96
14 x 06 x (6-9)	8.19	10.54	9.24
14 x 08 x (8-10)	9.44	11.73	11.84
14 x 10 x 10	10.69	11.75	11.85
16 x — x —	12.33	14.78	15.94
16 x 06 x (8-9)	11.15	11.60	12.21
16 x 08 x (8-10)	11.33	11.65	12.42
18 x — x —	14.09	15.25	16.02
18 x 06 x (8-10)	13.02	12.39	12.86
20 x — x —	15.65	16.05	16.54
20 x 06 x (8-10)	14.26	14.07	13.05
20 x 08 x 10	14.86	14.23	13.66
22 x — x —	18.01	17.03	18.54
24 x — x —	24.28	23.12	23.05
24 x 06 x 08	19.98	21.98	16.84
24 x 08 x 10	22.12	22.36	21.54

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Floor Boxes




26 GA	5475.	5476.	5478.
SIZE AxBxC	w/ PG 1 1/2" Deep	w/ PG & Ears 1 1/2" Deep	w/ PG 3" Deep
06 x — x —	\$ 6.24	\$ 6.90	\$ 7.17
08 x — x —	8.08	9.89	10.80
08 x 04 x (4-6)	6.30	7.62	8.36
08 x 06 x 06	7.22	8.51	9.39
10 x — x —	9.61	12.62	13.61
10 x 04 x (4-8)	7.76	8.24	9.26
10 x 06 x (6-8)	7.57	9.80	9.44
12 x — x —	10.91	13.61	15.18
12 x 04 x (6-7)	8.52	9.21	10.24
12 x 06 x (6-8)	8.35	11.27	10.38
12 x 08 x 08	9.59	11.28	12.30
14 x — x —	14.02	15.88	17.58
14 x 04 x (6-8)	9.65	11.52	10.92
14 x 06 x (6-9)	9.84	12.93	11.27
14 x 08 x (8-10)	11.51	14.46	14.71
14 x 10 x 10	13.16	14.48	14.72
16 x — x —	15.41	18.23	20.04
16 x 06 x (8-9)	13.76	14.32	15.20
16 x 08 x (8-10)	14.05	14.37	15.45
18 x — x —	17.65	18.99	20.12
18 x 06 x (8-10)	16.25	17.00	16.01
20 x — x —	19.72	21.15	21.02
20 x 06 x (8-10)	17.82	17.70	16.29
20 x 08 x 10	18.10	18.01	17.09
22 x — x —	22.69	21.58	22.02
24 x — x —	27.92	26.10	27.15
24 x 06 x 08	23.15	24.59	21.32
24 x 08 x 10	23.45	25.12	25.62



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Register Boxes



30 GA	Radius Heel		Square Heel		
SIZE	w/ PG	w/ PG & Ears	w/ PG	w/ PG & Ears	w/ PG Dual Outlet
(3.25 x A x B)	5400.	5401.	5402.	5403.	5404.
3.25 x 8 x 4	\$ 6.53	\$ 6.70	\$ 6.47	\$ 6.53	\$ 6.43
3.25 x 8 x —	7.26	7.44	7.61	7.68	7.40
3.25 x 10 x 4,6	7.86	8.08	7.26	7.71	7.11
3.25 x 10 x —	8.74	8.98	8.54	9.07	8.18
3.25 x 12 x 4,6	7.98	8.20	7.91	8.12	7.87
3.25 x 12 x —	8.87	9.11	9.30	9.55	9.05
3.25 x 14 x 6,8	8.97	9.19	8.44	8.97	8.64
3.25 x 14 x —	9.96	10.21	9.93	10.55	9.93

26 GA	Radius Heel		Square Heel		
SIZE	w/ PG	w/ PG & Ears	w/ PG	w/ PG & Ears	w/ PG Dual Outlet
(3.25 x A x B)	5400.	5401.	5402.	5403.	5404.
3.25 x 8 x 4	\$ 7.91	\$ 8.08	\$ 7.87	\$ 8.11	\$ 7.70
3.25 x 8 x —	8.79	8.97	9.26	9.54	8.85
3.25 x 10 x 4,6	9.67	9.89	8.90	9.17	8.58
3.25 x 10 x —	10.74	10.99	10.47	10.79	9.86
3.25 x 12 x 4,6	9.81	10.03	9.76	10.05	9.58
3.25 x 12 x —	10.90	11.15	11.49	11.83	11.02
3.25 x 14 x 6,8	11.12	11.35	10.81	11.13	10.58
3.25 x 14 x —	12.36	12.61	12.71	13.09	12.16

Register Box height is opening (B)+ 10"


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Register Boots

30GA	Straight	Stackhead	Cone
A x B x C	5405.	5406.	5407.
3.25 x 8 x 5,6	\$ 4.32	\$ 5.10	\$ 5.47
3.25 x 8 x —	4.86	5.74	6.33
3.25 x 10 x 5-8	4.94	6.58	6.71
3.25 x 10 x —	5.55	7.41	7.76
3.25 x 12 x 6-8	5.48	7.66	7.90
3.25 x 12 x —	6.58	8.62	8.78
3.25 x 14 x 7,8	6.35	8.26	8.03
3.25 x 14 x 9,10	6.99	8.59	8.70
3.25 x 14 x —	7.15	9.29	9.45


5405.



5406.






26GA	Straight	Stackhead	Cone
A x B x C	5405.	5406.	5407.
3.25 x 8 x 5,6	\$ 5.36	\$ 6.48	\$ 7.13
3.25 x 8 x —	5.99	7.25	7.47
3.25 x 10 x 5-8	6.22	8.57	8.93
3.25 x 10 x —	6.95	9.58	9.78
3.25 x 12 x 6-8	7.49	9.48	9.70
3.25 x 12 x —	8.37	10.67	10.78
3.25 x 14 x 7,8	8.19	10.26	11.07
3.25 x 14 x 9,10	8.93	10.60	11.17
3.25 x 14 x —	9.15	11.55	12.24



5407.

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387



Perimeter Boots

No PG 30 GA			
SIZE	Straight (PH1)	Stackhead (PH2)	Cone (PH3)
8 x (2.25, 4, 6) x 4 - 6	\$ 6.53	\$ 8.02	\$ 8.18
10 x (2.25, 4, 6) x 4 - 7	8.10	9.54	10.30
12 x (2.25, 4, 6) x 4 - 8	9.46	12.02	12.52
14 x (2.25, 4, 6) x 6 - 8	9.64	12.20	12.68
14 x (2.25, 4, 6) x 9,10	10.38	12.49	13.98
14 x 8 x 8 - 10	11.21	13.16	14.48
14 x 10 x 10	11.42	13.85	14.54

No PG 26 GA			
SIZE	Straight (PH1)	Stackhead (PH2)	Cone (PH3)
8 x (2.25, 4, 6) x 4 - 6	\$ 8.27	\$ 11.42	\$ 11.64
10 x (2.25, 4, 6) x 4 - 7	10.37	12.08	13.05
12 x (2.25, 4, 6) x 4 - 8	12.19	15.41	15.72
14 x (2.25, 4, 6) x 6 - 8	12.44	15.65	16.27
14 x (2.25, 4, 6) x 9,10	13.43	16.05	16.85
14 x 8 x 8 - 10	14.83	17.01	17.86
14 x 10 x 10	15.25	19.44	20.41

5415. PH1 no PG (Base Price)

5416. PH2 no PG (Base Price)

5417. PH3 no PG (Base Price)

5412. PH1 with PG ($\times 1.15$) = List Price

5413. PH2 with PG ($\times 1.15$) = List Price

5414. PH3 with PG ($\times 1.15$) = List Price

5409. PH1 - PG & Ears ($\times 1.20$) = List Price

5410. PH2 - PG & Ears ($\times 1.20$) = List Price

5411. PH3 - PG & Ears ($\times 1.20$) = List Price

Perimeter Boot Standards:

- Extension length is 6"
- 0" and 3 1/2" extension also available
- Please specify on order


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Perimeter Boot Adapters

A x B to A x 3 1/4	30 GA
8 x (2.25, 4, 6) to 8 x 3 1/4	\$ 5.94
10 x (2.25, 4, 6) to 10 x 3 1/4	6.56
12 x (2.25, 4, 6) to 12 x 3 1/4	7.19
14 x (2.25, 4, 6) to 14 x 3 1/4	7.81

A x B to A x 3 1/4	26 GA
8 x (2.25, 4, 6) to 8 x 3 1/4	\$ 7.36
10 x (2.25, 4, 6) to 10 x 3 1/4	8.20
12 x (2.25, 4, 6) to 12 x 3 1/4	9.04
14 x (2.25, 4, 6) to 14 x 3 1/4	9.88



5418. *Perimeter Boot Adapter*

5491. *Concrete Box - Straight Back*


5492. *Concrete Box - Slant Back*

Concrete Boxes

(A x B x Collar)	30 GA
10 x 2.25 x 5 - 8	\$ 9.52
12 x 2.25 x 5 - 8	10.39
14 x 2.25 x 5 - 8	11.26
10 x 4 x 5 - 8	10.66
12 x 4 x 5 - 8	11.57
14 x 4 x 5 - 8	12.48
10 x 6 x 5 - 8	12.14
12 x 6 x 5 - 8	13.09
14 x 6 x 5 - 9	14.05
14 x 8 x 8, 9	15.90


(A x B x Collar)	26 GA
10 x 2.25 x 5 - 8	\$ 11.76
12 x 2.25 x 5 - 8	12.93
14 x 2.25 x 5 - 8	14.10
10 x 4 x 5 - 8	13.30
12 x 4 x 5 - 8	14.52
14 x 4 x 5 - 8	15.75
10 x 6 x 5 - 8	15.28
12 x 6 x 5 - 8	16.56
14 x 6 x 5 - 9	17.85
14 x 8 x 8, 9	20.33

5491. *Straight Back*



Shorter height same price as standard.

5492. *Slant Back*



AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Riser Pipe


30 GA	3' Length
SIZE	5420.
3.25 x 8	\$ 11.60
3.25 x 10	13.31
3.25 x 12	15.37
3.25 x 14	17.07

28 GA	5' Length	6' Length	7 1/2' Length	10' Length	End Cap
SIZE	5421.	5421.	5421.	5421.	5425.
3.25 x 8	\$19.95	\$23.87	\$29.27	\$38.71	\$ 1.46
3.25 x 10	22.90	27.39	33.65	44.51	1.58
3.25 x 12	26.32	31.50	38.73	51.15	1.70
3.25 x 14	29.27	35.02	43.11	56.95	1.83



5420./5421.




26 GA	3' Length	5' Length	6' Length	7 1/2' Length	10' Length	End Cap
SIZE	5420.	5421.	5421.	5421.	5421.	5425.
3.25 x 8	\$14.93	\$24.45	\$29.27	\$36.03	\$47.72	\$ 1.62
3.25 x 10	17.19	28.15	33.69	41.53	55.02	1.78
3.25 x 12	19.80	32.32	38.70	47.73	63.15	1.93
3.25 x 14	22.06	36.02	43.12	53.23	70.45	2.09



5427.



5429.



Riser Elbows


28 GA	Std 90°	Flat 90°	Std 45°	Flat 45°
SIZE	5426.	5427.	5428.	5429.
3.25 x 8	\$ 5.36	\$ 7.29	\$ 5.20	\$ 6.29
3.25 x 10	5.72	8.69	5.56	7.58
3.25 x 12	6.09	10.26	5.92	8.46
3.25 x 14	6.46	12.04	6.29	10.08

26 GA	Std 90°	Flat 90°	Std 45°	Flat 45°
SIZE	5426.	5427.	5428.	5429.
3.25 x 8	\$ 5.89	\$ 8.33	\$ 5.69	\$ 7.07
3.25 x 10	6.33	10.07	6.12	8.66
3.25 x 12	6.77	12.03	6.55	9.76
3.25 x 14	7.21	14.25	6.99	11.78


AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Conductor Flashing




T-Top




Cooler Flashing & Clips




China Cap




Econo Vent




Canted Fan Curb




Vented Fan Curb



Flat Rotary Base




Adjustable Rotary Base



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387



Conductor Flashing Standards:



- 26 GA
- Sealed
- Flat to 4/12 pitch
- Short side 4" tall

Conductor Flashings

SIZE	Standard	FHA	Shake
	5541.	5542.	5543.
4"	\$ 9.33	\$ 12.23	\$ 13.94
5"	10.98	14.12	15.97
6"	11.99	15.30	17.24
7"	12.83	16.22	18.20
8"	14.44	18.08	20.19
9"	16.70	20.59	22.84
10"	17.27	21.24	23.53
12"	21.44	25.79	28.27
14"	25.28	29.96	32.62
16"	29.20	34.22	37.06
18"	33.75	39.11	42.13
20"	38.05	43.75	46.95

Cooler Flashings

SIZE	Flat	1:12 to 4:12 Fixed Pitch	Adjustable
	5601.	5602.	5603.
13 1/2 x 13 1/2	\$ 18.42	\$ 23.76	-
14 1/2 x 14 1/2	19.14	25.07	-
15 1/2 x 15 1/2	19.86	26.41	\$ 80.23
17 1/2 x 17 1/2	21.30	29.18	85.21
18 1/2 x 18 1/2	22.02	30.61	90.76
19 1/2 x 19 1/2	22.74	32.07	94.31
20 1/2 x 20 1/2	23.46	33.56	99.87




Cooler Flashing Standards:

- 26 GA
- 6" tall
- 4" skirt

Cooler Clips

SIZE	Single Clip	Set of Four
	5604.	5605.
13"	\$ 2.95	\$ 9.79
14"	3.04	10.15
15"	3.13	10.51
17"	3.31	11.23
18"	3.40	11.59
19"	3.49	11.95
20"	3.58	12.31



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387





T-Tops

SIZE	Standard	FHA	Shake	STD w/Screen
	5551.	5552.	5553.	5554.
3"	\$ 10.05	\$ 12.89	\$ 14.51	\$ 11.38
4"	11.13	14.02	15.74	12.60
5"	13.09	16.23	18.08	14.56
6"	14.45	17.76	19.69	15.73
7"	15.66	19.06	21.04	17.32
8"	17.67	21.31	23.43	19.44
9"	20.37	24.26	26.51	22.25
10"	21.40	25.37	27.67	23.42
12"	26.60	30.95	33.42	28.92
14"	31.57	36.26	38.92	34.24

T-Top Standards:

– 26 GA

– Sealed at base




China Caps

28 GA	
SIZE	Price
3"	\$ 14.08
4"	14.90
5"	16.00
6"	17.69
7"	18.96
8"	19.68
9"	21.31
10"	22.56
12"	26.16

26 GA	
SIZE	Price
5"	\$ 17.30
6"	19.41
7"	20.97
8"	21.85
9"	23.87
10"	25.40
12"	29.89
14"	35.36
16"	40.14
18"	46.83
20"	52.17

5546.



5546. *China Cap*

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Econo Vents

26 GA	
SIZE	Price
8 x 8	\$ 94.00
10 x 10	99.07
12 x 12	104.27
14 x 14	111.57
16 x 16	117.12
18 x 18	122.79

24 GA	
SIZE	Price
20 x 20	\$ 143.74
22 x 22	150.94
24 x 24	158.28

5547.



Bonnet Top

26 GA	
SIZE	Price
3"	\$ 4.01
4"	4.51
5"	5.17
6"	5.95
7"	7.02
8"	9.15
9"	10.33
10"	11.03
12"	14.97
14"	19.00

5547. *Econo Vent*

5548. *Bonnet Top*

5515. *Vented Fan Curb*

Plumbing Flashings

Plumbing Flashings available 1/2" to 3"
Please contact Customer Service for pricing
Please use part # 5544

Roof Curbs

Air Duct Products can provide roof curbs for **any** Air Conditioning Manufacturer.

Manufacturers often change their specifications without our knowledge, so please be sure to specify the unit make, model number, dimensions and specifications when calling or faxing for a quote.


Call for a quote today

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Canted Fan Curbs

Outside Dimension SIZE			8" Tall 5511.	12" Tall 5512.
14.5	x	14.5	\$ 68.36	\$ 77.39
15.5	x	15.5	70.25	79.82
16.5	x	16.5	72.13	82.26
17.5	x	17.5	74.02	84.69
18.5	x	18.5	75.91	87.12
19.5	x	19.5	77.79	89.55
20.5	x	20.5	91.54	103.85
22.5	x	22.5	95.31	108.72
24.5	x	24.5	99.08	113.58
26.5	x	26.5	114.72	130.31
28.5	x	28.5	118.49	135.18
32.5	x	32.5	137.90	156.78
38.5	x	38.5	149.21	171.37
42.5	x	42.5	168.62	192.97
44.5	x	44.5	172.39	197.83
50.5	x	50.5	183.70	212.43
56.5	x	56.5	206.88	238.89
62.5	x	62.5	218.19	253.48
68.5	x	68.5	241.36	279.94
74.5	x	74.5	252.68	294.54




Curb Standards:

- 18 GA
- Welded seams
- 1" liner (*on canted only*)
- Wood nailer (*on canted only*)

Vented Fan Curbs

Outside Dimension SIZE			20" Tall
21.75	x	21.75	\$ 117.89
25.75	x	25.75	127.69
29.75	x	29.75	149.35
33.75	x	33.75	159.14
39.75	x	39.75	185.70
45.75	x	45.75	200.40
51.75	x	51.75	226.95

5515.



AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Rotary Bases

26 GA		
SIZE	Flat	Adjustable
	5561.	5562.
3"	\$ 6.33	
4"	7.08	
5"	7.85	
6"	8.66	
7"	9.50	
8"	10.36	
9"	11.26	
10"	12.20	
12"	14.14	
14"	16.21	
16"	18.39	
18"	20.69	\$ 36.09
20"	23.13	40.23
22"	25.67	49.18

24 GA		
SIZE	Flat	Adjustable
	5561.	5562.
24"	\$ 34.38	\$ 68.73
26"	37.81	78.01
28"	41.39	87.95


Flat

5561.



Adjustable

5562.




Rotary Base Standards:


- Sealed at the base
- Flashing 8" larger than diameter
- *Adjustable rotary bases* include three (3) screws to secure after adjustment

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387




Wall Cap





Eyebrow




Dryer Vent



Fan Boot



Soffit Box




Combustion Air Can

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Wall Cap with Screen




5595.
Wall Cap with PG

28 GA			
SIZE	PG	1" Stucco Stop	1 1/2" Foam Wall
	5595.	5596.	5597.
3"	\$ 9.16	\$ 9.64	\$ 9.87
4"	9.92	10.52	10.81
5"	10.84	11.55	11.89
6"	11.85	12.67	13.07
7"	12.93	13.86	14.31
8"	14.15	15.20	15.70
10"	16.46	17.73	18.32
12"	19.34	20.84	20.97

26 GA			
SIZE	PG	1" Stucco Stop	1 1/2" Foam Wall
	5595.	5596.	5597.
3"	\$ 9.65	\$ 10.26	\$ 10.56
4"	10.60	11.35	11.72
5"	11.74	12.64	13.07
6"	12.99	14.03	14.53
7"	14.33	15.50	16.06
8"	15.84	17.16	17.79
10"	18.69	20.29	21.04
12"	22.24	24.13	24.30



Dryer Vent with Damper



5591.
Dryer Vent with
Damper and 1"
Stucco Stop

28 GA			
SIZE	PG	1" Stucco Stop	1 1/2" Foam Wall
	5590.	5591.	5592.
3"	\$ 9.86	\$ 10.40	\$ 10.65
4"	10.82	11.47	11.77
5"	11.81	12.57	12.91
6"	13.07	13.95	14.34
7"	14.26	15.25	15.69
8"	15.54	16.64	17.13
10"	18.51	19.83	20.41
12"	21.84	23.39	24.06


26 GA			
SIZE	PG	1" Stucco Stop	1 1/2" Foam Wall
	5590.	5591.	5592.
3"	\$ 10.58	\$ 11.26	\$ 11.57
4"	11.79	12.61	12.99
5"	13.03	14.00	14.43
6"	14.63	15.74	16.23
7"	16.13	17.38	17.94
8"	17.74	19.13	19.75
10"	21.49	23.16	23.89
12"	25.69	27.65	28.50

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Eyebrows

28 GA			
SIZE	w/ Screen	w/ Screen & Damper	w/ Screen & 1" Stucco Stop
	5586.	5587.	5588.
4 x 4	\$ 7.06	\$ 8.02	\$ 7.59
5 x 5	7.51	8.56	8.16
6 x 6	8.19	9.36	8.97
7 x 7	8.92	10.23	9.82
8 x 8	9.68	11.15	10.71
10 x 10	11.54	13.42	12.68
12 x 12	13.76	16.13	15.15
14 x 14	16.37	19.33	18.00




5588.



5586.

5990. Fan Boots 3 1/4"



5990.


SIZE	30 GA
10 x 5 - 8	\$ 5.97

SIZE	26 GA
10 x 5 - 8	\$ 7.51

5990. Fan Boot

Base Vent

Base Vent	w/Screen	w/Louvre & Screen
	5571.	5573.
14 x 6	\$ 4.11	\$ 7.67
14 x 8	4.37	8.37



5571.

Conductor Pipe

Conductor Pipe is available in 30 and 26 gauge, 10' lengths in 3", 4" & 5" diameters

Please use the following part number:

5095.dd

Call for pricing

Miscellaneous Vent Material

Description	SIZE	Part #	List
Wall Cap	3 1/4 x 10 x 10	5598.0310	\$ 11.87
Adj. Dryer Cap	3 x 4 x 18-30	5593.0304183	1.63
Fixed Dryer Vent	3 x 4 x 22	5593.030422	8.85
Dryer Vent Riser	3 x 4 x 120	5593.030412	33.25

5091. Vent Pipe

Vent Pipe is available in 30 gauge, 30" lengths in 3" & 4" diameters

Please use the following part number:

5091.dd-30

Call for pricing


AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


'Drive' Material  5627.

'S' Material  5621.

Plaster Ground  5625.

 5631.

 5632.



Miscellaneous Linear Material

		10'	5'
Item	Part #	28 GA	28 GA
'S' Material	5621.	\$ 5.95	\$ 3.03
Plaster Ground	5625.	3.63	1.87
'Drive' Material	5627.	3.63	1.87
1 Pc Line Set Cover	5631.	12.80	-
2 Pc Line Set Cover	5632.	23.85	-

		10'
Item	Part #	26 GA
'S' Material	5621.	\$ 7.35
'Drive' Material	5627.	4.42

		10'
Item	Part #	24 GA
'S' Material	5621.	\$ 8.90
'Drive' Material	5627.	5.30

Flat Stock

SIZE	Part #	28 GA
48 x 120	5656.	\$ 69.11
36 x 36	5657.	15.56

SIZE	Part #	26 GA
48 x 120	5656.	\$ 87.04

SIZE	Part #	24 GA
48 x 120	5656.	\$ 106.91

SIZE	Part #	22 GA
48 x 120	5656.	\$ 133.07

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Angle Material

SIZE	30 GA
1" x 1"	\$ 4.11
1.5" x 1.5"	5.45
2" x 2"	6.79
2.5" x 2.5"	8.13

SIZE	28 GA
1" x 1"	\$ 4.28
1.5" x 1.5"	5.71
2" x 2"	7.13
2.5" x 2.5"	8.56

SIZE	26 GA
1" x 1"	\$ 5.03
1.5" x 1.5"	6.83
2" x 2"	8.63
2.5" x 2.5"	10.43

SIZE	24 GA
1" x 1"	\$ 5.85
1.5" x 1.5"	8.07
2" x 2"	10.28
2.5" x 2.5"	12.50

SIZE	22 GA
1" x 1"	\$ 6.94
1.5" x 1.5"	9.70
2" x 2"	12.46
2.5" x 2.5"	15.22

Angle Material is also available in 20, 18 and 16 gauge.

Call for pricing

5651. *Angle Material*

Hanger Material

Hanger Material is available in 28, 26 and 24 gauge, 80' and 100' lengths, with or without holes, 1" and 1.5" widths


Please use the following part numbers:

5641.01100-ga	1" No Holes 100'	5641.0180-ga	1" No Holes 80'
5641.15100-ga	1.5" No Holes 100'	5641.1580-ga	1.5" No Holes 80'
5642.15100-ga	1.5" Holes 100'	5642.1580-ga	1.5" Holes 80'

Call for pricing

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387



Soffit Boxes



SIZE	List
8 x 4	\$ 6.18
10 x 4	6.95
10 x 6	7.88
12 x 4	7.73
12 x 6	8.70
12 x 8	9.67
14 x 4	8.51
14 x 6	9.53
14 x 8	10.55

5490. *Soffit Box*

5493. *Combustion Air Can*

Combustion Air Cans


SIZE	List
High	\$ 8.49
Low	8.88




AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387


Plenums




Sleeves



Mixing Boxes



Drain Pans





AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Plenums (Includes Cap), Caps & Sleeves

28 GA								
	5521. Plenum				5531. Sleeve			
	Plenum Only	Add for Liner			Sleeve/ Cap Only	Add for Liner		
HEIGHT		1/2"	1"	1.5"		1/2"	1"	1.5"
5526. Cap					\$.104	\$.056	\$.068	\$.090
Up to 12"	\$.259	\$.171	\$.206	\$.267	\$.155	\$.115	\$.138	\$.177
13" to 18"	.336	.263	.316	.422	.232	.207	.248	.332
19" to 24"	.416	.327	.401	.528	.312	.271	.333	.438
25" to 30"	.491	.395	.486	.643	.387	.339	.418	.553
31" to 36"	.565	.460	.568	.752	.461	.404	.500	.662
37" to 48"	.719	.581	.718	.951	.615	.525	.650	.861

26 GA								
	5521. Plenum				5531. Sleeve			
	Plenum Only	Add for Liner			Sleeve/ Cap Only	Add for Liner		
HEIGHT		1/2"	1"	1.5"		1/2"	1"	1.5"
5526. Cap					\$.129	\$.056	\$.068	\$.090
Up to 12"	\$.293	\$.171	\$.206	\$.267	\$.164	\$.115	\$.138	\$.177
13" to 18"	.410	.263	.316	.422	.281	.207	.248	.332
19" to 24"	.511	.327	.401	.528	.382	.271	.333	.438
25" to 30"	.606	.395	.486	.643	.477	.339	.418	.553
31" to 36"	.699	.460	.568	.752	.570	.404	.500	.662
37" to 48"	.891	.581	.718	.951	.762	.525	.650	.861



ADP - A Better Way

Plenums (Includes Cap), Caps & Sleeves

24 GA								
	5521. Plenum				5531. Sleeve			
	Plenum Only	Add for Liner			Sleeve/ Cap Only	Add for Liner		
HEIGHT		1/2"	1"	1.5"		1/2"	1"	1.5"
5526. Cap					\$.156	\$.056	\$.068	\$.090
Up to 12"	\$.348	\$.171	\$.206	\$.267	\$.192	\$.115	\$.138	\$.177
13" to 18"	.493	.263	.316	.422	.337	.207	.248	.332
19" to 24"	.616	.327	.401	.528	.460	.271	.333	.438
25" to 30"	.733	.395	.486	.643	.577	.339	.418	.553
31" to 36"	.848	.460	.568	.752	.692	.404	.500	.662
37" to 48"	1.081	.581	.718	.951	.925	.525	.650	.861

22 GA								
	5521. Plenum				5531. Sleeve			
	Plenum Only	Add for Liner			Sleeve/ Cap Only	Add for Liner		
HEIGHT		1/2"	1"	1.5"		1/2"	1"	1.5"
5526. Cap					\$.183	\$.056	\$.068	\$.090
Up to 12"	\$.417	\$.171	\$.206	\$.267	\$.234	\$.115	\$.138	\$.177
13" to 18"	.601	.263	.316	.422	.418	.207	.248	.332
19" to 24"	.755	.327	.401	.528	.572	.271	.333	.438
25" to 30"	.901	.395	.486	.643	.718	.339	.418	.553
31" to 36"	1.045	.460	.568	.752	.862	.404	.500	.662
37" to 48"	1.332	.581	.718	.951	1.149	.525	.650	.861

Formula:


1. Round up dimensions (e.g. 17 1/4 = 18)
2. (a+a+b+b) x height and gauge multiplier
3. Add for liner or cap

Plenums & Sleeves up to 100 girth inches are available

Plenums & Sleeves are shipped KD

AIR DUCT PRODUCTS


951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387



Mixing boxes come assembled with a cap on both ends

5493. *Mixing Box*

5681. *Drain Pan*



Drain Pan Standards:

- 26 GA
- 2" deep
- 3/4" PVC female fitting
- Fitting centered on short side
- Specify on order for long side
 - 1/4" hem on top of pan
- Soldered corners - water tight

Mixing Boxes

SIZE (AxBxC)	28 GA	SIZE (AxBxC)	26 GA
10x10x10	\$ 10.57	10x10x10	\$ 12.78
10x10x12	11.56	10x10x12	14.02
12x12x09	12.18	12x12x09	14.81
12x12x10	12.77	12x12x10	15.55
12x12x11	13.36	12x12x11	16.30
12x12x12	13.95	12x12x12	17.04
14x14x10	15.16	14x14x10	18.57
14x14x12	16.53	14x14x12	20.30
14x14x14	17.90	14x14x14	22.02
16x16x11	18.52	16x16x11	22.81
16x16x12	19.30	16x16x12	23.79
16x16x14	20.86	16x16x14	25.76
16x16x16	22.42	16x16x16	27.72
18x18x18	27.51	18x18x18	34.15
20x20x20	33.17	20x20x20	41.29

Drain Pans

Gauge Multiplier	Gauge Multiplier	Gauge Multiplier
26 GA	24 GA	22 GA
\$ 0.26	\$ 0.30	\$ 0.33

Girth Multiplier Formula:

1. Round up dimensions
(e.g. 17 1/4 = 18)
2. (a+a+b+b) x gauge multiplier = list

Drain pans up to 180 girth inches are available

SMACNA Gauges

Round Duct Gauge Unreinforced Positive Pressure

	2" w.g. (Pos)		4" w.g. (Pos)		10" w.g. (Pos)	
Maximum Diameter	Spiral Seam	Long. Seam	Spiral Seam	Long. Seam	Spiral Seam	Long. Seam
6"	26	26	28	28	28	28
8"	26	26	28	28	28	26
10"	26	26	28	26	28	26
12"	26	26	28	26	26	24
14"	26	26	26	24	26	24
16"	26	24	26	24	24	22
18"	26	24	24	24	24	22
19-26"	26	24	24	22	24	22
27-36"	24	22	22	20	22	20
37-50"	22	20	20	20	20	20
51-60"	20	18	18	18	18	18
61-84"	18	16	18	16	18	16

The above information taken from SMACNA 1995 - Second Edition

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

UMC Gauges

Round Duct Gauge Unreinforced Positive Pressure (Steel - Galvanized Sheet Gauge)

	> 2" w.g. (Pos)	> 2" ≤ 10" w.g. (Pos)	
Maximum Diameter	Round	Spiral Seam	Long. Seam
Up to 9"	26	26	24
10" to 14"	26	24	22
15" to 23"	24	24	22
24" to 37"	22	22	20
38" to 51"	20	20	20
52" to 61"	18	x	18
62" to 84"	16	x	16

The above information taken from 1997 Uniform Mechanical Code Table 6-B

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

1 Piece Line Set Cover	56	Floor Boxes	40-41
2 Piece Line Set Cover	56	Flue Reducers.....	26
45° Angles - Adjustable	9	FS Connectors	33
45° Angles - Adjustable, Long Radius.....	10		
45° Angles - Spotwelded	11	Hanger Material.....	57
45° Angles - Spotwelded , Long Radius.....	11	Heavy Duty Start Collar.....	28
90° Elbows - Adjustable.....	8		
90° Elbows - Adjustable, Long Radius	10	Job Site Deliveries	ii
90° Elbows - Spotwelded.....	11	KD Pipe, 3"	2
90° Elbows - Spotwelded, Long Radius.....	11	KD Pipe, 5".....	2
Air-Tite Start Collars.....	29		
Angle Material	57	Lead Times.....	i
		Linear Material.....	56
Base Vent with Louvre and Screen.....	55		
Base Vents with Screen.....	55	Mixing Boxes	62
B-Boxes	36		
Bonnet Tops	50	N-Flex 10'	5
		N-Flex 6'	4
Cancellations.....	i	N-Flex 7.5'	5
Canted Fan Curbs.....	51	Non-Standard Products	i
Ceiling Boxes - 4" Deep	36		
Ceiling Boxes - 8" to 14" Deep with PG.....	37	Packaging.....	ii
Ceiling Boxes - Side Outlet	37	Pancake Increaser.....	26
Change Orders	i	Pancake Reducer	26
China Caps.....	49	Pant Wyes.....	17
Combustion Air Cans	58	Perimeter Boot Adapter	45
Concrete Box.....	45	Perimeter Boot.....	44
Conductor Flashings	48	Plaster Ground	56
Conductor Pipe	55	Plenums, with Caps.....	60-61
Cone Register Boots.....	43	Plumbing Flashings.....	50
Cooler Clips.....	48		
Cooler Flashings.....	48	Reducers - Short Tapers.....	24
		Reducers - Flue.....	26
Damper Disks, with Hardware.....	32	Reducers - Pancake	26
Deliveries.....	i	Reducers - Sure Fit.....	25
Drain Pans	62	Reducers - T-Wye.....	24
Dryer Vent Riser.....	55	Register Boots	43
'Drive' Material.....	56	Register Boxes.....	42
Dryer Vents with Damper.....	54	Return Air Cans	38-39
Dryer Vent - Adjustable.....	55	Returns Policy.....	ii
Dual Branch T-Wyes.....	15	Riser Elbow.....	46
Dual Branch True Tee	15	Riser Pipe.....	46
Duct Board Start Collar.....	29	Roof Curbs.....	50
		Rotary Bases.....	52
Econo Vents	50	Round End Caps.....	34
End Cap/End Plug	34		
Eyebrows.....	55	'S' Material.....	56
		Saddle Taps - Rectangular.....	22
Fan Boots	55	Saddle Taps Flat	20
Fixed Dryer Vent.....	55	Saddle Taps for Spiral Specified Radius	21
Flat Stock	56	Saddle Taps Non-Specific Radius.....	20

AIR DUCT PRODUCTS

951.351.8484 office
714.563.0888 office
714.563.0887 fax
800.974.3387

Saddle Taps with Damper	20-21
Shipping Policies	<i>ii</i>
Short Tapers	24
Side Outlet Ceiling Box	37
Sleeves, No Cap	60-61
SMACNA Gauges	63
Soffit Boxes	58
Spin Ins.....	30-31
Spiral Pipe	3
Spiral Pipe Coupling.....	33
Splitter Wyes.....	16
Stackhead Register Boots	43
Start Collars.....	28
Start Collars - Air-Tite.....	29
Start Collars - Duct Board.....	29
Start Collars - Heavy Duty	28
Straight Register Boots.....	43
Sure-fit Increaser.....	25
Sure fit Reducers.....	25
Terms.....	<i>i</i>
True Tees	14
T-Tops	49
T-Wye Branches.....	18
T-Wye	14
T-Wye Reducer	24
UMC Gauges.....	64
Vent Pipe.....	55
Vent Tees	18
Vent Wyes.....	18
Vent Material	55
Vented Fan Curbs.....	51
Volume Dampers.....	32
Wall Caps with Screen.....	54
Will Calls	<i>ii</i>