


5 Gallon, 7/8" Metal Hose, Steel Safety Can for Flammables, Type II, Red - U251S

Product Images





Short Description

- 7/8" pouring hose
- 24-gauge hot dipped galvanized steel construction
- Spring closing lid for filling and a separate hose for accurate pouring
- Patented comfort grip
- Non-sparking flame arrester
- Baked on powder coat finish
- Double interlock, no-weld bottom seam
- Deep drawn construction means no top or side seams

Description

Eagle 5 Gallon Type-II Safety Can (U251S) feature two openings, one with a pressure-relief spring closing lid

for filling, one with an actuated pour valve with a flexible metal spout for safer controlled dispensing. The filler spout and flame arrestors in both openings are non-sparking brass designed for flashback protection. Can includes a 7/8" flexible metal spout and a red (for gasoline and other flammable liquids)powder coat finish with a trilingual label. FM, UL, and ULC Approved and meet OSHA and NFPA Code 30 requirements. Compliance: OSHA 29 CFR 1910.106, 1925.152 and NFPA Code 30.

Specifications

| Model No | U251S |
|----------------------------|---------------------------|
| Color | Red |
| UPC | 048441221523 |
| Hose Dimensions, inches | 0.88 |
| Metal Hose | 7/8" |
| Gallon Capacity | 5 |
| Liter Capacity | 18.93 |
| Material Specifications | 24-Gauge Galvanized Steel |
| Dimensions, Exterior | 12.5D x 15.875H |
| Pallet Quantity | 72 |
| Net Weight, lbs | 10 |
| Net Weight, kgs | 4.54 |
| FM Approval | Yes |
| UL Approval | Yes |
| ULC Approval | Yes |
| OSHA Compliance | Yes |
| Complies with NFPA Code 30 | Yes |