

DESCRIPTION

- Metal construction with chrome plated finish
- 2 piece clamshell design
- Modern styling
- Single mount
- Vandal resistant
- Flexible stainless steel supply lines

OPERATION

- Self-adapting distant adjustment
- 30 second time-out feature
- Battery 4(AA) or AC powered
- Low battery indicator light
- Average battery life 350,000 cycles
- Built-in mixing-manual on/off handle
- In-line filters included

FLOW


- Vandal resistant 0.5 gpm (1.9 L/min) aerator (with key)

STANDARDS

- Third party certified to meet CSA B-125, ASME A112.18.1M, ANSI A117.1 and all applicable requirements referenced therein
- Contains no more than 0.25% weighted average lead content
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- **ADA**  compliant

WARRANTY


- Warranted for 5 years against material or manufacturer defects



Mixing Electronic Faucet

Model: 8307 (Battery)
8308 (AC)

NOTE: DESIGNED TO BE INSTALLED THROUGH ONE HOLE 1-1/4" MIN. DIA.



CRITICAL DIMENSIONS

(DO NOT SCALE)

DESCRIPTION

- Metal construction with chrome plated finish
- 2 piece clamshell design
- Modern styling
- Single mount
- Vandal resistant
- Flexible stainless steel supply lines

OPERATION

- Self-adapting distant adjustment
- 30 second time-out feature
- Battery 4(AA) or AC powered
- Low battery indicator light
- Average battery life 350,000 cycles
- Built-in mixing-manual on/off handle
- In-line filters included

FLOW

- Vandal resistant 0.5 gpm (1.9 L/min) aerator


STANDARDS

- Third party certified to meet CSA B-125, ASME A112.18.1M, ANSI A117.1 and all applicable requirements referenced therein
- Contains no more than 0.25% weighted average lead content
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act

- **ADA**  compliant

WARRANTY


- Warranted for 5 years against material or manufacturer defects



Mixing Electronic Faucet

Model: CA8307 (Battery)
CA8308 (AC)

NOTE: DESIGNED TO BE INSTALLED THROUGH ONE HOLE 1-1/4" MIN. DIA.



CRITICAL DIMENSIONS

(DO NOT SCALE)