




Position	Count	Description	Unit price
	-1	<p><b>15 SQE07-150</b></p>  <p>Product photo could vary from the actual product</p> <p>Product No.: 96160191                      3" multi-stage, submersible pump designed for domestic water supply, liquid transfer in tanks, irrigation and environmental applications. The pump has "floating" impellers, each with its own tungsten carbide/ceramic bearing.</p> <p>The pump features soft starting and protection against dry-running, upthrust, overvoltage, undervoltage, overload and overtemperature.</p> <p>The motor is a one-phase motor of the permanent magnet rotor type ensuring optimum efficiency within a wide load range.                      The motor is fitted with a replaceable cable plug.</p> <p>Liquid:                      Maximum liquid temperature: 95 °F                      Max liquid temperature at 0.15 m/sec: 95 °F                      Density: 62.4 lb/ft³</p> <p><b>Technical:</b>                      Speed for pump data: 10700 rpm                      Rated flow: 13.2 US gpm                      Rated head: 184 ft                      Approvals on nameplate: UL, cUL                      Approvals on motor nameplate: CE,UL,CUL</p> <p><b>Materials:</b>                      Pump: Polyethylene / Stainless steel                      DIN W.-Nr. 1.4301                      Motor: Stainless steel                      DIN W.-Nr. 1.4301                      AISI 304</p> <p><b>Installation:</b>                      Pump outlet: NPT 1 1/4                      Minimum borehole diameter: 2.99 in</p>	On request



Company name: -  
Created by: -  
Phone: -  
Fax: -  
Date: -

Position	Count	Description	Unit price
		<b>Electrical data:</b> Motor type: MSE3 Power input - P1: 1.65 kW Rated power - P2: 1.54 HP Main frequency: 60 Hz Rated voltage: 1 x 200-240 V Start. method: direct-on-line Service factor: 2,05 Rated current: 8.4 A Power factor: 1,00 Rated speed: 10700 rpm Enclosure class (IEC 34-5): 58 Insulation class (IEC 85): F Length of cable: 4.92 ft	