

# G5 Twin™

CYLINDER / CONDENSER

## Industrial Heavy Duty

- Chillers
- Supermarkets
- Ships
- Ice Rinks
- Horizontally Opposing Twin Cylinders and Twin Condensers for ultra-fast recovery
- Permanently-lubricated, bearing-lined crankcase is isolated from refrigerant, eliminating bearing contamination
- Pumps liquid and vapor with no throttling
- 7-inch, 10-blade turbine fan blasts 600 cfm of cooling air over the twin condensers and twin cylinder heads



**ULTRA FAST**

Dimensions and Power		
Length	13.75 in.	349 mm
Height	10.30 in.	262 mm
Width	9.40 in.	239 mm
Weight	24 Lbs.	11 Kgs.
Power	115 VAC, 60 Hz, 10 Amps Int'l: 230 VAC, 50 Hz, 5 Amps	

**Pumps R410a  
Liquid/Vapor**

Flip Over for →

**G1 Single**  
SINGLE CYLINDER RECOVERY

**Up to 4x  
Faster**

For More Information Visit:  
**www.AppionInc.com**

### G5 Twin Recovery Rates

Refrigerant	Push-Pull	Liquid	Vapor
R-134a	11.09 lb/min 5.03 kg/min	4.34 lb/min 1.97 kg/min	0.42 lb/min 0.19 kg/min
R-22	16.62 lb/min 7.54 kg/min	6.22 lb/min 2.82 kg/min	0.62 lb/min 0.28 kg/min
R-407c	17.61 lb/min 7.99 kg/min	7.01 lb/min 3.18 kg/min	0.55 lb/min 0.25 kg/min
R-410a	10.21 lb/min 4.63 kg/min	3.48 lb/min 1.58 kg/min	0.66 lb/min 0.30 kg/min

### Industrial/Commercial Recovery

At only 24 lbs. (11 kgs.), the G5 Twin is the **smallest and lightest** recovery machine capable of handling the tough demands of industrial/commercial refrigerant recovery.



**Only 24 lbs.!**