



DURASLOT® VARIABLE HEIGHT SLOT RISER 4" - 36" DIAMETER



ELEVATION VIEW

4" - 36" PIPE WITH VARIABLE SLOT RISER DIMENSIONS

PIPE DIAM.	H	W	F	O	S	PRODUCT # (GRATED)	PRODUCT # (OPEN TOP)
4" (100mm)	VARIES	0.34"	0.5"	1.25"	1.75"	0490DS	0490DSOT
6" (150mm)	VARIES	0.5" (13mm)	0.75" (19mm)	1.75" (44mm)	2.25" (57mm)	0690DS	0690DSOT
8" (200mm)	VARIES	0.625" (16mm)	0.75" (19mm)	1.75" (44mm)	2.25" (57mm)	0890DS	0890DSOT
10" (250mm)	VARIES	0.75" (19mm)	0.75" (19mm)	1.75" (44mm)	2.25" (57mm)	1090DS	1090DSOT
12" (300mm)	VARIES	1.125" (29mm)	0.75" (19mm)	1.75" (44mm)	2.25" (57mm)	1290DS	1290DSOT
15" (375mm)	VARIES	1.25" (32mm)	0.75" (19mm)	1.75" (44mm)	2.25" (57mm)	1590DS	1590DSOT
18" (450mm)	VARIES	1.5" (38mm)	0.75" (19mm)	1.75" (44mm)	2.25" (57mm)	1890DS	1890DSOT
24" (600mm)	VARIES	1.875" (48mm)	1.0" (25mm)	1.75" (44mm)	2.25" (57mm)	2490DS	2490DSOT
30" (750mm)	VARIES	2.55" (65mm)	1" (25mm)	1.75" (45mm)	2.25" (57mm)	3090DS	3090DSOT
36" (900mm)	VARIES	2.85" (72mm)	1" (25mm)	1.75" (45mm)	2.25" (57mm)	3690DS	3690DSOT

NOTES:

- SLOT HEIGHTS TO CONFORM TO DIMENSIONS ON PROJECT PLANS. 'H' AT EACH END OF EACH LENGTH OF DURASLOT® TO BE DETAILED ON SLOT DIMENSIONS LAYOUTS FOR APPROVAL BEFORE PRODUCTION.
- DIMENSION FROM GRADE TO PIPE INVERT:
H (ACTUAL SLOT HEIGHT) + PIPE DIAMETER + RECESS (¼"-½")
- H1 AND H2 VARY BASED ON PROJECT SPECIFICATIONS.

© 2019 ADS, INC.

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT. NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D

DRAWING NUMBER: STD-1402



4640 TRUEMAN BLVD
HILLIARD, OHIO 43026

ADVANCED DRAINAGE SYSTEMS, INC.

DRAWN BY:	CWS
DATE:	2/1/2019
DESIGN BY:	KAK
SCALE:	NTS
SHEET:	1 OF 1