XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-MECHANICAL JOINT ACC.

ACCMJ

Item Description: PACK ACCESSORY, 4", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS.** SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 6", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN 019 KIT FORM.**

Item Description: PACK ACCESSORY, 8", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS.** SHIP BOXED IN 027 KIT FORM.**

Item Description: PACK ACCESSORY, 10", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN
035 KIT FORM.**

Item Description: PACK ACCESSORY, 12", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS.** SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 3", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS.**SHIP BOXED IN KIT FORM.**

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-MECHANICAL JOINT ACC.

ACCMJ

Item Description: PACK ACCESSORY, 14", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 16", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4-1/2") & NUTS. 096 **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 18", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4 -1/2") & NUTS. 100 **SHIP BOXED IN KIT.**

Item Description:PACK ACCESSORY, 20", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4 -1/2") AND112NUTS. **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 24", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 5") & NUTS. 123 **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 36", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (1" X 5- 1/2") & 159 NUTS.**SHIP BOXED IN KIT FORM**

XXJINVWCATL

Water and Wastewater Master Material Catalog

ADHESIVES & COMPOUNDS

ADCCL

Item Description:CLEANER, HAND WATERLESS, 160Z BOTTLE, TRUE GRIT UNITED 58 REMOVES GROUND-IN SOILS COMPLETELY010WHILE CONDITIONING THE SKIN WITH LANOLIN **** NO SUBSTITUTES ****

UNITED LABORATORIES

55812

ADCMI

Item Description: SEALANT, DUCT SEAL, 5-POUND BAG, ** PRICED BY THE POUND **, ** ISSUE BY THE POUND IN 5 POUND 005 INCREMENTS. **

ANDERSON	ARNCO INC.	DUCKSEAL
DSC-5	S 50 1-6	10DSG5
INTER-CHEMICAL	ITT/WEAVER	JOHN MANVILLE
PERMAGUM	DX5	DUX-SEAL

ADCSE

Item Description:SEALANT, SILICONE, BUILDING AND GLAZING, SEALANT COLOR IS CLEAR, 10 TO 11 OZ. CARTRIDGE, 12 PER140BOX, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

DEVCON	DOW CORNING	GENERAL ELECTRIC CO.
17150	732	RTV108

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-BUILDING MATERIAL

BDMAA

Item Description:BRICK, COMMON - #2 SOLID RED BRICK, ASTEM-32, SM AND MS GRADE, PRE-STACKED & BANDED FOR125FORKLIFT UNLOADING 2-1/4" X 3-1/2" X 7-3/4", SOLID BRICK ONLY, NO CORED BRICK ALLOWED

BORAL

#2 SOLID/RED

Item Description: CEMENT, 94 LB. BAG (PORTLAND CEMENT)

137

Item Description: HARDENER, CONCRETE, PORTLAND CEMENT QUICK SOLUTION, 5 GALLON PAIL, ANTI-HYDRO OR MAKE SET 233

Item Description: CONCRETE MIX, 60 POUND BAG, COMPRESSIVE STRENGHT OF 4,000 PSI (28 DAY).

241 QUIKRETE

1101

Item Description: LIME, HYDRATED, 50 POUND BAG 250

Item Description: ROD, CONNECTOR - 3/4", (COUPLER) ZINC PLATED.
262

Item Description: CORD-SASH, #8, 1/4" - 100 FT HANK, JUBILEE BRAIDED, SYNTHETIC CORD, MAGNOLIA 274

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-BUILDING MATERIAL

BDMAA

Item Description: PLUG, HYDRAULIC CEMENT MATERIAL FOR STOP- PING WATER INFILTRATION IN MANHOLES OR MASONRY

636 CHEMMASTERS

CHEMPLUG "F"

BDMCC

Item Description: LUMBER, PINE - #2, 2" X 4" X 12'. 295

Item Description: INACTIVE - NAIL, COMMON - 16D. SCOTTY'S OR EQUAL

517 SCOTTY'S

162504

```
Item Description: RECTORSEAL, PIPE JOINT COMPOUND, ( 1-PINT CAN )
```

731

BDMDD

Item Description: SEALANT, 3M , MARINE ADH , COLOR WHITE , 100Z TUBE #5200 ****** NO SUBSTITUTES ****** 260 3M

5200 - 051135-06500

Item Description: INACTIVE***SAME AS BDMAA188***SEALENT, RUBBER, BUTYL-FLEX RUBBER LAP SEALANT, TO BE USED TO SEAL HDPE MANHOLE RISER RINGS, 10.1 OZ. CAULK TUBE, MEETS ASTM C-1085. MADE BY DAP **** NO SUB. ****

DAP

18182

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-BUILDING MATERIAL

BDMEE

Item Description: STAKE-WOOD, 1" X 2" X 24" #2 PINE, BANDED, 50/PER BUNDLE SINGLE POINT, DOUBLE CUT. **** 1 EACH 112 = BUNDLE OF 50 STAKES. ****

Item Description: STAKE, WOOD - 1" X 2" X 36", 24 EACH TO A BUNDLE. 128

Item Description: ROD, STEEL, ALL THREADED, 5/8" X 12', PLAIN FINISH, B7. * 10-12 FT. LENGTHS ONLY * 448

Item Description: ROD, STEEL, ALL THREADED, 3/4-10 X 12', PLAIN FINISH ***** 12-FT. LENGTHS ONLY PLEASE*****, 460 **** 1 EACH = 12 FOOT PIECE ****

BDMFF

Item Description: TAPE, SURVEYING ORANGE FLUORESCENT 1 3/16" X 50 YDS, TAFFETA GRADE
134
PRESCO
TFOG

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-BACKFLOW PREVENTERS

BFPAA

020

Item Description: PREVENTER BACKFLOW, REDUCED PRESSURE TYPE 1", TWO INDEPENDENT CHECK VALVES WITH INTERMEDIATE 020 RELIEF VALVE, BRONZE FULL PORT BALL VALVE SHUT-OFFS TO BE RESILIENT SEATED, 1/4 TURN BALL VALVES.

WATTS REGULATOR

LF909-QT

Item Description: PREVENTER BACKFLOW 1" DUAL CHECK.

030	FEBCO	WATTS	WILKINS
	510	LF7	700XL

Item Description: PREVENTER BACKFLOW 2", REDUCED PRESSURE TYPE WITH BALL VALVE, BALL VALVE TO BE RESILIENT 050 SEATING IN KEEPING WITH CITY OF JACKSONVILLE SPECIFICATIONS.

WILKINS

975-XL2

Item Description:PREVENTER BACKFLOW 6", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM070A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300STAINLESS STEEL, SEALS AND RINGS FDA APPROVED

WILKINS

375AOSY

Item Description:PREVENTER BACKFLOW 8", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM075A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300STAINLES STEEL, SEALS AND RINGS

WILKINS

375AOSY

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-BACKFLOW PREVENTERS

BFPAA

Item Description:PREVENTER BACKFLOW 10", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM080A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300STAINLES STEEL, SEALS AND RINGS

WILKINS

375AOSY

BOLTS

BOLEY

Item Description: BOLT, EYE, 3/4"- 10 X 4 1/2", OFFSET, 316 SS 030

Item Description: BOLT, 3/4"-10 X 2 1/2", HEX HEAD CAP, 316 SS, NC 50/100 PER BOX/BAG 040

Page: 9 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

CONDUIT

CDUNL

- Item Description: LOCKNUT, CONDUIT, 1", STEEL
- 022 THOMAS AND BETTS
 - 143
- Item Description: LOCKNUT, CONDUIT, 3/4", STEEL

026 THOMAS AND BETTS

142

PUD-CHLORINE

CHLGG

Item Description: KIT, ICE MAKER - KIT TO BE USED FOR TAPPING 3/8" - 1-3/8" COPPER TUBING, KIT INCLUDES 25 FT. OF 204 FDA APPROVED 1/4" O.D NON-TOXIC POLYETHYLENE TUBING (120 PSI MIN), SELF-TAPPING SADDLE VALVE W/RUBBER WASHER AND COMPRESSION SLEEVE, TWO BRASS INS

BARNETT BRASS	JOHNSTONE SUPPLY
157294	PT25
	B-80516

CHEMICALS

CHMDE

Item Description: GREASE TRAP MAINTAINER, 5 GALLON PAILS. **** 1 EACH = 5 GALLON PAIL. ****ONCE ON HAND GOES TO 055 ZERO MAKE ITEM INACTIVE********

GATEWAY CHEMICALS

3146

Item Description: BIG JIM DEODORIZER / SANITIZER, 55 GALLON DRUMS. ****1 EACH = 55 GALLON DRUM. ****

060 GATEWAY CHEMICALS

3145

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPAA

Item Description: CLAMP, STELLAR, 4", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 2" 010 BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, 6", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3-1/2" BOLTS 020 AND NUTS, NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED.

Item Description: CLAMP, STELLAR, 8", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3 030 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 10", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3" 040 BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 12", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 4-050 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 14", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 4-060 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPAA

Item Description: CLAMP, STELLAR, 16", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 5-1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

CLPBB

- Item Description: CLAMP, BELL JOINT LEAK, 4"
- 010 **SMITH-BLAIR INC.** 274-0480-000
- Item Description: CLAMP, BELL JOINT LEAK, 6"
- 020 **SMITH-BLAIR INC.** 274-00000690-000
- Item Description: CLAMP, BELL JOINT LEAK, 8"
- 030 **SMITH-BLAIR INC.** 274-00000905-000
- Item Description: CLAMP, BELL JOINT LEAK, 10"
- 040 **SMITH-BLAIR INC.** 274-00001110-000
- Item Description: CLAMP, BELL JOINT LEAK, 12"
- 050 **SMITH-BLAIR INC.** 274-00001320-000
- Item Description: CLAMP, BELL JOINT LEAK, 14"
- 060 SMITH BLAIR
 - 274-00001530-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPBB

- Item Description: CLAMP, BELL JOINT LEAK, 16" 070 MUELLER SMITH-BLAIR INC. H770 274-00001740-000 Item Description: CLAMP, BELL JOINT LEAK, 20" 080 SMITH-BLAIR INC. 274-00002160-000 Item Description: CLAMP, BELL JOINT LEAK, 24" 090 SMITH-BLAIR INC. 274-2580-000 Item Description: CLAMP, BELL JOINT LEAK, 30" 100 SMITH-BLAIR INC. 274-3174-000 Item Description: CLAMP, BELL JOINT LEAK, 36" 110 SMITH-BLAIR INC. 274-3796-000 Item Description: CLAMP, FULL CIRCLE, 1/2" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES, 218 STAINLESS STEEL BAND, DUCTILE LUGS. .84 O.D. X 6" LENGTH. JCM SMITH-BLAIR INC. 111-0084-6 244-00008406-000
- Item Description:CLAMP, FULL CIRCLE, 3/4" FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES,239STAINLESS STEEL BAND, DUCTILE LU GS. 1.05 O.D. X 6" LENGTH, OR EQUAL

JCM SMITH-BLAIR INC.

111-0105-6 244-00010506-000

Page: 13 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPBB

Item 257	Description:	CLAMP, FULL CIRCLE, 1" - FULL CIRCUMFERENCE, GASKET WITH RECESSED ARMOUR PLATES, STAINLESS STEEL BAND, DUCTILE LUGS, 1.32 O.D. X 6" LENGTH, OR EQUAL
	JCM 111-0132-6	SMITH-BLAIR INC. 244-00013206-000
Item 270	Description:	CLAMP, FULL CIRCLE, 1-1/4" - FULL CIRCUMFERENCE GASKET WITH RECESSED ARMOUR PLATES, STAINLESS STEEL BAND, DUCTILE LUGS. 1.66 O.D. X 6" LENGTH , OR EQUAL
	JCM 111-0166-6	SMITH-BLAIR INC. 244-00016606-000
Item 294	Description:	CLAMP, FULL CIRCLE, 1-1/2" - FULL CIRCUMFERENCE GASKET WITH RECESSED ARMOUR PLATES, STAINLESS STEEL BAND, DUCTILE LUGS. 1.90 O.D. X 6" LENGTH.
	JCM 111-0190-6	SMITH-BLAIR INC. 244-00019006-000
Item 313	Description:	CLAMP, FULL CIRCLE, 2" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES, STAINLESS STEEL BAND, DUCTILE LUGS. 2.38 O.D. X 6" LENGTH, OR EQUAL
	JCM 111-0238-6	SMITH-BLAIR INC. 244-00023806-000
CLPCC	2	
Item	Description:	CLAMP, FULL CIRCLE, 2.35-2.63 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)
100	FORDFLEX F1-263-7.5	SMITH-BLAIR INC. 226-023807-000
Item	Description:	CLAMP, FULL CIRCLE, 2.70-3.00 X 7-1/2", (NOTE: ALL 7-/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)
200	FORDFLEX F1-300-7.5	SMITH-BLAIR INC. 226-027507-000

Page: 14 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPCC

Item 300	Description:	CLAMP, FULL CIRCLE, 2.97-3.25 X 7-1/2" SMITH-BLAIR, FORDLEX, OR EQUAL (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)
	FORDFLEX F1-325-7.5	SMITH-BLAIR INC. 226-03007-000
Item	Description:	CLAMP, FULL CIRCLE, 3.46-3.70 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)
400	FORDFLEX F1-370-7.5	SMITH-BLAIR INC. 226-035007-000
Item	Description:	CLAMP, FULL CIRCLE, 3.73-4.00 X 7-1/2", NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM
500	FORDFLEX F1-400-7.5	SMITH-BLAIR INC. 226-037507-000
Item	Description:	CLAMP, FULL CIRCLE, 3.96-4.25 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)
600	FORDFLEX F1-425-7.5	SMITH-BLAIR INC. 226-040007-000
Item	Description:	CLAMP, FULL CIRCLE, 4.45-4.73 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)
700	FORDFLEX F1-473-7.5	POWERSEAL CORP. SMITH-BLAIR INC. MODEL 3121 4X X 8 226-045007-000
Item	Description:	CLAMP, FULL CIRCLE, 4.74-5.14 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)
800	FORDFLEX F1-514-7.5	SMITH-BLAIR INC. 226-048007-000
Item 850	Description:	CLAMP , FULL CIRCLE REPAIR, 4.74 - 5.14 x 15", FOR WATER AND SEWER LINES OF PVC, DI AND CI PIPE, TO BE MADE OF STAINLESS STEEL AND HAVE RUBBER GASKET GLUED TO THE INSIDE, (NOTE: ALL 15" CLAMPS MUST HAVE MINIMUM OF 4 BOLTS, WASHERS & NUTS)
	FORDFLEX	SMITH-BLAIR INC.

F151415 226-048015-000

J

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPCC

Item	Description:	CLAMP, FULL CIRCLE, 4.95-5.35 X 7-1/2" NOTE: A	LL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM
900	FORDFLEX F1-535-7.5	SMITH-BLAIR INC. 226-050007-000	
Item 950	Description:	CLAMP , FULL CIRCLE REPAIR, 6.84 - 7.24 X 15", PIPE, TO BE MADE OF STAINLESS STEEL AND HAVE R CLAMPS MUST HAVE MINIMUM OF 4 BOLTS, WASHERS &	UBBER GASKET GLUED TO THE INSIDE, (NOTE: ALL 15"
	FORDFLEX F172415	SMITH-BLAIR INC. 226-069015-000	
	Description:	CLAMP, FULL CIRCLE, MUST COVER 44.50 (OD) RANG	E X 30" WIDE.
960	JCM 102		
CLPDI	þ		
Item 000	Description:	CLAMP, FULL CIRCLE, 5.22-5.62 (O.D.) X 7-1/2". MINIMUM)	(NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS
	FORDFLEX F1-562 X 7.5	SMITH-BLAIR INC. 226-052507-000	
Item 100	Description:	CLAMP, FULL CIRCLE, 5.95-6.35 (O.D.) X 7-1/2", MINIMUM)	(NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS
	FORDFLEX F1-635 X 7.5	POWERSEAL CORP. MODEL 3121 6X X 8	SMITH-BLAIR INC. 226-060007-000
Item 200	Description:	CLAMP FULL CIRCLE 6" O.D. 6.56-6.96 X 7-1/2" MINIMUM)	(NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS
	FORDFLEX F1-696-75 F1-696-7.5	SMITH-BLAIR INC. 226-066307-000	

Page: 15 of: 305

Page: 16 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPDD

Item 300	Description:	CLAMP, REPAIR FULL (BOLTS MINIMUM)	CIRCLE 6" O.D.	. 6.84- 7.24 X	7-1/2", ((NOTE: ALL	7-1/2" CLAM	PS MUST	HAVE	3
	FORDFLEX F1-724-7.5		SMITH-BLA 226-06900							
Item	Description:	CLAMP, FULL CIRCLE,	7.05-7.45 X 1	L2.5",						
400	FORDFLEX F1-745-12.5		SMITH-BLA 226-07101							
Item	Description:	CLAMP, FULL CIRCLE,	7.45-7.85 (0.	.D.) X 12.5"						
500	FORD FS1-785-12		FORDFLEX F1-785 X 1	12.5			BLAIR INC. 4512-000			
Item	Description:	CLAMP, FULL CIRCLE,	8.54-8.94 (0.	.D.) X 12.5"						
700	FORDFLEX F1-894-12.5		POWERSEAL MODEL 312:				BLAIR INC. 86312-000			
Item	Description:	CLAMP, FULL CIRCLE,	8.99-9.39 X 1	L2.5",						
800	FORDFLEX F1-939-12.5		SMITH-BLA 226-09051							
Item	Description:	CLAMP, FULL CIRCLE,	9.27-9.67 (0.	.D.) X 12.5"						
900	FORDFLEX F1-967-12.5		SMITH-BLA 226-09401							
CLPER	5									

Item Description: CLAMP, FULL CIRCLE, 9.70-10.10 (O.D.) X 12.5

000	FORDFLEX	SMITH-BLAIR INC.
	F1-1010-12.5	226-100012-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPEE

	Description:	CLAMP,	FULL CIRCLE,	10	D.30-10.70 (O.D.) X 12.5	
075	SMITH BLAIR 2260010301200	005				
Item	Description:	CLAMP,	FULL CIRCLE,	10.	.64-11.04 (O.D.) X 12.5.	
100	FORDFLEX F1-1104-12.5				POWERSEAL CORP. MODEL 3122 10A X 12	SMITH-BLAIR INC. 226-107512-000
Item	Description:	CLAMP,	FULL CIRCLE,	11.	.04-11.44 (O.D.) X 12.5	
200	FORDFLEX F1-1144-12.5				SMITH-BLAIR INC. 226-111012-000	
Item	Description:	CLAMP,	FULL CIRCLE,	11.	.75-12.15 (O.D.) X 12.5	
400	FORDFLEX F1-1215-12.5				SMITH-BLAIR INC. 226-117512-000	
	Description:	CLAMP,	FULL CIRCLE,	12.	.00 -12.40 (O.D.) X 12.5.	
500	FORDFLEX F1-1240-12.5				SMITH-BLAIR INC. 226-120012-000	
Item	Description:	CLAMP,	FULL CIRCLE,	12.	.62-13.02 (O.D.) X 12.5".	
650	FORDFLEX F1-1302-12.5				POWER SEAL 3121 12bx12	SMITH-BLAIR INC. 226-127512-000
	Description:	CLAMP,	FULL CIRCLE,	13.	.14-13.50 (O.D.) X 12.5"	
700	FORDFLEX F1-1350-12.5				POWERSEAL CORP. TO BE SUPPLIED	SMITH-BLAIR INC. 226-132012-000
Item	Description:	CLAMP,	FULL CIRCLE,	13.	.40-13.80 (O.D) X 12.5".	
800	FORDFLEX F1-1380-12.5				SMITH-BLAIR INC. 226-134012-000	

Page: 18 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPEE

Description:	CLAMP,	FULL CIRCLE,	13.65-14.45 (O.D.) X 20)".		
FORDFLEX F2-1445-20			SMITH-BLAIR INC. 227-136520-000			
Description:	CLAMP,	FULL CIRCLE,	15.07-15.82 (O.D.) X 20	Ο".		
FORDFLEX F2-1582-20			SMITH-BLAIR INC. 228-20150720-000			
Description:	CLAMP,	FULL CIRCLE,	15.92-17.12 (O.D.) X 1	5", ALL STAINLESS ST	EEL, MULTI- BAND CONSTRUCTION.	
FORD FS3			SMITH-BLAIR INC. 263-00159215-000			
F						
Description:	CLAMP,	FULL CIRCLE,	17.15-17.90 (O.D.) X 20) "		
FORDFLEX F2-1790-20			SMITH-BLAIR INC. 228-171520-000			
Description						
Description:	CLAMP,	FULL CIRCLE,	19.23-19.98 (O.D.) X 20) "		
FORDFLEX F2-1998-20	CLAMP,	FULL CIRCLE,	19.23-19.98 (O.D.) X 20 SMITH-BLAIR INC. 228-20192320-000) "		
- FORDFLEX F2-1998-20			SMITH-BLAIR INC.			
- FORDFLEX F2-1998-20			SMITH-BLAIR INC. 228-20192320-000			
FORDFLEX F2-1998-20 Description: FORDFLEX F2-2227-30	CLAMP,	FULL CIRCLE,	SMITH-BLAIR INC. 228-20192320-000 21.52-22.27 (O.D.) X 30 SMITH-BLAIR INC.)".	E BAND CLAMP.	
	F2-1445-20 Description: FORDFLEX F2-1582-20 Description: FORD FS3 F Description: FORDFLEX F2-1790-20	F2-1445-20 Description: CLAMP, FORDFLEX F2-1582-20 Description: CLAMP, FORD FS3 F Description: CLAMP, FORDFLEX F2-1790-20	F2-1445-20 Description: CLAMP, FULL CIRCLE, FORDFLEX F2-1582-20 Description: CLAMP, FULL CIRCLE, FORD FS3 F Description: CLAMP, FULL CIRCLE, FORDFLEX F2-1790-20	F2-1445-20 227-136520-000 Description: CLAMP, FULL CIRCLE, 15.07-15.82 (O.D.) X 20 FORDFLEX SMITH-BLAIR INC. F2-1582-20 228-20150720-000 Description: CLAMP, FULL CIRCLE, 15.92-17.12 (O.D.) X 19 FORD SMITH-BLAIR INC. FS3 263-00159215-000 F Description: CLAMP, FULL CIRCLE, 17.15-17.90 (O.D.) X 20 FORDFLEX SMITH-BLAIR INC.	F2-1445-20 227-136520-000 Description: CLAMP, FULL CIRCLE, 15.07-15.82 (0.D.) X 20". FORDFLEX SMITH-BLAIR INC. F2-1582-20 228-20150720-000 Description: CLAMP, FULL CIRCLE, 15.92-17.12 (0.D.) X 15", ALL STAINLESS ST FORD SMITH-BLAIR INC. FS3 263-00159215-000 F Description: CLAMP, FULL CIRCLE, 17.15-17.90 (0.D.) X 20" FORDFLEX SMITH-BLAIR INC. FS3 263-00159215-000	F2-1445-20 227-136520-000 Description: CLAMP, FULL CIRCLE, 15.07-15.82 (0.D.) X 20". FORDFLEX SMITH-BLAIR INC. F2-1582-20 228-20150720-000 Description: CLAMP, FULL CIRCLE, 15.92-17.12 (0.D.) X 15", ALL STAINLESS STEEL, MULTI- BAND CONSTRUCTION. FORD SMITH-BLAIR INC. FS3 263-00159215-000 F V Poscription: CLAMP, FULL CIRCLE, 17.15-17.90 (0.D.) X 20" FORDFLEX SMITH-BLAIR INC. F2-1790-20 228-171520-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPFF

Item 453	Description:	CLAMP, FULL CIRCLE - 2 MINIMUM O.D. RANGE SPE	7.65-28.75 (O.D.) X 30" (MINIMUM),TRI CIFIED.	PLE BAND CLAMP. CLAMP MUST HAVE
	FORD F3-2875-30		SMITH-BLAIR INC. 228-30276530-000	
Item	Description:	CLAMP, FULL CIRCLE, 31	.70-32.80 (O.D) X 30", ALL STAINLESS	STEEL, INCLUDING S/S NUTS AND BOLTS.
500	FORD F3-3290-30			
Item	Description:	CLAMP, FULL CIRCLE, 37	.90-39.25 (O.D.) X 30", ALL STAINLESS	STEEL
600	FORD F4-3925-30		JCM 102-3830-30	SMITH BLAIR 267-00383030-065
CLPGO	3			
Item	Description:	CLAMP, REPAIR, HANDI-B	AND, 1/2" X 3". *********** NO SUBSI	ITUTE ********
010	JCM 110-0084-3		SMITH-BLAIR INC. 245-00008403-000	
Item	Description:	CLAMP, REPAIR, HANDI-B	AND, 1/2" X 6".	
020	JCM 110-0084-6		SMITH-BLAIR INC. 245-00008406-000	
Item	Description:	CLAMP, REPAIR, HANDI-B	AND, 3/4" X 3" ************ NO SUBSTI	TUTE *********
030	JCM 110-0105-3		SMITH-BLAIR INC. 245-00010503-000	
Item	Description:	CLAMP, REPAIR, HANDI-B	AND 3/4" X 6" ********** NO SUBSTIT	UTE *******
040	JCM 110-0105-6		SMITH-BLAIR INC. 245-00010506-000	

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPGG

Item	Description:	CLAMP, REPAIR, HANDI-BAND, 1" X 3". ********* NO SUBSTITUTE ***********************************							
050	JCM 110-0132-3	SMITH-BLAIR INC. 245-00013203-000							
Item	Description:	CLAMP, HANDI-BAND, 1" X 6". ************* NO SUBSTITUTE *************************							
060	JCM	SMITH-BLAIR INC.							
	110-0132-6	245-00013206-000							
Item	Description:	CLAMP, HANDI-BAND, 1-1/4" X 3". ********* NO SUBSTITUTE *************************							
070	JCM	SMITH-BLAIR INC.							
	110-0166-3	245-00016603-000							
Item	Description:	CLAMP, HANDI-BAND, 1-1/2" X 3". ************ NO SUBSTITUTE **********************							
080	JCM	SMITH-BLAIR INC.							
	110-0190-3	245-00019003-000							
	Description:	CLAMP, HANDI-BAND, 1-1/2" X 6". ********* NO SUBSTITUTE *************************							
090	JCM	SMITH-BLAIR INC.							
	110-0190-6	245-00019006-000							
Item	Description:	CLAMP, HANDI-BAND, 2" X 3". ************** NO SUBSTITUTE ************************							
100	JCM	SMITH-BLAIR INC.							
	110-0238-3	245-00023803-000							
Item	Description:	CLAMP, HANDI-BAND, 2" X 6". ************** NO SUBSTITUTE ************************							
110	JCM	SMITH-BLAIR INC.							
	110-0238-6	245-00023806-000							

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPJJ

000

Item Description: CLAMP, SERVICE, 1.61-1.92 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 600 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00019209-000

Item Description:CLAMP, SERVICE, 2.35-2.56 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE700MINIMUM O.D. RANGE NOTED

FORD	SMITH-BLAIR INC.
F202 (2.35-2.50)	313-00025607-000

Item Description: CLAMP, SERVICE, 2.38 X 3/4, BRONZE, COPPER TO COPPER THREAD, MUELLER, CLOW, OR EQUAL.

800	CLOW	FORD	MUELLER
	3401	S70-203	H-13420

Item Description: CLAMP, SERVICE, 2.35-2.56 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 900 MINIMUM O.D. RANGE NOTED

FORD	POWERSEAL CORP.	SMITH-BLAIR INC.
F202-250-CC4-I	34132A1CC	313-025609-000
F202 (3.80-4.25)		

CLPKK

Item Description: CLAMP, SERVICE, 2.38 X 1", BRONZE, COPPER TO COPPER THREAD.

000	FORD	MUELLER
	S70-204	H-13420

Item Description:CLAMP, SERVICE, 2.44-2.91 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE100MINIMUM O.D. RANGE NOTED, SMITH-BLAIR OR EQUAL

SMITH-BLAIR INC.

029107-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPKK

Item Description: CLAMP, SERVICE, 2.44-2.91 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 200 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00029109-000

Item Description: CLAMP, SERVICE, 2.97-3.54 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 300 MINIMUM O.D. RANGE NOTED, SMITH-BLAIR OR EQUAL

SMITH-BLAIR INC.

13-035407-000

Item Description: CLAMP, SERVICE, 2.97-3.54 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 500 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00035409-000

Item Description: CLAMP, SERVICE, 3.74 - 4.55 X 1-1/2", NPT

650 SMITH-BLAIR INC.

315-000-45512-000

Item Description: CLAMP, SERVICE, 3.74-4.55 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 700 MINIMUM O.D. RANGE NOTED SMITH-BLAIR #313-045507-000 OR EQUAL

SMITH-BLAIR INC.

313-00045507-000

Item Description: CLAMP, SERVICE, 3.74-4.13 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 900 MINIMUM O.D. RANGE NOTED

FORD	SMITH-BLAIR INC.
F202 (3.80-4.25)	313-041309-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPLL

Item	Description:	CLAMP, SERVICE, 4.	50 X 1", BRONZE,	COPPER TO COPPER THR	EAD. MUELLER , CLOW , FORD, OR EQUAL.
000	CLOW 3401		FORD S70-404		MUELLER H-13428
Item 075	Description:	CLAMP, SERVICE, 4. DOUBLE BALE.	74 - 5.14 (OD) X	2", NPT, SERVICE CLA	MP MUST HAVE MINIMUM OD RANGE NOTED.
Item 100	Description:	CLAMP, SERVICE, 4. MINIMUM O.D. RANGE		3/4", COPPER TO COPP	ER THREAD, SERVICE CLAMP MUST HAVE THE
	FORD		POWER SEAL		SMITH BLAIR
	F202 (4.74-5.	26)	3413-4B x ¾	CC	313-00051407-000
Item 200	Description:	CLAMP, SERVICE, 4. MINIMUM O.D. RANGE		1", COPPER TO COPPER	THREAD, SERVICE CLAMP MUST HAVE THE
	FORD		POWERSEAL C	ORP.	
	F202 (4.74-5.	26)	34134B1CC		
Item 300	Description:	CLAMP, SERVICE,4.7 MINIMUM O.D. RANGE		1-1/2" COPPER TO COPP	ER THREAD, SERVICE CLAMP MUST HAVE THE
	FORD		POWER SEAL		SMITH-BLAIR INC.
	F202 (4.74-5.	26)	3413-4C x	1½CC	313-00051413-000
Item 400	Description:	CLAMP, SERVICE, 4. MINIMUM O.D. RANGE	. ,	2", COPPER TO COPPER	THREAD, SERVICE CLAMP MUST HAVE THE
	POWER SEAL		SMITH-BLAIR	INC.	
	3413-4C x 2CC	!	313-0005141	5-000	

Page: 23 of: 305

Page: 24 of: 305

THE

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPLL

Item Description: CLAMP, SERVICE, 5.94 - 6.69 X 2", NPT 475

Item Description: CLAMP, SERVICE, 5.94 - 6.70 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE MINIMUM O.D. RANGE NOTED

 FORD
 SMITH-BLAIR INC.

 F202 (5.94-6.69)
 313-66309

CLPMM

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 2", IPT, SERVICE CLAMP MUST HAVE THE MINIMUM O.D. RANGE NOTED

Item Description:PARTIAL SURPLUS - CLAMP, SERVICE, 6.84-7.60 (O.D.) X 3/4", COPPER TO COPPER THREAD, CLAMP100SERVICE MUST HAVE THE MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-076007-000

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 200 MINIMUM O.D. RANGE NOTED

	FORD				POWE	RSEAL C	ORP.				SMITH	-BLAIR II	NC.			
	F202 (6.84-7.	60)			3413	6B1CC					313-0	76009-000	0			
Item	Description:	CLAMP,	SERVICE,	6.84 -	7.60	(O.D.)	X 2",	COPPER	то	COPPER	THREAD,	SERVICE	CLAMP	MUST	HABE	Т

400 MINIMUM O.D. RANGE NOTED

FORD	POWERSEAL CORP.	SMITH-BLAIR INC.
F202 (6.84-7.60)	34136B2CC	313-076015-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPMM

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 2", SS, NPT, SERVICE CLAMP MUST HAVE THE MINIMUM O.D. 475 RANGE NOTED

Item Description: CLAMP, SERVICE, 7.79 - 8.72 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 575 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00087209-000

- Item Description: CLAMP, SERVICE, 8.63 X 1", COPPER TO COPPER THREAD, BRONZE
- ⁷⁰⁰ **FORD MUELLER** \$70-804 H-13433

CLPNN

Item Description: INACTIVE - CLAMP, SERVICE, 8.54-10.10 O.D. X 3/4" COPPER TO COPPER THREAD, SERVICE CLAMP MUST 000 HAVE THE MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-101007-000

- Item Description: CLAMP, SERVICE, 8.54 10.10 (O.D.) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 100 MINIMUM O.D. RANGE NOTED
 - FORD
 POWERSEAL CORP.
 SMITH-BLAIR INC.

 F202 (4.74-5.26)
 34138B1CC
 313-00101009-000
- Item Description: CLAMP, SERVICE, 8.54-10.10 (OD) X 1-1/2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 200 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00101013-000

Page: 26 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPNN

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 300 MINIMUM O.D. RANGE NOTED

 POWERSEAL CORP.
 SMITH-BLAIR INC.

 34138B2CC
 313-101015-000

Item Description: CLAMP, SERVICE, 10.64 - 12.12 (O D) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 600 MINIMUM O.D. RANGE NOTED

POWERSEAL CORP.	SMITH-BLAIR INC.
341310B1CC	313-121209-000

Item Description: CLAMP, SERVICE, 10.64 - 12.12(0.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 800 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00121215-000

Item Description: INACTIVE - CLAMP, SERVICE, 12.62-14.32 (O D) X 3/4" COPPER TO COPPER THREAD, SERVICE CLAMP MUST 900 HAVE THE MINIMUM O.D. RANGE.

SMITH-BLAIR INC.

313-143207-000

CLPPP

Item Description: CLAMP, SERVICE, 12.62 - 14.32 (O D) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 000 MINIMUM O.D. RANGE NOTED

FORD	POWERSEAL CORP.	SMITH-BLAIR INC.
F2021438CC4	341312B1CC	313-143209-000

Item Description: CLAMP, SERVICE, 12.62-14.32(OD) X 1-1/2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 100 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00143213-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPPP

Item Description: CLAMP, SERVICE, 12.62 - 14.32(0.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 200 MINIMUM O.D. RANGE NOTED

FORD	POWERSEAL CORP.	SMITH-BLAIR INC.
F2021438CC7	341312B2CC	313-143215-000

Item Description: CLAMP, SERVICE, 14.73 - 15.65(0.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE 400 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-156515-000

CLPQQ

Item Description: INACTIVE - CLAMP, SERVICE, 17.40-18.88 (O.D.) X 3/4", COPPER TO COPPER THREAD, DOUBLE STRAP, 001 STRAPS CARBON STEEL (ELECTRO- GALVANZIED) WITH DI-CHROMATE SEAL, NUTS/ WASHERS DI-CHROMATE SEALED

SMITH-BLAIR INC.

313-188807-000

Item Description:CLAMP, SERVICE, 17.40-18.88 (O.D.) X 1", COPPER TO COPPER THREAD, DOUBLE STRAP CARBON STEEL012(ELECTRO-GALVANIZED) WITH DI-CHROMATE SEAL, NUTS/WASHERS DI-CHROMATE SEALED

FORD	POWERSEAL CORP.	SMITH-BLAIR INC.	
FC2021840CC4	341316A1CC	313-188809-000	
Item Description: 034	CLAMP, SERVICE 17.40-18.88 (O.D.) X 2", COPPER T STEEL (ELECTRO-GALVANIZED) WITH DI-CHROMATE SEAL		

SMITH-BLAIR INC.

313-00188815-000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPQQ

Item Description:CLAMP, SERVICE 21.35 - 22.10 (O.D.) X 1" COPPER TO COPPER THREAD, LARGE PIPE O.D. STRAPS045(CARBON STEEL MUST HAVE ELECTRO- GALVANIZING), NUTS- CARBON STEEL, WASHERS TO BE HEMISPHERICAL

SMITH-BLAIR INC.

366-00221009-000

Item Description: CLAMP, SERVICE, 21.35 - 22.10 (O.D.) X 2", COPPER TO COPPER THREAD, LARGE PIPE O.D. STRAPS 056 (CARBON STEEL WITH ELECTRO- GALVANIZING), NUTS- CARBON STEEL, WASHERS TO BE HEMISPHERICAL

SMITH-BLAIR INC.

366-00221015-000

Item Description: CLAMP, SERVICE, 17.40-18.88 (O.D.) X 2", NPT, DOUBLE STRAP, STRAPS-CARBON STEEL (ELECTRO 078 GALVANIZED) WITH DI-CHROMATE SEAL, NUTS AND WASHERS DI-CHROMATE SEALED, SADDLE MUST HAVE MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00188814-000

Item Description: CLAMP, SERVICE, 25.55-26.32 (O.D.) X 2" NPT, TRIPLE STRAP, STRAPS AND NUTS TO BE CARBON STEEL, 089 DUCTILE IRON BODY, SADDLE MUST HAVE MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

366-00263214-000

Item Description: CLAMP , SERVICE 14.73 TO 15.65 O.D. RANGE X 1" COPPER TO COPPER THREAD , DOUBLE STRAPS , STRAP-115 CARBON STEEL. (ELECTRO-GALVANIZED) WITH DI-CHROME SEAL , NUTS/WASHERS DI-CHROME.

SMITH-BLAIR INC. 317-00258009

Item Description:CLAMP , SERVICE 25. 75 TO 25. 85 O.D. RANGE X 1" COPPER TO COPPER THREAD , DOUBLE STRAPS ,126STRAP-CARBON STEEL. (ELECTRO-GALVANIZED) WITH DI-CHROME SEAL , NUTS/WASHERS DI-CHROME.

FORD	JCM	
FC202 (25.60-26.50)	406-2650-09CC	

Page: 29 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPQQ

Item 136	-	CLAMP, SERVICE 4" X 2" MINIMUM O.D. RANGE NOTE	IPT, O.D. 4.74"-5.26" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE
	FORD		SMITH BLAIR
	FC202 (4.74-5	.26)	317-00051414-000
Item 146	-	CLAMP, SERVICE 6" X 2" MINIMUM O.D. RANGE NOTE	IPT, O.D. 6.84"-7.60" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE D
	FORD FC202 (6.84-7	.60)	SMITH BLAIR 317-00076014-000
Item 156	Description:	CLAMP, SERVICE 8" X 2" MINIMUM O.D. RANGE NOTE	IPT, O.D. 8.99"-9.79" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE D
	FORD FC202 (8.99-9	.79)	SMITH BLAIR 317-00101014-000
Item	Description:	CLAMP, SERVICE 10" X 2"	IPT, O.D. 10.75"-11.10" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE
166		MINIMUM O.D. RANGE NOTE	D
166	FORD	MINIMUM O.D. RANGE NOTE	D SMITH BLAIR
166	FORD		
166 Item 176	FORD FC202 (10.75- Description:	11.10)	SMITH BLAIR 317-00121214-000 IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE
Item	FORD FC202 (10.75- Description:	11.10) CLAMP, SERVICE 12" X 2"	SMITH BLAIR 317-00121214-000 IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE
Item	FORD FC202 (10.75- Description:	11.10) CLAMP, SERVICE 12" X 2" MINIMUM O.D. RANGE NOTE	SMITH BLAIR 317-00121214-000 IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE D
Item	FORD FC202 (10.75- Description: FORD FC202 (12.75-	11.10) CLAMP, SERVICE 12" X 2" MINIMUM O.D. RANGE NOTE 13.20)	SMITH BLAIR 317-00121214-000 IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE D SMITH BLAIR
Item 176	FORD FC202 (10.75- Description: FORD FC202 (12.75-	11.10) CLAMP, SERVICE 12" X 2" MINIMUM O.D. RANGE NOTE 13.20)	SMITH BLAIR 317-00121214-000 IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE D SMITH BLAIR 317-00143214-000 IPT, O.D. 17.40"-18.40" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE
Item 176 Item	FORD FC202 (10.75- Description: FORD FC202 (12.75- Description: FORD	11.10) CLAMP, SERVICE 12" X 2" MINIMUM O.D. RANGE NOTE 13.20) CLAMP, SERVICE 16" X 2"	SMITH BLAIR 317-00121214-000 IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE D SMITH BLAIR 317-00143214-000 IPT, O.D. 17.40"-18.40" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

Page: 30 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPQQ

- Item Description: CLAMP, SERVICE 20" X 2" IPT, O.D. 21.20"-22.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE 196 MINIMUM O.D. RANGE NOTED
 - FORD

SMITH BLAIR

FC202 (21.20-22.20) 317-00216014-000

Item Description: CLAMP, SERVICE 24" X 2" IPT, O.D. 25.60"-26.50" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE 206 MINIMUM O.D. RANGE NOTED

FORD

SMITH BLAIR

FC202 (25.60-26.50) 317-00258014-000

Item Description: CLAMP , SERVICE 12.62 TO 14.32 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE 215 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

317-00143214-000

Item Description: CLAMP , SERVICE 14.73 TO 15. 65 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE 216 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

317-00156514-000

Item Description: CLAMP , SERVICE 19.50 TO 20.50 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE 219 MINIMUM O.D. RANGE NOTED.

FORD

FC202 (19.50-20.50)

Item Description: CLAMP , SERVICE 21.35 TO 22.10 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE 222 MINIMUM O.D. RANGE NOTED.

FORD	SMITH BLAIR	
FC202 (21.20-22.20)	317-00216014-000	

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPOO

Item Description: CLAMP , SERVICE 31.75 TO 32.50 O.D. RANGE X 2" NPT, TRIPLE ELECTRO-GALVANIZED STRAPS MUST HAVE 233 MINIMUM O.D. RANGE NOTED

SMITH BLAIR

366-00325014-000

Item Description: CLAMP , SERVICE 37.71 TO 38.46 O.D. RANGE X 2" NPT, TRIPLE ELECTRO-GALVANIZED STRAPS , MUST HAVE 239 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

366-00384614-000

CLEANING SUPPLIES

CLSCC

Item Description: DEODORIZER, WASTEWATER, ODOR NEUTRALIZER CONCENTRATE, 2.5 GAL. PLASTIC CONTAINERS BIODEGRADABLE 413 AND NON-TOXIC. ANOTEC ODOR NEUTRALIZER ***NO SUBSTITUTE***

Item Description: DISINFECTANT, 80% PINE OIL, 1 GALLON CONTAINERS PER CASE, (CONTAINERS MUST BE LABELED)

800 AERO PINE OIL

609541SA 80-10-10

CLSGG

Item Description: DEGREASER, SANITARY SEWER, ULTRA HIGH-TEMP SOLVENT, GRANULAR, 50-55 LB. CONTAINERS.

220 ABC COMPOUNDING UNITED LABORATORIES INC. F023

706250SA

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

CLEANING SUPPLIES

CLSGG

Item Description: DEGREASER, FLOATING, FOR LIFT STATION MAINTENANCE, ******6 GAL TO A PAIL****** 225

CONNECTORS

CNNTL

Item Description: CONNECTOR, FORK TERMINAL, VINYL-INSULA TION SUPPORT, BARREL TYPE, BRAZED SEAM, TIN PLATED F53 BRASS, WIRE SIZE 16-14 AWG, STUD #6, ***PACKAGE OF 100 EACH***

THOMAS AND BETTS

14RB-6F

Item Description: CONNECTOR, RING TERMINAL, NON-INSULATED, BARREL TYPE, BRAZED SEAM, TIN PLATED BRASS, WIRE SIZE R29 9-8-7 AWG, STUD 1/4" ***PACKAGE OF 25 EACH***NO SUBSTITUTE***

THOMAS AND BETTS

054007-20041

D8-14

CNNWC

Item Description: CONNECTOR, BUTT TYPE SPLICE, VINYL EXPANDED INSULATION, BARREL TYPE, BRAZED SEAM, TIN PLATED 003 BRASS, WIRE SIZE 12-10 AWG***PACKAGE OF 100 EACH***

30-451

	BURNDY CORP.	LAWSON PRODUCTS	THOMAS AND BETTS	
	SP10	P39545	2RC10X	
Item 210	Description:	CONNECTOR, WIRE NUT, "Y" ELECTRICAL SPRING CONNECTOR OF 100 EACH***NO SUBSTITUTE**	R, SCOTCHLOK WIRE SIZE 22-12 AWG ***PACH	KAGE
	ЗМ	IDEAL	LAWSON PRODUCTS	

P35026

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

CONNECTORS

CNNWC

Item	Description:		SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 12-6 AWG ***PACKAGE
215		OF 100 EACH***NO SUBSTITUTE**	
	Зм	IDEAL	LAWSON PRODUCTS
	054007-43150	30-454	P35382
Item	Description:	CONNECTOR, WIRE NUT, "R" ELECTRICAL S	SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 14-10 AWG ***PACKAGE
220		OF 100 EACH***	
	ЗМ	IDEAL	LAWSON PRODUCTS
	R-BOX	30-452	P35117

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

ELECTRICAL PARTS, COMMON

ELEBT

Item Description: BATTERY, 1.5 V, SIZE C, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM 048 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES PC1400 EN93 DRY0080 MN1400 RAYOVAC RAYOVALC Item Description: BATTERY, 1.5 V, "AA", EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM 065 DURACELL ENERGIZER EVEREADY BATTERY MN1500 EN-91 EN-91 PC-1500 INTERSTATE BATTERIES RAYOVAC DRY0070 AL-AA Item Description: BATTERY, 1.5 V, "D", ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM 068 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES PC1300 EN95 DRY0085 RAYOVAC RAYOVALD Item Description: BATTERY, 6 V, LANTERN, ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM 076 DURACELL EVEREADY BATTERY MN908 EN-529

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ELECTRICAL PARTS, COMMON

ELEBT

070

Item Description: BATTERY, 9 V, ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

070	DURACELL	EVEREADY BATTERY	INTERSTATE BATTERIES
	MN1604	EN22	DRY0196
	PC1604		
	RAYOVAC		
	RAYOVAL9V		
	806		

ELECTRICAL COMPONENTS

ELMAB

Item Description: BATTERY, SIZE C, NICKEL-CADMIUM, RECHARGEABLE. EVERYEADY, RAY-O-VAC, EXPIRATION DATE MUST 460 APPEAR ON EACH INDIVIDUAL ITEM

EVEREADY BATTERY

NH35BP-2

ELMAE

Item Description:CLEANER, CONTACT, AEROSOL 15 OZ., NON-FLAMMABLE, CRC CHEMICAL #02140, PRECISION ELECTRONIC440CLEANING SOLVENT ** NO SUBSTITUTE - NON-FLAMMABLE ONLY **

CRC CHEMICALS, USA

02140

Item Description: COIL, STARTER, 115VOLTS-60HZ. 95 VOLTS- 50HZ, GENERAL ELECTRIC #15D21GZ, FOR SIZE 0 AND NEW 460 STARTER

GENERAL ELECTRIC CO.

15D21GZ

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMAF

Item Description:RELAY, GENERAL PURPOSE, OCTAGONAL BASE, 8-PIN, DPDT, 120 VAC, 10 AMPS, CLEAR POLYCARBONATE DUST440COVER, SILVER-CADIUM OXIDE CONTACTS --- POTTER & BRUMFIEL #KRPA11AG

POTTER AND BRUMFIELD

KRPA11AG

ELMAK

Item Description: KIT, CONTACT, AUXILIARY, 1-N.O. FOR SIZE 0 THRU 7, CUTLER-HAMMER #C320KA1

560 CUTLER-HAMMER

C320KGS20

ELMBA

Item Description: KIT CONTACT, UNIT, AUXILIARY, FOR 200 LINE MAGNETIC CONTACTORS & STARTERS, ADDER BLOCKS, 1 N.O. 260 FOR NEMA SIZE 0-5, (2XE) 600V MAX., 250V DC MAX, FOR CR305-308 DEVICES. GENERAL ELECTRIC #CR305X100D

GENERAL ELECTRIC CO.

CR305X100D

ELMBC

Item Description:MONITOR, PHASE PLUG-IN MOUNTING, OCTAGON 8 PIN CONFIGURATION, AUTO RESET, 190-270 VAC., 50/60090HZ. DIVERSIFIED #SLA-230-ASA --OR-- SYRELEC #PWRU-220 **** NO SUBSTITUTES ****

DIVERSIFIED ELECTRONICSSYRACUSE ELECTRONICSSLA-230-ASAPWRU-220

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMBE

Item Description: FUSE, KTK- 1.0, 600 VOLT, 1 AMPERE, NON-TIME-DELAY, 13/32" X 1-1/2", FAST ACTING, LIMITRON. 140 BUSS OR EOUAL

BUSS FUSES

KTK-1.0

Item Description: FUSE, KTK 6.0, 600 VOLT, 6 AMPERE, 13/32" X 1-1/2", NON-TIME-DELAY, FAST ACTING. BUSS, SHAWMUT 900 #A6Y6, OR EQUAL

BUSS FUSES CHASE SHAWMUT CO. KTK-6.0 АбҮб

ELMBG

- Item Description: HEATER PACK , STARTER FOR SIZE 1 STARTER. CUTLER HAMMER #H2010B-3 **NO SUBSTITUTE**
- 723 CUTLER-HAMMER

H2010B-3

- Item Description: HEATER PACK, STARTER FOR SIZE 1 STARTER. CUTLER HAMMER # H2011B-3 **NO SUBSTITUTE**
- 726 CUTLER-HAMMER

H2011B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 1 STARTER. CUTLER HAMMER # H2014B-3 ** NO SUBSTITUTE**

735 CUTLER-HAMMER

H2014B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2015B-3 ** NO SUBSTITUTE**

741 CUTLER-HAMMER H2015B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2016B-3 ** NO SUBSTITUTE**

744 CUTLER-HAMMER

H2016B-3

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMBG

- Item Description: HEATER PACK, STARTER FOR SIZE 2 STARTER. CUTLER HAMMER # H2017B-3 **NO SUBSTITUTE**
 749
 CUTLER-HAMMER
 H2017B-3
- Item Description: HEATER PACK, STARTER FOR SIZE 3 & 4 STARTER, CUTLER HAMMER #H2022-3 **NO SUBSTITUTE**

750 **CUTLER-HAMMER**

H2022-3

- Item Description: HEATER PACK, STARTER FOR SIZE 3 & 4 STARTER. CUTLER HAMMER #H2023-3 ** NO SUBSTITUTE**
- 756 **CUTLER-HAMMER** H2023-3
- Item Description: HEATER PACK, STARTER FOR SIZE 3 & 4 STARTER. CUTLER HAMMER #H2024-3 **NO SUBSTITUTE**

758 CUTLER-HAMMER

H2024-3

ELMBJ

Item Description: LAMP-60 WATT, 120 VOLT FROSTED 48/PKG, NAED #22114-3 60-A17/52/SS, SYL #17755

 260
 PHILLIPS
 SYLVANIA

 22114-3
 60-A17/52/SS
 17755

 Item
 Description:
 LAMD-100
 WATT
 130
 WOLT
 LE ROUCT

 Item Description:
 LAMP-100 WATT, 130 VOLT, IF ROUGH SERVICE, 125/130 VOLT 48/CASE, NAED #20337-2 100 A/RS/VS SYL

 280
 #12991, 100A19/RS

 SYL
 #12991, 100A19/RS

PHILLIPS	SYLVANIA
20337-2 100-A/RS/VS	100A/RS/RP130V

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMBJ

Item Description:LAMP, INCANDESCENT, 150 WATT/120 VOLT, ROUGH SERVICE, INSIDE FROST, MEDIUM BASE, A-21 BULB.(GE340LAMP ORDERING CODE #150A21/RS, PRODUCT CODE #13140), (PHILLIPS ORDERING CODE #150A21/RS/VS,
PRODUCT CODE #32272-7)

	GENERAL ELECT		PHILLIPS 32272-7 150A21/RS/VS	sylvania 15241 150A23/RS 120V
Item 360	Description: LAMP, INCANDESCENT, 150 WATT/120 VOLT, ROUGH SERVICE, INSIDE FROST, MEDIUM BASE PS25 BULB. GE ORDERING CODE #150/RS PRODUCT CODE #19616. PHILLIPS CODE #32272-7			
	GENERAL ELECT 19616 150/RS	TRIC CO.	PHILLIPS 32272-7	
Item	Description:	LAMP, FLOOD - 120 VOLT	, 120 WATT. SYLVANIA #14855, 120PAR/C	AP/FL. 15 LAMPS PER CASE
380	SYLVANIA 14855 120PAR/CAP/FL			
Item 480	Description:	cription: LAMP, INCANDESCENT, TUNGSTEN HALOGEN LAMP,500 W, 120V, T-3 BULB, R.S.C. BASE, CLEAR, CLASS "C", TYPE C-8 FILAMENT. PHILIPS #FCL		
	PHILLIPS FCL			
Item	Description:	LAMP-FLUORESCENT, COOL	WHITE 15/PER CASE 60 WATT, 96", SING	LE PIN PHILLIPS #34189-1,
700		F96T12/CW/SS G.E. NO. 3	F96T12/CW/WM/15 PK, OSRAM #29815 SYL	#29476, NAED #34189-1
	GENERAL ELECT	TRIC CO.	OSRAM	PHILLIPS
	F96T12/CW/WM SYLVANIA		29815	34189-1 F96T12/CW/SS

DITIONIT.

29476

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMBJ

Item Description: LAMP, FLUORESCENT, BI-PIN, 95WATT, F96T1 2/CW/HO/SS RECESSED CONTACTS. SYLVANIA- 25010-0; 720 PHILLIPS NAED #21010

PHILLIPS SYLVANIA

21010 25010-0

Item Description: LAMP, #259, PANEL, 6.3 VOLT, 25 AMPHERE, WEDGE BASE, TYPE C-2R FILAMENT, 1.06" OVERALL LENGTH. 880 GENERAL ELECTRIC #259 OR EQUAL (10 PER BOX)

GENERAL ELECTRIC CO.

259

ELMCA

Item Description:MONITOR, POWER - 3-PHASE, 520 VAC MAX. INPUT, PLUG-IN TYPE, ADJUSTMENT RANGE TO BE 380-480 VAC,180.05 SECOND DROP-OUT TIME, CONTACT RATING TO BE 3 AMPS @ 115V. TIME MARK MODEL #A258-B-480,

TIME MARK CORP.

9800326-03 MOD. A258-B-480

ELMCB

Item Description: CONNECTOR, WATER TITE, FEMALE, WOODHEAD #15W47, THREE WIRE, 15A, 125 VOLT, GROUNDING BACKWIRED, 780 INSULATED

WOODHEAD

15W47

ELMCF

Item Description: KIT, SPLICING, SCOTCHLOK 89D3, MINNESOTA MINING & MFG. CO. #82A3

240MINNESOTA MINING AND MANUFACTUSCOTCHLOK82A389D3

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMCF

Item Description: STARTER, SIZE 1, NEMA-GENERAL PURPOSE, 120 VOLT COIL. FREEDOM SERIES. CUTLER-HAMMER #AN16DNOAB 680 **** NO SUBSTITUTE ****

CUTLER-HAMMER

AN16DNOAB

Item Description: STARTER, SIZE 2, 240 VOLT. FREEDOM SERIES CUTLER-HAMMER #AN16GNOBB ***** NO SUBSTITUTE *****

700 CUTLER-HAMMER

AN16GNOBB

- Item Description: STARTER, SIZE 4, FREEDOM SERIES. CUTLER-HAMMER #AN16NNOA ***** NO SUBSTITUTE *****
- 780 CUTLER-HAMMER

AN16NNOA

Item Description: STARTER, SIZE 3, 120 VOLT COIL, 3 PHASE, WITHOUT CONTROL TRANSFORMER, NO ENCLOSURE, TO BE SUPPLIED WITH OVER-LOAD RELAY. CUTLER HAMMER #AN16KNOA ***** NO SUBSTITUTE ***** 790

CUTLER-HAMMER

AN16KNOA

ELMCK

Item Description: SWITCH TOGGLE, DOUBLE POLE, SINGLE THROW, ON-OFF, SCREW TERMINALS, 20 AMP, 277VAC, 1.5 HP, 4 700 TERMINALS MCGILL #0121-0001 (FORMER #0111-0001)

MCGILL ELECTRIC

0121-0001

Item Description: TERMINAL, EASY DISCONNECT, FEMALE - 14-16 GAUGE WIRE, NYLON INSULATED, FOR .250" X .032 " MALE 900 TAB, FUNNELED WIRE ENTRY. THOMAS & BETTS STA-KON #RB14-250F (100 PER BOX)

THOMAS AND BETTS

RB14-250F STA-KON

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMCL

Item Description:TIMER, 24 HOUR, MULTI OPERATION, 96 TRIPPERS, STEEL ENCLOSURE WITH GRAY ENAMEL FINISH AND HASP480FOR LOCKING, 15 MINUTE MINIMUM SETTING, 24 HOUR MAXIMUM SETTING, UL LISTED, 125 VOLT, 60 HZ.
GRAINGER (DAYTON) #2E026

DAYTON

2E026

ELMCM

Item Description: VALVE, SOLENOID 3/4" - 220 VAC, 11 WATTS, CLASS "F" COIL, ASCO VALVE TYPE PFX FOR USE WITH 720 WATER, FLUID TEMPERA- TURES TO 180 DEGREES, NORMALLY CLOSED OPERATION, OPERATING PRESSURE FROM 0 TO 100 PSI, BRASS BODY, 2-WAY VALVE, ASCO #8210G95 (

ASCO

8210G95

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, GREEN INSULATION, 0.03" HDPE INSULATION THICKNESS, 951 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL

COPPER HEAD INDUSTRIESPRO-LINE SAFETY PRODUCTS CO.SOLOSHOT-1230GHS500PRO-TRACE-744120532

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, BLUE INSULATION, 0.03" HDPE INSULATION THICKNESS, 955 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL

COPPER HEAD INDUSTRIES	PRO-LINE SAFETY PRODUCTS CO.
SOLOSHOT-1230BHS500	PROTRACE-744120232

Page: 43 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMCP

Item Description: TRANSDUCER, LEVEL, 4-20 MA OUTPUT, 24 VDC SUPPLY, 316 SS BODY, SS DIAPH., CALIBRATION RANGE 0-24 FEET, 100 FT CABLE, CABLE MANUF. SPECTRUM, COND SIZE 18 AWG, 16/30 TC INSUL., .010 POLYE CABLE 2 COND. WITH 18 AWG DRAIN WIRE, ALUM MYLAR WRAP

GP:50	SIGMA CONTROLS
311-SZ-Y367	6100MP-015-1-DS-CD-SO-SS-
	100

Item Description:TRANSDUCER, PRESSURE - 1-100 PSIG, 15 - 45 VDC INPUT SIGNAL, 4 - 20 MA OUTPUT SIGNAL, 316 SS578BODY, 10 FT OF CABLE, CALIBRATED IN PSIG NOT IN FEET FOR FRESH WATER PRESSURE

SIGMA CONTROLS

6000MP10013DSCD10

Item Description: TOOL, CRIMPING, COPPER, COMPRESSION, BURNDY TYPE "MY" DIELESS HYTOOL. TOOL RANGE SIZE TO BE #8-643 250. BURNDY TOOL #MY29-3

BURNDY CORP.

MY29-3

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FASTENERS

FASAA

- Item Description:
 PARTIAL SURPLUS BOLT, EYE 5/8" OFFSET, NATIONAL COURSE THREAD, 4" LONG, MUST MEET ASTM A

 017
 242 SPECIFICATIONS FOR MATERIALS, HIGH STRENGTH, CORROSION RESISTANT, 839 BLACK ROLLED STEEL

 MINIMUM.
- Item Description: BOLT, EYE 3/4" OFFSET, NATIONAL COURSE THREAD, 4-1/2" LONG, BOLT MUST MEET ASTM A-242 020 SPECIFICATIONS FOR MATERIALS, HIGH STRENGTH, CORROSION RESISTANT, 839 BLACK ROLLED STEEL MINIMUM. 50 EACH PER BOX.

Item Description: INACTIVE - BOLT, HEX HEAD - 3/4"-10 X 3", ZINC CHROME, GRADE 5 140

Item Description: INACTIVE - BOLT, HEX HEAD, 3/4" X 3-1/2", ZINC PLATED, BOLT TO BE GRADE 5 ONLY. 145

Item Description: INACTIVE - BOLT, HEX HEAD 3/4" X 4", GRADE 5, ZINC PLATED 150

FASBB

Item Description: BOLT, T HEAD, 1" X 6" WITH HEX NUT. NOTE: BOLTS TO BE MADE OF HIGH STRENGTH, CORROSION 062 RESISTANT ALLLOY. BOLTS MUST BE COMPATIBLE WITH CAST/DUCTILE IRON MECHANICAL JOINT FITTINGS. (FOR 36" MJ FITTINGS) XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FASTENERS

FASCC

Item Description: LUG, TIE (DUC), DUCTILE - USED WITH TIE RODS TO RESTRAIN MJ FITTINGS, LUGS MUST ACCEPT 3/4" 045 ALL-THREAD ROD. 72,000 LB. TENSILE STRENGTH (MIN.), 50,000 LB. YIELD STRENGTH (MIN.), APPROVED MANUF. ONLY, *** NO SUBSTITUE***

ASTRAL CORPORATIONROMAC INDUSTRIESS14DUCTILE LUG

Item Description: NUT, HEX, 5/8"-11, ZINC PLATED 500

Item Description: NUT, HEX HEAD 3/4", PLAIN, NATIONAL COURSE THREAD (BLACK) 600

Item Description: NUT, HEX HEAD - 3/4"-10, STANDARD GRADE, HEAVY PATTERN, NATIONAL COURSE THREAD (50 OR 100 PER 700 BOX OR BAG)

Item Description: WASHER, FLAT 3/4", ROUND CUT, 1/8" THICK 2" OUTSIDE DIAMETER, USS ZINC PLATED
910

Item Description: WASHER, FLAT, 4" X 4" SQUARE, 1/8" THICK CARBON STEEL WITH 7/8" CENTER HOLE
921

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FILTERS

FLTAA

Item Description: FILTER, AIR, 10" X 20" X 1" DISPOSABLE TYPE PRECISIONAIRE OR EQUAL 030

PUD-FITTINGS

FTGAA

Item Description: FLANGE, ADAPTER 3", FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET. 005

Item Description: FLANGE, ADAPTER 8", FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET. 015

Item Description:FLANGE, FILLER 6" X 2" FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH 2 EACH GASKETS, 8050EACH 3/4" X 5 1/2" HEX HEAD STAINLESS STEEL BOLTS, 8 EACH 3/4" STANLESS STEEL HEX NUTS.

Item Description: FLANGE, FILLER 8" X 2" FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH 2 EACH GASKETS, 8 055 EACH 3/4" X 5 1/2" HEX HEAD STAINLESS STEEL BOLTS, 8 EACH 3/4" STANLESS STEEL HEX NUTS.

Item Description: FLANGE, ADAPTER 3", FOR USE WITH PVC, TO BE SUPPLIED WITH GASKET. 070

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAA

Item Description: FLANGE, ADAPTER 8", FOR USE WITH PVC, TO BE SUPPLIED WITH GASKET. 075

Item Description: UNIFLANGE, FLANGE, ADAPTER, 3",#200S FOR 3.50 O.D. STEEL PIPE, CLASS 150, TO BE SUPPLIED WITH 100 GASKET.

Item Description: FLANGE, ADAPTER, 4", FOR USE WITH CAST OR DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET. 200

Item Description: UNIFLANGE, FLANGE, ADAPTER, 6", FOR USE WITH CAST OR DUCTILE IRON PIPE, TO BE SUPPLIED WITH 300 GASKET

UNIFLANGE

200C OR 400C

Item Description: INACTIVE - UNIFLANGE, FLANGE, ADAPTER, 4", #900C FOR USE WITH CAST IRON O.D. PVC PIPE 600

Item Description: INACTIVE - UNIFLANGE, FLANGE, ADAPTER, 6",#900C FOR USE WITH CAST IRON O.D. PVC PIPE
700

FTGAE

Item Description: ADAPTER, PIPE - GALVANIZED, 3/4", MALE HOSE BARB X MALE IRON PIPE THREAD. 010

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAE

Item 030	Description:	ADAPTER, BRASS - 2-1/2" FEMALE NATIONAL STANDARD THREAD (FNST) X 2" FEMALE IRON PIPE THREAD (FIPT), RIGID HEXAGON (FIPT 2") X SWIVEL CONNECTION (FNST - 2-1/2")		
	DESANNO 73		DIXON RSF25F20T	SEALFAST K35R25NST2NPT
Item 040	Description:	ion: ADAPTER, BRASS - 2-1/2" MALE NATIONAL STANDARD THREAD (MNST) X 2" FEMALE IRON PIPE THREAD (FIPT).		
	MOON 356		POWHATTAN U.F.S. 15216-2	
Item 050	Description:	ADAPTER, BRASS - 2-1/2" FEMALE NATIONAL STANDARD THREAD (FNST) X 2" MALE IRON PIPE THREAD (MIPT), SWIVEL CONNECTION (FNST-2-1/2") X RIGID HEXAGON (MIPT-2")		
	DESANNO 72		DIXON SM25F20T	
Item 115	Description: FORD Y11-474-NL	ADAPTER, BULL HEAD SERVICE 2" FIP INLET: (4) FOUR 1" FIP OUTLETS:		
Item 200	Description:	BUSHING, NO LEAD BRASS - 1 "CC X $3/4$ "CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO REDUCE DOWN SIZE OF THREAD.		
	ford BBAA-43-NL			
Item 250	Description:	BUSHING, BRASS - 1-1/2 SIZE OF THREAD.	"CC X 1"CC THREAD, BUSHING TO BE USED	IN SERVICE SADDLES TO REDUCE DOWN
	FORD BBAA-64-NL			

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAE

Item Description: BUSHING, NO LEAD BRASS - 2"CC X 1-1/2"CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO 300 REDUCE DOWN SIZE OF THREAD. FORD OR EQUAL

FORD

BBAA-76-NL

Item Description: BUSHING, PIPE - BRASS, 1/4"MIPT X 1/8" FIPT.

510 BARNETT BRASS

110-4-20

- Item Description: BUSHING, PIPE BRASS, 3/8"MIPT X 1/4" FIPT. 530
- **Item Description:** BUSHING, PIPE BRASS, 1/2"MIPT X 1/4" FIPT. 540

Item Description: BUSHING, PIPE - BRASS, 1/2"MIPT X 3/8" FIPT 550

Item Description: BUSHING, PIPE - BRASS, 3/4" X 1/4". 560

Item Description: BUSHING, PIPE - BRASS 3/4" X 3/8". 570

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAE

- Item Description: BUSHING, PIPE-NO LEAD BRASS, 3/4"MIPT X 1/2"FIPT
- 580 MERIT BRASS

XNL114 3/4"x1/2"

- Item Description: BUSHING, PIPE NO LEAD BRASS 1"MIPT X 1/2"FIPT.
- 590 MERIT BRASS

XNL114 1"x1/2"

- Item Description: BUSHING, PIPE NO LEAD BRASS 1"MIPT X 3/4"FIPT.
- 600 MERIT BRASS

XNL114 1"x3/4"

- Item Description: BUSHING, PIPE NO LEAD BRASS 1-1/2" X 3/4".
- 606 MERIT BRASS

XNL114 1-1/2"x3/4"

Item Description:BUSHING, METER-NO LEAD BRASS, 2" (MALE) X 1-1/2" (FEMALE), THREADED MALE SIDE TO HAVE A610MACHINED SEAT FOR METER INSTALLATION. **** METER BUSHINGS ONLY ---- STANDARD BUSHINGS ARE NOT
ACCEPTABLE ****

GRAND HAVEN BRASS

2008B-LF

Item Description:BUSHING, METER - NO LEAD BRASS, 2-1/2" (MALE) X 2" (FEMALE), THREADED MALE SIDE TO HAVE A620MACHINED SEAT FOR METER INSTALLATION. **** METER BUSHINGS ONLY ---- STANDARD BUSHINGS ARE NOT
ACCEPTABLE ****

GRAND HAVEN BRASS

2010B-LF

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAJ

Item Description: INACTIVE - COUPLING, PIPE - BRASS, 1/4". 020

Item Description: COUPLING BRASS 1/2"
040

Item Description: COUPLING, PIPE - NO LEAD BRASS, 3/4". 050 MERIT BRASS XNL111 3/4" Item Description: ELL, PIPE - NO LEAD BRASS, 45 DEGREE, 3/4". 650 MERIT BRASS XNL102 3/4" Item Description: ELL, PIPE - BRASS, 90 DEGREE, 1/4". 720 Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 3/4". 756 MERIT BRASS XNL101 3/4" Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 1-1/2". 782 MERIT BRASS XNL101 1-1/2" Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 2". 797 MERIT BRASS XNL101 2"

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X CLOSE. 086

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 2". 098

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 3". 100

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 6". 130

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X CLOSE. 210

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X 2". 220

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X 8". 270

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X CLOSE.
310

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 3". 320

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 4". 330

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 5". 340

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 6". 350

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 8". 360

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X CLOSE. 410

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 3". 420

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 5". 430

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 6". 440

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 10". 450

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1" X CLOSE. 510

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1" X 3". 523

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X CLOSE. 610

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 3". 617

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 4". 620

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 6". 639

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS 2" X CLOSE. 710

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 4". 720

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 6". 730

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 12". 740

FTGAN

Item Description: PLUG, PIPE - BRASS, 3/8".
530

Item Description: PLUG, PIPE - BRASS, 1/2". 540

Item Description: PLUG, PIPE - BRASS, 3/4". 550

Page: 56 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAN

Item Description: PLUG, PIPE - BRASS, 1-1/2". 560

Item Description: PLUG, 3/4" SOLID BRASS, WITH CC THREADS.

²⁰ MUELLER

```
10033
```

Item Description: PLUG, MUELLER - BRASS, 1". 630

Item Description: INACTIVE - PLUG, MUELLER - BRASS, 1-1/2". 650

Item Description: PLUG, MUELLER - BRASS, 2". 660

FTGAP

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/4" X 1/8". 010

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/2" X 1/8". 040

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAP

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/2" X 1/4". 050

FTGAR

Item Description: TEE, PIPE - NO-LEAD BRASS, 1/4" X 1/4" X 1/4". 020

Item Description: TEE, PIPE - NO-LEAD BRASS, 3/4" X 3/4" X 3/4". 050

Item Description: TEE, PIPE - NO-LEAD BRASS,1" X 1" X 1" CTS

070 **FORD**

T444-444

FTGAT

Item Description: BEND, DUCTILE IRON, 4", 11-1/4 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES). 110

Item Description: BEND, DUCTILE IRON, 6", 11-1/4 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES). 120

Item Description: BEND, DUCTILE IRON, 8", 11-1/4 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
130

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 10", 11-1/4 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES). 140

Item Description: BEND, DUCTILE IRON, 12", 11-1/4 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES). 150

Item Description: BEND, DUCTILE IRON, 14", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 160

Item Description: BEND, DUCTILE IRON, 16", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 170

Item Description: BEND, DUCTILE IRON, 18", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 175

Item Description: BEND, DUCTILE IRON, 20", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 180

Item Description: BEND, DUCTILE IRON, 24", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 185

Item Description: BEND, DUCTILE IRON, 30", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 190

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 36", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 200

Item Description: BEND, DUCTILE IRON, 4", 22-1/2 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES). 210

Item Description: BEND, DUCTILE IRON, 14", 22-1/2 DEGREE, MECHANICAL JOINT, EPOXYLINED TO BE SUPPLIED WITHOUT ACCESSORIES

Item Description: BEND, DUCTILE IRON, 16", 22-1/2 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 270

Item Description: BEND, DUCTILE IRON, 20", 22-1/2 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 280

Item Description: BEND, DUCTILE IRON, 18", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 285

Item Description: BEND, DUCTILE IRON, 24", 22-1/2 DEGREE, MECHANICAL JOINT. WITHOUT ACCESSORIES . UNION, TYLER, 290 US PIPE, OR EQUAL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

FTGAT

Item Description: BEND, DUCTILE IRON, 30", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 295

Item Description: BEND, DUCTILE IRON, 36", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES)
300

Item Description: BEND, DUCTILE IRON, 4", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
310

Item Description: INACTIVE - BEND, FLANGED, 4", 45 DEGREE, DUCTILE IRON, SHORT PATTERN.

317 TYLER PIPE

#5-705

Item Description: BEND, DUCTILE IRON, 6", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
320

Item Description: BEND, DUCTILE IRON, 8", 45 DEGREE, MECHANCIAL JOINT, WITHOUT ACCESSORIES. 330

Item Description: BEND, DUCTILE IRON, 10", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
340

Item Description: BEND, DUCTILE IRON, 12", 45 DEGREE, MECHANICAL JOINT, WITHOUT ACCESSORIES.
350

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 14", 45 DEGREE, MECHANICAL JOINT, EPOXYLINED, WITHOUT ACCESSORIES 360

Item Description: BEND, DUCTILE IRON, 16", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 370

Item Description: BEND, DUCTILE IRON, 18", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
375

Item Description: BEND, DUCTILE IRON, 20", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
380

Item Description: BEND, DUCTILE IRON, 24", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 390

Item Description: BEND, DUCTILE IRON, 30", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
391

Item Description: BEND, DUCTILE IRON, 36", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
392

Item Description: BEND, DUCTILE IRON, 3", 90 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
395

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

 Item
 Description: BEND, DUCTILE IRON, 3", 90 DEGREE, FLANGED.

 400
 STAR PIPE PRODUCTS
 TYLER PIPE
 U.S. PIPE

 ORDER BY DESCRIPTION
 ORDER BY DESCRIPTION
 ORDER BY DESCRIPTION

 Item
 Description: BEND, DUCTILE IRON, 4", 90 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

 410

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, FLANGED.

415STAR PIPE PRODUCTSTYLER PIPEU.S. PIPEORDER BY DESCRIPTIONORDER BY DESCRIPTIONORDER BY DESCRIPTION

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
420

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, FLANGED.
425

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
430

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, FLANGED.
435

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).
440

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, FLANGED.
445

Item Description: BEND, DUCTILE IRON, 12", 90 DEGREE, MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES).
450

Item Description: BEND, DUCTILE IRON,14",90 DEGREE,MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
460

Item Description: BEND, DUCTILE IRON,16",90 DEGREE,MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).
470

Item Description: BEND, DUCTILE IRON,24",90 DEGREE,MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).
490

Item Description: BEND, DUCTILE IRON, 18", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
495

Item Description: BEND, DUCTILE IRON, 16", 11-1/4 DEGREE MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 500 WITHOUT ACCESSORIES)

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

FTGAT

Item Description: BEND, DUCTILE IRON, 30", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
505

Item Description: BEND, DUCTILE IRON, 18", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 510 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
515

Item Description: BEND, DUCTILE IRON, 20", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 520 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 530 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 540 WITHOUT ACCESSORIES).

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 36", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 550 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 6", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 8", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 10", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 12", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 16", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED 610

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 18", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED 612 WITHOUT ACCESSORIES)

Item Description: BEND, DUCTILE IRON, 20", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED 615 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED 618 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED 620 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED 622 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 630

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 6", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 632

Item Description: BEND, DUCTILE IRON, 8", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 634

Item Description: BEND, DUCTILE IRON, 10", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 636

Item Description: BEND, DUCTILE IRON, 12", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 638

Item Description: BEND, DUCTILE IRON, 16", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 642

Item Description: BEND, DUCTILE IRON, 18", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 20", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 646

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 24", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 660

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 662

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 664

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 666

Page: 68 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 12", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 668

Item Description: BEND, DUCTILE IRON, 16", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 18", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 20", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED.(TO BE SUPPLIED WITHOUT ACCESSORIES).

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 36", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 14", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 772

FTGAV

Item Description: CAP, DUCTILE IRON, 6", MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).
020

Item Description: CAP, DUCTILE IRON, 8", MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).
030

Item Description: CAP, DUCTILE IRON, 10", MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES). 040

Item Description: CAP, DUCTILE IRON, 12", MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES). 050

Item Description: CAP, DUCTILE IRON, 16", TAP 2,MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES. 061

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAZ

Item Description: CROSS, DUCTILE IRON, 4" X 4", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES. 010

Item Description: CROSS, DUCTILE IRON, 6" X 6", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES.
020

Item Description: CROSS, DUCTILE IRON, 8" X 6", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES.
030

Item Description: CROSS, DUCTILE IRON, 8" X 8", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES.
040

Item Description: CROSS, DUCTILE IRON, 10" X 8", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES. 060

Item Description: CROSS, DUCTILE IRON, 12" X 6", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES. 090

Item Description: CROSS, DUCTILE IRON, 12" X 12", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES. 120

Item Description: CROSS, DUCTILE IRON,16" X 10",MECHANICAL JOINT.TO BE SUPPLIED W/ 16" ACCESSORIES. 150

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAZ

Item Description: CROSS, DUCTILE IRON,16" X 12",MECHANICAL JOINT.TO BE SUPPLIED W/ 16" ACCESSORIES. 160

Item Description: CROSS, DUCTILE IRON, 16" X 16", MECHANICAL JOINT. TO BE SUPPLIED WITH ACCESSORIES. 170

Item Description: CROSS, DUCTILE IRON,20" X 12",MECHANICAL JOINT.TO BE SUPPLIED W/ 20" ACCESSORIES. 180

FTGBD

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 4", W/18" DROP, FULL BODY, WITHOUT ACCESSORIES.
020

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 6", W/12" DROP, FULL BODY, WITHOUT ACCESSORIES.
030

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 6", W/18" DROP, FULL BODY, WITHOUT ACCESSORIES.
040

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 8", W/12" DROP, FULL BODY, WITHOUT ACCESSORIES. 050

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBD

Item Description: OFFSET, CAST IRON, MECHANICAL JOINT, 8", W/18" DROP, FULL BODY, DUCTILE IRON, WITHOUT ACCESSORIES.

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 10", W/12"DROP, FULL BODY, WITHOUT ACCESSORIES. 070

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 10", W/18"DROP, FULL BODY, WITHOUT ACCESSORIES. 080

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 12", W/12"DROP, FULL BODY, WITHOUT ACCESSORIES. 090

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 12", W/18"DROP, FULL BODY, WITHOUT ACCESSORIES. 100

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 16", W/12"DROP, FULL BODY, WITHOUT ACCESSORIES.
110

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 16", W/18"DROP, FULL BODY, WITHOUT ACCESSORIES. 120

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBF

Item Description: PLUG, DUCTILE IRON, 3" TAPPED 2", MJ. 007

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 4" WITHOUT ACCESSORIES. 010

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 4" TAPPED 2", WITHOUT ACCESSORIES. 030

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 6" WITHOUT ACCESSORIES. 040

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 6" TAPPED 2", WITHOUT ACCESSORIES. 070

Item Description: PLUG, DUCTILE IRON, MECHANCIAL JOINT, 8" WITHOUT ACCESSORIES. 080

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 8" TAPPED 2", WITHOUT ACCESSORIES. 090

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 10", WITHOUT ACCESSORIES.
110

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBF

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT,10" TAPPED 2", WITHOUT ACCESSORIES. 130

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT,12" WITHOUT ACCESSORIES. 140

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 12" TAPPED 2". WITHOUT ACCESSORIES. 160

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 16" WITHOUT ACCESSORIES. 170

Item Description: PLUG, CAST IRON, MECHANICAL JOINT, 20", WITHOUT ACCESSORIES. 180

Item Description: PLUG, CAST IRON, MECHANICAL JOINT, 24", WITHOUT ACCESSORIES. 190

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 4" X 3", WITHOUT ACCESSORIES. 000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 6" X 4", WITHOUT ACCESSORIES. 010

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 8" X 4", WITHOUT ACCESSORIES.
020

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 8" X 6", WITHOUT ACCESSORIES.
030

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 4".WITHOUT ACCESSORIES. 040

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 6", WITHOUT ACCESSORIES. 050

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 8", WITHOUT ACCESSORIES. 060

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 4", EXPOXYLINED, WITHOUT ACCESSORIES 070

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 6", EXPOXYLINED, WITHOUT ACCESSORIES
075

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 6", WITHOUT ACCESSORIES. 080

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 8", EXPOXYLINED, WITHOUT ACCESSORIES
085

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 8", WITHOUT ACCESSORIES.
090

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 10", EXPOXYLINED, WITHOUT ACCESSORIES 095

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 10", WITHOUT ACCESSORIES. 100

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 14" X 12", EXPOXYLINED, WITHOUT ACCESSORIES 105

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 6", WITHOUT ACCESSORIES. 110

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 10", WITHOUT ACCESSORIES. 130

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 12", WITHOUT ACCESSORIES. 140

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 14", SHORT BODY, W/OUT ACCESSORIES. 145

Item Description: REDUCER, CAST IRON, MECHANICAL JOINT, 20" X 12" WITHOUT ACCESSORIES. 160

Item Description: REDUCER, CAST IRON, MECHANICAL JOINT, 24" X 20", WITH ACCESSORIES. 186

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 6" X 3 FOOT. 200

Item Description: SPOOL, DUTILE IRON, FLANGED X FLANGED, 6" X 12". 203

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 8" X 3 FOOT. 205

Item Description: SPOOL, DUTILE IRON, FLANGED X FLANGED, 8" X 12". 207

Page: 79 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBH

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 10" X 3 FOOT. 210

Item 003	Description:		MECHANICAL JOINT, 3", SHORT PATTERN, TYLER, U.S. PIPE, OR EQUAL.	WITHOUT ACCESSORIES DOMESTIC ORIGIN
	STAR PIPE PRO ORDER BY DESC	DDUCTS CRIPTION	TYLER PIPE ORDER BY DESCRIPTION	U.S. PIPE ORDER BY DESCRIPTION
Item	Description:	SLEEVE, DUCTILE IRON,	MECHANICAL JOINT, $4"$, SHORT PATTERN,	WITHOUT ACCESSORIES
010	STAR PIPE PRO ORDER BY DESC	DDUCTS CRIPTION	TYLER PIPE ORDER BY DESCRIPTION	U.S. PIPE ORDER BY DESCRIPTION
Item	Description:	SLEEVE, DUCTILE IRON,	MECHANICAL JOINT, 4", 12 LONG PATTER	N, WITHOUT ACCESSORIES.
015	STAR PIPE PRO Description	DDUCTS	TYLER PIPE Description	US PIPE Description
Item 021	Description:		4", "GROUND DOWN". SHORT PATTERN, ST. "GROUND DOWN" TO AN ID OF 5.25". THE G EMBLED **	
	STAR ORDER BY DESC	CRIPTION	TYLER PIPE ORDER BY DESCRIPTION	U.S. PIPE ORDER BY DESCRIPTION
Item 025	Description:	SLEEVE, DUCTILE IRON, ACCESSORY	4", "GROUND DOWN". 12 LONG PATTERN,	STANDARD MJ SLEEVE AND ONE (1)
	STAR PIPE PRO	DUCTS	TYLER PIPE	US PIPE
	Description		Description	Description

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

Item	Description:	SLEEVE, DUCTILE	IRON, MECHANICAL JOINT, 6", SHO	RT PATTERN, WITHOUT ACCESSORIES.
030		DDUCTS CRIPTION		U.S. PIPE ORDER BY DESCRIPTION
Item	Description:	SLEEVE, DUCTILE	IRON, MECHANICAL JOINT, 6", 12	LONG PATTERN, WITHOUT ACCESSORIES.
035	STAR PIPE PRO	DUCTS	TYLER PIPE	US PIPE
	Description		Description	Description
Item	Description:	SLEEVE, DUCTILE	IRON, 6", "GROUND DOWN". 12 LONG	PATTERN, STANDARD MJ NE (1) ACCESSORY
042	STAR PIPE PRO	DUCTS	TYLER PIPE	U.S. PIPE
	ORDER BY DESC	CRIPTION	ORDER BY DESCRIPTION	ORDER BY DESCRIPTION
Item	Description:	SLEEVE, 6" DUCTI	LE IRON, GROUND DOWN, SHORT PAT	TERN, STANDARD MJ SLEEVE AND (1) ACCESSORY PACK
045		TO BE "GROUND DO	WN" TO AN ID OF 7.40" ONE END O	F A STANDARD SLEEVE AND THE OTHER END WILL
		REMAIN STANDARD.	** SHIP ASSEMBLED. **	
	М & Н	REMAIN STANDARD.	STAR PIPE PRODUCTS	
	446753	REMAIN STANDARD.		
	446753 U.S. PIPE		STAR PIPE PRODUCTS	
	446753 U.S. PIPE ORDER BY DESC	CRIPTION	STAR PIPE PRODUCTS ORDER BY DESCRIPTION	ORDER BY DESCRIPTION
Item	446753 U.S. PIPE ORDER BY DESC	CRIPTION	STAR PIPE PRODUCTS ORDER BY DESCRIPTION	
Item 050	446753 U.S. PIPE ORDER BY DESC Description: STAR PIPE PRC	CRIPTION SLEEVE, DUCTILE ODUCTS	STAR PIPE PRODUCTS ORDER BY DESCRIPTION IRON, MECHANICAL JOINT, 8", SHOP TYLER PIPE	ORDER BY DESCRIPTION RT PATTERN, WITHOUT ACCESSORIES. U.S. PIPE
	446753 U.S. PIPE ORDER BY DESC Description: STAR PIPE PRC	CRIPTION SLEEVE, DUCTILE	STAR PIPE PRODUCTS ORDER BY DESCRIPTION IRON, MECHANICAL JOINT, 8", SHOP TYLER PIPE	ORDER BY DESCRIPTION RT PATTERN, WITHOUT ACCESSORIES. U.S. PIPE
050 Item	446753 U.S. PIPE ORDER BY DESC Description: STAR PIPE PRC ORDER BY DESC	CRIPTION SLEEVE, DUCTILE DDUCTS CRIPTION	STAR PIPE PRODUCTS ORDER BY DESCRIPTION IRON, MECHANICAL JOINT, 8", SHO TYLER PIPE ORDER BY DESCRIPTION	ORDER BY DESCRIPTION RT PATTERN, WITHOUT ACCESSORIES. U.S. PIPE
050	446753 U.S. PIPE ORDER BY DESC Description: STAR PIPE PRC ORDER BY DESC	CRIPTION SLEEVE, DUCTILE DDUCTS CRIPTION SLEEVE, DUCTILE	STAR PIPE PRODUCTS ORDER BY DESCRIPTION IRON, MECHANICAL JOINT, 8", SHO TYLER PIPE ORDER BY DESCRIPTION	ORDER BY DESCRIPTION RT PATTERN, WITHOUT ACCESSORIES. U.S. PIPE ORDER BY DESCRIPTION

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

Item 053				ANDARD MJ SLEEVE AND ONE (1)
	STAR PIPE PRO	DUCTS	TYLER PIPE	U.S. PIPE
	ORDER BY DESC	CRIPTION	ORDER BY DESCRIPTION	ORDER BY DESCRIPTION
Item	Description:	SLEEVE, 8" DUCTILE IRO	N, GROUND DOWN, SHORT PATTERN, STANDA	RD MJ SLEEVE AND (1) ACCESSORY PACK
055	М & Н		STAR PIPE PRODUCTS	TYLER PIPE
	446753		ORDER BY DESCRIPTION	ORDER BY DESCRIPTION
	U.S. PIPE			
	ORDER BY DESC	CRIPTION		
Item	Description:	SLEEVE, DUCTILE IRON, N	MECHANICAL JOINT, 10", 12" LONG PATTE	RN, WITHOUT ACCESSORIES.
061	STAR PIPE PRO	DUCTS	TYLER PIPE	U.S. PIPE
	ORDER BY DESC	CRIPTION	ORDER BY DESCRIPTION	ORDER BY DESCRIPTION
Item	Description:	SLEEVE, DUCTILE IRON,	10","GROUND DOWN". 12 LONG PATTERN, S	TANDARD MJ SLEEVE AND ONE (1)
065		ACCESSORY		
	STAR PIPE PRO	DUCTS	TYLER PIPE	U.S. PIPE
	ORDER BY DESC	CRIPTION	ORDER BY DESCRIPTION	ORDER BY DESCRIPTION
Item	Description:	SLEEVE, DUCTILE IRON, 1	MECHANICAL JOINT, 12", 12 LONG PATTER	N, WITHOUT ACCESSORIES.
071	STAR PIPE PRO	DUCTS	TYLER PIPE	U.S. PIPE
	ORDER BY DESC	CRIPTION	ORDER BY DESCRIPTION	ORDER BY DESCRIPTION
Item	Description:	SLEEVE, DUCTILE IRON,	12","GROUND DOWN". 12 LONG PATTERN, S	TANDARD MJ SLEEVE AND ONE (1)
075		ACCESSORY PACK TO BE "	GROUND DOWN" TO AN ID OF 13.70". THE	OTHER END OF THE SLEEVE WILL REMAIN
		STANDARD. ** SHIP ASSE	MBLED**.	
	STAR PIPE PRO	DUCTS	TYLER PIPE	U.S. PIPE
	ORDER BY DESC	CRIPTION	ORDER BY DESCRIPTION	ORDER BY DESCRIPTION

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

Item	Description:	SLEEVE,	DUCTILE IRON	I, MECHANICAL JOINT, 1	4", 15" LONG PATTE	RN, WITHOUT ACCESSORIES.	
080				TYLER PIPE ORDER BY DESCRIPTI		U.S. PIPE ORDER BY DESCRIPTION	
Item 085	-	SLEEVE, ACCESSOF		I, 14","GROUND DOWN".	15; LONG PATTERN,	STANDARD MJ SLEEVE AND ONE (1)	
				TYLER PIPE ORDER BY DESCRIPTI		U.S. PIPE ORDER BY DESCRIPTION	
Item	Description:	SLEEVE,	DUCTILE IRON	I, MECHANICAL JOINT, 1	6", 15" LONG PATTE	RN, WITHOUT ACCESSORIES.	
090					ON	U.S. PIPE ORDER BY DESCRIPTION	
Item 095	Description:			I, 16","GROUND DOWN".	15; LONG PATTERN S	TANDARD MJ SLEEVE AND ONE (1)	
	STAR PIPE PRO	DUCTS		TYLER PIPE		U.S. PIPE	
		DUCID					
				ORDER BY DESCRIPTI	ON	ORDER BY DESCRIPTION	
Item	ORDER BY DESC	RIPTION		ORDER BY DESCRIPTI ECHANICAL JOINT, 18",			
Item 100	ORDER BY DESC Description: STAR PIPE PRO	RIPTION SLEEVE, DUCTS	CAST IRON, M		15" LONG PATTERN,	WITHOUT ACCESSORIES. U.S. PIPE	
	ORDER BY DESC Description: STAR PIPE PRO ORDER BY DESC	RIPTION SLEEVE, DUCTS RIPTION	CAST IRON, M	ECHANICAL JOINT, 18", TYLER PIPE ORDER BY DESCRIPTI	15" LONG PATTERN,	WITHOUT ACCESSORIES. U.S. PIPE	BE
100	ORDER BY DESC Description: STAR PIPE PRO ORDER BY DESC	RIPTION SLEEVE, DUCTS RIPTION SLEEVE,	CAST IRON, M DUCTILE IRON	ECHANICAL JOINT, 18", TYLER PIPE ORDER BY DESCRIPTI	15" LONG PATTERN, CON STANDARD MJ SLEEVE	WITHOUT ACCESSORIES. U.S. PIPE ORDER BY DESCRIPTION	BE
100 Item	ORDER BY DESC Description: STAR PIPE PRO ORDER BY DESC Description: STAR PIPE PRO	RIPTION SLEEVE, DUCTS RIPTION SLEEVE, DUCTS	CAST IRON, M DUCTILE IRON	ECHANICAL JOINT, 18", TYLER PIPE ORDER BY DESCRIPTI 1, 18","GROUND DOWN".	15" LONG PATTERN, CON STANDARD MJ SLEEVE	WITHOUT ACCESSORIES. U.S. PIPE ORDER BY DESCRIPTION AND ONE (1) ACCESSORY PACK TO U.S. PIPE	BE
100 Item	ORDER BY DESC Description: STAR PIPE PRO ORDER BY DESC Description: STAR PIPE PRO ORDER BY DESC	RIPTION SLEEVE, DUCTS RIPTION SLEEVE, DUCTS RIPTION	CAST IRON, M DUCTILE IRON	ECHANICAL JOINT, 18", TYLER PIPE ORDER BY DESCRIPTI 1, 18","GROUND DOWN". TYLER PIPE	15" LONG PATTERN, CON STANDARD MJ SLEEVE	WITHOUT ACCESSORIES. U.S. PIPE ORDER BY DESCRIPTION AND ONE (1) ACCESSORY PACK TO U.S. PIPE ORDER BY DESCRIPTION	BE

Page: 83 of: 305

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, 20", "GROUND DOWN". 15; LONG PATTERN STANDARD MJ SLEEVE AND ONE (1) 120 ACCESSORY STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION Item Description: SLEEVE, CAST IRON, MECHANICAL JOINT, 24", 15" LONG PATTERN, WITHOUT ACCESSORIES. 130 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION Item Description: SLEEVE, DUCTILE IRON, 24", "GROUND DOWN". 15; LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1) 135 ACCESSORY TYLER PIPE STAR PIPE PRODUCTS U.S. PIPE ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 30", 15; LONG PATTERN W/OUT ACCESSORIES. 140 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 36", 15" LONG PATTERN EPOXY LINED, WITHOUT ACCESSORIES 145 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 36", 15; LONG PATTERN W/OUT ACCESSORIES. 150 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION Item Description: INSTA-VALVE, 4", COMPLETE FITTING O.D RANGE 4.60-5.00 FOR CI, DI, AC, PVC -SS SLEEVE & NOZZLE CS 304 FLANGE -HYDRA-STOP HYDRA-STOP

2104121000-250-CS

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: INSTA-VALVE, 6", COMPLETE FITTING O.D RANGE 6.70-7.10 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE CS 306 FLANGE -HYDRA-STOP

HYDRA-STOP

210621000-250-CS

Item Description: INSTA-VALVE, 8", COMPLETE FITTING O.D RANGE 8.85-9.25 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE CS 308 FLANGE -HYDRA-STOP LBS. 192

HYDRA-STOP

2108131000-250-CS

Item Description: INSTA-VALVE, 10", COMPLETE FITTING O.D RANGE 10.90-11.30 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE 310 CS FLANGE -HYDRA-STOP LBS. 360

HYDRA-STOP

2110141100-250-CS

Item Description: INSTA-VALVE, 12", COMPLETE FITTING O.D RANGE 13.00-13.35 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE 312 CS FLANGE -HYDRA-STOP LBS. 430

HYDRA-STOP

2212141100-250-CS

Item Description:SLEEVE, TAPPING, 4" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM450O.D. RANGE OF 4.70 - 4.90, SLEEVE TO BE FURNISHED W/ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER JEA SPECIFICATIONS.

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description:SLEEVE, TAPPING, 4" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM455O.D.RANGE OF 4.80 - 5.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 6" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM530O.D.RANGE OF 6.90 - 7.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE, SLEEVE TO BE
SUPPLIED AS PER JEA SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM540O.D. RANGE OF 6.90-7.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM544O.D.RANGE OF 7.10 - 7.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER PER SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM548O.D.RANGE OF 7.30 - 7.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description:SLEEVE, TAPPING, 8" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM560O.D.RANGE OF 9.05 - 9.35, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER PER SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 8" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM570O.D.RANGE OF 9.05 - 9.35, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 8" X 6" ALL STAINLESS STEEL W/DUCTILE IRON GLAND ON BRANCH, 6" MJ GASKET, 572 W/FULL 1/4" THICK CHEK-O-SEAL W/MULTI O-RING SEALING RIBS, MIN. OD RANGE 9.05-9.45, SUPPLIED W/ALL NECESSARY HARDWARE.

POWERSEAL CORP.

3490MJ

- Item Description:SLEEVE, TAPPING, 8" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM580O.D.RANGE OF 9.05 9.35 SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS
- Item Description:SLEEVE, TAPPING, 8" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM585O.D.RANGE OF 9.30 9.60, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description:SLEEVE, TAPPING, 8" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM590O.D.RANGE OF 9.30 - 9.60, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 600 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 610 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 620 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 625 O.D.RANGE OF 11.40-11.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 10" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 630 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 650 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 660 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 670 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 680 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 12" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 690 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 695 O.D.RANGE OF 14.08-14.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 14" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 700 O.D.RANGE OF TO COVER 15.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER PER SPECIFICATIONS

CASCADE	DRESSER INDUSTRIES, INC.	FORD METER BOX COMPANY
CST-EX	630	FTSS
MULLER	ROMAC INDUSTRIES	
H304	SST	

Item Description: SLEEVE, TAPPING, 16" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 710 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER PER SPECIFICATIONS

FORD

FTSS178004

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description:SLEEVE, TAPPING, 16" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM720O.D.RANGE OF 17.40-17.80 SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178006

- Item Description: SLEEVE, TAPPING, 16" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 725 O.D.RANGE OF 17.75-18.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS
- Item Description: SLEEVE, TAPPING, 16" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 730 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178008

- Item Description: SLEEVE, TAPPING, 16" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 735 O.D.RANGE OF 17.75-18.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS
- Item Description:SLEEVE, TAPPING, 16" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM740O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178010

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description:SLEEVE, TAPPING, 16" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM750O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS JCM 432-1740X

Item Description: SLEEVE, TAPPING, 20" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 760 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 20" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 770 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 20" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM780O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 20" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM785O.D.RANGE OF 21.90-22.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

 Item Description:
 SLEEVE, TAPPING, 20" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

 795
 O.D.RANGE OF 21.90-22.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

 SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 24" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 800 O.D.RANGE OF 25.60-26.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 24" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM 900 O.D.RANGE OF 25.60-26.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE SUPPLIED AS PER SPECIFICATIONS

Item Description:SLEEVE, TAPPING, 24" X 12", DUCTILE IRON, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM O.D.911RANGE OF 26.24 - 26.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE
SUPPLIED AS PER SPECIFICATIONS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 3" X 3" X 3",WITHOUT ACCESSORIES. 000

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 4" X 4" X 4", WITHOUT ACCESSORIES,
010

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 4",WITHOUT ACCESSORIES.
030

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 6",WITHOUT ACCESSORIES.
040

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8 X 4", WITHOUT ACCESSORIES. 060

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 6", WITHOUT ACCESSORIES. 070

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 8",WITHOUT ACCESSORIES.
080

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 4". 090

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 6",WITHOUT ACCESSORIES. 100

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 8",WITHOUT ACCESSORIES. 110

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 10", WITHOUT ACCESSORIES. 120

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 6", WITHOUT ACCESSORIES. 140

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 8", WITHOUT ACCESSORIES. 150

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 10",WITHOUT ACCESSORIES. 160

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 12", WITHOUT ACCESSORIES. 170

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 4", WITHOUT ACCESSORIES 180

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 6", WITHOUT ACCESSORIES. 190

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 8", WITHOUT ACCESSORIES. 200

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 10",WITHOUT ACCESSORIES.
210

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 12",WITHOUT ACCESSORIES.
220

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 16",WITHOUT ACCESSORIES.
230

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 20" X 20" X 12",WITHOUT ACCESSORIES.
250

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 20" X 20" X 16",WITHOUT ACCESSORIES. 260

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 20" X 20" X 20",WITHOUT ACCESSORIES. 270

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 24" X 24" X 24",WITHOUT ACCESSORIES. 280

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 30" X 30" X 8", WITHOUT ACCESSORIES.
290

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 36" X 36" X 36", EPOXY LINED, WITH ACCESSORIES, ** 310 UNION, TYLER **

Item Description: TEE, DUCTILE IRON, 3" X 3" X 3", FLANGED

530	STAR PIPE PRODUCTS ORDER BY DESCRIPTION	TYLER PIPE ORDER BY DESCRIPTION	U.S. PIPE ORDER BY DESCRIPTION
Item	Description: TEE, DUCTILE IRON,	4" X 4" X 4", FLANGED	
535			
555	STAR PIPE PRODUCTS	TYLER PIPE	U.S. PIPE
555	STAR PIPE PRODUCTS ORDER BY DESCRIPTION	TYLER PIPE ORDER BY DESCRIPTION	U.S. PIPE ORDER BY DESCRIPTION

Item Description: TEE, DUCTILE IRON, 8" X 8" X 8", FLANGED 545

Item Description: TEE, DUCTILE IRON, 10" X 10" X 10", FLANGED
550

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 4" X 4" X 4", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 600

Item Description: DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 6", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES TEE, 605

Item Description: DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 8", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES TEE 610

Item Description: DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 10", 40-MIL EPOXYLINED, WITHOUT 615

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 12", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 620

FTGBQ

 Item
 Description: GASKET, SEWER SADDLE, 4.20 - 4.80, UNIVERSAL GASKET FOR ROMAC STYLE CB SEWER SADDLE, OR EQUAL.

 000
 FORD
 ROMAC INDUSTRIES

 FSS-GASKET-4-S
 CB-4.20-4.63

 Item
 Description: GASKET, SEWER SADDLE 6.30-6.66 UNIVERSAL GASKET FOR ROMAC STYLE CB SEWER SADDLE (GASKET FOR USE

100 WITH A SDR 35 LATERAL), OR EQUAL.

FORDROMAC INDUSTRIESFSS-GASKET-6-SCB-6.30-6.66

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

ONLY

PUD-FITTINGS

FTGBQ

Item	Description:	CASTING SADD	LE (BODY) FO	R ROMAC SEWE	R SADDLE- BODY
300	ford FSS-SADDLE-4			OMAC INDUSTF B-4.63	RIES
Item	Description:	CASTING SADD	LE (BODY) -	BODY ONLY	
500	FORD FSS-SADDLE-6			OMAC INDUSTF B-6.66-6.90	RIES
Item	Description:	STRAP, SEWER	SADDLE, 48"	, FOR SEWER	SADDLE
800	FORD FSS-BAND-1440			OMAC INDUSTF B-S48	RIES
Item	Description:	STRAP, SEWER	SADDLE, 96"	, FOR SEWER	SADDLE
900	FORD FSS-BAND-2580			OMAC INDUSTF B-S96	RIES
FTGBU	J				

Item Description:ADAPTER,NO LEAD COUPLING, 2", CORPORATION STOP, 1/8 BEND, (#LA14-87), 2-1/2" FEMALE IRON PIPE110THREAD ON ONE END, 2" COMPRESSION FITTING FOR CTS POLYETHYLENE ON THE OTHER END. (2" OLD STYLE)

FORD

LA14-87

Item Description:NO LEAD COUPLING, ADAPTER - 3/4", CORPORATION STOP, OLD STYLE, 1/8 BEND, WIPED LEAD FEMALE310THREAD (WITH SEAT) X CTS COMPRESSION. FORD OR EQUAL

FORD

LA104-33G

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBU

Item Description: NO LEAD COUPLING, ADAPTER - 1", CORPORATION STOP OLD STYLE, 1/8 BEND, (#LA104-44G), WIPED LEAD 320 FEMALE THREAD (WITH SEAT) X CTS COMPRESSION.

FORD

LA104-44G-NL

Item Description: NO LEAD COUPLING, ADAPTER - STRAIGHT, 1/2" INTERNAL COUPLING THREAD X 3/4" COPPER TUBE NUT. 390 COUPLING THREAD TO HAVE SEAT (INCLUDES GASKET).

FORD

C102-13-NL

Item Description: NO LEAD COUPLING, ADAPTER, CORPORATION STOP, 3/4", (#C104-33G) OLD STYLE, STRAIGHT, WIPED LEAD 400 FEMALE THREAD (WITH SEAT) X CTS COMPRESSION.

FORD

C104-33-G-NL

Item Description: NO LEAD COUPLING, ADAPTER 1", STRAIGHT, FEMALE IRON PIPE THREAD (#C14-44G) X CTS COMPRESSION. 410 FORD, OR EQUAL.

FORD

C14-44G

- Item Description: NO LEAD COUPLING, ADAPTER 1-1/2", STRAIGHT FEMALE IRON PIPE THREAD X CTS COMPRESSION.
- 420

FORD

C14-66G

FTGBW

Item Description: NO LEAD COUPLING, CORPORATION STOP, 1", 1/8 BEND INLET: FEMALE COPPER TUBE NUT THREAD, OUTLET: 120 COPPER TUBE NUT.

FORD MUELLER TA21-44

15063

Page: 99 of: 305

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBY

Item 010	Description:		", FOR GALVANIZED PIPE (.8400D), STEEL CONSTRUCTION, BOLT SIZE = 7/16" TH, SLEEVE LENGTH 3 1/2", 1500 PSI MINIMUM WORKING PRESSURE.
	DRESSER INDUS 38 W/ARMORED	,,	SMITH BLAIR 411-00008401-015
Item 020	Description:	•	", FOR GALVANIZED PIPE (1.050 OD), STEEL CONSTRUCTION, BOLT SIZE =7/16" H COUPLING LENGTH 4-1/2", 1500 PSI MINIMUM WORKING PRESSURE, DRESSER SKET
	DRESSER INDUS	TRIES	SMITH BLAIR
	0038-0003-013	}	411-00010501-015
Item 030	Description:		OR GALVANIZED PIPE (1.315 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2" COUPLING 5", 1500 PSI MIN. WORKING PRESSURE. (STYLE 38 W/ARMORED GASKET)
	DRESSER INDUS	TRIES, INC.	SMITH BLAIR
	0038-0004-013	5	411-00013201-015
Item 040	Description:	· · ·	4", FOR GALVANIZED PIPE (1.66 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2" COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE
	DRESSER INDUS	TRIES, INC.	SMITH BLAIR
	38 W/ARMORED	GASKET	411-00016601-015
Item 050	Description:	· · ·	2", FOR GALVANIZED PIPE (1.90 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2" COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE
	DRESSER INDUS	TRIES, INC.	SMITH BLAIR
	38 W/ARMORED	GASKET	411-00019001-015.
Item 060	Description:		OR GALVANIZED PIPE (2.375 OD), STEEL CONSTRUCTION, BOLT SIZE=5/8" COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE, 2 BOLTS
	DRESSER INDUS	TRIES, INC.	SMITH BLAIR

38-0012-013 411-00023851-015

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBY

Item 070	-	-	2", FOR GALVANIZED PIPE (2.875 OD), STEEL CONSTRUCTION, BOLT SIZE = 5/8" COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE, 3 BOLTS
	DRESSER INDUS	TRIES, INC. Gasket	SMITH BLAIR 411-00028801-015
Item 080	_		FOR GALVANIZED PIPE (3.50 OD), STEEL CONSTRUCTION, BOLT SIZE = 5/8" COUPLING LENGTH 5", 1100 PSI MINIMUM WORKING PRESSURE, 4 BOLTS
	DRESSER INDUS 0038-9187-013	TRIES, INC.	
Item	Description:	COUPLING BOLTLESS 1/2"	GALVANIZED, LONG.
210	DRESSER INDUS STYLE 65 W/AR	tries, inc. Mored gasket	TPS 6000-0840-150
Item	Description:	COUPLING BOLTLESS 3/4"	GALVANIZED, LONG. DRESSER STYLE 65 W/ ARMORED GASKET
220	DRESSER INDUS STYLE 65 W/ARI	TRIES, INC. MORED GASKET	TPS 6000-1050-150
Item	Description:	COUPLING BOLTLESS 1" GA	ALVANIZED, LONG. DRESSER STYLE 65 W/ ARMORED GASKET
230	DRESSER INDUS STYLE 65 W/ARI	•	TPS 6000-1315-150
Item	Description:	COUPLING BOLTLESS 1-1/4	4" GALVANIZED, LONG.
240	DRESSER INDUS STYLE 65 W/ARI	•	TPS 6000-1660-150
Item	Description:	COUPLING BOLTLESS 1-1/2	2" GALVANIZED, LONG
250		TRIES, INC. MORED GASKET	TPS 6000-19000-150

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBY

Item	Description:	COUPLING BOLTLESS	2" GALVANIZED,	LONG.
260	DRESSER INDUS STYLE 65 W/AF	STRIES, INC. RMORED GASKET	TPS 6000-2375	5-150
Item 390	Description: FORD C21-31	NO LEAD COUPLING,	STRAIGHT - 1/2	" FEMALE IRON PIPE THREAD X COPPER TUBE NUT.
Item 410	Description:	NO LEAD COUPLING, OTHER END.	STRAIGHT BRONZ	E - 1" COPPER FLARE NUT ONE END, 1" FEMALE IRON PIPE THREAD
	FORD C21-44		MUELLER H-15450	
Item 610	Description:	NO LEAD COUPLING, END.	STRAIGHT BRONZ	E - 1" COPPER FLARE NUT ONE END 1" MALE IRON PIPE THREAD OTHER
	FORD C28-44		MUELLER H-15425	
Item 620	Description:	NO LEAD COUPLING, THREAD OTHER END.	STRAIGHT BRONZ	E - 1-1/2" COPPER FLARE NUT ONE END 1-1/2" MALE IRON PIPE
	FORD C28-66		MUELLER H-15425	
FTGCA	L			
Item 050	Description: FERNCO 1001-44	INACTIVE - COUPLIN	NG, FLEXIBLE - ·	4" X 4", CLAY/CLAY.

XXJINVWCATL APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCA

Item	Description:	COUPLING,	FLEXIBLE - 4" X 4", CLAY/PVC.
060	FERNCO 1002-44		
Item	Description:	COUPLING,	FLEXIBLE, 4" X 4", PVC/PVC.
070	FERNCO 1056-44		
Item	Description:	COUPLING,	FLEXIBLE - 6" X 4", CLAY/CLAY.
080	FERNCO 1001-64		
Item	Description:	COUPLING,	FLEXIBLE - 6" X 4", CLAY/PVC.
090	FERNCO 1002-64		
Item	Description:	COUPLING,	FLEXIBLE - 6" X 4", PVC/CLAY
100	FERNCO 1002-46		
Item	Description:	COUPLING,	FLEXIBLE - 6" X 4", PVC/PVC.
110	FERNCO 1056-64		
Item	Description:	COUPLING,	FLEXIBLE - 6 X 6, CLAY/CLAY.
120	FERNCO 1001-66		
Item	Description:	COUPLING,	FLEXIBLE - 6" X 6", CLAY/PVC.
130	FERNCO 1002-66		

Page: 104 of: 305

XXJINVWCATL APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCA

Item	Description:	COUPLING, FLEXIBLE - 6" X 6", PVC/PVC.
140	FERNCO 1056-66	INDIANA SEAL CO. 156-66
Item	Description:	COUPLING, FLEXIBLE - 8" X 6", CLAY/PVC
155	FERNCO 1002-86	
Item	Description:	COUPLING, FLEXIBLE - 8" X 6", PVC/PVC.
160	FERNCO 1056-86	
Item	Description:	INACTIVE - COUPLING, FLEXIBLE - 8" X 8", CLAY/CLAY.
170	FERNCO 1001-88	
Item	Description:	COUPLING, FLEXIBLE - 8" X 8", CLAY/PVC.
180	FERNCO 1002-88	
Item	Description:	COUPLING, FLEXIBLE - 8" X 8", PVC/PVC.
190	FERNCO 1056-88	
Item	Description:	COUPLING, FLEXIBLE - 10" X 10", CLAY/PVC
210	FERNCO 1022-1010	
Item	Description:	COUPLING, FLEXIBLE - 10" X 10", PVC/PVC.
220	FERNCO 1056-1010	

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCA

Item 230	Description:	INACTIVE - COUPLING, FLEXIBLE - 12" X 12", CLAY/CLAY
	FERNCO 1001-1212	
Item 240	Description:	COUPLING, FLEXIBLE - 12" X 12", CLAY/PVC
	FERNCO 1002-1212	
Item 250	Description:	COUPLING, FLEXIBLE - 12" X 12", PVC/PVC.
	FERNCO 1056-1212	
Item 270	Description:	COUPLING, FLEXIBLE - 15" X 15", CLAY/PVC
	FERNCO 1002-1515	
Item 280	Description:	COUPLING, FLEXIBLE - 15" X 15", PVC/PVC.
	FERNCO 1056-1515	
Item 290	Description:	COUPLING, FLEXIBLE - 18" X 18", CLAY/CLAY
	FERNCO 1001-1818	
Item 300	Description:	COUPLING, FLEXIBLE - 21" X 21", CLAY/CLAY (OUTSIDE DIAMETER SIZE 24.85)
	FERNCO 1001-2121	
Item 310	Description:	COUPLING, FLEXIBLE - 24" X 24", CLAY/CLAY ** (OUTSIDE DIAMETER SIZE 29.40)
	FERNCO 1001-2424	

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCA

Item Description:SADDLE TEE, DFW 6", WITH CLAMPS, SADDLE DESIGN TO ACCOMMODATE 6" - 12" POLYETHYLENE PIPE USED410IN SLIP LINNING SEWER SYSTEMS, INLET RANGE FROM SCH-40 DOWN TO SDR-26, COLOR BLACK

NDS

6T/C

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 1/2" MIPT X 1/4" FIPT. 030

Item Description: BUSHING, PIPE - GALVANIZED, 1/2" MIPT X 3/8" FIPT. 040

Item Description: BUSHING, PIPE - GALVANIZED, 3/4" MIPT X 1/2" FIPT. 050

Item Description: BUSHING, PIPE - GALVANIZED, 1" MIPT X 1/4" FIPT. 070

Item Description: BUSHING, PIPE - GALVANIZED, 1" MIPT X 1/2" FIPT. 080

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/4" MITP X 3/4" FIPT. 110

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/4" MIPT X 1" FIPT. 120

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 3/4" FIPT. 140

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 1" FIPT. 150

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 1-1/4" FIPT. 155

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 3/4" FIPT. 165

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1" FIPT. 170

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1-1/4" FIPT
180

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1-1/2" FIPT. 190

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 2-1/2" MIPT X 1-1/2" FIPT. 220

Item Description: BUSHING, PIPE - GALVANIZED, 2-1/2" MIPT X 2" FIPT. 230

Item Description: BUSHING, PIPE - GALVANIZED, 3" MIPT X 1-1/4" FIPT. 250

Item Description: BUSHING, PIPE - GALVANIZED, 3" MIPT X 2" FIPT. 270

Item Description: INACTIVE - BUSHING, PIPE - GALVANIZED, 4" MIPT X 3" FIPT. 340

FTGCF

Item Description: INACTIVE - CAP, PIPE - GALVANIZED, 3/4" FIPT. 030

Item Description: CAP, PIPE - GALVANIZED, 1" FIPT. 040

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCF

Item Description: INACTIVE - CAP, PIPE - GALVANIZED, 1-1/4" FIPT. 050

Item Description: CAP, PIPE - GALVANIZED, 1-1/2" FIPT. 060

Item Description: CAP, PIPE - GALVANIZED, 2" FIPT. 070

FTGCH

Item Description: COUPLING, PIPE - GALVANIZED, 1/4" FIPT X 1/4" FIPT.
020

Item Description: COUPLING, PIPE - GALVANIZED, 1/2" FIPT X 1/2" FIPT.
040

Item Description: COUPLING, PIPE - GALVANIZED, 3/4" FIPT X 3/4" FIPT.
050

Item Description: COUPLING, PIPE - GALVANIZED, 1" FIPT X 1" FIPT. 060

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCH

Item Description: COUPLING, PIPE - GALVANIZED, 1-1/4" FIPT X 1-1/4" FIPT. 070

Item Description: COUPLING, PIPE - GALVANIZED, 1-1/2" FIPT X 1-1/2" FIPT. 080

Item Description: COUPLING, PIPE - GALVANIZED, 2" FIPT X 2" FIPT. MUST BE SMOOTH OUTSIDE, NO RIDGES. 090

Item Description: COUPLING, PIPE - GALVANIZED, 2-1/2" FIPT X 2-1/2" FIPT. 100

Item Description: COUPLING, PIPE - GALVANIZED, 3" FIPT X 3" FIPT 110

Item Description: COUPLING, PIPE - GALVANIZED, 4" FIPT X 4" FIPT. 130

Item Description: COUPLING, DRIVING - 2", GALVANIZED, FULLY THREADED FOR DRIVING GALVINIZED PIPE. BOTH ENDS TO BE 500 THREADED FIPT, WATERWELL REAMED AND DRIFTED COUPLING, AS SUPPLIED BY CAPITAL OR APPROVED EQUAL.

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCH

Item Description: COUPLING, 2" , PIPE - 304 STAINLESS STEEL, FIPT X FIPT. ** NO SUBSTITUTE **
920

FTGCL

Item Description: INACTIVE - ELL, PIPE - GALVANIZED, 1/4" FIPT BOTH ENDS. 45 DEGREE.
020

Item Description: ELL, PIPE - GALVANIZED, 1/2" FIPT BOTH ENDS. 45 DEGREE.
030

Item Description: ELL, PIPE - GALVANIZED, 3/4" FIPT BOTH ENDS. 45 DEGREE.
040

Item Description: ELL, PIPE - GALVANIZED, 1" FIPT BOTH ENDS. 45 DEGREE. 050

Item Description: ELL, PIPE - GALVANIZED, 1-1/4" FIPT BOTH ENDS. 45 DEGREE. 060

Item Description: ELL, PIPE - GALVANIZED, 1-1/2" FIPT BOTH ENDS. 45 DEGREE.
070

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCL

Item Description: ELL, PIPE - GALVANIZED, 2" FIPT BOTH ENDS. 45 DEGREE. 080

Item Description: ELL, PIPE - GALVANIZED, 1/2" FIPT BOTH ENDS. 90 DEGREE.
230

Item Description: ELL, PIPE - GALVANIZED, 3/4" FIPT BOTH ENDS. 90 DEGREE.
240

Item Description: ELL, PIPE - GALVANIZED, 1" FIPT BOTH ENDS. 90 DEGREE 250

Item Description: ELL, PIPE - GALVANIZED, 1-1/4" FIPT BOTH ENDS. 90 DEGREE. 260

Item Description: ELL, PIPE - GALVANIZED, 1-1/2" FIPT BOTH ENDS. 90 DEGREE. 270

Item Description: ELL, PIPE - GALVANIZED, 2" FIPT BOTH ENDS. 90 DEGREE. 280

Item Description: INACTIVE - ELL, PIPE - GALVANIZED, 2-1/2" FIPT BOTH ENDS. 90 DEGREE.
290

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCL

Item Description: ELL, PIPE - GALVANIZED, 3" FIPT BOTH ENDS. 90 DEGREE.
300

Item Description: INACTIVE - ELL, PIPE - STREET, GALVANIZED, 1/2" FIPT X 1/2" MIPT. 90 DEGREE.
415

Item Description: ELL, PIPE - STREET, GALVANIZED, 3/4" FIPT X 3/4" MIPT. 90 DEGREE.
425

Item Description: ELL, PIPE - STREET, GALVANIZED, 1" FIPT X 1" MIPT. 90 DEGREE. 430

Item Description: ELL, PIPE - STREET, GALVANIZED, 1-1/4" FIPT X 1-1/4" MIPT. 90 DEGREE. 440

Item Description: ELL, PIPE - STREET, GALVANIZED, 1-1/2" FIPT 1-1/2" MIPT. 90 DEGREE.
450

Item Description: ELL, PIPE - STREET, GALVANIZED, 2" FIPT X 2" MIPT. 90 DEGREE.
460

Item Description: ELL, 2", 90 DEGREE, PIPE - 304 STAINLESS STEEL, FIPT BOTH ENDS. ** NO SUBSTITUTE **
920

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1/4" X CLOSE MIPT BOTH ENDS. 060

Item Description: NIPPLE, PIPE - GALVANIZED, 1/4" X 4" MIPT BOTH ENDS.
070

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 1/4" X 5" MIPT BOTH ENDS 080

Item Description: NIPPLE, PIPE - GALVANIZED, 1/2" X 4" MIPT BOTH ENDS. 240

Item Description: NIPPLE, PIPE - GALVANIZED, 1/2" X 6" MIPT BOTH ENDS. 260

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3/4" X CLOSE. MIPT BOTH ENDS. 300

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 2" MIPT BOTH ENDS.
310

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3/4" X 2-1/2" MIPT BOTH ENDS.
320

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 3" MIPT BOTH ENDS. 330

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 4" MIPT BOTH ENDS. 340

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 5" MIPT BOTH ENDS. 350

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 6" MIPT BOTH ENDS. 360

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 8" MIPT BOTH ENDS.
370

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 10" MIPT BOTH ENDS. 380

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 12" MIPT BOTH ENDS.
390

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 2" MIPT BOTH ENDS.
410

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 3" MIPT BOTH ENDS.
420

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 4" MIPT BOTH ENDS.
430

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 5" MIPT BOTH ENDS. 440

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 6" MIPT BOTH ENDS. 450

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 8" MIPT BOTH ENDS. 460

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 10" MIPT BOTH ENDS. 470

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 12" MIPT BOTH ENDS. 480

Item Description: NIPPLE, PIPE - GALVANIZED,1-1/4" X CLOSE MIPT BOTH ENDS.
490

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 3" MIPT BOTH ENDS. 500

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 4" MIPT BOTH ENDS.
510

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 5" MIPT BOTH ENDS. 520

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 6" MIPT BOTH ENDS. 530

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 8" MIPT BOTH ENDS. 540

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 10" MIPT BOTH ENDS. 550

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 12" MIPT BOTH ENDS. 560

Item Description: NIPPLE, PIPE - GALVANIZED,1-1/2" X CLOSE MIPT BOTH ENDS. 570

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 3" MIPT BOTH ENDS. 580

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 4" MIPT BOTH ENDS.
590

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 5" MIPT BOTH ENDS. 600

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 6" MIPT BOTH ENDS. 610

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 8" MIPT BOTH ENDS. 620

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 10" MIPT BOTH ENDS. 630

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 12" MIPT BOTH ENDS. 640

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X CLOSE MIPT BOTH ENDS. 650

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 3" MIPT BOTH ENDS. 660

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 4" MIPT BOTH ENDS. 670

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 5" MIPT BOTH ENDS. 680

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 6" MIPT BOTH ENDS. 690

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 8" MIPT BOTH ENDS. 700

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 10" MIPT BOTH ENDS. 710

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 12" MIPT BOTH ENDS. 720

Item Description: NIPPLE, PIPE - GALVANIZED, 2-1/2" X 6" MIPT BOTH ENDS.
750

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 2-1/2" X 8" MIPT BOTH ENDS. 760

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X CLOSE MIPT BOTH ENDS.
790

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3" X 4" MIPT BOTH ENDS.
820

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 5" MIPT BOTH ENDS. 830

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 6" MIPT BOTH ENDS. 840

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 8" MIPT BOTH ENDS. 850

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 10" MIPT BOTH ENDS. 860

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 12" MIPT BOTH ENDS. 870

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 4" X 12" MIPT BOTH ENDS. 940

Item Description: NIPPLE, PIPE, 2" X 3", 304 STAINLESS STEEL, MIPT BOTH ENDS. 960

Item Description: NIPPLE, PIPE, 2" X CLOSE END, 304 STAINLESS STEEL, MIPT BOTH ENDS. 965

Item Description: NIPPLE, PIPE, 2" X 12", 304 STAINLESS STEEL, MIPT BOTH ENDS. ** NO SUBSTITUTE **
970

FTGCP

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1/2" MIPT. 040

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 3/4" MIPT. 050

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1" MIPT. 060

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCP

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1-1/4" MIPT. 070

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1-1/2" MIPT. 080

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 2" MIPT. 085

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 3" MIPT. 100

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 1/2" X 3/8" FIPT BOTH ENDS.
050

Item Description: REDUCER, PIPE - GALVANIZED, 3/4" X 1/2" FIPT BOTH ENDS.
070

Item Description: REDUCER, PIPE - GALVANIZED, 1" X 1/2" FIPT BOTH ENDS. 080

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 1" X 3/4" FIPT BOTH ENDS. 090

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/4" X 3/4 FIPT BOTH ENDS. 110

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/4" X 1" FIPT BOTH ENDS. 120

Item Description: REDUCER, PIPE - GALVANIZED,1-1/2" X 1/2" FIPT BOTH ENDS.
130

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 3/4 FIPT BOTH ENDS. 140

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1" FIPT BOTH ENDS. 150

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1-1/4" FIPT BOTH ENDS. 160

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1/2" FIPT BOTH ENDS. 170

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 3/4" FIPT BOTH ENDS. 180

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1" FIPT BOTH ENDS. 190

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1-1/4" FIPT BOTH ENDS. 200

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1-1/2" FIPT BOTH ENDS. 210

Item Description: REDUCER, PIPE - GALVANIZED, 2-1/2" X 2" FIPT BOTH ENDS. 220

Item Description: REDUCER, PIPE - GALVANIZED, 3" X 2" FIPT BOTH ENDS.
230

Item Description: REDUCER, PIPE - GALVANIZED, 4" X 3". 260

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCT

Item Description: TEE, PIPE - GALVANIZED, 3/4"X 3/4"X 3/4" FIPT. 050

Item Description: TEE, PIPE - GALVANIZED,1" X 1" X 1" FIPT
070

Item Description: TEE, PIPE - GALVANIZED, 1-1/4" X 1-1/4" X 1-1/4" FIPT. 090

Item Description: TEE, PIPE - GALVANIZED, 1-1/2" X 1-1/2" X 1-1/2" FIPT. 100

Item Description: TEE, PIPE - GALVANIZED, 2" X 2" X 2" FIPT. 120

FTGCZ

Item Description: NO LEAD COUPLING, STRAIGHT 1", FEMALE COPPER THREAD X COMPRESSION, COMPRESSION END FOR 250 PSI 120 POLYBUTYLENE TUBING.

FORD

C04-44-NL

Item Description: NO LEAD COUPLING, STRAIGHT 1-1/2", FEMALE COPPER THREAD X COMPRESSION, COMPRESSION FOR 250 PSI 130 POLYBUTYLENE TUBING.

FORD

C04-66-NL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCZ

Item Description:NO LEAD COUPLING, STRAIGHT 2", (#C04-77), FEMALE COPPER THREAD X COMPRESSION. COMPRESSION FOR210250 PSI POLYBUTYLENE TUBING.

FORD

C04-77-NL

Item Description: NO LEAD COUPLING, STRAIGHT 3/4", COMPRESSION X COMPRESSION , FOR POLYBUTYLENE TUBING.

²²⁰ **FORD**

C44-33-NL

- Item Description: NO LEAD COUPLING, STRAIGHT 1", COMPRESSION X COMPRESSION, FOR POLYBUTYLENE TUBING.
- ²³⁰ **FORD**

C44-44-NL

Item Description: NO LEAD COUPLING, STRAIGHT 1 1/2", (#C44-66), COMPRESSION X COMPRESSION. FOR POLYBUTYLENE 310 TUBING.

FORD

C44-66-NL

Item Description: NO LEAD COUPLING, STRAIGHT 2", COMPRESSION X COMPRESSION. FOR POLYBUTYLENE TUBING.

³²⁰ **FORD**

C44-77-NL

Item Description: NO LEAD COUPLING, STRAIGHT, 3/4", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

³³⁰ **FORD**

C84-33-NL

- Item Description: NO LEAD COUPLING, STRAIGHT,1", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.
- 410 FORD

C84-44-NL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCZ

- Item Description: NO LEAD COUPLING, STRAIGHT, 1-1/2", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.
- 420 FORD

C84-66-NL

Item Description: NO LEAD COUPLING, STRAIGHT, 2", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

4750-T

430 FORD

C84-77-NL

- Item Description: NO LEAD COUPLING, CORPORATION STOP, 3/4", 1/8 BEND INLET: INSIDE COPPER TUBE NUT THREAD, 500 OUTLET: COMPRESSION (OR PACK JOINT) FOR CTS POLYBUTYLENE TUBING.
- FORD MCDONALD LA04-33-NL
- Item Description: COUPLING, MAXFIT 8", INCLUDES NUTS, AND BOLTS TO BE COATED WITH THERMOPLASTIC POLYMER, RILSAN 608 NYLON 11, FITS THE FOLLOWING PIPE, DUCTILE IRON, C900PVC, CAST IRON, STEEL, AC, AND IPS PVC. OD RANGE 8.59 TO 9.25.

MUELLER COMPANY

MFC 0890

FTGDD

Item	Description:	CEMENT,	PVC	CHEMICAL,	HD, HIG	H VISC	OSITY	Y, QUAI	RΤ					
093	EZ WELD				OATEY	co.								
	EZ WELD 216 SUPERDUTY					31008								
Item	Description:	CEMENT,	PVC	CHEMICAL	- GALLON	CANS,	FOR	SCH40	FITTINGS	1/2"	THROUGH	2 "	SIZE,	CLEAR.
110	EZ WELD 205	OATEY 31016	OATEY CO. 31016											

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

Page: 128 of: 305

PUD-FITTINGS

FTGDD

- Item Description: CEMENT, PVC CHEMICAL, HD, HIGH VISCOSITY, QUART SIZE. OATEY #31105
- ¹²⁰ **OATEY CO.**

31105

Item Description: CEMENT, PVC-HEAVY DUTY, "BLUE" INDUSTRIAL GRADE CEMENT FOR SCH 80, MEDIUM BODIED FAST SET, FAST 130 CURING. WET/DRY PVC CEMENT QUART CANS ONLY.

OATEY CO.

30894

Item Description:CLEANER, PVC - PVC PIPE AND FITTING CLEANER, CHEMICAL FORMULA WHICH ALLOWS QUICK CLEANING AND210RAPID EVAPORATION. E-Z WELD PIPE CLEANER OR EQUAL ---- **** ONE GALLON CONTAINERS ONLY ****

OATEY CO.

EZ WELD

EZ WELD 214-05 30766

Item Description: LUBRICANT, PVC, EASE ON PIPE JOINT LUBRICANT, CONCORD CHEMICAL CO. OR ACCEPTABLE EQUAL FOR 310 ASSEMBLY OF PUSH ON PIPE JOINTS WITH RUBBER OR SYNTHETIC RUBBER TYPE GASKETS. **** ONE GALLON CONTAINERS ONLY ****

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", BELL X FEMALE PIPE THREAD. 100

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 2", BELLED & GASKETED ON ONE END, MALE PIPE THREAD ON 105 OTHER END, MINIMUM PRESSURE RATING TO BE 200 PSI, PVC 1. LASCOTITE

LASCOTITE

21308

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2", SLIP X FEMALE PIPE THREAD. 110

Item Description: ADAPTER, PIPE - PVC, SCH 40, 3/4", SLIP X FEMALE PIPE THREAD. 115

Item Description: ADAPTER, REDUCING, 3/4" SLIP X 1/2" FEMALE PIPE THREAD, SCH40. 118

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1", SLIP X FEMALE PIPE THREAD. 120

Item Description: ADAPTER, REDUCING, 1" SLIP X 3/4" FEMALE PIPE THREAD, SCH40. 122

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1 1/4", SLIP X FEMALE PIPE THREAD. 125

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1-1/2", SLIP X FEMALE PIPE THREAD. 130

Item Description: BUSHING, PIPE-PVC, SCH 40, 1 1/2"-SLIP X 1" FEMALE PIPE THREAD.
132

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", SLIP X FEMALE PIPE THREAD. 134

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2" SLIP X 3/4" MALE PIPE THREAD.
135

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2", SLIP X MALE PIPE THREAD. 140

Item Description: ADAPTER, PIPE- PVC, SCH 40, 3/4", SLIP X MALE PIPE THREAD. 145

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1", SLIP X MALE PIPE THREAD. 150

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 1-1/4", SLIP X MALE PIPE THREAD. 155

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1-1/2", SLIP X MALE PIPE THREAD. 160

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", SLIP X MALE PIPE THREAD. 165

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 3", SLIP X MALE PIPE THREAD. 170

Item Description: BUSHING, REDUCING, 3/4" SLIP X 1/2" FIPT PVC SCH40
190

Item Description: BUSHING, PVC - SCH 40, 3/4" X 1/2", REDUCING BUSHING, SLIP X SLIP. 200

Item Description: BUSHING, PVC - SCH 40, 3/4" X 1", REDUCING BUSHING, THREADED 205

Item Description: BUSHING, PVC - SCH 40, 1" X 3/4", REDUCING BUSHING, SLIP X SLIP. 210

Item Description: BUSHING, PVC - SCH 40, 1" X 1-1/4", REDUCING BUSHING, SLIP X SLIP.
227

Item Description: BUSHING, PVC - SCH 40, 1-1/2" X 1-1/4", REDUCING BUSHING, THREADED 230

Item Description: BUSHING, PVC - SCH 40, 1-1/4" X 1-1/2", REDUCING BUSHING, SLIP X SLIP
240

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: BUSHING, PVC - SCH 40, 2" X 1-1/2", REDUCING BUSHING, SLIP X SLIP.
246

Item Description: CAP, PVC - SCH 40, 1/2", SLIP.
250

Item Description: CAP, PVC - SCH 40, 3/4", SLIP. 260

Item Description: CAP, PVC - SCH 40, 3/4", THREADED. 265

Item Description: CAP, PVC - SCH40, 1", SLIP.
279

Item Description: CAP, PVC - SCH 40, 1", THREADED. 283

Item Description: CAP, PVC - SCH 40, 2". SLIP. 290

Item Description: CAP, PVC - SCH 40, 2", THREADED. 295

Page: 133 of: 305

XXJINVWCATL APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: CAP, PVC - SCH 40, 4", SLIP. 300

Item Description: CAP, PVC - SCH 40, 6", SLIP. 305

Item Description: COUPLING, COMPRESSION 1-1/4", SCH40.
338

Item Description: COUPLING, PVC - SCH 40, 1/2",SLIP X SLIP
350

Item Description: COUPLING, PVC - SCH 40, 3/4",SLIP X SLIP
355

Item Description: COUPLING, PVC - SCH 40, 1", SLIP X SLIP. 360

Item Description: INACTIVE - COUPLING, PVC - SCH 40, 1-1/4", SLIP X SLIP. 365

Item Description: COUPLING, PVC - SCH 40, 1-1/2", SLIP X SLIP.
370

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: COUPLING, REDUCER - PVC, SCH40, S X S, 1-1/2" X 1".
373

Item Description: COUPLING, PVC - SCH 40, 2", SLIP X SLIP. 375

Item Description: COUPLING, PVC - SCH 40, 3", SLIP X SLIP.
380

Item Description: COUPLING, PVC - SCH 40, 4", SLIP X SLIP. 385

Item Description: COUPLING, PVC - SCH 40, 6", SLIP X SLIP.
390

Item Description: COUPLING, PVC - SCH40, 8", SLIP X SLIP.
395

FTGDH

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 1/2", SLIP X SLIP. 500

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 3/4", SLIP X SLIP. 505

Item Description: ELL, PVC - 45 DEGREE, 1", SLIP X SLIP, SCH40. 510

Item Description: ELL, PVC - 45 DEGREE, 1-1/4", SCH40, SLIP X SLIP. 513

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 1 1/2", SLIP X SLIP.
515

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 2", SLIP X SLIP 525

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 3", SLIP X SLIP. 530

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 6", SLIP X SLIP. 540

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1/2", SLIP X SLIP. 600

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3/4", SLIP X SLIP. 610

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3/4", SLIP X FEMALE PIPE THREAD.
615

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1", SLIP X SLIP. 620

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1" X 3/4", 1" SLIP X 3/4" FEMALE PIPE THREAD. 625

Item Description: ELL, STREET 1", PVC, SCH40, 90 DEGREE, FEMALE SLIP X MALE PIPE THREAD.
627

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1-1/4", SLIP X SLIP. 630

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1-1/2", SLIP X SLIP. 640

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 2", SLIP X SLIP. 650

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3", SLIP X SLIP. 660

Item Description: ELL, PVC - SCH 40, 4", 90 DEGREE, SLIP X SLIP. 670

Item Description: PLUG, PVC - SCH 40, 1/2", MALE PIPE THREAD. 710

Item Description: PLUG, PVC - SCH 40, 3/4", SLIP.
717

Item Description: PLUG, PVC - SCH 40, 3/4", MALE PIPE THREAD. 720

Item Description: INACTIVE - PLUG, PVC - SCH 40, 4", SPIGOT 740

Item Description: PLUG, PVC - SCH 40, 4", THREADED 745

Item Description: TEE, PVC - SCH 40, 1/2", SLIP X SLIP X SLIP. 815

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: TEE, PVC - SCH 40, 3/4", SLIP X SLIP X FEMALE PIPE THREAD. 820

Item Description: TEE, PVC - SCH 40, 3/4", SLIP X SLIP X SLIP. 825

Item Description: TEE, PVC - SCH 40, 1", SLIP X SLIP X SLIP. 830

Item Description: TEE, PVC - SCH 40, 1-1/4", SLIP X SLIP X SLIP. 835

Item Description: TEE, PVC - SCH40, 1-1/2", SLIP X SLIP X SLIP. 840

Item Description: INACTIVE - TEE, PVC - SCH 40, 2", SLIP X SLIP X FEMALE PIPE THREAD. 845

Item Description: TEE, PVC - SCH 40, 2", SLIP X SLIP X SLIP. 850

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: ADAPTER , PVC- SCH40, 3/4", MALE INSERT X FEMALE SLIP. 060

Item Description: ADAPTER, PIPE - PVC, SCH 80, 1-1/2", SLIP X MALE IRON PIPE THREAD.
075

Item Description: ADAPTER, 2" PVC, SCH 80, SLIP X FEMALE IRON PIPE THREAD 080

Item Description: ADAPTER, PIPE - PVC, SCH 80, 2", SLIP X MALE IRON PIPE THREAD.
085

Item Description: ADAPTER, PIPE - PVC, SCH 80, 3", SLIP X MALE IRON PIPE THREAD.
090

Item Description: ADAPTER, PIPE - PVC, SCH 80, 4", MALE SLIP X MALE IRON PIPE THREAD. 095

Item Description: COUPLING, PVC - SCH 80, 1/2",SLIP X SLIP
110

Item Description: INACTIVE - COUPLING, PVC - SCH 80, 1/2", THREADED.
115

Page: 140 of: 305

XXJINVWCATL APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: COUPLING, PVC - SCH 80, 3/4",SLIP X SLIP
120

Item Description: COUPLING, PVC - SCH 80, 3/4", THREADED.
125

Item Description: COUPLING, PVC - SCH80, 1", SLIP X SLIP. 130

Item Description: COUPLING, PVC - SCH 80, 1-1/4", SLIP X SLIP. 140

Item Description: COUPLING, PVC - SCH 80, 1-1/2", SLIP X SLIP. 145

Item Description: COUPLING, PVC - SCH 80, 2", SLIP X SLIP. 150

Item Description: COUPLING, PVC - SCH 80, 3", SLIP X SLIP. 155

Item Description: COUPLING, PVC - SCH 80, 4", SLIP X SLIP. 160

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 1/2", SLIP X SLIP. 180

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 3/4", SLIP X SLIP. 190

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 3/4", THREADED. 195

Item Description: ELL, PVC-SCH 80, 45 DEGREE, 1-1/2", SLIP X SLIP. 200

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 3", SLIP X SLIP. 207

Item Description: ELL, PVC - SCH 80, 1/2", 90 DEGREE, SLIP X SLIP. 220

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1/2", THREADED.
225

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 3/4", SLIP X SLIP.
230

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 3/4", THREADED 235

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1", SLIP X SLIP. 240

Item Description: ELL, PVC - SCH80, 90 DEGREE, 1", FIPT X FIPT. 247

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1-1/4", SLIP X SLIP. 250

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1-1/2", SLIP X SLIP 260

Item Description: ELL, PVC - SCH 80, 2", 90 DEGREE, SLIP X SLIP. 270

Item Description: ELL, PVC - SCH 80, 3", 90 DEGREE, SLIP X SLIP. 280

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 4", SLIP X SLIP.
290

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: INACTIVE - TEE, PVC - SCH 80, 1/2", SLIP X SLIP X SLIP.
430

Item Description: TEE, PVC - SCH 80, 3/4", SLIP X SLIP X SLIP. 450

Item Description: TEE, PVC - SCH 80, 3/4", THREADED. 460

Item Description: TEE, PVC - SCH 80, 1", SLIP X SLIP X SLIP. 470

Item Description: TEE, PVC - SCH 80, 2", SLIP X SLIP X SLIP. 497

Item Description: INACTIVE - UNION, PVC - SCH 80, 1/2", SLIP X SLIP.
530

Item Description: UNION, PVC - SCH 80, 3/4", SLIP X SLIP. 550

Item Description: INACTIVE - UNION, PVC - SCH 80, 1-1/2", THREADED. 570

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: NIPPLE, PVC - SCH 80, 1/2" X 3". 723

Item Description: NIPPLE, PVC - SCH 80, 1/2" X 5". 741

Item Description: NIPPLE, PVC - SCH 80, 3/4" X CLOSE. 807

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 3". 824

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 5". 848

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 6", THREADED 852

Item Description: NIPPLE, PVC - SCH 80, 1" X CL, THREADED. 897

Item Description: NIPPLE, PVC - SCH 80, 1" X 4", THREADED. 904

Page: 145 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: NIPPLE, PVC - SCH 80, 1" X 6", THREADED. 912

Item Description: NIPPLE, PVC - SCH 80, 1" X 8", THREADED.
928

Item Description: NIPPLE, PVC - SCH 80, 1" X 12", THREADED .
936

Item Description: NIPPLE, PVC - SCH 80, 1-1/4" X 6", THREADED.
975

Item Description: NIPPLE, PVC - SCH 80, 1-1/4" X 12", THREADED.
991

FTGDM

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 4"
027

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 6" 044

Page: 146 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDM

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 12" 082

Item Description: NIPPLE, PVC - SCH 80, 2" X 4" 126

Item Description: NIPPLE, PVC - SCH 80, 2" X 6" 149

Item Description: INACTIVE - NIPPLE, PVC - SCH 80, 2" X 8"
153

Item Description: NIPPLE, PVC - SCH 80, 2" X 12" 184

Item Description: FLANGE, PVC - SCH 80, 4", 8-HOLE, SLIP. 320

FTGDQ

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 4", BELL X SPIGOT, SPIGOT END TO BE FULL CHAMFERED, BELL TO 104 BE GASKETED.

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDQ

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 6", BELL X BELL, BOTH BELL ENDS TO BE GASKETED.
108

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL END TO BE 112 GASKETED.

Item Description: BEND, PVC - SDR26, 22.5 DEGREE, 8", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL END TO BE 128 GASKETED.

Item Description: BEND, PVC - SDR 26, 45 DEGREE, 4", BELL X BELL, BOTH ENDS GASKETED 144

Item Description: BEND, PVC - SDR26, 45 DEGREE, 6", BELL X BELL, BOTH ENDS GASKETED.
148

Item Description: BEND, PVC - SDR26, 45 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED 152

Item Description: BEND, PVC - SDR26, 45 DEGREE, 8", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED. 156

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDQ

Item Description: BEND, PVC - SDR26, 90 DEGREE, 4", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED. 172

Item Description: BEND, PVC - SDR26, 90 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED. 180

Item Description: CAP, PVC - SDR26. 6", BELL TO BE GASKETED 260

Item Description: COUPLING, PVC - 6", COUPLING TO FIT SDR-26 OD ON ONE END AND C900 OD ON THE OTHER, COUPLING TO 382 BE BELLED & GASKETED ON BOTH ENDS.

THE HARRINGTON CORP (HARCO)

337-060

Item Description: PLUG, PVC - SDR 26, 6", SLIP 410

Item Description: PLUG, PVC - SDR 26, 8", SLIP 420

Item Description: TEE, PVC - SDR26, 4", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.
510

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDQ

Item Description: TEE, PVC - SDR26, 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED. 520

Item Description: TEE, PVC - SDR26, 8" X 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED. 540

Item Description: TEE, PVC - SDR26, 10" X 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.
550

Item Description: WYE, PVC - SDR26, 4" X 4" X 4", BELL X BELL X BELL, ALL BELLS TO BE GASKETED. 610

Item Description: WYE, PVC - SDR26, 6" X 6" X 6", BELL X BELL X BELL, ALL BELLS TO BE GASKETED. 620

Item Description: WYE, PVC - SDR26, 8" X 8" X 6", BELL X BELL X BELL. ALL BELLS TO BE GASKETED.
630

FTGDU

Item Description: TEE, PVC - DR18, 8" X 8" X 6", ALL OUT- LETS TO BE BELLED AND GASKETED, C-900, ALL FITTINGS TO 000 BE INJECTION MOLDED.

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDU

Item Description: TEE, PVC - DR18, 10" X 10" X 6", ALL OUT- LETS TO BE BELLED AND GASKETED, C-900, ALL FITTINGS 010 TO BE INJECTION MOLDED.

Item Description: TEE, PVC - DR18, 12" X 12" X 6", ALL OUT- LETS TO BE BELLED AND GASKETED, C-900, ALL FITTINGS 012 TO BE INJECTION MOLDED.

Item Description: BEND, PVC - DR 18, 22 1/2 DEGREE, 6", C-900 (AWWA C 907: Class 150 rated). 040

Item Description: BEND, PVC - DR 18, 45 DEGREE, 6", C900. 050

Item Description: RESTRAINER KIT, 3", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. **MUST BE BOXED 203 IN KIT FORM. **

 EBAA IRON
 SIGMA
 STAR PIPE PRODUCTS

 1103
 SLDEP3
 SGDPPK03

 Item
 Description:
 RESTRAINER KIT, 4", TO
 INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE BOXED

 214
 IN KIT FORM. **

EBAA IRON	SIGMA	STAR PIPE PRODUCTS
1104	SLDEP4	SGDPPK04

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDU

Item 226	Description:	RESTRAINER KIT, 6", TO IN KIT FORM. **	INCLUDE GLAND,	M.J. RUBBER GASKET,	M.J. BOLTS AND NUTS.	** MUST BE BOXED
	EBAA IRON 1106		SIGMA SLDEP6		STAR PIPE PRODUCTS SGDPPK06	
Item 238	Description:	RESTRAINER KIT, 8", TO IN KIT FORM. **	INCLUDE GLAND,	M.J. RUBBER GASKET,	M.J. BOLTS AND NUTS.	** MUST BE BOXED
	EBAA IRON 1108		SIGMA SLDEP8		STAR PIPE PRODUCTS SGDPPK08	
Item 240	Description:	RESTRAINER KIT, 10", TO BOXED IN KIT FORM. **	INCLUDE GLAND,	M.J. RUBBER GASKET,	M.J. BOLTS AND NUTS.	** MUST BE
	EBAA IRON 1110		SIGMA SLDEP10		STAR PIPE PRODUCTS SGDPPK10	
Item 256	Description:	RESTRAINER KIT, 12", TO BOXED IN KIT FORM. **	INCLUDE GLAND,	M.J. RUBBER GASKET,	M.J. BOLTS AND NUTS.	** MUST BE
	EBAA IRON 1112		SIGMA SLDEP12		STAR PIPE PRODUCTS SGDPPK12	
Item 264	Description:	RESTRAINER KIT, 14", TO BOXED IN KIT FORM. **	INCLUDE GLAND,	M.J. RUBBER GASKET,	M.J. BOLTS AND NUTS.	** MUST BE
	EBAA IRON 1114					
Item 266	Description:	RESTRAINER KIT, 16", TO BOXED IN KIT FORM **	INCLUDE GLAND,	M.J. RUBBER GASKET,	M.J. BOLTS AND NUTS.	** MUST BE
	EBAA IRON					

1116

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDU

Item 287	Description:	RESTRAINER, MJ FITTING PIPE. ** MUST BE BOXED	•	LACES MJ FOLLOWER GLAND. US	ED WITH DUCTILE
	EBAA IRON 1118 STAR SGDPPK18		FORD SERIES 1400	SIGMA SLCEP18	
Item 290	Description:	RESTRAINER KIT, 20", TO KIT FORM **) INCLUDE GLAND, MJ RUBBER	GASKET, MJ BOLTS AND NUTS.	** MUST BE BOXED IN
	EBAA IRON 1120				
Item 292	Description:	RESTRAINER KIT, 24", TO KIT FORM **	O INCLUDE GLAND, MJ RUBBER	GASKET, MJ BOLTS AND NUTS.	** MUST BE BOXED IN
	EBAA IRON 1124				
Item 294	Description:	RESTRAINER KIT, 30", TO MJ BOLTS AND	O INCLUDE GLAND, MJ NUTS. *	* MUST BE BOXED IN KIT FORM	I ** RUBBER GASKET,
	EBAA IRON 1130				
Item 296	Description:	RESTRAINER KIT, 36", TO KIT FORM **	O INCLUDE GLAND, MJ RUBBER	GASKET, MJ BOLTS AND NUTS.	** MUST BE BOXED IN
	EBAA IRON 1136				

Page: 153 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDU

Item	Description:		DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ
310		GASKET ONLY, MJ BOLTS AND NUTS. ** MUST	RE BOXED IN KIL FORM **
	FORD	SIGMA	STAR PIPE PRODUCTS
	UFR-1500-4A-I	SLCEP4	PVCPK4004G2
Item	Description:	CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 6"	DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ
315		GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE	BOXED IN KIT FORM **
	FORD	SIGMA	STAR PIPE PRODUCTS
	UFR1500-6A-I	SLCEP6	PVCPK4006G2
Item	Description:	CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 8"	DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ
320		GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BI	E BOXED IN KIT FORM **
	FORD	SIGMA	STAR PIPE PRODUCTS
	UFR-1500-8A-I	SLCEP8	PVCPK4008G2
Item	Description:	CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 10	" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ
325		GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BI	E BOXED IN KIT FORM **
	SIGMA	STAR PIPE PRODUCTS	
	SLCEP10	PVCPK4012G2	
Item	Description:	CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 12	" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ
330		GASKET ONLY, MJ BOLTS AND NUTS. ** MUST B	E BOXED IN KIT FORM **
	SIGMA	STAR PIPE PRODUCTS	
	SIGMA SLCEP12	STAR PIPE PRODUCTS PVCPK4012G2	
Item	SLCEP12	PVCPK4012G2	" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ
Item 335	SLCEP12	PVCPK4012G2	" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ
	SLCEP12	PVCPK4012G2 CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 16	" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

XXJINVWCATL

Water and Wastewater Master Material Catalog

Page: 154 of: 305

PUD-FITTINGS

FTGDW

Item 400	Description:	RESTRAINER, SPLIT GLAND, 4" - RESTRAINER FOR C-900 PV PVC PIPE. 360 DEGREE PIPE SUPPORT.	C PIPE. USED TO RESTRAIN MJ FITTINGS TO
	SIGMA	STARR	UNIFLANGE
	PWM-C4	PRC1004	UFR 1300-C-4-1
Item 500	Description:	RESTRAINER, SPLIT GLAND, 6" - RESTRAINER FOR C-900 PV PVC PIPE. 360 DEGREE PIPE SUPPORT.	C PIPE. USED TO RESTRAIN MJ FITTINGS TO
	SIGMA PWMC6	STAR PIPE PRODUCTS PRC1006G2C	
Item 600	Description:	RESTRAINER, SPLIT GLAND, 8" - RESTRAINER FOR C-900 PV PVC PIPE. 360 DEGREE PIPE SUPPORT.	C PIPE. USED TO RESTRAIN MJ FITTINGS TO
	SIGMA PWM-C8	STAR PIPE PRODUCTS PRC1008	
Item 950	Description:	UNIFLANGE, RESTRAINER GLAND, 8", WITH BOLTS AND NUTS, RESTRAIN MJ FITTINGS TO PVC PIPE.	FOR STEEL PIPE SIZE PVC PIPE, USED TO
	SIGMA PVM-S8	STARR PRS1008	UNIFLANGE 1300S
Thom		RESTRAINER, SPLIT GLAND, 10"- RESTRAINER FOR C-900 PV	
970	Description.	PVC PIPE. 360 DEGREE PIPE SUPPORT.	C FIFE. USED TO RESIRAIN MU FITTINGS TO
	SIGMA	STARR	UNIFLANGE
	PWM-C10	PRC1010	1300C
FTGDY	2		
Item	Description:	RESTRAINER, SPLIT GLAND, 12"- RESTRAINER FOR C-900 PV	C PIPE. USED TO RESTRAIN MJ FITTINGS TO
000		PVC PIPE. 360 DEGREE PIPE SUPPORT.	
	SIGMA	STAR PIPE PRODUCTS	
	PWMC12	PRC1012	

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDY

Item	Description:	RESTRAINER, GLAND, 12"	, FOR PVC PIPE W/STEEL PIPE O.D.	
050	SIGMA PVM-S12		STARR PRS1012	UNIFLANGE 1300S
Item 060	Description:	RESTRAINER, SPLIT GLAN PVC PIPE. 360 DEGREE P	D, 16"- RESTRAINER FOR C-900 PVC PIPE PIPE SUPPORT.	. USED TO RESTRAIN MJ FITTINGS TO
	SIGMA PWM-C16		STARR PRC1016	UNIFLANGE 1300C
Item	Description:	RESTRAINER, FLANGE 8"	TO BE USED FOR RESTRAINING BELL JOINT	'S OF C-900 PIPE.
080	FORD 1390C		SIGMA PWP-C8	STARR PRC1108
Item	Description:	RESTRAINER, FLANGE 12"	TO BE USED FOR RESTRAINING BELL JOIN	TS OF C-900 PIPE
100	SIGMA PWP-C12		STARR PRC1112	
Item	Description:	RESTRAINER, FLANGE 16"	TO BE USED FOR RESTRAINING BELL JOIN	TS OF C-900 PIPE
110	FORD 1390C		SIGMA PWP-C16	STAR PRC1116
Item	Description:	RESTRAINER, FLANGE 20"	TO BE USED FOR RESTRAINING BELL JOIN	TS OF C-900 PIPE
120	FORD 1390C		SIGMA PWP-C20	STAR PRC1120
Item 124	Description:	RESTRAINER, SPLIT X SP BELL JOINTS OF C905 PI	PLIT, SERRATED, 24" PVC BELL JOINT RES	TRAINT, TO BE USED FOR RESTRAINING
	FORD		SIGMA	STAR
	1390C		PWP-C24	PRC1124

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDY

Item Description: RESTRAINER, FLANGE 30", TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE 130

Item Description: RESTRAINER, FLANGE 36" , TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE
136

Item Description: RESTRAINER, UNIFLANGE 6", USED TO RESTRAIN PVC DR18 FITTINGS TO 6" C-900 PIPE. 200 FORD SIGMA UFR1360-C-6-I PWPFC6 Item Description: RESTRAINER, UNIFLANGE 8", USED TO RESTRAIN PVC DR18 FITTINGS TO 8" C-900 PIPE. 218 SIGMA STAR UNIFLANGE PWPF-C8 PRC1208 1360 Item Description: RESTRAINER, UNIFLANGE 10", USED TO RESTRAIN PVC DR18 FITTINGS TO 10" C-900 PIPE. 225 SIGMA STAR UNIFLANGE PWPF-C10 PRC1210 1360 Item Description: SERIES 1390 PIPE RESTRAINER FOR DUCTILE IRON PIPE, 4", TO COME COMPLETE WITH THE FOLLOWING 504 ITEMS, TWO CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS.

Item Description: PIPE RESTRAINER FOR DUCTILE IRON PIPE, 6", TO COME COMPLETE WITH THE FOLLOWING ITEMS, TWO CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS.

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDY

Item Description: PIPE RESTRAINER FOR DUCTILE IRON PIPE, 8", TO COME COMPLETE WITH THE FOLLOWING ITEMS, TWO 508 CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS

FORD	SIGMA	STAR
1390	PWP-C8	1100C

Item Description: 1500 CA MEGA LUG KIT, TO FIT 3" IPS AND SCH-40 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J. 603 RUBBER GASKET, M.J. BOLTS & NUTS.

Item Description: 1500 CA MEGA LUG KIT, TO FIT 20" DR -18 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J. RUBBER 620 GASKET, M.J. BOLTS & NUTS. MUST BE BOXED IN KIT FORM.

Item Description: 1500 CA MEGA LUG KIT, TO FIT 24" DR -18 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J. RUBBER 624 GASKET, M.J. BOLTS & NUTS.

Item Description: 1500 CA MEGA LUG RESTRAINER KIT, TO FIT 30" C905 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, 630 M.J. RUBBER GASKET, M.J. BOLTS & NUTS. MUST HAVE ONE KIT PER BOX

Item Description:1500 CA MEGA LUG RESTRAINER KIT, TO FIT 36" C905 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND,636M.J. RUBBER GASKET, M.J. BOLTS & NUTS. MUST HAVE ONE KIT PER BOX

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, 3", RANGE 3.13-3.36, FITS AC, DI, CI, PVC, HDPE - LENGTH 8.38" EPOXY COATED-003 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

260-0363631 (MACRO)

Item Description: COUPLING, 3" HYMAX, RANGE 3.46-4.33 EACH SIDE, FITS AC, DI, CI, PVC HDPE - LENGTH 8.7" - EPOXY 005 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA

860-56-0088-16

2000-0433-260 (HYMAX)

Item Description: COUPLING, 4", MIN RANGE 4.40-5.60, FITS AC, DI, CI, PVC HDPE - LENGTH 8.7-11.19 EPOXY COATED-010 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA

860-54-0108-16 2000-0563-260 (HYMAX)

Item Description:COUPLING, 4", MIN RANGE 4.50-4.90, FITS DI, CI, PVC, PVC-IPS, HDPE, - LENGTH 11.85- SINGLE UNIT,012FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS2 STAINLESS STEEL BOLTS (ON EACH END) STABTYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-04901231 (ALPHA)

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION 3"- MINIMUM O.D. RANGES TO BE 3.45-3.60 ONE END & 4.07- 4.20 OTHER END, 015 SLEEVE TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS

FORD

FC2A360420

Item Description: COUPLING, 6", MIN RANGE 6.60-7.60, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY COATED-040 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA

2000-0768-260 (HYMAX) 860-54-0163-16

Item Description: COUPLING, 6", MIN RANGE 6.60-7.00, FITS DI, CI, PVC, PVC-IPS, HDPE,- LENGTH 11.98- SINGLE UNIT, 045 FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-07001211 (ALPHA)

Item Description: COUPLING, 8", MIN RANGE 8.60-9.75, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY COATED-050 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REOUIRED)

KRAUSZ USA

860-54-0217-16 2000-0984-260 (HYMAX)

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description:COUPLING, 8", MIN RANGE 8.60-9.10, FITS DI, CI, PVC, PVC-IPS, HDPE, - LENGTH 13.19- SINGLE UNIT,054FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS2 STAINLESS STEEL BOLTS (ON EACH END) STABTYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-09101211 (ALPHA)

Item Description: COUPLING, TRANSITION - DUCTILE IRON - BOLTED COUPLING TO HAVE O.D RANGES OF (8.30-8.55) X 056 (8.99-9.40), GASKETS SUPPLIED MUST BE NEOPRENE (BUNA) COMPOUNDED FOR SEWER SERVICE, COUPLING TO MEET ASTM A536-80 & AWWA C111-80

ROMAC INDUSTRIES

501

Item Description: COUPLING, 10", MIN RANGE 10.70-11.90, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19- EPOXY COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA	ROMAC INDUSTRIES
860-54-0272-16	2601190831 (MACRO)
2000-1200-260/K86056027216	
(HYMAX)	

Item Description:COUPLING, 10", MIN RANGE 11.00-12.20, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19- EPOXY065COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPEINSTALLATION (NO DISASSEMBLY REQUIRED)

 KRAUSZ USA
 ROMAC INDUSTRIES

 860-54-0278-16
 260-1220831 (MACRO XL)

 2000-1226-260 (HYMAX OS)
 260-1220831 (MACRO XL)

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, 10", MIN RANGE 10.75-11.20, FITS DI, CI, PVC, PVC-IPS, HDPE,- LENGTH 12.74- SINGLE 068 UNIT, FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-11201211 (ALPHA)

Item Description: COUPLING, 12", MIN RANGE 12.70-13.66, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY 070 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA ROMAC INDUSTRIES 2000-1366-260/K86056031516 2601380831 (MACRO) (HYMAX) 860-54-0315-16

Item Description: COUPLING, 12", MIN RANGE 13.15-14.40, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY 075 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

 KRAUSZ USA
 ROMAC INDUSTRIES

 2000-1441-260 (HYMAX OS)
 260-1440831 (MACRO XL)

 860-54-0334-16
 260-1440831 (MACRO XL)

Item Description: COUPLING, 12", MIN RANGE 12.75-13.30, FITS DI, CI, PVC, PVC-IPS, HDPE,- LENGTH 13.30- SINGLE 080 UNIT, FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-13301211 (ALPHA)

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION 10", DUCTILE IRON - BOLTED COUPLING TO HAVE O.D RANGE OF (10.20-10.55) X (10.89-11.40), GASKETS SUPPLIED MUST BE NEOPRENE (BUNA) COMPOUNDED FOR SEWER SERVICE, COUPLING TO MEET ASTM A536-80 & AWWA C111-80

ROMAC INDUSTRIES

501

Item Description: COUPLING, TRANSITION -DUCTILE IRON (MEETING ASTM A 536-80)- BOLTED COUPLING TO REDUCE DOWN FROM 109 10.75 OD TO 10.39 OD - GASKETS SUPPLIED WITH COUPLING MUST BE NEOPRENE (BUNA) COMPOUNED FOR SEWER SERVICE

ROMAC INDUSTRIES

501

Item Description: COUPLING, TRANSITION 10", LENGTH 12", DUCTILE IRON (MEETING ASTM A 536-80)-BOLTED COUPLING, 0.D. ONE END TO BE 10.89-11.40, O.D. OTHER END TO BE 11.80-12.12, GASKET SUPPLIED W/COUPLING MUST BE NEOPRENE (BUNA) COMPOUNDED FOR SEWER SERVICE

ROMAC INDUSTRIES

501-12121140201

Item Description:COUPLING, STRAIGHT - MINIMUM O.D. RANGES TO BE 11.10-11.60 ONE END AND 11.10- 11.60 OTHER END,127SLEEVES TO BE DUCTILE IRON (CTR RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND
NUTS, GRADE 30 GASKETS OR BUNA N RUBBER GASKETS.

FORD	ROMAC INDUSTRIES	SMITH BLAIR
FC1-1146-1146	501	441-116-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 11.10-11.60 ONE END AND 11.65-11.88 OTHER END, 136 SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS) HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS. GRADE 30 GASKETS.

SMITH BLAIR

441-11881160-900

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION - COUPLING RANGES TO BE 11.10-11.60 O.D. ONE END AND 11.90 -12.20 O.D. 145 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS) HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

SMITH BLAIR

441-12201160-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 ONE END AND 13.20-13.50 OTHER END, 163 SLEEVES TO BE DUCTILE IRON (CENTER AND END RINGS) HIGH STRENGHT LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

F	FORD	ROMAC INDUSTRIES	SMITH BLAIR
F	FC1-1356-1356	501	441-00001350-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 O.D. ONE END AND 13.90-14.20 O.D. 180 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

SMITH BLAIR

441-14201350-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 O.D. ONE END AND 14.21-14.40 O.D. 191 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

ROMAC INDUSTRIES SMITH BLAIR

501-14401355700 441-14401350-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 15.30-15.70 O.D. ONE END AND 15.30-15.70 O.D. 202 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY BOLTS AND NUTS, GRADE 30 GASKETS.

ROMAC INDUSTRIES

501

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 17.40-17.80 O.D. ONE END AND 17.40-17.80 O.D. 215 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

ROMAC INDUSTRIES SMITH BLAIR 501 441-00001780-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 17.40-17.80 O.D. ONE END AND 18.46-18.90 O.D. 221 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS. ROMAC

ROMAC INDUSTRIES SMITH BLAIR 501

441-18901780-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 17.32-17.50 O.D. ONE END AND 17.72-17.94 O.D. 236 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

JCM

212-1780-1740

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 19.10-19.70 O.D. ONE END AND 19.70-20.25 O.D. 243 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

FORD

ROMAC INDUSTRIES

FC2A-1970-2025

- 501
- Item Description: COUPLING, TRANSITION MINIMUM O.D. RANGES TO BE 21.35-21.75 O.D. ONE END AND 21.75-22.25 O.D. 274 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

FORD	ROMAC	INDUSTRIES
FC2A-2175-2225	501	
FC2A-2206-2206		

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 24.75-25.30 ON BOTH ENDS OF THE COUPLING.

280 SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

ROMAC INDUSTRIES

501

- Item Description: COUPLING, STRAIGHT MINIMUM O.D. RANGES TO BE 25.00-25.80 ONE END & 25.00-25.80 OTHER END, 286 SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.
 - FORD

ROMAC INDUSTRIES

FC2A-2580-2580

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 25.00-25.80 O.D. ONE END AND 26.10-26.32 O.D. 298 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

FORD	ROMAC INDUSTRIES
------	------------------

FC2A-2580-2632

501

501

Item Description: COUPLING, STRAIGHT - MINIMUM O.D. RANGES TO BE 26.10-26.32 O.D. ONE END AND 26.10-26.32 O.D. 309 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

FORD		ROMAC INDUSTRIES				
FC2A-2610-26	32			501		
	~~~~~	~ ~ ~ ~	4.0.11	<u> </u>		

Item Description:COUPLING, CAST - 42", 3 FT. LENGTH, FUSION BONDED EPOXY INSIDE AND OUT (FOR SEWER USE), EPOXY400MUST COMFORM TO AWWA C213. STAINLESS STEEL BOLTS, NUTS AND WASHERS. 150 PSI RATING (MINIMUM).0.D. RANGE TO BE 44.20-44.50 (MIN). TWO (2) GASKETS

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-FITTINGS

FTGEE

Item Description:COUPLING, CAST - 54", 3 FT. LENGTH, FUSION BONDED EPOXY INSIDE AND OUT (FOR SEWER USE), EPOXY450MUST CONFORM TO AWWA C213. STAINLESS STEEL BOLTS, NUTS AND WASHERS. 150 PSI RATING (MINIMUM).0.D. RANGE TO BE 56.66-57.10 (MIN). TWO (2) GASKET S

Item Description: SLEEVE, DUCTILE IRON, 4", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 600 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

**Item Description:** SLEEVE, DUCILE IRON, 6", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 8", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 640 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 10", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 660 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 12", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT 680 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-FITTINGS

# FTGEE

Item Description: SLEEVE, DUCTILE IRON, 16", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT 850 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 18", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT 860 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 20", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT 870 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 30", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT 880 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 36", MECHANICAL JOINT, 10-MIL EXPOXYLINED, TO BE SUPPLIED WITHOUT ACCESSORIES

Item Description: SLEEVE, DUCTILE IRON, 48", MECHANICAL JOINT, 10-MIL EXPOXYLINED, TO BE SUPPLIED WITHOUT 960 ACCESSORIES

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-FITTINGS

# FTGEG

**Item Description:** SLEEVE, PIPE, DUCTILE IRON, 12 INCH, MECHANICAL JOINT, POLY LINED. 905

**Item Description:** SLEEVE, MJ, DUCTILE 24", 10-MIL EPOXY LINED. 906

**Item Description:** REDUCER, DUCTILE 6" X 4", MJ, 40 MIL EPOXY LINED, WITHOUT ACCESSORIES 908

Item Description: CLAMP, TRANSITION - SEWER CLAMP COUPLING CLAMP TO BE 25.80 ON ONE END AND 27.35- 28.55 ON OTHER 909 END.

ROMAC INDUSTRIES

LSS3

Item Description: INACTIVATE UPON DEPLETION - REDUCER, DUCTILE 10" X 4", MJ, 40 MIL EPOXY LINED, WITHOUT 910 ACCESSORIES

## FTGIP

Item Description: NO LEAD COUPLING, COMPRESSION, 1", CTS COMP X IPS COMP COUP.

000 **FORD** 

C46-44-NL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

FUSES

# FUSSU

Item	Description:	FUSE,	3 AMP,	250 VA	AC, C	DNE-TIME CARTRIDGE TYPE BUSSMAN P/N N	ON-3		
036	BUSSMANN NON-3. LITTELFUSE NLN-3.					<b>CEFCO</b> OT3/250	CHASE OT-3	SHAWMUT	со.
Item	Description:	FUSE,	5 A, 2	50 V, C	)NE-7	TIME, CARTRIDGE TYPE BUSSMAN P/N NON-	5 GOULI	SHAMUT	P/N OT-5N
037	<b>BUSSMANN</b> NON-5 <b>LITTELFUSE</b> NLN-5					<b>CEFCO</b> OT5/250	<b>CHASE</b> OT-5	SHAWMUT	со.
Item	Description:	FUSE,	6 AMPS	, 250 V	/AC,	CARTRIDGE TYPE, ONE-TIME			
038	<b>BUSSMANN</b> NON-6- LITTELFUSE NLN-6					<b>CEFCO</b> OT6/250	<b>CHASE</b> OT-6	SHAWMUT	со.
FUSUC	5								
<b>Item</b> 008	Description: BUSSMANN NON-10 LITTELFUSE NLN-10	FUSE,	ONE TII	ИЕ, 10	AMP	RATING, 250 VOLT FERRULE TYPE CEFCO OT10/250	CHASE OT-10	SHAWMUT	co.

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

# FUSES

# FUSUG

<b>Item</b> 009 <b>Item</b> 010	Description:	FUSE,	ONE TIME,	15 AMP	RATING, 250 VOLT FERRULE TYPE	
	<b>BUSSMANN</b> NON-15 <b>LITTELFUSE</b> NLN-15				<b>CEFCO</b> OT15/250	CHASE SHAWMUT CO. OT-15
	Description:	FUSE,	ONE TIME,	20 AMP	RATING, 250 VOLT FERRULE TYPE	
	<b>BUSSMANN</b> NON-20 <b>LITTELFUSE</b>				<b>CEFCO</b> OT20/250	CHASE SHAWMUT CO. OT-20

Page: 171 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-GAUGES

# GAGAA

Item Description: GAUGE, STAINLESS STEEL, GLYCERIN FILLED, 2-1/2", 0-100 PSI, 1/4", 656 SERIES STAINLESS STEEL 070 LOWER MOUNT CONNECTION

U.S. GAUGE	WIKA
256010LG	9833574

## PUD-GASKETS

## GKTAA

Item Description: GASKET, TRANSITION 3" - MJ X IPS GASKET, GASKET IS USED IN STD. MECHANICAL JOINT FITTING FOR 700 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D2000 3 BA715

SIGMASTARTG3MJGAST03

- Item Description: GASKET, TRANSITION 4" MJ X IPS GASKET, GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR 719 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-2000 3 BA715.
- Item Description:GASKET, TRANSITION 6" MJ X IPS GASKET, GASKET ISSUED IN STD. MECHANICAL JOINT FITTINGS FOR727USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-<br/>2000 3 BA715.

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-GASKETS

# GKTAA

Item Description: GASKET, TRANSITION 8" - MJ X IPS GASKET, GASKET ISSUED IN STD. MECHANICAL JOINT FITTINGS FOR 735 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-2000 3 BA715.

Item Description: GASKET, TRANSITION 10" - MJ X IPS GASKET GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR 743 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-2000 3 BA715.

Item Description: GASKET, TRANSITION 12" - MJ X IPS GASKET GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR 751 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-2000 3BA715.

Item Description: GASKET, TRANSITION 16" - MJ X IPS GASKET GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR 768 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-2000 3 BA715.

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### HARDWARE

# HDWTW

Item Description: TWINE, NYLON, SIZE NO. 21, 0.065" DIA., 887 FT SPOOL, 215 LB TENSILE STRENGTH,

020	AAM STRAND ROPES	PURITAN MILLS INC.	R.F. EDER CO.
	50700	10497	62116

PUD-HOSE & FITTINGS

## HSEAA

Item Description: HOSE, AIR 3/4" 50', 250 PSI, PIPE THREAD SHORT SHANK BRASS CONNECTORS, MALE ONE END/FEMALE ONE 000 END

Item Description: HOSE, AIR, 3/4" X 50', 250 PSI, W/UNIVERSAL CONNECTORS (#AM-6) EACH END

010 **FLEXTRAL GOODYEAR** AR15-075UUX050YW MA3104637

Item Description: CONNECTOR, QUICK DISCONNECT 3/4" AIR UNIVERSAL #AM6

050 UNIVERSAL VALVE

Item Description: COUPLING, HOSE 3" - FEMALE QUICK DISCONNECT X HOSE SHANK, ALUMINUM CONSTRUCTION. EVER-TITE PART
100 "C" COUPLER OR EQUAL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-HOSE & FITTINGS

# HSEBB

Item Description: COUPLING, HOSE 3" - QUICK DISCONNECT, MALE ADAPTER X HOSE SHANK, ALUMINUM CONSTRUCTION. EVER-110 TITE PART "E" OR EQUAL.

## EVER-TITE

Е

Item Description: COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION. 120 EVER-TITE PART "D".

#### EVER-TITE

D

**Item Description:** COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, MALE THREAD 130 ON OTHER END, ALUMINUM CONSTRUCTION.

 EVER-TITE
 SEAL FAST

 B
 B

 Item
 Description:
 COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, HOSE SHANK ON

 140
 OTHER END, ALUMINUM CONSTRUCTION.

 
 EVER-TITE
 SEAL FAST

 C
 C

 Item
 Description:

 COUPLING, HOSE 4" -QUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, HOSE SHANK ON OTHER END, ALUMINUM CONSTRUCTION.

 EVER-TITE
 SEAL FAST

 E
 E

 Item
 Description:

 COUPLING, HOSE 4" -QUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, MALE THREAD

 ON OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE	SEAL FAST
F	F

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

# PUD-HOSE & FITTINGS

# HSEBB

<b>Item</b> 160	Description:	COUPLING, HOSE 6" -QUICK DISCONNECT,MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, MALE THREAD ON OTHER END,ALUMINUM CONSTRUCTION. EVER-TITE OR SEAL FAST PART "F"			
	<b>EVER-TITE</b> F	SEAL FAST F			
<b>Item</b> 170	Description:	COUPLING, HOSE 6" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, HOSE SHANK ON OTHER END, ALUMINUM CONSTRUCTION.			
	<b>EVER-TITE</b> C	SEAL FAST C			
<b>Item</b> 175	Description:	COUPLING, HOSE 6" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION. EVER-TITE OR EQUAL			
	<b>ever-tite</b> D				
<b>Item</b> 180	Description:	COUPLING, HOSE 6" -QUICK DISCONNECT,MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, HOSE SHANK ON OTHER END, ALUMINUM CONSTRUCTION. EVER-TITE OR SEAL FAST			
	<b>EVER-TITE</b> E	SEAL FAST E			
<b>Item</b> 199	Description:	COUPLING, ADAPTER - 3", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH QUICK DISCONNECT COUPLINGS, ALUMINUM CONSTRUCTION. EVER-TITE OR EQUAL			
	<b>EVER-TITE</b> A				
<b>Item</b> 800	<b>Description:</b> <b>TIGERTAIL</b> 1456	GUIDE,FLEXIBLE HOSE, AQUATECH SERIES "C", COMBINATION SEWER JET AND SUCTION UNIT			

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-HOSE & FITTINGS

# HSECC

Item Description: HOSE, DISCHARGE - 3" X 50 FT., WITH MALE QUICK DISCONNECT ALUMINUM COUPLING ON ONE END AND 600 FEMALE QUICK DISCONNECT ALUMINUM COUPLING ON OTHER END.

## GOODYEAR

PRIMELINE-GRAY

Item Description:HOSE, DISCHARGE - 4" X 50 FT., WITH MALE QUCIK DISCONNECT ALUMINUM COUPLING ON ONE END AND020FEMALE QUICK DISCONNECT ALUMINUM COUPLING ON OTHER END. GOODYEAR GRAY PRIMELINE HOSE ONLY

## GOODYEAR

PRIMELINE-GRAY

Item Description: HOSE, DISCHARGE, 4" X 300', 45 LB. WORK PRESSURE, 1 EACH = 300 FOOT ROLL, PURCHASE BY THE 030 EACH.

GOODYEARKURIYAMAPRIMELINE-GRAYVF400

- Item Description: HOSE, DISCHARGE, 6" X 300', 35 LB. WORK PRESSURE.
- 040 GOODYEAR

PRIMELINE-GRAY

**Item Description:** COUPLING, ADAPTER - 4", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH QUICK DISCONNECT 112 COUPLINGS, ALUMINUM CONSTRUCTION.

## EVER-TITE

PART-A

**Item Description:** COUPLING, ADAPTER - 6", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH QUICK DISCONNECT 124 COUPLINGS, ALUMINUM CONSTRUCTION.

## EVER-TITE

PART-A

Page: 177 of: 305

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

## PUD-HOSE & FITTINGS

## HSECC

Item Description: COUPLING, HOSE 3" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION. 136 EVER-TITE OR EQUAL

## EVER-TITE

PART-D

- Item Description: STRAINER, HOSE 3" STEEL STRAINER FOR USE ON 3" SUCTION HOSE. BASKET TYPE STRAINER IS USED TO 151 KEEP SOLIDS LARGER THAN 3/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE THREAD FOR CONNECTION TO SUCTION HOSE.
- Item Description: STRAINER, HOSE 4" STEEL STRAINER FOR USE ON 4" SUCTION HOSE. BASKET TYPE STRAINER IS USED TO 163 KEEP SOLIDS LARGER THAN 3/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE THREAD FOR CONNECTION TO SUCTION HOSE.
- Item Description: INACTIVE STRAINER, HOSE 6" STEEL STRAINER FOR USE ON 6" SUCTION HOSE. BASKET TYPE STRAINER 176 IS USED TO KEEP SOLIDS LARGER THAN 7/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE THREAD FOR CONNECTION TO SUCTION HOSE.

## HSEDD

Item Description: HOSE, FIRE - 1-1/2" X 50', SINGLE JACKET ROCKER LUGS ON FEMALE AND MALE. EXTRUDED ALUMINUM 010 COUPLINGS. NST THREAD. NATIONAL STYLE OR EOUAL

ALL AMERICAN HOSE NATIONAL FIREHOSE CORP. 5P15X50W15N 5P15X50W15N

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-HOSE & FITTINGS

# HSEDD

Item Description: HOSE, FIRE - 2-1/2" X 50', SINGLE JACKET, ROCKER LUGS ON FEMALE AND MALE. EXTRUDED ALUMINUM 020 COUPLINGS. NST THREAD.

## ALL AMERICAN HOSE

6P25X50W25N

## HSEEE

Item Description: HOSE, GASKET RUBBER 3" - FOR QUICK DISCONNECT COUPLING. 108

**Item Description:** GASKET, KAM LOCK HOSE RUBBER 4", FOR QUICK DISCONNECT COUPLING 126

Item Description: HOSE, GASKET RUBBER 6" FOR QUICK DISCONNECT COUPLINGS. 147

## HSEHH

Item Description:HOSE, SUCTION - 3" X 20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, FEMALE QUICK720DISCONNECT COUPLING ON OTHER END (EVER-TITE PART "C" OR EQUAL), 1 C/S 2-BOLT SPIRAL CLAMP ON<br/>EACH HOSE END, (SHIP IN COILED FORM)

## KANAFLEX

KANALINE SR

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-HOSE & FITTINGS

# HSEHH

Item Description: HOSE,SUCTION-4"X 20', LONG,HEAVY DUTY,STANDARD STEEL NIPPLE ON ONE END, ALUMINUM FEMALE QUICK 730 DISCONNECT COUPLING ON OTHER END (EVER-TITE PART "C" OR EQUAL), DOUBLE BOLT STEEL CLAMPS ON EACH END. (SHIP IN COILED FORM),

# KANAFLEX

KANALINE SR-4

Item Description:HOSE, SUCTION-6"X20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, FEMALE QUICK DISCONNECT740COUPLING ON OTHER END (EVER- TITE PART"C" OR EQUAL), DOUBLE CARBON STEEL BOLTED CLAMPS ON EACH<br/>END.

## KANAFLEX

KANALINE SR-6

#### PUD-FIRE HYDRANTS & PARTS

# HYDAA

Item Description: VALVE, BOTTOM, FIRE HYDRANT AMERICAN DARLING

# 020 AMERICAN DARLING

5042

- Item Description: INACTIVE GASKET, NEOPRENE, FIRE HYDRANT, 1/8" THICK X 5-5/16" I.D. X 6-13/16" O.D. 60 DURO 3-047 1/6" HOLES
- Item Description: LEVER, DRAIN, FIRE HYDRANT, AMERICAN DARLING #5031

# 050 AMERICAN DARLING

5031

Page: 180 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-FIRE HYDRANTS & PARTS

# HYDAA

Item Description: EXTENSION, FIRE HYDRANT, 6", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" VALVE 126 OPENING W/STAINLESS STEEL BOLTS.

## AMERICAN DARLING

8005959

Item Description: EXTENSION, FIRE HYDRANT, 18", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" 135 VALVE OPENING W/STAINLESS STEEL BOLTS.

## AMERICAN DARLING

8005961

Item Description:EXTENSION, FIRE HYDRANT, 24", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4"140VALVE OPENING W/STAINLESS STEEL BOLTS.

## AMERICAN DARLING

8005962

Item Description: EXTENSION, FIRE HYDRANT, 12", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" 150 VALVE OPENING W/STAINLESS STEEL BOLTS.

## AMERICAN DARLING

8005960

- Item Description: REPAIR KIT, FIRE HYDRANT, 4-1/2"
- 205

AMERICAN DARLING

MARK 73

## HYDBB

Item Description: INACTIVATE UPON DEPLETION - EXTENSION 4-1/2" X 6", FOR CLOW F-2500 FIRE HYDRANT

000 **CFOM** 

F-2500

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### **PUD-FIRE HYDRANTS & PARTS**

#### HYDBB

- Item Description: EXTENSION 18", CLOW 4-1/2 FOR FIRE HYDRANT F-2500
- 020

**CLOW** F-2500

- Item Description: KIT, REPAIR, BREAKAWAY FLANGE FOR CLOW F-2500, 4-1/2", FIRE HYDRANT.
- 030 **CLOW**

R-1620562

- Item Description: KIT, TRAFFIC REPAIR, BREAKAWAY FLANGE KIT FOR CLOW 4-1/2" FIRE HYDRANT. FOR CLOW MODEL F-2545. 053 CLOW PART #r-1620652
  - CLOW

R-1620652

- Item Description: KIT, TRAFFIC REPAIR, BREAKAWAY FLANGE KIT FOR AVK 5-1/4" FIRE HYDRANT.
- 054 AMERICAN AVK COMPANY

27-150-75

#### HYDDD

Item Description: GREASE, FIRE HYDRANT, AMERICAN FLOW CONTROL HYDRANT GREASE (FOOD GRADE), 1 LB. CAULK TUBE 250 "ORDER BY DESCRIPTION"

 AMERICAN FLOW CONTROL
 Clarion
 KEYSTONE LUBRICANTS

 NOT APPROVED
 655699009-NLGI-NO.2
 441636T

 Mystik
 FG-2
 Stem
 Stem

 Item
 Description:
 NUT, HOLD DOWN FIRE HYDRANT, 4-1/2" M & H, FOR 1988 OR NEWER HYDRANTS. ** NO SUBSTITUTE **

300 м & н

Page: 182 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

#### HYDDD

Item Description: NUT, OPERATING FIRE HYDRANT, 4-1/2" M & H, OPEN RIGHT. FOR 1997 OR NEWER HYDRANTS. *** NO 305 SUBSTITUTE ***

М & Н

446754

Item Description: NUT, OPERATING FIRE HYDRANT, 4-1/2" VALVE OPENING, US PIPE FIRE HYDRANT.

³³⁰ **U.S. PIPE** 

13

## HYDEE

Item Description: LUBRICANT, FIRE HYDRANT - ALL WEATHER HYDRANT LUBRICATING OIL, 10.5 OZ.

040 MUELLER

A-51

- Item Description: INACTIVATE UPON DEPLETION NUT, HOLD DOWN FIRE HYDRANT, MUELLER, FOR 1988 OR NEWER HYDRANTS.
- 050 MUELLER

146502

Item Description: INACTIVATE UPON DEPLETION - NUT, OPERATING FIRE HYDRANT, MUELLER, FOR 1988 OR NEWER HYDRANTS.

060 MUELLER

146467

- Item Description: O-RING FOR TOP BONNET, MUELLER FIRE HYDRANT
- 070 MUELLER

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

HYDEE

Item Description: EXTENSION KIT, FIRE HYDRANT, 12" - KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT INCLUDES: BARREL 100 EXTENSION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS, STAINLESS STEEL COTTER PINS, GASKET, BOLTS, NUTS AND CAN OF HYDRANT LUBRI

Item Description: KIT, EXTENSION FIRE HYDRANT, 18" - 18" EXTENSION KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT TO 110 INCLUDE: BARREL EXTEN- SION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS, STAINLESS STEEL COTTER PINS, GASKET, BOLTS AND NUTS, C

Item Description: KIT, EXTENSION FIRE HYDRANT, 6" - 6" EXTENSION KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT TO 124 INCLUDE: BARREL EXTEN- SION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS, STAINLESS STEEL COTTER PINS, GASKET, BOLTS AND NUTS, CAN

Item Description:KIT, REPAIR, FIRE HYDRANT, 4-1/2", SAFETY FLANGE REPAIR KIT, (FOR CENTURIAN FIRE HYDRANT) WITH130STEEL COUPLING (OLD MUELLER #A-24095). (FOR HYDRANTS MANUFACTURED AFTER 1972)

#### MUELLER

A300

- **Item Description:** RING, SEAT FIRE HYDRANT 4-1/2", MUELLER #H87
- 140 MUELLER

H87

Item Description: VALVE, MAIN FIRE HYDRANT 4-1/2", MUELLER #195800 (OLD #H88)

170 MUELLER

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

#### HYDEE

Item Description:HYDRANT, FIRE, 5 1/4" VALVE OPENING, 3' BURY DEPTH. SUPPLIED W/O ACCESSORIES, YELLOW, 1-1/2"190PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304 STAINLESS<br/>STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL	AVK	M & H
B-84-B	2780 - 3'	129TY - 3'
M&H	MULLER	US PIPE
129TYNL - 3'	A-423 - 3'	MET M94 - 3'

Item Description:HYDRANT, FIRE, 5 1/4" VALVE OPENING, 3-1/2' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 12001/2" PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304STAINLESS STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL	AVK	M & H
B-84-B - 3-1/2'	2780 - 3 1/2'	129TY - 5-1/4" X 3-1/2'
M&H	MULLER	US PIPE
129TYNL - 5-1/4 X 3-1/2	A423 - 3-1/2'	MET M94 - 3 - 1/2'

Item Description:HYDRANT, FIRE, 5 1/4" VALVE OPENING, 4' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 1-1/2"210PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304 STAINLESS<br/>STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL	AVK	M & H
B-84-B - 4'	2780 - 4'	129 - 5-1/4" X 4'
M&H	MUELLER	US PIPE
129TYNL - 5-1/4" X 4'		MET M94 - 4'

XXJINVWCATL APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

#### HYDEE

Item Description:HYDRANT, FIRE, 5 1/4" VALVE OPENING, 4-1/2' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 1-2201/2" PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY BOLTS AND NUTS SHALL BE 304STAINLESS STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL	AVK	M & H
B-84-B - 4.5'	2780 - 4.5'	129 - 5-1/4" X 4.5'
M&H	MUELLER	US PIPE
129TYNL - 5-1/4" X 4.5'	A-423 - 4.5'	MET M94 - 4.5'

Item Description: KIT, REPAIR FIRE HYDRANT 5-1/4" MUELLER #A-301-00 WITH BRASS COUPLING

## ²⁴⁰ **MUELLER**

A-301-00

#### HYDFF

- Item Description: PACKAGE, MAINTENANCE FIRE HYDRANT 5" PACER, WATEROUS #K449, PACKAGE IN PLASTIC CASES.
  005
  WATEROUS
  K449
  Item Description: KIT, EXTENSION 12" FIRE HYDRANT WATEROUS WB67
- 020 waterous
  - WB67
- Item Description: KIT, EXTENSION FIRE HYDRANT, 18" HIGH 5" DIA., WATEROUS #WB67
- 030 WATEROUS
  - WB67
- Item Description: KIT, REPAIR MAINTENANCE FIRE HYDRANT WATEROUS WB67
- 040 waterous

WB67

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

#### HYDFF

Item Description:KIT, REPAIR - FIRE HYDRANT, TRAFFIC KIT, FOR WATEROUS WB67 5", FOR WATEROUS HYDRANTS050MANUFACTURED AFTER JUNE, 1980; PART #K528

#### WATEROUS

WB67 #K528

Item Description:KIT, REPAIR - FIRE HYDRANT, TRAFFIC KIT, FOR WATEROUS WB67 5", FOR WATEROUS HYDRANTS060MANUFACTURED PRIOR TO JUNE, 1980; PART #K525

HYDRANT REPAIR PARTS INCWATEROUSHRPI-S-W528WB67 #K525

- Item Description: KIT, EXTENSION, FIRE HYDRANT 6", WATEROUS WT/77D, WATEROUS #K479-6
- 100 waterous

WT/77D #K479-6

- Item Description: KIT, EXTENSION, FIRE HYDRANT 12", WATEROUS WT/77D
- 150 WATEROUS
  - WT/77D
- Item Description: KIT, REPAIR, TRAFFIC, YELLOW.
- 200 waterous
  - WT/77D
- Item Description: COUPLING, HALF FIRE HYDRANT, STEM COUPLING FOR WATEROUS FIRE HYDRANT, (2 PER SET)

## 202 WATEROUS

WT/77D #14

Item Description: ARM, CROSS, FOR WATEROUS TREND FIRE HYDRANT, WATEROUS REFERENCE #26, CROSS ARM TO BE BRONZE 205 ONLY, FOR TREND #WT-77 HYDRANT.

#### WATEROUS

WT-77 #26

Page: 187 of: 305

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

#### HYDFF

Item Description: INACTIVATE UPON DEPLETION - ARM, CROSS, FOR WATEROUS PACER FIRE HYDRANT, WATEROUS REFERENCE #30, CROSS ARM TO BE BRONZE ONLY, FOR PACER WB67 HYDRANT.

#### WATEROUS

WB67 #72042 REF #30

**Item Description:** INACTIVATE UPON DEPLETION - MAIN VALVE, FIRE HYDRANT, FOR WATEROUS # WB-67 PACER FIRE HYDRANT, 220 HARD RUBBER

#### WATEROUS

WB67 #62023 REF #35

### HYDGG

Item Description: CAP GASKET, PUMPER NOZZLE, 4.5" DIAMETER RUBBER ASTM D2000, MUST FIT THE FOLLOWING FIRE HYDRANT 010 PUMPER CAPS, M&H, CLOW, MUELLER, KENNEDY AND U.S. PIPE,

М&Н

210162

Item Description: CAP GASKET, HOSE NOZZLE, 2.5" DIA., RUBBER ASTM D2000, MUST FIT THE FOLLOWING FIRE HYDRANT HOSE 015 CAPS, M & H, CLOW, MUELLER, KENNEDY AND U.S. PIPE

#### М&Н

210041

Item Description: WRENCH, FIRE HYDRANT, UNIVERSAL, ADJUST- ABLE. WRENCH TO FIT PENTAGON NUTS TO 1-1/2" AND SQUARE 030 NUTS UP TO 1-1/4". SPANNER TO FIT LUG AND PIN STYLES OF HOSE COUPLINGS. 16" LONG X 7/8" DIAMETER HANDLE. HEAVY DUCTILE IRON HEAD.

#### RED HEAD TRUMBLE

107

Item Description: KIT, EXTENSION FIRE HYDRANT,6" EXTENSION FOR USE ON KENNEDY #81A HYDRANT W/4-1/2" OPENING 043

377-5960

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

HYDGG

**Item Description:** KIT, EXTENSION FIRE HYDRANT, 12" EXTENSION FOR USE ON KENNEDY #81A HYDRANT W/4-1/2" OPENING 051

Item Description:INACTIVATE UPON DEPLETION - KIT, REPAIR, FIRE HYDRANT, TRAFFIC REPAIR KIT FOR KENNEDY #81A062HYDRANT W/4-1/2" OPENING (#K8149)

Item Description: KIT, REPAIR - TRAFFIC REPAIR KIT FOR U.S. PIPE METROPOLITAN MODEL FIRE HYDRANT, 4-1/2" VALVE 100 OPENING FOR HYDRANTS MADE PRIOR TO 1994.

US PIPE

668619

Item Description: INACTIVATE UPON DEPLETION - KIT, EXTENSION - 6", EXTENSION KIT FOR U.S. PIPE METROPOLITAN MODEL 110 FIRE HYDRANT, 4 1/2" VALVE OPENING

Item Description:INACTIVATE UPON DEPLETION - KIT, EXTENSION - 12", EXTENSION KIT FOR U.S. PIPE METROPOLITAN121MODEL FIRE HYDRANT, 4 1/2" VALVE OPENING

**Item Description:** INACTIVATE UPON DEPLETION - KIT, EXTENSION, FIRE HYDRANT, 6" - AVK HYDRANT, 5-1/4" VALVE OPENING

#### AMERICAN AVK COMPANY

27-150-70000

Page: 189 of: 305

ADD OF 10 04.01.

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

#### HYDGG

**Item Description:** INACTIVATE UPON DEPLETION - KIT, EXTENSION, FIRE HYDRANT, 12" - AVK HYDRANT, 5-1/4" VALVE 130 OPENING.

#### AMERICAN AVK COMPANY

27-150-70100

Item Description: INACTIVATE UPON DEPLETION - KIT, EXTENSION 6" - EXTENSION KIT FOR M&H MODEL #129 FIRE HYDRANT 200 (VALVE OPENING 4 1/2")

Item Description: KIT, EXTENSION, 6", FOR M&H MODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING.

201 м&н

441129-6"

- Item Description: KIT, EXTENSION 12" EXTENSION KIT FOR M&H MODEL #129 FIRE HYDRANT (4-1/2" VALVE OPENING)
  211
- Item Description: KIT, EXTENSION 12" FOR M&H MODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING.

212

441129-12"

м & н

- Item Description: KIT, TRAFFIC REPAIR REPAIR KIT FOR M&H MODEL #129 FIRE HYDRANT, FOR 1996 AND NEWER HYDRANT 223 (4-1/2" VALVE OPENING)
- Item Description: KIT, TRAFFIC REPAIR FOR M&HMODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING. (1996 OR NEWER).
  224
  M & H
  442129

Page: 190 of: 305

XXJINVWCATL APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-FIRE HYDRANTS & PARTS

## HYDGG

Item Description: KIT, TRAFFIC REPAIT, FOR US PIPE METROPOLITAN MODEL FIRE HYDRANT W  $\setminus$  5-1/4" BARREL FOR HYDRANTS 225 MADE IN 1994 AND AFTER.

## US PIPE

26,27,28,30,31

# Item Description:INACTIVATE UPON DEPLETION - KIT, EXTENSION, - 12" FOR US PIPE METROPOLITAN MODEL FIRE HYDRANT W250\ 5-1/4" BARREL.

## US PIPE

664519

## HYDRF

Item Description:HYDRANT RAISED PAVEMENT MARKER, BLUE TWO-WAY REFLECTOR W/ADHESIVE PAD ATTACHED, 4.00"L X 4.00"W100X 0.68"H, 48 PER CARTON

#### RAYOLITE

AA2BP

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### JANITORIAL SUPPLIES

## JANBG

**Item Description:** BAG, GARBAGE, PLASTIC, 24" X 23", 1.5 MIL, 500 EACH PER CASE 007

#### JANCT

**Item Description:** RAGS, ALL WHITE, 100% COTTON, BATH TOWEL TERRY, NO BLENDED MATERIAL ACCEPTED - 25 LB BOX 001

AMERICAN WIPERS INC.	INDUSTRIAL SOLUTIONS
OBD	IS135

## JANSO

Item Description: SOAP, BATH, DEODORANT, 2-1/2 OZ. BAR, INDIVIDUALLY WRAPPED, 200 P/CASE

001 **PROCTER AND GAMBLE** 

DIAL

SAFEGUARD

Item Description: SOAP, HAND, W/PUMICE, 4-OZ. INDIVIDUALLY WRAPPED,

003 **PROCTER AND GAMBLE** 10383 Page: 191 of: 305

XXJINVWCATL

Page: 192 of: 305

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### JANITORIAL SUPPLIES

## JANTI

Item Description:TISSUE, TOILET, 4.25" X 3/.94" OR 4.5" X 4.5", 2-PLY, 500 OR 550 SHEETS, 80 OR 96 EACH PER001CASE, FACIAL QUALITY, (QUOTE PER EACH, NOT PER CASE)

	FORT JAMES				GEO	RGIA PACIF	IC				KIMBER	LY-CI	LARK
	19800				TM-	6120					0446		
	ULTRA/ACI INI	DUSTRIES	3										
	600500												
JANTO	)												
Item	Description:	TOWEL,	PAPER,	SINGLE	FOLD,	BLEACHED,	16	PACKS	PER	CASE,	250-TOWELS	PER	PACK,

003 **KIMBERLY-CLARK SCA** 1700 SB1840

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### LABORATORY SUPPLIES

#### LABSE

Item Description: ROTOR, PUMP ASSEMBLY FOR ISCO 3710 SAMPLER

## 053 ISCO, ENVIRONMENTAL DIVISION

602704019

#### LAMPS

## LAMFL

Item Description: LAMP, FLOURESCENT, COOL WHITE, 34 OR 40 WATTS, 48" LENGTH, T-12 BULB SIZE, 20,000 APPR. HOURS 002 LIFE

GENERAL ELECTRIC CO.	PHILLIPS LIGHTING	SYLVANIA
F34CWX/SS	F40CW/RS/EW-II	F40CW/ SS

## LAMUV

Item Description: LAMP, TROJAN UV4000, 28-INCH, USED ON WWTP UV DISINFECTING SYSTEM

001 **TROJAN TECHNOLOGIES** 441169-028

#### PUD-LUBRICANTS

#### LBRCC

Item Description: OIL, MOTOR 30W NON-DETERGENT **SCREW TOP, RE-USABLE QUART CONTAINER ONLY**
060

Item Description: OIL ,SYNTHETIC ENGINE, 2 CYCLE 50: 1, 2.6 OUNCE CONTAINER, 48 CANS/PER CASE
180
MAKITA
T-00745

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-LUBRICANTS

#### LBRCC

Item Description: OIL, GRUNDO, FOR 3" GRUNDOBUST LUBRICATOR, ONE GAL. CONTAINER ONLY, ** NO SUBSTITUTE**

## 240 TT TECHNOLOGIES

70231-15

#### LOCKS

## LOCPA

Item Description: PADLOCK, BRASS, STAMPED "JEA II", 1-1/2" SHANK OPENING, KEYED TO C26353, 9/32" DIAMETER SHANK

001 HERCULES INDUSTRIES INC.

700B-1 1/2"

Item Description: PADLOCK, BRASS, 7/8" SHANK OPENING, KEYED TO C26353, 9/32" DIAMETER SHANK, LOCK BODY SHALL BE 002 STAMPED "JEA II"

#### HERCULES INDUSTRIES INC.

700B-7/8" JEAII

#### LIGHTING & ACCESSORIES

### LTGLN

Item Description: LANTERN, HAND, 6 VOLT BRIGHT STAR MODEL #2005 Q, WORK CTR 1-6.

001 BRIGHT STAR INDUSTRIES INC.

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### LUBRICANTS

## LUBLU

Item Description: LUBRICANT, PENETRATING & RUST SOLVENT HIGH PRESSURE AEROSOL CAN, PB BLASTER ***NO SUBSTITUTE 165 WITHOUT PRIOR APPROVAL*

BLASTER CHEMICAL COMPANY GATEWAY CHEMICALS INC.

PB-16 GWC 16

## LUBOI

- Item Description: OIL, HOUSEHOLD, 3-IN-1 OIL, 3 OUNCE CAN
- 020 **WD-40** 
  - 3 IN 1

Water and Wastewater Master Material Catalog

#### METERS & ACCESSORIES

APR-05-19 04:21:56

#### METSE

Item Description: SEAL, METER, YELLOW, PADLOCK STYLE, STAINLESS STEEL HASP, JEA LOGO, WHITE WRITE-ON BLOCK (PACKAGE IN BOX OF 100 EACH W/BAR CODE), (SEALS TO BE NUMBERED SEQUENTIALLY) REQUIRES JEA SPECIFICATION

AMERICAN CASTING	BROOKS SECURITY PRODUCTS	PLASTIC DESIGN TECHNOLOGY
8001-S/S-WP-LAB-YLW	6180040-6	PADSJEA-YELLOW

#### PUD-MANHOLE MATERIAL

#### MHLAA

Item Description: BASE, MANHOLE HOLE ANGLE 0 DEGREE, 90 DEGREE, 180 DEGREE, 270 DEGREE, 12" HOLES, 2 FT 004 HEIGHT, CONCRETE COATED WITH CON-SEAL(CS)-55 OR EQUAL, TONGUE & GROOVE ONLY. 7 DEGREE ANGLE ON JOINTS - NO SUBSTITUTE

HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION

Item Description: COLLARS, MANHOLE, HDPE SLOPING ADJUSTING RINGS, 32" INSIDE DIAMETER BY 2 1/2" TO 1 1/2" SLOPE, 025 APPROX. WEIGHT 6 LBS., DOMESTIC,

#### LADTECH

32F300

Item Description: COLLAR, MANHOLE, 24" X 36" X 3" **3" THICKNESS ONLY - NO SUBSTITUTE**

030

Item Description: COLLARS, MANHOLE, HDPE ADJUSTING RINGS, 32" INSIDE DIAMETER BY 2" TALL, DOMESTIC, APPROX.
035 WEIGHT 6 LBS.

#### LADTECH

32F200

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

#### MHLAA

Item Description: COLLARS, MANHOLE, PRECAST CONCRETE 32 X 44 X 2" (48" OVERALL DIAMETER COLLARS ARE ALSO 050 ACCEPTABLE)

Item Description: COLLARS, MANHOLE, PRECAST CONCRETE 32 X 44 X 4" (48" OVERALL DIAMETER COLLARS ARE ALSO 070 ACCEPTABLE)

Item Description: CONE, MANHOLE, 1 FT., CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL) ** CONES TO HAVE 080 MALE TYPE TONGUE & GROOVE ONLY** 7 DEGREE ANGLE JOINTS.

- HANSON PIPE STANDARD PRECAST BY DESCRIPTION BY DESCRIPTION
- Item Description: CONE, MANHOLE, 2 FT., 2 FT. HEIGHT, 4 FT. BASE, 2 FT. 8 IN. TOP, COATED WITH CON-SEAL(CS)-55 OR 090 EQUAL * CONES TO HAVE MALE TYPE TONGUE & GROOVE ONLY, 7 DEGREE ANGLE JOINTS
  - HANSON PIPE STANDARD PRECAST
  - BY DESCRIPTION BY DESCRIPTION
- Item Description: CONE, MANHOLE, 3 FT., 3 FT HEIGHT, 4 FT BASE 2 FT 8 IN. TOP, COATED WITH CON-SEAL (CS)-55 (OR 097 EQUAL) CONES TO HAVE MALE TYPE TONGUE & GROOVE ONLY, 7 DEGREE ANGLE JOINTS
  - HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION

Item Description: COUPLING, MANHOLE 6" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN. 8 INCHES, COUPLING TO HAVE 100 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO PROVIDE BONDING SURFACE FOR GROUTING PURPOSES

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

MHLAA

Item Description:COUPLING, MANHOLE 8", PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN. 8" COUPLING TO HAVE110PERMANENT EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING EXTERIORAGGREGATED TO PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 10" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE 120 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 12" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE 130 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 15" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE 140 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description:COUPLING, MANHOLE, 6", PVC COUPLING FOR DR18 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE142PERMANENT EXTERIOR EPOXY BONDED AGGREATE TEXTURIZED TO ADHERE TO THE COUPLING, COUPLING TO<br/>PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

MHLAA

Item Description:COUPLING, MANHOLE, 8", PVC COUPLING FOR DR18 PIPE, COUPLING TO HAVE PERMANENT EXTERIOR EPOXY145BONDED AGGREGATE TEXTURIZED TO ADHERE COUPLING, COUPLING TO PROVIDE BONDING SURFACE FOR<br/>GROUTING PURPOSES. NO ASBESTOS COUPLINGS ALLOWED BELLED X B

Item Description: COVER, MANHOLE, NEW STYLE, COVER TO HAVE NEW "JEA" LOGO AS PER CURRENT GREY IRON CASTING BID. 150 JEA STANDARD PLATE S-1. (SANITARY) NEW PLATE ONLY *** NO ALTERNATES OR SUBSTITUTES *** US FOUNDRY & MFG., OR EAST JORDAN IRON WORKS.

 EAST JORDAN
 U.S. FOUNDRY

 00116122
 8013352

Item Description: COVER AND FRAME, MANHOLE, (ASSEMBLED) W/NEOPRENE GASKET 60 DUROMETER AND PROTECTIVE SKIRT, COVER 155 TO HAVE NEW JEA LOGO JEA STANDARD PLATE S-1, **U.S. FOUNDRY & MFG. OR EAST JORDAN IRON WORKS INC. **

 EAST JORDAN
 U.S. FOUNDRY

 00116122A01
 8140149

Item Description: COVER, CUSHION MANHOLD QUICK FIT Q-30

170

Item Description:TOP, SLAB MANHOLE (FLAT TOP) 8" THICK, 58" WIDTH W/KEYWAY, TONGUE & GROOVE, 32" HOLE OFFSET,180ALL SURFACES OTHER THAN JOINING SURFACES TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL) TOP TOHAVE MALE TONGUE & GROOVE

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

#### MHLAA

- Item Description: MANHOLE, SAFETYHOOK, 5/6"X36", TEMPERED STEEL SIX SIDES POLYGONE 5/8"X3" HOOK. HOOK TO HAVE 210 SOUARED END. HAGEMEYER NORTH AMERICA P/N:2810230.
  - * NO SUBSTITUTE* NOTE: MANHOLE SAFETYHOOK HAVE BEEN SPECIALLY DESIGNED FOR THE CITY JACKSONVILLE,

#### LEETONIA TOOL COMPANY

SAFETYHOOK

- Item Description: SEALANT, JOINT, MANHOLE (RAM NEK), 20 PCS PER BOX, EACH PIECE TO BE 1-1/2" WIDTH X 3-1/2' 240 LENGTH, DENSITY OF SEALANT TO BE A MINIMUM OF 22.5 CUBIC INCH PER LINEAL FT. SELANT TO BE PACAKAGED 20 PIECES PER BOX. RAM NEK, CONSEAL, GULF STATES AS
- Item Description: KIT REPAIR, TOOLS, KIT TO INCLUDE WIRE BRUSH, GASKET ROLLER, GASKET KNIFE AND INSTRUCTION 246 SHEET. ITEMS TO COME IN A BOXED KIT FORM.

#### U.S. FOUNDRY

TRS-KIT-2

Item Description: RISER, MANHOLE, 48" X 2', CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EOUAL), 7 DEGREE 270 ANGLE JOINTS

BY DESCRIPTION

HANSON PIPE STANDARD PRECAST

BY DESCRIPTION

- Item Description: RISER, MANHOLE, 48" X 3', CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL), 7 DEGREE 280 ANGLE JOINTS
  - HANSON PIPE STANDARD PRECAST BY DESCRIPTION BY DESCRIPTION

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

#### MHLAA

Item Description: RISER, MANHOLE, 48" X 4', CONCRETE TO BE COATED WITH CON-SEAL(CS)-55 OR EQUAL, 7 DEGREE ANGLE JOINTS

#### STANDARD PRECAST

BY DESCRIPTION

Item Description: RAINGUARD, INFLOW PROTECTOR WITH STRAP & VALVE. DEL LF-SV, (FRAME=ID 32", OD 34-1/4", 319 COVER=0.D. 34-1/8") RAINGUARD MUST FIT CITY OF JACKSONVILLE LOGO FRAME W/COVER. L F MANUFACTURING (RAINGUARD 0.D.= 33-5/8") OR EQUAL

Item Description:BASE, MANHOLE HOLE ANGLE 0 DEGREE, 90 DEGREE, 180 DEGREE, 270 DEGREE, 12" HOLES, 2 FT HEIGHT BY3255 FT IN DIAMETER, CONCRETE COATED WITH KOPPERS 300M EPOXY COATING, 7 DEGREE ANGLE JOINTS.

Item Description: RISER, MANHOLE, 60" X 2', CONCRETE TO BE COATED WITH KOPPERS 300M EPOXY COATING, 7 DEGREE ANGLE JOINTS.

Item Description:MANHOLE FRAME & COVER, BOLT-DOWN TYPE, WATERTIGHT, COVER TO UTILIZE FOUR BOLTS FRAME & COVER TO450COME COMPLETE WITH BOLTS AND GASKET. CITY OF JACKSONVILLE COVER. U.S. FOUNDRY #655-CF-BWT

#### U.S. FOUNDRY

655-CF-BWT

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

#### MHLBA

Item Description: INACTIVBOLT, ANCHOR ASSEMBLY, BOLT STAINLESS STEEL MASONRY ANCHOR, ASSEMBLY TO BE SUPPLIED 001 COMPLETE W/1-3/8" X 1" 18-8 STAINLESS STEEL BOLT , 3/8" STAINLESS STEEL WASHER, LEAD TAMP-IN ANCHOR. USED TO SECURE ITEMS MHLDB006 & MHLDB008.NO SUB

#### DURAN INC.

SEE DESC

#### MHLDB

Item Description: BOWL, DROP, MANHOLE, MARINE GRADE FIBERGLASS W/ WHITE GELCOAT, 12" OUARTER SPHERE W/ 6" OUTLET, TO PROVIDE CONTAINMENT FOR INCOMING MATERIAL. *** NO SUBTITUTIES *** 006

#### DURAN INC.

A6DB

Item Description: INACTIVE - HOOD, FORCE LINE, (SPLASH GUARD) FOR 6" DROP BOWELS, TO BE SUPPLIED W\ (4) ¹/₄" X ³/₄" 007 SS CAP SCREWS AND LOCKNUTS

#### DURAN INC.

AHOOD

Item Description: BOWL, DROP, MANHOLE, MARINE GRADE FIBERGLASS W/ WHITE GELCOAT, 18" QUARTER SPHERE W/ 8" OUTLET 008 , TO PROVIDE CONTAINMENT FOR INCOMING MATERIAL *** NO SUBTITUTIES ***

#### DURAN INC.

B8DB

Item Description: INACTIVE - HOOD, FORCE LINE, (SPLASH GUARD) FOR 8" DROP BOWELS, TO BE SUPPLIED W\ (4) ¹/₄" X ³/₄" 009 SS CAP SCREWS AND LOCKNUTS

DURAN INC.

BHOOD

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

#### MHLFB

Item Description:MANHOLE, LINER, FIBERGLASS,42" OD X 8 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE058CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).<br/>"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS	L.F. MANUFACTURING
ORDER BY DESCRIPTION	ORDER BY DESCRIPTION

Item Description:MANHOLE, LINER, FIBERGLASS,42" OD X 10 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE070CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).<br/>"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS	L.F. MANUFACTURING
ORDER BY DESCRIPTION	ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS,42" OD X 4 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE 080 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20). "DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS	L.F. MANUFACTURING
ORDER BY DESCRIPTION	ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS,42" OD X 12 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE 082 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20). "DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS	L.F. MANUFACTURING
ORDER BY DESCRIPTION	ORDER BY DESCRIPTION

Item Description:MANHOLE, LINER, FIBERGLASS,42" OD X 15 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE095CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).<br/>"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS	L.F. MANUFACTURING
ORDER BY DESCRIPTION	ORDER BY DESCRIPTION

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-MANHOLE MATERIAL

#### MHLSE

Item Description: WRAPID SEAL, ROLL SHALL BE 6" WIDE X 50 LINEAR FOOT, COLOR - BLACK 002 CANUSA WS-6-50 Item Description: WRAPID SEAL, ROLL SHALL BE 12" WIDE X 50 LINEAR FOOT, COLOR - BLACK 004 CANUSA WS-12-50 Item Description: WRAPID SEAL, ROLL SHALL BE 18" WIDE X 50 LF, COLOR BLACK 005 CANUSA WS-18-50 Item Description: WRAPID SEAL PRIMER, SHALL BE IN A ONE GALLON CONTAINER, COLOR: SILVER. 010 Item Description: WRAPID SEAL CLOSURE, SHALL BE 6" WIDE, COLOR - BLACK, USED TO HOLD IN PLACE WRAPID SEAL 012 MATERIAL (ID #MHL-SE-002), DURING THE HEAT SHRINK PROCESS. CANUSA CLS-6 Item Description: WRAPID SEAL ENCLOSURE, SHALL BE 12" WIDE, COLOR - BLACK, USED TO HOLD IN PLACE WRAPID SEAL 014 MATERIAL (ID #MHL-SE-004) DURING THE HEAT SHRINK PROCESS CANUSA CLS-12 Item Description: WRAPID SEAL CLOSURE, SHALL BE 18" WIDE, COLOR BLACK. 015 CANUSA CLS-18

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

Item Description: **TEST REQD** METER, WATER 5/8" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE BOTTOM 010 PLATE/STAINLESS STEEL CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG S/N=REG ID

#### SENSUS TECHNOLOGIES

SX1X338P1GAXX0D

Item Description: **TEST REQD** METER, WATER 5/8" X 1/2", ENVIRO-BRASS (NO-LEAD), POSITIVE DISPLACEMENT, 0.1 012 GALLON, 8 WHEEL, ROCKSYN CHAMBER, BRONZE or Polymer BOTTOM W/ STAINLESS STEEL BOLTS, 6 FOOT WIRE W/ TRPL ADAPTER, GLASS ELINX REGISTER

#### MASTER METER

P11-A31-A16-0126A-5

P11-A31-A16-0106A-5

Item Description:**TEST REQD** METER, WATER 5/8" X 3/4" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE015BOTTOM PLATE/STAINLESS STEEL CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL<br/>CBL 3-WIRE, MFG S/N=REG ID

#### SENSUS TECHNOLOGIES

SX2X338P1GAXX0D

Item Description: INACTIVE ***DO NOT ORDER PER WATER METER SERVICES 2014***METER, WATER, 5/8 X 3/4S IPERL, 0.1G 016 7.5"LL 8WHL 1A 6'TRPL CBL 3-WIRE

#### SENSUS TECHNOLOGIES

I5X8GAXX

Item Description:**TEST REQD** METER, WATER 5/8" X 3/4", ENVIRO-BRASS (NO-LEAD), POSITIVE DISPLACEMENT, 0.1017GALLON, 8 WHEEL, ROCKSYN CHAMBER, BRONZE or Polymer BOTTOM W/ STAINLESS STEEL BOLTS, 6 FOOT<br/>WIRE W/ TRPL ADAPTER, GLASS ELINX REGISTER

#### MASTER METER

P12-A31-A16-0106A-5 P12-A31-A16-0126A-5

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

Item Description: **TEST REQD** METER, WATER 3/4" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE BOTTOM 020 PLATE/STAINLESS STEEL CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG S/N=REG ID. **CONTACT B. COTTRELL TO ORDER**

#### SENSUS TECHNOLOGIES

SX4X338P1GAXX0D

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, WATER, 3/4 IPERL, 0.1G 8WHL 1A 021 6'TRPL CBL 3-WIRE

#### SENSUS TECHNOLOGIES

I3X8GAXX

- Item Description: **TEST REQD** METER, WATER 3/4 INCH, ENVIRO-BRASS (NO-LEAD), POSITIVE DISPLACEMENT, 0.1 GAL, 8 022 WHEEL, ROCKSYN CHAMBER, BRONZE OR POLYMER BOTTOM W/ S.S. BOLTS, 6 FT WIRE W/ TRPL ADAPTER, GLASS ELINX REGISTER. **CONTACT B. COTTRELL TO ORDER**
- Item Description: **TEST REQD** METER, WATER 1" LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE BOTTOM 030 PLATE/STAINLESS STEEL CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG S/N=REG ID. **CONTACT B. COTTRELL TO ORDER**

#### SENSUS TECHNOLOGIES

SX5X338P1GAXX0D

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, WATER, 1" IPERL, 0.1G 8WHL 1A 031 6'TRPL CBL 3-WIRE

#### SENSUS TECHNOLOGIES

I4X8GAXX

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

Item Description: **TEST REQD** METER, WATER 1 INCH, ENVIRO-BRASS (NO-LEAD), POSITIVE DISPLACEMENT, 0.1 GAL, 8
032
WHEEL, ROCKSYN CHAMBER, BRONZE or Polymer BOTTOM W/ S. S. BOLTS, 6 FT WIRE W/ TRPL ADAPTER,
GLASS ELINX REGISTER. **CONTACT B. COTTRELL TO ORDER**

#### MASTER METER

P14-A31-F16-0126A-5

P16-A31-A16-0106A-5

Item Description: METER, COMPOUND 3" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 1 GALLON 100 PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

C33TXXXG1AT0X

Item Description: METER, COMPOUND 4" - OMNI C2 COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON 110 PULSE, 10 GALLON 8 WHEET TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

C43TXXXG1AT0X

Item Description: METER, COMPOUND 6" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON 115 PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

C63TXXXG1AT0X

Item Description: METER, FIRE SERVICE, 10" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE 120 ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

FACTXXXG1AT0X

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

**Item Description:** METER, FIRE SERVICE, 6" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE 160 ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

F6CTXXXG1AT0X

Item Description: METER, FIRE SERVICE 8" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE 170 ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

F8CTXXXG1AT0X

Item Description: METER, TURBINE 8" - OMNI T2, TURBO LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON 175 PULSE, 10 GALLON 8 WHL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

#### T81TXXXG1AT0X

Item Description: METER, TURBINE 10" - OMNI T2, TURBO LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON 180 PULSE, 10 GALLON 8 WHL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

TA1TXXXG1AT0X

Item Description: **TESTING REQUIRED** METER, WATER 2" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8 194 WHEEL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

T21XXXXG1AT0X

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

Item Description: METER, TURBINE 3", COLD WATER. SCREWED END CONNECTIONS, STANDARD GALLON REGISTER. FOR JEA FIRE 207 HYDRANT METER ASSEMBLY

#### MASTER METER

H-31-B1-A03-A-1 (246-223-09) H-31-C1-A03-A-1

Item Description: **TESTING REQUIRED** METER, WATER 2" - OMNI T2, 10" LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8 208 WHEEL TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

W-160S

T25XXXXG1AT0X

- Item Description: METER, BRONZE FLANGED (NO LEAD), 2" SET, W- (4) 3/4" DIAMETER X 2 1/2" SS LONG BOLTS/NUTS
- ²¹⁰ **FORD**

CF31-77-95260-007-NL

Item Description: METER, WATER 4" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID

## 250 SENSUS TECHNOLOGIES

T41XXXXG1AT0X

Item Description: **TESTING REQUIRED** METER, WATER 3/4" - LOW LEAD SRII METER, NO DRINK, PLASTIC DIVISION PLATE, 270 BRONZE BOTTOM PLATE/STAINLESS/STAINLESS STEEL CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG S/N=REG ID

#### SENSUS TECHNOLOGIES

SX4R338P1GAXX0D

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, RECLAIMED WATER, 3/4 IPERL, 271 0.1G 8WHL 1A 6'TRPL CBL 3-WIRE, "RECLAIMED WATER NO-DRINK"

#### SENSUS TECHNOLOGIES

I3X8GAXR

Item Description: **TEST REQD** METER, WATER 3/4 INCH RECLAIMED, ENVIRO-BRASS (NO-LEAD), POSITIVE DISPLACEMENT,
272 0.1 GALLON, 8 WHEEL, ROCKSYN CHAMBER, BRONZE BOTTOM or Polymer W/ STAINLESS STEEL BOLTS, 6 FOOT
WIRE W/ TRPL ADAPTER, GLASS ELINX REGISTER

#### MASTER METER

P14-A31-F16-0106A-5

P14-A31-F16-0126A-5

Item Description: **TEST REQUIRED** METER, WATER 1" - LOW LEAD SRII METER, NO DRINK, PLASTIC DIVISION PLATE, 300 BRONZE BOTTOM PLATE/STAINLESS STEEL CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG S/N=REG ID

#### SENSUS TECHNOLOGIES

SX5R338P1GAXX0D

Item Description:INACTIVE ***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, RECLAIMED WATER, 1" IPERL,3010.1G 8WHL 1A 6'TRPL CBL 3-WIRE, "RECLAIMED NO DRINK."

#### SENSUS TECHNOLOGIES

I4X8GAXR

Item Description: **TESTING REQUIRED** METER, WATER 1 INCH RECLAIMED, ENVIRO-BRASS (NO-LEAD), POSITIVE 302 DISPLACEMENT, 0.1 GALLON, 8 WHEEL, ROCKSYN CHAMBER, BRONZE or Polymer BOTTOM W/ STAINLESS STEEL BOLTS, 6 FOOT WIRE W/ TRPL ADAPTER, GLASS ELINX REGISTER

#### MASTER METER

P16-A31-F16-0126A-5 P16-A31-F16-0106A-5

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

Item Description: **TESTING REQUIRED** METER, RECLAIMED, TURBINE 1.5" - OMNI T2, TURBO LAY LENGTH, 1 GALLON 305 PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID, RECLAIM NDK

#### SENSUS TECHNOLOGIES

T11RXXXG1AT0X

Item Description: **TESTING REQUIRED** METER, RECLAIMED, TURBINE 2" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE,
310 1 GALLON 8 WHEEL TOTAL, S/N=REG ID, RECLAIM NDK

#### SENSUS TECHNOLOGIES

T21RXXXG1AT0X

Item Description: METER, RECLAIMED WATER 3" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8 WHEEL TOTAL, 315 S/N=REG ID, RECLAIM NDK

#### SENSUS TECHNOLOGIES

T31TXXXG1AT0X

 Item Description:
 CHECK WITH METER SHOP PRIOR TO ORDERING**TRPL HOUSING ASSEMBLY, TRPL, HOUSING ASSEMBLY TO

 450
 INCLUDE TRPL UPPER HOUSING, TRPL LOCKING NUT, TRPL SENSUS LOCKING NUT. ******DO NOT ORDER FROM

 STOREROOM*****

#### SENSUS TECHNOLOGIES

53907.306.00001 803045

Item Description: METER, TRPL SENSUS WHITE PLUG, TO BE USED WITH TRPL HOUSING ASSEMBLY.

## 455 SENSUS TECHNOLOGIES

5390715239011

Item Description: METER, TOUCHREADER+, USED TO READ THE SENSUS TOUCH READ METERS.

500 SENSUS TECHNOLOGIES

53907.537.39604 M3096+

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAA

**Item Description:** **TESTING REQUIRED** MTU-TOUGH COUPER-ANTENNA AND HOUSING ORDER WITH MTEAA630 620

#### SENSUS TECHNOLOGIES

5396253752001T

Item Description: TOUCH-READ CABLE, 3FT LONG ORDER WITH MTEAA620

#### 630

#### SENSUS TECHNOLOGIES

53961 352 52002

Item Description: INACTIVE - SPACER PIECE, FOR METAL TOPS ONLY

640 **SENSUS TECHNOLOGIES** 53961 11639001

#### MTEAC

**Item Description:** COUPLING, METER, 5/8" X 1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE 010 CONSTRUCTED, LENGTH OF 2-3/8"

FORD

C38-11-2-375-NL

Item Description: COUPLING, METER, 3/4" X 3/4" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE 020 CONSTRUCTED. LENGTH OF 2-1/2".

#### FORD

C38-23-2-5-NL

Item Description: COUPLING, METER, 1" X 1" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE CONSTRUCTED, 030 LENGTH OF 2-5/8".

#### FORD

C38-44-2-625-NL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAC

Item Description: COUPLING, METER, 1-1/2" X 1-1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE 040 CONSTRUCTED, LENGTH OF 2-7/8".

#### FORD

C38-66-2-875-NL

Item Description: COUPLING, METER, 2" X 2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE CONSTRUCTED, 050 LENGTH OF 3-1/16".

#### FORD

C38-77-3-0625-NL

- Item Description: NO LEAD CONSTRUCTED COUPLING, METER, STRAIGHT, 3/4" X 1", MALE IRON PIPE THREAD
- 080 FORD METER BOX COMPANY C38-24-2-5-NL
- Item Description: INACTIVE ADAPTER, TO CHANGE METER SIDE &/OR LENGTH

## 082 FORD METER BOX COMPANY

A-12M

- Item Description: INACTIVE COUPLING, METER, IP ADAPTER, WITH COMPRESSION, 3/4"
- 084 FORD METER BOX COMPANY C35-23
- Item Description: NO LEAD CONSTRUCTED COUPLING, METER, IP ADAPTER, WITH COMPRESSION, 3/4" LONG.
- 086 FORD METER BOX COMPANY C35-23-4.875-NL
- Item Description: FLANGE, METER, DUCTILE IRON, 3" X 24", FLANGED X PLAIN END

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEAC

**Item Description:** FLANGE, METER, DUCTILE IRON, 4" X 24", FLANGED X PLAIN END 100

**Item Description:** FLANGE, METER, DUCTILE IRON, 6" X 24", FLANGED X PLAIN END 110

**Item Description:** FLANGE, METER, DUCTILE IRON, 8" X 24", FLANGED X PLAIN END 120

**Item Description:** FLANGE, METER, DUCTILE IRON, 10" X 24", FLANGED X PLAIN END 130

Item Description: FLANGE, METER, DUCTILE IRON, 12" X 24", FLANGED X PLAIN END 140

Item Description:COUPLING, COMPRESSION X METER, CONSISTING OF 3/4" METER COUPLING X 3/4" CTS COMPRESSION200COUPLING, CONSTRUCTED OF AWWA BRONZE.

#### FORD

C34-23-NL

#### MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8"X5/8"X 7", MUST BE HORIZONTAL W/LOCK WING STOP 010 FORD

V41-7W-NL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8"X5/8"X 9", MUST BE HORIZONTAL WITH LOCK WING STOP 020 FORD V41-9W-NL Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8"X5/8" X 12", MUST BE HORIZONTAL W/LOCK WING STOP 030 FORD V41-12W-NL Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X7", MUST BE HORIZONTAL W/LOCK WING STOPS 070 FORD V42-7W-NL Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X9", MUST BE HORIZONTAL W/ LOCK WING STOPS 080 FORD V42-9W-NL Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X12", MUST BE HORIZONTAL W/LOCK WING STOPS 085 FORD V42-12W-NL Item Description: NO LEAD CONSTRUCTED RESETTER METER 3/4" X 3/4" X 8", MUST BE HORIZONTAL WITH LOCK WING STOPS 130 FORD V43-8W-NT Item Description: NO LEAD CONSTRUCTED RESETTER METER 3/4" X 3/4" X 12", MUST BE HORIZONTAL W/LOCK WING STOPS 140 FORD V43-12W-NL Item Description: RESETTER METER 3/4" X 3/4" X 18", MUST BE HORIZONTAL W/ LOCK WING STOPS. 160 FORD MUELLER V43-18W-NL 14118

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

#### MTEBB

Item Description: RESETTER, METER 1"X 1"X 15", MUST BE HORIZONTAL W/LOCK WING STOP

200	FORD	MUELLER
	V44-15W-NL	14118

#### MTEBC

Item Description:WASHER, METER, 5/8" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE010100 EACH PER BOX ***

Item Description: WASHER, METER, 3/4" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER, 1"(CONNECTION GASKET) RED FIBER GASKET. *** 1/16" THICKNESS ONLY***, *** PACKAGE 030 100 EACH PER BOX ***

Item Description: WASHER, METER,1-1/2" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER, 2"(CONNECTION GASKET) RED FIBER GASKET. ** 1/16" THICKNESS ONLY**, *** PACKAGE 100 EACH PER BOX ***

#### XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTEBC

Item Description: WASHER, METER, 5/8" (CONNECTION GASKET) RED FIBER GASKET.**1/32"THICKNESS ONLY**, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER, 3/4" (CONNECTION GASKET) RED FIBER GASKET.**1/32"THICKNESS ONLY**, *** PACKAGE 100 EACH PER BOX ***

Item Description:WASHER, METER, 1"(CONNECTION GASKET) RED FIBER GASKET. **1/32" THICKNESS ONLY**, *** PACKAGE071100 EACH PER BOX ***

Item Description: WASHER, METER, 1-1/2"(CONNECTION GASKET) RED FIBER GASKET. *1/32" THICKNESS ONLY*, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER, 2"(CONNECTION GASKET) RED FIBER GASKET. **1/32" THICKNESS ONLY**, *** PACKAGE
100 EACH PER BOX ***

Item Description:WASHER, METER 5/8", RUBBER (METER GASKET) 1/8" THICK X 15/16" OVERALL DIAMETER RUBBER WASHERS107ONLY. SIZE MUST BE EXACT. ***** NO SUBSTITUTE *****, *** PACKAGE 100 EACH PER BOX ***

XXJINVWCATL

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTEBC

Item Description:WASHER, METER 3/4", RUBBER (METER GASKET) 1/8" THICK X 1-5/32" OUTSIDE DIAMETER RUBBER WASHERS119ONLY. SIZE MUST EXACT. ***** NO SUBSTITUTE *****, *** PACKAGE 100 EACH PER BOX ***

Item Description:WASHER, METER 1", RUBBER (METER GASKET), 1/8" THICK X 1-1/2" OVERALL DIAMETER RUBBER WASHERS124ONLY. SIZE MUST BE EXACT. ***** NO SUBSTITUTE *****, *** PACKAGE 100 EACH PER BOX ***

## MTECC

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, TAPERED WALL, A - 8 LOAD RATING, 17,360 LBS MINIMUM 010 FAILURE RATE, 12" DEPTH. (37 SERIES)

#### GLASMASTERS

WBS111812-140

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, TAPERED WALL, A - 8 LOAD RATING, 17,360 LBS MINIMUM 020 FAILURE RATE, 12" DEPTH. (65 SERIES)

#### GLASMASTERS

WBS1527-141

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, STRAIGHT WALL, A-8 LOAD RATING, 17,360 LBS MINIMUM 035 FAILURE RATE, 12" DEPTH. (37 SERIES)

GLASMASTERS	PENTEK	SOUTHERN METER BOX INC.
R111812S2N12-1	AUCHB111812JEA	P.H.1;BOX
WBS111812-100		

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTECC

Item Description:TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 36 METER BOX, A-8 LOAD RATING, SOLID TOP WITH410(ONE)2" TRPL PRE-DRILLED HOLE AND JEA LOGO.15-1/4" LENGTH X 10-1/8" WIDTH X 1-3/8" THICK,<br/>PICK HOLE LOCATED BELOW JEA LOGO, NO READ LID

#### GLASMASTERS

WCS101502-101-TR

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 37 METER BOX, A-8 LOAD RATING, SOLID TOP WITH 430 (TWO) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 18-1/8" LENGTH X 11-1/4" WIDTH X 1-3/4" THICK, NO READ LID.

GLASMASTERSPENTEKSOUTHERN METER BOX INC.WCS111802-101-DTRAUCHC111812JEAP2R1¿LID

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 37 METER BOX, A-8 LOAD RATING, SOLID TOP WITH (ONE) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 18-1/8" LENGTH X 11-1/4" WIDTH X 1-3/4" THICK, NO READ LID.

#### GLASMASTERS

WCS111802-101-TR

Item Description: TOP, METER BOX, STEEL, PRIMED & PAINTED BLACK, NO READING LID, LIFTING EYE ON EACH END, W/ 445 (TWO) 2" TRPL PRE-DRILLED HOLE, MADE W/ 3/16" FLOOR PLATE. FULLY RIBBED AND DIMINSIONS AS PER DRAWING. BROOKS MODEL #37T-STL (15.5" X 22.5") OR EQUAL

LIDDY'S	MACHINE	SHOP	OLDCASTLE
LIDDY'S	MACHINE	SHOP	OLDCASTLE

NONE 37T-STL

Item Description: TOP, METER BOX, STEEL, PRIMED & PAINTED BLACK, NO READING LID, LIFTING EYE ON EACH END, WITH (TWO) 2" TRPL PRE-DRILLED HOLE, MADE W/ 3/16" FLOOR PLATE. FULLY RIBBED AND DIMENSIONS AS PER DRAWING. BROOKS MODEL #65T-STL (20" X 31.5") OR EQUAL

LIDDY'S MACHINE SHOP	OLDCASTLE
NONE	65T-STL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-METERS

## MTECC

Item Description: TOP, METER BOX, POLYMER, TOP TO HAVE (ONE) 2" TRPL HOLE. A-8 LOAD RATING, (65 SERIES)

## 483 **GLASMASTERS**

WCS152702-101-TR

- Item Description: TOP, METER BOX, POLYMER, TOP (TWO) 2" TRPL HOLES, A-8 LOAD RATING, ( 65 SERIES).
- 484 GLASMASTERS

- Item Description: COVER, UTILITY BOX, GALV., W/(TWO) 2" HOLES, S50-3/4" X 32-3/4" (OVERALL DIMENSION), 2-PIECE 715 COVER TO BE SIZED PER BOX SPEC. COVER MUST COMPLY WITH H-20 TRAFFIC RATING & SPEC. (W/1.3 IMPACT). EACH COVER WILL HAVE A 1/2" X 1" LIFTING HOLE.
- Item Description: COVER, UTILITY BOX, GALVANIZED, W/(TWO) 2" HOLES, 52" X 34" (OVERALL DIMENSION), TOP TO BE 2-PC 779 DESIGN & SIZED AS PER BOX SPEC. TOP WILL BE CONSTRUCTED TO COMPLY WITH H-20 TRAFFIC RATING & SPEC. (W/1.3 IMPACT) CERT. ENGINEERING DRAW

## LIDDY'S MACHINE SHOP

MTECC779 COVER

Item Description: TOP, METER VAULT,W/(TWO) 2" HOLES, W/FRAME & COVER CAST IN, TOP FOR 6' X 6' METER VAULT (TOP 915 ONLY), W/3/4" LIFT INSERTS CAST IN, CAST-IN STEEL FRAME & COVER TO BE 36" X 36" WITH 17" X 17" OPENING - MATERIAL TO BE DELIVERED AND UNLOADED.

WCS152702-101-DTR

Water and Wastewater Master Material Catalog

#### PUD-METERS

APR-05-19 04:21:56

## MTECD

Item Description:BOX, METER - 36" X 60" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE &100FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID<br/>SURFACE & JEA LOGO. (TWO) 2" TRPL HOLE IN ONE COVER.

#### ARMORCAST PRODUCTS COMPANY

A6001833AX48MT

A6001833APCX48MT

Item Description:COVER, METER BOX, FOR 36"X60" X48" METER BOX, FIBERGLASS POLYMER CONCRETE & FIBERGLASS137REINFORCED POLYMER, GRAY, LOAD RATING A8 (ASTM C857), 2-PC TORSION ASSIST COVER W/NON-SKID<br/>SURFACE & JEA LOGO. (TWO) 2" TRPL HOLE ONE COVER.*COVER ONLY*

#### ARMORCAST PRODUCTS COMPANY

A7001436A-JEA

Item Description:BOX, METER - 48" X 72" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE &205FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID<br/>SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.

#### ARMORCAST PRODUCTS COMPANY

A6001506APCX48MT

Item Description: COVER, METER BOX, FOR 48" X72"X 48" METER BOX, FIBERGLASS POLYMER CONCRETE & FIBERGLASS 239 REINFORCED POLYMER, GRAY, LOAD RATING A8 (ASTM C857), 2-PC TORSION ASSIST COVER W/NON-SKID SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.*COVER ONLY*

#### ARMORCAST PRODUCTS COMPANY

A7001506A-JEA

Item Description: BOX, METER - 48" X 96" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE & 303 FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.

#### ARMORCAST PRODUCTS COMPANY

A6001449AP48MT

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTEHV

- Item Description: CHAMBER, COMPOUND 3" OMNI C2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL
- 243 SENSUS TECHNOLOGIES

23A

C39XXXXG1AT0X

Item Description: CHAMBER, COMPOUND 4" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL

258

#### SENSUS TECHNOLOGIES

TOTAL

23A

C49XXXXG1AT0X

- Item Description: REGISTER, TURBINE 1.5" OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL
- 332 SENSUS TECHNOLOGIES

51910.638.00051

- Item Description: REGISTER, RECLAIMED, TURBINE 1.5" OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL
- 340 SENSUS TECHNOLOGIES

51910.638.00053

Item Description: REGISTER, RECLAIMED, TURBINE 2" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL, 350 RECLAIM NDK

SENSUS TECHNOLOGIES

51910.638.00053

Item Description: REGISTER, COMPOUND 3" - OMNI C2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

³⁶⁰ **SENSUS TECHNOLOGIES** 51914.638.00051

- Item Description: REGISTER, TURBINE 3" OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL
- 370 SENSUS TECHNOLOGIES

51914.638.00051

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTEHV

- Item Description: REGISTER, COMPOUND 4" OMNI C2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL
- ³⁸⁰ **SENSUS TECHNOLOGIES** 51914.638.00051
- Item Description: REGISTER, TURBINE 4" OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL
- 390 SENSUS TECHNOLOGIES

51914.638.00051

- Item Description: REGISTER, FIRE SERVICE 4" OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL
- 400 SENSUS TECHNOLOGIES

51914.638.00051

W-160

- Item Description: REGISTER, COMPOUND 6" OMNI C2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL
- ⁴¹⁰ **SENSUS TECHNOLOGIES** 51918.638.00051
  - 51918.038.00051
- Item Description: REGISTER, TURBINE 6" OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL
- 420 **SENSUS TECHNOLOGIES** 51918.638.00051
- Item Description: REGISTER, TURBINE 10" OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL
- 440 **SENSUS TECHNOLOGIES** 51920.638.00051
- Item Description: REGISTER, FIRE SERVICE 10" OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL
- 450 SENSUS TECHNOLOGIES

51920.638.00051

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTEHV

Item Description: REGISTER, FIRE SERVICE 6" - OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

451 SENSUS TECHNOLOGIES

51918.638.00051

W-2000

- Item Description: CONNECTOR, 2-WIRE, "UY" TYPE, CONNECTOR FOR USE ON 22-26 AWG SOLID COPPER CONDUCTOR WIRE,
- 733 CONNECTORS TO BE SELF- STRIPPING AND INSULATED. SCOTCHLOCK "UY" CONNECTOR (1 EACH = BOX OF 100) ***NO SUBSTITUTE***
- Item Description:WIRE, 3-CONDUCTOR. CONDUCTORS TO BE 22 AWG TINNED COPPER AND INDIVIDUALLY INSULATED. SOLID WIRE745CONDUCTORS ONLY NO STRANDED WIRE IS ALLOWED. ENCODED REGISTER WIRE. E62780 TYPE CL2 22 AWG 75<br/>C (UL)***NO SUBSTITUTE*** 500 FT OR 1000 FT ROL
- Item Description: CHAMBER, RECLAIMED, TURBINE 1.5" OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 800 8 WHL TOTAL

#### SENSUS TECHNOLOGIES

T19RXXXG1AT0X

- Item Description: CHAMBER, TURBINE 2" OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL 810 SENSUS TECHNOLOGIES
  - T29XXXXG1AT0X

XXJINVWCATL APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-METERS

## MTEHV

Item Description: CHAMBER, TURBINE 1.5" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL 813 TOTAL

## SENSUS TECHNOLOGIES

T19XXXXG1AT0X 50810-410-46001

5081041046001

Item Description:CHAMBER, RECLAIMED, TURBINE 2" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8820WHL TOTAL, RECLAIM NDK

#### SENSUS TECHNOLOGIES

T29RXXXG1AT0X

- Item Description: REGISTER, TURBINE 8" OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL
- 830 SENSUS TECHNOLOGIES

51919.638.00051

Item Description: CHAMBER, FIRE SERVICE 6" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 840 WHEEL TOTAL

#### SENSUS TECHNOLOGIES

F69XXXG1AT0X

Item Description: REGISTER, TURBINE 2" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

## 849 SENSUS TECHNOLOGIES

51912-610-30002

51910.638.00051

Item Description: CHAMBER, FIRE SERVICE 8" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL 850 TOTAL

## SENSUS TECHNOLOGIES

F89XXXXG1AT0X

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTEHV

Item Description: CHAMBER, FIRE SERVICE 10" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 860 WHL TOTAL

## SENSUS TECHNOLOGIES

FA9XXXXG1AT0X

Item Description: CHAMBER, TURBINE 3" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHEEL

861 TOTAL

#### SENSUS TECHNOLOGIES

T39XXXXG1AT0X

Item Description: CHAMBER, FIRE SERVICE 4" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL 870 TOTAL

#### SENSUS TECHNOLOGIES

F49XXXXG1AT0X

Item Description: CHAMBER, TURBINE 4" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL 873 TOTAL

#### SENSUS TECHNOLOGIES

T49XXXXG1AT0X

- Item Description: CHAMBER, TURBINE 6" OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL
- 886 SENSUS TECHNOLOGIES

T69XXXXG1AT0X

Item Description: CHAMBER, TURBINE - 8" OMNI T2 MEASURING ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

892 SENSUS TECHNOLOGIES

T89XXXXG1AT0X

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-METERS

## MTEHV

Item Description: METER, COMPOUND 3" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 1 GALLON 922 PULSE, 1 CALLON 8 WHEEL TOTAL, S/N=REG ID

## SENSUS TECHNOLOGIES

C33TXXXG1ATOX

Item Description: METER, COMPOUND 4" - OMNI C2 COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON 933 PULSE, 10 GALLON 8 WHEET TOTAL, S/N=REG ID

#### SENSUS TECHNOLOGIES

C43TXXXG1AT0X

Item Description: CHAMBER, COMPOUND 6" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL 945 TOTAL

## SENSUS TECHNOLOGIES

573-18-498-71901A C69XXXXG1AT0X 57318-498-71901A

## NUTS

## NUTSA

Item Description: NUT, HEAVY HEX HEAD, 3/4" - 10, 316 SS, HEAVY NUT
675

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUMPS

## PMPAD

Item Description: DIAPHRAGM, NEOPRENE - FOR 3" DIAPHRAGM PUMP. GATES OR HOMELITE OR EQUAL.

562GATES RUBBER CO.HOMELITE DIV. (TEXTRON INC.)3E03438/UP06372

Item Description: INACTIVE - DIAPHRAGM, NEOPRENE - FOR 4" DIAPHRAGM PUMP. GATES OR EQUAL..

565 GATES RUBBER CO.

4E

## PMPBK

 Item Description:
 PUMP, SUBMERSIBLE, 24 INCH, CP3602/1440 IMPELLER, 805 DRIVE, 130 HP 3/460V FLYGT PUMP WITH 35'

 610
 MOTOR & PILOT CABLE. FOR INTERNAL RECYCLE PROCESS AT MANDARIN WRF

 ****ORDER BY DESCRIPTION

 ***

#### PUD-PAINT

PNTAA

Item Description: PAINT, RUS-KIL SAFETY YELLOW. ** 1 EACH = 1 GALLON **

050 BLP MOBILE PAINT CO.

10-5601

Item Description: PAINT, UPSIDE-DOWN, PURPLE-PANTONE, 17 OZ. AEROSOL CAN, CANS MUST FIT KRYLON SPRAY WAND (SPOTTER) #KRY7095, LEAD FREE, NON-CLOGGING, WATER-BASED

KRYLON

3715

Page: 229 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-PAINT

## PNTAA

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. PINK, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND 463 #KRY7095, NON-CLOGGING, WATER-BASED PAINT

## KRYLON

03612

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. BLUE, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND 064 #KRY7095, NON-CLOGGING, WATER-BASED PAINT

## KRYLON

S03903

Item Description: PAINT, UPSIDE-DOWN, BRILLANT BLUE, 16 OZ. AEROSOL CAN, CANS MUST FIT KRYLON SPRAY WAND 065 (SPOTTER) #KRY7095. LEAD-FREE, NON-CLOGGING, BRILLANT BLUE ONLY KRYLON OR EQUAL, WATER-BASED

#### KRYLON

SO3406

Item Description: PAINT, UPSIDE-DOWN, MARKING, A.P.W.A. BLUE, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND 466 #KRY7095, NON-CLOGGING, SOLVENT-BASE PAINT

## KRYLON

S03621

Item Description: PAINT, UPSIDE-DOWN, MARKING, A.P.W.A. GREEN, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND 067 #KRY7095, NON-CLOGGING, WATER -BASE PAINT

## KRYLON

S03904

Item Description:PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. GREEN, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY068WAND, NON-CLOGGING, SOLVENT-BASED PAINT

## KRYLON

S03631

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-PAINT

## PNTAA

Item Description:PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. BRILLIANT RED, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON705SPRAY WAND #KRY7095, NON-CLOGGING, WATER-BASED PAINT

## KRYLON

S03911

- Item Description:
   PAINT, UPSIDE-DOWN, FLOURESCENT (SEWER) GREEN, TRAFFIC OR GROUND MARKING PAINT 17 OZ. AEROSOL

   727
   CAN, LEAD FREE, NON- CLOGGING, FLOURESCENT GREEN ONLY, WATER BASED. SPRAYON OR KRYLON OR EQUAL.

   SPRAYON PRODUCTS INC.
   03630
- Item Description: WAND, UPSIDE-DOWN PAINT, WAND MUST FIT KRYLON 17 OZ. UPSIDE-DOWN SPRAY CANS. KRYLON OR EQUAL.
- 739
   KRYLON
   SPRAYON PRODUCTS INC.

   KRY7095
   K7095

## PUD-PIPE & TUBING

## PPEDU

Item Description: PIPE, DUCTILE IRON, 3", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 030

Item Description: PIPE, DUCTILE IRON, 4", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 040

Item Description: PIPE, DUCTILE IRON, 6", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 060

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-PIPE & TUBING

PPEDU

Item Description: PIPE, DUCTILE IRON, 8", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 OR 20 FOOT LENGTHS 080

Item Description: PIPE, DUCTILE IRON, 10", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 100

Item Description: PIPE, DUCTILE IRON, 12", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 120

Item Description: PIPE, DUCTILE IRON, 14", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 140

Item Description: PIPE, DUCTILE IRON, 16", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 160

Item Description: PIPE, DUCTILE IRON, 18", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 180

Item Description: PIPE, DUCTILE IRON, 20", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 200

Item Description: PIPE, DUCTILE IRON, 24", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 240

## XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-PIPE & TUBING

## PPEDU

Item Description: PIPE, DUCTILE IRON, 30", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM
300

Item Description: PIPE, DUCTILE IRON, 36", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM
360

**Item Description:** PIPE, DUCTILE IRON, 42", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 380

**Item Description:** PIPE, DUCTILE IRON, 54", SLIP JOINT, PRESSURE CLASS 150 MINIMUM , 18 FOOT LENGTHS MINIMUM 390

## PPEGV

Item Description: PIPE, GALVANIZED - 1/2", MIPT X FIPT. 21 FOOT LENGTHS.
024

Item Description: PIPE, GALVANIZED - 1", MIPT X FIPT. 21 FOOT LENGHTS. 100

Item Description: NACTIVE - PIPE, GALVANIZED - 1-1/4", MIPT X FIPT. 21 FOOT LENGTHS.
114

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-PIPE & TUBING

## PPEGV

**Item Description:** PIPE, GALVANIZED 1-1/2", THREADED & COUPLED, 21 FT LENGTHS 124

Item Description: PIPE, GALVANIZED - 2", MIPT X FIPT. 21 FOOT LENGTHS. 200

**Item Description:** PIPE, GALVANIZED - 2-1/2", MIPT X FIPT. 21 FOOT LENGTHS. 224

## PPEPV

Item Description: PIPE, PVC, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS 150, BLUE COLOR ONLY.
040

Item Description: PIPE, PVC, DR18 - 6", 20 FT. LENGTHS, AWWA C-900, CLASS 150, BLUE COLOR ONLY. 060

Item Description: PIPE, PVC, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS 150, BLUE COLOR ONLY. 080

Item Description: PIPE, PVC, DR18 - 10", 20 FT. LENGTHS, AWWA C-900, CLASS 150, BLUE COLOR ONLY. 100

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

----

#### PUD-PIPE & TUBING

. . .

SEE DESCRIPTION

## PPEPV

_ .

Item Description: PIPE, PVC, DR18 - 12", 20 FT. LENGTHS, AWWA C-900, CLASS 150, BLUE COLOR ONLY. 120

Item	Description:	PIPE, PVC, DR18 - 18",	20 FT. LENGTHS, AWWA C-900, CI	LASS 150, BLUE COLOR ONLY.
124	DIAMOND		JM EAGLE	NORTH AMERICAN PIPE CO.
	DR18		DR18	DR18
Item	Description:	PIPE, PVC, DR18 - 14",	20 FT. LENGTHS, AWWA C-900, CI	LASS 150. ALL DR18 PIPE MUST BE COLORED
140		BLUE FOR WATER SERVICE.	NO OTHER COLOR ALLOWED.	
	CERTAINTEED		JM MANUFACTURING	NATIONAL PIPE & PLASTICS, INC.
	SEE DESCRIPTI	ION	SEE DESCRIPTION	SEE DESCRITPION
	NORTH AMERICA	W PIPE CO.	VASSALLO, INC.	

Item Description: PIPE, PVC, DR18, 16", AWWA C-900, CLASS 100, 20 FT LENGTHS. BLUE COLOR ONLY. NOTE: NO MORE 160 THAN TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES WITH MORE THAN TWO PIECES PER BUNDLE WILL BE REFUSE

SEE DESCRIPTION

Item Description: PIPE, PVC, DR25, 18", AWWA C-900, CLASS 100, 20 FT LENGTHS. BLUE COLOR ONLY. NOTE: NO MORE 173 THAN TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES WITH MORE THAN TWO PIECES PER BUNDLE WILL BE REFUSE

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, DR18, 20", AWWA C-905. 20 FT LENGTHS. ALL PIPE MUST BE COLORED BLUE FOR WATER 180 SERVICE. NO OTHER COLORS ARE ALLOWED.

Item Description: PIPE, PVC, DR18, 30", AWWA C-905. 20 FT LENGTHS. ALL PIPE MUST BE COLORED BLUE FOR WATER 190 SERVICE. NO OTHER COLORS ARE ALLOWED. NOTE: NO MORE THAN TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES WITH MORE THAN TWO PIECES PER BUNDLE WILL BE REFUSE

Item Description: PIPE, PVC, DR18, 24", AWWA C-905. 20 FT LENGTHS. ALL PIPE MUST BE COLORED BLUE FOR WATER 219 SERVICE. NO OTHER COLORS ARE ALLOWED.

Item Description: PIPE, PVC, DR18 - 30", 20 FT. LENGTHS, AWWA C-905, CLASS 235, GREEN COLOR ONLY FOR SEWER 350 FORCEMAIN SYSTEM

DIAMOND JM EAGLE NORTH AMERICAN PIPE CO. DR18 DR18 DR18 Item Description: PIPE, PVC, DR25, 36" AWWA C-905. 20 FT. LENGHTS. ALL PIPE MUST BE COLORED "GREEN" FOR SEWER 360 SERVICE. NO OTHER COLOR ALLOWED *** NO SUBSTITUTE ***

Item Description: PIPE, PVC, SCH-40, 3/4", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL 450

XXJINVWCATL

APR-05-19 04:21:56

FORD

Water and Wastewater Master Material Catalog

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, SCH-40, 1", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

455

0501040PURP

Item Description: PIPE, PVC, SCH-40, 1-1/2;, 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

460 **ford** 

0501540PURP

Item Description: PIPE, PVC, SCH-40, 2", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL 465

## PPERW

Item Description:PIPE, PVC, 1-1/2" X 20 FT. LENGHTS, SCH 40, GLUE JOINT, ALL PIPE MUST BE COLORED PANTONE PURPLE015522C FOR RECLAIMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 2" X 20 FT. LENGHTS, SCH 40, GLUE JOINT, ALL PIPE MUST BE COLORED PANTONE PURPLE 020 522C FOR RECLAIMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 3" X 20 FT. LENGHTS, CLASS 200. ALL SDR21 PIPE MUST BE COLORED PANTONE PURPLE 522C 030 FOR RECLAIMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Page: 236 of: 305

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-PIPE & TUBING

PPERW

Item Description: PIPE, PVC, 4", DR18, 20 FT. LENGTHS, AWWA C-900, CLASS 100. PIPE MUST BE COLORED PANTONE 040 PURPLE FOR RECLAMED WATER SERVIVE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 6", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 100. PIPE MUST BE COLORED PANTONE PURPLE 060 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 8", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 100. PIPE MUST BE COLORED PANTONE PURPLE 080 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 12", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 100. PIPE MUST BE COLORED PANTONE 120 PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 16", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 100. PIPE MUST BE COLORED PANTONE PURPLE 160 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 20", DR18, 20 FT. LENGTHS, AWWA C-900, CLASS 100. PIPE MUST BE COLORED PANTONE 165 PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

DIAMOND	JM EAGLE	NORTH AMERICAN PIPE CO.
DR18	DR18	DR18

Page: 237 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-PIPE & TUBING

## PPERW

Item Description: PIPE, PVC, 24", DR18, 20 FT. LENGHT, AWWA C-900, CLASS 100. PIPE MUST BE COLORED PANTONE PURPLE 170 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

DIAMOND	JM EAGLE	NORTH AMERICAN PIPE CO.
DR18	DR18	DR18

## PPESC

Item Description: PIPE, PVC SCH 40 1/2". 20 FT LENGTHS. BELL ON ONE END. 024

Item Description: PIPE, PVC, SCH 40, 3/4". 20 FT LENGTHS. BELL ON ONE END. 034

Item Description: PIPE, PVC SCH 40 1". 20 FT LENGHTS. BELL ON ONE END. 100

Item Description: PIPE, PVC SCH 40 1-1/4 ". 20 FT LENGTHS. BELL ON ONE END. (1 EA = 1 FT) 114

Item Description: PIPE PVC SCH 40 1-1/2" 124

Item Description: PIPE, PVC SCH 40 2". 20 FT LENGHTS. BELL ON ONE END. 200

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-PIPE & TUBING

PPESC

Item Description: PIPE, PVC SCH 40, 3" 300

Item Description: PIPE, PVC, SCH 40, 4", 20 FT LENGHTS **** NO SUBSTITUTE **** 400

Item Description: PIPE, PVC, SCH 40, 6", 20 FT LENGTHS. **** NO SUBSTITUTES **** 600

#### PPESD

Item Description: PIPE, PVC SDR21, 2", BELL AND GASKETED ONE END. PIPE MUST BE NSF-PW APPROVED. PIPE MUST BE 020 MARKED WITH THE FOLLOWING INFORMATION AT NO MORE THAN 5 FT. INTERVALS: SDR CLASS, NOMINAL PIPE SIZE, PVC1120, PRESSURE RATING, NSF-PW, ASTM D2241, PS

## PPESH

Item Description: PIPE, PVC, SCH 80, 1/2" 024

Item Description: PIPE, PVC, SCH 80, 3/4" 034

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-PIPE & TUBING

## PPESH

Item Description: PIPE, PVC, SCH 80, 1", BELL TO SPIGOT ENDS. 100

Item Description: PIPE, PVC, SCH 80, 1-1/4" 114

Item Description: PIPE, PVC, SCH 80, 1-1/2", BELL TO SPIGOT ENDS. 124

Item Description: PIPE, PVC, 2", SCH 80, 20' LENGTHS 200

Item Description: PIPE, PVC, SCH 80, 3", PLAIN END, 20 FT LENGTHS
300

Item Description: PIPE, PVC, SCH 80, 4", 20FT LENGTHS 400

## PPESW

Item Description:PIPE, PVC, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER004FORCEMAIN SYSTEM.

## XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-PIPE & TUBING

## PPESW

Item Description: PIPE, PVC, DR18 - 6", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 006 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 008 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 12", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 012 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 14", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 014 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR25 - 16", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 016 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR25 - 18", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 018 FORCEMAIN SYSTEM.

## XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-PIPE & TUBING

## PPESW

Item Description: PIPE, PVC, DR18 - 20", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 020 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 24", 20 FT. LENGTHS, AWWA C-900, CLASS 150, GREEN COLOR ONLY FOR SEWER 024 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC SDR26-4" (14 FT. JOINTS) 040

Item Description: PIPE PVC SDR26-6" (14 FT LENGTHS) 060

Item Description: PIPE, PVC SDR26-8" (14 FT LENGTHS) 080

Item Description: PIPE, PVC SDR26-10" (14 FT JOINTS)
100

Item Description: PIPE, PVC SDR26-12" (14 FT JOINTS) 120 Page: 242 of: 305

Page: 243 of: 305

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-PIPE & TUBING

## PPESW

**Item Description:** PIPE, PVC SDR26-15" (14 FT JOINTS) 150

- Item Description: PIPE, HDPE, SDR11, SERIES 4300 4" DIP O.D., PIPE SHALL BE BLACK WITH GREEN STRIP, 40' LENGTHS.
- 304 PART NUMBER

0943P0411G

Item Description: PIPE, HDPE, SDR11, SERIES 4300 6" DIP O.D., PIPE SHALL BE BLACK WITH GREEN STRIP, 40' LENGTHS.

#### 306 PART NUMBER

0943P0611G

## PPETU

Item Description: TUBING, POLYETHYLENE 3/4" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 034 COILS SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TUBING, POLYETHYLENE 1" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 COILS 100 SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TUBING, POLYETHYLENE 1 1/2" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 124 COILS SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES ORDER BY DESCRIPTION ORDER BY DESCRIPTION

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-PIPE & TUBING

## PPETU

Item Description: TUBING, POLYETHYLENE 2" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 COILS 200 SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS	ENDOT INDUSTRIES
OREDER BY DESCRIPTION	ORDER BY DESCRIPTION

## PPEVY

Item Description:PIPE, PVC - 42" X 13', GRAVITY SEWER, BELL AND SPIGOT, CLOSE PROFILE TYPE, WATER TIGHT JOINT,408SMOOTH INTERIOR AND EXTERIOR. CARLON VYLON H.C. PIPE **NO SUBSTITUTE**

## PUMPS (2)

## PUMSU

Item Description: PUMP, SUMP, 1/2 HP, 115 VAC, SUBMERSIBLE WITH VERTICAL FLOAT SWITCH & 10' POWER CORD

## 020 MYERS PUMP

DS50-P1

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## ROD, THREADED

## RODCP

Item Description: COUPLING, ROD CONNECTOR, 3/4" - 10, 316 SS
010

## RODTH

Item Description: ROD, ALL THREAD, 3/4" - 10 X 12', 316 SS, 12-FT. LENGHTS ONLY
020

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### SAFETY SUPPLIES

## SAFBC

Item Description: CAP, BASEBALL, FLEXFIT, COLOR IS NAVY . WITH THE "JEA" LOGO EMBROIDERED IN WHITE.

100 YUPOONG

6577CD

## SAFBO

Item Description: BOOTS, RUBBER KNEE SIZE, WATER PROOF, SIZE 6, STEEL SHANK, SERVICE RUBBER CO. P/N 18821/6

 006
 BATA INDUSTRIAL
 LACROSSE/RAINFAIR

 86102/6
 89682 SIZE 6

Item Description: BOOTS KNEE PVC, SIZE 13, STEEL TOE, BLACK SERVUS #18821, BATA #86606, (NO SUBSTITUTE) FACTORY 013 NAME AND STOCK NUMBER MUST BE INDICATED ON CARTON

Item Description: 16" KNEE BOOTS BLACK UPPER PORTION, GRAY SOLE, SIZE 14, STEEL TOE AND STEEL SHANK.

## 014 ONGUARD INDUSTRIES (BATA) 89682-14

Item Description: 16" KNEE BOOTS BLACK UPPER PORTION, GRAY SOLE, SIZE 15, STEEL TOE AND STEEL SHANK.

## 015 ONGUARD INDUSTRIES (BATA) 89682-15

Item Description: BOOTS KNEE PVC, SIZE 16, STEEL TOE, BATA #82006, (NO SUBSTITUTE) FACTORY NAME AND STOCK NUMBER 016 MUST BE INDICATED ON CARTON

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### SAFETY SUPPLIES

## SAFCC

Item Description: COVERALL, LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-SPARKING 120 ZIPPER. KAPPLER TYVEK

## DUPONT

QC120S LGE

Item Description: COVERALL, X-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-121 SPARKING ZIPPER. KAPPLER TYVEK, (STD. PKG 12 EA)

## DUPONT

QC120S EX LGE

**Item Description:** COVERALL, XX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-122 SPARKING ZIPPER. KAPPLER TYVEK

#### DUPONT

QC120S XXL

Item Description: COVERALL, XXX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-123 SPARKING ZIPPER. KAPPLER TYVEK

## DUPONT

QC120S-XXXL

Item Description:COVERALL, XXXX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-124SPARKING ZIPPER. KAPPLER TYVEK

## DUPONT

QC120S-XXXXL

## SAFGL

Item Description: GLOVE, WINTER, FOR COLD WEATHER COWHIDE LEATHER WITH 3M THINSULATE LINER SIZE: ONE SIZE FITS ALL, 1 EACH = 1 PAIR.

## NORTH SUPPLY

70/6465NK

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### SAFETY SUPPLIES

## SAFGL

Item Description: GLOVE, MECHANIX, SMALL, COLOR BLACK, STREAMLINED ELASTIC CUFF W/ADJUSTABLE HOOK AND LOOP 120 CLOSURE, REINFORCED THUMB AND FINGERS, SYNTHETIC LEATHER PALM.

## MECHANIX WEAR

MG - 05 - 008

Item Description: GLOVE, MECHANIX, XX-LARGE, COLOR BLACK, STREAMLINED ELASTIC CUFF W/ADJUSTABLE HOOK AND LOOP 124 CLOSURE, REINFORCED THUMB AND FINGERS, SYNTHETIC LEATHER PALM.

## MECHANIX WEAR

MG-05-012

## SAFRE

Item Description: RESPIRATOR, DUST MASK - (FOR COMMON DUST & POLLEN).

#### 002 ЗМ

8500

8212

## SAFRW

Item Description: RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/FR RATED, HIGH VISIBILITY FLOURSCENT LIME/YELLOW. 7/8" 100 3M REF.TAPE APPLIED TO JKT SLEEVE & HEM SMALL. NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

#### KSI SAFETY LAKELAND\DUPONT

020802JLYS AJPU10LY-S

Item Description: RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/ FR RATED, HIGH VIS. FLOURESCENT LIME/YELLOW. 7/8" 3M 101 REFLECTIV TAPE APPLIED TO JKT SLEEVE & HEM. MEDIUM, NEW "JEA"LOGO (MIN 3-1/2" LFT FRNT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

#### KSI SAFETY LAKELAND\DUPONT

020802JLYM AJPU10LY-M

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## SAFETY SUPPLIES

## SAFRW

Item Description:RAINWEAR, JACKET-W / ATTACH HOOD, ARC/FR RATED, HIGH VISIBLE FLOURESCENT LIME/YELLOW. 7/8" 3M102REFLECT TAPE APPL. TO JKT SLEEVE & HEM. LARGE, NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8" ON<br/>BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

# KSI SAFETYLAKELAND\DUPONT020802JLYLAJPU10LY-L

Item Description: RAINWEAR, JACKET-W / ATTACH HOOD, ARC/FR RATED, HIGH VISIBILE FLOURESNT LIME/YELL. 7/8" 3M 103 RFLCTIVE TAPE APPLIED TO JKT SLEEVE & HEM. X-LARGE, NEW "JEA" LOGO (MIN 3-1/2" LEFT FRT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

## KSI SAFETYLAKELAND\DUPONT020802JLYXLAJPU10LY-XL

Item Description: RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/FR RATED, HIGH VISIBILE FLOURSENT LIME/YELL. 7/8" 3M 104 REFLECT TAPE APLIED TO JKT SLEVE & HEM. XX-LARGE, NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802JLYXXL

Item Description:RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/ FR RATED HGH VISIBILE FLOURECNT LIME/YELL. 7/8" 3M105REFLECT TAPE APLIED TO JKT SLEEVE & HEM. XXX-L ARGE, NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8"<br/>ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

AJPU10LY-XXL

## KSI SAFETY LAKELAND\DUPONT

020802JLYXXXL AJPU10LY-XXXL

Item Description:RAINWEAR, JACKET-W / ATTCHED HOOD, ARC/FR RATED, HGH VISIBIL FLOURESC LIME/YELLOW. 7/8" 3M106REFLECT TAPE APPLIED TO JKT SLEEVE & HEM. XXXX-LARGE, NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8"<br/>ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY	LAKELAND\DUPONT
020802JLYXXXXL	AJPU10LY-XXXXL

Page: 250 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## SAFETY SUPPLIES

SAFRW

<b>Item</b> 110	Description:	RAINWEAR, SMALL	OVERALL - I	'LY FRONT	, ARC/FR R	ATED, HI	GH VISIBILITY	FLOURESCENT 1	LIME/YELLOW.	SIZE:
	<b>KSI SAFETY</b> 0208020LYS				<b>ND∖DUPONT</b> LYZ-SM					
<b>Item</b> 111	Description:	RAINWEAR, MEDIUM.	OVERALL - I	'LY FRONT	, ARC/ FR	RATED, H	IGH VISIBILITY	FLOURESCENT	LIME/YELLOW.	SIZE:
	<b>KSI SAFETY</b> 0208020LYM			<b>lakela</b> Abpu10	<b>ND∖DUPONT</b> LYZ-M					
<b>Item</b> 112	Description:	RAINWEAR, LARGE	OVERALL - I	'LY FRONT	, ARC/ FR	RATED,HI	GH VISIBILITY	FLOURESCENT	LIME/YELLOW.	SIZE:
	<b>KSI SAFETY</b> 0208020LYL			<b>LAKELA</b> ABPU10	<b>ND∖DUPONT</b> LYZ-L					
<b>Item</b> 113	Description:	RAINWEAR, LARGE.	OVERALL - I	'LY FRONT	, ARC/ FR	RATED, H	IGH VISIBILITY	FLOURESCENT	LIME/YELLOW.	SIZE: X-
	<b>KSI SAFETY</b> 0208020LYXL				<b>ND\DUPONT</b> LYZ-XL					
<b>Item</b> 114	Description:	RAINWEAR, LARGE.	OVERALL - H	'LY FRONT	, ARC/ FR	RATED, H	IGH VISIBILITY	FLOURESCENT	LIME/YELLOW.	SIZE: XX
	<b>KSI SAFETY</b> 0208020LYXXL				<b>ND\DUPONT</b> LYZ-XXL					
<b>Item</b> 115	Description:	RAINWEAR, XXX-LARGE	OVERALL - I	'LY FRONT	, ARC/ FR	RATED, H	IGH VISIBILITY	FLOURESCENT	LIME/YELLOW.	SIZE:
	<b>KSI SAFETY</b> 0208020LYXXXI	J			<b>ND\DUPONT</b> LYZ-XXXL					

Page: 251 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## SAFETY SUPPLIES

SAFRW

<b>Item</b> 116	Description:	RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY FLOURESCENT LIME/YELLOW. SIZE: XXXX-LARGE
	<b>KSI SAFETY</b> 0208020LYXXXX	LAKELAND\DUPONT ABPU10LYZ-XXXXL
<b>Item</b> 120	Description:	RAINWEAR, LONG COAT-W / ATTCHD HOOD,ARC/FR RATED, SMALL, 48" LONG, HGH VIS FLORSCNT LIME/YEL. 7/8" 3M REFLECTIV TAPE APPLD TO COAT SLEEVE & HEM. NEW "JEA"LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.
	<b>KSI SAFETY</b> 020802CLY-S	LAKELAND\DUPONT ALCPU10LY-S
<b>Item</b> 121	Description:	RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, MEDIUM, 48" LENGTH, IGH VIS FLOURSCNT LIME/YEL. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEEVE & HEM. NEW "JEA" LOGO (MIN 3-1/2" LEFT&8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.
	<b>KSI SAFETY</b> 020802CLY-M	LAKELAND\DUPONT ALCPU10LY-M
<b>Item</b> 122	Description:	RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, LARGE, 48" LONG, HIGH VIS FLOURSCNT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEEVE & HEM. "JEA" LOGO (MIN 3-1/2"LEFT&8"ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.
	<b>KSI SAFETY</b> 020802CLY-L	LAKELAND\DUPONT ALCPU10LY-L
<b>Item</b> 123	Description:	RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, X-LARGE, 48" LONG, HGH VISIBI FLOURSCNT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEV. & HEM. NEW "JEA" LOGO (MIN 3- 1/2"LEFT&8"ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.
	<b>KSI SAFETY</b> 020802CLY-XL	LAKELAND\DUPONT ALCPU10LY-XL

SAFETY PRODUCTS INC.

TCSV20MLJEA

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## SAFETY SUPPLIES

## SAFRW

Item Description: RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, XX-LARGE, 48" LONG, HIGH VISIB FLOURSCNT 124 LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEEVE & HEM. NEW "JEA" LOGO (MIN 3-1/2"LEFT&8"ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY	LAKELAND\DUPONT
020802CLY-XXL	ALCPU10LY-XXL

## SAFTC

Item Description: VEST, SAFETY, ORANGE MESH, SIZE SMALL CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO 014 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY 161520JEA-S SV20MS Item Description: VEST, SAFETY, ORANGE MESH, SIZE LARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO 015 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA LOGO SPECS. ESTEX MANUFACTURING CO RADIANS SAFETY 161520JEA-L SV20ML

Item Description: VEST, SAFETY, ORANGE MESH, SIZE X-LARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO 016 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA LOGO SPECS.

ESTEX MANUFACTURING CO	RADIANS SAFETY	SAFETY PRODUCTS INC.
161520JEA-XL	SV20MXL	TCSV20MXLJEA

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### SAFETY SUPPLIES

#### SAFTC

Item Description: VEST, SAFETY, ORANGE MESH, SIZE MEDIUM CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO 017 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA LOGO SPECS.

	<b>ESTEX MANUFAC</b> 161520JEA-M	TURING CO	RADIANS SZ SV20MM	AFETY		<b>SAFETY PRODUCTS INC.</b> TCSV20MMJEA	
<b>Item</b> 018	Description:	VEST, SAFETY, ORANGE FRONT CLOSURE. JEA LO LOGO SPECS.					•
	ESTEX MANUFAC	TURING CO	RADIANS SA	AFETY		SAFETY PRODUCTS INC.	
	161520JEA-2XL	1	SV20M2X			TCSV20M2XLJEA	
Item	Description:	VEST, SAFETY, ORANGE	MESH, SIZE 3	3xlarge class	2 WITH 2" SIL	VER RETRO REFLECTIVE	STRIPES,
021		VELCRO FRONT CLOSURE	. JEA LOGO MI	ID BACK AND JE	A LETTERS FRON	T LEFT SIDE. CONTACT	BRAND MGMT FOR
		JEA LOGO SPECS.					
	ESTEX MANUFAC	TURING CO	RADIANS S	AFETY		SAFETY PRODUCTS INC.	
	161520JEA-3XL	1	SV20M3X			TCSV20M3XLJEA	
Item	Description:	VEST, SAFETY, ORANGE	MESH, SIZE 4	4XLARGE, CLASS	2 WITH 2" SIL	VER RETRO REFLECTIVE	STRIPES,
022		VELCRO FRONT CLOSURE	. JEA LOGO MI	ID BACK AND JE	A LETTERS FRON	T LEFT SIDE. CONTACT	BRAND MGMT FOR
		JEA LOGO SPECS.					
	ESTEX MANUFAC	TURING CO	RADIANS S	AFETY		SAFETY PRODUCTS INC.	
	161520JEA-4XL	1	SV20M4X			TCSV20M4XLJEA	
Item	Description:	VEST, SAFETY, ORANGE	MESH, SIZE 5	5xlarge, class	2 WITH 2" SIL	VER RETRO REFLECTIVE	STRIPES,
023		VELCRO FRONT CLOSURE	. JEA LOGO MI	ID BACK AND JE	A LETTERS FRON	T LEFT SIDE. CONTACT	BRAND MGMT FOR
		JEA LOGO SPECS.					
	ESTEX MANUFAC	TURING CO	RADIANS S	AFETY		SAFETY PRODUCTS INC.	
	161520JEA-5XL	1	SV20M5X			TCSV20M5XLJEA	

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### SAFETY SUPPLIES

#### SAFTC

Item Description:COVERALL, SMALL, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES.110COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

#### LAKELAND\DUPONT

72130S

Item Description:COVERALL, MEDIUM, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES.112COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

#### LAKELAND\DUPONT

72130M

Item Description:COVERALL, LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES.114COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

#### LAKELAND\DUPONT

72130L

Item Description:COVERALL, X-LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, &116ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

#### LAKELAND\DUPONT

72132XL

Item Description:COVERALL, XX-LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, &118ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

#### LAKELAND\DUPONT

72132XXL

#### SAFWC

Item Description: WATER CANTEEN, 700Z, CAMELBAK WATER MASTER #62611, COLOR: GRAY/BLACK, TO BE SUPPLIED WITH 001 CLEANING BRUSH KIT #60112 AND RESERVIOR DRYER #90091, ASSEMBLED IN ONE PACKAGE.

#### CAMELBAK

62611 JEAKIT

Page: 255 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### SAFETY SUPPLIES

## SAFWC

Item Description: RESERVOIR DRYER, FOR CAMELBAK WATER MASTER.

## 003 CAMELBAK

90091

### PUD-SAFETY SUPPLIES

#### SFTCC

<b>Item</b> 120	Description:	HIP-BOOT, SIZE 7, PVC, STEEL TOE AND STEEL MIDSOLE (NO SUBSTITUTE), FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON PACKAGE
	<b>LACROSSE</b> 10905	ONGUARD INDUSTRIES (BATA) 86856
<b>Item</b> 130	Description:	BOOTS HIP PVC, SIZE 8, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON PACKAGE.
	<b>LACROSSE</b> 10905	ONGUARD INDUSTRIES (BATA) 86856
<b>Item</b> 140	Description:	HIP-BOOTS, SIZE 9, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON PACKAGE.
	<b>LACROSSE</b> 00109050	<b>ONGUARD INDUSTRIES (BATA)</b> 86856
<b>Item</b> 150	Description:	BOOTS HIP, PVC, SIZE 10, STEEL TOE AND STEEL MIDSOLE (NO SUBSTITUTE), FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON PACKAGE.
	LACROSSE	ONGUARD INDUSTRIES (BATA)

Page: 256 of: 305

XXJINVWCATL

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-SAFETY SUPPLIES

#### SFTCC

- Item Description: HIP-BOOT, SIZE 11, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK 160 NUMBER MUST BE INDICATED ON PACKAGE.
  - LACROSSEONGUARD INDUSTRIES (BATA)0010905086856-SIZE 11
- Item Description: HIP-BOOTS, SIZE 12, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK 170 NUMBER MUST BE INDICATED ON PACKAGE.

 LACROSSE
 ONGUARD INDUSTRIES (BATA)

 2400-9091
 86856

Item Description: HIP-BOOTS, SIZE 13, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK 172 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSEONGUARD INDUSTRIES (BATA)1090586856-SIZE 13

Item Description: HIP-BOOTS, SIZE 14, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK 175 NUMBER MUST BE INDICATED ON PACKAGE.

#### LACROSSE

10905

Item Description:HIP-BOOTS, SIZE 15, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK178NUMBER MUST BE INDICATED ON PACKAGE.

#### LACROSSE

10905

Item Description:HIP-BOOTS, SIZE 16, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK179NUMBER MUST BE INDICATED ON PACKAGE.

#### LACROSSE

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-SAFETY SUPPLIES

#### SFTCC

Item Description:CUSHION - 3" X 15" X 15" SEAT, STANDARD GRADE POLYFOAM, COVER TO BE MADE OF 32 ONCE VINYL,185BROWN OR RUST. ** 32 OZ. VINYL COVER ONLY -- NO SUBSTITUTE **

 Item Description:
 GLOVE, LATEX, NON-POWDERED, NON MEDICAL GRADE, 50 PAIR PER DISPENSER
 (50 PAIR EQUALS 1

 204
 EACH)

 AMMEX
 C & K
 SAFETY ZONE

 GPPFT46100
 42-L
 GRPR-L-1-T

4T430

Item Description:GLOVES, NEOPRENE COATED, 12" MENS SIZE, FULLY COATED EXTERIOR, 2-PC FABRIC LINING, CURVED220FINGERS AND WING THUMB, INDUSTRIAL WEIGHT COATING ONLY, BEST #6780R, EDMONT #9-922, GRANETSTYLE 612***** NO SUBSTITUTE ****

 BEST PROCESS CO.
 EDMONT

 6780R
 9-922

Item Description: GLOVES, NYLON COATED, ROUGH NYLON COATED PARTICLE FINISH, SIZE 10, JERSEY LINED, 2-PIECE 230 LINING, PRE-FLEXED CURVED FINGERS & WING THUMB, 14" GAUNTLET, STYLE # 12-214. ANSELL EDMONT #04815, GRAINGER #4T430 ****NO SUBSTITUTE****

EDMONT W W GRAINGER

4-644

Item Description: RUBBER GLOVES, HOUSEHOLD, NON-SLIP, LARGE SIZE 9, MUST BE PACKAGED (1) PAIR PER PACKAGE,

270 144/PAIR PER CARTON SSA09057 TWIST MILLS #F18LX SIZE MUST BE PRINTED ON GLOVE OR PACKAGE SAMPLE MUST BE SUBMITTED BEFORE AWARD

Page: 257 of: 305

Page: 258 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-SAFETY SUPPLIES

#### SFTCC

Item	Description:	GLOVES,	KEVLAR/COTT	ON BLEND	– I	MEDIUM W	EIGHT	GLOVE	WITH A	KNIT	SHELL	OF	KEVLAR	AND	COTTON,	EXTRA
276		CUSHION	ING INSIDE T	HE GLOVE	FO	R COMFOR	T AND	HEAT	RESISTA	NCE.	YELLOW	COL	OR.			

#### NORTH SAFETY EQUIPMENT

52/6647M

Item Description:GLOVES, NEOPRENE COATED, SHOULDER LENGTH PROTECTION, CURVED FINGERS, WING THUMB, FULL280INDUSTRIAL WEIGHT COATED GAUNTLET 31" (MIN) LENGTH, BLACK COLOR, CHEMICAL RESISTANT.

	<b>EDMONT</b> 9-430		FLORIDA RUBBER 27784	
<b>Item</b> 285	Description:	GLOVES, LINEMAN'S - SI 1.	ZE 9, 14" LONG RUBBER LINEMAN'S GLOVE	S TO BE LOW VOLT- AGE, CLASS 0, TYPE
	<b>BOSHLAN</b> 14-0Y		<b>NORTH SAFETY EQUIPMENT</b> E014R E014Y	WHITE RUBBER CO. 14-0Y
<b>Item</b> 287	Description:	GLOVES, LINEMAN'S - SI TYPE 1.	ZE 10, 14" LONG RUBBER LINEMAN'S GLOV	ES TO BE LOW VOLT- AGE, CLASS 0,
	<b>BOSHLAN</b> 14-0Y		<b>NORTH SAFETY EQUIPMENT</b> E014R E014Y	WHITE RUBBER CO. 14-0Y
<b>Item</b> 289	Description:	GLOVES, LINEMAN'S - SI TYPE 1.	ZE 11, 14" LONG RUBBER LINEMAN'S GLOV	ES TO BE LOW VOLT- AGE, CLASS 0,
	<b>BOSHLAN</b> 14-0Y		<b>NORTH SAFETY EQUIPMENT</b> E014R E014Y	WHITE RUBBER CO. 14-0Y

APR-05-19 04:21:56 Water and Wastewater Master Material Catalog

#### PUD-SAFETY SUPPLIES

#### SFTCC

Item Description: GOGGLE, SAFETY - CLEAR, POLYCARBONATE SAFETY LENS, 160 DEGREE VISION, VENTING SYSTEM, FOG FREE 295 LENS (INSIDE & OUT, 96% UV INHIBITIVE (MIN OF 400 NM), NEOPRENE HEADBAND.

MIDLAND ROSS	UVEX SAFETY, INC.	W W GRAINGER
503RU W/EN-FOG	9301 FUTURA	6Т363

Item Description: GLOVE, SMALL SIZE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT ANTI-BACTERIAL LINING. 305 MACHINE WASHABLE. COME IN AS A PAIR *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

#### ERGODYNE PROFLEX

MODEL#910-SMALL

Item Description: GLOVE, MEDIUM SIZE, PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT, ANTI-BACTERIAL LINING. 307 MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

#### ERGODYNE PROFLEX

MODEL#910-MEDIUM

Item Description:GLOVE, LARGE SIZE PROTECT FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.311MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

#### ERGODYNE PROFLEX

MODEL#910-LARGE

Item Description:GLOVE, XLARGE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.314MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

#### ERGODYNE PROFLEX

MODEL#910-XLARGE

Item Description:GLOVE, XXLARGE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.316MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

#### ERGODYNE PROFLEX

MODEL#910-XXLARGE

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-SAFETY SUPPLIES

#### SFTCC

Item Description:SHIELD, FACE MODEL, SHIELD TO ATTACH TO BULLARD MODEL #5100 HARD HAT, CLEAR SHIELD TO BE490GENERAL PURPOSE TYPE FOR PROTECTION AGAINST LIGHT IMPACT, CHEMICAL SPLASH AND SPRAY. SHIELD<br/>DIMENSIONS 8" X 15" X .040".

#### BULLARD

840-M

Item Description:WADER, CHEST - SIZE 10, STEEL TOE, VINYL COATED NYLON UPPERS, INJECTION MOLDED POLYVINYL530CHLORIDE BOTTOMS, RESISTANT TO ACIDS, GREASE, CHEMICALS AND PETROLEUM. STEEL SHANK, CLEATED<br/>SOLE, TOP DRAWSTRING.

#### BATA INDUSTRIAL

86067

Item Description: WADER, CHEST - SIZE 12, STEEL TOE, VINYL COATED NYLON UPPERS, INJECTION MOLDED POLYVINYL 540 CHLORIDE BOTTOMS, RESISTANT TO ACIDS, GREASE, CHEMICALS AND PETROLEUM. STEEL SHANK, CLEATED SOLE, TOP DRAWSTRING.

#### BATA INDUSTRIAL

86067

Item Description: FACE SHIELD, CPR - DISPOSABLE FACE SHIELD, FOR USE ON LAERDAL CPR TRAINING MANIKANS. (36 809 SHIELDS PER BX, 6 BOXES PER CASE)

#### LAERDAL

151201

#### SFTDD

Item Description:MARKER, UTILITY - SEWER VALVE, 5'2" H X 3-3/4" W, FIBERGLASS MARKER, GREEN COLOR W/VINYL SEWER200DECAL, DECAL TO READ: "CAUTION SEWER PIPELINE VALVE", BEFORE DIGGING OR IN CASE OF EMERGENCY<br/>CALL 665-4802

CARSONITE	ELECTROMARK
CJF-1593	JEA025-L-SV-TN1

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-SAFETY SUPPLIES

#### SFTDD

Item Description:MARKER, UTILITY - WATER METER, 5'-2"H X 3-3/4"W, FIBERGLASS MARKER, BLUE COLOR W/VINYL WATER220DECAL, DECAL TO READ: "CAUTION WATER METER", IN CASE OF EMERGENCY CALL 665-4801

#### ELECTROMARK

JEA026-L-SV-TN1

Item Description: MARKER, UTILITY - WATER VALVE, 5'-2"H X 3-3/4"W, FIBERGLASS MARKER, BLUE COLOR W/VINYL WATER 256 DECAL, DECAL TO READ: "CAUTION WATER PIPELINE VALVE", BEFORE DIGGING OR IN CASE OF EMERGENCY CALL 665-4801

#### CARSONITE ELECTROMARK

6135-JEA JEA024-L-SV-TN1

Item Description: MARKER UTILITY - RECLAIM WATER, 5' 2" H X 3-3/4" W. FIBERGLASS MARKER, PANTONE PURPLE 522C 260 COLOR W\VINLY WATER DECAL, "CAUTION RECLAIM WATER VALVE", BEFORE DIGGING OR IN CASE OF EMERGENCY CALL 665-4802

CARSONITE ELECTROMARK

JEA-15045 JEA027-L-SV-TN1

Item Description: FLAG, MARKING - UTILITY MARKING FLAG. 21" LONG WIRE STAFF WITH 4" X 5" FLAG. BLUE W/ WHITE 403 LETTERING. "CAUTION BURIED WATER LINE". FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL 811, VISIT WWW.SUNSHINE811.COM. ** 1000 FLAG PER CASE.**

#### BLACKBURN

11342

Item Description: FLAG, MARKING - UTILITY MARKING FLAG. 21" LONG WIRE STAFF W/ 4" X 5" FLAG. GREEN W/ WHITE 411 LETTERING. "CAUTION BURIED SEWER LINE". FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL 811, VISIT WWW.SUNSHINE811.COM. ** 1000 FLAG PER CASE.**

#### BLACKBURN

Page: 262 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-SAFETY SUPPLIES

#### SFTGL

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, MEDIUM, 50 PAIR PER DISPENSER 100 BOX

#### MICROFLEX CORP.

SG375 M

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, LARGE, 50 PAIR PER DISPENSER 101 BOX

#### MICROFLEX CORP.

SG375 L

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, X-LARGE, 50 PAIR PER DISPENSER 102 BOX

#### MICROFLEX CORP.

SG375 XL

#### STREET LIGHT MATERIAL

#### STLLA

Item Description: INACTIVE - LAMP, MECURY VAPOR, 175W, E-28 BULB, MOGUL BASE, 8600 INITIAL LUMENS, 24000 HOURS 005 RATED LIFE.

GENERAL ELECTRIC CO.	IWASAKI/EYE LIGHTING	PHILLIPS LIGHTING
HR175DX39	HF175-PD	H39KC-175/DX
SYLVANIA		
H39KC-175/DX		

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### TAPE

#### TAPDU

Item 1	Description:	TAPE,	DUCT,	2 "	X 60	YARD/ROLL	MEDIUM	STREN	IGTH,	WATER	PROOF	POLYETHYLENE	LAMINATED	TO	CLOTH/
001		RUBBE	R RESIN	JA	DHESIV	/E, SILVER	, (STD.	PKG.	24 E	EACH)					

3м	SCOTCH	SHURTAPE TECHNOLOGIES, INC.
3939-48MMX55M	SCOTCH 398	618S-2X60Y
TAPE PRODUCTS COMPANY	TUCK INDUSTRIES INC.	
300S-2X60Y	92-T	

#### TAPMS

Item Description: TAPE, MASKING, 2" X 60 YARD/ROLL, (STD. PKG. 24 EACH), EXPIRATION DATE MUST APPEAR ON EACH 002 INDIVIDUAL ITEM

 3M
 SHURTAPE TECHNOLOGIES, INC.

 232-48MM-55M
 2"X2160IN.

#### TAPSE

Item	Description:	TAPE,	TEFLON,	THREAD	SEAL,	1/2"	WIDE	X 20	60"	ROLL	
003	MARKAL CO.				TAPE PRODUCTS COMPANY						
	47271				TEF	LON-1	/2 X	260			

## TIES

## TIECA

Item Description: TIE, CABLE, NYLON, 36" IN LENGTH MINIMUM, ONE PIECE, EXTRA HEAVY DUTY, 175 LBS. LOOP TENSILE 005 STRENGTH, (50 EACH TIES P/BAG), TO BE USED WITH THE INSTALLATION OF TRACER WIRE ON PVC PIPE,

#### CATAMOUNT

L-36-175-9-L

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

## TLSAA

<b>Item</b> 040	Description:	BAR, LINING (PINCH POINT BAR) - DIAMOND POINT, 1-1/4" X 60", TOOL STEEL, HEAT TREATED AND TEMPERED, 18 LBS
	AMES TRUE TEN 1160100	PER         MADISON           965
Item	Description:	INACTIVE - BAR-WRECKING, 3/4" X 24" WARREN, STANLEY, MADISON MILLS OR EQUAL
050	AMES TRUE TEN 1170500	PER WARREN HEIM CORP. TL-45
<b>Item</b> 070	Description:	BINDER, LOAD FOR 3/8" CHAIN, LOAD BINDERS TAKE UP SLACK AND SECURE LOAD IN OPERATION, LOAD LIMIT - 9200 LBS, SLACK TAKE-UP = 8". RATCHET TYPE BINDER. DROP FORGED COSTRUCTION WITH ALLOY GRAB HOOKS RUST RESISTANT FINISH.
	COLUMBUS MCKI 48366	NNON
Item	Description:	BLADE, HACK-SAW, 1/2" X 10", 24 TOOTH, (NO SUBSTITUTE)
080	L.S. STARRETT BS-1024	COMPANY
Item	Description:	BLADE, CIRCULAR SAW, 12" X 1", CARBIDE TIP, 5500 MAX R.P.M.
130	<b>AMANA TOOL</b> DB12-120	SUPER KING 12-12T
Item	Description:	BLADE SAW, CIRCULAR, 7-1/4", CROSSCUT, BLACK & DECKER, GRAINGER, OR EQUAL
150	<b>DEWALT INDUST</b> DW3324	RIAL TOOL CO. MILWAUKEE TOOLS 48-40-4120

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSAA

Item Description: BLADE, SAW, 12" DIAM. X 5/32" THICKNESS X 1"/20 MM ARBOR, 1 HOLE, MAX RPM 6000, HIGH SPEED 170 DOUBLE REINFORCED, ABRASIVE WHEEL, BLADE TO BE USED SPECIFICALLY FOR CUTTING DUCTILE OR CAST IRON PIPE. MUST MEET OSHA AND ANSI STANDARDS.

HOMELITE DIV. (TEXTRON INC.)MAGNUM68421B3012

Item Description: BLADE, SAW, 12" WIDE X 1/8" THICK, 1"/ 20 MM HOLE CENTERED, HI SPEED ABRASIVE CUTTING WHEEL FOR 180 CONCRETE/MASONRY, 6600 RPM MAX REINFORCED BLADE, BLAZER MASONRY, 6000 RPM MAX., REINFORCED BLADE

 NORTON ABRASIVES
 UNITED ABRASIVES

 66252837839
 23460

Item Description: BLADE, LIMESTONE, BRICK, CLAY, RECIPROCATING SAW

185 HITACHI

752042

Item Description: ABRASIVE HIGH SPEED CUTTING WHEEL, 14" X 1/4" WITH 1" ARBOR HOLE, FOR CUTTING ASPHALT, GREEN CONCRETE, PIPE, ETC. MAX SPEED 4365

Item Description: BLADE, FOR PVC PIPE CUTTER

 193
 RIDGE TOOL
 RIDGID TOOL

 92170
 92170

Item Description: BLADE, SAW, 18", PVC / ABS, 450 MM BLADES, CUTS ON BOTH THE PUSH AND PULL STROKES

- ¹⁹⁵ LENOX SAW STARRETT
  - 20981-HSB-18 PVC-18

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

## TLSAA

Item	Description:	BLADE, PVC PIPE CUTTER, FOR RIDGID TUBING CUTTER
197	<b>RIDGE TOOL</b> 22086	RIDGID TOOL 22086
<b>Item</b> 390	Description:	CHAIN, 1/2" - ALLOY STEEL, WORKING LOAD LIMIT 12,000 LBS. PROOF TESTED TO 22,500 LBS. MINIMUM BREAKING TEST 32,500 LBS. ACCOLOY #5116-10802 ONLY)
	<b>PEERLESS MFG.</b> 5050672	
<b>Item</b> 640	Description:	COOLER-WATER, 10 GALLON PLASTIC, IGLOO OR GOTT
	<b>IGLOO</b> 7279	RUBBERMAID PRODUCTS 1610
<b>Item</b> 720	Description:	CUTTER, ASPHALT (ASPHALT SPADE), SHANK SIZE TO BE 1-1/4" X 6", BLADE WIDTH TO BE 5", TO BE USED FOR BREAKING, EDGING AND SLOTTING ASPHALT.
	BICKNELL 281BMC	PIONEER TOOL 1050
Item	Description:	CUTTER, PIPE GALV(PIPE CUTTER CAPACITY 1/2" THROUGH 2") 4 WHEEL
750	<b>RIDGE TOOL</b> 32870	RIDGID TOOL 32870
<b>Item</b> 753	Description:	CUTTER, PIPE-FOR PVC PIPE,FOR PIPE SIZES 1/8" - 1-1/2", HARDENED STEEL BLADE, ONE HAND OPERATION, WITH BLADEGUARD, CUTTER TO UTILIZE A COMPOUND LEVERAGE RATCHET SYSTEM
	<b>RIDGE TOOL</b> 23498	RIDGID TOOL 23498

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSAA

 Item Description:
 CUTTER, FOR PVC, CPVC, PEX AND POLYETHYLENE, POLYBUTYLENE AND RUBBER HOSE, PIPE SIZE 1/2" TO 2

 757
 3/8", HARDENED STEEL BLADE, WITH BLADE GUARD, RATCHET SYSTEM, ALUMINUM CONSTRUCTION, BLADE

 REPLACEMENT AVAILABLE.
 NO SUBSTITUTIONS

#### RIDGID TOOL

30088

Item Description: CUTTER, TUBING, FOR 1/4" - 2-3/8" O.D. TUBING, WITH ENCLOSED FEED SCREW AND GROOVED ROLLS, 760 EXTRA CUTTER WHEEL SUPPLIED WITH CUTTER,

** NO SUBSTITUTE **

RIDGE TOOL	RIDGID TOOL
33055	33055

#### TLSBB

- Item Description: EASE OUT, 1/2", SCREW EXTRACTOR, FOR USE ON 3/4" THRU 1" BOLT SIZES, -OR- FOR USE ON 1/2" PIPE, 900 MUST MEET FEDERAL SPEC. #GGG-E-936C.
  - ARMSTRONG TOOLSPROTO PROFESSIONAL TOOLS70-962J9526
- Item Description: EASE OUT 3/8", SCREW EXTRACTOR, FOR USE ON 9/16" THRU 5/8" BOLT SIZES, OR USE ON 3/8" PIPE, 910 MUST MEET FEDERAL SPECS NO. GGG-E-936C.

ARMSTRONG INDUSTRIALPROTO PROFESSIONAL TOOLS70-958J9525

Item Description: EASE OUT 3/4", SCREW EXTRACTOR, FOR USE ON 1-1/8" THRU 1-3/8" BOLT SIZES, OR FOR USE ON 3/4" 920 PIPE, MUST MEET FEDERAL SPEC #GGG-E-936C.

## ARMSTRONG INDUSTRIALPROTO PROFESSIONAL TOOLS70-966J9528

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

Page: 268 of: 305

#### PUD-TOOLS

#### TLSBB

**Item Description:** EASE OUT 1", SCREW EXTRACTOR, TO BE USED ON 1" PIPE -OR- 1-1/2" BOLTS, MUST MEET FEDERAL 930 SPECIFICATIONS #GGG-E-936C.

#### STANLEY-PROTO INDUSTRIAL TOOLS

J9529

Item Description: EASE OUT, 1-1/2", SCREW EXTRACTOR, FOR USE ON 2-1/2" THRU 3" BOLT SIZES -OR- FOR USE ON 1-1/2" 940 PIPE,MUST MEET FEDERAL SPEC. #GGG-E-936C.

CHICAGO PNEUMATIC	CLEVELAND TWIST DRILL	GREENFIELD
11	C53661	65027

Item Description: EASE OUT, 2", SCREW EXTRACTOR, FOR USE ON 3" THRU 3-1/2" BOLT SIZES - OR- FOR USE ON 2" PIPE, 950 MUST MEET FEDERAL SPEC. #GGG-E-936C.

CHICAGO PNEUMATIC	CLEVELAND TWIST DRILL	GREENFIELD
12	C53662	65029

#### TLSCC

Item Description:HANDLE, SHOVEL - TRUE TEMPER HICKORY SHOVEL, 46" HANDLE . NO HANDLES LONGER THAN 46" WILL BE480ACCEPTED. DOUBLE PIN FASTENER. REPLACES HANDLES FOR TYPE "BLR" AND "BLS" TRUE TEMPER SHOVELS.

#### AMES TRUE TEMPER

2037400

#### TLSDD

- Item Description: J-PLUG, 4"-8" COMPLETE, MODEL #J-48-FOR 4", 6", AND 8" PIPE
- 570 SEWER EQUIPMENT CO.

J-48

- Item Description: J-PLUG 8" 12", (FOR 8", 10", & 12" PIPE)
- 575 SEWER EQUIPMENT CO.
  - J-812

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

## TLSDD

655

PIPE

Item	Description:	J-PLUG, 12" TO 18" FOR PIPES 12", 15", 16", 18"
580	<b>REMO</b> J-1218	SEWER EQUIPMENT CO. J1218
Item	Description:	J-PLUG, 18" TO 24" FOR PIPES 18"-24"
590	<b>SEWER EQUIPME</b> J-1824	ent CO.
Item	Description:	TELESCOPING ALUMINUM POLE, 8FT TO 20FT
604	<b>REMO</b> 130-6	SEWER EQUIPMENT CO. 130-6
Item	Description:	KIT, AIR, REMO-PLUG WITH POLY BRAIDED HOSE, GAUGE, AND FITTINGS
620	<b>OATEY CO.</b> 383408	<b>REMO</b> 381408
Item	Description:	PUMP HAND AIR, WITH GAUGE J-PLUG SEWER EQUIPMENT COMPANY OF FLORIDA.
630	<b>CHERNE</b> 273-958	SEWER EQUIPMENT CO. B-20
<b>Item</b> 650	Description:	J-PLUG, RUBBER SLEEVE 8"-12" W/STAINLESS STEEL BANDS, MODEL A8-12 - FOR 8", 10" AND 12" PIPE
Item	Description:	J-PLUG, RUBBER SLEEVES, 12"-18", WITH STAINLESS STEEL BANDS, MODEL #A12-18, FOR 12", 16", & 18"

XXJINVWCATL

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSDD

**Item Description:** SLEEVE, RUBBER J-PLUG, REPLACEMENT SLEEVE ONLY, FOR 18"-24" PIPE, WITH STAINLESS STEEL BANDS 657

- Item Description: KEY, CURB STOP, 1/2" X 4', 5/8" SOLID STEEL "T" HANDLE AND SHAFT. KEY HEAD TO BE MADE OF 1/4" 671 SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 1/2" WIDE. HEAD DIMENSIONS TO BE: 1" WIDTH X 1-1/4" HEIGHT X 1-1/2". CURB KEYS TO BE CONSTRUCTED AS PE
- Item Description: KEY, CURB STOP, 1/2" X 3', 5/8" SOLID STEEL "T" HANDLE AND SHAFT. KEY HEAD TO BE MADE OF 1/4" 672 SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 1/2" WIDE. HEAD DIMENSIONS TO BE: 1" WIDTH X 1-1/4 HEIGHT X 1-1/2". CURB KEYS TO BE CONSTRUCTED AS PER
- Item Description: KEY, CURB STOP, 3/4" X 3', 5/8" SOLID ST STEEL "T" HANDLE & SHAFT, KEY HEAD MADE OF 1/4" SOLID 673 CHANNEL IRON, "KEY" SLOT TO BE EXACTLY 3/4" WIDE, HEAD DIMENSIONS: 1-1/4" WIDTH X 1-1/4" HEIGHT X 1-1/2"

#### LIDDY'S MACHINE SHOP

CSW03JEA

Item Description: KEY, CURB STOP, 3/4" X 4', 5/8" SOLID STEEL "T" HANDLE & SHAFT. KEY HEAD TO BE 1/4" SOLID 675 CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 3/4" WIDE. HEAD DIMENSIONS: 1-1/4" WIDTH X 1-1/4" HEIGHT X 1-1/2"

#### LIDDY'S MACHINE SHOP

CSW04JEA

APR-05-19 04:21:56

XXJINVWCATL

Water and Wastewater Master Material Catalog

PUD-TOOLS

#### TLSDD

Item Description:KEY, CURB STOP, 3/4" X 5', 5/8" SOLID ST STEEL "T" HANDLE & SHAFT. KEY HEAD TO BE 1/4" SOLID677CHANNEL IRON."KEY" SLOT TO BE EXACTLY 3/4" WIDE. HEAD DIMENSIONS: 1-1/4" WIDTH X 1-1/4" HEIGHT<br/>X 1-1/2"

#### LIDDY'S MACHINE SHOP

CSW05JEA

**Item Description:** KEY, GATE VALVE, 6' X 1 ¼" ROUND STEEL TUBING, W/ 24" X 1-1/4" "T" HANDLE, FITS 2" VALVE 680 OPERATING NUTS

#### WATER KEY

SGVK-06

Item Description:WRENCH, VALVE - ADJUSTABLE W/ KEY HEAD - EXTENDABLE HANDLE WITH ADJUSTMENT SCREW - HANDLE685ADJUSTABLE FROM 5FT TO 10FT - FOR OPERATING VALVES WITH A STANDARD 2" OPERATING NUT, **CUSTOM<br/>FAB ONLY - NO SUB.**

CUSTOM FAB

VK5-10

- Item Description: KEY VALVE WHEEL 2" X 4'
- 690 LIDDY'S MACHINE SHOP 6811690
- Item Description: KEY VALVE WHEEL 2" X 5'
- 700 LIDDY'S MACHINE SHOP 6811700
- Item Description: KEY VALVE WHEEL 2" X 6'
- 710 LIDDY'S MACHINE SHOP 6811710

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

#### TLSEE

Item Description: RATCHET, 1/2" DRIVE, OVERALL LENGTH 10 1/2", **NO SUBSTITUTE** 315 STANLEY-PROTO INDUSTRIAL TOOLS J5449 Item Description: ROD, PROBE, HOT DIP GALVANIZED, 3/4" DIA. X 1' LENGTH "T" HANDLE WITH RUBBER GRIPS, ROD SHAFT 340 SHALL BE 1/2" DIA. X 4' LENGTH, (ROD POINT TO BE DIAMOND POINT) ** NO SUBSTITUTE ** CUSTOM FAB U.S. FILTER 654PR4 65PR4 Item Description: ROD, PROBE, HOT DIP GALVANIZED, WITH 3/4" DIA. X 1' LENGTH "T" HANDLE WITH RUBBER GRIPS, ROD 350 SHAFT SHALL BE 1/2" DIA. X 5' LENGTH, (ROD POINT TO BE DIAMOND POINT) ** NO SUBSTITUTE ** CUSTOM FAB U.S. FILTER 65PR5 65PR5 Item Description: RULER, FOLDING 6', IN TENTHS. 550 LUFKIN 1066N **Item Description:** HAND-SAW, 26", 8 POINT, (NO SUBSTITUTE) 560 STANLEY STANLEY - PROTO INDUSTRIAL TOO 15 - 72615-108 Item Description: SAW, HAND, PVC / ABS PIPE SAW WITH 18" BLADE, CUTS ON BOTH PUSH AND PULL STROKES. 565 LENOX SAW 20980-HSF-18 TLSFF

Item Description: SHOVEL, TRENCHING, V-SHAPE, BLADE SIZE 3 WIDE X 6.125" DEPTH, HARDWOOD HANDLE 48".

841 AMERICAN MANUFACTURING

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSFF

Item Description: SHOVEL, ROUND POINT, W/LIFETIME GUARANTEE HANDLE & #2 TEMPERED BLADE. ALL HANDLES TO BE 847 FIBERGLASS. ***SPO=6***

#### AMES TRUE TEMPER

45000

Item Description: SHOVEL, SQUARE POINT - WITH LIFETIME GUARANTEED HANDLE AND #2 TEMPERED BLADE, ALL HANDLES TO BE 857 FIBERGLASS.

NUPLA CORPORATION	RAZORBACK	UNION CARBIDE
SP2L	44000	45-161

- Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 4' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING 860 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON
- Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 6' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING 870 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 8' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING 880 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSFF

Item Description: SLING, NYLON - 2 PLY, 2 INCH BY 6 FEET. TO BE USED ON SPREADER BEAM ASSEMBLY LIFTING METER 882 VAULTS, PERMANENTLY ATTACHED METAL TAG WITH LIFT CAPT. VERT. 6,400 LBS., CHOKER 5,000 LBS., BASKET 12,800 LBS.

# INDUSCO LIFTALL 77865671 EE2-802X6

Item Description: LIFTING EYE, 3/4" X 8", SCREW END (COIL ROD)EYE IS FOR LIFTING LARGE W200 UTILITY BOXES MUST BE 887 COMPATIBLE W/ EXISTING CONCRETE STRUCTURES AND LIFTING EQUIPMENT LIFTING EYE TO HAVE A MINIMUM LIFTINGCAPABILITYOF2500LBS.

Item Description: LIFTING EYE, 1" X 7 3/4", SCREW END (COIL ROD) EYE IS FOR LIFTING LARGE CONCRETE METER VAULTS. 889 MUST BE COMPATIBLE WITH EXISTING CONCRETE STRUCTURES & LIFTING EQUIPMENT LIFTING EYE TO HAVE A MINIMUM LIFTING CAPABILITY OF 2500 LBS.

#### INDUSCO

CLE-CN491734

Item Description: SLING, 8 FOOT LONG, 6,400 LBS VERTICAL CAPACITY, SYSNTHETIC SLING MADE FROM ONE SKEIN OF YARN 892 WITH DOUBLE-WALL TUBULAR JACKET, WEAR POINTS ARE AJUSTABLE. VERT. 6,400 LBS., CHOKER 5,000 LBS., BASKET 12,800 LBS.

LIFTALL

77865681 EE2802NFX8

Item Description: SLING, NYLON, 2PLY, 2 INCHES BY 10 FEET LONG. RATED:6400 LBS VERTICAL, 5000 LBS CHOKER, 12800 893 LBS BASKET, PERMANENTLY ATTACHED WITH CAPACITY TAG.

#### LIFTALL

INDUSCO

EE2-802X10

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSFF

Item Description: SLING, NYLON, 2 PLY, 2 INCH BY 12 FEET, PERMANENTLY ATTACHED TAG, WITH LIFT CAP. VERT. 6,400 894 LBS., CHOCKER 5,000 LBS., BASKET 12,800 LBS..

#### LIFTALL

EE2-802X12

#### TLSGG

Item Description: TAPE, O.D. 6 FT., 146 IN., 100 THS., - FOR MEASURING THE OUTSIDE DIAMETER OF PIPE

240

**LUFKIN** W606PD

- **Item Description:** TAPE-STEEL, 10' (NO SUBSTITUTE)
- ²⁵⁰ LUFKIN
  - W9210
- Item Description: TAPE, STEEL, 25', TAPE (IN 10THS)
- ²⁵⁵ LUFKIN

HV1425D

PHV1425

Item Description: STEEL TAPE 100'

```
270 LUFKIN
```

100L

Item Description: TOOL, FLARING - FOR 3/4" COPPER TUBING, HAMMER TYPE FLARING TOOL, HARDENED STEEL, HOLLOW 290 CONSTRUCTION.

RIDGE TOOLRIDGID TOOLR41330R41330

Page: 276 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSGG

Item Description: TOOL FLARING PRESSURE 3/4", REED #06071

## 330 REED TOOLS

06071

Item Description: TOOL FLARING PRESSURE 1"

340

#### TLSHH

Item Description: WHEELBARROW, 6 CU. FT. HEAPED CAPACITY 5 1/2 LEV 16 GAGE TRAY, 2 PLY PHEUMATIC TIRES, OIL LUBE 800 BEARINGS, CONTRACTOR TYPE II, CLASS 2, GENERAL PURPOSE & CONCRETE TYPE IN ACCORDANCE WITH/FEDERAL SPECS, KKK-W-291-F

#### AMES TRUE TEMPER

M6T22

Item Description: WHEELCUTTER, CAST IRON, REED CATALOG #H16, FOR REED CUTTERS #H6, H8 & H12 REED MFG CODE 430 #698198; ITEM CODE #03524 ***** NO SUBSTITUTE ****

REED TOOLS

H16 / 03524

- Item Description: WHEELCUTTER, CAST IRON, 4"-12", RIDGID #83140, MODEL #E-3186
- 445 RIDGE TOOL RIDGID TOOL

83140

83140

Item Description: WHEELCUTTER, TUBING - WHEELCUTTER FOR RIDGID MODEL #205 TUBING CUTTER, RIGID MODEL #E-3469, 450 CATALOG #33185

#### RIDGE TOOL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSHH

Item Description: WHEELCUTTER, PIPE - WHEELCUTTER FOR RIGID MODEL #468C PIPE CUTTER, CUTTER WHEEL TO BE USED FOR 465 CUTTING CAST IRON PIPE. RIGID CATALOG #33135, RIGID MODEL #E-1962

RIDGE TOOL	RIDGID TOOL
33135	33135

#### TLSJJ

Item Description: SHELL, CUTTER 3/4"

## 200 MUELLER

507577

#### TLSLL

Item Description: BIT, DRILL AND TAP REGULAR 1" B-100 MACHINE

#### 450

**MUELLER** 680528

#### TLSMM

Item Description: WRENCH HOOK NUT FOR B100 MACHINE

## 300 MUELLER

500708

#### TLSNN

Item Description: BIT, DRILL REGULAR 1-7/8" FOR D-4 OR D-5 MACHINE

## 250 MUELLER

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

#### TLSPP

- Item Description: CUTTER, SHELL, 7/8", PVC, FOR E4, E5 AMD PL-2 DRILL MACHINES
- 640
  - 681920

MUELLER

- Item Description: CUTTER, SHELL, 1 1/2", PVC, FOR E4 & E5 MACHINES
- 660 MUELLER

528087

#### TLSQQ

- Item Description: ADAPTER NIPPLE (LONG), 3/4", FOR COMPRESSION OR COPPER THREAD OUTLETS, MUELLER PL-2 MACHINE.
- 426

**MUELLER** 507632

Item Description: ADAPTER NIPPLE, 1" - FOR COMPRESSION OR COPPER THREAD OUTLETS. MUELLER PL-2 MACHINE.

500 MUELLER

507633

- Item Description: ADAPTER NIPPLE (LONG), 1" FOR COMPRESS ION OR COPPER THREAD OUTLETS, MUELLER PL-2 MACHINE.
- 537 MUELLER

- Item Description: BORING BAR FOR PL2 MACHINE
- 600 **MUELLER** 
  - 507141
- Item Description: BORING BAR THREADED FOR PL2 MACHINE (OLD #507142)
- 700
  - **MUELLER** 509314

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

#### TLSQQ

Item Description: HOLDER, SHELL CUTTER, PVC, 1 1/2", 2" MACHINE

#### 725

40438

Item Description: INACTIVATE UPON DEPLETION - PIN, BORING BAR FOR PL2 MACHINE

## 800 MUELLER

507143

MUELLER

#### TLSRR

- Item Description: CUTTER SHELL 11/16" FOR PL2 MACHINE
- 000

681919

MUELLER

Item Description: INACTIVE: SAME AS TLSPP640: CUTTER SHELL, 7/8" FOR E4, E5 OR PL-2 MACHINE

005 MUELLER

681920

- Item Description: MACHINE, DRILLING PL-2, MUELLER MODEL #1 COMPLETE, LESS ADAPTER, DRILL BITS AND RATCHET HANDLE
- 010 MUELLER

MUE39502

Item Description: GASKET, ADAPTER NIPPLE 3/4" MUELLER #69549, FOR MUELLER PL - 2 MACHINE

050 MUELLER

69549

- Item Description: GASKET ADAPTER NIPPLE 1" MUELLER #52419 FOR MUELLER PL 2 MACHINE
- 060 MUELLER

H10895

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSUU

Item	Description:	RATCHET ARM, 5/8" SQUARE, LOWELL SERIES 10, HANDLE #15, W/ 5/8" GEAR SIZE , CAST MALLEABLE
500		IRON, REVERSING LEVER IN THE HEAD, GEARS ARE ENCLOSED AND REPLACEABLE, "BOLT THRU" GEARS.
	FORD	LOWELL CORPORATION
	DMRW	15901-92610
Item	Description:	ADAPTER, CORPORATION STOP, 3/4", FLARE COPPER ADAPTER FOR FORD MODEL 77 DRILL- ING MACHINE.
602		ADAPTER TO COME COMPLETE WITH GASKETS. **NO SUB**
	FORD	
	DMA2-3	
Item	Description:	ADAPTER, CORPORATION STOP, 1", FLARE COPPER ADAPTER FOR FORD MODEL 77 DRILL- ING MACHINE.
617		ADAPTER TO COME COMPLETE WITH GASKETS. **NO SUB**
	FORD	
	DMA2-4	
Item	Description:	ADAPTER, 1-1/2" - COPPER FLARE ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH GASKETS.
636	FORD	
	DMA2-6	
Item	Description:	ADAPTER, 2" - COPPER FLARE ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH GASKETS.
643	FORD	
	DMA2-7	
Item	Description:	ADAPTER, 2" - MUELLER CORPORATION COCK ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH
661		GASKETS.
	FORD	
	DMA1-7	

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### Page: 281 of: 305

#### PUD-TOOLS

#### TLSUU

Item Description: ARBOR, DRILLING MACHINE - ARBOR TO COME COMPLETE WITH PILOT DRILL AND HOLE SAW SPACER. USED ON FORD MODEL 77 DRILLING MACHINE (BORING BAR #DMBB-67).

#### FORD

DMA-67

Item Description: DRILL, 1-3/8" - HIGH GRADE DRILL BIT FOR USE WITH FORD MODEL 77 DRILLING MACHINE. USED WITH 1-903 1/2" CORP STOPS ON DUCTILE/ CAST IRON PIPE.

#### FORD

DMSC-6-DI

Item Description: DRILL, 1-7/8" - HIGH GRADE DRILL BIT FOR USE WITH FORD MODEL 77 DRILLING MACHINE. USED WITH 2" 926 CORP STOPS ON DUCTILE/CAST IRON PIPE.

#### FORD

DMSC-7-DI

#### TLSVV

- Item Description: DRILL, 11/16" DRILL FOR FORD MODEL 77 DRILLING MACHINE. USED ON 3/4" CORP STOPS.
- 001 **FORD**

200760

DMD-3

- Item Description: DRILL, 7/8" DRILL FOR FORD MODEL 77 DRILLING MACHINE. USED ON 1" CORP STOPS
- 029 **FORD** 
  - DMD-4A
- Item Description: BORING BAR FOR 11/16" DRILLS AND SHELL CUTTERS, (3/4" CORP STOPS) FORD MODEL 77 DRILLING 033 MACHINE,

#### FORD

DMBB-3

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSVV

<b>Item</b> 037	Description:	BORING BAR - FOR 7/8" DRILLS AND SHELL CUTTERS, (1" CORP STOPS) FORD MODEL NO. 77 DRILLING MACHINE
	<b>ford</b> DMBB-4A	
Item	Description:	BORING BAR - FOR 1-1/2" AND 2" CORP. STOPS, FORD MODEL 77 DRILLING MACHINE.
041	<b>FORD</b> DMBB-67	
<b>Item</b> 045	Description:	SHELL CUTTER, 11/16" - SHELL CUTTER FOR PVC,SHELL FOR FORD MODEL 77 DRILLING MACHINE (FITS BORING BAR #DMBB-3)
	<b>FORD</b> DMSC-3	
<b>Item</b> 052	Description:	SHELL CUTTER, 7/8" - SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE (FITS BORING BAR #DMBB-4A)
	<b>ford</b> DMSC-4A	
Item	Description:	SHELL CUTTER, 1 3/8", SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE
060	<b>FORD</b> DMSC6PVC	
Item	Description:	SHELL CUTTER, 1 7/8", SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE
065	FORD DMSC7PVC	
Item	Description:	HANDWHEEL AND FEEDSCREW, FOR FORD MODEL 77 DRILLING MACHINE
078	<b>FORD</b> DMHF	

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-TOOLS

### TLSVV

Item Description: GASKET, ADAPTER - 1-1/2", INSIDE GASKET FOR FORD ADAPTER #DMA2-6 (COPPER FLARE). FORD MODEL 77 169 DRILL MACHINE (GT-143)

#### FORD

GT-143

Item Description: GASKET, ADAPTER - OUTSIDE, FORD MODEL 77 DRILLING MACHINE. FOR ALL SIZES OF CORPORATION STOPS. 194 FORD #DMOG

#### FORD

FGT130

Item Description: BODY, REPLACEMENT PART, FOR THE FORD MODEL 77 DRILLING MACHINE

## ²⁰⁰ **FORD**

F(DMB)

#### TOOLS

## TOLCE

001

Item Description: CORD, EXTENSION, 50', 3/C #14, 15 A, 125 VOLT, 1875 W

001	AMERICAN INSULATED WIRE CORP.	CAROL CABLE	GENERAL
	2283	03356	3661
	TRIANGLE - PWC INC.		
	CT-264500		

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### TOOLS

#### TOLCW

Item Description: WRENCH, COMBINATION, 1 1/16" OPEN AND 12 POINT BOXED-END, STANDARD LENGTH, CHROME PLATED

013ARMSTRONG TOOLSBLACKHAWKCRAFTMAN TOOLS25-234BW-117144706PROTO PROFESSIONAL TOOLSSK HAND TOOL CORP.SNAP ON TOOLSJ1234ASDC34OEX34WILLIAMS MACHINE & TOOL CO.1171

#### TOLGA

Item Description: CAN, GAS, METAL, YELLOW, 5 GAL

eagle MFG. CO.

U1-50-SY

#### TOLMR

Item Description: ON HOLD-TOOL, MANHOLE COVR LIFT & REMOVAL, UNIVERSAL FREE SLIDING SLEEVE ADJUSTMENT W/HOOK 002 ASSEMBLY FOR LIFT VARIOUS SIZE LIDS. 1" DIA X 60" LENGTH HIGH STRENGTH ALUM. HANDLE W/ 2" X 6" X 1/4" THICK TEMPERED STEEL HOOK, 12" CHAIN CONNECTOR.

#### SILVER SLIDER INCORPORATED

SS-06-01-SE

#### TOLSH

Item Description: SHOVEL, SQUARE POINT, #2, 9-1/2" X 12", 47" HANDLE, (NO SUBSTITUTE) [SPQ 24 EA]

001 RAZORBACK

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### TOOLS

### TOLUP

Item Description: TOOL, PROBE, FIBERGLASS UTILITY, 1/2" X 48" SHAFT, 5/8" X 3/4" TIP, 8 1/4" T-HANDLE

001 **HISCO** 

#HIUP-48

#### TOLWR

**Item Description:** WRENCH, ONE HAND METER, CAPACITY FITTING 1/8 - 3/4, LENGTH - 11". USED FOR WATER METER 050 INSTALLATION AND REPAIR.

#### REED TOOLS

MW 3/4

Item Description: WRENCH, ONE HAND METER, ITEM CODE 02281, CAPACITY - FITTING 1 - 1 1/4 LENGHT - 16' WEIGHT - 3.1 055 LBS.

#### REED TOOLS

MW 1-1/4

Item Description: RATCHET WRENCH, COMBINATION, 9/16" X 3/4", HEAVY DUTY FORGED AND 12 POINTS BOXED END

212 RAUCKMAN UTILITY PRODUCTS

BW-203HD

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVAA

<b>Item</b> 200	Description:		150 PSI MIN. PRESSURE, 1" NPT INLET WITH STAINLESS STEEL INTERNAL MOVING	
	<b>APCO VALVE &amp;</b> 200A	PRIMER CORP.	CRISPIN PL10	<b>GOLDEN ANDERSON</b> 910
<b>Item</b> 210	Description:		", 150 PSIG MINIMUM, 2" NPT INLET, FO ING PARTS, INCLUDING TRIM & FLOAT	R USE ON POTABLE WATER, DUCTLE IRON
	<b>APCO VALVE &amp;</b> 200A	PRIMER CORP.	CRISPIN PL10	<b>GOLDEN ANDERSON</b> 920
Item	Description:	VALVE, AIR & PRIMER, 1	" INLET, POTABLE WATER APPLICATIONS,	USED ON PUMP
237	APCO VALVE & 200AP.1	PRIMER CORP.	CRISPIN VPL10	
<b>Item</b> 261	Description:		ZE, FIP X FIP, QUARTER TURN, LEVER-TY ED TFE SEAT; CHROME PLATED BALL; THRE	
	<b>NIBCO</b> T585-80-LF			
<b>Item</b> 300	Description:		, 3/4", TRUE UNION TYPE, VALVE TO BE S, EPDM O-RINGS, TEFLON SEATS, FULL P	
	<b>NIBCO</b> U45TB-E U45TBE			
<b>Item</b> 305	Description:		STEEL, 2"THREADED, BLOW-OUT-PROOF ST AND NUT CERTIFIED TO API 607, 4TH EDI	
	<b>APOLLO VALVES</b> 76-108-01		<b>WATTS</b> S8000-M3	

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

VLVAA

 Item Description:
 VALVE, BALL - PVC/CPVC, 2", TRU UNION TYPE, VALVE MUST COME WITH BOTH SOCKET & THREADED END

 310
 CONNECTORS, EPDM O-RINGS, TEFLON SEATS, FULL PORT DESIGN, 150 PSI AT 73 DEGREES, BI 

 DIRECTIONAL. CHEMTROL TRU-UNION

Item Description: ***INACTIVE ONCE DEPLETED*** VALVE, BUTTERFLY 20", CAST IRON BODY, , MECHANICAL JOINT, 2" 530 OPERATING NUT WITH BURIED SERVICE ACTUATOR. LOW TORQUE AND BUBBLE TIGHT SHUTOFF. W/ ACCESSORIES.

Item Description: ***INACTIVE ONCE DEPLETED*** VALVE, BUTTERFLY 24", CAST IRON BODY, , MECHANICAL JOINT, 2" 540 OPERATING NUT WITH BURIED SERVICE ACTUATOR. LOW TORQUE AND BUBBLE TIGHT SHUTOFF. W/ ACCESSORIES.

Item Description: VALVE, CHECK, 1-1/2", HORIZONTAL SWING, AWWA BRONZE, RENEWABLE SEAT, 125 WSP/200 WOG, Y-860 PATTERN, THREADED, FOR POTABLE WATER SERVICE.

NIBCO	STOCKHAM VALVES AND FITTINGS	WATTS EDP
T-413-Y-LF	B-345	CVY

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

#### VLVBB

Item Description: VALVE, GATE 3" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-112 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL	AMERICAN RD	AVK
2503	D100	SERIES 45
CLOW	KENNEDY VALVE	M&H
F-6102	4571	4067
MUELLER	US PIPE	
A2360, A2361	250	

**Item Description:** VALVE, GATE 4" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-115 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL	AMERICAN RD	AVK
2504	D100	SERIES 45
CLOW	KENNEDY VALVE	M&H
F-6100	4571	4067
MUELLER	US PIPE	
A2360, A2361	250	

Item Description:VALVE, GATE 6" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-120RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES

AMERICAN RD	AVK
D100	SERIES 45
KENNEDY VALVE	M&H
4571	4067
US PIPE	
250	
	D100 KENNEDY VALVE 4571 US PIPE

#### Page: 288 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

# VLVBB

Item Description: VALVE, GATE 8" - CAST IRON, MECHANICAL JOINT, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-140 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL	AMERICAN RD	AVK
2508	D100	SERIES 45
CLOW	KENNEDY VALVE	M&H
F-6100	4571	4067
MUELLER	US PIPE	
A2360, A2361	250	

Item Description:VALVE, GATE 10" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-150RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL	AMERICAN RD	AVK
2510	D100	SERIES 45
CLOW	KENNEDY VALVE	M&H
F-6100	4571	4067
MUELLER	US PIPE	
A2360, A2361	250	

Item Description: VALVE, GATE 12" - CAST IRON, MECHANICAL JOINT, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-160 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN RD	AVK
D100	SERIES 45
KENNEDY VALVE	M&H
4571	4067
US PIPE	
250	
	D100 KENNEDY VALVE 4571 US PIPE

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

# VLVBB

<b>Item</b> 167	Description:		RON BODY, BRONZE MOUNTED, RESILIENT : MODEL # F6100, (AS PER APPROVED GA	
	<b>AFC</b> 2514 <b>U.S. PIPE</b> 5860		<b>KENNEDY VALVE</b> 950-X	<b>M &amp; H</b> 4067
<b>Item</b> 170	Description:		IRON BODY, BRONZE MOUNTED, RESILIENT S PER APPROVED GATE VALVE LISTING) OP	
	<b>AFC</b> 2516		<b>M &amp; H / CLOW</b> F6100 / 4067-01	
<b>Item</b> 180	Description:		IRON BODY, BRONZE MOUNTED, RESILIENT CESSORIES. APPROVED VALVES ONLY	SEAT, MECHANICAL JOINT, NON-RISING
	<b>AFC</b> 2520		<b>M&amp;H</b> 4067-01	
<b>Item</b> 184	Description:		IRON BODY, BRONZE MOUNTED, RESILIENT (AS PER APPROVED GATE VALVE LISTING	
	<b>AMERICAN FLOW</b> 2524 <b>U.S. PIPE</b> 5460	CONTROL	<b>M &amp; H</b> 4067-01	<b>M&amp;H</b> 4067-01
<b>Item</b> 220	Description:		BRONZE - 1/2", FIP, 150 PSI CLASS, 1 ST BE SUPPLIED PER APPROVED VALVE LIS	, , ,
	<b>HAMMOND</b> IB646 IB638		<b>NIBCO</b> T-133 T-136	STOCKHAM VALVES AND FITTINGS B131 B130

Page: 291 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVBB

Item Description: VALVE, GATE, BRONZE - 3/4", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING STEM.
230 VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS STOCKHAM, NIBCO, HAMMOND,
MILWAUKEE OR EQUAL.

HAMMOND	NIBCO	STOCKHAM VALVES AND FITTINGS
IB646	Т-136	B131
IB638	Т-133	B130

Item Description:VALVE, GATE, NO LEAD BRONZE - 1", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING240STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

#### NIBCO

T-113-LF 1"

Item Description: VALVE, GATE, NO LEAD BRONZE - 1-1/4", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-250 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFACATIONS.

#### NIBCO

T-113-LF 1-1/4"

Item Description: VALVE, GATE, NO LEAD BRONZE - 1-1/2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-260 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

#### NIBCO

T-113-LF 1-1/2"

Item Description:VALVE, GATE, NO LEAD BRONZE - 2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING270STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS

#### NIBCO

T-113-LF 2"

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

# VLVBB

Item Description:VALVE, GATE, BRONZE - 3", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING STEM.280VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS STOCKHAM, NIBCO, HAMMOND,<br/>MILWAUKEE OR EQUAL.

HAMMOND	NIBCO	STOCKHAM VALVES AND FITTINGS
IB646	T-133	B130
IB638	T-136	B131

Item Description: VALVE, GATE, 4", CAST IRON, FLANGED, NON-RISING STEM, HANDWHEEL, 8-HOLE, RESILENT WEDGE ONLY, 293 OPEN LEFT, APPROVED GATE VALVES ONLY, AMERICAN AFC, M & H.

#### MATCO-NORCA INC.

10RW

Item Description: VALVE, GATE 3" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING
300 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL	CLOW	М&Н
2503	3-F6102	3-4067-02
MUELLER		
3-A2360-6		

Item Description: VALVE, GATE 4" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING 305 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL	CLOW	M & H
2504	4-F6102	4-4067-02
MUELLER		
4-A2360-6		

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVBB

Item Description: VALVE, GATE 6" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING 310 STEM, OPERATING NUT. AFC CLOW М&Н 2506 6-F6102 6-4067-02 MUELLER 6-A2360-6 Item Description: VALVE, GATE 8" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING 315 STEM, OPERATING NUT. AMERICAN FLOW CONTROL CLOW М&Н 2508 8-F6102 8-4067-02 MUELLER 8-A2360-6 Item Description: VALVE, GATE 10" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING 320 STEM, OPERATING NUT. AMERICAN FLOW CONTROL CLOW М&Н 2510 10-F6102 10-4067-02 MUELLER 10-A2360-6 VLVBW Item Description: INACTIVE ONCE DEPLETED - VALVE, BACKWATER, 4", PVC SCH 40, VALVE TO COME COMPLETE W/ THREADED

 002
 ACCESS COVER FOR INSPECTION AND CLEANING OF DRAIN LINE, FLAPPER AND COVER MUST HAVE ELASTOMERIC

 GASKET. NSF APPROVED ** NO SUBTITUTES **

PLUM BEST

BO4-400

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

# VLVCC

Item Description: INACTIVE AT 0 - VALVE, PLUG 12", CAST IRON, MJ, W/O ACCESSORIES, 2" OPERATING NUT, (DEZURIK 540 ORDER CODE=1200, FIG. 118, M, 6, RS17, ABG6H12, FIG. 309). VALVE MUST INCLUDE A GEAR ACTUATOR SUITABLE BURIED SERVICE. DEZURIK, MILLIKEN OR EQUAL.

## DEZURIK

FIG. 118

Item Description: INACTIVE AT 0 - VALVE, PLUG 24", CAST IRON, MECHANICAL JOINT, W/ACCESSORIES, 2" OPERATING NUT 550 WITH GEAR ACTUATOR (DEZURIK ORDER CODE =2400, FIG. 118, M, 6, RS17, ABG12H12, FIG. 309) DEZURIK OR EOUAL

#### DEZURIK

FIG. 118

Item Description: VALVE, AIR RELEASE 2", 150 PSI MIN., 2" NPT INLET SIZE, FOR SEWER SYSTEMS, STAINLESS STEEL BODY 700 W/ CORROSION- RESISTANT POLYMER MATERIALS OR SS INTERNAL MOVING PARTS, INCLUDING TRIM & FLOAT, AND WAY OUT FEATURE

#### ARI

FORD

D-025ST

## VLVDD

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1" PE COMP X FIP BALL CURB LW.

007

009

B61-444W-NL

Item Description: NO LEAD VALVE, CORP STOP, 1", CC THREAD X FIP THREAD. INVERTED KEY (GROUND KEY) OR BALL TYPE.

009	A.Y. MCDONALD	FORD	MUELLER
	4113-145	F1600-4-NL	H-10045
			B-20045

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVDD

Item Description: NO LEAD VALVE, CORP STOP 2" INLET: COPPER TO COPPER THREAD; OUTLET: FIP THREADS

012

FB16007

FORD

FB1600-7

Item Description: NO LEAD VALVE, CORP STOP, 1" MIP INLET: 1" COMPRESSION FOR POLYBUTYLENE TUBING OUTLET (P/N F 115 1100-4)

## FORD

F1100-4-NL

**Item Description:** NO LEAD VALVE, CORP STOP, 1-1/2", INLET: AWWA COPPER TO COPPER THREAD, OUTLET: COMPRESSION OR 120 PACK JOINT.

#### FORD

FB1000-6-NL

Item Description: NO LEAD VALVE, CORP STOP, 1-1/2", BALL TYPE, INLET TO BE MALE IRON PIPE THREAD, OUTLET TO BE 127 COMPRESSION FOR 250 PSI POLYBUTYLENE.

#### FORD

FB-1100-6-NL

Item Description:INACTIVE - NO LEAD VALVE, STOP CORP 1-1/2" X 2", INLET: COPPER TO COPPER THREAD, OUTLET:130COPPER, NO GASKET REQUIRED, W/STRAIGHT COUPLING NUT.

FORD	MUELLER
FB-600	H-15000
FB600-67	

Item Description: NO LEAD VALVE, CORP STOP, 2", INLET: COPPER TO COPPER THREAD, OUTLET: COMPRESSION (OR PACK 140 JOINT)

FORD	MCDONALD
FB1000-7-NL	4701B-22FT

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVDD

Item Description: NO LEAD VALVE, CORP STOP, 2", BALL TYPE, IRON PIPE THREAD

# ¹⁴⁷ **FORD**

FB1100-7-NL

**Item Description:** NO LEAD VALVE, CORP STOP, 3/4", INLET: COPPER TO COPPER THREAD; OUTLET: CONDUCTIVE COMPRESSION 160 CONNECTION FOR TYPE "K" COPPER SERVICE PIPE OR PLASTIC PIPE HAVING SAME O.D.

#### FORD

F1000-3-NL

Item Description:NO LEAD BRASS VALVE, CORP STOP 1", INLET: COPPER TO COPPER THREAD; OUTLET: CONDUCTIVE170COMPRESSION CONNECTION FOR TYPE "K" COPPER SERVICE PIPE OR PLASTIC PIPE HAVING SAME O.D.

## FORD

F1000-4-NL

- Item Description: NO LEAD VALVE, CORP STOP 1-1/2", OUTLET; INCREASING I.P. THREAD, INLET: AWWA CC THREAD, NO 200 COUPLING, (OLD STYLE)
  - A.Y. MCDONALD
     FORD
     MUELLER

     73121B 1½"
     FB800-6-NL
     B-20003N
- Item Description: NO LEAD BRASS VALVE, CORP STOP, 2" X 2-1/2", INLET: COPPER TO COPPER, OUTLET: INCREASING IRON 210 PIPE THREAD.

#### FORD

FB800-7-NL

Item Description: NO LEAD VALVE, CURB STOP, COPPER TO COPPER - 3/4", INVERTED KEY ROUNDWAY WITH CHECK LOCK TYPE, 300 INLET: COPPER, OUTLET: FEMALE IRON PIPE THREAD

FORD

ZVC-1W-NL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVDD

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP - 3/4", BALL TYPE, FULL PORT ROUNDWAY, WITH LOCK 304 WING, COMPRESSION (OR PACK JOINT)

## FORD

B41-333W-NL

Item Description: NO LEAD VALVE STOP CURB COPPER TO COPPER 1", INVERTED KEY ROUNDWAY WITH CHECK LOCK TYPE, INLET: 310 COPPER, OUTLET: FEMALE IRON PIPE THREAD

## FORD

ZVC-3W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP - 1", BALL TYPE, FULL PORT ROUNDWAY, WITH LOCK 314 WING, COMPRESSION (OR PACK JOINT)

#### FORD

B41-444W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, BALL, CURB STOP, 1-1/2", BALL TYPE FEMALE IRON PIPE X COMPRESSION (OR 320 PACK JOINT), FULL PORT ONLY, PADLOCK WINGS.

#### FORD

B41-666W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 3/4", BALL TYPE, FIP X FIP, WITH LOCK WING, FULL PORT 404 ONLY,

## FORD

B11-333W-NL

- Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1", BALL TYPE , FIP X FIP, WITH LOCK WING, FULL PORT ONLY,
- 414 **FORD**

B11-444W-NL

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVDD

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1-1/2", BALL TYPE, FEMALE IRON PIPE ON BOTH ENDS, FULL PORT, 420 TO BE SUPPLIED WITH PADLOCK WINGS.

## FORD

B11-666W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 2", FIP X FIP, BALL VALVE, FULL PORT, TO BE SUPPLIED WITH 500 PADLOCK WINGS

## FORD

B11-777W-NL

**Item Description:** NO LEAD CONSTRUCTED VALVE, CURB STOP, 2", COMPRESSION X FIP, BALL VALVE, FULL PORT, TO BE SUPPLIED WITH PADLOCK WINGS.

## FORD

B41-777W-NL

## VLVEE

Item Description: VALVE, TAPPING 4", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT, 110 WITHOUT ACCESSORIES AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

**Item Description:** VALVE, TAPPING 6", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT, 120 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 8", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT, 130 WITHOUT ACCESSORIES AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED. XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-VALVES

## VLVEE

Item Description:VALVE, TAPPING 10", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,140WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 12", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT, 150 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

# VLVFF

. . .

Item Description: BOX, VALVE - PLATE W-17, ADJUSTABLE ROADWAY. ** 2 PIECE HEAVY DUTY VALVE BOX ONLY, SHIP 000 ASSEMBLED AND PALLETIZED. STACK NO MORE THAN 2 HIGH ON PALLET. LIDS OR COVERS ARE ORDERED AND SHIPPED AS SEPERATE LINE ITEMS.

EAST JORDON IRON WORKS	OPELIKA FOUNRDY	RUSSCO
85501922	4905 (SIZE 18) (HD)	VB2612X
SIGMA	STAR PIPE PRODUCTS	TYLER PIPE
VB2612X	VB461S	461-SH (HD)

3

Item Description: BOX, VALVE JACKET RISER, 5-1/4" X 3". HEAVY DUTY

010	SIGMA	STARR
	VB-2603	VBR -

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-VALVES

## VLVGG

Item Description: COVER, VALVE BOX, HEAVY DUTY ADJUSTABLE - COVER TO BE MARKED "SEWER". DETAIL PLATE #S-31. ** 845 BOX COVER ONLY. COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.

OPELIKA FOUNRDY	RUSSCO	STAR PIPE PRODUCTS
4905(18) (HD)	VB 26005 (HD)	VB 461 SHD
TYLER PIPE	U.S. FOUNDRY	
461-SH (HD)	7500 (HD)	

Item Description: COVER, VALVE BOX, HEAVY DUTY ADJUSTABLE - COVER TO BE MARKED "WATER". DETAIL PLATE #W-16. ** 850 COVER ONLY. COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.

EAST JORDON IRON WORKS	OPELIKA FOUNRDY	SIGMA
6800	4905 (HD)	VB2600
STAR PIPE PRODUCTS	TYLER PIPE	U.S. FOUNDRY
VBLIDHD	461-SH (HD)	7500 (HD)

Item Description: COVER, VALVE BOX, HEAVY DUTY/DOMESTIC- APPROX-12LB COVER TO BE MARKED "REUSE" **** BOX COVER 855 ONLY. DETAIL PLATE #W-16 . **COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.****

#### TYLER PIPE

458975

Item Description:INACTIVE - DEBRIS CAP, ADJUSTABLE VALVE BOX - CAP TO BE COLOR CODED BLUE (FOR WATER USE), CAP877TO COME COMPLETE WITH LOCKING ADAPTER FOR STANDARD PADLOCK. --

## S. W. SERVICES

DC500

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

## PUD-VALVES

# VLVRF

Item Description:VALVE, PRESSURE REDUCING, 8" BERMAD, W/ELECTRIC REMOTE CONTROL 2-WAY SOLENOID, W\Y PAATTERN108DESIGN, ACTUATOR MUST INCLUDE V-PORT THROTTLING PLUG, 7-200 PSI ADJUSTMENT CLOSING SPEED<br/>CONTROL, ISO 9002 QUALITY ASSURANCE STANDARD.

# BERMAD

720-55BP-08-Y-I-A1-VI

Item Description:VALVE, PRESSURE REDUCING, 10" BERMAD, W/ELECTRIC REMOTE CONTROL 2-WAY SOLENOID, W/Y PAATTERN110DESIGN, ACTUATOR MUST INCLUDE V-PORT THROTTLING PLUG, 7-200 PSI ADJUSTMENT CLOSING SPEED<br/>CONTROL, ISO 9002 QUALITY ASSURANCE STANDARD.

## BERMAD

720-55BP-10-Y-I-A1-VI

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### WASHERS

# WASFG

Item Description: WASHER, 3/4", FLAT ROUND, 316 SS ** STD. PKG. 100 EACH ** 650

## PUD-WELLPOINT MATERIAL

## WPTAA

Item Description: WELLPOINTS, SELF JETTING, TOP THREADED FOR 1-1/2" STANDARD PIPE, 2.60 O.D., REMOVABLE PVC 010 SCREEN, HEAVY DUTY STEEL INFLOW PIPE WITH SUCTION HOLES AT THE BOTTOM, ANGULAR CAST JET HEAD WITH HEAVY CUTTING TEETH AND A SINGLE BALL VALVE. ** MUS

Item Description: ELBOW, HOSE - 90 DEGREE WELLPOINT (SWING JOINT) PLASTIC ELBOW, ELBOW COMES WITH THREE O-RINGS, 020 ONE END TO BE MALE HOSE SLIP-ON,OTHER END TO BE O-RING CONNECTOR **ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS** ** NO SUBSTITUTE **

Item Description: INACTIVE - CLAMP, HEADER, WELLPOINT, 4", QUICK DISCONNECT STAINLESS STEEL SCREW CLAMP. PART
050 #128 QD CLAMP **ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS*

Item Description: CLAMP, HEADER, WELLPOINT, 6", QUICK DISCONNECT STAINLESS STEEL SCREW CLAMP. PART #56128 QD 060 CLAMP **ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS*

Page: 303 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-WELLPOINT MATERIAL

WPTAA

Item Description: INACTIVE - SLEEVE RUBBER 6" WELLPOINT HEADER ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT 090 SYSTEMS **

Item Description: HOSE, WATER/AIR, 1"(125.4 MM), WITH BRASS MALE/FEMALE HOSE CONNECTORS ON EACH END, 200 PSI 120 PRESSURE MINIMUM, GOODYEAR "HORIZON" HOSE OR EQUAL. HOSE TO BE IN 100 FT LENGTHS ONLY. ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS *

**Item Description:** ADAPTER, HOSE - MALE, 1 1/2". ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS ** 125

Item Description: O'RING, WELLPOINT 2-1/8" I.D. PART #315 (FOR SWING JOINT ELBOWS) ** ITEM MUST BE COMPATIBLE
140 WITH COMPLETE WELLPOINT SYSTEMS **

 Item Description:
 PIPE, PVC, 4", WELLPOINT HEADER PIPE, SCH40 PIPE, 20 FT LENGTHS, COMPLETE WITH SPECIAL RED

 151
 RUBBER INSERTS, HOLED ON 3 FT CENTERS (7 INSERTS). HOLLAND PUMP MANUFACTURING ***** NO

 SUBSTITUTE *****

Page: 304 of: 305

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

#### PUD-WELLPOINT MATERIAL

## WPTAA

Item Description: PIPE, PVC, 6",WELLPOINT HEADER, TYPE SCH40 PVC PIPE, 20 FT LENGTHS, PIPE MUST HAVE 2" SADDLES 160 PER COMPLETE WELLPOINT SPECIFICATIONS. NOTE: MUST BE COMPLETE DEWATERING PUMPS AND WELL, WELLPOINT SYSTEMS.

#### COMPLETE DEWATERING AND WELL

P/N

Item Description: JOINT, SWING, WELLPOINT COMPLETE ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS** 180

Item Description: **KLEWIS REV7/10/14JOINT, SWING, WELLPOINT-6FT LENGTH, WITH ONE ACRYLIC TAPER FIT ELBOW AND ONE 208 O-RING ELBOW, CLEAR HOSE TO BE BANDED.ONE END FITS HOLLAND RED RUBBER INSERTS AND ONE END FITS EXISTING 2"WELLPOINTS.HOLLAND MFG **NO SUBSTITUTE**

Item Description: TOP, WELLPOINT (RISER TOPS), ALUMINUM, ONE PIECE, 1-1/2" FEMALE THREAD ON ONE END AND OTHER END 210 TO BE CUPPED AND BEVELED TO FIT WELLPOINT SWING JOINT -- TO BE COMPATIBLE AND INTERCHANGEABLE WITH COMPLETE WELLPOINT SYSTEMS

Item Description: INSERT, HEADER PIPE - BLUE RUBBER, 1-1/2", FOR 4" HEADER, FOR USE WITH HOLLAND TAPER FIT SWING JOINT ELBOW. HOLLAND PUMP MANUFACTURING ***** NO SUBSTITUTE ****

XXJINVWCATL

APR-05-19 04:21:56

Water and Wastewater Master Material Catalog

# PUD-WELLPOINT MATERIAL

WPTAA

Item Description:PLUG, HEADER PIPE - VACUUM HAT (PLUG) FOR HOLLAND PUMP RUBBER INSERTS, SOLID PLASTIC (NEW377STYLE). HOLLAND PUMP MFG ***NO SUBSTITUTE***

Item Description: PLUG, HEADER, WELLPOINT, 2" PART #315 ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT 440 SYSTEMS **

Item	Description	Pages
ACCMJ	PUD-MECHANICAL JOINT ACC.	1-2
ADCCL	ADHESIVES & COMPOUNDS	3
ADCMI	ADHESIVES & COMPOUNDS	3
ADCSE	ADHESIVES & COMPOUNDS	3
BDMAA	PUD-BUILDING MATERIAL	3-5
BDMCC	PUD-BUILDING MATERIAL	5
BDMDD	PUD-BUILDING MATERIAL	5
BDMEE	PUD-BUILDING MATERIAL	6
BDMFF	PUD-BUILDING MATERIAL	6
BFPAA	PUD-BACKFLOW PREVENTERS	7-8
BOLEY	BOLTS	8
CDUNL	CONDUIT	8-9
CHLGG	PUD-CHLORINE PARTS/MATERIAL	9
CHMDE	CHEMICALS	9
CLPAA	PUD-CLAMPS	10-11
CLPBB	PUD-CLAMPS	11-13
CLPCC	PUD-CLAMPS	13-15
CLPDD	PUD-CLAMPS	15-16
CLPEE	PUD-CLAMPS	16-18
CLPFF	PUD-CLAMPS	18-19

Item	Description	Pages
CLPGG	PUD-CLAMPS	19-20
CLPJJ	PUD-CLAMPS	21
CLPKK	PUD-CLAMPS	21-22
CLPLL	PUD-CLAMPS	23-24
CLPMM	PUD-CLAMPS	24-25
CLPNN	PUD-CLAMPS	25-26
CLPPP	PUD-CLAMPS	26-27
CLPQQ	PUD-CLAMPS	27-31
CLSCC	CLEANING SUPPLIES	31
CLSGG	CLEANING SUPPLIES	31-32
CNNTL	CONNECTORS	32
CNNWC	CONNECTORS	32-33
ELEBT	ELECTRICAL PARTS, COMMON	33-35
ELMAB	ELECTRICAL COMPONENTS	35
ELMAE	ELECTRICAL COMPONENTS	35
ELMAF	ELECTRICAL COMPONENTS	36
ELMAK	ELECTRICAL COMPONENTS	36
ELMBA	ELECTRICAL COMPONENTS	36
ELMBC	ELECTRICAL COMPONENTS	36
ELMBE	ELECTRICAL COMPONENTS	37

Item	Description	Pages
ELMBG	ELECTRICAL COMPONENTS	37-38
ELMBJ	ELECTRICAL COMPONENTS	38-40
ELMCA	ELECTRICAL COMPONENTS	40
ELMCB	ELECTRICAL COMPONENTS	40
ELMCF	ELECTRICAL COMPONENTS	40-41
ELMCK	ELECTRICAL COMPONENTS	41
ELMCL	ELECTRICAL COMPONENTS	42
ELMCM	ELECTRICAL COMPONENTS	42
ELMCP	ELECTRICAL COMPONENTS	43
FASAA	PUD-FASTENERS	43-44
FASBB	PUD-FASTENERS	44
FASCC	PUD-FASTENERS	45
FLTAA	PUD-FILTERS	46
FTGAA	PUD-FITTINGS	46-47
FTGAE	PUD-FITTINGS	47-50
FTGAJ	PUD-FITTINGS	51
FTGAL	PUD-FITTINGS	52-55
FTGAN	PUD-FITTINGS	55-56
FTGAP	PUD-FITTINGS	56-57
FTGAR	PUD-FITTINGS	57

Item	Description	Pages
FTGAT	PUD-FITTINGS	57-70
FTGAV	PUD-FITTINGS	70
FTGAZ	PUD-FITTINGS	71-72
FTGBD	PUD-FITTINGS	72-73
FTGBF	PUD-FITTINGS	74-75
FTGBH	PUD-FITTINGS	75-79
FTGBK	PUD-FITTINGS	79-92
FTGBM	PUD-FITTINGS	92-97
FTGBQ	PUD-FITTINGS	97-98
FTGBU	PUD-FITTINGS	98-99
FTGBW	PUD-FITTINGS	99
FTGBY	PUD-FITTINGS	100-102
FTGCA	PUD-FITTINGS	102-106
FTGCE	PUD-FITTINGS	106-108
FTGCF	PUD-FITTINGS	108-109
FTGCH	PUD-FITTINGS	109-111
FTGCL	PUD-FITTINGS	111-113
FTGCN	PUD-FITTINGS	114-121
FTGCP	PUD-FITTINGS	121-122
FTGCR	PUD-FITTINGS	122-124

Item	Description	Pages
FTGCT	PUD-FITTINGS	125
FTGCZ	PUD-FITTINGS	125-127
FTGDD	PUD-FITTINGS	127-128
FTGDF	PUD-FITTINGS	128-134
FTGDH	PUD-FITTINGS	134-138
FTGDK	PUD-FITTINGS	139-145
FTGDM	PUD-FITTINGS	145-146
FTGDQ	PUD-FITTINGS	146-149
FTGDU	PUD-FITTINGS	149-153
FTGDW	PUD-FITTINGS	154
FTGDY	PUD-FITTINGS	154-157
FTGEE	PUD-FITTINGS	158-167
FTGEG	PUD-FITTINGS	168
FTGIP	PUD-FITTINGS	168
FUSSU	FUSES	169
FUSUG	FUSES	169-170
GAGAA	PUD-GAUGES	170-171
GKTAA	PUD-GASKETS	170-172
HDWTW	HARDWARE	173
HSEAA	PUD-HOSE & FITTINGS	173

Item	Description	Pages
HSEBB	PUD-HOSE & FITTINGS	174-175
HSECC	PUD-HOSE & FITTINGS	176-177
HSEDD	PUD-HOSE & FITTINGS	177-178
HSEEE	PUD-HOSE & FITTINGS	178
HSEHH	PUD-HOSE & FITTINGS	178-179
HYDAA	PUD-FIRE HYDRANTS & PARTS	179-180
HYDBB	PUD-FIRE HYDRANTS & PARTS	180-181
HYDDD	PUD-FIRE HYDRANTS & PARTS	181-182
HYDEE	PUD-FIRE HYDRANTS & PARTS	182-185
HYDFF	PUD-FIRE HYDRANTS & PARTS	185-187
HYDGG	PUD-FIRE HYDRANTS & PARTS	187-190
HYDRF	PUD-FIRE HYDRANTS & PARTS	190
JANBG	JANITORIAL SUPPLIES	190-191
JANCT	JANITORIAL SUPPLIES	191
JANSO	JANITORIAL SUPPLIES	191
JANTI	JANITORIAL SUPPLIES	192
JANTO	JANITORIAL SUPPLIES	192
LABSE	LABORATORY SUPPLIES	192-193
LAMFL	LAMPS	192-193
LAMUV	LAMPS	193

Item	Description	Pages
LBRCC	PUD-LUBRICANTS	193-194
LOCPA	LOCKS	194
LTGLN	LIGHTING & ACCESSORIES	194
LUBLU	LUBRICANTS	195
LUBOI	LUBRICANTS	195
METSE	METERS & ACCESSORIES	195-196
MHLAA	PUD-MANHOLE MATERIAL	195-201
MHLBA	PUD-MANHOLE MATERIAL	202
MHLDB	PUD-MANHOLE MATERIAL	202
MHLFB	PUD-MANHOLE MATERIAL	203
MHLSE	PUD-MANHOLE MATERIAL	204
MTEAA	PUD-METERS	205-212
MTEAC	PUD-METERS	212-214
MTEBB	PUD-METERS	214-216
MTEBC	PUD-METERS	216-218
MTECC	PUD-METERS	218-220
MTECD	PUD-METERS	221
MTEHV	PUD-METERS	222-227
NUTSA	NUTS	227
PMPAD	PUMPS	228

Item	Description	Pages
РМРВК	PUMPS	228
PNTAA	PUD-PAINT	228-230
PPEDU	PUD-PIPE & TUBING	230-232
PPEGV	PUD-PIPE & TUBING	232-233
PPEPV	PUD-PIPE & TUBING	233-236
PPERW	PUD-PIPE & TUBING	236-238
PPESC	PUD-PIPE & TUBING	238-239
PPESD	PUD-PIPE & TUBING	239
PPESH	PUD-PIPE & TUBING	239-240
PPESW	PUD-PIPE & TUBING	240-243
PPETU	PUD-PIPE & TUBING	243-244
PPEVY	PUD-PIPE & TUBING	244
PUMSU	PUMPS (2)	244
RODCP	ROD, THREADED	244-245
RODTH	ROD, THREADED	245
SAFBC	SAFETY SUPPLIES	245-246
SAFBO	SAFETY SUPPLIES	245-246
SAFCC	SAFETY SUPPLIES	247
SAFGL	SAFETY SUPPLIES	247-248
SAFRE	SAFETY SUPPLIES	248

Item	Description	Pages
SAFRW	SAFETY SUPPLIES	248-252
SAFTC	SAFETY SUPPLIES	252-254
SAFWC	SAFETY SUPPLIES	254-255
SFTCC	PUD-SAFETY SUPPLIES	255-260
SFTDD	PUD-SAFETY SUPPLIES	260-261
SFTGL	PUD-SAFETY SUPPLIES	262
STLLA	STREET LIGHT MATERIAL	262
TAPDU	TAPE	263
TAPMS	TAPE	263
TAPSE	TAPE	263
TIECA	TIES	263
TLSAA	PUD-TOOLS	264-267
TLSBB	PUD-TOOLS	267-268
TLSCC	PUD-TOOLS	268
TLSDD	PUD-TOOLS	268-271
TLSEE	PUD-TOOLS	272
TLSFF	PUD-TOOLS	272-275
TLSGG	PUD-TOOLS	275-276
TLSHH	PUD-TOOLS	276-277
TLSJJ	PUD-TOOLS	277

Item	Description	Pages
TLSLL	PUD-TOOLS	277
TLSMM	PUD-TOOLS	277
TLSNN	PUD-TOOLS	277
TLSPP	PUD-TOOLS	278
TLSQQ	PUD-TOOLS	278-279
TLSRR	PUD-TOOLS	279
TLSUU	PUD-TOOLS	280-281
TLSVV	PUD-TOOLS	281-283
TOLCE	TOOLS	283
TOLCW	TOOLS	284
TOLGA	TOOLS	284
TOLMR	TOOLS	284
TOLSH	TOOLS	284
TOLUP	TOOLS	285
TOLWR	TOOLS	285
VLVAA	PUD-VALVES	285-287
VLVBB	PUD-VALVES	288-293
VLVBW	PUD-VALVES	293
VLVCC	PUD-VALVES	294
VLVDD	PUD-VALVES	294-298

Item	Description	Pages
VLVEE	PUD-VALVES	298-299
VLVFF	PUD-VALVES	299
VLVGG	PUD-VALVES	300
VLVRF	PUD-VALVES	301
WASFG	WASHERS	301-302
WPTAA	PUD-WELLPOINT MATERIAL	301-305