BRADY®



Your experts for safety, facility and equipment identification

Product Catalog

Expert solutions
backed by more than
100 years



It takes a lot to get it right.
To be a company that lasts more than **100 years** by continually evolving and growing to meet the needs of our markets and customers. Brady has not only survived since it was founded in 1914 — **it has thrived.** Our first-to-the-market and best-in-the-market approach led us to receive hundreds of patents over the years and truly shape an industry.

Simply put, **we do what others don't in ways they can't.** We offer innovative products backed by years of research and development. Beyond our quality products and reliable solutions, we add value for our customers through strong partnerships and a commitment to solving important problems.

Brady offers you solutions to help increase safety, security, productivity and performance throughout your facility — everything from printing systems, software and high-performance labels, to facility signs, safety devices, expert safety services and more.

Let us show you what we have to offer



Table of Contents

Key Business Issues 4

Safety Services 22

Benchtop Printers 26
- Sign and Label Printers 26
- B30- and B33-Series Supplies 36
- BBP85 76
- BradyJet Printers 84

Portable Printers 102
- BMP21 104
- BMP41 108
- BMP51 114
- M611 and BMP61 126
- BMP71 152

Software 176

Lockout Tagout 180
- Padlocks 186
- Lockout Tags 202
- Valve Lockouts 210
- Electrical Lockouts 214
- Lockout Kits 230

Absorbents and Spill Control 248
- Absorbents 254
- Granular and Spill Containment 274
- Absorbent Kits 281

Facility Marking and Tapes 294
- Floor Marking Tape 295
- Lean / 5S Marking Tape 300
- Barricade Tape and Floor Stands 304
- Security 310
- PPE Dispensers 314

Tags 318
- Inspection Tags 318
- Facility Tags 327
- Valve Tags 336

Pipe Markers 342

Pre-Printed Labels 362
- HazCom / GHS Labels 362
- Arc Flash Labels 380
- Facility / Machine Labels 386
- Numbers and Letters 398

Signs 402
- Safety Signs 412
- Traffic Control Signs 560
- Sign Accessories 578
- Custom Signs 582
- Sign Legend Index 588

Index 610
- Part Number Index 610
- Product Index 652

Visual Workplace

Visual Workplace is a lean concept that emphasizes putting critical information at the point of use for improved efficiency and safety. Visual systems and devices play a critical role in many of the most popular lean tools, including: 5S, standard work, total productive maintenance, quick changeover and kanban (pull production).



Did you know waste accounts for 95% of all costs in non-lean manufacturing environments?
Waste is often caused by information gaps — employees simply not knowing the best way to get the job done. Instead, time is wasted searching, waiting, retrieving and redoing work.

Did you know 75% of knowledge is gained through visuals?
An effective visual workplace tells employees exactly what procedural and safety information they need to know when and where they need it.

Did you know lean manufacturing can lead to a 40% increase in productivity?
When visuals help to make processes more efficient, reduce equipment downtime, keep employees safe and facilities more organized, then operations become more productive.

What info should be posted?

Any critical information should be embedded right where your employees work — on equipment, shelves and floor surfaces. When this information is available at a glance, it is clearly visible to employees, readily understood and can be consistently adhered to.





Visual Workplace Tapes
(page 295)

Lean Manufacturing can lead to a 40% increase in productivity. Learn more with our free guide-book.

Download at BradyID.com/visualworkplace



Visual Workplace and Lean Manufacturing

BradyID.com/visualworkplace



Stocking / organization labels



Inventory level indicator labels



Kanban cards / labels



Procedures




One-point lessons and labels



Safe state / gauge labels



Equipment identification



Equipment maintenance labels



Replacement part labels



Safety signs


Floor marking



And more

Visual Workplace and Lean Manufacturing

BradyID.com/visualworkplace

Brady visual workplace solutions





Sign and Label Printers

Brady sign and label printers are essential tools for creating a visual workplace, making it easy for you to create visuals on-site and on-demand.

Benchtop printers (page 30)
Color Inkjet printers (page 84)





Brady Workstation Safety and Facility Identification Suite (page 177)

Keep your facility safe and compliant with the Safety and Facility Identification Suite. This group of label design apps makes it easy to create custom signs, labels, pipemarkers and visual safety guidance for your facility.





ToughStripe® Max Floor Marking Tape (page 295)

For durable floor marking that helps establish a safer, more organized and more productive facility, Brady offers ToughStripe Max floor marking tape.





Brady Inspection Timer (page 318)

LED lights on the Inspection Timer visually indicate how much time you have left before the next inspection. After you've finished your inspection, reset it so you're ready for the next one. Timing options include 7 days, 30 days, 90 days, 6 months or a year.





Pipe Markers (page 342)

Color-coded pipe markers can be used to instantly tell workers everything they need to know about pipe contents, directions of flow and level of safety.






Absorbents and Spill Control (page 264)

An effective spill control program can create a safe and productive work environment. Brady SPC products provide effective clean-up of spills and leaks throughout your facilities.

Uncover visual workplace opportunities throughout your facility with our free download *50 Lean Visuals*

Download at BradyID.com/visualworkplace



BRADY

Lockout tagout: A critical safety regulation

Lockout tagout is an important safety component that is critical to safeguarding workers around the machinery and equipment they operate, service and maintain. This important safety practice involves de-energizing electrical circuits, closing valves, neutralizing extreme temperatures and securing moving parts so hazardous energy isn't re-introduced while equipment is being serviced.

An effective lockout tagout program is most successful when it includes the complete safety picture — locks, tags and devices — as well as proper lockout procedures, program documentation, employee training, periodic inspections or other procedural elements.



Benefits of a lockout tagout program

- **Saving lives:** Preventing an estimated 250,000 incidents, 50,000 injuries and 120 fatalities annually
- **Cutting costs:** Significantly decreasing lost employee time and insurance costs
- **Improving productivity:** Reducing equipment downtime

Regulatory requirements

OSHA 29CFR 1910.147 — Control of Hazardous Energy
This standard addresses the practices and procedures necessary to disable machinery or equipment, thereby preventing the release of hazardous energy while employees perform servicing and maintenance activities.

OSHA 29CFR 1910.333 — Electrical Safety
Safety-related work practices shall be employed to prevent electric shock or other injuries resulting from either direct or indirect electrical contacts, when work is performed near or on equipment or circuits which are or may be energized.

ANSI Z244.1 (2016) — Lockout Tagout and Alternative Methods
A voluntary national consensus standard that represents several industry hazardous energy control best practices and also promotes greater flexibility through the use of alternative methods based on risk assessments and application of the hazard control hierarchy.

Lockout tagout is the fifth most cited OSHA violation, with 2,944 violations during fiscal year 2018

Top violations involve:

1910.147(c)(4)(i)	Requirements for general procedures
1910.147(c)(1)	Program requirements
1910.147(c)(6)(i)	Inspecting procedures
1910.147(c)(7)(i)	Training requirements
1910.147(d)	Notifying affected employees

Go beyond compliance with the *Expanded Guide to Lockout Tagout*

Download at BradyID.com/lockouttagout



Six essential elements of lockout tagout



1. Program and policy

A written lockout document establishes and explains the elements of your program. It's important to take into account not only OSHA's guidelines, but also custom requirements for your employees that ensure they can understand and apply the program to their workday.



2. Machine- or task-specific procedures

Lockout procedures should be formally documented and should easily identify the equipment covered. They should also detail the specific steps necessary for shutting down, isolating, blocking and securing equipment to control hazardous energy, and include steps for the placement, removal and transfer of lockout tagout devices.



3. Identifying and marking energy isolation points

Locate and identify all energy control points, including valves, switches, breakers and plugs, with permanently placed and standardized labels or tags.



4. Training and periodic inspections and audits

Train authorized, affected and other employees, communicate processes and conduct periodic inspections. Training should include OSHA requirements and specific program elements, such as your machine-specific procedures.



5. Proper lockout devices

Provide employees with the necessary devices to keep them safe. There are many products on the market, and selecting the most appropriate solution for your application is the key to lockout effectiveness. It's important to document and use devices that best fit each lockout point.



6. Sustainability

Annually review, revise and update your program and procedures to create a safety culture that proactively addresses lockout tagout. This allows your company to focus on maintaining a world-class program, instead of starting from scratch each year and reacting only when something goes wrong.

Brady lockout tagout solutions





SafeKey Lockout Padlocks (page 188)


Innovatively designed SafeKey Lockout Padlocks provide up to 700% more unique key codes than traditional safety padlocks. New design features a linear locking mechanism that provides ultimate key precision and advanced key security in your lockout tagout program.





Pendant Control Safety Cover (page 226)

Control access to the buttons on your hoist or crane control with the Pendant Control Safety Cover. This device features rigid sides and is expandable to fit 4 to 18 in. pendant controls.





BatteryBlock™ Battery Cable Lockout for Commercial Vehicles (page 228)

Prevent an accidental battery connection with the BatteryBlock Battery Cable Lockout. Non-conductive post and cover keep battery secured throughout your maintenance.





SlimView™ Group Lock Box (page 198)


Save space during lockout tagout projects with the SlimView Group Lock Box that features an innovative recessed door that allows padlocks to hang straight.





RipTag™ Safety Tag Roll (page 204)

Get a complete solution for your tagging needs with the RipTag Safety Tag Roll that includes zip ties for easy attachment. Rip off the tags you need now, keep the others on the roll for when you need them later.





Pipe Blind Flange (page 210)

Keep your facility safer and compliant with Brady's Pipe Blind Lockout. This device is a fast, easy and secure lockout for pipe blinds.

Brady's Professional Lockout Services (page 23)

We've partnered with clients for more than 100 years to help them solve their safety issues. Our team will help you create the lockout program you've been working toward through a wide range of solutions that help you solve both your compliance and your behavioral safety hurdles.



Arc Flash Safety

What is arc flash and what causes it?

An arc flash is a short circuit through air that flashes from one exposed live conductor to another conductor or ground. This electrical fault can create a dangerous release of energy, including thermal energy, acoustical energy, pressure wave or debris.

There are many ways an arc flash can occur, including:

- Close proximity of a high-amp source to a conductive object
- Dropping a tool or creating a spark
- Breaks or gaps in insulation
- Failing equipment due to use of substandard parts, improper installation or even normal wear and tear
- Dust, corrosion or other impurities on the surface of the conductor

Who's responsible for labeling?

Arc flash labeling is the responsibility of the employer, not the manufacturer or installer of the equipment.

What needs to be labeled?

Labeling is required for any piece of electrical equipment that is likely to require examination, adjustment, service or maintenance while energized, creating the potential for an arc flash incident to occur.

Any modifications or renovations to electrical equipment that changes data on the label requires an updated arc flash risk assessment and label.

Where should the label be placed?

Markings must be in a location that is clearly visible to workers before they may be exposed to any potentially dangerous live parts. Typically, the label is placed outside the panel or enclosure door.



Did You Know?

Anything above 50V that could be worked on while energized, resulting in exposure to electrical hazards, requires an arc flash label.

Examples include, but are not limited to:

- Switchboards
- Panel boards
- Motor control centers
- Industrial control panels
- Meter socket enclosures

Download our free e-book at BradyID.com/arcflash



NFPA 70E Standard for Electrical Safety in the Workplace

OSHA cites and fines employers for failure to protect employees from the dangers of arc flash under regulation 29 CFR 1910.333(a). The National Fire Protection Association (NFPA) details how to comply with this regulation through the NFPA 70E standard.

According to the NFPA 70E standard, there are six primary responsibilities that facilities must meet, including:

1. Training for employees
2. Written safety program in place that is actionable
3. Personal protective equipment (PPE) available for employees
4. Insulated tools
5. Arc flash hazard degree calculations
6. Properly labeled equipment

Most recent updates (2018)
The NFPA 70E gets updated every three years. Some of the most recent updates include:

- Updated training and retraining requirements
- Revision to arc flash warning label content
- Elimination of the PPE hazard category 0
- Elimination of prohibited approach boundary
- Additional boundary requirements
- Revisions to selecting appropriate PPE
- Minor terminology changes (such as work shoes now referred to as footwear)

Brady arc flash labeling solutions



Arc flash services (page 24)

Brady understands the importance of electrical safety as a whole and has licensed engineers who understand not only arc flash safety, but also the first-hand impact of arc flash risk. We work with your team to best protect your employees based on your custom facility and program requirements.

- **Arc Flash Risk Assessment**
  A Brady safety electrical engineer completes your assessment, provides you with a detailed assessment report, including your single-line diagram, and installs the correct arc flash labels.
- **Arc Flash Audit**
  Let our electrical engineers perform your arc flash audit and ensure your assessment is up to date and compliant.
- **Arc Flash Safety Training**
  This custom approach to training incorporates both the NFPA regulation and your company-specific arc flash requirements to ensure participating employees can apply their knowledge.



Print your own labels (page 44)

Create and print customized arc flash labels when and where you need them with an on-demand label printer. When you're working on a project, you can stop handwriting your labels, and print all the labels you need in batches. You also avoid the hassle of having to select, order and wait for pre-printed labels to arrive.



Pre-printed labels (page 384)

Pre-printed arc flash labels with the arc flash PPE category and a list of the required PPE relieve the employer from having to hand-write this information. As with the check box labels, a version for both arc flash and shock hazards is available.

GHS Hazard Communication

OSHA's Hazard Communication Standard directly affects all areas of chemical labeling and specifies mandatory employee training. This means you need to know exactly what the Global Harmonized System (GHS) is and how it affects your business.

What is GHS?

GHS is an international system that the United Nations created for the unified classification and labeling of chemicals. GHS has been fully or partially implemented in about 67 countries and in 2012, OSHA updated its HazCom Standard to align with GHS in order to support global efforts to standardize chemical labeling.

Benefits of GHS

The updated HazCom standard covers more than 43 million workers who produce or handle hazardous chemicals in more than five million workplaces across the country. GHS is expected to prevent more than 500 workplace injuries, illnesses and 43 fatalities annually. In addition, it could save businesses in the U.S. more than $475 million in productivity improvements.

Five steps to GHS

1. Develop a written HazCom plan that includes a summary of the hazardous chemicals and training.
2. Inventory and make a list of all hazardous chemicals used throughout your facility.
3. Establish and maintain a complete library of all Safety Data Sheets (SDS) so employees have immediate access to them at all times.
4. Label all hazardous storage containers, pipes and tanks to clearly communicate hazards to your employees.
5. Train and communicate the elements of your HazCom plan to your workforce.

Learn more with the *Streamlined Guide To GHS*

Download at BradyID.com/ghs





Regulations

In the United States, OSHA is enforcing GHS by adopting it into its Hazard Communication Standard (CFR 1910.1200). It is focused on ensuring chemical safety in the workplace by requiring chemicals to be labeled and chemical hazards to be identified in a way that is easily understood by workers. It entails:

- Chemical manufacturers and importers must classify the hazards of the chemicals they produce or import, and prepare labels and safety data sheets to convey the hazard information to their downstream customers
- Employers with hazardous chemicals in their workplaces must provide labels and SDSs for their hazardous chemicals, and train exposed workers to understand the chemical hazards.

OSHA HazCom violations

HazCom was #2 on OSHA's Top 10 list of most frequently cited standards for fiscal year 2017.



Brady GHS labeling solutions



Print your own labels (page 42)

Create and print customized GHS labels when and where you need them with an on-demand label printer. Many of our featured GHS label printers have an easy-to-use touchscreen interface and built-in GHS label creation applications that make creating GHS labels simple.

Brady Workstation GHS App (page 176)

Creating GHS labels is now surprisingly simple. We've streamlined the process so you can easily enter the data once from your SDS sheets into pre-formatted GHS label layouts with approved GHS symbols, then create and print any size at any time. Need labels with multiple languages? Those are also supported, too.



Pre-printed GHS pictograms (page 371)

Printing your own GHS labels but can't get the pictograms you need? Grab a roll of Brady's pre-printed GHS pictogram labels. These are a great way to supplement mono-color label printers without investing in a brand new label printing system.



GHS training (page 368)

Looking to implement or sustain your GHS training program? Make sure you have the right materials for the job. Our training kit features videos, an instructor's guide, employee quizzes, presentation slides and employee handbooks.

Brady's partnership with MSDSonline.com

Without a comprehensive online system to save and manage SDS information, users would have to input data manually in order to print the needed chemical labels. Brady's partnership with MSDSonline allows you to quickly populate and print your labels — saving you time and ensuring information is input correctly onto the label.



MSDSonline.com

Helps improve the real time management of chemical products and safety data sheets.

+

Brady Printers

Reliable label printing with a range of durable materials for specific applications or regulation requirements.

=

MSDSonline customers use SDS from their system to create labels that are formatted with the GHS label elements and can be printed right to Brady label printers.

Slips, Trips and Falls

Slips, trips and falls occur when there is too little friction or traction on a walking surface, when a foot or lower leg hits an object while the rest of the body continues to move, or when the center of balance is lost, resulting in a descent to the floor, against an object or to a surface at a lower level than the original surface.[1] These incidents are often caused by slippery, irregular or uneven surfaces, obstacles on the floor or uncovered / unidentified hazard areas.

Hazards relating to slips, trips and falls are frequently top offenders on OSHA's top 10 violation lists. In 2015 alone, slips, trips, and falls were tied to three of the top ten violations, and two of the top three. These violations included hazards relating to fall protection (#1), scaffolding (#3), and ladders (#7).[2]

Impacts of slips, trips and falls

Slips, trips and falls can have a costly impact on the safety and productivity of your facility:

- One of the leading causes of unintentional injuries in the U.S., accounting for approximately **8.9 million emergency room visits**[3]
- Lead to over **17% of all disabling occupational injuries**[4]
- Cause **1 in 6 lost time injuries**[3]
- Result in **95 million workdays lost** per year[5]
- Cost an average of **$20,000 per incident**[6]



Regulations

OSHA 29 CFR 1910.22
Walking/Working Surfaces. This standard supports worker safety by keeping workplaces clean and safe from hazards, including keeping facilities clean, dry and orderly, providing dry standing surfaces, permanently marking aisles, passageways, and more.

ANSI A1264.2-2012
Provision for the Slip Resistance on Walking / Working Surfaces. This sets forth provisions for protecting persons where there is potential for slips and falls as a result of surface characteristics or conditions.

10 steps to avoid slips, trips and falls

1. Assess your workplace
2. Mark aisles and passageways
3. Provide traction on slippery surfaces
4. Improve stair safety
5. Mark emergency evacuation routes
6. Post safety signs and labels
7. Warn of temporary hazards
8. Inspect scaffolds and ladders
9. Control and clean oil and spills
10. Train employees



Learn more about slips, trips and falls and how to prevent them with this free guide.

Download at BradyID.com/slipstripsfalls

1. OSHA. (2007). Slips, Trips and Falls Identification and Prevention. Retrieved from: https://www.osha.gov/dte/grant_materials/fy07/sh-16625-07/slipstripsfalls.ppt
2. ISHN. (2015). OSHA's top 10 violations for 2015 announced at NSC Congress and Expo. Retrieved from: http://www.ishn.com
3. National Safety Council. (2011). Slips, Trips and Falls Fact Sheet. Retrieved from: http://www.nsc.org/NSCDocuments_Advocacy/Fact%20Sheets/Slips-Trips-and-Falls.pdf
4. OSHA. (2007). Slips, Trips and Falls Identification and Prevention.
5. Smith, S. (2013, July 15). The High Costs of Slips, Trips and Falls. Retrieved from EHS Today.
6. National Floor Safety Institute. (2015). Quick Facts. Retrieved from NFSI.org: http://nfsi.org/nfsi-research/quick-facts/

Brady slip, trip and fall solutions





Safety Signs (page 411)

Slip, trip and fall hazard signs allow you to bring awareness to potential dangers in your facility. These signs provide a permanent visual warning in areas where slips, trips and falls are more likely to happen.



Absorbent Safety Mats (page 264)

BrightSorb® Safety Absorbents provide an absorbent and brightly colored warning in one convenient product.

Additionally, our absorbent products extend out to mats and rugs, allowing you to address foot traffic that may bring snow, water or ice into your workplace.



Floor Marking Tape (page 295)

Make your facility cleaner, more efficient, more visual and safer with ToughStripe® Floor Marking Tape. This tape helps you identify aisle ways, tripping hazards, storage areas and more.



Floor Stands (page 308)


Similar to safety signs, floor stands provide a strong visual that can be temporarily placed to identify potential slip, trip and fall hazards. By placing the sign on, over or in the way of the hazard, you can naturally create awareness and even divert foot traffic from entering potentially dangerous areas.





Ladder and Scaffold Tags (page 320)

Our scaffold tags comply with OSHA's regulations and help warn employees when scaffolding is not safe, being taken down or has been found defective.





Anti-Slip Tape and Cleats (page 302)

Anti-slip tape and cleats help protect your employees from accidental slips, trips and falls by providing additional traction. Printed anti-skid products are designed for most surfaces and can provide a visual warning.

Leak, Drip and Spill Control

When a spill occurs, having a proper spill control program that enables quick and effective response can not only help to protect the environment, but also support a safe and productive workplace for your employees.

Brady SPC supplies products that help you comply with EPA and OSHA regulations. Why does that matter? Because our goal is to help support high levels of productivity and to limit equipment downtime. The cost of non-compliance around this area of regulation can have devastating effects on a business's reputation and financial performance.



Still using granular? View our Cost Savings Calculator to see how you can save. *(page 254)*

What is a Spill Prevention Control and Countermeasure (SPCC) Plan?

A SPCC plan is a facility-specific, comprehensive plan outlining both the containment and countermeasures implemented to prevent a spill from occurring and a series of response procedures in the event that one does. The SPCC plan addresses the following three areas:

- Operating procedures that prevent spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean up and mitigate the effects of an oil spill that reaches the environment



Having an SPCC plan in place is an essential step to help companies avoid the costly impact of non-compliance, including fines as high as $25,000 per day per violation.

Need-to-know regulations

The following OSHA and EPA regulations protect your employees and the environment:

29 CFR 1910.22(a)(2) – Walking-Working Surfaces
The floor of every workroom shall be maintained in a clean and, so far as possible, a dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats, or other dry standing places should be provided where practicable.

40 CFR 112.7(c)(1)(viii) – General requirements for Spill Prevention, Control, and Countermeasure Plans
Sorbent materials are included in the types of prevention systems that must be used for spill containment.

29 CFR 1910.120(j)(1)(vii) – Hazardous Waste Operations and Emergency
U.S. Department of Transportation specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur.

OSHA's Recent Silica Ruling
One of the most common compositions for granular absorbents is diatomaceous earth, which is 80-90% silica based. OSHA's recent final rule on limiting exposure to respirable crystalline silica was issued to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease, all of which have been linked to high levels of silica. Rely on Brady SPC absorbent pads and rolls as safer, more efficient, non-silica solutions for absorbing leaks, drips and spills.

Brady SPC spill control products



best sellers



MRO Plus® and Oil Plus Pads (page 254)

Brady SPC's #1 absorbents are perfect for general everyday use and emergency spill cleanup. Both feature 3-ply meltblown polypropylene construction which increases durability and reduces linting.

Gray MRO Plus is a universal absorbent that handles most fluids (water, petroleum and chemical-based). Oil Plus is an oil-only absorbent for petroleum-based oils, solvents and other non-water-soluble liquids that floats indefinitely even when saturated with oil.



new



HandySorb™ Mop Systems (page 271)

Easily get to your hard-to-reach spill with the HandySorb Mop System. This innovative absorbent provides "no-touch" pad and pillow options so you can keep your hands out of the mess.





SpillFix® Granular Absorbents (page 274)

When a granular absorbent is necessary, reach for SpillFix granular. A completely natural granular — no carcinogens, no dust, landfill and incinerator safe. SpillFix granular doesn't damage equipment or floors and absorbs four times the liquid of traditional clay granulars.





BrightSorb® Safety Absorbents (page 264)

BrightSorb® Safety Absorbents provide an absorbent and brightly colored warning in one convenient product. They are available in a variety of styles including pads, rolls, SOCs, pillows and entire spill kits.





Spill Berms and Drip Pads (page 278)

These collapsible secondary containment berms and pads can be used to contain spills and leaks from vehicles, machinery, tanks, drums and other industrial equipment.





Specialty Spill Kits (page 285)

Specialty spill kits have an assortment of pads, neutralizers, granular, SOCs and the appropriate PPE to help you clean up hazardous spills such as battery acid, bodily fluids, mercury or formaldehyde.

Try absorbents in your facility for free

Request a sample pack at BradyID.com/SPC




Emergency Egress

When emergency situations occur, it's essential that employees and visitors in the workplace are able to move out of a dark building quickly and safely. BradyGlo™ photoluminescent markings illuminate evacuation routes, guiding people around obstacles, along stairs, through hallways and to the nearest exit.

These quality and reliable glow-in-the-dark products feature:

- High-tack adhesive that's up to 30% stronger than other pressure-sensitive adhesives, so you reduce costs spent on replacements
- Pre-cut sizes and shapes save time and ensure correct and consistent configuration
- Low-profile construction that allows products to easily conform to handrails, stand pipes and other unique shapes for fast application
- Department of Buildings, Materials and Equipment Acceptance (MEA) division approval
- Production in the U.S. for NYC Local Law 26 compliance



Need-to-know regulations

The following codes and regulations contain provisions for the means of egress and photoluminescent markings on stairs, handrails, signage and more.

Local

New York City Local Law 26
Requires all Class E commercial properties that are 75 feet or taller to use photoluminescent markings on:

- Doors opening to exits and exit passageways
- Landings, perimeters and individual stair steps located within exit passageways
- Obstacles and hazards located within exit passageways
- Directional guidance signs to vertical, horizontal and final exits, plus "Not an Exit" door signs where applicable
- Handrails on building with plans approved after July 1, 2006

National

UL1994 Standard for Luminous Egress Path Marking Systems
Regulates specific materials and testing for photoluminescent egress products for doors, door hardware, door frames, stairs, landings, banisters, obstacles, egress symbols, information placards and more

NFPA CH. 7 Means of Egress
Sets forth requirements for means of egress in both new and existing buildings:

- 7.2.2.5.5.10 Materials. Exit stair path markings shall be made of any material, including paint, provided that an electrical charge is not required to maintain the required luminescence
- 7.2.2.5.5.11 Exit Stair Illumination. Exit enclosures where photoluminescent materials are installed shall be continuously illuminated for at least 60 minutes prior to periods when the building is occupied

International

International Building Code (IBC)
Requires that all non-residential groups A, B, E, I and R-1 for new construction over 75 feet in height must install photoluminescent exit path markings in all enclosed emergency exit stairwells (Code 403.16 and 1024)

International Fire Code (IFC)
Requires that all non-residential buildings groups A, B, E, I, M and R-1 for existing construction over 75 feet in height must install photoluminescent exit path markings in all enclosed emergency exit stairwells (IFC Section 4604)

Brady glow-in-the-dark identification products



BradyGlo™ Exit Signs (page 480)

Non-electric, non-toxic, non-radioactive exit signs are energy efficient and require no power source. Certified by UL for LED lighting as an acceptable charging source. Also compliant to NFPA Life Safety Code 101 and UL 924 Listed.



Perimeter LED Exit Signs (page 477)


Electrical exit signs include a 90-minute nickel cadmium battery back-up assembly for power failure. These signs are listed to UL 924 and in compliance with OSHA, NEC and NFPA standards.





BradyGlo™ Marking Tape (page 303)


Clearly mark emergency evacuation routes and exits with our BradyGlo marking tape, arrows and footprints.



Various Exit and Egress Signs (page 475)

Egress signs available in BradyGlo photoluminescent materials with glow-in-the-dark capabilities.






Print Your Own BradyGlo Signs (page 36)

Create custom evacuation signs and glow-in-the-dark labels with photoluminescent material and your Brady benchtop printer.






Evacuation Maps (page 483)

Clear acrylic frames hold your custom maps and allow you to easily change them when updates are needed.

Information and Communications Technology

As we move to an increasingly wireless world, the amount of cabling in facilities increases as more devices are connected and dated systems are upgraded. In fact, it's estimated that service providers and enterprises spent more than $1 trillion on telecom / datacom gear and software in the past four years.

Whether you're a designer, installer or end user, you need a trusted partner that understands the specific challenges in the Information and Communications Technology (ICT) industry. Turn to Brady. We bring more than 100 years of experience in identification, providing engineered solutions and industry expertise for a full start-to-finish solution for your ICT needs.



ANSI / TIA-606-C standard

ANSI / TIA-606-C is the latest update to the voluntary standard for administering telecommunications cabling infrastructure, released by the Telecommunications Industry Association (TIA) in July 2017. TIA-606-C builds on the guidelines already established in TIA-606-B, released in 2012, as well as includes some new additions and updates.

Key guidelines include:

- Annex D, which provides additional guidelines for administration of cabling supporting remote powering, including cable bundle identifier scheme. This important development allows automatic infrastructure management systems from different manufacturers to work together.
- Identifier scheme for telecommunications grounding and bonding system elements. These changes specify the use of terms compatible with ISO/IEC 30129. Legacy terms used in versions of the TIA-607 standard earlier than revision C also will be allowed.
- Identifier schemes for telecommunications bonding and grounding system elements, which was changed to align with TIA-607-C.

Learn about this new standard and how Brady can help you follow it.

Download at BradyID.com/resources/tia-606-c



Brady ICT labeling solutions





Find the right printer for your application with our comparison guide. (page 102)

1. Label printers (page 102)

Brady portable label printers are essential tools for technicians in the voice and datacomm industry. These printers are easy to use and have a wide range of available label materials and built-in apps for creating wire and cable labels on-site and on-demand.

BradyPrinter M611 Mobile Label Printer (page 126)

Your durable print-from-everywhere solution. Use with the Brady Workstation Express Labels Mobile App or Brady Workstation Desktop Software, and experience the convenience of easy label creation. This combination of printing and mobile technology allows you to get your data whether you're in the office or in the field, and print via Bluetooth or Wi-Fi. Integrates with Fluke Networks® LinkWare™ Live. Requires free Express Labels Mobile App or Brady Workstation Desktop Software.



Sleeves



Wrap-around



Self-laminating



Flags / tags



Equipment labels



Patch panels

2. Label materials (page 130)

Brady label materials are made to withstand industrial environments and are available in a variety of sizes, colors and material types.

In addition to standard safety and component labels, you can make specialty labels for voice and datacom applications, including wire wraps, self-laminating vinyl labels, heat shrink wire marking sleeves, cable tags, panel component labels, terminal block labels and more.



3. Software

Brady Workstation Wire ID Suite (page 178)

For creating wire and cable labels, the Brady Workstation Wire Identification Suite includes the right mix of Workstation apps. It allows you to easily create single-line labels and labels with wrapping text, and to serialize and import data without having to worry about alignment. If you are labeling or wrapping wires and cables, this is the suite for you.

NetDoc® Cable Management Software (page 179)

NetDoc Cable Management Software allows you to easily document your cable infrastructure so you know what cables you have, where they are and what they are connected to. The user-friendly input feature and the import tool speed data transfer to drastically reduce data entry time.

BradyID.com/s36

BRADY
SAFETY SOFTWARE & SERVICES

Bring Confidence to Your Safety Program

Your comprehensive safety program is an essential area of your business, helping to provide a safe and productive work environment for your employees, while also avoiding the costly impact of a violation or incident. Take a proactive approach and implement compliant, sustainable solutions to create a safety program that you and your employees can depend on.

Your safety solutions partner

Starting and maintaining a safety program can be daunting, but with the right partner, the process can be efficient, effective and completed with confidence. We provide a start-to-finish solution, which means we can jump in and help at any stage of your lockout tagout, arc flash and confined space program development. Rely on our in-house team of industry experts to work with you to create a world-class safety program that is sustainable and compliant, supported by:

- **Our insights:** Field engineers from different backgrounds to provide a variety of perspectives and find potential safety gaps others won't
- **Our services:** Industry-trusted expertise in lockout tagout, arc flash and confined space to keep you and your team protected
- **Our products:** Safety products and software designed by experts and engineered to perform



Don't miss our extensive collection of resources online:

- Leading Indicators for a Sustainable Lockout Program
- Lockout Tagout Program Checklist
- 7 Things to Avoid When Creating Lockout Procedures
- 5 Reasons to Choose an Engineered Analysis Over the Categories Method to Perform your Arc Flash Assessment
- Arc Flash Safety Check Up
- Examples of our Assessment and Audit Deliverables

Visit BradyID.com/Services



BRADY

Lockout Tagout Services

With a continually changing workforce, and frequent enhancements to processes and technology, there is a need in the industry to efficiently develop and train new workers to keep operations running smoothly. Having a sustainable lockout tagout program in place allows you to bridge the knowledge gap and improve safety throughout your facility.



Rely on our team of experts to deliver:

- **Machine inventories** with a full list of equipment that requires a procedure and number of isolation points
- **Complete visual lockout tagout procedures**, including authoring and installing procedures, and tagging all energy isolation points
- **Procedure audits** to comply with OSHA's periodic inspection requirement
- **Training** that includes options for general/affected, authorized employee and train the trainer
- **Program development** support to assess your current state and provide a program implementation guide
- Additional lockout services, including alternative method procedures/minor servicing, job safety analysis, gap analysis, and time- and material-based services





Brady products complete your lockout tagout program.

LINK360® software

Brady offers software and products to create and maintain an effective safety program. With LINK360 software, you can easily create and maintain visual lockout procedures, as well as reports and audits.

BradyID.com/s36

Arc Flash Services

Creating a world-class arc flash program in-house requires time, engineered resources and power system analysis software to accurately calculate arc flash risk beyond general scenarios. Our electrical engineers work with you to create an arc flash solution that meets your needs, and keeps you compliant.

Brady Safety Services can help:

- **Review your current program** and any past assessments, and then identify any safety issues or needed compliance improvements
- **Perform risk assessments** to compile data for arc flash calculations, create a single-line diagram and report, and then install the needed labels
- **Offer training options** including refresher, qualified persons and train-the-trainer sessions




new

Infrared Thermography Service

Brady can conduct infrared inspections, or include them with an Arc Flash Risk Assessment. Our certified infrared thermographers use a specialized infrared camera to detect any hot spots that may need attention in your equipment. They provide:

- A comprehensive report, either Standard (only hot spots provided) or Expanded (all pictures included in report)
- Recommendations for improvements and/or repairs for each identified hot spot
- Imaging of your electrical distribution system components




BRADY

Brady Customer
Milwaukee, WI

Location: Utility Room ID: Panel 041, Ckts 14,16,18

Measurements

Sp1	85.6 °F
Sp2	82.8 °F
Hot	90.2 °F
Dt1 (Sp1 - Sp2)	2.8 °F

Information

File Name	FLIR0188.jpg
Date & Time	11/26/2018 3:47:37 PM
Object Emissivity	0.95
Atmospheric Temperature	78.0 °F

Urgency:

Low: Monitor problem for signs of worsening

Description:

The breaker is exhibiting abnormal heating patterns on both the A and B phases. Loose connections or dirty/worn internal contacts are likely.

Recommendation:

Exercise the breaker by flipping the breaker handle from on to off repeatedly. Torque the cable connections to ensure proper tightness.

Page 2 of 48



Brady products complete your arc flash program.

Pre-printed arc flash labels
Order pre-printed arc flash labels for your equipment.

Label printers
Customize and create arc flash labels on demand with a Brady sign and label printer, such as the BradyPrinter S3100.

Brady Workstation label creation software
With the Arc Flash Labels app, creating the right arc flash labels for your workplace is quick and simple.

BRADY

Confined Space Services

To align with OSHA requirements, employers must evaluate and identify permit-required confined spaces, as well as develop procedures for entry and training. Common confined spaces include elevators and storage tanks. Find out how Brady can support your confined space program.




Our experts will come on-site to:

- **Take inventory**, collect data and classify each space as permit or non-permit required
- **Perform hazard assessments** to evaluate specific hazards, methods of protection and verification, label needs, worker classification, PPE requirements and more
- **Conduct training** focused on best practices, client-specific program elements, an overview of the 1910.146 OSHA regulation and more

What's our process?


A Brady safety professional will come on-site and collaborate with your subject matter expert to identify spaces and their hazards. We then continue to build your inventory, including classifying your confined spaces as permit or non-permit required. All permit-required confined spaces will be further defined by their hazards, such as engulfment or atmospheric hazards, in a permit-required confined space hazard analysis.


CONFINED SPACE PROFILE ASSESSMENT

HAZARDS ASSOCIATED WITH CONFINED SPACE

ENSURE CONFINED SPACE PERMIT IS COMPLETED AND ENTRY IS AUTHORIZED BEFORE PROCEEDING





Brady products complete your confined space program.

Confined space signage
Order pre-printed signage, or create your own with an on-demand sign printer, such as the BBP®37 printer.

LINK360® software
Easily create and maintain confined space procedures, as well as reports and audits.

Benchtop Printer Comparison

BradyID.com/s36

Benchtop Printer Comparison Guide

Use the following comparison guide to quickly see which benchtop printer best fits your application needs. Then turn to the following pages to find out more about the printer, compatible materials and ribbons.

				
	BradyPrinter S3000 Label Printer *See page 28*	**BradyPrinter S3100 Sign and Label Printer** *See page 30*	**BradyPrinter i3300 Label Printer** *See page 32*	**BBP®35 Multi-color Label Printer** *See page 34*
Description	4 in. PC-connect printer for SFID. Does not offer user standalone use and accessibility or networking capability, but does have smaller footprint than BradyPrinter S3100.	4 in. standalone and PC-connect printer for SFID with Wi-Fi connectivity. Standalone use is ideal for multi-user situations and lean 5S kaizen labeling events. The ultimate in easy and accessible.	4 in. PC-connect-only printer for SFID, die-cut wire ID and product ID labels. Printer is networkable. Does not offer user standalone use but does have extra label types.	4 in. standalone and PC-connect printer for SFID with multi-color printing and fast print speed. Standalone use is ideal for multi-user situations and lean 5S kaizen labeling events. The ultimate in easy and accessible with multiple colors.
Printer Overview				
	0.5 to 4 in. wide output 4 in./sec. print speed	0.5 to 4 in. wide output 3 in./sec. print speed	0.25 to 4.25 in. wide output up to 4 in./sec. print speed	0.5 – 4 in. wide output 5 in./sec. print speed
	PC-connect only	Standalone and PC-connect printing	PC-connect only	Standalone and PC-connect printing
	Monocolor printing (1 print color on a label)	Monocolor printing (1 print color on a label)	Monocolor printing (1 print color on a label)	Monocolor and multi-color printing
	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste (prints on first label)	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface – just walk up and print	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste (prints on first label)	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface – just walk up and print
	300+ parts, 14 materials (for SFID), 14 parts, 14 materials (for product ID)	300+ parts, 14 materials (for SFID) 14 parts, 14 materials (for product ID)	300+ parts, 14 materials (for SFID) 485 parts, 45 materials (for wire ID and product ID)	300+ parts, 14 materials (for SFID) 14 parts, 14 materials (for product ID)
	Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation
	5-year warranty	5-year warranty	5-year warranty	5-year warranty
Compatible Supplies				
	B30-series materials (all)	B30-series materials (all)	B33- and B30-series materials	B30-series materials (all)
	B30-series ribbons (excluding multi-color panel ribbons)	B30-series ribbons (excluding multi-color panel ribbons)	B30-series ribbons (excluding multi-color panel ribbons)	B30-series ribbons (all)
Applications				
	Arc flash labels Cold-temperature labels Equipment marking Facility ID GHS and chemical labels Glow-in-the-dark labels Lean / 5S Magnetic labels Panel labels Pipe and valve marking Push button labels Reflective labels	Arc flash labels Equipment labels GHS labels Pipe markers Safety signs Warning labels Lean / 5S labels Panel and enclosure ID Tags Barcode labels	Arc flash labels Equipment labels GHS labels Pipe markers Safety signs Warning labels Lean / 5S labels Panel and enclosure ID Inside panel and automation ID Wire and cable ID Tags Barcode labels Miscellaneous die-cut labels Circuit board labels Product labels (OEM) Laboratory specimen labels	Arc flash labels (w/ red variables) Equipment labels GHS labels Pipe markers Safety signs (multi-color) Warning labels (multi-color) Lean / 5S labels Panel and enclosure ID Tags Multi-color labels

	BBP®37 Multi-color and Cut Label Printer	BBP®85 Label Printer	BradyJet J2000 Color Label Printer	BradyJet J5000 Color Label Printer
				
	See page 34	*See page 76*	*See page 84*	*See page 86*
Positioning				
	4 in. standalone and PC-connect printer for SFID with multi-color printing, shape-cutting capabilities (BBP37 only) and fast print speed. Standalone use is ideal for multi-user situations and lean 5S kaizen labeling events. The ultimate in easy and accessible with multiple colors, and letter- and shape-cutting options.	10 in. standalone and PC-connect printer for SFID with multi-color printing. Particularly popular for any large labeling needs. Ideal for large signs, large GHS labels and large equipment placards. The ultimate in easy and accessible with multiple colors for larger output.	Full-color, high-resolution ink jet printer for creating photo-quality labels in a single pass, while reducing material waste and needed inventory of labeling supplies. Significantly smaller footprint than BradyJet J5000.	8 in. PC-connect printer with high-resolution, high-speed color label printing. Ideal for creating full-color labels with images, logos, illustrations, barcodes and more. The ultimate in high-resolution printing in all colors.
Printer Overview				
	0.5 to 4 in. wide output 5 in./sec. print speed	4 to 10 in. wide output 1 in./sec. print speed	0.75 to 4 in. wide output Up to 2.5 in./sec. print speed	2 to 8 in. wide output Up to 6 in./sec. print speed
	Standalone and PC-connect printing	Standalone and PC-connect printing	PC-connect only	PC-connect only
	Monocolor and multi-color printing X-Y plotter cutter to cut out text and shapes	Monocolor and multi-color printing	Full-color printing	Full-color printing
	20-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface – just walk up and print	40-second material changeovers Set-up: no calibration, no sensor adjust, no label waste Easy user interface – just walk up and print	20-second material changeovers and 10-second ink cartridge changeovers Set-up: self-fed materials	20-second material changeovers and 10-second ink cartridge changeovers Set-up: self-fed materials, no sensor adjustment
	300+ parts, 14 materials (for SFID) 14 parts, 14 materials (for product ID cut-outs)	125 parts, 5 materials (for SFID)	15 parts, 3 materials (for SFID) 15 parts, 1 material (for lab ID)	18 parts, 2 materials
	Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation	Software: Brady Workstation
	5-year warranty	5-year warranty	1-year warranty	1-year warranty
Compatible Supplies				
	B30-series materials (all)	B85-series and PowerMark materials	J20-series materials (all)	J50-series materials (all)
	B30-series ribbons (all)	B85-series and PowerMark ribbons	J20-CMY ink cartridge	J50-series ink cartridges (all)
Applications				
	Arc flash labels (w/ red variables) Equipment labels GHS labels Pipe markers (single or multiple-up) Safety signs (multi-color) Warning labels (multi-color) Lean / 5S labels Panel and enclosure ID Tags Multi-color labels Cut-out text and shapes Circular or custom shaped labels Miscellaneous die-cut labels (cut out) Multiple-up cut-out labels Gauge labels Gradient ruler labels Product labels (cut out small batch)	Larger output Equipment labels (larger) GHS labels (larger) Safety signs (larger) Multi-color labels (larger)	GHS labels Pipe markers Warehouse marking Visual workplace labeling Lean / 5S labels Lockout Tags General ID Industrial ID Laboratory ID	Arc flash labels (w/ red variables) Equipment labels GHS labels Pipe markers Safety signs and warning labels (multi-color) Lean / 5S labels Multi-color labels Lock labels (w/ photos) Asset management Department signage Finished goods

BradyPrinter S3000 Sign and Label Printer

BradyID.com/s36



BradyPrinter S3000

SIGN & LABEL PRINTER

High-Performance, Entry-Level Industrial Printing

Turn busy work into smarter work. Get state-of-the-art printing capabilities in a compact package with the BradyPrinter S3000 Sign and Label Printer.

- Get lightning-fast setup times with print smart technology that auto-calibrates print settings when you load materials so you can print on the first label
- Easily make any adjustments you need to on the large color touchscreen
- Changing materials is made easy with drop-in fool-proof loading so changeovers take as few as 20 seconds
- Versatility with more than 330 parts and 26 materials options, including ToughStripe® Floor Marking Tape
- Move through your print jobs fast with print queue capabilities that automatically prints the next batch after the first one is finished
- Create labels with ease when you add Brady Workstation Label Creation Software apps and suites

Learn more at BradyID.com/s3000



Supply status is conveniently displayed on screen

Printer at-a-glance

- Small footprint
- PC-connect printer
- Single color printing
- Safety and facility ID labels only
- 330 parts, 26 materials

Printing supplies

B30-series label rolls ..... page 36
B30-series print ribbons ..... page 74

Catalog #	Description
S3000	BradyPrinter S3000 Sign and Label Printer
B31-WIPER	Extra media wipers (5 per pack)
PCK-6	Cleaning swabs that are pre-soaked in IPA (50 per pack)

** Printer includes power cord, Quick Start Guide, USB cable, cleaning kit and cutter cleaning tool.*

High-performance safety and facilty labels



Pipe marking


GHS labeling



Safety tags



Lean / 5S labeling



Safety signs



Equipment and panel labeling

BradyPrinter S3000 Sign and Label Printer

Printer specifications	
Overview	4 in. PC-connect printer for SFID. Does not offer user standalone use and accessibility or networking capability, but does have smaller footprint than BradyPrinter S3100.
Applications	Arc flash labels, cold-temperature labels, equipment marking, facility ID, GHS and chemical labels, glow in the dark labels, lean / 5S, magnetic labels, panel labels, pipe and valve marking, push button labels, reflective labels
Label materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus wash-down material, 10-hr glow in the dark, reflective, magnetic, tags, engraved plate substitute and more.
Label formats	Continuous tapes, pre-printed and blank die-cut labels
Print technology	Thermal transfer
Print resolution	300 dpi
Print speed	4 in./sec.
Media widths	0.5 to 4 in.
Min. label dimension	0.5 in.
Color printing capabilities	Monocolor printing (some pre-printed multi-color supplies also available)
Auto cut-off	Yes
X-Y plotter cutting (cut-out shapes / text)	No
PC-connect or standalone operation	PC-connect only
Connectivity options	USB
Compatible software	Brady Workstation Apps
Compatible materials	B30 series (all)
Compatible ribbons	B30 series (excluding multi-color panel ribbons)
Calibration required	No (no waste)
Label creation and set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Ribbon and label roll installation	**Labels:** Supplied in cartridge, drops into place, 15-second changeover **Ribbon:** Supplied in cartridge, snaps into place, 5-second changeover
Warranty	5 years

US. Patent No. #6364552, #5823689, #6570602, #8539868



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

Brady360® 5-year Warranty

We stand behind our products and have strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With our team of certified tech support and repair technicians, you can rest easy knowing you have the support you need, every step of the way.

BRADY360 5 YEAR WARRANTY

**Excludes repairs due to negligence. Excludes Wraptor™, BradyJet and portable models. For full coverage details and restrictions, visit BradyID.com/brady360*

BradyPrinter S3100 Sign and Label Printer

BradyID.com/s36



BradyPrinter S3100
SIGN & LABEL PRINTER

Walk-up-and-print for ultimate ease of use

Just walk up and print. Literally. The best choice for facility, safety and Lean / 5S labeling

- Intuitive, simple to learn, very approachable. Ideal for multi-user situations, events and centrally located print stations — simple training
- 20-second supply changeover with no waste, calibration or trial and error setup
- Standalone use or PC-Connect use all in one printer
- Automatic label setup with no calibration — the printer "reads" information from your cartridges and automatically sets up the label correctly in the printer or your Brady software

Learn more at BradyID.com/s3100



Easy to load drop-in supplies

Printer at-a-glance

- Small footprint
- PC-connect or standalone printing
- Touchscreen label creation
- Single color printing
- Safety and facility ID labels only
- 385 parts, 14 materials

Printing supplies

B30-series label rolls ..... page 36
B30-series print ribbons ..... page 74

Catalog #	Description
S3100W-BWSSFID	BradyPrinter S3100 Printer with Brady Workstation Safety and Facility ID Software Suite*
S3100-W	BradyPrinter S3100 Printer*
120994	Padded rolling case with handle and supplies pockets
B31-WIPER	Extra media wipers (5 per pack)
B31-CCT	Cutting Tool
PCK-6	Cleaning swabs that are pre-soaked in IPA (50 per pack)
Printer and Supplies Starter Kits. Kit contents on page 72.	
S3100W-ARC-KIT	BradyPrinter S3100 Printer w/ Arc Flash Supply Kit*
S3100W-GHS-KIT	BradyPrinter S3100 Printer w/ GHS Supply Kit*
S3100W-SAFE-KIT	BradyPrinter S3100 Printer w/ Safety Supply Kit*
S3100W-LEAN-KIT	BradyPrinter S3100 Printer w/ 5S Visual Workplace Supply Kit*
S3100W-PIPE-KIT	BradyPrinter S3100 Printer w/ Pipe ID Supply Kit*
S3100W-GEN-KIT	BradyPrinter S3100 Printer w/ General Industrial Supply Kit*

** Printer ships with power cord, USB cable, network card, drivers CD, stylus, cleaning kit, cutter cleaning tool, Quick Start Guide and documentation holder.*

Just walk up and print. So simple, your whole team can use it



Pipe marking


GHS labeling



Safety tags



Lean / 5S labeling



Safety signs



Equipment and panel labeling

BradyPrinter S3100 Sign and Label Printer

Printer specifications	
Overview	4 in. standalone and PC-connect printer for SFID with Wi-Fi connectivity. Standalone use is ideal for multi-user situations and lean 5S kaizen labeling events. The ultimate in easy and accessible.
Applications	Arc flash labels, equipment labels GHS labels, pipe markers, safety signs, warning labels, lean / 5S labels, panel and enclosure ID, tags barcode labels
Label materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus wash-down material, 10-hr glow in the dark, reflective, magnetic, tags, engraved plate substitute and more.
Label formats	Continuous tapes, pre-printed and blank die-cut labels
Print technology	Thermal transfer
Print resolution	300 dpi
Print speed	3 in./sec.
Media widths	0.5 to 4 in.
Min. label dimension	0.5 in.
Color printing capabilities	Monocolor printing (some pre-printed multi-color supplies also available)
Auto cut-off	Yes
X-Y plotter cutting (cutout shapes / text)	No
PC-connect or standalone operation	Standalone and PC-connect printing
Connectivity options	Standard: USB, Ethernet Optional: Wi-Fi, Wi-Fi Direct
Compatible software	Brady Workstation Apps
Compatible materials	B30 series (all)
Compatible ribbons	B30 series (excluding multi-color panel ribbons)
Calibration required	No (no waste)
Label creation and set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Ribbon and label roll installation	**Labels:** Supplied in cartridge, drops into place, 15-second changeover **Ribbon:** Supplied in cartridge, snaps into place, 5-second changeover
Warranty	5 years

U.S. Patent No. 8,542,155; 8,648,891; 5,823,689; 6,570,602. Additional patents pending.



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

Brady360® 5-year Warranty

We stand behind our products and have strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With our team of certified tech support and repair technicians, you can rest easy knowing you have the support you need, every step of the way.

BRADY360 5 YEAR WARRANTY

**Excludes repairs due to negligence. Excludes Wraptor™, BradyJet and portable models. For full coverage details and restrictions, visit BradyID.com/brady360*

BradyPrinter i3300 Industrial Label Printer

BradyID.com/s36



BradyPrinter i3300

INDUSTRIAL LABEL PRINTER

No waste. More labels. Less effort.

Picture your ideal label printing scenario – the labels and ribbons snap into place, there's no calibration process, you don't have to throw away blank labels before you actually print one. Ideal is now real with the BradyPrinter i3300 Industrial Label Printer. This mid-volume industrial label printer makes your identification projects easy, fast and affordable. Enjoy a variety of time- and money-saving advantages, including:

- **No waste printing**: With print smart technology, you get auto setup and calibration without throwing out blank labels
- **Fast material changeovers:** Foolproof drop-in label rolls and ribbons snap into place for 20-second material changeovers
- **Full-facility identification:** Complete all of your identification tasks, from wires, panels and products to safety and facility labels, with one convenient and efficient tool

Learn more at BradyID.com/i3300



Print on the first label or sleeve — even on the smallest labels

Printer at-a-glance

- Small footprint
- PC-connect printing
- Single color printing
- Safety, facility, wire and product ID labels
- 300+ parts, 14 materials (for SFID)
  350+ parts, 28 materials (Product and Wire ID)

Printing supplies

B30- and B33-series label rolls ..... page 36
B30-series print ribbons ..... page 74

Catalog #	Description
149552	BradyPrinter i3300 w/ Brady Workstation Basic Suite
150643	BradyPrinter i3300 w/ Brady Workstation Safety and Facility ID Suite
150645	BradyPrinter i3300 w/ Brady Workstation GHS App
150640	BradyPrinter i3300 w/ Brady Workstation Product and Wire ID Suite
150642	BradyPrinter i3300 w/ Brady Workstation Laboratory ID Suite
150639	BradyPrinter i3300 w/ Brady Workstation Scan and Print and Scanner
120994	Padded rolling case with handle and supplies pockets
B31-WIPER	Extra media wipers (5 per pack)
B31-CCT	Cutting Tool
PCK-6	Cleaning swabs that are pre-soaked in IPA (50 per pack)

** Printer ships with cleaning kit, cutter cleaning tool, power cord, product CD, Quick Start Guide and USB cable.*

Product and wire ID in addition to safety and facility ID



Industrial labeling




Arc flash labeling



Circuit board labeling



Product ID labels


Wire and cable labels



Raised panel labels and more

BradyPrinter i3300 Industrial Label Printer

Printer specifications	
Overview	4 in. PC-connect-only printer for SFID, die-cut wire ID and product ID labels. Printer is networkable. Does not offer user standalone use but does have extra label types.
Applications	Arc flash labels, equipment labels, GHS labels, pipe markers, safety signs, warning labels, lean / 5S labels, panel and enclosure ID, inside panel and automation ID, wire and cable ID, tags, barcode labels, miscellaneous die-cut labels, circuit board labels, product labels (OEM, laboratory specimen labels
Label materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, engraved plate substitute, 33 other materials
Label formats	Continuous material, pre-printed and blank die-cut labels, wire labels and sleeves
Print technology	Thermal transfer
Print resolution	300 dpi
Print speed	up to 4 in./sec.
Media widths	0.5 to 4.25 in.
Min. label dimension	0.25 in.**
Color printing capabilities	Monocolor printing (some pre-printed multi-color supplies also available)
Auto cut-off	Yes
X-Y plotter cutting (cutout shapes / text)	No
PC-connect or standalone operation	PC-connect only
Connectivity options	Standard: USB, Ethernet Optional: Wi-Fi, Wi-Fi Direct
Compatible software	Brady Workstation Apps
Compatible materials	B33 series (all) B30 series (all)
Compatible ribbons	B30 series (excluding multi-color panel ribbons)
Calibration required	No (no waste)
Label creation and set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Ribbon and label roll installation	**Labels:** Supplied in cartridge, drops into place, 15-second changeover **Ribbon:** Supplied in cartridge, snaps into place, 5-second changeover
Warranty	5 years

*** Performance at minimum label dimension is dependent on label text and size of print run; Users should test suitability for their application.*

U.S. Patent No. 5,823,689; 6,570,602. Additional patents pending.



Brady Workstation Product and Wire ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating product labels, wire and cable markers, panel labels and more
- The ability to serialize and import your data onto the labels
- Specialty label design apps for asset tags, terminal block and patch panel labels
- Real-time information about the label material installed, enabling easy label set up
- Apps feature built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

Brady360® 5-year Warranty

We stand behind our products and have strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With our team of certified tech support and repair technicians, you can rest easy knowing you have the support you need, every step of the way.

**Excludes repairs due to negligence. Excludes Wraptor™, BradyJet and portable models. For full coverage details and restrictions, visit BradyID.com/brady360*

BBP®35 and BBP®37 Label Printers

BradyID.com/s36



BRADY360 5 YEAR WARRANTY

Learn more at BradyID.com/bbp37

BBP®35 MULTICOLOR LABEL PRINTER

BBP®37 MULTICOLOR & CUT LABEL PRINTER

Color your way to an improved workplace

The BBP35 and BBP37 label printers give you the power to make signs and labels in the colors and shapes you need to make an impact – right when you need them.

- **Multiple print colors** – Color is more memorable, more effective and is the differentiator you need to effectively improve workplace safety and productivity
- **Shape cutting with the built-in XY plotter cutter (BBP37 only)** Cut out shapes and text, or cut around your message to create labels that look and fit how you want them to
- **Label making made easy** – Incredibly easy and intuitive interface makes it ideal for multiple users, centralized locations and lean / 5S events
- **Automatic label setup** – Printer reads critical information from the supplies and then automatically sets up the label attributes in the printer so you can start printing immediately
- **Time saving** – 20-second changeovers with drop in ribbon and label supplies

Printer at-a-glance

- Single and multi-color printing
- Cuts out shapes and text (BBP37 only)
- PC-connect or standalone printing
- Touchscreen label creation
- 300+ parts, 14 materials (for SFID)
  14 parts, 14 materials (for product ID)

Printing supplies

B30-series label rolls ..... page 36
B30-series print ribbons ..... page 74



Multi-color printing in a single print pass



Cut-out shapes and text with the BBP37 printer
(Requires 4 in. wide material. Cut-out text must be 0.75 in. or larger.)

Catalog #	Description
BBP35	BBP35 Multicolor Label Printer*
BBP37	BBP37 Multicolor and Cut Label Printer*
120994	Rolling case with handle, 2 pockets for supplies
BBP35-37-WIPER	BBP35/37 Media Wiper (1 each)
B31-CCT	Cutting Tool
PCK-6	Cleaning swabs that are pre-soaked in IPA (50 per pack)
B37-BLADE	Replacement XY cutting blade for BBP37 (1 each)
76737	Transfer tape for cut-out objects (300 ft. roll)

** Printer ships with cleaning kit, cutter cleaning tool, power cord, Quick Start Guide and USB cable.*

Unprecedented capabilities set the standard in safety and facility ID



Safety and industrial signage


GHS hazcomm labels




Safety and compliance labels


Product ID labels



Pipe markers



Cut-out shapes and text with BBP37 printer

Printer specifications	
Overview	4 in. standalone and PC-connect printer for SFID with multi-color printing and fast print speed. Standalone use is ideal for multi-user situations and lean 5S kaizen labeling events. The ultimate in easy and accessible with multiple colors.
Applications	Arc flash labels (w/ red variables), equipment labels, GHS labels, pipe markers, safety signs (multi-color), warning labels (multi-color), lean / 5S labels, panel and enclosure ID, tags, multi-color labels
Label materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus Toughstripe® floor tape, wash-down material, 10-hr glow in the dark, reflective, magnetic, tags, engraved plate substitute and 20 other materials.
Label formats	Continuous tapes, pre-printed and blank die-cut labels
Print technology	Thermal transfer
Print resolution	300 dpi
Print speed	5 in./sec.
Media widths	0.5 to 4 in.
Min. label dimension	0.5 in.
Color printing capabilities	Monocolor and multi-color printing
Auto cut-off	Yes
X-Y plotter cutting (cutout shapes / text)	Yes, BBP37 model only
PC-connect or standalone operation	Standalone and PC-connect printing
Connectivity options	Standalone use, Ethernet, USB
Compatible software	Brady Workstation Apps
Compatible materials	B30 series (all)
Compatible ribbons	B30 series (all)
Calibration required	No (no waste)
Label creation and set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Ribbon and label roll installation	**Labels:** Supplied in cartridge, drops into place, 15-second changeover **Ribbon:** Supplied in cartridge, snaps into place, 5-second changeover
Warranty	5 years

U.S. Patent No. 6364552 B1; 6788324; 6768502 B2; BBP37 printer: 6664995 B2; Ribbon cartridges: 6860658 B2; D480749



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

Brady360® 5-year Warranty

We stand behind our products and have strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With our team of certified tech support and repair technicians, you can rest easy knowing you have the support you need, every step of the way.

**Excludes repairs due to negligence. Excludes Wraptor™, BradyJet and portable models. For full coverage details and restrictions, visit BradyID.com/brady360*

B30- and B33-Series Material Supplies


Specifically designed for use with the BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*
















No-hassle, 20-second material changeovers

Forget fumbling around with supplies that roll away or require complicated threading. These easy-to-load materials and ribbons snap into place for easy 20-second material changeovers. Switch materials frequently throughout the day? You'll save time to work on your more important tasks.

Efficient label setup with print smart technology

Your printing team – printer, labels, ribbons and software – all work together from the moment you close the printer cover. It's all in the smart chip embedded in our materials.

When the material is installed, the chip sends vital information such as size, type, color and remaining quantity right to the printer. You'll be ready to print in no time.

Smart chip auto populates:

- Label size and color
- Pre-printed headers
- Remaining material quantity

No wasting labels with auto calibration

The auto calibration that takes place as soon as material is installed, means that you'll be printing on the very first label, saving you valuable time and labels.

**Supplies listed on the following pages are compatible unless otherwise noted in the part number tables.*

The right label from the right company

Nothing leaves Brady's doors without meeting the highest quality standards. Backed by more than 100 years of identification experience and rigorous R&D testing, Brady manufactures materials you can trust.

That strong background of material development allows us to create materials for all of your applications throughout your facility. Add the printing versatility of a Brady printer, and you get a convenient tool for facility-wide identification that offers more than 825 parts and 70 material options, and additional custom label options for a variety of applications, including:

Safety, maintenance and facility applications



Arc Flash Labels


GHS Labels



Safety Labels



Pipe Markers



Inventory ID



Tags



Raised Panel Labels




Floor Marking

Specialty applications with the BradyPrinter i3300



Product ID


Wire and cable markers



Electronics and PC boards


Laboratory labels

Cut-out shapes and text with the BBP®37 Printer



Cut-out text



Cut-out shapes

Look for the scissors icon on the following pages for 4 inch wide materials that are compatible with the BBP37 XY-plotter cutter.

(Cut-out text must be 0.75 in. or larger.)

Rigid sign and tag techniques:







4 inch continuous tape *rigid panels*

Blank Rigid Signs

- Create rigid signs and labels with any adhesive-backed output
- Ideal for surfaces where applying an adhesive label is difficult
- Panels can be mounted using foam tape, magnetic strips or by their included pre-drilled corner holes

Blank rigid signs

Color	Panel Height Inch	Panel Length Inch	Aluminum 10/Pack	Plasic 10/Pack
White	2.50	6.25	146083	146076
White	2.50	10.25	146113	146077
White	4.25	6.25	13629	13620
White	4.25	10.25	106461	146074
White	4.25	14.25	146082	146075
Yellow	2.50	6.26	146116	146080
Yellow	2.50	10.25	146117	146081
Yellow	4.25	6.25	13630	13620
Yellow	4.25	10.25	146114	146078
Yellow	4.25	14.25	146115	146079
Orange	4.25	6.25	13631	13622





White die-cut label *Blank tag*

Blank Rigid Valve Tags

Print labels on your Brady printer and apply them to industrial-grade plastic tags

- Die-cut labels are sized to fit the recessed area on the tag
- Outdoor tag withstands temperatures -40° F to 180° F

Printing supplies

Fits Printers	Catalog #	Color	Label Size	Labels per Roll
All*	B30-242-595-BLNKWT	White	1.125 in. x 2.75 in. for small tag	300
All*	B30-219-595-BLNKWT	White	2.25 in. x 3.75 in. for large tag	250
All*	B30-R10000	Black	Print Ribbon	-


Blank rigid valve tags

Catalog #	Color	Tag Size Inch	Recessed Area Inch
87696	White	2.1 x 3.6	1.5 x 3
87697	White	3.1 x 4.6	2.5 x 4
41922	Yellow	2.1 x 3.6	1.5 x 3
41923	Yellow	3.1 x 4.6	2.5 x 4
41924	Red	2.1 x 3.6	1.5 x 3
41925	Red	3.1 x 4.6	2.5 x 4
41926	Blue	2.1 x 3.6	1.5 x 3
41927	Blue	3.1 x 4.6	2.5 x 4
41928	Green	2.1 x 3.6	1.5 x 3
41929	Green	3.1 x 4.6	2.5 x 4
87694	Orange	2.1 x 3.6	1.5 x 3
87695	Orange	3.1 x 4.6	2.5 x 4
87712	Tan	2.1 x 3.6	1.5 x 3
87713	Tan	3.1 x 4.6	2.5 x 4
87710	Brown	2.1 x 3.6	1.5 x 3
87711	Brown	3.1 x 4.6	2.5 x 4
87698	Gray	2.1 x 3.6	1.5 x 3
87699	Gray	3.1 x 4.6	2.5 x 4
41920	Black	2.1 x 3.6	1.5 x 3
41921	Black	3.1 x 4.6	2.5 x 4
142133	Variety Pack*	-	-

** Pack of 30 tags includes at least one of each size and color. Perfect for evaluating which sizes and colors you need.*

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

BBP®37 printer "cutter" labeling techniques







4 inch continuous tape | *Paneled ribbon* | *Gauge App on BBP37 printer* | *Transfer tape for proper alignment during application*

Circle Gauge Labels with the BBP®37 Printer


The XY cutter and built-in Circle Gauge App on the BBP37 printer make it easy to create gauge labels. The app allows you to:


- Create in-zone, out-of-zone, caution zone or all three
- Specify center hole size

How to: Use multi-color ribbons, 4 in. white continuous tape and the XY cutter on the BBP37 printer to print and cut out a circular label for your gauge. Transparent transfer tape then makes it easy to cleanly apply the label in the proper position on your gauge.

Printing supplies – requires BBP37 printer

Catalog #	Color	
B30C-4000-595-WT	White vinyl	4.0 in. x 100 ft.
B30-R10000-GR-8	Green, red ribbon	
B30-R10000-KRYG-8	Black, red, yellow and green ribbon	
B30-R10000-KRGB-8	Black, red, blue and green ribbon	
76737	transfer tape	4.25 in. x 300 ft







2.25 inch continuous tape | *Gradient App on printer*

Gradient "Ruler" Labels with BBP35 or BBP37 Printers

Create accurate scale or "ruler" labels using the built-in Gradient Label App on the printer with continuous tapes.

The app allows you to:

- Specify units in inches or millimeters
- Choose from several interval tick mark options
- Designate "zones" through multiple color printing
- Set specific starting point

How to: Use any continuous tape along with the built-in Gradient Label App on the BBP35 and BBP37 printers.

Printing supplies – requires BBP35 or BBP37

Catalog #	Color	Size
B30C-4000-595-WT	White vinyl	4.0 in. x 100 ft.
B30C-2250-595-WT	White vinyl	2.25 in. x 100 ft.
B30C-1125-595-WT	White vinyl	1.125 in. x 100 ft.
B30C-500-595-WT	White vinyl	0.50 in. x 100 ft.
B30C-4000-595-YL	Yellow vinyl	4.0 in. x 100 ft.
B30C-2250-595-YL	Yellow vinyl	2.25 in. x 100 ft.
B30C-1125-595-YL	Yellow vinyl	1.125 in. x 100 ft.
B30C-500-595-YL	Yellow vinyl	0.50 in. x 100 ft.
B30-R10000	Black ribbon	
B30-R10000-RD	Red ribbon	
B30-R10000-KR-8	Black, red ribbon	
B30-R10000-KRGB-8	Black, red, green and blue ribbon	
B30-R10000-KRYG-8	Black, red, yellow and green ribbon	

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

B30- and B33-Series Materials

BradyID.com/s36

Indoor and Outdoor Vinyl (B-595)

Continuous vinyl material is ideal for lean / 5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, good for rough surfaces and outdoor use.

Service temp: -40° F to 180° F
Application temp: 0° F to 180° F
Average outdoor durability: 8-10 years
Agency approvals: RoHS




Figure 3





Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-500-595-WT	B-595	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-WT	B-595	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-595-WT	B-595	White	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-3000-595-WT	B-595	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-595-WT	B-595	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-YL	B-595	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-YL	B-595	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-595-YL	B-595	Yellow	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-3000-595-YL	B-595	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-595-YL	B-595	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-RD	B-595	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-RD	B-595	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-595-RD	B-595	Red	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-595-RD	B-595	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-BL	B-595	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-BL	B-595	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-595-BL	B-595	Blue	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-595-BL	B-595	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-GN	B-595	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-GN	B-595	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-595-GN	B-595	Green	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-595-GN	B-595	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-OR	B-595	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-OR	B-595	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-595-OR	B-595	Orange	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-595-OR	B-595	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-BK	B-595	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-BK	B-595	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-595-BK	B-595	Black	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-595-BK	B-595	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-BR	B-595	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-BR	B-595	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-595-BR	B-595	Brown	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-595-BR	B-595	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-OC	B-595	Ochre	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-595-OC	B-595	Ochre	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-595-OC	B-595	Ochre	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-GD	B-595	Gold	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-GD	B-595	Gold	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-595-GD	B-595	Gold	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-595-GD	B-595	Gold	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-GY	B-595	Gray	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-GY	B-595	Gray	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-595-GY	B-595	Gray	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-595-GY	B-595	Gray	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-PL	B-595	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-PL	B-595	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-595-PL	B-595	Purple	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-595-PL	B-595	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-CL	B-595	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-CL	B-595	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-595-CL	B-595	Clear	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-595-CL	B-595	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000

U.S. Patent No. 5,823,689; 6,570,602. Additional patents pending.

✂ *Compatible with BBP37 XY cutter.*

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Low-Halide Polyester (B-569)

Low-halide content for labeling stainless steel pipes and surfaces.
Applies best to very smooth surfaces and ideal for mounting to rigid panels.

Service temp: -40° F to 212° F
Application temp: 0° F to 212° F
Average outdoor durability: 3-5 years




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-500-569-WT	B-569	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-WT	B-569	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-WT	B-569	White	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-3000-569-WT	B-569	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-WT	B-569	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-YL	B-569	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-YL	B-569	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-YL	B-569	Yellow	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-YL	B-569	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-RD	B-569	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-569-RD	B-569	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-569-RD	B-569	Red	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-569-RD	B-569	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-569-BL	B-569	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-569-BL	B-569	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-569-BL	B-569	Blue	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-569-BL	B-569	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-569-LB	B-569	Light Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-LB	B-569	Light Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-LB	B-569	Light Blue	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-LB	B-569	Light Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-SB	B-569	Sky Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-SB	B-569	Sky Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-SB	B-569	Sky Blue	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-SB	B-569	Sky Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-GN	B-569	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-569-GN	B-569	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-569-GN	B-569	Green	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-569-GN	B-569	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-569-OR	B-569	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-OR	B-569	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-OR	B-569	Orange	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-OR	B-569	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-BK	B-569	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-569-BK	B-569	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-569-BK	B-569	Black	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-569-BK	B-569	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-569-BR	B-569	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-569-BR	B-569	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-569-BR	B-569	Brown	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-569-BR	B-569	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-569-OC	B-569	Ochre	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-OC	B-569	Ochre	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-OC	B-569	Ochre	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-OC	B-569	Ochre	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-TN	B-569	Tan	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-TN	B-569	Tan	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-TN	B-569	Tan	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-TN	B-569	Tan	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-GY	B-569	Gray	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-GY	B-569	Gray	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-GY	B-569	Gray	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-GY	B-569	Gray	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-PL	B-569	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-569-PL	B-569	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-2250-569-PL	B-569	Purple	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All* ✂	Fig. 3	B30C-4000-569-PL	B-569	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-569-PK	B-569	Pink	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-PK	B-569	Pink	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-PK	B-569	Pink	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-PK	B-569	Pink	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-569-CL	B-569	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-569-CL	B-569	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-569-CL	B-569	Clear	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-569-CL	B-569	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000

✂ *Compatible with BBP37 XY cutter.*

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

B30- and B33-Series Materials

BradyID.com/s36

Pre-Printed GHS / CLP Chemical Labels (B-569 and B-7569)

- Blank labels with pre-printed red diamonds allow the printer to produce two-color GHS / CLP labels in one print pass
- Three sizes of labels, each with diamond layouts that match templates in the printer app (if applicable) or in the Brady Workstation GHS App
- Indoor / outdoor vinyl material and durable inks withstand exposure to moisture, chemicals and handling

Service temp: -4° F to 180° F
Application temp: 50° F to 180° F
Average outdoor durability: 3-5 years



Fits Printers	Catalog #	B#	Material	Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Roll	Rec. Ribbon
All*	B30-260-7569-CLP1	B-7569	Vinyl	L1 Diamond + Text	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
All*	B30-261-7569-CLP1	B-7569	Vinyl	L1 Diamond + Text	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
All*	B30-262-7569-CLP1	B-7569	Vinyl	L1 Diamond + Text	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
All*	B30-260-7569-CLP2	B-7569	Vinyl	L2 Diamond + Text	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
All*	B30-261-7569-CLP2	B-7569	Vinyl	L2 Diamond + Text	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
All*	B30-262-7569-CLP2	B-7569	Vinyl	L2 Diamond + Text	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
All*	B30-260-7569-CLP3A	B-7569	Vinyl	L3A Diamond + Text	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
All*	B30-261-7569-CLP3A	B-7569	Vinyl	L3A Diamond + Text	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
All*	B30-262-7569-CLP3A	B-7569	Vinyl	L3A Diamond + Text	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
All*	B30-260-7569-CLP3B	B-7569	Vinyl	L3B Diamond + Text	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
All*	B30-261-7569-CLP3B	B-7569	Vinyl	L3B Diamond + Text	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
All*	B30-262-7569-CLP3B	B-7569	Vinyl	L3B Diamond + Text	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
All*	B30-260-7569-CLP4A	B-7569	Vinyl	L4A Diamond + Text	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
All*	B30-261-7569-CLP4A	B-7569	Vinyl	L4A Diamond + Text	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
All*	B30-262-7569-CLP4A	B-7569	Vinyl	L4A Diamond + Text	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
All*	B30-260-569-CLP4B	B-569	Polyester	L4B Diamond + Text	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
All*	B30-260-7569-CLP4B	B-7569	Vinyl	L4B Diamond + Text	2.170 (55.0)	3.350 (85.0)	340	B30-R10000
All*	B30-261-569-CLP4B	B-569	Polyester	L4B Diamond + Text	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
All*	B30-261-7569-CLP4B	B-7569	Vinyl	L4B Diamond + Text	2.950 (75.0)	4.330 (110.0)	270	B30-R10000
All*	B30-262-569-CLP4B	B-569	Polyester	L4B Diamond + Text	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
All*	B30-262-7569-CLP4B	B-7569	Vinyl	L4B Diamond + Text	4.130 (105.0)	6.100 (155.0)	200	B30-R10000
All*	B30-18-7569-CLP4C	B-7569	Vinyl	L4C Diamond + Text	1.000 (25.4)	3.000 (76.2)	1000	B30-R10000

Easily design GHS labels with the Brady Workstation GHS App

- Select from built-in pre-formatted label layouts with GHS symbols
- Search the built-in chemical database by CAS number to auto-populate your label, then edit to meet your specific SDS
- Print any of the six template sizes



Learn more at Workstation.BradyID.com


**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Pre-Printed Right-To-Know Chemical Labels (B-595)

- Pre-printed labels result in 5-color chemical labels in a single print pass
- Indoor / outdoor grade vinyl withstands exposure to moisture, chemicals and handling

Service temp: -40° F to 180° F
Application temp: 0° F to 180° F
Average outdoor durability: 8 to 10 years
Agency approvals: RoHS



Fits Printers	Catalog #	B#	Legend		Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-244-595-NFPA	B-595		Diamond + Text	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-245-595-NFPA	B-595		Diamond + Text	2.250 (57.5)	4.000 (101.6)	1	240	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-263-595-NFPA	B-595		Diamond + Text	4.000 (101.6)	6.250 (158.8)	1	170	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-244-595-DIAM	B-595		Diamond Only	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-161-595-DIAM	B-595		Diamond Only	4.000 (101.6)	4.000 (101.6)	1	240	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-246-595-NFR	B-595		Diamond NFR	1.125 (28.6)	3.000 (76.2)	1	300	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-244-595-CB	B-595		Color Bar + Text	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-245-595-CB	B-595		Color Bar + Text	2.250 (57.5)	4.000 (101.6)	1	240	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-263-595-CB	B-595		Color Bar + Text	4.000 (101.6)	6.250 (158.8)	1	170	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-244-595-HMIG	B-595		Color Bar Only	2.250 (57.5)	2.250 (57.5)	1	365	B30-R10000
S3100, i3300, BBP31, BBP33, BBP35, BBP37	B30-246-595-HMIG	B-595		Color Bar HMIG	1.125 (28.6)	3.000 (76.2)	1	300	B30-R10000

Labels above are not compatible with BradyPrinter S3000 or BBP30 printers.

B30- and B33-Series Materials

BradyID.com/s36

Pre-Printed Pre-Cut Blank Sign Headers (B-595)

- Allows printer to create multicolor signs fast in a single print pass
- Headers meet NFPA 70E, OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor / outdoor grade vinyl conforms to rough, highly textured and difficult-to-adhere-to surfaces

Service temp: -40° F to 180° F
Application temp: 0° F to 180° F
Average outdoor durability: 8-10 years
Agency approvals: RoHS




Figure 70




Figure 82



Blank rigid valve tags on page 38

Fits Printers	Figure	Catalog #	B#	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Roll	Rec. Ribbon
All*	Fig. 70	B30-241-595-OSHADA	B-595	DANGER	2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 70	B30-25-595-OSHADA	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 70	B30-241-595-OSHACA	B-595	CAUTION	2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 70	B30-25-595-OSHACA	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 70	B30-241-595-ANSICA	B-595	CAUTION	2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSICA	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 70	B30-241-595-ANSIDA	B-595	DANGER	2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSIDA	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 70	B30-241-595-ANSIWA	B-595	WARNING	2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSIWA	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 70	B30-241-595-ANSINO	B-595	NOTICE	2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSINO	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 70	B30-25-595-PREC	B-595	PRECAUCION	4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 70	B30-25-595-PEL	B-595	PELIGRO	4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 82	B30-242-595-BLNKWT	B-595		1.125 (28.6) **	2.750 (69.8)	300	B30-R10000
All*	Fig. 82	B30-241-595-BLNKWT	B-595		2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 82	B30-219-595-BLNKWT	B-595		2.250 (57.5) **	3.750 (95.3)	250	B30-R10000
All*	Fig. 82	B30-25-595-BLNKWT	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000
All*	Fig. 82	B30-241-595-BLNKYL	B-595		2.250 (57.5)	3.000 (76.2)	300	B30-R10000
All*	Fig. 82	B30-25-595-BLNKYL	B-595		4.000 (101.6)	6.000 (152.4)	175	B30-R10000

*** Sized to fit blank rigid valve tags, see page 38.*

Non-Adhesive Tags (B-551)

- Non-adhesive semi-rigid card stock in pre-cut or continuous styles
- Pre-cut style tags micro-perforated between tags to separate cleanly and feature chamfered corners
- Snap-in plastic grommets available for extra strength around mounting hole (Catalog #20596, 100/bag)

Service temp: -40° F to 193° F
Average outdoor durability: Up to 2 years




Figure 3




Figure 69



Fits Printers	Figure	Catalog #	B#	Header	Tag Width A Inch (mm)	Tag Height B Inch (mm)	Tags Per Roll	Rec. Ribbon
All*	Fig. 69	B30-255-551-ANSIDA	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	100	B30-R10000
All*	Fig. 69	B30-255-551-OSHADA	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	100	B30-R10000
All*	Fig. 69	B30-255-551-ANSICA	B-551	CAUTION	3.250 (82.6)	5.750 (146.1)	100	B30-R10000
All*	Fig. 69	B30-255-551-WHT	B-551		3.250 (82.6)	5.750 (146.1)	100	B30-R10000
All*	Fig. 3	B30C-2500-551-WT	B-551		2.500 (63.5)	50 ft. (15.2 m)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-3250-551-WT	B-551		3.250 (82.6)	50 ft. (15.2 m)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-4250-551-WT	B-551		4.250 (107.9)	50 ft. (15.2 m)	1 roll (cont.)	B30-R10000

✂ *Compatible with BBP37 XY cutter.*

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

ToughWash® Washdown Resistant Labels (B-854 and B-855)

- Withstands high pressure, heat, harsh chemicals and numerous washdown cycles
- Legible and long-lasting for even the toughest washdown cycles
- Ideal for use in the food and beverage industry
- B-854 offers metal detectable layer to allow detection in food stream

Service temp: -40° F to 230° F
Agency approvals: RoHS






Figure 3




Figure 73

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
ToughWash Metal Detectable Material (B-854):								
All*	Fig. 3	B30C-4000-854-YL	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 3	B30C-4000-854-WT	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 73	B30-25-854-OSHADA	B-854	DANGER	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-854-ANSIWA	B-854	⚠WARNING	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-854-ANSIDA	B-854	⚠DANGER	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-854-ANSICA	B-854	⚠CAUTION	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-854-PEL	B-854	⚠PELIGRO	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-854-PREC	B-854	⚠PRECAUCION	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
ToughWash Material (B-855):								
All*	Fig. 3	B30C-1125-855-YL	B-855		1.125 (28.6)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 3	B30C-2250-855-YL	B-855		2.250 (57.5)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 3	B30C-4000-855-YL	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 3	B30C-1125-855-WT	B-855		1.125 (28.6)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 3	B30C-2250-855-WT	B-855		2.250 (57.5)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 3	B30C-4000-855-WT	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	B30-R6000
All*	Fig. 73	B30-25-855-OSHADA	B-855	DANGER	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-855-ANSIWA	B-855	⚠WARNING	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-855-ANSIDA	B-855	⚠DANGER	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-855-ANSICA	B-855	⚠CAUTION	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-855-PEL	B-855	⚠PELIGRO	4.000 (101.06)	6.250 (158.8)	100	B30-R6000
All*	Fig. 73	B30-25-855-PREC	B-855	⚠PRECAUCION	4.000 (101.06)	6.250 (158.8)	100	B30-R6000

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

B30- and B33-Series Materials

BradyID.com/s36

Chemical and Solvent Resistant Polypropylene Labels (B-425, B-7425)

- Outstanding chemical and solvent resistance and print performance
- Not recommended for prolonged outdoor use

B-425: Service temp: -94° F to 212° F
B-7425: Service temp:-320° F to 248° F
Agency approvals: cUL UL RoHS CSA




Figure 1




Figure 2




Figure 25



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 1	B33-5-425	B-425	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 2	B33-17-425	B-425	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-18-425	B-425	White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-19-425	B-425	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R4300
i3300, BBP33	Fig. 25	B33-88-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	2	2000	B30-R4300
i3300, BBP33	Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 25	B33-37-7425	B-7425	White	1.500 (38.1)	0.500 (12.7)	2	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-136-7425	B-7425	White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-235-7425	B-7425	White	1.500 (38.1)	1.000 (25.4)	1	1250	B30-R4300
i3300, BBP33	Fig. 2	B33-258-7425	B-7425	White	1.500 (38.1)	1.750 (44.5)	1	900	B30-R4300
i3300, BBP33	Fig. 2	B33-53-7425	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2000	B30-R4300

Retro Reflective Tape (B-584)

- Highly reflective material shines back brightly when struck by light
- Ideal for labeling outdoor utility pedestals, hard hats, jobsite equipment and roof-top equipment
- Recommended for low light or inclement weather conditions

Service temp: -40° F to 158° F
Application temp: 0° F to 158° F (yellow and orange), 50° F to 158° F (silver)
Average outdoor durability: 4 to 6 years




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-1125-584-SL	B-584	Silver	1.125 (28.6)	50 (15.2)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-584-SL	B-584	Silver	2.250 (57.5)	50 (15.2)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-584-SL	B-584	Silver	4.000 (101.6)	50 (15.2)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-584-YL	B-584	Yellow	1.125 (28.6)	50 (15.2)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-584-YL	B-584	Yellow	2.250 (57.5)	50 (15.2)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-584-YL	B-584	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-584-OR	B-584	Orange	1.125 (28.6)	50 (15.2)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-584-OR	B-584	Orange	2.250 (57.5)	50 (15.2)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-584-OR	B-584	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont.)	B30-R10000

BradyGlo™ High-Intensity Photoluminescent Tape (B-526)

- Designed for directional, evacuation and equipment marking. Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls
- For glow-in-the-dark identification up to 10 hours
- Complies with indoor use requirements specified in RS 6-1 and 6-1A of New York Local Law 26

Service temp: -40° F to 140° F
Application temp: 40° F to 140° F




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-1125-526	B-526	Luminous Green	1.125 (28.6)	50 (15.2)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-526	B-526	Luminous Green	2.250 (57.5)	50 (15.2)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-526	B-526	Luminous Green	4.000 (101.6)	50 (15.2)	1 roll (cont.)	B30-R10000

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Printable Magnetic Supply (B-509)

- Easiest and quickest material for removing and repositioning
- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable, repositionable and Lean / 5S identification applications

Service temp: 0° F to 158° F
Average outdoor durability: 3 to 5 years




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-2500-509-WT	B-509	White	2.500 (63.5)	25 (7.62)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4250-509-WT	B-509	White	4.250 (107.8)	25 (7.62)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2500-509-YL	B-509	Yellow	2.500 (63.5)	25 (7.62)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4250-509-YL	B-509	Yellow	4.250 (107.8)	25 (7.62)	1 roll (cont.)	B30-R10000

Repositionable Vinyl (B-581)

- Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue
- Ideal for temporary, removable and repositionable labels, such as Lean / 5S inventory labels

Service temp: -40° F to 180° F
Application temp: 50° F to 180° F
Average outdoor durability: 5 years




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-500-581-WT	B-581	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-581-WT	B-581	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-581-WT	B-581	White	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-581-WT	B-581	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-581-YL	B-581	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-581-YL	B-581	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-581-YL	B-581	Yellow	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-581-YL	B-581	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000

Dissolvable Paper Labels (B-403)

- Designed for temporary applications where easy removal, re-identification or waste reduction are valued
- Ideal for labeling glassware, temporary asset tracking, animal housing identification and general use
- Completely dissolves in warm water within 30 seconds, leaving no adhesive residue

Service temp: -40° F to 172° F




Figure 3



Dissolves within 30 seconds leaving no residue.

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-1125-403-WT	B-403	White	1.125 (28.575)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-2250-403-WT	B-403	White	2.250 (57.15)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-3000-403-WT	B-403	White	3.000 (76.2)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-4000-403-WT	B-403	White	4.000 (101.6)	100 (30.5)	1 (cont.)	B30-R4300

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

B30- and B33-Series Materials

BradyID.com/s36

General ID Labels for Lean / 5S, Bins and Production Areas (B-483, B-484A, B-498, B-499 and B-595)

- Also ideal for marking backer board, DIN rail, relays, PLCs, switches, solenoids, drive motors and other components inside panels
- All recommended materials are flexible and have high-tack adhesives for adhesion to wide variety of surfaces and components

B-483: Service temp: -40° F to 248° F — *Agency approvals:* UL RoHS CSA
B-484A: Service temp: -40° F to 240° F — *Agency approvals:* UL RoHS
B-498: Service temp: -40° F to 175° F — *Agency approvals:* UL RoHS CSA
B-499: Service temp: -40° F to 193° F — *Agency approvals:* UL RoHS CSA
B-595: Service temp: -40° F to 180° F — *Agency approvals:* RoHS










Figure 1




Figure 2




Figure 3

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Vinyl cloth with ggressive but repositionable adhesive (B-498):									
i3300, BBP33	Fig. 1	B33-90-498	B-498	White	0.250 (6.4)	1.437 (36.5)	6	2500	B30-R6200
i3300, BBP33	Fig. 1	B33-68-498	B-498	White	0.500 (12.7)	0.750 (19.1)	4	5000	B30-R6200
i3300, BBP33	Fig. 1	B33-87-498	B-498	White	0.500 (12.7)	1.437 (36.5)	6	2500	B30-R6200
i3300, BBP33	Fig. 1	B33-1-498	B-498	White	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R6200
i3300, BBP33	Fig. 1	B33-95-498	B-498	White	0.800 (20.3)	1.437 (36.5)	3	2300	B30-R6200
i3300, BBP33	Fig. 1	B33-5-498	B-498	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6200
i3300, BBP33	Fig. 1	B33-88-498	B-498	White	1.000 (25.4)	0.750 (19.1)	2	2500	B30-R6200
i3300, BBP33	Fig. 1	B33-89-498	B-498	White	1.000 (25.4)	1.437 (36.5)	3	2300	B30-R6200
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 1	B30C-4000-498	B-498	White	4.000 (101.6)	80 ft. (24.4 m)	1 roll (cont.)		B30-R6200
Nylon Cloth with permanent adhesive (B-499):									
i3300, BBP33	Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	4	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-165-499	B-499	White	0.800 (20.3)	1.437 (36.5)	4	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-125-499	B-499	White	0.900 (22.9)	0.500 (12.7)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-163-499	B-499	White	1.000 (25.4)	0.375 (9.5)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	1	1100	B30-R6000
Polyester with ultra-aggressive adhesive for highly textured and low-surface energy surfaces (B-483):									
i3300, BBP33	Fig. 1	B33-149-483	B-483	White	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-5-483	B-483	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-17-483	B-483	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-7-483	B-483	White	2.750 (69.9)	1.250 (31.8)	1	1000	B30-R6000
i3300, BBP33	Fig. 2	B33-18-483	B-483	White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-483	B-483	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
i3300, BBP33	Fig. 2	B33-55-483	B-483	White	4.000 (101.6)	2.000 (50.8)	1	750	B30-R6000
Polyester with ultra-aggressive adhesive and pliable for conforming to angular surfaces (B-484A):									
i3300, BBP33	Fig. 2	B33-125-484	B-484A	White	0.900 (22.9)	0.500 (12.7)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-5-484	B-484A	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-136-484	B-484A	White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-17-484	B-484A	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-484	B-484A	White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-484	B-484A	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
Continuous cut-to-length vinyl with permanent adhesive is conformable and indoor / outdoor grade (B-595):									
All*	Fig. 3	B30C-500-595-WT	B-595**	White	0.500 (12.7)	100 ft. (30.5m)	1 roll (cont.)		B30-R10000
All*	Fig. 3	B30C-1125-595-WT	B-595**	White	1.125 (28.6)	100 ft. (30.5m)	1 roll (cont.)		B30-R10000
All*	Fig. 3	B30C-500-595-YL	B-595**	Yellow	0.500 (12.7)	100 ft. (30.5m)	1 roll (cont.)		B30-R10000
All*	Fig. 3	B30C-1125-595-YL	B-595**	Yellow	1.125 (28.6)	100 ft. (30.5m)	1 roll (cont.)		B30-R10000

*** Additional sizes and colors available for B-595 on page 40.*

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Cold Temperature Application Material (B-549)

- Special adhesive permanently adheres to extremely cold surfaces
- Can be applied in -10° F and lasts in -40° F
- Ideal for cold storage warehouses, coolers, freezers and short-term winter outdoor use

Service temp: -40° F to 212° F
Average outdoor durability: Up to 1 year




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-1125-549-WT	B-549	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-549-WT	B-549	White	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-549-WT	B-549	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-549-YL	B-549	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-2250-549-YL	B-549	Yellow	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R10000
All* ✂	Fig. 3	B30C-4000-549-YL	B-549	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R10000

ToughStripe® Printable Floor Marking Tape (B-483 with overlaminate)

- Revolutionary B-483 material has ultra-aggressive adhesive
- Each roll ships with a roll of clear overlaminate which must be applied over printed label for best performance

Service temp: -40° F to 248° F
Agency approvals: UL CSA




Figure 3



For use with printer*	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-1125-483WT-KT	B-483	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-2250-483WT-KT	B-483	White	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-3000-483WT-KT	B-483	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483WT-KT	B-483	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-1125-483YL-KT	B-483	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-2250-483YL-KT	B-483	Yellow	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-3000-483YL-KT	B-483	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483YL-KT	B-483	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-1125-483RD-KT	B-483	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-2250-483RD-KT	B-483	Red	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483RD-KT	B-483	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-1125-483BL-KT	B-483	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-2250-483BL-KT	B-483	Blue	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483BL-KT	B-483	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-1125-483GN-KT	B-483	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-2250-483GN-KT	B-483	Green	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483GN-KT	B-483	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-1125-483BK-KT	B-483	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-2250-483BK-KT	B-483	Black	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483BK-KT	B-483	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R4400-WT
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-1125-483OR-KT	B-483	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37	Fig. 3	B30C-2250-483OR-KT	B-483	Orange	2.250 (57.5)	100 (30.5)	1 roll (cont.)	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483OR-KT	B-483	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	B30-R6000

ToughStripe material is not compatible with BBP®30, BBP®33 and BBP®31 printers.

ToughStripe material also available as:

- Solid, striped and dashed tape
- Die-cut shape, numbers and letters

View page 295 for more additional products.



✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Raised Profile – Engraved Plate Substitute Labels (B-593) Push Button Style

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70 mm thick)
- High-performance, low-cost substitute to engraved plates – costs up to 80% less
- 10-year outdoor durability rating
- On-demand labeling: prints out in fewer than 4 seconds
- 5 push button sizes (including keyed and non-keyed 22.5 mm and 30.5 mm hole diameters)

Service temp: -4° F to 212° F
Application temp: 50° F to 212° F
Agency approvals:




Figure 18a





Figure 18b (without key hole)



Fits Printers	Figure	Catalog #	B#	Color	Label Height A Inch (mm)	Label Width B Inch (mm)	Hole Diameter C Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
All*	Fig. 18a	B30EP-167-593-WT	B-593	White	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R6000
All*	Fig. 18b	B30EP-167U-593-WT	B-593	White	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R6000
All*	Fig. 18a	B30EP-169-593-WT	B-593	White	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	190	B30-R6000
All*	Fig. 18a	B30EP-168-593-WT	B-593	White	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	1	180	B30-R6000
All*	Fig. 18a	B30EP-170-593-WT	B-593	White	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	1	145	B30-R6000
All*	Fig. 18a	B30EP-167-593-YL	B-593	Yellow	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R6000
All*	Fig. 18b	B30EP-167U-593-YL	B-593	Yellow	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R6000
All*	Fig. 18a	B30EP-169-593-YL	B-593	Yellow	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	190	B30-R6000
All*	Fig. 18a	B30EP-168-593-YL	B-593	Yellow	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	1	180	B30-R6000
All*	Fig. 18a	B30EP-170-593-YL	B-593	Yellow	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	1	145	B30-R6000
All*	Fig. 18a	B30EP-167-593-BK	B-593	Black	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R4400-WT
All*	Fig. 18b	B30EP-167U-593-BK	B-593	Black	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R4400-WT
All*	Fig. 18a	B30EP-169-593-BK	B-593	Black	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	190	B30-R4400-WT
All*	Fig. 18a	B30EP-168-593-BK	B-593	Black	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	1	180	B30-R4400-WT
All*	Fig. 18a	B30EP-170-593-BK	B-593	Black	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	1	145	B30-R4400-WT
All*	Fig. 18a	B30EP-167-593-GN	B-593	Green	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R4400-WT
All*	Fig. 18b	B30EP-167U-593-GN	B-593	Green	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R4400-WT
All*	Fig. 18a	B30EP-169-593-GN	B-593	Green	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	190	B30-R4400-WT
All*	Fig. 18a	B30EP-168-593-GN	B-593	Green	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	1	180	B30-R4400-WT
All*	Fig. 18a	B30EP-170-593-GN	B-593	Green	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	1	145	B30-R4400-WT
All*	Fig. 18a	B30EP-167-593-RD	B-593	Red	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R4400-WT
All*	Fig. 18b	B30EP-167U-593-RD	B-593	Red	1.500 (38.1)	1.200 (30.5)	0.885 (22.5)	1	200	B30-R4400-WT
All*	Fig. 18a	B30EP-169-593-RD	B-593	Red	1.800 (45.7)	1.800 (45.7)	1.200 (30.5)	1	190	B30-R4400-WT
All*	Fig. 18a	B30EP-168-593-RD	B-593	Red	1.900 (48.3)	1.200 (30.5)	0.885 (22.5)	1	180	B30-R4400-WT
All*	Fig. 18a	B30EP-170-593-RD	B-593	Red	2.400 (60.9)	2.400 (60.9)	1.200 (30.5)	1	145	B30-R4400-WT

U.S. Patent No. US8475914B2; US9005729B2.

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Raised Profile – Engraved Plate Substitute Labels (B-593)
Rectangular Style

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70 mm thick)
- High-performance, low-cost substitute to engraved plates – costs up to 80% less
- 10-year outdoor durability rating
- On-demand labeling: prints out in fewer than 4 seconds
- Ideal for inside-panel backer board labels and front-of-enclosure labeling

Service temp: -4° F to 212° F
Application temp: 50° F to 212° F
Agency approvals:




Figure 18c





Fits Printers	Figure	Catalog #	B#	Color	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
All*	Fig. 18c	B30EP-171-593-WT	B-593	White	0.490 (12.5)	1.060 (26.9)	1	500	B30-R6000
All*	Fig. 18c	B30EP-172-593-WT	B-593	White	0.590 (15.0)	1.770 (45.0)	1	450	B30-R6000
All*	Fig. 18c	B30EP-175-593-WT	B-593	White	0.750 (19.1)	3.000 (76.2)	1	375	B30-R6000
All*	Fig. 18c	B30EP-173-593-WT	B-593	White	1.000 (25.4)	2.000 (50.8)	1	300	B30-R6000
All*	Fig. 18c	B30EP-174-593-WT	B-593	White	1.000 (25.4)	4.000 (101.6)	1	300	B30-R6000
All*	Fig. 18c	B30EP-176-593-WT	B-593	White	1.000 (25.4)	3.000 (76.2)	1	300	B30-R6000
All*	Fig. 18c	B30EP-177-593-WT	B-593	White	2.500 (63.5)	3.000 (76.2)	1	125	B30-R6000
All*	Fig. 18c	B30EP-171-593-YL	B-593	Yellow	0.490 (12.5)	1.060 (26.9)	1	500	B30-R6000
All*	Fig. 18c	B30EP-172-593-YL	B-593	Yellow	0.590 (15.0)	1.770 (45.0)	1	450	B30-R6000
All*	Fig. 18c	B30EP-175-593-YL	B-593	Yellow	0.750 (19.1)	3.000 (76.2)	1	375	B30-R6000
All*	Fig. 18c	B30EP-173-593-YL	B-593	Yellow	1.000 (25.4)	2.000 (50.8)	1	300	B30-R6000
All*	Fig. 18c	B30EP-174-593-YL	B-593	Yellow	1.000 (25.4)	4.000 (101.6)	1	300	B30-R6000
All*	Fig. 18c	B30EP-176-593-YL	B-593	Yellow	1.000 (25.4)	3.000 (76.2)	1	300	B30-R6000
All*	Fig. 18c	B30EP-177-593-YL	B-593	Yellow	2.500 (63.5)	3.000 (76.2)	1	125	B30-R6000
All*	Fig. 18c	B30EP-171-593-BK	B-593	Black	0.490 (12.5)	1.060 (26.9)	1	500	B30-R4400-WT
All*	Fig. 18c	B30EP-172-593-BK	B-593	Black	0.590 (15.0)	1.770 (45.0)	1	450	B30-R4400-WT
All*	Fig. 18c	B30EP-175-593-BK	B-593	Black	0.750 (19.1)	3.000 (76.2)	1	375	B30-R4400-WT
All*	Fig. 18c	B30EP-173-593-BK	B-593	Black	1.000 (25.4)	2.000 (50.8)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-174-593-BK	B-593	Black	1.000 (25.4)	4.000 (101.6)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-176-593-BK	B-593	Black	1.000 (25.4)	3.000 (76.2)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-177-593-BK	B-593	Black	2.500 (63.5)	3.000 (76.2)	1	125	B30-R4400-WT
All*	Fig. 18c	B30EP-171-593-GN	B-593	Green	0.490 (12.5)	1.060 (26.9)	1	500	B30-R4400-WT
All*	Fig. 18c	B30EP-172-593-GN	B-593	Green	0.590 (15.0)	1.770 (45.0)	1	450	B30-R4400-WT
All*	Fig. 18c	B30EP-175-593-GN	B-593	Green	0.750 (19.1)	3.000 (76.2)	1	375	B30-R4400-WT
All*	Fig. 18c	B30EP-173-593-GN	B-593	Green	1.000 (25.4)	2.000 (50.8)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-174-593-GN	B-593	Green	1.000 (25.4)	4.000 (101.6)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-176-593-GN	B-593	Green	1.000 (25.4)	3.000 (76.2)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-177-593-GN	B-593	Green	2.500 (63.5)	3.000 (76.2)	1	125	B30-R4400-WT
All*	Fig. 18c	B30EP-171-593-RD	B-593	Red	0.490 (12.5)	1.060 (26.9)	1	500	B30-R4400-WT
All*	Fig. 18c	B30EP-172-593-RD	B-593	Red	0.590 (15.0)	1.770 (45.0)	1	450	B30-R4400-WT
All*	Fig. 18c	B30EP-173-593-RD	B-593	Red	1.000 (25.4)	2.000 (50.8)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-174-593-RD	B-593	Red	1.000 (25.4)	4.000 (101.6)	1	300	B30-R4400-WT
All*	Fig. 18c	B30EP-171-593-SL	B-593	Silver	0.490 (12.5)	1.060 (26.9)	1	500	B30-R6000
All*	Fig. 18c	B30EP-172-593-SL	B-593	Silver	0.590 (15.0)	1.770 (45.0)	1	450	B30-R6000
All*	Fig. 18c	B30EP-173-593-SL	B-593	Silver	1.000 (25.4)	2.000 (50.8)	1	300	B30-R6000
All*	Fig. 18c	B30EP-174-593-SL	B-593	Silver	1.000 (25.4)	4.000 (101.6)	1	300	B30-R6000

U.S. Patent No. US8475914B2; US9005729B2.

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

Polyester Labels
(B-422, B-423, B-430, B-432, B-483, B-484A and B-489)

- For product, circuit board and component ID as well as for general purpose industrial identification
- Ideal for textured and curved surfaces

B-423: Service temp: -94° F to 248° F *Agency approvals:*
B-430: Service temp: -40° F to 212° F *Agency approvals:*
B-432: Service temp: -40° F to 212° F *Agency approvals:*
B-483: Service temp: -94° F to 248° F *Agency approvals:*
B-484A: Service temp: -40° F to 240° F *Agency approvals:*
B-489: Service temp: -94° F to 248° F *Agency approvals:*




Figure 1




Figure 2




Figure 3




Figure 4








Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard adhesive (B-423 gloss white):									
i3300, BBP33	Fig. 4	B33-11-423	B-423	Gloss White	0.250 (6.4)	0.250 (6.4)	12	15000	B30-R6000
i3300, BBP33	Fig. 1	B33-38-423	B-423	Gloss White	0.375 (9.5)	0.375 (9.5)	9	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-149-423	B-423	Gloss White	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-1-423	B-423	Gloss White	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-46-423	B-423	Gloss White	0.750 (19.1)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-49-423	B-423	Gloss White	0.900 (22.9)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-103-423	B-423	Gloss White	1.000 (25.4)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-3-423	B-423	Gloss White	1.000 (25.4)	0.375 (9.5)	3	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-5-423	B-423	Gloss White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-43-423	B-423	Gloss White	1.250 (31.8)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-29-423	B-423	Gloss White	1.250 (31.8)	0.375 (9.5)	2	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-45-423	B-423	Gloss White	1.500 (38.1)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-72-423	B-423	Gloss White	1.750 (44.5)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-53-423	B-423	Gloss White	2.000 (50.8)	0.500 (12.7)	1	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-17-423	B-423	Gloss White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-423	B-423	Gloss White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-423	B-423	Gloss White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
i3300, BBP33	Fig. 2	B33-55-423	B-423	Gloss White	4.000 (101.6)	2.000 (50.8)	1	750	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-423	B-423	Gloss White	4.000 (101.6)	150 ft. (45.7 m)	1 roll (cont.)		B30-R6000
Standard adhesive (B-430 clear):									
i3300, BBP33	Fig. 1	B33-5-430	B-430	Clear	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-17-430	B-430	Clear	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-430	B-430	Clear	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
Strong adhesive for textured surfaces (B-422 gloss white):									
i3300, BBP33	Fig. 1	B33-149-422	B-422	Gloss White	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-5-422	B-422	Gloss White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-147-422	B-422	Gloss White	1.500 (38.1)	0.375 (9.5)	2	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-102-422	B-422	Gloss White	1.500 (38.1)	0.375 (9.5)	1	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-136-422	B-422	Gloss White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-17-422	B-422	Gloss White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-422	B-422	Gloss White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-422	B-422	Gloss White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
i3300, BBP33	Fig. 2	B33-76-422	B-422	Gloss White	4.000 (101.6)	3.000 (76.2)	1	500	B30-R6000

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Polyester Labels (continued)

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Stronger adhesive for textured surfaces (B-432 clear):									
i3300, BBP33	Fig. 1	B33-149-432	B-432	Clear	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-5-432	B-432	Clear	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-17-432	B-432	Clear	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-432	B-432	Clear	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-432	B-432	Clear	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-432	B-432	Clear	4.000 (101.6)	120 ft. (36.6 m)	1 roll (cont.)		B30-R6000
Ultra-aggressive adhesive for highly textured surfaces (B-483 gloss white):									
i3300, BBP33	Fig. 1	B33-149-483	B-483	Gloss White	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-5-483	B-483	Gloss White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-17-483	B-483	Gloss White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-7-483	B-483	Gloss White	2.750 (69.9)	1.250 (31.8)	1	1000	B30-R6000
i3300, BBP33	Fig. 2	B33-18-483	B-483	Gloss White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-483	B-483	Gloss White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
i3300, BBP33	Fig. 2	B33-55-483	B-483	Gloss White	4.000 (101.6)	2.000 (50.8)	1	750	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-483	B-483	Gloss White	4.000 (101.6)	130 ft. (39.6 m)	1 roll (cont.)		B30-R6000
Ultra-aggressive adhesive for highly textured surfaces (B-489 matte white):									
i3300, BBP33	Fig. 1	B33-5-489	B-489	Matte White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 2	B33-17-489	B-489	Matte White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-18-489	B-489	Matte White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-19-489	B-489	Matte White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R4300
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-489	B-489	Matte White	4.000 (101.6)	130 ft. (39.6 m)	1 roll (cont.)		B30-R4300
Ultra-aggressive adhesive and pliable for conforming to angular surfaces (B-484A gloss white):									
i3300, BBP33	Fig. 2	B33-125-484	B-484A	Gloss White	0.900 (22.9)	0.500 (12.7)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-5-484	B-484A	Gloss White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-136-484	B-484A	Gloss White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-17-484	B-484A	Gloss White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-484	B-484A	Gloss White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-484	B-484A	Gloss White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-484	B-484A	Gloss White	4.000 (101.6)	150 ft. (45.7 m)	1 roll (cont.)		B30-R6000
Permanent acrylic adhesive (B-488 matte white)									
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-488	B-488	Matte White	4.000 (101.6)	130 ft. (39.6 m)	1 roll (cont.)		B30-R4300
Self-extinguishing polyvinylfluoride (B-787 gloss white)									
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-787	B-787	Gloss White	4.000 (101.6)	60 ft. (18.3 m)	1 roll (cont.)		B30-R6000



Technical Data Sheets

Technical Data Sheets for all Brady label materials are available at:

BradyID.com/techdata

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

Metallized Polyester Labels (B-428, B-434, B-435, B-438, B-486 and B-565)

- For product labeling, asset tracking and general industrial identification
- Ideal for serial number plates and rating plates with name-plate quality and metal-looking finish

B-428: Service temp: -40° F to 293° F *Agency approvals:*
B-434: Service temp: -40° F to 194° F *Agency approvals:*
B-435: Service temp: -40° F to 194° F *Agency approvals:*
B-438: Service temp: -40° F to 104° F *Agency approvals:*
B-480: Service temp: -94° F to 248° F *Agency approvals:*
B-486: Service temp: -40° F to 248° F *Agency approvals:*
B-565: Service temp: -40° F to 240° F *Agency approvals:*




Figure 1




Figure 2






Figure 3





Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard adhesive for smooth surfaces (B-428 matte):									
i3300, BBP33	Fig. 1	B33-5-428	B-428	Matte Silver	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 2	B33-53-428	B-428	Matte Silver	2.000 (50.8)	0.500 (12.7)	1	2500	B30-R4300
i3300, BBP33	Fig. 2	B33-17-428	B-428	Matte Silver	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-18-428	B-428	Matte Silver	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-19-428	B-428	Matte Silver	3.000 (76.2)	2.000 (50.8)	1	500	B30-R4300
i3300, BBP33	Fig. 3	B33C-3000-428	B-428	Matte Silver	3.000 (76.2)	85 ft. (25.9m)		1 roll (cont.)	B30-R4300
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-428	B-428	Matte Silver	4.000 (101.6)	130 ft. (39.6 m)		1 roll (cont.)	B30-R4300
Standard adhesive for smooth surfaces (B-565 matte):									
All*	Fig. 3	B30C-1125-565-SL	B-565	Matte Silver	1.125 (28.6)	100 ft. (30.5m)		1 roll (cont.)	B30-R4300
All*	Fig. 3	B30C-2250-565-SL	B-565	Matte Silver	2.250 (57.5)	100 ft. (30.5m)		1 roll (cont.)	B30-R4300
All* ✂	Fig. 3	B30C-4000-565-SL	B-565	Matte Silver	4.000 (101.6)	100 ft. (30.5m)		1 roll (cont.)	B30-R4300
Standard adhesive for smooth surfaces (B-435 gloss):									
i3300, BBP33	Fig. 2	B33-18-435	B-435	Gloss Silver	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-435	B-435	Gloss Silver	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
i3300, BBP33	Fig. 2	B33-55-435	B-435	Gloss Silver	4.000 (101.6)	2.000 (50.8)	1	750	B30-R6000
Stronger adhesive for rougher surfaces (B-434 gloss):									
i3300, BBP33	Fig. 1	B33-5-434	B-434	Gloss Silver	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-136-434	B-434	Gloss Silver	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-17-434	B-434	Gloss Silver	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-434	B-434	Gloss Silver	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-434	B-434	Gloss Silver	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
i3300, BBP33	Fig. 2	B33-55-434	B-434	Gloss Silver	4.000 (101.6)	2.000 (50.8)	1	750	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-434	B-434	Gloss Silver	4.000 (101.6)	130 ft. (39.6 m)		1 roll (cont.)	B30-R6000
Ultra-aggressive adhesive with metallic looking finish (B-480 satin):									
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-480	B-480	Light Gray	4.000 (101.6)	115 ft. (35.1 m)		1 roll (cont.)	B30-R6000
Ultra-aggressive adhesive for highly textured, powder coated and low surface energy surfaces (B-486 matte):									
i3300, BBP33	Fig. 2	B33-59-486	B-486	Matte Silver	1.000 (25.4)	0.500 (12.7)	1	2500	B30-R4300
i3300, BBP33	Fig. 1	B33-5-486	B-486	Matte Silver	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 2	B33-53-486	B-486	Matte Silver	2.000 (50.8)	0.500 (12.7)	1	2500	B30-R4300
i3300, BBP33	Fig. 2	B33-17-486	B-486	Matte Silver	2.000 (50.8)	1.000 (25.4)	1	1300	B30-R4300
i3300, BBP33	Fig. 2	B33-7-486	B-486	Matte Silver	2.750 (69.9)	1.250 (31.8)	1	1000	B30-R4300
i3300, BBP33	Fig. 2	B33-18-486	B-486	Matte Silver	3.000 (76.2)	1.000 (25.4)	1	1300	B30-R4300
i3300, BBP33	Fig. 2	B33-19-486	B-486	Matte Silver	3.000 (76.2)	2.000 (50.8)	1	500	B30-R4300
i3300, BBP33	Fig. 2	B33-76-486	B-486	Matte Silver	4.000 (101.6)	3.000 (76.2)	1	500	B30-R4300
i3300, BBP33	Fig. 2	B33-161-486	B-486	Matte Silver	4.000 (101.6)	4.000 (101.6)	1	250	B30-R4300
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 2	B30C-4000-486	B-486	Matte Silver	4.000 (101.6)	115 ft. (35.1 m)		1 roll (cont.)	B30-R4300

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Tamper-Evident Asset ID Labels (B-438)

Leaves checkerboard footprint on surface and on label if removed to prevent re-use

Service temp: -40° F to 104° F
Agency approvals:




Figure 2




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
All*	Fig. 2	B30-17-438	B-438	Matte Silver	2.000 (50.8)	1.000 (25.4)	1	1225	B30-R4300
All*	Fig. 2	B30-18-438	B-438	Matte Silver	3.000 (76.2)	1.000 (25.4)	1	1225	B30-R4300
All*	Fig. 2	B30-222-438	B-438	Matte Silver	3.000 (76.2)	2.000 (50.8)	1	650	B30-R4300
All*	Fig. 3	B30C-3000-438-SL	B-438	Matte Silver	3.000 (76.2)	100 ft. (30.5 m)	1 roll (cont.)		B30-R4300

Paper Labels (B-424)

- Economical choice for light duty general ID
- White finish and matte topcoat
- Excellent contrast and smear resistance for barcode printing

Service temp: -40° F to 124° F
Agency approvals: RoHS




Figure 2



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 2	B33-53-424	B-424	White	2.000 (50.8)	0.500 (12.7)	1	2500	B30-R4300
i3300, BBP33	Fig. 2	B33-17-424	B-424	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-7-424	B-424	White	2.750 (69.9)	1.250 (31.8)	1	1000	B30-R4300
i3300, BBP33	Fig. 2	B33-18-424	B-424	White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-19-424	B-424	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R4300
i3300, BBP33	Fig. 2	B33-20-424	B-424	White	3.000 (76.2)	5.000 (127)	1	250	B30-R4300
i3300, BBP33	Fig. 2	B33-55-424	B-424	White	4.000 (101.6)	2.000 (50.8)	1	750	B30-R4300
i3300, BBP33	Fig. 2	B33-25-424	B-424	White	4.000 (101.6)	6.000 (152.4)	1	350	B30-R4300
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-424	B-424	White	4.000 (101.6)	150 ft. (45.7 m)	1 roll (cont.)		B30-R4300

Polypropylene Labels (B-425)

- General labeling material for indoor use
- Outstanding chemical and solvent resistance and print performance
- Not recommended for prolonged outdoor use

Service temp: -94° F to 212° F
Agency approvals:




Figure 1




Figure 2



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 1	B33-5-425	B-425	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 2	B33-17-425	B-425	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-18-425	B-425	White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-19-425	B-425	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R4300


✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Standard Polyimide Labels (B-724 and B-727)

Top- or bottom-side component ID or board ID labels that withstand the various processes, fluxes and cleaning solvents encountered in the manufacture of printed circuit boards

B-727: Service temp: -94° F to 212° F
(short burst max temp: 80 sec at 572° F, 5 min at 500° F, 2 hrs at 338° F)
Agency approvals: UL RoHS

B-724: Service temp: -94° F to 518° F
(short burst max temp: 80 sec at 626° F, 5 min at 536° F)
Agency approvals: RoHS






Figure 1




Figure 2




Figure 3


Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard temperature (B-727 gloss white):									
i3300, BBP33	Fig. 1	B33-11-727	B-727	Gloss White	0.250 (6.35)	0.250 (6.4)	12	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-38-727	B-727	Gloss White	0.375 (9.5)	0.375 (9.5)	9	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-149-727	B-727	Gloss White	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-1-727	B-727	Gloss White	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-49-727	B-727	Gloss White	0.900 (22.9)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-2-727	B-727	Gloss White	0.900 (22.9)	0.250 (6.4)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-103-727	B-727	Gloss White	1.000 (25.4)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-58-727	B-727	Gloss White	1.000 (25.4)	0.375 (9.5)	1	4000	B30-R6000
i3300, BBP33	Fig. 2	B33-59-727	B-727	Gloss White	1.000 (25.4)	0.500 (12.7)	1	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-43-727	B-727	Gloss White	1.250 (31.8)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-44-727	B-727	Gloss White	1.375 (34.9)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-45-727	B-727	Gloss White	1.500 (38.1)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-72-727	B-727	Gloss White	1.750 (44.5)	0.250 (6.4)	1	5000	B30-R6000
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-727	B-727	Gloss White	4.000 (101.6)	130 ft. (39.6 m)	1 roll (cont.)		B30-R6000
Extremely high temperature (B-724 matte amber):									
i3300, BBP33	Fig. 1	B33-149-724	B-724	Matte Amber	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R4300
i3300, BBP33	Fig. 2	B33-46-724	B-724	Matte Amber	0.750 (19.1)	0.250 (6.4)	1	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-1-724	B-724	Matte Amber	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-2-724	B-724	Matte Amber	0.900 (22.9)	0.250 (6.4)	3	5000	B30-R4300
i3300, BBP33	Fig. 2	B33-43-724	B-724	Matte Amber	1.250 (31.8)	0.250 (6.4)	1	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-4-724	B-724	Matte Amber	1.500 (38.1)	0.250 (6.4)	2	5000	B30-R4300
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-724	B-724	Matte Amber	4.000 (101.6)	130 ft. (39.6 m)	1 roll (cont.)		B30-R4300

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Static Dissipative Polyimide Labels (B-717, B-718 and B-719)

- Circuit board and electronic component identification with static dissipative adhesive and release liner with surface resistivity values recommended for dissipative ESD packaging
- Complies with EIA-541 packaging material standards for ESD sensitive items
- For top- or bottom-side component or board identification

Service temp: -94° F to 212° F (short burst max temp: 80 sec at 572° F, 5 min at 500° F, 2 hrs at 338° F)
Agency approvals: UL RoHS






Figure 1




Figure 2




Figure 4

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Standard thickness (B-717 gloss white):									
i3300, BBP33	Fig. 2	* B33-46-717	B-717	Gloss White	0.750 (19.1)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-103-717	B-717	Gloss White	1.000 (25.4)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-43-717	B-717	Gloss White	1.250 (31.8)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-45-717	B-717	Gloss White	1.500 (38.1)	0.250 (6.4)	1	5000	B30-R6000
Low-profile label (B-718 gloss white):									
i3300, BBP33	Fig. 4	* B33-11-718	B-718	Gloss White	0.250 (6.4)	0.250 (6.4)	12	1500	B30-R6000
i3300, BBP33	Fig. 1	* B33-38-718	B-718	Gloss White	0.375 (9.5)	0.375 (9.5)	9	5000	B30-R6000
i3300, BBP33	Fig. 1	* B33-149-718	B-718	Gloss White	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	* B33-1-718	B-718	Gloss White	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-46-718	B-718	Gloss White	0.750 (19.1)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-49-718	B-718	Gloss White	0.900 (22.9)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-43-718	B-718	Gloss White	1.250 (31.8)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-45-718	B-718	Gloss White	1.500 (38.1)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-72-718	B-718	Gloss White	1.750 (44.5)	0.250 (6.4)	1	5000	B30-R6000
Low-profile label to prevent sticking of solder balls (B-719 matte white):									
i3300, BBP33	Fig. 1	* B33-38-719	B-719	Matte White	0.375 (9.5)	0.375 (9.5)	9	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-46-719	B-719	Matte White	0.750 (19.1)	0.250 (6.4)	1	5000	B30-R6000
i3300, BBP33	Fig. 1	* B33-2-719	B-719	Matte White	0.900 (22.9)	0.250 (6.4)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	* B33-43-719	B-719	Matte White	1.250 (31.8)	0.250 (6.4)	1	5000	B30-R6000

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

✂ *Compatible with BBP37 XY cutter.*
**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

B30- and B33-Series Materials

BradyID.com/s36

Panel ID Labels (B-483, B-484A, B-499, B-593 and B-595)

- Various sizes in several durable material types
- Also ideal for marking backer board, DIN rail, relays, PLCs, switches, solenoids, drive motors and other components inside panels
- All recommended materials are flexible and have high-tack adhesives for adhesion to wide variety of surfaces and components

B-483: Service temp: -40° F to 248° F *Agency approvals:* UL RoHS CSA
B-484A: Service temp: -40° F to 240° F *Agency approvals:* UL RoHS
B-499: Service temp: -40° F to 193° F *Agency approvals:* UL RoHS CSA
B-593: Service temp: -4° F to 212° F
B-595: Service temp: -40° F to 180° F *Agency approvals:* RoHS












Figure 1




Figure 2




Figure 3




Figure 18c




Figure 70


Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Nylon cloth with permanent adhesive (B-499):									
i3300, BBP33	Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	4	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-165-499	B-499	White	0.800 (20.3)	1.437 (36.5)	4	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-125-499	B-499	White	0.900 (22.9)	0.500 (12.7)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-126-499	B-499	White	0.900 (22.9)	0.500 (12.7)	2	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-163-499	B-499	White	1.000 (25.4)	0.375 (9.5)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	1	1100	B30-R6000
i3300, BBP33	Fig. 2	B33-125-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1500	B30-R6000
Polyester with ultra-aggressive adhesive for highly textured and low surface energy surfaces (B-483):									
i3300, BBP33	Fig. 1	B33-149-483	B-483	White	0.500 (12.7)	0.500 (12.7)	4	5000	B30-R6000
i3300, BBP33	Fig. 1	B33-5-483	B-483	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-17-483	B-483	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-7-483	B-483	White	2.750 (69.9)	1.250 (31.8)	1	1000	B30-R6000
i3300, BBP33	Fig. 2	B33-18-483	B-483	White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-483	B-483	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
i3300, BBP33	Fig. 2	B33-55-483	B-483	White	4.000 (101.6)	2.000 (50.8)	1	750	B30-R6000
Polyester with ultra-aggressive adhesive and pliable for conforming to angular surfaces (B-484A):									
i3300, BBP33	Fig. 2	B33-125-484	B-484A	White	0.900 (22.9)	0.500 (12.7)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-5-484	B-484A	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6000
i3300, BBP33	Fig. 2	B33-136-484	B-484A	White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-17-484	B-484A	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-18-484	B-484A	White	3.000 (76.2)	1.000 (25.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-19-484	B-484A	White	3.000 (76.2)	2.000 (50.8)	1	500	B30-R6000
Raised profile polyester with ultra-agressive adhesive (B-593):									
All*	Fig. 18c	B30EP-171-593-WT	B-593	White	0.490 (12.5)	1.060 (26.9)	1	500	B30-R6000
All*	Fig. 18c	B30EP-171-593-BK	B-593	Black	0.490 (12.5)	1.060 (26.9)	1	500	B30-R6000
Pre-printed vinyl with permanent adhesive and is conformable and indoor / outdoor grade (b-595):									
All*	Fig. 70	B30-241-595-ANSIDA	B-595	DANGER	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSIDA	B-595		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
All*	Fig. 70	B30-241-595-ANSIWA	B-595	WARNING	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSIWA	B-595		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Self-Laminating Wire and Cable Labels (B-427)

- Brady's most popular wire marker
- Features white printable area with clear tail that wraps around marker to protect text
- Superior resistance to abrasion, handling, solvents, water, oil and dirt
- Vinyl with permanent acrylic adhesive designed specifically for tightly curved surfaces

Service temp: -40° F to 158° F
Agency approvals: UL RoHS






Figure 9a




Figure 12




Figure 14




Figure 15

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Print Area Height F Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 12	B33-80-427	B-427	White	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	4	2500	B30-R4300
i3300, BBP33	Fig. 12	B33-113-427	B-427	White	0.500 (12.7)	1.000 (25.4)	0.375 (9.5)	4	2500	B30-R4300
i3300, BBP33	Fig. 12	B33-8-427	B-427	White	0.500 (12.7)	1.437 (36.5)	0.500 (12.7)	5	5000	B30-R4300
i3300, BBP33	Fig. 12	B33-56-427	B-427	White	0.750 (19.1)	0.937 (23.8)	0.375 (9.5)	4	5000	B30-R4300
i3300, BBP33	Fig. 12	B33-73-427	B-427	White	0.750 (19.1)	1.750 (44.6)	0.500 (12.7)	4	3500	B30-R4300
i3300, BBP33	Fig. 12	B33-74-427	B-427	White	0.800 (20.3)	1.437 (36.5)	0.500 (12.7)	4	4000	B30-R4300
i3300, BBP33	Fig. 12	B33-115-427	B-427	White	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	2	2500	B30-R4300
i3300, BBP33	Fig. 12	B33-116-427	B-427	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	2	2500	B30-R4300
i3300, BBP33	Fig. 12	B33-9-427	B-427	White	1.000 (25.4)	1.437 (36.5)	0.500 (12.7)	3	2500	B30-R4300
i3300, BBP33	Fig. 12	B33-75-427	B-427	White	1.000 (25.4)	2.250 (57.2)	0.750 (19.1)	2	1400	B30-R4300
i3300, BBP33	Fig. 15	B33-131-427	B-427	White	1.000 (25.4)	2.625 (66.7)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 12	B33-10-427	B-427	White	1.000 (25.4)	3.750 (95.3)	1.000 (25.4)	3	1200	B30-R4300
i3300, BBP33	Fig. 12	B33-81-427	B-427	White	1.000 (25.4)	6.000 (152.4)	1.500 (38.1)	2	500	B30-R4300
i3300, BBP33	Fig. 9a*	B33-135-427AW	B-427	All White*	1.500 (38.1)	0.750 (19.1)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 14	B33-118-427	B-427	White	1.500 (38.1)	1.000 (25.4)	0.375 (9.5)	1	1250	B30-R4300
i3300, BBP33	Fig. 14	B33-119-427	B-427	White	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	1	1000	B30-R4300
i3300, BBP33	Fig. 14	B33-272-427	B-427	White	1.500 (38.1)	2.250 (57.2)	0.750 (19.1)	1	700	B30-R4300
i3300, BBP33	Fig. 14	B33-120-427	B-427	White	1.750 (44.5)	1.000 (25.4)	0.375 (9.5)	1	1250	B30-R4300
i3300, BBP33	Fig. 14	B33-121-427	B-427	White	1.750 (44.5)	1.500 (38.1)	0.500 (12.7)	1	1000	B30-R4300
i3300, BBP33	Fig. 14	B33-273-427	B-427	White	1.750 (44.5)	2.250 (57.2)	0.750 (19.1)	1	500	B30-R4300
i3300, BBP33	Fig. 9a*	B33-137-427AW	B-427	All White*	2.000 (50.8)	1.000 (25.4)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 14	B33-27-427	B-427	White	2.000 (50.8)	3.750 (95.3)	1.000 (25.4)	1	400	B30-R4300
i3300, BBP33	Fig. 14	B33-26-427	B-427	White	2.500 (63.5)	2.250 (57.2)	0.750 (19.1)	1	500	B30-R4300
i3300, BBP33	Fig. 14	B33-82-427	B-427	White	2.000 (50.8)	6.000 (152.4)	1.500 (38.1)	1	200	B30-R4300

** Label is all white and does not have a clear over-laminate.*

Zero-Halogen Cable Markers (B-7643)

Thermoplastic polyether polyurethane is a zero-halogen high-density, thermoplastic cable marker designed for dot matrix or thermal-transfer printing.

- Meets the requirements of a halogen-free material per IEC 61249-2-21 (2003-11)
- Excellent chemical, oil and water resistance

Service temp: -40° F to 193° F (-40° C to 90° C)
Agency approvals: RoHS





Figure 61



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 61	B33-6010-7643-WT	B-7643	White	2.36 (60)	0.39 (9.91)	500	B30-R6000
i3300, BBP33	Fig. 61	B33-7525-7643-WT	B-7643	White	2.95 (75)	0.98 (24.9)	250	B30-R6000
i3300, BBP33	Fig. 61	B33-7510-7643-WT	B-7643	White	2.95 (75)	0.39 (9.91)	500	B30-R6000
i3300, BBP33	Fig. 61	B33-7515-7643-WT	B-7643	White	2.95 (75)	0.59 (14.9)	500	B30-R6000
i3300, BBP33	Fig. 61	B33-6010-7643-YL	B-7643	Yellow	2.36 (60)	0.39 (9.91)	500	B30-R6000
i3300, BBP33	Fig. 61	B33-7525-7643-YL	B-7643	Yellow	2.95 (75)	0.98 (24.9)	250	B30-R6000
i3300, BBP33	Fig. 61	B33-7510-7643-YL	B-7643	Yellow	2.95 (75)	0.39 (9.91)	500	B30-R6000
i3300, BBP33	Fig. 61	B33-7515-7643-YL	B-7643	Yellow	2.95 (75)	0.59 (14.9)	500	B30-R6000

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

High-Temp Adhesive Topcoated Polyvinyfluoride Wire and Cable Labels (B-437)



- Topcoated polyvinyfluoride label for wire and cable marking where high temperature and self-extinguishing features are required
- Heavy-duty performance with excellent resistance to water, oil and fluids
- Meets MIL-M-87958 Standard

Service temp: -94° F to 275° F
Agency spprovals: RoHS

Also available in self-laminating format. Contact Brady to order custom B-642 material and B30-R4300 ribbon.




Figure 1




Figure 3





Figure 4

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 4	B33-11-437	B-437	White	0.250 (6.4)	0.250 (6.4)	12	15000	B30-R4300
i3300, BBP33	Fig. 1	B33-1-437	B-437	White	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-2-437	B-437	White	0.900 (22.9)	0.250 (6.4)	3	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-5-437	B-437	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-29-437	B-437	White	1.250 (31.8)	0.375 (9.5)	2	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-5-437YL	B-437	Yellow	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-29-437YL	B-437	Yellow	1.250 (31.8)	0.375 (9.5)	2	5000	B30-R4300
Continuous Rolls:									
i3300, BBP33	Fig. 3	B33C-1000-437	B-437	White	1.000 (25.4)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-1500-437	B-437	White	1.500 (38.1)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-2000-437	B-437	White	2.000 (50.8)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-3000-437	B-437	White	3.000 (76.2)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300
S3000, S3100, i3300, BBP35, BBP37 ✂	Fig. 3	B30C-4000-437	B-437	White	4.000 (101.6)	150 ft. (45.7 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-1000-437YL	B-437	Yellow	1.000 (25.4)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-1500-437YL	B-437	Yellow	1.500 (38.1)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-2000-437YL	B-437	Yellow	2.000 (50.8)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-3000-437YL	B-437	Yellow	3.000 (76.2)	85 ft. (25.9m)	1 roll (cont.)		B30-R4300

Vinyl Cloth Adhesive Wire and Cable Labels (B-498)



- A vinyl cloth label for marking wires, cables and inside-panel components
- Repositionable — a highly unique adhesive and cloth construction gives excellent holding power and still allows for clean removal and reapplication
- Ideal choice for marking both ends of a wire that you may need to cut shorter before final termination

Service temp: -40° F to 175° F
Agency approvals: UL RoHS CSA




Figure 1

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 1	B33-90-498	B-498	White	0.250 (6.4)	1.437 (36.5)	6	2500	B30-R6200
i3300, BBP33	Fig. 1	B33-68-498	B-498	White	0.500 (12.7)	0.750 (19.1)	4	5000	B30-R6200
i3300, BBP33	Fig. 1	B33-87-498	B-498	White	0.500 (12.7)	1.437 (36.5)	6	2500	B30-R6200
i3300, BBP33	Fig. 1	B33-1-498	B-498	White	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R6200
i3300, BBP33	Fig. 1	B33-91-498	B-498	White	0.750 (19.1)	0.937 (23.8)	4	2500	B30-R6200
i3300, BBP33	Fig. 1	B33-95-498	B-498	White	0.800 (20.3)	1.437 (36.5)	3	2300	B30-R6200
i3300, BBP33	Fig. 1	B33-5-498	B-498	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R6200
i3300, BBP33	Fig. 1	B33-88-498	B-498	White	1.000 (25.4)	0.750 (19.1)	2	2500	B30-R6200
i3300, BBP33	Fig. 1	B33-89-498	B-498	White	1.000 (25.4)	1.437 (36.5)	3	2300	B30-R6200

✂ *Compatible with BBP37 XY cutter.*

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

High-Temp Adhesive Polyimide Wire and Cable Labels (B-472)

- Top-coated polyimide label for wire and cable marking applications where high temperature and self-extinguishing features are required
- Heavy-duty performance with excellent resistance to water, oil and other fluids

Service temp: -94° F to 320° F
Agency approvals: RoHS




Figure 1




Figure 3




Figure 4



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 4	B33-11-472	B-472	White	0.250 (6.4)	0.250 (6.4)	12	15000	B30-R4300
i3300, BBP33	Fig. 1	B33-1-472	B-472	White	0.750 (19.1)	0.250 (6.4)	4	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-2-472	B-472	White	0.900 (22.9)	0.250 (6.4)	3	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-5-472	B-472	White	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-29-472	B-472	White	1.250 (31.8)	0.375 (9.5)	2	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-5-472YL	B-472	Yellow	1.000 (25.4)	0.500 (12.7)	3	5000	B30-R4300
i3300, BBP33	Fig. 1	B33-29-472YL	B-472	Yellow	1.250 (31.8)	0.375 (9.5)	2	5000	B30-R4300
Continuous Rolls:									
i3300, BBP33	Fig. 3	B33C-1000-472	B-472	White	1.000 (25.4)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-1500-472	B-472	White	1.500 (38.1)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-2000-472	B-472	White	2.000 (50.8)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-3000-472	B-472	White	3.000 (76.2)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-1000-472YL	B-472	Yellow	1.000 (25.4)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-1500-472YL	B-472	Yellow	1.500 (38.1)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-2000-472YL	B-472	Yellow	2.000 (50.8)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300
i3300, BBP33	Fig. 3	B33C-3000-472YL	B-472	Yellow	3.000 (76.2)	85 ft. (25.9 m)	1 roll (cont.)		B30-R4300

Terminal Block Adhesive Strips (B-498)

- Specially designed narrow-width continuous label for alignment on terminal blocks and patch panels
- Highly unique adhesive and vinyl cloth construction gives excellent holding power and still allows for clean removal and reapplication

Service temp: -40° F to 175° F
Agency approvals: UL RoHS CSA




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 3	B33C-312-498	B-498	White	0.312 (7.9)	85 (25.9)	1 roll (cont.)	B30-R6200
i3300, BBP33	Fig. 3	B33C-375-498	B-498	White	0.375 (9.5)	85 (25.9)	1 roll (cont.)	B30-R6200

Patch Panel Adhesive Strips (B-422)

- Continuous supply makes labeling patch panels and other datacomm components quick and easy
- Aggressive adhesive suitable for rough, highly-textured and powder-coated surfaces as well as smooth surfaces

Service temp: -40° F to 212° F
Agency approvals: UL RoHS CSA




Figure 3



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 3	B33C-312-422	B-422	White	0.312 (7.9)	85 (25.9)	1 roll (cont.)	B30-R6000
i3300, BBP33	Fig. 3	B33C-375-422	B-422	White	0.375 (9.5)	85 (25.9)	1 roll (cont.)	B30-R6000

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

B30- and B33-Series Materials

BradyID.com/s36

PermaSleeve® PS Polyolefin Wire Markers (B-342)

Military / industrial grade sleeves offer the ultimate in marker durability, permanence and aesthetic appearance. 3:1 heat-shrinkable markers fit snugly around wires, are fade-resistant and flame-retardant.

Meets specifications:

- SSAE-AS-23053/5
- SAE-AS-81531

Tested per:

- ASTM E162
- ASTM E662
- MIL-STD-202

Service temp: -40° F to 275° F
(short burst max temp: 5 min at 500° F, 24 hrs at 350° F)
Agency approvals: UL RoHS




Figure 20




Figure 20-2 (perforated)



Fits Printers	Figure		Catalog #	Material		For Wire Gauge (approx.)	Range For Wire Diameters Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
3:1 Shrink ratio, single-side printable, 2 inch sleeve width (dimension A):													
i3300, BBP33	Fig. 20	*	B33-94-2-342	B-342	Wt.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33-125-2-342	B-342	Wt.	22 to 16	0.046 (1.2) - 1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33-187-2-342	B-342	Wt.	20 to 10	0.062 (1.6) - 0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	750	B30-R4300
i3300, BBP33	Fig. 20	*	B33-250-2-342	B-342	Wt.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33-375-2-342	B-342	Wt.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33-500-2-342	B-342	Wt.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	350	B30-R4300
i3300, BBP33	Fig. 20	*	B33-750-2-342	B-342	Wt.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33-1000-2-342	B-342	Wt.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33-1500-2-342	B-342	Wt.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	150	B30-R4300
i3300, BBP33	Fig. 20	*	B33-94-2-342YL	B-342	Ylw.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33-125-2-342YL	B-342	Ylw.	22 to 16	0.046 (1.2) - 1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33-187-2-342YL	B-342	Ylw.	20 to 10	0.062 (1.6) - 0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	750	B30-R4300
i3300, BBP33	Fig. 20	*	B33-250-2-342YL	B-342	Ylw.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33-375-2-342YL	B-342	Ylw.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33-500-2-342YL	B-342	Ylw.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	350	B30-R4300
i3300, BBP33	Fig. 20	*	B33-750-2-342YL	B-342	Ylw.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33-1000-2-342YL	B-342	Ylw.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33-1500-2-342YL	B-342	Ylw.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	150	B30-R4300
i3300, BBP33	Fig. 20	*	B33-1500-2-342BK	B-342	Blk.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	150	B30-R4500-SV
3:1 Shrink ratio, single-side printable, perforated material resulting in two 1 inch width sleeves (dimension A):													
i3300, BBP33	Fig. 20-2	*	B33-94-2-342-2	B-342	Wt.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	2	2000	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-125-2-342-2	B-342	Wt.	22 to 16	0.046 (1.2) - 0.111 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	2	2000	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-187-2-342-2	B-342	Wt.	20 to 10	0.062 (1.6) - 0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	2	1500	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-250-2-342-2	B-342	Wt.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	2	1000	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-375-2-342-2	B-342	Wt.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	2	1000	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-500-2-342-2	B-342	Wt.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.119 (3.0)	.025 (0.6) +/- .003 (0.07)	2	700	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-750-2-342-2	B-342	Wt.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.1)	0.250 (6.35)	.025 (0.6) +/- .003 (0.07)	2	500	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-1000-2-342-2	B-342	Wt.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	2	500	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-1500-2-342-2	B-342	Wt.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	2	150	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-94-2-342YL-2	B-342	Ylw.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	2	2000	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-125-2-342YL-2	B-342	Ylw.	22 to 16	0.046 (1.2) - 0.111 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	2	2000	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-750-2-342YL-2	B-342	Ylw.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.1)	0.250 (6.35)	.025 (0.6) +/- .003 (0.07)	2	500	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-500-2-342YL-2	B-342	Ylw.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.119 (3.0)	.025 (0.6) +/- .003 (0.07)	2	700	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-1000-2-342YL-2	B-342	Ylw.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	2	500	B30-R4300
i3300, BBP33	Fig. 20-2	*	B33-1500-2-342YL-2	B-342	Ylw.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	2	300	B30-R4300

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

B-342 PermaSleeve® PS Polyolefin Wire Markers (continued)

Fits Printers	Figure		Catalog #	Material		For Wire Gauge (approx.)	Range For Wire Diameters Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
3:1 Shrink ratio, double-side printable, 2 inch sleeve width (dimension A):													
i3300, BBP33	Fig. 20	*	B33D-94-2-342	B-342	Wt.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-125-2-342	B-342	Wt.	22 to 16	0.046 (1.2) - 1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-125-2-342-2	B-342	Wt.	22 to 16	0.046 (1.2) - 1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	2	2000	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-187-2-342	B-342	Wt.	20 to 10	0.062 (1.6) - 0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	750	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-250-2-342	B-342	Wt.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-375-2-342	B-342	Wt.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-500-2-342	B-342	Wt.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	350	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-750-2-342	B-342	Wt.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-1000-2-342	B-342	Wt.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-1500-2-342	B-342	Wt.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	150	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-94-2-342YL	B-342	Ylw.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-125-2-342YL	B-342	Ylw.	22 to 16	0.046 (1.2) - 1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-187-2-342YL	B-342	Ylw.	20 to 10	0.062 (1.6) - 0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	750	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-250-2-342YL	B-342	Ylw.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-375-2-342YL	B-342	Ylw.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-500-2-342YL	B-342	Ylw.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	350	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-750-2-342YL	B-342	Ylw.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-1000-2-342YL	B-342	Ylw.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-1500-2-342YL	B-342	Ylw.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	150	B30-R4300
i3300, BBP33	Fig. 20	*	B33D-94-2-342BK	B-342	Blk.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	.024 (0.6) +/- .003 (0.07)	1	1000	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-125-2-342BK	B-342	Blk.	22 to 16	0.046 (1.2) - 1.110 (2.8)	0.125 (3.2)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-187-2-342BK	B-342	Blk.	20 to 10	0.062 (1.6) - 0.150 (3.8)	0.187 (4.7)	0.062 (1.6)	.020 (0.5) +/- .003 (0.07)	1	750	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-250-2-342BK	B-342	Blk.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-375-2-342BK	B-342	Blk.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.1)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-500-2-342BK	B-342	Blk.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.187 (4.7)	.025 (0.6) +/- .003 (0.07)	1	350	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-750-2-342BK	B-342	Blk.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.0)	0.250 (6.4)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-1000-2-342BK	B-342	Blk.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	.036 (0.9) +/- .003 (0.07)	1	250	B30-R4500-SV
i3300, BBP33	Fig. 20	*	B33D-1500-2-342BK	B-342	Blk.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	.035 (0.9) +/- .003 (0.07)	1	150	B30-R4500-SV

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

QuickSleeve Handheld Sleeve Applicator

The QuickSleeve Handheld Sleeve Applicator is an intuitive multi-tool designed to help you quickly apply sleeves on to wires in three simple steps – just pick, slip and apply. This tool includes:


- Four specially designed slanted tubes sized for sleeve sizes 0.094, 0.125, 0.187 and 0.250 inches
- Built-in LED flashlight for use in low-lit conditions
- Terminal block sized screwdriver




Catalog #	Description	Qty.
QS	Quicksleeve Multi-Tool	1 Set



Pick



Slip



Apply

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

B30- and B33-Series Materials

BradyID.com/s36

PermaSleeve® HT High-Temperature PVDF Wire Markers (B-345)

Military / industrial grade 2:1 heat shrinkable sleeves specifically designed for high-temperature and low-vacuum outgassing applications. Irradiated high-temp polyvinylidene fluoride (PVDF) is fade-resistant and flame-retardant.

Meets specifications:

- NASA SP-R-0022A Outgassing Performance
- SAE-AS-81531

Tested per:

- ASTM E162
- ASTM E662
- MIL-STD-202

Service temp: -67° F to 437° F
Agency approvals: RoHS




Figure 20



Fits Printers	Figure	Catalog #	Material		For Wire Gauge (approx.)	Range For Wire Diameters Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
3:1 Shrink ratio, double-side printable, 2 inch sleeve width (dimension A):												
i3300, BBP33	Fig. 20	B33D-94-2-345	B-345	Wt.	26 to 20	0.031 (0.8) - 0.080 (2.0)	0.094 (2.4)	0.031 (0.8)	.015 (0.4) +/- .003 (0.07)	1	1000	B30-R6000
i3300, BBP33	Fig. 20	B33D-94-2-345BK	B-345	Blk.	26 to 20	0.031 (0.8) - 0.080 (2.0)	0.094 (2.4)	0.031 (0.8)	.015 (0.4) +/- .003 (0.07)	1	1000	B30-R4400-WT
2:1 Shrink ratio, double-side printable, 2 inch sleeve width (dimension A):												
i3300, BBP33	Fig. 20	B33D-125-2-345	B-345	Wt.	20 to 16	0.063 (1.6) - 0.110 (2.8)	0.125 (3.2)	0.062 (1.6)	.015 (0.4) +/- .003 (0.07)	1	1000	B30-R6000
i3300, BBP33	Fig. 20	B33D-187-2-345	B-345	Wt.	16 to 10	0.094 (2.4) - 0.150 (3.8)	0.187 (4.7)	0.093 (2.4)	.015 (0.4) +/- .003 (0.07)	1	750	B30-R6000
i3300, BBP33	Fig. 20	B33D-250-2-345	B-345	Wt.	12 to 8	0.125 (3.2) - 0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	.015 (0.4) +/- .003 (0.07)	1	500	B30-R6000
i3300, BBP33	Fig. 20	B33D-375-2-345	B-345	Wt.	8 to 4	0.187 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	.015 (0.4) +/- .003 (0.07)	1	500	B30-R6000
i3300, BBP33	Fig. 20	B33D-500-2-345	B-345	Wt.	6 to 1	0.250 (6.4) - 0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	.015 (0.4) +/- .003 (0.07)	1	350	B30-R6000
i3300, BBP33	Fig. 20	B33D-750-2-345	B-345	Wt.	2 to 4/0	0.375 (9.5) - 0.700 (17.8)	0.750 (19.0)	0.375 (9.5)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R6000
i3300, BBP33	Fig. 20	B33D-1000-2-345	B-345	Wt.	2/0 to 0.950 dia	0.450 (11.4) - 0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.017 (0.4) +/- .004 (0.1)	1	250	B30-R6000
i3300, BBP33	Fig. 20	B33D-1500-2-345	B-345	Wt.	N/A	0.750 (19.1) - 1.400 (35.6)	1.500 (38.1)	0.750 (19.1)	.024 (0.6) +/- .004 (0.1)	1	150	B30-R6000
i3300, BBP33	Fig. 20	B33D-125-2-345BK	B-345	Blk.	20 to 16	0.063 (1.6) - 0.110 (2.8)	0.125 (3.2)	0.062 (1.6)	.015 (0.4) +/- .003 (0.07)	1	1000	B30-R4400-WT
i3300, BBP33	Fig. 20	B33D-187-2-345BK	B-345	Blk.	16 to 10	0.094 (2.4) - 0.150 (3.8)	0.187 (4.7)	0.093 (2.4)	.015 (0.4) +/- .003 (0.07)	1	750	B30-R4400-WT
i3300, BBP33	Fig. 20	B33D-250-2-345BK	B-345	Blk.	12 to 8	0.125 (3.2) - 0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	.015 (0.4) +/- .003 (0.07)	1	500	B30-R4400-WT
i3300, BBP33	Fig. 20	B33D-375-2-345BK	B-345	Blk.	8 to 4	0.187 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	.015 (0.4) +/- .003 (0.07)	1	500	B30-R4400-WT
i3300, BBP33	Fig. 20	B33D-500-2-345BK	B-345	Blk.	6 to 1	0.250 (6.4) - 0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	.015 (0.4) +/- .003 (0.07)	1	350	B30-R4400-WT
i3300, BBP33	Fig. 20	B33D-750-2-345BK	B-345	Blk.	3 to 4/0	0.375 (9.5) - 0.700 (17.8)	0.750 (19.0)	0.375 (9.5)	.015 (0.4) +/- .003 (0.07)	1	250	B30-R4400-WT
i3300, BBP33	Fig. 20	B33D-1000-2-345BK	B-345	Blk.	2/0 to 0.950 dia	0.450 (11.4) - 0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.017 (0.4) +/- .004 (0.1)	1	250	B30-R4400-WT
i3300, BBP33	Fig. 20	B33D-1500-2-345BK	B-345	Blk.	N/A	0.750 (19.1) - 1.400 (35.6)	1.500 (38.1)	0.750 (19.1)	.024 (0.6) +/- .004 (0.1)	1	150	B30-R4400-WT

Print double-sided wire sleeves with the BradyPrinter i3300 Industrial Label Printer

You can quickly create double-sided sleeve by using "B33D-" parts and Brady Workstation's two-sided print feature.

Once the first side of your print job is complete, the software prompts you to cut the media and re-insert it for a second print pass.



**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

PermaSleeve® HX Polyolefin Wire Markers (B-7642)

Military / industrial 2:1 heat-shrinkable sleeves are flame-retardant and high-temperature rated but not as high-temperature as B-345 HT sleeves.

Meets specifications:

- SAE-AS23053/5
- SAE-AS-81531

Tested per:

- ASTM E162 and ASTM E662
- MIL-STD-202

Service temp: -40° F to 248° F (short burst max temp: 5 min at 464° F, 24 hrs at 320° F)
Agency approval: RoHS




Figure 20



Fits Printers	Figure	Catalog #	Material		For Wire Gauge (approx.)	Range For Wire Diameters Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
2:1 Shrink ratio, single-side printable, 2 inch sleeve width (dimension A):												
i3300, BBP33	Fig. 20	B33-94-2-7642	B-7642	Wt.	24 to 20	0.047 (1.2) - 0.080 (2.0)	0.094 (2.4)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	B33-125-2-7642	B-7642	Wt.	20 to 16	0.062 (1.6) - 0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	B33-187-2-7642	B-7642	Wt.	16 to 10	0.094 (2.4) - 0.151 (3.8)	0.187 (4.8)	0.094 (2.4)	.020 (0.5) +/- .003 (0.07)	1	450	B30-R4300
i3300, BBP33	Fig. 20	B33-250-2-7642	B-7642	Wt.	12 to 8	0.125 (3.2) - 0.215 (5.5)	0.250 (6.4)	0.126 (3.2)	.025 (0.6) +/- .003 (0.07)	1	400	B30-R4300
i3300, BBP33	Fig. 20	B33-375-2-7642	B-7642	Wt.	8 to 4	0.188 (4.8) - .0320 (8.1)	0.375 (9.5)	0.189 (4.8)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	B33-500-2-7642	B-7642	Wt.	6 to 1	0.250 (6.4) - 0.450 (11.4)	0.500 (12.7)	0.252 (6.4)	.025 (0.6) +/- .003 (0.07)	1	225	B30-R4300
i3300, BBP33	Fig. 20	B33-750-2-7642	B-7642	Wt.	2 to 4/0	0.375 (9.5) - 0.700 (17.8)	0.750 (19.0)	0.374 (9.5)	.030 (0.8) +/- .003 (0.07)	1	150	B30-R4300
i3300, BBP33	Fig. 20	B33-1000-2-7642	B-7642	Wt.	2/0 to 0.950 dia	0.450 (11.4) - 0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.035 (0.9) +/- .005 (0.1)	1	150	B30-R4300
i3300, BBP33	Fig. 20	B33-1500-2-7642	B-7642	Wt.	N/A	0.750 (19.0) - 1.400 (35.6)	1.500 (38.1)	0.752 (19.1)	.040 (1.0) +/- .006 (0.2)	1	50	B30-R4300
i3300, BBP33	Fig. 20	B33-2000-2-7642	B-7642	Wt.	N/A	1.000 (25.4) - 1.900 (48.3)	2.000 (50.8)	1.000 (25.4)	.045 (1.1) +/- .007 (0.2)	1	50	B30-R4300
2:1 Shrink ratio, double-side printable, 2 inch sleeve width (dimension A):												
i3300, BBP33	Fig. 20	B33D-94-2-7642	B-7642	Wt.	24 to 20	0.047 (1.2) - 0.080 (2.0)	0.094 (2.4)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	B33D-125-2-7642	B-7642	Wt.	20 to 16	0.062 (1.6) - 0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	.020 (0.5) +/- .003 (0.07)	1	500	B30-R4300
i3300, BBP33	Fig. 20	B33D-187-2-7642	B-7642	Wt.	16 to 10	0.094 (2.4) - 0.151 (3.8)	0.187 (4.8)	0.094 (2.4)	.020 (0.5) +/- .003 (0.07)	1	450	B30-R4300
i3300, BBP33	Fig. 20	B33D-250-2-7642	B-7642	Wt.	12 to 8	0.125 (3.2) - 0.215 (5.5)	0.250 (6.4)	0.126 (3.2)	.025 (0.6) +/- .003 (0.07)	1	400	B30-R4300
i3300, BBP33	Fig. 20	B33D-375-2-7642	B-7642	Wt.	8 to 4	0.188 (4.8) - 0.0320 (8.1)	0.375 (9.5)	0.189 (4.8)	.025 (0.6) +/- .003 (0.07)	1	250	B30-R4300
i3300, BBP33	Fig. 20	B33D-500-2-7642	B-7642	Wt.	6 to 1	0.250 (6.4) - 0.450 (11.4)	0.500 (12.7)	0.252 (6.4)	.025 (0.6) +/- .003 (0.07)	1	225	B30-R4300
i3300, BBP33	Fig. 20	B33D-750-2-7642	B-7642	Wt.	2 to 4/0	0.375 (9.5) - 0.700 (17.8)	0.750 (19.0)	0.374 (9.5)	.030 (0.8) +/- .003 (0.07)	1	150	B30-R4300
i3300, BBP33	Fig. 20	B33D-1000-2-7642	B-7642	Wt.	2/0 to 0.950 dia	0.450 (11.4) - 0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.035 (0.9) +/- .005 (0.1)	1	150	B30-R4300
i3300, BBP33	Fig. 20	B33D-1500-2-7642	B-7642	Wt.	N/A	0.750 (19.0) - 1.400 (35.6)	1.500 (38.1)	0.752 (19.1)	.040 (1.0) +/- .006 (0.2)	1	50	B30-R4300
i3300, BBP33	Fig. 20	B33D-2000-2-7642	B-7642	Wt.	N/A	1.000 (25.4) - 1.900 (48.3)	2.000 (50.8)	1.000 (25.4)	.045 (1.1) +/- .007 (0.2)	1	50	B30-R4300

PermaSleeve® LSZH Low-Smoke Zero-Halogen Polyolefin Wire Markers (B-7641)

Low-halogen, 2:1 heat-shrinkable sleeves offer outstanding fire safety properties and minimal smoke emission.

Meets specifications:

- SAE-AS-81531
- EN45545-2

Tested per:

- ASTM E162 and ASTM E662
- MIL-STD-202

Service temp: -22° F to 221° F
Agency approval: RoHS




Figure 20



Fits Printers	Figure	Catalog #	Material		Range For Wire Diameters Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
2:1 Shrink ratio double-side printable, 2 inch sleeve width (dimension A):											
i3300, BBP33	Fig. 20	B33D-94-2-7641	B-7641	Wt.	0.047 (1.2) - 0.080 (2.0)	0.094 (2.4)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R6000
i3300, BBP33	Fig. 20	B33D-125-2-7641	B-7641	Wt.	0.062 (1.6) - 0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R6000
i3300, BBP33	Fig. 20	B33D-187-2-7641	B-7641	Wt.	0.094 (2.4) - 0.151 (3.8)	0.187 (4.8)	0.094 (2.4)	.020 (0.5) +/- .003 (0.07)	1	450	B30-R6000
i3300, BBP33	Fig. 20	B33D-250-2-7641	B-7641	Wt.	0.125 (3.2) - 0.215 (5.5)	0.250 (6.4)	0.126 (3.2)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R6000
i3300, BBP33	Fig. 20	B33D-375-2-7641	B-7641	Wt.	0.188 (4.8) - .0320 (8.1)	0.375 (9.5)	0.189 (4.8)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R6000
i3300, BBP33	Fig. 20	B33D-500-2-7641	B-7641	Wt.	0.250 (6.4) - 0.450 (11.4)	0.500 (12.7)	0.252 (6.4)	.025 (0.6) +/- .003 (0.07)	1	225	B30-R6000
i3300, BBP33	Fig. 20	B33D-750-2-7641	B-7641	Wt.	0.375 (9.5) - 0.700 (17.8)	0.750 (19.0)	0.374 (9.5)	.030 (0.8) +/- .003 (0.07)	1	150	B30-R6000
i3300, BBP33	Fig. 20	B33D-1000-2-7641	B-7641	Wt.	0.450 (11.4) - 0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.035 (0.9) +/- .005 (0.1)	1	150	B30-R6000
i3300, BBP33	Fig. 20	B33D-1500-2-7641	B-7641	Wt.	0.750 (19.0) - 1.400 (35.6)	1.500 (38.1)	0.752 (19.1)	.040 (1.0) +/- .006 (0.2)	1	50	B30-R6000
i3300, BBP33	Fig. 20	B33D-94-2-7641Y	B-7641	Ylw.	0.047 (1.2) - 0.080 (2.0)	0.094 (2.4)	0.047 (1.2)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R6000
i3300, BBP33	Fig. 20	B33D-125-2-7641Y	B-7641	Ylw.	0.062 (1.6) - 0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	.020 (0.5) +/- .003 (0.07)	1	1000	B30-R6000
i3300, BBP33	Fig. 20	B33D-187-2-7641Y	B-7641	Ylw.	0.094 (2.4) - 0.151 (3.8)	0.187 (4.8)	0.094 (2.4)	.020 (0.5) +/- .003 (0.07)	1	450	B30-R6000
i3300, BBP33	Fig. 20	B33D-250-2-7641Y	B-7641	Ylw.	0.125 (3.2) - 0.215 (5.5)	0.250 (6.4)	0.126 (3.2)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R6000
i3300, BBP33	Fig. 20	B33D-375-2-7641Y	B-7641	Ylw.	0.188 (4.8) - .0320 (8.1)	0.375 (9.5)	0.189 (4.8)	.025 (0.6) +/- .003 (0.07)	1	500	B30-R6000
i3300, BBP33	Fig. 20	B33D-500-2-7641Y	B-7641	Ylw.	0.250 (6.4) - 0.450 (11.4)	0.500 (12.7)	0.252 (6.4)	.025 (0.6) +/- .003 (0.07)	1	225	B30-R6000
i3300, BBP33	Fig. 20	B33D-750-2-7641Y	B-7641	Ylw.	0.375 (9.5) - 0.700 (17.8)	0.750 (19.0)	0.374 (9.5)	.030 (0.8) +/- .003 (0.07)	1	150	B30-R6000
i3300, BBP33	Fig. 20	B33D-1000-2-7641Y	B-7641	Ylw.	0.450 (11.4) - 0.950 (24.1)	1.000 (25.4)	0.500 (12.7)	.035 (0.9) +/- .005 (0.1)	1	150	B30-R6000
i3300, BBP33	Fig. 20	B33D-1500-2-7641Y	B-7641	Ylw.	0.750 (19.0) - 1.400 (35.6)	1.500 (38.1)	0.752 (19.1)	.040 (1.0) +/- .006 (0.2)	1	50	B30-R6000

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

PermaSleeve® FR Fluid-Resistant Wire Markers (B-344)

Military / industrial grade 3:1 heat-shrinkable sleeves are specifically designed for applications with exposure to fuels, lubricants and harsh chemicals such as in the installation of hydrogen fuel cells for aerospace. These sleeves are resistant to harsh chemicals including, JP8 Jet Fuel, Skydrol and DOT 3 brake fluid.



Meets specification:

- SAE-AS23053/5

Tested per:

- ASTM E162
- ASTM E662
- MIL-STD-202G

Service temp: -94° F to 275° F
Agency approvals: RoHS




Figure 20

Fits Printers	Figure		Catalog #	Material		For Wire Gauge (approx.)	Range For Wire Diameters Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Recovered Wall Thickness Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
3:1 Shrink ratio, double-side printable, 2 inch sleeve width (dimension A):													
i3300, BBP33	Fig. 20	*	B33D-94-2-344	B-344	Wt.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	0.024 (0.6) +/- 0.003 (0.1)	1	1000	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-125-2-344	B-344	Wt.	22 to 16	0.046 (1.2) - 0.111 (2.8)	0.125 (3.1)	0.047 (1.2)	0.020 (0.5) +/- 0.003 (0.1)	1	1000	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-187-2-344	B-344	Wt.	20 to 10	0.062 (1.6) - 0.15 (3.81)	0.187 (4.8)	0.062 (1.6)	0.020 (0.5) +/- 0.003 (0.1)	1	750	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-250-2-344	B-344	Wt.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.35)	0.093 (2.4)	0.025 (0.6) +/- 0.003 (0.1)	1	500	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-375-2-344	B-344	Wt.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	0.025 (0.6) +/- 0.003 (0.1)	1	500	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-500-2-344	B-344	Wt.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.119 (3.0)	0.025 (0.6) +/- 0.003 (0.1)	1	350	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-750-2-344	B-344	Wt.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.05)	0.250 (6.35)	0.025 (0.6) +/- 0.003 (0.1)	1	250	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-1000-2-344	B-344	Wt.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	0.036 (0.9) +/- 0.003 (0.1)	1	250	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-1500-2-344	B-344	Wt.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	0.035 (0.9) +/-0 .003 (0.1)	1	150	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-94-2-344YL	B-344	Ylw.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	0.024 (0.6) +/- 0.003 (0.1)	1	1000	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-125-2-344YL	B-344	Ylw.	22 to 16	0.046 (1.2) - 0.111 (2.8)	0.125 (3.1)	0.047 (1.2)	0.020 (0.5) +/- 0.003 (0.1)	1	1000	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-187-2-344YL	B-344	Ylw.	20 to 10	0.062 (1.6) - 0.15 (3.81)	0.187 (4.8)	0.062 (1.6)	0.020 (0.5) +/- 0.003 (0.1)	1	750	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-250-2-344YL	B-344	Ylw.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.35)	0.093 (2.4)	0.025 (0.6) +/- 0.003 (0.1)	1	500	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-375-2-344YL	B-344	Ylw.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	0.025 (0.6) +/- 0.003 (0.1)	1	500	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-500-2-344YL	B-344	Ylw.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.119 (3.0)	0.025 (0.6) +/- 0.003 (0.1)	1	350	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-750-2-344YL	B-344	Ylw.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.05)	0.250 (6.35)	0.025 (0.6) +/- 0.003 (0.1)	1	250	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-1000-2-344YL	B-344	Ylw.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	0.036 (0.9) +/- 0.003 (0.1)	1	250	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-1500-2-344YL	B-344	Ylw.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	0.035 (0.9) +/-0 .003 (0.1)	1	150	B30-R6600
i3300, BBP33	Fig. 20	*	B33D-94-2-344BK	B-344	Blk.	28 to 20	0.023 (0.6) - 0.080 (2.0)	0.094 (2.4)	0.024 (0.6)	0.024 (0.6) +/- 0.003 (0.1)	1	1000	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-125-2-344BK	B-344	Blk.	22 to 16	0.046 (1.2) - 0.111 (2.8)	0.125 (3.1)	0.047 (1.2)	0.020 (0.5) +/- 0.003 (0.1)	1	1000	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-187-2-344BK	B-344	Blk.	20 to 10	0.062 (1.6) - 0.15 (3.81)	0.187 (4.8)	0.062 (1.6)	0.020 (0.5) +/- 0.003 (0.1)	1	750	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-250-2-344BK	B-344	Blk.	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.35)	0.093 (2.4)	0.025 (0.6) +/- 0.003 (0.1)	1	500	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-375-2-344BK	B-344	Blk.	12 to 4	0.125 (3.2) - 0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	0.025 (0.6) +/- 0.003 (0.1)	1	500	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-500-2-344BK	B-344	Blk.	8 to 1	0.187 (4.8) - 0.450 (11.4)	0.500 (12.7)	0.119 (3.0)	0.025 (0.6) +/- 0.003 (0.1)	1	350	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-750-2-344BK	B-344	Blk.	6 to 4/0	0.250 (6.4) - 0.700 (17.8)	0.750 (19.05)	0.250 (6.35)	0.025 (0.6) +/- 0.003 (0.1)	1	250	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-1000-2-344BK	B-344	Blk.	2 to 0.950 dia	0.333 (8.5) - 0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	0.036 (0.9) +/- 0.003 (0.1)	1	250	B30-R6700-WT
i3300, BBP33	Fig. 20	*	B33D-1500-2-344BK	B-344	Blk.	n/a	0.500 (12.7) - 1.400 (35.6)	1.500 (38.1)	0.500 (12.7)	0.035 (0.9) +/-0 .003 (0.1)	1	150	B30-R6700-WT

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Color Polyester Labels (B-494)

- Adding color to labels reduces errors, increase efficiency and differentiates your lab samples
- Color printed below the label surface withstands the harshest lab environments, including liquid nitrogen, hot water baths and more
- Labels are resistant to common lab chemicals, like ethanol and xylene, when printed with the R6400 series ribbon

Service temp: -320° F to 70° F
Agency approvals: RoHS








Figure 2




Figure 24




Figure 25

Note: Label dimensions include the color area.

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Vial Top Dia. C Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 25	B33-152-494-BL	BBP33	Lt. Blue	1.000 (25.4)	0.375 (9.5)	-	2	1500	B30-R6400
i3300, BBP33	Fig. 24	B33-250-494-BL	BBP33	Lt. Blue	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1500	B30-R6400
i3300, BBP33	Fig. 2	B33-179-494-BL	BBP33	Lt. Blue	1.000 (25.4)	1.000 (25.4)	-	1	1500	B30-R6400
i3300, BBP33	Fig. 25	B33-152-494-GN	BBP33	Green	1.000 (25.4)	0.375 (9.5)	-	2	1500	B30-R6400
i3300, BBP33	Fig. 24	B33-250-494-GN	BBP33	Green	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1500	B30-R6400
i3300, BBP33	Fig. 2	B33-179-494-GN	BBP33	Green	1.000 (25.4)	1.000 (25.4)	-	1	1500	B30-R6400
i3300, BBP33	Fig. 25	B33-152-494-OR	BBP33	Orange	1.000 (25.4)	0.375 (9.5)	-	2	1500	B30-R6400
i3300, BBP33	Fig. 24	B33-250-494-OR	BBP33	Orange	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1500	B30-R6400
i3300, BBP33	Fig. 2	B33-179-494-OR	BBP33	Orange	1.000 (25.4)	1.000 (25.4)	-	1	1500	B30-R6400
i3300, BBP33	Fig. 25	B33-152-494-PK	BBP33	Pink	1.000 (25.4)	0.375 (9.5)	-	2	1500	B30-R6400
i3300, BBP33	Fig. 24	B33-250-494-PK	BBP33	Pink	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1500	B30-R6400
i3300, BBP33	Fig. 2	B33-179-494-PK	BBP33	Pink	1.000 (25.4)	1.000 (25.4)	-	1	1500	B30-R6400
i3300, BBP33	Fig. 25	B33-152-494-RD	BBP33	Red	1.000 (25.4)	0.375 (9.5)	-	2	1500	B30-R6400
i3300, BBP33	Fig. 24	B33-250-494-RD	BBP33	Red	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1500	B30-R6400
i3300, BBP33	Fig. 2	B33-179-494-RD	BBP33	Red	1.000 (25.4)	1.000 (25.4)	-	1	1500	B30-R6400
i3300, BBP33	Fig. 25	B33-152-494-YL	BBP33	Yellow	1.000 (25.4)	0.375 (9.5)	-	2	1500	B30-R6400
i3300, BBP33	Fig. 24	B33-250-494-YL	BBP33	Yellow	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1500	B30-R6400
i3300, BBP33	Fig. 2	B33-179-494-YL	BBP33	Yellow	1.000 (25.4)	1.000 (25.4)	-	1	1500	B30-R6400

Sterilization Indicating Labels (B-7425-AC)

- Pre-printed STERILIZED header indicates steam sterilization when autoclaved at 250.7° F (121.5° C) for 10 minutes
- Labels withstand temperature ranges from -320° F to 248° F (-196° C to 121° C)
- For use in LN2, freezers, autoclave and hot water baths
- Chemical resistance to ethanol, DMSO, IPS, short-term xylene, 10% formalin, 50% acetic acid and toluene

Service temp: -112° F to 158° F
Agency approvals: RoHS




Figure 81



Before After



Note: Label dimensions include the STERILIZED indicating area.

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 81	B33-235-7425-AC	B-7425-AC	White	1.500 (38.1)	1.000 (25.4)	1	1250	B30-R4300
i3300, BBP33	Fig. 81	B33-137-7425-AC	B-7425-AC	White	2.000 (50.8)	1.000 (25.4)	1	1500	B30-R4300

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

Cryogenic Tube and Vial Labels (B-461, B-490, B-492 and B-7425)

FreezerBondz™ labels can be applied to room temperature or already frozen samples, with a small overlap. The label remains legible and will stick to the tube during processing, even when immersed in liquid or vapor-phase nitrogen and ultra-low temperature freezer storage.

- B-461 Self-Laminating Polyester: Ultra-thin label with clear overlaminate tail that protects print and allows liquid levels to be visible
- B-490 Polyester: Adhere to already frozen tubes and vials when wrapped around itself by at least 0.125 inch
- B-492 Polyester: Ultra-thin label for frosted, frozen or room temperature vials, tubes and canes. Superior chemical and abrasion resistance
- B-7425 Polypropylene: Ideal for labeling dry, room temperature specimen containers. Material withstands temperature ranges from -320° F to 248° F (-196° C to 121° C). Chemical resistance to ethanol, DMSO, IPS, short-term xylene, 10% formalin, 50% acetic acid and toluene

B-461: Service temp: -321° F to 230° F *Agency approvals:* RoHS
B-490: Service temp: -320° F to 366° F *Agency approvals:* RoHS
B-492: Service temp: -320° F to 230° F *Agency approvals:* RoHS
B-7425: Service temp: -112° F to 158° F *Agency approvals:* RoHS








Figure 2




Figure 5




Figure 7




Figure 14c




Figure 15c




Figure 25a

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Self-Laminating Polyester (B-461):										
i3300, BBP33	Fig. 15c	B33-127-461	B-461	White	0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	1	1500	B30-R4300
i3300, BBP33	Fig. 15c	B33-133-461	B-461	White	0.600 (15.2)	1.625 (41.3)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 14c	B33-139-461	B-461	White	1.000 (25.4)	5.250 (133.4)	1.500 (38.1)	2	650	B30-R4300
i3300, BBP33	Fig. 15c	B33-123-461	B-461	White	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	1	1500	B30-R4300
i3300, BBP33	Fig. 15c	B33-122-461	B-461	White	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	1	1500	B30-R4300
i3300, BBP33	Fig. 14c	B33-276-461	B-461	White	2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 15c	B33-134-461	B-461	White	3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	1	1000	B30-R4300
i3300, BBP33	Fig. 15c	B33-153-461	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	1500	B30-R4300
i3300, BBP33	Fig. 15c	B33-183-461	B-461	White	1.750 (44.4)	1.000 (25.4)	1.000 (25.4)	1	2000	B30-R4300
Polyester (B-490):										
i3300, BBP33	Fig. 5	B33-144-490	B-490	White	0.500 (12.7) dia.	-	-	3	2500	B30-R4300
i3300, BBP33	Fig. 2	B33-68-490	B-490	White	0.500 (12.7)	0.750 (19.1)	-	4	2500	B30-R4300
i3300, BBP33	Fig. 2	B33-125-490	B-490	White	0.900 (22.9)	0.500 (12.7)	-	1	1650	B30-R4300
i3300, BBP33	Fig. 7	B33-126-490	B-490	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	2500 sets	B30-R4300
i3300, BBP33	Fig. 2	B33-154-490	B-490	White	1.250 (31.8)	0.375 (9.5)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-155-490	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-156-490	B-490	White	1.900 (48.2)	1.000 (25.4)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-157-490	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	1000	B30-R4300
i3300, BBP33	Fig. 2	B33-158-490	B-490	White	3.750 (95.3)	1.750 (44.4)	-	1	1100	B30-R4300
Polyester (B-492):										
i3300, BBP33	Fig. 5	B33-143-492	B-492	White	0.375 (9.5) dia.	-	-	4	1500	B30-R6400
i3300, BBP33	Fig. 5	B33-144-492	B-492	White	0.500 (12.7) dia.	-	-	3	1500	B30-R6400
i3300, BBP33	Fig. 7	B33-182-492	B-492	White	0.500 (12.7)	1.000 (25.4)	0.440 (11.17) dia	1	1500 sets	B30-R6400
i3300, BBP33	Fig. 2	B33-180-492	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	1500	B30-R6400
i3300, BBP33	Fig. 25a	B33-152-492	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	2500	B30-R6400
i3300, BBP33	Fig. 7	B33-163-492	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1500 sets	B30-R6400
i3300, BBP33	Fig. 7	B33-181-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.500 (12.7) dia	1	1500 sets	B30-R6400
i3300, BBP33	Fig. 2	B33-59-492	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	5000	B30-R6400
i3300, BBP33	Fig. 2	B33-179-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	1900	B30-R6400
i3300, BBP33	Fig. 2	B33-155-492	B-492	White	1.625 (41.3)	0.600 (15.2)	-	1	1500	B30-R6400
i3300, BBP33	Fig. 7	B33-190-492	B-492	White	1.625 (41.3)	0.600 (15.2)	0.375 (9.5) dia.	1	1500 sets	B30-R6400
i3300, BBP33	Fig. 2	B33-156-492	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	1500	B30-R6400
Polypropylene (B-7425):										
i3300, BBP33	Fig. 2	B33-257-7425	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 25a	B33-152-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2000	B30-R4300
i3300, BBP33	Fig. 2	B33-59-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2000	B30-R4300
i3300, BBP33	Fig. 25a	B33-88-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2000	B30-R4300
i3300, BBP33	Fig. 2	B33-256-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 25a	B33-37-7425	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	1500	B30-R4300

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

Centrifuge and PCR Tube Labels (B-499 and B-7425)

Designed with ultra-thin material that prevents vials from jamming in centrifuges or racks, these labels withstand harsh temperatures and chemicals without falling off, fading or smearing.

- B-499 Nylon Cloth: White nylon cloth for easy handling and conformability
- B-7425 Polypropylene: Moderate chemical resistance, ideal for labeling dry, room temperature specimen containers that withstand temperature ranges from -320° F to 248° F (-196° C to 121° C). Chemical resistance to ethanol, DMSO, IPS, short-term xylene, 10% formalin, 50% acetic acid and toluene

B-499: Service temp: -40° F to 194° F *Agency approvals:* UL RoHS SP
B-7425: Service temp: -112° F to 158° F *Agency approvals:* RoHS






Figure 2




Figure 5




Figure 7

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Vial Top Dia. C Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Nylon Cloth (B-499):										
i3300, BBP33	Fig. 5	B33-143-499	B-499	White	0.375 (9.5) dia.	-	-	4	1500	B30-R6000
i3300, BBP33	Fig. 5	B33-144-499	B-499	White	0.500 (12.7) dia.	-	-	3	1500	B30-R6000
i3300, BBP33	Fig. 7	B33-126-499	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	1500 sets	B30-R6000
Polypropylene (B-7425):										
i3300, BBP33	Fig. 2	B33-257-7425	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-152-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2000	B30-R4300
i3300, BBP33	Fig. 7	B33-249-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1500 sets	B30-R4300
i3300, BBP33	Fig. 2	B33-59-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2000	B30-R4300
i3300, BBP33	Fig. 7	B33-251-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.1) dia.	1	1500 sets	B30-R4300
i3300, BBP33	Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-256-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-37-7425	B-7425	White	1.500 (38.1)	0.500 (12.7)	-	2	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-136-7425	B-7425	White	1.500 (38.1)	0.750 (19.1)	-	1	1500	B30-R4300
i3300, BBP33	Fig. 2	B33-258-7425	B-7425	White	1.500 (38.1)	1.750 (44.5)	-	1	900	B30-R4300
i3300, BBP33	Fig. 2	B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	1500	B30-R4300

Microscope Slide Labels (B-481)

- StainerBondz™ polyester material is designed to identify slides and to resist exposure to harsh chemicals during the slide-staining process
- Performs well in stains such as hematoxylin and eosin
- Extreme chemical resistance withstands the rigors of typical deparaffinization, including ethanol, xylene and H&E staining processes

Service temp: -112° F to 266° F
Agency approvals: RoHS




Figure 2




Figure 25



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 2	B33-195-481	B-481	White	0.900 (22.9)	0.375 (9.5)	1	3000	B30-R6400
i3300, BBP33	Fig. 2	B33-194-481	B-481	White	0.900 (22.9)	0.750 (19.1)	1	2000	B30-R6400
i3300, BBP33	Fig. 25	B33-141-481	B-481	White	0.900 (22.9)	0.900 (22.9)	2	1500	B30-R6400

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

B30- and B33-Series Materials

BradyID.com/s36

Dissolvable Paper Labels (B-403)

- Designed for temporary applications where easy removal, re-identification or waste reduction are valued
- Ideal for labeling vials, tubes or general glassware, temporary asset tracking, animal housing identification and general use
- Completely dissolves in warm water within 30 seconds, leaving no adhesive residue

Service temp: -40° F to 172° F




Figure 3


Dissolves within 30 seconds leaving no residue.

Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
All*	Fig. 3	B30C-1125-403-WT	B-403	White	1.125 (28.6)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-2250-403-WT	B-403	White	2.250 (57.15)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-3000-403-WT	B-403	White	3.000 (76.2)	100 (30.5)	1 (cont.)	B30-R4300
All*	Fig. 3	B30C-4000-403-WT	B-403	White	4.000 (101.6)	100 (30.5)	1 (cont.)	B30-R4300

Well and Microplate Labels (B-490, B-499)

- Designed with a short height and long width to fit the necessary information on the plate
- B-490 Polyester: White FreezerBondz label ideal for flat frozen surfaces
- B-499 Nylon Cloth: Thick white nylon cloth with permanent adhesive provides easy handling and conformability
- B-7425 Polypropylene: Moderate chemical resistance, ideal for labeling dry, room temperature specimen containers

B-490: Service temp: -320° F to 366° F *Agency approvals:* RoHS
B-499: Service temp: -40° F to 194° F *Agency approvals:* RoHS
B-7425: Service temp: -112° F to 158° F *Agency approvals:* RoHS





Figure 2



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 2	B33-151-490	B-490	White	2.000 (50.8)	0.250 (6.4)	1	2500	B30-R4300
i3300, BBP33	Fig. 2	B33-151-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-151-7425	B-499	White	2.000 (50.8)	0.250 (6.4)	1	2000	B30-R4300

Tissue Cassette Labels (B-482)

- White polyester label with superior resistance to tissue processing chemicals and embedding procedures
- Use with the BSP™31 Label Attachment system for tissue cassette identification




Figure 2



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
i3300, BBP33	Fig. 2	B33-199-482	B-482	White	1.050 (26.7)	0.250 (6.4)	1	3000	B30-R6400
i3300, BBP33	Fig. 2	B33-213-482	B-482	White	1.050 (26.7)	0.313 (8)	1	3000	B30-R6400

**All supplies listed are compatible with the following printers unless otherwise noted: BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.*

General Identification for Laboratory Storage, Equipment and Safety Labels (B-499, B-595, B-7569)

- Super-strong adhesives and colors ideal for marking laboratory equipment, containers, hoses and lab storage cabinets, shelves and drawers
- GHS labels available for marking chemicals in the lab and shipment boxes when collaborating with other labs
- Pre-printed sign header labels make your safety and housekeeping reminders stand out and stay put

B-499: Service temp: -40° F to 193° F *Agency approvals:* UL RoHS CSA
B-595: Service temp: -40° F to 180° F *Agency approvals:* RoHS
B-7569: Service temp: -4° F to 167° F












Figure 1




Figure 2




Figure 3




Figure 70

Fits Printers	Figure	Catalog #	B#	Color /Legend	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Nylon Cloth - Permanent adhesive (B-499):									
i3300, BBP33	Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	4	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-165-499	B-499	White	0.800 (20.3)	1.437 (36.5)	4	2500	B30-R6000
i3300, BBP33	Fig. 2	B33-125-499	B-499	White	0.900 (22.9)	0.500 (12.7)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-126-499	B-499	White	0.900 (22.9)	0.500 (12.7)	2	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-163-499	B-499	White	1.000 (25.4)	0.375 (9.5)	1	1500	B30-R6000
i3300, BBP33	Fig. 1	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	1	1500	B30-R6000
i3300, BBP33	Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	1	1100	B30-R6000
i3300, BBP33	Fig. 2	B33-125-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1500	B30-R6000
Indoor / Outdoor Vinyl (B-595):									
All*	Fig. 3	B30C-500-595-WT	B-595	White	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-WT	B-595	White	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-YL	B-595	Yellow	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-1125-595-YL	B-595	Yellow	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000
All*	Fig. 3	B30C-500-595-RD	B-595	Red	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-RD	B-595	Red	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-BL	B-595	Blue	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-BL	B-595	Blue	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-500-595-GN	B-595	Green	0.500 (12.7)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
All*	Fig. 3	B30C-1125-595-GN	B-595	Green	1.125 (28.6)	100 ft. (30.5 m)	-	1 roll (cont.)	B30-R10000-WT
Pre-Printed Pre-Cut Blank Sign Headers (B-595):									
All*	Fig. 70	B30-241-595-ANSIDA	B-595	DANGER	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSIDA	B-595		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
All*	Fig. 70	B30-241-595-ANSINO	B-595	NOTICE	2.250 (57.5)	3.000 (76.2)	1	300	B30-R10000
All*	Fig. 70	B30-25-595-ANSINO	B-595		4.000 (101.6)	6.000 (152.4)	1	175	B30-R10000
Pre-Printed GHS / CLP Chemical (B-7569):									
All*	L4B Diamond + Text	B30-260-7569-CLP4B	B-7569		2.170 (55.0)	3.350 (85.0)	1	340	B30-R10000
		B30-261-7569-CLP4B	B-7569		2.950 (75.0)	4.330 (110.0)	1	270	B30-R10000
All*	L4C Diamond + Text	B30-18-7569-CLP4C	B-7569		1.000 (25.4)	3.000 (76.2)	1	1000	B30-R10000

Additional sizes and colors available for: B-595 on page 40; sign headers on page 44; GHS labels on page 42.
U.S. Patent No. 5,823,689; 6,570,602 on B-595 vinyl. Additional patents pending.

**All supplies listed are compatible with the following printers unless otherwise noted:*
BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers.

BradyID.com/s36

B30-Series Supply Kits

for BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers

Get started right and save a little, too, with a Brady supply starter kit. These kits contain the most commonly used labels and ribbons to ensure you have what you need to get going on your projects.





Basic Supply Starter Kit

Kit includes:

(1) B30C-4000-595-YL - 4 in. yellow vinyl
(1) B30C-4000-595-WT - 4 in. white vinyl
(1) B30C-2250-595-RD - 2.25 in. red vinyl
(1) B30-R10000 - Black print ribbon
(1) B30-R10000-WT - White print ribbon

Catalog #	Description
146069	Basic Supply Starter Kit - Small

Printer sold separately.





Gauge Label Supply Kit for BBP37 Printer*

Kit includes:

(2) B30C-4000-595-WT - 4 in. white vinyl
(2) B30-R10000-GR-8 - Green / red paneled print ribbon; 8 in. panel length

Catalog #	Description
146070	Gauge Label Supply Kit - Small

** BBP37 printer required to cut gauge label. Printer sold separately.*





Arc Flash Supply Kit

Large kit includes:

(2) B30-25-595-ANSIWA - 4 in. x 6 in. B-595 ANSI warning header
(1) B30-241-595-ANSIWA - 2.25 in. x 3 in. B-595 ANSI warning header
(1) B30EP-174-593-WT - 1 in. x 4 in. B-593 white raised panel label
(1) B30C-2250-595-OR - 2.25 in. B-595 orange vinyl
(3) B30-R10000 - Black print ribbon

Small kit includes:

(2) B30-25-595-ANSIWA - 4 in. x 6 in. ANSI warning header
(1) B30-R10000 - Black print ribbon

Catalog #	Description
142061	Arc Flash Supply Kit - Large
146071	Arc Flash Supply Kit - Small
S3100W-ARC-KIT	BradyPrinter S3100 w/ Large Arc Flash Supply Kit

Printer sold separately unless otherwise noted.





GHS Supply Kit

Large kit includes:

(1) B30-262-7569-CLP4B - 4 in. x 6 in. four-diamond GHS label
(2) B30-261-7569-CLP4B - 3 in. x 4 in. four-diamond GHS label
(1) B30-260-7569-CLP4B - 2 in. x 3 in. four-diamond GHS label
(3) B30-R10000 - Black print ribbon

Small kit includes:

(2) B30-262-7569-CLP4B - 4 in. x 6 in. four-diamond GHS label
(1) B30-R10000 - Black print ribbon

Catalog #	Description
146072	GHS Supply Kit - Large
146073	GHS Supply Kit - Small
S3100W-GHS-KIT	BradyPrinter S3100 w/ Large GHS Supply Kit

Printer sold separately unless otherwise noted.






Safety and Compliance Supply Kit

Kit includes:

- (1) B30-25-595-ANSIDA - 4 in. x 6 in. B-595 ANSI danger header
- (1) B30-25-595-ANSIWA - 4 in. x 6 in. B-595 ANSI warning header
- (1) B30-25-595-ANSICA - 4 in. x 6 in. B-595 ANSI caution header
- (1) B30-25-595-ANSINO - 4 in. x 6 in. B-595 ANSI notice header
- (1) B30C-4000-526 - 4 in. B-526 photoluminescent
- (1) B30-263-595-NFPA - 4 in. x 6 in. B-595 NFPA right to know diamond
- (2) B30-R10000 - Black print ribbon
- (1) B30-R10000-RD - Red print ribbon

Catalog #	Description
142062	Safety Supply Kit - Large
S3100W-SAFE-KIT	BradyPrinter S3100 w/ Safety Supply Kit

Printer sold separately unless otherwise noted.





Lean / 5S Visual Workplace Supply Kit

Kit includes:

- (1) B30C-4000-595-WT - 4 in. B-595 white vinyl
- (1) B30C-2250-595-WT - 2.25 in. B-595 white vinyl
- (1) B30C-4000-595-YL - 4 in. B-595 yellow vinyl
- (1) B30C-2250-595-YL - 2.25 in. B-595 yellow vinyl
- (1) B30C-2250-581-WT - 2.25 in. B-581 repositionable vinyl
- (1) B30C-1125-581-WT - 1.125 in. B-581 repositionable vinyl
- (1) B30C-2500-509-WT - 2.25 in. magnetic vinyl
- (1) 142133 - Blank valve tag variety pack
- (1) B30-219-595-BLNKWT - Die-cut labels for valve tags
- (1) B30-25-595-ANSIWA - 4 in. x 6 in. B-595 caution header
- (2) B30-R10000 - Black print ribbon
- (1) B30-R10000-RD - Red print ribbon
- (1) B30-R10000-GN - Green print ribbon
- (1) B30-R10000-BL - Blue print ribbon

Catalog #	Description
142063	Lean / 5S Supply Kit - Large
S3100W-LEAN-KIT	BradyPrinter S3100 w/ Lean / 5S Supply Kit

Printer sold separately unless otherwise noted.





Pipe Identification Supply Kit

Kit includes:

- (1) B30C-4000-595-YL 4 in. B-595 yellow vinyl
- (1) B30C-2250-595-YL - 2.25 in. B-595 yellow vinyl
- (1) B30C-1125-595-YL - 1.125 in. B-595 yellow vinyl
- (1) B30C-4000-595-GN - 4 in. B-595 green vinyl
- (1) B30C-2250-595-GN - 2.25 in. B-595 green vinyl
- (1) B30C-1125-595-GN - 1.125 in. B-595 green vinyl
- (1) B30C-1125-595-BL - 1.125 in. B-595 blue vinyl
- (1) B30C-2250-595-RD - 2.25 in. B-595 red vinyl
- (1) B30C-1125-595-RD - 1.125 in. B-595 red vinyl
- (1) B30EP-174-593-BK - 1 in. x 4 in. B-593 black raised panel
- (1) 142133 - Blank valve tag variety pack
- (1) B30-242-595-BLNKWT - Small die-cut labels for valve tags
- (3) B30-R10000 - Black print ribbon
- (2) B30-R10000-WT - White print ribbon

Catalog #	Description
142064	Pipe ID Supply Kit - Large
S3100W-PIPE-KIT	BradyPrinter S3100 w/ Pipe ID Supply Kit

Printer sold separately unless otherwise noted.





General Industrial Supply Kit

Kit includes:

- (1) B30C-4000-595-WT - 4 in. B-595 white
- (1) B30C-2250-595-WT - 2.25 in. B-595 white
- (1) B30C-1125-595-WT - 1.125 in. B-595 white vinyl
- (1) B30C-4000-595-YL - 4 in. B-595 yellow vinyl
- (1) B30C-2250-595-YL - 2.25 in. B-595 yellow vinyl
- (1) B30C-1125-595-YL - 1.125 in. B-595 yellow vinyl
- (1) B30EP-177-593-BK - 2.5 in. x 3 in. B-593 black raised panel
- (1) B30-25-595-ANSIDA - 4 in. x 6 in. B-595 ANSI danger header
- (1) B30-25-595-ANSICA - 4 in. x 6 in. B-595 ANSI caution header
- (1) B30C-2250-584-YL - 2.25 in. Reflective yellow
- (1) B30C-4250-551-WT - 4.25 in. White tag stock
- (2) B30-R10000 - Black print ribbon
- (1) B30-R10000-WT - White print ribbon
- (1) B30-R10000-RD - Red print ribbon

Catalog #	Description
142065	General Industrial Supply Kit - Large
S3100W-GEN-KIT	BradyPrinter S3100 w/ General Industrial Supply Kit


Printer sold separately unless otherwise noted.

BradyID.com/s36

B30-Series Print Ribbons

for BradyPrinter S3000, S3100, i3300, BBP®30, BBP®31, BBP®33, BBP®35 and BBP®37 printers

- Tough, smear-proof ribbons that produce long-lasting printed text and can withstand years in industrial areas and outdoor conditions
- Self-contained cartridges drop straight into printer with a click – no calibrating, threading, wasted feeding and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for installed labels



Drop and click print ribbons for 5-second ribbon supply changes

Single-Color Print Ribbons

- Solid color ribbons for printing a single color onto a label
- Can be used for printing multi-color labels on BBP35 or BBP37 printers if a paneled multi-color ribbon is not on hand
- All ribbons 4.330 in. x 200 ft. (101.9 mm x 60.9 m)

Fits Printers	Catalog #	Color
All*	B30-R10000	Black
All*	B30-R6000	Black
All*	B30-R6200	Black
All*	B30-R6400	Black
All*	B30-R6600	Black
All*	B30-R4300	Black
All*	B30-R10000-WT	White
All*	B30-R4400-WT	White
All*	B30-R6700-WT	White*
All*	B30-R4500-SV	Silver*

Fits Printers	Catalog #	Color
All*	B30-R10000-RD	Red
All*	B30-R10000-GN	Green
All*	B30-R10000-BL	Blue
All*	B30-R10000-YL	Yellow*
All*	B30-R10000-YL2	Yellow*
All*	B30-R10000-OR	Orange
All*	B30-R10000-MA	Magenta
All*	B30-R10000-PRCCY	Process Cyan**
All*	B30-R10000-PRCYEL	Process Yellow**
All*	B30-R10000-PRCMAG	Process Magenta**



** B30-R4500-SV ribbon for use with B-342 black Permasleeves only; B30-R6700-WT ribbon for use with B-345 black Permasleeves only.*

*** B30-R10000-YL for printing yellow onto white. B30-R10000-YL2 for printing yellow onto other colors of B-595.*

**** Process ribbons print a much lighter shade. They are designed to be used with other process ribbons and black ribbon to lay down a dot pattern for printing blended colors and process color objects with the BBP35/37.*

Multi-Color Paneled Print Ribbons for BBP35 and BBP37

- Ribbons have 2- or 4-color panels for printing multiple colors onto a label
- Print multiple colors without having to swap in multiple ribbons



Two-color print ribbons

Fits Printers	Catalog #	Color	Panel Size Inch (mm)	Length Feet (m)
8 inch panel length. Typical yield: 100 panel sets per roll				
BBP35, 37 Only	B30-R10000-KR-8	Black and Red	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KY-8	Black and Yellow	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KB-8	Black and Blue	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KO-8	Black and Orange	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KG-8	Black and Green	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-GR-8	Green and Red	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
16 inch panel length. Typical yield: 60 panel sets per roll				
BBP35, 37 Only	B30-R10000-KR-16	Black and Red	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KY-16	Black and Yellow	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KB-16	Black and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KO-16	Black and Orange	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KG-16	Black and Green	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-RB-16	Red and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)

Four-color print ribbons

Fits Printers	Catalog #	Color	Panel Size Inch (mm)	Length Feet (m)
8 inch panel length. Typical yield: 50 panel sets per roll				
BBP35, 37 Only	B30-R10000-KRGB-8	Black, Red, Green and Blue	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRYG-8	Black, Red, Yellow and Green	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRYB-8	Black, Red, Yellow and Blue	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRBO-8	Black, Red, Blue and Orange	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-CMYK-8	Process Cyan, Magenta, Yellow, Black**	4.330 x 8.000 (101.9 x 203.2) panels	200 ft. (60.9 m)
16 inch panel length. Typical yield: 30 panel sets per roll				
BBP35, 37 Only	B30-R10000-KRGB-16	Black, Red, Green and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-KRYB-16	Black, Red, Yellow and Blue	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)
BBP35, 37 Only	B30-R10000-CMYK-16	Process Cyan, Magenta, Yellow, Black**	4.330 x 16.000 (101.9 x 604.4) panels	200 ft. (60.9 m)

*** Process ribbons print a much lighter shade. They are designed to be used together with other process ribbons and black ribbon to lay down a dot pattern for printing blended colors and process color objects with the BBP35 and BBP37 printers.*

Print ribbon and label material compatibility

B-#	Material	B30-R4300 (Black)	B30-R6000 (Black)	B30-R6200 (Black)	B30-R6400 (Black)	B30-R6600 (Black)	B30-R10000 (Black)	B30-R4500-SV* (Silver)	B30-R4400-WT (White)	B30-R6700-WT* (White)	B30-R10000-WT (White)	B30-R10000-YL (Yellow)	B30-R10000-YL2 (Yellow)	B30-R10000 (Colors)
B-342	Polyolefin	●	–	–	–	–	–	●*	–	–	–	–	–	–
B-344	Polyolefin	–	–	–	–	●	–	–	–	●*	–	–	–	–
B-345	Polyolefin	–	●	–	–	–	–	–	●	–	–	–	–	–
B-403	Paper	●	–	–	–	–	–	–	–	–	–	–	–	–
B-422	Polyester	–	●	–	–	–	–	–	●	–	–	–	–	–
B-423	Glossy white polyester	–	●	●	–	–	–	–	–	–	–	–	–	–
B-424	Matte white paper	●	–	–	–	–	–	–	–	–	–	–	–	–
B-425	Polypropylene	●	–	–	●	–	–	–	–	–	–	–	–	–
B-427	Vinyl	●	–	–	–	–	–	–	–	–	–	–	–	–
B-428	Metallized polyester	●	–	–	–	–	–	–	–	–	–	–	–	–
B-430	Polyester	–	●	–	–	–	–	–	–	–	–	–	–	–
B-432	Glossy clear polyester	–	●	–	–	–	–	–	●	–	–	–	–	–
B-434	Glossy metallized polyester	–	●	–	–	–	–	–	–	–	–	–	–	–
B-437	Polyvinylfluoride	●	–	–	–	–	–	–	–	–	–	–	–	–
B-438	Tamper evident metallized polyester	●	–	–	–	–	–	–	–	–	–	–	–	–
B-461	Polyester	●	–	–	–	–	–	–	–	–	–	–	–	–
B-472	Polyimide	●	–	–	–	–	–	–	–	–	–	–	–	–
B-480	Metallized polyester	–	–	–	●	–	–	–	–	–	–	–	–	–
B-481	Polyester	–	–	–	●	–	–	–	–	–	–	–	–	–
B-482	Polyester	–	–	–	●	–	–	–	–	–	–	–	–	–
B-483	Glossy white polyester	–	●	–	–	–	–	–	–	–	–	–	–	–
B-483	Toughstripe® floor marking tape	–	●	–	–	–	–	–	●	–	–	–	–	–
B-484A	Glossy white polyester	–	●	–	–	–	–	–	–	–	–	–	–	–
B-486	Matte metallized polyester	●	–	–	–	–	–	–	–	–	–	–	–	–
B-489	Matte white polyester	●	–	–	–	–	–	–	–	–	–	–	–	–
B-490	Polyester	●	–	–	–	–	–	–	–	–	–	–	–	–
B-492	Polyester	–	–	–	●	–	–	–	–	–	–	–	–	–
B-494	Color polyester	–	–	–	●	–	–	–	–	–	–	–	–	–
B-498	Cloth	–	–	●	–	–	–	–	–	–	–	–	–	–
B-499	Nylon	●	●	–	–	–	–	–	–	–	–	–	–	–
B-509	Printable magnetic	–	–	–	–	–	●	–	–	–	–	–	–	●*
B-526	Photoluminescent polyester	–	–	–	–	–	●	–	–	–	–	–	–	●*
B-549	Cold temperature polyester	–	–	–	–	–	●	–	–	–	●	–	–	●*
B-551	Non-adhesive tag	–	–	–	–	–	●	–	–	–	–	–	–	●*
B-565	Metallized polyester	–	–	–	–	–	●	–	–	–	–	–	–	–
B-569	Low-halide polyester	–	–	–	–	–	●	–	–	–	●	–	–	●*
B-581	Repositionable vinyl	–	–	–	–	–	●	–	–	–	●	–	–	●*
B-584	Retro reflective	–	–	–	–	–	●	–	–	–	–	–	–	●*
B-593	Raised panel polyester	–	●	–	–	–	–	–	●	–	–	–	–	–
B-595	Outdoor vinyl	–	–	–	–	–	●	–	–	–	●	●**	●**	●*
B-717	Polyimide	–	●	–	–	–	–	–	–	–	–	–	–	–
B-718	Polyimide	–	●	–	–	–	–	–	–	–	–	–	–	–
B-719	Polyimide	–	●	–	–	–	–	–	–	–	–	–	–	–
B-724	Matte amber polyimide	●	–	–	–	–	–	–	–	–	–	–	–	–
B-727	Glossy white polyimide	–	●	–	–	–	–	–	–	–	–	–	–	–
B-854	Toughwash® metal detectable	–	●	–	–	–	–	–	–	–	–	–	–	–
B-855	Toughwash	–	●	–	–	–	–	–	–	–	–	–	–	–
B-7425	Polypropylene	–	–	–	●	–	–	–	–	–	–	–	–	–
B-7425-AC	Polypropylene	–	–	–	●	–	–	–	–	–	–	–	–	–
B-7569	Vinyl film	–	–	–	–	–	●	–	–	–	–	–	–	–
B-7641	Polyolefin	●	●	–	–	●	–	–	–	–	–	–	–	–
B-7642	Polyolefin	●	–	–	●	–	–	–	–	–	–	–	–	–
B-7643	Polyurethane	–	●	–	–	–	–	–	●	–	–	–	–	–

Refer to the corresponding Tech Data Sheets for complete material information at **BradyID.com/techdata**.
** B30-R4500-SV ribbon for use with B-342 black PermaSleeves® only; B30-R6700-WT ribbon for use with B-345 black PermaSleeves® only.*
***Colored ribbons optimized for use on white material. Test use on other material colors for suitability to your application.*
****Use B30-R10000-YL for printing yellow onto white. Use B30-R10000-YL2 for printing yellow onto other colors of B-595.*

BBP®85 Sign and Label Printer

BradyID.com/s36



BRADY360° 5 YEAR WARRANTY

BBP®85
SIGN & LABEL PRINTER

There's big and bold. Then there's big and bold from Brady.

The BBP85 Sign and Label Printer allows you to create extra-large 10 inch labels in multiple colors, and it has an easier-than-ever interface that anyone on your team can use. No more complex, tedious design steps. Now you can just walk up and print – anyone can do it.

Big Output. Little Fuss.

Create custom signs and labels right now. This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user lean / 5S and kaizen labeling events.

- Unmistakably large visuals up to 10 in. wide
- Just walk up and print – it really is that easy
- Simple touchscreen interface for standalone use, including label design apps to quickly create safety signs, pipe markers, GHS, arc flash, right-to-know labels and more
- Connect to your PC to print labels created through Brady Workstation apps
- USB port for importing files, fonts and graphics

Learn more at BradyID.com/bbp85

Printer at-a-glance

- Large output up to 10 in. wide
- Single- and multi-color printing
- PC-connect or standalone printing
- Touchscreen label creation
- 125 parts, 5 materials

Printing supplies

BBP85 label rolls ..... page 78
BBP85 print ribbons ..... page 83

Catalog #	Description
BBP85	BBP85 Sign and Label Printer*
B85-DC	BBP85 Printer Dust Cover
STYLUS-3PK	Replacement Stylus Pens (3 per pack)

** Printer ships with documentation CD, printer driver CD, power cord, USB cord, Quick Start Guide and cleaning kit.*



Big, bold and better than ever



Large signs up to 10 in. wide



Custom signs on demand



Equipment ID



Low light applications



GHS labels


Pipe marking

BBP®85 Sign and Label Printer

Printer specifications	
Overview	10 in. standalone and PC-connect printer for SFID with multi-color printing. Particularly popular for any large labeling needs. The ultimate in easy and accessible with multiple colors for larger output
Applications	Larger output of equipment labels, GHS labels, safety signs and multi-color labels
Label materials	Extremely agressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus reflective, 10-hour glow-in-the-dark and polyester.
Label formats	Continuous tapes, pre-printed and blank die-cut labels
Print technology	Thermal transfer
Print resolution	300 dpi
Print speed	1 in./sec.
Media widths	4 to 10 in.
Min. label dimension	4 in.
Color printing capabilities	Monocolor and multi-color printing
Auto cut-off	Yes
X-Y plotter cutting (cutout shapes / text)	No
PC-connect or standalone operation	Standalone and PC-connect printing
Connectivity options	Standard: USB, Ethernet Optional: Wi-Fi, Wi-Fi Direct
Compatible software	Brady Workstation Apps
Compatible materials	B85-series and PowerMark materials
Compatible ribbons	B85-series and Powermark ribbons
Calibration required	No (no waste)
Label creation and set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Ribbon and label roll installation	**Labels:** Supplied in cartridge, drops into place, 15-second changeover **Ribbon:** Supplied in cartridge, snaps into place, 5-second changeover
Warranty	5 years

** Patent No. 8,542,155; 8,783,983. Additional patents pending.*



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

Brady360® 5-year Warranty

We stand behind our products and have strengthened our commitment to you with a **5-year printer warranty standard and free of charge** on our benchtop printer models.* With our team of certified tech support and repair technicians, you can rest easy knowing you have the support you need, every step of the way.

**Excludes repairs due to negligence. Excludes Wraptor™, BradyJet and portable models. For full coverage details and restrictions, visit BradyID.com/brady360*

BBP®85 Label Materials

BradyID.com/s36

Indoor / Outdoor Grade Vinyl Tape (B-595)

- Durable, low-shrink vinyl with our most aggressive adhesive and 8-10 year outdoor durability
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks and wood, textured plastics, cast-iron and paper-jacketed pipes, powder-coated surfaces)

Service temp: -40° F to 180° F; Application temp: 0° F to 180° F
Average outdoor durability: 8-10 year outdoor vinyl label durability




Figure 33



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13538	B-595	White	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13549	B-595	White	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13651	B-595	White	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13551	B-595	White	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13562	B-595	White	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13539	B-595	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13550	B-595	Yellow	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13652	B-595	Yellow	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13552	B-595	Yellow	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13563	B-595	Yellow	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13540	B-595	Red	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13601	B-595	Red	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13654	B-595	Red	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13553	B-595	Red	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13610	B-595	Red	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13541	B-595	Blue	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13602	B-595	Blue	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13656	B-595	Blue	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13554	B-595	Blue	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13611	B-595	Blue	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13542	B-595	Green	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13603	B-595	Green	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13655	B-595	Green	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13555	B-595	Green	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13612	B-595	Green	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13543	B-595	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13604	B-595	Orange	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13653	B-595	Orange	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13556	B-595	Orange	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13613	B-595	Orange	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13544	B-595	Black	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13605	B-595	Black	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13557	B-595	Black	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13614	B-595	Black	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13545	B-595	Gold	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13606	B-595	Gold	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13558	B-595	Gold	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13615	B-595	Gold	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13546	B-595	Gray	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13607	B-595	Gray	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13559	B-595	Gray	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13616	B-595	Gray	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13547	B-595	Brown	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13608	B-595	Brown	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13560	B-595	Brown	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13617	B-595	Brown	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13548	B-595	Purple	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13609	B-595	Purple	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13561	B-595	Purple	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13618	B-595	Purple	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	59529	B-595	Clear	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59530	B-595	Clear	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59531	B-595	Clear	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	59532	B-595	Clear	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510

U.S. Patent No. 5,318,370; 5,823,689; 6,570,602. Additional patents pending.

Low-Halide Polyester (B-569)

- For labeling stainless steel and smooth surfaces
- Low-halide content for labeling stainless steel surfaces
- Applies best to very smooth surfaces and is ideal for mounting to rigid panels

Service temp: -40° F to 212° F; Application temp: 0° F to 212° F
Average outdoor durability: 3-5 years




Figure 33




Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13565	B-569	White	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13569	B-569	White	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13573	B-569	White	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13577	B-569	White	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13566	B-569	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13570	B-569	Yellow	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13574	B-569	Yellow	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13578	B-569	Yellow	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13567	B-569	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13571	B-569	Orange	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13575	B-569	Orange	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13579	B-569	Orange	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	99167	B-569	Ochre	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	99168	B-569	Ochre	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	99169	B-569	Ochre	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	99170	B-569	Ochre	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13564	B-569	Clear	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13568	B-569	Clear	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13572	B-569	Clear	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13576	B-569	Clear	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510

PowerMark™ Label Maker Materials

The BBP85 printer accepts many of the same materials that the PowerMark. Simply look for "BBP85" or "A" on the supply roll's label to verify compatibility with both models.

Questions?
Call Brady Tech Support at 1-800-643-8766.



BBP®85 Label Materials

BradyID.com/s36

Pre-Printed GHS / CLP Chemical Labels (B-7569)

- For GHS and hazard communication labeling
- Blank labels with pre-printed red diamonds save time during label printing
- 6 diamond layouts that match templates in Brady Workstation App and standalone printer app
- Indoor / outdoor vinyl withstands exposure to moisture, chemicals and handling

Service temp: -4° F to 180° F; Application temp: 50° F to 180° F
Average outdoor durability: 3-5 years



Fits Printers	Catalog #	B#		Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP85	130766	B-7569		L1 diamond + text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130772	B-7569		L1 diamond + text	6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130767	B-7569		L2 diamond + text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130773	B-7569		L2 diamond + text	6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130768	B-7569		L3A diamond + text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130774	B-7569		L3A diamond + text	6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130769	B-7569		L3B diamond + text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130775	B-7569		L3B diamond + text	6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130770	B-7569		L4A diamond + text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130776	B-7569		L4A diamond + text	6.100 (154.9)	8.300 (210.8)	1	70	13510
BBP85	130771	B-7569		L4B diamond + text	4.100 (104.1)	6.100 (154.9)	1	90	13511
BBP85	130777	B-7569		L4B diamond + text	6.100 (154.9)	8.300 (210.8)	1	70	13510

Pre-Printed Pre-Cut Blank Sign Headers (B-595, B-7569)

- For creating arc flash and safety warning labels in seconds
- Create custom, colorful safety labels using only a black ribbon
- Meet NFPA 70E, OSHA 1910.145 and ASME / ANSI Z535 standards
- Indoor / outdoor grade material conforms to rough, highly textured, and difficult to adhere to surfaces

B-595 vinyl: *Service temp: -40° F to 180° F; Application temp: 0° F to 180° F*
Average outdoor durability: 8-10 years outdoor vinyl durability

B-7569 vinyl: *Service temp: -4° F to 167° F; Application temp: 50° F to 167° F*
Average outdoor durability: Up to 3 years vinyl durability




Figure 70




Figure 82



Fits Printers	Figure	Catalog #	B#	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Roll	Rec. Ribbon
BBP85	Fig. 70	140886	B-7569	CAUTION	10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130750	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130749	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140887	B-7569	DANGER	10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130753	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130752	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140888	B-7569	NOTICE	10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130756	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130755	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140889	B-7569	WARNING	10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130759	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130758	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140885	B-7569	CAUTION	10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130762	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130761	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 70	140890	B-7569	DANGER	10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 70	130765	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 70	130764	B-595		4.000 (101.6)	6.000 (152.4)	95	13511
BBP85	Fig. 82	140883	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 82	132393	B-595		7.000 (177.8)	10.000 (254.0)	60	13510
BBP85	Fig. 82	140884	B-7569		10.000 (254.0)	14.000 (355.6)	40	13510
BBP85	Fig. 82	132395	B-595		7.000 (177.8)	10.000 (254.0)	60	13510

Creating On-Demand Rigid Signs

Rigid Sign Blanks

Create your own rigid signs using printed output from your Brady printer and rigid sign panels.

Three mounding techniques to choose from:

- Mount label to a rigid sign panel using the label's pressure sensitive adhesive
- Use the BLS1255 Laminating System to laminate output to a rigid sign panel
- Mount label behind a clear acrylic sign panel using the panel's included pressure sensitive adhesive





Aluminum panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146083	Alum.	Wht	2.500	6.260	10
146113	Alum.	Wht	2.500	10.250	10
13629	Alum.	Wht	4.250	6.250	10
106461	Alum.	Wht	4.250	10.250	10
146082	Alum.	Wht	4.250	14.250	10
13632	Alum.	Wht	7.250	10.250	10
106460	Alum.	Wht	7.630	10.380	10
106462	Alum.	Wht	10.250	10.250	10
13635	Alum.	Wht	10.250	14.250	10
146116	Alum.	Ylw	2.500	6.260	10
146117	Alum.	Ylw	2.500	10.250	10
13630	Alum.	Ylw	4.250	6.250	10
146114	Alum.	Ylw	4.250	10.250	10
146115	Alum.	Ylw	4.250	14.250	10
13633	Alum.	Ylw	7.625	10.375	10
13636	Alum.	Ylw	10.250	14.250	10
13631	Alum.	Org	4.250	6.250	10
13634	Alum.	Org	7.625	10.375	10
15Y885	Alum.	Org	10.250	14.250	10

Plastic panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146076	Plastic	Wht	2.500	6.250	10
146077	Plastic	Wht	2.500	10.250	10
13620	Plastic	Wht	4.250	6.250	10
146074	Plastic	Wht	4.250	10.250	10
146075	Plastic	Wht	4.250	14.250	10
13623	Plastic	Wht	7.630	10.380	10
146080	Plastic	Ylw	2.500	6.250	10
146081	Plastic	Ylw	2.500	10.250	10
13621	Plastic	Ylw	4.250	6.250	10
146078	Plastic	Ylw	4.250	10.250	10
146079	Plastic	Ylw	4.250	14.250	10
13622	Plastic	Org	4.250	6.250	10
13625	Plastic	Org	7.630	10.380	10
13628	Plastic	Org	10.250	14.250	10

Clear acrylic panels

Includes pressure sensitive adhesive backing to mount output behind the clear panel — protecting the graphics

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
13638	Acrylic	Clear	4.000	6.000	10
106464	Acrylic	Clear	4.250	10.250	10
13639	Acrylic	Clear	7.250	10.000	10
106463	Acrylic	Clear	7.250	10.250	10
13640	Acrylic	Clear	10.000	14.000	10
106465	Acrylic	Clear	10.25 in.	10.25 in.	10

BLS1255 Laminating System

BLS1255 laminator enables you to quickly and easily make custom rigid signs for your facility

- Mount signs to rigid panels to create signs for your facility
- Fast and easy to use
- No heat or electricity needed
- Laminate documents up to 12 in. wide



Catalog #	Description
105038	BLS1255 Laminating System
105041	12 in. x 50 ft. Double-Sided Polyester Overlaminate







Laminates documents up to 12 in. wide

BBP®85 Label Materials

BradyID.com/s36

Pre-Printed Right-To-Know Chemical Labels (B-595)

- For quickly creating NFPA and color bar labels
- Blank die-cut labels pre-printed with chemical diamonds and color bars
- Indoor / outdoor grade material withstands exposure to moisture, chemicals and handling
- Allows printer to produce 5-color chemical labels in a single print pass

Service temp: -40° F to 180° F; Application temp: 0° F to 180° F
Average outdoor durability: 8 to 10 years outdoor vinyl label durability



Fits Printers	Catalog #	B#	Legend	Label Height Inch (mm)	Label Width Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
BBP85	130808	B-595	Diamond + text	4.000 (101.6)	6.000 (152.4)	1	95	13511
BBP85	130809	B-595	Diamond + text	7.000 (177.8)	10.000 (254.0)	1	60	13510
BBP85	130810	B-595	Diamond only	6.000 (152.4)	6.000 (152.4)	1	95	13511
BBP85	130811	B-595	Color bar + text	4.000 (101.6)	6.000 (152.4)	1	95	13511
BBP85	130812	B-595	Color bar + text	7.000 (177.8)	10.000 (254.0)	1	60	13510

Retro Reflective Tape (B-584)

- For highly reflective identification that shines back brightly when struck by light
- Ideal for labeling outdoor metal utility poles, pedestals, jobsite equipment and roof-top equipment especially in low light

Service temp: -40° F to 158° F; Average outdoor durability: 4 to 6 years
Application temp: 0° F to 158° F (yellow and orange), 50° F to 158° F (silver)




Figure 33



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13580	B-584	Silver	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13585	B-584	Silver	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13590	B-584	Silver	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	51584	B-584	Yellow	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	51585	B-584	Yellow	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	51586	B-584	Yellow	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13404	B-584	Orange	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13403	B-584	Orange	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13402	B-584	Orange	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510

BradyGlo™ High-Intensity Photoluminescent Tape (B-526)

- Identification that glows in the dark for up to 10 hours
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls, and vital equipment controls

Service temp: -40° F to 140° F; Application temp: 40° F to 140° F





Figure 33




Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	105912	B-526	Luminous Green	4.000 (101.6)	33 (10.0)	1 roll (cont)	13511 or 13595
BBP85, PMK	Fig. 33	105913	B-526	Luminous Green	7.000 (177.8)	33 (10.0)	1 roll (cont)	13510 or 13514
BBP85, PMK	Fig. 33	105914	B-526	Luminous Green	10.000 (254.0)	33 (10.0)	1 roll (cont)	13510 or 13514

BBP85 Printer Ribbons


Choose from a variety of heavy-duty, smear-proof ribbons, including single color and multi-color paneled ribbons. These ribbons are uniquely designed with memory cells that communicate information to the BBP85 printer.

Single color print ribbons

Fits Printers	Catalog #	Color	Size Inch (mm)	Length Foot (m)
BBP85, PMK	13511	Black	6.250 (158.0)	200 (60.9)
BBP85, PMK	13510	Black	8.800 (224.0)	200 (60.9)
BBP85, PMK	13513	White	6.250 (158.0)	200 (60.9)
BBP85, PMK	13512	White	8.800 (224.0)	200 (60.9)
BBP85, PMK	13595	Red	6.250 (158.0)	200 (60.9)
BBP85, PMK	13514	Red	8.800 (224.0)	200 (60.9)
BBP85, PMK	13596	Blue	6.250 (158.0)	200 (60.9)
BBP85, PMK	13515	Blue	8.800 (224.0)	200 (60.9)
BBP85, PMK	13597	Green	6.250 (158.0)	200 (60.9)
BBP85, PMK	13516	Green	8.800 (224.0)	200 (60.9)
BBP85, PMK	13598	Magenta	6.250 (158.0)	200 (60.9)
BBP85, PMK	13517	Magenta	8.800 (224.0)	200 (60.9)
BBP85, PMK	13599	Yellow	6.250 (158.0)	200 (60.9)
BBP85, PMK	13518	Yellow	8.800 (224.0)	200 (60.9)
BBP85, PMK	13600	Orange	6.250 (158.0)	200 (60.9)
BBP85, PMK	13519	Orange	8.800 (224.0)	200 (60.9)



Single color print ribbon



Two-color panel print ribbon



Four-color panel print ribbon

Two-color panel print ribbons

Fits Printers	Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length Feet (m)	Typical Yield From Ribbon
8 in. panels used to create two color signs up to 8 in. long						
BBP85, PMK	13523	Black and Red	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13522	Black and Red	8.800 (223.5)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13527	Black and Yellow	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13529	Black and Orange	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13704	Black and Green	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13706	Black and Green	8.800 (223.5)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
15 in. panels used to create two color signs up to 14 in. long						
BBP85, PMK	13521	Black and Red	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13520	Black and Red	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13525	Black and Blue	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13524	Black and Blue	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13526	Black and Yellow	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13528	Black and Orange	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13705	Black and Green	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13707	Black and Green	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)

Four-color panel print ribbons

Fits Printers	Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length Feet (m)	Typical Yield From Ribbon
8 in. panels used to create four color signs up to 8 in. long						
BBP85, PMK	13533	Black / Red / Blue / Yellow	6.250 (158.0)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13532	Black / Red / Blue / Yellow	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13537	Black / Red / Blue / Green	6.250 (158.0)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13536	Black / Red / Blue / Green	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	51448	Black / Red / Orange / Blue	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
15 in. panels used to create four color signs up to 14 in. long						
BBP85, PMK	13531	Black / Red / Blue / Yellow	6.250 (158.0)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13530	Black / Red / Blue / Yellow	8.800 (223.5)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13535	Black / Red / Blue / Green	6.250 (158.0)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13534	Black / Red / Blue / Green	8.800 (223.5)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)

BradyJet J2000 Color Label Printer

BradyID.com/s36



BradyJet J2000

COLOR LABEL PRINTER

Improve productivity and safety with color

Get the impactful color labels you need to create a safer, more efficient workplace. The BradyJet J2000 Color Label Printer is a compact on-demand, mid-volume inkjet solution for creating photo-quality color labels in a single pass, while improving efficiency and saving you money. With the BradyJet J2000 you'll benefit from:

Colorful identification – get more impactful identification with more than 16 million color options for your labels

Quick identification when you need it – efficient printing means you keep your workplace running smoothly

Savings on costs and space – get custom identification in a small footprint without the high cost of outsourced printing

Learn more at BradyID.com/J2000

Printer at-a-glance

- Full-color CMYK inkjet printing
- Fast 2.5 in. per second print speeds
- Output up to 4 inches wide
- Small and lightweight at only 7 lbs
- 15 SFID parts, 2 materials

Printing supplies

J20-series materials ..... page 85
J20-series ink cartridge ..... see table



1 ink cartridge = 16 million colors





Catalog #	Description
J2000	BradyJet J2000 Inkjet Label Printer
J2000-BWSSFID	BradyJet J2000 with Brady Workstation SFID Suite
J20-CMY	J20 Ink Cartridge
J20-PAD	J20 Ink Pads
J20-ROLL	J20 material roll for print head alignment

** Printer ships with ink cartridge, material roll for printhead alignment only, USB with drivers and manuals, power cord, USB cable and Quick Start Guide.*

Improve productivity and safety





Photo signage



GHS labeling



Pipe marking


Lock labels



Facility tags



And more

Printer specifications	
Description	Full-color, high-resolution ink jet printer for creating photo-quality labels in a single pass, while reducing inventory of labeling supplies. Significantly smaller footprint than BradyJet J5000
Applications	GHS labels, pipe markers, warehouse marking, visual workplace labeling, lean / 5S labels, lockout tags, general ID Industrial ID, laboratory ID
Label material types	Inkjet receptive topcoated vinyl, polyester and tagstock
Types of labels	Continuous and die-cut labels
Print technology	Thermal inkjet
Print resolution	Up to 4800 dpi
Max print width	4 in.
Media widths	1.125 to 4.25 in.
Minimum label size	1.125 in.
Color printing capabilities	Full-color process; up to 16.7 million colors
Auto cut-off	Yes
X-Y plotter cutting	No
PC-connect or standalone operation	PC-connect only
Connectivity options	USB only
Compatible software	Brady Workstation Apps
Compatible materials	J20 series (all)
Calibration required	Required only on initial setup
Ink and label roll installation	**Labels:** Supplied as rolls, 20-second changeover **Ink:** Supplied as cartridge, 10-second changeover
Warranty	1 year*

**See BradyID.com/brady360 for coverage details.*



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

BradyJet J2000 Label Materials

BradyJet J2000 materials feature a topcoat that enhances the colors and protects your print from smudging and harsh conditions. These labels have been tested to withstand exposure to liquids, alcohol and chemicals, as well as indoor fluorescent and UV lighting.



Die-cut Labels

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll
Fig. 2	J20-260-2569	B-2569	Polyester	White	2.170 (55.11)	3.350 (85.09)	340
Fig. 2	J20-261-2569	B-2569	Polyester	White	2.950 (74.93)	4.330 (109.98)	270
Fig. 2	J20-262-2569	B-2569	Polyester	White	4.130 (104.90)	6.100 (154.94)	200
Fig. 2	J20-260-2595	B-2595	Vinyl	White	2.170 (55.11)	3.350 (85.09)	340
Fig. 2	J20-261-2595	B-2595	Vinyl	White	2.950 (74.93)	4.330 (109.98)	270
Fig. 2	J20-262-2595	B-2595	Vinyl	White	4.130 (104.90)	6.100 (154.94)	200




Figure 2

Continuous Material

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 3	J20C-1125-2569	B-2569	Polyester	White	1.125 (28.57)	100 (30.5)	1 cont.
Fig. 3	J20C-2250-2569	B-2569	Polyester	White	2.250 (57.15)	100 (30.5)	1 cont.
Fig. 3	J20C-4000-2569	B-2569	Polyester	White	4.000 (101.6)	100 (30.5)	1 cont.
Fig. 3	J20C-1125-2595	B-2595	Vinyl	White	1.125 (28.57)	100 (30.5)	1 cont.
Fig. 3	J20C-2250-2595	B-2595	Vinyl	White	2.250 (57.15)	100 (30.5)	1 cont.
Fig. 3	J20C-4000-2595	B-2595	Vinyl	White	4.000 (101.6)	100 (30.5)	1 cont.




Figure 3

Non-adhesive Tagstock

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Tag Length B Inch (mm)	Tags Per Roll
Fig. 13	J20-255-2551	B-2551	Tagstock	White	3.250 (82.55)	5.750 (146.05)	100
Fig. 3	J20C-3250-2551	B-2551	Tagstock	White	3.250 (82.55)	50 ft (15.24 m)	1 cont.
Fig. 3	J20C-2500-2551	B-2551	Tagstock	White	2.500 (63.50)	50 ft (15.24 m)	1 cont.




Figure 13

BradyJet J5000 Color Label Printer

BradyID.com/s36



BradyJet J5000
COLOR LABEL PRINTER

High-resolution, high-speed full-color label creation

Get the impactful color labels you need to create a safer, more efficient workplace. The BradyJet J5000 Color Label Printer is an on-demand, inkjet solution for creating photo-quality color labels for indoor use in a single pass, while reducing your inventory of labeling supplies and material waste.

- 4,800 dpi print resolution for high-resolution clarity and fine detail
- Full-color photo reproduction and wide tonal range allows for labels with photos, graphics, illustrations, text, linear and 2D bar codes
- More than 16 million color possibilities with only 4 ink cartridges
- Large ink cartridges that reduce the amount of changeovers or replacements
- Fast print speeds up to 6 inches per second
- Print up to 5,000 high resolution labels per day, using only the ink and label materials needed to keep waste and inventory down
- Variety of label options with 2 to 8 inch wide continuous and die-cut materials

Learn more at BradyID.com/J5000

Printer at-a-glance

- Full-color CMYK inkjet printing
- High-resolution print ideal for photos
- Large output up to 8 in. wide
- PC-connect only
- 18 parts, 2 materials

Printing supplies

J50-series labels rolls.....page 88
J50-series Ink cartridges.....page 88



Easy to load supplies can be changed in seconds.



Catalog #	Description
J5000	BradyJet J5000 Color Label Printer*

** Printer ships with printhead with set-up ink cartridges, set-up CD, USB cable, power cord, Quick Start Guide.*

High-resolution and full-color identification throughout your facility



Safety signage



Asset management



Pipe marking



GHS hazcomm



Standard work / dance chart



Photo signage and more

Printer specifications	
Description	8 in. PC-connect printer with high-resolution, high-speed color label printing. Ideal for creating full-color labels with images, logos, illustrations, barcodes and more. The ultimate in high-resolution printing in all colors
Applications	Arc flash labels (w/ red variables), equipment labels, GHS labels, pipe markers, safety signs and warning labels (multi-color), lean / 5S labels, multi-color labels, lock labels (w/ photos), asset management, department signage, finished goods
Label material types	Inkjet receptive topcoated vinyl and polyester
Types of labels	Continuous and die-cut labels
Print technology	Thermal inkjet
Print resolution	Up to 4800 dpi
Max print width	4 in.
Media widths	2 to 8 in.
Minimum label size	2 in.
Color printing capabilities	Full color process; up to 16.7 million colors
Auto cut-off	Yes
X-Y plotter cutting	No
PC-connect or standalone operation	PC-connect only
Connectivity options	USB, Ethernet and wireless
Compatible software	Brady Workstation Apps
Compatible materials	J50 series (all)
Calibration required	Required only on initial setup
Ink and label roll installation	**Labels:** Supplied as rolls, 20-second changeover **Ink:** Supplied as cartridge, 10-second changeover
Warranty	1 year*

**See BradyID.com/brady360 for full coverage details and restrictions.*



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.


This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

Full-color printing means less material to inventory

Three white BradyJet J5000 label rolls can create the same types of labels as these 14 colored and pre-printed rolls.



BradyJet J5000 Label Materials

BradyID.com/s36

BradyJet J5000 Label Materials

BradyJet J5000 label materials feature a topcoat that enhances the colors and label appearance, and protects your print from smudging and harsh conditions. These labels have been tested to withstand exposure to liquids, alcohol and chemicals, as well as indoor fluorescent and UV lighting Custom sizes of B-2595 and B-2569 available.



Die-cut Labels

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Labels Per Roll
Fig. 2	J50-260-2595	B-2595	Vinyl	White	3.35 (85.0)	2.17 (55.0)	340
Fig. 2	J50-261-2595	B-2595	Vinyl	White	4.33 (110.0)	2.95 (75.0)	270
Fig. 2	J50-262-2595	B-2595	Vinyl	White	6.10 (155.0)	4.13 (105.0)	200
Fig. 2	J50-267-2595	B-2595	Vinyl	White	8.30 (210.8)	6.10 (154.9)	120
Fig. 2	J50-265-2595	B-2595	Vinyl	White	10.00 (254.0)	7.00 (177.8)	100
Fig. 2	J50-260-2569	B-2569	Polyester	White	3.35 (85.0)	2.17 (55.0)	340
Fig. 2	J50-261-2569	B-2569	Polyester	White	4.33 (110.0)	2.95 (75.0)	270
Fig. 2	J50-262-2569	B-2569	Polyester	White	6.10 (155.0)	4.13 (105.0)	200
Fig. 2	J50-267-2569	B-2569	Polyester	White	8.30 (210.8)	6.10 (154.9)	120
Fig. 2	J50-265-2569	B-2569	Polyester	White	10.00 (254.0)	7.00 (177.8)	100




Figure 2

Continuous Tapes

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
Fig. 3	J50C-2250-2595	B-2595	Vinyl	White	2.25 (57.5)	100 (30.5)	1 cont.
Fig. 3	J50C-4000-2595	B-2595	Vinyl	White	4.00 (101.6)	100 (30.5)	1 cont.
Fig. 3	J50C-6000-2595	B-2595	Vinyl	White	6.00 (152.4)	100 (30.5)	1 cont.
Fig. 3	J50C-8000-2595	B-2595	Vinyl	White	8.00 (203.2)	100 (30.5)	1 cont.
Fig. 3	J50C-2250-2569	B-2569	Polyester	White	2.25 (57.5)	100 (30.5)	1 cont.
Fig. 3	J50C-4000-2569	B-2569	Polyester	White	4.00 (101.6)	100 (30.5)	1 cont.
Fig. 3	J50C-6000-2569	B-2569	Polyester	White	6.00 (152.4)	100 (30.5)	1 cont.
Fig. 3	J50C-8000-2569	B-2569	Polyester	White	8.00 (203.2)	100 (30.5)	1 cont.




Figure 3

Non-adhesive Tag Stock

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Tags Per Roll
Fig. 13	J50-255-2551	B-2551	Vinyl Tag	White	3.250 (82.6)	5.750 (146.1)	100




Figure 13

Clear Acrylic Overlaminate (B-910)

- Clear acrylic film with permanent adhesive provides improved label durability including outdoor UV resistance up to 3 years
- Hand apply after label is applied to surface
- Overlaminate is slightly wider than BradyJet continuous tape

Catalog #	B#	Color	Roll Width Inch (mm)	Roll Length Feet (m)
149259	B-910	Clear	2.75 (69.9)	120 (36.6)
149258	B-910	Clear	4.5 (114.3)	120 (36.6)
149257	B-910	Clear	6.5 (165.1)	120 (36.6)
149260	B-910	Clear	8.5 (215.9)	120 (36.6)





BradyJet J5000 Ink Cartridges

Catalog #	Description
J50-CY	Cyan
J50-MA	Magenta
J50-YL	Yellow
J50-BK	Black — cartridge contains double the volume as colors
J50-CMYK	Multi-pack — 1 each of cyan, magenta, yellow, black cartridges



Creating On-Demand Rigid Signs

Rigid Sign Blanks

Create your own rigid signs using printed output from your Brady printer and rigid sign panels.

Three mounding techniques to choose from:

- Mount label to a rigid sign panel using the label's pressure sensitive adhesive
- Use the BLS1255 Laminating System to laminate output to a rigid sign panel
- Mount label behind a clear acrylic sign panel using the panel's included pressure sensitive adhesive





Aluminum panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146083	Alum.	Wht	2.500	6.260	10
146113	Alum.	Wht	2.500	10.250	10
13629	Alum.	Wht	4.250	6.250	10
106461	Alum.	Wht	4.250	10.250	10
146082	Alum.	Wht	4.250	14.250	10
13632	Alum.	Wht	7.250	10.250	10
106460	Alum.	Wht	7.630	10.380	10
106462	Alum.	Wht	10.250	10.250	10
13635	Alum.	Wht	10.250	14.250	10
146116	Alum.	Ylw	2.500	6.260	10
146117	Alum.	Ylw	2.500	10.250	10
13630	Alum.	Ylw	4.250	6.250	10
146114	Alum.	Ylw	4.250	10.250	10
146115	Alum.	Ylw	4.250	14.250	10
13633	Alum.	Ylw	7.625	10.375	10
13636	Alum.	Ylw	10.250	14.250	10
13631	Alum.	Org	4.250	6.250	10
13634	Alum.	Org	7.625	10.375	10
15Y885	Alum.	Org	10.250	14.250	10

Plastic panels

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
146076	Plastic	Wht	2.500	6.250	10
146077	Plastic	Wht	2.500	10.250	10
13620	Plastic	Wht	4.250	6.250	10
146074	Plastic	Wht	4.250	10.250	10
146075	Plastic	Wht	4.250	14.250	10
13623	Plastic	Wht	7.630	10.380	10
146080	Plastic	Ylw	2.500	6.250	10
146081	Plastic	Ylw	2.500	10.250	10
13621	Plastic	Ylw	4.250	6.250	10
146078	Plastic	Ylw	4.250	10.250	10
146079	Plastic	Ylw	4.250	14.250	10
13622	Plastic	Org	4.250	6.250	10
13625	Plastic	Org	7.630	10.380	10
13628	Plastic	Org	10.250	14.250	10

Clear acrylic panels

Includes pressure sensitive adhesive backing to mount output behind the clear panel — protecting the graphics

Catalog #	Material	Color	Height (inch)	Length (inch)	Qty
13638	Acrylic	Clear	4.000	6.000	10
106464	Acrylic	Clear	4.250	10.250	10
13639	Acrylic	Clear	7.250	10.000	10
106463	Acrylic	Clear	7.250	10.250	10
13640	Acrylic	Clear	10.000	14.000	10
106465	Acrylic	Clear	10.25 in.	10.25 in.	10

BLS1255 Laminating System

BLS1255 laminator enables you to quickly and easily make custom rigid signs for your facility

- Mount signs to rigid panels to create signs for your facility
- Fast and easy to use
- No heat or electricity needed
- Laminate documents up to 12 in. wide



Catalog #	Description
105038	BLS1255 Laminating System
105041	12 in. x 50 ft. Double-Sided Polyester Overlaminate



Laminates documents up to 12 in. wide

MiniMark™ Label Materials

BradyID.com/s36

MINIMARK™
INDUSTRIAL LABEL PRINTER

The MiniMark printer has been discontinued, but Brady continues to manufacture and stock labels and ribbons for the printer.



Indoor / Outdoor Grade Vinyl (B-595)

- Conforms well to irregular, curved, rough and highly textured surfaces
- 8-10 year average outdoor durability in temperatures from -40° F to 180° F. Labels can be applied in temperatures from 0° F to 180° F
- Patent Number D481.414




Figure 33b



	0.500 in. x 100 ft. (12.7 mm x 30.48 m)	1.125 in. x 100 ft. (28.6 mm x 30.48 m)	2.250 in. x 100 ft. (57.2 mm x 30.48 m)	3.000 in. x 100 ft. (76.2 mm x 30.48 m)	4.000 in. x 100 ft. (101.6 mm x 30.48 m)	Rec. Ribbon
White	113186	113185	113184	113183	113182	103025
Yellow	113195	113194	113193	113192	113191	103025
Red	113199	113198	113197	–	113196	103026
Blue	113211	113210	113209	–	113208	103026
Green	113207	113206	113205	–	113204	103026
Black	113215	113214	113213	–	113212	103026
Brown	115762	115761	115760	–	115759	103026
Gold	-	115757	115756	–	115755	103025
Grey	115754	115753	113219	–	113218	103025
Purple	115752	115751	113217	–	113216	103026
Orange	113203	113202	113201	–	113200	103025
Clear	113190	113189	113188	–	113187	103025

General Purpose Indoor / Outdoor Vinyl (B-7569)

- Excellent for facility, safety, chemical and lean 5S labeling
- Five year average outdoor durability in temperatures from -40° F to 180° F. Labels can be applied in temperatures from 0° F to 180° F
- Patent Number D481.414



Figure 33b



	1.125 in. x 110 ft. (28.6 mm x 30.48 m)	2.250 in. x 110 ft. (57.2 mm x 30.48 m)	4.000 in. x 110 ft. (101.6 mm x 30.48 m)	Rec. Ribbon
White	120847	120854	120861	52042
Yellow	120848	120855	120862	52042
Red	120849	120856	120863	52042
Orange	120852	120859	120866	52042
Blue	120851	120858	120865	52044
Green	120850	120857	120864	52044
Black	120853	120860	120867	52044

Pre-Printed Header Stripe Supply for Arc Flash Labels and Signs (B-595)

- Pre-printed continuous stripe on top portion, then supply is cut-to-length according to length of text entered




Figure 71





Diagram	Catalog #	Material	Stripe Color	Label Height A Inch (mm)	Roll Length B Feet (m)	Stripe Width C Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 71	113221	B-595	Red	4.000 (101.6)	100 (30.48)	1.000 (25.4)	1 roll (cont.)	103025
Fig. 71	113230	B-595	Red	2.250 (57.15)	100 (30.48)	0.500 (12.7)	1 roll (cont.)	103025
Fig. 71	113222	B-595	Orange	4.000 (101.6)	100 (30.48)	1.000 (25.4)	1 roll (cont.)	103025
Fig. 71	113227	B-595	Orange	3.000 (76.2)	100 (30.48)	0.750 (19.05)	1 roll (cont.)	103025
Fig. 71	113228	B-595	Orange	2.250 (57.15)	100 (30.48)	0.500 (12.7)	1 roll (cont.)	103025
Fig. 71	113220	B-595	Yellow	4.000 (101.6)	100 (30.48)	1.000 (25.4)	1 roll (cont.)	103025
Fig. 71	113226	B-595	Yellow	3.000 (76.2)	100 (30.48)	0.750 (19.05)	1 roll (cont.)	103025
Fig. 71	113229	B-595	Yellow	2.250 (57.15)	100 (30.48)	0.500 (12.7)	1 roll (cont.)	103025

Tamper-Evident Metallized Polyester (B-438)

- Permanent adhesive
- Tape destructs into tiny fragments when tampered with, making removal very tedious and difficult




Figure 29



Diagram	Catalog #	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Fig. 29	52148	B-438	Silver	2.000 (50.8)	1.000 (25.4)	1	1,240	103025
Fig. 29	52149	B-438	Silver	3.000 (76.2)	1.000 (25.4)	1	1,225	103025
Fig. 29	52150	B-438	Silver	3.000 (76.2)	2.000 (50.8)	1	650	103025
Fig. 29	52152	B-438	Silver	3.000 (76.2)	110 ft. (33.5 m)	-	1 roll (cont.)	103025



MiniMark Print Ribbons

Ribbons for B-595 and B-438 materials

Catalog #	Roll Size	Color	Rolls Per Pack
103026	4 in. x 290 ft.	White	2
103025	4 in. x 290 ft.	Black	2

Ribbons for B-7569 material

Catalog #	Roll Size	Color	Rolls Per Pack
52044	4.4 in. x 290 ft.	White	2
52042	4.4 in. x 290 ft.	Black	2
52045	4.4 in. x 290 ft.	Red	2
52059	4.4 in. x 290 ft.	Green	2
52047	4.4 in. x 290 ft.	Blue	2

GlobalMark® Label Materials

BradyID.com/s36

GLOBALMARK®2
INDUSTRIAL LABEL MAKER

The GlobalMark printer has been discontinued, but Brady continues to manufacture and stock labels and accessories for the printer.



GlobalMark2 Printer Accessories

Catalog #	Description
120994	Rolling case w/ handle and supplies pockets for benchtop printers
STYLUS-3PK	Stylus Pens (3/pk)
64MB-CF	256MB Memory Card
76811	Replacement Cutting Blade
76737	Transfer Tape (4.25 in. x 300 ft.)
20596	Grommets for Tags (100/pk)
20591	Hole Punch for Tags
81762	7 in. Nylon Cable Ties (100/pk)

Pre-Printed Blank Sign Headers (B-595)

- Allows printer to create multicolor signs fast - in a single print pass
- Headers meet NFPA 70E, OSHA 1910.145 and ASME / ANSI Z535 standards
- Indoor / outdoor grade material conforms to rough, highly textured, and "difficult to adhere to" surfaces

Service temp: -40°F to 180°F; Application temp: 0°F to 180°F
Average Outdoor Durability: 8-10 years




Figure 73



Diagram	Catalog #	B#	Header	Label Height A Inch (mm)	Label Width B Inch (mm)	Labels Per Row	Labels Per Roll	Rec. Ribbon
Fig. 73	121550	B-595	DANGER	2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121558	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121552	B-595	CAUTION	2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121560	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121551	B-595	⚠ CAUTION	2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121559	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121549	B-595	⚠ DANGER	2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121557	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121553	B-595	⚠ WARNING	2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121561	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121554	B-595	NOTICE	2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121562	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121563	B-595		1.125 (28.6) *	2.750 (69.8)	1	300	76739
Fig. 73	121547	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121564	B-595		2.250 (57.2) *	3.750 (95.2)	1	250	76739
Fig. 73	121555	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739
Fig. 73	121548	B-595		2.250 (57.2)	3.250 (82.6)	1	270	76739
Fig. 73	121556	B-595		4.000 (101.6)	6.250 (158.8)	1	165	76739

**Pre-sized to fit blank rigid valve tags below, but can also be used as general purpose label.*



Blank Rigid Valve Tags

- Die-cut labels are sized to fit the recessed area on the tag
- Outdoor tag withstands temperatures -40° F to 180° F

Blank rigid valve tags

Catalog #	Color	Tag Size Inch	Recessed Area Inch
87696	White	2.1 x 3.6	1.5 x 3
87697	White	3.1 x 4.6	2.5 x 4
41922	Yellow	2.1 x 3.6	1.5 x 3
41923	Yellow	3.1 x 4.6	2.5 x 4
41924	Red	2.1 x 3.6	1.5 x 3
41925	Red	3.1 x 4.6	2.5 x 4
41926	Blue	2.1 x 3.6	1.5 x 3
41927	Blue	3.1 x 4.6	2.5 x 4
41928	Green	2.1 x 3.6	1.5 x 3
41929	Green	3.1 x 4.6	2.5 x 4
87694	Orange	2.1 x 3.6	1.5 x 3
87695	Orange	3.1 x 4.6	2.5 x 4

Catalog #	Color	Tag Size Inch	Recessed Area Inch
87712	Tan	2.1 x 3.6	1.5 x 3
87713	Tan	3.1 x 4.6	2.5 x 4
87710	Brown	2.1 x 3.6	1.5 x 3
87711	Brown	3.1 x 4.6	2.5 x 4
87698	Gray	2.1 x 3.6	1.5 x 3
87699	Gray	3.1 x 4.6	2.5 x 4
41920	Black	2.1 x 3.6	1.5 x 3
41921	Black	3.1 x 4.6	2.5 x 4
142133	Variety Pack*		

** Pack of 30 tags includes at least one of each size and color. Perfect for evaluating which sizes and colors you need.*

Non-Adhesive and Pre-Cut Safety Tags (B-551)

- Non-adhesive semi rigid card stock with perforations between tags
- Tags are pre-cut with hole and chamfered corners
- Snap-in plastic grommets available for extra strength around mounting hole

Service temp: -40°F to 193°F; Average Outdoor Durability: up to 2 years




Figure 69



Diagram	Catalog #	B#	Header	Tag Width A Inch (mm)	Tag Height B Inch (mm)	Tags Per Row	Tags Per Roll	Rec. Ribbon
Fig. 69	121543	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121544	B-551	DANGER	3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121545	B-551	CAUTION	3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121546	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739

Right-to-Know Labels (B-595)

- Outdoor grade vinyl adhesive label in Color Bar or NFPA 704M diamond formats
- 4-color diamond or bars are pre-printed so that labels only require 1-color print pass (black) through the printer



Catalog #	B#	Legend		Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
115763	B-595		Diamond + Text	4.000 (101.6)	6.250 (158.8)	1	170	96089
115766	B-595		Diamond + Text	2.250 (57.2)	4.000 (101.6)	1	240	96089
115772	B-595		Diamond + Text	2.250 (57.2)	2.250 (57.2)	1	365	96089
115765	B-595		Diamond Only	4.000 (101.6)	4.000 (101.6)	1	240	96089
115773	B-595		Diamond Only	2.250 (57.2)	2.250 (57.2)	1	365	96089
115764	B-595		Color Bar + Text	4.000 (101.6)	6.250 (158.8)	1	170	96089
115767	B-595		Color Bar + Text	2.250 (57.2)	4.000 (101.6)	1	240	96089
115771	B-595		Color Bar + Text	2.250 (57.2)	2.250 (57.2)	1	365	96089
115768	B-595		Color Bar Only	2.250 (57.2)	2.250 (57.2)	1	365	96089
115770	B-595		Color Bar HMIG	1.125 (28.6)	3.000 (76.2)	1	300	96089
115769	B-595		Diamond NFR	1.125 (28.6)	3.000 (76.2)	1	300	96089

Overlaminate for RTK Labels (B-674)

Protect your printed labels with a pressure sensitive polyester overlaminate.

Catalog #	B#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Pkg
64984	B-674	Clear	1.500 (38.1)	2.500 (63.5)	50
58476	B-674	Clear	2.500 (63.5)	2.500 (63.5)	50
58706	B-674	Clear	3.500 (88.9)	5.500 (139.7)	50
64985	B-674	Clear	4.500 (114.3)	6.500 (165.1)	50

BradyID.com/s36

Indoor / Outdoor Grade Vinyl Tape (B-595)

- Conforms well to irregular, curved, rough and highly textured surfaces
- Low-shrink vinyl minimizes the amount of unsightly dust and grime buildup often found around the edges of other vinyl labeling supplies
- 8-10 year average outdoor durability in temperatures from -40° F to 180° F (-40° C to 82° C). Labels can be applied in temperatures from 0° F to 180° F




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	113109	B-595	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113110	B-595	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113111	B-595	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113112	B-595	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113113	B-595	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113114	B-595	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113115	B-595	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113116	B-595	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113117	B-595	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113118	B-595	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113119	B-595	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113120	B-595	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113121	B-595	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113122	B-595	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113127	B-595	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113128	B-595	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113129	B-595	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113130	B-595	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113123	B-595	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113124	B-595	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113125	B-595	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113126	B-595	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113131	B-595	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113132	B-595	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113133	B-595	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113134	B-595	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113135	B-595	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113136	B-595	Brown	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113137	B-595	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113138	B-595	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113139	B-595	Gold	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113140	B-595	Gold	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113141	B-595	Gold	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113142	B-595	Gold	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113143	B-595	Grey	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113144	B-595	Grey	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113145	B-595	Grey	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113146	B-595	Grey	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113147	B-595	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113148	B-595	Purple	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113149	B-595	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113150	B-595	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113151	B-595	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113152	B-595	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113153	B-595	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113154	B-595	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113105	B-595	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113106	B-595	Clear	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113107	B-595	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113108	B-595	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

Polyester Tape (B-569)

- Continuous outdoor grade polyester
- Best choice for marking stainless steel pipes and surfaces (low halide content)
- Ultra-smooth finish excellent for mounting to rigid panels and very smooth surfaces
- Applies best to very smooth surfaces




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig.33	76614	B-569	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76615	B-569	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76616	B-569	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76617	B-569	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76618	B-569	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76619	B-569	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76620	B-569	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76621	B-569	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76622	B-569	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76623	B-569	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76624	B-569	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76625	B-569	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76626	B-569	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76627	B-569	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76628	B-569	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76629	B-569	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76630	B-569	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76639	B-569	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76640	B-569	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76641	B-569	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76642	B-569	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76647	B-569	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76648	B-569	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76649	B-569	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76650	B-569	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76643	B-569	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76644	B-569	Brown	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76645	B-569	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76646	B-569	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76602	B-569	Tan	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76603	B-569	Tan	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76604	B-569	Tan	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76651	B-569	Grey	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76652	B-569	Grey	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76653	B-569	Grey	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76654	B-569	Grey	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76631	B-569	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76632	B-569	Purple	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76633	B-569	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76634	B-569	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76635	B-569	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76636	B-569	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76637	B-569	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76638	B-569	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76598	B-569	Pink	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76599	B-569	Pink	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76600	B-569	Pink	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76601	B-569	Pink	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76606	B-569	Lt. Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76607	B-569	Lt. Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76608	B-569	Lt. Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76609	B-569	Lt. Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	97738	B-569	Ochre	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97739	B-569	Ochre	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97740	B-569	Ochre	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97741	B-569	Ochre	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97742	B-569	Sky Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97743	B-569	Sky Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97744	B-569	Sky Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97745	B-569	Sky Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76610	B-569	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76611	B-569	Clear	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76612	B-569	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76613	B-569	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

GlobalMark® Label Materials

BradyID.com/s36

ToughStripe® Print-On-Demand Floor Labels (B-483)

- Revolutionary B-483 material has ultra aggressive adhesive
- Withstands forklift and pallet jack traffic without tearing or lifting
- Easy 3-step process: print label, position on floor, apply overlaminate
- Each roll ships with a roll of clear overlaminate which must be applied over printed label and onto appropriate surface for best performance
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	142155	B-483	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142154	B-483	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142156	B-483	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142157	B-483	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142162	B-483	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142161	B-483	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142163	B-483	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142164	B-483	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142166	B-483	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142165	B-483	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142167	B-483	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142169	B-483	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142168	B-483	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142170	B-483	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142172	B-483	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142171	B-483	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142173	B-483	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142159	B-483	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142158	B-483	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142160	B-483	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142175	B-483	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142174	B-483	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142176	B-483	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739

Phosphorescent Tape (B-526)

- Permanent adhesive and glows in darkness for 10 hours
- Glows brighter and longer than B-582
- Complies with indoor use requirments specified in RS 6-1 and 6-1A of New York Local Law 26
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	105909	B-526	Phosphorescent	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	105910	B-526	Phosphorescent	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	105911	B-526	Phosphorescent	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739, 76743

Phosphorescent Tape (B-582)

- Permanent adhesive and glows in darkness for hours
- Meets ISO, and ASTM standards
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76711	B-582	Phosphorescent	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	76712	B-582	Phosphorescent	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	76713	B-582	Phosphorescent	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739, 76743

ToughWash® Tape (B-854, B-855)

- Withstands pressures of high heat, harsh chemicals and numerous washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream
- Ideal for use in the Food and Beverage industry
- Plotter-cutting shapes and text not allowed with this material



Figure 33




Figure 73



Diagram	Catalog #	B#	Legend	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash Metal Detectable Material							
Fig. 33	133134	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133133	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133141	B-854	CAUTION	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133140	B-854	DANGER	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	139812	B-854	DANGER	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133139	B-854	WARNING	4.000 (101.06)	6.250 (158.8)	100	134352
B-855 ToughWash Material							
Fig. 33	133159	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133158	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133166	B-855	CAUTION	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133165	B-855	DANGER	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	139811	B-855	DANGER	4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133164	B-855	WARNING	4.000 (101.06)	6.250 (158.8)	100	134352

Reflective Tape (B-584)

- Permanent adhesive / outdoor grade
- Shines back at viewer brightly when light shines on label
- Plotter-cutting shapes and text not allowed with this material



Figure 33




Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76705	B-584	Silver	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76706	B-584	Silver	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76707	B-584	Silver	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96060	B-584	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96061	B-584	Yellow	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96062	B-584	Yellow	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99219	B-584	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99220	B-584	Orange	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99221	B-584	Orange	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739

Tag Stock Material (B-551)

- Non-adhesive tag stock meets OSHA 50 lb. pull requirement
- Grommets and hole punch available
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76714	B-551	White	4.250 (107.9)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76715	B-551	White	3.250 (82.5)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76716	B-551	White	2.500 (63.5)	50 (15.2)	1 roll (cont.)	76739

GlobalMark® Label Materials

BradyID.com/s36

Repositionable Vinyl Tape (B-581)

- Special adhesive allows you to easily remove the label and re-apply
- Ideal for indoor marking where frequent repositioning is required
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76697	B-581	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76698	B-581	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76699	B-581	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76700	B-581	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76701	B-581	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76702	B-581	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76703	B-581	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76704	B-581	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

Magnetic Tape (B-509)

- Non-adhesive
- Print directly onto magnetic material
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76686	B-509	White	4.000 (101.6)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76687	B-509	White	2.500 (63.5)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76688	B-509	Yellow	4.000 (101.6)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76689	B-509	Yellow	2.500 (63.5)	25 (7.62)	1 roll (cont.)	76739

Cold Temperature Tape (B-549)

- Permanently adheres to surfaces at temperatures as low as -10˚F
- Great for use in any cold storage warehouse, cooler or freezer
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76691	B-549	White	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76692	B-549	White	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76693	B-549	White	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76694	B-549	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76695	B-549	Yellow	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76696	B-549	Yellow	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739

Metallized Polyester Tape (B-565)

- Permanent adhesive
- Non-cuttable supply suitable for continuous-style labels
- Cuttable supply ideal for multi-up, cut labels in basic rectangular and round shapes only. Not suitable for cut-out text or intricate shapes.



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76720	B-565	Non-cuttable Metalized	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76721	B-565	Non-cuttable Metalized	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76722	B-565	Non-cuttable Metalized	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	114533	B-565	Cuttable Metalized	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739

Transfer Tape For Cut Text

- Leaves cut characters pre-spaced for transferring from liner to the desired surface

Diagram	Catalog #	Label Width A Inch (mm)	Roll Length B Feet (m)
Fig. 33	76737	4.250 (107.9)	300 ft. (91.44 m)

BRADY



Example of a Single Color Ribbon

Examples of Multi-Color Paneled Ribbons

GlobalMark2 Industrial Print Ribbons

- Super-tough smear-proof ribbons assure your printed text lasts for years outdoors and in an industrial environment
- Ribbons ship self-contained in cartridges that drop straight in the printer with a click
- No calibrating, threading, wasted feeding, hassles and the ink will always be facing the right direction
- 2- and 4-color paneled ribbons are used to print labels and signs containing more than 1 print color
- Patent D481,755

Single Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
76739	Black	4.110 (104.4)	200 (60.9)
134352	Black (for use with B-854 and B-855 ToughWash® material only)	4.110 (104.4)	200 (60.9)
96089	Black (for use with RTK labels)	4.110 (104.4)	200 (60.9)
76741	White	4.110 (104.4)	200 (60.9)
76743	Red	4.110 (104.4)	200 (60.9)
76745	Blue	4.110 (104.4)	200 (60.9)
76747	Green	4.110 (104.4)	200 (60.9)
76749	Magenta	4.110 (104.4)	200 (60.9)
76751	Yellow	4.110 (104.4)	200 (60.9)
76752	Orange	4.110 (104.4)	200 (60.9)
76759	Process Cyan	4.110 (104.4)	200 (60.9)
76760	Process Yellow	4.110 (104.4)	200 (60.9)
76761	Process Magenta	4.110 (104.4)	200 (60.9)

Two Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
Panels: 4.110 x 8.000 (104.4 x 203.2 mm) Typical yield: 100 labels (8 in.) from 8 in. paneled ribbon			
76739	Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76763	Black and Red	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
110220	Red and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76775	Black and Blue	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76767	Black and Yellow	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76771	Black and Orange	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76779	Black and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
Panels: 4.110 x 16.000 (104.4 x 406.4 mm) Typical yield: 60 labels (16 in.) from 16 in. paneled ribbon			
76762	Black and Red	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76774	Black and Blue	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76766	Black and Yellow	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76770	Black and Orange	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76778	Black and Green	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76782	Red and Blue	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)

Four Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
Panels: 4.110 x 8.000 (104.4 x 203.2 mm) Typical yield: 50 labels (8 in.) from 8 in. paneled ribbon			
76787	Black, Red, Blue and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
110221	Red, Green, Yellow and Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76791	Black, Red, Blue and Yellow	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76795	Cyan, Magenta, Yellow and Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
51447	Black, Red, Orange and Blue	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
Panels: 4.110 x 16.000 (104.4 x 406.4 mm) Typical yield: 30 labels (16 in.) from 16 in. paneled ribbon			
76786	Black, Red, Blue and Green	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76790	Black, Red, Blue and Yellow	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76794	Cyan, Magenta, Yellow and Black	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)

Labelizer® Plus and VersaPrinter™ Supplies

BradyID.com/s36

The Labelizer PLUS and VersaPrinter have been discontinued, but for a limited time Brady will continue to stock labels for these printers.





Labelizer® Plus
Industrial Labeling System



VersaPrinter™
Label and Sign Maker

Indoor / Outdoor Vinyl Tape with Ribbon (B-595)

- Conforms well to irregular, curved or rough surfaces
- Ideal for general purpose industrial uses – stands up to grease, oil and most industrial chemicals

8-10 year average outdoor durability in temperatures from 180° F to -40° F (82° C to -40° C).
Can be applied as low as 0° F (-18° C)



Catalog #	B#	RIbbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
142760	B-595	Black on Clear	0.500 (12.7)	90 (27.4)	2
142759	B-595	Black on Clear	1.125 (28.6)	90 (27.4)	2
142758	B-595	Black on Clear	2.250 (57.2)	90 (27.4)	1
142757	B-595	Black on Clear	4.000 (101.6)	90 (27.4)	1
142762	B-595	White on Clear	2.250 (57.2)	90 (27.4)	1
142765	B-595	Black on Green	1.125 (28.6)	90 (27.4)	2
142764	B-595	Black on Green	2.250 (57.2)	90 (27.4)	1
142763	B-595	Black on Green	4.000 (101.6)	90 (27.4)	1
142750	B-595	Black on Yellow	0.500 (12.7)	90 (27.4)	2
142749	B-595	Black on Yellow	1.125 (28.6)	90 (27.4)	2
142748	B-595	Black on Yellow	2.250 (57.2)	90 (27.4)	1
142747	B-595	Black on Yellow	3.000 (76.2)	90 (27.4)	1
142746	B-595	Black on Yellow	4.000 (101.6)	90 (27.4)	1
142769	B-595	White on Green	0.500 (12.7)	90 (27.4)	2
142768	B-595	White on Green	1.125 (28.6)	90 (27.4)	2
142767	B-595	White on Green	2.250 (57.2)	90 (27.4)	1
142766	B-595	White on Green	4.000 (101.6)	90 (27.4)	1
142777	B-595	White on Blue	0.500 (12.7)	90 (27.4)	2
142776	B-595	White on Blue	1.125 (28.6)	90 (27.4)	2
142775	B-595	White on Blue	2.250 (57.2)	90 (27.4)	1
142774	B-595	White on Blue	4.000 (101.6)	90 (27.4)	1
142772	B-595	White on Red	0.500 (12.7)	90 (27.4)	2
142773	B-595	White on Red	1.125 (28.6)	90 (27.4)	2
142771	B-595	White on Red	2.250 (57.2)	90 (27.4)	1
142770	B-595	White on Red	4.000 (101.6)	90 (27.4)	1
142756	B-595	Black on Orange	0.500 (12.7)	90 (27.4)	2
142755	B-595	Black on Orange	1.125 (28.6)	90 (27.4)	2
142754	B-595	Black on Orange	2.250 (57.2)	90 (27.4)	1
142753	B-595	Black on Orange	4.000 (101.6)	90 (27.4)	1
142785	B-595	Black on Gray	0.500 (12.7)	90 (27.4)	2
142784	B-595	Black on Gray	1.125 (28.6)	90 (27.4)	2
142783	B-595	Black on Gray	2.250 (57.2)	90 (27.4)	1
142782	B-595	Black on Gray	4.000 (101.6)	90 (27.4)	1
142793	B-595	White on Brown	1.125 (28.6)	90 (27.4)	2
142792	B-595	White on Brown	2.250 (57.2)	90 (27.4)	1
142791	B-595	White on Brown	4.000 (101.6)	90 (27.4)	1
142787	B-595	White on Tan	1.125 (28.6)	90 (27.4)	2
142786	B-595	White on Tan	2.250 (57.2)	90 (27.4)	1
142790	B-595	White on Magenta	1.125 (28.6)	90 (27.4)	2
142789	B-595	White on Magenta	2.250 (57.2)	90 (27.4)	1
142788	B-595	White on Magenta	4.000 (101.6)	90 (27.4)	1
142781	B-595	White on Black	0.500 (12.7)	90 (27.4)	2
142780	B-595	White on Black	1.125 (28.6)	90 (27.4)	2
142779	B-595	White on Black	2.250 (57.2)	90 (27.4)	1
142778	B-595	White on Black	4.000 (101.6)	90 (27.4)	1

Low-Halide Polyester Tape (B-569)

- Specially designed with a low halide content – best choice for use on stainless steel and nickel piping and other smooth surfaces
- 8-10 year average outdoor durability in temperatures from 180° F to -40° F (82° C to -40° C) and can be applied as low as 0° F (-18° C)



Catalog #	B#	RIbbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
64347	B-569	Black on Clear	1.125 (28.6)	110 (33.5)	2
64348	B-569	Black on Clear	2.250 (57.2)	110 (33.5)	1
64349	B-569	Black on Clear	4.000 (101.6)	110 (33.5)	1
64331	B-569	White on Green	1.125 (28.6)	110 (33.5)	2
64332	B-569	White on Green	2.250 (57.2)	110 (33.5)	1
64333	B-569	White on Green	4.000 (101.6)	110 (33.5)	1
64335	B-569	White on Blue	1.125 (28.6)	110 (33.5)	2
64336	B-569	White on Blue	2.250 (57.2)	110 (33.5)	1
64339	B-569	White on Red	1.125 (28.6)	110 (33.5)	2
64340	B-569	White on Red	2.250 (57.2)	110 (33.5)	1
64355	B-569	Black on White	1.125 (28.6)	110 (33.5)	2
64356	B-569	Black on White	2.250 (57.2)	110 (33.5)	1
64357	B-569	Black on White	4.000 (101.6)	110 (33.5)	1

Reflective Tape (B-584)

- Reflective capabilities are ideal for reading labels in low light areas both indoors and out



Catalog #	B#	RIbbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
64739	B-584	Black on White	1.125 (28.6)	75 (22.8)	2
64740	B-584	Black on White	2.250 (57.2)	75 (22.8)	1
64741	B-584	Black on White	4.000 (101.6)	75 (22.8)	1
64401	B-584	Black on Orange	2.250 (57.2)	58 (17.7)	1
64402	B-584	Black on Orange	4.000 (101.6)	75 (22.8)	1
64403	B-584	Black on Yellow	1.125 (28.6)	69 (21.0)	2
64404	B-584	Black on Yellow	2.250 (57.2)	58 (17.7)	1
64405	B-584	Black on Yellow	4.000 (101.6)	75 (22.8)	1

Overlaminates (B-674)

- Hand apply overlaminate after label is applied for improved label durability



Catalog #	B#	RIbbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
25966	B-674	Clear	0.750 (19.05)	30 (9.1)	1
25967	B-674	Clear	1.375 (34.9)	30 (9.1)	1
25968	B-674	Clear	2.500 (63.5)	30 (9.1)	1
25969	B-674	Clear	4.250 (107.9)	30 (9.1)	1

Repositionable Vinyl Tape (B-581)

- Special adhesive allows easy removal of label with reapplication again and again
- Ideal for indoor use where frequent repositioning is required, such as storage shelves



Catalog #	B#	RIbbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
64731	B-581	Black on White	1.125 (28.6)	90 (27.4)	2
64732	B-581	Black on White	2.250 (57.2)	90 (27.4)	1
64733	B-581	Black on White	4.000 (101.6)	90 (27.4)	1
64735	B-581	Black on Yellow	1.125 (28.6)	90 (27.4)	2
64736	B-581	Black on Yellow	2.250 (57.2)	90 (27.4)	1
64737	B-581	Black on Yellow	4.000 (101.6)	90 (27.4)	1

BradyID.com/s36

Portable Printer Comparison Guide



BMP®21-PLUS Label Printer
See page 104



BMP®41 Label Printer
See page 108



BMP®51 Label Printer
See page 114

Overview	Basic labels on continuous supply for wires and cables, panels, datacomm, as well as misc. industrial labels in operations, maintenance and production areas. 0.75 inch maximum width.	Labels with more advanced text and formatting on die-cut and continuous supplies for wires and cables, electrical and automation panels and datacomm, as well as misc. industrial labels in operations, maintenance and production areas. 1 inch maximum width.	Labels with more advanced text and formatting on die-cut and continuous supplies for wires and cables, electrical and automation panels and datacomm, as well as misc. industrial labels in operations, maintenance and production areas. 1.5 inch maximum width.
Printer specifications			
Print speed	0.40 in. / sec.	1.30 in. / sec.	1.18 in. / sec. (w/ AC adapter)
Print and color capabilities	Thermal Transfer / Monochrome	Thermal Transfer / Monochrome	Thermal Transfer / Monochrome
Print resolution	203 dpi	300 dpi	300 dpi
PC compatibility or standalone	Standalone	Standalone and PC connect	Standalone and PC connect
Connectivity options	None	USB	USB / Wi-Fi (field-installable), LAN
Software compatibility	None	Brady Workstation Apps, LabelMark™ Software,	Brady Workstation Apps, Brady Mobile Apps w/ Wi-Fi card, LabelMark™ Software
Power supply options	Li-Ion rechargeable battery, 6AA, AC adapter	NiMH rechargeable battery, AC adapter	Li-Ion rechargeable battery, 8AA, AC adapter
Standard warranty	2 years	2 years	2 years
Dimensions	4.5 in. W x 9.5 in. H x 2.5 in. D	6.0 in. W x 11.5 in. H x 3.6 in. D	6.0 in. W x 10.3 in. H x 3.6 in. D
Weight	1.04 lbs. (w/o tape, batteries)	2.1 lbs. (w/o tape, batteries)	2.6 lbs. (w/o tape, batteries)
Print features			
Screen size	3 lines x 14 characters	13 lines x 36 characters	13 lines x 36 characters
Backlit screen	Yes	Yes	Yes
Keyboard style	ABC	QWERTY	QWERTY
Max print width	0.75 in.	1.0 in.	1.5 in.
Font types available	(1) Brady Alpine	(2) Brady Alpine and Brady Fixed Width	(2) Brady Alpine and Brady Fixed Width
Font sizes (pts)	Auto, 6, 9, 14, 20, 28, 40	Custom, auto, 4, 6, 7, 9, 10, 13, 14, 16, 20, 26, 28, 32, 38, 40, 42, 45, 51, 55, 60, 65	Custom, auto, 4, 6, 7, 9, 10, 13, 14, 16, 20, 26, 28, 32, 38, 40, 42, 45, 51, 55, 60, 65, 70, 76, 102
Multi-line label capabilities	4	25	32
Label print rotation	Yes	Yes	Yes
Data serialization	Alphanumeric	Yes, multiple and linked	Yes, multiple and linked
Barcode capabilities and types	Code 39, Code 128, QR and Data Matrix	Code 39, Code 128 and more using Brady Workstation	Code 39, Code 128 and more using Brady Workstation
Memory capacity	10 files up to 2 MB	25,000 characters up to 48 MB	25,000 characters up to 48 MB
Data transfer from PC	No	Yes	Yes
Print preview	No	Yes	Yes
Symbols available	193	450	450
Label supplies			
Label / ribbon supply	Cartridge w/ included ribbon	Cartridge w/ included ribbon	Cartridge w/ included ribbon
Material formats supported	Continuous labels only	Continuous and die-cut labels	Continuous and die-cut labels
Media width	0.25 in. to 0.75 in.	0.25 in. to 1.0 in.	0.25 in. to 1.5 in.
Types of materials	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, standard polyester, chemical resistant polyester	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, outdoor reflective	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, outdoor reflective
Quantity of label parts available	70+ label parts	100+ label parts	200+ label parts
Cartridge series	M21-series	M-series up to 1 in. wide	M-series

	 **BradyPrinter M611 Mobile Label Printer** *See page 126*	 **BMP®61 Label Printer** *See page 128*	 **BMP®71 Label Printer** *See page 152*
Overview	Higher volumes of labels with more advanced text and formatting on die-cut and continuous supplies for wire and cable, electrical and automation panels, datacomm and general ID. Runs on external Brady Workstation mobile or desktop software. Features a color touchscreen with material monitoring, Wi-Fi and Bluetooth connectivity, USB 2.0 port. 2 in. maximum width.	Higher volumes of labels with more advanced text and formatting on die-cut and continuous supplies for wire and cable, electrical and automation panels, datacomm and general ID. Features a color touch screen, QWERTY keyboard, USB connectivity, optional Wi-Fi, list management. 2 in. maximum width.	Higher volumes of labels with more advanced text and formatting on die-cut and continuous supplies for wires and cables, electrical and automation panels and datacomm, as well as misc. industrial labels in operations, maintenance and production areas. 2 inch maximum width.
Printer specifications			
Print speed	1.33 in. / sec.	1.33 in. / sec	1.5 in. / sec
Print and color capabilities	Thermal Transfer / Monochrome	Thermal Transfer / Monochrome	Thermal Transfer / Monochrome
Print resolution	300 dpi	300 dpi	300 dpi
PC compatibility or standalone	Peripheral only, no keyboard	Standalone and PC connect	Standalone and PC connect
Connectivity options	Bluetooth, Wi-Fi, USB 2.0	USB / Wi-Fi (factory installed)	USB Port B
Software compatibility	Required. Brady Workstation Express Labels Mobile App (IOS / Android) or Brady Workstation Desktop	Brady Workstation Apps, Brady Mobile Apps w/ Wi-Fi model, LabelMark™ (6.0 or higher)	Brady Workstation Apps, LabelMark™ Software
Power supply options	Rechargeable Li-Ion, AC power / battery charger / car charger	Rechargable NiMH battery, AC power / battery changer	NiMH battery, AC adapter
Standard warranty	2 years	2 years	2 years
Dimensions	10.974 in. L x 4.459 in. W x 4.553 in. H	12.93 in. L x 4.22 in. W x 4.19 in. H	9.5 in. W x 13.0 in. H x 4.6 in. D
Weight	3.52 lbs. (with supplied media and ribbon)	2.46 lbs. (w/o tape, batteries)	4.9 lbs. (w/o tape, batteries)
Print features			
Screen size	Custom LCD, color, 3.5 in. QVGA	Touchscreen, LCD, Color, 2.8 in. QVGA	LCD, Color, 3.5 in. QVGA
Backlit screen	Yes	Yes	Yes
Keyboard style	None	QWERTY	QWERTY, Number Keypad
Max print width	1.92 in.	1.92 in.	1.92 in.
Font types available	Driven by software	(2) Brady Alpine and Brady Fixed Width	(2) Brady Alpine and Brady Fixed Width
Font sizes (pts)	Driven by software	4 through 174, autosizing	4 through 174, autosizing
Multi-line label capabilities	Driven by software	25	25
Label print rotation	Driven by software	Yes	Yes
Data serialization	Driven by software	Yes, multiple and linked	Yes, multiple and linked
Barcode capabilities and types	Driven by software	Code 39, Code 128 and more using Brady Workstation	Code 39, Code 128 and more using Brady Workstation
Memory capacity	512 MB RAM / 256 MB Flash	512 MB RAM / 256 MB Flash	200 MB
Data transfer from PC	Driven by software	Yes	Yes
Print preview	No	Yes	Yes
Symbols available	Driven by software	450	500+
Label supplies			
Label / ribbon supply	Separate label roll and ribbon cartridges	Separate label roll and ribbon cartridges	Separate label roll and ribbon cartridges
Material formats supported	Continuous, die-cut labels and custom	Continuous, die-cut labels and custom	Continuous, die-cut labels and custom
Media width	0.235 to 2.00 in.	0.235 to 2.00 in.	0.235 to 2.00 in.
Types of materials	General purpose industrial vinyl, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester non-adhesive tag, polyimide / electronics materials, tamper resistant materials, raised panel labels (engraved plate alternative)	General purpose industrial vinyl, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, polyimide /electronics materials, tamper resistant materials, raised panel labels (engraved plate alternative)	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, tedlar wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, polyimide / electronics materials, tamper resistant materials, outdoor reflective, glow-in-the-dark, ToughStripe floor tape, ToughWash, repositionable vinyl, raised panel labels (engraved plate alternative)
Quantity of label parts available	600+ label parts and customs	600+ label parts and customs	300+ label parts and customs
Cartridge series	BPTL, BPTDS, BPSPT, BPTLTB, PTL, PSHT, PTLEP, PTS, PTLFP, PSPT, PTPSL, PSFR, PTPS, PTLSL, BM71, BM61, M61, M61C, custom available	BPTL, BPTDS, BPSPT, BPTLTB, PTL, PSHT, PTLEP, PTS, PTLFP, PSPT, PTPSL, PSFR, PTPS, PTLSL, BM71, BM61, M61, M61C, custom available	M71 series, BM71, PTL series with adapter and some BMP61 labels with adapter (TLS and BMP61 ribbons not compatible)

BMP®21-PLUS Printer

BradyID.com/s36



BRADY360 2 YEAR WARRANTY

BMP®21-PLUS LABEL PRINTER

Tough on the outside Smart on the inside

- Automatic label formatting for wire wraps, patch panels, terminal blocks, cable flags, circuit breaker arrays and general banner labels
- Drop-lock-and-print materials
- Passed shock and vibration testing per MIL-STD-810G Method 5.16.6 S4.6.5
- Optional rechargeable Li-Ion battery
- Continuous-only supplies in 0.25 in. to 0.75 in. widths
- 70+ label parts 10 materials types
- Label grabber holds label after cutting
- 193 symbols for electric, smart home, safety and datacomm
- 2-year warranty

Watch the demo video at BradyID.com/bmp21plus

Your complete printing solution:

BMP21-PLUS cartridges with label and print ribbon ..... page 105

BMP21-PLUS Label Printer and Accessories

Catalog #	Description
BMP21-PLUS	BMP21-PLUS Label Printer*
BMP21-PLUS-KIT1	BMP21-PLUS Label Printer Kit**
BMP21-MAGNET	Magnet Accessory
BMP21-TOOL	Multi-functional Tool Accessory (magnet / flashlight / retractable stand)
M-AC-110937	AC Power Adapter / Charger
BMP21-PLUS-BATT	Li-Ion Battery Pack
BMP21-PLUS-HC	Hard Case
BMP-SC-1	Soft Case

** Printer includes label cartridge, lanyard, quick start guide and 2-year warranty (batteries not included).*

*** Printer kit includes: printer, label cartridge, Li-Ion battery, AC power / charger, hard case, lanyard, quick start guide and 2-year warranty.*

US Patent Nos. 8.322.936; 8,846,171.





BMP21-PLUS Printer Kit shown.

Printer specifications	
Print speed	0.40 in. / sec.
Print and color capabilities	Thermal Transfer / Monochrome
Print resolution	203 dpi
PC compatibility or standalone	Standalone
Connectivity options	None
Software compatibility	None
Power supply options	Li-Ion rechargeable battery, 6AA, AC adapter
Standard warranty	2 years
Dimensions	4.5 in. W x 9.5 in. H x 2.5 in. D
Weight	1.04 lbs. (w/o tape, batteries)
Print features	
Screen size	3 lines x 14 characters
Backlit screen	Yes
Keyboard style	ABC
Max print width	0.75 in.
Font types available	(1) Brady Alpine
Font sizes (pts)	Auto, 6, 9, 14, 20, 28, 40
Multi-line label capabilities	4
Label print rotation	Yes
Data serialization	Alphanumeric
Barcode capabilities and types	Code 39, Code 128, QR and Data Matrix
Memory capacity	10 files up to 2 MB
Data transfer from PC	No
Print preview	No
Symbols available	193
Label supplies	
Label / ribbon supply	Cartridge w/ included ribbon
Material formats supported	Continuous labels only
Media width	0.25 in. to 0.75 in.
Types of materials	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, standard polyester, chemical resistant polyester
Quantity of label parts available	70+ label parts
Cartridge series	M21-series


An affordable label and wire marker printer designed for the toolbox



Residential panel labeling



Voice and data communications



Self-laminating wire labels



PermaSleeve® wire markers



General ID labeling



Lean / 5S labels and operations ID

Indoor and Outdoor Vinyl for Safety, Facility and Lean 5S (B-595)

Continuous vinyl material is ideal for lean 5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, good for rough surfaces and outdoor use. 8-10 years average outdoor durability.* Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.



Figure 33b





Figure		Catalog Number	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	**	M21-250-595-WT	B-595	Vinyl	Black on White	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-375-595-WT	B-595	Vinyl	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-500-595-WT	B-595	Vinyl	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-750-595-WT	B-595	Vinyl	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	**	M21-250-595-YL	B-595	Vinyl	Black on Yellow	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-375-595-YL	B-595	Vinyl	Black on Yellow	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-500-595-YL	B-595	Vinyl	Black on Yellow	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-750-595-YL	B-595	Vinyl	Black on Yellow	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-375-595-OR	B-595	Vinyl	Black on Orange	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-500-595-OR	B-595	Vinyl	Black on Orange	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-750-595-OR	B-595	Vinyl	Black on Orange	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-375-595-BK	B-595	Vinyl	White on Black	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-500-595-BK	B-595	Vinyl	White on Black	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-750-595-BK	B-595	Vinyl	White on Black	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-375-595-RD	B-595	Vinyl	White on Red	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-500-595-RD	B-595	Vinyl	White on Red	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-750-595-RD	B-595	Vinyl	White on Red	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-375-595-BL	B-595	Vinyl	White on Blue	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-500-595-BL	B-595	Vinyl	White on Blue	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-750-595-BL	B-595	Vinyl	White on Blue	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-375-595-BR	B-595	Vinyl	White on Brown	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-500-595-BR	B-595	Vinyl	White on Brown	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-750-595-BR	B-595	Vinyl	White on Brown	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-375-595-GN	B-595	Vinyl	White on Green	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-500-595-GN	B-595	Vinyl	White on Green	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-750-595-GN	B-595	Vinyl	White on Green	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-375-595-PL	B-595	Vinyl	White on Purple	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-500-595-PL	B-595	Vinyl	White on Purple	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-750-595-PL	B-595	Vinyl	White on Purple	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b		M21-375-595-GY	B-595	Vinyl	Black on Gray	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-500-595-GY	B-595	Vinyl	Black on Gray	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b		M21-750-595-GY	B-595	Vinyl	Black on Gray	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000

**Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material color. The 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary.*

*** Cartridge is only compatible with the BMP®21-PLUS printer.*

Patch Panel Adhesive Strips (B-499 and B-595)

Port identification with user-specified spacing when using patch panel mode



Figure 33b



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
B-499 Nylon Cloth								
Fig. 33b	M21-375-499	B-499	Nylon Cloth	Black on White	0.375 (9.53)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-500-499	B-499	Nylon Cloth	Black on White	0.500 (12.70)	16 (4.88)	1 roll (cont.)	R4300
B-595 Vinyl								
Fig. 33b	M21-375-595-WT	B-595	Vinyl	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-500-595-WT	B-595	Vinyl	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000

BMP®21-PLUS Materials

BradyID.com/s36

Terminal Block Adhesive Strips (B-499)

- Narrow nylon cloth label strips for alignment on terminal blocks
- Prints with user-specified spacing when using terminal block mode



Figure 33b




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	M21-375-499-TB	B-499	Nylon Cloth	Black on White	0.375 (9.53)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-500-499-TB	B-499	Nylon Cloth	Black on White	0.500 (12.70)	16 (4.88)	1 roll (cont.)	R4300

Nylon Cloth Wire and Cable Labels (B-499)

- Nylon cloth wrap-around label is highly pliable, conforming to tightly curved surfaces
- Text auto-repeats when in wire marker mode
- Can be used for flagging with flag mode in printer



Figure 33b






Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	M21-375-499	B-499	Nylon Cloth	Black on White	0.375 (9.53)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-500-499	B-499	Nylon Cloth	Black on White	0.500 (12.70)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-750-499	B-499	Nylon Cloth	Black on White	0.750 (19.05)	16 (4.88)	1 roll (cont.)	R4300

Self-Laminating Vinyl Wire and Cable Labels (B-427)

- Clear, wrap-around tail overlaminates white print-on area to protect text
- Great for data cables or wires that are frequently handled and moved
- US Patent No. 8,846,171




Figure 42b





Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Roll Length B Feet (m)	Print-On Height C Inch (mm)	Labels Per Roll	Ribbon in Cartridge
Fig. 42b	* M21-750-427	B-427	Vinyl	Black on White	16 to 10	0.75 (19.05)	14 (4.27)	0.375 (9.53)	1 roll (cont.)	R4300
Fig. 42b	* M21-1000-427	B-427	Vinyl	Black on White	12 to 10	1.00 (25.40)	14 (4.27)	0.375 (9.53)	1 roll (cont.)	R4300
Fig. 42b	* M21-1250-427	B-427	Vinyl	Black on White	10 to 4	1.25 (30.48)	14 (4.27)	0.50 (12.70)	1 roll (cont.)	R4300
Fig. 42b	* M21-1500-427	B-427	Vinyl	Black on White	10 to 4	1.50 (38.10)	14 (4.27)	0.50 (12.70)	1 roll (cont.)	R4300

** Cartridge is only compatible with the BMP®21-PLUS and BMP®21 printers.*

PermaSleeve® PS Heat-shrink Wire Markers (B-342)

- 3:1 shrink ratio, wire marker sleeve
- Polyolefin fade-resistant, flame-retardant and superior aesthetic appearance
- Meets SAE, MIL-STD specs




Figure 33b





Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Max Wire Dia. Inch (mm)	Supplied Dia. A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	*** M21-125-C-342	B-342	Polyolefin	Black on White	22 to 16	0.046 - 0.110 (1.2 - 2.8)	0.125 (3.2)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-187-C-342	B-342	Polyolefin	Black on White	20 to 10	0.062 - 0.150 (1.6 - 3.8)	0.187 (4.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-250-C-342	B-342	Polyolefin	Black on White	16 to 8	0.094 - 0.215 (2.4 - 5.5)	0.250 (6.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-375-C-342	B-342	Polyolefin	Black on White	12 to 4	0.125 - 0.320 (3.2 - 8.1)	0.375 (10.7)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	*** M21-125-C-342-YL	B-342	Polyolefin	Black on Yellow	22 to 16	0.046 - 0.110 (1.2 - 2.8)	0.125 (3.2)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-187-C-342-YL	B-342	Polyolefin	Black on Yellow	20 to 10	0.062 - 0.150 (1.6 - 3.8)	0.187 (4.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-250-C-342-YL	B-342	Polyolefin	Black on Yellow	16 to 8	0.094 - 0.215 (2.4 - 5.5)	0.250 (6.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-375-C-342-YL	B-342	Polyolefin	Black on Yellow	12 to 4	0.125 - 0.320 (3.2 - 8.1)	0.375 (10.7)	7 (2.13)	1 roll (cont.)	R4300

** Cartridge is only compatible with the BMP®21-PLUS printer.*

** ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

Polyester Labels for Inside Panel Markings and General ID (B-423, B-430 and B-488)

High performance white or clear polyester material that is best for use on smooth, flat surfaces

- B-488 polyester is a solvent-resistant material
- B-499 nylon cloth or B-595 vinyl label materials are recommended if surface is highly textured



Figure 33b





Figure		Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
B-423 Polyester (gloss white)									
Fig. 33b	*	M21-250-423	B-423	Polyester	Black on White	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-375-423	B-423	Polyester	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-500-423	B-423	Polyester	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-750-423	B-423	Polyester	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6200
B-430 Polyester (clear)									
Fig. 33b	*	M21-250-430	B-430	Polyester	Black on Clear	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-375-430	B-430	Polyester	Black on Clear	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-500-430	B-430	Polyester	Black on Clear	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-750-430	B-430	Polyester	Black on Clear	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	*	M21-250-430-WT-CL	B-430	Polyester	White on Clear	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-375-430-WT-CL	B-430	Polyester	White on Clear	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-500-430-WT-CL	B-430	Polyester	White on Clear	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b		M21-750-430-WT-CL	B-430	Polyester	White on Clear	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6200
B-488 Polyester (matte white)									
Fig. 33b		M21-375-488	B-488	Polyester	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b		M21-500-488	B-488	Polyester	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b		M21-750-488	B-488	Polyester	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300

** Cartridge is only compatible with the BMP®21-PLUS printer.*

Laboratory Labels (B-461 and B-7425)

- B-461 features clear, wrap-around tail that overlaminates white print-on area to protect text
- B-7425 economical white polypropylene is chemical and high-temperature resistant



Figure 33b




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
B-461 Self-Laminating Polyester								
Fig. 33b	M21-375-461	B-461	Polyester	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-500-461	B-461	Polyester	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-750-461	B-461	Polyester	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300
B-7425 Polypropylene								
Fig. 33b	M21-375-7425	B-7425	Polypropylene	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-500-7425	B-7425	Polypropylene	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-750-7425	B-7425	Polypropylene	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300

Water Dissolvable Paper Labels (B-403)

Paper material completely dissolves in warm water within 30 seconds, leaving no adhesive residue



Figure 33b







Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	M21-750-403	B-403	Dissolvable Paper	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300

BMP®41 Label Printer

BradyID.com/s36



BRADY360 2 YEAR WARRANTY

BMP®41 LABEL PRINTER

One and done
BMP41 label printer does it all

A rugged, handheld labeling solution that gives you the versatility of die-cut labels and continuous labels in one printer!

- Quick-load, drop-in cartridges for quick supply change and automatic label formatting
- Fast print speed of 1.3 in. per second
- Over 100 label parts with 11 materials
- 0.75 in. sleeves and 1 in. wide continuous output
- Drop-tested, rugged industrial bumpers with a grab-and-go grip to be on the move with you
- Large graphical LCD display with backlight to see exactly what you're printing
- Rechargeable NiMH battery or AC adapter for long-lasting power supply
- Built-in wizard-style apps for wire ID, cable flags, terminal blocks, patch panels, breaker boxes and general ID

Watch the demo video at BradyID.com/bmp41

Your complete printing solution:

BMP41 cartridges with label and print ribbon ..... page 109

BMP41 label printer and accessories

Catalog #	Description
BMP41	BMP41 Label Printer with Hard Case*
BMP41-KIT-VD	BMP41 Printer DataComm Starter Kit*
BMP41-KIT-EL	BMP41 Printer Electrical Starter Kit*
BMP41-KIT-GI	BMP41 Printer Facility ID Starter Kit*
BMP41-BATT	BMP41 Rechargeable Battery Pack
BMP41-QC	BMP41 External Battery Quick Charger
M-AC-143110	BMP41 AC Adapter / Battery Charger
BMP41-MAGNET	BMP41 Magnet Accessory
M-USB-103788	BMP41 USB Cable
BMP41-HC	BMP41 Hard Case
BMP-SC-2	BMP41 Soft Case

**Printer includes BMP41 printer, NiMH battery, AC adapter / charger, hard case, MC1-1000-595-WT-BK cartridge, USB cable, product and drivers CD, quick start guide and 2-year warranty.*







Printer specifications	
Print speed	1.30 in. / sec.
Print and color capabilities	Thermal Transfer / Monochrome
Print resolution	300 dpi
PC compatibility or standalone	Standalone and PC connect
Connectivity options	USB
Software compatibility	Brady Workstation Apps, LabelMark™ Software,
Power supply options	NiMH rechargeable battery, AC adapter
Warranty	2 years
Dimensions	6.0 in. W x 11.5 in. H x 3.6 in. D
Weight	2.1 lbs. (w/o tape, batteries)
Print features	
Screen size	13 lines x 36 characters
Backlit screen	Yes
Keyboard style	QWERTY
Max print width	1.0 in.
Font types available	(2) Brady Alpine and Brady Fixed Width
Font sizes (pts)	Custom, auto, 4, 6, 7, 9, 10, 13, 14, 16, 20, 26, 28, 32, 38, 40, 42, 45, 51, 55, 60, 65
Multi-line label capabilities	25
Label print rotation	Yes
Data serialization	Yes, multiple and linked
Barcode capabilities and types	Code 39, Code 128 and more using Brady Workstation
Memory capacity	25,000 characters up to 48 MB
Data transfer from PC	Yes
Print preview	Yes
Symbols available	450
Label supplies	
Label / ribbon supply	Cartridge w/ included ribbon
Material formats	Continuous and die-cut labels
Media width	0.25 in. to 1.0 in.
Types of materials	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, outdoor reflective
Quantity of label parts available	100+ label parts
Cartridge series	M-series up to 1 in. wide

Exceptional material variety and durability



Electrical labeling


Self-laminating wire labels


Voice and data communications


PermaSleeve® wire markers



Equipment labeling



Indoor and outdoor vinyl labels

Save with Printer Starter Kits



Catalog #	Kit Contents
BMP41 DataComm Starter Kit (BMP41-KIT-VD)	1 - BMP41 Label Printer Standard Package (BMP41-KIT) 1 - BMP41 Hard Case (BMP41-HC) 1 - 1.0 in. black on white B-427 cartridge (M-51-427) 1 - 0.475 in. black on white B-412 cartridge (MC-475-412) 1 - 1.0 in. black on yellow B-595 cartridge (MC1-1000-595-YL-BK) 1 - 1.0 in. black on white B-595 cartridge (MC1-1000-595-WT-BK)
BMP41 Electrical Starter Kit (BMP41-KIT-EL)	1 - BMP41 Label Printer Standard Package (BMP41-KIT) 1 - BMP41 Hard Case (BMP41-HC) 1 - 1.0 in. black on white B-427 cartridge (M-143-427) 1 - 1.0 in. black on white B-498 cartridge (M-48-498) 1 - 0.75 in. black on white B-342 cartridge (M-187-075-342) 1 - 1.0 in. black on orange B-595 cartridge (MC1-1000-595-OR-BK) 1 - 1.0 in. black on white B-595 cartridge (MC1-1000-595-WT-BK)
BMP41 Facility ID Starter Kit (BMP41-KIT-GI)	1 - BMP41 Label Printer Standard Package (BMP41-KIT) 1 - 1.0 in. black on yellow B-595 cartridge (MC1-1000-595-YL-BK) 1 - 1.0 in. red on white B-595 cartridge (MC1-1000-595-WT-RD) 1 - 1.0 in. white on green B-595 cartridge (MC1-1000-595-GN-WT) 1 - 1.0 in. black on white B-595 cartridge (MC1-1000-595-WT-BK) 1 - 1.0 in. black on white B-483 cartridge (M-60-483)

**Printer ships with BMP41 rechargeable battery pack, MC1-1000-595-WT-BK cartridge, USB cable, AC adapter, product CD, printer drivers CD, quick start guide and 2-year warrany.*

Indoor and Outdoor Vinyl for Safety, Facility and Lean 5S (B-595)

Continuous vinyl material is ideal for lean 5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, good for rough surfaces and outdoor use. 8-10 years average outdoor durability.* Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.




Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig. 33	MC-375-595-WT-BK	B-595	Vinyl	BK on WT	0.375 (9.5)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-WT-BK	B-595	Vinyl	BK on WT	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-WT-BK	B-595	Vinyl	BK on WT	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-WT-BK	B-595	Vinyl	BK on WT	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-375-595-YL-BK	B-595	Vinyl	BK on YL	0.375 (9.5)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-YL-BK	B-595	Vinyl	BK on YL	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-YL-BK	B-595	Vinyl	BK on YL	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-YL-BK	B-595	Vinyl	BK on YL	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-OR-BK	B-595	Vinyl	BK on OR	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-OR-BK	B-595	Vinyl	BK on OR	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-OR-BK	B-595	Vinyl	BK on OR	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-BL-WT	B-595	Vinyl	WT on BL	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-BL-WT	B-595	Vinyl	WT on BL	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-BL-WT	B-595	Vinyl	WT on BL	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-375-595-RD-WT	B-595	Vinyl	WT on RD	0.375 (9.5)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	WT on RD	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	WT on RD	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-RD-WT	B-595	Vinyl	WT on RD	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-GN-WT	B-595	Vinyl	WT on GN	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-GN-WT	B-595	Vinyl	WT on GN	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-GN-WT	B-595	Vinyl	WT on GN	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-WT-RD	B-595	Vinyl	RD on WT	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-WT-RD	B-595	Vinyl	RD on WT	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-WT-RD	B-595	Vinyl	RD on WT	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-BK-WT	B-595	Vinyl	WT on BK	0.500 (12.7)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-BK-WT	B-595	Vinyl	WT on BK	0.750 (19.1)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-BK-WT	B-595	Vinyl	WT on BK	1.000 (25.4)	25 (7.6)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-CL-BK	B-595	Vinyl	BK on CL	0.500 (12.7)	20 (6.09)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-CL-BK	B-595	Vinyl	BK on CL	0.750 (19.1)	20 (6.09)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-CL-BK	B-595	Vinyl	BK on CL	1.000 (25.4)	20 (6.09)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-CL-WT	B-595	Vinyl	WT on CL	0.500 (12.7)	20 (6.09)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-CL-WT	B-595	Vinyl	WT on CL	0.750 (19.1)	20 (6.09)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-CL-WT	B-595	Vinyl	WT on CL	1.000 (25.4)	20 (6.09)	1 roll (cont.)	R4400

** Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material color. The 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary.*

BMP®41 Materials

BradyID.com/s36

Bin, Storage, Reflective and General Industrial Labels (B-422, B-483, B-499, B-584 and B-595)

Several materials with an aggressive adhesive for use in commercial and industrial applications. Reflective materials can be used for low light or inclement weather conditions on outdoor utility poles and pedestals, jobsite equipment and rooftop equipment.

- **B-422 Polyester Material:** Permanent adhesive, good for powder-coated. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.
- **B-483 Polyester Material:** Permanent adhesive, good for powder-coated. Best on flat surfaces. Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized.
- **B-499 Nylon Cloth Material:** Permanent adhesive. Pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized.
- **B-584 Reflective Tape:** Reflective material shines back brightly when struck by light. Meets Federal Spec L-S-300 for reflectivity. Average outdoor durability is 4-6 years. Temp. range: -40° F to 158° F (-40° C to 70° C).
- **B-595 Indoor and Outdoor Vinyl Material:** Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.








Figure 2




Figure 33

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-422 Polyester Material									
BMP41, 51, 53	Fig. 33	MC-375-422	B-422	Polyester	BK on WT	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-475-422	B-422	Polyester	BK on WT	0.475 (12.1)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-7-422	B-422	Polyester	BK on WT	0.500 (12.7)	0.500 (12.7)	280	R6000
BMP41, 51, 53	Fig. 33	MC-500-422	B-422	Polyester	BK on WT	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-625-422	B-422	Polyester	BK on WT	0.625 (15.9)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-47-422	B-422	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480	R6000
BMP41, 51, 53	Fig. 2	M-49-422	B-422	Polyester	BK on WT	1.000 (25.4)	1.000 (25.4)	260	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-422	B-422	Polyester	BK on WT	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-89-422	B-422	Polyester	BK on WT	1.500 (38.1)	0.500 (12.7)	180	R6000
BMP41, 51, 53	Fig. 2	M-90-422	B-422	Polyester	BK on WT	1.500 (38.1)	0.750 (19.1)	180	R6000
B-483 Ultra-Aggressive Polyester									
BMP41, 51, 53	Fig. 2	M-47-483	B-483	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480	R6000
BMP41, 51, 53	Fig. 2	M-60-483	B-483	Polyester	BK on WT	2.000 (50.8)	1.000 (25.4)	140	R6000
B-499 Nylon Cloth Labels									
BMP41, 51, 53	Fig. 33	MC-375-499	B-499	Nylon Cloth	BK on WT	0.375 (9.5)	16 ft. (4.9 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	MC-500-499	B-499	Nylon Cloth	BK on WT	0.500 (12.7)	16 ft. (4.9 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 2	M-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	0.500 (12.7)	220	R4300
BMP41, 51, 53	Fig. 33	MC-750-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	16 ft. (4.9 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 2	M-130-499	B-499	Nylon Cloth	BK on WT	0.825 (20.9)	0.375 (9.5)	220	R4300
BMP41, 51, 53	Fig. 2	M-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.8)	0.500 (12.7)	200	R4300
BMP41, 51, 53	Fig. 2	M-131-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	0.500 (12.7)	180	R4300
BMP41, 51, 53	Fig. 2	M-128-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	1.900 (48.3)	100	R4300
B-584 Reflective Tape									
BMP41, 51, 53	Fig. 33	MC-500-584	B-584	Reflective	BK on WT	0.500 (12.7)	20 ft. (6.1 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-584	B-584	Reflective	BK on WT	0.750 (19.1)	20 ft. (6.1 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-584-YL	B-584	Reflective	BK on YL	0.500 (12.7)	20 ft. (6.1 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-584-YL	B-584	Reflective	BK on YL	0.750 (19.1)	20 ft. (6.1 m)	1 roll (cont.)	R6000
B-595 Indoor and Outdoor Vinyl Tape									
BMP41, 51, 53	Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	WT on RD*	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	WT on RD*	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-RD-WT	B-595	Vinyl	WT on RD*	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)	R4400

** For additional general purpose tapes in other colors, refer to the indoor and outdoor grade facility and safety labels on page 109.*

BMP41 cartridges

The necessary print ribbons for the BMP41 Label Printer are self-contained within the label roll cartridge.

No need to order or load separate print ribbons.



Inside-Panel Component Labels for Electrical and Automation Applications (B-422, B-428, B-483, B-499 and B-595)

Variety of durable materials ideal for marking backer boards, DIN rail, relays, PLCs, switches and solenoids. Create serial or rating plates with barcodes, graphics and more with a flexible high-tack adhesive for easy and long-lasting adhesion.

- **B-422 Polyester Material:** Permanent adhesive, good for powder-coated / textured surfaces. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.
- **B-428 Metallized Polyester Material:** Permanent adhesive, silver finish. Temp. range: -40° F to 176° F (-40° C to 80° C). UL recognized.
- **B-483 Polyester Material:** Permanent adhesive, good for powder-coated / textured surfaces. Best on flat surfaces Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized.
- **B-499 Nylon Cloth Material:** Permanent adhesive. Pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized.
- **B-595 Indoor and Outdoor Vinyl Material:** Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.






Figure 2



Figure 33

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-422 Polyester Material									
BMP41, 51, 53	Fig. 33	MC-375-422	B-422	Polyester	BK on WT	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-475-422	B-422	Polyester	BK on WT	0.475 (12.1)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-7-422	B-422	Polyester	BK on WT	0.500 (12.7)	0.500 (12.7)	280	R6000
BMP41, 51, 53	Fig. 33	MC-500-422	B-422	Polyester	BK on WT	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-625-422	B-422	Polyester	BK on WT	0.625 (15.8)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-47-422	B-422	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480	R6000
BMP41, 51, 53	Fig. 2	M-49-422	B-422	Polyester	BK on WT	1.000 (25.4)	1.000 (25.4)	260	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-422	B-422	Polyester	BK on WT	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-89-422	B-422	Polyester	BK on WT	1.500 (38.1)	0.500 (12.7)	180	R6000
BMP41, 51, 53	Fig. 2	M-90-422	B-422	Polyester	BK on WT	1.500 (38.1)	0.750 (19.1)	180	R6000
B-428 Metallized Polyester Material									
BMP41, 51, 53	Fig. 2	M-47-428	B-428	Polyester	BK on Lt Gray	1.000 (25.4)	0.500 (12.7)	480	R4300
BMP41, 51, 53	Fig. 2	M-92-428-BB	B-428	Polyester	BK on Lt Gray	1.130 (28.7)	0.500 (12.7)	239	R4300
BMP41, 51, 53	Fig. 2	M-60-428	B-428	Polyester	BK on Lt Gray	2.000 (50.8)	1.000 (25.4)	140	R4300
B-483 Ultra-Aggressive Polyester									
BMP41, 51, 53	Fig. 2	M-60-483	B-483	Polyester	BK on WT	2.000 (50.8)	1.000 (25.4)	140	R6000
B-499 Nylon Cloth Material									
BMP41, 51, 53	Fig. 33	MC-375-499	B-499	Nylon Cloth	BK on WT	0.375 (9.5)	16 ft. (4.9 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	MC-500-499	B-499	Nylon Cloth	BK on WT	0.500 (12.7)	16 ft. (4.9 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	M-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	0.500 (12.7)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	MC-750-499	B-499	Nylon Cloth	BK on WT	0.750 (19.1)	16 ft. (4.9 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	M-130-499	B-499	Nylon Cloth	BK on WT	0.825 (20.9)	0.375 (9.5)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	M-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.8)	0.500 (12.7)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	M-131-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	0.500 (12.7)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33	M-128-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	1.900 (48.3)	1 roll (cont.)	R4300
B-595 Indoor and Outdoor Vinyl Material									
BMP41, 51, 53	Fig. 33	MC-500-595-OR-BK	B-595	Vinyl	BK on OR*	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-OR-BK	B-595	Vinyl	BK on OR*	0.750 (19.1)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-OR-BK	B-595	Vinyl	BK on OR*	1.000 (25.4)	25 ft. (7.6 m)	1 roll (cont.)	R6000

** For additional general purpose tapes, refer to the indoor and outdoor grade facility and safety labels on page 109.*

BMP41 magnet accessory

The optional heavy-duty magnet accessory for BMP41 allows you to go hands free. Apply the magnet to the back of your printer and then stick it to a magnetized surface or wall.



BradyID.com/s36

Self-Laminating Vinyl Wire and Cable Labels (B-427)

Labels feature a clear, non-printable area that wraps around print-on area to protect text. Vinyl material offers superior resistance to handling, solvents, oil, grease, dirt and water. Temp. range -40° F to 158° F (-40° C to 70° C), UL recognized.




Figure 32




Figure 42b



Fits Printers	Figure	Catalog#	Color	Approx. Wire Gauge	Max Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels Per Roll	Sized To Fit	Ribbon in Cartridge
BMP41, 51, 53	Fig. 32	M-11-427	BK on WT	16 to 10	0.160 (4.1)	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	360	CAT-6, 4 pair UTP Copper	R4300
BMP41, 51, 53	Fig. 32	M-136-427	BK on WT	16 to 10	0.160 (4.1)	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	340	CAT-6, 4 pair UTP Copper	R4300
BMP41, 51, 53	Fig. 42b	MC-750-427	BK on WT	16 to 10	0.270 (6.7)	25 ft. (7.6 m)	0.750 (19.1)	0.375 (9.5)	1 roll (cont.)	CAT-6, 4 pair UTP Copper	R4300
BMP41, 51, 53	Fig. 32	M-47-427	BK on WT	12 to 10	0.210 (5.3)	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	360	2 pair Fiber/Coaxial, Single/Multi-Mode	R4300
BMP41, 51, 53	Fig. 32	M-48-427	BK on WT	12 to 10	0.210 (5.3)	0.750 (19.1)	1.000 (25.4)	0.375 (9.5)	200	CAT-6, 4 pair UTP Copper, Fiber, Coaxial	R4300
BMP41, 51, 53	Fig. 32	M-49-427	BK on WT	12 to 10	0.210 (5.3)	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	260	2 pair Fiber/Coaxial, Single/Multi-Mode	R4300
BMP41, 51, 53	Fig. 32	M-102-427	BK on WT	10 to 4	0.270 (6.7)	0.500 (12.7)	1.250 (31.7)	0.375 (9.5)	200	CAT-6, 4 pair UTP Copper	R4300
BMP41, 51, 53	Fig. 32	M-143-427	BK on WT	10 to 4	0.270 (6.7)	1.000 (25.4)	1.250 (31.7)	0.500 (12.7)	200	CAT-6, 4 pair UTP Copper, Fiber, Coaxial	R4300
BMP41, 51, 53	Fig. 32	M-89-427	BK on WT	10 to 4	0.320 (8.1)	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper	R4300
BMP41, 51, 53	Fig. 32	M-90-427	BK on WT	10 to 4	0.320 (8.1)	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper	R4300
BMP41, 51, 53	Fig. 32	M-91-427	BK on WT	10 to 4	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper, Fiber, Coaxial	R4300
BMP41, 51, 53	Fig. 32	M-51-427	BK on WT	3 to 2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	110	25 pair Copper, 4-12 pair Fiber, Coaxial	R4300
BMP41, 51, 53	Fig. 32	M-53-427	BK on WT	3/0 to 400 kcmil	0.850 (21.6)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	70	50 pair Copper, 24 pair Fiber, Backbone	R4300
BMP41, 51, 53	Fig. 32	M-91-427-YL	BK on YL	10 to 4	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	180	CAT-6, 4 pair UTP Copper, Fiber, Coaxial	R4300
BMP41, 51, 53	Fig. 32	M-51-427-YL	BK on YL	3 to 2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	110	25 pair Copper, 4-12 pair Fiber, Coaxial	R4300
BMP41, 51, 53	Fig. 32	M-53-427-YL	BK on YL	3/0 to 400 kcmil	0.850 (21.6)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	70	50 pair Copper, 24 pair Fiber, Backbone	R4300

PermaSleeve® PS Polyolefin Wire Markers (B-342)

Military / industrial grade sleeves offer the ultimate in marker durability, permanence and aesthetic appearance. 3:1 heat-shrinkable markers fit snugly around wires, are fade-resistant and flame-retardant. Temp range: -67° F to 275° F (-55° C to 130° C).
RoHS compliant and UL recognized.

Meets specifications:
- SSAE-AS-23053/5
- SAE-AS-81531

Tested per:
- ASTM E162
- ASTM E662
- MIL-STD-202




Figure 44





Figure 58



Fits Printers	Figure	Catalog #	B#	Color	Approx. Wire Gauge	Wire Diameter Range Inch (mm)	Supplied Diameter B Inch (mm)	Supplied Width A Inch (mm)	Sleeves Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig. 44	* M-125-075-342	B-342	BK on WT	22 to 16	0.046 - 0.110 (1.2 - 2.8)	0.235 (5.9)	0.750 (19.1)	80	R4300
BMP41, 51, 53	Fig. 58	* MC-125-342	B-342	BK on WT	22 to 16	0.046 - 0.110 (1.2 - 2.8)	0.235 (5.9)	7 ft. (2.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 44	* M-187-075-342	B-342	BK on WT	20 to 10	0.062 - 0.150 (1.6 - 3.8)	0.335 (8.5)	0.750 (19.1)	80	R4300
BMP41, 51, 53	Fig. 58	* MC-187-342	B-342	BK on WT	20 to 10	0.062 - 0.150 (1.6 - 3.8)	0.335 (8.5)	7 ft. (2.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 44	* M-250-075-342	B-342	BK on WT	16 to 8	0.094 - 0.215 (2.4 - 5.5)	0.439 (11.1)	0.750 (19.1)	80	R4300
BMP41, 51, 53	Fig. 58	* MC-250-342	B-342	BK on WT	16 to 8	0.094 - 0.215 (2.4 - 5.5)	0.439 (11.1)	7 ft. (2.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 44	* M-375-075-342	B-342	BK on WT	12 to 4	0.125 - 0.320 (3.2 - 8.1)	0.645 (16.4)	0.750 (19.1)	80	R4300
BMP41, 51, 53	Fig. 58	* MC1-375-342	B-342	BK on WT	12 to 4	0.125 - 0.320 (3.2 - 8.1)	0.645 (16.4)	7 ft. (2.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-125-342-YL	B-342	BK on YL	22 to 16	0.046 - 0.110 (1.2 - 2.8)	0.235 (5.9)	7 ft. (2.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-187-342-YL	B-342	BK on YL	20 to 10	0.062 - 0.150 (1.6 - 3.8)	0.335 (8.5)	7 ft. (2.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-250-342-YL	B-342	BK on YL	16 to 8	0.094 - 0.215 (2.4 - 5.5)	0.439 (11.1)	7 ft. (2.1 m)	1 roll (cont.)	R4300

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

Nylon Cloth Cable Flags (B-499)

Pre-formatted with two printable areas, allowing flag to be easily folded around wire to create a two-sided, printed flag. Nylon Cloth with permanent adhesive is pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized.




Figure 63



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Non-Print Area Inch (mm)	Labels Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig. 63	M-141-499	B-499	Nylon Cloth	BK on WT	1.000 (25.4)	1.000 (25.4)	0.250 (6.3)	90	R4300

Repositionable Adhesive Vinyl Cloth Wire and Cable Labels (B-498)

Printer automatically repeats your text to fill the label for maximum readability. The adhesive and cloth backing offers excellent holding power, yet allow for clean removal and repositioning if necessary. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized.





Figure 2



Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Max. Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig. 2	M-7-498	B-498	Vinyl	BK on WT	22 to 16	0.110 (2.8)	0.500 (12.7)	0.500 (12.7)	240	R6200
BMP41, 51, 53	Fig. 2	M-11-498	B-498	Vinyl	BK on WT	16 to 10	0.160 (4.1)	0.750 (19.1)	0.500 (12.7)	220	R6200
BMP41, 51, 53	Fig. 2	M-48-498	B-498	Vinyl	BK on WT	12 to 10	0.210 (5.3)	1.000 (25.4)	0.750 (19.1)	180	R6200
BMP41, 51, 53	Fig. 2	M-49-498	B-498	Vinyl	BK on WT	12 to 10	0.210 (5.3)	1.000 (25.4)	1.000 (25.4)	160	R6200
BMP41, 51, 53	Fig. 2	M-131-498	B-498	Vinyl	BK on WT	10 to 4	0.270 (6.7)	1.000 (25.4)	0.500 (12.7)	180	R6200
BMP41, 51, 53	Fig. 2	M-91-498	B-498	Vinyl	BK on WT	10 to 4	0.270 (6.7)	1.500 (38.1)	1.000 (25.4)	120	R6200

Patch Panel, Punch Block, Desi Strip and Faceplate Labels (B-412 and B-422)

Create a fully formatted serialized punch block label to fit your equipment or label your ports, jacks and outlets with adhesive labels or slide-in strips.

- **B-412 Polypropylene Tags:** Non-adhesive slide-in strips
- **B-422 Polyester Material:** Permanent adhesive, good for powder-coated/textured surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.




Figure 2





Figure 33c



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-412 Non-Adhesive Polypropylene Tags									
BMP41, 51, 53	Fig. 33c	MC-375-412	B-412	Polypropylene	BK on WT	0.375 (9.5)	20 ft. (6.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33c	MC-475-412	B-412	Polypropylene	BK on WT	0.475 (12.1)	20 ft. (6.1 m)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 33c	MC-625-412	B-412	Polypropylene	BK on WT	0.625 (15.8)	20 ft. (6.1 m)	1 roll (cont.)	R4300
B-422 Polyester Material									
BMP41, 51, 53	Fig. 33c	MC-375-422	B-422	Polyester	BK on WT	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33c	MC-475-422	B-422	Polyester	BK on WT	0.475 (12.1)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-7-422	B-422	Polyester	BK on WT	0.500 (12.7)	0.500 (12.7)	280	R6000
BMP41, 51, 53	Fig. 2	M-89-422	B-422	Polyester	BK on WT	0.500 (12.7)	1.500 (38.1)	180	R6000
BMP41, 51, 53	Fig. 2	M-90-422	B-422	Polyester	BK on WT	0.750 (19.1)	1.500 (38.1)	180	R6000
BMP41, 51, 53	Fig. 2	M-47-422	B-422	Polyester	BK on WT	1.000 (25.4)	0.500 (12.7)	480	R6000

Terminal Block Repositionable Adhesive Strips (B-498)

When using terminal block mode, printer can serialize and pre-space to your special thin widths to fit terminal blocks. The adhesive and cloth backing offers excellent holding power, yet allow for clean removal and repositioning if necessary. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized.




Figure 33c



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig. 33c	MC-240-498	B-498	Vinyl	BK on WT	0.240 (6.1)	16 (4.9)	1 roll (cont.)	R6200
BMP41, 51, 53	Fig. 33c	MC-318-498	B-498	Vinyl	BK on WT	0.318 (8.1)	16 (4.9)	1 roll (cont.)	R6200
BMP41, 51, 53	Fig. 33c	MC-375-498	B-498	Vinyl	BK on WT	0.375 (9.5)	20 (6.1)	1 roll (cont.)	R6200

BMP®51 Label Printer

BradyID.com/s36



BMP®51 LABEL PRINTER

Made to get the job done

Print continuous and die-cut labels up to 1.5 in. wide and with more material options.

- Ribbon and label materials in one easy-to-load cartridge
- Prints 1.18 in. per second
- 200+ label parts in 14 materials
- 1.5 in. continuous output and 1 in. sleeves available
- Material recognition and automatic label formatting
- Large, graphical display with backlight
- Durable built-in cutter with label retention
- Robust software for advanced label design
- Optional Wi-Fi card for wireless printing via a network
- Tough, durable label materials that won't fade, smear or fall off

Learn more at BradyID.com/bmp51

Your complete printing solution:

BMP51 cartridges with label and print ribbon ..... page 116

BMP51 label printer and accessories

Catalog #	Description
BMP51	BMP51 Printer*, Rechargeable Li-Ion Battery Pack and AC Adaptor/Battery Charger
BMP51-KIT-AC	BMP51 Printer* with AC Adaptor/Battery Charger
Accessories	
M50-MAGNET	BMP50 Series Magnet Accessory
BMP-UBP	Lithium Ion Rechargeable Battery Pack
BMP-UBP-AC	Lithium Ion Rechargeable Battery Pack with AC Adaptor/Battery Charger
NET-LAN	Brady Network Card - Ethernet only
NET-Wi-Fi	Brady Network Card - Wi-Fi only
M50-HC	BMP50 Series Hard Carrying Case
BMP-SC-1	BMP50 Series Soft Carrying Case
M-AC-143110	BMP50 Series AC Adaptor/Battery Charger
M-USB-103788	BMP50 Series USB Cable
M50-BATT-TRAY	BMP50 Series Spare Battery Tray


** Printer ships with hard carrying case, battery tray for AA batteries, USB cable, drivers CD, product CD, quick start guide and one MC-1500-595-WT-BK label cartridge. Network card sold separately.*

Patents applied for: 6,732,619 and 7,070,347 on printer. 6,929,415 on the PermaSleeve® wire marking cartridges. 8,542,155 on wireless and ethernet cards.



Printer specifications	
Print speed	1.18 in. / sec. (w/ AC adapter)
Print and color capabilities	Thermal Transfer / Monochrome
Print resolution	300 dpi
PC compatibility or standalone	Standalone and PC connect
Connectivity options	USB / Wi-Fi (field-installable), LAN
Software compatibility	Brady Workstation Apps, Brady Mobile Apps w/ Wi-Fi card, LabelMark™ Software
Power supply options	Li-Ion rechargeable battery, 8 AA batteries, AC adapter
Standard warranty	2 years
Dimensions	6 in. W x 10.3 in. H x 3.6 in. D
Weight	2.6 lbs. (w/o tape, batteries)
Print features	
Screen size	13 lines x 36 characters
Backlit screen	Yes
Keyboard style	QWERTY
Max print width	1.5 in.
Font types available	(2) Brady Alpine and Brady Fixed Width
Font sizes (pts)	Custom, auto, 4, 6, 7, 9, 10, 13, 14, 16, 20, 26, 28, 32, 38, 40, 42, 45, 51, 55, 60, 65, 70, 76, 102
Multi-line label capabilities	32
Label print rotation	Yes
Data serialization	Yes, multiple and linked
Barcode capabilities and types	Code 39, Code 128 and more using Brady Workstation
Memory capacity	25,000 characters up to 48 MB
Data transfer from PC	Yes
Print preview	Yes
Symbols available	450
Label supplies	
Label / ribbon supply	Cartridge w/ included ribbon
Material formats supported	Continuous and die-cut labels
Media width	0.25 in. to 1.5 in.
Types of materials	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, outdoor reflective
Quantity of label parts available	200+ label parts
Cartridge series	M-series

Get the job done faster, easier and with confidence




Voice and data communications



PermaSleeve® wire markers



Product identification



Panel component identification



Laboratory identification



General ID and much more

BRADY



Brady Workstation Software

Desktop software for your Brady Printer

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

- Suites designed with you in mind, contain apps for common safety and facility label designs, product and wire label creation, printing workflows and more
- Displays real-time information about the material installed for easy label set up
- Apps feature built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com

Brady Mobile Apps for On-The-Go Printing

We understand that you don't always have your PC with you to design labels. That's why we also offer two Brady Workstation Mobile Apps to enable you to quickly design labels on any iOS device, Android smartphone or Windows tablet, and print those labels with your BMP51 printer.*

- **Brady Workstation Mobile Text Labels** enables you to design professional text-only labels on the spot with your mobile device
- **Brady Workstation Mobile Print Partner** enables you to complete pre-defined fields with your mobile device using protected company label templates. Use Brady Workstation on a computer to create your own template and then open the template on your mobile device within the Brady Workstation Mobile Print Partner app from either a local disk (SD-card) or a cloud location, like Google Drive



Available on the iPhone App Store

ANDROID APP ON Google play

**Brady Wi-Fi network card required to connect printer to mobile device.*

Networking options

The BMP51 printer connects to your PC via the included USB cable. To avoid use of a physical cable, optional field-installable network cards are also available:



USB cable
(Included)



Ethernet only card
(Catalog#: NET-LAN)



Wi-Fi only card required if printing from mobile apps
(Catalog#: NET-WiFi)

BMP®53 label printer owners:

The BMP53 printer has been discontinued, but Brady continues to manufacture and stock label cartridges for use with your BMP53 printer.

View the following pages for available label cartridges.



BradyID.com/s36

Indoor and Outdoor Vinyl for Safety, Facility and Lean 5S (B-595)

Continuous vinyl material is ideal for lean 5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, good for rough surfaces and outdoor use. 8-10 years average outdoor durability.* Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.




Figure 33









Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
BMP51, 53	Fig. 33	MC-250-595-WT-BK	B-595	Vinyl	Black on White	0.250 (6.35)	25 (7.62)	1 roll (cont.)	R10000
BMP41, 51, 53	Fig. 33	MC-375-595-WT-BK	B-595	Vinyl	Black on White	0.375 (9.5)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-WT-BK	B-595	Vinyl	Black on White	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-WT-BK	B-595	Vinyl	Black on White	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-WT-BK	B-595	Vinyl	Black on White	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R6000
BMP51, 53	Fig. 33	MC-1500-595-WT-BK	B-595	Vinyl	Black on White	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R6000
BMP51, 53	Fig. 33	MC-250-595-YL-BK	B-595	Vinyl	Black on Yellow	0.250 (6.35)	25 (7.62)	1 roll (cont.)	R10000
BMP41, 51, 53	Fig. 33	MC-375-595-YL-BK	B-595	Vinyl	Black on Yellow	0.375 (9.5)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-YL-BK	B-595	Vinyl	Black on Yellow	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-YL-BK	B-595	Vinyl	Black on Yellow	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-YL-BK	B-595	Vinyl	Black on Yellow	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R6000
BMP51, 53	Fig. 33	MC-1500-595-YL-BK	B-595	Vinyl	Black on Yellow	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-OR-BK	B-595	Vinyl	Black on Orange	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-OR-BK	B-595	Vinyl	Black on Orange	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-OR-BK	B-595	Vinyl	Black on Orange	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R6000
BMP51, 53	Fig. 33	MC-1500-595-OR-BK	B-595	Vinyl	Black on Orange	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-BL-WT	B-595	Vinyl	White on Blue	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-BL-WT	B-595	Vinyl	White on Blue	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-BL-WT	B-595	Vinyl	White on Blue	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R4400
BMP51, 53	Fig. 33	MC-1500-595-BL-WT	B-595	Vinyl	White on Blue	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-375-595-RD-WT	B-595	Vinyl	White on Red	0.375 (9.5)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	White on Red	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	White on Red	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-RD-WT	B-595	Vinyl	White on Red	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R4400
BMP51, 53	Fig. 33	MC-1500-595-RD-WT	B-595	Vinyl	White on Red	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-GN-WT	B-595	Vinyl	White on Green	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-GN-WT	B-595	Vinyl	White on Green	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-GN-WT	B-595	Vinyl	White on Green	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R4400
BMP51, 53	Fig. 33	MC-1500-595-GN-WT	B-595	Vinyl	White on Green	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-WT-RD	B-595	Vinyl	Red on White	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-WT-RD	B-595	Vinyl	Red on White	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-WT-RD	B-595	Vinyl	Red on White	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R4400
BMP51, 53	Fig. 33	MC-1500-595-WT-RD	B-595	Vinyl	Red on White	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-BK-WT	B-595	Vinyl	White on Black	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-BK-WT	B-595	Vinyl	White on Black	0.750 (19.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-BK-WT	B-595	Vinyl	White on Black	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R4400
BMP51, 53	Fig. 33	MC-1500-595-BK-WT	B-595	Vinyl	White on Black	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-500-595-CL-BK	B-595	Vinyl	Black on Clear	0.500 (12.70)	20 (6.09)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-CL-BK	B-595	Vinyl	Black on Clear	0.750 (19.10)	20 (6.09)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-CL-BK	B-595	Vinyl	Black on Clear	1.000 (25.40)	20 (6.09)	1 roll (cont.)	R6000
BMP51, 53	Fig. 33	MC-1500-595-CL-BK	B-595	Vinyl	Black on Clear	1.500 (38.10)	20 (6.09)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-CL-WT	B-595	Vinyl	White on Clear	0.500 (12.70)	20 (6.09)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC-750-595-CL-WT	B-595	Vinyl	White on Clear	0.750 (19.10)	20 (6.09)	1 roll (cont.)	R4400
BMP41, 51, 53	Fig. 33	MC1-1000-595-CL-WT	B-595	Vinyl	White on Clear	1.000 (25.40)	20 (6.09)	1 roll (cont.)	R4400
BMP51, 53	Fig. 33	MC-1500-595-CL-WT	B-595	Vinyl	White on Clear	1.500 (38.10)	20 (6.09)	1 roll (cont.)	R4400


** Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material color. The 8-10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary.*

Inside-Panel Component Labels for Electrical, Automation and Data Centers (B-422, B-428, B-483, B-499 and B-595)

Variety of durable materials ideal for marking backer boards, DIN rail, relays, PLCs, switches and solenoids. Create serial or rating plates with barcodes, graphics and more with a flexible high-tack adhesive for easy and long-lasting adhesion.

- **B-422 Polyester Material**: Permanent adhesive, good for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.
- **B-428 Metalized Polyester Material**: Permanent adhesive, silver finish. Temp. range: -40° F to 176° F (-40° C to 80° C). UL recognized.
- **B-483 Polyester Material**: Permanent adhesive for powder-coated and textured surfaces. Best on flat surfaces Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized.
- **B-499 Nylon Cloth Material**: Permanent adhesive. Pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized.
- **B-595 Indoor / Outdoor Vinyl Material**: Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.












Figure 2



Figure 33




Figure 46 (with border)

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-422 Gloss Polyester									
BMP41, 51, 53	Fig. 33	MC-375-422	B-422	Gloss Polyester	Black on White	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-475-422	B-422	Gloss Polyester	Black on White	0.475 (12.1)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-422	B-422	Gloss Polyester	Black on White	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-7-422	B-422	Gloss Polyester	Black on White	0.500 (12.70)	0.500 (12.70)	280	R6000
BMP41, 51, 53	Fig. 2	M-89-422	B-422	Gloss Polyester	Black on White	0.500 (12.70)	1.500 (38.10)	360	R6000
BMP41, 51, 53	Fig. 2	M-47-422	B-422	Gloss Polyester	Black on White	1.000 (25.40)	0.500 (12.70)	360	R6000
BMP41, 51, 53	Fig. 2	M-49-422	B-422	Gloss Polyester	Black on White	1.000 (25.40)	1.000 (25.40)	200	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-422	B-422	Gloss Polyester	Black on White	1.000 (25.40)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-90-422	B-422	Gloss Polyester	Black on White	1.500 (38.10)	0.750 (19.05)	200	R6000
B-428 Metalized Polyester									
BMP51, 53	Fig. 2	M-29-428	B-428	Metalized Polyester	Light Gray	0.500 (12.70)	1.500 (38.10)	360	R4300
BMP51, 53	Fig. 2	M-30-428	B-428	Metalized Polyester	Light Gray	0.750 (19.05)	1.500 (38.10)	260	R4300
BMP41, 51, 53	Fig. 2	M-47-428	B-428	Metalized Polyester	Light Gray	1.000 (25.40)	0.500 (12.70)	360	R4300
BMP41, 51, 53	Fig. 46	M-92-428-BB	B-428	Metalized Polyester	Light Gray	1.130 (28.70)	0.500 (12.70)	360	R4300
BMP41, 51, 53	Fig. 2	M-60-428	B-428	Metalized Polyester	Light Gray	2.000 (50.80)	1.000 (25.40)	80	R4300
B-483 Ultra-Aggressive Polyester									
BMP41, 51, 53	Fig. 2	M-47-483	B-483	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	480	R6000
BMP41, 51, 53	Fig. 2	M-61-483	B-483	Polyester	Black on White	2.000 (50.80)	0.500 (12.70)	80	R6000
BMP41, 51, 53	Fig. 2	M-60-483	B-483	Polyester	Black on White	2.000 (50.80)	1.000 (25.40)	80	R6000
B-499 Nylon Cloth									
BMP41, 51, 53	Fig. 2	M-131-499	B-499	Nylon Cloth	Black on White	0.500 (12.7)	1.000 (25.40)	180	R4300
BMP41, 51, 53	Fig. 2	M-11-499	B-499	Nylon Cloth	Black on White	0.500 (12.70)	0.750 (19.05)	220	R4300
BMP41, 51, 53	Fig. 2	M-84-499	B-499	Nylon Cloth	Black on White	0.900 (22.86)	0.500 (12.70)	200	R4300
BMP41, 51, 53	Fig. 2	M-128-499	B-499	Nylon Cloth	Black on White	1.000 (25.40)	1.900 (48.3)	100	R4300
BMP51, 53	Fig. 2	M-132-499	B-499	Nylon Cloth	Black on White	1.500 (38.10)	1.250 (31.75)	160	R4300
B-595 Indoor / Outdoor Vinyl Tape*									
BMP41, 51, 53	Fig. 33	MC-500-595-WT-BK	B-595	Vinyl	Black on White	0.500 (12.70)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-WT-BK	B-595	Vinyl	Black on White	1.000 (25.40)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-YL-BK	B-595	Vinyl	Black on Yellow	0.500 (12.70)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-YL-BK	B-595	Vinyl	Black on Yellow	1.000 (25.40)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-500-595-OR-BK	B-595	Vinyl	Black on Orange	0.500 (12.70)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-OR-BK	B-595	Vinyl	Black on Orange	1.000 (25.40)	25 ft. (7.62 m)	1 roll (cont.)	R6000

** For additional vinyl label colors, refer to the B-595 indoor / outdoor grade facility and safety labels on page 116.*

BradyID.com/s36

Self-Laminating Vinyl Wire and Cable Labels (B-427)

Labels feature a clear, non-printable area that wraps around print-on area to protect text. Vinyl material offers superior resistance to handling, solvents, oil, grease, dirt and water. Temp. range -40° F to 158° F (-40° C to 70° C), UL recognized.




Figure 2




Figure 42




Figure 42a (continuous)





Figure 15c





Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Max. Wire Diameter Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-427 Self-Laminating Vinyl												
BMP51, 53	Fig. 2	M-135-427-AW	B-427	Vinyl	BK on WT	All White	-	1.100 (27.9)	0.250 (6.35)	0.250 (6.35)	240	R4300
BMP41, 51, 53	Fig. 42	M-11-427	B-427	Vinyl	BK on WT	16 to 10	0.160 (4.06)	0.500 (12.70)	0.750 (19.05)	0.375 (9.53)	360	R4300
BMP41, 51, 53	Fig. 42	M-136-427	B-427	Vinyl	BK on WT	16 to 10	0.160 (4.06)	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	340	R4300
BMP41, 51, 53	Fig. 42	M-49-427	B-427	Vinyl	BK on WT	12 to 10	0.210 (5.33)	1.000 (25.40)	1.000 (25.40)	0.375 (9.53)	260	R4300
BMP51, 53	Fig. 42	M-133-427	B-427	Vinyl	BK on WT	12 to 10	0.210 (5.33)	1.750 (44.4)	1.000 (25.40)	0.375 (9.53)	140	R4300
BMP41, 51, 53	Fig. 42	M-102-427	B-427	Vinyl	BK on WT	10 to 4	0.270 (6.86)	0.500 (12.70)	1.250 (31.75)	0.375 (9.53)	200	R4300
BMP41, 51, 53	Fig. 42	M-143-427	B-427	Vinyl	BK on WT	10 to 4	0.270 (6.86)	1.000 (25.40)	1.250 (31.75)	0.500 (12.70)	200	R4300
BMP51, 53	Fig. 42	M-115-427	B-427	Vinyl	BK on WT	10 to 4	0.270 (6.86)	1.500 (38.10)	1.250 (31.75)	0.500 (12.70)	200	R4300
BMP41, 51, 53	Fig. 42	M-89-427	B-427	Vinyl	BK on WT	10 to 4	0.320 (8.13)	0.500 (12.70)	1.500 (38.10)	0.500 (12.70)	360	R4300
BMP41, 51, 53	Fig. 42	M-90-427	B-427	Vinyl	BK on WT	10 to 4	0.320 (8.13)	0.750 (19.05)	1.500 (38.10)	0.500 (12.70)	200	R4300
BMP41, 51, 53	Fig. 15c	M-47-427	B-427	Vinyl	BK on WT	12 to 10	0.210 (5.33)	1.000 (25.40)	0.500 (12.70)	0.375 (9.53)	360	R4300
BMP41, 51, 53	Fig. 15c	M-48-427	B-427	Vinyl	BK on WT	12 to 10	0.210 (5.33)	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	200	R4300
BMP41, 51, 53	Fig. 42	M-91-427	B-427	Vinyl	BK on WT	10 to 4	0.320 (8.13)	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	200	R4300
BMP51, 53	Fig. 42	M-32-427	B-427	Vinyl	BK on WT	10 to 4	0.320 (8.13)	1.500 (38.10)	1.500 (38.10)	0.500 (12.70)	180	R4300
BMP51, 53	Fig. 42	M-134-427	B-427	Vinyl	BK on WT	10 to 4	0.320 (8.13)	1.750 (44.4)	1.500 (38.10)	0.500 (12.70)	140	R4300
BMP41, 51, 53	Fig. 42	M-51-427	B-427	Vinyl	BK on WT	3 to 2/0	0.530 (13.46)	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	80	R4300
BMP51, 53	Fig. 42	M-116-427	B-427	Vinyl	BK on WT	3 to 2/0	0.530 (13.46)	1.500 (38.10)	2.500 (63.50)	0.750 (19.05)	80	R4300
BMP41, 51, 53	Fig. 42	M-53-427	B-427	Vinyl	BK on WT	3/0-400 kcmil	0.850 (21.59)	1.000 (25.40)	4.000 (101.6)	1.000 (25.40)	70	R4300
BMP51, 53	Fig. 42	M-33-427	B-427	Vinyl	BK on WT	3/0-400 kcmil	0.850 (21.59)	1.500 (38.10)	4.000 (101.6)	1.000 (25.40)	70	R4300
BMP51, 53	Fig. 42	M-34-427	B-427	Vinyl	BK on WT	3/0-400 kcmil	1.300 (33.02)	1.500 (38.10)	6.000 (152.40)	1.500 (38.10)	40	R4300
BMP41, 51, 53	Fig. 42	M-91-427-YL	B-427	Vinyl	BK on YL	10 to 4	0.320 (8.13)	1.000 (25.40)	1.500 (38.10)	0.500 (12.70)	200	R4300
BMP41, 51, 53	Fig. 42	M-51-427-YL	B-427	Vinyl	BK on YL	3 to 2/0	0.530 (13.46)	1.000 (25.40)	2.500 (63.50)	0.750 (19.05)	80	R4300
BMP41, 51, 53	Fig. 42	M-53-427-YL	B-427	Vinyl	BK on YL	3/0-400 kcmil	0.850 (21.59)	1.000 (25.40)	4.000 (101.6)	1.000 (25.40)	70	R4300
B-427 Continuous Self-Laminating Vinyl												
BMP41, 51, 53	Fig. 42a	MC-750-427	B-427	Vinyl	BK on WT	16 to 10	0.270 (6.86)	25 ft. (7.62 m)	0.750 (19.05)	0.375 (9.53)	1 roll (cont.)	R4300
BMP51, 53	Fig. 42a	MC-1000-427	B-427	Vinyl	BK on WT	12 to 10	0.850 (21.59)	25 ft. (7.62 m)	1.000 (25.40)	0.375 (9.53)	1 roll (cont.)	R4300
BMP51, 53	Fig. 42a	MC-1250-427	B-427	Vinyl	BK on WT	10 to 4	0.530 (13.46)	25 ft. (7.62 m)	1.250 (31.75)	0.500 (12.70)	1 roll (cont.)	R4300
BMP51, 53	Fig. 42a	MC-1500-427	B-427	Vinyl	BK on WT	10 to 4	0.270 (6.86)	25 ft. (7.62 m)	1.500 (38.10)	0.500 (12.70)	1 roll (cont.)	R4300

Repositionable Adhesive Vinyl Cloth Wire and Cable Labels (B-498)

Printer automatically repeats your text to fill the label for maximum readability. The adhesive and cloth backing offer excellent holding power, yet allow for clean removal and repositioning if necessary. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized.





Figure 2





Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Max. Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig. 2	M-7-498	B-498	Vinyl Cloth	BK on WT	22 to16	0.110 (2.80)	0.500 (12.70)	0.500 (12.70)	240	R6200
BMP41, 51, 53	Fig. 2	M-11-498	B-498	Vinyl Cloth	BK on WT	16 to 10	0.160 (4.00)	0.750 (19.05)	0.500 (12.70)	220	R6200
BMP41, 51, 53	Fig. 2	M-131-498	B-498	Vinyl Cloth	BK on WT	12 to 10	0.210 (5.00)	0.500 (12.70)	1.000 (25.40)	180	R6200
BMP41, 51, 53	Fig. 2	M-48-498	B-498	Vinyl Cloth	BK on WT	12 to 10	0.210 (5.00)	0.750 (19.05)	1.000 (25.40)	180	R6200
BMP41, 51, 53	Fig. 2	M-163-498	B-498	Vinyl Cloth	BK on WT	12 to 10	0.210 (5.00)	1.000 (25.40)	0.500 (12.70)	180	R6200
BMP41, 51, 53	Fig. 2	M-49-498	B-498	Vinyl Cloth	BK on WT	12 to 10	0.210 (5.00)	1.000 (25.40)	1.000 (25.40)	160	R6200
BMP51, 53	Fig. 2	M-103-498	B-498	Vinyl Cloth	BK on WT	10 to 4	0.270 (7.00)	1.000 (25.40)	1.250 (31.75)	160	R6200
BMP41, 51, 53	Fig. 2	M-91-498	B-498	Vinyl Cloth	BK on WT	10 to 4	0.270 (7.00)	1.000 (25.40)	1.500 (38.10)	160	R6200
BMP51, 53	Fig. 2	M-128-498	B-498	Vinyl Cloth	BK on WT	10 to 4	0.270 (7.00)	1.000 (25.40)	1.900 (48.3)	100	R6200

PermaSleeve® PS Polyolefin Wire Markers (B-342)

Military / industrial grade sleeves offer the ultimate in marker durability, permanence and aesthetic appearance. 3:1 heat-shrinkable markers fit snugly around wires, are fade-resistant and flame-retardant. Temp range: -67° F to 275° F (-55° C to 130° C). RoHS compliant and UL recognized.



Meets specifications:
- SSAE-AS-23053/5
- SAE-AS-81531

Tested per:
- ASTM E162
- ASTM E662
- MIL-STD-202




Figure 44




Figure 58



Fits Printers	Figure	Catalog #	B#	Color	Approx. Wire Gauge	For Wire Diameter Inch (mm) Min.	Max	Sleeve Width A Inch (mm)	Supplied Diameter B Inch (mm)	Sleeves Per Roll	Ribbon in Cartridge
B-342 Die-Cut Sleeve											
BMP41, 51, 53	Fig. 44	* M-125-075-342	B-342	BK on WT	22 to 16	0.046 - 0.110 (1.20 - 2.80)		0.750 (19.1)	0.235 (5.97)	80	R4300
BMP51, 53	Fig. 44	* M-125-1-342	B-342	BK on WT	22 to 16	0.046 - 0.110 (1.20 - 2.80)		1.000 (25.40)	0.235 (5.97)	80	R4300
BMP41, 51, 53	Fig. 44	* M-187-075-342	B-342	BK on WT	20 to 10	0.062 - 0.150 (1.60 - 3.80)		0.750 (19.1)	0.335 (8.51)	80	R4300
BMP51, 53	Fig. 44	* M-187-1-342	B-342	BK on WT	20 to 10	0.062 - 0.150 (1.60 - 3.80)		1.000 (25.40)	0.335 (8.51)	80	R4300
BMP41, 51, 53	Fig. 44	* M-250-075-342	B-342	BK on WT	16 to 8	0.094 - 0.215 (2.40 - 5.50)		0.750 (19.1)	0.439 (11.15)	80	R4300
BMP51, 53	Fig. 44	* M-250-1-342	B-342	BK on WT	16 to 8	0.094 - 0.215 (2.40 - 5.50)		1.000 (25.40)	0.439 (11.15)	80	R4300
BMP41, 51, 53	Fig. 44	* M-375-075-342	B-342	BK on WT	12 to 4	0.125 - 0.320 (3.20 - 8.10)		0.750 (19.1)	0.645 (16.38)	80	R4300
BMP51, 53	Fig. 44	* M-375-1-342	B-342	BK on WT	12 to 4	0.125 - 0.320 (3.20 - 8.10)		1.000 (25.40)	0.645 (16.38)	80	R4300
B-342 Continuous Sleeving											
BMP41, 51, 53	Fig. 58	* MC-125-342	B-342	BK on WT	22 to 16	0.046 - 0.110 (1.20 - 2.80)		7 ft. (2.13 m)	0.235 (5.97)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-187-342	B-342	BK on WT	20 to 10	0.062 - 0.150 (1.60 - 3.80)		7 ft. (2.13 m)	0.335 (8.51)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-250-342	B-342	BK on WT	16 to 8	0.094 - 0.215 (2.40 - 5.50)		7 ft. (2.13 m)	0.439 (11.15)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC1-375-342	B-342	BK on WT	12 to 4	0.125 - 0.320 (3.20 - 8.10)		7 ft. (2.13 m)	0.645 (16.38)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-125-342-YL	B-342	BK on YL	22 to 16	0.046 - 0.110 (1.20 - 2.80)		7 ft. (2.13 m)	0.235 (5.97)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-187-342-YL	B-342	BK on YL	20 to 10	0.062 - 0.150 (1.60 - 3.80)		7 ft. (2.13 m)	0.335 (8.51)	1 roll (cont.)	R4300
BMP41, 51, 53	Fig. 58	* MC-250-342-YL	B-342	BK on YL	16 to 8	0.094 - 0.215 (2.40 - 5.50)		7 ft. (2.13 m)	0.439 (11.15)	1 roll (cont.)	R4300

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

Wire and Cable Flags and Tags (B-109, B-145, B-425 and B-499)


Allow more legible information on data cables and smaller diameter wires. Permits you to handle and view labels without touching the wires.

- **B-109 Non-Adhesive Polyethylene Tags:** Multi-purpose tags for identifying multi-conductor cables. Good weatherability and legibility after solvent exposure.
- **B-145 Polyethylene Tag Material:** Multi-purpose matte material for tag applications. Ideal for identifying multi-conductor cable, inventory, equipment, lockout, safety warning repair and work-in progress.
- **B-425 Polypropylene Solvent Resistant Material:** Matte white polypropylene with excellent solvent resistance and print performance; not recommended for long-term outdoor use.
- **B-499 Nylon Cloth Material:** Permanent adhesive. Pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized.












Figure 48




Figure 50




Figure 57




Figure 63

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Label Height C Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-109 Polyethylene Tag										
BMP51, 53	Fig. 57	M-12-109	B-109	Polypropylene Tag	Black on White	3.000 (76.2)	0.750 (19.05)	-	80	R4300
B-145 Polypropylene Tag										
BMP51, 53	Fig. 50	M-111-145FR-GY	B-145	Polyethylene Tag	Black on Gray	1.206 (30.63)	0.750 (19.05)	-	80	R6000
B-425 Polypropylene Flag										
BMP51, 53	Fig. 48	MFT-01-425	B-425	Polypropylene Flag	Black on White	0.788 (20.01)	1.18 (29.97)	-	200	R4300
B-499 Nylon Cloth										
BMP41, 51, 53	Fig. 63	M-141-499	B-499	Nylon Cloth	Black on White	1.000 (25.40)	1.000 (25.40)	0.250 (6.35)	90	R4300
BMP51, 53	Fig. 63	M-152-499	B-499	Nylon Cloth	Black on White	1.500 (38.10)	0.500 (12.70)	0.250 (6.35)	160	R4300

BradyID.com/s36

Terminal Block Repositionable Adhesive Strips (B-498)

When using terminal block mode, printer can serialize and pre-space to your special thin widths to fit terminal blocks. The adhesive and cloth backing offers excellent holding power, yet allow for clean removal and repositioning if necessary. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized.





Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Foot (m)	Labels Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig. 33	MC-240-498	B-498	Vinyl Cloth	Black on White	0.240 (6.09)	16 (4.87)	1 roll (cont.)	R6200
BMP41, 51, 53	Fig. 33	MC-318-498	B-498	Vinyl Cloth	Black on White	0.318 (8.07)	16 (4.87)	1 roll (cont.)	R6200
BMP41, 51, 53	Fig. 33	MC-375-498	B-498	Vinyl Cloth	Black on White	0.375 (9.52)	20 (6.1)	1 roll (cont.)	R6200

Patch Panel, Punch Block, Desi Strip and Faceplate Labels (B-412, B-422 and B-483)

Create a fully formatted serialized punch block label to fit your equipment or label your ports, jacks and outlets with adhesive labels or slide-in strips.

- **B-412 Polypropylene Tags:** Non-adhesive slide-in strips.
- **B-422 Polyester Material**: Permanent adhesive, good for powder-coated and textured surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.
- **B-483 Polyester Material**: Permanent adhesive for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized.









Figure 2



Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Material Notes	Ribbon in Cartridge
B-412 Polypropylene Tag										
BMP41, 51, 53	Fig. 33	MC-375-412	B-412	Tag	Black on white	0.375 (9.53)	20 ft. (6.09 m)	1 roll (cont.)	Non-adhesive slide-in strips	R4300
BMP41, 51, 53	Fig. 33	MC-475-412	B-412	Tag	Black on white	0.475 (12.07)	20 ft. (6.09 m)	1 roll (cont.)	Non-adhesive slide-in strips	R4300
BMP41, 51, 53	Fig. 33	MC-625-412	B-412	Tag	Black on white	0.675 (12.07)	20 ft. (6.09 m)	1 roll (cont.)	Non-adhesive slide-in strips	R4300
B-422 Gloss Polyester										
BMP41, 51, 53	Fig. 33	MC-375-422	B-422	Polyester	Black on white	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	Adhesive strips	R6000
BMP41, 51, 53	Fig. 33	MC-475-422	B-422	Polyester	Black on white	0.475 (12.1)	25 ft. (7.6 m)	1 roll (cont.)	Adhesive strips	R6000
BMP41, 51, 53	Fig. 33	MC-625-422	B-422	Polyester	Black on white	0.675 (12.07)	25 ft. (7.62 m)	1 roll (cont.)	Adhesive strips	R6000
BMP41, 51, 53	Fig. 2	M-7-422	B-422	Polyester	Black on white	0.500 (12.70)	0.500 (12.70)	280	Individual adhesive port labels	R6000
BMP41, 51, 53	Fig. 2	M-89-422	B-422	Polyester	Black on white	0.500 (12.70)	1.500 (38.10)	360	Individual adhesive labels	R6000
BMP41, 51, 53	Fig. 2	M-47-422	B-422	Polyester	Black on white	1.000 (25.40)	0.500 (12.70)	360	Individual adhesive labels	R6000
BMP41, 51, 53	Fig. 2	M-90-422	B-422	Polyester	Black on white	1.500 (38.10)	0.750 (19.05)	200	Individual adhesive labels	R6000
B-483 Ultra-Aggressive Polyester										
BMP41, 51, 53	Fig. 2	M-61-483	B-483	Polyester	Black on white	2.000 (50.80)	0.500 (12.70)	80	Individual adhesive labels	R6000

BMP51 cartridges

The necessary print ribbons for the BMP51 Label Printer are self-contained within the label roll cartridge.

No need to order or load separate print ribbons.



Polyester Labels for Rating Plates and General ID (B-422, B-428, B-432 and B-483)

Standard and metallized labels ideal for labeling rating plates, products and general industrial applications.

- **B-422 Polyester Material:** Permanent adhesive, good for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.
- **B-428 Metalized Polyester Material:** Permanent adhesive, silver finish. Temp. range: -40° F to 176° F (-40° C to 80° C). UL recognized.
- **B-432 Polyester Material:** Durable glossy white polyester with permanent acrylic adhesive. Labels are chemical, oil and water resistant. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.
- **B-483 Polyester Material:** Permanent adhesive for powder-coated and textured surfaces. Best on flat surfaces Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized.








Figure 2




Figure 33




Figure 46 (with border)

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-422 Gloss Polyester									
BMP41, 51, 53	Fig. 33	MC-375-422	B-422	Gloss Polyester	Black on White	0.375 (9.5)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-475-422	B-422	Gloss Polyester	Black on White	0.475 (12.1)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-7-422	B-422	Gloss Polyester	Black on White	0.500 (12.70)	0.500 (12.70)	280	R6000
BMP41, 51, 53	Fig. 2	M-89-422	B-422	Gloss Polyester	Black on White	0.500 (12.70)	1.500 (38.10)	360	R6000
BMP41, 51, 53	Fig. 33	MC-500-422	B-422	Gloss Polyester	Black on White	0.500 (12.7)	25 ft. (7.6 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-47-422	B-422	Gloss Polyester	Black on White	1.000 (25.40)	0.500 (12.70)	360	R6000
BMP41, 51, 53	Fig. 2	M-49-422	B-422	Gloss Polyester	Black on White	1.000 (25.40)	1.000 (25.40)	200	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-422	B-422	Gloss Polyester	Black on White	1.000 (25.40)	25ft. (7.62m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 2	M-90-422	B-422	Gloss Polyester	Black on White	1.500 (38.10)	0.750 (19.05)	200	R6000
B-428 Metallized Polyester									
BMP51, 53	Fig. 2	M-29-428	B-428	Metalized Polyester	Light Gray	0.500 (12.70)	1.500 (38.10)	360	R4300
BMP51, 53	Fig. 2	M-30-428	B-428	Metalized Polyester	Light Gray	0.750 (19.05)	1.500 (38.10)	260	R4300
BMP41, 51, 53	Fig. 46	M-92-428-BB	B-428	Metalized Polyester	Light Gray	1.130 (28.70)	0.500 (12.70)	360	R4300
BMP41, 51, 53	Fig. 2	M-60-428	B-428	Metalized Polyester	Light Gray	2.000 (50.80)	1.000 (25.40)	80	R4300
B-432 Gloss Polyester									
BMP51, 53	Fig. 2	M-17-432-CL-BK	B-432	Gloss Polyester	Black on Clear	1.000 (25.40)	0.500 (12.70)	280	R6000
BMP51, 53	Fig. 2	M-78-432-CL-BK	B-432	Gloss Polyester	Black on Clear	1.900 (48.3)	1.000 (25.40)	100	R6000
B-483 Ultra-Aggressive Polyester									
BMP41, 51, 53	Fig. 2	M-47-483	B-483	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	360	R6000
BMP41, 51, 53	Fig. 2	M-61-483	B-483	Polyester	Black on White	2.000 (50.80)	0.500 (12.70)	80	R6000
BMP41, 51, 53	Fig. 2	M-60-483	B-483	Polyester	Black on White	2.000 (50.80)	1.000 (25.40)	80	R6000

Reflective Labels (B-584)

Reflective material shines back brightly when struck by light, making it ideal for labeling outdoor utility poles, hard hats, jobsite equipment and roof-top equipment. Meets Federal Spec L-S-300 for reflectivity. Average outdoor durability is 4-6 years. Temp. range: -40° F to 158° F (-40° C to 70° C).




Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
BMP41, 51, 53	Fig.33	MC-500-584	B-584	Reflective Tape	Black on White	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig.33	MC-750-584	B-584	Reflective Tape	Black on White	0.750 (19.05)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig.33	MC-1000-584	B-584	Reflective Tape	Black on White	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R6000
BMP51, 53	Fig.33	MC-1500-584	B-584	Reflective Tape	Black on White	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig.33	MC-500-584-YL	B-584	Reflective Tape	Black on Yellow	0.500 (12.70)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig.33	MC-750-584-YL	B-584	Reflective Tape	Black on Yellow	0.750 (19.05)	25 (7.62)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig.33	MC-1000-584-YL	B-584	Reflective Tape	Black on Yellow	1.000 (25.40)	25 (7.62)	1 roll (cont.)	R6000
BMP51, 53	Fig.33	MC-1500-584-YL	B-584	Reflective Tape	Black on Yellow	1.500 (38.10)	25 (7.62)	1 roll (cont.)	R6000

BradyID.com/s36

Bin, Storage and General Industrial Labels (B-483, B-499 and B-595)

Several materials with an aggressive adhesive for use in commercial and industrial applications.

- **B-483 Polyester Material:** Permanent adhesive for powder-coated and textured surfaces. Best on flat surfaces Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized.
- **B-499 Nylon Cloth Material:** Permanent adhesive. Pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized.
- **B-595 Indoor / Outdoor Vinyl Material:** Permanent adhesive, very pliable, good for rough surfaces and outdoor use. Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.








Figure 2




Figure 33

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-483 Ultra-Aggressive Polyester									
BMP41, 51, 53	Fig. 2	M-47-483	B-483	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	360	R6000
BMP41, 51, 53	Fig. 2	M-61-483	B-483	Polyester	Black on White	2.000 (50.80)	0.500 (12.70)	80	R6000
BMP41, 51, 53	Fig. 2	M-60-483	B-483	Polyester	Black on White	2.000 (50.80)	1.000 (25.40)	80	R6000
B-499 Nylon Cloth									
BMP41, 51, 53	Fig. 2	M-11-499	B-499	Nylon Cloth	Black on White	0.500 (12.70)	0.750 (19.05)	220	R4300
BMP41, 51, 53	Fig. 2	M-84-499	B-499	Nylon Cloth	Black on White	0.900 (22.86)	0.500 (12.70)	200	R4300
BMP41, 51, 53	Fig. 2	M-128-499	B-499	Nylon Cloth	Black on White	1.000 (25.40)	1.900 (48.3)	100	R4300
BMP51, 53	Fig. 2	M-132-499	B-499	Nylon Cloth	Black on White	1.500 (38.10)	1.250 (31.75)	160	R4300
B-595 Indoor / Outdoor Vinyl Tape*									
BMP41, 51, 53	Fig. 33	MC-750-595-WT-BK	B-595	Vinyl	Black on White	0.750 (19.10)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-WT-BK	B-595	Vinyl	Black on White	1.000 (25.40)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP51, 53	Fig. 33	MC-1500-595-WT-BK	B-595	Vinyl	Black on White	1.500 (38.10)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC-750-595-YL-BK	B-595	Vinyl	Black on Yellow	0.750 (19.10)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP41, 51, 53	Fig. 33	MC1-1000-595-YL-BK	B-595	Vinyl	Black on Yellow	1.000 (25.40)	25 ft. (7.62 m)	1 roll (cont.)	R6000
BMP51, 53	Fig. 33	MC-1500-595-YL-BK	B-595	Vinyl	Black on Yellow	1.500 (38.10)	25 ft. (7.62 m)	1 roll (cont.)	R6000

** For additional vinyl label colors, refer to the B-595 indoor / outdoor grade facility and safety labels on page 116.*

Tamper-Indicating Vinyl Labels (B-351)

Destructible vinyl material prohibits one piece removal of label to indicate if the label has been tampered with.




Figure 2



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
BMP51, 53	Fig. 2	M-17-351	B-351	Vinyl	Black on White	0.500 (12.70)	1.000 (25.40)	360	R6000
BMP51, 53	Fig. 2	M-20-351	B-351	Vinyl	Black on White	2.000 (50.80)	1.000 (25.40)	160	R6000

Water Dissolvable Paper Labels (B-403)

Paper material completely dissolves in warm water within 30 seconds, leaving no adhesive residue.



Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BMP51, 53	Fig. 33	MC-750-403	B-403	Dissolvable Paper	Black on White	0.750 (19.05)	25 (7.62)	1 roll (cont.)	R4300
BMP51, 53	Fig. 33	MC-1500-403	B-403	Dissolvable Paper	Black on White	1.500 (38.1)	25 (7.62)	1 roll (cont.)	R4300

Cryogenic Tube, Vial and Cane Labels (B-461, B-490 and B-492)

FreezerBondz™ labels can be applied to room temperature or already frozen samples, with a small overlap. The label remains legible and will stick to the tube during processing, even when immersed in liquid- or vapor-phase nitrogen or placed in ultra-low temperature freezer storage.

- **B-461 Self-Laminating Polyester Material:** Ultra-thin polyester label with clear overlaminate tail that protects print and allows liquid levels to be visible.
- **B-490 Polyester Material:** White FreezerBondz label ideal for flat, frozen surfaces. Adheres to frozen tubes and vials when wrapped around itself by at least 0.125 inch.
- **B-492 Polyester Material:** FreezerBondz ultra-thin white polyester label for labeling of frosted/frozen or room temperature vials, tubes and canes. Superior chemical and abrasion resistance.






Figure 2




Figure 24




Figure 26




Figure 27




Figure 33




Figure 66

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-461 Self-Laminating Polyester										
BMP51, 53	Fig. 27	M-123-461	B-461	Self-Lam Polyester	Black on White	1.125 (28.5)	0.375 (9.5)	0.750 (19.0)	360	R4300
BMP51, 53	Fig. 27	M-122-461	B-461	Self-Lam Polyester	Black on White	1.125 (28.5)	0.500 (12.7)	0.750 (19.0)	360	R4300
BMP51, 53	Fig. 27	M-124-461	B-461	Self-Lam Polyester	Black on White	1.650 (41.9)	0.500 (12.7)	0.750 (19.0)	180	R4300
BMP41, 51, 53	Fig. 27	M-72-461	B-461	Self-Lam Polyester	Black on White	1.750 (44.4)	0.500 (12.7)	0.750 (19.0)	180	R4300
BMP51, 53	Fig. 27	M-74-461	B-461	Self-Lam Polyester	Black on White	2.200 (55.8)	0.500 (12.7)	0.750 (19.0)	140	R4300
BMP51, 53	Fig. 27	M-125-461	B-461	Self-Lam Polyester	Black on White	1.750 (44.4)	1.000 (25.4)	1.000 (25.4)	180	R4300
BMP51, 53	Fig. 27	M-126-461	B-461	Self-Lam Polyester	Black on White	1.800 (45.7)	0.600 (45.7)	1.000 (25.4)	180	R4300
BMP51, 53	Fig. 27	M-126-461	B-461	Self-Lam Polyester	Black on White	1.800 (45.7)	0.600 (45.7)	1.000 (25.4)	180	R4300
BMP51, 53	Fig. 27	M-75-461	B-461	Self-Lam Polyester	Black on White	2.625 (66.6)	0.375 (9.5)	1.000 (25.4)	120	R4300
BMP51, 53	Fig. 27	M-86-461	B-461	Self-Lam Polyester	Black on White	2.625 (66.6)	0.600 (45.7)	1.000 (25.4)	120	R4300
BMP51, 53	Fig. 27	M-129-461	B-461	Self-Lam Polyester	Black on White	2.250 (57.1)	1.500 (38.1)	1.250 (31.7)	140	R4300
BMP51, 53	Fig. 27	M-119-461	B-461	Self-Lam Polyester	Black on White	3.750 (95.3)	1.500 (38.1)	1.250 (31.7)	80	R4300
BMP51, 53	Fig. 33	MC-375-461	B-461	Self-Lam Polyester	Black on White	0.375 (9.5)	25 ft. (7.62 m)	-	1 roll (cont.)	R4300
BMP51, 53	Fig. 33	MC-500-461	B-461	Self-Lam Polyester	Black on White	0.500 (12.7)	25 ft. (7.6 m)	-	1 roll (cont.)	R4300
BMP51, 53	Fig. 33	MC-1000-461	B-461	Self-Lam Polyester	Black on White	1.000 (25.4)	25 ft. (7.6 m)	-	1 roll (cont.)	R4300
BMP51, 53	Fig. 33	MC-1250-461	B-461	Self-Lam Polyester	Black on White	1.250 (31.7)	25 ft. (7.6 m)	-	1 roll (cont.)	R4300
B-490 FreezerBondz Polyester										
BMP51, 53	Fig. 2	M-114-490	B-490	Polyester	Black on White	0.500 (12.7)	3.750 (9.2)	-	80	R4300
BMP51, 53	Fig. 2	M-112-490	B-490	Polyester	Black on White	1.250 (31.7)	0.375 (9.5)	-	360	R4300
BMP51, 53	Fig. 2	M-112-490	B-490	Polyester	Black on White	1.250 (31.7)	0.375 (9.5)	-	360	R4300
BMP51, 53	Fig. 2	M-113-490	B-490	Polyester	Black on White	1.500 (38.1)	2.200 (55.9)	-	140	R4300
BMP51, 53	Fig. 2	M-124-490	B-490	Polyester	Black on White	1.650 (41.9)	0.500 (12.7)	-	180	R4300
BMP51, 53	Fig. 2	M-125-490	B-490	Polyester	Black on White	1.750 (44.4)	1.000 (25.4)	-	180	R4300
BMP51, 53	Fig. 2	M-126-490	B-490	Polyester	Black on White	1.800 (45.7)	0.600 (45.7)	-	180	R4300
BMP51, 53	Fig. 2	M-126-490	B-490	Polyester	Black on White	1.800 (45.7)	0.600 (45.7)	-	180	R4300
B-492 FreezerBondz Polyester										
BMP51, 53	Fig. 24	M-118-492	B-492	Polyester	Black on White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	240	R6400
BMP51, 53	Fig. 24	M-120-492	B-492	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	240	R6400
BMP51, 53	Fig. 24	M-117-492	B-492	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	0.440 (11.1) dia.	240	R6400
BMP51, 53	Fig. 26	M-82-492	B-492	Polyester	Black on White	0.375 (9.5) dia.	-	-	240	R6400
BMP51, 53	Fig. 26	M-83-492	B-492	Polyester	Black on White	0.500 (12.7) dia.	-	-	240	R6400
BMP51, 53	Fig. 33	MC-500-492	B-492	Polyester	Black on White	0.500 (12.7)	25 ft. (7.6 m)	-	1 roll (cont.)	R6400
BMP51, 53	Fig. 2	M-130-492	B-492	Polyester	Black on White	0.825 (20.9)	0.375 (9.5)	-	220	R6400
BMP51, 53	Fig. 2	M-130-492	B-492	Polyester	Black on White	0.825 (20.9)	0.375 (9.5)	-	220	R6400
BMP51, 53	Fig. 2	M-156-492	B-492	Polyester	Black on White	0.900 (22.8)	1.000 (25.4)	-	180	R6400
BMP51, 53	Fig. 2	M-156-492	B-492	Polyester	Black on White	0.900 (22.8)	1.000 (25.4)	-	180	R6400
BMP51, 53	Fig. 2	M-131-492	B-492	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51, 53	Fig. 2	M-131-492	B-492	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51, 53	Fig. 66	M-155-492	B-492	Polyester	Black on White	1.250 (31.7)	0.250 (6.3)	-	180	R6400
BMP51, 53	Fig. 2	M-78-492	B-492	Polyester	Black on White	1.900 (48.2)	1.000 (25.4)	-	100	R6400

BradyID.com/s36

Microscope Slide Labels (B-481 and B-488)

StainerBondz™ Labels are designed specifically to identify slides and to resist exposure to harsh chemicals during the slide staining process. They perform well in stains such as hematoxylin and eosin.

- **B-481 StainerBondz Polyester:** White polyester with extreme chemical resistance and withstands the rigors of typical deparaffinization, including ethanol, xylene and H and E staining process.
- **B-488 StainerBondz Polyester:** White polyester with moderate chemical resistance for short-term exposure to xylene, DMSO and ethanol.




Figure 2



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-481 Polyester with extreme chemical-resistance									
BMP51, 53	Fig. 2	M-195-481	B-481	Polyester	Black on White	0.900 (22.8)	0.375 (9.5)	320	R6400
BMP51, 53	Fig. 2	M-194-481	B-481	Polyester	Black on White	0.900 (22.8)	0.750 (19.1)	320	R6400
BMP51, 53	Fig. 2	M-97-481	B-481	Polyester	Black on White	0.900 (22.8)	0.900 (22.9)	280	R6400
B-488 Polyester with moderate chemical-resistance									
BMP51, 53	Fig. 2	M-97-488	B-488	Polyester	Black on White	0.900 (22.8)	0.900 (22.9)	280	R4300
BMP51, 53	Fig. 2	M-81-488	B-488	Polyester	Black on White	1.900 (48.2)	0.250 (6.3)	160	R4300

Microcentrifuge and PCR Tube Labels (B-499 and B-7425)

Designed with ultra-thin material that prevents vials from jamming in centrifuges or racks. These labels withstand harsh temperatures and chemicals without falling off, fading or smearing.

- **B-499 Nylon Cloth:** Thick white nylon cloth for easy handling and conformability.
- **B-7425 Polypropylene:** Ideal for labeling dry, room temperature specimen containers. Temp. range: -196° C to 121° C (-320° F to 248° F). Chemical resistance to ethanol, DMSO, IPS, short term xylene, 10% formalin, 50% acetic acid and toluene.




Figure 2




Figure 24




Figure 26



Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Label Dia. C Inch (mm)	Labels Per Roll	Ribbon in Cartridge
B-499 Nylon Cloth										
BMP51, 53	Fig. 24	M-118-499	B-499	Nylon Cloth	Black on White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	240	R4300
BMP51, 53	Fig. 24	M-120-499	B-499	Nylon Cloth	Black on White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	240	R4300
BMP51, 53	Fig. 24	M-117-499	B-499	Nylon Cloth	Black on White	1.000 (25.4)	0.500 (12.7)	0.440 (11.1) dia.	240	R4300
BMP51, 53	Fig. 33	MC-1000-499	B-499	Nylon Cloth	Black on White	1.000 (25.4)	16 ft. (4.8 m)	-	1 roll (cont.)	R4300
BMP51, 53	Fig. 26	M-82-499	B-499	Nylon Cloth	Black on White	0.375 (9.5) dia.	-	-	240	R4300
BMP51, 53	Fig. 26	M-83-499	B-499	Nylon Cloth	Black on White	0.500 (12.7) dia.	-	-	240	R4300
BMP51, 53	Fig. 26	M-82-499-OR-BK	B-499	Nylon Cloth	Black on Orange	0.375 (9.5) dia.	-	-	240	R4300
BMP51, 53	Fig. 26	M-83-499-OR-BK	B-499	Nylon Cloth	Black on Orange	0.500 (12.7) dia.	-	-	240	R4300
BMP51, 53	Fig. 26	M-82-499-RD-BK	B-499	Nylon Cloth	Black on Red	0.375 (9.5) dia.	-	-	240	R4300
BMP51, 53	Fig. 26	M-83-499-RD-BK	B-499	Nylon Cloth	Black on Red	0.500 (12.7) dia.	-	-	240	R4300
BMP51, 53	Fig. 26	M-82-499-YL-BK	B-499	Nylon Cloth	Black on Yellow	0.375 (9.5) dia.	-	-	240	R4300
BMP51, 53	Fig. 26	M-83-499-YL-BK	B-499	Nylon Cloth	Black on Yellow	0.500 (12.7) dia.	-	-	240	R4300
B-7425 Polypropylene										
BMP51, 53	Fig. 24	M-118-7425	B-7425	Polypropylene	Black on White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	240	R4300
BMP51, 53	Fig. 2	M-31-7425	B-7425	Polypropylene	Black on White	1.500 (38.10)	1.000 (25.4)	-	250	R4300

Tissue Cassette Labels (B-482 and B-498)

- **B-482 Polyester Material:** White polyester label with superior resistance to tissue processing chemicals and embedding procedures. Use with the BSP™31 Label Attachment System for pre-process tissue cassette ID.
- **B-498 Repositionable Vinyl Cloth Material:** Removable white vinyl cloth for re-identification of post-process tissue cassettes or general lab applications. Can be applied directly onto the cassettes or on top of previous label.





Figure 2





Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Ribbon in Cartridge
BMP51, 53	Fig. 2	M-127-482	B-482	Polyester	Black on White	1.05 (26.6)	0.250 (6.3)	360	R6400
BMP41, 51, 53	Fig. 2	M-11-498	B-498	Vinyl Cloth	Black on White	0.750 (12.7)	0.500 (19.1)	220	R6200

Color Polyester Labels (B-494)

Gloss white polyester with a color border printed on the label allows for differentiation of test specimens within user processes. Vial top labels are solid color. Resistant to common lab chemicals like ethanol and xylene.




Figure 2




Figure 24





Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Secondary Label C Inch (mm)	Labels Per Roll	Ribbon in Cartridge
BMP51	Fig. 24	M-118-494-BL	B-494	Polyester	Black on Blue	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	240	R6400
BMP51	Fig. 24	M-120-494-BL	B-494	Polyester	Black on Blue	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	240	R6400
BMP51	Fig. 2	M-131-494-BL	B-494	Polyester	Black on Blue	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51	Fig. 2	M-49-494-BL	B-494	Polyester	Black on Blue	1.000 (25.4)	1.000 (25.4)	-	260	R6400
BMP51	Fig. 24	M-118-494-GN	B-494	Polyester	Black on Green	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	240	R6400
BMP51	Fig. 24	M-120-494-GN	B-494	Polyester	Black on Green	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	240	R6400
BMP51	Fig. 2	M-131-494-GN	B-494	Polyester	Black on Green	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51	Fig. 2	M-49-494-GN	B-494	Polyester	Black on Green	1.000 (25.4)	1.000 (25.4)	-	260	R6400
BMP51	Fig. 24	M-118-494-OR	B-494	Polyester	Black on Orange	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	240	R6400
BMP51	Fig. 24	M-120-494-OR	B-494	Polyester	Black on Orange	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	240	R6400
BMP51	Fig. 2	M-131-494-OR	B-494	Polyester	Black on Orange	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51	Fig. 2	M-49-494-OR	B-494	Polyester	Black on Orange	1.000 (25.4)	1.000 (25.4)	-	260	R6400
BMP51	Fig. 24	M-118-494-PK	B-494	Polyester	Black on Pink	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	240	R6400
BMP51	Fig. 24	M-120-494-PK	B-494	Polyester	Black on Pink	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	240	R6400
BMP51	Fig. 2	M-131-494-PK	B-494	Polyester	Black on Pink	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51	Fig. 2	M-49-494-PK	B-494	Polyester	Black on Pink	1.000 (25.4)	1.000 (25.4)	-	260	R6400
BMP51	Fig. 24	M-118-494-RD	B-494	Polyester	Black on Red	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	250	R6400
BMP51	Fig. 24	M-120-494-RD	B-494	Polyester	Black on Red	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	240	R6400
BMP51	Fig. 2	M-131-494-RD	B-494	Polyester	Black on Red	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51	Fig. 2	M-49-494-RD	B-494	Polyester	Black on Red	1.000 (25.4)	1.000 (25.4)	-	260	R6400
BMP51	Fig. 24	M-118-494-YL	B-494	Polyester	Black on Yellow	1.000 (25.4)	0.375 (9.5)	0.375 (9.5)	240	R6400
BMP51	Fig. 24	M-120-494-YL	B-494	Polyester	Black on Yellow	1.000 (25.4)	0.500 (12.7)	0.375 (9.5)	240	R6400
BMP51	Fig. 2	M-131-494-YL	B-494	Polyester	Black on Yellow	1.000 (25.4)	0.500 (12.7)	-	180	R6400
BMP51	Fig. 2	M-49-494-YL	B-494	Polyester	Black on Yellow	1.000 (25.4)	1.000 (25.4)	-	260	R6400



Get the job done for less with a Printer Starter Kit

Voice and DataComm Starter Kit

Kit includes:

- Hard case, USB cable and AC power supply
- Self-laminating cable markers (M-21-427)
- Port, faceplate and general ID labels (M-30-422)
- Non-adhesive slide-in strips for punch blocks (MC-475-412)
- Rack and panel labels (MC-1000-595-YL-BK)
- 1.5 in. white label roll for general ID (MC-1500-595-WT-BK)

Catalog #	Description
BMP51-KIT-VD	Starter Kit with BMP51 Label Printer and Li-Ion Battery

Electrical ID Starter Kit

Kit includes:

- Hard case, USB cable and AC power supply
- Self-laminating wire markers (M-103-427)
- Wrap around wire markers (M-18-498)
- PermaSleeve® PS Heat-Shrink Wire Markers (M-187-1-342)
- Panel identification labels (MC-1500-595-OR-BK)
- 1.5 in. white label roll for general ID (MC-1500-595-WT-BK)

Catalog #	Description
BMP51-KIT-EL	Starter Kit with BMP51 Label Printer and Li-Ion Battery

Facility ID Starter Kit

Kit includes:

- Hard case, USB cable and AC power supply
- 1.5 in. yellow label roll with black ribbon (MC-1500-595-YL-BK)
- 1.5 in. white label roll with red ribbon (MC-1500-595-WT-RD)
- 1.5 in. green label roll with white ribbon (MC-1500-595-GN-WT)
- 1.5 in. white label roll with black ribbon (MC-1500-595-WT-BK)
- 2 in. x 1 in. labels for low surface energy labeling (M-20-483)

Catalog #	Description
BMP51-KIT-GI	Starter Kit with BMP51 Label Printer and Li-Ion Battery

Lab ID Starter Kit

Kit includes:

- Hard case, USB cable and AC power supply
- Vial and tube labels (M-156-492)
- Microplate labels (M-81-488)
- Top and side label set for vials and tubes (M-120-492)
- Removable die-cut labels for bottles, beakers, etc. (M-103-498)
- 1.5 in. white label roll for general ID (MC-1500-595-WT-BK)

Catalog #	Description
BMP51-KIT-LS	Starter Kit with BMP51 Label Printer and Li-Ion Battery

BradyPrinter M611 Label Printer

BradyID.com/s36



BradyPrinter M611

MOBILE LABEL PRINTER

Your durable print-from-everywhere solution

The BradyPrinter M611 Mobile Printer, powered by Brady Workstation Software, combines the convenience of your mobile device with the dependable printing capabilities of a Brady printer. This complete solution provides you with a variety of time- and labor-saving advantages, including:

- **Print-from-everywhere capabilities:** Whether you're in the office or in the field, you can easily get your data and keep on printing
- **Fast-to-label software:** Create and edit labels in the field with Brady Workstation Express Labels Mobile App so you can complete the job right the first time
- **On-the-job durability:** Keep printing all day with the long-lasting battery and rugged design
- **Industry-tested materials:** Complete your identification jobs with materials that last

Learn more at BradyID.com/m611

Your complete printing solution:

BradyPrinter M611 label rolls .. page 130
BradyPrinter M611 ribbons ..... page 150

BradyPrinter M611 printer and accessories

Catalog #	Description
M611-AM-BT-W	BradyPrinter M611 Bluetooth / Wi-Fi AC*
M611-BC-KIT1**	BradyPrinter M611* with (1) R6010 ribbon and (2) rolls of 1 in. x 2 in. B-432 labels
BMP-MAGNET-2	Magnet for BradyPrinter M611
BMP-HC-2	Hard case for BradyPrinter M611
BMP-PACK-2	Sling pack for BradyPrinter M611
BMP-STRAP-1	Carrying strap
BMP-SC-2	Soft case
M-AC-143110	AC adapter and battery charger
PCK-5	Cleaning kit 5-pack

** Printer ships with AC adapter / battery charger, USB 2.0 cable, utility strap, PTL-97-488 label material, M61-R4310 ribbon and USB flash drive with product information.*

Printer requires the Brady Workstation Express Labels Mobile App or Brady Workstation Desktop Software (free downloads)



Printer specifications	
Print speed	1.33 in. / sec.
Print and color capabilities	Thermal Transfer / Monochrome
Print resolution	300 dpi
PC compatibility or standalone	Peripheral only, no keyboard
Connectivity options	Bluetooth, Wi-Fi, USB 2.0
Software compatibility	Required. Brady Workstation Express Labels Mobile App (IOS / Android) or Brady Workstation Desktop
Power supply options	Rechargeable Li-Ion, AC power / battery charger / car charger
Standard warranty	2 years
Dimensions	10.974 in. L x 4.459 in. W x 4.553 in. H
Weight	3.52 lbs. (with supplied media and ribbon)
Print features	
Screen size	Custom LCD, color, 3.5 in. QVGA
Backlit screen	Yes
Keyboard style	None
Max print width	1.92 in.
Font types available	Driven by software
Font sizes (pts)	Driven by software
Multi-line label capabilities	Driven by software
Label print rotation	Driven by software
Data serialization	Driven by software
Barcode capabilities and types	Driven by software
Memory capacity	512 MB RAM / 256 MB Flash
Data transfer from PC	Driven by software
Print preview	No
Symbols available	Driven by software
Label supplies	
Label / ribbon supply	Separate label roll and ribbon cartridges
Material formats supported	Continuous, die-cut labels and custom
Media width	0.235 to 2.00 in.
Types of materials	General purpose industrial vinyl, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester non-adhesive tag, polyimide / electronics materials, tamper resistant materials, raised panel labels (engraved plate alternative)
Quantity of label parts available	600+ label parts and customs
Cartridge series	BPTL, BPTDS, BPSPT, BPTLTB, PTL, PSHT, PTLEP, PTS, PTLFP, PSPT, PTPSL, PSFR, PTPS, PTLSL, BM71, BM61, M61, M61C, custom available

Your durable print-from-everywhere solution




Wire and cable marking




PermaSleeve® wire markers



Control panel labels



Patch panel and terminal block ID



Circuit board ID




Facility and safety ID and many more

Keep printing everywhere


Forget the days of wasting time driving back and forth between the office and the jobsite to get new labels for every identification project. The complete BradyPrinter M611 Mobile Label Printer and Brady Workstation Software solution bridges the printing gap between the office and the field. With this combination of mobile software and mobile print connectivity, you get the freedom to push data from the office to the field so your field engineers have everything they need to complete the task at hand. After the job is complete, rely on the high performance of Brady materials to provide long-lasting identification.



Label file created in the office



Labels pushed to the cloud



Labels printed in the field



new

Your one-stop shop for mobile printing

The Brady Workstation Express Labels Mobile App makes mobile printing convenient and simple. This intuitively designed software integrates touchscreen technology for fast and easy label creation, including label resizing using touch and a native keyboard for more natural typing. To make label creation even more convenient, the app features auto-save capabilities, tools to help you easily enter data onto your label and easy-to-use editing tools to keep labeling projects moving smoothly.

BradyPrinter M611 Sling Pack

(Catalog Number: BMP-PACK-2)

This convenient carryall can be used as a full on-the-go print station – with compartments sized to fit your phone, materials and cords so you can keep everything you need together.



BMP®61 Label Printer

BradyID.com/s36



BRADY360 2 YEAR WARRANTY

Learn more at BradyID.com/bmp61

Your complete printing solution:

BMP61 label rolls ..... page 130
BMP61 ribbons ..... page 150

BMP61 label printer and accessories

Catalog #	Description
BMP61-W	BMP61 Label Printer* with Wi-Fi
BMP61	BMP61 Label Printer*
M611-BC-KIT1	BMP61 Label Printer* with (1) R6010 ribbon and (2) rolls of 1 in. x 2 in. B-432 labels
Accessories	
BMP-HC-1	Hardcase Accessory
BMP-SC-2	Soft case
BMP-STRAP-1	Carrying Strap
BMP-MAGNET-1	Magnet Accessory
M-AC-143110	AC Adapter / Battery Charger
BMP41-QC	External Battery Quick Charger
BMP41-BATT	Rechargeable NiHM Battery
BMP61-BATCOV	Battery Cover
BMP61-W-BATCOV	Battery Cover for Wi-Fi Printer
BMP61-CUTTER	Cutter Accessory
PCK-5	Cleaning Kit 5-Pack

** Printer ships with AC adapter / battery charger, NiMH rechargeable battery, USB cord, utility strap, hardcase, PTL-19-423 label material, M61-R6010 ribbon, quick start guide and USB flash drive with product information.*

BMP®61 LABEL PRINTER

Performance that matches your own

The BMP61 Label Printer is designed for quick and efficient identification of wires, cables and components.


- Simple user interface with easy menu, cursor and label navigation
- Large, color touchscreen display to see exactly what the label is going to look like before it's printed
- Die-cut, continuous and custom label supplies up to 2 in. wide (51 mm)
- Data connectivity with a USB 2.0 port (Type A and B) and a USB flash drive so users can save, import and export label files, lists and graphics
- Rugged design with rubber bumpers and tested to survive a 4-foot drop
- Power options include rechargeable NiMH battery or AC power to keep you printing wherever you go





Printer specifications	
Print speed	1.33 in. / sec
Print and color capabilities	Thermal Transfer / Monochrome
Print resolution	300 dpi
PC compatibility or standalone	Standalone and PC connect
Connectivity options	USB / Wi-Fi (factory installed)
Software compatibility	Brady Workstation Apps, Brady Mobile Apps w/ Wi-Fi model, LabelMark™ (6.0 or higher)
Power supply options	Rechargable NiMH battery, AC power / battery changer
Standard warranty	2 years
Dimensions	12.93 in. L x 4.22 in. W x 4.19 in. H
Weight	2.46 lbs. (w/o tape, batteries)
Print features	
Screen size	Touchscreen, LCD, Color, 2.8 in. QVGA
Backlit screen	Yes
Keyboard style	QWERTY
Max print width	1.92 in.
Font types available	(2) Brady Alpine and Brady Fixed Width
Font sizes (pts)	4 through 174, autosizing
Multi-line label capabilities	25
Label print rotation	Yes
Data serialization	Yes, multiple and linked
Barcode capabilities	Code 39, Code 128 and more using Brady Workstation
Memory capacity	512 MB RAM / 256 MB Flash
Data transfer from PC	Yes
Print preview	Yes
Symbols available	450
Label supplies	
Label / ribbon supply	Separate label roll and ribbon cartridges
Material formats supported	Continuous, die-cut labels and custom
Media width	0.235 to 2.00 in.
Types of materials	General purpose industrial vinyl, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, polyimide / electronics materials, tamper resistant materials, raised panel labels (engraved plate alternative)
Quantity of label parts available	600+ label parts and customs
Cartridge series	BPTL, BPTDS, BPSPT, BPTLTB, PTL, PSHT, PTLEP, PTS, PTLFP, PSPT, PTPSL, PSFR, PTPS, PTLSL, BM71, BM61, M61, M61C, custom available

Performance that matches your own




Wire and cable marking




PermaSleeve® wire markers



Asset and equipment ID



Patch panel and terminal block ID



Circuit board ID



Facility and safety ID and many more




Brady Workstation Software

Desktop software for your Brady Printer

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

- Suites designed with you in mind, contain apps for common safety and facility label designs, product and wire label creation, printing workflows and more
- Displays real-time information about the material installed for easy label set up
- Apps feature built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

Learn more on page 176 or download a free trial at Workstation.BradyID.com



Available on the iPhone App Store

ANDROID APP ON Google play

Brady mobile apps for on-the-go printing

We understand that you don't always have your PC with you to design labels. That's why we also offer two Brady Workstation Mobile Apps to enable you to quickly design labels on any iOS device, Android smartphone or Windows tablet and print those labels with your BMP®61 printer (Wi-Fi model required).

- **Brady Workstation Mobile Text Labels**
  Enables you to design professional text-only labels on the spot with your mobile device.

- **Brady Workstation Mobile Print Partner**
  Enables you to complete pre-defined fields with your mobile device using protected company label templates. Simply create your template on your computer and then open the template on your mobile device within the Brady Workstation Mobile Print Partner app from either a local disk (SD-card) or a cloud location, like Google Drive.




TLS2200® and TLS-PC Link™ Owners:

The TLS2200 and TLS-PC Link printers have been discontinued but Brady continues to manufacture and stock label materials, ribbons and accessories for the TLS2200 printer.

1 label roll design = 3 printers*

Most TLS2200 label rolls are also compatible in the BMP61 and BMP71* label printers.

View all label rolls and compatibility on the following pages.



Your TLS2200 Printing Solution:

TLS2200 label rolls ..... page 130
TLS2200 ribbons ..... page 150

** Compatibility with BMP71 requires use of the black M71-media adapter and firmware1.13 or higher. View page 154 for more information.*
*** Each printer requires its own printer-specific ribbon.*

BradyID.com/s36

Wire and Cable Materials

Self-Laminating Vinyl Wire and Cable Labels (B-427)

Labels feature a clear, non-printable area that wraps around print-on area to protect text. Vinyl material offers superior resistance to abrasion, solvents, oil, grease, dirt and water. Temp. range -40° F to 158° F (-40° C to 70° C), UL recognized.




Figure 2




Figure 27




Figure 32




Figure 42b




Figure 43





Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Printable Area C Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 2	PTL-105-427-AW	B-427	Vinyl	White	All White	1.100 (27.9)	0.250 (6.4)	1.100 (27.9)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 27	PTL-74-427	B-427	Vinyl	White	Cables	2.200 (55.88)	0.500 (12.7)	0.500 (12.7)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-10-427	B-427	Vinyl	White	16 to 10	0.250 (6.35)	0.750 (19.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-11-427	B-427	Vinyl	White	16 to 10	0.500 (12.7)	0.750 (19.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-96-427	B-427	Vinyl	White	16 to 10	1.000 (25.4)	0.750 (19.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-427-AW	B-427	Vinyl	White	All White	1.500 (38.1)	0.750 (19.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-17-427	B-427	Vinyl	White	12 to 10	0.500 (12.7)	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-18-427	B-427	Vinyl	White	10 to 4	0.750 (19.05)	1.000 (25.4)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427	B-427	Vinyl	White	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-104-427	B-427	Vinyl	White	12 to 10	1.500 (38.1)	1.000 (25.4)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-87-427	B-427	Vinyl	White	12 to 10	1.750 (44.45)	1.000 (25.4)	1.750 (44.5)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-78-427-AW	B-427	Vinyl	White	All White	1.900 (48.26)	1.000 (25.4)	1.900 (48.2)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-102-427	B-427	Vinyl	White	10 to 4	0.500 (12.7)	1.250 (31.8)	0.500 (12.7)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-103-427	B-427	Vinyl	White	10 to 4	1.000 (25.4)	1.250 (31.8)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427	B-427	Vinyl	White	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427	B-427	Vinyl	White	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427	B-427	Vinyl	White	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427	B-427	Vinyl	White	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427	B-427	Vinyl	White	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-88-427	B-427	Vinyl	White	10 to 4	1.750 (44.45)	1.500 (38.1)	1.750 (44.5)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-107-427	B-427	Vinyl	White	10 to 4	2.000 (50.8)	1.500 (38.1)	2.000 (50.8)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427	B-427	Vinyl	White	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-157-427	B-427	Vinyl	White	Cables	1.500 (38.1)	2.500 (63.5)	1.500 (38.1)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-75-427	B-427	Vinyl	White	Cables	1.000 (25.4)	2.625 (66.68)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-66-427	B-427	Vinyl	White	Cables	1.938 (49.23)	3.150 (80)	1.938 (49.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 43	PTL-64-427	B-427	Vinyl	White	Cables	1.000 (25.4)	3.375 (85.7)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427	B-427	Vinyl	White	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427	B-427	Vinyl	White	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-109-427	B-427	Vinyl	White	Cables	1.500 (38.1)	4.000 (101.6)	1.500 (38.1)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427	B-427	Vinyl	White	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310
M611, BMP61, 71*, TLS	Fig. 42b	PTL-106-427	B-427	Vinyl	White	–	1.500 (38.1)	50 ft. (15.24 m)	-	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-10-427-YL	B-427	Vinyl	Yellow	16 to 10	0.250 (6.35)	0.750 (19.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-11-427-YL	B-427	Vinyl	Yellow	16 to 10	0.500 (12.7)	0.750 (19.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-17-427-YL	B-427	Vinyl	Yellow	12 to 10	0.500 (12.7)	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-18-427-YL	B-427	Vinyl	Yellow	10 to 4	0.750 (19.05)	1.000 (25.4)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-YL	B-427	Vinyl	Yellow	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-YL	B-427	Vinyl	Yellow	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-YL	B-427	Vinyl	Yellow	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-YL	B-427	Vinyl	Yellow	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-YL	B-427	Vinyl	Yellow	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-YL	B-427	Vinyl	Yellow	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-YL	B-427	Vinyl	Yellow	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-YL	B-427	Vinyl	Yellow	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-YL	B-427	Vinyl	Yellow	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-YL	B-427	Vinyl	Yellow	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310

Self-Laminating Labels continue on next page.

Wire and Cable Materials






Figure 32

Self-Laminating Vinyl Wire and Cable Labels (continued)

Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Printable Area C Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-RD	B-427	Vinyl	Red	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-RD	B-427	Vinyl	Red	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-RD	B-427	Vinyl	Red	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-RD	B-427	Vinyl	Red	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-RD	B-427	Vinyl	Red	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-RD	B-427	Vinyl	Red	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-RD	B-427	Vinyl	Red	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-RD	B-427	Vinyl	Red	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-RD	B-427	Vinyl	Red	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-RD	B-427	Vinyl	Red	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-GR	B-427	Vinyl	Green	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-GR	B-427	Vinyl	Green	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-GR	B-427	Vinyl	Green	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-GR	B-427	Vinyl	Green	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-GR	B-427	Vinyl	Green	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-GR	B-427	Vinyl	Green	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-GR	B-427	Vinyl	Green	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-GR	B-427	Vinyl	Green	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-GR	B-427	Vinyl	Green	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-GR	B-427	Vinyl	Green	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-OR	B-427	Vinyl	Orange	10 to 4	1.500 (38.1)	0.750 (19.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-OR	B-427	Vinyl	Orange	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-OR	B-427	Vinyl	Orange	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-OR	B-427	Vinyl	Orange	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-OR	B-427	Vinyl	Orange	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-OR	B-427	Vinyl	Orange	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-OR	B-427	Vinyl	Orange	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-OR	B-427	Vinyl	Orange	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-OR	B-427	Vinyl	Orange	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-OR	B-427	Vinyl	Orange	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310

Self-Laminating Labels continue on next page.


Self-Laminating Label Heights

If you know your wire diameter or wire circumference, you can easily determine the correct label height by using the formula below:

Step 1: wire dia. x 3.147 (pi) = wire circumference

Step 2: wire circumference x 1.5 = total label height needed

(Multipying by 1.5 allows the label to wrap around the wire 1.5 times)



BradyID.com/s36

Wire and Cable Materials






Figure 32

Self-Laminating Vinyl Wire and Cable Labels (continued)

Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Printable Area C Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-BL	B-427	Vinyl	Blue	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-BL	B-427	Vinyl	Blue	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-BL	B-427	Vinyl	Blue	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-BL	B-427	Vinyl	Blue	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-BL	B-427	Vinyl	Blue	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-BL	B-427	Vinyl	Blue	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-BL	B-427	Vinyl	Blue	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-BL	B-427	Vinyl	Blue	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-BL	B-427	Vinyl	Blue	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-BL	B-427	Vinyl	Blue	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-PL	B-427	Vinyl	Purple	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-PL	B-427	Vinyl	Purple	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-PL	B-427	Vinyl	Purple	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-PL	B-427	Vinyl	Purple	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-PL	B-427	Vinyl	Purple	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-PL	B-427	Vinyl	Purple	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-PL	B-427	Vinyl	Purple	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-PL	B-427	Vinyl	Purple	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-PL	B-427	Vinyl	Purple	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-PL	B-427	Vinyl	Purple	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-BR	B-427	Vinyl	Brown	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-BR	B-427	Vinyl	Brown	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-BR	B-427	Vinyl	Brown	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-BR	B-427	Vinyl	Brown	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-BR	B-427	Vinyl	Brown	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-BR	B-427	Vinyl	Brown	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-BR	B-427	Vinyl	Brown	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-BR	B-427	Vinyl	Brown	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-BR	B-427	Vinyl	Brown	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-BR	B-427	Vinyl	Brown	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-427-GY	B-427	Vinyl	Gray	12 to 10	1.000 (25.4)	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-28-427-GY	B-427	Vinyl	Gray	10 to 4	0.250 (6.35)	1.500 (38.1)	0.250 (6.35)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-29-427-GY	B-427	Vinyl	Gray	10 to 4	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-30-427-GY	B-427	Vinyl	Gray	10 to 4	0.750 (19.05)	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-427-GY	B-427	Vinyl	Gray	10 to 4	1.000 (25.4)	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-32-427-GY	B-427	Vinyl	Gray	10 to 4	1.500 (38.1)	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-427-GY	B-427	Vinyl	Gray	Cables	1.000 (25.4)	2.500 (63.5)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-23-427-GY	B-427	Vinyl	Gray	Cables	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-33-427-GY	B-427	Vinyl	Gray	Cables	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-34-427-GY	B-427	Vinyl	Gray	Cables	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50	M61-R4310

Self-Extinguishing Polyvinylfluoride Labels (B-642)

Clear Polyvinylfluoride film with a white printable zone and a translucent overlaminating area offers excellent flexibility for wrapping around small diameter wires. Material features self-extinguishing properties and is solvent resistant.




Figure 32



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Printer Area C Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 32	PTL-19-642	B-642	Polyvinylfluoride	White	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-31-642	B-642	Polyvinylfluoride	White	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 32	PTL-21-642	B-642	Polyvinylfluoride	White	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	100	M61-R4310

Wire and Cable Materials

Vinyl and Nylon Cloth Wire and Cable Labels (B-498 and B-499)

- **B-498 Repositionable Vinyl Cloth:** Adhesive and cloth backing offers excellent holding power, yet allow for clean removal and repositioning if necessary. Temp. range: -40° F to 175° F (-40° C to 70° C). UL recognized
- **B-499 Nylon Cloth Material:** Permanent adhesive. Pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized





Figure 2





Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-498 Repositionable Vinyl Cloth										
M611, BMP61, 71*, TLS	Fig. 2	PTL-7-498	B-498	Vinyl	White	22 to 16	0.500 (12.7)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-15-498	B-498	Vinyl	White	22 to 16	1.000 (25.4)	0.275 (7)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-10-498	B-498	Vinyl	White	16 to 10	0.250 (6.35)	0.750 (19.1)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-11-498	B-498	Vinyl	White	16 to 10	0.500 (12.7)	0.750 (19.1)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-498	B-498	Vinyl	White	12 to 10	0.375 (9.53)	1.000 (25.4)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-498	B-498	Vinyl	White	12 to 10	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-19-498	B-498	Vinyl	White	12 to 10	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-18-498	B-498	Vinyl	White	10 to 4	0.750 (19.05)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-498	B-498	Vinyl	White	10 to 4	0.750 (19.05)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-498	B-498	Vinyl	White	10 to 4	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-28-498	B-498	Vinyl	White	10 to 4	1.500 (38.1)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-498	B-498	Vinyl	White	10 to 4	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-32-498	B-498	Vinyl	White	10 to 4	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-21-498	B-498	Vinyl	White	-	1.000 (25.4)	2.500 (63.5)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-23-498	B-498	Vinyl	White	-	1.000 (25.4)	4.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-33-498	B-498	Vinyl	White	-	1.500 (38.1)	4.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-34-498	B-498	Vinyl	White	-	1.500 (38.1)	6.000 (152.4)	50	M61-R4310
B-499 Nylon Cloth										
M611, BMP61, 71*, TLS	Fig. 2	PTL-7-499	B-499	Vinyl	White	22 to 16	0.500 (12.7)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-11-499	B-499	Vinyl	White	16 to 10	0.500 (12.7)	0.750 (19.1)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-499	B-499	Vinyl	White	12 to 10	0.375 (9.53)	1.000 (25.4)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-19-499	B-499	Vinyl	White	12 to 10	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-499	B-499	Vinyl	White	10 to 4	0.500 (12.7)	1.500 (38.1)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-18-499	B-499	Vinyl	White	10 to 4	0.750 (19.05)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-499	B-499	Vinyl	White	10 to 4	0.750 (19.05)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-499	B-499	Vinyl	White	10 to 4	1.000 (25.4)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-28-499	B-499	Vinyl	White	10 to 4	1.500 (38.1)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-117-499	B-499	Vinyl	White	-	0.900 (22.86)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-84-499	B-499	Vinyl	White	-	0.900 (22.86)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-98-499	B-499	Vinyl	White	-	1.000 (25.4)	0.375 (9.5)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-21-499	B-499	Vinyl	White	-	1.000 (25.4)	2.500 (63.5)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-23-499	B-499	Vinyl	White	-	1.000 (25.4)	4.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-81-499	B-499	Vinyl	White	-	1.900 (48.26)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-78-499	B-499	Vinyl	White	-	1.900 (48.26)	1.000 (25.4)	250	M61-R4310

High-Temperature Wire and Cable Labels (B-437)

Polyvinylfluoride material for applications where high temperature and self-extinguishing features are required. Heavy-duty performance with excellent resistance to water, oil and other fluids. Meets MIL–M-87958 Standard. Temp. range: -94° F to 275° F (-70° C to 135° C). ROHS compliant.




Figure 2




Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 2	PTL-9-437	B-437	Polyvinylfluoride	White	0.650 (16.51)	0.200 (5.1)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-10-437	B-437	Polyvinylfluoride	White	0.750 (19.05)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-15-437	B-437	Polyvinylfluoride	White	1.000 (25.4)	0.275 (7)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-437	B-437	Polyvinylfluoride	White	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 33	PTL-41-437-WT	B-437	Polyvinylfluoride	White	1.500 (38.1)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 33	PTL-41-437-YL	B-437	Polyvinylfluoride	Yellow	1.500 (38.1)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310

BradyPrinter M611 / BMP®61 Materials

BradyID.com/s36

Wire and Cable Materials

Polypropylene Flags (B-425 and B-8425)

- **B-425 Polypropylene Solvent-Resistant Material:** Matte white polypropylene with excellent solvent resistance and print performance; not recommended for long-term outdoor use
- **B-8425 Polypropylene Solvent-Resistant Material:** Glossy white polypropylene with excellent solvent resistance and print performance; not recommended for long-term outdoor use




Figure 2




Figure 47




Figure 48





Figure 78



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-425 Permanent Polypropylene									
M611, BMP61, 71*, TLS	Fig. 48	PTLFT-01-425	B-425	Polypropylene	White	1.180 (29.97)	0.788 (20)	250	M61-R6210
M611, BMP61, 71*, TLS	Fig. 47	PTLFP-01-425	B-425	Polypropylene	White	1.180 (29.97)	0.788 (20)	250	M61-R6210
M611, BMP61, 71*, TLS	Fig. 78	PTLFT-54-425	B-425	Polypropylene	White	1.490 (37.85)	1.575 (40)	100	M61-R6210
M611, BMP61, 71*, TLS	Fig. 78	PTLFP-02-425	B-425	Polypropylene	White	1.750 (44.45)	1.000 (25.4)	100	M61-R6210
B-8425 Permanent Polypropylene									
M611, BMP61, 71*, TLS	Fig. 2	PTL-10-8425	B-8425	Polypropylene	White	0.750 (19.05)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 47	PTLFP-01-8425	B-8425	Polypropylene	White	1.180 (29.97)	0.788 (20)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 48	PTLFT-01-8425	B-8425	Polypropylene	White	1.180 (29.97)	0.788 (20)	250	M61-R6010

Non-Adhesive Polypropylene Tags (B-109 and B-412)

- **B-109 Non-Adhesive Polyethylene Tags:** Multi-purpose tags for identifying multi-conductor cables. Good weatherability and legibility after solvent exposure
- **B-412 Non-Adhesive Polypropylene Tags**: Thick polypropylene material for hardware identification. High print legibility and high tensile strength




Figure 28




Figure 45




Figure 55




Figure 56



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-109 Non-Adhesive Polyethylene Tag									
M611, BMP61, 71*, TLS	Fig. 56	PTL-12-109	B-109	Polyethylene	White	0.750 (19.05)	3.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 45	PTL-36-109	B-109	Polyethylene	White	1.750 (44.45)	1.125 (28.6)	250	M61-R4310
B-412 Non-Adhesive Polypropylene Tag									
M611, BMP61, 71*, TLS	Fig. 28	PTL-55-412	B-412	Polypropylene	White	0.230 (5.84)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 28	PTL-56-412	B-412	Polypropylene	White	0.375 (9.53)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 28	PTL-57-412	B-412	Polypropylene	White	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 28	PTL-58-412	B-412	Polypropylene	White	0.535 (13.59)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 28	PTL-59-412	B-412	Polypropylene	White	0.785 (19.94)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 55	PTL-40-412	B-412	Polypropylene	White	1.938 (49.23)	0.375 (9.5)	750	M61-R4310

Polyethylene Tags (B-145 and B-145FR)

Non-adhesive tag material for identifying multi-conductor cable, equipment, safety warning repair and work-in progress. B-145FR features fire-retardant properties.




Figure 50




Figure 50a



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-145 Polyethylene Tag Material									
M611, BMP61	Fig. 50a	M61-144-145-GY	B-145	Polyethylene	Gray	0.758 (19.3)	1.206 (30.63)	100	M61-R6010
M611, BMP61	Fig. 50a	BM61-144-145-GY	B-145	Polyethylene	Gray	0.758 (19.3)	1.206 (30.63)	900	M61-R6010
M611, BMP61	Fig. 50a	M61-145-145-GY	B-145	Polyethylene	Gray	1.000 (25.4)	1.750 (44.45)	100	M61-R6010
M611, BMP61	Fig. 50a	BM61-145-145-GY	B-145	Polyethylene	Gray	1.000 (25.4)	1.750 (44.45)	650	M61-R6010
B-145FR Flame-Retardant Polyethylene Tag Material									
M611, BMP61	Fig. 50a	M61-144-145FR-GY	B-145FR	Polyethylene	Gray	0.758 (19.3)	1.206 (30.63)	100	M61-R6010
M611, BMP61	Fig. 50a	BM61-144-145FR-GY	B-145FR	Polyethylene	Gray	0.758 (19.3)	1.206 (30.63)	900	M61-R6010
M611, BMP61	Fig. 50a	M61-145-145FR-GY	B-145FR	Polyethylene	Gray	1.000 (25.4)	1.750 (44.45)	100	M61-R6010
M611, BMP61	Fig. 50a	BM61-145-145FR-GY	B-145FR	Polyethylene	Gray	1.000 (25.4)	1.750 (44.45)	650	M61-R6010
The following tags are only compatible with the BMP71 and TLS 2200 printers									
BMP71*, TLS ONLY	Fig. 50	PTL-111-145-GY	B-145	Polyethylene	Gray	1.206 (30.63)	0.758 (19.3)	100	R6210 (TLS ribbon)
BMP71*, TLS ONLY	Fig. 50	PTL-110-145-GY	B-145	Polyethylene	Gray	1.750 (44.45)	1.000 (25.4)	100	R6210 (TLS ribbon)
BMP71*, TLS ONLY	Fig. 50	PTL-111-145FR-GY	B-145FR	Polyethylene	Gray	1.206 (30.63)	0.758 (19.3)	100	R6210 (TLS ribbon)
BMP71*, TLS ONLY	Fig. 50	PTL-110-145FR-GY	B-145FR	Polyethylene	Gray	1.750 (44.45)	1.000 (25.4)	100	R6210 (TLS ribbon)

Wire and Cable Materials

Durasleeve® Wire Marking Inserts (B-390)

Matte white polypropylene material is designed to be printed and affixed to a wire using extruded, clear PVC wire-marking carriers (sold separately).





Figure 38



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 38	BPTDS-15-390	B-390	Polypropylene	White	0.590 (15)	0.163 (4.14)	3000	M61-R6010
M611, BMP61, 71*, TLS	Fig. 38	PTDS-15-390	B-390	Polypropylene	White	0.590 (15)	0.163 (4.14)	300	M61-R6010
M611, BMP61, 71*, TLS	Fig. 38	BPTDS-30-390	B-390	Polypropylene	White	1.181 (30)	0.163 (4.14)	3000	M61-R6010
M611, BMP61, 71*, TLS	Fig. 38	PTDS-30-390	B-390	Polypropylene	White	1.181 (30)	0.163 (4.14)	300	M61-R6010

0.590 in. wide clear carriers

Catalog #	Carrier Width Inch (mm)	Wire Outside Diamenter Inch (mm)	Wire Gauge	Qty/ Pkg
DMC-1.3/3-15	0.590 (14.98)	0.051 (1.30) to 0.118 (3.00)	20 to 12	2000
DMC-2.5/5-15	0.590 (14.98)	0.098 (2.50) to 0.197 (500)	16 to 10	3000
DMC-4/10-15	0.590 (14.98)	0.157 (4.00) to 0.393 (10.00)	10 to 4	4000
DMC-8/16-15	0.590 (14.98)	0.315 (8.00) to 0.630 (16.00)	6 to 250	7500

1.180 in. wide clear carriers

Catalog #	Carrier Width Inch (mm)	Wire Outside Diamenter Inch (mm)	Wire Gauge	Qty/ Pkg
DMC-1.3/3-30	1.180 (29.97)	0.051 (1.30) to 0.118 (3.00)	20 to 12	500
DMC-2.5/5-30	1.180 (29.97)	0.098 (2.50) to 0.197 (500)	16 to 10	100
DMC-4/10-30	1.180 (29.97)	0.157 (4.00) to 0.393 (10.00)	10 to 4	200
DMC-8/16-30	1.180 (29.97)	0.315 (8.00) to 0.630 (16.00)	6 to 250	250

BradySleeve™ Wire Markers (B-321)

Heat-shrinkable polyolefin sleeve with excellent resistance to oil and solvents.





Figure 36



Fits Printers	Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Minimum Wire Dia. Inch (mm)	Maximum Wire Dia. Inch (mm)	Diameter as Supplied B Inch (mm)	Sleeve Width A Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, TLS	Fig. 36	PTS-0.45-350-321	B-321	Polyolefin	White	16 to 10	0.075 (1.91)	0.160 (4.06)	0.450 (11.43)	0.350 (8.9)	500	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-0.95-350-321	B-321	Polyolefin	White	16 to 10	0.075 (1.91)	0.160 (4.06)	0.950 (24.13)	0.350 (8.9)	500	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-1.90-350-321	B-321	Polyolefin	White	16 to 10	0.075 (1.91)	0.160 (4.06)	1.900 (48.26)	0.350 (8.9)	500	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-0.45-500-321	B-321	Polyolefin	White	10 to 8	0.160 (4.06)	0.235 (5.97)	0.450 (11.43)	0.500 (12.7)	500	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-0.95-500-321	B-321	Polyolefin	White	10 to 8	0.160 (4.06)	0.235 (5.97)	0.950 (24.13)	0.500 (12.7)	500	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-1.90-500-321	B-321	Polyolefin	White	10 to 8	0.160 (4.06)	0.235 (5.97)	1.900 (48.26)	0.500 (12.7)	250	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-0.95-750-321	B-321	Polyolefin	White	4 to 2	0.335 (8.51)	0.390 (9.91)	0.950 (24.13)	0.750 (19.1)	250	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-1.90-750-321	B-321	Polyolefin	White	4 to 2	0.335 (8.51)	0.390 (9.91)	1.900 (48.26)	0.750 (19.1)	250	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-0.95-1000-321	B-321	Polyolefin	White	1 to 0	0.375 (9.53)	0.540 (13.72)	0.950 (24.13)	1.000 (25.4)	250	M61-R6210
M611, BMP61, TLS	Fig. 36	PTS-1.90-1000-321	B-321	Polyolefin	White	1 to 0	0.375 (9.5)	0.540 (13.72)	1.900 (48.26)	1.000 (25.4)	250	M61-R6210

PermaSleeve® FR Fluid-Resistant Wire Markers (B-344)

3:1 heat-shrinkable wire marking sleeves fit snugly around wires for identification and protection and offer greater resistance to harsh chemicals such as fuels, lubricants and cleaning solvents. Temp. range: -67° F to 275° F (-55° C to 135° C).

Meets specifications:

- SAE-AMS-DTL23053/6 (Class 1)
- SAE-AS-81531
- MIL-STD-202G, method 215K

Tested per:

- ASTM E162
- ASTM E662
- MIL-STD-202G




Figure 44



Fits Printers	Figure		Catalog #	Color	Approx. Wire Gauge	Minimum Wire Dia. Inch (mm)	Maximum Wire Dia. Inch (mm)	Diameter as Supplied B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Qty. Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 44	**	PSFR-187-175-WT	White	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	**	PSFR-250-1-WT	White	20 to 10	0.083 (2.1)	0.215 (5.5)	0.250 (6.4)	0.083 (2.1)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	**	PSFR-500-1-WT	White	8 to 1	0.166 (4.2)	0.450 (11.4)	0.500 (12.7)	0.166 (4.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	**	PSFR-250-1-YL	Yellow	20 to 10	0.083 (2.1)	0.215 (5.5)	0.250 (6.4)	0.083 (2.1)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	**	PSFR-250-175-YL	Yellow	20 to 10	0.083 (2.1)	0.215 (5.5)	0.250 (6.4)	0.083 (2.1)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	**	PSFR-750-175-BK	Black	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	1.750 (44.5)	100	M61-R6710-WT

** ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

BradyID.com/s36

Wire and Cable Materials

PermaSleeve® PS Polyolefin Wire Markers (B-342)

Military / industrial grade sleeves offer the ultimate in marker durability, permanence and aesthetic appearance. 3:1 heat-shrinkable markers fit snugly around wires, are fade-resistant and flame-retardant. Temp range: -67° F to 275° F (-55° C to 130° C). RoHS compliant and UL recognized.

Meets specifications:
- SSAE-AS-23053/5
- SAE-AS-81531

Tested per:
- ASTM E162
- ASTM E662
- MIL-STD-202




Figure 44




Figure 77





Fits Printers	Figure	Catalog #	Color	Approx. Wire Gauge	Minimum Wire Dia. Inch (mm)	Maximum Wire Dia. Inch (mm)	Diameter as Supplied B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Qty. Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-1-WT	White	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-175-WT	White	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-094-2-WT-R	White	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-1-WT	White	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-175-WT	White	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-125-2-WT-R	White	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-1-WT	White	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-175-WT	White	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-187-2-WT-R	White	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-1-WT	White	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-175-WT	White	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-250-2-WT-R	White	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-1-WT	White	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-175-WT	White	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-375-2-WT-R	White	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-1-WT	White	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-175-WT	White	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-500-2-WT-R	White	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-750-1-WT	White	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-750-175-WT	White	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-750-2-WT-R	White	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-1-WT	White	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.000 (25.4)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-WT	White	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-1000-2-WT-R	White	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-1-YL	Yellow	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-175-YL	Yellow	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-094-2-YL-R	Yellow	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-1-YL	Yellow	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-175-YL	Yellow	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-125-2-YL-R	Yellow	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-1-YL	Yellow	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-175-YL	Yellow	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-187-2-YL-R	Yellow	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-1-YL	Yellow	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-175-YL	Yellow	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-250-2-YL-R	Yellow	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-1-YL	Yellow	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-175-YL	Yellow	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-375-2-YL-R	Yellow	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-1-YL	Yellow	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-175-YL	Yellow	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-500-2-YL-R	Yellow	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-750-1-YL	Yellow	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-750-175-YL	Yellow	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-750-2-YL-R	Yellow	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	2.000 (50.8)	70	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-1-YL	Yellow	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.000 (25.4)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-YL	Yellow	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-1000-2-YL-R	Yellow	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	2.000 (50.8)	70	M61-R6610

** ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

Wire and Cable Materials

PSPT PermaSleeves (continued)

Fits Printers	Figure	Catalog #	Color	Approx. Wire Gauge	Minimum Wire Dia. Inch (mm)	Maximum Wire Dia. Inch (mm)	Diameter as Supplied B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Qty. Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-094-2-BK-R	Black	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-1-BK	Black	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-125-2-BK-R	Black	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-1-BK	Black	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-175-BK	Black	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-2-BK-R	Black	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-1-BK	Black	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-2-BK-R	Black	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-2-BK-R	Black	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-175-BK	Black	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-500-2-BK-R	Black	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 77	** PSPT-750-2-BK-R	Black	8 to 1	0.250 (6.4)	0.700 (17.8)	0.750 (19.1)	0.250 (6.4)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-2-BK-R	Black	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	2.000 (50.8)	70	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-BK	Black	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-1-BL	Blue	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-175-BL	Blue	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-1-BL	Blue	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-1-BL	Blue	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-1-BL	Blue	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-175-BL	Blue	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-175-BL	Blue	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-BL	Blue	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-1-GR	Green	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-175-GR	Green	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-1-GR	Green	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-175-GR	Green	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-175-GR	Green	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-175-GR	Green	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-175-GR	Green	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-GR	Green	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-1-OR	Orange	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-175-OR	Orange	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-175-OR	Orange	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-175-OR	Orange	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-1-OR	Orange	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-175-OR	Orange	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-1-OR	Orange	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-175-OR	Orange	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-1-OR	Orange	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-OR	Orange	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-094-1-RD	Red	28 to 18	0.023 (0.6)	0.080 (2)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-125-1-RD	Red	22 to 16	0.046 (1.2)	0.110 (2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-1-RD	Red	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-175-RD	Red	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-1-RD	Red	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-175-RD	Red	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-1-RD	Red	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-175-RD	Red	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-175-RD	Red	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-RD	Red	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-250-1-PK	Pink	16 to 10	0.094 (2.4)	0.215 (5.5)	0.250 (6.4)	0.094 (2.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-175-PK	Pink	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-PK	Pink	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-187-1-VT	Violet	18 to 12	0.062 (1.6)	0.150 (3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-VT	Violet	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-375-1-GY	Gray	12 to 6	0.125 (3.2)	0.320 (8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-GY	Gray	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-500-175-BR	Brown	8 to 1	0.187 (4.8)	0.450 (11.4)	0.500 (12.7)	0.187 (4.8)	1.750 (44.5)	100	M61-R6710-WT
M611, BMP61, 71*, TLS	Fig. 44	** PSPT-1000-175-BR	Brown	500 to 1	0.375 (9.5)	0.950 (24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	50	M61-R6710-WT

** ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

BradyID.com/s36

Wire and Cable Materials

PermaSleeve® PSHT High-Heat Wire Markers (B-345)

2:1 heat-shrinkable wire marking sleeves specifically designed for high-temperature and low-vacuum outgassing applications. Made from irradiated high-temperature PVDF. Temp. range: -67° F to 437° F (-55° C to 225° C). RoHS compliant and UL recognized.

Meets specifications:
- NASA SP-R-0022A Outgassing Performance
- SAE-AS-81531
- MIL-STD-202

Tested per:
- SAE-AMS-DTL-23053/18, Class 2
- ASTM E162
- ASTM E662




Figure 44




Fits Printers	Figure	Catalog #	Color	Approx. Wire Gauge	Minimum Wire Dia. Inch (mm)	Maximum Wire Dia. Inch (mm)	Diameter as Supplied B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Qty. Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 44	PSHT-094-1-WT	White	26 to 18	0.031 (0.8)	0.080 (2)	0.094 (2.4)	0.031 (0.8)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-094-175-WT	White	26 to 18	0.031 (0.8)	0.080 (2)	0.094 (2.4)	0.031 (0.8)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-1-WT	White	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-175-WT	White	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-187-1-WT	White	16 to 12	0.094 (2.4)	0.150 (3.8)	0.187 (4.8)	0.094 (2.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-187-175-WT	White	16 to 12	0.094 (2.4)	0.150 (3.8)	0.187 (4.8)	0.094 (2.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-250-1-WT	White	14 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-250-175-WT	White	14 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-375-1-WT	White	10 to 6	0.187 (4.7)	0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-375-175-WT	White	10 to 6	0.187 (4.7)	0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-500-1-WT	White	8 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-500-175-WT	White	8 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-750-1-WT	White	4	0.375 (9.5)	0.700 (17.8)	0.750 (19.1)	0.375 (9.5)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-750-175-WT	White	4	0.375 (9.5)	0.700 (17.8)	0.750 (19.1)	0.375 (9.5)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-1000-1-WT	White	-	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.450 (11.4)	1.000 (25.4)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-1000-175-WT	White	-	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.450 (11.4)	1.750 (44.5)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-094-1-YL	Yellow	26 to 18	0.031 (0.8)	0.080 (2)	0.094 (2.4)	0.031 (0.8)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-094-175-YL	Yellow	26 to 18	0.031 (0.8)	0.080 (2)	0.094 (2.4)	0.031 (0.8)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-1-YL	Yellow	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-175-YL	Yellow	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-250-1-YL	Yellow	14 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-250-175-YL	Yellow	14 to 8	0.125 (3.2)	0.215 (5.5)	0.250 (6.4)	0.125 (3.2)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-187-1-YL	Yellow	16 to 12	0.094 (2.4)	0.150 (3.8)	0.187 (4.8)	0.094 (2.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-187-175-YL	Yellow	16 to 12	0.094 (2.4)	0.150 (3.8)	0.187 (4.8)	0.094 (2.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-375-1-YL	Yellow	10 to 6	0.187 (4.7)	0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-375-175-YL	Yellow	10 to 6	0.187 (4.7)	0.320 (8.1)	0.375 (9.5)	0.187 (4.7)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-500-1-YL	Yellow	8 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-500-175-YL	Yellow	8 to 1	0.250 (6.4)	0.450 (11.4)	0.500 (12.7)	0.250 (6.4)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-750-1-YL	Yellow	4	0.375 (9.5)	0.700 (17.8)	0.750 (19.1)	0.375 (9.5)	1.000 (25.4)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-750-175-YL	Yellow	4	0.375 (9.5)	0.700 (17.8)	0.750 (19.1)	0.375 (9.5)	1.750 (44.5)	100	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-1000-1-YL	Yellow	-	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.450 (11.4)	1.000 (25.4)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-1000-175-YL	Yellow	-	0.450 (11.4)	0.950 (24.1)	1.000 (25.4)	0.450 (11.4)	1.750 (44.5)	50	M61-R6610
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-1-BK	Black	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.000 (25.4)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-1-BL	Blue	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.000 (25.4)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-175-BL	Blue	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.750 (44.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 44	PSHT-187-175-BL	Blue	16 to 12	0.094 (2.4)	0.150 (3.8)	0.187 (4.8)	0.094 (2.4)	1.750 (44.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 44	PSHT-125-1-PK	Pink	20 to 16	0.063 (1.6)	0.110 (2.8)	0.125 (3.2)	0.063 (1.6)	1.000 (25.4)	100	M61-R6610

Wire and Cable Materials

Terminal Block and Patch Panel Adhesive Strips (B-422, B-428, B-430, B-483 and B-498)

When using terminal block mode, printer can serialize and pre-space to your special thin widths to fit terminal blocks.

- **B-422 Glossy Polyester Material:** Permanent adhesive, good for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized
- **B-428 Metallized Polyester Material:** Permanent adhesive, silver finish. Temp. range: -40° F to 176° F (-40° C to 80° C). UL recognized
- **B-430 Clear Glossy Polyester Material:** Translucent, high performance polyester material with a glossy finish. Non-colored label with permanent adhesive. Good for general purpose thermal transfer printing
- **B-483 Polyester Material:** Permanent adhesive for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized
- **B-498 Repositionable Vinyl Cloth:** Aadhesive and cloth backing offers excellent holding power, yet allow for clean removal and repositioning if necessary. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized






Figure 30




Figure 33




Figure 34
w/ perforations

Improved registration! The M61C- parts below come on a notched liner which helps the BMP61 printer achieve improved registration.

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-422 Polyester									
M611, BMP61, 71*	Fig. 33	M61C-375-422	B-422	Polyester	White	0.375 (9.53)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*	Fig. 33	M61C-475-422	B-422	Polyester	White	0.475 (12.07)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*	Fig. 33	M61C-500-422	B-422	Polyester	White	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*	Fig. 33	M61C-625-422	B-422	Polyester	White	0.625 (15.88)	50 (15.24)	1 roll (cont.)	M61-R6010
B-428 Metallized Polyester									
M611, BMP61, 71*	Fig. 33	M61C-500-428	B-428	Polyester	Light Gray	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R4310
B-430 Clear Polyester									
M611, BMP61, 71*	Fig. 33	M61C-375-430	B-430	Polyester	Clear	0.375 (9.53)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*	Fig. 33	M61C-500-430	B-430	Polyester	Clear	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
B-483 Ultra-Aggressive Polyester									
M611, BMP61, 71*	Fig. 30	M61C-500-483	B-483	Polyester	White	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
B-498 Repositionable Vinyl Cloth									
M611, BMP61, 71*	Fig. 30	M61C-240-498	B-498	Vinyl Cloth	White	0.240 (6.1)	30 (9.14)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 30	PTLTB-498-240	B-498	Vinyl Cloth	White	0.240 (6.1)	30 (9.14)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 30	BPTLTB-498-240	B-498	Vinyl Cloth	White	0.240 (6.1)	300 (91.44)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*	Fig. 30	M61C-318-498	B-498	Vinyl Cloth	White	0.318 (8.08)	30 (9.14)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 30	PTLTB-498-318	B-498	Vinyl Cloth	White	0.318 (8.08)	30 (9.14)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 30	BPTLTB-498-318	B-498	Vinyl Cloth	White	0.318 (8.08)	300 (91.44)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*	Fig. 30	M61C-375-498	B-498	Vinyl Cloth	White	0.375 (9.53)	30 (9.14)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 30	PTLTB-498-375	B-498	Vinyl Cloth	White	0.375 (9.53)	30 (9.14)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 30	BPTLTB-498-375	B-498	Vinyl Cloth	White	0.375 (9.53)	300 (91.44)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 30	PTL-8-498	B-498	Vinyl Cloth	White	0.500 (12.7)	30 (9.14)	1 roll (cont.)	M61-R4310

BradyID.com/s36

Raised Panel Materials

Raised Panel and Push-Button Labels (B-593)

Glossy, foam-backed polyester with permanent adhesive and solvent resistance makes them a great replacement for engraved tags. Ideal for external push buttons, switches and internal connection points. Total label thickness: 0.0256 in. (0.650 mm). RoHS compliant and UL approved.




Figure 2





Figure 49






Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Hole Dia Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
Push button format										
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-167-593	B-593	Polyester	White	1.200 (30.48)	1.500 (38.1)	0.886 (22.5)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-168-593	B-593	Polyester	White	1.200 (30.48)	1.900 (48.3)	0.886 (22.5)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-169-593	B-593	Polyester	White	1.800 (45.72)	1.800 (45.7)	1.201 (30.5)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-167-593-YL	B-593	Polyester	Yellow	1.200 (30.48)	1.500 (38.1)	0.886 (22.5)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-168-593-YL	B-593	Polyester	Yellow	1.200 (30.48)	1.900 (48.3)	0.886 (22.5)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-169-593-YL	B-593	Polyester	Yellow	1.800 (45.72)	1.800 (45.7)	1.201 (30.5)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-167-593-RD	B-593	Polyester	Red	1.200 (30.48)	1.500 (38.1)	0.886 (22.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-168-593-RD	B-593	Polyester	Red	1.200 (30.48)	1.900 (48.3)	0.886 (22.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-169-593-RD	B-593	Polyester	Red	1.800 (45.72)	1.800 (45.7)	1.201 (30.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-167-593-GN	B-593	Polyester	Green	1.200 (30.48)	1.500 (38.1)	0.886 (22.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-168-593-GN	B-593	Polyester	Green	1.200 (30.48)	1.900 (48.3)	0.886 (22.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-169-593-GN	B-593	Polyester	Green	1.800 (45.72)	1.800 (45.7)	1.201 (30.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-167-593-BK	B-593	Polyester	Black	1.200 (30.48)	1.500 (38.1)	0.886 (22.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-168-593-BK	B-593	Polyester	Black	1.200 (30.48)	1.900 (48.3)	0.886 (22.5)	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 49	PTLEP-169-593-BK	B-593	Polyester	Black	1.800 (45.72)	1.800 (45.7)	1.201 (30.5)	100	M61-R4410-WT
Rectangular format										
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-173-593	B-593	Polyester	White	1.000 (25.4)	2.000 (50.8)	-	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-176-593	B-593	Polyester	White	1.000 (25.4)	3.000 (76.2)	-	50	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-174-593	B-593	Polyester	White	1.000 (25.4)	4.000 (101.6)	-	50	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-171-593	B-593	Polyester	White	1.060 (26.9)	0.490 (12.4)	-	200	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-173-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	2.000 (50.8)	-	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-176-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	3.000 (76.2)	-	50	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-174-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	4.000 (101.6)	-	50	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-171-593-YL	B-593	Polyester	Yellow	1.060 (26.9)	0.490 (12.4)	-	200	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-173-593-RD	B-593	Polyester	Red	1.000 (25.4)	2.000 (50.8)	-	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-176-593-RD	B-593	Polyester	Red	1.000 (25.4)	3.000 (76.2)	-	50	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-174-593-RD	B-593	Polyester	Red	1.000 (25.4)	4.000 (101.6)	-	50	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-171-593-RD	B-593	Polyester	Red	1.060 (26.9)	0.490 (12.4)	-	200	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-173-593-GN	B-593	Polyester	Green	1.000 (25.4)	2.000 (50.8)	-	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-176-593-GN	B-593	Polyester	Green	1.000 (25.4)	3.000 (76.2)	-	50	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-174-593-GN	B-593	Polyester	Green	1.000 (25.4)	4.000 (101.6)	-	50	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-171-593-GN	B-593	Polyester	Green	1.060 (26.9)	0.490 (12.4)	-	200	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-173-593-SL	B-593	Polyester	Silver	1.000 (25.4)	2.000 (50.8)	-	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-174-593-SL	B-593	Polyester	Silver	1.000 (25.4)	4.000 (101.6)	-	50	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-171-593-SL	B-593	Polyester	Silver	1.060 (26.9)	0.490 (12.4)	-	200	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-173-593-BK	B-593	Polyester	Black	1.000 (25.4)	2.000 (50.8)	-	100	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-176-593-BK	B-593	Polyester	Black	1.000 (25.4)	3.000 (76.2)	-	50	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-174-593-BK	B-593	Polyester	Black	1.000 (25.4)	4.000 (101.6)	-	50	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 2	PTLEP-171-593-BK	B-593	Polyester	Black	1.060 (26.9)	0.490 (12.4)	-	200	M61-R4410-WT

Due to the rigid nature of B-593 material, labels feed into the printer through the bulk media slot at the top.



Asset Tracking Materials

Metallized Asset Tracking Labels (B-428, B-435 and B-486)



- **B-428 Metallized Polyester Material:** Permanent adhesive, silver finish. Temp. range: -40° F to 176° F (-40° C to 80° C). UL recognized
- **B-435 Glossy Metallized Polyester Material:** Withstands numerous solvents and variable temps. Ideal for serial and rating plate applications with name-plate quality and a metal looking finish
- **B-486 Ultra-Aggressive Metallized Polyester Material:** High adhesion to textured metals, powder-coated surfaces and low-surface energy plastics. Withstands numerous solvents and variable temps
- **B-8591 Outdoor Polyester Material:** Permanent adhesive, 12-year outdoor durability, resists UV, abrasion and fluids




Figure 2



Figure 33




Figure 40 w/ overlaminate




Figure 46 w/ black border




Figure 51




Figure 54

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-428 Metallized Polyester									
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-428	B-428	Polyester	Light Gray	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 51	PTL-30-428-CALI	B-428	Polyester	Light Gray	0.750 (19.05)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-15-428	B-428	Polyester	Light Gray	1.000 (25.4)	0.275 (7)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-428	B-428	Polyester	Light Gray	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-17-428	B-428	Polyester	Light Gray	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-22-428	B-428	Polyester	Light Gray	1.000 (25.4)	3.000 (76.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 46	PTL-24-428-BK	B-428	Polyester	Light Gray	1.130 (28.7)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-26-428	B-428	Polyester	Light Gray	1.250 (31.75)	2.750 (69.9)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-26-428	B-428	Polyester	Light Gray	1.250 (31.8)	2.750 (69.85)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-428	B-428	Polyester	Light Gray	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 54	PTL-35-428-PROP	B-428	Polyester	Light Gray	1.630 (41.4)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-50-428	B-428	Polyester	Light Gray	1.650 (41.9)	3.000 (76.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-428	B-428	Polyester	Light Gray	1.900 (48.3)	3.000 (76.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-428	B-428	Polyester	Light Gray	1.900 (48.3)	4.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-20-428	B-428	Polyester	Light Gray	2.000 (50.8)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-428	B-428	Polyester	Light Gray	2.000 (50.8)	1.000 (25.4)	100	M61-R4310
B-435 Glossy Metallized Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-435	B-435	Polyester	Silver	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-435	B-435	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-435	B-435	Polyester	Silver	1.500 (38.1)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-435	B-435	Polyester	Silver	1.500 (38.1)	0.750 (19.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-435	B-435	Polyester	Silver	1.500 (38.1)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-32-435	B-435	Polyester	Silver	1.500 (38.1)	1.500 (38.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-435	B-435	Polyester	Silver	1.900 (48.3)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-435	B-435	Polyester	Silver	1.900 (48.3)	4.000 (101.6)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-435	B-435	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	100	M61-R6010
B-486 Ultra-Aggressive Metallized Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-486	B-486	Polyester	Light Gray	1.000 (25.4)	0.375 (9.5)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-486	B-486	Polyester	Light Gray	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-19-486	B-486	Polyester	Light Gray	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 46	PTL-24-486-BK	B-486	Polyester	Light Gray	1.130 (28.7)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-486	B-486	Polyester	Light Gray	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-486	B-486	Polyester	Light Gray	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-486	B-486	Polyester	Light Gray	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-32-486	B-486	Polyester	Light Gray	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-486	B-486	Polyester	Light Gray	1.900 (48.3)	3.000 (76.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-486	B-486	Polyester	Light Gray	1.900 (48.3)	4.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-486	B-486	Polyester	Light Gray	2.000 (50.8)	1.000 (25.4)	100	M61-R4310
B-8591 Outdoor Polyester									
M611, BMP61	Fig. 2	M61-196-8591-SL	B-8591	Polyester	Silver	1.180 (30.0)	1.970 (50.0)	100	M61-R6610

BradyID.com/s36

Asset Tracking Materials

Non-Metallized Asset Tracking Labels (B-422, B-423, B-430 and B-483)

- **B-422 Polyester Material:** Permanent adhesive, good for powder-coated and textured surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized
- **B-423 Glossy White Polyester Material:** UL recognized for outdoor use on glass, thermoset polyester plastic and polyvinyl fluoride plastic
- **B-430 Clear Polyester Material:** High-performance glossy polyester material with permanent adhesive. Good for general purpose thermal transfer printing
- **B-483 Ultra-Aggressive Polyester Material:** Permanent adhesive for powder-coated and textured surfaces. Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized
- **B-8459 Polyester Material:** Permanent adhesive, excellent resistance to most chemicals, oils and water. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized
- **B-8591 Outdoor Polyester Material:** Permanent adhesive, 12-year outdoor durability, resists UV, abrasion and fluids






Figure 2




Figure 33




Figure 40 w/ overlaminate




Figure 46 w/ black border




Figure 51




Figure 52




Figure 53




Figure 54b




Figure 72

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-422 Permanent Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-39-422	B-422	Polyester	White	0.375 (9.53)	0.600 (15.2)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-46-422	B-422	Polyester	White	0.375 (9.53)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-5-422	B-422	Polyester	White	0.500 (12.7)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-44-422	B-422	Polyester	White	0.500 (12.7)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-7-422	B-422	Polyester	White	0.500 (12.7)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-422	B-422	Polyester	White	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-422	B-422	Polyester	White	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-422	B-422	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-19-422	B-422	Polyester	White	1.000 (25.4)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-22-422	B-422	Polyester	White	1.000 (25.4)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-23-422	B-422	Polyester	White	1.000 (25.4)	4.000 (101.6)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-422	B-422	Polyester	White	1.000 (25.4)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-45-422	B-422	Polyester	White	1.500 (38.1)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-422	B-422	Polyester	White	1.500 (38.1)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-422	B-422	Polyester	White	1.500 (38.1)	0.750 (19.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-32-422	B-422	Polyester	White	1.500 (38.1)	1.500 (38.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 54	PTL-35-422-PROP	B-422	Polyester	White	1.630 (41.4)	0.750 (19.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-422	B-422	Polyester	White	1.900 (48.26)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-422	B-422	Polyester	White	1.900 (48.3)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-422	B-422	Polyester	White	1.900 (48.3)	4.000 (101.6)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-422	B-422	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M61-R6010
B-422 PermsShield Polyester with overlaminate layer									
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-17-422	B-422	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-26-422	B-422	Polyester	White	1.250 (31.8)	2.750 (69.85)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-50-422	B-422	Polyester	White	1.650 (41.9)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-20-422	B-422	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M61-R6010
B-423 Glossy Permanent Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-1-423	B-423	Polyester	White	0.250 (6.35)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-3-423	B-423	Polyester	White	0.375 (9.53)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-4-423	B-423	Polyester	White	0.400 (10.2)	0.400 (10.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-5-423	B-423	Polyester	White	0.500 (12.7)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-6-423	B-423	Polyester	White	0.500 (12.7)	0.275 (7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-7-423	B-423	Polyester	White	0.500 (12.7)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-423	B-423	Polyester	White	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-9-423	B-423	Polyester	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-10-423	B-423	Polyester	White	0.750 (19.05)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-13-423	B-423	Polyester	White	0.900 (22.86)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-14-423	B-423	Polyester	White	1.000 (25.4)	0.187 (4.7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-15-423	B-423	Polyester	White	1.000 (25.4)	0.275 (7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-423	B-423	Polyester	White	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 51	PTL-30-423-CALI	B-423	Polyester	White	1.500 (38.1)	0.750 (19.05)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 52	PTL-30-423-TEST	B-423	Polyester	White	1.500 (38.1)	0.750 (19.05)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 53	PTL-30-423-INSP	B-423	Polyester	White	1.500 (38.1)	0.750 (19.05)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-423	B-423	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-19-423	B-423	Polyester	White	1.000 (25.4)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-22-423	B-423	Polyester	White	1.000 (25.4)	3.000 (76.2)	100	M61-R6010

Non-Metallized Asset Tracking Labels (continued)

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 2	PTL-23-423	B-423	Polyester	White	1.000 (25.4)	4.000 (101.6)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 46	PTL-24-423-BK	B-423	Polyester	White	1.130 (28.7)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-25-423	B-423	Polyester	White	1.250 (31.75)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-26-423	B-423	Polyester	White	1.250 (31.75)	2.750 (69.9)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-27-423	B-423	Polyester	White	1.500 (38.1)	0.125 (3.2)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-28-423	B-423	Polyester	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-423	B-423	Polyester	White	1.500 (38.1)	0.500 (12.7)	500	M61-R6010
M611, BMP61	Fig. 2	M61-30-423	B-423	Polyester	White	1.500 (38.1)	0.750 (19.05)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-423	B-423	Polyester	White	1.500 (38.1)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-32-423	B-423	Polyester	White	1.500 (38.1)	1.500 (38.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 54	PTL-35-423-PROP	B-423	Polyester	White	1.630 (41.4)	0.750 (19.1)	250	M61-R6010
M611, BMP61	Fig. 2	M61-52-423	B-423	Polyester	White	1.900 (48.3)	0.600 (15.2)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-423	B-423	Polyester	White	1.900 (48.3)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-423	B-423	Polyester	White	1.900 (48.3)	4.000 (101.6)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-2-423	B-423	Polyester	White	2.000 (50.8)	0.250 (6.4)	100	M61-R6010
M611, BMP61	Fig. 2	M61-61-423	B-423	Polyester	White	2.000 (50.8)	0.500 (12.7)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-423	B-423	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M61-R6010
B-430 Clear Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-71-430	B-430	Polyester	Clear	0.350 (8.89)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 34	PTL-39-430	B-430	Polyester	Clear	0.375 (9.53)	0.600 (15.2)	750	M61-R6010
M611, BMP61	Fig. 33	M61C-375-430	B-430	Polyester	Clear	0.375 (9.53)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-46-430	B-430	Polyester	Clear	0.375 (9.53)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-6-430	B-430	Polyester	Clear	0.500 (12.7)	0.275 (7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig.2	PTL-44-430	B-430	Polyester	Clear	0.500 (12.7)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-7-430	B-430	Polyester	Clear	0.500 (12.7)	0.500 (12.7)	500	M61-R6010
M611, BMP61	Fig. 33	M61C-500-430	B-430	Polyester	Clear	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-430	B-430	Polyester	Clear	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 2	M61-9-430	B-430	Polyester	Clear	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61	Fig. 2	M61-10-430	B-430	Polyester	Clear	0.750 (19.05)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-430	B-430	Polyester	Clear	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61	Fig. 2	M61-98-430	B-430	Polyester	Clear	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-430	B-430	Polyester	Clear	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61	Fig. 2	M61-22-430	B-430	Polyester	Clear	1.000 (25.4)	1.000 (25.4)	100	M61-R6010
M611, BMP61	Fig. 2	M61-37-430	B-430	Polyester	Clear	1.000 (25.4)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-430	B-430	Polyester	Clear	1.000 (25.4)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 2	M61-198-430	B-430	Polyester	Clear	1.250 (31.75)	2.750 (69.9)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-28-430	B-430	Polyester	Clear	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-45-430	B-430	Polyester	Clear	1.500 (38.1)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-430	B-430	Polyester	Clear	1.500 (38.1)	0.500 (12.7)	500	M61-R6010
M611, BMP61	Fig. 2	M61-30-430	B-430	Polyester	Clear	1.500 (38.1)	0.750 (19.05)	250	M61-R6010
M611, BMP61	Fig. 2	M61-52-430	B-430	Polyester	Clear	1.900 (48.26)	0.600 (15.2)	250	M61-R6010
M611, BMP61	Fig. 2	M61-78-430	B-430	Polyester	Clear	1.900 (48.26)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-430	B-430	Polyester	Clear	1.900 (48.26)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 2	M61-61-430	B-430	Polyester	Clear	2.000 (50.8)	0.500 (12.7)	100	M61-R6010
B-483 Ultra-Aggressive Polyester									
M611, BMP61, 71*, TLS	Fig. 33	PTL-101-483	B-483	Polyester	White	0.250 (6.35)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-61-483	B-483	Polyester	White	0.500 (12.7)	2.000 (50.8)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-483	B-483	Polyester	White	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-62-483	B-483	Polyester	White	0.750 (19.05)	4.000 (101.6)	50	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-63-483	B-483	Polyester	White	0.750 (19.05)	8.000 (203.2)	50	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-483	B-483	Polyester	White	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-483	B-483	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-19-483	B-483	Polyester	White	1.000 (25.4)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-483	B-483	Polyester	White	1.000 (25.4)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 46	PTL-24-483-BK	B-483	Polyester	White	1.130 (28.7)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-100-483	B-483	Polyester	White	1.300 (33.02)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-65-483	B-483	Polyester	White	1.375 (34.93)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-483	B-483	Polyester	White	1.500 (38.1)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-483	B-483	Polyester	White	1.500 (38.1)	0.750 (19.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-483	B-483	Polyester	White	1.500 (38.1)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-32-483	B-483	Polyester	White	1.500 (38.1)	1.500 (38.1)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-483	B-483	Polyester	White	1.900 (48.26)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-483	B-483	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-483	B-483	Polyester	White	1.900 (48.3)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 72	PTL-37-483-WARNING	B-483	Polyester	White	1.900 (48.3)	3.000 (76.2)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-23-483	B-483	Polyester	White	1.000 (25.4)	4.000 (101.6)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-483	B-483	Polyester	White	1.900 (48.3)	4.000 (101.6)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 72	PTL-38-483-WARNING	B-483	Polyester	White	1.900 (48.3)	4.000 (101.6)	100	M61-R6010
B-8459 Adhesive Polyester									
M611, BMP61	Fig. 2	M61-9-8459	B-8459	Polyester	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61	Fig. 2	M61-17-8459	B-8459	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61	Fig. 2	M61-29-8459	B-8459	Polyester	White	1.500 (38.10)	0.500 (12.7)	500	M61-R6010
M611, BMP61	Fig. 2	M61-30-8459	B-8459	Polyester	White	1.500 (38.10)	0.750 (19.05)	250	M61-R6010
B-8591 Outdoor Polyester									
M611, BMP61	Fig. 2	M61-196-8591	B-8591	Polyester	White	1.180 (30.0)	1.970 (50.0)	100	M61-R6610
M611, BMP61	Fig. 33	M61C-1900-8591	B-8591	Polyester	White	1.900 (48.3)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6610
M611, BMP61	Fig. 33	M61C-1000-8591	B-8591	Polyester	White	1.000 (25.4)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6610

BradyID.com/s36

Circuit Board Materials

Static Dissipative Labels (B-473, B-717, B-718 and B-719)

Low-profile polyimide and polyester materials that have static dissipative properties. Primarily used for circuit board and electronic components labeling.

- **B-473 Electrostatic Dissipative Polyester Material:** White glossy polyester with a permanent static dissipative adhesive and liner
- **B-717 Electrostatic Dissipative Polyimide Material:** High-temperature white glossy polyimide material (2 mil) with a permanent static dissipative adhesive and liner for PCB identification
- **B-718 Glossy Low Profile Electrostatic Dissipative Polyimide Material:** High-temperature, low-profile white glossy polyimide material (1 mil) with a permanent static dissipative adhesive and liner for PCB identification
- **B-719 Matte Low-Profile Electrostatic Dissipative Polyimide Material:** High-temperature, low-profile white matte polyimide material (1 mil) with a permanent static dissipative adhesive and liner






Figure 2




Figure 41

Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-473 Glossy White Electrostatic Dissipative Polyester									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-1-473	B-473	Polyester	White	0.250 (6.35)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-5-473	B-473	Polyester	White	0.500 (12.7)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-6-473	B-473	Polyester	White	0.500 (12.7)	0.275 (7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-473	B-473	Polyester	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-473	B-473	Polyester	White	0.750 (19.05)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-16-473	B-473	Polyester	White	1.000 (25.4)	0.375 (9.5)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 41	** PTLSL-17-473	B-473	Polyester	Black on Yellow	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-17-473	B-473	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-473	B-473	Polyester	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
B-717 Glossy White Static Dissipative Polyimide									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-717	B-717	Polyimide	White	0.250 (6.35)	0.750 (19.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-3-717	B-717	Polyimide	White	0.375 (9.53)	0.375 (9.53)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-1-717	B-717	Polyimide	White	0.375 (9.53)	1.000 (25.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-717	B-717	Polyimide	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-25-717	B-717	Polyimide	White	1.250 (31.75)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-27-717	B-717	Polyimide	White	1.500 (38.1)	0.125 (3.2)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-717	B-717	Polyimide	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-14-717	B-717	Polyimide	White	2.000 (50.8)	0.187 (4.7)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-2-717	B-717	Polyimide	White	2.000 (50.8)	0.250 (6.35)	100	M61-R6010
B-718 Glossy White Low-Profile Static Dissipative Polyimide									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-14-718	B-718	Polyimide	White	0.187 (4.7)	3.000 (76.2)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-718	B-718	Polyimide	White	0.250 (6.35)	0.750 (19.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-3-718	B-718	Polyimide	White	0.375 (9.53)	0.375 (9.53)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-1-718	B-718	Polyimide	White	0.375 (9.53)	1.000 (25.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-16-718	B-718	Polyimide	White	0.375 (9.53)	1.000 (25.4)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-4-718	B-718	Polyimide	White	0.400 (10.2)	0.400 (10.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-6-718	B-718	Polyimide	White	0.500 (12.7)	0.275 (6.98)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-718	B-718	Polyimide	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-13-718	B-718	Polyimide	White	0.900 (22.86)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-718	B-718	Polyimide	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
B-719 Matte White Low-Profile Static Dissipative Polyimide									
M611, BMP61, 71*, TLS	Fig. 2	** PTL-10-719	B-719	Polyimide	White	0.250 (6.35)	0.750 (19.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-16-719	B-719	Polyimide	White	0.375 (9.53)	1.000 (25.4)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-4-719	B-719	Polyimide	White	0.400 (10.2)	0.400 (10.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-6-719	B-719	Polyimide	White	0.500 (12.7)	0.275 (6.98)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-17-719	B-719	Polyimide	White	0.500 (12.7)	3.000 (76.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-9-719	B-719	Polyimide	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-13-719	B-719	Polyimide	White	0.900 (22.86)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	** PTL-28-719	B-719	Polyimide	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010

** ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

Circuit Board Materials

High-Temperature Polyimide Labels (B-724 and B-727)

Low-profile polyimide and polyester materials that have static dissipative properties. Primarily used for circuit board and electronic component labeling.

- **B-724 Amber Polyimide Material:** Matte polyimide with permanent adhesive; can survive on the top or bottom side of PCBs through the solder process
- **B-727 White Polyimide Material:** Glossy polyimide with permanent adhesive; withstands wave solder environments for printed circuit board and electronic component preprocess labeling





Figure 2



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-724 Matte Polyimide Material									
M611, BMP61, 71*, TLS	Fig. 2	PTL-10-724	B-724	Polyimide	Amber	0.250 (6.35)	0.750 (19.1)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-3-724	B-724	Polyimide	Amber	0.375 (9.53)	0.375 (9.53)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-1-724	B-724	Polyimide	Amber	0.375 (9.53)	1.000 (25.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-724	B-724	Polyimide	Amber	0.375 (9.53)	1.000 (25.4)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-4-724	B-724	Polyimide	Amber	0.400 (10.2)	0.400 (10.2)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-6-724	B-724	Polyimide	Amber	0.500 (12.7)	0.275 (6.98)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-724	B-724	Polyimide	Amber	0.500 (12.7)	4.000 (101.6)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-9-724	B-724	Polyimide	Amber	0.650 (16.51)	0.200 (5.1)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-13-724	B-724	Polyimide	Amber	0.900 (22.86)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-25-724	B-724	Polyimide	Amber	1.250 (31.75)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-27-724	B-724	Polyimide	Amber	1.500 (38.1)	0.125 (3.2)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-28-724	B-724	Polyimide	Amber	1.500 (38.1)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-2-724	B-724	Polyimide	Amber	2.000 (50.8)	0.250 (6.35)	100	M61-R4310
B-727 Glossy Polyimide Material									
M611, BMP61, 71*, TLS	Fig. 2	PTL-14-727	B-727	Polyimide	White	0.187 (4.7)	4.000 (101.6)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-10-727	B-727	Polyimide	White	0.250 (6.35)	0.750 (19.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-3-727	B-727	Polyimide	White	0.375 (9.53)	0.375 (9.53)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-1-727	B-727	Polyimide	White	0.375 (9.53)	1.000 (25.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-727	B-727	Polyimide	White	0.375 (9.53)	1.000 (25.4)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-4-727	B-727	Polyimide	White	0.400 (10.2)	0.400 (10.2)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-6-727	B-727	Polyimide	White	0.500 (12.7)	0.275 (6.98)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-9-727	B-727	Polyimide	White	0.650 (16.51)	0.200 (5.1)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-13-727	B-727	Polyimide	White	0.900 (22.86)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-28-727	B-727	Polyimide	White	1.500 (38.1)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-2-727	B-727	Polyimide	White	2.000 (50.8)	0.250 (6.35)	100	M61-R6010

Bulk parts for high volume printing

Bulk label parts offer a cost-effective solution for high volume printing with the BMP®61 printer. Look for material catalog numbers that begin with “BM71-” or “BPTL”.

**Bulk label printing requires the media feeder and smart cell spool which are included in the bulk material packaging.*



BradyID.com/s36

General ID Materials

General ID Polyester Labels (B-432, B-459, B-488 and B-489)

- **B-432 Clear Polyester Material:** High-performance glossy polyester, good adherence for rough surface applications.
- **B-459 Permanent Polyester Material**: White matte polyester with permanent adhesive
- **B-488 Ultra-Aggressive Polyester Material**: White matte polyester with an aggressive adhesive
- **B-489 Ultra-Aggressive Polyester Material:** White matte polyester with an aggressive adhesive





Figure 2



Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-432 Clear Polyester									
M611, BMP61, 71*, TLS	Fig. 33	PTL-101-432	B-432	Polyester	Clear	0.250 (6.35)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-11-432	B-432	Polyester	Clear	0.500 (12.7)	0.750 (19.1)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-432	B-432	Polyester	Clear	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-10-432	B-432	Polyester	Clear	0.750 (19.05)	0.250 (6.4)	750	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-432	B-432	Polyester	Clear	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-432	B-432	Polyester	Clear	1.000 (25.4)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-432	B-432	Polyester	Clear	1.900 (48.26)	50 ft. (15.24 m)	1 roll (cont.)	M61-R6010
B-459 Permanent Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-459	B-459	Polyester	White	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-459	B-459	Polyester	White	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-459	B-459	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M61-R4310
B-488 Ultra-Aggressive Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-80-488	B-488	Polyester	White	0.750 (19.05)	0.900 (22.9)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-97-488	B-488	Polyester	White	0.900 (22.86)	0.900 (22.9)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-81-488	B-488	Polyester	White	1.900 (48.26)	0.250 (6.4)	750	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-78-488	B-488	Polyester	White	1.900 (48.26)	1.000 (25.4)	250	M61-R4310
B-489 Ultra-Aggressive Polyester									
M611, BMP61, 71*, TLS	Fig. 33	PTL-101-489	B-489	Polyester	White	0.250 (6.35)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-489	B-489	Polyester	White	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-489	B-489	Polyester	White	1.000 (25.4)	0.375 (9.5)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-489	B-489	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-19-489	B-489	Polyester	White	1.000 (25.4)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-489	B-489	Polyester	White	1.000 (25.4)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 33	PTL-100-489	B-489	Polyester	White	1.300 (33.02)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-489	B-489	Polyester	White	1.500 (38.1)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-30-489	B-489	Polyester	White	1.500 (38.1)	0.750 (19.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-489	B-489	Polyester	White	1.500 (38.1)	1.000 (25.4)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-32-489	B-489	Polyester	White	1.500 (38.1)	1.500 (38.1)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-489	B-489	Polyester	White	1.900 (48.26)	3.000 (76.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-489	B-489	Polyester	White	1.900 (48.26)	4.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-489	B-489	Polyester	White	1.900 (48.26)	50 ft. (15.24 m)	1 roll (cont.)	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-489	B-489	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M61-R4310

Paper Labels (B-424)

White paper material with matte finish. Good contrast and smear resistance for thermal barcode printing. Used for general purpose labeling applications.




Figure 2




Figure 40
w/ overlaminate



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 2	PTL-80-424	B-424	Paper	White	0.750 (19.05)	0.900 (22.9)	250	M61-R4310
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-17-424	B-424	Paper	White	1.000 (25.4)	0.500 (12.7)	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-22-424	B-424	Paper	White	1.000 (25.4)	3.000 (76.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-424	B-424	Paper	White	1.900 (48.3)	3.000 (76.2)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-38-424	B-424	Paper	White	1.900 (48.3)	4.000 (101.6)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-424	B-424	Paper	White	2.000 (50.8)	1.000 (25.4)	100	M61-R4310
M611, BMP61, 71*, TLS	Fig. 40	PTPSL-20-424	B-424	Paper	White	2.000 (50.8)	1.000 (25.4)	100	M61-R4310

General ID Materials

General ID Vinyl Labels (B-439 and B-595)

Ideal for applications needing various colors such as lean / 5S, pipe markers, equipment and production area identification.

- **B-439 Vinyl:** Designed for use in ambient conditions with limited solvent exposure
- **B-595 Indoor / Outdoor Vinyl**: High-performance vinyl with permanent adhesive is very pliable and good for rough surfaces and outdoor use. 8-10 years average outdoor durability* Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.




Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-439 Vinyl									
M611, BMP61, 71*, TLS	Fig. 33	M61C-250-439	B-439	Vinyl	White	0.250 (6.35)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-375-439	B-439	Vinyl	White	0.375 (9.52)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-439	B-439	Vinyl	White	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-439	B-439	Vinyl	White	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-439	B-439	Vinyl	White	1.900 (48.26)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	M61C-250-439-YL	B-439	Vinyl	Yellow	0.250 (6.35)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-375-439-YL	B-439	Vinyl	Yellow	0.375 (9.52)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-439-YL	B-439	Vinyl	Yellow	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-439-YL	B-439	Vinyl	Yellow	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-439-YL	B-439	Vinyl	Yellow	1.900 (48.26)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-439-OR	B-439	Vinyl	Orange	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-439-OR	B-439	Vinyl	Orange	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-439-OR	B-439	Vinyl	Orange	1.900 (48.26)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-439-RD	B-439	Vinyl	Red	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-439-RD	B-439	Vinyl	Red	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-439-RD	B-439	Vinyl	Red	1.900 (48.26)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-439-BL	B-439	Vinyl	Blue	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-439-BL	B-439	Vinyl	Blue	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-439-BL	B-439	Vinyl	Blue	1.900 (48.26)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-439-GR	B-439	Vinyl	Green	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-439-GR	B-439	Vinyl	Green	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-439-GR	B-439	Vinyl	Green	1.900 (48.26)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-8-439-BK	B-439	Vinyl	Black	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-42-439-BK	B-439	Vinyl	Black	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
M611, BMP61, 71*, TLS	Fig. 33	PTL-43-439-BK	B-439	Vinyl	Black	1.900 (48.26)	50 (15.24)	1 roll (cont.)	M61-R4410-WT
B-595 Indoor / Outdoor Vinyl									
M611, BMP61	Fig. 33	M61C-500-595-WT	B-595	Vinyl	White	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-WT	B-595	Vinyl	White	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-WT	B-595	Vinyl	White	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-500-595-CL	B-595	Vinyl	Clear	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-CL	B-595	Vinyl	Clear	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-CL	B-595	Vinyl	Clear	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-500-595-YL	B-595	Vinyl	Yellow	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-YL	B-595	Vinyl	Yellow	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-YL	B-595	Vinyl	Yellow	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-500-595-RD	B-595	Vinyl	Red	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-RD	B-595	Vinyl	Red	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-RD	B-595	Vinyl	Red	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-500-595-OR	B-595	Vinyl	Orange	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-OR	B-595	Vinyl	Orange	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-OR	B-595	Vinyl	Orange	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-500-595-GN	B-595	Vinyl	Green	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-GN	B-595	Vinyl	Green	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-GN	B-595	Vinyl	Green	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-500-595-BL	B-595	Vinyl	Blue	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-BL	B-595	Vinyl	Blue	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-BL	B-595	Vinyl	Blue	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-500-595-BK	B-595	Vinyl	Black	0.500 (12.7)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-BK	B-595	Vinyl	Black	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-BK	B-595	Vinyl	Black	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-LB	B-595	Vinyl	Light Blue	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-1000-595-GY	B-595	Vinyl	Gray	1.000 (25.4)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-GD	B-595	Vinyl	Gold	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-BR	B-595	Vinyl	Brown	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-595-PL	B-595	Vinyl	Purple	2.000 (50.8)	50 (15.24)	1 roll (cont.)	M61-R6010

** Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material color. The 8-10 year outdoor durability applies to the label stock only; ribbon durability will vary. Refer to the Technical Data Sheet at BradyID.com for performance characteristics.*

BradyPrinter M611 / BMP®61 Materials

BradyID.com/s36

General ID Materials

Reflective Material (B-584)

Reflective material shines back brightly when struck by light, making it ideal for labeling outdoor utility poles, hard hats, jobsite equipment and roof-top equipment. Meets Federal Spec L-S-300 for reflectivity. Average outdoor durability is 4-6 years.* Temp. range: -40° F to 158° F (-40° C to 70° C).



Figure 33



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length Feet (m)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61	Fig. 33	M61C-1000-584-OR	B-584	Reflective	Orange	1.000 (25.4)	30 (9.14)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-584-OR	B-584	Reflective	Orange	2.000 (50.8)	30 (9.14)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-584-YL	B-584	Reflective	Yellow	2.000 (50.8)	30 (9.14)	1 roll (cont.)	M61-R6010
M611, BMP61	Fig. 33	M61C-2000-584-SL	B-584	Reflective	Silver	2.000 (50.8)	30 (9.14)	1 roll (cont.)	M61-R6010

** Outdoor durability applies to the label stock only; ribbon durability will vary. Refer to the Technical Data Sheet at BradyID.com for performance characteristics.*

Tamper-Indicating Labels (B-351, B-7546 and B-7576)

- **B-351 Destructible Vinyl Material:** Destructible vinyl material prohibits one piece removal of label to indicate if the label has been tampered with
- **B-7546 VOID Footprint Polyester Material:** Glossy white polyester leaves a "VOID" footprint when the label is removed to prevent it from being reused
- **B-7576 Metallized VOID Polyester Material:** Matte white polyester leaves a "VOID" pattern will appear on the top surface of the label to prevent reuse




Figure 2





Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
B-351 Destructible Vinyl									
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-351	B-351	Vinyl	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6210
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-351	B-351	Vinyl	White	1.000 (25.4)	2.000 (50.8)	100	M61-R6210
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-351	B-351	Vinyl	White	1.500 (38.1)	1.000 (25.4)	250	M61-R6210
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-351	B-351	Vinyl	White	1.900 (48.3)	3.000 (76.2)	100	M61-R6210
B-7546 VOID Footprint Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-17-7546	B-7546	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-7546	B-7546	Polyester	White	1.500 (38.1)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-7546	B-7546	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M61-R6010
B-7576 Metallized VOID Polyester									
M611, BMP61, 71*, TLS	Fig. 2	PTL-20-7576	B-7576	Polyester	Silver	1.000 (25.4)	2.000 (50.8)	100	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-31-7576	B-7576	Polyester	Silver	1.500 (38.1)	1.000 (25.4)	250	M61-R6010
M611, BMP61, 71*, TLS	Fig. 2	PTL-37-7576	B-7576	Polyester	Silver	1.900 (48.3)	3.000 (76.2)	100	M61-R6010

Water-Dissolvable Paper Labels (B-403)

Labels completely dissolve in warm water within 30 seconds, leaving no adhesive residue, eliminating labor required for label removal and allows for easy re-identification.



Figure 33







Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61	Fig. 33	M61C-750-403	B-403	Paper	White	0.750 (19.05)	50 (15.24)	1 roll (cont.)	M61-R4310
M611, BMP61	Fig. 33	M61C-1500-403	B-403	Paper	White	1.500 (38.1)	50 (15.24)	1 roll (cont.)	M61-R4310

Laboratory Materials

Color Polyester Labels (B-494)

Glossy white polyester with a color border printed on the label allows for differentiation of test specimens within user processes. Vial top labels are solid color. Material is resistant to common lab chemicals such as ethanol and xylene.




Figure 2




Figure 24





Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Secondary Label Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61	Fig. 24	M61-98-494-BL	B-494	Polyester	Blue	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R6410
M611, BMP61	Fig. 2	M61-17-494-BL	B-494	Polyester	Blue	1.000 (25.4)	0.500 (12.7)	-	500	M61-R6410
M611, BMP61	Fig. 2	M61-19-494-BL	B-494	Polyester	Blue	1.000 (25.4)	1.000 (25.4)	-	250	M61-R6410
M611, BMP61	Fig. 24	M61-98-494-GN	B-494	Polyester	Green	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R6410
M611, BMP61	Fig. 2	M61-17-494-GN	B-494	Polyester	Green	1.000 (25.4)	0.500 (12.7)	-	500	M61-R6410
M611, BMP61	Fig. 2	M61-19-494-GN	B-494	Polyester	Green	1.000 (25.4)	1.000 (25.4)	-	250	M61-R6410
M611, BMP61	Fig. 24	M61-98-494-OR	B-494	Polyester	Orange	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R6410
M611, BMP61	Fig. 2	M61-17-494-OR	B-494	Polyester	Orange	1.000 (25.4)	0.500 (12.7)	-	500	M61-R6410
M611, BMP61	Fig. 2	M61-19-494-OR	B-494	Polyester	Orange	1.000 (25.4)	1.000 (25.4)	-	250	M61-R6410
M611, BMP61	Fig. 24	M61-98-494-PK	B-494	Polyester	Pink	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R6410
M611, BMP61	Fig. 2	M61-17-494-PK	B-494	Polyester	Pink	1.000 (25.4)	0.500 (12.7)	-	500	M61-R6410
M611, BMP61	Fig. 2	M61-19-494-PK	B-494	Polyester	Pink	1.000 (25.4)	1.000 (25.4)	-	250	M61-R6410
M611, BMP61	Fig. 24	M61-98-494-RD	B-494	Polyester	Red	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R6410
M611, BMP61	Fig. 2	M61-17-494-RD	B-494	Polyester	Red	1.000 (25.4)	0.500 (12.7)	-	500	M61-R6410
M611, BMP61	Fig. 2	M61-19-494-RD	B-494	Polyester	Red	1.000 (25.4)	1.000 (25.4)	-	250	M61-R6410
M611, BMP61	Fig. 24	M61-98-494-YL	B-494	Polyester	Yellow	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R6410
M611, BMP61	Fig. 2	M61-17-494-YL	B-494	Polyester	Yellow	1.000 (25.4)	0.500 (12.7)	-	500	M61-R6410
M611, BMP61	Fig. 2	M61-19-494-YL	B-494	Polyester	Yellow	1.000 (25.4)	1.000 (25.4)	-	250	M61-R6410

Nylon Cloth Lab Labels (B-499)

White nylon cloth designed for easy handling and conformability to tubes and vials. These labels withstand harsh temperatures and chemicals without falling off, fading or smearing.




Figure 2




Figure 24



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Secondary Label Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61, 71*, TLS	Fig. 2	PTL-11-499	B-499	Vinyl	White	0.500 (12.7)	0.750 (19.1)	-	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-16-499	B-499	Vinyl	White	0.375 (9.53)	1.000 (25.4)	-	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-29-499	B-499	Vinyl	White	0.500 (12.7)	1.500 (38.1)	-	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 24	PTL-117-499	B-499	Vinyl	White	0.900 (22.86)	0.500 (12.7)	0.500 (12.7) dia.	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-84-499	B-499	Vinyl	White	0.900 (22.86)	0.500 (12.7)	-	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 24	PTL-98-499	B-499	Vinyl	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R4310
M611, BMP61, 71*, TLS	Fig. 2	PTL-81-499	B-499	Vinyl	White	1.900 (48.26)	0.250 (6.4)	-	750	M61-R4310

Polypropylene Lab Labels (B-7425)

Material features moderate chemical resistance and is ideal for labeling dry, room temperature specimen containers. Chemical resistance to ethanol, DMSO, IPS, short term xylene, 10% formalin, 50% acetic acid and toluene. Temp. range: -196° C to 121° C (-320° F to 248° F).




Figure 2




Figure 24



Fits Printers	Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Secondary Label Inch (mm)	Labels Per Roll	Rec. Ribbon (M611 / BMP61)
M611, BMP61	Fig. 2	M61-2-7425	B-7425	Polypropylene	White	0.250 (6.35)	2.000 (50.8)	-	100	M61-R4310
M611, BMP61	Fig. 2	M61-7-7425	B-7425	Polypropylene	White	0.500 (12.7)	0.500 (12.7)	-	500	M61-R4310
M611, BMP61	Fig. 2	M61-18-7425	B-7425	Polypropylene	White	0.750 (19.1)	1.000 (25.4)	-	250	M61-R4310
M611, BMP61	Fig. 2	M61-17-7425	B-7425	Polypropylene	White	1.000 (25.4)	0.500 (12.7)	-	500	M61-R4310
M611, BMP61	Fig. 24	M61-98-7425	B-7425	Polypropylene	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	500	M61-R4310
M611, BMP61	Fig. 2	M61-199-7425	B-7425	Polypropylene	White	1.300 (33.0)	0.600 (15.2)	-	250	M61-R4310
M611, BMP61	Fig. 2	M61-31-7425	B-7425	Polypropylene	White	1.500 (38.1)	1.000 (25.4)	-	250	M61-R4310
M611, BMP61	Fig. 2	M61-121-7425	B-7425	Polypropylene	White	1.900 (48.3)	1.500 (38.1)	-	100	M61-R4310

BradyPrinter M611 / BMP®61 Ribbons

BradyID.com/s36





BradyPrinter M611 and BMP61 Print Ribbons

Print ribbons are supplied in cartridge form and easily fit into the side of the printer and do not unravel or roll away when outside the printer.

Using the correct material and ribbon pair is critical in creating durable, long-lasting and smear-proof print. Use the ribbon compatibility guide on the next page to help determine which ribbon is best suited for your label material.

Fits Printers	Catalog #	Color	Description	Ribbon Size
M611, BMP61	M61-R4310	Black	R4300 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6010	Black	R6000 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6210	Black	R6200 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6410	Black	R6410 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6610	Black	R6600 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6710-WT	White	R6710 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6810-WT	White	R6800 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R4410-RD	Red	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R4410-BL	Blue	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)



How many labels can be printed per ribbon?

Have you ever wondered approximately how many labels you can print from one BMP61 ribbon? Try this formula:

Note: Our standard ribbons are 900 in. (75 ft.) long.

Step 1: label height + 0.10 = X
Step 2: 900 inches ÷ X = total labels per ribbon

Example: PLT-19-422 is a 1.0 inch tall label
1.0 inch label height + 0.10 = 1.10
900 inches ÷ 1.10 = 818 labels per ribbon



TLS®2200 Print Ribbons

Although the TLS2200 and the BMP61 share label rolls, each printer requires its own printer-specific ribbon.

Fits Printers	Catalog #	Color	Description	Ribbon Size
TLS2200 Only	R4310	Black	R4300 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6010	Black	R6000 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6210	Black	R6200 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6410	Black	R6400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R4410-WT	White	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6810-WT	White	R6800 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R4410-BL	Red	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R4410-RD	Blue	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)

Material and Ribbon Compatibility

B-#	Material	M61-R4310 (Black)	M61-R6010 (Black)	M61-R6210 (Black)	M61-R6410 (Black)	M61-R6610 (Black)	M61-R4410-WT (White)	M61-R6710-WT (White)	M61-R6810-WT (White)	M61-R4410-RD (Red)	M61-R4410-BL (Blue)
B-109	Polyethylene tag	●		●							
B-145	Polyethylene tag		●								
B-145FR	Polyethylene tag		●	▲							
B-321	Polyolefin			●							
B-342	PermaSleeve® polyolefin	●				●		▲			
B-344	PermaSleeve® polyolefin		●			●		▲			
B-345	PermaSleeve® high-temp polyolefin		●			●					
B-351	Destructible vinyl		●	●			▲		▲		
B-352	Destructible vinyl		●								
B-362	Destructible vinyl		●								
B-390	Durasleeve® polypropylene		●	▲		●					
B-403	Dissolvable paper	●									
B-412	Polypropylene tag	●		●							
B-422	Polyester		●				●			▲	▲
B-423	Polyester		●				●			▲	▲
B-424	Paper	●									
B-425	Polypropylene	●		●							
B-427	Self-laminating vinyl	●									
B-428	Polyester	●									
B-430	Polyester		●	●			▲			▲	▲
B-432	Polyester		●				●			▲	▲
B-435	Polyester		●								
B-437	Self-extinguishing polyvinylfluoride	●		●							
B-439	Vinyl		●				●			▲	▲
B-459	Polyester		●								
B-461	Self-laminating polyester	●		●							
B-473	Polyester		●								
B-483	Polyester		●								
B-486	Polyester	●									
B-488	Polyester	●									
B-489	Polyester	●									
B-490	Freezerbondz™ polyester	●									
B-494	Color polyester				●						
B-498	Vinyl cloth	●	▲	▲		●					
B-499	Nylon cloth	●		●							
B-593	Polyester - eprep		●				●			▲	▲
B-642	Self-extinguishing polyvinylfluoride	●		●							
B-717	Polyimide		●								
B-718	Polyimide		●								
B-719	Polyimide		●								
B-724	Polyimide	●									
B-727	Polyimide		●								
B-7351	Void print vinyl		●								
B-7425	Polypropylene	●									
B-7546	Void print polyester		●								
B-7551-CL	Polyester			●							
B-7576	Void print polyester		●								
B-7593	Polyethylene - eprep		●				●			▲	
B-7597	Polyethylene	●									
B-7599-YL	Polyethylene tag			●							
B-7643	Thermoplastic polyether polyurethane		●								
B-7696	Vinyl tag		●	●							
B-8425	Polypropylene		●								
B-8451	Polyester		●								
B-8459	Polyester					●					

View **BradyID.com/techdata** for TDS sheets on ribbon performance specifications.
Note: Colored ribbon choice dependent upon material color.

● Recommended ribbon for use with respective material
▲ Acceptable ribbon for use with respective material

BMP®71 Label Printer

BradyID.com/s36



BRADY360 2 YEAR WARRANTY

BMP®71 LABEL PRINTER

Thousands of applications
Hundreds of labels
One label printer

The most versatile portable printer in our offering. Painless setup, robust label offering and intuitive interface come together in our top-of-the-line portable printer.

Watch the demo video at BradyID.com/bmp71

Your complete printing solution:

BMP71 label rolls ..... page 154
BMP71 print ribbons ..... page 170

Text and print options:

- 100's of symbols
- Reverse print
- Subscripts
- Auto font size
- Barcodes
- Serialization
- Time and date stamps
- Underline
- Italics and bold
- Vertical printing
- And more

Printer specifications	
Print speed	1.5 in. / sec
Print and color capabilities	Thermal Transfer / Monochrome
Print resolution	300 dpi
PC compatibility or standalone	Standalone and PC connect
Connectivity options	USB Port B
Software compatibility	Brady Workstation Apps, LabelMark™ Software
Power supply options	NiMH battery, AC adapter
Standard warranty	2 years
Dimensions	9.5 in. W x 13.0 in. H x 4.6 in. D
Weight	4.9 lbs. (w/o tape, batteries)
Print features	
Screen size	LCD, Color, 3.5 in. QVGA
Backlit screen	Yes
Keyboard style	QWERTY, Number Keypad
Max print width	1.92 in.
Font types available	(2) Brady Alpine and Brady Fixed Width
Font sizes (pts)	4 through 174, autosizing
Multi-line label capabilities	25
Label print rotation	Yes
Data serialization	Yes, multiple and linked
Barcode capabilities and types	Code 39, Code 128 and more using Brady Workstation
Memory capacity	200 MB
Data transfer from PC	Yes
Print preview	Yes
Symbols available	500+
Label supplies	
Label / ribbon supply	Separate label roll and ribbon cartridges
Material formats supported	Continuous, die-cut labels and custom
Media width	0.235 to 2.00 in.
Types of materials	Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, Tedlar wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, polyimide / electronics materials, tamper resistant materials, outdoor reflective, glow-in-the-dark, ToughStripe floor tape, ToughWash, repositionable vinyl, raised panel labels (engraved plate alternative)
Quantity of label parts available	300+ label parts and customs
Cartridge series	M71 series, BM71, PTL series with adapter and some BMP61 labels with adapter (TLS and BMP61 ribbons not compatible)

BMP71 label printer and accessories

Catalog #	Description
BMP71	BMP71 Printer*
BMP71-QC	BMP71 Printer* w/ Quick Charger
BMP71-SC	BMP71 Printer* w/ Soft Case
BMP71-SC-QC	BMP71 Printer* w/ Soft Case and Quick Charger
M-AC-143110	BMP71 AC / Battery Adapter
M71-ADAPT-BK	Media Adapter
M71-BATT	BMP71 Battery Pack
M-USB-103788	BMP71 USB Cable
M71-CLEAN	BMP71 Cleaning Kit
M71-HC	BMP71 Hardcase
M71-QC	BMP71 Quick Charger
BMP-SC-3	BMP71 Soft Case

**Printer ships with hardcase, charger / AC adapter, (1) roll of 1.0 x 1.5 in. white die-cut labels, (1) black ribbon cartridge, media adapter, rechargeable battery, USB cable, quickstart guide, drivers CD, users guide, tutorial and 2-year limited warranty.*

U.S. Patent No. 7,999,836; 8,328,442; 8,333,524.



The one way to faster, easier label printing



Electrical labeling


Voice and data communications



Rating plates and general ID


PermaSleeve® wire markers


Self-laminating labels



Safety labels and more



Brady Workstation Software

Desktop software for your Brady Printer

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

- Suites designed with you in mind, contain apps for common safety and facility label designs, product and wire label creation, printing workflows and more
- Displays real-time information about the material installed for easy label set up
- Apps feature built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more


Learn more on page 176 or download a free trial at Workstation.BradyID.com

Expand your label options with the BMP71 media adapter

Your BMP71 printer includes a black media adapter that allows you to convert many BMP®61 label rolls to fit your BMP71 printer.
(Requires BMP71 printer firmware upgrade 1.13 or higher.)

View BMP61 label rolls on page 130–148.

Need additional adapters? Order catalog # M71-ADAPT-BK



BMP61 label roll

BMP61 label roll with black media adapter attached



BradyID.com/s36

Indoor and Outdoor Vinyl Labels for Safety, Facility and Lean 5S (B-595)

Continuous vinyl material is ideal for lean 5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, good for rough surfaces and outdoor use.
8-10 years average outdoor durability.*
Temp. range: -40° F to 180° F (-40° C to 82° C).
UL recognized.



Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-250-595-WT	B-595	Vinyl	White	0.250 (6.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-WT	B-595	Vinyl	White	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-WT	B-595	Vinyl	White	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-WT	B-595	Vinyl	White	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-250-595-YL	B-595	Vinyl	Yellow	0.250 (6.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-YL	B-595	Vinyl	Yellow	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-YL	B-595	Vinyl	Yellow	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-YL	B-595	Vinyl	Yellow	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-BK	B-595	Vinyl	Black	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BK	B-595	Vinyl	Black	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BK	B-595	Vinyl	Black	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-BL	B-595	Vinyl	Blue	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BL	B-595	Vinyl	Blue	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BL	B-595	Vinyl	Blue	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-BR	B-595	Vinyl	Brown	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BR	B-595	Vinyl	Brown	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BR	B-595	Vinyl	Brown	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-CL	B-595	Vinyl	Clear	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-CL	B-595	Vinyl	Clear	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-CL	B-595	Vinyl	Clear	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-GD	B-595	Vinyl	Gold	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-GD	B-595	Vinyl	Gold	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-GD	B-595	Vinyl	Gold	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-GN	B-595	Vinyl	Green	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-GN	B-595	Vinyl	Green	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-GN	B-595	Vinyl	Green	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-GY	B-595	Vinyl	Gray	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-GY	B-595	Vinyl	Gray	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-GY	B-595	Vinyl	Gray	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-LB	B-595	Vinyl	Light Blue	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-LB	B-595	Vinyl	Light Blue	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-LB	B-595	Vinyl	Light Blue	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-OC	B-595	Vinyl	Ochre	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-OC	B-595	Vinyl	Ochre	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-OC	B-595	Vinyl	Ochre	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-OR	B-595	Vinyl	Orange	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-OR	B-595	Vinyl	Orange	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-OR	B-595	Vinyl	Orange	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-PK	B-595	Vinyl	Pink	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-PK	B-595	Vinyl	Pink	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-PK	B-595	Vinyl	Pink	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-PL	B-595	Vinyl	Purple	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-PL	B-595	Vinyl	Purple	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-PL	B-595	Vinyl	Purple	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-RD	B-595	Vinyl	Red	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-RD	B-595	Vinyl	Red	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-RD	B-595	Vinyl	Red	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-SB	B-595	Vinyl	Sky Blue	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-SB	B-595	Vinyl	Sky Blue	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-SB	B-595	Vinyl	Sky Blue	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-TN	B-595	Vinyl	Tan	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-TN	B-595	Vinyl	Tan	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-TN	B-595	Vinyl	Tan	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000

** Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material color. The 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary.*

ToughWash® Harsh Washdown Labels (B-854 and B-855)

Specially formulated material for the Food and Beverage Processing industry with the ability to withstand washdowns up to 175° F (80° C) and pressure up to 1500 PSI.

- **B-854 ToughWash Metal Detectable Polyester:** Polyester material with aggresive adhesive. Capable of being detected by commercially available metal detectors
- **B-855 ToughWash Polyester:** Polyester material with aggressive acrylic adhesive




Figure 33

Figure 73



Figure	Catalog #	B#	Legend	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash® Metal Detectable Material							
Fig. 33	BM71C-1000-854-WT	B-854		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-854-WT	B-854		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-854-YL	B-854		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-854-YL	B-854		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 73	BM71C-2000-854-CAU	B-854	CAUTION	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-854-DAN	B-854	DANGER	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-854-WAR	B-854	WARNING	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
B-855 ToughWash® Material							
Fig. 33	BM71C-1000-855-WT	B-855		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-855-WT	B-855		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-855-YL	B-855		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-855-YL	B-855		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 73	BM71C-2000-855-CAU	B-855	CAUTION	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-855-DAN	B-855	DANGER	2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-855-WAR	B-855	WARNING	2.000 (50.8)	4.125 (104.8)	225	M71-R6000

ToughStripe® Floor Marking Labels (B-483)

Print on demand ToughStripe polyester floor marking material features the same durability and performance as ToughStripe tape with its high-adhesion to flat, non-coated concrete. Includes a roll of B-634 clear overlaminate to protect printing. Temp. range: -40° F to 248° F (-40° C to 120° C).




Figure 33





Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71-1000-483-WT-KT	B-483	Polyester	White	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-WT-KT	B-483	Polyester	White	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-YL-KT	B-483	Polyester	Yellow	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-YL-KT	B-483	Polyester	Yellow	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-BK-KT	B-483	Polyester	Black	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-2000-483-BK-KT	B-483	Polyester	Black	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-1000-483-BL-KT	B-483	Polyester	Blue	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-2000-483-BL-KT	B-483	Polyester	Blue	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-1000-483-GN-KT	B-483	Polyester	Green	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-2000-483-GN-KT	B-483	Polyester	Green	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-1000-483-OR-KT	B-483	Polyester	Orange	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-OR-KT	B-483	Polyester	Orange	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-RD-KT	B-483	Polyester	Red	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-RD-KT	B-483	Polyester	Red	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000

BradyID.com/s36

General Identification and Rating Plate Labels (B-424, B-430, B-459, B-483, B-486, B-488, B-489 and B-8591)

Choose from several materials with aggressive adhesives for use in commercial and industrial applications.



- **B-424 Paper Material:** White matte paper material
- **B-430 Polyester Material:** Clear glossy polyester
- **B-459 Polyester Material:** White matte polyester
- **B-483 Polyester Material:** White glossy polyester with an aggressive rubber-based adhesive
- **B-486 Polyester Material:** Metallized matte polyester with an aggressive adhesive
- **B-488 Polyester Material:** White matte polyester with an aggressive adhesive
- **B-489 Polyester Material:** White matte polyester with an aggressive adhesive
- **B-8591 Outdoor Polyester Material:** Permanent adhesive, 12-year outdoor durability, resists UV, abrasion and fluids




Figure 2




Figure 33

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-424 Paper								
Fig. 2	BM71-20-424	B-424	Paper	Matte White	2.000 (50.8)	1.000 (25.4)	1,000	M71-R4300
Fig. 2	M71-20-424	B-424	Paper	Matte White	2.000 (50.8)	1.000 (25.4)	100	M71-R4300
B-430 Clear Glossy Polyester								
Fig. 2	M71-68-430	B-430	Polyester	Glossy Clear	0.240 (6.0)	0.150 (3.8)	750	M71-R6000
Fig. 2	M71-71-430	B-430	Polyester	Glossy Clear	0.350 (8.9)	0.200 (5.1)	750	M71-R6000
Fig. 33	M71C-375-430	B-430	Polyester	Glossy Clear	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-430	B-430	Polyester	Glossy Clear	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-16-430	B-430	Polyester	Glossy Clear	1.000 (25.4)	0.375 (9.5)	500	M71-R6000
Fig. 2	M71-17-430	B-430	Polyester	Glossy Clear	1.000 (25.4)	0.500 (12.7)	500	M71-R6000
Fig. 33	M71C-1000-430	B-430	Polyester	Glossy Clear	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-45-430	B-430	Polyester	Glossy Clear	1.050 (38.1)	0.375 (9.5)	500	M71-R6000
Fig. 33	M71C-1900-430	B-430	Polyester	Glossy Clear	1.900 (48.3)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
B-459 Matte Polyester								
Fig. 2	M71-29-459	B-459	Polyester	Matte White	1.500 (38.1)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-30-459	B-459	Polyester	Matte White	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
Fig. 2	M71-20-459	B-459	Polyester	Matte White	2.000 (50.8)	1.000 (25.4)	100	M71-R6000
B-483 Gloss Polyester								
Fig. 33	M71C-500-483	B-483	Polyester	Glossy Clear	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-16-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	0.375 (9.5)	500	M71-R6000
Fig. 2	M71-17-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-19-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	1.000 (25.4)	250	M71-R6000
Fig. 33	M71C-1000-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-65-483	B-483	Polyester	Glossy Clear	1.375 (34.9)	1.000 (25.4)	250	M71-R6000
Fig. 2	M71-29-483	B-483	Polyester	Glossy Clear	1.500 (38.1)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-30-483	B-483	Polyester	Glossy Clear	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
Fig. 2	M71-31-483	B-483	Polyester	Glossy Clear	1.500 (38.1)	1.000 (25.4)	250	M71-R6000
Fig. 33	M71C-1900-483	B-483	Polyester	Glossy Clear	1.900 (48.3)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-61-483	B-483	Polyester	Glossy Clear	2.000 (50.8)	0.500 (12.7)	100	M71-R6000
Fig. 2	M71-20-483	B-483	Polyester	Glossy Clear	2.000 (50.8)	1.000 (25.4)	100	M71-R6000
Fig. 2	M71-37-483	B-483	Polyester	Glossy Clear	3.000 (76.2)	1.900 (48.3)	100	M71-R6000
Fig. 2	M71-23-483	B-483	Polyester	Glossy Clear	4.000 (101.6)	1.000 (25.4)	100	M71-R6000
Fig. 2	M71-38-483	B-483	Polyester	Glossy Clear	4.000 (101.6)	1.900 (48.3)	100	M71-R6000
B-486 Metallized Polyester								
Fig. 2	M71-17-486	B-486	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-29-486	B-486	Polyester	Silver	1.500 (38.1)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-30-486	B-486	Polyester	Silver	1.500 (38.1)	0.750 (19.1)	250	M71-R4300
Fig. 2	M71-20-486	B-486	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	100	M71-R4300
Fig. 2	M71-37-486	B-486	Polyester	Silver	3.000 (76.2)	1.900 (48.3)	100	M71-R4300
B-488 Matte Polyester								
Fig. 2	M71-80-488	B-488	Polyester	Matte White	0.750 (19.1)	0.900 (22.9)	250	M71-R4300
Fig. 2	M71-97-488	B-488	Polyester	Matte White	0.900 (22.9)	0.900 (22.9)	250	M71-R4300
Fig. 2	M71-81-488	B-488	Polyester	Matte White	1.900 (48.3)	0.250 (6.4)	750	M71-R4300
B-489 Matte Polyester								
Fig. 2	M71-17-489	B-489	Polyester	Matte White	1.000 (25.4)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-29-489	B-489	Polyester	Matte White	1.500 (38.1)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-32-489	B-489	Polyester	Matte White	1.500 (38.1)	1.500 (38.1)	250	M71-R4300
Fig. 2	M71-38-489	B-489	Polyester	White	4.000 (101.6)	1.900 (48.3)	100	M71-R4300
B-8591 Outdoor Glossy Polyester								
Fig. 33	M71C-1000-8591	B-8591	Polyester	Glossy White	1.000 (25.4)	50 ft (15.24 m)	1 roll (cont.)	M71-R6600
Fig. 33	M71C-1900-8591	B-8591	Polyester	Glossy White	1.900 (48.3)	50 ft (15.24 m)	1 roll (cont.)	M71-R6600

Repositionable Vinyl Material (B-581)

Indoor / outdoor vinyl is a high-gloss, durable, flexible material designed with special adhesive to easily remove and re-apply.




Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-500-581-WT	B-581	Vinyl	White	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-581-WT	B-581	Vinyl	White	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-581-WT	B-581	Vinyl	White	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-581-YL	B-581	Vinyl	Yellow	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-581-YL	B-581	Vinyl	Yellow	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-581-YL	B-581	Vinyl	Yellow	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000

BradyGlo™ Phosphorescent Polyester Material (B-582)

Glow-in-the-dark pressure sensitive polyester is ideal for identification of fire alarms, extinguishers and emergency evacuations routes. Photoluminescent material charges in 5 minutes at 1000 Lux for 10+ hours of glow time. Temp range: -40° F to 176° F (-40° C to 80° C).




Figure 33





Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	BM71C-1000-582	B-582	Polyester	Phosphorescent	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-582	B-582	Polyester	Phosphorescent	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000

Reflective Material (B-584)

Reflective material shines back brightly when struck by light, making it ideal for labeling outdoor utility poles, hard hats, jobsite equipment and roof-top equipment. Meets Federal Spec L-S-300 for reflectivity. Average outdoor durability is 4-6 years. Temp. range: -40° F to 158° F (-40° C to 70° C).




Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	BM71C-1000-584-YL	B-584	Reflective Tape	Yellow	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-YL	B-584	Reflective Tape	Yellow	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-584-OR	B-584	Reflective Tape	Orange	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-OR	B-584	Reflective Tape	Orange	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-584-WT	B-584	Reflective Tape	Silver	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-WT	B-584	Reflective Tape	Silver	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000

Water-Dissolvable Paper Material (B-403)

Completely dissolves in warm water within 30 seconds, leaving no adhesive residue, eliminating labor required for label removal and allows for easy re-identification.




Figure 33




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-750-403	B-403	Dissolvable Paper	White	0.750 (19.05)	50 (15.2)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-1500-403	B-403	Dissolvable Paper	White	1.500 (38.1)	50 (15.2)	1 roll (cont.)	M71-R4300

Pre-Printed Calibration and Testing Labels (B-423, B-428 and B-483)

- **B-423 Polyester Material:** UL recognized for outdoor use on glass, thermoset polyester plastic and polyvinyl fluoride plastic.
- **B-428 Metallized Polyester Material:** For barcodes, alphanumerics and graphics that require nameplate-like quality
- **B-483 Gloss Polyester Material:** Permanent rubber-based adhesive for powder-coated and textured surfaces








Figure 51




Figure 52




Figure 54




Figure 79

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-423 Permanent Polyester								
Fig. 52	M71-30-423-TEST	B-423	Polyester	White	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
B-428 Metallized Polyester								
Fig. 51	M71-30-428-CALI	B-428	Polyester	Light Gray	1.500 (38.1)	0.750 (19.1)	250	M71-R4300
Fig. 53	M71-35-428-PROP	B-428	Polyester	Light Gray	1.630 (41.4)	0.750 (19.1)	250	M71-R4300
B-483 Gloss Polyester								
Fig. 79	M71-38-483-CAUT	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-DANG	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-NOTI	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-WARN	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000

Push-Button Style Raised Panel Labels (B-593)

Glossy, foam-backed polyester with permanent adhesive and solvent resistance makes them a great replacement for engraved tags. Ideal for external push buttons, switches and internal connection points. Total label thickness: 0.0256 in. (0.650 mm). RoHS compliant and UL approved.




Figure 22b




Figure 49




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Hole Diameter C Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 22b	M71EP-180-593	B-593	Polyester	White	1.890 (48.01)	1.300 (33.02)	-	50	M71-R6000
Fig. 22b	M71EP-182-593	B-593	Polyester	White	2.400 (60.96)	1.900 (48.26)	-	50	M71-R6000
Fig. 49	M71EP-167-593	B-593	Polyester	White	1.200 (30.480)	1.500 (38.1)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-168-593	B-593	Polyester	White	1.200 (30.480)	1.900 (48.3)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-169-593	B-593	Polyester	White	1.800 (45.720)	1.800 (45.7)	1.200 (30.5)	100	M71-R6000
Fig. 49	M71EP-189-593	B-593	Polyester	White	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R6000
Fig. 49	M71EP-167-593-YL	B-593	Polyester	Yellow	1.200 (30.480)	1.500 (38.1)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-168-593-YL	B-593	Polyester	Yellow	1.200 (30.480)	1.900 (48.3)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-169-593-YL	B-593	Polyester	Yellow	1.800 (45.720)	1.800 (45.7)	1.200 (30.5)	100	M71-R6000
Fig. 49	M71EP-189-593-YL	B-593	Polyester	Yellow	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R6000
Fig. 49	M71EP-167-593-BK	B-593	Polyester	Black	1.200 (30.480)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-BK	B-593	Polyester	Black	1.200 (30.480)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-BK	B-593	Polyester	Black	1.800 (45.720)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-BK	B-593	Polyester	Black	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT
Fig. 49	M71EP-167-593-GN	B-593	Polyester	Green	1.200 (30.480)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-GN	B-593	Polyester	Green	1.200 (30.480)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-GN	B-593	Polyester	Green	1.800 (45.720)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-GN	B-593	Polyester	Green	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT
Fig. 49	M71EP-167-593-RD	B-593	Polyester	Red	1.200 (30.480)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-RD	B-593	Polyester	Red	1.200 (30.480)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-RD	B-593	Polyester	Red	1.800 (45.720)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-RD	B-593	Polyester	Red	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT

Rectangular Raised Panel Labels (B-593)

Glossy, foam-backed polyester with permanent adhesive and solvent resistance makes them a great replacement for engraved tags. Ideal for external push buttons, switches and internal connection points. Total label thickness is 0.0256 in. (0.650 mm). RoHS compliant and UL approved.




Figure 18




Figure 20



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 18	M71EP-171-593	B-593	Polyester	White	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593	B-593	Polyester	White	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593	B-593	Polyester	White	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-176-593	B-593	Polyester	White	1.000 (25.4)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-190-593	B-593	Polyester	White	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593	B-593	Polyester	White	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593	B-593	Polyester	White	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593	B-593	Polyester	White	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593	B-593	Polyester	White	1.900 (48.26)	6.000 (152.4)	25	M71-R6000
Fig. 18	M71EP-171-593-YL	B-593	Polyester	Yellow	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593-YL	B-593	Polyester	Yellow	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-176-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-190-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-BK	B-593	Polyester	Black	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-BK	B-593	Polyester	Black	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-BK	B-593	Polyester	Black	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-BK	B-593	Polyester	Black	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-BK	B-593	Polyester	Black	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-BK	B-593	Polyester	Black	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-BK	B-593	Polyester	Black	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-BK	B-593	Polyester	Black	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-BK	B-593	Polyester	Black	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-GN	B-593	Polyester	Green	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-GN	B-593	Polyester	Green	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-GN	B-593	Polyester	Green	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-GN	B-593	Polyester	Green	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-GN	B-593	Polyester	Green	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-GN	B-593	Polyester	Green	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-GN	B-593	Polyester	Green	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-GN	B-593	Polyester	Green	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-GN	B-593	Polyester	Green	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-RD	B-593	Polyester	Red	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-RD	B-593	Polyester	Red	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-RD	B-593	Polyester	Red	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-RD	B-593	Polyester	Red	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-RD	B-593	Polyester	Red	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-RD	B-593	Polyester	Red	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-RD	B-593	Polyester	Red	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-RD	B-593	Polyester	Red	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-RD	B-593	Polyester	Red	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-SL	B-593	Polyester	Silver	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593-SL	B-593	Polyester	Silver	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593-SL	B-593	Polyester	Silver	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-190-593-SL	B-593	Polyester	Silver	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593-SL	B-593	Polyester	Silver	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593-SL	B-593	Polyester	Silver	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593-SL	B-593	Polyester	Silver	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593-SL	B-593	Polyester	Silver	1.900 (48.26)	6.000 (152.4)	25	M71-R6000

BradyID.com/s36

Patch Panel Strips (B-412 and B-422)

- **B-412 Non-Adhesive Polypropylene Strips:** Designed for high legibility and tensile strength
- **B-422 Polyester Material:** Permanent aggressive adhesive, good for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40ºF to 212ºF (-40ºC to 100ºC). UL recognized.




Figure 2




Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-412 Non-Adhesive Polypropylene Material								
Fig. 33	M71C-230-412	B-412	Polyethylene Non-Adhesive Strip	White	0.230 (5.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-375-412	B-412	Polyethylene Non-Adhesive Strip	White	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-475-412	B-412	Polyethylene Non-Adhesive Strip	White	0.475 (12.1)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-500-412	B-412	Polyethylene Non-Adhesive Strip	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-625-412	B-412	Polyethylene Non-Adhesive Strip	White	0.625 (15.9)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-785-412	B-412	Polyethylene Non-Adhesive Strip	White	0.785 (19.9)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
B-422 Permanent Adhesive Polyester Material								
Fig. 33	M71C-375-422	B-422	Polyester Adhesive Strip	White	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-475-422	B-422	Polyester Adhesive Strip	White	0.475 (12.1)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-422	B-422	Polyester Adhesive Strip	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-625-422	B-422	Polyester Adhesive Strip	White	0.625 (15.9)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-422	B-422	Polyester Adhesive Strip	White	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1900-422	B-422	Polyester Adhesive Strip	White	1.900 (48.3)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-45-422	B-422	Polyester Individual Labels	White	1.500 (38.1)	0.375 (9.5)	500	M71-R6000
Fig. 2	M71-30-422	B-422	Polyester Individual Labels	White	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
Fig. 2	BM71-20-422	B-422	Polyester Individual Labels	White	2.000 (50.8)	1.000 (25.4)	1,000	M71-R6000
Fig. 2	M71-37-422	B-422	Polyester Individual Labels	White	3.000 (76.2)	1.900 (48.3)	100	M71-R6000

Faceplate, Outlet and Port Labels (B-412, B-423 and B-595)

- **B-412 Non-Adhesive Polypropylene Tag Material:** Designed for high legibility and tensile strength.
- **B-423 Polyester Material:** White glossy polyester with aggressive adhesive
- **B-595 Indoor / Outdoor Vinyl Material:** Aggressive permanent adhesive, very pliable, conforms to rough surfaces, excellent resistance to oils, detergents, dirt and many solvents




Figure 2




Figure 33




Figure 55



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-412 Non-Adhesive Polypropylene								
Fig. 55	BM71-40-412	B-412	Non-adhesive Strip	White	1.938 (49.2)	0.375 (9.5)	5,000	M71-R6200
Fig. 55	M71-40-412	B-412	Non-adhesive Strip	White	1.938 (49.2)	0.375 (9.5)	750	M71-R6200
B-423 Permanent Polyester								
Fig. 2	M71-7-423	B-423	Polyester	White	0.500 (12.700)	0.500 (12.700)	500	M71-R6000
Fig. 33	M71C-500-423	B-423	Polyester Strip	White	0.500 (12.700)	50 ft. (15.24 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-16-423	B-423	Polyester Individual Labels	White	1.000 (25.400)	0.375 (9.530)	500	M71-R6000
Fig. 2	M71-17-423	B-423	Polyester Individual Labels	White	1.000 (25.400)	0.500 (12.700)	500	M71-R6000
Fig. 2	M71-29-423	B-423	Polyester Individual Labels	White	1.500 (38.100)	0.500 (12.700)	500	M71-R6000
B-595 Indoor / Outdoor Vinyl								
Fig. 33	M71C-500-595-WT	B-595	Vinyl Strip	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000

Non-Adhesive Tags (B-109 and B-145)

- **B-109 Polyethylene Tags:** Multipurpose tag that can be used for a variety of applications including identification of multi-conductor cables, inventory, equipment, lockout and work-in-progress. Extremely tear resistant and superior cold-weather tag
- **B-145 Polyethylene and B-145FR Fire Retardant Polyethylene Tags:** Hang tags are made of 9.5 mil cross laminated polyethylene film with a thermal transfer printable topcoat. Used for a variety of tag applications including on multiconductor cables and equipment




Figure 45




Figure 56





Figure 50








Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-109 Polyethylene Tags								
Fig. 45	M71-36-109	B-109	Polyethylene	White	1.125 (28.6)	1.750 (44.5)	250	M71-R4300
Fig. 56	M71-12-109	B-109	Polyethylene	White	3.000 (76.2)	0.750 (19.1)	100	M71-R4300
Fig. 56	BM71-12-109	B-109	Polyethylene	White	3.000 (76.2)	0.750 (19.1)	1,000	M71-R4300
B-145 Polyethylene Tags								
Fig. 50	BM71-111-145-GY	B-145	Polyethylene	Light Gray	1.206 (30.6)	0.758 (19.3)	1,000	M71-R6000
Fig. 50	M71-111-145-GY	B-145	Polyethylene	Light Gray	1.206 (30.6)	0.758 (19.3)	100	M71-R6000
Fig. 50	BM71-110-145-GY	B-145	Polyethylene	Light Gray	1.750 (44.5)	1.000 (25.4)	1,000	M71-R6000
Fig. 50	M71-110-145-GY	B-145	Polyethylene	Light Gray	1.750 (44.5)	1.000 (25.4)	100	M71-R6000
B-145FR Fire Retardant Polyethylene Tags								
Fig. 50	M71-111-145FR-GY	B-145FR	Polyethylene	Light Gray	1.206 (30.6)	0.758 (19.3)	100	M71-R6000
Fig. 50	M71-110-145FR-GY	B-145FR	Polyethylene	Light Gray	1.750 (44.5)	1.000 (25.4)	100	M71-R6000

Fiber Optic Cable Flags (B-425)

Flags allows more legible information on smaller diameter wires and permits you to handle and view labels without touching the wires. Matte white olypropylene with excellent solvent resistance and print performance; not recommended for long-term outdoor use.




Figure 47




Figure 48




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 47	M71FP-1-425	B-425	Polypropylene	White	1.180 (30.0)	0.788 (20.0)	250	M71-R4300
Fig. 48	M71FT-1-425	B-425	Polypropylene	White	1.180 (30.0)	0.788 (20.0)	250	M71-R4300
Fig. 47	M71FP-2-425	B-425	Polypropylene	White	1.750 (44.5)	1.000 (25.4)	100	M71-R4300

Terminal Block Repositionable Adhesive Strips (B-498)

The adhesive and cloth backing offers excellent holding power, yet allows for clean removal and repositioning if necessary. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized.




Figure 33




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-240-498	B-498	Vinyl Cloth	White	0.240 (6.1)	30 (9.1)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-318-498	B-498	Vinyl Cloth	White	0.318 (8.1)	30 (9.1)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-375-498	B-498	Vinyl Cloth	White	0.375 (9.5)	30 (9.1)	1 roll (cont.)	M71-R6200
Fig. 33	BM71C-240-498	B-498	Vinyl Cloth	White	0.240 (6.1)	275 (83.8)	1 roll (cont.)	M71-R6200
Fig. 33	BM71C-318-498	B-498	Vinyl Cloth	White	0.318 (8.1)	275 (83.8)	1 roll (cont.)	M71-R6200
Fig. 33	BM71C-375-498	B-498	Vinyl Cloth	White	0.375 (9.5)	275 (83.8)	1 roll (cont.)	M71-R6200

BradyID.com/s36

Adhesive Cloth Wire and Cable Labels (B-498 and B-499)

- **B-498 Repositionable Vinyl Cloth:** Adhesive and cloth backing offers excellent holding power, yet allow for removal and repositioning. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized.
- **B-499 Permanent Nylon Cloth:** Durable industrial strength and designed to conform to curved surfaces




Figure 2




Figure 33




Figure	Catalog #	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-498 Repositionable Vinyl Cloth Labels								
Fig. 2	M71-7-498	B-498	White	16 to 10	0.500 (12.7)	0.500 (12.7)	500	M71-R6200
Fig. 2	M71-17-498	B-498	White	16 to 10	1.000 (25.4)	0.500 (12.7)	500	M71-R6200
Fig. 2	M71-10-498	B-498	White	16 to 10	0.250 (6.4)	0.750 (19.1)	750	M71-R6200
Fig. 2	BM71-11-498	B-498	White	16 to 10	0.500 (12.7)	0.750 (19.1)	5,000	M71-R6200
Fig. 2	M71-11-498	B-498	White	16 to 10	0.500 (12.7)	0.750 (19.1)	500	M71-R6200
Fig. 2	M71-16-498	B-498	White	12 to 10	0.375 (9.5)	1.000 (25.4)	500	M71-R6200
Fig. 2	BM71-18-498	B-498	White	12 to 10	0.750 (19.1)	1.000 (25.4)	2,500	M71-R6200
Fig. 2	M71-18-498	B-498	White	12 to 10	0.750 (19.1)	1.000 (25.4)	250	M71-R6200
Fig. 2	BM71-19-498	B-498	White	12 to 10	1.000 (25.4)	1.000 (25.4)	2,500	M71-R6200
Fig. 2	M71-19-498	B-498	White	12 to 10	1.000 (25.4)	1.000 (25.4)	250	M71-R6200
Fig. 2	BM71-29-498	B-498	White	10 to 4	0.500 (12.7)	1.500 (38.1)	5000	M71-R6200
Fig. 2	M71-29-498	B-498	White	10 to 4	0.500 (12.7)	1.500 (38.1)	500	M71-R6200
Fig. 2	M71-30-498	B-498	White	10 to 4	0.750 (19.1)	1.500 (38.1)	250	M71-R6200
Fig. 2	M71-31-498	B-498	White	10 to 4	1.000 (25.4)	1.500 (38.1)	250	M71-R6200
Fig. 2	M71-32-498	B-498	White	10 to 4	1.500 (38.1)	1.500 (38.1)	250	M71-R6200
Fig. 2	M71-21-498	B-498	White	Cables	1.000 (25.4)	2.500 (63.5)	100	M71-R6200
Fig. 2	M71-33-498	B-498	White	Cables	1.500 (38.1)	4.000 (101.6)	100	M71-R6200
Fig. 33	M71C-500-498	B-498	White	–	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-1000-498	B-498	White	–	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-1900-498	B-498	White	–	1.900 (48.3)	30 ft. (9.1 m)	1 roll (cont.)	M71-R6200
B-499 Nylon Cloth Labels								
Fig. 2	M71-7-499	B-499	White	16 to 10	0.500 (12.7)	0.500 (12.7)	500	M71-R4300
Fig. 2	BM71-11-499	B-499	White	16 to 10	0.500 (12.7)	0.750 (19.1)	5000	M71-R4300
Fig. 2	M71-11-499	B-499	White	16 to 10	0.500 (12.7)	0.750 (19.1)	500	M71-R4300
Fig. 2	M71-16-499	B-499	White	12 to 10	0.375 (9.5)	1.000 (25.4)	500	M71-R4300
Fig. 2	M71-18-499	B-499	White	12 to 10	0.750 (19.1)	1.000 (25.4)	250	M71-R4300
Fig. 2	M71-19-499	B-499	White	12 to 10	1.000 (25.4)	1.000 (25.4)	250	M71-R4300
Fig. 2	M71-78-499	B-499	White	12 to 10	1.900 (48.3)	1.000 (25.4)	250	M71-R4300
Fig. 2	M71-28-499	B-499	White	10 to 4	0.250 (6.4)	1.500 (38.1)	750	M71-R4300
Fig. 2	M71-29-499	B-499	White	10 to 4	0.500 (12.7)	1.500 (38.1)	500	M71-R4300
Fig. 2	M71-30-499	B-499	White	10 to 4	0.750 (19.1)	1.500 (38.1)	250	M71-R4300
Fig. 2	M71-31-499	B-499	White	10 to 4	1.000 (25.4)	1.500 (38.1)	250	M71-R4300
Fig. 2	M71-21-499	B-499	White	Cables	1.000 (25.4)	2.500 (63.5)	100	M71-R4300
Fig. 33	M71C-500-499	B-499	White	–	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-1000-499	B-499	White	–	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-1900-499	B-499	White	–	1.900 (48.3)	30 ft. (9.1 m)	1 roll (cont.)	M71-R4300

High Temp Wire and Cable Labels (B-437, B-472)

- **B-437 Polyvinylfluoride Material:** Permanent acrylic adhesive and has excellent resistance to water, oil and other common fluids. Meets the requirements of MIL-M-87958. UL approved.
- **B-472 Polyimide Material:** Specifically designed to self-extinguish and prevent flames from propagating




Figure 2




Figure 33




Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-437 Polyvinylfluoride									
Fig. 2	M71-10-437	B-437	Polyvinylfluoride	White	16 to 10	0.250 (6.4)	0.750 (25.4)	750	M71-R4300
Fig. 2	M71-15-437	B-437	Polyvinylfluoride	White	12 to 10	0.275 (7.0)	1.000 (25.4)	750	M71-R4300
Fig. 2	M71-29-437	B-437	Polyvinylfluoride	White	10 to 4	0.500 (12.7)	1.500 (19.1)	500	M71-R4300
B-472 Polyimide									
Fig. 2	M71-10-472	B-472	Polyimide	White	16 to 10	0.250 (6.4)	0.750 (25.4)	750	M71-R4300
Fig. 2	M71-30-472	B-472	Polyimide	White	16 to 10	1.500 (38.1)	0.750 (38.1)	250	M71-R4300
Fig. 2	M71-15-472	B-472	Polyimide	White	12 to 10	0.275 (7.0)	1.000 (25.4)	750	M71-R4300
Fig. 2	M71-17-472	B-472	Polyimide	White	12 to 10	0.500 (12.7)	1.000 (25.4)	500	M71-R4300
Fig. 2	M71-19-472	B-472	Polyimide	White	12 to 10	1.000 (25.4)	1.000 (25.4)	250	M71-R4300
Fig. 2	M71-21-472	B-472	Polyimide	White	12 to 10	2.500 (63.5)	1.000 (38.1)	100	M71-R4300
Fig. 2	M71-29-472	B-472	Polyimide	White	10 to 4	0.500 (12.7)	1.500 (19.1)	500	M71-R4300
Fig. 2	M71-31-472	B-472	Polyimide	White	10 to 4	1.000 (25.4)	1.500 (16.5)	250	M71-R4300
Fig. 33	M71C-1000-472	B-472	Polyimide	White	-	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-1500-472	B-472	Polyimide	White	-	1.500 (38.1)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-2000-472	B-472	Polyimide	White	-	2.000 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-1000-472-YL	B-472	Polyimide	Yellow	-	1.000 (38.1)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-1500-472-YL	B-472	Polyimide	Yellow	-	1.500 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-2000-472-YL	B-472	Polyimide	Yellow	-	2.000 (38.1)	50 ft. (15.2 m)	1 roll (cont.)	M71-R4300

Self-Extinguishing Polyvinylfluoride Labels (B-642)

Clear polyvinylfluoride film with a white printable zone and a translucent overlaminating area offers excellent flexibility for wrapping around small diameter wires. Material features self-extinguishing properties and is solvent resistant.




Figure 32




Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 32	M71-19-642	B-642	Polyvinylfluoride	White	12 to 10	1.000 (25.400)	1.000 (25.400)	0.375 (9.530)	250	M71-R4300
Fig. 32	M71-31-642	B-642	Polyvinylfluoride	White	10 to 4	1.000 (25.400)	1.500 (38.100)	0.500 (12.700)	250	M71-R6200
Fig. 32	M71-21-642	B-642	Polyvinylfluoride	White	25 Pair Copper	1.000 (25.400)	2.500 (63.500)	0.750 (38.1)	100	M71-R6200

BradyID.com/s36

Self-Laminating Vinyl Wire and Cable Labels (B-427)

Labels feature a clear, non-printable area that wraps around print-on area to protect text. Vinyl material offers superior resistance to solvents, oil, grease, dirt and water. Temp. range -40° F to 158° F (-40° C to 70° C), UL recognized.






Figure 2




Figure 32




Figure 43

Figure	Catalog #	B#	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 32	M71-10-427	B-427	White	16 to 10	0.250 (6.350)	0.750 (19.050)	0.375 (9.530)	750	M71-R4300
Fig. 32	M71-11-427	B-427	White	16 to 10	0.500 (12.700)	0.750 (19.050)	0.375 (9.530)	500	M71-R4300
Fig. 32	BM71-11-427	B-427	White	16 to 10	0.500 (12.700)	0.750 (19.050)	0.375 (9.530)	5,000	M71-R4300
Fig. 32	M71-96-427	B-427	White	16 to 10	1.000 (25.400)	0.750 (19.050)	0.375 (9.530)	250	M71-R4300
Fig. 2	M71-30-427-AW	B-427	White	10 to 4	1.500 (38.100)	0.750 (19.050)	–	250	M71-R4300
Fig. 32	M71-17-427	B-427	White	12 to 10	0.500 (12.700)	1.000 (25.400)	0.375 (9.530)	500	M71-R4300
Fig. 32	BM71-17-427	B-427	White	12 to 10	0.500 (12.700)	1.000 (25.400)	0.375 (9.530)	5,000	M71-R4300
Fig. 32	M71-18-427	B-427	White	10 to 4	0.750 (19.050)	1.000 (25.400)	0.375 (9.530)	250	M71-R4300
Fig. 32	BM71-18-427	B-427	White	10 to 4	0.750 (19.050)	1.000 (25.400)	0.375 (9.530)	2,500	M71-R4300
Fig. 32	M71-19-427	B-427	White	12 to 10	1.000 (25.400)	1.000 (25.400)	0.375 (9.530)	250	M71-R4300
Fig. 32	BM71-19-427	B-427	White	12 to 10	1.000 (25.400)	1.000 (25.400)	0.375 (9.530)	2,500	M71-R4300
Fig. 32	M71-104-427	B-427	White	12 to 10	1.500 (38.100)	1.000 (25.400)	0.375 (9.530)	250	M71-R4300
Fig. 32	M71-103-427	B-427	White	10 to 4	1.000 (25.400)	1.250 (31.750)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-28-427	B-427	White	10 to 4	0.250 (6.350)	1.500 (38.100)	0.500 (12.700)	750	M71-R4300
Fig. 32	M71-29-427	B-427	White	10 to 4	0.500 (12.700)	1.500 (38.100)	0.500 (12.700)	500	M71-R4300
Fig. 32	BM71-29-427	B-427	White	10 to 4	0.500 (12.700)	1.500 (38.100)	0.500 (12.700)	5,000	M71-R4300
Fig. 32	M71-30-427	B-427	White	10 to 4	0.750 (19.050)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	BM71-30-427	B-427	White	10 to 4	0.750 (19.050)	1.500 (38.100)	0.500 (12.700)	2,500	M71-R4300
Fig. 32	M71-31-427	B-427	White	10 to 4	1.000 (25.400)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	BM71-31-427	B-427	White	10 to 4	1.000 (25.400)	1.500 (38.100)	0.500 (12.700)	2,500	M71-R4300
Fig. 32	M71-32-427	B-427	White	10 to 4	1.500 (38.100)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	BM71-32-427	B-427	White	10 to 4	1.500 (38.100)	1.500 (38.100)	0.500 (12.700)	1,000	M71-R4300
Fig. 32	M71-88-427	B-427	White	10 to 4	1.750 (44.450)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-107-427	B-427	White	10 to 4	2.000 (50.800)	1.500 (38.100)	0.500 (12.700)	100	M71-R4300
Fig. 32	BM71-107-427	B-427	White	10 to 4	2.000 (50.800)	1.500 (38.100)	0.500 (12.700)	1,000	M71-R4300
Fig. 32	M71-21-427	B-427	White	Cables	1.000 (25.400)	2.500 (63.500)	0.750 (19.050)	100	M71-R4300
Fig. 32	BM71-21-427	B-427	White	Cables	1.000 (25.400)	2.500 (63.500)	0.750 (19.050)	1,000	M71-R4300
Fig. 32	M71-66-427	B-427	White	Cables	1.938 (49.230)	3.150 (80.000)	1.000 (25.400)	100	M71-R4300
Fig. 43	M71-64-427	B-427	White	Cables	1.000 (25.400)	3.375 (85.730)	1.125 (28.580)	100	M71-R4300
Fig. 43	BM71-64-427	B-427	White	Cables	1.000 (25.400)	3.375 (85.730)	1.125 (28.580)	1,000	M71-R4300
Fig. 32	M71-23-427	B-427	White	Cables	1.000 (25.400)	4.000 (101.600)	1.000 (25.400)	100	M71-R4300
Fig. 32	BM71-23-427	B-427	White	Cables	1.000 (25.400)	4.000 (101.600)	1.000 (25.400)	1,000	M71-R4300
Fig. 32	M71-109-427	B-427	White	Cables	1.500 (38.100)	4.000 (101.600)	1.500 (38.100)	100	M71-R4300
Fig. 32	M71-33-427	B-427	White	Cables	1.500 (38.100)	4.000 (101.600)	1.000 (25.400)	100	M71-R4300
Fig. 32	BM71-109-427	B-427	White	Cables	1.500 (38.100)	4.000 (101.600)	1.500 (38.100)	500	M71-R4300
Fig. 32	BM71-33-427	B-427	White	Cables	1.500 (38.100)	4.000 (101.600)	1.000 (25.400)	500	M71-R4300
Fig. 32	M71-34-427	B-427	White	Cables	1.500 (38.100)	6.000 (152.400)	1.500 (38.100)	50	M71-R4300
Fig. 32	BM71-34-427	B-427	White	Cables	1.500 (38.100)	6.000 (152.400)	1.500 (38.100)	500	M71-R4300
Fig. 32	M71-19-427-YL	B-427	Yellow	12 to 10	1.000 (25.400)	1.000 (25.400)	0.375 (9.530)	250	M71-R4300
Fig. 32	M71-31-427-YL	B-427	Yellow	10 to 4	1.000 (25.400)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-32-427-YL	B-427	Yellow	10 to 4	1.500 (38.100)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-21-427-YL	B-427	Yellow	Cables	1.000 (25.400)	2.500 (63.500)	0.750 (19.050)	100	M71-R4300
Fig. 32	M71-33-427-YL	B-427	Yellow	Cables	1.500 (38.100)	4.000 (101.600)	1.000 (25.400)	100	M71-R4300
Fig. 32	M71-30-427-BL	B-427	Blue	10 to 4	0.750 (19.050)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-30-427-PL	B-427	Purple	10 to 4	0.750 (19.050)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-31-427-GN	B-427	Green	10 to 4	1.000 (25.400)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-30-427-RD	B-427	Red	10 to 4	0.750 (19.050)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300
Fig. 32	M71-31-427-RD	B-427	Red	10 to 4	1.000 (25.400)	1.500 (38.100)	0.500 (12.700)	250	M71-R4300

PermaSleeve® PS Polyolefin Wire Markers (B-342)

Military / industrial grade sleeves offer the ultimate in marker durability, permanence and aesthetic appearance. 3:1 heat-shrinkable markers fit snugly around wires, are fade-resistant and flame-retardant.
Temp range: -67° F to 275° F (-55° C to 130° C).
RoHS compliant and UL recognized.

Meets specifications:
- SSAE-AS-23053/5
- SAE-AS-81531

Tested per:
- ASTM E162
- ASTM E662
- MIL-STD-202




Figure 44




Figure 58



Figure	Catalog #	Color	Approx. Wire Gauge	Wire Diameter Range Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
1.00 inch sleeve width (dimension A):										
Fig. 44	* BM71-94-1-342	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.024 (0.6)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-94-1-342	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.024 (0.6)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-125-1-342	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-125-1-342	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-187-1-342	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-187-1-342	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-250-1-342	White	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-250-1-342	White	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-375-1-342	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-375-1-342	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-500-1-342	White	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-500-1-342	White	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* M71-1000-1-342	White	2 to 0.950 dia.	0.333-0.950 (8.5-24.1)	1.000 (25.4)	0.375 (9.5)	1.000 (25.4)	1	50	M71-R4300
Fig. 44	* M71-94-1-342YL	Yellow	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.024 (0.6)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-125-1-342-YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-125-1-342YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-187-1-342YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-187-1-342YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-250-1-342-YL	Yellow	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-250-1-342YL	Yellow	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-375-1-342-YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-375-1-342YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* BM71-500-1-342YL	Yellow	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.000 (25.4)	1	1,000	M71-R4300
Fig. 44	* M71-500-1-342YL	Yellow	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.000 (25.4)	1	100	M71-R4300
Fig. 44	* M71-1000-1-342YL	Yellow	2 to 0.950 dia.	0.333-0.950 (8.5-24.1)	1.000 (25.4)	0.375 (9.5)	1.000 (25.4)	1	50	M71-R4300
1.75 inch sleeve width (dimension A):										
Fig. 44	* BM71-94-175-342	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.024 (0.6)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-94-175-342	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.024 (0.6)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-125-175-342	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-125-175-342	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-187-175-342	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-187-175-342	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-250-175-342	White	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-250-175-342	White	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-375-175-342	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-375-175-342	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-500-175-342	White	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-500-175-342	White	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-1000-175-342	White	2 to 0.950 dia.	0.333-0.950 (8.5-24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	1	500	M71-R4300
Fig. 44	* M71-1000-175-342	White	2 to 0.950 dia.	0.333-0.950 (8.5-24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	1	50	M71-R4300
Fig. 44	* BM71-94-175-342YL	Yellow	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.024 (0.6)	1.750 (44.5)	1	2,500	M71-R4300
Fig. 44	* M71-94-175-342YL	Yellow	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.024 (0.6)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-125-175-342YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-125-175-342YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-187-175-342YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-187-175-342YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-250-175-342YL	Yellow	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-250-175-342YL	Yellow	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-375-175-342YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-375-175-342YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* BM71-500-175-342YL	Yellow	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.750 (44.5)	1	1,000	M71-R4300
Fig. 44	* M71-500-175-342YL	Yellow	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	1.750 (44.5)	1	100	M71-R4300
Fig. 44	* M71-1000-175-342YL	Yellow	2 to 0.950 dia.	0.333-0.950 (8.5-24.1)	1.000 (25.4)	0.375 (9.5)	1.750 (44.5)	1	50	M71-R4300
Continuous cut-to-length sleeve width (dimension A):										
Fig. 58	* BM71C-125-342	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	50 ft. (15.2 m)	1 roll (cont.)		M71-R4300
Fig. 58	* BM71C-187-342	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	50 ft. (15.2 m)	1 roll (cont.)		M71-R4300
Fig. 58	* BM71C-250-342	White	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	50 ft. (15.2 m)	1 roll (cont.)		M71-R4300
Fig. 58	* BM71C-375-342	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.1)	50 ft. (15.2 m)	1 roll (cont.)		M71-R4300
Fig. 58	* BM71C-500-342	White	8 to 1	0.187-0.450 (4.8-11.4)	0.500 (12.7)	0.187 (4.7)	50 ft. (15.2 m)	1 roll (cont.)		M71-R4300
Fig. 58	* BM71C-1000-342	White	2 to 0.950 dia.	0.333-0.950 (8.5-24.1)	1.000 (25.4)	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)		M71-R4300

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

BradyID.com/s36

PermaSleeve® FR Fluid-Resistant Wire Markers (B-344)

3:1 heat-shrinkable wire marking sleeves fit snugly around wires for identification and protection and offer greater resistance to harsh chemicals such as fuels, lubricants and cleaning solvents.
Temp Range: -67° F to 275° F (-55° C to 135° C).

Meets specifications:
- SAE-AMS-DTL23053/6 (Class 1)
- SAE-AS-81531
- MIL-STD-202G, method 215K

Tested per:
- ASTM E162
- ASTM E662
- MIL-STD-202G




Figure 44



Figure	Catalog #	Color	Approx. Wire Gauge	Wire Diameter Range Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
1.00 inch sleeve width (dimension A):										
Fig. 44	* BM71-094-1-344	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	1	2,500	M71-R6600
Fig. 44	* M71-094-1-344	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* M71-125-1-344	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-125-1-344	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* BM71-187-1-344	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-187-1-344	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-250-1-344	White	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-250-1-344	White	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-375-1-344	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-375-1-344	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* M71-500-1-344	White	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-500-1-344	White	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-750-1-344	White	8 to 1	0.250-0.700 (6.4-17.8)	0.750 (19.1)	0.250 (6.4)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-094-1-344YL	Yellow	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	1	2,500	M71-R6600
Fig. 44	* M71-094-1-344YL	Yellow	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* M71-125-1-344YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-125-1-344YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-187-1-344YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-187-1-344YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-250-1-344YL	Yellow	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-250-1-344YL	Yellow	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-375-1-344YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-375-1-344YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-500-1-344YL	Yellow	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	* BM71-500-1-344YL	Yellow	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	* M71-750-1-344YL	Yellow	8 to 1	0.250-0.700 (6.4-17.8)	0.750 (19.1)	0.250 (6.4)	1.000 (25.4)	1	100	M71-R6600
1.75 inch sleeve width (dimension A):										
Fig. 44	* M71-094-175-344	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-94-175-344	White	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	1	2,500	M71-R6600
Fig. 44	* M71-125-175-344	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-125-175-344	White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-187-175-344	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-187-175-344	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-250-175-344	White	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-250-175-344	White	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-375-175-344	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-375-175-344	White	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-500-175-344	White	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-500-175-344	White	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-750-175-344	White	8 to 1	0.250-0.700 (6.4-17.8)	0.750 (19.1)	0.250 (6.4)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* M71-094-175-344YL	Yellow	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-94-175-344YL	Yellow	28 to 20	0.023-0.080 (0.6-2.0)	0.094 (2.4)	0.023 (0.6)	1.750 (44.5)	1	2,500	M71-R6600
Fig. 44	* M71-125-175-344YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-125-175-344YL	Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.046 (1.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-187-175-344YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-187-175-344YL	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-250-175-344YL	Yellow	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-250-175-344YL	Yellow	16 to 8	0.083-0.215 (2.1-5.5)	0.250 (6.4)	0.083 (2.1)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-375-175-344YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-375-175-344YL	Yellow	12 to 4	0.125-0.320 (3.2-8.1)	0.375 (9.5)	0.125 (3.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-500-175-344YL	Yellow	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	* BM71-500-175-344YL	Yellow	8 to 1	0.166-0.450 (4.2-11.4)	0.500 (12.7)	0.166 (4.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	* M71-750-175-344YL	Yellow	8 to 1	0.250-0.700 (6.4-17.8)	0.750 (19.1)	0.250 (6.4)	1.750 (44.5)	1	100	M71-R6600

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

PermaSleeve® LSZH Low-Smoke Zero-Halogen Polyolefin Wire Markers (B-7641)

2:1 heat-shrinkable, low halogen wire marking sleeves offer outstanding fire safety properties and minimal smoke emission. These low-smoke zero-halogen materials have an operating temperature of -22° F to 221° F (-30° C to 105° C).

Meets specifications:

- SAE-AS-81531
- EN45545-2
- RoHS compliant

Tested per:

- ASTM E162
- ASTM E662
- MIL-STD-202




Figure 44




Figure	Catalog #	Color	Approx. Wire Gauge	Wire Diameter Range Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Sleeves Per Row	Sleeves Per Roll	Rec. Ribbon
1.00 inch sleeve width (dimension A):										
Fig. 44	M71-94-1-7641	White	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-94-1-7641	White	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.000 (25.4)	1	2,500	M71-R6600
Fig. 44	M71-125-1-7641	White	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-125-1-7641	White	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	BM71-187-1-7641	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	M71-187-1-7641	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	M71-250-1-7641	White	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-250-1-7641	White	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	M71-375-1-7641	White	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-375-1-7641	White	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	M71-500-1-7641	White	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-500-1-7641	White	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.000 (25.4)	1	600	M71-R6600
Fig. 44	M71-750-1-7641	White	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.000 (25.4)	1	75	M71-R6600
Fig. 44	BM71-750-1-7641	White	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.000 (25.4)	1	600	M71-R6600
Fig. 44	M71-94-1-7641Y	Yellow	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-94-1-7641Y	Yellow	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.000 (25.4)	1	2,500	M71-R6600
Fig. 44	M71-125-1-7641Y	Yellow	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-125-1-7641Y	Yellow	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	BM71-187-1-7641Y	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	M71-187-1-7641Y	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	M71-250-1-7641Y	Yellow	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-250-1-7641Y	Yellow	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	M71-375-1-7641Y	Yellow	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-375-1-7641Y	Yellow	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.000 (25.4)	1	1,000	M71-R6600
Fig. 44	M71-500-1-7641Y	Yellow	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.000 (25.4)	1	100	M71-R6600
Fig. 44	BM71-500-1-7641Y	Yellow	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.000 (25.4)	1	600	M71-R6600
Fig. 44	M71-750-1-7641Y	Yellow	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.000 (25.4)	1	75	M71-R6600
Fig. 44	BM71-750-1-7641Y	Yellow	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.000 (25.4)	1	600	M71-R6600
1.75 inch sleeve width (dimension A):										
Fig. 44	M71-94-175-7641	White	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-94-175-7641	White	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.750 (44.5)	1	2,500	M71-R6600
Fig. 44	M71-125-175-7641	White	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-125-175-7641	White	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-187-175-7641	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-187-175-7641	White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-250-175-7641	White	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-250-175-7641	White	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-375-175-7641	White	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-375-175-7641	White	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-500-175-7641	White	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-500-175-7641	White	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.750 (44.5)	1	600	M71-R6600
Fig. 44	M71-750-175-7641	White	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.750 (44.5)	1	75	M71-R6600
Fig. 44	BM71-750-175-7641	White	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.750 (44.5)	1	600	M71-R6600
Fig. 44	M71-94-175-7641Y	Yellow	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-94-175-7641Y	Yellow	28 to 20	0.047-0.080 (1.2-2.0)	0.094 (2.4)	0.047 (1.2)	1.750 (44.5)	1	2,500	M71-R6600
Fig. 44	M71-125-175-7641Y	Yellow	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-125-175-7641Y	Yellow	22 to 16	0.062-0.150 (1.6-3.8)	0.125 (3.2)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-187-175-7641Y	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-187-175-7641Y	Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.8)	0.062 (1.6)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-250-175-7641Y	Yellow	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-250-175-7641Y	Yellow	16 to 8	0.125-0.215 (3.2-5.5)	0.250 (6.4)	0.125 (3.2)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-375-175-7641Y	Yellow	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-375-175-7641Y	Yellow	12 to 4	0.188-0.320 (4.8-8.1)	0.375 (9.5)	0.188 (4.8)	1.750 (44.5)	1	1,000	M71-R6600
Fig. 44	M71-500-175-7641Y	Yellow	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.750 (44.5)	1	100	M71-R6600
Fig. 44	BM71-500-175-7641Y	Yellow	8 to 1	0.250-0.450 (6.4-11.4)	0.500 (12.7)	0.250 (6.4)	1.750 (44.5)	1	600	M71-R6600
Fig. 44	M71-750-175-7641Y	Yellow	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.750 (44.5)	1	75	M71-R6600
Fig. 44	BM71-750-175-7641Y	Yellow	8 to 1	0.375-0.700 (9.5-17.8)	0.750 (19.1)	0.375 (9.5)	1.750 (44.5)	1	600	M71-R6600

BradyID.com/s36

Component ID Labels (B-423 and B-428)

Various materials for relays, solenoids, PCBs, electronic components and more.

- **B-423 Polyester Material:** White glossy polyester
- **B-428 Polyester Material:** Metallized matte polyester






Figure 2




Figure 33




Figure 46 w/ black border

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-423 Permanent Polyester Material								
Fig. 2	M71-1-423	B-423	Polyester	White	0.250 (6.35)	0.250 (6.4)	750	M71-R6000
Fig. 2	M71-3-423	B-423	Polyester	White	0.375 (9.53)	0.375 (9.5)	500	M71-R6000
Fig. 2	M71-4-423	B-423	Polyester	White	0.400 (10.2)	0.400 (10.2)	500	M71-R6000
Fig. 33	M71C-500-423	B-423	Polyester	White	0.500 (12.7)	50 ft. (15.24 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-5-423	B-423	Polyester	White	0.500 (12.7)	0.200 (5.1)	750	M71-R6000
Fig. 2	M71-6-423	B-423	Polyester	White	0.500 (12.7)	0.280 (7.0)	750	M71-R6000
Fig. 2	BM71-7-423	B-423	Polyester	White	0.500 (12.7)	0.500 (12.7)	5,000	M71-R6000
Fig. 2	M71-7-423	B-423	Polyester	White	0.500 (12.7)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-9-423	B-423	Polyester	White	0.650 (16.5)	0.200 (5.1)	750	M71-R6000
Fig. 2	M71-10-423	B-423	Polyester	White	0.750 (19.0)	0.250 (6.4)	750	M71-R6000
Fig. 2	M71-13-423	B-423	Polyester	White	0.900 (22.8)	0.250 (6.4)	750	M71-R6000
Fig. 2	M71-14-423	B-423	Polyester	White	1.000 (25.4)	0.187 (4.8)	750	M71-R6000
Fig. 2	M71-15-423	B-423	Polyester	White	1.000 (25.4)	0.275 (7.0)	750	M71-R6000
Fig. 2	BM71-16-423	B-423	Polyester	White	1.000 (25.4)	0.375 (9.53)	5000	M71-R6000
Fig. 2	M71-16-423	B-423	Polyester	White	1.000 (25.4)	0.375 (9.53)	500	M71-R6000
Fig. 2	BM71-17-423	B-423	Polyester	White	1.000 (25.4)	0.500 (12.7)	5,000	M71-R6000
Fig. 2	M71-17-423	B-423	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M71-R6000
Fig. 2	BM71-19-423	B-423	Polyester	White	1.000 (25.4)	1.000 (25.4)	2,500	M71-R6000
Fig. 2	M71-19-423	B-423	Polyester	White	1.000 (25.4)	1.000 (25.4)	250	M71-R6000
Fig. 46	M71-24-423-BK	B-423	Polyester	Black Border	1.130 (28.7)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-25-423	B-423	Polyester	White	1.250 (31.8)	0.250 (6.4)	750	M71-R6000
Fig. 2	M71-27-423	B-423	Polyester	White	1.500 (38.1)	0.125 (3.2)	750	M71-R6000
Fig. 2	M71-28-423	B-423	Polyester	White	1.500 (38.1)	0.250 (6.4)	750	M71-R6000
Fig. 2	BM71-29-423	B-423	Polyester	White	1.500 (38.1)	0.500 (12.7)	5,000	M71-R6000
Fig. 2	M71-29-423	B-423	Polyester	White	1.500 (38.1)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-31-423	B-423	Polyester	White	1.500 (38.1)	1.000 (25.4)	250	M71-R6000
Fig. 2	M71-32-423	B-423	Polyester	White	1.500 (38.1)	1.500 (38.1)	250	M71-R6000
Fig. 2	M71-2-423	B-423	Polyester	White	2.000 (50.8)	0.250 (6.4)	100	M71-R6000
Fig. 2	BM71-20-423	B-423	Polyester	White	2.000 (50.8)	1.000 (25.4)	1,000	M71-R6000
Fig. 2	M71-20-423	B-423	Polyester	White	2.000 (50.8)	1.000 (25.4)	100	M71-R6000
Fig. 2	M71-26-423	B-423	Polyester	White	2.750 (69.9)	1.250 (31.8)	100	M71-R6000
Fig. 2	M71-22-423	B-423	Polyester	White	3.000 (76.2)	1.000 (25.4)	100	M71-R6000
Fig. 2	M71-37-423	B-423	Polyester	White	3.000 (76.2)	1.900 (48.3)	100	M71-R6000
Fig. 2	M71-23-423	B-423	Polyester	White	4.000 (101.6)	1.000 (25.4)	100	M71-R6000
Fig. 2	M71-38-423	B-423	Polyester	White	4.000 (101.6)	1.900 (48.3)	100	M71-R6000
B-428 Metallized Polyester Material								
Fig. 2	M71-15-428	B-428	Polyester	Lt Gray	1.000 (25.4)	0.275 (7.0)	750	M71-R4300
Fig. 2	BM71-17-428	B-428	Polyester	Lt Gray	1.000 (25.4)	0.500 (12.7)	5,000	M71-R4300
Fig. 2	M71-17-428	B-428	Polyester	Lt Gray	1.000 (25.4)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-29-428	B-428	Polyester	Lt Gray	1.500 (38.1)	0.500 (12.7)	500	M71-R4300
Fig. 2	BM71-20-428	B-428	Polyester	Lt Gray	2.000 (50.8)	1.000 (25.4)	1,000	M71-R4300
Fig. 2	M71-20-428	B-428	Polyester	Lt Gray	2.000 (50.8)	1.000 (25.4)	100	M71-R4300
Fig. 2	M71-26-428	B-428	Polyester	Lt Gray	2.750 (69.9)	1.250 (31.8)	100	M71-R4300
Fig. 2	M71-22-428	B-428	Polyester	Lt Gray	3.000 (76.2)	1.000 (25.4)	100	M71-R4300
Fig. 2	M71-38-428	B-428	Polyester	Lt Gray	4.000 (101.6)	1.900 (48.3)	100	M71-R4300

Polyimide Circuit Board Labels (B-724 and B-727)

Various materials for PCBs, electronic components and more.

- **B-724 Polyimide Material:** Amber matte polyimide with permanent adhesive; can survive on the top or bottom side of PCBs through the solder process
- **B-727 Polyimide Material:** White glossy polyimide with permanent adhesive; can survive through the solder process




Figure 2




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-724 Matte Polyimide Material								
Fig. 2	M71-9-724	B-724	Polyimide	Amber	0.650 (16.5)	0.200 (5.1)	750	M71-R4300
Fig. 2	M71-13-724	B-724	Polyimide	Amber	0.900 (22.9)	0.250 (6.4)	750	M71-R4300
Fig. 2	M71-16-724	B-724	Polyimide	Amber	1.000 (25.4)	0.375 (9.5)	500	M71-R4300
Fig. 2	M71-17-724	B-724	Polyimide	Amber	1.000 (25.4)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-28-724	B-724	Polyimide	Amber	1.500 (38.1)	0.250 (6.4)	750	M71-R4300
B-727 Glossy Polyimide Material								
Fig. 2	M71-10-727	B-727	Polyimide	White	0.750 (19.1)	0.250 (6.4)	750	M71-R6000
Fig. 2	M71-16-727	B-727	Polyimide	White	1.000 (25.4)	0.375 (9.5)	500	M71-R6000

Electrostatic Dissipative Labels (B-473, B-717 and B-718)

Low-profile polyimide and polyester materials that have static dissipative properties. Primarily used for circuit board and electronic component labeling.

- **B-473 Electrostatic Dissipative Polyester Material:** White glossy polyester with a permanent static dissipative adhesive and liner
- **B-717 Electrostatic Dissipative Polyimide Material:** High-temperature white glossy polyimide material (2 mil) with a permanent static dissipative adhesive and liner for PCB identification
- **B-718 Electrostatic Dissipative Polyimide Material:** High-temperature low-profile white glossy polyimide material (1 mil) with a permanent static dissipative adhesive and liner for PCB identification




Figure 2





Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-473 Glossy White Polyester								
Fig. 2	* M71-6-473	B-473	Polyester	White	0.500 (12.7)	0.275 (7.0)	750	M71-R6000
Fig. 2	* M71-9-473	B-473	Polyester	White	0.650 (16.5)	0.200 (5.1)	750	M71-R6000
Fig. 2	* M71-10-473	B-473	Polyester	White	0.750 (19.1)	0.250 (6.4)	750	M71-R6000
Fig. 2	* M71-16-473	B-473	Polyester	White	1.000 (25.4)	0.375 (9.5)	500	M71-R6000
Fig. 2	* M71-17-473	B-473	Polyester	White	1.000 (25.4)	0.500 (12.7)	500	M71-R6000
Fig. 2	* M71-28-473	B-473	Polyester	White	1.500 (38.1)	0.250 (6.4)	750	M71-R6000
B-717 Glossy White Static Dissipative Polyimide								
Fig. 2	* M71-14-717	B-717	Polyimide	White	1.000 (25.4)	0.187 (4.8)	750	M71-R6000
Fig. 2	* M71-2-717	B-717	Polyimide	White	2.000 (50.8)	0.250 (6.4)	100	M71-R6000
B-718 Glossy White Low Profile Static Dissipative Polyimide								
Fig. 2	* M71-4-718	B-718	Polyimide	White	0.400 (10.2)	0.400 (10.2)	500	M71-R6000
Fig. 2	* M71-9-718	B-718	Polyimide	White	0.650 (16.5)	0.200 (5.1)	750	M71-R6000
Fig. 2	* M71-25-718	B-718	Polyimide	White	1.250 (31.8)	0.250 (6.4)	750	M71-R6000

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

Technical Data Sheets

Technical Data Sheets for all Brady materials are available online at

BradyID.com/TechData



BMP®71 Materials

BradyID.com/s36

Tamper-Indicating Labels (B-351, B-362 and B-530)

Labels fracture to show signs of product tampering and prevent one-piece label removal. Use caution when removing from liner as material is fragile.

- **B-351 Destructible Vinyl Material:** Matte white material with permanent adhesive
- **B-362 Destructible Vinyl Material:** Metallized vinyl material with permanent adhesive has great fuel and oil resistance
- **B-530 Tamper-Resistant Vinyl Material:** White material with permanent adhesive




Figure 2




Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-351 Destructible Vinyl Labels								
Fig. 2	M71-17-351	B-351	Vinyl	White	1.000 (25.4)	0.500 (12.7)	500	M71-R6200
Fig. 2	M71-31-351	B-351	Vinyl	White	1.500 (38.1)	1.000 (25.4)	250	M71-R6200
Fig. 2	M71-20-351	B-351	Vinyl	White	2.000 (50.8)	1.000 (25.4)	100	M71-R6200
Fig. 2	M71-37-351	B-351	Vinyl	White	3.000 (76.2)	1.900 (48.3)	100	M71-R6200
B-362 Destructible Vinyl Labels								
Fig. 2	* M71-17-362	B-362	Vinyl	Silver	1.000 (25.4)	0.500 (12.7)	500	M71-R6000
Fig. 2	* M71-31-362	B-362	Vinyl	Silver	1.500 (38.1)	1.000 (25.4)	250	M71-R6000
Fig. 2	* M71-20-362	B-362	Vinyl	Silver	2.000 (50.8)	1.000 (25.4)	100	M71-R6000
Fig. 2	* M71-37-362	B-362	Vinyl	Silver	3.000 (76.2)	1.900 (48.3)	100	M71-R6000
B-530 Tamper-Resistant Vinyl Film								
Fig. 33	M71C-500-530	B-530	Vinyl	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-530	B-530	Vinyl	White	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-530	B-530	Vinyl	White	2.000 (50.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov



BMP71 Print Ribbon

Self-contained ribbon cartridges snap right into the BMP71 printer with ease and do not unravel or roll away when outside the printer.

Using the correct material and ribbon pair is critical in creating durable, long-lasting and smear-proof print. Use the ribbon compatibility guide on the next page to help determine which ribbon is best suited for your label material.

Catalog #	Color	Ribbon Size
M71-R4300	Black	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6000	Black	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6200	Black	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6400	Black	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6600	Black	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R4400-WT	White	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6800-WT	White	2.0 in. x 120 ft. (50.8mm x 36.6 m)
M71-R6900-RD	Red	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6900-GN	Green	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6900-BL	Blue	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6900-MA	Magenta	2.0 in. x 150 ft. (50.8mm x 45.7 m)
M71-R6900-YL	Yellow	2.0 in. x 150 ft. (50.8mm x 45.7 m)

How many labels can be printed per ribbon?

Have you ever wondered approximately how many labels you can print from one ribbon? Try this formula:

Note: Our standard BMP71 ribbons are 1,800 in. (150 ft.) long.

Step 1: label height + 0.10 = X
Step 2: 1,800 inches ÷ X = total labels per ribbon

Example: M71-31-362 is a 1.0 inch tall label
1.0 inch label height + 0.10 = 1.10
1,800 inches ÷ 1.10 = 1,636 labels per ribbon

Material and Ribbon Compatibility

B-#	Material	M71-R4300 (Black)	M71-R6000 (Black)	M71-R6200 (Black)	M71-R6400 (Black)	M71-R6600 (Black)	M71-R4400-WT (White)	M71-R6800-WT (White)	M71-R6900 (Colors)
B-109	Polyethylene tags	●		▲					
B-145	Polyethylene tags		●	▲			▲		
B-145FR	Polyethylene tags		●	▲			▲		▲
B-321*	Polyolefin			●					
B-342	Polyolefin	●				▲			
B-344	Fluid-resistant polyolefin		▲			●			
B-345*	High-temp polyolefin		▲			●		▲	
B-351	Destructible vinyl		▲	●					▲
B-362	Destructible vinyl		●						▲
B-353*	Paper	●							
B-390*	Durasleeve polypropylene		●						▲
B-403	Dissolvable paper	●							
B-412	Polypropylene tags	▲		●					
B-422	Polyester		● UL						▲
B-423	Polyester		● UL	▲					▲
B-424	Paper	●							▲
B-425	Polypropylene	●		▲					
B-427	Vinyl	● UL		▲					
B-428	Polyester	● UL		▲					
B-430	Polyester		● UL	▲			▲		▲
B-432*	Polyester		● UL				▲		▲
B-433*	Polyester		● UL				▲		▲
B-435*	Polyester		● UL				▲		▲
B-437	Polyvinylfluoride	●							
B-439*	Vinyl		●	▲			▲		▲
B-459	Polyester		● UL						
B-472	Polyimide	●		▲					
B-473	Polyester		● UL						
B-483	Polyester		● UL						▲
B-486	Polyester	● UL		▲					
B-488	Polyester	● UL		▲					
B-489	Polyester	● UL		▲					
B-495*	Polyethylene napthalate		● UL				▲		▲
B-498	Vinyl cloth	▲	▲	●					
B-499	Nylon cloth	● UL	▲	▲					▲
B-529	Polypropylene		●						▲
B-530	Tamper-resistant vinyl		●						▲
B-581	Vinyl		●						▲
B-582	Phosphorescent		●				▲		▲
B-584	Reflective		●				▲		▲
B-593	Polyester		●				▲		
B-595	Vinyl		●				▲		▲
B-717	Polyimide		● UL						
B-718	Polyimide		● UL						
B-719*	Polyimide		● UL						
B-724	Polyimide	●							
B-727	Polyimide		● UL						
B-854	ToughWash® metal detectable		●						
B-855	ToughWash® material		●						
B-7531*	Metallized polyester	●							
B-7536*	Polyester			●					
B-7546*	Void footprint polyester		● UL				▲		▲
B-7551*	Polyester			●					
B-7566*	Void footprint polyester		●				▲		▲
B-7576*	Void footprint polyester	● UL							
B-7593*	Polyethelene		●				▲		▲
B-7596*	Vinyl			●					
B-7597*	Polyethelene	●							
B-7599*	Polyethelene tag	●							
B-7641	Low-smoke zero-halogen polyolefin		▲			●			
B-7643*	Thermosplastic polyether polyurethane	●				▲		▲	
B-7696*	Vinyl tag		●				▲		▲
B-8425*	Polypropylene		● UL						▲

View **BradyID.com/techdata** for TDS sheets on ribbon performance specifications.
*This BMP®61 material also works in the BMP71 printer with media adapter.

● Recommended ribbon ▲ Acceptable ribbon
UL These materials are UL recognized with its respective ribbon.

IDXPERT™ Materials

BradyID.com/s36




IDXPERT™ HANDHELD LABELER

The IDXPERT printer has been discontinued, but for a limited time Brady will continue to stock the following labels for the printer.

General ID, 5S Lean, Facility and Safety ID (B-422, B-428, B-483, B-499 and B-595)

- **B-422 Polyester Material:** Permanent adhesive, good for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized.
- **B-428 Metallized Polyester Material:** Permanent adhesive, silver finish. Temp. range: -40° F to 176° F (-40° C to 80° C). UL recognized
- **B-483 Polyester Material:** Permanent adhesive for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized
- **B-499 Nylon Cloth Material:** Permanent adhesive. Pliable for rough or smooth surfaces. Temp. range: -94° F to 194° F (-70° C to 90° C). UL recognized
- **B-595 Indoor / Outdoor Vinyl Material:** Permanent adhesive, very pliable, good for rough surfaces and outdoor use. Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized






Figure 29



Figure 33




Figure 46 (Includes black border)

Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll
B-422 Polyester Labels							
Fig. 29	X-7-422	B-422	Polyester	Black on White	0.500 (12.7)	0.500 (12.7)	350
Fig. 29	X-19-422	B-422	Polyester	Black on White	1.000 (25.4)	1.000 (25.4)	250
Fig. 29	X-132-422	B-422	Polyester	Black on White	1.500 (38.1)	1.250 (13.8)	250
Fig. 29	X-30-422	B-422	Polyester	Black on White	1.500 (38.1)	0.750 (19.1)	250
B-428 Metallized Polyester Labels							
Fig. 29	X-17-428-SV-BK	B-428	Polyester	Light Gray	1.000 (25.4)	0.500 (12.7)	500
Fig. 46	X-24-428-SVBB-BK	B-428	Polyester	Light Gray	1.130 (28.7)	0.500 (12.7)	500
Fig. 29	X-29-428-SV-BK	B-428	Polyester	Light Gray	1.500 (38.1)	0.500 (12.7)	500
Fig. 29	X-30-428-SV-BK	B-428	Polyester	Light Gray	1.500 (38.1)	0.750 (19.1)	325
Fig. 29	X-20-428-SV-BK	B-428	Polyester	Light Gray	2.000 (50.8)	1.000 (25.4)	100
B-483 Polyester Labels							
Fig. 29	X-17-483	B-483	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	500
Fig. 29	X-20-483	B-483	Polyester	Black on White	2.000 (50.8)	1.000 (25.4)	100
Fig. 29	X-61-483	B-483	Polyester	Black on White	2.000 (50.8)	0.500 (12.7)	100
B-499 Nylon Cloth Labels							
Fig. 29	X-130-499	B-499	Nylon Cloth	Black on White	0.375 (9.5)	0.750 (19.1)	300
Fig. 33	XC-375-499	B-499	Nylon Cloth	Black on White	0.375 (9.5)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 33	XC-500-499	B-499	Nylon Cloth	Black on White	0.500 (12.7)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 29	X-11-499	B-499	Nylon Cloth	Black on White	0.750 (19.1)	0.500 (12.7)	275
Fig. 33	XC-750-499	B-499	Nylon Cloth	Black on White	0.750 (19.1)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 29	X-84-499	B-499	Nylon Cloth	Black on White	0.900 (22.9)	0.500 (12.7)	250
Fig. 33	XC-1000-499	B-499	Nylon Cloth	Black on White	1.000 (25.4)	20 ft. (6.1 m)	1 roll (cont.)
Fig. 29	X-162-499	B-499	Nylon Cloth	Black on White	1.500 (38.1)	0.500 (12.7)	165

General ID labels continued on next page.

BRADY

General ID, 5S Lean, Facility and Safety ID (continued)




Figure 33



Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
B-595 Indoor / Outdoor Vinyl Film							
Fig. 33	XC-500-595-CL-BK	B-595	Vinyl	Black on Clear	0.500 (12.7)	25 (7.6)	1 roll (cont.)
Fig. 33	XC-750-595-CL-BK	B-595	Vinyl	Black on Clear	0.750 (19.1)	25 (7.6)	1 roll (cont.)
Fig. 33	XC-1000-595-CL-BK	B-595	Vinyl	Black on Clear	1.000 (25.4)	25 (7.6)	1 roll (cont.)
Fig. 33	XC-1500-595-CL-BK	B-595	Vinyl	Black on Clear	1.500 (38.1)	25 (7.6)	1 roll (cont.)
Fig. 33	XC-500-595-OR-BK	B-595	Vinyl	Black on Orange	0.500 (12.7)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-750-595-OR-BK	B-595	Vinyl	Black on Orange	0.750 (19.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1000-595-OR-BK	B-595	Vinyl	Black on Orange	1.000 (25.4)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1500-595-OR-BK	B-595	Vinyl	Black on Orange	1.500 (38.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-500-595-WT-BK	B-595	Vinyl	Black on White	0.500 (12.7)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-750-595-WT-BK	B-595	Vinyl	Black on White	0.750 (19.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1000-595-WT-BK	B-595	Vinyl	Black on White	1.000 (25.4)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1500-595-WT-BK	B-595	Vinyl	Black on White	1.500 (38.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-500-595-YL-BK	B-595	Vinyl	Black on Yellow	0.500 (12.7)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-750-595-YL-BK	B-595	Vinyl	Black on Yellow	0.750 (19.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1000-595-YL-BK	B-595	Vinyl	Black on Yellow	1.000 (25.4)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1500-595-YL-BK	B-595	Vinyl	Black on Yellow	1.500 (38.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-500-595-WT-RD	B-595	Vinyl	Red on White	0.500 (12.7)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-750-595-WT-RD	B-595	Vinyl	Red on White	0.750 (19.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1000-595-WT-RD	B-595	Vinyl	Red on White	1.000 (25.4)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1500-595-WT-RD	B-595	Vinyl	Red on White	1.500 (38.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-500-595-BL-WT	B-595	Vinyl	White on Blue	0.500 (12.7)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-750-595-BL-WT	B-595	Vinyl	White on Blue	0.750 (19.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1000-595-BL-WT	B-595	Vinyl	White on Blue	1.000 (25.4)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1500-595-BL-WT	B-595	Vinyl	White on Blue	1.500 (38.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-500-595-GN-WT	B-595	Vinyl	White on Green	0.500 (12.7)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-750-595-GN-WT	B-595	Vinyl	White on Green	0.750 (19.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1000-595-GN-WT	B-595	Vinyl	White on Green	1.000 (25.4)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1500-595-GN-WT	B-595	Vinyl	White on Green	1.500 (38.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-500-595-RD-WT	B-595	Vinyl	White on Red	0.500 (12.7)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-750-595-RD-WT	B-595	Vinyl	White on Red	0.750 (19.1)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1000-595-RD-WT	B-595	Vinyl	White on Red	1.000 (25.4)	30 (9.1)	1 roll (cont.)
Fig. 33	XC-1500-595-RD-WT	B-595	Vinyl	White on Red	1.500 (38.1)	30 (9.1)	1 roll (cont.)

PermaSleeve® PS Polyolefin Wire Markers (B-342)

3:1 heat-shrinkable sleeves fit snugly around wire for identification and protection. Fade resistant and flame retardant.

- **Meets specifications:**
  SAE-AMS-DTL-23053/5 (Class 1)
  SAE-AS-81531
  MIL-STD-202
  RoHS compliant
  UL recognized
- **Tested per:**
  ASTM E162 and
  ASTM E662




Figure 44




Figure 58




Diagram	Catalog #	B#	Color	Approx. Wire Gauge	Range of Wire Dia. Inch (mm)	Supplied Diameter B Inch (mm)	Recovered Diameter Inch (mm)	Sleeve Width A Inch (mm)	Sleeves Per Roll
B-342 Die Cut Sleeves									
Fig. 44	* XPS-125-1	B-342	Black on White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	1.015 (25.8)	100
Fig. 44	* XPS-187-1	B-342	Black on White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	1.015 (25.8)	100
Fig. 44	* XPS-250-1	B-342	Black on White	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	1.015 (25.8)	100
Fig. 44	* XPS-375-1	B-342	Black on White	12 to 4	0.125-0.320 (3.2-8.13)	0.375 (9.5)	0.125 (3.1)	1.015 (25.8)	100
B-342 Continuous Sleeve Tubing									
Fig. 58	* XPS-125-CONT	B-342	Black on White	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	8 ft. (2.45m)	1 roll (cont.)
Fig. 58	* XPS-187-CONT	B-342	Black on White	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	8 ft. (2.45m)	1 roll (cont.)
Fig. 58	* XPS-250-CONT	B-342	Black on White	16 to 8	0.094-0.215 (2.4-5.5)	0.250 (6.4)	0.093 (2.4)	8 ft. (2.45m)	1 roll (cont.)
Fig. 58	* XPS-375-CONT	B-342	Black on White	12 to 4	0.125-0.320 (3.2-8.13)	0.375 (9.5)	0.125 (3.1)	8 ft. (2.45m)	1 roll (cont.)
Fig. 58	* XPS-125-CONT-YL-BK	B-342	Black on Yellow	22 to 16	0.046-0.110 (1.2-2.8)	0.125 (3.2)	0.047 (1.2)	8 ft. (2.45m)	1 roll (cont.)
Fig. 58	* XPS-187-CONT-YL-BK	B-342	Black on Yellow	20 to 10	0.062-0.150 (1.6-3.8)	0.187 (4.7)	0.062 (1.6)	8 ft. (2.45m)	1 roll (cont.)
Fig. 58	* XPS-250-CONT-YL-BK	B-342	Black on Yellow	16 to 8	0.094 (2.4) - 0.215 (5.5)	0.250 (6.4)	0.093 (2.4)	8 ft. (2.45m)	1 roll (cont.)

* ⚠ **WARNING:** Cancer www.P65Warnings.ca.gov

BradyID.com/s36

Repositionable Vinyl Cloth Wire and Cable Wraps (B-498)

Printer automatically repeats your text to fill the label for maximum readability. Special adhesive stays put, but marker can be removed and reapplied if necessary. Temp. range -40° F to 175° F (-40° C to 70° C). UL recognized.




Figure 31




Diagram	Catalog #	B#	Material	Color	Approx. Wire Gauge*	Max Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll
B-498 Repositionable Vinyl Cloth Labels									
Fig. 31	X-7-498	B-498	Vinyl Cloth	Black on White	22 to 16	0.11 (2.8)	0.500 (12.7)	0.500 (12.7)	300
Fig. 31	X-11-498	B-498	Vinyl Cloth	Black on White	16 to 10	0.16 (4.0)	0.500 (12.7)	0.750 (19.1)	275
Fig. 31	X-163-498	B-498	Vinyl Cloth	Black on White	12 to 10	0.21 (5.3)	0.500 (12.7)	1.000 (25.4)	225
Fig. 31	X-19-498	B-498	Vinyl Cloth	Black on White	12 to 10	0.21 (5.3)	1.000 (25.4)	1.000 (25.4)	200
Fig. 31	X-18-498	B-498	Vinyl Cloth	Black on White	12 to 10	0.21 (5.3)	0.750 (19.1)	1.000 (25.4)	225
Fig. 31	X-103-498	B-498	Vinyl Cloth	Black on White	10 to 4	0.27 (6.9)	1.000 (25.4)	1.250 (31.8)	200
Fig. 31	X-162-498	B-498	Vinyl Cloth	Black on White	10 to 4	0.32 (6.9)	0.500 (12.7)	1.500 (38.1)	165
Fig. 31	X-31-498	B-498	Vinyl Cloth	Black on White	10 to 4	0.32 (6.9)	1.000 (25.4)	1.500 (38.1)	165
Fig. 31	X-21-498	B-498	Vinyl Cloth	Black on White	3 Gauge-2/0	0.53 (13.5)	1.000 (25.4)	2.500 (63.5)	95
Fig. 31	X-23-498	B-498	Vinyl Cloth	Black on White	3/0-400Kcmil	0.85 (21.6)	1.000 (25.4)	4.000 (101.6)	60

Self-laminating Vinyl Wire and Cable Markers (B-427)

Marker features a clear, non-printed area which wraps around and overlaminates the printed text. Printer automatically repeats your lines of text to fill the white print area. Resistant to abrasion, water, oil and solvents. Temp. range -40° F to 158° F (-40° C to 70° C), UL recognized.




Figure 32




Diagram	Catalog #	B#	Material	Color	Approx. Wire Gauge*	Max Wire Dia. Inch (mm)	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Height C Inch (mm)	Labels Per Roll
B-427 Self-laminating Vinyl Labels										
Fig. 32	XSL-11-427	B-427	Vinyl	Black on White	16 to 10	0.160 (4.0)	0.500 (12.7)	0.750 (19.1)	0.375 (9.5)	450
Fig. 32	XSL-96-427	B-427	Vinyl	Black on White	16 to 10	0.160 (4.0)	1.000 (25.4)	0.750 (19.1)	0.375 (9.5)	250
Fig. 32	XSL-17-427	B-427	Vinyl	Black on White	12 to 10	0.210 (5.3)	0.500 (12.7)	1.000 (25.4)	0.375 (9.5)	450
Fig. 32	XSL-18-427	B-427	Vinyl	Black on White	12 to 10	0.210 (5.3)	0.750 (19.1)	1.000 (25.4)	0.375 (9.5)	250
Fig. 32	XSL-19-427	B-427	Vinyl	Black on White	12 to 10	0.210 (5.3)	1.000 (25.4)	1.000 (25.4)	0.375 (9.5)	250
Fig. 32	XSL-133-427	B-427	Vinyl	Black on White	12 to 10	0.210 (5.3)	1.750 (44.5)	1.000 (25.4)	0.287 (7.29)	175
Fig. 32	XSL-102-427	B-427	Vinyl	Black on White	10 to 4	0.270 (6.9)	0.500 (12.7)	1.250 (31.8)	0.375 (9.5)	250
Fig. 32	XSL-103-427	B-427	Vinyl	Black on White	10 to 4	0.270 (6.9)	1.000 (25.4)	1.250 (31.8)	0.500 (12.7)	250
Fig. 32	XSL-115-427	B-427	Vinyl	Black on White	10 to 4	0.270 (6.9)	1.500 (38.1)	1.250 (31.8)	0.500 (12.7)	250
Fig. 32	XSL-29-427	B-427	Vinyl	Black on White	10 to 4	0.320 (8.1)	0.500 (12.7)	1.500 (38.1)	0.500 (12.7)	450
Fig. 32	XSL-30-427	B-427	Vinyl	Black on White	10 to 4	0.320 (8.1)	0.750 (19.1)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-31-427	B-427	Vinyl	Black on White	10 to 4	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-32-427	B-427	Vinyl	Black on White	10 to 4	0.320 (8.1)	1.500 (38.1)	1.500 (38.1)	0.500 (12.7)	227
Fig. 32	XSL-134-427	B-427	Vinyl	Black on White	10 to 4	0.320 (8.1)	1.750 (44.5)	1.500 (38.1)	0.413 (10.49)	175
Fig. 32	XSL-21-427	B-427	Vinyl	Black on White	3 Gauge-2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-116-427	B-427	Vinyl	Black on White	3 Gauge-2/0	0.530 (13.5)	1.500 (38.1)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-23-427	B-427	Vinyl	Black on White	3/0-400 kcmil	0.850 (22.0)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	85
Fig. 32	XSL-33-427	B-427	Vinyl	Black on White	3/0-400 kcmil	0.850 (22.0)	1.500 (38.1)	4.000 (101.6)	1.000 (25.4)	85
Fig. 32	XSL-34-427	B-427	Vinyl	Black on White	500-900 kcmil	1.30 (33.0)	1.500 (38.1)	6.000 (152.4)	1.500 (38.1)	50
Fig. 32	XSL-31-427-YL-BK	B-427	Vinyl	Black on Yellow	10 to 4	0.320 (8.1)	1.000 (25.4)	1.500 (38.1)	0.500 (12.7)	250
Fig. 32	XSL-21-427-YL-BK	B-427	Vinyl	Black on Yellow	3 Gauge-2/0	0.530 (13.5)	1.000 (25.4)	2.500 (63.5)	0.750 (19.1)	100
Fig. 32	XSL-23-427-YL-BK	B-427	Vinyl	Black on Yellow	3/0-400 kcmil	0.850 (22.0)	1.000 (25.4)	4.000 (101.6)	1.000 (25.4)	100

Terminal Repositionable Vinyl Cloth Material (B-498)

Specially designed narrow-width markers automatically set to fixed spacing and separation between legends and auto-rotate to top-down orientation for perfect alignment on terminal blocks. Temp. range -40° F to 175° F (-40° C to 80° C), UL recognized




Figure 30




Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll
B-498 Repositionable Vinyl Cloth Labels							
Fig. 30	XC-240-498	B-498	Vinyl Cloth	Black on White	0.240 (6.1)	20 (7.9)	1 roll (cont.)
Fig. 30	XC-318-498	B-498	Vinyl Cloth	Black on White	0.318 (8.1)	20 (7.9)	1 roll (cont.)
Fig. 30	XC-375-498	B-498	Vinyl Cloth	Black on White	0.375 (9.5)	20 (7.9)	1 roll (cont.)

Polyester Labels (B-422)

Permanent adhesive, good for powder-coated and textured surfaces making it ideal for patch panels, outlets and faceplate identification. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized




Figure 29




Figure 59





Diagram	Catalog #	B#	Material	Color	Sized To Fit	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll
B-422 Polyester Labels								
Fig. 59	XC-375-422	B-422	Polyester	Black on White	Label Punch Blocks or Multiple Ports on Cont. Tape	0.375 (9.530)	30 ft. (9.140 m)	1 roll (cont.)
Fig. 59	XC-475-422	B-422	Polyester	Black on White	Label Punch Blocks or Multiple Ports on Cont. Tape	0.475 (12.070)	30 ft. (9.140 m)	1 roll (cont.)
Fig. 29	X-7-422	B-422	Polyester	Black on White	Label Each Port	0.500 (12.700)	0.500 (12.700)	350
Fig. 29	X-17-422	B-422	Polyester	Black on White	Label Faceplate	1.000 (25.400)	0.500 (12.700)	500
Fig. 29	X-29-422	B-422	Polyester	Black on White	Label Faceplate	1.500 (38.100)	0.500 (12.700)	500

Racks, Bays, Frames and Data Center ID (B-422, B-483 and B-595)

- **B-422 Polyester Material:** Permanent adhesive, good for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40° F to 212° F (-40° C to 100° C). UL recognized
- **B-483 Polyester Material:** Permanent adhesive for powder-coated and textured surfaces. Best on flat surfaces Temp. range: -40° F to 248° F (-40° C to 120° C). UL recognized
- **B-595 Indoor / Outdoor Vinyl Material:** Permanent adhesive, very pliable, good for rough surfaces and outdoor use, wide range of colors. Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized




Figure 29



Figure 33



Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll
B-422 Polyester Labels							
Fig. 29	X-17-422	B-422	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	500
Fig. 29	X-29-422	B-422	Polyester	Black on White	1.500 (38.1)	0.500 (12.7)	500
Fig. 29	X-30-422	B-422	Polyester	Black on White	1.500 (38.1)	0.750 (19.1)	250
Fig. 29	X-19-422	B-422	Polyester	Black on White	1.000 (25.4)	1.000 (25.4)	250
Fig. 33	XC-1000-422	B-422	Polyester	Black on White	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
B-483 Polyester Labels							
Fig. 29	X-17-483	B-483	Polyester	Black on White	1.000 (25.4)	0.500 (12.7)	500
Fig. 29	X-61-483	B-483	Polyester	Black on White	2.000 (50.8)	0.500 (12.7)	100
Fig. 29	X-20-483	B-483	Polyester	Black on White	2.000 (50.8)	1.000 (25.4)	100
B-595 Indoor/Outdoor Vinyl Film							
Fig. 33	XC-500-595-YL-BK	B-595	Vinyl	Black on Yellow*	0.500 (12.7)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1000-595-YL-BK	B-595	Vinyl	Black on Yellow*	1.000 (25.4)	30 ft. (9.1 m)	1 roll (cont.)
Fig. 33	XC-1500-595-YL-BK	B-595	Vinyl	Black on Yellow*	1.500 (38.1)	30 ft. (9.1 m)	1 roll (cont.)

**Red, orange, green, blue, white and clear are also available.*

Brady Workstation

BradyID.com/s36



Brady Workstation

Simple. Efficient. Flexible.

Brady Workstation has revolutionized how you design and print signs and labels. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible sign and label creation.

Download your free 30-day trial

1. Download Brady Workstation at **Workstation.BradyID.com.**
2. Fill your workstation with the suites that best fit your needs.
3. Begin designing labels and printing them on your Brady printer!

Simple

Brady Workstation offers an intuitive user interface and workflow so you're ready to get started, without in-depth training. With your Brady printer, you get real-time information about the material installed in the printer to make label set up easy.

Efficient

Each suite of apps is designed with you in mind, featuring built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more.

Flexible

With all your design apps in one spot, switching between identification tasks becomes a breeze. And, Brady Workstation works with our complete benchtop printer offering and select portable printers. Visit **Workstation.BradyID.com** for the full printer compatibility list.



Brady Workstation: Safety and Facility Identification Suite

Keep your facility safe and compliant. This suite features applications so you can easily create the custom signs, labels and pipe markers you need to add visual safety guidance to your facility.



Included apps:

- **Custom Designer** Complete, customized label creation and editing.
- **Arc Flash** Create NFPA compliant arc flash labels.
- **Express Signs** Create safety and facility signs in minutes with pre-defined templates and layouts.
- **Lean** Create common lean labels including gauge* and inventory labels.
- **Pipe Markers** Easily create ANSI / ASME compliant pipe markers using pre-defined templates.
- **Arrow Tape** Create arrow tape labels with pre-defined templates to show pipe flow direction.
- **Excel Import** Easily import Excel data right onto your labels.
- **Sequence** Create labels based on numeric and alphanumeric sequences.
- **Template Editor** Set elements on labels to be editable or locked.
- **Batch Print** Group files to print together.
- **Label Settings** Set default horizontal and vertical printing adjustments when using specific supplies with specific printers.
- **Print Partner** Quickly create labels by filling in a template and printing.
- **Manage Files** Manage saved files from one screen, with options to preview, categorize and delete file.
- **Network Printers** Connect to your printers via IP address or DNS address.



Arc flash labels



Safety labels



Facility signs



Equipment labels



Pipe markers



Lean / 5S labels and more

Catalog #	Description
BWS-SFIDS-NA-EM	Email with activation code
BWS-SFIDS-NA-CD	CD

Free 30-day trial at Workstation.BradyID.com/SFID

Additional safety and facility identification software

For more specialized identification projects, you can add on these suites and apps:

Lockout Writer App

This intuitive tool allows you to create, store and print simple lockout procedures, associated tags and energy source labels quickly and easily.

Catalog #	Description
BWRK-LOW-DWN	Email activation code
BWRK-LOW-CD	CD

GHS Chemical Identification App

We've streamlined the label creation process so you can easily enter the data once from your SDS sheets, then create and print GHS label on demand. You can also auto-populate your GHS label using the built-in chemical database.

Catalog #	Description
BWRK-GHS-DWN	Email activation code

Basic Label Design Suite

Use this free software option to get started designing your labels. You get basic formatting capabilities, graphics and simple barcode libraries. Included apps:

- Custom Designer LITE
- Excel Import
- Sequence
- Batch Print
- Label Settings
- Manage Files
- Network Printers

Free download at Workstation.BradyID.com/FREE

** BBP®37 Printer required to cut out circular-shaped gauge labels.*

Brady Workstation

BradyID.com/s36


Brady Workstation: Product and Wire Identification Suite

When you need to create product labels, wire and cable markers and panel labels, this suite is your go-to solution. It allows you to create basic text labels or complex labels with graphics and custom formatting, as well as serialize and import data.



Included apps:

- **Custom Designer** Complete, customized label creation and editing.
- **Text Labels** Simple designing for text-only wire and cable labels.
- **Asset Tags** Create the asset tags or asset location labels you need.
- **Patch Panel** Quickly identify patch panel ports and associated cables.
- **Terminal Block** Identify terminal blocks and create associated wire markers.
- **Excel Import** Easily import Excel data right onto your labels.
- **Advanced Import** Import data from sources beyond Excel onto your labels.
- **Sequence** Labels based on numeric and alphanumeric sequences.
- **Advanced Sequence** Create dependent and complex sequences for label creation.
- **Flip Flop** Automatically swap text items horizontally or vertically.
- **Template Editor** Set elements on labels to be editable or locked.
- **Batch Print** Group files to print together.
- **Label Settings** Set default horizontal and vertical printing adjustments when using specific supplies and printers.
- **Print Partner** Quickly create labels by filling in a template and printing.
- **Manage Files** Manage saved files from one screen, with options to preview, categorize and delete.
- **Network Printers** Connect to your printers via IP address or DNS address.




Component labels


Wire ID labels


PermaSleeve® wire markers



Rating plate labels



Terminal block labels



And more

Catalog #	Description
BWS-PWIDS-EM	Email activation code
BWS-PWIDS-CD	CD

Free 30-day trial at Workstation.BradyID.com/PWID

Software for your product and wire identification workflow

The following suites are designed to improve and automate your printing and labeling process:

Print Partner Suite

This suite includes everything you need to fill-in your templates and print, including importing data from a variety of supported data sources or automatically generating sequential data for your labels.

- Excel Import
- Advanced Import
- Sequence
- Advanced Sequence
- Print Partner
- Network Printers

Catalog #	Description
BWS-PPS-EM	Email activation code
BWS-PPS-CD	CD
BWS-PPS-EM-VOL	Email with volume license activation code
BWS-PPS-CD-VOL	Volume license CD

Scan and Print Suite

This suite can solve your workflow needs by consuming data from a barcode scanner, keyboard or custom script to populate your label templates as part of a labeling workflow.

- Custom Designer
- Text Labels
- Template Editor
- Scan and Print
- Label Settings
- Manage Files
- Network Printers

Catalog #	Description
BWS-SPS-EM	Email activation code
BWS-SPS-CD	CD

Automation Suite

Get the power to fully automate your label printing with this suite. Easily set up templates and import data to make label creation an automated, error-free process.

- Custom Designer
- Data Automation
- Template Editor
- Label Settings
- Manage Files
- Network Printers

Catalog #	Description
BWS-DAS-EM	Email activation code
BWS-DAS-CD	CD

Manage your facility and assets

Keeping your facility running smoothly can be a time consuming and exhaustive task. Add software to the mix to make sure you know what you have, where you have it and how to keep it compliant.

LINK360® Software



Manage the full lifecycle of visual procedures for lockout tagout, confined space entry and maintenance. This cloud-based software centralizes your data, allowing multiple users and multiple sites access to procedures at any time. Mobile apps allow you to access, modify and verify procedures on the go using a range of mobile devices. Dashboards and reports summarize your program at a glance and keep you informed of audits coming due.

With LINK360 software, you can:

- Cloud-based software allows for program scalability and access from mobile and tablet devices (iOS and Android)
- User-defined permission for viewing, editing and approving helps ensure the correct people are doing the correct activities
- Pre-defined templates and standardized procedures allow for multi-site standardization
- Workflow and responsibility assignments for sites, areas and equipment improves employee accountability around machine safety and productivity
- Audit alerts, notifications and detailed reporting help companies keep information up to date



Request a demo at BradyID.com/Services

NetDoc® Network Cable Management Software

Make your job easier and more efficient with NetDoc Cable Management Software. As cable networks grow and become more complex, proper documentation is key to knowing what you have, where it is and what it's connected to. With NetDoc software, you can document and identify every aspect of your network, including cables, patch panels, racks, assets and much more.

Catalog #	Description
ND-1USER	1 license
ND-5USER	5 licenses
ND-SITE	1000 licenses



Request a demo at BradyID.com/Netdoc

BradyID.com/s36

Lockout tagout: A critical safety regulation

Lockout tagout is an important safety component that is critical to safeguarding workers around the machinery and equipment they operate, service and maintain. This important safety practice involves de-energizing electrical circuits, closing valves, neutralizing extreme temperatures and securing moving parts so hazardous energy isn't re-introduced while equipment is being serviced.

An effective lockout tagout program is most successful when it includes the complete safety picture – locks, tags and devices — as well as proper lockout procedures, program documentation, employee training, periodic inspections or other procedural elements.



Benefits of a lockout tagout program

- **Saving lives:** Preventing an estimated 250,000 incidents, 50,000 injuries and 120 fatalities annually
- **Cutting costs:** Significantly decreasing lost employee time and insurance costs
- **Improving productivity:** Reducing equipment downtime

Regulatory requirements

OSHA 29CFR 1910.147 – Control of Hazardous Energy
General industry workers performing servicing and/or maintenance on machines or equipment and who are exposed to the unexpected energization, startup or release of hazardous energy.

OSHA 29CFR 1910.333 – Electrical Safety
Safety-related work practices shall be employed to prevent electric shock or other injuries resulting from either direct or indirect electrical contacts, when work is performed near or on equipment or circuits which are or may be energized.

ANSI Z244.1 (2016) – Lockout Tagout and Alternative Methods
A voluntary national consensus standard that represents several industry hazardous energy control best practices and also promotes greater flexibility through the use of alternative methods based on risk assessments and application of the hazard control hierarchy.

Lockout tagout is the fifth most cited OSHA violation, with 2,944 violations during fiscal year 2018


Top violations involve:

1910.147(c)(4)(i)	Requirements for General Procedures
1910.147(c)(1)	Program Requirements
1910.147(c)(6)(i)	Inspecting Procedures
1910.147(c)(7)(i)	Training Requirements
1910.147(d)	Notifying affected employees

Go beyond compliance with the *Expanded Guide to Lockout Tagout*

Download the guidebook to learn more about the six essential elements of lockout tagout.

Download at BradyID.com/lockouttagout



Six Essential Elements of Lockout Tagout



1. Program and policy

A written lockout document establishes and explains the elements of your program. It's important to take into account not only OSHA's guidelines, but also custom requirements for your employees that ensure they can understand and apply the program to their workday.



2. Machine- or task-specific procedures

Lockout procedures should be formally documented and should easily identify the equipment covered. They should also detail the specific steps necessary for shutting down, isolating, blocking and securing equipment to control hazardous energy, and include steps for the placement, removal and transfer of lockout tagout devices.



3. Identifying and marking energy isolation points

Locate and identify all energy control points, including valves, switches, breakers and plugs, with permanently placed and standardized labels or tags.



4. Training and periodic inspections and audits

Train authorized, affected and other employees, communicate processes and conduct periodic inspections. Training should include OSHA requirements and specific program elements, such as your machine-specific procedures.



5. Provide proper lockout devices

Provide employees with the necessary devices to keep them safe. There are many products on the market, and selecting the most appropriate solution for your application is the key to lockout effectiveness. It's important to document and use devices that best fit each lockout point.



6. Sustainability

Annually review, revise and update your program and procedures to create a safety culture that proactively addresses lockout tagout. This allows your company to focus on maintaining a world-class program, instead of starting from scratch each year and reacting only when something goes wrong.

Lockout Tagout Procedures

BradyID.com/s36


Lockout Tagout Procedures

There are a variety of components in a visual lockout tagout procedure that will help ensure your employees will get home safe. Use this helpful guide to determine what elements are required for compliance, and best practices to complete an even safer lockout procedure.

OSHA Regulation

29 CFR 1910.147 (c)(4)

Machine-specific lockout tagout procedures are required for equipment having more than one energy source, as well as for much equipment having a single energy source.



BRADY Lockout/Tagout Posted Procedure

ID#: 5879
Created: 7/6/2018
Revised: 7/6/2018

Facility: Brady Good Hope - Production
Location: Boiler Room
Description: Boiler #1

4 Lockout Points

Note: This machine is capable of generating extremely high temperatures. Allow it to return to room temperature before proceeding.Confined Space. Authorized personnel only. Permits are required before entering. Follow all Confined Space procedures.Piping systems can store energy hydraulically. Ensure pressures are isolated and/or have been relieved before proceeding.

MCC 3 Column 3 Bucket A | EAST VIEW | NORTH VIEW

Lockout Steps

Step #	Action	Info	Verification
1 Electrical E-1 480V	The E-1 Disconnect is located on the East side of the machine on the MCC panel Column 3 bucket A. . Turn Disconnect to the off position and lock out.	Use a Lock and hasp device.	Attempt to restart at control panel.
2 Gas G-1 Natural Gas	The G-1 Ball Valve is located on the East side of the machine. Turn Valve to the off position and lock out.	Use a Ball valve lockout device.	Verify pressure has bled off.
3 Water W-1 Hot Water Supply	The W-1 Butterfly Valve Lockout is located on the East side of the machine. Turn the valve to the closed position and lock out.	Use a Lock and hasp device.	Verify pressure has bled off.
4 Water W-2 Hot Water Return	The W-2 Butterfly Valve Lockout is located on the East side of the machine. Turn the valve to the closed position and lock out.	Use a Lock and hasp device.	Verify pressure has bled off.

BRADY SAFETY SOFTWARE & SERVICES

Lockout Tagout Procedure

Purpose: To protect authorized employees against unexpected or unplanned activation of equipment or energy while servicing equipment.

Scope: Utilize this procedure for all scheduled PM shutdowns, any maintenance task that requires you to place your body in harms way of the equipment, or if you have to leave the area while the equipment is in service.

Enforcement: Failure to properly follow lockout-tagout procedure will result in corrective action.

SHUTDOWN, LOCK, TAG & TEST SEQUENCE

#	STEP	DESCRIPTION
1	Notify Employees	Notify all affected employees that servicing or maintenance is required on a machine or equipment, and that the machine or equipment must be shut down and locked out to perform the servicing or maintenance.
2	Review Lockout Procedure	The authorized employee shall refer to the company procedure to identify the type and magnitude of the energy that the machine or equipment utilizes, shall understand the hazards of the energy, and shall know the methods to control the energy.
3	Perform Machine Stop	If the machine or equipment is operating, shut it down by the normal stopping procedure (depress the stop button, open switch, close valve, etc.). Reference machine operating procedure for normal shutdown.
4	Isolate Energy	Follow graphical lockout-tagout procedure from top to bottom to de-activate the energy isolating device(s) so that the machine or equipment is isolated from the energy source(s). NOTE: It may be necessary to dissipate the non-lockable energy sources before isolating the lockable energy sources. (i.e. lower the machine to lowest position before locking out.)
5	Lockout Energy	Lockout and tagout the energy isolating device(s) with assigned lock(s) and tag(s).
6	Dissipate Energy	Stored or residual energy (such as that in capacitors, springs, elevated machine members, rotating flywheels, hydraulic systems,as well as air, gas, steam, or water pressure, etc.) must be dissipated or restrained by methods such as grounding, repositioning, blocking, bleeding down, etc.
7	Attempt Restart	Ensure that the equipment is disconnected from the energy sources by first checking that no personnel are exposed, then verify the isolation of the equipment by operating the push button or other normal operating controls or by testing to make certain the equipment will not operate. Caution: Return operating controls to neutral or "off" position after verifying the isolation of the equipment.

RESTORE TO SERVICE SEQUENCE

#	STEP	DESCRIPTION
1	Check Machine	Check the machine or equipment and the immediate area around the machine to ensure that nonessential items have been removed and that the machine or equipment components are operationally intact.
2	Check Area	Check the work area to ensure that all employees have been safely positioned or removed from the area.
3	Verify Machine	Verify that the controls are in neutral.
4	Remove Lockout	Remove the locks, tags and lockout devices and re-energize the machine or equipment. In reverse order, follow all of the steps from the visual lockout-tagout procedure found on the previous page. Note: The removal of some forms of blocking may require re-energization of the machine before safe removal.
5	Notify Employees	Notify affected employees that the servicing or maintenance is completed and the machine or equipment is ready for use.

1 **Best practice:** Company logo

2 **Best practice:** Machine-specific equipment ID number

3 **Required:** Facility name, location, equipment name

4 **Best practice:** Number of lockout points

5 **Best practice:** The caution statement is where additional hazards and noteworthy information can be communicated

6 **Best practice:** Pictures of equipment displaying location of each energy source.

7 **Required:** While having corresponding energy source tags mounted on equipment and indicated on the lockout procedure is considered "best practice," lockout procedures are required to identify energy sources and magnitude. (OSHA1910.147(d)(1))

8 **Required:** Action steps to isolate energy and location of isolation points. These must include procedural steps for shutting down, isolating, blocking and securing equipment to control hazardous energy. They also must include steps for the use of lockout devices and their responsibility. 1910.147(c)(4)(ii)(B-C)

9 **Required:** Verification is required on every step of your lockout procedure. This is how your employees will know whether or not the energy source is truly isolated and at a zero energy state. 1910.147(c)(4)(ii)(D)

10 **Required:** Purpose, scope and enforcement of lockout tagout procedure must be included on Physical procedure. 1910.147(c)(4)(ii)

11 **Required:** A sequential procedure for shutdown, locking/tagging and testing must be included on the lockout procedure. 1910.147 App A

12 **Required:** A sequential procedure to restore equipment to service must be included on the lockout procedure. 1910.147 App A

Lockout Tagout Services through Brady Safety Services



For more information visit BradyID.com/Services

With a continually changing workforce, and frequent enhancements to processes and technology, there is a need in the industry to efficiently develop and train new workers to keep operations running smoothly. Having a sustainable lockout tagout program in place allows you to bridge the knowledge gap and improve safety throughout your facility.

Lockout Services include:

- Lockout tagout machine inventory
- Visual lockout procedure writing
- Lockout tagout procedure audit
- Lockout tagout training, including general / affected, authorized and train-the-trainer programs
- Alternative method procedures/minor servicing
- Job safety analysis
- Lockout tagout program development
- Lockout tagout gap analysis
- Time- and material-based services





Request a demo at BradyID.com/Services

Create Your Own Procedures

LINK360® Software


Brady's LINK360® cloud based software offers procedure creation, procedure maintenance, audit reminders and more in order to manage, store and sustain machine safety and procedural information. It includes three centers that address common areas of focus when operating your equipment safely: Lockout Tagout, Confined Space and Reliability / Maintenance.

With Link360 software, you can:

- Create and update procedures and permits
- Facilitate reviews, comments and approvals
- Setup regularly scheduled audit processes and reminders
- Time-stamping and record keeping
- Print lockout tags containing equipment-specific information

The LINK360 advantage:

- Cloud-based software allows for program scalability and access from mobile and tablet devices
- User-defined permission for viewing, editing and approving helps ensure the correct people are doing the correct activities
- Pre-defined templates and standardized procedures for multi-site standardization
- Workflow and responsibility assignments for sites, areas and equipment improves employee accountability around machine safety and productivity
- Audit alerts, notification and detailed reporting help companies keep information up to date



Download a 30-day trial at Workstation.BradyID.com

Brady Workstation Lockout Writer App

Desktop app for simple lockout procedures

Save time and keep employees safe with the Brady Workstation Lockout Writer app. This intuitive tool allows you to create, store and print simple lockout procedures, associated tags and energy source labels quickly and easily.

Lockout Tagout Procedure Accessories



Fluorescent Protective Envelopes

- Clear envelopes with fluorescent edging, great for color-coding lockout procedures and other shop information
- Durable 8 gauge vinyl construction withstands harsh environments
- Ideal for indoor or outdoor use

Catalog #	Color	Size	Qty.
56941	Fluorescent Green	9 in. x 9 in.	25
56945	Fluorescent Green	9 in. x 12 in.	25
56942	Fluorescent Orange	9 in. x 9 in.	25
56946	Fluorescent Orange	9 in. x 12 in.	25
56944	Fluorescent Yellow	9 in. x 9 in.	25
56948	Fluorescent Yellow	9 in. x 12 in.	25



Magnetic Backed Open-End



Adhesive Backed Open-End

Adhesive and Magnetic Backed Envelopes

- Made of non-glare clear vinyl material
- Protects tags and cards on machinery, valves, switches, controls, and more
- Size: 8.5 in. x 11 in.


Catalog #	Color	Qty.
50961	Adhesive Backed Envelopes	10
50962	Magnetic Backed Envelopes	10



Lockout Procedure Station

- Silk-screened backboard made from durable polystyrene
- Includes pre-drilled holes and hardware for wall mounting
- 1.5 in. 3-ring binder
- Size: 20 in. x 14 in. x 4.5 in.

Catalog #	Description
LOSP22	Lockout Procedure Station With Binder and 25 Forms
99289	Lockout Procedure Station With Binder Only
LOSB1	Lockout Procedure Binder Only
LOSF5	Lockout Procedure Forms (25/pk)



Lockout Clip Board

- Heavy-duty, clipboard conveniently carries procedures and hardware directly to the lockout location
- Clipboard can also be hung in place using attached strap
- Lockout safety tips on the back
- Procedures, locks and hasps sold separately

Catalog #	Color	Qty.
LOCB	Lockout Clip Board	1

May we also suggest:




Energy Source Tags
View page 206



Lockout Tagout Signs
View page 504



Lockout Safety Labels
View page 392



Lockout Tagout Safety Training Video: Global Best Practice Training

- Comprehensive training video features targeted regulatory and compliance content
- 5 languages included: English, Spanish, French, Portuguese and Simplified Chinese
- Includes instructor's guide, employee quiz and 25 min video that:
  - Clearly defines and explains lockout tagout
  - Overviews compliance standards and regulations from countries around the world
  - Outlines an effective four-step lockout tagout program for employers
  - Covers important subtopics in-depth such as handling group lockout and shift changeovers
  - Bonus feature: 19 short installation videos on how to use some of the most common lockout devices

Catalog #	Description
132427	LOTO Global Training Video USB
833918	LOTO Global Training Video USB - European *Supplies information in English, French, Dutch, German, Portuguese, Italian, Spanish, Turkish, Polish and Russian*



Lockout Tagout Handbook

- 16-page training booklet with quiz instructs workers how to protect themselves from hazardous energy


Catalog #	Description	Qty.
66219	Lockout Tagout Handbook	10



Lockout Safety Training Booklet

- 16-page training booklet covers the basics of lockout tagout safety

Catalog #	Description	Qty.
2112-TEN	Lockout Safety	10
2112	Lockout Safety	25
2112SP-TEN	Lockout Safety - Spanish	10
2112SP	Lockout Safety - Spanish	25



Wallet Safety Cards

- Wallet size card contains important reminders for lockout safety

Catalog #	Description	Qty.
LOSC13	English Wallet Card	10
LOSC13 BI	English/Spanish Wallet Card	10

OSHA Training Requirements:

Authorized Employees
Those who perform servicing or maintenance must be trained to:

- Recognize hazardous energy sources and understand the energy type and magnitude
- Identify and properly operate the applicable energy-isolating devices
- Safely apply and remove lockout tagout devices
- Authorized employees must undergo an annual review to ensure they fully understand their responsibilities under the program

Affected Employees
Those who operate the machinery or work in the area where LOTO is performed must be trained to:

- Recognize when lockout tagout activities are in progress
- Understand the purpose of the energy control program and the importance of not tampering with lockout tagout devices when encountered in the workplace

Addtional Requirments

- Employers must document when training took place, who attended, and the topics covered
- Employees must be retrained under the following situations:
  - Employee assigned to new job
  - Change made to energy control policies or procedures
  - Machinery installed or modified, presenting a new hazard
  - Whenever the employer has reason to believe that there are problems with the employee's understanding or use of the procedures
- Additional training is required when using tagout instead of lockout. See Section (C)(7)(ii) in the 1910.147 standard.

Lockout Padlocks


BradyID.com/s36

Lockout Padlocks

Although padlocks may seem like a commonplace device, the durability and reliability of your padlocks is critical to the safety of your employee. Brady provides a full line of padlocks that withstand harsh environmental conditions, rough handling and provide maximum safety.



Nylon Lockout Padlocks



	NEW SafeKey Nylon Lockout Padlocks				Traditional Nylon Lockout Padlocks				
	SafeKey Compact Padlocks	**SafeKey Padlock with Nylon Shackle**	**SafeKey Padlock with Steel Shackle**	**SafeKey Padlock with 3 in. Shackle**	**Compact Nylon Padlocks**	**Nylon Padlock with Nylon Shackle**	**Nylon Padlock with Steel Shackle**	**Long-Body Nylon Padlock**	**Compact Cable Nylon Padlocks**
Features	Advanced security locking mechanism, color matched keys, compact size	Advanced security locking mechanism, color matched keys, non-conductive nylon body and shackle	Advanced security locking mechanism, color matched keys, standard size	Advanced security locking mechanism, color matched keys, 3 inch shackle	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact size	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, non-conductive nylon body and shackle	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, standard size	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, 3 in. body to display additional identification	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact body and flexible cable shackle
Main application	Electrical applications and small spaces	General safety and electrical applications	General safety applications	General safety applications requiring a large shackle clearance	Electrical applications and small spaces	General safety and electrical applications	General safety applications	General safety applications	Small spaces and multi-locking points in electrical applications
Non-conductive	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Non-sparking	Yes	Yes	No	No	No	Yes	No	No	No
Body (H x W)	Nylon body 1.7 in. x 1.25 in.	Nylon body 1.8 in. x 1.5 in.	Nylon body 1.8 in. x 1.5 in.	Nylon body 1.8 in. x 1.5 in.	Nylon body 1.4 in. x 1.2 in.	Nylon body 1.75 in. x 1.5 in.	Nylon body 1.75 in. x 1.5 in.	Nylon body 3 in. x 1.5 in.	Nylon body 1.4 in. x 1.2 in.
Shackle	Plastic polymer shackle Height: 1.0 in. Diameter: 0.17 in.	Plastic polymer shackle Height: 1.5 in. Diameter: 0.25 in.	Steel shackle Height: 1.5 in. Diameter: 0.25 in.	Steel shackle Height: 3.0 in. Diameter: 0.25 in.	Aluminum shackle Height: 1.0 in. Diameter: 0.19 in.	Nylon shackle Height: 3.0 in. Diameter: 0.25 in.	Steel shackle Height: 1.5 in. Diameter: 0.25 in.	Steel shackle Height: 1.5 in. Diameter: 0.25 in.	Flexible cable 7.87 in. or 15.75 in. length
Colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors
Key Retaining	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Key Codes	100,000+	100,000+	100,000+	100,000+	Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000
Keying	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*
Engraving Available	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key
Includes	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)

*Available as custom.

Regulations

1910.147(c)(5) OSHA Lockout Device Requirements state that lockout devices must:

- Be provided by the employer and be standardized by size, shape or color
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose)
- Be capable of withstanding the usage environment and be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else

Aluminum and Steel Lockout Padlocks



	NEW SafeKey Aluminum Lockout Padlocks	Traditional Aluminum Lockout Padlocks		Traditional Steel Lockout Padlocks	
	SafeKey Aluminum Padlocks	**Compact Aluminum Padlocks**	**Aluminum Padlocks**	**Laminated Steel Padlocks**	**Key-Retaining Laminated Steel Padlocks**
Features	Advanced security locking mechanism, color matched keys, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance	Traditional key-retaining pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance
Main application	Ideal for indoor and outdoor use and heavy-duty applications	Small space applications	Outdoor, industrial safety, food and beverage applications (FDA approved lubricant in cylinder)	Industrial safety and severe physical environments	Industrial safety and severe physical environments
Non-conductive	No	No	No	No	No
Non-sparking	No	No	No	No	No
Body (H x W)	Aluminum body 1.8 in. x 1.5 in.	Aluminum body 1.25 in.	Aluminum body 1.6 in.	Steel body 1.33 in.	Steel body 1.2 in.
Shackle	Steel shackle Height: 1.5 in. or 3.0 in. Diameter: 0.25 in.	Steel shackle Height: 1.0 in. Diameter: 0.25 in.	Steel shackle Height: 1 in., 1.5 in. or 3 in. Diameter: 0.25 in.	Steel shackle Height: 0.75 in. or 2 in. Diameter: 0.27 in.	Steel shackle Height: 0.75 in., 2 in. or 3 in. Diameter: 0.27 in.
Colors	9 colors	9 colors	9 colors	9 colors	9 colors
Key Retaining	No	No	No	No	Yes
Key Codes	100,000+	Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000
Keying	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*
Engraving Available	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key
Includes	1 key (labels sold separately)	2 keys (labels sold separately)	2 keys (labels sold separately)	2 keys (labels sold separately)	1 key (labels sold separately)

**Available as custom.*


BradyID.com/s36

new Brady SafeKey Lockout Padlocks

With this innovatively designed padlock, you get up to 700% more unique key possibilities than a standard safety padlock, without sacrificing a secure lockout. It's all in the forward-thinking design of the locking mechanism and unique key blade that gives you more precision and control in your lockout program. With that level of precision, you're covered from your simple to highly complex lockout needs. You also get:

- Fast identification with the color-matched key
- Easy operation with extra smooth key insertion and removal — even when wearing gloves!
- Years of use with the low-friction locking mechanism that helps maintain key integrity
- Excellent durability in industrial environments





Added safety with non-conductive ball bearings and driver

Enhanced security with two side-locking bars

More than 100,000 key codes made possible with linear, low-friction lock mechanism

Extra durability in industrial environments with one-piece body design

Easy operation with smooth key design and precision steel tumbler blades

Fast identification with color-matched lock and key





Traditional safety padlocks

- Pin tumbler lock mechanism
- Jagged key design
- Up to 15,000 key codes

More really means more with SafeKey

In your lockout scenario, here's what you get with up to 700% more unique key codes:

	Other Nylon Padlocks	SafeKey Lockout Padlocks	
Keyed Different	15,000 Key Codes	100,000+ Key Codes	
1 Master Key	3,250 Key Codes	15,000+ Key Codes	
25 Master Keys	150 Key Codes	600+ Key Codes	

Keying options for SafeKey and traditional lockout padlocks

Standard options




Keyed Different (KD)

Each lock is opened by its own unique key. Perfect for simple lockout applications and a manageable number of energy isolation points.

Keyed Alike (KA)


Each lock in the group can be opened with the same key, reducing the number of keys needed. Ideal for employees who work on multiple machines or isolation points.

Custom options



Master Keyed (MK)

Each grouping of locks (whether keyed alike or different) can be opened with a master key. Useful for larger, complex systems when supervisory access may be required.



Grand Master Keyed (GMK)

The grand master key can open all locks grouped into two or more master keyed systems. Useful when supervisory or managerial access to all locks is needed.

Key Charting

Brady will keep a record of and "chart" all key numbers to ensure there's no unwanted key duplication on current or future orders, depending on your unique requirements.

BradyID.com/s36

new Brady SafeKey Lockout Padlocks

SafeKey Nylon Lockout Padlocks

- Key retaining feature within a lightweight nylon body is ideal for electrical and general lockout applications
- Two shackle options available; durable, steel shackle or polymer plastic shackle that is non-conductive and non-sparking
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.8 in. H x 1.5 in. W x 0.75 in. D; shackle diameter: 0.25 in.

SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	NYL-RED-38ST-KD	NYL-RED-38ST-KD6PK	NYL-RED-38ST-KA3PK	NYL-RED-38ST-KA6PK
Green	NYL-GRN-38ST-KD	NYL-GRN-38ST-KD6PK	NYL-GRN-38ST-KA3PK	NYL-GRN-38ST-KA6PK
Orange	NYL-ORG-38ST-KD	NYL-ORG-38ST-KD6PK	NYL-ORG-38ST-KA3PK	NYL-ORG-38ST-KA6PK
Blue	NYL-BLU-38ST-KD	NYL-BLU-38ST-KD6PK	NYL-BLU-38ST-KA3PK	NYL-BLU-38ST-KA6PK
Yellow	NYL-YLW-38ST-KD	NYL-YLW-38ST-KD6PK	NYL-YLW-38ST-KA3PK	NYL-YLW-38ST-KA6PK
Brown	NYL-BRN-38ST-KD	NYL-BRN-38ST-KD6PK	NYL-BRN-38ST-KA3PK	NYL-BRN-38ST-KA6PK
White	NYL-WHT-38ST-KD	NYL-WHT-38ST-KD6PK	NYL-WHT-38ST-KA3PK	NYL-WHT-38ST-KA6PK
Purple	NYL-PRP-38ST-KD	NYL-PRP-38ST-KD6PK	NYL-PRP-38ST-KA3PK	NYL-PRP-38ST-KA6PK
Black	NYL-BLK-38ST-KD	NYL-BLK-38ST-KD6PK	NYL-BLK-38ST-KA3PK	NYL-BLK-38ST-KA6PK





SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) plastic shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	NYL-RED-38PL-KD	NYL-RED-38PL-KD6PK	NYL-RED-38PL-KA3PK	NYL-RED-38PL-KA6PK
Green	NYL-GRN-38PL-KD	NYL-GRN-38PL-KD6PK	NYL-GRN-38PL-KA3PK	NYL-GRN-38PL-KA6PK
Orange	NYL-ORG-38PL-KD	NYL-ORG-38PL-KD6PK	NYL-ORG-38PL-KA3PK	NYL-ORG-38PL-KA6PK
Blue	NYL-BLU-38PL-KD	NYL-BLU-38PL-KD6PK	NYL-BLU-38PL-KA3PK	NYL-BLU-38PL-KA6PK
Yellow	NYL-YLW-38PL-KD	NYL-YLW-38PL-KD6PK	NYL-YLW-38PL-KA3PK	NYL-YLW-38PL-KA6PK
Brown	NYL-BRN-38PL-KD	NYL-BRN-38PL-KD6PK	NYL-BRN-38PL-KA3PK	NYL-BRN-38PL-KA6PK
White	NYL-WHT-38PL-KD	NYL-WHT-38PL-KD6PK	NYL-WHT-38PL-KA3PK	NYL-WHT-38PL-KA6PK
Purple	NYL-PRP-38PL-KD	NYL-PRP-38PL-KD6PK	NYL-PRP-38PL-KA3PK	NYL-PRP-38PL-KA6PK
Black	NYL-BLK-38PL-KD	NYL-BLK-38PL-KD6PK	NYL-BLK-38PL-KA3PK	NYL-BLK-38PL-KA6PK





SafeKey Nylon Lockout Padlocks with 3.0 in. (76 mm) steel shackle

Color	Keyed Different 1/Pack
Red	NYL-RED-76ST-KD
Green	NYL-GRN-76ST-KD
Orange	NYL-ORG-76ST-KD
Blue	NYL-BLU-76ST-KD
Yellow	NYL-YLW-76ST-KD
Brown	NYL-BRN-76ST-KD
White	NYL-WHT-76ST-KD
Purple	NYL-PRP-76ST-KD
Black	NYL-BLK-76ST-KD





Engraving

SafeKey padlocks can be laser-engraved on one to four surfaces to identify individuals, departments, work areas, serial numbers and company logos. Additionally, SafeKey keys can be engraved with up to 10 characters.

Design-Your-Own Padlock Online

Create a custom SafeKey padlock with exactly the options you need, including engraving, in one easy-to-use online tool. Try it today at **BradyID.com/CustomPadlocks**



SafeKey Padlock Labels

- Labels help send a clear message when machine is down for service or maintenance
- Keep track of your Brady SafeKey Lockout Padlocks by writing who owns that padlock on the label

Catalog #	Description	Size	Qty.
150556	English, French, Spanish	Compact 0.89 in x 1 in	6 cards
150555	English, French, Spanish	Standard 1.12 in x 1 in	6 cards
65508	Lock Label Overlaminate	1 in. x 6 in.	40

new Brady SafeKey Lockout Padlocks

SafeKey Compact Nylon Lockout Padlocks

- Ideal for use in small spaces in electrical and maintenance applications
- Extremely compact and lightweight design with non-conductive and non-sparking nylon body and polymer shackle
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.7 in. H x 1.25 in. W x 0.75 in. D; shackle diameter: 0.17 in.

SafeKey Compact Nylon Padlocks with 1.0 in. (25 mm) plastic shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	CPT-RED-25PL-KD	CPT-RED-25PL-KD6PK	CPT-RED-25PL-KA3PK	CPT-RED-25PL-KA6PK
Green	CPT-GRN-25PL-KD	CPT-GRN-25PL-KD6PK	CPT-GRN-25PL-KA3PK	CPT-GRN-25PL-KA6PK
Orange	CPT-ORG-25PL-KD	CPT-ORG-25PL-KD6PK	CPT-ORG-25PL-KA3PK	CPT-ORG-25PL-KA6PK
Blue	CPT-BLU-25PL-KD	CPT-BLU-25PL-KD6PK	CPT-BLU-25PL-KA3PK	CPT-BLU-25PL-KA6PK
Yellow	CPT-YLW-25PL-KD	CPT-YLW-25PL-KD6PK	CPT-YLW-25PL-KA3PK	CPT-YLW-25PL-KA6PK
Brown	CPT-BRN-25PL-KD	CPT-BRN-25PL-KD6PK	CPT-BRN-25PL-KA3PK	CPT-BRN-25PL-KA6PK
White	CPT-WHT-25PL-KD	CPT-WHT-25PL-KD6PK	CPT-WHT-25PL-KA3PK	CPT-WHT-25PL-KA6PK
Purple	CPT-PRP-25PL-KD	CPT-PRP-25PL-KD6PK	CPT-PRP-25PL-KA3PK	CPT-PRP-25PL-KA6PK
Black	CPT-BLK-25PL-KD	CPT-BLK-25PL-KD6PK	CPT-BLK-25PL-KA3PK	CPT-BLK-25PL-KA6PK





SafeKey Compact Nylon Padlock Kits

Ideal for those needing just one lock and one tag. Kit includes:

- 1 - SafeKey Compact Nylon Padlock
- 1 - Heavy-duty Polyester Tag
- 1 - Nylon Cable Tie

Color	Catalog #	Description
Red	150938	SafeKey Compact Nylon Padlock Kit





SafeKey Aluminum Lockout Padlocks

- Ideal for indoor and outdoor use and heavy-duty applications
- Aluminum padlock with steel shackle provides corrosion resistance
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.8 in. H x 1.5 in. W x 0.75 in. D; shackle diameter: 0.25 in.

SafeKey Aluminum Lockout Padlocks with 1.5 in. (38 mm) steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	ALU-RED-38ST-KD	ALU-RED-38ST-KD6PK	ALU-RED-38ST-KA3PK	ALU-RED-38ST-KA6PK
Green	ALU-GRN-38ST-KD	ALU-GRN-38ST-KD6PK	ALU-GRN-38ST-KA3PK	ALU-GRN-38ST-KA6PK
Orange	ALU-ORG-38ST-KD	ALU-ORG-38ST-KD6PK	ALU-ORG-38ST-KA3PK	ALU-ORG-38ST-KA6PK
Blue	ALU-BLU-38ST-KD	ALU-BLU-38ST-KD6PK	ALU-BLU-38ST-KA3PK	ALU-BLU-38ST-KA6PK
Yellow	ALU-YLW-38ST-KD	ALU-YLW-38ST-KD6PK	ALU-YLW-38ST-KA3PK	ALU-YLW-38ST-KA6PK
Brown	ALU-BRN-38ST-KD	ALU-BRN-38ST-KD6PK	ALU-BRN-38ST-KA3PK	ALU-BRN-38ST-KA6PK
Silver	ALU-SLV-38ST-KD	ALU-SLV-38ST-KD6PK	ALU-SLV-38ST-KA3PK	ALU-SLV-38ST-KA6PK
Purple	ALU-PRP-38ST-KD	ALU-PRP-38ST-KD6PK	ALU-PRP-38ST-KA3PK	ALU-PRP-38ST-KA6PK
Black	ALU-BLK-38ST-KD	ALU-BLK-38ST-KD6PK	ALU-BLK-38ST-KA3PK	ALU-BLK-38ST-KA6PK





SafeKey Aluminum Lockout Padlocks with 3.0 in. (76 mm) steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	ALU-RED-76ST-KD	ALU-RED-76ST-KD6PK	ALU-RED-76ST-KA3PK	ALU-RED-76ST-KA6PK
Green	ALU-GRN-76ST-KD	ALU-GRN-76ST-KD6PK	ALU-GRN-76ST-KA3PK	ALU-GRN-76ST-KA6PK
Orange	ALU-ORG-76ST-KD	ALU-ORG-76ST-KD6PK	ALU-ORG-76ST-KA3PK	ALU-ORG-76ST-KA6PK
Blue	ALU-BLU-76ST-KD	ALU-BLU-76ST-KD6PK	ALU-BLU-76ST-KA3PK	ALU-BLU-76ST-KA6PK
Yellow	ALU-YLW-76ST-KD	ALU-YLW-76ST-KD6PK	ALU-YLW-76ST-KA3PK	ALU-YLW-76ST-KA6PK
Brown	ALU-BRN-76ST-KD	ALU-BRN-76ST-KD6PK	ALU-BRN-76ST-KA3PK	ALU-BRN-76ST-KA6PK
Silver	ALU-SLV-76ST-KD	ALU-SLV-76ST-KD6PK	ALU-SLV-76ST-KA3PK	ALU-SLV-76ST-KA6PK
Purple	ALU-PRP-76ST-KD	ALU-PRP-76ST-KD6PK	ALU-PRP-76ST-KA3PK	ALU-PRP-76ST-KA6PK
Black	ALU-BLK-76ST-KD	ALU-BLK-76ST-KD6PK	ALU-BLK-76ST-KA3PK	ALU-BLK-76ST-KA6PK





Lockout Padlocks

BradyID.com/s36



Actual size of Brady's Compact Nylon Lockout Padlock

Nylon Lockout Padlocks

- Complies with all OSHA requirements and are a safer alternative to metal locks
- Non-conductive body with unique key cylinder prevents electricity from traveling from the shackle to the key, protecting workers when key is inserted
- Superior temperature, chemical and corrosion resistance
- Labels provided in English, Spanish, French
- Key-retaining feature prevents key from being removed until shackle is securely closed
- Reserved paracentric keyway provides optimal security (prevents a copy from being made at a local key shop)
- Locks come keyed differently or keyed alike. Custom keying and charting available
- Lock bodies can be custom laser engraved upon request
- One key is supplied with each padlock for safer key management



Compact Nylon Lockout Padlocks

- Extremely compact and lightweight
- Easily fits in small spaces making it ideal for electrical contractors, maintenance and electricians
- 5-pin cylinder can support same keying system as our current Nylon Lockout Padlock
- Fiberglass reinforced nylon body for extra impact resistance
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 1.4 in. x 1.2 in. x 0.625 in. Shackle clearance: 1 in.; shackle diameter 0.2 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels



Nylon Lockout Padlocks

- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 1.75 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels

Compact Nylon Lockout Padlocks with 1 in. steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143150	118926	118953	118954
Green	143152	118927	118955	118956
Orange	143154	118928	118957	118958
Blue	143156	118929	118959	118960
Yellow	143158	118930	118961	118962
Brown	143160	118931	118963	118964
White	143162	118932	118965	118966
Purple	143164	118933	118967	118968
Black	143166	118934	118969	118970

Nylon Lockout Padlocks with 1.25 in. steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99552	51339	105886	105890
Green	99564	51345	105889	105893
Orange	99576	51347	123268	123270
Blue	99556	51344	105887	105891
Yellow	99570	51346	105888	105892
Brown	103033	101956	118947	118948
White	143123	118925	118949	118950
Purple	104919	104916	118951	118952
Black	99580	51353	123269	123271

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Compact Nylon Padlock Kits

Ideal for any worker needing just one lock and one tag.

- 1 - Compact Padlock
- 1 - Heavy-duty Polyester Tag
- 1 - Nylon Cable Tie

Color	Description	Catalog #
Red	Compact Nylon Padlock Kit	123143



Compact Cable Padlocks

- Compact 1.31 in. x 1.25 in. nylon body with an elongated, flexible cable as the shackle
- Flexible cable means you can angle and twist padlock or lockout multiple energy isolation points with one lock

Compact Cable Padlocks

Color	Cable Length	Keyed Different 1/Pack	Keyed Alike 6/Pack
Red	7.87 in. cable	146120	146128
Red	15.75 in. cable	146124	146132
Yellow	7.87 in. cable	146121	146129
Yellow	15.75 in. cable	146125	146133
Blue	7.87 in. cable	146122	146130
Blue	15.75 in. cable	146126	146134
Green	7.87 in. cable	146123	146131
Green	15.75 in. cable	146127	146135



Nylon Lockout Padlocks with Non-Conductive Nylon Shackle

- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body with non-conductive nylon shackle
- Lock body dimensions: 1.75 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels



Long Body Nylon Lockout Padlocks

- 3 in. long body has ample space for your most important identification information
- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 3 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English/Spanish and English/French labels

Nylon Lockout Padlocks with 1.25 in. nylon shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123324	123351	123333	123342
Green	123326	123353	123335	123344
Orange	123328	123355	123337	123346
Blue	123325	123352	123334	123343
Yellow	123327	123354	123336	123345
Brown	123330	123357	123339	123348
White	123332	123359	123341	123350
Purple	123331	123358	123340	123349
Black	123329	123356	123338	123347

Long Body Nylon Lockout Padlocks with 1.25 in. steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123405	123396	123414	123423
Green	123407	123398	123416	123425
Orange	123409	123400	123418	123427
Blue	123406	123397	123415	123424
Yellow	123408	123399	123417	123426
Brown	123411	123402	123420	123429
White	123413	123404	123422	123431
Purple	123412	123403	123421	123430
Black	123410	123401	123419	123428

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

Lockout Padlocks

BradyID.com/s36



Key-Retaining Laminated Steel Lockout Padlocks

- Key-retaining safety feature prevents key from being removed until shackle is closed
- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering, cutting, prying and rusting
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification (custom stamping available)
- Made from recycled material
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels sold separately.
- Shackle clearance: 0.75 in., 2 in. or 3 in.
  Shackle diameter: 0.27 in.
  Lock body: 1.2 in. x 1.313 in. x 1 in.



Key-Retaining Steel Lockout Padlocks with 0.75 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	143126	118935
Green	143128	118936
Blue	143130	118937
Yellow	143132	118938
White	143134	118939
Black	143136	118940
Brown	123272	123280
Purple	123273	123281



Key-Retaining Steel Lockout Padlocks with 2 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143144	118944	118977	118978
Green	143142	118943	118975	118976
Blue	143140	118942	118973	118974
Yellow	143148	118946	118981	118982
White	143146	118945	118979	118980
Black	143138	118941	118971	118972
Brown	123274	123282	123276	123278
Purple	123275	123283	123277	123279



Key-Retaining Steel Lockout Padlocks with 3 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123244	123236	123252	123260
Green	123245	123237	123253	123261
Blue	123246	123238	123254	123262
Yellow	123247	123239	123255	123263
White	123248	123240	123256	123264
Black	123249	123241	123257	123265
Brown	123250	123242	123258	123266
Purple	123251	123243	123259	123267

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Laminated Steel Lockout Padlocks

- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels sold separately
- Shackle clearance: 0.75 in. or 2 in.
  Shackle diameter: 0.27 in.
  Lock body: 1.33 in. x 1.188 in. x 0.875 in.



Steel Lockout Padlocks with 0.75 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99500	51279
Blue	99504	51280
Green	99508	51281
Yellow	99512	51282
Orange	99516	51283
Black	99520	51284
Brown	101957	102696
Purple	104920	104917



Steel Lockout Padlocks with 2 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99524	51290	105894	105898
Blue	99528	51291	105895	105899
Green	99533	51292	105897	105901
Yellow	99539	51297	105896	105900
Orange	99543	51298	-	-
Black	99548	51299	-	-
Brown	101958	102698	-	-
Purple	104921	104918	-	-

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Aluminum Lockout Padlocks

- Lightest-weight aluminum lock in the market and made from recycled material
- Aluminum shackle has superior spark and corrosion resistance
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Anodized aluminum finish gives better fade resistance when used outdoors
- FDA approved lubricant in cylinder
- Shackle clearance: 1 in., 1.25 in. or 3 in. Shackle diameter: 0.25 in.
- Compact body: 1.25 in. x 1.25 in. Regular body: 1.6 in. x 1.25 in. x 0.75 in.
- Compact body has a 5-pin cylinder. Regular body has 6-pin cylinder for more unique key changes and tamper resistance
- Each padlock includes 2 keys. Custom keying and charting also available. Lock labels sold separately



Compact Aluminum with 1 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	133270	133261	133279	133288
Blue	133271	133262	133280	133289
Green	133272	133263	133281	133290
Yellow	133273	133264	133282	133291
Orange	133274	133265	133283	133292
Black	133275	133266	133284	133293
Brown	133276	133267	133285	133294
Purple	133277	133268	133286	133295
Silver	133278	133269	133287	133296

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Aluminum Padlocks with 1 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99608	51360
Blue	99609	51361
Green	99610	51362
Yellow	99611	51363
Orange	99612	51368
Black	99613	51369
Brown	104574	104575
Purple	104572	104573
Silver	123320	123322



Aluminum Padlocks with 1.25 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99615	51370	105902	105882
Blue	99616	51371	105903	105883
Green	99617	51376	105881	105885
Yellow	99618	51377	105904	105884
Orange	99619	51378	123432	123437
Black	99620	50274	123433	123438
Brown	104578	104579	123434	123439
Purple	104576	104577	123435	123440
Silver	123321	123323	123436	123441



Aluminum Padlocks with 3 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123293	123284	123302	123311
Blue	123294	123285	123303	123312
Green	123295	123286	123304	123313
Yellow	123296	123287	123305	123314
Orange	123297	123288	123306	123315
Black	123298	123289	123307	123316
Brown	123299	123290	123308	123317
Purple	123300	123291	123309	123318
Silver	123301	123292	123310	123319

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

May we also suggest:



Custom Keying Solutions

At Brady, we can help you with your custom keying program. Just call Brady customer service to get started!



Combination Lock

Compact lock with a steel shackle and a 4-digit re-settable code

Catalog #	Description
101963	Combination Lock

Padlock Labels

BradyID.com/s36

Padlock Labels

Padlock labels are a great way to quickly identify padlocks. They help send a clear message to workers when a machine is down for service or maintenance.





Labels for Steel Padlocks

- Durable vinyl labels include overlaminate strips
- Labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Description	Size	Qty.
50280	English	0.75 in. x 4.5 in.	6
50281	Spanish	0.75 in. x 4.5 in.	6
50283	French	0.75 in. x 4.5 in.	6



Labels for Steel Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
121448	0.75 in. x 5 in.	40



Self-Laminating Labels for Steel Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
121449	0.625 in. x 4 in.	5



Wrap-Around Lockout Labels for Steel Padlocks

- Labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
LID-3	0.75 in. x 4.5 in.	25



Labels for Nylon Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Nylon Lockout Padlocks
- Labels supplied with multiple languages

Catalog #	Description	Qty.
51379	English/Spanish/French	6 of each language



Labels for Aluminum Locks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Aluminum Lockout Padlocks

Catalog #	Description	Size	Qty.
50289	English	0.8 in. x 1.1 in.	6
50292	Spanish	0.8 in. x 1.1 in.	6
50293	French	0.8 in. x 1.1 in.	6



Lock Label Overlaminate

- Clear overlaminate protects existing lock label from dirt and grease
- Lock label sold separately

Catalog #	Description	Qty.
65508	1 in. x 6 in. overlaminate	40



Steel Group Lockout Hasps

- Constructed of vinyl-coated high tensile steel w/ rust resistant plating
- Lock holes: 0.375 in. dia.

Catalog #	Description	Qty.
133161	1 in. diameter jaws	1
65375	1 in. diameter jaws	12
133162	1.5 in. diameter jaws	1
65376	1.5 in. diameter jaws	12



Steel Group Lockout Hasps with Tabs

- Tamperproof interlocking tabs prevent unauthorized opening
- Case-hardened steel with rust proof plating
- Lock holes: 0.375 in. dia.

Catalog #	Description	Qty.
105718	1 in. diameter jaws	1
105719	1.5 in. diameter jaws	1



Corrosion-Resistant Group Lockout Hasps

- 12 gauge epoxy coated steel provides superior rust resistance and added dielectric strength
- Lock holes: 0.313 in. dia.


Catalog #	Description	Qty.
T218	1 in. diameter jaws	1
T220	1.25 in. diameter	1



Aluminum Economy Group Lockout Hasps

- Non-sparking, aluminum small hasps are a great addition to your tool box
- Lightweight: Only 1.25 oz
- Lock holes: 0.375 in.

Catalog #	Description	Qty.
105720	1 in. diameter jaws	1
105721	1.5 in. diameter jaws	1



Non-Conductive Group Lockout Hasps

- Strong, rigid plastic resin
- Excellent electrical insulating
- Performs at low temps, excellent heat resistance

Catalog #	Description	Qty.
LH220A-RD	Lockout hasp	1



Heavy-Duty Lockout Hasp

- Hasp allows multiple workers to lockout at each isolation point
- Stainless steel construction
- Accommodates 0.33 in. dia. padlock shackles

Catalog #	Description	Qty.
871239	Heavy-Duty Hasp	24



Dual Jaw Hasp

- Dual construction allows for increased versatility in a single product
- Larger jaw measures 1.25 in. x 1.75 in.
- Smaller jaw measures 0.75 in. dia.

Catalog #	Description	Qty.
236919	Dual Jaw Hasp	1



Non-Conductive Nylon Group Lockout Hasp

- Accommodate up to 6 locks
- Withstands up to 1,000 lbs despite weighing only 1 oz.
- Dimensions: 7 in. x 1.75 in. Lock holes: 0.375 in. dia.

Catalog #	Description	Qty.
99668	Nylon Lockout Hasp	1



Labeled Group Lockout Hasps

- Tough 5052 anodized aluminum alloy hasps include tamperproof locking tabs
- Write-on label accepts pencil, pen or marker. Pen and pencil markings are easily erased for repeated use
- Size: 7 in. x 3 in. x 0.187 in. Lock holes: 0.313 in. dia.



Legend option 1

Catalog #	Color	Qty.
65960	Red	5
65961	Silver	5
65962	Blue	5
65963	Green	5
65964	Gold	5
65967	Combo*	5



Legend option 2

Catalog #	Color	Qty.
65970	Red	5
65971	Silver	5
65972	Blue	5
65973	Green	5
65974	Gold	5
65975	Combo*	5

Combo includes 1 each of the five colors listed above.



Legend option 3

Catalog #	Color	Qty.
39480	Red	5



Legend option 4

Catalog #	Color	Qty.
39481	Red	5

Group Lock Boxes

For group lockout situations involving a large number of workers and equipment, lock boxes can offer a number of advantages including fewer padlocks and hasps needed.

How group lockout boxes work:

- Supervisor uses a single job lock on each energy control point to lock out equipment. Keys for that lock are placed in the lock box
- Each worker applies his own lock to the lock box. As long as any one worker's lock remains on the lockout box, the keys to the job locks cannot be accessed, and the energy isolating devices cannot be operated. Each employee retains exclusive control, as required by OSHA.





SlimView™ Group Lock Box

- Innovative narrow design and recessed door allow padlocks to hang straight, reducing the overall footprint by 60% compared to traditional lock boxes
- Steel body and clear polycarbonate door to see contents
- Built-in padlock and key hangers
- Storage for up to 12 padlocks
- Wall mountable
- Size: 10.125 in. x 4.0 in.

Catalog #	Description
150505	SlimView Lock Box

Padlocks sold separately.



Ultra-Compact Lock Box

- Compact size for portability in your lockout kit or toolbox
- Simple storage with wall-mount bracket when not in use
- Hinged transparent cover for easy viewing of contents
- Can accommodate up to 12 locks
- Size: 5.25 in. x 3.25 in. x 2.25 in.

Catalog #	Description
149173	Box without locks
149172	Box with 6 Yellow Keyed-Alike Locks
149176	Box with 6 Yellow Keyed-Different Locks
149174	Box with 6 Red Keyed-Alike Locks
149175	Box with 6 Red Keyed-Different Locks



Portable Metal Group Lockout Boxes

- Made of heavy-duty steel, powder-coated for extra rust resistance
- Features lockable clasp and 12 holes along lid
- Standard: 6 in. x 9 in. x 3.25 in. Compartment holds up to 40 padlocks
- Extra large: 6 in. x 7.375 in. x 9.25 in. Compartment holds up to 75 padlocks

Catalog #	Description	Size	Color
45190	Standard-English	6 in. x 9 in. x 3.25 in.	Blue
65699	Standard-English	6 in. x 9 in. x 3.25 in.	Red
65040	Standard-Spanish	6 in. x 9 in. x 3.25 in.	Red
51171	XLarge-English	6 in. x 7.375 in. x 9.25 in.	Red

Padlocks sold separately.



SAFETY REDBOX™ Group Lockout Box

- Use as a portable or a wall-mounted lockbox
- Quick release internal slide button allows lockbox to be carried to the point of need
- Can accommodate up to 12 padlocks
- Size: 6 in. x 9 in. x 3.25 in.

Catalog #	Description	Color
145579	Mountable Lockbox	Red
145580	Mountable Lockbox	Yellow

Padlocks sold separately.



Portable Metal Group Lockout Boxes

- Made of heavy-duty steel, powder-coated for extra rust resistance
- Standard: 6 in. x 9 in. x 3.25 in.
- Compartment holds up to 40 padlocks

Lockable clasp only

Catalog #	Description	Size	Color
65672	Standard-English	6 in. x 9 in. x 3.25 in.	Yellow

Padlocks sold separately.



Lock Storage / Group Lockout Box

- Heavy-duty steel, powder-coated for extra rust resistance
- Features a lockable storage compartment and a group lockout compartment
- Lockout compartment has clear window with keyhole slot
- Standard Box:12.25 in. x 7.25 in. x 6 in. Compartment: 8.25 in. x 6 in. x 6 in. Compartment holds approx. 50 locks. 17 lock holes along box lid
- Large box: 15 in. x 10.25 in. x 9 in. Compartment: 10.25 in. x 9 in. x 9 in. Compartment holds approx. 125 locks 34 lock holes along box lid

Catalog #	Description	Size	Color
105716	Standard	12.25 in. x 7.25 in. x 6 in.	Red
105717	Large	15 in. x 10.25 in. x 9 in.	Red

Padlocks sold separately.

Group Lockout Boxes

BradyID.com/s36



Metal Wall-Mounted Group Lockout Boxes

- Made of durable, powder-coated steel with key slot on top
- Clear window slides out when locks are removed
- Comes with key pegs and ID labels
- Wall-mounting holes and hardware
- Small lock box: 7 in. x 8 in. x 2.25 in. 7 key pegs that hold 5 keys each, 7 lock holes along bottom
- Large lock box: 7 in. x 16 in. x 2.25 in. 15 key pegs that hold 5 keys each, 12 lock holes along bottom

Catalog #	Description
105714	Small Metal Lock Box
105715	Large Metal Lock Box

Padlocks sold separately.



Acrylic Wall-Mounted Group Lockout Boxes

- Made of acrylic plastic with transparent front cover
- Includes pre-drilled holes for easy wall mounting
- Pre-attached plastic hooks for hanging keys, tag stubs, etc.
- Small: 3 key hooks, max 6 locks
- Medium: 8 key hooks, max 10 locks
- Large: 18 key hooks, max 14 locks

Catalog #	Description	Size
LG003E	Small	6 in. x 6 in. x 2.5 in.
LG008E	Medium	7.5 in. x 12 in. x 2.5 in.
GLOBOX	Large	7.5 in. x 15.75 in. x 2.5 in.

Padlocks sold separately.



Wall-Mounted Group Lockout Box

- Injection molded for extra durability
- Excellent chemical and heat resistance
- Slot in front allows keys to be inserted when locked
- Includes pre-drilled holes for easy wall mounting
- 6 interior hooks for hanging keys/locks
- Lock rails hold up to 8 padlocks
- Dimensions: 6.2 in. x 4 in. x 5.25 in.

Catalog #	Description
50938	Miniature Wall Lock Box
50939	Extra Key Hooks (12/Pkg)

Padlocks sold separately.



Portable / Wall-Mounted Plastic Group Lockout Box

- Durable plastic lockbox with transparent windows
- Excellent chemical and heat resistance
- Slot in front allows for keys to be inserted when box is locked
- Pre-drilled holes for wall mounting
- 12 interior hooks for keys or locks
- Lock rails hold up to 16 padlocks
- Size: 7.25 in. x 8.25 in. x 4.25 in.

Catalog #	Description
50937	Portable Plastic Lock Box
50939	Extra Key Hooks (12/pkg)

Padlocks sold separately.



Portable / Wall-Mounted Group Lockout Box

- Powder-coated steel lock box includes a removable handle for portability as well as holes for wall mounting
- Accommodates 8-10 locks
- Dimensions: 6 in. x 15 in. x 3 in.

Catalog #	Description
LG252M	Metal Wall Lock Box

Padlocks sold separately.



SHOCK-STOP™ Group Lockout Box


- Combines lock box with storage board for hasps
- Lock box accommodates up to 6 locks and provides rail for storing locks
- Includes two SHOCK-STOP™ hasps, mounting hardware and instructions
- Size: 16.25 in. x 10.25 in. x 2.25 in.

Catalog #	Description
87692	Group Lock Box (w/2 hasps)
87693	Hasp (5/pkg)

Padlocks sold separately.

BRADY








Padlock and Tag Carrier

- Convenient transportation and storage of 12 locks, keys, tags and hasps all in one place
- Reduces the amount of lost or misplaced padlocks and hasps
- Offset design for flush wall mounting, equipment mounting or hanging on a belt clip
- Available with or without padlocks
- Carrier Components
  - 1 - Lock and Tag Carrier
  - 2 - Small Carabineers
  - 1 - Large Carabineer
  - 1 - Coiled Key Strap
  - 3 - Labels in English / French / Spanish
  - 3 - Write-on Lockout Procedure Tags
  - Optional: nylon padlocks and hasps

Catalog #		Color	Includes
148866	Padlock and Tag Carrier	Red Carrier	-
148865	Padlock and Tag Carrier	Yellow Carrier	-
148862	Padlock and Tag Carrier	Blue Carrier	-
148861	Padlock and Tag Carrier	Green Carrier	-
148864	Padlock and Tag Carrier Kit	Red Carrier	6 Red Keyed Alike 6 Yellow Keyed Alike 2 Hasps
148869	Padlock and Tag Carrier Kit	Red Carrier	3 Red Keyed Alike 3 Yellow Keyed Alike 3 Blue Keyed Alike 3 Green Keyed Alike 2 Hasps
148867	Padlock and Tag Carrier Kit	Red Carrier	12 Red Keyed Different 2 Hasps
148863	10 Write-On Lockout Procedure Tags		



Padlock Stations

- Constructed of 14 gauge steel with red plastic coating
- Small: 2.25 in. x 3 in. x 1.25 in., holds up to 4 padlocks
- Large: 3 in. x 16 in. x 1.25 in., holds up to 24 padlocks

Catalog #	Description
LR060E	Small Padlock Station
LR360E	Large Padlock Station

Padlocks sold separately.



Enclosed Padlock Storage Modules

- Constructed of sintra with lockable, transparent acrylic doors
- Provides safe storage and controls access to padlocks
- Small: 15 in. x 15 in. x 3.5 in., holds 16 locks
- Large: 30 in. x 15 in. x 3.5 in., holds 40 locks

Catalog #	Description
65240	Small Padlock Storage Module
65241	Large Padlock Storage Module

Padlocks sold separately.



Steel Lockout Padlock Control Centers

- Constructed of red powder-coated 22 gauge steel
- Each metal hook can hold 2 locks
- Two keys supplied for cabinet lock
- Small: 10 in. x 12 in. x 2 in. holds 16 locks
- Large: 15.5 in. x 18 in. x 2 in. holds 32 locks

Catalog #	Description
LR008E	Small Padlock Control Center
LR018E	Large Padlock Control Center

Padlocks sold separately.

Lockout Tags

BradyID.com/s36

OSHA Lockout Tagout Regulations

The following requirements apply only to tags used as tagout devices (i.e., tags used alone without locks). Tags used in combination with locks are not required to meet the same restrictions as tagout devices.

Tagout devices must:

- Be provided by the employer
- Be standardized by size, shape or color
- Be distinguishable from tags used for other purposes
- Be understandable to all employees
- Identify the individual who applied the tag
- Withstand the usage environment to which they are exposed for the maximum period of time that exposure is intended. Tag should not deteriorate or the message become illegible when exposed to weather, wet or damp conditions, chemical or corrosive environments
- Employ a means of attachment that is substantial enough to prevent accidental removal. The means of attachment must be of a non-reusable type, attachable by hand, self-locking and non-releasable with a minimum unlocking strength of no less than 50 pounds
- Warn against hazardous conditions if the machine or equipment is energized
- Tag shall also include a legend such as the following: Do Not Operate, Do Not Start, Do Not Open, Do Not Close, etc.

Standard Lockout Tags

Communicate safety and lockout information at the point of need with the wide selection of OSHA-compliant lockout tagout tags from Brady. Tags come in a variety of materials and legends to suit your application needs.

How to order tags

1. Select from the materials below based on your application
2. Choose the tag legend for your tag
3. Order by part number for desired reverse side legend



Materials Options:




Heavy-Duty Polyester (B-837)

- Durable polyester laminate completely encapsulates and protects graphics
- Designed to withstand moisture, grease, chemicals and extreme temperatures
- Accepts pencil, pen and marker. Pen and marker can be completely erased using isopropyl alcohol
- Exceeds OSHA pull requirement withstanding up to 80 lbs. of pull force
- Tag size 5.75 in. x 3 in.
- 0.375 in. dia. heavy-duty brass grommet
- Includes OSHA-compliant nylon fasteners
- 2-year outdoor fade resistance



Economy Polyester (B-851)

- Rigid polyester surface is easy to write on and stays legible longer than cardstock
- Exceeds OSHA 50 lb. pull requirement for tagout devices
- Tag size 5.75 in. x 3 in.
- 0.375 in. dia. rolled brass eyelet accepts most padlock shackles
- Includes OSHA-compliant nylon fasteners
- Provides good outdoor UV resistance
- 3- to 5-year outdoor fade resistance



Cardstock (B-853)

- Cost-effective tags designed for one-time use
- Does NOT meet OSHA 50 lb. pull test for tagout devices, but can be used in conjunction with locks (see OSHA tag requirements above)
- Tag size 5.75 in. x 3 in.
- 0.375 in. dia. rolled brass eyelet accepts most padlock shackles
- Includes attachment strings


BradyID.com/s36



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65502	Side B	25
65535	Side F	25
65670	Side G	25
Economy Polyester		
66050	Side B	25
66051	Side F	25
66052	Side G	25
Cardstock		
65407	Side B	25
65408	Side F	25
65440	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65520	Side B	25
65525	Side F	25
65671	Side G	25
Economy Polyester		
66063	Side B	25
66064	Side F	25
66065	Side G	25
Cardstock		
65451	Side B	25
65452	Side F	25
65453	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65515	Side B	25
65524	Side F	25
133489	Side G	25
Economy Polyester		
66061	Side B	25
66062	Side F	25
133490	Side G	25
Cardstock		
133491	Side B	25
65450	Side F	25
133492	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65526	Side B	25
65527	Side F	25
133493	Side G	25
Economy Polyester		
66066	Side B	25
66067	Side F	25
133494	Side G	25
Cardstock		
65454	Side B	25
65455	Side F	25
133495	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65505	Side B	25
65523	Side F	25
133496	Side G	25
Economy Polyester		
133497	Side B	25
133498	Side F	25
133499	Side G	25
Cardstock		
65445	Side B	25
65446	Side F	25
133544	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65503	Side B	25
65521	Side F	25
133545	Side G	25
Economy Polyester		
66053	Side B	25
66054	Side F	25
133546	Side G	25
Cardstock		
65441	Side B	25
65442	Side F	25
133547	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65504	Side B	25
65522	Side F	25
133548	Side G	25
Economy Polyester		
66055	Side B	25
66056	Side F	25
133549	Side G	25
Cardstock		
65443	Side B	25
65444	Side F	25
133550	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
133551	Side B	25
133552	Side F	25
133553	Side G	25
Economy Polyester		
50198	Side B	25
50199	Side F	25
133554	Side G	25
Cardstock		
133555	Side B	25
50250	Side F	25
133556	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65506	Side B	25
65534	Side F	25
133557	Side G	25
Economy Polyester		
133558	Side B	25
66060	Side F	25
133559	Side G	25
Cardstock		
65447	Side B	25
65448	Side F	25
133560	Side G	25




Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
133561	Side B	25
50258	Side F	25
133562	Side G	25
Economy Polyester		
133563	Side B	25
133564	Side F	25
133565	Side G	25
Cardstock		
50261	Side B	25
133566	Side F	25
133567	Side G	25


Can't find what you're looking for?

Call your Brady Representative to find out more about custom solutions.

Reverse Legend Options



Reverse Side B



Reverse Side F



Reverse Side G

Lockout Tags

BradyID.com/s36

new



RipTag™ Safety Tag Rolls

- Complete and convenient take-it-with-you system for tagging
- Includes a bulk roll of tags that easily tear off and cable ties for quick attachment
- B-851 polyester tags comply with OSHA's 50 lb. pull force regulation for lockout tagout






150502	5.75 in	x 3 in	250/roll
150501	5.75 in	x 3 in	100/roll



150504	5.75 in	x 3 in	250/roll
150503	5.75 in	x 3 in	100/roll



ToughWash® Metal-Detectable Tags

- ToughWash B-869 polypropylene tags feature in-molded, protected graphics for use in harsh washdown environments
- With metal and X-ray detectable properties, these tags won't compromise your food safety
- Durable plastic-encapsulated material withstands harsh washdown environments with temperatures up to 175° F (80° C) and pressure up to 1500 PSI
- Includes 10 metal-detectable cable ties



145766 5 in. x 3 in. 10 pk



145767 5 in. x 3 in. 10 pk



145768 5 in. x 3 in. 10 pk



145769 5 in. x 3 in. 10 pk



Extra Metal Detectable Ties

145588	7" ToughWash Ties	10 pk
145589	7" ToughWash Ties	100 pk



Spanish Lockout Tags

- **B-837 Heavy-Duty Laminated Polyester Tags** meet OSHA's 50 lb. pull force requirement and have superior chemical resistance and 2 year outdoor fade resistance. Nylon ties included.
- **B-851 Economy Polyester Tags** meet OSHA's 50 lb. pull force requirement, have moderate chemical resistance and 3-5 year outdoor fade resistance. Nylon ties included.
- **B-853 Cardstock Tags** are a economical, yet durable material option. Attachment strings included.



98219 5.75 in. x 3 in. B-837 25/pk



121514 5.75 in. x 3 in. B-851 25/pk

Includes self-laminate flap to protect face of tag and photo.



121515	5.75 in. x 3 in.	B-837	25/pk
121516	5.75 in. x 3 in.	B-851	25/pk
121517	5.75 in. x 3 in.	B-853	25/pk



121518	5.75 in. x 3 in.	B-837	25/pk
121519	5.75 in. x 3 in.	B-851	25/pk
121520	5.75 in. x 3 in.	B-853	25/pk



Mini Safety Lockout Tags

- Heavy-duty plastic tag includes metal grommet for added durability
- Small size makes them ideal for use within electrical panels
- Fasteners sold separately

Catalog #	Description	Size	Qty.
148824	Mini Tag	2.5 in. x 2 in.	25
81762	Nylon Fasteners	7 in.	100





Front Back

Self-Laminating Photo Tags



- Include employee photos for easy identification and greater impact
- Constructed of durable B-851 polyester
- Available with or without 1 mil polyester overlay on front
- Includes nylon fasteners

Catalog #	Description	Size	Qty.
65500	Unlaminated Photo Tag	5.75 in. x 3 in.	25
65501	Photo Tag w/ Laminate	5.75 in. x 3 in.	10
96222	Photo Tag w/ Laminate	7 in. x 4 in.	10



Detachable Key Stub Tags

- Perforated heavy cardstock tag with detachable key stub
- Matching identification numbers printed on each part
- Includes tie strings and rings for attaching stubs to keys

Catalog #	Legend	Size	Qty.
WKT2	Equipment Locked Out	5.75 in. x 3 in.	25
WKT3	Do Not Operate	5.75 in. x 3 in.	25



Padlock Tags


- 0.375 in. metal grommet that fits over most lock shackles
- Dimensions: 3 in. x 2 in. (grommet adds 1 in. to height)


Catalog #	Legend	Size	Qty.
105722	Equipment Locked Out	3 in. x 2 in. plus grommet	1
105723	Do Not Operate	3 in. x 2 in. plus grommet	1
105724	Do Not Operate English/Spanish	3 in. x 2 in. plus grommet	1

Two-Part Perforated Tags

- Remove stub when tag is installed. Only the employee in possession of the stub has the authority to remove. After job is completed, return stub to management for verification and monitoring of tagout activity
- Matching identification numbers printed on each part of tag


Catalog #	Legend	B-#	Size	Qty.
PLLT2	Locked Out	B-851 polyester	7.5 in. x 4 in.	25
CLT2	Locked Out	B-853 cardstock	7.5 in. x 4 in.	25
PLLT4	Do Not Operate	B-851 polyester	7.5 in. x 4 in.	25
CLT4	Do Not Operate	B-853 cardstock	7.5 in. x 4 in.	25





Energy Source Tags

BradyID.com/s36





Energy Source Tags

Energy source tags can be used to mark your facility's points of control for energy sources. These tags help make the lockout process quicker, safer and easier.

These energy source tags are made of plastic and available with color coded and alpha numeric options. A variety of pre-printed energy source tags are available or they can be customized to meet your specific application.

- 1.5 in. x 3 in. tags are constructed with B-401 rigid plastic
- Rounded corners and one hole included
- Choice of number legends supports machines with multiple energy points

	Catalog #	Legend	Color	Qty.
Control Panel				
 Control Panel tags supplied with an adhesive back.	105634	CP-1	Orange on White	5
	105674	CP-1	Orange on White	25
	105635	CP-2	Orange on White	5
	105675	CP-2	Orange on White	25
	105636	CP-3	Orange on White	5
	105676	CP-3	Orange on White	25
	105637	CP-4	Orange on White	5
	105677	CP-4	Orange on White	25
	105638	CP-5	Orange on White	5
	105673	CP-5	Orange on White	25
Electrical				
 Electrical tags supplied with an adhesive back.	105639	E-1	Red on White	5
	105679	E-1	Red on White	25
	105640	E-2	Red on White	5
	105680	E-2	Red on White	25
	105641	E-3	Red on White	5
	105681	E-3	Red on White	25
	105642	E-4	Red on White	5
	105682	E-4	Red on White	25
	105643	E-5	Red on White	5
	105683	E-5	Red on White	25
Gas				
	105669	G-1	Purple on White	5
	105709	G-1	Purple on White	25
	105670	G-2	Purple on White	5
	105710	G-2	Purple on White	25
	105671	G-3	Purple on White	5
	105711	G-3	Purple on White	25
	105672	G-4	Purple on White	5
	105712	G-4	Purple on White	25
	105673	G-5	Purple on White	5
	105713	G-5	Purple on White	25
Pneumatic / Air				
	105654	P-1	White on Blue	5
	105694	P-1	White on Blue	25
	105655	P-2	White on Blue	5
	105695	P-2	White on Blue	25
	105656	P-3	White on Blue	5
	105696	P-3	White on Blue	25
	105657	P-4	White on Blue	5
	105697	P-4	White on Blue	25
	105658	P-5	White on Blue	5
	105698	P-5	White on Blue	25

	Catalog #	Legend	Color	Qty.
Steam Red				
	105649	S-1	White on Red	5
	105689	S-1	White on Red	25
	105650	S-2	White on Red	5
	105690	S-2	White on Red	25
	105651	S-3	White on Red	5
	105691	S-3	White on Red	25
	105652	S-4	White on Red	5
	105692	S-4	White on Red	25
	105653	S-5	White on Red	5
	105693	S-5	White on Red	25
Steam Orange				
	105659	S-1	Black on Orange	5
	105699	S-1	Black on Orange	25
	105660	S-2	Black on Orange	5
	105700	S-2	Black on Orange	25
	105661	S-3	Black on Orange	5
	105701	S-3	Black on Orange	25
	105662	S-4	Black on Orange	5
	105702	S-4	Black on Orange	25
	105663	S-5	Black on Orange	5
	105703	S-5	Black on Orange	25
Valve				
	105664	V-1	Black on White	5
	105704	V-1	Black on White	25
	105665	V-2	Black on White	5
	105705	V-2	Black on White	25
	105666	V-3	Black on White	5
	105706	V-3	Black on White	25
	105667	V-4	Black on White	5
	105707	V-4	Black on White	25
	105668	V-5	Black on White	5
	105708	V-5	Black on White	25
Water				
	105644	W-1	White on Green	5
	105684	W-1	White on Green	25
	105645	W-2	White on Green	5
	105685	W-2	White on Green	25
	105646	W-3	White on Green	5
	105686	W-3	White on Green	25
	105647	W-4	White on Green	5
	105687	W-4	White on Green	25
	105648	W-5	White on Green	5
	105688	W-5	White on Green	25



1-Pocket Tag Holder

- Clear plastic holder is designed to hold 50 tags, ties and a marking pen (Tags and pen not included)
- Comes with adhesive strips, magnetic strips and screws for mounting
- Dimensions: 7.5 in. x 4.5 in. x 1.5 in.

Catalog #	Description
TH2	1-Pocket Economy Tag Holder



Pocket Premium Tag Center

- Acrylic center features 8 pockets for displaying and dispensing tags
- Each pocket holds up to 30 tags
- Four pre-drilled holes for wall mounting
- Board: 15.75 in. x 23.5 in. x 2 in. Pockets: 4.5 in. x 3.5 in.


Catalog #	Description
TC8	8-Pocket Premium Tag Center



10-Pocket Tag Safety Station

- Made of rugged polycarbonate
- Four pre-drilled holes for wall mounting
- Dimensions: 22 in. x 16.5 in. x 2.25 in.
- Tags not included

Catalog #	Description
81773	10-Pocket Tag Safety Station



Tag Fasteners

- Three fastener styles available to meet every application
- Nylon fasteners meet OSHA requirements for attaching to devices

Catalog #	Description	Qty.
81760	12 in. 26 Gauge Wire	100
81761	8 in. Reusable Beaded Ties	100
81762	7 in. Nylon Fasteners	100



Magnetic-Backed Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more

Catalog #	Size	Qty.
81769	4.5 in. x 6.5 in.	10
81770	5.5 in. x 8.5 in.	10



Zip-Lock Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more


Catalog #	Size	Qty.
81765	4.5 in. x 6.5 in. (w/o grommet)	10
81766	4.5 in. x 6.5 in. (w/grommet)	10
81767	5.5 in. x 8.5 in. (w/o grommet)	10
81768	5.5 in. x 8.5 in. (w/grommet)	10

Safety, facility and inspections tags available on page 318.



Cable Lockouts

Cable lockouts provide a number of advantages. Because of their construction, cable lockouts can be used in a variety of applications locking out multiple disconnects and valves. They are also a great option for lockout of unusual energy isolating devices that cannot be effectively locked out by a traditional device. This versatility, combined with ultimate portability, makes cable lockout devices a great addition to any lockout tagout program.






Compact Cable Padlocks

- Compact 1.31 in. x 1.25 in. nylon body with either 7.87 in. or 15.75 in. elongated, flexible cable as the shackle
- Allows you to secure breaker and still close the panel door
- Flexible cable means you can angle and twist padlock or lockout multiple energy isolation points with one lock

Color	Cable Length	1 Pack Keyed Different	6 Pack Keyed Alike
Red	7.87 in. cable	146120	146128
Red	15.75 in. cable	146124	146132
Yellow	7.87 in. cable	146121	146129
Yellow	15.75 in. cable	146125	146133
Blue	7.87 in. cable	146122	146130
Blue	15.75 in. cable	146126	146134
Green	7.87 in. cable	146123	146131
Green	15.75 in. cable	146127	146135






SAFELEX™ Universal Cable Lockout

- Integrated hasp and cable provides simple way to lockout multiple energy isolation points
- Ability to tighten the cable after the body is locked
- Available with steel or non-conductive nylon cable

Catalog #	Description	Qty
145554	Lockout w/ 3 ft. steel cable	1
145553	Lockout w/ 6 ft. steel cable	1
145552	Lockout w/ 10 ft. steel cable	1
145551	Lockout w/ 15 ft. steel cable	1
145550	Lockout w/ 6 ft. non-conductive nylon cable	1
145549	Lockout w/ 10 ft. non-conductive nylon cable	1

Padlocks sold separately.





Cable Lockout

- Device constructed of impact modified nylon
- Includes 6 ft. galvanized steel cable (0.125 in. outside dia.)

Catalog #	Description	Color	Qty
65318	Cable Lockout Device w/ 6 ft. cable	Red	1
45191	Cable Lockout Device w/ 6 ft. cable	Blue	1
45192	Cable Lockout Device w/ 6 ft. cable	Yellow	1
65319	8 ft. steel cable only	-	1
65320	10 ft. steel cable only	-	1

**Other cable lengths available upon request. Padlocks sold separately.*






Mini Cable Lockout

- Compact and portable with internally stored cable
- Push-button self-winding mechanism automatically cinches cable tight
- Superior chemical, corrosion and temperature resistance
- 6 lock holes fit most padlock shackles and hasps
- Body dimensions: 4 in. dia. x 1.75 in. deep
  Cable dimensions: 0.06 in. outside dia. x 8 ft. length

Catalog #	Description	Qty
50940	Mini Cable Lockout w/ 8 ft. steel cable	1
51442	Mini Cable Lockout w/ 8 ft. nylon cable	1

Padlocks sold separately.



ProLock Cable Lockout

- Economical, highly visible cable lockout device
- Features flexible 0.125 in. diameter cables
- Double Hex ProLock offers versatile security as it can be operated by a standard wrench or ProLock Operating Tool
- Extra Secure ProLock device provides enhanced security as it requires the use of the ProLock Operating Tool

Description	Red	Yellow	Green
Extra Secure ProLock System* w/ 59 in. Cable and ProLock Operating Tool	122250	-	122252
Extra Secure ProLock w/ 59 in. Cable*	122241	122242	122243
Extra Secure ProLock w/o Cable*	122244	122245	122246
Double Hex ProLock w/ 59 in. Cable	122253	122254	122255
Double Hex ProLock w/o Cable	122247	122248	122249
4.92 ft Cable Spool	122260	122261	122262
164 ft Cable Spool	122263	122264	122265
ProLock Operating Tool	122256	-	122258


** Extra Secure ProLock requires the use of the ProLock Operating Tool. Padlocks sold separately.*



Double-Looped Cables

- Light weight and easier to spot; perfect for situations requiring a flexible lockout device and a visual deterrent
- 0.187 in. diameter cables

Catalog #	Length	Color
131063	2 ft. Double Looped Cable	Red
131064	4 ft. Double Looped Cable	Red
131065	6 ft. Double Looped Cable	Red
131066	8 ft. Double Looped Cable	Red






All-Purpose Cable Lockout

- Superior chemical, corrosion and temperature resistance
- Available with interchangeable cables
- Service temps of cables:
  Non-conductive nylon: -40° to 200° F
  Sheathed metal: -30° to 180° F

Catalog #	Description
50943	Lockout w/ 8 ft. sheathed metal cable
50941	Lockout w/ 8 ft. non-conductive nylon cable
50944	Lockout without cable
50947	8 ft. Sheathed metal cable only
50950	12 ft. Sheathed metal cable only
50953	16 ft. Sheathed metal cable only
50956	20 ft. Sheathed metal cable only
50945	8 ft. Non-conductive nylon cable only
50948	12 ft. Non-conductive nylon cable only
50951	16 ft. Non-conductive nylon cable only
50954	20 ft. Non-conductive nylon cable only





Economy Cable Lockout

- Device accepts up to six padlocks with 0.28 in. dia.
- Includes 6 ft. or 10 ft. plastic-coated steel cable
- Cable diameter: 0.187 in.

Catalog #	Description	Qty.
CABLO	Cable Lockout w/ 6 ft. cable	1
CABLO-10	Cable Lockout w/ 10 ft. cable	1
CABLE	6 ft. cable only	1
CABLE-10FT	10 ft. cable only	1

Valve Lockouts

From universal valve lockouts to pipe blind flange lockouts, Brady offers a full line of devices to lock out a wide variety of valve types and sizes. Our small lockout devices will lock pipes with diameters measuring from 0.5 in. to 3 in., while our large ball valve lockout devices can lock out pipes up to 8 in. diameter.


Butterfly Valve Lockout

- Innovative design to lock out butterfly valves with a lever handle in the OFF position
- Accommodates handle thicknesses of:
  Small - 0.125 in. to 2.25 in.
  Large - 2 in. to 4 in.

Catalog #	Description
121504	Butterfly Valve Lockout - Small
121505	Butterfly Valve Lockout – Large



Small



Large




Pipe Blind Flange Lockout Device

- Adjustable locking arm accommodates both standard and recessed bolt positions
- Secures 1 or 2 bolts for extra security
- Versatile to accept up to 4 padlocks
- Heavy-duty construction withstands harsh environments
- UL approved for use in explosive atmospheres


Catalog #	Description	Fits	Qty
149228	Small Blind Flange Lockout	0.5 in. to 3 in. diameter pipes	1
149229	Medium Blind Flange Lockout	3 in. to 14 in. diameter pipes	1
149230	Large Blind Flange Lockout	14 in. to 48 in. diameter pipes	1











Gate Valve Lockouts

- Unique knockout center fits OS&Y or rising stem valves
- Made of rugged injection-molded polypropylene
- Service temps from –25° F to 200° F
- Accepts shackles up to 0.375 in. diameter
- Supplied with English, Spanish and French danger labels

Fits Valve Handles Dia.	Red	Yellow	Green	Blue
1 in. to 2.5 in.	65560	65590	65595	65585
2.5 in. to 5 in.	65561	65591	65596	65586
5 in. to 6.5 in.	65562	65592	65597	65587
6.5 in. to 10 in.	65563	65593	65598	65588
10 in. to 13 in.	65564	65594	65599	65589





Transparent Gate Valve Lockout

- Visually confirms the appropriate position, identifies valve leaks and helps ensure safety
- Constructed of a rugged injection-molded polypropylene
- Service temps from -40° F to 302° F
- Accept shackles up to 0.375 in. diameter

Catalog #	Description	Fits Valve Handles	Qty
145581	Transparent Valve Gate Lockout	1 in. to 2.5 in. dia.	1
145582	Transparent Valve Gate Lockout	2.5 in. to 5 in. dia.	1
145583	Transparent Valve Gate Lockout	5 in. to 6.5 in. dia.	1
145584	Transparent Valve Gate Lockout	6.5 in. to 10 in. dia.	1
145585	Transparent Valve Gate Lockout	10 in. to 13 in. dia.	1





Adjustable Gate Valve Lockout

- Versatile lockout adjusts to fit 1 in. to 6.5 in. valve handles, replacing 3 conventional gate valve lockouts
- Constructed of rugged injection-molded polypropylene
- Service temps from -13° F to 194° F
- Supplied with English, Spanish and French danger labels

Catalog #	Description	Qty
64057	Adjustable Gate Valve Lockout	1





Collapsible Gate Valve

- Folds into smaller sizes for easy storage
- Cover rotates into fully engaged position
- Rugged injection-molded styrene construction
- 3 device sizes to secure valves up to 18 in. handle diameter

Catalog #	Description	Fits Handles	Qty
148648	Collapsible Gate Valve Lockout	3 in. to 7 in. dia.	1
148647	Collapsible Gate Valve Lockout	7 in. to 13 in. dia.	1
148646	Collapsible Gate Valve Lockout	13 in. to 18 in. dia.	1

Valve Lockouts

BradyID.com/s36





Perma-Mount™ Ball Valve Lockout

- Retrofit devices are meant to stay permanently in place at the point of need
- One-time installation is easy to complete in just a few minutes
- Available in 2 sizes to fit a full range of 0.5 in. to 4 in. diameter ball valves

Catalog #	Size	Ball Valve Dia.	Qty
121540	Small Perma-Mount Ball Valve Lockout	0.5 in. to 2 in.	1
121541	Large Perma-Mount Ball Valve Lockout	2 in. to 4 in.	1





Plug Valve Lockout

- Ideal for difficult-to-secure plug valves in compliance with OSHA standards
- Various sizes to fit most 1 in. to 8 in. diameter manually-actuated plug valves
- Durable and tamper-resistant with service temperatures from -25° F to 200° F
- Compact in size and easy to use

Catalog #	Description	Valve Stem Dia.	Qty
113231	Plug Valve Lockout	Up to 0.875 in. stem dia.	1
113232	Plug Valve Lockout	0.94 in. to 1.375 in. stem dia.	1
113233	Plug Valve Lockout	1.75 in. to 2.125 in. stem dia.	1
113234	Plug Valve Lockout	2.188 in. to 2.5 in. stem dia.	1





4-Legged Ball Valve Lockout

- Made from ultra-tough polypropylene
- Small size locks out pipes 0.5 in. to 2.5 in. diameter and can also lock valves OPEN on pipes from 0.5 in. to 1.25 in.
- Large size locks out pipes 2 in. to 8 in. diameter

Small	Size	Valve Size	Color	Qty.
BS07A-RD	Small	0.5 in. to 2.5 in. dia.	Red	1
BS07A-YW	Small	0.5 in. to 2.5 in. dia.	Yellow	1
BS07A-BU	Small	0.5 in. to 2.5 in. dia.	Blue	1
BS07A-GN	Small	0.5 in. to 2.5 in. dia.	Green	1
BS08A-RD	Large	2 in. to 8 in. dia.	Red	1
BS08A-YW	Large	2 in. to 8 in. dia.	Yellow	1
BS08A-BU	Large	2 in. to 8 in. dia.	Blue	1
BS08A-GN	Large	2 in. to 8 in. dia.	Green	1





Standard Ball Valve Lockout

- Easy to use, single-piece design locks quarter-turn ball valves in OFF position
- Two sizes fit most valves up to 3 in.
- Made of either super-tough nylon (service temp -40° to 248° F) or powder-coated steel


Catalog #	Material	Max Shackle Dia.	Valve Size / Pipe Dia.	Max Handle Width	Max Handle Thickness
65666	Nylon	0.28 in.	0.25 in. to 1 in.	1.5 in.	0.75 in.
65692	Steel	0.375 in.	0.25 in. to 1 in.	1.5 in.	0.75 in.
65669	Steel	0.28 in.	1.25 in. to 3 in.	2.1 in.	1.25 in.
65693	Steel	0.375 in.	1.25 in. to 3 in.	1.9 in.	1.25 in.

Universal Valve Lockout (UVLO)

Lock out all types of valves with a single device

- Made of rugged industrial-grade steel and nylon for extra impact and chemical resistance
- Versatile open-ended clamp fits over most closed rings, wide handles
- Can also lock out large levers, T-handles and other hard-to-secure mechanical devices
- Cable attachment offers choice of 0.125 in. non-conductive nylon or rustproof sheathed metal cable
- Small lockout for handle widths up to 1 in. (max handle thickness 0.6 in.)
- Large lockout for handle widths up to 1.6 in. (max handle thickness 1.1 in.)







Full Solution


Catalog #	Description	For Handle Width
51394	Small Device, 8 ft. Sheathed Cable, Blocking Arm	Up to 1 in. (max thickness 0.6 in.)
51390	Small Device, 8 ft. Nylon Cable, Blocking Arm	Up to 1 in. (max thickness 0.6 in.)
51392	Large Device, 8 ft. Sheathed Cable, Blocking Arm	Up to 1.6 in. (max thickness 1.1 in.)
51388	Large Device, 8 ft. Nylon Cable, Blocking Arm	Up to 1.6 in. (max thickness 1.1 in.)

Individual Components

Catalog #	Description	For Handle Width
50924	Small UVLO Base Clamping Unit	Up to 1 in. (max thickness 0.6 in.)
50899	Large UVLO Base Clamping Unit	Up to 1.6 in. (max thickness 1.1 in.)
65402	Small Blocking Arm	
65403	Large Blocking Arm	
51395	Cable Attachment with 8 ft. Sheathed Cable	
50932	Cable Attachment with 8 ft. Nylon Cable	
50947	8 ft. Sheathed Metal Cable	
50950	12 ft. Sheathed Metal Cable	
50953	16 ft. Sheathed Metal Cable	
50956	20 ft. Sheathed Metal Cable	
50945	8 ft. Nonconductive Nylon Cable	
50948	12 ft. Nonconductive Nylon Cable	
50951	16 ft. Nonconductive Nylon Cable	
50954	20 ft. Nonconductive Nylon Cable	




Use blocking arm to lock out quarter-turn ball valves



Attach to butterfly handles to prevent trigger handle from being squeezed.




Use cable attachment to lock out gate valves



Use two blocking arms to lock out 3-, 4- or 5-way valves, or to lock in the ON, OFF, or throttled position

Circuit Breaker Lockouts

BradyID.com/s36



Circuit Breaker Lockout Compatibility Guide

Brady offers a wide variety of lockouts to isolate and secure most circuit breaker switches. From standard snap-on and clamp-on models to oversized, multi-pole and miniature options, Brady is sure to have what you need.

Use the guide below to find the correct lockout device for your circuit breakers.

Brand	Model No.	Poles	Compatible Part #
ABB	E221	1	90844
ABB	E222	2	90844
ABB	E241	1	90844
ABB	E242	2	90844
ABB	E243	3	90844
ABB	E244	4	90844
ABB	E271	1	90844
ABB	E272	2	90844
ABB	E273	3	90844
ABB	E274	4	90844
ABB	F202AC	2	90850
ABB	F204AC	4	90850
ABB	F362	2	90844
ABB	F364	4	90844
ABB	F374	4	90844, 149514
ABB	F672	2	90850
ABB	F674	4	90850
ABB	JS	2-3	65397*, 148701*
ABB	MS325	3	149433
ABB	S1	3	65396, 148690
ABB	S201-B	1	90844
ABB	S201-C	1	90844
ABB	S201-D	1	90844
ABB	S201-K	1	90844
ABB	S201P-K	1	90844
ABB	S201P-Z	1	90844
ABB	S201U-K	1	90844
ABB	S201U-Z	1	90844
ABB	S201UP-K	1	90844
ABB	S201UP-Z	1	90844
ABB	S202-B	2	90844
ABB	S202-C	2	90844
ABB	S202-D	2	90844
ABB	S202-K	2	90844
ABB	S202P-K	2	90844
ABB	S202P-Z	2	90844
ABB	S202U-K	2	90844
ABB	S202U-Z	2	90844
ABB	S202UP-K	2	90844
ABB	S202UP-Z	2	90844
ABB	S203-B	3	90844
ABB	S203-C	3	90844
ABB	S203-D	3	90844
ABB	S203-K	3	90844
ABB	S203P-K	3	90844
ABB	S203P-Z	3	90844
ABB	S203U-K	3	90844
ABB	S203U-Z	3	90844
ABB	S203UP-K	3	90844
ABB	S203UP-Z	3	90844
ABB	S204-B	4	90844
ABB	S204-C	4	90844
ABB	S204-K	4	90844
ABB	S204U-K	4	90844
ABB	S204U-Z	4	90844
ABB	S204UP-K	4	90844
ABB	S204UP-Z	4	90844
ABB	S221	1	90844
ABB	S222	2	90844, 149514
ABB	S222-K	4	90844
ABB	S223	3	90844
ABB	S224	4	90844
ABB	S251	1	90844, 149514
ABB	S252	2	90844
ABB	S253	3	90844, 149514
ABB	S261	1	90844, 149514
ABB	S261-B	1	90844
ABB	S261-C	1	90844
ABB	S261-D	1	90844
ABB	S262-B	2	90844
ABB	S262-C	2	90844
ABB	S262-D	2	90844
ABB	S263	1	90844, 149514
ABB	S263-B	3	90844
ABB	S263-C	3	90844
ABB	S263-D	3	90844
ABB	S264-B	4	90844
ABB	S264-C	4	90844
ABB	S271-K	1	90844
ABB	S272	1	90844, 149514
ABB	S272-K	2	90844
ABB	S273-K	3	90844
ABB	S274-K	4	90844
ABB	S281-K	1	90844
ABB	S281-Z	1	90850
ABB	S281UC-K	1	90844
ABB	S281UC-Z	1	90850
ABB	S282-K	2	90844
ABB	S282-Z	2	90850
ABB	S282UC-K	2	90844
ABB	S282UC-Z	2	90850
ABB	S283-K	3	90844
ABB	S283-Z	3	90850
ABB	S283UC-K	3	90844
ABB	S283UC-Z	3	90850
ABB	S3	3	65397*, 148701*
ABB	S501-B	1	90850
ABB	S501-C	1	90850
ABB	S501-D	1	90850
ABB	S501-K	1	90850
ABB	S501UC-B	1	90850
ABB	S501UC-K	1	90850
ABB	S502-B	2	90850
ABB	S502-C	2	90850
ABB	S502-D	2	90850
ABB	S502-K	2	90850
ABB	S502UC-B	2	90850
ABB	S502UC-K	2	90850
ABB	S503-B	3	90850
ABB	S503-C	3	90850
ABB	S503-D	3	90850
ABB	S503-K	3	90850
ABB	S503UC-B	3	90850
ABB	S503UC-K	3	90850
ABB	S504UC-B	4	90850
ABB	S504UC-K	4	90850
AEG	E82S	2	90847
Airpax	Airpax	1	65396*, 148690*
Allen Bradley	1492-CB1DF	1	90844
Allen Bradley	1492-CB1DG	1	90844
Allen Bradley	1492-CB1DH	1	90844
Allen Bradley	1492-CB1F	1	90844
Allen Bradley	1492-CB1G	1	90844
Allen Bradley	1492-CB1H	1	90844
Allen Bradley	1492-CB2DF	2	90844
Allen Bradley	1492-CB2DG	2	90844
Allen Bradley	1492-CB2DH	2	90844
Allen Bradley	1492-CB2F	2	90844
Allen Bradley	1492-CB2G	2	90844
Allen Bradley	1492-CB2H	2	90844
Allen Bradley	1492-CB3F	3	90844
Allen Bradley	1492-CB3G	3	90844
Allen Bradley	1492-CB3H	3	90844
Allen-Bradley	1492-CB1	1	90844
Allen-Bradley	1492-CB2	2	90844
Allen-Bradley	1492-CB3	3	90844
American Ckt. Bkr.	NEF	3	65396*, 148690*
American Ckt. Bkr.	NJJ	3	65397*, 148701*, 65329, 148692
American Switch	C	1	65396*, 148690*, 51252, 148696, 51254
Bryant	BR	2-3	66321, 148702, 51254
Bryant	BR	1	65387, 148689, 65396, 148690, 51254
Buschmat	S46	1	90844
Challenger	C	2-3	66321, 148702, 51254
Challenger	C	1	65387, 148689, 65396, 148690, 51254
Challenger	CDK	2-3	65397, 148701
Challenger	LM	1	65396, 148690
Challenger	NEJ	1-2	65396*, 148690*, 51254
Clipsal	4CB	1-3	90844
Clipsal	4CB116	1	90844
Clipsal	4CB320	3	90844
CrouseHinds	MP	2	66321, 148702, 51254
Cutler-Hammer	BA	1	65396, 148690, 51254
Cutler-Hammer	BAB	2-3	66321, 148702
Cutler-Hammer	BAB	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BD	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BR	2-3	66321, 148702, 51254
Cutler-Hammer	BR	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BRH	2-3	66321, 148702, 51254
Cutler-Hammer	BRH	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BRHH	2	66321, 148702, 51254
Cutler-Hammer	CC	3	65397*, 148701*
Cutler-Hammer	CH	2-3	66321, 148702, 51254
Cutler-Hammer	CH	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CH2	4	66321, 148702, 51254
Cutler-Hammer	CHB	2-3	66321, 148702, 51254
Cutler-Hammer	CHB	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CHH	3	65396*, 148690*
Cutler-Hammer	CHKD	2-3	65397, 148701
Cutler-Hammer	CHLD	2-4	65329, 148692
Cutler-Hammer	CHMDL	2-3	65329, 148692
Cutler-Hammer	CHND	2-4	65397*, 148701*
Cutler-Hammer	CHP	2-3	66321, 148702, 51254
Cutler-Hammer	CHP	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CHQ	1	65396, 148690, 51254
Cutler-Hammer	CHQ	2	66321, 148702, 51254
Cutler-Hammer	CHSW	2-3	66321, 148702, 51254
Cutler-Hammer	CKD	2-3	65397, 148701
Cutler-Hammer	CL	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CL	2	66321, 148702, 51254

*Requires use of a cleat.

BRADY

Circuit Breaker Lockout Compatibility Guide (continued)

Brand	Model No.	Poles	Compatible Part #
Cutler-Hammer	CLD	2-4	65329, 148692
Cutler-Hammer	CLDC	2-4	65329, 148692
Cutler-Hammer	CMDL	2-3	65329, 148692
Cutler-Hammer	CND	2-4	65397*, 148701*
Cutler-Hammer	CNDC	2-4	65397*, 148701*
Cutler-Hammer	CSR	1	65396, 148690, 51254
Cutler-Hammer	DK	2-3	65397, 148701
Cutler-Hammer	E125B	1-4	65396, 148690, 51254
Cutler-Hammer	E125E	1-4	65396, 148690, 51254
Cutler-Hammer	E125H	1-4	65396, 148690, 51254
Cutler-Hammer	E125S	1-4	65396, 148690, 51254
Cutler-Hammer	ED	2-4	65396, 148690, 51254
Cutler-Hammer	EDC	2-4	65396, 148690, 51254
Cutler-Hammer	EDH	2-4	65396, 148690, 51254
Cutler-Hammer	EFH	1-4	65396, 148690, 51254
Cutler-Hammer	EGB	1-4	65396, 148690, 51254
Cutler-Hammer	EGE	1-4	65396, 148690, 51254
Cutler-Hammer	EGS	1-4	65396, 148690, 51254
Cutler-Hammer	EHC	1-4	65396, 148690, 51254
Cutler-Hammer	EHD	1-4	65396, 148690, 51254
Cutler-Hammer	FB	2-3	65396, 148690, 51254
Cutler-Hammer	FC	1-4	65396, 148690, 51254
Cutler-Hammer	FD	1-4	65396, 148690, 51254
Cutler-Hammer	FDB	2-4	65396, 148690, 51254
Cutler-Hammer	FDC	2-4	65396, 148690, 51254
Cutler-Hammer	FS	2-3	65396, 148690, 51254
Cutler-Hammer	GB	1-3	65396, 148690, 51254
Cutler-Hammer	GC	1-3	65396, 148690, 51254
Cutler-Hammer	GD	1-3	65396, 148690, 51254
Cutler-Hammer	GDB	1-3	65396, 148690, 51254
Cutler-Hammer	GHB	1-3	65396, 148690, 51254
Cutler-Hammer	GHBGFEP	1	65396, 148690, 51254
Cutler-Hammer	GHC	1-3	65396, 148690, 51254
Cutler-Hammer	GHCGFEP	1	65396, 148690, 51254
Cutler-Hammer	HBAW	2-3	66321, 148702
Cutler-Hammer	HBAW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	HBAX	2-3	66321, 148702
Cutler-Hammer	HBAX	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	HFD	1-4	65396, 148690, 51254
Cutler-Hammer	HGHB	1	65396, 148690, 51254
Cutler-Hammer	HGHC	1	65396, 148690, 51254
Cutler-Hammer	HJD	2-4	65397, 148701
Cutler-Hammer	HKD	2-4	65397, 148701
Cutler-Hammer	HLD	2-4	65329, 148692
Cutler-Hammer	HMCP	2-3	65396, 148690, 65397, 148701, 65329,148692
Cutler-Hammer	HMDL	2-3	65329, 148692
Cutler-Hammer	HMDLB	2-3	65329, 148692
Cutler-Hammer	HMPL	3	65397*, 148701*, 65329, 148692
Cutler-Hammer	HND	2-4	65397*, 148701*
Cutler-Hammer	HQP	2	66321, 148702
Cutler-Hammer	HQP	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	JD	2-4	65397, 148701
Cutler-Hammer	JDB	2-3	65397, 148701
Cutler-Hammer	JDC	2-4	65397, 148701
Cutler-Hammer	KD	2-4	65397, 148701
Cutler-Hammer	KDB	2-4	65397, 148701
Cutler-Hammer	KDC	2-4	65397, 148701
Cutler-Hammer	LA	2-3	65397, 148701
Cutler-Hammer	LD	2-4	65329, 148692
Cutler-Hammer	LDB	2-3	65329, 148692
Cutler-Hammer	LDC	2-4	65329, 148692
Cutler-Hammer	LH	3	65397, 148701
Cutler-Hammer	LHB	3	65397, 148701
Cutler-Hammer	LJ	3	51254
Cutler-Hammer	MA	2-3	65397*, 148701*
Cutler-Hammer	MC	2-3	65397*, 148701*
Cutler-Hammer	MD	2-3	65329, 148692
Cutler-Hammer	MDL	2-3	65329, 148692
Cutler-Hammer	MDS	2-3	65329, 148692
Cutler-Hammer	NB	2-3	65329, 148692
Cutler-Hammer	ND	2-4	65397*, 148701*
Cutler-Hammer	NDC	2-4	65397*, 148701*
Cutler-Hammer	OPTIM	3	65397*, 148701*
Cutler-Hammer	PB	2-3	65329, 148692
Cutler-Hammer	QBGF	1	65396, 148690
Cutler-Hammer	QBGF	2	51254
Cutler-Hammer	QBGFEP	1	65396, 148690
Cutler-Hammer	QBGFEP	2	51254
Cutler-Hammer	QBHGF	1	65396, 148690
Cutler-Hammer	QBHGFEP	1	65396, 148690
Cutler-Hammer	QBHW	2-3	66321, 148702
Cutler-Hammer	QBHW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QC	2-3	66321, 148702, 51254
Cutler-Hammer	QC	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QCD	2-3	66321, 148702, 51254
Cutler-Hammer	QCD	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QCGF	1	65396, 148690
Cutler-Hammer	QCGFEP	1	65396, 148690
Cutler-Hammer	QCHGF	1	65396, 148690
Cutler-Hammer	QCHGFEP	1	65396, 148690
Cutler-Hammer	QCHW	2-3	66321, 148702, 51254
Cutler-Hammer	QCHW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHCW	2-3	66321, 148702, 51254
Cutler-Hammer	QHCW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHCX	2-3	66321, 148702, 51254
Cutler-Hammer	QHCX	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHPW	2-3	66321, 148702
Cutler-Hammer	QHPW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHPX	2-3	66321, 148702
Cutler-Hammer	QHPX	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QPGF	1	65396, 148690
Cutler-Hammer	QPGF	2	51254
Cutler-Hammer	QPGFEP	1	65396, 148690
Cutler-Hammer	QPGFEP	2	51254
Cutler-Hammer	QPHGF	1	65396, 148690
Cutler-Hammer	QPHGFEP	1	65396, 148690
Cutler-Hammer	QPHW	2-3	66321, 148702
Cutler-Hammer	QPHW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	WME	1-3	90844
Cutler-Hammer	WMF	1-3	90844
Cutler-Hammer	WMH	1-4	90844
Cutler-Hammer	WMM	1-4	90844
Cutler-Hammer	WMN	1-4	90844
Cutler-Hammer	WMS	1-4	90844
Eaton	*Please see Cutler-Hammer brand.*		
E-T-A	911225	1	90847
E-T-A	911220G	2	90844
FAZ	C16	1-4	90844
Fed. Pacific Elec.	2B	2	51254
Fed. Pacific Elec.	BAB	1	65396, 148690, 51254
Fed. Pacific Elec.	NA-single	3	65397*, 148701*, 51254
Fed. Pacific Elec.	NA-tie bar	2	51254
Fed. Pacific Elec.	NB	1	65397*, 148701*, 51254
Fed. Pacific Elec.	NBH GFI	1	65396, 148690, 51254
Fed. Pacific Elec.	NE/NEF	1-3	65396*, 148690*
Fed. Pacific Elec.	NEJ	1-3	65396*, 148690*
Fed. Pacific Elec.	NFJ	1-3	65396, 148690
Fed. Pacific Elec.	NJJ	1-3	65397, 148701
Fed. Pacific Elec.	NJL	1-3	65397, 148701
Fed. Pacific Elec.	NM	1-3	65397, 148701
Fed. Pacific Elec.	NP-single	1	65396, 148690, 51254
Frank Adams	P	1	65396, 148690, 51254
FUJI Electric	BU-ESA	3	65396*, 148690*
FUJI Electric	BU-ESB	3	65396*, 148690*
FUJI Electric	BU-FSB	3	65396*, 148690*
FUJI Electric	EA203B	3	65396*, 148690*
FUJI Electric	EA53B	3	65396*, 148690*
GE Vynckier	Series E	1-4	90847
GE Vynckier	Series G	1-3	90847
General Electric	EH400	3	65397, 148701
General Electric	HQC	3	65396, 148690, 51254
General Electric	SED	2-3	65396, 148690, 51254
General Electric	SEH	2-3	65396, 148690, 51254
General Electric	SEL	2-3	65396, 148690, 51254
General Electric	SEP	2-3	65396, 148690, 51254
General Electric	SFH	2-3	65396, 148690, 51254
General Electric	SFL	2-3	65396, 148690, 51254
General Electric	SFP	2-3	65396, 148690, 51254
General Electric	SGD	2-3	65396, 148690
General Electric	SGH	2-3	65396, 148690
General Electric	SGL	2-3	65396, 148690
General Electric	SGLA	2-3	65396, 148690
General Electric	SGP	2-3	65396, 148690
General Electric	SRPG	3	65396, 148690
General Electric	TB	2	65396*, 148690*, 51254
General Electric	TBC	2	65396*, 148690*, 51254
General Electric	TE	1-3	65396*, 148690*, 51254
General Electric	TEB	1-3	65396*, 148690*, 51254
General Electric	TED	1-3	65396*, 148690*, 51254
General Electric	TEF	1-3	65396*, 148690*, 51254
General Electric	TEL	3	65396*, 148690*, 51254
General Electric	TEML	3	65396*, 148690*, 51254
General Electric	TEY	1-3	65396, 148690, 51254
General Electric	TF	1-3	65396, 148690, 51254
General Electric	TFC	3	65396*, 148690*, 51254
General Electric	TFJ	2-3	65397, 148701
General Electric	TFK	2-3	65397, 148701
General Electric	TFL	3	65397, 148701
General Electric	THED	1-3	65396*, 148690*, 51254
General Electric	THEF	1-3	65396*, 148690*, 51254
General Electric	THFK	2-3	65397, 148701

Standard Circuit Breaker Lockouts



65387 148689 — *120V Snap-on lockout*

65396 148690 — *120/277V Clamp-on lockout*

65397 148701 — *480/600V Clamp-on lockout*

65329 148692 — *480/600V Oversized lockout*

66321 148702 — *Universal multi-pole lockout*

EZ Paneloc™ Lockouts



51252 148696 — *Snap-on (SQD QO) lockout*

51254 — *Clamp-on (universal) lockout*

Miniature Circuit Breaker Lockouts



90844 — *Pin-out standard lockout*

90847 — *Pin-in standard lockout*

90850 — *Pin-out wide lockout*

90853 — *Tie-bar lockout*

149433 — *Rotary lockout*

149514 — *Universal lockout*

*Requires use of a cleat.

Circuit Breaker Lockouts

BradyID.com/s36

Circuit Breaker Lockout Compatibility Guide (continued)

Brand	Model No.	Poles	Compatible Part #
General Electric	THHQB	2-3	66321, 148702, 51254
General Electric	THHQB-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THHQB-S	1	65396, 148690, 51254
General Electric	THHQC	1-3	66321, 148702, 51254
General Electric	THHQC-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THHQC-S	1	65396, 148690, 51254
General Electric	THHQL	2-3	66321, 148702, 51254
General Electric	THHQL-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THHQL-S	1	65396, 148690, 51254
General Electric	THJK4	2-3	65397*, 148701*
General Electric	THJK6	2-3	65397*, 148701*
General Electric	THKM12	2-3	65329, 148692
General Electric	THKM8	2-3	65329, 148692
General Electric	THLC1	3	65396*, 148690*
General Electric	THQB	2-3	66321, 148702, 51254
General Electric	THQB-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THQB-S	1	65396, 148690, 51254
General Electric	THQC	2-3	66321, 148702, 51254
General Electric	THQC-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THQC-AL	2-3	66321, 148702, 51254
General Electric	THQC-S	1	65396, 148690, 51254
General Electric	THQD	2-3	65396*, 148690*, 51254
General Electric	THQDBL	3	51254
General Electric	THQL	2-3	66321, 148702, 51254
General Electric	THQL-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THQL-S	1	65396, 148690, 51254
General Electric	TJ2	2-3	65397*, 148701*, 65329, 148692
General Electric	TJ4	3	65397, 148701
General Electric	TJC	2-3	65396*, 148690*, 51254
General Electric	TJD	2-3	65397*, 148701*
General Electric	TJJ	2-3	65397*, 148701*
General Electric	TJK	2-3	65397*, 148701*
General Electric	TJS	2-3	65397*, 148701*
General Electric	TK4V	3	65397, 148701
General Electric	TKC	3	65396*, 148690*, 51254
General Electric	TKM	2-3	65329, 148692
General Electric	TKMA8	3	65329, 148692
General Electric	TQB	2-3	66321, 148702, 51254
General Electric	TQB-A	1	65387, 148689, 65396, 148690, 51254
General Electric	TQB-S	1	65396, 148690, 51254
General Electric	TQC	2-3	66321, 148702, 51254
General Electric	TQC-A	1	65387, 148689, 65396, 148690, 51254
General Electric	TQC-S	1	65396, 148690, 51254
General Electric	TQD	2-3	65396, 148690
General Electric	TQL-A	1	65387, 148689, 65396, 148690, 51254
General Electric	TQL-S	1	65396, 148690, 51254
General Electric	V	1-3	90847
General Electric	V	1-4	90847
Hager	453717	3	90844, 149514
Hager	MW216A	2	90844, 149514
Hager	MW620A	4	90844, 149514
Heinemann	LB	1	65396*, 148690*
Heinemann	LF	1	65396*, 148690*
Heinemann	LJ	1	65396*, 148690*
Kapp	LS68	1	90844
Legrand	1908	1	90844
Legrand	1935	3	90844
Legrand	1980	3-4	90844
Legrand	4302	2	90847
Legrand	6469	3	90847
Lemag	SD62	1	65396, 148690
Merlin Gerin	B100A	2	90850, 90853
Merlin Gerin	B100A	2	90850, 90853
Merlin Gerin	C1251N	3	65329, 148692
Merlin Gerin	C32N	1-3	90844
Merlin Gerin	C45AD	3	90844
Merlin Gerin	C60a	1-4	90844
Merlin Gerin	C60H	1-4	90844
Merlin Gerin	C60N	1-4	90844
Merlin Gerin	C801N	3	65329, 148692
Merlin Gerin	C80A	3	90850, 90853
Merlin Gerin	C80A	3	90850, 90853
Merlin Gerin	CE104N	3	65396*, 148690*
Merlin Gerin	CJ	3	65397*, 148701*
Merlin Gerin	CK1200NA	3	65329, 148692
Merlin Gerin	NC100H	1-3	90850
Merlin Gerin	NC100L	1-4	90850
Merlin Gerin	NC100L MA	3	90850
Merlin Gerin	NC100LH	1-4	90850
Merlin Gerin	NC100N	1-4	90850
Merlin Gerin	NC125H	1-3	90850
Proteus	C6	1	90844
Proteus	AC22BS5419	2	66321, 148702
Proteus	BSEN60947-3	2	66321, 148702
Proteus	C16	1	90844
Proteus	C6	1-3	90844
Siemens 17U	5SQ16	4	90853
Siemens C10	5SX1	1	90850, 149514
Siemens C32	5SX1-2	2	90853, 149514
Siemens ITE	5SN22	2	90853
Siemens ITE	5SQ11	1	90850, 149514
Siemens ITE	5SQ12	2	90853, 149514
Siemens ITE	5SQ13	3	90853, 149514
Siemens ITE	5SQ16	4	90853, 149514
Siemens ITE	5SX11	1	90850
Siemens ITE	5SX12	2	90853
Siemens ITE	5SX13	3	90853, 149514
Siemens ITE	5SX21	1	90850
Siemens ITE	BL	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Siemens ITE	BL	2-3	66321, 148702, 51254
Siemens ITE	BLF-GFI	2	66321, 148702, 51254
Siemens ITE	BLH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	BLH	2-3	66321, 148702, 51254
Siemens ITE	BQ	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	BQ	2-3	66321, 148702, 51254
Siemens ITE	BQCH	1-3	65396, 148690, 51254
Siemens ITE	BQD	1-3	65396, 148690, 51254
Siemens ITE	BQH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	BQH	2-3	66321, 148702, 51254
Siemens ITE	CED6	2-3	65396, 148690, 51254
Siemens ITE	CFD6	2-3	65397*, 148701*
Siemens ITE	CFD6-ETI	2-3	65397*, 148701*
Siemens ITE	CJ3	3	65397, 148701
Siemens ITE	CJD6	2-3	65397, 148701
Siemens ITE	CJD6-ETI	2-3	65397, 148701
Siemens ITE	CLF	2	65397, 148701
Siemens ITE	CMD6	3	65329, 148692
Siemens ITE	CMD6-ETI	3	65329, 148692
Siemens ITE	CND6	3	65329, 148692
Siemens ITE	CPD6	3	65329, 148692
Siemens ITE	CQD	1-3	65396*, 148690*, 51254
Siemens ITE	E2	1-3	65396, 148690, 51254
Siemens ITE	E4	1-3	65396, 148690, 51254
Siemens ITE	ED	1-3	65396, 148690, 51254
Siemens ITE	ED4	1-3	65396, 148690, 51254
Siemens ITE	ED6	1-3	65396, 148690, 51254
Siemens ITE	ED6-ETI	3	65396, 148690, 51254
Siemens ITE	EE3	3	65396*, 148690*, 51254
Siemens ITE	EH3	3	65396*, 148690*, 51254
Siemens ITE	EQP	4	66321, 148702, 51254
Siemens ITE	ET	3	65396*, 148690*, 51254
Siemens ITE	FD6A	2-3	65397*, 148701*
Siemens ITE	FJ2-B	2-3	65396*, 148690*, 65397*, 148701*
Siemens ITE	FJ3	2	65397, 148701
Siemens ITE	FJ6	2	65397*, 148701*
Siemens ITE	FXD6-ETI	2-3	65397*, 148701*
Siemens ITE	FXD6A	2-3	65397*, 148701*
Siemens ITE	GF	1	65396, 148690, 51254
Siemens ITE	HBL	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HBL	2-3	66321, 148702, 51254
Siemens ITE	HBQ	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HBQ	2-3	66321, 148702, 51254
Siemens ITE	HE4	1-3	65396, 148690, 51254
Siemens ITE	HED4	1-3	65396, 148690, 51254
Siemens ITE	HED6	2-3	65396, 148690, 51254
Siemens ITE	HFD6	2-3	65397*, 148701*
Siemens ITE	HFXD6	2-3	65397*, 148701*
Siemens ITE	HHED6	2-3	65396, 148690, 51254
Siemens ITE	HHFD6	2-3	65397*, 148701*
Siemens ITE	HHJD6	2-3	65397, 148701
Siemens ITE	HHJXD6	2-3	65397, 148701
Siemens ITE	HJD6	2-3	65397, 148701
Siemens ITE	HJXD6	2-3	65397, 148701
Siemens ITE	HMD6	2-3	65329, 148692
Siemens ITE	HMXD6	2-3	65329, 148692
Siemens ITE	HN3	2	65329, 148692
Siemens ITE	HND6	2-3	65329, 148692
Siemens ITE	HNXD6	2-3	65329, 148692
Siemens ITE	HPD6	3	65329, 148692
Siemens ITE	HPXD6	3	65329, 148692
Siemens ITE	HQJ2-H	3	65396, 148690, 51254
Siemens ITE	HQP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HQP	2-3	66321, 148702, 51254
Siemens ITE	HQPP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HQPP	2-3	66321, 148702, 51254
Siemens ITE	HQPPH	2	66321, 148702, 51254
Siemens ITE	HRD6	3	65329, 148692
Siemens ITE	HRXD6	3	65329, 148692
Siemens ITE	JD2	3	65329, 148692
Siemens ITE	JD6-A	2-3	65397, 148701
Siemens ITE	JJ3	3	65397, 148701
Siemens ITE	JJ6	3	65329, 148692
Siemens ITE	JL3	3	65397, 148701
Siemens ITE	JXD2-A	2-3	65397, 148701
Siemens ITE	JXD6-A	2-3	65329, 148692
Siemens ITE	KM3	3	65329, 148692
Siemens ITE	LL3	3	65397, 148701
Siemens ITE	LL6	3	65329, 148692
Siemens ITE	LXD6-ETI	3	65329, 148692
Siemens ITE	MD6	2-3	65329, 148692
Siemens ITE	MXD6	2-3	65329, 148692
Siemens ITE	MXD6-ETI	2-3	65329, 148692
Siemens ITE	ND6	2-3	65329, 148692
Siemens ITE	NXD6	2-3	65329, 148692
Siemens ITE	PD6	3	65329, 148692
Siemens ITE	PXD6	3	65329, 148692
Siemens ITE	QJ2	2-3	65396*, 148690*, 51254
Siemens ITE	QJ2-H	2-3	65396*, 148690*, 51254
Siemens ITE	QJH2	2-3	65396*, 148690*, 51254
Siemens ITE	QP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QP	2-3	66321, 148702, 51254
Siemens ITE	QP1	1	65396, 148690, 51254
Siemens ITE	QPH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QPH	2-4	66321, 148702, 51254
Siemens ITE	QPP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QPP	2-3	66321, 148702, 51254
Siemens ITE	QPPH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QPPH	2-3	66321, 148702, 51254
Siemens ITE	RD6	3	65329, 148692
Siemens ITE	RXD6	3	65329, 148692
Siemens ITE	SCMD6	3	65329, 148692
Siemens ITE	SCND6	3	65329, 148692

*Requires use of a cleat.

BRADY

Circuit Breaker Lockout Compatibility Guide (continued)

Brand	Model No.	Poles	Compatible Part #
Siemens ITE	SHLD6-A	3	65329, 148692
Siemens ITE	SHMD6	3	65329, 148692
Siemens ITE	SHND6	3	65329, 148692
Siemens ITE	SHPD6	3	65329, 148692
Siemens ITE	SMD6	3	65329, 148692
Siemens ITE	SND6	3	65329, 148692
Siemens ITE	SPD6	3	65329, 148692
Siemens ITE	VF3	3	65396, 148690
Siemens L20A	5SN2-2	2	90853, 149514
Square D	EDB	1-3	65396, 148690, 51254
Square D	EGB	1-3	65396, 148690, 51254
Square D	EH4	1-3	65396, 148690, 51254
Square D	EHB	1-3	65396, 148690, 51254
Square D	EHB	2-3	66321, 148702, 51254
Square D	EJB	1-3	65396, 148690, 51254
Square D	EZ	3	65329, 148692
Square D	FA	1-3	65396*, 148690*
Square D	FAL	1-3	65396*, 148690*
Square D	FC	3	65396*, 148690*
Square D	FCL	2-3	65396*, 148690*
Square D	FDA	2-3	65396, 148690, 51254
Square D	FGA	3	51254
Square D	FH	1-3	65396*, 148690*
Square D	FHL	1-3	65396*, 148690*
Square D	FHL-DC	3	65396*, 148690*
Square D	FHP	3	65396*, 148690*
Square D	FI	3	65396*, 148690*
Square D	FIL	3	65396*, 148690*
Square D	FY	1	65396*, 148690*
Square D	GJL	3	65396*, 148690*
Square D	KA	2-3	65396*, 148690*
Square D	KAL	2-3	65396*, 148690*
Square D	KAP	2-3	65397, 148701
Square D	KC	2-3	65396*, 148690*
Square D	KCL	2-3	65396*, 148690*
Square D	KH	2-3	65396*, 148690*
Square D	KHL	3	65396*, 148690*
Square D	KI	2-3	65396*, 148690*
Square D	KIL	2-3	65396*, 148690*
Square D	L2	3	65329, 148692
Square D	LA	2-3	65397*, 148701*
Square D	LAL	2-3	65397*, 148701*, 65329, 148692
Square D	LAP	3	65397*, 148701*, 65329, 148692
Square D	LC	3	65329, 148692
Square D	LCP	3	65329, 148692
Square D	LH	2-3	65397*, 148701*
Square D	LHL	3	65397*, 148701*, 65329, 148692
Square D	LHP	1-2	65397*, 148701*, 65329, 148692
Square D	LXL	3	65329, 148692
Square D	MA	3	65329, 148692
Square D	MA	2-3	65397*, 148701*
Square D	MAL	3	65329, 148692
Square D	MH	2-3	65329, 148692
Square D	MH	2-3	65397*, 148701*
Square D	MHL	2-3	65329, 148692
Square D	ML-1	3	65397*, 148701*
Square D	ML-3	3	65329, 148692
Square D	MXL	3	65329, 148692
Square D	Q1B	2-3	65396, 148690, 51254
Square D	Q1L	2-3	65396, 148690, 51254
Square D	Q2	2-3	65396*, 148690*
Square D	Q2H	2-3	65396*, 148690*
Square D	Q2L	2-3	65396*, 148690*
Square D	Q2MT	2-3	65396*, 148690*
Square D	Q4	2-3	65397*, 148701*
Square D	Q4L	2-3	65397*, 148701*
Square D	QO	1	51252, 148696
Square D	QO	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QO-H	2	51252, 148696
Square D	QO-SWN	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QO-VH	1	51252, 148696
Square D	QO-VH	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QOB	1	51252, 148696
Square D	QOB	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QOB-H	2	51252, 148696
Square D	QOB-VH	2-3	66321, 148702
Square D	QOB-VH	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QOM1-VH	2	65396, 148690, 51254
Square D	QOM2-VH	2	65396, 148690, 51254
Square D	QOU	1	51252, 148696
Square D	QOU	2-3	65396*, 148690*, 51252, 148696, 51254
Square D	QOU w/tie bar	2-3	66321, 148702, 51254
Square D	QYU	1	51252, 148696
Square D	Y1	1	65397, 148701
Sursum	EA53	3	90847
Sylvania GTE	QC	2	66321, 148702, 51254
Sylvania GTE	Type C	2	66321, 148702, 51254
Thomas & Betts	F Frame	1-3	65396, 148690, 51254
Toshiba	E225B	3	65396*, 148690*
Westinghouse	BA	1-3	65387, 148689, 65396, 148690, 51254
Westinghouse	BA w/tie bar	2-3	66321, 148702
Westinghouse	BAB	1-3	65387, 148689, 65396, 148690, 51254
Westinghouse	BR	1-3	65387, 148689, 65396, 148690, 51254
Westinghouse	BR w/tie bar	2-3	66321, 148702, 51254
Westinghouse	BRH w/tie bar	2-3	66321, 148702
Westinghouse	CA	2	65396*, 148690*
Westinghouse	DA	2-3	65397, 148701
Westinghouse	DK	3	65397, 148701
Westinghouse	EB	1-3	65396*, 148690*, 51254
Westinghouse	ED	2-3	65396, 148690, 51254
Westinghouse	EH	1-3	65396, 148690, 51254
Westinghouse	EHB	1-3	65396*, 148690*
Westinghouse	EHD	1-3	65396, 148690, 51254
Westinghouse	FA	3	65396*, 148690*, 51254
Westinghouse	FB	2-3	65396*, 148690*, 51254
Westinghouse	FD	1-4	65396, 148690, 51254
Westinghouse	FDB	2-4	65396, 148690, 51254
Westinghouse	FDC	2-4	65396, 148690, 51254
Westinghouse	FP	3	65397*, 148701*
Westinghouse	GB	1-3	65396, 148690, 51254
Westinghouse	GBH	1-3	65396, 148690, 51254
Westinghouse	GHB	1-3	65396, 148690, 51254
Westinghouse	GR	3	65397, 148701
Westinghouse	HBAW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	HBAX	1	65387, 148689, 65396, 148690, 51254
Westinghouse	HCA	3	65396*, 148690*
Westinghouse	HFB	1-3	65396*, 148690*
Westinghouse	HFD	1-4	65396, 148690, 51254
Westinghouse	HKD	3	65397, 148701
Westinghouse	HLA	3	65397, 148701
Westinghouse	HLB	2-3	65397, 148701
Westinghouse	HMC	3	65397, 148701
Westinghouse	HMCP	3	65396*, 148690*, 51254
Westinghouse	HNC	3	65329, 148692
Westinghouse	HQNP	3	65396, 148690, 51254
Westinghouse	HQP	1	65387, 148689, 65396, 148690, 51254
Westinghouse	JA	2-3	65397, 148701
Westinghouse	JB	3	65397, 148701
Westinghouse	JD	2-4	65397, 148701
Westinghouse	JDB	3	65397, 148701
Westinghouse	KA	3	65397*, 148701*
Westinghouse	KB	2-3	65397, 148701
Westinghouse	LA	3	65397*, 148701*
Westinghouse	LB	3	65397, 148701
Westinghouse	LBB	3	65397, 148701
Westinghouse	LH	3	65397, 148701
Westinghouse	MA	2-3	65397*, 148701*
Westinghouse	MC	2-3	65397*, 148701*
Westinghouse	MCC	2-3	65397*, 148701*
Westinghouse	MCPO	3	65396*, 148690*, 51254
Westinghouse	NB	2-3	65329, 148692
Westinghouse	P	3	65396, 148690, 51254
Westinghouse	QBHW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QC	3	66321, 148702
Westinghouse	QC	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QCHQ	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QHCW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QHCX	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QHPW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QPHW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	Quicklag P	1-3	65396, 148690, 51254
Westinghouse	RE	1-2	65396, 148690, 51254
Westinghouse	RH	3	65397, 148701
Westinghouse	WPHX	1	65387, 148689, 65396, 148690, 51254
Wylex	WRS40/2	2	90844
Zinsco	HQB	3	65396, 148690, 51254
Zinsco	QB	1	65396, 148690, 51254

Standard Circuit Breaker Lockouts



65387 148689 *120V Snap-on lockout*

65396 148690 *120/277V Clamp-on lockout*

65397 148701 *480/600V Clamp-on lockout*

65329 148692 *480/600V Oversized lockout*

66321 148702 *Universal multi-pole lockout*

EZ Paneloc™ Lockouts



51252 148696 *Snap-on (SQD QO) lockout*

51254 *Clamp-on (universal) lockout*

Miniature Circuit Breaker Lockouts



90844 *Pin-out standard lockout*

90847 *Pin-in standard lockout*

90850 *Pin-out wide lockout*

90853 *Tie-bar lockout*

149433 *Rotary lockout*

149514 *Universal lockout*

**Requires use of a cleat.*

BradyID.com/s36

TAGLOCK™ Circuit Breaker Securing Devices





Tagout plus physical restraint protection for multiple workers

With TAGLOCK™ circuit breaker securing devices from Brady, your maintenance team members can individually tag and secure each circuit breaker for improved safety and compliance. These devices are secured to circuit breakers with standard non-releasable 50-pound minimum strength nylon cable ties and meet OSHA requirement 1910.269(d)(3)(ii)(D) for power generation, transmission and distribution facilities.


TAGLOCK securing devices feature:

- **Easy installation** onto the breaker with nylon cable tie and the worker's ID tag
- **Multiple worker tagging capabilities** for up to 4 workers to apply a nylon cable tie and their ID tag
- **Secure restraints** that will remain securely fastened to the breaker switch until each person has removed their nylon cable tie and tag
- **Pre-loadable tags** enable users to prepare ID tags in advance and then quickly secure them to the designated energy control lockout points
- **More convenient** lockout tagout option eliminates the need to use locks
- **Cost savings** from less tag preparation and reduced equipment downtime





Securable by BOTH cable tie and safety lock at the same time



Save time by "pre-loading" your tag and cable tie before walking to the energy point




120V breaker lockout devices fit on breakers next to each other, enabling multiple tagouts at one time



Pair your TAGLOCK devices with Mini Lockout Tags

Catalog #	Description	Size	Qty.
148824	Mini Lockout Tags (Fasteners sold separately)	2.5 in. x 2 in.	25
81762	Nylon Fasteners	7 in.	100

BRADY



TAGLOCK™ 120V Snap-On Breaker Lockout

- Designed for 120V breakers with holes in the switch tongue
- Quick and easy – just snap in place and apply lock
- Dual cavities accommodate different size switch tongues
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148689	120V Snap-On Breaker Lockout	1
148693	120V Snap-On Breaker Lockout	6
148694	120V Snap-On Breaker Lockout (Cable ties sold separately)	50



TAGLOCK™ 120V Holed-Tongue Breaker Lockout

- Align pins with holes in breaker and snap closed
- Pins prevent switch from being thrown
- Lockout is small enough to lockout multiple breakers in a row
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148696	Breaker Switches with Holes	1
148688	Breaker Switches with Holes	6
148700	Breaker Switches with Holes (Cable ties sold separately)	50



TAGLOCK™ Universal Multi-Pole Breaker Lockout

- Single device works with most major multi-pole breakers that employ a tie-bar
- Use thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened
- Single and 6 packs include cable ties


Catalog #	Description	Qty
148702	Multi-pole Breaker Lockout	1
148697	Multi-pole Breaker Lockout	6
148695	Multi-pole Breaker Lockout (Cable ties sold separately)	50



TAGLOCK™ 120/277V Clamp-On Breaker Lockout

- Works on a wide range of single-pole and internal-trip multi-pole breakers
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place
- Includes cleat to expand the range of applicable breakers
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148690	120/277V Breaker Lockout	1
148698	120/277V Breaker Lockout	6
148699	120/277V Breaker Lockout (Cleats and cable ties sold separately)	50
65404	Extra Cleats for 120/277V Lockout	6



TAGLOCK™ 480/600V Clamp-On Breaker Lockout

- Works on a wide range of single-pole and internal-trip multi-pole breakers
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place
- Includes cleat to expand the range of applicable breakers
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148701	480/600V Breaker Lockout	1
148687	480/600V Breaker Lockout	6
148686	480/600V Breaker Lockout (Cleats and cable ties sold separately)	25
65406	Extra Cleats for 480/600V Lockout	6



TAGLOCK™ Oversized Clamp-On Breaker Lockout

- Oversized 480/600V frame lockout fits breaker switches up to 2.25 in. wide and 0.875 in. thick
- Made of durable polypropylene and glass filled-impact-modified nylon
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148692	Oversized Breaker Lockout	1
148691	Oversized Breaker Lockout	6
148685	Oversized Breaker Lockout (Cable ties sold separately)	25


Circuit Breaker Lockouts

BradyID.com/s36

EZ Paneloc™ System

- Works on wide range of breakers, including single- and multi-pole configurations
- Can be used with most padlocks by making use of unique lock rail system
- Allows panel door to be closed even when lockouts are in place
- Accommodates multiple locks, facilitating group lockout activity without hasps
- Keeps weight off the breakers, protecting delicate electrical components
- Positions locks and tags outside the panel, making sure lockout activity is clearly visible to anyone in the area

(Not recommended for use with multi-lock hasps)





Snap-On Lockout

- For use on Square D NQO and other breakers with a hole in the switch tongue
- Align pins with holes in breaker and snap closed
- Pins prevent switch from being thrown
- Size: 0.90 in. x 1.88 in. x 0.74 in.
- Rails sold separately

Catalog #	Description	Qty.
51252	Snap-On Lockout w/ 2 in. Cable	1
65815	Snap-On Lockout w/ 2 in. Cable	6



Clamp-On Lockout

- For use on breakers that do not have a hole in the switch tongue
- Turn thumbscrew to clamp lockout securely onto switch, then snap the cover closed to prevent thumbwheel from being loosened
- Size: 0.95 in. x 2.56 in. x 0.74 in.
- Rails sold separately

Catalog #	Description	Qty.
51254	Clamp-On Lockout w/ 2 in. Cable	1
65810	Clamp-On Lockout w/ 2 in. Cable	6



Spacing Gasket and Lock Rails


- For low profile panels
- Self-adhesive gasket pushes out low profile panel frame adding an additional 0.375 in. of clearance between the panel and the door
- Lock rails made of durable isoplast polymers with acrylic adhesive backing

Catalog #	Description	Qty.
51256	4 in. Lock Rail (7 loops)	1
65814	4 in. Lock Rail (7 loops)	6
51258	8 in. Lock Rail (15 loops)	1
51260	8 in. Lock Rail (15 loops)	6
89256	Spacing Gasket 0.375 in. x 1 in. x 15 ft.	1

EZ Paneloc System In Action



1. Expose the super-bond adhesive on back of rail. Permanently affix to any location on the panel.




2. Attach the lockout device to the breaker and snap into locked position.



3. Pass plastic key through lock rail and attach lock, preventing key from sliding down cable to device.



4. After procedure is finished, unlock device by inserting and turning the black plastic key.




480–600V Breaker Blocker

- For oversized and irregularly shaped switches
- Self-adhesive backed rails are permanently installed onto panel
- Blocking bars are 7.6 in. long
- Red blocking bar indicates locked off, green bar indicates locked on

Catalog #	Description	Qty.
90891	Breaker Block Kit*	1
90892	7.6 in. Red Blocking Bar	5
90893	7.6 in. Green Blocking Bar	5
51264	4 in. Yellow Mounting Rails	2
51265	Blocking Bar Holder	5


**Kit includes 2 yellow mounting rails, 1 red blocking bar, 1 green blocking bar and 3 alcohol wipes.*



Universal Multi-Pole Breaker Lockout

- Single device works with most major multi-pole breakers that employ a tie-bar
- Made of durable impact-modified nylon
- Use thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened


Catalog #	Description	Qty.
66321	Universal Multi-Pole Breaker Lockout	1
66320	Universal Multi-Pole Breaker Lockouts	6



120V Snap-On Breaker Lockout

- Designed for 120V breakers with holes in the switch tongue
- Quick and easy – just snap in place and apply lock
- Dual cavities accommodate different size switch tongues
- Accepts lock shackles up to 0.28 in. dia.
- Dimensions: 0.83 in. x 0.35 in. x 2.15 in.


Catalog #	Description	Qty.
65387	120V Snap-On Breaker Lockout	1
65688	120V Snap-On Breaker Lockouts	6



120/277V and 480/600V Clamp-On Breaker Lockout

- Works on a wide range of single-pole and internal-trip multi-pole breakers
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place
- Accepts lock shackles up to 0.28 in.
- Detachable cleats expand the range of applicable breakers


Catalog #	Description	Qty.
65396	120/277V Clamp-On w/ Cleat	1
65965	120/277V Clamp-On w/ Cleat	6
65397	480/600V Clamp-On w/ Cleat	1
65966	480/600V Clamp-On w/ Cleat	6




Oversized 480/600V Clamp-On Breaker Lockout

- Oversized 480/600V frame lockout fits breaker switches up to 2.25 in. wide and 0.875 in. thick
- Made of durable polypropylene and glass-filled, impact-modified nylon

Catalog #	Description	Qty.
65329	Oversized Breaker Lockout	1
65321	Oversized Breaker Lockout	6



Step 1 *Step 2* *Step 3*



Extra Cleats for Clamp-On Breaker Lockout

- Use in conjunction with clamp-on breaker lockouts (sold separately) to expand the range of applicable breakers that can be locked out
- Easily clips onto the bottom of the lockout body
- Assures positive restraint for breakers with long, sliding switch throws

Catalog #	Description	Qty.
65404	Extra Cleats For 120/277V Lockout	6
65406	Extra Cleats For 480/600V Lockout	6

Circuit Breaker Lockouts

BradyID.com/s36

Miniature circuit breaker lockouts for single- and multi-pole breakers

The Miniature Circuit Breaker Lockout Devices from Brady are designed with specific circuit breakers in mind so that lockout can be completed safely and effectively without any tools. These lockouts feature quick and easy installation. Color tips to easily differentiate between devices.





Universal Fit

- One lockout device fits numerous ABB, Hager, Siemens and Schneider mini-circuit breakers
- Low-profile design allows for panel door closure
- Accept locks with shackle diameter up to 0.28 in.
- Quick and easy installation with no tools required
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
149514	Miniature circuit breaker lockout - Universal Fit (UF)	1
149515	Miniature circuit breaker lockout - Universal Fit (UF)	6






ABB MS325

- Specifically designed to lockout ABB MS325 series breakers
- Easy one-handed push button installation
- Complete lockout with full size padlock
- Extra-wide tip for added lockout security
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
149433	Miniature circuit breaker lockout - ABB MS325 (MS)	1
149434	Miniature circuit breaker lockout - ABB MS325 (MS)	6






Pin-Out Standard (POS)

- Easily installed with a push button; no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
90844	Miniature circuit breaker lockout - Pin-Out Standard (POS)	1
90845	Miniature circuit breaker lockout - Pin-Out Standard (POS)	6





Pin-In Standard (PIS)

- Easily installed with a push button; no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon


Catalog #	Type	Qty.
90847	Miniature circuit breaker lockout - Pin-In Standard (POS)	1
90848	Miniature circuit breaker lockout - Pin-In Standard (POS)	6

Miniature circuit breaker compatibility chart


Brand	Poles	Model No.	Type	Catalog # (1/pkg)
ABB	1	S222	POS, UF	90844, 149514
ABB	1	F374	POS, UF	90844, 149514
ABB	1	S251, S261, S263	POS, UF	90844, 149514
ABB	1	S272, S253	POS, UF	90844, 149514
ABB	3	S253	POS, UF	90844, 149514
ABB	3	MS325	MS, UF	149433, 149514
AEG	2	E82S	PIS	90847
Allen-Bradley	1,2,3	1492-CB1, 2, 3	POS	90844
Buschmat	1	S46	POS	90844
Clipsal	1	4CB116	POS	90844
Clipsal	3	4CB320	POS	90844
E-T-A	1	911225	PIS	90847
E-T-A	2	911220G	POS	90844
FAZ	4	C16	POS	90844
FAZ	1	C16	POS	90844
GE Vynckier	3	Series E	PIS	90847
GE Vynckier	3	Series G	PIS	90847
GE Vynckier	4	Series E	PIS	90847
GE Vynckier	1	Series G	PIS	90847
GE Vynckier 16A	2	Series E	PIS	90847
GE Vynckier C16, 16A	1	Series E	PIS	90847
Hager	3	453717	POS, UF	90844, 149514
Hager	2	MW216A	POS, UF	90844, 149514
Hager	4	MW620A	POS, UF	90844, 149514
Kapp	1	LS68	PIS	90844
Legrand	2	1935	TBLO	90844

Brand	Poles	Model No.	Type	Catalog # (1/pkg)
Legrand	3	1980	TBLO	90844
Legrand	4	1980	TBLO	90844
Legrand	2	4302	PIS	90847
Legrand	3	6469	PIS	90847
Legrand	1	1908	PO	90844
Merlin Gerin	3	C80A	TBLO, POW	90850, 90853
Merlin Gerin	2	B100A	TBLO, POW	90850, 90853
Merlin Gerin	1	C60N	POS	90844
Merlin Gerin	1	C32N	POS	90844
Merlin Gerin	2	C60N	POS	90844
Merlin Gerin	4	C60N	POS	90844
Merlin Gerin	3	C32N	POS	90844
Merlin Gerin	3	C45AD	POS	90844
Proteus	1	C16	POS	90844
Proteus	1	C6	POS	90844
Proteus	3	C6	POS	90844
Siemens 17U	2	5SQ12	TBLO, UF	90853, 149514
Siemens 17U	3	5SQ13	TBLO, UF	90853, 149514
Siemens 17U	4	5SQ16	TBLO, UF	90853, 149514
Siemens 17U	1	5SQ11	POW, UF	90850, 149514
Siemens C10	1	5SX1	POW, UF	90850, 149514
Siemens C32	2	5SX1-2	TBLO, UF	90853, 149514
Siemens C70	3	5SX13	TBLO, UF	90853, 149514
Siemens L20A	2	5SN2-2	TBLO, UF	90853, 149514
Sursum	3	EA53	PIS	90847
Wylex	2	WRS40/2	POS	90844









Pin-Out Wide (POW)

- Easily installed with a push button; no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
90850	Miniature circuit breaker lockout - Pin-Out Wide (POW)	1
90851	Miniature circuit breaker lockout - Pin-Out Wide (POW)	6

Tie-Bar Lockout (TBLO)

- Thumb wheel for quick application, no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
90853	Miniature circuit breaker lockout - Tie-Bar Lockout (TBLO)	1
90854	Miniature circuit breaker lockout - Tie-Bar Lockout (TBLO)	6

Fuse and Terminal Block Lockouts


BradyID.com/s36

new



Fuse and Terminal Block Lockouts

- Designed for quick and easy installation with no tools needed
- Durable and non-conductive
- Made from fiberglass reinforced nylon
- Accepts 0.25 in. shackle safety padlocks, compact safety padlocks, cable padlocks and nylon ties



0.56 in. Block Fuse Lockout

Catalog #	Fits	Qty.
149280	0.56 in. Fuse Blocks	2
149281	0.56 in. Fuse Blocks	50

USSC2 Modular Fuse Lockout

Catalog #	Fits	Qty.
149282	USSC2 Modular Blocks	2
149283	USSC2 Modular Blocks	50

GE NEC Fuse Lockout

Catalog #	Fits	Qty.
149284	GE, NEC Fuse Blocks	2
149285	GE, NEC Fuse Blocks	50

Terminal Block Lockout


Catalog #	Fits	Qty.
149278	Multiple Terminal Blocks	2
149279	Multiple Terminal Blocks	50



Universal Fuse Lockout

- Designed to prevent the unintended re-energization of an energy source through a fuse
- Easy to use device fits most fuse holders between 20 and 400 amps
- Dimensions: 1.38 in. x 0.59 in. x 2.36 in.


Catalog #	Description	Qty.
873367	Universal Fuse Lockout - Red	1



Fuse Lockout Device

- Unique locking mechanism prevents device from being accidentally removed from fuse block
- Available in two sizes for most commonly used fuses

Catalog #	Description	Qty.
65750	Fuse Lockout size 13⁄32 in.	6
65751	Fuse Lockout size 9⁄16 in.	6



Fuse Blockout Device

- Small blockout device fits fuses 0.25, 0.28, 0.41 and 0.56 in. sizes
- Large blockout to fits 0.68 in., 0.81 in. and blade type fuses

Catalog #	Description	Qty.
65690	Small Fuse Blockout	6
65691	Large Fuse Blockout	6



Safe-T-Grip® Fuse Pullers

- Provides maximum convenience when removing or replacing cartridge fuses
- Notched handles for non-slip grip
- Clearly marked amperage ranges
- Exceeds MIL specifications

Catalog #	Description	Application
65279	5 in. Fuse Puller	For 9⁄32 in. to 1⁄2 in. dia. fuses
65280	7.5 in. Fuse Puller	For 0–100A, 250V and 600V

BRADY



Pneumatic Quick-Disconnect Lockout

- Isolates pneumatic energy without the expense and inconvenience of installing in-line lockout valves
- Device is applied to the male fitting, isolating equipment from all compressed air sources
- Accommodates the majority of 0.25 in., 0.375 in., 0.5 in. male fittings
- Hole in center of device allows for permanent storage on an air hose and a loop on the side can be used to hang the hose and lockout device
- Accepts up to 0.25 in. shackle

Catalog #	Description	Qty.
64221	Pneumatic Lockout	1
65645	Pneumatic Lockout	6



SMC Air Line Regulator Lockout

- Enables regulator to be locked in the on, off or throttled position
- Easy installation: remove snap cap, install lockout on regulator rod, snap replacement cap on regulator
- Comes with lockout, cap and allen wrench. Padlock not included.

Catalog #	Description
64539	Lockout for Miniature SMC Models AR2000 / NAR2000
64540	Lockout for Intermediate SMC Models AR3000 / NAR3000



Cylinder Tank Lockout

- Used to lockout cylinder tanks, including propane tanks on fork trucks and stand alone propane tanks
- Apply with ease to prevent access to the valve handle
- Designed to fit in tight spaces
- Valve stem hole is 1.25 in. diameter
- Made of rugged polystyrene plastic

Catalog #	Description
SD02M	Cylinder Tank Lockout





Gas Cylinder Lockout

- Prevents access to main cylinder valve
- No need to match your lockout device to varying diameters and threads of cylinder caps
- Accommodates neck rings up to 3.5 in. diameter
- Easy and efficient installation

Catalog #	Description	Qty.
LM023E	Gas Cylinder Lockout	1





Snap Cap™ Gas Cylinder Lockout

- Designed to fit most North American pressure gas cylinders
- Meets DOT standards Denies access to the main cylinder control and regulator attachment
- Powder-coated welded steel construction is extremely durable

Catalog #	Size	Thread Type
90496	6.5 in. x 3.125 in. x 11 UN	High Pressure Fine Thread
95137	6.5 in. x 3.5 in. x 11 UN	Low Pressure Fine Thread
95138	6.5 in. x 3.125 in. x 11 UN	High Pressure Coarse Thread
95139	6.5 in. x 3.5 in. x 11 UN	Low Pressure Coarse Thread

Safety Covers

BradyID.com/s36

new



Pendant Control Safety Cover

- Innovatively designed device controls access to your pendant controls
- Rigid sides prevent access on all four sides to prevent access to buttons
- Expandable for use on multiple-sized pendants up to 18 inches
- Collapsible design for easy transport and storage – simply flatten, store or take wherever need
- Room for up to four padlocks

Catalog #	Description	Size	Qty.
150587	Pendant Control Safety Cover	5.25 in W x 11 in L (Expands to fit 18 in pendant)	1





Push Button and E-Stop Safety Covers

- Temporarily prevent access to the ON/OFF and emergency stop buttons
- Universal fit for IEC and NEMA buttons
- Features one-time installation of low profile base and removable, transparent cover which allows view of button position while cover is installed
- Hinged eyelet accepts safety locks
- Each base supplied with 1 yellow label, 1 red label and adhesive backing



Each base supplied with 1 yellow label, 1 red label and adhesive backing

Catalog #	Description	Button	Color	Qty.
134018	Small Base with Short Cover	16mm	Red Cover	1
130819	Small Base with Tall Cover	16mm	Red Cover	1
130820	Medium Base with Medium Cover	22mm	Red Cover	1
130821	Large Base with Medium Cover	30mm	Red Cover	1
139793	Small Base with Short Cover	16mm	Clear Cover	1
139794	Small Base with Tall Cover	16mm	Clear Cover	1
139795	Medium Base with Medium Cover	22mm	Clear Cover	1
139796	Large Base with Medium Cover	30mm	Clear Cover	1
130822	Extra Bases - Small	16mm	Clear	5
130823	Extra Bases - Medium	22mm	Clear	5
130824	Extra Bases - Large	30mm	Clear	5



Wall Switch Lockouts

- Use with most wall-mounted switches
- Easy to install using existing screws
- Come in a high visibility red color and can lock switch in ON or OFF position

Catalog #	Description	Qty.
65392	Red Wall Switch Lockout	1
65696	Red Wall Switch Lockout	6





Clear Wall Switch Lockout

- Use with most wall-mounted switches
- Easy to install using existing screws
- Features a patented non-hinge design and is made of strong, clear polycarbonate

Catalog #	Description	Qty.
WSLO	Clear Wall Switch Lockout	1

**Padlock not included*



Push Button Cover NEMA 30.5 mm (PBL6)



Push Button Cover IEC 22.5mm (PBL8)


Push Button Safety Covers

- 104602: Clear hinged cover completely covers button, and prevents access. White legend plate included
- 104603: Clear and metal hinged cover completely covers button preventing access

Catalog #	Type	Qty
PBL6	Push Button Safety Cover - NEMA 30.5 mm	1
PBL8	Push Button Safety Cover - IEC 22.5 mm	1



Emergency Stop Cover NEMA 30.5mm (PBL2)



Emergency Stop Cover IEC 22.5mm (PBL4)

Emergency Stop Safety Covers


- Permanently install over push / pull or twist-release emergency stops
- Durable metal bar locks button in the depressed OFF position when lock shackle is inserted

Catalog #	Type	Qty
PBL2	Emergency Stop Cover - NEMA 30.5 mm	1
PBL4	Emergency Stop Cover - IEC 22.5 mm	1


Plug Lockouts

BradyID.com/s36





Internal post prevents cable from slipping or being pulled out



Large size fits terminal end and inline connectors





Single device fits connectors with and without handles



Non-conductive pins ensure the device stays tightly in place

BatteryBlock™ Battery Cable Lockout for Commercial Vehicles

- Innovatively designed device keeps battery cables locked out throughout vehicle maintenance
- Non-conductive post and cover prevent the cable from slipping or being pulled out of the device
- Low-profile design for tight working areas
- Space for up to two padlocks so your device stays secured throughout maintenance
- Large size fits terminal end and inline connectors

Catalog #	Type	Qty
150820	BatteryBlock for Commercial Vehicles - Small	1
150822	BatteryBlock for Commercial Vehicles - Small	24
150821	BatteryBlock for Commercial Vehicles - Large	1
150823	BatteryBlock for Commercial Vehicles - Large	24

BatteryBlock™ Power Connector Lockout for Forklifts

- Innovatively designed device securely locks out forklift power connector during maintenance
- Unlike current products on the market, this device fits on 175A and 350A power connectors with and without handles
- Single-piece design with space for two padlocks
- Non-conductive pins ensure the device stays tightly in place during off-shift periods or maintenance projects

Catalog #	Type	Qty
150841	BatteryBlock for Forklifts	1





3-In-1 Electrical Plug Lockout

- Accommodates high- and low-voltage plugs up to 3 in. diameter and 5.5 in. long
- Sliding top lids can be used individually or together to accommodate small, medium and large-diameter cords
- Constructed of yellow thermoplastic and supplied with bilingual label

Catalog #	Type	Qty
PLO23	3-in-1 Plug Lockout	1






Electrical Plug Lockouts


- Rugged polypropylene lockout prevents electrical plugs from being inserted into a wall outlet
- Use when plug will not remain under the exclusive acontrol of the person performing service
- Small: 2 in. x 2 in. x 3.5 in. with 0.5 in. dia. hole for cable
- Large: 3.25 in. x 3.25 in. x 7 in. with 1 in. dia. hole for cable

Catalog #	Type	Qty
65674	Small 110V Plugout	1
65675	Large 220/500V Plugout	1

BRADY







Electrical / Pneumatic Plug Lockout

- Accommodates a large variety of electrical plugs up to 3.5 in. diameter and 5 in. long as well as male air hose connectors
- Holes accommodate electrical cord or necked down pneumatic male fittings commonly attached to compressed air hose
- Works on 110V, 220V and 550V plugs
- Constructed of durable polystyrene


Catalog #	Type	Qty
PLO27E	Electrical/Pneumatic Plug Lockout	1

Hubbell Plugout™ Lockout

- Two sizes available to fit most heavy industrial plug applications
- Small dimensions: 4.25 in. x 7.31 in.
  maximum cord dia. 1.2 in.
  max plug size 2.75 in x 4.75 in
- Large dimensions: 6.31 in. x 12.47 in.
  maximum cord dia. 1.46 in.
  max plug size 4.5 in x 10.3 in

Catalog #	Type	Qty
65695	Small Hubbell Plugout Lockout	1
65968	Large Hubbell Plugout Lockout	1







Stopower® Plug Lockouts

- Ideal for office equipment and other frequently locked out cords
- For use on 2 or 3 pronged polarized plugs
- Cord cannot be plugged in with Stopower in place
- Device cannot be removed without key

Catalog #	Type	Qty.
65673	Red Stopower Plug (keyed different)	1
QB0033	Red Stopower Plug (keyed alike)	1

Detachable IEC Plug Lockout

- Block to prevent power going to the socket
- Durable, vibrant-orange nylon material
- Lightweight, compact size
- Simply plug into socket and twist

Catalog #	Type	Qty.
148081	Detachable IEC Lockout	1

**Padlock not included*

AC Sensor

- Selected by OSHA Electrical Technical Equipment Committee as the only instrument of its type for use by OSHA compliance officers to identify and cite electrical hazards of 50-1000 volts AC
- CAT IV rated and UL Listed

Catalog #	Description	Qty.
65269	AC Sensor	1

Combination Lockout Kits

BradyID.com/s36

Electrical / Valve Combination Lockout Kits

These combination lockout kits can be purchased with or without padlocks and tags. Padlocks included in these kits are keyed differently (each lock has its own unique key). For kits keyed alike, see the Personal Lockout Kits.







Combination Lockout Satchel

- Everything you need to lock out the most common mechanical and electrical control points, with extra valve lockout devices
- Components:
  - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
  - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
  - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
  - 1 - 5 in. to 6.5 in. Gate Valve Lockout (65562)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Lockout Satchel (51173)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99687	Kit w/ 2 Nylon Padlocks and 2 Tags
99688	Kit w/ 2 Steel Padlocks and 2 Tags
99686	Kit without padlocks



Combination Lockout Toolbox

- Contains all of the basic tools needed to lock out gate and ball valves, circuit breakers, switches and plugs
- Components:
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
  - 1 - 1.25 in. to 3 in. Ball Valve Lockout (65669)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Lockout Belt Pouch (51172)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99684	Kit w/ 2 Nylon Padlocks and 2 Tags
99685	Kit w/ 2 Steel Padlocks and 2 Tags
99682	Kit without padlocks



SafeKey Padlocks

Maintenance Lockout Kit

- Lockout kit specifically designed for use by internal maintenance crews
- Components:
  - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
  - 1 - All-Purpose Cable Lockout (50943)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Wall Switch Lockout (65392)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - AC Sensor (65269)
  - 10 - Lockout Danger Tags (LT10)
  - 1 - 1 in. Steel Lockout Hasp (T218)
  - 1 - 1.5 in. Steel Lockout Hasp (T220)
  - 1 - Sheet of Lock Labels (LID-2)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - Plastic Utility Box (LKP-TKLBOX)
  - 3 - Keyed-different Padlocks

Catalog #	Description
150952	Kit w/ 3 SafeKey Nylon Padlocks w/ Steel Shackles
150951	Kit w/ 3 SafeKey Aluminum Padlocks
134032	Kit w/ 3 Key-Retaining Steel Padlocks



SafeKey Padlocks

Premium Lockout Kit

- Premium portable lockout kit that contains a large variety of electrical and mechanical lockout devices, tags, and labels
- Components:
  - 2 - Multi-pole Breaker Lockouts (BL07)
  - 3 - Single Pole Breaker Lockouts (BL01)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
  - 1 - Cable Lockout Device (CABLO)
  - 1 - Wall Switch Lockout (WSLO)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 120-600 AC Voltage Sensor (ESAC600)
  - 3 - 1.5 in. Steel Lockout Hasps (T220)
  - 5 - Lockout Labels "Lock Out Before Servicing" (LOSV15)
  - 5 - Lockout Labels "Lock Out Here" (LOSV14)
  - 5 - Lockout Labels "Caution This Machine Must Be Locked Out" (LOSV2)
  - 20 - Lockout Tags (LT10)
  - 14 - Padlock Labels (LID-2)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
  - 3 - Keyed-different Padlocks

Catalog #	Description
LKP-SK-NS	Kit w/ 3 SafeKey Nylon Padlocks w/ Steel Shackles
LKP-SK-AL	Kit w/ 3 SafeKey Aluminum Padlocks
LKP	Kit w/ 3 Key-Retaining Steel Padlocks



Ultimate Lockout Kit

- Ultimate portable lockout kit contains a variety of lockout devices for electrical and mechanical applications
- Components:
  - 1 - Safetee™ Donut 1 in. to 2.5 in. (SD02)
  - 1 - Safetee™ Donut 5 in. to 6.5 in. (SD06)
  - 1 - Ball Valve Lockout (BS07A)
  - 1 - Ball Valve Lockout (BS08A)
  - 1 - Electrical Plug / Pneumatic Lockout (PL027E)
  - 1 - Cable Lockout Device (CABLO)
  - 2 - No-hole Breaker Lockout (BL04)
  - 2 - Triple-pole Breaker Lockout (BL03)
  - 1 - Multi-pole Breaker Lockout (BL07)
  - 2 - 1.5 in. Steel Lockout Haspa (T220)
  - 1 - Wall Switch Lockout (WSLO)
  - 10 - "Do Not Operate" Lockout Tags (LT10)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - 120–600 AC Voltage Sensor (ESAC600)
  - 3 - 0.75 in. Steel Padlocks, blue (LC041-BU)
  - 1 - Duffel Style Lockout Bag (LX980E)

Catalog #	Description
LK981E	Ultimate Lockout Kit
LK980E	Empty Lockout Bag Only



SafeKey Padlocks

Combination Lockout Duffel

- Everything you need to lock out the most common mechanical and electrical control points, with extra electrical lockout devices
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120 / 277V Clamp-On Breaker Lockout (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Small Plug Valve (113231)
  - 1 - Large Plug Valve (113232)
  - 1 - 1 in. to 6.5 in. Adj. Gate Valve Lockout (64057)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
  - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
  - 1 - Lockout Belt Pouch (51172)
  - 1 - Lockout Duffel Bag (99162)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
150990	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles and 2 Tags
150989	Kit w/ 2 SafeKey Aluminum Padlocks and 2 Tags
99690	Kit w/ 2 Nylon Padlocks and 2 Tags
99691	Kit w/ 2 Steel Padlocks and 2 Tags
99689	Kit without padlocks or tags



Lockout Kit - Spanish

- Everything you need to lockout electrical and mechanical isolation points. All contents come with Spanish legends.
- Components:
  - 2 - 1.25 in. to 3 in. Steel Ball Valve Lockout (65669)
  - 2 - 0.25 in. to 1 in. Nylon Ball Valve Lockout (65666)
  - 2 - 1 in. to 2.5 in. Gate Valve Lockouts (65560)
  - 2 - 2.5 in. to 5 in. Gate Valve Lockouts (65561)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 220 / 550V Electrical Plug Lockout (65675)
  - 6 - Wall Switch Lockouts (65392)
  - 6 - 120V Snap-On Breaker Lockouts (65387)
  - 6 - 120 / 277V Clamp-On Breaker Lockouts (65396)
  - 6 - Universal Multi-pole Breaker Lockouts (66321)
  - 5 - Spanish Aluminum Labeled Lockout Hasps
  - 25 - Spanish Lockout Danger Tags w/ Cable Ties
  - 6 - 0.75 in. Keyed-different Steel Padlocks (99504)
  - 6 - 2 in. Keyed-different Steel Padlocks (99528)
  - 2 - Lockout Canvas Security Bags (65780)

Catalog #	Description
65043	Lockout Kit - Spanish

BradyID.com/s36

Electrical Lockout Kits

Standard electrical lockout kits can be purchased with or without padlocks and tags. The padlocks included in these kits are keyed differently (each lock has its own unique key). For keyed alike kits, see the Personal Lockout Kits.





SafeKey Padlocks

Portable Padlock Pouch

- Portable kit includes selection of padlocks, tags and hasps
- Components:
  - 2 - Keyed-different Padlocks
  - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 - 1 in. Group Lockout Hasp (133161)
  - 1 - 1.5 in. Group Lockout Hasp (133162)
  - 1 - Lockout Belt Pouch (51172)

Catalog #	Description
150967	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles
150949	Kit w/ 2 SafeKey Aluminum Padlocks
99290	Kit w/ 2 Nylon Padlocks
99292	Kit w/ 2 Steel Padlocks



Electrical Power Pouch Kit

- Versatile lockout pouch contains useful electrical lockout devices and padlocks
- Components:
  - 2 - Lockout Tags
  - 1 - StoPower™ Electrical Plug Lockout (65673)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 1 in. Steel Lockout Hasp (133161)
  - 1 - Lockout Pouch (87943)

Catalog #	Description
95548	Electrical Power Pouch Kit
95550	Kit w/ 1 Red Steel Padlock



Breaker Lockout Pouch

- Versatile lockout pouch contains the most commonly used electrical lockout devices
- Components:
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - 120 / 277V Clamp-On Breaker Lockout (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout (65397)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 1 in. Steel Safety Lockout Hasp (133161)
  - 1 - Lockout Pouch (87943)

Catalog #	Description
95553	Breaker Lockout Pouch



Breaker Lockout Pouch Kit

- Contains our most popular circuit breaker lockouts
- Components:
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 2 - Lockout Tags
  - 1 - Red Nylon Padlock (99552)
  - 1 - Lockout Pouch (87943)

Catalog #	Description
95538	Breaker Lockout Pouch Kit



120 / 277V Breaker Lockout Pouch

- All the devices you need to lockout most 120 / 277V circuit breakers
- Components:
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - Universal Multi-pole Breaker Lockouts w/ Cleats (66321)
  - 1 - Lockout Belt Pouch (51172)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99300	120 / 277V Breaker Lockout Pouch Kit
99302	Kit w/ 2 Nylon Padlocks and 2 Tags
99303	Kit w/ 2 Steel Padlocks and 2 Tags



SafeKey Padlocks

Breaker Lockout Sampler Pouch

- One each of our most popular circuit breaker lockouts
- Components:
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Lockout Belt Pouch (51172)
    - Optional:
      2 - Keyed-different Padlocks
      2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
150969	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles
150970	Kit w/ 2 SafeKey Compact Nylon Padlocks w/ Nylon Shackles
99296	Kit w/ 2 Nylon Padlocks and 2 Tags
99297	Kit w/ 2 Steel Padlocks and 2 Tags
99293	Kit without padlocks and tags



Electrical Lockout Pouch

- Lightweight, portable pouch contains lockout devices to secure electrical equipment. Convenient metal loops on pouch allow pouch to hang on belt.
- Components:
  - 1 - 120 / 277V Clamp-On Breaker Lockout (65396)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 2 - Lockout Danger Tags
  - 1 - Aluminum Labeled Lockout Hasp
  - 1 - 2 in. Steel Padlock, Blue (99528)
  - 1 - Lockout Pouch (65292)

Catalog #	Description
65291	Electrical Lockout Pouch



Comprehensive Breaker Lockout Pouch

- Lightweight, portable pouch contains lockout devices to secure electrical equipment. Convenient metal loops on pouch allow pouch to hang on belt.
- Components:
  - 1 - 110V Electrical Plug Lockout (65674)
  - 3 - Wall Switch Lockouts (65392)
  - 3 - Universal Multi-pole Breaker Lockouts (66321)
  - 3 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 1 - 120 / 277V Additional Cleat (102721)
  - 1 - 480 / 600V Additional Cleat (102722)
  - 1 - Lockout Pouch (65292)

Catalog #	Description
65405	Comprehensive Breaker Lockout Pouch



Electrical Lockout Pouch Kit

- Compact and easy to use lockout pouch with the most common electrical devices
- Components:
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - 120V Snap-On Breaker Lockout (65387)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Wall Switch Lockout (65392)
  - 10 - Lockout Danger Tags (LT10)
  - 1 - 1.5 in. Steel Lockout Hasp (T220)
  - 1 - 0.75 in. Key-retaining Steel Padlock, Blue (143130)
  - 1 - Large Lockout Pouch

Catalog #	Description
134031	Brady Electrical Lockout Pouch Kit



Breaker Lockout Pouch Kit

- Compact and easy to use lockout pouch with the most common circuit breaker lockout devices
- Components:
  - 2 - 120V Snap-On Circuit Breaker Lockouts (65387)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 10 - Lockout Danger Tags (LT10)
  - 1 - 1.5 in. Steel Lockout Hasp (T220)
  - 1 - 0.75 in. Key-retaining Steel Padlock, Blue (143130)
  - 1 - Large Lockout Pouch

Catalog #	Description
134034	Brady Breaker Lockout Pouch Kit

Electrical Lockout Kits

BradyID.com/s36



Lockout Kit With Large Box

- Versatile lockout kit with essential lockout tagout components
- Components:
  - 3 - 120V Snap-On Breaker Lockouts (65387)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 1 - Sheet of Lock Labels (LID-2)
  - 10 - Lockout Danger Tags (LT10)
  - 3 - 1.5 in. Steel Lockout Hasps (T220)
  - 3 - 0.75 in. Key-retaining Steel Padlocks, Blue (143130)
  - 1 - Lockout Safety Training Booklet (2112X)
  - 1 - Plastic Utility Box

Catalog #	Description
134035	Brady Lockout Kit With Large Box



SafeKey Padlocks

Basic Electrical Lockout Toolbox

- A handy lockout toolbox kit that includes your most commonly used electrical lockout devices
- Components:
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Labeled Group Lockout Hasp (65960)
  - 5 - Lockout Tags (65525)
  - 2 - Padlocks
  - 1 - Lockout Toolbox (65290)

Catalog #	Description
150981	Kit w/ 2 SafeKey Nylon Padlocks (1.5 in. and 3 in. steel shackles)
150982	Kit w/ 2 SafeKey Aluminum Padlocks (1.5 in. and 3 in. shackles)
65289	Kit w/ 2 Steel Padlocks (0.75 in. and 2 in. shackles)



Electrical Lockout Starter Kit

- Contains everything you need to mark and secure a variety of electrical components to protect employees
- Components:
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 220/500V Electrical Plug Lockout (65675)
  - 6 - Wall Switch Lockouts (65392)
  - 6 - 120V Snap-On Breaker Lockouts (65387)
  - 6 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 6 - Universal Multi-pole Breaker Lockouts (66321)
  - 3 - Labeled Group Lockout Hasps (65960 English / 39480 Spanish)
  - 10 - Lockout Tags with Cable Ties
  - 2 - 0.75 in. Steel Padlocks, Blue (99504)
  - 2 - 2 in. Steel Padlocks, Blue (99528)
  - 1 - Canvas Lockout Bag (65780)

Catalog #	Description
65777	English Electrical Lockout Starter Kit (Danger Tags)
121510	Spanish Electrical Lockout Starter Kit (Precaucion Tags)
121513	Spanish Electrical Lockout Starter Kit (Peligro Tags)

View individual devices

- Padlocks..... page 188
- Mini Cable Lockouts..... page 208
- Cable Lockouts ..... page 208
- Ball Valve Lockouts ..... page 212
- Gate Valve Lockouts..... page 211
- Plug Valve Lockouts ..... page 212
- Breaker Lockouts ..... page 218
- Fuse Lockouts ..... page 224



Lockout Toolbox with Components

- Economical lockout toolbox with the most common electrical circuit breaker lockouts
- Components:
  - 1 - 220 / 550V Electrical Plug Lockout (65675)
  - 1 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 2 - Lockout Tags
  - 1 - Nylon Padlock, Red (99552)
  - 1 - Lockout Toolbox (65290)

Catalog #	Description
95540	Lockout Toolbox with Components



Breaker Lockout Toolbox

- Everything you need to lockout most circuit breakers
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 2 - 120V Snap-On Breaker Lockout (65387)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Lockout Toolbox (65290)
  - Optional: Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99305	Breaker Lockout Toolbox Kit
99307	Kit w/ 2 Nylon Padlocks and 2 Tags
99308	Kit w/ 2 Steel Padlocks and 2 Tags



Optional Sign and Rack

SafeKey Padlocks

Economy Lockout Kit with Toolbox

- Ensure equipment is de-energized or locked out in accordance with OSHA regulations
- Sign and Rack also available to conveniently hold the kit
- Components:
  - 3 - 1.5 in. Steel Lockout Hasps (T220)
  - 14 - Padlock Identifier Labels (LID-2)
  - 1 - pkg. (10) - Lockout Tags with Ties (LT10)
  - 3 - Single Pole Breaker Lockouts (BLO1)
  - 2 - Multi-pole Breaker Lockouts (BLO3)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Lockout Training Booklet (2112X)
  - 1 - Toolbox (7 in. x 12 in. x 5 in.)
  - 3 - Keyed-different Padlocks
  - Optional: 1 Sign and Storage Rack

Catalog #	Description
LKX-SK-NS	Kit w/ 3 SafeKey Nylon Padlocks w/ Steel Shackles
LKX-SK-AL	Kit w/ 3 SafeKey Aluminum Padlocks
LKX	Kit w/ 3 Steel Padlocks
LKXSET	Kit w/ 3 Steel Padlocks, Sign and Storage Rack
LKX-Rack	Sign and Store Rack only



SafeKey Padlocks

Electrical Lockout Toolbox

- Contains all of the basic devices needed to lock out circuit breakers, electrical plugs, wall switches and fuses
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 2 - Cleats for 120 / 277V Clamp-On Lockouts (65404)
  - 2 - Cleats for 480 / 600V Clamp-On Lockouts (65406)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Wall Switch Lockout (65392)
  - 1 - Small Fuse Blockout (65690)
  - 1 - Large Fuse Blockout (65691)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
  - 1 - Red Belt Pouch (51172)
  - Optional: 2 - Keyed-different Padlocks, 2 Heavy-duty Tags w/ Cable Ties

Catalog #	Description
150972	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles and 2 Tags
150971	Kit w/ 2 SafeKey Compact Nylon Padlocks w/ Nylon Shackles and 2 Tags
99312	Kit w/ 2 Nylon Padlocks and 2 Tags
99313	Kit w/ 2 Steel Padlocks and 2 Tags
99310	Kit without padlocks or tags

Valve Lockout Kits

The valve lockout kits can be purchased with or without padlocks and tags. The padlocks included in these kits are keyed differently (each lock has its own unique key). For kits keyed alike, see the Personal Lockout Kits.





Valve Lockout Pouch

- Components:
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 2 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
  - 1 - Plug Valve Lockout for stem dia. up to 0.875 in. (113231)
  - 1 - Plug Valve Lockout for stem dia. 20.28 in. to 1.375 in. (113232)
  - 1 - Large Lockout Pouch (50979)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99680	Kit w/ 2 Nylon Padlocks and 2 Tags
99681	Kit w/ 2 Steel Padlocks and 2 Tags
99679	Valve Lockout Pouch Kit



Gate Valve Lockout Pouch

- Components:
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed cable (50943)
  - 1 - Nylon Carrying Case (50979)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties

Catalog #	Description
102692	Kit w/ 2 Nylon Padlocks and 2 Tags
102693	Kit w/ 2 Steel Padlocks and 2 Tags
101416	Gate Valve Lockout Pouch Kit



Gate Valve Lockout Satchel

- Components:
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
  - 1 - 5 in. to 6.5 in. Gate Valve Lockout (65562)
  - 1 - 6.5 in. to 10 in. Gate Valve Lockout (65563)
  - 1 - 10 in. to 13 in. Gate Valve Lockout (65564)
  - 1 - Lockout Satchel (51173)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99677	Kit w/ 2 Nylon Padlocks and 2 Tags
99678	Kit w/ 2 Steel Padlocks and 2 Tags
99676	Gate Valve Lockout Satchel Kit

Looking for kits with keyed-alike padlocks?

See the Personal Lockout Kits section for kits with keyed-alike padlocks.



Valve Lockout Kit

- The essential lockout devices needed for the most common valves in your facility
- Components:
  - 1 - 2.3 in. to 5 in. Gate Valve Lockout (65561)
  - 10 - 7 in. Red Cable Ties (FT100X-RED)
  - 1 - All-Purpose Cable Lockout (50943)
  - 2 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
  - 10 - Bilingual Lockout Tags (TG400B-ONE)
  - 2 - 1.5 in. Steel Lockout Hasp (T220)
  - 2 - 0.75 in. Key-retaining Steel Padlocks, Blue (143130)
  - 1 - Plastic Utility Box (LKP-TKLBOX)

Catalog #	Description
134033	Valve Lockout Kit



Valve Lockout Toolbox

- Everything you need to lock out gate, ball and butterfly valves
- Components:
  - 1 - Small Universal Valve Lockout w/ Blocking Arm (50924 and 65402)
  - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
  - Optional:
    2 - Keyed-different Padlocks
    2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99321	Kit w/ 2 Nylon Padlocks and 2 Tags
99324	Kit w/ 2 Steel Padlocks and 2 Tags
99320	Kit without padlocks or tags

Lockout Tagout Technical Data Sheets

Download technical sheets for over 350 lockout SKUs including lockout devices and padlocks.

These sheets offer lots of information, including:

- Basic product description and photos
- Material information and temperature resistance
- Chemical resistance
- Detailed dimensional data
- SDS information on the materials

To view all technical data sheets visit at **BradyID.com/techdata**



BradyID.com/s36

Personal Lockout Kits

Personal lockout kits come equipped with keyed-alike padlocks, allowing all the locks in a kit to be opened with a single key. This simplifies key management and ensures that employees can quickly and easily find the right key. For kits containing padlocks that are keyed different (each padlock has its own unique key), see the standard lockout kits on previous pages. Or select a personal lockout kit without padlocks, and purchase the padlocks separately.





Personal Padlock Pouch

- Components:
  - 2 - 1 in. Group Lockout Hasps (133161)
  - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 2 - Keyed-different Padlocks
  - 1 - Lockout Belt Pouch (51172)

Catalog #	Description
105969	Kit w/ 2 Keyed-alike Nylon Padlocks
105970	Kit w/ 2 Keyed-alike Steel Padlocks



Operator Lockout Tagout Kit

- Components:
  - 1 - Lockout Safety Card
  - 1 - Lockout Danger Tag
  - 1 - 1.5 in. Steel Lockout Hasp (T220)
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - Nylon Padlock, Black (99580)
  - 1 - Plastic Box

Catalog #	Description
134030	Brady Operator Lockout Tagout Kit



SafeKey Padlocks

Standard Lockout Belt Pack

- Components:
  - 1 - Lockout Safety Card
  - 2 - Lockout Danger Tags
  - 1 - Lockout Keychain
  - 2 - 7 in. Red Cable Ties (FT100X-RED)
  - 1 - 1.5 in. Steel Lockout Hasp (T220)
  - 1 - Lockout Pouch (LKPOUCH)
  - 1 - Padlock

Catalog #	Description
LK627E-SK-NS	Kit w/ 1 SafeKey Nylon Padlock w/ Steel Shackle
LK627E-SK-AL	Kit w/ 1 SafeKey Aluminum Padlock
LK627E	Kit w/ 1 Aluminum Padlock



Personal Breaker Pouch

- Covers 120 / 277V and 480 / 600V single- and multi-pole breakers.
- Components:
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 2 - 1 in. Group Lockout Hasps (133161)
  - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 - Lockout Belt Pouch (51172)
  - Optional: 2 - Keyed-alike Padlocks

Catalog #	Description
105967	Kit w/ 2 Keyed-alike Nylon Padlocks
105968	Kit w/ 2 Keyed-alike Steel Padlocks
105966	Personal Breaker Lockout Pouch Kit



Cable Lockout Kit

- Components:
  - 2 - Cable Lockout Devices (CABLO)
  - 2 - Laminated Steel Padlocks (LC041-BU)
  - 1 - 1 in. Steel Lockout Hasp (T218)
  - 2 - English and Spanish Tags w/ Ties
  - 1 - Polyethylene Carrying Case (7 in. x 12 in. x 5 in.)

Catalog #	Description
LK520B	Cable Lockout Kit



Chain Lockout Kit

- Components:
  - 3 - 1.5 in. Steel Lockout Hasp (T220)
  - 3 - Aluminum Padlocks (LCO44-RD)
  - 3 - Lockout Tags w/ Ties
  - 1 - 48 in. Chain
  - 1 - Carrying Case (7 in. x 12 in. x 5 in.)

Catalog #	Description
LK041R	Lockout Kit w/ 1 Chain
LK042R	Lockout Kit w/ 2 Chains



Personal Basic Lockout Kit

- Contains the basic devices needed to lockout common circuit breakers, valves and plugs
- Components:
  - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Small 110V Electrical Plug Lockout (65674)
  - 2 - 1 in. Lockout Hasps (133161)
  - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 - Small Lockout Toolbox (105905)
  - Optional: 2 - Keyed-alike Padlocks

Catalog #	Description
104795	Kit w/ 2 Keyed-alike Nylon Padlocks
104796	Kit w/ 2 Keyed-alike Steel Padlocks
104794	Personal Basic Lockout Kit



SafeKey Padlocks

Personal Breaker Lockout Kit

- Tool box with 2 each of our most popular circuit breaker lockouts
- Covers 120 / 277V and 480 / 600V circuit breakers in single- and multi- pole configurations
- Components:
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 3 - 1 in. Red Lockout Hasps (133161)
  - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 - Small Lockout Toolbox (105905)
  - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
150980	Kit w/ 3 Keyed-alike SafeKey Nylon Padlocks w/ Steel Shackles
150979	Kit w/ 3 Keyed-alike SafeKey Compact Nylon Padlocks w/ Nylon Shackles
105964	Kit w/ 3 Keyed-alike Nylon Padlocks
105965	Kit w/ 3 Keyed-alike Steel Padlocks
105963	Kit without padlocks



Basic Lockout Kit with Metal Toolbox

- Rugged lockout toolbox kit with all of the basic components to get your lockout program started
- Components:
  - 5 - 7 in. Red Cable Ties (FT100X-RED)
  - 5 - Lockout Danger Tags
  - 3 - 1.5 in. Steel Lockout Hasps (T220)
  - 1 - Lockout Keychain
  - 2 - 4 in. x 6 in. Magnetic Danger Sign
  - 1 - Lockout Mini Poster (PS811B)
  - 1 - OSHA Lockout Summary Sheet
  - 1 - Number Sheets
  - 1 - Pad of Lockout Tagout Checklists (119076)
  - 1 - Red Metal Toolbox
  - Optional: 3 - 1.5 in. Keyed-alike Aluminum Padlocks, Red

Catalog #	Description
LK907E	Kit w/ 3 Keyed-alike Aluminum Padlocks
LK330E	Basic Lockout Kit



Lockout Kit with Metal Toolbox

- Rugged lockout toolbox kit with all of the basic components to get your lockout program started
- Components:
  - 5 - 7 in. Red Cable Ties (FT100X-RED)
  - 5 - Lockout Danger Tags
  - 3 - 1.5 in. Steel Lockout Hasps (T220)
  - 1 - Lockout Keychain
  - 2 - 4 in. x 6 in. Magnetic Danger Sign
  - 1 - Lockout Mini Poster (PS811B)
  - 1 - OSHA Lockout Summary Sheet
  - 1 - Number Sheets
  - 1 - AC Sensor (65269)
  - 3 - 1.5 in. Keyed-alike Aluminum Padlocks, Red
  - 1 - Red Metal Toolbox

Catalog #	Description
LK331E	Lockout Kit with Metal Toolbox

Personal Lockout Kits

BradyID.com/s36



SafeKey Padlocks

Personal Electrical Lockout Kit

- Contains lockouts for use on most circuit breakers, electrical plugs and disconnect switches.
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 2 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 3 - 1 in. Group Lockout Hasps (133161)
  - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 - Medium Lockout Toolbox (105906)
  - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
150978	Kit w/ 3 Keyed-alike SafeKey Nylon Padlocks w/ Steel Shackles
150977	Kit w/ 3 Keyed-alike SafeKey Compact Nylon Padlocks w/ Nylon Shackles
105961	Kit w/ 3 Keyed-alike Nylon Padlocks
105962	Kit w/ 3 Keyed-alike Steel Padlocks
105960	Kit without padlocks



SafeKey Padlocks

Personal Valve and Electrical Lockout Kit

- Provides everything you need to lockout circuit breakers, plugs and valves of various types and sizes
- Components:
  - 1 - All-Purpose Cable Lockout (50943)
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 1 - Plug Valve Lockout for stem dia. up to 0.875 in. (113231)
  - 1 - Plug Valve Lockout for stem dia. 0.28 in. to 1.375 in. (113232)
  - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 3 - 1 in. Group Lockout Hasps (133161)
  - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 - Medium Lockout Toolbox (105906)
  - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
150987	Kit w/ 3 Keyed-alike SafeKey Nylon Padlocks w/ Steel Shackles
150988	Kit w/ 3 Keyed-alike SafeKey Aluminum Padlocks
105955	Kit w/ 3 Keyed-alike Nylon Padlocks
105956	Kit w/ 3 Keyed-alike Steel Padlocks
105954	Kit without padlocks



Personal Valve Lockout Kit

- Contains lockouts for use on a wide range of gate and ball valves
- Components:
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
  - 1 - All-Purpose Cable Lockout (50943)
  - 3 - 1 in. Group Lockout Hasps (133161)
  - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 - Medium Lockout Toolbox (105906)
  - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
105958	Kit w/ 3 Keyed-alike Nylon Padlocks
105959	Kit w/ 3 Keyed-alike Steel Padlocks
105957	Kit without padlocks

View individual devices

- Padlocks..... page 188
- Mini Cable Lockouts..... page 208
- Cable Lockouts ..... page 208
- Ball Valve Lockouts ..... page 212
- Gate Valve Lockouts..... page 211
- Plug Valve Lockouts ..... page 212
- Breaker Lockouts ..... page 218
- Fuse Lockouts ..... page 224

Custom Lockout Storage

Create your custom lockout kits by picking one of the storage / carrying cases below and filling it with the lockout devices you need.



Lockout Belt Pouch

- Made of heavy duty nylon with loops for hanging on a belt
- Dimensions: 4.75 in. x 7.5 in.

Catalog #	Description
51172	Lockout Belt Pouch



Large Lockout Pouch

- Nylon pouch with attachment loop on the back
- Dimensions: 8 in. x 7 in. x 3 in.

Catalog #	Description
50979	Large Lockout Pouch w/ Plastic Zipper
121502	Large Lockout Pouch w/ Metal Zipper



Lockout Security Bag

- Made of rugged canvas with drawstring
- Capable of being locked closed
- Dimensions: 9.75 in. x 18 in.

Catalog #	Description
65780	Lockout Security Bag



Lockout Satchel

- Nylon satchel with 39 in. shoulder strap
- Includes latchable front pocket and two side mesh holders
- Dimensions: 14 in. x 4 in. x 15 in.

Catalog #	Description
51173	Lockout Satchel



Extra-Large Lockout Toolbox

- Made of rugged polyethylene and includes a removable organizer tray
- Capable of being locked closed
- Dimensions: 5 in. x 12 in. x 7 in.

Catalog #	Description
LKX-TKLBOX	Lockout Toolbox



Lockout Duffel Bag

- Polyester duffel bag with 8 inside pockets and 39 in. removable shoulder strap
- Dimensions: 10 in. x 16.5 in. x 8.5 in.

Catalog #	Description
99162	Lockout Duffel Bag



Lockout Toolboxes

- Rugged polypropylene with nickel-plated steel clasps and removable tray
- Two handy storage pockets built into lid
- Small: 7.1 in. x 14 in. x 5.5 in.
  Medium: 7.8 in. x 16.2 in. x 7.3 in.

Catalog #	Description
105905	Small Toolbox
105906	Medium Toolbox



Large Metal Lockout Cabinet

- All metal, yellow powder-coated cabinet comes with one adjustable shelf
- Capable of being locked closed
- Can also be easily wall mounted using pre-drilled holes in back
- Safety tips printed on inside door
- Dimensions: 16 in. x 14 in. x 6 in.

Catalog #	Description
LC252M	Metal Lockout Cabinet
LC254M	Extra Shelf



Ready Access Lockout Station

- Made of polypropylene
- Semi-transparent hinged cover with locking mechanism
- Four small detachable hanging hooks
- Dimensions: 17 in. x 17 in. x 6.75 in.

Catalog #	Description
105942	Ready Access Lockout Station (empty)

Lockout Stations

BradyID.com/s36





Lockout Tagout Stations

Lockout Tagout Stations ensure that lockout devices are properly stored and always accessible when needed. They are a great place to centralize lockout activity needs by organizing the tools, padlocks and padlock keys in one location. Available in portable and wall-mounted styles, these stations are designed with the durability required for an industrial workplace, and can be locked to prevent theft and unauthorized usage.



Combined Lockout / Group Lockout Box Station

- Lockable all metal, yellow powder-coated cabinet comes with one adjustable shelf (extra shelves available)
- Included lock box attaches to bottom of cabinet and holds 8-10 locks
- Cabinet dimensions: 16 in. x 14 in. x 6 in. Lock box: 6 in. x 15 in. x 3 in.
- Components:
  - 1 - 120V Snap-On Breaker Lockouts (65387)
  - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleats (65396)
  - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleats (65397)
  - 1 - Universal Multi-pole Breaker Lockout (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 6 - Keyed-different Padlocks
  - 6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99709	Station w/ Components and 6 Nylon Padlocks, 12 Tags
99710	Station w/ Components and 6 Steel Padlocks, 12 Tags
LC252M	Metal Lockout Cabinet (empty)
LG252M	Metal Wall Lock Box Only
LC254M	Extra Shelf



Industrial Strength Lockout Station

- All metal, yellow powder-coated cabinet comes with one adjustable shelf (extra shelves available)
- Lockout safety tips on inside door
- Wall mounted or easily transported
- Cabinet dimensions: 16 in. x 14 in. x 6 in.
- Components:
  - 3 - Red Nylon Padlocks (99552)
  - 3 - Yellow Nylon Padlocks (99570)
  - 1 - 2.5 in. to 5 in. Safetee™ Donut (SDO4)
  - 1 - 1 in. to 2.5 in. Safetee™ Donut (SD02)
  - 1 - Single-Pole Breaker Lockout (BLO1)
  - 10 - Lockout Tags with Ties (LT10)
  - 2 - Multi-pole Breaker Lockout (BLO3)
  - 1 - 1 in. Multiple Lockout Device (T218)
  - 1 - Single-Pole Breaker Lockout (BLO4)
  - 1 - 1.5 in. Multiple Lockout Device (T220)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Small Plug Lockout (PLO21)

Catalog #	Description
LC251M	Industrial Strength Lockout Station
LC252M	Metal Lockout Cabinet (empty)
LC254M	Extra Shelf



Pictured: Ready Access Valve and Electrical Lockout Station

Ready Access Lockout Station

- Made of thermoformed polypropylene for rugged durability
- Semi-transparent hinged cover with locking mechanism
- Slots in back for wall mounting as well as attachable carrying handle for portability
- 4 detachable hanging hooks inside compartment
- Storage compartment: 4.25 in. x 16 in. x 5.12 in. Cabinet dimensions: 17 in. x 17 in. x 6.75 in.

Ready Access Valve Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 2 - Adjustable Gate Valve Lockouts (64057)
- 1 - All-Purpose Cable Lockout (50943)
- 2 - Ball Valve Lockouts (BSO7A)
- 2 - 1 in. Group Lockout Hasps (133161)
- 1 - 1.5 in. Group Lockout Hasp (133162)
- Optional:
  6 - Keyed-different Padlocks
  6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
105936	Valve Lockout Station Kit
105937	Kit w/ 6 Nylon Padlocks and Tags
105938	Kit w/ 6 Steel Padlocks and Tags
105942	Ready Access Lockout Station (empty)

SafeKey Padlocks

Ready Access Electrical Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 2 - 3-in-1 Electrical Plug Lockouts (PLO23)
- 1 - Mini Cable Lockout (50940)
- 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
- 2 - Universal Multi-pole Breaker Lockouts (66321)
- 1 - Oversized Breaker Lockout (65329)
- 2 - 1 in. Group Lockout Hasps (133161)
- 1 - 1.5 in. Group Lockout Hasp (133162)
- Optional:
  6 - Keyed-different Padlocks
  6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
150986	Kit w/ 6 SafeKey Nylon Padlocks and Tags
150985	Kit w/ 6 SafeKey Aluminum Padlocks and Tags
105940	Kit w/ 6 Nylon Padlocks and Tags
105941	Kit w/ 6 Steel Padlocks and Tags
105939	Kit without Padlocks or Tags
105942	Ready Access Lockout Station (empty)

Ready Access Valve and Electrical Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 1 - Adjustable Gate Valve Lockout (64057)
- 1 - All-Purpose Cable Lockout (50943)
- 1 - Ball Valve Lockout (BSO7A)
- 1 - 3-in-1 Electrical Plug Lockout (PLO23)
- 2 - 120 / 277V Clamp-On Breaker Lockouts w/ cleats (65396)
- 1 - 480 / 600V Clamp-On Breaker Lockout w/ cleat (65397)
- 2 - Universal Multi-pole Breaker Lockouts (66321)
- 2 - 1 in. Group Lockout Hasps (133161)
- 1 - 1.5 in. Group Lockout Hasp (133162)
- Optional:
  6 - Keyed-different Nylon Padlocks (99552) or steel padlocks (99500)
  6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
105933	Valve and Electrical Station Kit
105934	Kit w/ 6 Nylon Padlocks and Tags
105935	Kit w/ 6 Steel Padlocks and Tags
105942	Ready Access Lockout Station (empty)



Pictured: Ready Access Station with 10 Padlocks

Ready Access Padlock Station

- Holds up to 10 padlocks, 6 hasps and 10 tags
- Made of polypropylene for rugged durability
- Semi-transparent hinged cover with locking mechanism
- Slots in back for wall mounting as well as attachable carrying handle for portability
- Space-saving design delivers footprint half the size of competitors
- Dimensions: 17 in. x 13.25 in. x 2.5 in.

Padlock Station w/ 5 Padlocks:

- 1 - Ready Access Padlock Station (105932)
- 5 - Keyed-different Padlocks
- 5 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
- 2 - 1 in. Group Lockout Hasps (133161)
- 2 - 1.5 in. Group Lockout Hasps (133162)

Catalog #	Description
105928	Station w/ 5 Nylon Padlocks
105929	Station w/ 5 Steel Padlocks
105932	Ready Access Padlock Station (empty)

SafeKey Padlocks

Padlock Station w/ 10 Padlocks:

- 1 - Ready Access Padlock Station (105932)
- 10 - Keyed-different Padlocks
- 10 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
- 3 - 1 in. Group Lockout Hasps (133161)
- 3 - 1.5 in. Group Lockout Hasps (133162)

Catalog #	Description
150984	Station w/ 10 SafeKey Nylon Padlocks
150955	Station w/ 10 SafeKey Aluminum Padlocks
105930	Station w/ 10 Nylon Padlocks
105931	Station w/ 10 Steel Padlocks
105932	Ready Access Padlock Station (empty)

Lockout Stations

BradyID.com/s36



Shown without optional lockable clear acrylic door



Shown without optional lockable clear acrylic door



SafeKey Padlocks

Extra-Large Lockout Station

- Polystyrene station with pre-drilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back and sides (includes 8 hooks)
- Built-in lock rail holds 20–25 locks
- Dimensions: 30 in. x 25 in. x 5.25 in. Available with or without lockable door
- Components:
  - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
  - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts (65396)
  - 2 - 480 / 600V Clamp-On Breaker Lockouts (65397)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 2 - Cleats for 120 / 277V Clamp-On Lockouts (65404)
  - 2 - Cleats for 480 / 600V Clamp-On Lockouts (65406)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
  - 1 - 1.25 in. to 3 in. Ball Valve Lockout (65669)
  - 2 - 1 in. to 2.5 in. Gate Valve Lockouts (65560)
  - 1 - 1 in. to 6.5 in. Adj. Gate Valve Lockout (64057)
  - 2 - Labeled Lockout Hasps (65960)
  - 18 - Keyed-different Padlocks
  - 25 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 Station with “Lockout Station” legend

Catalog #	Description
Open Style Without Door	
150974	Open Station w/ Components, 18 SafeKey Nylon Padlocks and 25 Tags
150964	Open Station w/ Components, 18 SafeKey Aluminum Padlocks and 25 Tags
99693	Open Station w/ Components, 18 Nylon Padlocks and 25 Tags
99694	Open Station w/ Components, 18 Steel Padlocks and 25 Tags
50993	Open Lockout Station (empty)
Enclosed Style With Lockable Door	
150975	Enclosed Station w/ Components, 18 SafeKey Nylon Padlocks and 25 Tags
150973	Enclosed Station w/ Components, 18 SafeKey Aluminum Padlocks and 25 Tags
99696	Enclosed Station w/ Components, 18 Nylon Padlocks and 25 Tags
99700	Enclosed Station w/ Components, 18 Steel Padlocks and 25 Tags
50995	Enclosed Lockout Station (empty)

Large Lockout Station

- Constructed of sturdy polystyrene with pre-drilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back (includes 6 hooks)
- Built-in lock rail holds 15–20 locks
- Dimensions: 26 in. x 19.5 in. x 5 in. Available with or without lockable door
- Components:
  - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
  - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
  - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
  - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
  - 2 - Labeled Lockout Hasps (65960)
  - 12 - Keyed-different Padlocks
  - 25 - Heavy-duty Lockout Tags w/ Cable Ties
  - 1 Station with “Lockout Station” or “Estacion de Bloqueo” legend

Catalog #	Description
Open Style Without Door	
99699	English Station w/ Components,12 Nylon Padlocks and 25 “Danger Do Not Operate” Tags
121508	Spanish Station w/ Components, 12 Nylon Padlocks and 25 “Precaucion No Hacer Funcionar” Tags
121512	Spanish Station w/ Components, 12 Nylon Padlocks and 25 “Peligro No Operar” Tags
99697	English Station w/ Components, 12 Steel Padlocks and 25 “Danger Do Not Operate” Tags
50994	English Open Style Station (empty)
121509	Spanish Open Style Station (empty)
Enclosed Style With Lockable Door	
99703	English Enclosed Station w/ Components, 12 Nylon Padlocks and 25 “Danger Do Not Operate” Tags
99704	English Enclosed Station w/ Components, 12 Steel Padlocks and 25 “Danger Do Not Operate” Tags
50996	English Enclosed Station (empty)

Small Lockout Station

- Constructed of sturdy polystyrene with pre-drilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back (includes 4 hooks)
- Built-in lock rail holds 10–15 locks
- Dimensions: 18 in. x 12 in. x 4 in.
- Components:
  - 1 - Mini Cable Lockout (50940)
  - 2 - 120V Snap-On Breaker Lockouts (65387)
  - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
  - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
  - 2 - Universal Multi-pole Breaker Lockouts (66321)
  - 1 - Oversized Breaker Lockout (65329)
  - 1 - Wall Switch Lockout (65392)
  - 1 - 110V Electrical Plug Lockout (65674)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Small Fuse Blockout (65690)
  - 1 - Large Fuse Blockout (65691)
  - 2 - Labeled Lockout Hasps (65960)
  - 6 - Keyed-different Padlocks
  - 12 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
  - 1 Station with “Lockout Station” legend

Catalog #	Description
99706	Station w/ Components, 6 Nylon Padlocks and 12 Tags
99707	Station w/ Components, 6 Steel Padlocks and 12 Tags
50997	Small Lockout Station (empty)

BRADY



SafeKey Padlocks

Starter Lockout Station

- Heavy-duty lockout cabinet with the essential items needed to keep your facility safe and locked out
- Components:
  - 1 - Ball Valve Lockout (BS07A)
  - 2 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
  - 2 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 6 - 1.5 in. Steel Lockout Hasp (T220)
  - 50 - 7 in. Red Cable Ties (FT100X-RED)
  - 25 - Lockout Tags (TG027E)
  - 6 - Key-different Padlocks
  - 1 - Lockout Tagout Cabinet Station (LC977A)

Catalog #	Description
LC517E-SK-NS	Station w/ 3 Red and 3 Yellow SafeKey Nylon Padlocks
LC517E-SK-AL	Station w/ 3 Red and 3 Yellow SafeKey Aluminum Padlocks
LC517E	Station w/ 3 Red and 3 Yellow Nylon Padlocks



Safety Lockout Center

- Provides ready access to locks, tags, lockout devices and information
- Made of tough acrylic plastic
- Station size: 30 in. x 24 in. x 4.5 in.
- Components:
  - 6 - Multi-Color Steel Padlocks
  - 2 - 10 pack English Lockout Tags with Ties (LT10)
  - 5 - 1.5 in. Lockout Hasps (T220)
  - 25 - English Lockout Safety Booklets (2112X)

Catalog #	Description
3001	Safety Lockout Center
3012	Board Only



Valve and Electrical Station

- Heavy-duty lockout cabinet contains many common valve and electrical lockout devices needed in a facility
- Components:
  - 1 - Ball Valve Lockout (BS07A)
  - 3 - No-Hole Breaker Lockout (BL04)
  - 3 - Multi-pole Breaker Lockout (BL07)
  - 6 - 1.5 in. Steel Lockout Hasp (T220)
  - 2 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 3 - Wall Switch Lockout (WSLO)
  - 2 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
  - 50 - 7 in. Red Cable Ties (FT100X-RED)
  - 1 - OSHA Lockout Summary Sheet
  - 1 - Lockout Mini Poster (PS811B)
  - 25 - Lockout Tags (TG027E)
  - 1 - Lockout Tagout Cabinet Station (LC977A)

Catalog #	Description
LC518E	Valve and Electrical Lockout Station



Bilingual Safety Lockout Center

- Provides ready access to locks, tags, lockout devices and information
- Made of tough acrylic plastic
- Station size: 30 in. x 24 in. x 4.5 in.
- Components:
  - 6 - Multi-color padlocks
  - 2 - 10 pack Bilingual Tags with Ties (TG400B-10)
  - 5 - 1.5 in. Lockout Hasps (T220)
  - 15 - English Lockout Safety Booklets (2112X)
  - 10 - Spanish Lockout Safety Booklets (2112SPX)

Catalog #	Description
3002	Bilingual Safety Lockout Center
3013	Bilingual Board Only



SafeKey Padlocks

Lockout Tagout Station

- Fully equipped lockout tagout station to store all of your devices
- Components:
  - 1 - 0.5 in. to 2.5 in. Ball Valve Lockout (BS07A)
  - 2 - 2.3 in. to 5 in. Gate Valve Lockouts (65561)
  - 2 - 120 / 277V Clamp-On Breaker Lockout w/ Cleats (65396)
  - 3 - Universal Multi-pole Breaker Lockouts (66321)
  - 2 - 3-in-1 Electrical Plug Lockouts (PLO23)
  - 2 - Wall Switch Lockouts (65392)
  - 6 - 1.5 in. Steel Lockout Hasps (T220)
  - 1 - OSHA Lockout Tagout Summary Sheet
  - 100 - Red Cable Ties (FT100)
  - 25 - Lockout Danger Tags (TG027E)
  - 6 - Keyed-different Padlocks
  - 1 - Lockout Cabinet (LC584E)

Catalog #	Description
150953	Station w/ 3 Red and 3 Yellow SafeKey Nylon Padlocks
150976	Station w/ 3 Red and 3 Yellow SafeKey Aluminum Padlocks
134036	Station w/ 3 Red and 3 Yellow Nylon Padlocks

May we also suggest:



Lockout Station V-Sign

- Enhance the visibility of your Lockout Station with this V-shaped polyethylene sign
- Sign size: 5.5 in. x 10 in.

Catalog #	Description
45367	Lockout Center V-Sign

Lockout Stations

BradyID.com/s36



Wall-Mount Lockout Center

- Large, easily identifiable lockout station holds all of the necessary lockout items
- Components:
  - 2 - 1.5 in. Steel Lockout Hasp (T220)
  - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
  - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
  - 1 - Small Plug Lockout (PLO21)
  - 1 - 0.5 to 2.5 in. Small Ball Valve Lockout (BS07A)
  - 2 - 4 in. x 6 in. Magnetic Danger Sign
  - 1 - Pad of Lockout Tagout Checklists (119076)
  - 1 - Lockout Mini Poster (PS811B)
  - 10 - Lockout Danger Tags
  - 2 -1.5 in. Red Alum. Lock, Keyed Different (99615)
  - 2 -1.5 in. Blue Alum. Lock, Keyed Different (99616)
  - 2 -1.5 in. Yellow Alum. Lock, Keyed Different (99618)
  - 2 -1.5 in. Green Alum. Lock, Keyed Different (99617)
  - 1 - Large Yellow Lockout Board (LC501E)

Catalog #	Description
LC502E	Lockout Center
LC501E	Lockout Board Only (empty)



Micro Lockout Station

- Compact and convenient mini-lockout station for essential items
- Components:
  - 5 - 7 in. Red Cable Ties (FT100X-RED)
  - 1 - 1.5 in. Steel Lockout Hasp (T220)
  - 2 - Lockout Tags (LT1)
  - 1 - 0.75 in. Red Key-retaining Steel Padlock (143126)
  - 1 - Micro Lockout Board (LC226A)

Catalog #	Description
KT226A	Micro Lockout Station
LC226A	Board Only (empty)



Small Wall-Mount Lockout Center

- Unfilled, wall-mounted lockout center holds many of your most common devices needed around the facility for easy access and storage

Catalog #	Description
LC744E	Lockout Center (empty)



4-Lock Board

- Dimensions: 9 in. x 12 in.
- Components:
  - 10 - Lockout Tags (LT10)
  - 1 - 1.5 in. Lockout Hasp (T220)
  - 4 - 0.75 in. Key-retaining Steel Locks (143130)
  - 1 - Lockout Tagout Center (LC202G)

Catalog #	Description
LC203G	Lockout Station
LC202G	Lockout Board Only (empty)



SafeKey Padlocks

5-Lock Board

- Dimensions: 11.5 in. x 15.5 in.
- Components:
  - 5 - Keyed-different Padlocks
  - 1 - 1 in. Metal Hasp (133161)
  - 1 - 1.5 in. Metal Hasp (133162)
  - 12 - Heavy-duty Tags (65520)

Catalog #	Description
150960	Board w/ 5 SafeKey Aluminum Padlocks
150959	Board w/ 5 SafeKey Nylon Padlocks
51181	Board w/ 5 Nylon Padlocks
51186	Board w/ 5 Steel Padlocks
50989	Board Only (empty)



6-Lock Board

- Dimensions: 14 in. x 14 in.
- Components:
  - 10 - Lockout Tags (LT10)
  - 4 - 1.5 in. Lockout Hasps
  - 24 - Heavy-duty Tags
  - 6 - 0.75 in. Key-retaining Steel Locks (green, yellow, black, white, blue, red)
  - 1 - Lockout Tagout Center (3004Y)

Catalog #	Description
3003Y	Economy Lockout Center
3004Y	Lockout Board Only (empty)

Custom boards available
Contact Customer Service to order.

BRADY



6-Lock Bilingual Board

- Dimensions: 14 in. x 14 in.
- Components:
  - 10 - Bilingual Lockout Tags (TG400B-ONE)
  - 1 - 1 in. Lockout Hasp (T218)
  - 1 - 1.5 in. Lockout Hasp (T220)
  - 6 - 0.75 in. Key-retaining Steel Locks (green, yellow, black, white, blue, red)
  - 1 - Bilingual Lockout Tagout Center (LC210G)

Catalog #	Description
LC211G	Bilingual Lockout Center
LC210G	Bilingual Lockout Board Only (empty)



SafeKey Padlocks

10-Lock Board

- Dimensions: 13.5 in. x 13.5 in.
- Components:
  - 10 - Keyed-different Padlocks
  - 2 - 1 in. Hasps (133161)
  - 2 - 1.5 in. Hasps (133162)
  - 12 - Heavy-duty Tags (65520)

Catalog #	Description
150962	Board and 10 SafeKey Aluminum Padlocks
150961	Board and 10 SafeKey Nylon Padlocks
51187	Board and 10 Nylon Padlocks
51188	Board and 10 Steel Padlocks
50990	Board Only (empty)



SafeKey Padlocks

20-Lock Board

- Dimensions: 23.5 in. x 11.5 in.
- Components:
  - 20 - Keyed-different Padlocks
  - 2 - 1 in. Hasps (133161)
  - 2 - 1.5 in. Hasps (133162)
  - 24 - Heavy-duty Tags

Catalog #	Description
150963	Lockout Station Board, Danger Do Not Operate Tags and 20 SafeKey Nylon Padlocks
150983	Lockout Station Board, Danger Do Not Operate Tags and 20 SafeKey Aluminum Padlocks
51189	Lockout Station Board, Danger Do Not Operate Tags and 20 Nylon Padlocks
51194	Lockout Station Board, Danger Do Not Operate Tags and 20 Steel Padlocks
121507	Estacion de Bloqueo Board, Precaucion No Hacer Funcionar Tags and 20 Nylon Padlocks
121511	Estacion de Bloqueo Board, Peligro No Operar Tags and 20 Nylon Padlocks
50991	Lockout Station Board Only
121506	Estacion de Bloqueo Board Only



SafeKey Padlocks

36-Lock Board

- Dimensions: 21.5 in. x 23.5 in.
- Components:
  - 36 - Keyed-different Padlocks
  - 3 - 1 in. Hasps (133161)
  - 3 - 1.5 in. Hasps (133162)
  - 36 - Heavy-duty Tags (65520)


Catalog #	Description
150965	Board and 36 SafeKey Nylon Padlocks
150966	Board and 36 SafeKey Aluminum Padlocks
51195	Board and 36 Nylon Padlocks
51196	Board and 36 Steel Padlocks
50992	Board Only (empty)



Did you know?

Lock boards contribute to a successful lockout program by providing storage at the point of need for all of your devices

- Boards are made of thick, bright yellow acrylic with acrylic lock rails
- Tag pockets are made of clear polycarbonate and will hold tags up to 3 in. wide



Looking for a portable solution?

Ready Access Padlock Station

- Polypropylene cabinet with lockable door can be carried or wall mounted
- Holds up to 10 padlocks, 6 hasps and 10 tags

See page 243 for more information.

Why is spill control important?

When a spill occurs, having a proper spill control program that enables a quick and effective response can not only help to protect the environment, but also supports a safe and productive workplace for your employees.

Brady SPC supplies products that help you comply with EPA and OSHA regulations. Why does that matter? Because the cost of non-compliance can have devastating effects on a business's reputation and financial performance.=

The EPA issued its final rule amending SPCC requirements under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.



The Poly-Edge Truck Mountable Spill Kit is designed to help you meet D.O.T. spill containment regulations.

Need-to-know regulations

The following OSHA and EPA regulations protect your employees and the environment:

29 CFR 1910.22(a)(2) — Walking-Working Surfaces
The floor of every workroom shall be maintained in a clean and, so far as possible, a dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats, or other dry standing places should be provided where practicable.

40 CFR 112.7(c)(1)(viii) — General requirements for Spill Prevention, Control, and Countermeasure Plans
Sorbent materials are included in the types of prevention systems that must be used for spill containment.

29 CFR 1910.120(j)(1)(vii) — Hazardous Waste Operations and Emergency
U.S. Department of Transportation specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur.

OSHA's recent silica ruling
One of the most common compositions for granular absorbents is diatomaceous earth, which is 80-90% silica based. OSHA's recent final rule on limiting exposure to respirable crystalline silica was issued to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease, all of which have been linked to high levels of silica. Rely on Brady SPC absorbent pads and rolls as safer, more efficient, non-silica solutions for absorbing leaks, drips and spills.





What is a SPCC Plan and do I need one?

A Spill Prevention Control and Countermeasure (SPCC) plan is a facility-specific, comprehensive plan outlining both the containment and countermeasures implemented to prevent a spill from occurring, and a series of response procedures in the event that one does occur. The SPCC plan addresses the following three areas:

- Operating procedures that prevent spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean up and mitigate the effects of an oil spill that reaches the environment

Having an SPCC plan in place is an essential step to help companies avoid the costly impact of non-compliance, including fines as high as $25,000 per day per violation.

Not sure where to start? Let SPC experts help

We understand that surveying a facility for potential trouble spots, proper absorbent usage and product selection can be time consuming and confusing. But, it is extremely beneficial.

- **Free Absorbent Survey**
  Brady's absorbent survey is a free service designed to help you keep your employees and equipment safe. This detailed survey asks the right questions and identifies how Brady SPC and its distributors can provide solutions for the proper use of absorbents in the plant. Many organizations use these surveys as an "environmental audit" and keep them on file.

- **Cost Savings Worksheet**
  Seeing is believing. This simple worksheet helps you compare the absorbents you are currently purchasing to our recommendations — quickly showing you the price difference and your cost savings.

Contact your Brady SPC Representative for more information, or for assistance selecting the right absorbents for your facility.



Making the switch to absorbents

No facility is free from leaks, drips and spills. And, when it comes to keeping your employees and the working environment safe, you need a reliable and cost-effective absorbent solution.

Take a look at the comparisons below between clay granular, rags and SPC absorbent pads to determine what solution best fits your needs.

Clay granular

- **Pros:** Low cost per bag and product familiarity
- **Cons:** Messy, very low absorbency ratio (generally 1:1), labor intensive clean up and high disposal costs

Laundered rags

- **Pros:** Recycled and full system (products and disposal supported by the supplier)
- **Cons:** After each laundering, the rags lose some of their absorbency. Hard metals can never be completely removed, leading to significant health risks through exposure

SPC absorbent pads

- **Pros:** Absorb an average of 20x their weight in liquid, offer multiple configurations and constructions and lower disposal costs
- **Cons:** Higher up-front cost

Material details	Clay granular (40 lb bag)	Rags (200 pads/drum)	SPC pads (100 pads/case)	
Gallons absorbed per week	20	20	20	gallons
Total material used	4 bags	170 rags	77 pads	per week
Total material costs	$24	$128	$77	per week
Labor details				
Labor hours for clean-up	1	0.3	0.3	hours/week
Total labor costs	$20	$7	$7	per week
Disposal details				
Drums disposed per week	1	(included)	0.15	per week
Total disposal costs	$200	(included)	$30	per week
Savings summary				
Weekly cost	$244	$135	$114	per week
Annual cost	$12,688	$7,020	$5,947	per year
Total cost after 5 year	$63,440	$35,100	$29,733	over 5 years

$33,667 or 47% savings
When using SPC pads over clay granular


**Values shown are for example purposes only and are based on average costs in US dollars as published in 2016. Costs and savings may vary.*

1 Step one: Know what you're absorbing

Water- or oil-based fluids

SPC recommends: Universal Absorbents


Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects. Re-Form™ universal absorbents are made of recycled materials and offer an environmentally friendly solution.



Oil-based fluids outdoors/water repelling

SPC recommends: Oil-Only Absorbents

Specialized for oil and other petroleum-based spills including paints and non-water soluble chemicals, these absorbents do not absorb water and float indefinitely. Re-Form™ oil-only absorbents are made of recycled materials and offer an environmentally friendly solution.




Hazardous chemical fluids

SPC recommends: Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.

Keep in mind that absorbents take on the properties of whatever they absorb, so the bright color provides a visual indication to separate waste streams.



Looking to save time, effort and money?

Use a mid- to high-level universal product, like MRO100, as the standard in your facility. These absorbents can be used in a wide variety of applications and with a standardized absorbent, you do not have to manage the inventory of multiple items.



BradyID.com/s36

2 Step two: Identify your application





General purpose wiping, drips and leaks

SPC recommends: Pads, Rolls, Socs and Pillows

Pre-cut pads and perforated rolls provide easy access to absorbents for general purpose use around your facility. Use specialized SOCs and pillows around or underneath dripping equipment.





Heavy foot and forklift traffic

SPC recommends: Mats and Rugs

Mats and rugs offer greater durability to withstand harsh conditions. Barrier-backed options prevent liquid from penetrating the absorbent and reaching the floor underneath while printed mats warn of possible slip, trip and fall hazards.





Emergency spill response

SPC recommends: Spill Kits, Pallets, Drain Plugs

Spill kits bundle all of the necessary products to clean up an unexpected spill. Other spill containment options include spill pallets, drain plugs and storage centers.





Specialty absorbents

SPC recommends: Marine or Granular Products

Marine environments require boom, sweep and drag nets to remove fluids in, or near, bodies of water.


Granular absorbents are available when loose absorbents are preferred or when acid/base neutralization is required prior to spill clean up.

3 Step three: Select absorbent features

Coverstock

Durability of an absorbent increases with the addition of a coverstock layer.

- For simple drips or leaks, a 1-ply absorbent is all you need
- For wiping scenarios or foot traffic areas, a 3-ply absorbent will offer the necessary durability
- For abrasive applications, a pad with spunbond coverstock helps to reduce linting or tearing



3-ply construction
(2-sides coverstock)

Two layers of coverstock offer maximum durability and reduce linting or tearing.

2-ply construction
(1-side coverstock)

A single layer of coverstock offers medium durability and linting.


1-ply construction
(No coverstock)

Economical single-ply has lower durability resulting in high linting and tearing.

Absorbency weight

The absorbency weight can make a significant difference in how much product is required.

- For small spills, choose a light- or medium-weight product to avoid waste
- For large spills or continuous leaks, choose a heavy-weight product to reduce material use



Under-saturated

Absorbents aren't being used to their full potential. You're throwing money away!



Over-saturated

Absorbents aren't cleaning the whole spill. Increase the weight to get the job done with less product.

Dimpled surface

Dimpling increases product strength for areas requiring greater durability.

Smooth absorbents have greater surface area and are more absorbent per square inch compared to similarly constructed, dimpled products.



Non-dimpled


Offers more absorbent surface area.

Dimpled

Provides increased durability.


Perforations

Perforations provide a variety of size options by allowing you to quickly tear off exactly what is needed to contain the spill.




Single perforation

Featured on many pads and rolls



Double perforation

Featured on many rolls and mats



Triple perforation

Unique to the High Traffic Universal rolls

BradyID.com/s36

Universal Absorbency

for Water- or Oil-Based Fluids

All-purpose absorbents clean-up oils, coolants, solvents and water-based fluids anywhere in your facility.

Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects — they are your first choice for indoor spill control. Plus, their gray color masks spills and stains, helping you resist the urge to pick up the absorbent before it is fully saturated.



Liquids absorbed

- Coolants
- Solvents
- Oils
- Latex paint
- Gasoline
- Vegetable oil
- Kerosene
- Water-based fluids

Popular applications

- Wiping tools
- Small spills
- Under leaky pipes
- Around liquid storage containers
- Around machinery
- In messy traffic areas
- Under dripping valves
- General purpose maintenance



MRO Plus® Absorbents

- Brady SPC's number one universal absorbent and the standard in all-purpose, gray maintenance absorbents
- Universal absorbency handles most fluids (water, petroleum and chemical-based)
- 3-ply (MMM) meltblown polypropylene construction increases durability and reduces lint

Features

- For oils, coolants, solvents and water-based fluids
- Top and bottom coverstock (3-ply)
- High durability
- Medium linting
- Perforated and dimpled
- Gray color masks spills
- Heavy, medium and light weights
- Cost: $ $ $

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas and liquid storage areas

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
MRO50	Heavy-weight pad	30 in. x 30 in.	Yes, 15 in.	12.5	41	26.5	11	50/case
MRO150DND	Heavy-weight pad *	15 in. x 19 in.	Yes, 7.5 in.	12.5	39	27	18	150/case
MRO100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	26	17.5	30	100/case
MRO100-2	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	13.5	8	36	50/bale
MRO300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	20.5	14	30	100/case
Rolls								
MRO30-DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	49	32	12	1/case
MRO30P	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	12.5	49	32	12	1/case
MRO30	Heavy-weight roll	30 in. x 150 ft.	No	12.5	49	33	12	1/case
MRO15-DP	Heavy-weight roll	15 in. x 150 ft.	Yes, 7.5 in. and 12 in. across	12.5	24	17.5	24	1/case
MRO15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	24	17.5	24	1/case
MRO15	Heavy-weight roll	15 in. x 150 ft.	No	12.5	24	17.5	24	1/case
MRO350-DP	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	38	26.5	12	1/case
MRO315P	Medium-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	20	14	24	1/case
MRO215P	Light-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	12	8	24	1/bale

**Features Dispense-N-Dispose® System*



GP "General Purpose" Absorbents

- Economical general purpose absorbents offer the look, feel and performance of a premium product
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Efficient single-ply construction with MAXX® Technology — absorption and strength without the extra weight

Features

- For oils, coolants, solvents and water-based fluids
- No coverstock (1-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Gray color masks spills
- Heavy, medium and light weights
- Cost: $ $

Recommended applications

- Anywhere there is a leak, spill or drip
- Ideal for industrial settings such as machine shops, maintenance or manufacturing
- Under leaky pipes and machinery

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
GP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	30	12	30	100/case
GP300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	25	10	30	100/bale
GP200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	44	16	22	200/case
GP500	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	22	8.2	30	100/case
MXU1000	Light-weight pad (non-dimpled)	15 in. x 19 in.	Yes, 7.5 in.	24	27	8	30	100/case
Rolls								
GP30	Heavy-weight roll	30 in. x 150 ft.	No	13	48	28	12	1/bale



BASIC Universal Absorbents

- Value-priced universal all-purpose absorbent
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Economical single-ply pads and rolls made of universal meltblown polypropylene

Features

- For oils, coolants, solvents and water-based fluids
- No coverstock (1-ply)
- Light durability
- High linting
- Perforated and dimpled
- Gray color masks spills
- Heavy and light weights
- Cost: $

Recommended applications

- Anywhere there is a leak, spill or drip
- General industrial applications
- Manufacturing, printing and transportation

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
BPU100	Heavy-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	20.5	8.5	30	100/bale
BPU200	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	34	13.7	24	200/bale
BPU500	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	17	7	36	100/bale
Rolls								
BRU150	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	1/bale
BRU152	Heavy-weight split roll	15 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	2/bale

BradyID.com/s36



BattleMat® Absorbents

- Tough camouflage-patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Durable 2-ply construction is ideal for use in high traffic areas — foot or forklift traffic
- Abrasion-resistant upper layer helps reduce linting while meltblown fibers grip the floor below

Features

- For oils, coolants, solvents and water-based fluids
- Camouflaged-printed top coverstock (2-ply)
- High durability and low linting
- Perforated
- Camouflaged pattern masks spills
- Cost: $ $ $

Recommended applications

- Extra tough for foot and forklift traffic
- Walkways and high traffic areas
- Where there's a need to mask spills
- Under assembly lines, equipment or vehicles

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
BM30	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	53	34.5	12	1/case
BM15	Heavy-weight roll	15 in. x 150 ft.	Yes, 7.5 in. and 12 in. across	12.5	26	17	24	1/case



HT "High Traffic" Absorbents

- Multi-use absorbent built for durability and high absorbency in "high traffic" areas
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- 2-ply construction coverstock reduces linting and increases durability while meltblown fibers grip the floor below
- Printed safety message warns of slip, trip and fall hazards due to liquid spills

Features

- For oils, coolants, solvents and water-based fluids
- Top coverstock (2-ply) with safety message
- Medium durability and low linting
- Perforated and dimpled
- Heavy, medium and light weights
- Cost: $ $

Recommended applications

- Extra tough for foot traffic and walkways
- Printed safety message for areas where slips, trips and falls may occur

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
HT30	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	47	32	12	1/case
HT555	Heavy-weight roll*	15 in. x 150 ft.	Triple perf, 5 in. and every 18 in.	12.5	23	16	24	1/case
HT15	Heavy-weight roll	15 in. x 150 ft.	Yes, every 15 in.	12.5	23	16	24	1/case
HT303	Medium-weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	63	40	8	1/bale
HT350	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 18 in.	12.5	35	20	12	1/bale
HT153	Medium-weight roll	15 in. x 300 ft.	Yes, every 15 in.	12.5	32	20	16	1/bale
HT230	Light-weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	42.5	29.5	8	1/bale
HT215	Light-weight roll	15 in. x 300 ft.	Yes, every 15 in.	12.5	21.5	15	16	1/bale

** Does not include printed safety message.*



UXT "Xtra Tough" Absorbents

- Extra tough absorbents for applications that require high durability, non-linting and abrasion-resistance such as when wiping tools or machinery
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- 3-ply construction with 2 sides of coverstock for maximum durability and minimal linting
- Extra strength allows for wringing and re-use

Features

- For oils, coolants, solvents and water-based fluids
- Top and bottom coverstock (3-ply)
- High durability and low linting
- Perforated and dimpled
- Heavy, medium and light weights
- Cost: $ $ $

Recommended applications

- Wiping highly abrasive surfaces such as tools and machinery
- Machining, maintenance or food processing

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
UXT100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	19.5	14.5	30	100/case
UXT300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	17	12	30	100/case
UXT200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	31.5	18.5	22	200/case
Rolls								
UXT30DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	11	37	27.5	12	1/case
UXT15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	11	17	14.5	24	1/case



Spill Response Plus Universal Absorbents

- Convenient, portable size perfect for employees to fold or carry in their pockets
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Fine fiber coverstock on each side increases product versatility

Features

- For oils, coolants, solvents and water-based fluids
- Top and bottom coverstock (3-ply)
- High durability and medium linting
- Perforated and dimpled
- Heavy weight
- Cost: $ $

Recommended applications

- Anywhere there is a leak, drip or spill
- Janitorial and maintenance
- Hospitality and retail

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRP100	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	5.5	4	96	100/case
SRP200	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	200/case
Rolls								
SRP75P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	12.5	3.3	1.85	60	1/bale

Request a free sample pack today

With a Brady SPC sample pack, you can put absorbent pads to the test in your facility without making any commitments.

Request a sample today a **BradyID.com/SPC**



BradyID.com/s36

Re-Form™ Eco-Friendly Absorbents

Re-Form™ Eco-Friendly Universal Absorbents for water- or oil-based fluids

Re-Form absorbent pads and rolls are eco-friendly, green products made of recycled materials. They feature the same universal absorbency as their polypropylene counterparts, making them ideal for coolants, solvents, oils and other water-based or petroleum-based fluids.

Re-Form absorbent materials have been tested to absorb 25-50% more than polypropylene materials, which means you'll use less product to absorb the same size spill.



Coverstock on 2-sides

Re-Form™ Pro Plus Absorbents

- The look, feel and performance of a traditional absorbent, but made from 90% recycled fibers. Supports corporate sustainability and LEED initiatives
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 3-ply construction is made of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight

Features

- For oils, water-based fluid and non-aggressive chemicals
- Top and bottom coverstock (3-ply)
- Medium durability and medium linting
- Perforated and dimpled
- Heavy weight
- Cost: $ $ $

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RFPP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	26	17.5	30	100/case

Re-Form absorbents are not intended for use with aggressive chemicals.



Coverstock on 2-sides

Re-Form™ XPlus Absorbents

- A medium weight absorbent with meltblown coverstock on both sides for added durability making it ideal for leaks, drips, spills and areas with light foot traffic
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 3-ply construction made from 80% recycled cellulose and absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features

- For oils, water-based fluid and non-aggressive chemicals
- Top and bottom coverstock (3-ply)
- Medium durability and medium linting
- Perforated
- Medium weight
- Cost: $ $ $

Recommended applications

- Anywhere there is a leak, drip or spill
- General purpose absorbent
- Light foot traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RFDP300	Medium-weight pad	16 in. x 18 in.	Yes, 7.5 in.	16.5	32	16.6	24	100/case
Rolls								
RFDP328-DP	Medium-weight roll	28.5 in. x 150 ft.	Yes, 14.25 in. and every 19 in.	16.5	55	33.3	8	1/case

Re-Form absorbents are not intended for use with aggressive chemicals.

BRADY



Coverstock on 1-side

Re-Form™ Plus Absorbents

- Eco-friendly, all-purpose absorbent for wiping, drips and leaks
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 2-ply construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features

- For oils, water-based fluid and non-aggressive chemicals
- Top coverstock (2-ply)
- Medium durability and medium linting
- Perforated
- Heavy, medium and light weight
- Cost: $ $

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under equipment or machinery

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RFP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	17	40	19.5	18	100/case
RFP300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	17	32	16	24	100/case
RFP500	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	17	24	12.7	30	100/case
Rolls								
RFP328-DP	Medium-weight roll	28.5 in. x 150 ft.	Yes, 14.25 in. and every 19 in.	17	54	30.5	8	1/case
RFP314P	Medium-weight roll	14.25 in. x 150 ft.	Yes, every 19 in.	17	30	15.5	20	1/case

Re-Form absorbents are not intended for use with aggressive chemicals.



No coverstock

Re-Form™ Absorbents

- Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene; up to 50% more absorbent
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Single-ply nylon mesh construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features

- For oils, water-based fluid and non-aggressive chemicals
- No coverstock (1-ply)
- Light durability and high linting
- Heavy, medium and light weight
- Cost: $

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas with limited foot traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RF100	Heavy-weight pad	15 in. x 19 in.	No	17.5	40	19	18	100/case
RF300	Medium-weight pad	15 in. x 19 in.	No	17.5	32	14.8	24	100/case
RF500	Light-weight pad	15 in. x 19 in.	No	17.5	24	12	30	100/case

Re-Form absorbents are not intended for use with highly aggressive chemicals.

BradyID.com/s36

Oil-Only Absorbency

Absorb oil- and petroleum-based fluids while repelling water



Oil-only absorbents are specially designed to clean-up oils and petroleum-based liquids while also repelling water and floating indefinitely.

Unaffected by temperature and impervious to rot and mildew, oil-only absorbents are an ideal choice for outdoor use, in bodies of water or anywhere that water may be inadvertently absorbed.

Liquids absorbed

- Drilling and cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids
- Lubricants
- Gasoline, diesel and aircraft fuels
- Cooking oils
- Oil-based paints and solvents
- Other oils and petroleum-based fluids

Popular applications

- Outdoors
- Around bodies of water
- Wiping tools
- Small spills
- Under leaky pipes
- Around machinery
- Outdoor storage containers
- Under dripping valves
- Other general purpose maintenance





Oil Plus Absorbents

- Perfect for general everyday use and emergency spill clean-up
- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply meltblown polypropylene construction increases durability and reduces lint

Features

- For oils, coolants, solvents and oil-based fluids
- Top and bottom coverstock (3-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Floats indefinitely
- Heavy and medium weights
- Cost: $ $ $

Recommended applications

- Anywhere there is a leak, drip or spill
- Fuel stations and automotive industries
- Precision engineering
- Printing industries

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
OP50	Heavy-weight pad	30 in. x 30 in.	Yes, 15 in.	12.5	41	24	11	50/case
OP150DND	Heavy-weight pad*	15 in. x 19 in.	Yes, 7.5 in.	12.5	39	27	18	150/case
OP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	26	17.5	30	100/case
OP300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	20.5	14	30	100/case
Rolls								
OP30-DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	49	33	12	1/case
OP30P	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	12.5	49	33	12	1/case
OP30	Heavy-weight roll	30 in. x 150 ft.	No	12.5	49	33	12	1/case
OP15-DP	Heavy-weight roll	15 in. x 150 ft.	Yes, 7.5 in. and 12 in. across	12.5	24	17.5	24	1/case
OP15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	24	17.5	24	1/case
OP15	Heavy-weight roll	15 in. x 150 ft.	No	12.5	24	17.5	24	1/case
OP350-DP	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	38	26.5	12	1/case
OP315P	Medium-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	19	14	24	1/case

**Features Dispense-N-Dispose® System*



SPC105 features blue coverstock on one side.

SPC® Oil Absorbents

- Brady SPC's best-selling oil-only pads for industrial or marine use
- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Efficient single-ply construction of MAXX® absorbent technology — absorption and strength without the extra weight
- Packaged in a blue bag to streamline absorbent identification in your facility

Features

- For oils, coolants, solvents and oil-based fluids
- No coverstock (1-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Floats indefinitely
- Heavy, medium and light weights
- Cost: $ $

Recommended applications

- Anywhere there is a leak, spill or drip
- Marine and environmental spills
- Oil refineries / fuel chemical
- General manufacturing

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SPC50	Heavy-weight pad	33 in. x 39 in.	No	18	73	33.5	10	50/bale*
SPC100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	35	14	30	100/bale*
SPC105	Heavy-weight pad (1 side w/blue coverstock)	15 in. x 19 in.	Yes, 7.5 in.	18	24	14	30	100/bale*
SPC300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	30	11	30	100/bale*
SPC200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	51	16	24	200/bale*
SPC500	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	20	8.2	36	100/bale*
Rolls								
SPC150	Heavy-weight roll	38 in. x 144 ft.	No	15	70	33	18	1/bale*
SPC152	Heavy-weight roll	19 in. x 144 ft.	No	15	70	33	18	2/bale*

**SPC Oil Absorbents packaged in a blue bag.*



BASIC Oil Absorbents

- Value-priced oil-only absorbent
- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Economical single-ply pads and rolls made of oil-only meltblown polypropylene
- Packaged in a clear bag to streamline absorbent identification in your facility

Features

- For oils, coolants, solvents and oil-based fluids
- No coverstock (1-ply)
- Light durability
- High linting
- Perforated and dimpled
- Floats indefinitely
- Heavy and light weights
- Cost: $

Recommended applications

- Anywhere there is a leak, spill or drip
- General industrial or manufacturing oil-only applications
- Marine and environmental spills
- Coast guard or on-board vessels

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
BPO100	Heavy-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	20.5	8.5	30	100/bale*
BPO200	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	34	14	24	200/bale*
BPO500	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	17	7	36	100/bale*
Rolls								
BRO150	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	1/bale*
BRO152	Heavy-weight split roll	15 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	2/bale*

**BASIC Oil Absorbents packaged in a clear bag.*

Oil-Only Absorbency

BradyID.com/s36



SXT® Oil-Only Absorbents

- Ideal absorbent when durability, abrasion resistance and low linting are required
- Floats indefinitely even when saturated with oil
- Durable 3-ply meltblown polypropylene construction with abrasion-resistant top and bottom coverstock layers
- Extra strength allows for wringing and re-use

Features

- For oils, coolants, solvents and oil-based fluids
- Top and bottom coverstock (3-ply)
- High durability and low linting
- Floats indefinitely
- Perforated and dimpled
- Heavy, medium and light weights
- Cost: $ $ $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SXT100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12	19.5	14.5	30	100/case
SXT300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12	17	10	30	100/case
SXT200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12	31.5	18	22	200/case
Rolls								
SXT30DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12	37	26.5	12	1/case
SXT15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12	18	14	24	1/case



ENV® Oil Absorbents

- Highly economical, contractor-grade absorbent for oil clean-up on land or water
- Floats indefinitely even when saturated with oil
- Efficient single-ply of MAXX® Technology — absorption and strength without the extra weight
- Packaged in a green bag to streamline absorbent identification in your facility

Features

- For oils, coolants, solvents and oil-based fluids
- No coverstock (1-ply)
- Light durability and high linting
- Floats indefinitely
- Non-dimpled for max surface absorbtion area
- Heavy, medium and light weights
- Cost: $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
ENV50	Medium-weight pad	30 in. x 30 in.	No	20	50	19	14	50/bale*
ENV100	Heavy-weight pad	15 in. x 19 in.	No	20	33	12.5	30	100/bale*
ENV300	Medium-weight pad	15 in. x 19 in.	No	18	23.2	10	30	100/bale*
ENV200	Light-weight pad	15 in. x 19 in.	No	23	51	16	24	200/bale*
ENV500	Light-weight pad	15 in. x 19 in.	No	23	24.5	8	30	100/bale*
MXO1000	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	23	26	8	30	100/case
Rolls								
ENV150	Medium-weight roll	30 in. x 150 ft.	No	15	44	22	18	1/bale*

**ENV Oil Absorbents packaged in a green bag.*



Static Resistant Oil Absorbents

- Oil-only absorbents specially treated to resist static electricity build up around flammable liquid or delicate electronics
- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids — making it idea for outdoor use
- Economical single-ply pads and rolls made of oil-only meltblown polypropylene
- Meets National Fire Protection Association specifications

Features

- For oils, coolants, solvents and oil-based fluids
- No coverstock (1-ply)
- Light durability and high linting
- Non-dimpled for max surface absorption area
- Heavy weights
- Cost: $ $ $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SR3625	Heavy-weight pad	30 in. x 30 in.	No	13	16	9	14	25/bale
SR100	Heavy-weight pad	15 in. x 19 in.	No	13	26	14.5	30	100/bale
Rolls								
SR3600	Heavy-weight roll	30 in. x 150 ft.	No	15	44	22	18	1/bale

BRADY





Spill Response Plus Oil Absorbents

- Convenient, portable size that's perfect for employees to fold or carry in their pockets for small spills
- Floats indefinitely even when saturated with oil
- Fine fiber coverstock on each side increases product versatility
- Small size to clean up of minor spills without wasting material

Features

- For oils, coolants, solvents and oil-based fluids
- Top and bottom coverstock (3-ply)
- Medium durability and medium linting
- Perforated and dimpled
- Heavy weights
- Cost: $ $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRPO100	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	5.5	4	96	100/case
SRPO200	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	200/case
Rolls								
SRPO75P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	12.5	3.3	1.85	60	1/bale





Re-Form™ Oil-Only Absorbents

- Eco-friendly oil-only absorbent offering superior absorbency — absorbs more than 30 times its weight
- Floats indefinitely even when saturated with oil
- 3-ply construction with top and bottom coverstock, all made from 80% natural cellulose fibers
- Supports corporate sustainability and LEED initiatives
- Class A fire retardant

Features

- For oils, coolants, solvents, oil-based fluids and non-aggressive chemicals
- Top and bottom coverstock (3-ply)
- Medium durability and low linting
- Perforated
- Heavy weight
- Cost: $ $ $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RFODP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	30	39	12	18	100/case

Re-Form Absorbents are not intended for use with highly aggressive chemicals.

Suitable for outdoor storage

Oil-only absorbents are specifically designed to repel water, which means they can be stored outdoors and will not be affected by the weather, fluctuating outdoor temperatures or moisture.



BradyID.com/s36

Chemical Absorbency

Color coded for when chemical-based fluids are present

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from Brady SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals and are chemically inert, so they will not react with aggressive fluids.



Liquids absorbed

- Acids and bases
- Aggressive chemicals
- Sodium hydroxide
- Solvents
- Citric acid
- Water-based fluids
- Oil-based fluids
- Other unknown chemicals

Popular applications

- Anywhere hazardous chemicals may be present
- Bulk chemical storage containers
- Nuclear power plants
- Laboratories
- Hospitals
- Pharmaceuticals and any industry utilizing chemicals
- Chemical manufacturing
- To recognize chemical waste stream



BRIGHTSORB® High-Visibility Safety Absorbents

- Safety color and print make it ideal for areas where the risk of slips, trips and falls is greatest
- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- 2-ply construction increases durability and reduces lint
- Printed safety message warns of slip, trip and fall hazards
- Bright color warns of presence of leaks, drips or spills even in low light

Features


- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- Safety printed top coverstock (2-ply)
- Medium durability
- Low linting
- Perforated and dimpled
- Heavy, medium and light weights
- Cost: $ $ $

Recommended applications

- Areas with slip, trip and fall hazards
- Foot traffic areas
- Drips and spills involving hazardous chemicals
- Any industrial application utilizing aggressive fluids

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
CH100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	28	16	30	100/case
CH1212	Medium-weight pad*	12 in. x 12 in.	Yes, 6 in.	12.5	30	14.5	30	200/case
CH1212-50	Medium-weight pad*	12 in. x 12 in.	Yes, 6 in.	12.5	7.5	4	72	50/case
CH200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	28	16	22	200/case
Rolls								
CH30DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	40	25	12	1/case
CH15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	20	14	24	1/case
CH303	Medium-weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	70	40	8	1/bale

** Absorbent does not have print.*



Universal Plus Chemical Absorbents

- Durable chemical absorbents for wiping, drips, spills and leaks that may involve hazardous chemicals.
- Product will not react with aggressive fluids
- Highly durable 3-ply construction reduces lint
- Bright color warns of presence of chemicals for proper disposal

Features

- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- Top and bottom coverstock (3-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Medium weight
- Cost: $ $ $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SPCUN1719	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	20.5	14.5	30	100/case
SPCUN1113	Medium-weight pad	12 in. x 12 in.	No	12.5	20	16	30	200/case
Rolls								
SPCUN3800	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	39	27	12	1/case
SPCUN1019	Medium-weight roll	15 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	39	24	12	2/case



BASIC Chemical Absorbents

- Economical absorbents for drips, spills and leaks that may involve chemicals
- Product will not react with aggressive fluids
- Economical single-ply construction
- Bright color warns of presence of chemicals for proper disposal

Features

- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- No coverstock (1-ply)
- Light durability
- High linting
- Perforated and dimpled
- Heavy and light weights
- Cost: $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
BPH100	Heavy-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	20	8.5	30	100/bale
BPH200	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	34	13.7	24	200/bale
BPH500	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	17	7	36	100/bale
Rolls								
BRH150	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	18	38	19.5	18	1/bale
BRH152	Heavy-weight split roll	15 in. x 150 ft.	Yes, every 30 in.	18	38	19.5	18	2/bale



Spill Response Plus Universal Plus Absorbents

- Convenient, portable size perfect for employees to fold or carry in their pockets
- Product will not react with aggressive fluids
- Fine fiber coverstock on each side increases product versatility
- Bright color warns of presence of chemicals for proper disposal
- Small size to clean up minor spills without wasting material

Features

- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- Top and bottom coverstock (3-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Heavy weight
- Cost: $ $

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRPH100	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	5.5	4	96	100/case
SRPH200	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	200/case
Rolls								
SRPH75P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	12.5	3.3	1.85	60	1/bale

BradyID.com/s36

Mats and Rugs

For foot and forklift traffic

Brady SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high-traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.



Liquids absorbed

- Bases and oils
- Chemicals
- Solvents
- Water-based fluids


Popular applications

- Heavy foot traffic
- Aisles and walkways
- Around workstations
- To reduce tracking liquids throughout facility





Permanent adhesive mat is protected by a clear liner that must be removed prior to use.



Semi-permanent adhesive mat can be applied and removed as needed making it ideal for work surfaces.

TOUGHSORB™ Permanent and Semi-Permanent Adhesive Mats

- Easy adherence for high-traffic aisles and walkways
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with an adhesive backing
- Permanent or semi-permanent adhesive backing adheres to surfaces to keep the absorbent in place and reduce slips, trips and falls


Features


- For oils, coolants, solvents and water-based fluids
- Adhesive backing (2-ply)
- High durability
- Low linting
- Heavy and medium weight
- Cost: $ $ $

Recommended applications

- Aisles and walkways
- Areas with high foot and forklift traffic
- Lining entrances and exits
- Lining tool cribs and work surfaces

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Permanent adhesive adhesive								
AD30100	Heavy-weight roll	30 in. x 100 ft.	No	8	21	29	20	1/case
AD15100	Heavy-weight roll	15 in. x 100 ft.	No	8	11	15	40	1/case
Semi-permanent adhesive								
AD30100-BLUE	Medium-weight roll	30 in. x 100 ft.	No	8	21	29	20	1/case
AD15100-BLUE	Medium-weight roll	15 in. x 100 ft.	No	8	11	15	40	1/case





Barrier Spill Mat (BSM)

- Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with a non-skid backing
- Durable for high traffic areas and helps eliminate slippery areas and unsightly tracking
- Tear-resistant and will not curl or buckle
- Non-skid barrier backing prevents liquid from reaching the floor underneath while tacky underside reduces slips, trips and falls
- Gray color masks spills reducing the urge to replace absorbents before fully saturated

Features


- For oils, coolants, solvents and water-based fluids
- Non-skid backing (2-ply)
- High durability
- Low linting
- Medium weight
- Cost: $ $ $

Recommended applications

- Ideal for high-traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
BSM100	Medium-weight rug	36 in. x 100 ft.	No	8	25	24	20	1/bale





BRIGHTSORB® High-Visibility Barrier-Backed Mat

- Absorbency, signage and durability all in one
- Universal absorbency to handle most fluids (water, petroleum and chemical based).
- Product will not react with aggressive fluids
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for durability
- Barrier backing prevents liquid from reaching the floor underneath
- Printed safety message warns of slips, trips and falls
- Brightly color-coded for safety and easy separation of hazardous waste

Features

- For oils, coolants, solvents and water-based fluids
- Safety-printed coverstock and barrier backing (3-ply)
- High durability
- Low linting
- Heavy weight
- Cost: $ $ $

Recommended applications

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
CHBB100	Heavy-weight pad	15 in. x 19 in.	No	11.7	21	15.8	30	100/case
Rolls								
CHBB30	Heavy-weight roll	30 in. x 100 ft.	No	11.7	27	22	12	1/bale
CHBB15	Heavy-weight roll	15 in. x 100 ft.	No	11.7	13	11	24	1/bale

Need to know OSHA regulation

29 CFR 1910.22(a)(2) – Walking-Working Surfaces
The floor of every workroom shall be maintained in a clean and, so far as possible, dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats, or other dry standing places should be provided where practicable.



High-Traffic (HT) Barrier-Backed Mat

- Universal absorbent with added durability to stand up to the toughest conditions
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for durability
- Printed safety message reminds workers to use caution near high-risk slip, trip and fall areas
- Barrier backing prevents liquid from reaching the floor underneath
- Gray color masks spills, reducing the urge to replace them before they are fully saturated

Features

- For oils, coolants, solvents and water-based fluids
- Safety-printed coverstock and barrier backing (3-ply)
- High durability
- Low linting
- Heavy weight
- Cost: $ $ $

Recommended applications

- Aisles and walkways
- High-traffic areas prone to leaks, drips and spills
- Areas where a subtle safety messaging is desired

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
HTBB100	Heavy-weight pad	15 in. x 19 in.	No	10.1	18	14.8	30	100/case
Rolls								
HTBB30	Heavy-weight roll	30 in. x 100 ft.	No	10.1	23	20	12	1/bale
HTBB15	Heavy-weight roll	15 in. x 100 ft.	No	10.1	12	10	24	1/bale



TrackMat Matting

- The ultimate barrier absorbent for high-volume petroleum spills
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Extremely durable absorbent with UV-resistant top layer makes it ideal for outdoor use
- Non-slip barrier backing prevents liquids from penetrating into the ground
- Dimples add durability and reduce linting

Features

- For oils, coolants, solvents and water-based fluids
- Non-slip barrier backing (2-ply)
- High durability
- Low linting
- Heavy weight
- Cost: $ $ $

Recommended applications

- Where strength, absorbency and impermeability are needed
- Transportation companies
- Refineries and steel mills
- Railway or military

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
TM58	Heavy-weight roll	58 in. x 80 ft.	No	9	55	34	9	1/bale
TM29	Heavy-weight roll	29 in. x 80 ft.	No	9	20	24	18	1/bale
TM19	Heavy-weight roll	19 in. x 80 ft.	No	9	26	32	18	2/bale



Sorbent Industrial Rug (SIR)

- Designed for moderate traffic areas and workstations where there's a need for clean and safe work floors and walkways
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Durable, needle-punched polypropylene fibers for moderate traffic areas (1-ply)
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Gray color masks spills reducing the urge to replace absorbents before fully saturated

Features

- For oils, coolants, solvents and water-based fluids
- Needle-punched polypropylene (1-ply)
- High durability
- Low linting
- Heavy weight
- Cost: $ $

Recommended applications

- Vehicles repair and service
- Warehouse and container terminal
- Surface protection during renovation
- Marine spills/wildlife preservation

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
SIR36	Heavy-weight rug	36 in. x 300 ft.	No	12.5	59	50	12	1/bale
SIR36150	Heavy-weight rug	36 in. x 150 ft.	No	12.5	29.5	25	18	1/bale





Rag Rug Matting

- Eco-friendly absorbent matting made from recycled cotton and polyester fibers
- Universal absorbency to handle most fluids (water-based and petroleum-based)
- Economy rug provides good footing, masks dirt and absorbs spills
- Ideal for maintenance, repair and industrial environments
- Eco-friendly construction supports corporate sustainability and Leadership in Energy and Environmental Design (LEED) initiatives

Features

- For oils, coolants, solvents and water-based fluids
- Recycled fibers (1-ply)
- Medium durability
- High linting
- Heavy weight
- Cost: $

Recommended applications

- Ideal for high-traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RAG1818	Heavy-weight pads	18 in. x 18 in.	No	9	38	32	24	50/case
Rolls								
RAG36150	Heavy-weight rug	36 in. x 150 ft.	No	9	55	47	6	1/bale
RAG24150	Heavy-weight rug	24 in. x 150 ft.	No	9	37	52	12	1/bale

BradyID.com/s36



Universal SOCs

- All-purpose SOCs to clean up oils, coolants, solvents and water-based fluids throughout your facility
- Gray color masks spills and stains — helping you resist the urge to pick up the absorbent before it is fully saturated

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
ALLWIK Universal							
AW124	SOC	3 in. x 12 ft.	9	12	12	40	4/case
AW806	SOC	3 in. x 8 ft.	9	12	12	30	6/case
AW430	SOC	3 in. x 4 ft.	9	30	26	15	30/case
AW412	SOC	3 in. x 4 ft.	9	12	12	36	12/case
SLIKWIK Universal							
SW46	SOC	3 in. x 3.5 ft.	3	20	50	16	40/case
Cobra Coil Universal							
CC400	SOC	3 in. x 4 ft.	8.5	8.5	29	48	12/case
BASIC Universal							
BSC40	SOC	3 in. x 3.5 ft.	15	84	47.5	12	40/case
BSC20	SOC	3 in. x 3.5 ft.	15	40.5	24	24	20/case
Re-Form Universal							
MS124	SOC	3 in. x 12 ft.	8.5	12	12	36	4/case
MS806	SOC	3 in. x 8 ft.	8.5	12	12	30	6/case
MS50	SOC	3 in. x 4 ft.	7	40	43	10	40/case
MS412	SOC	3 in. x 4 ft.	8.5	12	12	36	12/case
SpillFix Granular							
SF-10BOOM	SOC	4 in. x 10 ft.	4.5	6	20	48	2/case
SF-5BOOM	SOC	4 in. x 5 ft.	4.5	6	16	48	4/case



ALLWIK® Polypropylene SOC



SLIKWIK® Corn Cob SOC



Cobra Coil® Vermiculite SOC



BASIC Cellulose SOC



Re-Form™ Recycled Newsprint SOC



SpillFix® Granular SOCs

Oil-Only SOCs

- Absorbs oil, grease, transmission fluid, coolant and other petroleum-based liquids
- Repels water and floats for outdoor applications
- Wringable and can be incinerated
- Strong wicking action; absorption begins instantly after contact with the spilled liquid, no need to turn the SOC

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Polypropylene Oil Only							
OIL124	SOC	3 in. x 12 ft.	9	12	11	40	4/case
OIL806	SOC	3 in. x 8 ft.	9	12	11	30	6/case
OIL430	SOC	3 in. x 4 ft.	9	28	30	15	30/case
OIL412	SOC	3 in. x 4 ft.	9	12	11	36	12/case
Re-Form Oil Only							
RFO412	SOC	3 in. x 4 ft.	13.5	15	10.5	36	12/case



Oil-only Polypropylene SOC



Re-Form™ Oil-only SOC (80% all natural cotton fibers)

Chemical SOCs

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills
- BRIGHTSORB bright yellow color and print help prevent risk of slips, trips and falls

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
BRIGHTSORB® High-Visibility Chemical							
CH124	SOC	3 in. x 12 ft.	9	12	12	40	4/case
CH412	SOC	3 in. x 4 ft.	9	12	12	36	12/case
HAZWIK Chemical							
HAZ124	SOC	3 in. x 12 ft.	9	12	12	40	4/case
HAZ412	SOC	3 in. x 4 ft.	9	12	12	36	12/case



BRIGHTSORB Polypropylene SOCs with high visibility color and print



HAZWIK® Polypropylene SOC

HandySorb Mop System

- Handle extends up to six feet for areas you can't reach – eliminating the need for kneeling
- Patented quick-release operation for easy disposal
- "No-touch" pads and pillows keep your hands out of the mess
- Refill pads include reusable slide-on adapter to hook on the pads



"No-touch" pads and pillows have mop head adaptor attached



Refill pads use a reusable slide-on mop head adaptor



new





Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Quantity
HANDYSORB-MOPKIT	Mop Starter Kit	19 in. x 15 in.	1.5	1.5	1 handle 3 pads
HANDYSORB-NTPAD	"No-Touch" Pads	19 in. x 15 in.	12.5	12.5	25 pads
HANDYSORB-NTPILLOW	"No-Touch" Pillows	18 in. x 18 in.	12.5	28	10 pillows
HANDYSORB-BASICPAD	Refill pads with reusable adapter	19 in. x 15 in.	11	19.5	1 adaptor 100 pads

Pillows

Absorbent pillows are ideal for use under spill pallets or machines and valves that are known to drip or leak. They are easy to retrieve, and can soak up fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

- All-purpose universal pillows are suitable for water-based fluids
- Oil-only pillows absorb petroleum-based liquids while repelling water
- Chemical pillows absorb chemicals, acids and bases and are ideal for extra protection during packaging and transport





ALLWIK® Universal Pillow



Oil-Only Pillow



BRIGHTSORB™ Chemical Pillow




HAZWIK® Chemical Pillow

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Universal							
AW1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
AW99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case
Oil Only							
OIL1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
OIL99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case
BRIGHTSORB Chemical							
CH1818	Pillow	18 in. x 18 in.	12.5	14	10	15	16/case
HAZWIK Chemical							
HAZ1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
HAZ99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case

Universal and Oil-Only Drum Covers

- Designed to fit 55-gallon drums — pre-cut holes fit drums with 1 or 2 bungholes
- Create a clean and safe work floor by helping to prevent pump drips from reaching the floor
- Universal absorbs water-, oil- and chemical-based liquids. Oil-only absorbs oil- and petroleum-based liquids while repelling water





ALLWIK® Universal Drum Covers



Oil-Only Drum Covers

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DTA25	Universal	22 in. dia.	12.5	6	6	60	25/case
DTO25	Oil only	22 in. dia.	12.5	6	6	60	25/case

Marine Absorbents

High absorbency on the water

Brady SPC marine absorbents are specially designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.



Absorbent Booms

Brady SPC absorbent booms are designed to clean up oil spills on water by absorbing surface liquids.

Booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavy-duty tow rope. The booms are fastened with three stainless steel connectors to allow for linkage and fast deployment in emergency situations, as well as for strength during retrieval or when towing heavy booms saturated with oil.



Premium SPC Oil-Only Booms

- Oil-only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Strong, lint-free and gapless
- SPC5510 features two 5 in. x 10 ft. booms attached side by side for a double layer of absorption

Economical ENV® Oil-Only Booms

- Oil-only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Features interconnectivity and a lint-free blue sleeve

Universal Plus Chemical Booms

- Universal Plus booms absorb water-, oil- and chemical-based liquids
- Can be deployed indoors or outdoors

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Premium SPC® Oil-Only Booms							
SPC810	Boom	8 in. x 10 ft.	13.3	71	40	12	4/bale
SPC510	Boom	5 in. x 10 ft.	12.6	32	19	20	4/bale
SPC5510	Boom*	5 in. x 10 ft.	12.1	32	19	20	4/bale
SPC818	Boom	8 in. x 18 in.	12.5	28	17	16	10/bale
SPC518	Boom	5 in. x 18 in.	12.6	12	8	36	10/bale
Economical ENV Oil-Only Booms							
ENV810	Boom	8 in. x 10 ft.	13	65	38	12	4/bale
ENV510	Boom	5 in. x 10 ft.	12.6	32	19	20	4/bale
Universal Plus Chemical Booms							
SPCUN810	Boom	8 in. x 10 ft.	13.3	71	19	12	4/bale
SPCUN510	Boom	5 in. x 10 ft.	12.6	32	19	20	4/bale

Features two booms attached side by side for double absorbency



Premium SPC Oil Booms



SPC5510 features booms attached side by side for double absorbency



Economical ENV Oil Booms



Universal Plus Chemical Booms

Containment Booms

- Designed to work as a containment barrier in order to keep oil spills on water from spreading
- Ideal for use in holding ponds to retain waste and debris on the surface of the water

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
CB612	Boom	6 in. float, 12 in. skirt, 100 ft. sections	200	3	1/case
CB305	Boom	3 in. float, 4.5 in. skirt, 25 ft. sections	22.5	11	1/case



Designed as a containment barrier to prevent spills from spreading

Sweeps and Pillows

- Sweeps feature a 2-ply construction with durable blue coverstock for extra strength (for use with oil- and petroleum-based fluids)
- Help skimming operations by effectively removing surface oil from the water
- 100 ft. sections are ideal for dragging behind or connecting between two ships

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SPC1900	Sweep	19 in. x 100 ft.	15	26	13	30	1/bale
SPC10	Pillow	14 in. x 25 in.	12.5	52	30	10	10/bale



Oil Nets and Drag Nets

- Flat, chemical-resistant filaments in half-pound units float in water and trap heavy oil
- Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil
- Use as a sweep between boats or deployed along a shoreline

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
ODN08	Oil only	30 nets on 50 ft. rope	15	15	16	24	1/bale
ON030	Oil only	30 nets (no rope)	15	15	17	24	1/bale



ODN08



ON030 (no rope)

BradyID.com/s36

Granular and Neutralizers

Loose, multi-purpose absorbents

Granular absorbents are loose, multi-purpose absorbents used for liquid spill clean-up, lab packing and stabilization of free liquids. This option is ideal for facilities that prefer or require the use of traditional granular absorbents.

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. In instances where a liquid spills on a rough surface, a granular absorbent can absorb liquids from the cracks and crevices.

Need to know OSHA silica ruling:

One of the most common compositions for granular absorbents is diatomaceous earth, which is 80-90% silica based.

OSHA's final rule on limiting exposure to respirable crystalline silica was issued in 2016 to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease. All of which have been linked to high levels of silica.



SpillFix granular absorbs 4 times the liquid of traditional clay granulars

SpillFix® Granular Absorbent

The new standard in loose absorbents

- Completely natural — no carcinogens, no dust indoors; landfill and incinerator safe outdoors
- Highly effective — absorbs hydrocarbons, chemicals and water-based solutions
- Workplace friendly — natural construction prevents damage to equipment or floors; a regular occurrence with clay-based granulars
- Deploy indoors or outdoors to clean up spills in hard to reach areas



SpillFix Granular Absorbent

- Premium absorbent solution constructed of 100% recycled material
- Lightweight and easy to deploy

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SF-20	20 lb bag	20 lbs	4.5	7	995	48	1 pallet
SF-7	7 lb bag	7 lbs	4.5	2	900	124	1 pallet
SF-JAR	3 qt. jar (pallet)	3 qt.	4	0.75	365	288	1 pallet
SF-JAR-CS	3 qt. jar (case)	3 qt.	4	0.75	7	-	6/case

SpillFix Granular Boom

- The benefits of SpillFix granular contained in a biodegradable sleeve
- Wringable for added life

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SF-10BOOM	Boom	4 in. x 10 ft.	4.5	6	20	48	2/case
SF-5BOOM	Boom	4 in. x 5 ft.	4.5	6	16	48	4/case



Re-Form™ Granular

- 100% recycled material — safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio — absorbs its own weight in oil

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
RFGRANULAR	Re-Form granular	30 lbs	1	16.7	1,950	65	1 pallet



SPC Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids (Not for use with aggressive fluids)
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DZ100	Universal granular	40 lbs	1	8.5	1,600	40	1 pallet



Acid and Base Neutralizing Polymers

- Acid neutralizer provides safe spill control for most acids, including battery spills
- Base neutralizer used for lab equipment and most bases
- Color change lets you know neutralization has taken place; acid neutralizer changes to purple, base neutralizer changes to orange
- Non-toxic, non-corrosive and non-hazardous

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SPC-ACID	Acid neutralizer	2 lb	n/a	0.65	2	1200	1/each *
SPC-BASE	Base neutralizer	2 lb	n/a	0.65	2	1200	1/each *

**Minimum order of 12 shakers.*



Acid Neutralizer *Base Neutralizer*

Try absorbents without a commitment – request a free sample pack today

Making the switch from granular to absorbent pads can be overwhelming. With a Brady SPC sample pack, you can put absorbent pads to the test in your facility without making any commitments.

Request a sample today at **BradyID.com/SPC**



BradyID.com/s36

Drain Protection

EPA regulations require that facilities prevent fluids from entering the environment. To effectively prevent run-off from reaching storm drains, make sure to have the appropriate drain protection on hand.

Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and feature a “metal eye” for easy insertion or removal. Then rinse and re-use when finished.

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PLUG6	Drain plug	6 in.	6	50	1/case
PLUG4	Drain plug	4 in.	4	50	1/case
PLUG3	Drain plug	3 in.	3	50	1/case
PLUG2	Drain plug	2 in.	2	50	1/case



Drain Seals

- Resists water, oil and most aggressive fluids
- Easy application; soap and water clean up for re-use
- SLIKSTOPPER drain seals are made from flexible, chemical resistant PVC and help prevent spills from flowing into drainage systems
- Spill Magnet Seals are backed with a strong magnet to tightly seal drains

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PVC42	Slikstopper	42 in. x 42 in.	46	20	1/case
PVC36	Slikstopper	36 in. x 36 in.	34	35	1/case
PVC24	Slikstopper	24 in. x 24 in.	14	40	1/case
PVC18	Slikstopper	18 in. x 18 in.	9	80	1/case
96229	Spill Magnet	12 in. dia.	1	100	1/each



SLIKSTOPPER PVC Drain Seal



Spill Magnet™ Drain Seal

Storm Drain Guards

- Non-woven polypropylene drain guards keep oil, sediment and contaminants from entering the water system
- Holds up to 40 lbs of sediment; flow rate is 500 gpm new and 700 gpm bypass
- Select drain guards feature X-TEX filter strips which increase absorbency

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DGUARD14	Drain guard w/ X-TEX filter strips	36 in. x 48 in. x 18 in.	1.4	2	36	1/case
DGUARD1410	Drain guard w/ X-TEX filter strips	36 in. x 48 in. x 18 in.	14	20	20	10/case
DGUARD9	Drain guard	36 in. x 48 in. x 18 in.	0.9	1	36	1/case
DGUARD910	Drain guard	36 in. x 48 in. x 18 in.	9	10	20	10/case



Drip Pans and Mats

SPC spill containment products are designed with efficiency in mind — keeping your employees and work environment safe from unexpected drum spills or leaks.

Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DPA24	Drip Pan	10 in. x 10 in.	6	20	24/case



Drip Pad

- Provide additional durability to your pads for tougher environments
- 22 oz pad is made of flexible PVC
- 30 oz pad is made of XR5 for additional strength under the toughest conditions
- Grommet included to allow pad to be tied down


Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DRIP1720-Y	22 oz pad	17 in. x 20 in.	2	n/a	1/each
DRIP1720-B	30 oz pad	17 in. x 20 in.	2	n/a	1/each



Spill Decks

- Low profile, 21.2-gallon capacity, 2-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips easily connect multiple decks — creating a 4, 6, 8 or more storage platform


Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-SD2	2-drum spill deck	26 in. x 52 in. x 6 in.	21.2	2,500	31	15	1/each



Spill Pallets


- Comply with governmental secondary containment regulations
- Capacity up to 128 gallons
- 2-drum or 4-drum configuration

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-DP4	4-drum pallet	52 in. x 52 in. x 17 in.	128	2,200	89	10	1/each
SC-DP2	2-drum pallet	26 in. x 52 in. x 17 in.	68	1,100	46.5	10	1/each
SC-DPR	Pallet ramp	32.5 in. x 70 in.	n/a	650	47.5	3	1/each





Easy loading ramp (sold separately) works with both the 2-drum and 4-drum spill pallets.



BradyID.com/s36

Spill Berms

These collapsible secondary containment berms can be used to contain spills and leaks from vehicles, machinery, tanks, drums and other industrial equipment.





Foam Side Wall Berm

- Portable, lightweight, flexible — folds up for storage and transport
- Re-useable berm is easy to clean and maintain
- Requires no assembly, tools or inflation — unfold and use immediately

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
FW181804-Y	Foam berm	18 in. x 18 in. x 4 in.	5	2	1/each
FW242404-Y	Foam berm	24 in. x 24 in. x 4 in.	9	2.4	1/each
FW363604-Y	Foam berm	36 in. x 36 in. x 4 in.	20	3.8	1/each
FW484804-Y	Foam berm	48 in. x 48 in. x 4 in.	36	5.5	1/each
FW486004-Y	Foam berm	48 in. x 60 in. x 4 in.	45	6.4	1/each
FW487204-Y	Foam berm	48 in. x 72 in. x 4 in.	54	7.4	1/each

L-ROD Berm

- Fully collapsible and can be rapidly deployed
- RF welded construction made of chemical- and hydrocarbon-resistant polyester
- Aluminum L-rods support the berm walls, but are easily folded to allow for entry/exit of vehicles or machinery
- Re-useable berm is easy to clean and maintain





Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
LROD101012	L-ROD berm	10 ft. x 10 ft. x 1 ft.	675	42	1/each
LROD101512	L-ROD berm	10 ft. x 15 ft. x 1 ft.	1,010	57	1/each
LROD102012	L-ROD berm	10 ft. x 20 ft. x 1 ft.	1,350	73	1/each
LROD151512	L-ROD berm	15 ft. x 15 ft. x 1 ft.	1,520	78	1/each
LROD202012	L-ROD berm	20 ft. x 20 ft. x 1 ft.	2,695	125	1/each

Vehicle Spill Berms

- Self-contained berms feature single piece construction for enhanced durability
- Requires no assembly, tools or inflation

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
SB-1236	Vehicle Spill Berm	12 ft. x 36 ft. x 1 ft.	149	1/each	1/each
SB-1226	Vehicle Spill Berm	12 ft. x 26 ft. x 1 ft.	112	1/each	1/each



Absorbent Storage

Absorbent storage centers help to ensure fast spill response by keeping absorbents close to the point of need when an unplanned spill occurs.



Absorbent Centers

- Use as a deployment station or mobile spill control unit
- Fits up to a 38 inch roll and full bales of pads
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-3000	Absorbent Center Without Casters	50 in. x 26 in. x 21.5 in.	50	15	1/each
SC-ACC	Accessory Pack	Includes goggles, gloves, disposal bags with ties and an emergency handbook			1 pack
SC-4	Set of 5 casters	-	n/a	n/a	1 pack
SC-MB	Wall Mount	n/a	n/a	n/a	1 each



** Absorbents sold separately.*



Set Of Casters



Accessory Pack



Wall Mount

Spill Control Cart

- Steel cart with locking handle (2 keys included)
- Convenient sturdy work surface with top surface 3 inch backstop and one fixed interior shelf
- Spill control cart ships empty. Select a cart fill option designed to maximize space. Fill options include: (100) 15 in. x 19 in. pads, (8) pillows, (5) 3 in. x 4 ft. SOCs, (5) disposal bags, goggles and nitrile gloves

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SC-Cart	Spill control cart	36 in. x 18 in. x 38-3/8 in.	180	1	1/each
SC-Cart-UF	Universal fill	20 in. x 20 in. x 20 in.	31	8	1/each
SC-Cart-OF	Oil-only fill	20 in. x 20 in. x 20 in.	31	8	1/each
SC-Cart-HF	Chemical fill	20 in. x 20 in. x 20 in.	31	8	1/each



** Absorbents sold separately.*

Spill Control Cabinet

- Durable construction and keyhole slots for wall hanging with 2 fully adjustable shelves
- Plexiglass window allows for easy content inventory
- Spill control cabinet ships empty. Select a cart fill option designed to maximize space. Fill options include: (50) 15 in. x 19 in. pads, (6) pillows, (4) 3 in. x 4 ft. SOCs, (5) disposal bags, goggles, handbook and nitrile gloves

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SC-Cabinet	Spill control cabinet	19-7/8 in. x 14-1/4 in. x 32-3/4 in.	45	9	1/each
SC-Cabinet-UF	Universal fill	20 in. x 20 in. x 20 in.	21	12	1/each
SC-Cabinet-OF	Oil-only fill	20 in. x 20 in. x 20 in.	21	12	1/each
SC-Cabinet-HF	Chemical fill	20 in. x 20 in. x 20 in.	21	12	1/each



** Absorbents sold separately.*

High-visibility spill station signs



L0SR03A 8 in. x 8 in. Acrylic



V1SR03A 6 in. x 9 in. x 4 in. Acrylic



V2SS24A 8 in. x 15 in. x 6 in. Acrylic

Emergency response spill kits to handle any type of spill

Accidents happen, so it's better to be prepared. Brady SPC offers a complete selection of spill kits in a variety of types and sizes to equip you with everything you need to clean-up spills when they occur. Quickly and easily clean-up oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.



Liquids absorbed

Universal	For oil, water-based and chemical liquids
Oil Only	For oil and petroleum-based liquids
Mixed (Universal and Oil Only)	For indoor / outdoor use. Kits contain both all-purpose universal absorbents and water-repellent oil-only absorbents for petroleum and oil-based liquids
Chemical	For aggressive and hazardous liquids
BRIGHTSORB® High-Visbility Safety Absorbents	For all liquids. Bright safety messaging signals to those in and around the spill containment area to exercise caution
Re-Form	Universal absorbents that are eco-friendly
TAA Compliant	Complies with the Trade Agreements Act

Trade Agreement (TAA) Compliant Kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or "substantially transformed" in a "designated country." The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries and Caribbean basin countries

Where should Spill Kits be located?

Worker productivity and efficiencies can be improved dramatically by strategically placing spill kits or absorbent storage centers around the facility, closer to areas of need. For both emergency response and routine maintenance and safety, employees should not be wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Shipping docks


Freight vehicles



Plant floors


Maintenance areas

Small Spill Response Kits

These kits are portable and have a small foot print — perfect for placement throughout your facility. Include them in each work cell, maintenance area, laboratory and on storage carts to ensure you're prepared when a spill occurs.

Small
Medium
Large



Available with BRIGHTSORB® High Visibility Absorbents

MAXX® Packs

- Mini-packs in resealable zipper bags
- Kit dimensions: 15.5 in. x 19.5 in. x 20.5 in.

Contents: 20 pads (15 in. x 19 in.)

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
MXP-U20	Universal	30	14	24	5/case
MXP-O20	Oil only	35	15	24	5/case
MXP-C20	BRIGHTSORB Chemical	30	14	24	5/case



BASIC Spill Kits

- Small selection of pads, SOCs and PPE makes these kits a perfect option for work cells, vehicles and small spaces
- Kit contained in a resealable, clear plastic bag
- Kit dimensions: 4.5 in. x 15 in. x 18 in.

Contents:

- 10 pads (15 in. x 19 in.)
- 2 SOCs (3 in. x 4 ft.)
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-BSC	* Universal	3	7	40	1/case
SKO-BSC	* Oil only	3	7	40	1/case

* ⚠ **WARNING:** Cancer and Reproductive Harm www.P65Warnings.ca.gov



Attack Pac Spill Kit

- Space-saving, single-use kit, packed in puncture- and UV-resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

Contents:

- 15 pads (15 in. x 19 in.)
- 3 SOCs (3 in. x 4 ft.)
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-ATK	Universal	7	36.5	24	4/case
SKA-ATK-TAA	Universal	7	36.5	24	4/case
SKO-ATK	Oil only	7	23	24	4/case
SKH-ATK	Chemical	7	25	24	4/case
SKR-ATK	Re-Form	7	36.5	24	4/case

Small
Medium
Large

Small Spill Response Kits (cont.)



Available with BRIGHTSORB® High Visibility Absorbents

Economy Spill Kit

- Highly-visible, yellow PVC bag for small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

Contents:

- 10 pads (15 in. x 19 in.)
- 2 SOCs (3 in. x 4 ft.)
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-PP	Universal	5	24	20	5/case
SKA-PP-TAA	Universal TAA	5	24	20	5/case
SKO-PP	Oil Only	5	24	20	5/case
SKCH-PP	BRIGHTSORB High Visibility	5	24	20	5/case
SKH-PP	Chemical	5	24	20	5/case
SKR-PP	Re-Form	5	24	20	5/case



Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit
- Kit dimensions: 25.5 in. x 17 in. x 21.5 in.

Contents:

- 32 pads (15 in. x 19 in.)
- 5 SOCs (3 in. x 4 ft.)
- 1 pillow (18 in. x 18 in.)
- 2 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-CFB	Universal	15	25	24	1/case
SKO-CFB	Oil Only	15	25	24	1/case
SKH-CFB	Chemical	15	25	24	1/case



Emergency Spill Sak

- Portable economy spill kit packed in a reusable sack
- Absorbs up to 10 gallons per kit
- Kit dimensions: 32 in. x 20 in. x 12 in.

Contents:

- 10 pads (15 in. x 19 in.)
- 2 SOCs (3 in. x 12 ft.)
- 1 pillow (18 in. x 18 in.)
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-SAK	Universal	10	10	40	1/each
SKO-SAK	Oil Only	10	10	40	1/each
SKH-SAK	Chemical	10	10	40	1/each

Small
Medium
Large

Small Spill Response Kits (cont.)



2-Gallon Spill Response Plus Kit

- Small sized absorbents are versatile, durable and low linting
- Ideal for hospitality, retail, restaurants or anywhere that requires a small pad
- Absorbs up to 4.5 gallons per kit
- Kit dimensions: 9.75 in. x 10.5 in.

Contents:

- 20 pads (7.5 in. x 10 in.)
- 1 disposable bag
- 1 pair of nitrile gloves
- 1 pair of goggles
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-SRP	Universal	4.5	2.5	48	1/each
SKO-SRP	Oil only	4.5	2.5	48	1/each
SKH-SRP	Chemical	4.5	2.5	48	1/each



Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Kit dimensions: 18 in. x 17 in. x 39 in.

Contents:

- 1 roll (15 in. x 73 ft.)
- 5 SOCs (3 in. x 4 ft.)
- 8 pillows (10 in. x 10 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-K2	Universal	22	42	10	1/each
SKO-K2	Oil only	22	42	10	1/each
SKH-K2	Chemical	22	42	10	1/each
SKA-K2R	Universal refill*	22	25	20	1/each
SKO-K2R	Oil-only refill*	22	25	20	1/each
SKH-K2R	Chemical refill*	22	25	20	1/each

**Refills do not include the container.*

Refills make restocking quick and easy

A critical step after a spill is cleaned up is to restock your spill kit in preparation for future spills. Many of the spill kits from Brady SPC have refills available, making it easy for you to restock with the appropriate products and quantities.



BradyID.com/s36

Small
Medium
Large

Small Spill Response: Vehicle Spill Kits

Spills are common during transportation. Make sure your fleet is outfitted with the appropriate kit to quickly attend to any spill when en route.



Economy Vehicle Spill Kits

- Compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil-only products for mixed fluid applications
- Absorbs up to 7.75 gallons per kit

Contents:

- 10 oil-only pads (15 in. x 19 in.)
- 10 universal pads (15 in. x 19 in.)
- 2 SOCs (3 in. x 42 in.)
- 1 putty pat
- 2 disposable bags
- 1 pair of goggles
- 1 pair of nitrile gloves

Catalog #		Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
BSCSK-CB	*	Vehicle spill kit	7.75	7	50	1/each

* ⚠ **WARNING:** Cancer and Reproductive Harm www.P65Warnings.ca.gov



Standard Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil-only products for mixed fluid applications
- Absorbs up to 11.5 gallons per kit

Contents:

- 20 oil-only pads (15 in. x 19 in.)
- 10 universal pads (15 in. x 19 in.)
- 3 SOCs (3 in. x 42 in.)
- 1 putty pat
- 2 disposable bags
- 1 pair of nitrile gloves
- 1 pair of goggles

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-VEH	Vehicle Spill Kit	11.5	9	50	1/each



Poly-Edge™ Mountable Spill Kit

- Slotted footprint makes mounting easy
- Constructed of lightweight 100% polyethylene that will not rust or corrode
- Water-resistant gasket keeps stored items dry
- Absorbs: up to 20 gallons per kit
  Kit dimensions: 35 in. x 16 in. x 16 in.

Contents:

- 25 pads (15 in. x 19 in.)
- 4 SOCs (3 in. x 12 ft.)
- 1 drain cover
- 1 putty pat
- 2 disposable bags
- 1 hazmat suit
- 1 pair of goggles
- 1 pair of nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-TRK	Universal	20	40	12	1/each
SKO-TRK	Oil Only	20	40	12	1/each

Small Spill Response: 6.5-Gallon Spill Kits

One of our most popular sized kits, these 6.5-gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.

Small
Medium
Large



Available with BRIGHTSORB® High Visibility Absorbents

6.5-Gallon Spill Bucket

- Easily accessible spill kit in a reusable bucket for a fast response to small spills
- Absorbs up to 5 gallons per kit
  Kit dimensions: 14 in. x 18 in.

Contents:

- 10 pads (15 in. x 19 in.)
- 3 SOCs (3 in. x 4 ft.)
- 2 disposal bags
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	5	9	36	1/each
SKA-BKT-TAA	Universal TAA	5	9	36	1/each
SKO-BKT	Oil only	5	9	36	1/each
SKCH-BKT	BRIGHTSORB chemical	5	8	36	1/each
SKH-BKT	Chemical	5	8	36	1/each



Bodily Fluid Spill Kit

- Assortment of pads, neutralizer, SOCs and the appropriate PPE will make cleaning up bodily fluids safer and more efficient
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit
  Kit dimensions: 14 in. x 18 in.

Contents:

- Granular (1 lb.)
- 10 barrier-backed pads (15 in. x 19 in.)
- 2 disposal bags
- 1 case sanitary wipes
- 1 pair goggles
- 1 pair neoprene gloves
- 1 apron
- 1 small scoop and scraper

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-BF	Bodily fluid spill kit	4.5	9	36	1/each

Small Specialty

Small Spill Response: Specialty Kits

These specialty 6.5-gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.



6.5-Gallon Acid / Base Neutralizer Spill Kit

- Used to solidify a wide range of spills
- Polymers will neutralize and change color to let you know neutralization has taken place. Acid neutralizer changes to purple, base neutralizer changes to orange.
- Absorbs up to 4.5 gallons per kit
  Kit dimensions: 14 in. x 18 in.

Contents:

- 1.5 gallon bucket
- 1 neutralizer shaker (2 lb.)
- 10 pads (15 in. x 19 in.)
- 2 SOCs (3 in. x 4 ft.)
- 2 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 Tyvek Suit
- 1 small scoop

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-BKTACID	Acid Neutralizing Kit	4.5	16.5	36	1/each
SKA-BKTBASE	Base Neutralizer Kit	4.5	16.5	36	1/each
SPC-ACID	Acid Neutralizing Polymer Shaker Only (2lb)	0.65	2	1,200	1/each*
SPC-BASE	Base Neutralizing Polymer Shaker Only (2lb)	0.65	2	1,200	1/each*

**Minimum order of 12 individual shakers.*



Battery Acid Spill Kit

- Granular, neutralizer and the appropriate absorbents will help simplify the battery acid spill clean up process
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit
  Kit dimensions: 14 in. x 18 in.

Contents:

- Granular (1 lb.)
- 1 neutralizer shaker (2 lb.)
- 10 pads (15 in. x 19 in.)
- 2 SOCs (3 in. x 4 ft.)
- 2 disposal bags
- 1 pair goggles
- 1 pair neoprene gloves
- 1 apron
- 1 faceshield
- 1 small scoop and scraper

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-BATT	Battery Acid Spill Kit	4.5	9	36	1/each

Small Spill Response: Specialty Kits (cont.)

Small Specialty



Mercury Spill Kit

- Mercury powder is specifically designed to neutralize mercury spills. Then wipe clean with absorbent pads and scoop up any particles that remain.
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit
  Kit dimensions: 14 in. x 18 in.

Contents:

- Mercury absorbent powder (2 lb.)
- 10 pads (15 in. x 19 in.)
- 2 disposal bags
- 1 pair goggles
- 1 pair neoprene gloves
- 1 small scoop and scraper

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-MERC	Mercury spill kit	4.5	9	36	1/each



Formaldehyde Spill Kit

- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit
  Kit dimensions: 14 in. x 18 in.

Contents:

- Granular (1 lb.)
- 1 acid neutralizer shaker (2 lb.)
- 10 pads (15 in. x 19 in.)
- 2 disposal bags
- 1 pair goggles
- 1 pair neoprene gloves
- 1 respirator
- 1 small scoop and scraper

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-FORM	Formaldehyde spill kit	4.5	9	36	1/each

Spill Kit Tamper Proof Label

When a spill occurs, you need your spill kit to be fully intact. Use Brady SPC tamper proof labels to indicate if a spill kit has been opened and may need replacing.



Catalog #	Type	Size	Qty.
TAMPER	Tamper proof label	3.5" x 5"	5/pack

BradyID.com/s36

Small **Medium** Large

Medium Spill Response: 20-Gallon Spill Kits

Easily deployable 20-gallon spill kits are perfect for medium-sized spills throughout your facility — particularly in areas with fluid transfer.



Available with BRIGHTSORB® High Visibility Absorbents

20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw-top lid for medium response
- Absorbs up to 17 gallons per kit
  Kit dimensions: 21 in. x 18 in.

Contents:

- 12 pads (15 in. x 19 in.)
- 3 SOCs (3 in. x 12 ft.)
- 2 pillows (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-20	Universal	17	26	12	1/each
SKA-20-TAA	Universal	17	26	12	1/each
SKO-20	Oil Only	17	26	12	1/each
SKCH-20	BRIGHTSORB High Visibility	17	26	12	1/each
SKH-20	Chemical	17	26	12	1/each
SKA20-R	Universal Refill*	17	13	16	1/each
SKO20-R	Oil-only refill*	17	13	16	1/each
SKH20-R	Chemical Refill*	17	13	16	1/each

**Refills do not include the container.*



20-Gallon Mixed Application Spill Kit

- For response to both water- and petroleum-based spills
- Absorbs up to 17 gallons per kit
  Kit dimensions: 21 in. x 18 in.

Contents:

- 6 universal pads (15 in. x 19 in.)
- 6 oil-only pads (15 in. x 19 in.)
- 1 universal pillow (18 in. x 18 in.)
- 1 oil-only pillow (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-20	Mixed	17	20	12	1/each



20-Gallon Rescue Spill Kit

- Included caution tape and a wet floor sign help prevent slips, trips and falls while a spill is being cleaned up
- Absorbs up to 17 gallons per kit
  Kit dimensions: 21 in. x 18 in.

Contents:

- 12 pads (15 in. x 19 in.)
- 3 SOCs (3 in. x 12 ft.)
- 2 pillows (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 roll caution tape (3 in. x 200 ft.)
- 1 wet floor sign (18 in.)
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-20-RESCUE	Universal	17	20	12	1/each
SKO-20-RESCUE	Oil Only	17	20	12	1/each
SKH-20-RESCUE	Chemical	17	20	12	1/each

BRADY

Medium Spill Response: 30-Gallon Spill Kits

Looking for something a little larger? Look no further than the 30-gallon kit. Absorbing up to 36 gallons, these kits are perfect for medium-sized spills. Store throughout your facility — particularly in areas where fluid transfer is prevalent.

Small **Medium** Large



30-Gallon Spill Kit

- UN-approved water- and chemical-resistant polyethylene container with screw-top lid
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 29 gallons per kit
  Kit dimensions: 21.125 in. x 28.5 in.

Contents:

- 25 pads (15 in. x 19 in.)
- 6 SOCs (3 in. x 12 ft.)
- 6 pillows (9 in. x 9 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA30	Universal	29	41	12	1/each
SKA30TAA	Universal TAA	29	41	12	1/each
SKO30	Oil only	29	41	12	1/each
SKH30	Chemical	29	41	12	1/each
SKA30-R	Universal refill*	29	28	12	1/each
SKO30-R	Oil-only refill*	29	26	12	1/each
SKH30-R	Chemical refill*	29	28	12	1/each

**Refills do not include the container.*



30-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water- and petroleum-based spills
- Absorbs up to 29 gallons per kit
  Kit dimensions: 21.125 in. x 28.5 in.

Contents:

- 15 universal pads (15 in. x 19 in.)
- 15 oil-only pads (15 in. x 19 in.)
- 3 universal SOCs (3 in. x 12 ft.)
- 3 oil-only SOCs (3 in. x 12 ft.)
- 3 universal pillows (18 in. x 18 in.)
- 3 oil-only pillows (18 in. x 18 in.)
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-30	Mixed	29	41	12	1/each

Small
Medium
Large

Large Spill Response: 55-Gallon Spill Kits

55-gallon spill kits are essential in any facility. Keep them near entrances and exits for emergency deployment to prevent facility spills from entering the environment.



Available with BRIGHTSORB® High Visibility Absorbents

55-Gallon Drum Spill Kit

- Lever-locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 38 gallons per kit
- Kit dimensions: 24 in. x 37 in.
  Wheeled kit dimensions: 23 in. dia. x 37 in.

Contents:

- 50 pads (15 in. x 19 in.)
- 4 SOCs (3 in. x 12 ft.)
- 8 pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA55	Universal	38	57	8	1/each
SKA55-TAA	Universal TAA	38	56	8	1/each
SKO55	Oil only	38	56	8	1/each
SKCH-55	Brightsorb chemical	38	52	8	1/each
SKH55	Chemical	38	52	8	1/each
SKA55W	Universal w/ wheels	38	57	8	1/each
SKO55W	Oil only w/ wheels	38	56	8	1/each
SKH55W	Chemical w/ wheels	38	52	8	1/each
SKA55-R	Universal refill*	38	37	8	1/each
SKO55-R	Oil-only refill*	38	37	8	1/each
SKH55-R	Chemical refill*	38	37	8	1/each

**Refills do not include the container.*



55-Gallon Mixed Application Spill Kit

- A single spill kit to respond to spills of water-based and petroleum-based spills
- Absorbs up to 46 gallons per kit
- Kit dimensions: 24 in. x 37 in.
  Wheeled kit dimensions: 23 in. dia. x 37 in.

Contents:

- 25 universal pads (15 in. x 19 in.)
- 25 oil-only pads (15 in. x 19 in.)
- 2 universal SOCs (3 in. x 12 ft.)
- 2 oil-only SOCs (3 in. x 12 ft.)
- 4 universal pillows (18 in. x 18 in.)
- 4 oil-only pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-55	Mixed	46	52	8	1/each
SKMA-55W	Mixed w/ Wheels	46	52	8	1/each

Large Spill Response: 65-Gallon Spill Kits

If you require a larger spill kit but don't have a lot of space, the 65-gallon kit is the perfect solution. These kits have almost double the absorbents of a 55-gallon kit without doubling in size.

Small
Medium
Large



65-Gallon Spill Kit

- UN-approved water- and chemical-resistant polyethylene overpack drum with screw-top lid is reusable and meets DOT specifications
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31 in. x 33.5 in.
  Wheeled kit dimensions: 31 in. x 42 in.

Contents:

- 100 pads (15 in. x 19 in.)
- 7 SOCs (3 in. x 12 ft.)
- 7 pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA65	Universal	63	100	3	1/each
SKA65TAA	Universal TAA	63	100	3	1/each
SKO65	Oil only	63	100	3	1/each
SKH65	Chemical	63	100	3	1/each
SKA65W	Universal w/ wheels	63	100	3	1/each
SKO65W	Oil only w/ wheels	63	100	3	1/each
SKH65W	Chemical w/ wheels	63	100	3	1/each
SKA65-R	Universal refill*	63	40	3	1/each
SKO65-R	Oil-only refill*	63	40	3	1/each
SKH65-R	Chemical refill*	63	40	3	1/each

**Refills do not include the container.*



65-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 65 gallons per kit
- Kit dimensions: 31 in. x 33.5 in.
  Wheeled kit dimensions: 31 in. x 42 in.

Contents:

- 50 universal pads (15 in. x 19 in.)
- 50 oil-only pads (15 in. x 19 in.)
- 4 universal SOCs (3 in. x 12 ft.)
- 3 oil-only SOCs (3 in. x 12 ft.)
- 4 universal pillows (18 in. x 18 in.)
- 3 oil-only pillows (18 in. x 18 in.)
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-65	Mixed	65	100	3	1/each
SKMA-65W	Mixed w/ Wheels	65	100	3	1/each

Small
Medium
Large

Large Spill Response: 95-Gallon Spill Kits

95-gallon kits will keep you prepared for almost any spill. Keep these on hand in areas where the likelihood of larger spills is greatest.



Available with BRIGHTSORB® High Visibility Absorbents

95-Gallon Overpack

- UN-approved water- and chemical-resistant polyethylene overpack drum with screw-top lid is reusable and meets DOT specifications
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 75 gallons per kit
- Kit dimensions: 31.5 in. x 35 in.
  Wheeled kit dimensions: 31.5 in. x 47 in.

Contents:

- 110 pads (15 in. x 19 in.)
- 12 SOCs (3 in. x 4 ft.)
- 8 SOCs (3 in. x 12 ft.)
- 8 pillows (18 in. x 18 in.)
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-95	Universal	75	107	2	1/each
SKO-95	Oil Only	75	107	2	1/each
SKCH-95	BRIGHTSORB chemical	75	104	2	1/each
SKH-95	Chemical	75	104	2	1/each
SKA-95W	Universal w/ wheels	75	107	2	1/each
SKO-95W	Oil only w/ wheels	75	107	2	1/each
SKH-95W	Chemical w/ wheels	75	104	2	1/each
SKA95-R	Universal refill*	75	60	3	1/each
SKO95-R	Oil-only refill*	75	60	3	1/each
SKH95-R	Chemical refill*	75	60	3	1/each

**Refills do not include the container.*



95-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 77 gallons per kit
- Kit dimensions: 31.5 in. x 35 in.
  Wheeled kit dimensions: 31.5 in. x 47 in.

Contents:

- 55 universal pads (15 in. x 19 in.)
- 55 oil-only pads (15 in. x 19 in.)
- 6 universal SOCs (3 in. x 4 ft.)
- 6 oil-only SOCs (3 in. x 4 ft.)
- 4 universal SOCs (3 in. x12 ft.)
- 4 oil-only SOCs (3 in. x 12 ft.)
- 4 universal pillows (18 in. x 18 in.)
- 4 oil-only pillows (18 in. x 18 in.)
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKMA-95	Mixed	77	107	2	1/each
SKMA-95W	Mixed w/ Wheels	77	107	2	1/each

X-Large Spill Response: Mobile Spill Trucks

In the event of a substantial spill, keep your facility prepared. Mobile spill trucks are filled with all of the essentials you'll need for major spill clean-up.

Medium
Large
X-Large



Mobile Spill Truck - Large

- Wheel-mounted polyethylene bins are chemical and water resistant. Spill trucks provide the highest level of readiness
- Absorbs up to 169 gallons per kit.
- Kit dimensions: 47 in. x 34 in. x 43 in.

Contents of Universal and Oil-Only Kits:
- 200 pads (15 in. x 19 in.)
- 24 SOCs (3 in. x 4 ft.)
- 12 SOCs (3 in. x 12 ft.)
- 8 pillows (17 in. x 19 in.)
- 15 disposal bags
- 1 pair goggles
- 3 pair nitrile gloves
- Emergency Response Guidebook

Contents of Marine Kit:
- 400 pads (15 in. x 19 in.)
- 4 booms (5 in. x 10 ft.)
- 1 sweep (19 in. x 100 ft.)
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-LT	Universal	134	164	1	1/each
SKO-LT	Oil only	126	185	1	1/each
SKM-LT	Marine	169	164	1	1/each



Mobile Spill Truck - X-Large

- Mobile spill response kit in a water- and chemical-resistant large bin
- Absorbs up to 282 gallons per kit
- Kit dimensions: 57.5 in. x 40.5 in. x 47 in.

Contents of Universal and Oil-Only Kits:
- 250 pads (15 in. x 19 in.)
- 36 SOCs (3 in. x 4 ft.)
- 20 SOCs (3 in. x 12 ft.)
- 8 pillows (18 in. x 18 in.)
- 30 disposal bags
- 3 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

Contents of Marine Kit:
- 600 pads (15 in. x 19 in.)
- 8 booms (5 in. x 10 ft.)
- 1 sweeps (19 in. x 100 ft.)
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
- Emergency Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-XLT	Universal	184	221	1	1/each
SKO-XLT	Oil only	174	221	1	1/each
SKM-XLT	Marine	282	258	1	1/each

Facility Marking Tape

BradyID.com/s36

Create a visual workplace with facility and floor marking products

Visual Workplace is a lean concept that emphasizes putting critical information at the point of use. Companies that incorporate lean visuals throughout their facility are proven to have higher productivity, reduced waste, and improved safety.

Visuals can be something as simple as a line, shape or color band — whatever employees can understand at a glance. Or visuals can include signs, labels, displays and more.





OSHA regulations now include aisle marking

OSHA has recently began requiring, or implying, the need for marking and color coding.

OSHA - Use of Mechanical Equipment
1910.176(a) Where mechanical handling equipment is used, sufficient safe clearances shall be allowed for aisles, at loading docks, through doorways and wherever turns or passage must be made. Permanent aisles and passageways shall be appropriately marked.

OSHA - Letter of Interpretation
1910.22(b) The lines used to delineate aisles may be any color so long as they clearly define the area considered as aisle space. The lines may be composed of dots, square, strip or continuous. The recommended width of aisle markings varies from 2 in. to 6 in., therefore any width 2 in. or more is considered acceptable.

OSHA - Means of Egress
1910.35 OSHA will deem an employer demonstrating compliance with the exit route provisions of NFPA 101, Life Safety Code, or the exit route provisions of the IFC 2009, to be in compliance with 190.34, 1910.36 and 1910.37.

IFC - International Fire Code 2009
1024.1 Approved luminous egress path markings delineating the exit path shall be provided...having occupied floors located more than 75 ft. above the lowest level of fire department vehicle access.

1024.2.1 A solid and continuous stripe shall be applied to the horizontal leading edge of each step and shall extend the full length of each step.

1024.2.4 Perimeter and floor mounted demarcation lines shall be placed within 4 in. of the wall and extend to within 2 in. of the markings on the leading edge of landings. Demarcation lines shall be 1 in. to 2 in. wide with interruptions not exceeding 4 in.

ToughStripe Max Floor Marking Tape (B-543)

new

- Resistance to cuts and scrapes in high-traffic forklift and industrial-vehicle traffic areas due to its increased thickness (1.25 mm)
- Aggressive adhesive performance to floor, but easily removes in one piece
- Tapered edges minimize "pick points" and traffic bumps
- Service temperature range of 0° F to 140° F (-18° C to 60° C)

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Yellow	149629	149636	149643
Ylw / Blk Striped	149630	149637	149644
Red	149634	149641	149648
Orange	149635	149642	-
White	149633	149640	149647
Green	149632	149639	149646
Blue	149631	149638	149645



Toughstripe Floor Marking Tape (B-514)

- Ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths
- Exceeds OSHA and ANSI safety standards for clean, dry non-slip surfaces
- 0.2 mm thickness and service temperature 0° F to 140° F (-18° C to 60° C)
- Custom colors available





Colors

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Yellow	104312	104342	104372
Red	104313	104343	104373
Orange	104316	104346	104376
White	104311	104341	104371
Green	104315	104345	104375
Blue	104314	104344	104374
Purple	134086	134087	134088
Brown	134089	134090	134091
Grey	134092	134093	134094
Black	104310	104340	104370



Stripes

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Ylw / Blk	104317	104347	104377
Rd / Wht	104318	104348	104378
Rd / Ylw	132430	132431	132432
Org / Blk	132433	132434	132435
Wht / Blk	104319	104349	104379
Grn / Wht	132436	132437	132438
Blu / Ylw	132439	132440	132441



Checkers

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Rd / Wht	121916	121917	121918
Blk / Wht	121913	121914	121915



Overlaminate Tape

Catalog #	Description	Size
142134	Overlaminate	1 in. x 50 ft.
142136	Overlaminate	1.125 in. x 100 ft.
142135	Overlaminate	2 in. x 50 ft.
142137	Overlaminate	2.250 in. x 100 ft.
142138	Overlaminate	3 in. x 100 ft.
142139	Overlaminate	4 in. x 100 ft.

ToughStripe Floor Tape Applicator

- One applicator for all of your floor marking tapes — including thick, heavy-duty tapes and thin, temporary tapes
- Adjusts to fit 2 in. to 4 in. tape widths
- Lightweight, ergonomic design makes tape application easy
- Applicator winds tape liner onto an extra core as you go to make clean up fast and easy
- Small footprint fits in tight spaces

Catalog #	Description	Qty
150852	ToughStripe Floor Tape Applicator	1



new



Adjusts to fit 2 in. to 4 in. tape widths


ToughStripe® Floor Marking

BradyID.com/s36

ToughStripe Floor Marking Die-cut Shapes


- All the durability and high visibility of ToughStripe Floor Marking Tape, but in die-cut shapes

Dots



	3.5 in. Dia. 350/roll
Yellow	104403
Red	104400
White	104405
Green	104401
Blue	104402
Black	104404

Arrows



	2 in. x 5 in. 100/pack	3 in. x 8 in. 100/pack	4 in. x 10 in. 100/pack
Yellow	104415	104421	104427
Red	104412	104418	104424
White	104417	104423	104429
Green	104413	104419	104425
Blue	104414	104420	104426
Black	104416	104422	104428

Footprints



	10 ft. x 3.5 in. 5 right and 5 left/pack
Yellow	104409
Red	104406
White	104411
Green	104407
Blue	104408
Black	104410

Corner Marks



	2 in. x 5 in. 20/pack	3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104433	104445	104457
Red	104430	104442	104454
White	104435	104447	104459
Green	104431	104443	104455
Blue	104432	104444	104456
Black	104434	104446	104458

Center Marks



	2 in. x 5 in. 20/pack	3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104469	104475	104481
Red	104466	104472	104478
White	104471	104477	104483
Green	104467	104473	104479
Blue	104468	104474	104480
Black	104470	104476	104482

Divider Marks



	2 in. x 5 in. 20/pack	3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104439	104451	104463
Red	104436	104448	104460
White	104441	104453	104465
Green	104437	104449	104461
Blue	104438	104450	104462
Black	104440	104452	104464

Pre-Spaced ToughStripe Shapes

Quickly lay straight, evenly spaced shapes. Simply lay down the continuous tape, then remove the clear transfer tape. No need to apply markings one by one.

	3.5 in. x 100 ft. 55 dots/18 in. apart	2 in. x 5 in. x 100 ft. 52 arrows/18 in. apart	2 in. x 8 in. x 100 ft. 46 dashes/18 in. apart
Yellow	104523	104529	104556
Red	104521	104526	142179
White	104522	104555	142177
Green	104520	104527	142181
Blue	104524	104528	142180
Black	104525	104554	142178





Pre-Printed ToughStripe Tape

Stock or custom legends available (18 character limit)

Legend	Color	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
QA Inspection Area	Blk on Org	121364	121365	121366
Caution ESD Area	Blk on Ylw	121367	121368	121369





Print-On-Demand ToughStripe Tape (B-483)

ToughStripe is available as a printable material for several of Brady's printers, allowing you to create custom floor labels for your facility. Simply print desired label from a select Brady printer, position label on floor and apply included B-634 polyester overlaminate for print protection.

Benchtop printers
See page 49

BMP®71 Portable Printer
See page 152

Toughstripe Floor Marking Signs

Toughstripe B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- Black areas of signs are coated with anti-slip tread
- 3-mil thickness, service temperature 0° F to 130° F (18° C to 54° C)
- US Patent No 8,302,337







Arrow Symbol
104489 - 17 in. dia.



Emergency Exit
104495 - 17 in. dia.



Emergency Stairs
104496 - 17 in. dia.



Exit Arrow
104490 - 17 in. dia.



Fire Extinguisher
104492 - 17 in. dia.



Fire Alarm
104493 - 17 in. dia.



Fire Hose
104494 - 17 in. dia.



Pedestrian Traffic Only
104509 - 17 in. dia.



Watch Out For Fork Lift
104501 - 17 in. dia.



Warning Forklift Traffic
104512 - 17 in. dia.



Production Area
104513 - 17 in. dia.



First Aid w/Arrow
104486 - 17 in. dia.



Safety Shower
104487 - 17 in. dia.



Eye Wash
104507 - 17 in. dia.



Stop
104511 - 17 in. dia.



Keep Aisles Clear
104508 - 17 in. dia.



Radiation Area
104488 - 14 in. x 18 in.



First Aid
104491 - 14 in. x 18 in.



Do Not Enter
104497 - 14 in. x 18 in.



Chemical Storage
104498 - 14 in. x 18 in.



Watch Your Step
104499 - 14 in. x 18 in.



No Smoking
104500 - 14 in. x 18 in.



Ear Protection Area
104502 - 14 in. x 18 in.



Eye Protection Area
104503 - 14 in. x 18 in.



Hard Hat Area
104504 - 14 in. x 18 in.



Safety Goggles Required
104505 - 14 in. x 18 in.



Biohazard
104506 - 14 in. x 18 in.



Safety Glasses Required
104510 - 14 in. x 18 in.

ToughStripe® Floor Marking

BradyID.com/s36

ToughStripe Numbers and Letters

- Easy-to-see 6 in. x 8 in. numbers and letters are ideal for marking aisles, shipping and receiving docks, distribution centers and other areas of your facility
- Material removes cleanly without any unsightly adhesive residue or damage to the floor
- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A 1264.2-2006 and OSHA 1910.22





Legend	Black 20/sheets	White 20/sheets	Red 20/sheets	Green 20/sheets	Blue 20/sheets	Yellow 20/sheets
A	121691	121692	121693	121694	121695	121696
B	121697	121698	121699	121700	121701	121702
C	121703	121704	121705	121706	121707	121708
D	121709	121710	121711	121712	121713	121714
E	121715	121716	121717	121718	121719	121720
F	121721	121722	121723	121724	121725	121726
G	121727	121728	121729	121730	121731	121732
H	121733	121734	121735	121736	121737	121738
I	121739	121740	121741	121742	121743	121744
J	121745	121746	121747	121748	121749	121750
K	121751	121752	121753	121754	121755	121756
L	121757	121758	121759	121760	121761	121762
M	121763	121764	121765	121766	121767	121768
N	121769	121770	121771	121772	121773	121774
O	121775	121776	121777	121778	121779	121780
P	121781	121782	121783	121784	121785	121786
Q	121787	121788	121789	121790	121791	121792
R	121793	121794	121795	121796	121797	121798
S	121799	121800	121801	121802	121803	121804
T	121805	121806	121807	121808	121809	121810

Legend	Black 20/sheets	White 20/sheets	Red 20/sheets	Green 20/sheets	Blue 20/sheets	Yellow 20/sheets
U	121811	121812	121813	121814	121815	121816
V	121817	121818	121819	121820	121821	121822
W	121823	121824	121825	121826	121827	121828
X	121829	121830	121831	121832	121833	121834
Y	121835	121836	121837	121838	121839	121840
Z	121841	121842	121843	121844	121845	121846
0	121847	121848	121849	121850	121851	121852
1	121853	121854	121855	121856	121857	121858
2	121859	121860	121861	121862	121863	121864
3	121865	121866	121867	121868	121869	121870
4	121871	121872	121873	121874	121875	121876
5	121877	121878	121879	121880	121881	121882
6	121883	121884	121885	121886	121887	121888
7	121889	121890	121891	121892	121893	121894
8	121895	121896	121897	121898	121899	121900
9	121901	121902	121903	121904	121905	121906
Punctuation Set*	121907	121908	121909	121910	121911	121912

** Each set includes: 40 periods, 20 commas, 20 question marks, 20 exclamation points, 20 forward slashes, 20 dashes and 20 ampersands.*

Premium 5S Marking Kits with ToughStripe Floor Marking Tape

Everything you need to 5S your facility, enhancing workplace organization and efficiency.

Premium 5S Marking Kit Includes:

- ToughStripe Floor Marking Tape
  - 4 rolls of 2 in. ToughStripe floor tape (1 yellow, 1 red, 1 blue, 1 green)
  - 4 packs of 2 in. L-shaped corner marks (1 yellow, 1 red, 1 blue, 1 green)
- Toolboard / Workbench Marking Tapes
  - 4 rolls of 12 in. shadow vinyl (1 black, 1 red, 1 blue, 1 green)
  - 4 rolls of 0.5 in. border tape (1 black, 1 red, 1 blue, 1 green)
  - 4 rolls of 0.5 in. L-shaped corner marks (1 black, 1 red, 1 blue, 1 green)

Catalog #	Description
142109	Premium 5S Kit

Premium 5S Kit with BMP®71 Label Printer Includes:

- All contents of Premium 5S Marking Kit above, plus:
- BMP71 Printer with hard carrying case and charger / AC power adaptor
- 3 white vinyl tape cartridges (0.5 in., 1 in., 2 in.)
- 1 yellow vinyl tape cartridge (2 in.)
- 2 ribbon cartridges (1 black, 1 red)

Catalog #	Description
142111	Premium 5S Kit with BMP71 Label Printer



Learn more about the BMP®71 Label Printer on page 152

PaintStripe™ Floor Marking Stencil

- Faster application, exact measurement and precise control
- Two adhesive types to securely mask edges and provide easy removal on concrete and other floor surfaces
- Printed cut-lines and a repeating 12-inch ruler facilitate accurate length measurement and rapid alignment of 90° corners
- Ideal for areas where paint is preferred for line-marking, such as areas with aggressive or abrasive traffic conditions, or facilities that are unable to use aisle marking tapes due to wet floors, washdown conditions, floor-cleaning protocols or chemical exposures







B-518 with lower adhesion for clean, polished floors

Catalog #	Surface Type	Style	Size	Qty
148820	Smooth Flooring	Line	2 in.	100 ft. roll
148808	Smooth Flooring	Line	2 in.	500 ft. roll
148814	Smooth Flooring	Line	3 in.	100 ft. roll
148819	Smooth Flooring	Line	3 in.	500 ft. roll
148806	Smooth Flooring	Line	4 in.	100 ft. roll
148816	Smooth Flooring	Line	4 in.	500 ft. roll
148815	Smooth Flooring	Dashed	2 in. x 8 in.	100 ft. roll
148823	Smooth Flooring	Dashed	2 in. x 8 in.	500 ft. roll



B-519 with higher adhesion for dull or worn surfaces

Catalog #	Surface Type	Style	Size	Qty
148813	Rough Flooring	Line	2 in.	100 ft. roll
148822	Rough Flooring	Line	2 in.	500 ft. roll
148809	Rough Flooring	Line	3 in.	100 ft. roll
148821	Rough Flooring	Line	3 in.	500 ft. roll
148810	Rough Flooring	Line	4 in.	100 ft. roll
148807	Rough Flooring	Line	4 in.	500 ft. roll
148812	Rough Flooring	Dashed	2 in. x 8 in.	100 ft. roll
148818	Rough Flooring	Dashed	2 in. x 8 in.	500 ft. roll



Paint vs. ToughStripe Tape

	Preparation and Execution	Environment	Removal	Brady Solutions	
 Tape	Requires less planning and preparation. Tape immediately bonds to floor.	Indoor, dry environments	Easier to remove if markings need to be rearranged	Good: B-726 Vinyl Tape	Cost-effective solution for short application periods
				Better: ToughStripe Tape	Longer application period and available in die-cuts and signs
				Best: ToughStripe Max Tape	Highest durability for forklift traffic
 Paint	Extensive surface preparation, ventilation and control of ignition or contamination sources. Downtime for drying.	Indoor and outdoor use, including wash down environments	Difficult to remove if markings need to be rearranged	PaintStripe™ Floor Marking Stencil	Paint stencil for longer, more permanent marking on rough or pitted floors

Facility Marking Tape

BradyID.com/s36



Aisle Marking Tapes

- Long-wearing B-726 vinyl tape
- Applies quickly and sticks tightly
- Not compatible with Universal Line Applicator

Color	2 in. x 36 yd.	3 in. x 36 yd.	4 in. x 36 yd.
Yellow	58200	58250	102838
Red	58201	58251	102836
Orange	102825	102829	102835
White	58203	58253	102837
Green	58202	58252	102834
Blue	58220	58221	102833
Black	58222	58223	102839
Brown	102828	102832	102840
Purple	102827	102831	-
Grey	102826	102830	-



Warning Tape

- B-950 vinyl with permanent adhesive stands up to tough indoor conditions
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Color	1 in. x 18 yd.	1.5 in. x 18 yd.	2 in. x 18 yd.	3 in. x 18 yd.
Striped Tape				
Blk/Ylw	55300	55301	55302	55303
Rd/Wht	55294	55295	55296	55297
Blk/Wt	55290	55291	55292	55293
Mag/Ylw	-	55312	55313	55314
Grn/Wht	-	-	90019	90020
Checkered Tape				
Blk/Ylw	-	-	76317	76319
Blk/Wt	-	-	76316	76318



Reflective Tape

- Made of B-957 reflective tape
- Gives an extra margin of safety in low light conditions

Color	2 in. x 15 ft.	2 in. x 30 ft.	3 in. x 15 ft.	3 in. x 30 ft.
Solid Tape				
Yellow	78986	78141	78988	78144
Orange	78989	78142	78990	78145
White	78985	78140	78987	78143
Striped Tape				
Blk/Ylw	76308	78130	76312	78133
Rd/Wht	76309	78131	76313	78134
Blk/Wht	76310	78132	-	78135
Checkered Tape				
Blk/Ylw	76321	78137		78139
Blk/Wht	-	78136	-	78138



L-Shaped Corner Markings

- Use corner marks to quickly define storage locations on workbenches, desktops and shelves

Catalog #	Color	Size	Qty.
121415	Yellow	1 in. x 1 in.	750/roll
121413	Red	1 in. x 1 in.	750/roll
121416	Green	1 in. x 1 in.	750/roll
121414	Blue	1 in. x 1 in.	750/roll
121417	Black	1 in. x 1 in.	750/roll



T-Shaped Corner Markings

- Use corner marks to quickly define storage locations on workbenches, desktops and shelves

Catalog #	Color	Size	Qty.
121420	Yellow	1.5 in. x 1 in.	545/roll
121418	Red	1.5 in. x 1 in.	545/roll
121421	Green	1.5 in. x 1 in.	545/roll
121419	Blue	1.5 in. x 1 in.	545/roll
121422	Black	1.5 in. x 1 in.	545/roll



Organize tools and equipment



Designate storage locations



Inventory and reorder levels



Warn of safety hazards



Border Marking Tape

- Ideal for solid borders, dividing lines
- Place color-coded bands on tools for easy identification


Catalog #	Color	Size
121124	Yellow	0.25 in. x 50 ft.
121129	Yellow	0.50 in. x 50 ft.
121122	Red	0.25 in. x 50 ft.
121127	Red	0.50 in. x 50 ft.
121125	Green	0.25 in. x 50 ft.
121130	Green	0.50 in. x 50 ft.
121128	Blue	0.25 in. x 50 ft.
121123	Blue	0.50 in. x 50 ft.
121126	Black	0.25 in. x 50 ft.
121131	Black	0.50 in. x 50 ft.



Shadow Vinyl Rolls

- Quickly and easily create tool shadows to exact size and shape
- Simply place tool on vinyl, trace outline with pen and cut out with scissors

Catalog #	Color	Size
121119	Yellow	12 in. x 12 ft.
121117	Red	12 in. x 12 ft.
121120	Green	12 in. x 12 ft.
121118	Blue	12 in. x 12 ft.
121121	Black	12 in. x 12 ft.



Footprints

- Single footprints made of vinyl and designed for easy hand application

Catalog #		Color	Size	Qty.
Left Foot	Right Foot			
121405	121406	Yellow	12 in.	1 ea.
121402	121401	Orange	12 in.	1 ea.
121409	121410	Red	12 in.	1 ea.
121411	121412	White	12 in.	1 ea.
121407	121408	Green	12 in.	1 ea.
121400	121399	Blue	12 in.	1 ea.
121404	121403	Black	12 in.	1 ea.



Vinyl Aisle Marking Dots

- B-7569 aisle marking vinyl dots are designed for easy hand application

Catalog #	Color	Size	Qty.
121033	Yellow	2 in. dia.	500
121034	Yellow	3 in. dia.	500
121035	Yellow	4 in. dia.	500
121036	Yellow	5 in. dia.	500
121039	Red	2 in. dia.	500
121139	Red	3 in. dia.	500
121040	Green	2 in. dia.	500
121041	Green	3 in. dia.	500
121042	White	2 in. dia.	500
121043	White	3 in. dia.	500

Vinyl Aisle Marking Arrows

- B-7569 vinyl is ideal for floor application
- Aisle marking arrows are designed for easy hand application

Catalog #	Color	Size	Qty.
121046	Yellow	2 in.	100
121047	Yellow	3 in.	100
121048	Yellow	4 in.	100
121049	Yellow	5 in.	100
121051	Red	3 in.	100



Removable Footprints

- Durable, skid-resistant footprints with removable back
- Standard package: 5 left and 5 right


Catalog #	Color	Size	Qty.
31550	Yellow	11.875 in. x 3.75 in.	5 sets
31553	Red	11.875 in. x 3.75 in.	5 sets
31551	Green	11.875 in. x 3.75 in.	5 sets
31552	Blue	11.875 in. x 3.75 in.	5 sets



Roll Mounted Dots

- B-7569 vinyl dots are designed for machine application

Catalog #	Color	Size	Qty.
121037	Yellow	2 in. dia.	1,000/roll
121038	Yellow	3 in. dia.	1,000/roll
121044	White	2 in. dia.	1,000/roll
121045	White	3 in. dia.	1,000/roll
121050	Green	3 in. dia.	1,000/roll



Glow-In-The-Dark Arrows

- Photoluminescent arrows designed to direct safe exit during power outages and emergency situations
- 10+ hour glow life

Catalog #	Description	Size	Qty.
93275	Glow Arrows	3 in.	100



Glow-In-The-Dark Footprints

- Photoluminescent footprints designed to direct safe exit during power outages and emergency situations
- 10+ hour glow life

Catalog #	Description	Size	Qty.
55358	Left Footprint	12 in.	1 ea.
55359	Right Footprint	12 in.	1 ea.



Color-Coded Dots

- Pressure-sensitive paper labels are ideal creating a visual workplace

Catalog #	Color	Size	Qty.
30664	Yellow	1.5 in. dia.	500
30668	Yellow	3 in. dia.	500
30662	Red	1.5 in. dia.	500
30666	Red	3 in. dia.	500
30663	Green	1.5 in. dia.	500
30667	Green	3 in. dia.	500
30661	Blue	1.5 in. dia.	500
30665	Blue	3 in. dia.	500

** Dispensers not included*



Write-On Magnetic Labels

- Reuseable labels with a water-soluble pen that wipes off with a wet cloth

Catalog #	Color	Size
56962	Yellow	1 in. x 50 ft.
56959	Orange	1 in. x 50 ft.
56960	Red	1 in. x 50 ft.
56961	White	1 in. x 50 ft.
56958	Green	1 in. x 50 ft.
56957	Blue	1 in. x 50 ft.

Facility Marking Tape

BradyID.com/s36



Warning Message Tapes

- B-950 vinyl with permanent adhesive
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Catalog #	Legend	Size
58255	Caution w/ Stripes	3 in. x 60 ft.
58257	Stripes Only	3 in. x 60 ft.



Anti-Slip Floor Tape

- B-916 adhesive-backed polyester tape coated with aluminum oxide grit
- Bonds permanently to clean, dry floors both indoors and outdoors

Color	1 in. x 60 ft.	2 in. x 60 ft.	4 in. x 60 ft.	6 in. x 60 ft.	12 in. x 60 ft.
Blk	78189	78190	78191	78193	78194
Rd	78197	78198	78199	-	-
Ylw	-	78091	78092	-	-
Wht	-	78187	-	-	-
Clear	-	78188	-	-	-



Anti-Slip Hazard Marking

- Made of B-819 matte anti-slip overlaminate

Catalog #	Legend	Size
92414	Caution	3 in. x 54 ft.
92415	Caution / Do Not Enter	3 in. x 54 ft.
92416	Caution / Watch Your Step	3 in. x 54 ft.
92417	Stripes Only	3 in. x 54 ft.



Anti-Slip Striped Tape

- Rugged B-916 adhesive-backed polyester tape coated with durable aluminum oxide grit is ideal for indoor and outdoor use

Catalog #	Size	Qty
78146	1 in. x 60 ft.	1 roll
78147	2 in. x 60 ft.	1 roll
78148	3 in. x 60 ft.	1 roll
78149	4 in. x 60 ft.	1 roll
78150	6 in. x 60 ft.	1 roll



Heavy Duty Anti-Slip Tapes

- Aggressive adhesive withstands harsh elements such as oil, fuel and grease
- High slip resistance with deeply textured silicon carbide grit
- Ideal on loading docks and ramps

Catalog #	Size	Qty
110020	2 in. x 60 ft.	1 roll
110019	4 in. x 60 ft.	1 roll
110018	6 in. x 60 ft.	1 roll
110017	12 in. x 60 ft.	1 roll



Anti-Slip Hazard Cleats

- Durable grit-coated polyester die-cuts
- Ideal for use on steps and in entryways

Catalog #	Legend	Size	Qty.
78160	Caution	6 in. x 24 in.	24
78163	Watch Your Step	6 in. x 24 in.	24



Safety Track® Resilient Tape

- Kinder, gentler product without sacrificing performance
- Easily cleaned through mopping

Catalog #	Size	Color	Qty.
98455	4 in. x 60 ft.	Black	1 roll
98459	4 in. x 60 ft.	Gray	1 roll
98457	6 in. x 24 in.	Black	50 cleats



Anti-Slip Die-Cut Cleats

- Durable grit-coated polyester die-cuts

Catalog #	Legend	Size	Qty.
78161	Reflective Stripe	6 in. x 24 in.	24
78162	Photo-lum Stripe	6 in. x 24 in.	24
78195	Black	6 in. x 24 in.	50
78196	Black	5.5 in. x 5.5 in.	50

BRADY

Egress Marking

The 2015 versions of the International Building Code (IBC), International Fire Code (IFC) and the National Fire Protection Agency's (NFPA) 101 Life Safety Code contain new provisions for the means of egress in most new and pre-existing buildings with five or more stories.


Luminous (glow-in-the-dark) egress path markings are now required for the full width of every stair and handrail, among other markings. Brady offers a complete line of egress marking products that meet the current requirements for the 2015 means of egress regulations.



BradyGlo™ Floor Tapes

- B-324 phosphorescent surface printed polyester
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Size	Color
76430	Striped Tape	2 in. x 15 ft.
76431	Striped Tape	3 in. x 15 ft.
76432	Solid Tape	2 in. x 15 ft.
76433	Solid Tape	3 in. x 15 ft.



High Intensity Marking Tape

- Self-sticking polyester in NYC approved styles
- Ideal for marking steps and landings, door frames and handrails
- 10+ hours of glow life

Catalog #	Size	Color
81873	NYC Approved Marking Tape	1 in. x 50 ft.
81729	NYC Approved Anti-Slip Tape	1 in. x 50 ft.



High Intensity Obstacle Tape

- Self-sticking polyester in NYC approved styles
- Clearly marks obstacles that protrude into the egress path
- 10+ hours of glow life

Catalog #	Style	Size
81869	NYC Approved Obstacle Tape	1 in. x 50 ft.



BradyGlo™ Arrow Tape

- Exceeds ASTM E 2072-00 standard
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Style	Size
90971	V-Arrow Tape	2 in. x 15 ft.
90972	V-Arrow Tape	3 in. x 15 ft.
90973	Arrow Tape	2 in. x 15 ft.
90974	Arrow Tape	3 in. x 15 ft.
76430	Striped Arrow	2 in. x 15 ft.

Regulations

OSHA 29 CFR 1910.1030 Bloodborne Pathogens:
Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b):
Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances:
Ebola virus defined as Category A infectious substance.

Biohazard Identification

An essential step towards safety is the clear and instantly-readable identification of all biohazard areas and waste products.



Biohazard Labels

- Labels effectively identify and warn of biohazard materials

Catalog #	Size	Qty
LH625E	4 in. x 2.875 in.	25/pk.



Biohazard Waste Disposal Bags

- 3-mil polyethylene bags to package and dispose of biohazardous waste

Catalog #	Size	Qty
145586	16 x 14 x 36 in.	100/pk
145587	30 x 14 x 39 in.	100/pk



Biohazard Tape

- Self-sticking vinyl tape is ideal for clearly identifying biohazard areas

Catalog #	Size	Qty
88051	2 in. x 108 ft.	1 roll



Clearly identify hazardous areas with Brady Biohazard Signs available on page 445.

Barricade Tape

BradyID.com/s36



Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking

Catalog #	Size	Size
91172	0.75 in. x 150 ft.	Black/Yellow
91173	0.75 in. x 150 ft.	Magenta/Yellow
91175	0.75 in. x 150 ft.	Black/Red
91176	2 in. x 200 ft.	Black/Yellow
91179	2 in. x 200 ft.	Black/Red



Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system

2 in. x 150 ft.	3 in. x 150 ft.	Legend	Color
91082	91083	Caution	Blk/Ylw
91086	91084	Danger	Blk/Red
-	91087	Danger Do Not Enter	Blk/Ylw
-	91085	Danger Do Not Enter	Blk/Red

Regulations

Safety Color Code for Marking Physical Hazards 1910.144(a):
Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.



Reinforced Barricade Tape

- Provides fast, on-the-spot warning
- 250-lbs. tensile strength
- Standard package: one roll

Catalog #	Legend	Size
91100	Caution/Cuidado	3 in. x 500 ft.
91101	Caution Construction Area	3 in. x 500 ft.
91102	Caution Do Not Enter	3 in. x 500 ft.
91103	Caution Men Working	3 in. x 500 ft.
91104	Striped	3 in. x 500 ft.



Economy Barricade Tape

- Made of lightweight non-adhesive polyethylene
- Ideal for temporary use outdoors or permanent indoor warning

Catalog #	Size	Qty.
91228	1 in. x 100 ft.	1 roll
91237	1 in. x 500 ft.	1 roll
91229	2 in. x 200 ft.	1 roll
91238	3 in. x 500 ft.	1 roll



Tape sold separately

Tape Tender

- Dispenses any 2 in. or 3 in. plastic tape rolls up to 1,000 ft.
- Tape advances as needed using thumb
- Steel cutting blade cuts fast and smooth

Catalog #	Legend	Qty.
72412	Tape Tender	1



Barricade Tape

- Non-adhesive B-912 Polyethylene tapes provide fast, on-the-spot warning
- Use for temporary outdoor or permanent indoor use
- Lightweight tape can be tied, stapled or nailed to posts, fences or metal barricades
- Custom legends also available

3 in. x 200 ft.	3 in. x 1000 ft.	Legend	Color
91468	91462	Authorized Personnel Only	Blk/Ylw
91214	91454	(Blank - Blk/Yellow Stripes Only)	Blk/Ylw
91212	-	Caution	Blk/Ylw
91447	91448	Caution Biohazard	Blk/Org
91469	91463	Caution Chemical Hazard	Blk/Ylw
91217	91453	Caution Construction Area	Blk/Ylw
91224	91451	Caution Do Not Enter	Blk/Ylw
91220	91458	Caution High Voltage	Blk/Ylw
91215	91452	Caution Men Working	Blk/Ylw
91227	91457	Caution Open Trench	Blk/Ylw
91470	91464	Caution Radiation Hazard	Mag/Ylw
91256	91257	Confined Space Do Not Enter	Blk/Ylw
91200	91201	Danger	Blk/Red
91213	91455	Danger	Blk/Ylw
91255	91456	Danger Asbestos Dust Hazard	Blk/Ylw
-	102823	Danger Asbestos Dust Hazard (w/Stripes)	Blk/Red/Wht
-	102822	Danger Confined Space (w/Stripes)	Blk/Red/Wht
-	101349	Danger Keep Out	Blk/Red
102821	-	Do Not Enter (w/Stripes)	Blk/Red
102824	-	Do Not Enter	Blk/Red



Pennant Barricade Tape

- Tough and durable flag barricade can be used repeatedly
- Pennants are 18 in. x 18 in. and spaced evenly across tape

Catalog #	Description
58388	83 ft. with 15 Pennants
58389	113 ft. with 25 Pennants



Biodegradable Flagging Tape

- Made of 70% wood fiber
- Non-toxic; will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6-12 months

Catalog #	Legend	Size	Color
91090	Caution	3 in. x 150 ft.	Blk/Ylw
91091	Caution Do Not Enter	3 in. x 150 ft.	Blk/Ylw
91092	Caution Men Working Overhead	3 in. x 150 ft.	Blk/Ylw
91088	Danger	3 in. x 150 ft.	Blk/Rd
91089	Danger Do Not Enter	3 in. x 150 ft.	Blk/Rd



Flagging Tape

- Flag boundary stakes, trees and hazardous areas
- Non-adhesive

Catalog #	Size	Color
58347	1.187 in. x 300 ft.	Yellow
58342	1.187 in. x 300 ft.	White
58343	1.187 in. x 300 ft.	Green
58344	1.187 in. x 300 ft.	Orange
58345	1.187 in. x 300 ft.	Blue
58346	1.187 in. x 300 ft.	Red
58348	1.187 in. x 150 ft.	Fluor. Yellow
58349	1.187 in. x 150 ft.	Fluor. Red
58351	1.187 in. x 150 ft.	Fluor. Blue
58352	1.187 in. x 150 ft.	Fluor. Orange
58353	1.187 in. x 150 ft.	Fluor. Green
58354	1.187 in. x 150 ft.	Fluor. Pink



Identoline® Underground Warning Tape

- Made of heavy-duty B-720 polyethylene
- Tape is 4.0-mil. thick with a tough tensile strength of 1750 psi
- Uses American Public Works Association (APWA) color coding
- Overcoated graphics provide long-lasting legibility and hold color values

Catalog #	Utility Class	Size	APWA Color
63009	Cable T.V.	6 in. x 1,000 ft.	Orange
91295	Electric*	3 in. x 1,000 ft.	Red
91296	Electric	6 in. x 1,000 ft.	Red
91294	Gas	6 in. x 1,000 ft.	Yellow
91299	Sewer	6 in. x 1,000 ft.	Green
91297	Telephone	6 in. x 1,000 ft.	Orange
63050	Reclaimed Water	6 in. x 1,000 ft.	Purple
91298	Water	6 in. x 1,000 ft.	Blue


Legend appears on one line



Detectable Identoline® Warning Tape

- B-721 metal detectable polyester; foil is 4.5-mils
- Subsurface graphics seal the legend from acids, alkalis and soil substances
- Uses American Public Works Association (APWA) color coding
- Meets OSHA regulation covering location or underground utility lines
- Manual or automatic installation 4 in. to 6 in. below surface for dectectability

Catalog #	Utility Class	Size	APWA Color
91601	Electric	2 in. x 1,000 ft.	Red
91606	Fiber Optic	2 in. x 1,000 ft.	Orange
91600	Gas	2 in. x 1,000 ft.	Yellow
91604	Sewer	2 in. x 1,000 ft.	Green
91603	Water	2 in. x 1,000 ft.	Blue



Utility Marking Flags

- Ideal for identifying possible hazards buried underground
- 4 in. x 5 in. flags attached to 30 in. steel rod

Catalog #	Legend	Color	Qty.
98165	Buried Sewer Line	Blk/Grn	100
98166	Buried Cable	Blk/Rd	100
98167	Buried Water Line	Wht/Blu	100
98168	Buried Electric Line	Blk/Rd	100
98169	Buried Fiber Optic Cable	Blk/Org	100
98170	Buried Pipeline	Wht/Blu	100
98171	Buried Gas Line	Blk/Ylw	100
98172	(Blank)	Orange	100
98173	(Blank)	Red	100
98174	(Blank)	Yellow	100
98175	(Blank)	Blue	100
98176	(Blank)	White	100
98177	(Blank)	Green	100
98178	(Blank)	Fluor. Red	100

BradyID.com/s36

BradyLink® Warning Post System

- Portable, non-rusting posts and chain for designating restricted areas or to guide foot and forklift traffic pathways
- Made of colorful polystyrene and polyethylene and are a decorative alternative to metal posts
- Non-conductive so can be safely used in electrically hazardous areas. Hollow base can be filled for a more stable application
- Not intended to support heavy weight





Small posts with flat base




Large with dome base

BradyLink Posts

Includes base, top and c-hook for each post

Color	Color	1 pack	6 pack
Small post with flat base			
Black	40 in. tall; 2.5 in. dia. post; 14 in. dia. flat base	80937	80943
Yellow	40 in. tall; 2.5 in. dia. post; 14 in. dia. flat base	80938	80944
Large post with dome base			
Black	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92116	92119
White	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92117	92120
Yellow	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92118	92121
Blk/Ylw Striped	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92122	92123



BradyLink Chain

- Polyethylene chain for indoor use only
- Link design prevents kinking

Catalog #	1.5 in. x 100 ft.	2 in. x 100 ft.	3 in. x 100 ft.
Yellow	78234	78238	37860
Black/Yellow	-	78254	37864
White	78235	78239	37861
Black	-	78268	-
Orange	-	78241	-
Yellow/Magenta	-	-	37865





Links, C-Hooks and S-Hooks

- S-hooks temporarily attach lengths of chain together
- C-hooks are installed on the post to allow chain or s-hook to attach to post

Catalog #	Description	Color	Qty.
C-hooks for post tops			
92011	C-hook	Black	36
92010	C-hook	White	36
S-hooks for chain			
78259	2 in. S-hook	Black	36
78257	2 in. S-hook	Yellow	36
78258	2 in. S-hook	White	36
Individual chain links			
78248	2 in. links	Black	36
78246	2 in. links	Yellow	36
78247	2 in. links	White	36



Post Sign Adapter

- Adaptor locks in place on top of BradyLink Warning Posts

Color	Size	1 pack	6 pack
Black	5 in. x 1.75 in.	80958	80960
Black	6 in. x 2 in.	92135	92137
Yellow	5 in. 1.75 in.	80959	80961
Yellow	6 in. x 2 in.	92134	92136



Bradycone™ Warning Cones System

- Designed to communicate temporary slip, trip and fall hazards indoors or outdoors
- Cones are light weight, portable and stackable
- Hazard message is on all four-sides of the cone, so your message can't be missed
- Enhance your message with the Lock-in Sign Frame with pictogram labels



Bradycone Warning Cones

- Stackable for easy storage
- High impact, weather-resistant cones
- Includes notch at top of cone to attach Bradycone chain (sold separately)

Catalog #	Description		Size
77204	Blank	Orange	35 in.
77198	Blank	Yellow	25 in.
77205	Blank	Yellow	35 in.
103681	Do Not Enter	Yellow	35 in.
103682	Icy Areas	Yellow	35 in.
103683	No Parking	Yellow	35 in.
77201	Safety First	Yellow	25 in.
77203	Safety First	Yellow	35 in.
77200	Wet Floor	Yellow	25 in.
77202	Wet Floor	Yellow	35 in.
103680	Wet Floor/ Piso Mojado	Yellow	35 in.



Bradycone Accessories

- Accessories to complete your Bradycone Warning System
- Chain can be hooked into cone notch at any position along the chain

Catalog #	Description	Size
77207	Lock-in-Chain	20 in.
77208	Weight Ring	9 lbs.



Bradycone Picto Labels

- Lock-in frame easily fits to the top of the cone
- Self-sticking labels can be applied to the front of the frame

Catalog #	Legend	Size
94917	Falling Ice	8.25 in. x 8.25 in.
77221	Electrical Hazard	8.25 in. x 8.25 in.
77224	No Entry Construction	8.25 in. x 8.25 in.
77217	No Smoking	8.25 in. x 8.25 in.
77219	Out Of Service	8.25 in. x 8.25 in.
77216	Slippery	8.25 in. x 8.25 in.
77226	Watch Your Step	8.25 in. x 8.25 in.
77210	Lock-in-Frame	10 in. x 10 in.



Traffic Cones

- Vinyl construction assures flexible, yet rugged durability

Catalog #	Description	Size	Qty.
80111	Traffic Cone	18 in.	1
80112	Traffic Cone	24 in.	1



Traffic Cone Signs

- Easy to install plastic sign fits any standard traffic cone or delineator
- Legend on one side only

Catalog #	Legend	Size	Qty.
80117	Do Not Enter	10.5 in. x 12.75 in.	1
80118	Wet Floor	10.5 in. x 12.75 in.	1



Construction Barricades on page 581

BradyID.com/s36

Reversible Floor Stands

- Reversible signs contain two legends; to change legend simply detach at the bottom and flip over
- Lightweight corrugated material makes it portable and easy to handle
- 12 in. x 20 in. when closed



92280



92281



92285



92286



92284




92283



92282



92288



92289



Floor Stands

- Made of durable polystyrene plastic
- Printing appears on both panels

Catalog #	Legend	Size
47243	Caution Tripping Hazard	12 in. x 20 in.
47239	Danger Persons Working Above	12 in. x 20 in.
47251	Notice Restroom Closed For Cleaning	12 in. x 20 in.



Heavy Duty Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of heavy-duty polypropylene
- Wording appears on both panels

Catalog #	Legend	Height
104808	Blank	24.5 in.
104810	Caution	24.5 in.
104811	Closed	24.5 in.
104809	Wet Floor	24.5 in.









Bradystake™ Warning Stakes

- Bradystake Warning Stakes are ideal for outdoor marking applications
- Rugged and flexible stakes bend, not break, if accidentally run over with a vehicle
- Stakes are available in highly visible standard APWA colors and reflective stripes so the are easy to see. Their durable graphics are ideal for harsh environments and because they are flat on both sides you get two-way readability
- Stakes are six times lighter than conventional signs and posts, so installation is easy and shipping costs are greatly reduced









Bradystake Warning Stakes

- Rugged and flexible reinforced polymer
- Stakes available with pointed end to help drive stake into ground
- Blank stakes with no sign assembly

Catalog #	Description	Color	Size
Stakes with pointed end			
96950	Pointed end	Orange	3.75 in. x 66 in.
96951	Pointed end	Yellow	3.75 in. x 66 in.
96952	Pointed end	Blue	3.75 in. x 66 in.
96953	Pointed end	Green	3.75 in. x 66 in.
96954	Pointed end	White	3.75 in. x 66 in.
96955	Pointed end	Red	3.75 in. x 66 in.
Stakes with square end			
96920	Square end	Orange	3.75 in. x 66 in.
96921	Square end	Yellow	3.75 in. x 66 in.
Striped reflective stakes			
96922	Reflective	Org/Wht	3.75 in. x 66 in.
96923	Reflective	Blk/Ylw	3.75 in. x 66 in.

Bradystake Labels

- B-302 self-sticking polyester suitable for outdoor use
- 1 in. blank area at bottom accommodates a company label
- Labels can also be custom ordered with your own legend

Catalog #	Legend	Size
85406	Caution Gas Pipeline	14 in. x 3 in.
85551	Warning Natural Gas Pipeline	14 in. x 3 in.

Bradystake Anchors

- Anchors catch soil around the stake adding extra stability when used in loose or sandy soil
- Resilient, long-lasting spring steel withstands outdoor conditions
- Can be custom ordered to be applied to stakes at the factory allowing for quick field installation

Catalog #	Description	Qty
97084	Bradystake Anchors	1



Tensabarrier™ Barricades

- 40 in. post with 14 in. dia. (26 lb.) base
- Pull-out belt is 7.5 ft. long

Catalog #	Legend
80125	Post with Black / White Stripe Belt
80127	Post with Black / Yellow Caution - Do Not Enter Belt
58413	Wall-Mount End



Tensabarrier Signs

- Made of durable plexiglass
- 11 in. x 7 in. sign feature white letters on black background

Catalog #	Legend
80129	Please Wait Here For Next Available Teller
80130	Please Wait Here For Next Available Clerk
80131	Please Wait Here For Next Available Agent



Convex



Half Dome

Safety Mirrors

- Impact-resistant plastic mirrors improve visibility and safety by providing a wide or field of vision
- Mounting hardware included

Catalog #	Description	Size
86341	Indoor Convex	18 in.
86340	Indoor Convex	26 in.
86344	Full Dome 360°	48 in.
86342	Half Dome 180°	18 in.
86343	Quarter Dome 90°	18 in.

Security Seals

BradyID.com/s36



Metal Ball Seals

- Supplied with embossed consecutive numbering (factory specified) and the word SEALED
- Available with or without rolled edges to help prevent accidental cuts


Catalog #	Description	Qty.
95197	Metal Ball Seals	100
95198	Rolled Edge Metal Ball Seals	100



Lead Seals and Press

- 12 in. wire with pre-fitted lead seals fit easily around pipes or valves
- Quickly and permanently crimp your lead seals with Brady's own hand sealer.

Catalog #	Material	Size	Qty.
23301	Copper	12 in. length 31 gauge 7/16 in. dia.	250
23302	Monel Lead	12 in. length 31 gauge 7/16 in. dia.	250
23300	Hand Sealing Press		1



Cable Lock Seals

- Heavy steel seals have a steel head with 6 serialized numbers for inventory or tracking
- Factory chooses the starting number

Catalog #	Description	Tensile Strength	Qty.
95166	12 in. x 1⁄16 in.	727 lbs.	100
95167	12 in. x 3⁄32 in.	727 lbs.	100



Bradylock™ Fastener

- Self-locking heavy duty plastic fastener for Strap-On Markers
- Excellent chemical resistance

Catalog #	Description	Size
41772	Bradylock Fastener	0.5 in. x 150 ft.



Plastic Truck Seals

- Deters entry, yet easily removed
- Tamper-resistant truck seals are embossed with the word SEAL and are consecutively numbered
- Ships in mats of ten for convenience and accountability; 100 seals total

Catalog #	Size	Color	Qty.
95193	7.5 in.	Blue	100
95195	7.5 in.	Red	100
95196	7.5 in.	Yellow	100
133487	7.5 in.	Green	100
133488	7.5 in.	Orange	100



Padlock Plastic Seals

- Made of durable polypropylene with galvanized wire hasps
- Seal body will blush if tampered with
- Heat stamped with SEAL and a 7-digit sequence number (factory specified)

Catalog #	Color	Qty.
95168	Black	100/pk*
95174	White	100/pk*
95173	Red	100/pk*
95172	Orange	100/pk*
95170	Gray	100/pk*
95171	Green	100/pk*
95169	Blue	100/pk*
95175	Yellow	100/pk*

** Minimum order: 5pks*



Colored Nylon Ties

- Easily secure valve tags


Catalog #	Description	Length	Qty.
98848	Black	8 in.	100
98850	Green	8 in.	100
98853	Purple	8 in.	100
98851	Natural	8 in.	100
98854	Red	8 in.	100
98855	Yellow	8 in.	100
98849	Blue	8 in.	100



Quik-Apply™ Nylon Straps

- Can be used with a variety of tags including valve and lockout tags

Catalog #	Strap Length	Qty
91165	6 in.	10/pk
91166	7 in.	10/pk



Nylon Fasteners

- Nylon fastener styles available to meet every application

Catalog #	Description	Qty.
81761	8 in. Reusable Beaded Ties	100/pk
81762	7 in. Nylon Fasteners	100/pk

BRADY



Stainless Steel Wire

- 32 mil stainless steel safety wire
- Recommend to be used with wire twister pliers

Catalog #	Description	Length
15424	Stainless Steel Safety Wire	1,800 ft



Stainless Steel Strapping

- Type 316 Stainless Steel Strapping is highly corrosion and heat resistant


Catalog #	Description	Qty
42331	0.25 in. Stainless Steel Strapping	100 ft.
42332	0.25 in. Stainless Steel Strapping	250 ft.



Banding Heads

- Use with 0.25 in. continuous stainless steel strapping to create secure closures

Catalog #	Description	Qty.
90910	Stainless Steel Banding Heads	100



Pull-Tite Seals

- One of the few security seals approved for use by Underwriter's Laboratories (UL) for fire extinguishers and safety doors
- Ideal for use with courier pouches, canisters or cabinets that contain valuables or sensitive documents
- Pull-Tite Seals are embossed SEALED DO NOT REMOVE
- Breaking strength of 10-14 pounds

Catalog #	Size	Color	Qty.
UL approved for fire extinguishers and safety doors			
95150	9 in.	Red	100
95155	9 in.	Yellow	100
95143	9 in.	Light Blue	100
95144	9 in.	Green	100
95141	9 in.	Black	100
Non-UL approved			
133485	9 in.	Orange	100
133482	9 in.	Red	100
133483	9 in.	Yellow	100
133484	9 in.	Light Blue	100
133481	9 in.	Green	100
133486	9 in.	White	100





Ring-Loc Drum™ Seals

- Specifically designed to ensure fiber drum integrity
- Available in two materials:
  Nylon which affords greater strength
  Polypropylene will blush if tampered
- Hand applied seals can be removed with a simple cutting tool

Catalog #	Description	Color	Qty.
Nylon			
95158	Nylon w/ Shroud	Blue	100
95159	Nylon w/o Shroud	Blue	100
95161	Nylon w/ Shroud	Red	100
95160	Nylon w/o Shroud	Red	100
Polypropylene			
95162	Polypropylene w/ Shroud	Blue	100
95163	Polypropylene w/o Shroud	Blue	100
95164	Polypropylene w/ Shroud	Red	100
95165	Polypropylene w/o Shroud	Red	100

Security Badges

BradyID.com/s36



SecurAlert™ Clip-On Badges

- Low cost clip-on alternative to self-adhesive badges
- 3 in. x 3 in. slotted cards
- 500 front and back sets per pack

	Visitor	Contractor	Temporary
Badge expires after 1 day			
Red	95643	95653	95663
Blue	95644	95654	95664
Yellow	95645	95655	95665
Green	95646	95656	95666
White	95647	95657	95667
Badge expires after 1 week			
Red	95648	95658	95668
Blue	95649	95659	95669
Yellow	95650	95660	95670
Green	95651	95661	95671
White	95652	95662	95672



Prior to activation *After expiration*

One Step SecurAlert™ Badges

- Pre-assembled for your convenience
- Activated by removing the liner between the front and back of badge
- Badges expire after 24 hours
- 500 front and back sets per pack

Catalog #	Legend	Size	Qty.
95635	Visitor	2 in. x 3 in.	500



Prior to activation *After expiration*

SecurAlert™ Adhesive Badges

- Activate expiration by applying the front badge to the back badge
- Badges expire after 24 hours
- 500 front and back sets per pack

Catalog #	Legend	Expires In	Qty.
95689	Contractor	24 hours	500
95674	Contractor	1 week	500
95690	Temporary	24 hours	500
95675	Temporary	1 week	500
95688	Visitor	24 hours	500
95673	Visitor	1 week	500



Retractable Badge Holder

- Clip attaches to belt or pocket while the heavy-duty nylon cable with fastener attaches to badge
- An ideal alternative to bull dog clips which may damage clothing

Catalog #	Description	Color	Qty.
95071	Retractable Holder	Blue	1
95072	Retractable Holder	Red	1
95073	Retractable Holder	White	1
95074	Retractable Holder	Gray	1
95075	Retractable Holder	Black	1



Lanyards

- Reuseable 19 in. cloth lanyard
- Includes a snap-swivel hook and adjustable bead for securing lanyard

Catalog #	Color	Size	Qty.
95090	Blue	19 in.	1
95091	Green	19 in.	1
95092	Orange	19 in.	1
95093	Red	19 in.	1
95094	White	19 in.	1




Security Tyvek® Wristbands

- An economical way to keep track of personnel, patients or visitors
- Will not tear or stretch
- Adhesive closure cannot be reused
- All wristbands are consecutively numbered (factory specified)

Tyvek® is a registered trademark of Dupont

Catalog #	Color	Size	Qty
95097	Red	1 in.	500
95101	Pink	1 in.	500
95099	Yellow	1 in.	500
95102	Orange	1 in.	500
95098	Purple	1 in.	500
95100	Blue	1 in.	500
95103	Green	1 in.	500




Self-Expiring Permits

- Temporary parking permits expire during the day by progressively revealing the letters E-X-P-I-R-E-D.
- Expiration process starts once the self-adhesive cover is applied

Catalog #	Legend	Color	Qty.
Red for Hot Weather Over 80°F (25°C)			
95677	Visitor	5 in. x 3 in.	500
95680	Temporary	5 in. x 3 in.	500
Blue for Moderate Weather 50–80°F (10–25°C)			
95678	Visitor	5 in. x 3 in.	500
95681	Temporary	5 in. x 3 in.	500
Purple for Cold Weather under 50°F (10°C)			
95679	Visitor	5 in. x 3 in.	500
95682	Temporary	5 in. x 3 in.	500

Contact Brady for custom permits with your own logo, color and custom text.





Self-Adhesive Vinyl Windshield Decals

Catalog #	Color	Sequence	Size	Qty.
95199	Blue	001-100	3 in. x 3 in.	100
96230	Blue	101-200	3 in. x 3 in.	100
96231	Blue	201-300	3 in. x 3 in.	100
96232	Blue	301-400	3 in. x 3 in.	100
96233	Blue	401-500	3 in. x 3 in.	100
95200	Red	001-100	3 in. x 3 in.	100
96234	Red	101-200	3 in. x 3 in.	100
96235	Red	201-300	3 in. x 3 in.	100
96236	Red	301-400	3 in. x 3 in.	100
96237	Red	401-500	3 in. x 3 in.	100



Self-Adhesive Vinyl Bumper Decals

Catalog #	Color	Sequence	Size	Qty.
95207	Blue	001-100	4.75 in. x 2.74 in.	100
96246	Blue	101-200	4.75 in. x 2.74 in.	100
96247	Blue	201-300	4.75 in. x 2.74 in.	100
96248	Blue	301-400	4.75 in. x 2.74 in.	100
96249	Blue	401-500	4.75 in. x 2.74 in.	100
95208	Red	001-100	4.75 in. x 2.74 in.	100
96250	Red	101-200	4.75 in. x 2.74 in.	100
96251	Red	201-300	4.75 in. x 2.74 in.	100
96252	Red	301-400	4.75 in. x 2.74 in.	100
96253	Red	401-500	4.75 in. x 2.74 in.	100



Rearview Mirror Hanging Tags

Catalog #	Color	Sequence	Size	Qty.
95201	Blue	001-100	2.75 in. x 4.75 in.	100
96262	Blue	101-200	2.75 in. x 4.75 in.	100
96263	Blue	201-300	2.75 in. x 4.75 in.	100
96264	Blue	301-400	2.75 in. x 4.75 in.	100
96265	Blue	401-500	2.75 in. x 4.75 in.	100
96266	Blue	501-600	2.75 in. x 4.75 in.	100
96267	Blue	601-700	2.75 in. x 4.75 in.	100
96268	Blue	701-800	2.75 in. x 4.75 in.	100
96269	Blue	801-900	2.75 in. x 4.75 in.	100
96270	Blue	901-1000	2.75 in. x 4.75 in.	100
95202	Red	001-100	2.75 in. x 4.75 in.	100
96271	Red	101-200	2.75 in. x 4.75 in.	100
96272	Red	201-300	2.75 in. x 4.75 in.	100
96273	Red	301-400	2.75 in. x 4.75 in.	100
96274	Red	401-500	2.75 in. x 4.75 in.	100
96275	Red	501-600	2.75 in. x 4.75 in.	100
96276	Red	601-700	2.75 in. x 4.75 in.	100
96277	Red	701-800	2.75 in. x 4.75 in.	100
96278	Red	801-900	2.75 in. x 4.75 in.	100
96279	Red	901-1000	2.75 in. x 4.75 in.	100



Rearview Mirror Hanging Tags

Catalog #	Color	Sequence	Size	Qty.
95205	Blue	001-100	4.75 in. x 2 in.	100
96280	Blue	101-200	4.75 in. x 2 in.	100
96281	Blue	201-300	4.75 in. x 2 in.	100
96282	Blue	301-400	4.75 in. x 2 in.	100
96283	Blue	401-500	4.75 in. x 2 in.	100
96284	Blue	501-600	4.75 in. x 2 in.	100
96285	Blue	601-700	4.75 in. x 2 in.	100
96286	Blue	701-800	4.75 in. x 2 in.	100
96287	Blue	801-900	4.75 in. x 2 in.	100
96288	Blue	901-1000	4.75 in. x 2 in.	100
95206	Red	001-100	4.75 in. x 2 in.	100
96289	Red	101-200	4.75 in. x 2 in.	100
96290	Red	201-300	4.75 in. x 2 in.	100
96291	Red	301-400	4.75 in. x 2 in.	100
96292	Red	401-500	4.75 in. x 2 in.	100
96293	Red	501-600	4.75 in. x 2 in.	100
96294	Red	601-700	4.75 in. x 2 in.	100
96295	Red	701-800	4.75 in. x 2 in.	100
96296	Red	801-900	4.75 in. x 2 in.	100
96297	Red	901-1000	4.75 in. x 2 in.	100

PPE Dispensers

BradyID.com/s36



Large Capacity Eye Protection Dispenser

- Clear acrylic unit can be wall or table mounted
- Holds approximately 35 pairs

Catalog #	Description	Size
PD701E	Dispenser	12.25 in. x 18 in. x 9.25 in.



Safety Glasses Holder

- Compact unit holds 4-6 pairs of glasses
- Table top or wall mount use

Catalog #	Description	Size
2011L	Holder w/ cover	3 in. x 9 in. x 6 in. with 6 in. high backplate
2011	Holder w/o cover	3 in. x 9 in. x 6 in. with 6 in. high backplate



Divided Eyewear Dispenser

- White table top dispenser with clear dust cover has two sections in order to dispense two different kinds of eyewear
- Holds approx. 20 pairs

Catalog #	Description	Size
PD264E	Divided Eyewear	11.5 in. x 15.375 in. x 9 in.



Eye Wash Station

- Proper usage instructions printed on the door
- Holds 32 oz. bottle (not included)
- Table top or wall mount use

Catalog #	Description	Size
PD997E	Double Bottle Station	10 in. x 10.25 in. x 7 in.
PD995E	Single Bottle Station	10 in. x 6.25 in. x 7 in.



Towelette Dispenser

- Top loading dispenser has an overfill tray at the bottom
- Table top or wall mount use
- Holds approx. 300 towelettes

Catalog #	Description	Size
LCDISP	Towelette Dispenser	9.75 in. x 7.75 in. x 5 in., 12 in. backplate



Economy Visitor Spec Dispenser

- Holds approx. 20 glasses
- Table top or wall mount use

Catalog #	Description	Size
EHMVSD	Economy Dispenser	17.25 in. x 8 in. x 4 in.



Deluxe Visitor Spec Dispenser

- Tough clear acrylic dispensers have a bottom door that keeps glasses in and folds down for easy dispensing
- Wall mount dispenser holds approx. 20-25 glasses

Catalog #	Description	Size	Color
MVSD	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Clear
MVSDL	Deluxe Visitor Spec w/cover	18 in. x 8 in. x 4 in.	Clear
MVSDO	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Orange
MVSDG	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Green
MVSDM	Deluxe Visitor Spec	18 in. x 8 in. x 4 in.	Mirror

BRADY



Large Capacity Earplug Dispenser

- Removable inner slanted shelf
- Holds 200 disposable earplugs
- Table top or wall mount use


Catalog #	Description	Size
PD439G	Dispenser	13 in. x 12 in. x 8 in.



Earplug Dispenser

- Removable inner slanted shelf
- Holds 100 to 150 pairs
- Table top or wall mount use

Catalog #	Description	Size
EPD	Earplug Tray	13 in. x 6 in. x 8 in.



Earplug Dispenser

- White acrylic dispenser draws attention to the need to wear ear protection
- Holds approx. 100 pairs
- Table top or wall mount use

Catalog #	Size	Size
EPDISP	Earplug Dispenser	9.75 in. x 7.75 in. x 5 in., 12 in. backplate



Compact Earplug Dispenser

- Cushioned foam bottom
- Table top or wall mount use

Catalog #	Description	Size
2019L	Dispenser w/cover	3 in. x 9 in. x 6 in. with a 6 in. high backplate
2019	Dispenser w/o cover	3 in. x 9 in. x 6 in. with a 6 in. high backplate



Divided Hearing Protection Dispenser

- Two sections allow dispensing of two different kinds of hearing protection
- Table top use only


Catalog #	Description	Size
PD265E	Divided Hearing Protection	11.5 in. x 15.375 in. x 9 in.



Triple Earplug Dispenser

- Blue acrylic dispenser tray features three sections
- Each section holds approx. 50 pairs
- Table top or wall mount use

Catalog #	Description	Size
PD244E	Earplug Tray	10 in. x 12.625 in. x 6.75 in.



Safety Stop Stations

- Safety message and the required PPE needed in one convenient location
- Constructed of durable red and clear acrylic for indoor use
- Mount sign to wall or use as a stand-alone sign (post and base sold separately)

Catalog #	Description	Size	Qty
50914	Sign holds 12 pairs of glasses	36 in. x 18 in. sign	1 each

PPE Dispensers

BradyID.com/s36



Headwear Dispenser

- Middle divider for easy separation
- White acrylic with see-through lid
- Table top only

Catalog #	Description	Size
PD240E	Hairnets	7.5 in. x 10 in. x 6 in.



Headwear Dispenser

- Middle divider for easy separation
- White acrylic with see-through lid
- Table top only

Catalog #	Description	Size
PD241E	Dispenser	11.5 in. x 15.375 in. x 9 in.



Bouffant Cap Dispenser

- Features a front hole and hinged cover for easy dispensing and filling
- Table top or wall mount use

Catalog #	Description	Size
PD524E	Bouffant Cap Dispenser	14 in. x 12 in. x 8 in.
PD325E	Beard Cover Dispenser	14 in. x 12 in. x 8 in.



Glove Dispenser

- The single, double and triple units are all vertically mounted on a wall or counter top

Catalog #	Description	Size
GD01	Single	5 in. x 10.93 in. x 4.12 in.
GD02	Double	10 in. x 10.375 in. x 4.12 in.
GD03	Triple	15 in. x 10.375 in. x 4.12 in.



Deluxe Glove Dispenser

- Dispenser mounts horizontally and allows you to change one box without affecting the others

Catalog #	Description	Size
GD03DL	Deluxe Glove Dispenser	11.812 in. x 20 in. x 4 in.



PPE Dispenser

- 4 in. round front opening for dispensing bouffants, gloves, earplugs, etc.
- Table top or wall mount use

Catalog #	Description	Size
DPE	PPE Dispenser	10 in. x 10 in. x 10 in.



Shoe Cover Dispenser

- Holds over 50 pairs of shoe covers
- Table top or wall mount use

Catalog #	Description	Size
PD322E	Shoe Cover Dispenser	14 in. x 12 in. x 8 in.



Dust Mask Dispenser

- Unique cutout design that allows you to reach in the opening to easily remove
- Holds more than 30 masks

Catalog #	Description	Size
M420	Dust Mask Dispenser	12.5 in. x 6 in. x 6 in.




Finger Cot Dispenser

- White and clear acrylic dispenser with lid helps keep your finger cots clean and ready for use
- Table top or wall mount use

Catalog #	Description	Size
FC1	Finger Cot Dispenser	13 in. x 6 in. x 8 in.

BRADY



PPE Storage Rack

- Black PVC coated steel rack can hold a variety of items
- Includes one SAFETY GLASSES label and one HEARING PROTECTION label
- Table top or wall mount use

Catalog #	Description	Size
PD001E	Storage Rack	4.5 in. x 15.375 in. x 8.75 in.



PPE Foam-lined Dispenser

- Foam bottom
- Table top or wall mount use

Catalog #	Description	Size
MPPE	Dispenser	9.5 in. x 11.5 in. x 9.5 in.



Clear Dispenser Tray

- Table top or wall mount use

Catalog #	Description	Size
PD205A	Dispenser tray	3 in. x 9 in. x 6 in. with a 6 in. high backplate
PD206A	Tray with lid (not shown)	3 in. x 9 in. x 6 in. with a 6 in. high backplate



Earplug Tray

- Clear acrylic dispenser tray holds a box of your preferred PPE supplies
- Front tray catches spills and protects product dispenser or packaging
- Table top or wall mount use

Catalog #	Description	Size
PD228E	Earplug Tray	10.625 in. x 10.625 in. x 10.625 in.



Towelette Tray

- Attention grabbing red fluorescent acrylic tray holds towelette boxes or other miscellaneous small, frequently used dispenser style boxes
- Table top or wall mount use

Catalog #	Description	Size
PD256E	Towelette Tray	4.5 in. x 6.25 in. x 5.25 in.

PPE Safety Signs

Brady's wide variety of PPE specific safety signs should be used to clearly mark where PPE equipment is required.

View page 529 for all PPE safety signs



Inspection Tags

BradyID.com/s36

new

Brady Inspection Timer

There's a lot going on in your facility. Relying on pen and paper alone to keep it all moving leaves room for gaps in safety and efficiency. Add this innovative Inspection Timer and keep track of your inspection needs at a glance.

It's all in the blinking LED lights that change color to visually indicate how much time you have left before the next inspection. After you've finished your inspection, reset it so you're ready for the next one. With a variety of mounting options and a rugged design you've got an inspection reminder for your tough industrial environments. With this timer, you also get:

- **Impactful and colorful reminders** that break through the grime of your facility
- **Varied timing options** for 7 days, 30 days, 90 days, 6 months and a year
- **Performance in harsh conditions** —IP65 rated so it withstands water, dust, extreme temperatures and more
- **Keeps your inspection timing top of mind** so your facility stays safe, efficient and compliant

Ideal for any location that needs an inspection, including AEDs, fire extinguishers, eyewash stations, forklifts and more



Catalog #	Description	Qty.
150740	7 day inspection timer	10/pack
150741	30 day inspection timer	10/pack
150742	90 day inspection timer	10/pack
150743	180 day inspection timer	10/pack
150744	365 day inspection timer	10/pack










Universal Tag Holder and Inserts


- Designed for the identification and qualification of lifting equipment, industrial plant, valves, calibration equipment and a variety of other applications
- System provides a clear inspection trail giving integrity and control of work carried out






Catalog #	Description	Qty.
UNI-UNH 12 P	Universal Tag Holder Kit w/ 12 in. Plastic Strap	1 kit*
UNI-UNH 6 P STRAP	Universal Tag Holder Kit w/ 6 in. Plastic Strip	1 kit*
UNI-UNH 9 P STRAP	Universal Tag Holder Kit w/ 9 in. Plastic Strip	1 kit*
UNI-UNH PC STRAPS	Universal Tag Plastic Coated Strips	1 kit*
UNI-UNH 9 S	Unversal Tag Kit Steel	1 kit*
UNI-UNH S 6 STRAPS	Universal Tag Holder Kit w/ 6 in. Steel Strip	1 kit*

**Kit includes 20 holders, 20 straps and 1 marking pen.*




Safe Working Load (SWL)

Catalog #	Size	Color	Qty.
UNI-UNI YELLOW	1.715 in. dia.	Yellow	100/pk
UNI-UNI RED	1.715 in. dia.	Red	100/pk
UNI-UNI BLUE	1.715 in. dia.	Blue	100/pk
UNI-UNI WHITE	1.715 in. dia.	White	100/pk
UNI-UNI GREEN	1.715 in. dia.	Green	100/pk
UNI-UNI ORANGE	1.715 in. dia.	Orange	100/pk
UNI-UNI PURPLE	1.715 in. dia.	Purple	100/pk



Next Inspection Due Date

Catalog #	Size	Color	Qty.
UNI-UNI 503 YELLOW	1.715 in. dia.	Yellow	100/pk
UNI-UNI 503 RED	1.715 in. dia.	Red	100/pk
UNI-UNI503 B	1.715 in. dia.	Blue	100/pk
UNI-UNI 503 WHITE	1.715 in. dia.	White	100/pk
UNI-UNI 503 GREEN	1.715 in. dia.	Green	100/pk
UNI-UNI 503 ORANGE	1.715 in. dia.	Orange	100/pk
UNI-UNI 503 PURPLE	1.715 in. dia.	Purple	100/pk



Catalog #	Size	Color	Qty.
UNI-UNI 504 YELLOW	1.715 in. dia.	Yellow	100/pk
UNI-UNI BLANK	1.715 in. dia.	Blank	100/pk


NanoTag® Holder and Inserts

- Ideal for the identification and qualification of lifting equipment and is designed to clearly display the Safe Working Load (SWL) or Next Test Date information
- Preprinted empty tag holders alert employees not to use equipment; tag inserts track inspection history and provide other information
- System provides a clear inspection trail giving integrity and control of work carried out



Catalog #	Description	Size	Qty.
NAN-H	Do Not Enter holder	11.25 in x 6 in	1 kit

**Kit includes 20 holders, 40 cable ties and 1 pen.*



Safe Working Load (SWL)

Catalog #	Size	Color	Qty.
NAN-NAN YELLOW	1.325 in x 0.7 in	Yellow	100/pk
NAN-NAN RED	1.325 in x 0.7 in	Red	100/pk
NAN-NAN BLUE	1.325 in x 0.7 in	Blue	100/pk
NAN-NAN GREEN	1.325 in x 0.7 in	Green	100/pk
NAN-NAN ORANGE	1.325 in x 0.7 in	Orange	100/pk
NAN-NAN PURPLE	1.325 in x 0.7 in	Purple	100/pk
NAN-NAN WHITE	1.325 in x 0.7 in	Black	100/pk



Next Inspection Due Date

Catalog #	Size	Color	Qty.
NAN-GP Y	1.325 in x 0.7 in	Yellow	100/pk
NAN-GP R	1.325 in x 0.7 in	Red	100/pk
NAN-GP B	1.325 in x 0.7 in	Blue	100/pk
NAN-GP G	1.325 in x 0.7 in	Green	100/pk
NAN-GP O	1.325 in x 0.7 in	Orange	100/pk
NAN-GP P	1.325 in x 0.7 in	Purple	100/pk
NAN-GP W	1.325 in x 0.7 in	Black	100/pk

Inspection Tags

BradyID.com/s36

MicroTag® Holder and Inserts


- Ideal for identifying small plant equipment, lifting gear and safety harnesses
- Color coded and date qualified, the system also has the ability to render equipment in a 'prohibition status' should it be found to be faulty between inspection dates.
- Helps meet OSHA regulations for personal fall arrest systems






Catalog #	Description	Size	Color	Qty.
MIC-MTHSTD04	Microtag Kit*	1.5 in x 3.188 in	White	1 kit
MIC-BLANK - FG	Blank Microtag Kit*	1.5 in x 3.188 in	White	1 kit

**Kit includes 20 holders, 40 cables ties and 1 pen*




Date Inspected

Catalog #	Color	Qty.
MIC-MTIUSA Y	Yellow	100/pk
MIC-MTIUSA R	Red	100/pk
MIC-MTIUSA B	Blue	100/pk
MIC-MTIUSA G	Green	100/pk
MIC-MTIUSA O	Orange	100/pk
MIC-MTIUSA P	Purple	100/pk
MIC-MTIUSA W	White	100/pk



Next Inspection Due Date

Catalog #	Color	Qty.
MIC-MTIGPI Y	Yellow	100/pk
MIC-MTIGPI R	Red	100/pk
MIC-MTIGPI B	Blue	100/pk
MIC-MTIGPI G	Green	100/pk
MIC-MTIGPI O	Orange	100/pk
MIC-MTIGPI P	Purple	100/pk
MIC-MTIGPI W	White	100/pk



Next Test Date

Catalog #	Color	Qty.
MIC-MTIGP Y	Yellow	100/pk
MIC-MTIGP R	Red	100/pk
MIC-MTIGP B	Blue	100/pk
MIC-MTIGP G	Green	100/pk
MIC-MTIGP O	Orange	100/pk
MIC-MTIGP P	Purple	100/pk
MIC-MTIGP W	White	100/pk



Catalog #	Color	Qty.
MIC-MTI PLAIN	Blank Tag	100/pk
MIC-MTI 500	Hydraulic Tag	100/pk

Scafftag® Scaffolding Tags

- **Heavy-duty Laminated Polyester (LAM)** - Durable polyester laminate tags exceed OSHA's 50-lb. pull force requirement for lockout tagout and include 3/8 in. heavy-duty brass grommets. Nylon ties included.
- **Economy Polyester (POLY)** - Rigid polyester surface exceeds OSHA's 50-lb. pull force requirement for lockout tagout. Tags include 3/8 in. rolled brass eyelets. Nylon ties included.
- **Cardstock (CARD)** - Cardstock tags provide an economical, yet durable, material option. Attachment strings included.





Tag Holder with clear front pocket

- Accommodates 5.75 in. x 3 in. tags

Catalog #	Description		Qty
48111	Holder Only	12 in. x 4.5 in.	1
48112	Holder Kit (holder and 3 tags)		1 kit



86452	5.75 in. x 3 in.	LAM	10/pk
89017	7 in. x 4 in.	LAM	10/pk
86572	5.75 in. x 3 in.	POLY	10/pk
86627	7 in. x 4 in.	POLY	10/pk
86682	5.75 in. x 3 in.	CARD	100/pk



86453	5.75 in. x 3 in.	LAM	10/pk
89018	7 in. x 4 in.	LAM	10/pk
86573	5.75 in. x 3 in.	POLY	10/pk
86628	7 in. x 4 in.	POLY	10/pk
86683	5.75 in. x 3 in.	CARD	100/pk
86738	7 in. x 4 in.	CARD	100/pk



86454	5.75 in. x 3 in.	LAM	10/pk
86502	7 in. x 4 in.	LAM	10/pk
86574	5.75 in. x 3 in.	POLY	10/pk
86629	7 in. x 4 in.	POLY	10/pk
86684	5.75 in. x 3 in.	CARD	100/pk
86739	7 in. x 4 in.	CARD	100/pk

Scafftag® Scaffolding Tags

- Provides system, procedural and legal compliance for scaffolds on worksites
- Provides a clear inspection trail giving integrity and control of work carried out
- Essential for companies working with ISO9000 clients



Catalog #	Description	Size	Color	Qty.
SCAF-STH 132BLA-FG	Holders - Blank	11.75 in x 3.5 in	White	10/pk
SCAF-STH 146BLA-FG	Holders - Blank	11.75 in x 3.5 in	Red	10/pk
SCAF-STH 153	Holders - Eng. / Sp.	11.75 in x 3.5 in	White	10/pk
SCAF-STH 132 SP	Holders - Spanish	11.75 in x 3.5 in	White	10/pk
SCAF-STH 132 FR	Holders - French	11.75 in x 3.5 in	White	10/pk
SCAF-STH132	Holders - English	11.75 in x 3.5 in	White	10/pk
SCAF-STH146	Holders - English	11.75 in x 3.5 in	Red	10/pk
SCAF-STH132A	Standard Kit*	11.75 in x 3.5 in	White	1 kit

**Kits include 10 holders, 20 inserts and 1 pen*



Catalog #	Description	Size	Color	Qty.
SCAF-STSI751	Scafftag II Inserts	7.625 in x 5.75 in	Green	100/pk
SCAF2-STHUSA	Scafftag II Holder	11.5 in x 6 in	White	10/pk
SCAF2-STHUSAA	Scafftag II Kit*	11.5 in x 6 in	White	1 kit

**Kits include 10 holders, 20 inserts and 1 pen*




SCAF-STSI 601
7.625 in x 3.25 in 100/pk



SCAF-STSI 640
7.625 in x 3.25 in 100/pk



SCAF-STSI 708
7.625 in x 3.25 in 100/pk



SCAF-STSI 1042
6.75 in x 3.25 in 100/pk



SCAF-STSI 539
6.75 in x 3.25 in 100/pk



SCAF-STSI 694
7.625 in x 3.25 in 100/pk



SCAF-STSI 681
7.625 in x 3.25 in 100/pk



SCAF-STSI 311
7.625 in x 3.25 in 100/pk




SCAF-STSI 639
7.625 in x 3.25 in 100/pk



SCAF-STSI 310 STD
7.625 in x 3.25 in 100/pk



SCAF-STSI 602
6.75 in x 3.25 in 100/pk



SCAF-STSIW 510
7.625 in x 3.25 in 100/pk



SCAF-STSIP 501
7.625 in x 3.25 in 100/pk



SCAF-STSI 629
7.625 in x 3.25 in 100/pk



SCAF-STSI 772
7.625 in x 3.25 in 100/pk


Inspection Tags

BradyID.com/s36

Forkliftag® Holder and Inserts

- Assists with pre-use preventative maintenance and forklift safety inspections
- Permanently attaches to the cage of the forklift truck and displays the daily or pre-shift inspections be carried out






FLT-ETSI 519



FLT-ETSI 537

Catalog #	Description	Size	Color	Qty.
FLT-ETSH9	Forklift Holder	11.5 in. x 6.000 in.	White	10/pk
FLT-ETSI 519	Inserts	5.75 in. x 7.625 in.	Green	100/pkg
FLT-ETSI 537	Inserts	5.75 in. x 7.625 in.	Green	100/pkg
FLT-ETSI51	Inserts	5.75 in. x 7.625 in.	Blue	100/pkg
FLT-ETSI 583	Inserts	5.75 in. x 7.625 in.	Blue	100/pkg
FLT-ETSH9A	Forklift Kit*	11.5 in. x 6.000 in.		1 kit

**Kit includes 10 holders, 10 FLT-ETSI51 inserts and 1 pen*



FLT-ETSI51



FLT-ETSI 583

LadderTags™ Holder and Inserts

- Supports a complete ladder safety management system
- Assists with meeting OSHA standards which require ladders to be checked for damage, faults and wear before use by an authorized user
- Holder can be attached by hanger holes or included adhesive

Catalog #	Description	Size	Color	Qty.
LAD-EITH12	Holders	8.25 in. x 2.25 in.	White	10/pk
LAD-EITL 500	Inserts	6.5 in x 2 in	Yellow	100/pkg
LAD-EITL 512	Inserts	6.5 in x 2 in	Green	100/pkg
LAD-EITL521	Inserts	6.5 in x 2 in	Yellow	100/pkg
LAD-EITH/L12	Kit*	8.25 in. x 2.25 in.	White	1 kit

**Kit includes 10 holders, 10 LAD-EITL 500 inserts and 1 pen*





LAD-EITL 500



LAD-EITL 512



LAD-EITL521


MultiTag® Holder and Inserts

- Assists with the identification and preventative maintenance requirements of a range of equipment
- Assists with the requirements of CFR 1926.1053 (a) (12), (b) (17) (i) (ii) and CFR 1910.25 (d) (1) (X).

Catalog #	Description	Size	Color	Qty.
MUL-EITHUSA01	Multitag Holder	8.25 in x 2.25 in	White	10/pk
MUL-BLANK - FG	Blank Holder	8.25 in x 2.25 in	White	10/pk
MUL-EITL 540	Multitag Inserts	6.5 in x 2 in	Yellow	100/pk
MUL-EITL535	Multitag Inserts	6.5 in x 2 in	Green	100/pk
MUL-EITHUSA01A	Multitag Kit	8.25 in x 2.25 in	White	1 kit

**Kit includes 10 holders, 10 MUL-EITL535 inserts and 1 pen*





MUL-EITL 540



MUL-EITL535

Facility Tags

BRADY

EntryTag® Holder and Inserts

- Works in conjunction with existing permit-to-work systems and assists in meeting OSHA confined space standards
- The system states the minimum requirements of entry to the confined space or whether the area is in prohibition and cannot be entered


Catalog #	Description	Size	Qty.
ENT-ETSH157	Do Not Enter holder	11.25 in x 6 in	10/pk
ENT-ETSH 500	Confined Space holder	11.25 in x 6 in	10/pk
ENT-ETSH 505	Do Not Use Equipment holder	11.25 in x 6 in	10/pk
ENT-ETSH 506	Manlift holder	11.25 in x 6 in	10/pk
ENT-ETSH BLANK-FG	Blank holder	11.25 in x 6 in	10/pk
ENT-ETSH157A	Do Not Enter kit*	11.25 in x 6 in	1 kit

**Kit includes 10 holders, 10 status inserts and 1 pen.*






ENT-ETSI532
5.75 in x 7.625 in
100/pk



ENT-ETSI 549
5.75 in x 7.625 in
100/pk



ENT-ETSI 594
5.75 in x 7.625 in
100/pk




ENT-ETSI 567
5.75 in x 7.625 in
100/pk




MUL-EITL 230
2 in x 6.5 in
100/pk

Confined Space Tags


- **Heavy-duty Laminated Polyester (LAM)** - Durable polyester laminate completely encapsulates and protects graphics while withstanding moisture, grease, chemicals and extreme temperatures. These tags exceed OSHA's 50-lb. pull force requirement for lockout tagout and include 3/8 in. heavy duty brass grommets. Nylon ties included.
- **Economy Polyester (POLY)** - Rigid polyester surface exceeds OSHA's 50-lb. pull force requirement for lockout tagout. Tags include 3/8 in. rolled brass eyelets. Nylon ties included.
- **Cardstock (CARD)** - Cardstock tags provide an economical, yet durable, material option. Attachment strings included.



49234	5.75 in. x 3 in.	LAM	25/pk
49228	5.75 in. x 3 in.	POLY	25/pk



50275	5.75 in. x 3 in.	LAM	25/pk
49227	5.75 in. x 3 in.	POLY	25/pk



66322	5.75 in. x 3 in.	LAM	25/pk
66324	5.75 in. x 3 in.	POLY	25/pk
65457	5.75 in. x 3 in.	CARD	25/pk





50248	5.75 in. x 3 in.	LAM	25/pk
50282	5.75 in. x 3 in.	POLY	25/pk



50287	5.75 in. x 3 in.	LAM	25/pk
50286	5.75 in. x 3 in.	POLY	25/pk



50291	5.75 in. x 3 in.	LAM	25/pk
50290	5.75 in. x 3 in.	POLY	25/pk



65299	5.75 in. x 3 in.	LAM	25/pk
65270	5.75 in. x 3 in.	POLY	25/pk
65456	5.75 in. x 3 in.	CARD	25/pk

Inspection Tags

BradyID.com/s36

ChemTag® Holder and Inserts

- Places first response information at the location where immediate access is needed.
- Identifies and controls hazardous substances and assists with the requirements of CFR 1910.1200 (A) (1)t


Catalog #	Description	Size	Qty.
CHEM-CTHUSA01	Holder	11.25 in x 6 in	10/pk
CHEM-CTH BLANK -FG	Blank Holder	11.25 in x 6 in	10/pk
CHEM-CTI500	Insert	5.75 in x 7.625 in	100/pk
CHEM-CTSH	kit		1 kit

**Kit includes 10 holders, 10 CHEM-CTI500 inserts and 1 pen.*




Cylinder Status Tags

- Clearly inform user of status of cylinder contents
- Economy Polyester (POLY) includes nylon fasteners
- Cardstock (CARD) includes string fasteners



17926	5.75 in. x 3 in.	POLY	10/pk
17925	5.75 in. x 3 in.	CARD	100/pk



17928	5.75 in. x 3 in.	POLY	10/pk
17927	5.75 in. x 3 in.	CARD	100/pk




17924	5.75 in. x 3 in.	POLY	10/pk
17923	5.75 in. x 3 in.	CARD	100/pk




Fire Extinguisher Inspection Tags

- Economy Polyester (POLY) meet OSHA's 50-lb. pull force requirement for tagout and have moderate chemical and UV resistance
- Tags meet OSHA Standard 1910.145 for accident prevention
- Withstands moisture, grease and dirt
- Nylon ties included




76222	5.75 x 3 in.	POLY	25/pk



65371	5.75 x 3 in.	POLY	25/pk

Aluminum Fire Extinguisher Inspection Tags

- Rigid aluminum won't rust, tear or fade when used in harsh outdoor applications
- Use permanent marking pen or hole punch to mark inspection
- Tags begin with current year
- Wire ties included



103632	3 x 2.25 in.	ALUM	10/pk

BRADY

Isolation Blind Tags

- Made from 10-mil polyester and has excellent outdoor weather resistance
- Tag includes 3/8 in. dia. hole with rolled brass eyelet and 25 nylon cable ties
- Exceeds OSHA 50-lb pull strength requirement for tagout



132421 5.75 in. x 3 in. CARD 25/pk



132422 5.75 in. x 3 in. CARD 25/pk



132424 5.75 in. x 3 in. CARD 25/pk



132423 5.75 in. x 3 in. CARD 25/pk



132425 5.75 in. x 3 in. CARD 25/pk

Flag Style Blind Tag

- Made from B-851 polyester (10-mil)
- 3/8 in. diameter hole with rolled brass eyelet
- Excellent outdoor weather resistance and is highly visual for safety warnings
- Exceeds OSHA 50-lb pull strength requirement
- Includes 25 nylon cable ties



Catalog #	Legend	Size	Color	Qty.
132452	Install Blind Here	2 in. x 20 in.	Black on Green	25
132453	Isolation Blind	2 in. x 20 in.	Black on Red	25
132454	Blind Installed	2 in. x 20 in.	Black on Red	25

Customize It

Call Brady Customer Service to customize with text, serialization, and perforation.

Isolation Tags

- To help control mechanical and electrical isolation procedures and prevent inadvertent energizing of the system
- Perforated tag consists of two identical sections which are completed by the person in charge




Catalog #	Color	Qty.
ISO-ISO 08	7.625 in x 3.25 in	100/pk

Flange Joint Tags

- To assist in the inspection, modification and maintenance throughout the flange break inspection process
- Tag is divided into three parts by two perforations and assists the user to clearly identify the various stages of the operation from the initial break to the re-energization of the system



Catalog #	Color	Qty.
833763	7.625 in x 3.25 in	10/pk



Catalog #	Color	Qty.
833764	7.625 in x 3.25 in	10/pk


Inspection Tags

BradyID.com/s36

Inspection / Material Control Tags


- Tags meet OSHA Standard 1910.145 for accident prevention
- **Heavy-duty Laminated Polyester (LAM)** meet OSHA's 50 lb. pull force requirement for tagout and have superior chemical resistance. Plastic tags are encapsulated in matte polyester laminate for superior durability. Nylon ties included.
- **Economy Polyester (POLY)** meet OSHA's 50-lb. pull force requirement for tagout and have moderate chemical and UV resistance. Nylon ties included.
- **Cardstock (CARD)** provide an economical, yet durable, material option. Attachment strings included.








86435	5.75 x 3 in.	LAM	10/pk
86497	7 x 4 in.	LAM	10/pk
86562	5.75 x 3 in.	POLY	10/pk
86617	7 x 4 in.	POLY	10/pk
86672	5.75 x 3 in.	CARD	100/pk
86727	7 x 4 in.	CARD	100/pk



86446	5.75 x 3 in.	LAM	10/pk
86508	7 x 4 in.	LAM	10/pk
86560	5.75 x 3 in.	POLY	10/pk
86615	7 x 4 in.	POLY	10/pk
86670	5.75 x 3 in.	CARD	100/pk
86725	7 x 4 in.	CARD	100/pk




86437	5.75 x 3 in.	LAM	10/pk
86499	7 x 4 in.	LAM	10/pk
86564	5.75 x 3 in.	POLY	10/pk
86619	7 x 4 in.	POLY	10/pk
86674	5.75 x 3 in.	CARD	100/pk
86729	7 x 4 in.	CARD	100/pk




86444	5.75 x 3 in.	LAM	10/pk
86506	7 x 4 in.	LAM	10/pk
86558	5.75 x 3 in.	POLY	10/pk
86613	7 x 4 in.	POLY	10/pk
86668	5.75 x 3 in.	CARD	100/pk
86723	7 x 4 in.	CARD	100/pk



86438	5.75 x 3 in.	LAM	10/pk
86500	7 x 4 in.	LAM	10/pk
86565	5.75 x 3 in.	POLY	10/pk
86620	7 x 4 in.	POLY	10/pk
86675	5.75 x 3 in.	CARD	100/pk
86730	7 x 4 in.	CARD	100/pk



86441	5.75 x 3 in.	LAM	10/pk
86503	7 x 4 in.	LAM	10/pk
86555	5.75 x 3 in.	POLY	10/pk
86610	7 x 4 in.	POLY	10/pk
86665	5.75 x 3 in.	CARD	100/pk
86720	7 x 4 in.	CARD	100/pk



86447	5.75 x 3 in.	LAM	10/pk
86509	7 x 4 in.	LAM	10/pk
86561	5.75 x 3 in.	POLY	10/pk
86616	7 x 4 in.	POLY	10/pk
86671	5.75 x 3 in.	CARD	100/pk
86726	7 x 4 in.	CARD	100/pk



86445	5.75 x 3 in.	LAM	10/pk
86559	5.75 x 3 in.	POLY	10/pk
86614	7 x 4 in.	POLY	10/pk
86669	5.75 x 3 in.	CARD	100/pk
86724	7 x 4 in.	CARD	100/pk




86449	5.75 x 3 in.	LAM	10/pk
86511	7 x 4 in.	LAM	10/pk
86569	5.75 x 3 in.	POLY	10/pk
86624	7 x 4 in.	POLY	10/pk
86679	5.75 x 3 in.	CARD	100/pk
86734	7 x 4 in.	CARD	100/pk



86442	5.75 x 3 in.	LAM	10/pk
86504	7 x 4 in.	LAM	10/pk
86556	5.75 x 3 in.	POLY	10/pk
86611	7 x 4 in.	POLY	10/pk
86666	5.75 x 3 in.	CARD	100/pk
86721	7 x 4 in.	CARD	100/pk



86443	5.75 x 3 in.	LAM	10/pk
86505	7 x 4 in.	LAM	10/pk
86557	5.75 x 3 in.	POLY	10/pk
86612	7 x 4 in.	POLY	10/pk
86667	5.75 x 3 in.	CARD	100/pk
86722	7 x 4 in.	CARD	100/pk




86439	5.75 x 3 in.	LAM	10/pk
86501	7 x 4 in.	LAM	10/pk
86566	5.75 x 3 in.	POLY	10/pk
86621	7 x 4 in.	POLY	10/pk
86676	5.75 x 3 in.	CARD	100/pk
86731	7 x 4 in.	CARD	100/pk



86450	5.75 x 3 in.	LAM	10/pk
86512	7 x 4 in.	LAM	10/pk
86570	5.75 x 3 in.	POLY	10/pk
86625	7 x 4 in.	POLY	10/pk
86680	5.75 x 3 in.	CARD	100/pk
86735	7 x 4 in.	CARD	100/pk



86436	5.75 x 3 in.	LAM	10/pk
86498	7 x 4 in.	LAM	10/pk
86563	5.75 x 3 in.	POLY	10/pk
86673	5.75 x 3 in.	CARD	100/pk
86728	7 x 4 in.	CARD	100/pk



86451	5.75 x 3 in.	LAM	10/pk
86513	7 x 4 in.	LAM	10/pk
86571	5.75 x 3 in.	POLY	10/pk
86626	7 x 4 in.	POLY	10/pk
86681	5.75 x 3 in.	CARD	100/pk
86736	7 x 4 in.	CARD	100/pk




86448	5.75 x 3 in.	LAM	10/pk
86510	7 x 4 in.	LAM	10/pk
86568	5.75 x 3 in.	POLY	10/pk
86623	7 x 4 in.	POLY	10/pk
86678	5.75 x 3 in.	CARD	100/pk
86733	7 x 4 in.	CARD	100/pk

BradyID.com/s36

Production Status Tags

- Designed to help you monitor and control production and equipment maintenance
- Cardstock tags include 0.375 in. metal grommet and attachment strings
- Backs of tags are blank





86775 3 in. x 5.75 in. 100/pk



86774 3 in. x 5.75 in. 100/pk




86743 3 in. x 5.75 in. 100/pk




86750 3 in. x 5.75 in. 100/pk




86753 3 in. x 5.75 in. 100/pk



86754 3 in. x 5.75 in. 100/pk



86756 3 in. x 5.75 in. 100/pk




86763 3 in. x 5.75 in. 100/pk




86762 3 in. x 5.75 in. 100/pk



86746 3 in. x 5.75 in. 100/pk



86747 3 in. x 5.75 in. 100/pk




86752 3 in. x 5.75 in. 100/pk




86748 3 in. x 5.75 in. 100/pk




86749 3 in. x 5.75 in. 100/pk




86740 3 in. x 5.75 in. 100/pk



86772 3 in. x 5.75 in. 100/pk



86768 3 in. x 5.75 in. 100/pk




86779 3 in. x 5.75 in. 100/pk




86773 3 in. x 5.75 in. 100/pk




86761 3 in. x 5.75 in. 100/pk




86760 3 in. x 5.75 in. 100/pk



86751 3 in. x 5.75 in. 100/pk



86757 3 in. x 5.75 in. 100/pk



86769 3 in. x 5.75 in. 100/pk




86771 3 in. x 5.75 in. 100/pk




86744 3 in. x 5.75 in. 100/pk




86745 3 in. x 5.75 in. 100/pk



86780 3 in. x 5.75 in. 100/pk




86781 3 in. x 5.75 in. 100/pk




86755 3 in. x 5.75 in. 100/pk



86776 3 in. x 5.75 in. 100/pk



86777 3 in. x 5.75 in. 100/pk



86778 3 in. x 5.75 in. 100/pk



86767 3 in. x 5.75 in. 100/pk



86765 3 in. x 5.75 in. 100/pk




86764 3 in. x 5.75 in. 100/pk



86766 3 in. x 5.75 in. 100/pk



86759 3" x 5.75" 100/pk



86758 3" x 5.75" 100/pk

86741 3" x 5.75" 100/pk

86770 3" x 5.75" 100/pk

86742 3" x 5.75" 100/pk

Facility Tags

BradyID.com/s36

Accident Prevention Tags


- **Heavy-duty Laminated Polyester (LAM)** - Durable polyester laminate completely encapsulates and protects graphics while withstanding moisture, grease, chemicals and extreme temperatures. These tags exceed OSHA's 50-lb. pull force requirement for Lockout Tagout and include 3/8 in. heavy duty brass grommets. Nylon ties included.
- **Economy Polyester (POLY)** - Rigid polyester surface exceeds OSHA's 50-lb. pull force requirement for Lockout Tagout. Provides good outdoor UV resistance. Tags include 3/8 in. rolled brass eyelets. Nylon ties included.
- **Cardstock (CARD)** - Cardstock tags provide an economical, yet durable, material option. Attachment strings included.





** Tags have a self-adhesive, clear overlaminate flap which is pressed over the face of the tag for permanent protection.*

† Tags have a larger hole without a grommet to accommodate padlocks.



Blank White

65372	3 x 5.75 in.	POLY	25/pk
76198	3 x 5.75 in.	POLY*	25/pk
65349	3 x 5.75 in.	POLY†	25/pk

Blank Yellow

65373	3 x 5.75 in.	POLY	25/pk
76197	3 x 5.75 in.	POLY*	25/pk
65350	3 x 5.75 in.	POLY†	25/pk



76168	3 x 5.75 in.	POLY	25/pk
76193	3 x 5.75 in.	POLY*	25/pk
65348	3 x 5.75 in.	POLY†	25/pk



86433	5.75 x 3 in.	LAM	10/pk
86494	7 x 4 in.	LAM	10/pk
86552	5.75 x 3 in.	POLY	10/pk
86607	7 x 4 in.	POLY	10/pk
86662	5.75 x 3 in.	CARD	10/pk
86717	7 x 4 in.	CARD	10/pk



86427	5.75 x 3 in.	LAM	10/pk
86546	5.75 x 3 in.	POLY	10/pk
86601	7 x 4 in.	POLY	10/pk
86656	5.75 x 3 in.	CARD	100/pk
86711	7 x 4 in.	CARD	100/pk



86426	5.75 x 3 in.	LAM	10/pk
86487	7 x 4 in.	LAM	10/pk
86545	5.75 x 3 in.	POLY	10/pk
86600	7 x 4 in.	POLY	10/pk
86655	5.75 x 3 in.	CARD	100/pk
86710	7 x 4 in.	CARD	100/pk



86428	5.75 x 3 in.	LAM	10/pk
86547	5.75 x 3 in.	POLY	10/pk
86602	7 x 4 in.	POLY	10/pk
86657	5.75 x 3 in.	CARD	100/pk
86712	7 x 4 in.	CARD	100/pk



86425	5.75 x 3 in.	LAM	10/pk
86486	7 x 4 in.	LAM	10/pk
86544	5.75 x 3 in.	POLY	10/pk
86599	7 x 4 in.	POLY	10/pk
86654	5.75 x 3 in.	CARD	100/pk
86709	7 x 4 in.	CARD	100/pk



86424	5.75 x 3 in.	LAM	10/pk
86485	7 x 4 in.	LAM	10/pk
86543	5.75 x 3 in.	POLY	10/pk
86598	7 x 4 in.	POLY	10/pk
86653	5.75 x 3 in.	CARD	100/pk
86708	7 x 4 in.	CARD	100/pk



86430	5.75 x 3 in.	LAM	10/pk
86549	5.75 x 3 in.	POLY	10/pk
86604	7 x 4 in.	POLY	10/pk
86659	5.75 x 3 in.	CARD	100/pk
86714	7 x 4 in.	CARD	100/pk



76171	3 x 5.75 in.	POLY	25/pk
76192	3 x 5.75 in.	POLY*	25/pk
65347	3 x 5.75 in.	POLY†	25/pk



86420	5.75 x 3 in.	LAM	10/pk
86481	7 x 4 in.	LAM	10/pk
86539	5.75 x 3 in.	POLY	10/pk
86594	7 x 4 in.	POLY	10/pk
86649	5.75 x 3 in.	CARD	100/pk
86704	7 x 4 in.	CARD	100/pk



86421	5.75 x 3 in.	LAM	10/pk
86482	7 x 4 in.	LAM	10/pk
86540	5.75 x 3 in.	POLY	10/pk
86595	7 x 4 in.	POLY	10/pk
86650	5.75 x 3 in.	CARD	100/pk
86705	7 x 4 in.	CARD	100/pk



86431	5.75 x 3 in.	LAM	10/pk
86492	7 x 4 in.	LAM	10/pk
86550	5.75 x 3 in.	POLY	10/pk
86605	7 x 4 in.	POLY	10/pk
86660	5.75 x 3 in.	CARD	100/pk
86715	7 x 4 in.	CARD	100/pk



86409	5.75 x 3 in.	LAM	10/pk
86470	7 x 4 in.	LAM	10/pk
86528	5.75 x 3 in.	POLY	10/pk
86583	7 x 4 in.	POLY	10/pk
86638	5.75 x 3 in.	CARD	100/pk
86693	7 x 4 in.	CARD	100/pk



86414	5.75 x 3 in.	LAM	10/pk
86475	7 x 4 in.	LAM	10/pk
86533	5.75 x 3 in.	POLY	10/pk
86588	7 x 4 in.	POLY	10/pk
86643	5.75 x 3 in.	CARD	100/pk
86698	7 x 4 in.	CARD	100/pk

Additional Bilingual Tags Available

Contact Brady Customer Service to order or visit BradyID.com



86465	7 x 4 in.	LAM	10/pk
86523	5.75 x 3 in.	POLY	10/pk
86578	7 x 4 in.	POLY	10/pk
86633	5.75 x 3 in.	CARD	100/pk
86688	7 x 4 in.	CARD	100/pk



86407	5.75 x 3 in.	LAM	10/pk
86468	7 x 4 in.	LAM	10/pk
86526	5.75 x 3 in.	POLY	10/pk
86581	7 x 4 in.	POLY	10/pk
86636	5.75 x 3 in.	CARD	100/pk
86691	7 x 4 in.	CARD	100/pk



86406	5.75 x 3 in.	LAM	10/pk
86467	7 x 4 in.	LAM	10/pk
86525	5.75 x 3 in.	POLY	10/pk
86580	7 x 4 in.	POLY	10/pk
86635	5.75 x 3 in.	CARD	100/pk
86690	7 x 4 in.	CARD	100/pk



86405	5.75 x 3 in.	LAM	10/pk
86524	5.75 x 3 in.	POLY	10/pk
86579	7 x 4 in.	POLY	10/pk
86634	5.75 x 3 in.	CARD	100/pk
86689	7 x 4 in.	CARD	100/pk




86403	5.75 x 3 in.	LAM	10/pk
86464	7 x 4 in.	LAM	10/pk
86522	5.75 x 3 in.	POLY	10/pk
86577	7 x 4 in.	POLY	10/pk
86632	5.75 x 3 in.	CARD	100/pk
86687	7 x 4 in.	CARD	100/pk



86411	5.75 x 3 in.	LAM	10/pk
86472	7 x 4 in.	LAM	10/pk
86530	5.75 x 3 in.	POLY	10/pk
86585	7 x 4 in.	POLY	10/pk
86640	5.75 x 3 in.	CARD	100/pk
86695	7 x 4 in.	CARD	100/pk



86422	5.75 x 3 in.	LAM	10/pk
86483	7 x 4 in.	LAM	10/pk
86541	5.75 x 3 in.	POLY	10/pk
86596	7 x 4 in.	POLY	10/pk
86651	5.75 x 3 in.	CARD	100/pk
86706	7 x 4 in.	CARD	100/pk



86423	5.75 x 3 in.	LAM	10/pk
86484	7 x 4 in.	LAM	10/pk
86542	5.75 x 3 in.	POLY	10/pk
86597	7 x 4 in.	POLY	10/pk
86652	5.75 x 3 in.	CARD	100/pk
86707	7 x 4 in.	CARD	100/pk



86415	5.75 x 3 in.	LAM	10/pk
86476	7 x 4 in.	LAM	10/pk
86534	5.75 x 3 in.	POLY	10/pk
86589	7 x 4 in.	POLY	10/pk
86644	5.75 x 3 in.	CARD	100/pk
86699	7 x 4 in.	CARD	100/pk



86429	5.75 x 3 in.	LAM	10/pk
86490	7 x 4 in.	LAM	10/pk
86548	5.75 x 3 in.	POLY	10/pk
86603	7 x 4 in.	POLY	10/pk
86658	5.75 x 3 in.	CARD	100/pk
86713	7 x 4 in.	CARD	100/pk



86408	5.75 x 3 in.	LAM	10/pk
86469	7 x 4 in.	LAM	10/pk
86527	5.75 x 3 in.	POLY	10/pk
86582	7 x 4 in.	POLY	10/pk
86637	5.75 x 3 in.	CARD	100/pk
86692	7 x 4 in.	CARD	100/pk



86410	5.75 x 3 in.	LAM	10/pk
86471	7 x 4 in.	LAM	10/pk
86529	5.75 x 3 in.	POLY	10/pk
86584	7 x 4 in.	POLY	10/pk
86639	5.75 x 3 in.	CARD	100/pk
86694	7 x 4 in.	CARD	100/pk




86432	5.75 x 3 in.	LAM	10/pk
86493	7 x 4 in.	LAM	10/pk
86551	5.75 x 3 in.	POLY	10/pk
86606	7 x 4 in.	POLY	10/pk
86661	5.75 x 3 in.	CARD	100/pk
86716	7 x 4 in.	CARD	100/pk



86416	5.75 x 3 in.	LAM	10/pk
86535	5.75 x 3 in.	POLY	10/pk
86590	7 x 4 in.	POLY	10/pk
86645	5.75 x 3 in.	CARD	100/pk
86700	7 x 4 in.	CARD	100/pk



86413	5.75 x 3 in.	LAM	10/pk
86474	7 x 4 in.	LAM	10/pk
86532	5.75 x 3 in.	POLY	10/pk
86587	7 x 4 in.	POLY	10/pk
86642	5.75 x 3 in.	CARD	100/pk
86697	7 x 4 in.	CARD	100/pk



86417	5.75 x 3 in.	LAM	10/pk
86478	7 x 4 in.	LAM	10/pk
86536	5.75 x 3 in.	POLY	10/pk
86591	7 x 4 in.	POLY	10/pk
86646	5.75 x 3 in.	CARD	100/pk
86701	7 x 4 in.	CARD	100/pk



86553	5.75 x 3 in.	POLY	10/pk
86608	7 x 4 in.	POLY	10/pk
86663	5.75 x 3 in.	CARD	100/pk
86718	7 x 4 in.	CARD	100/pk



86434	5.75 x 3 in.	LAM	10/pk
86496	7 x 4 in.	LAM	10/pk
86554	5.75 x 3 in.	POLY	10/pk
86609	7 x 4 in.	POLY	10/pk
86664	5.75 x 3 in.	CARD	100/pk
86719	7 x 4 in.	CARD	100/pk



86418	5.75 x 3 in.	LAM	10/pk
86537	5.75 x 3 in.	POLY	10/pk
86592	7 x 4 in.	POLY	10/pk
86647	5.75 x 3 in.	CARD	100/pk
86702	7 x 4 in.	CARD	100/pk

Lockout Tags

BradyID.com/s36

new

RipTag™ Safety Tag Rolls

- Complete and convenient take-it-with-you system for tagging
- Includes a bulk roll of tags that easily tear off and cable ties for quick attachment
- B-851 polyester tags comply with OSHA's 50-lb. pull force regulation for lockout tagout



150502	5.75 in	x 3 in	250/roll
150501	5.75 in	x 3 in	100/roll



150504	5.75 in	x 3 in	250/roll
150503	5.75 in	x 3 in	100/roll


Easy access cable tie compartment





ToughWash® Metal-Detectable Tags

- ToughWash B-869 polypropylene tags feature in-molded, protected graphics for use in harsh washdown environments
- With metal and X-ray detectable properties, these tags won't compromise your food safety
- Durable plastic-encapsulated material withstands harsh washdown environments with temperatures up to 175°F (80°C) and pressure up to 1,500 PSI
- Includes 10 metal-detectable cable ties





145766	5 in. x 3 in.	10 pk



145767	5 in. x 3 in.	10 pk



145768	5 in. x 3 in.	10 pk



145769	5 in. x 3 in.	10 pk



Extra Metal-Detectable Ties

145588	7 in. ToughWash Ties	10 pk
145589	7 in. ToughWash Ties	100 pk

Additional Lockout Tags on page 202.

Communicate safety and lockout information at the point of need with Brady's wide selection of OSHA-compliant Lockout Tagout tags.




Energy Source Tags

Energy source tags can be used to mark your facility's points of control for energy sources. These tags help make the lockout process quicker, safer and easier.

These energy source tags are made of plastic and are available with color coded and alpha numeric options. A variety of pre-printed energy source tags are available or they can be customized to meet your specific application.

- 1.5 in. x 3 in. tags are constructed with B-401 Rigid Plastic
- Rounded corners and one hole included
- Choice of number legends supports machines with multiple energy points.





	Catalog #	Legend	Color	Qty.
Control Panel				
 Control Panel tags supplied with an adhesive back.	105634	CP-1	Orange on White	5
	105674	CP-1	Orange on White	25
	105635	CP-2	Orange on White	5
	105675	CP-2	Orange on White	25
	105636	CP-3	Orange on White	5
	105676	CP-3	Orange on White	25
	105637	CP-4	Orange on White	5
	105677	CP-4	Orange on White	25
	105638	CP-5	Orange on White	5
	105673	CP-5	Orange on White	25
Electrical				
 Electrical tags supplied with an adhesive back.	105639	E-1	Red on White	5
	105679	E-1	Red on White	25
	105640	E-2	Red on White	5
	105680	E-2	Red on White	25
	105641	E-3	Red on White	5
	105681	E-3	Red on White	25
	105642	E-4	Red on White	5
	105682	E-4	Red on White	25
	105643	E-5	Red on White	5
	105683	E-5	Red on White	25
Gas				
	105669	G-1	Purple on White	5
	105709	G-1	Purple on White	25
	105670	G-2	Purple on White	5
	105710	G-2	Purple on White	25
	105671	G-3	Purple on White	5
	105711	G-3	Purple on White	25
	105672	G-4	Purple on White	5
	105712	G-4	Purple on White	25
	105673	G-5	Purple on White	5
	105713	G-5	Purple on White	25
Pneumatic / Air				
	105654	P-1	White on Blue	5
	105694	P-1	White on Blue	25
	105655	P-2	White on Blue	5
	105695	P-2	White on Blue	25
	105656	P-3	White on Blue	5
	105696	P-3	White on Blue	25
	105657	P-4	White on Blue	5
	105697	P-4	White on Blue	25
	105658	P-5	White on Blue	5
	105698	P-5	White on Blue	25

	Catalog #	Legend	Color	Qty.
Steam Red				
	105649	S-1	White on Red	5
	105689	S-1	White on Red	25
	105650	S-2	White on Red	5
	105690	S-2	White on Red	25
	105651	S-3	White on Red	5
	105691	S-3	White on Red	25
	105652	S-4	White on Red	5
	105692	S-4	White on Red	25
	105653	S-5	White on Red	5
	105693	S-5	White on Red	25
Steam Orange				
	105659	S-1	Black on Orange	5
	105699	S-1	Black on Orange	25
	105660	S-2	Black on Orange	5
	105700	S-2	Black on Orange	25
	105661	S-3	Black on Orange	5
	105701	S-3	Black on Orange	25
	105662	S-4	Black on Orange	5
	105702	S-4	Black on Orange	25
	105663	S-5	Black on Orange	5
	105703	S-5	Black on Orange	25
Valve				
	105664	V-1	Black on White	5
	105704	V-1	Black on White	25
	105665	V-2	Black on White	5
	105705	V-2	Black on White	25
	105666	V-3	Black on White	5
	105706	V-3	Black on White	25
	105667	V-4	Black on White	5
	105707	V-4	Black on White	25
	105668	V-5	Black on White	5
	105708	V-5	Black on White	25
Water				
	105644	W-1	White on Green	5
	105684	W-1	White on Green	25
	105645	W-2	White on Green	5
	105685	W-2	White on Green	25
	105646	W-3	White on Green	5
	105686	W-3	White on Green	25
	105647	W-4	White on Green	5
	105687	W-4	White on Green	25
	105648	W-5	White on Green	5
	105688	W-5	White on Green	25

Red Tag Program

BradyID.com/s36

Red Tag Program

- Brady Red Tag products are ideal to visually and effectively manage your red tag program
- Conforms with ANSI Z535 standards
- Signs are available in three materials:
  B-140 polyester on fiberglass (FB)
  B-302 self-sticking polyester (SS)
  B-401 plastic (PL)



122274	10 in. x 7 in.	FB
122298	14 in. x 10 in.	FB
122275	10 in. x 7 in.	SS
122299	14 in. x 10 in.	SS
122273	10 in. x 7 in.	PL
122297	14 in. x 10 in.	PL



122268	10 in. x 7 in.	FB
122292	14 in. x 10 in.	FB
122269	10 in. x 7 in.	SS
122293	14 in. x 10 in.	SS
122267	10 in. x 7 in.	PL
122291	14 in. x 10 in.	PL



122271	10 in. x 7 in.	FB
122295	14 in. x 10 in.	FB
122272	10 in. x 7 in.	SS
122296	14 in. x 10 in.	SS
122270	10 in. x 7 in.	PL
122294	14 in. x 10 in.	PL



49054	14 in. x 10 in.	PL



122277	10 in. x 7 in.	FB
122301	14 in. x 10 in.	FB
122278	10 in. x 7 in.	SS
122302	14 in. x 10 in.	SS
122276	10 in. x 7 in.	PL
122300	14 in. x 10 in.	PL



122289	10 in. x 7 in.	FB
122313	14 in. x 10 in.	FB
122290	10 in. x 7 in.	SS
122314	14 in. x 10 in.	SS
122288	10 in. x 7 in.	PL
122312	14 in. x 10 in.	PL



122286	10 in. x 7 in.	FB
122310	14 in. x 10 in.	FB
122287	10 in. x 7 in.	SS
122311	14 in. x 10 in.	SS
122285	10 in. x 7 in.	PL
122309	14 in. x 10 in.	PL



122280	10 in. x 7 in.	FB
122304	14 in. x 10 in.	FB
122281	10 in. x 7 in.	SS
122305	14 in. x 10 in.	SS
122279	10 in. x 7 in.	PL
122303	14 in. x 10 in.	PL



122283	10 in. x 7 in.	FB
122307	14 in. x 10 in.	FB
122284	10 in. x 7 in.	SS
122308	14 in. x 10 in.	SS
122282	10 in. x 7 in.	PL
122306	14 in. x 10 in.	PL




Brief Red Tag

121521	5.75 in. x 3 in.	Cardstock	100/pk



Detailed Red Tag

121522	7 in. x 4 in.	Cardstock	100/pk



Discard Red Tag

81992	7 in. x 4 in.	Cardstock	10/pk



Red Tag Binder Station

- Polycarbonate backboard with wire rack for storing your Red Tag Binder
- Binder: 10 in. W x 11 in. H x 2 in. D
  Rack: 14 in. W x 9 in. H

Catalog #	Description	Board Size	Qty.
122053	Station w/ binder	14 in. x 20 in.	1
122051	Station only	14 in. x 20 in.	1
122052	Binder only	10 in. x 11 in. x 2 in.	1



Red Tag Station

- Acrylic board with 2 tag pockets and 100 tags
- Choose from Brief Red Tags or Detailed Red Tags

Catalog #	Description	Board Size	Qty.
41F346	Station w/ Brief Red Tags	16 in. x 12 in.	1
41F347	Station w/ Detailed Tags	16 in. x 12 in.	1
41F340	Station only	16 in. x 12 in.	1




Red Tag Station w/ Clipboard

- Acrylic board with 2 tag pockets and 100 tags
- Choose from Brief Red Tags or Detailed Red Tags

Catalog #	Description	Size	Qty.
122056	Station w/ Brief Red Tags	22 in. x 16 in.	1
122057	Station w/ Detailed Tags	22 in. x 16 in.	1
122049	Station without tags	22 in. x 16 in.	1
122050	Clipboard Only	9.5 in. x 14 in.	1

Self-Laminating Tags

- Personalize tag by writing on special instructions, hazards or warnings, then apply clear self-laminating overlay to protect and seal your message
- Constructed of B-851 Economy Polyester with a 1-mil polyester overlay
- Exeeds OSHA's 50-lb. pull force requirement for tagout and has moderate chemical resistance
- Includes nylon ties







86455	5.75 in. x 3 in.	10/pk
81991	7 in. x 4 in.	10/pk



86460	5.75 in. x 3 in.	10/pk
86518	7 in. x 4 in.	10/pk



86458	5.75 in. x 3 in.	10/pk
86516	7 in. x 4 in.	10/pk



65501	5.75 in. x 3 in.	10/pk
96222	7 in. x 4 in.	10/pk



86461	5.75 in. x 3 in.	10/pk
86519	7 in. x 4 in.	10/pk



86459	5.75 in. x 3 in.	10/pk
86517	7 in. x 4 in.	10/pk



86456	5.75 in. x 3 in.	10/pk
86514	7 in. x 4 in.	10/pk



86457	5.75 in. x 3 in.	10/pk
86515	7 in. x 4 in.	10/pk

Blank Self-Laminating Tags

- Flexible and versatile tags perform multiple roles in URD and cable marking
- 10-mil polyester tags flex and conform easily to cables of any size
- Clear, self-laminating overlay protects written information
- Standard package: 25 tags and cable ties



Tags are full color underneath self-laminating liner.



Size	Colors					
	White	Yellow	Blue	Green	Orange	Red
2 in. x 3 in.	101991	101992	101995	101994	101996	101993
2.5 in. x 4 in.	102015	-	-	-	-	-
3 in. x 1.5 in.	101973	101974	101977	101976	101978	101975
3 in. x 3 in.	102003	102004	102007	102006	102008	102005
4 in. x 2 in.	101997	101998	102001	102000	102002	101999
5 in. x 1.5 in.	101979	101980	101983	101982	-	101981
5 in. x 2.5 in.	102016	102017	102020	102019	102021	102018
5 in. x 3.25 in.	102009	102010	102013	102012	102014	102011

Blank Tags

BradyID.com/s36

Blank Paper Tags

- Blank paper tags are an economical and convenient way to label equipment
- Standard package: 1,000 tags and attachment strings





Size	Standard Colors										Fluorescent Colors				
	White	Yellow	Pink	Orange	Green	Dark Green	Blue	Dark Blue	Lavender	Gray	Fluorecent Green	Fluorecent Red	Fluorecent Orange	Fluorecent Yellow	Fluorecent Pink
2.75 x 1.375 in.	102160	102136	102120	102128	-	102144	102088	102096	102152	102104	102064	102080	102048	102072	102056
3.25 x 1.625 in.	102161	102137	102121	102129	102113	102145	102089	102097	102153	102105	-	102081	102049	102073	102057
3.75 x 1.875 in.	102162	102138	102122	102130	102114	102146	102090	102098	102154	102106	102066	102082	102050	102074	102058
4.25 x 2.125 in.	102163	102139	102123	102131	102115	102147	102091	102099	102155	102107	102067	102083	102051	102075	102059
4.75 x 2.375 in.	102164	102140	102124	102132	102116	102148	102092	102100	-	102108	102068	102084	102052	102076	102060
5.25 x 2.625 in.	102165	102141	102125	102133	102117	102149	102093	102101	102157	102109	102069	102085	102053	102077	102061
5.75 x 2.875 in.	102166	102142	102126	102134	102118	102150	102094	102102	102158	102110	102070	102086	102054	102078	102062
6.25 x 3.125 in.	102167	102143	102127	102135	102119	102151	102095	102103	102159	102111	102071	102087	102055	102079	102063

Blank Manila Tags

- Blank paper tags are an economical and convenient way to label equipment



Catalog #	Size	Color	Qty.
102040	2.75 in. x 1.375 in.	Manila	1,000
102041	3.25 in. x 1.625 in.	Manila	1,000
102042	3.75 in. x 1.875 in.	Manila	1,000
102043	4.25 in. x 2.125 in.	Manila	1,000
102044	4.75 in. x 2.375 in.	Manila	1,000
102045	5.25 in. x 2.625 in.	Manila	1,000
102046	5.75 in. x 2.875 in.	Manila	1,000
102047	6.25 in. x 3.125 in.	Manila	1,000

Blank Tyvek Tags

- Weatherproof, tearproof and lightweight
- Includes metal eyelets




Catalog #	Size	Color	Qty.
102032	2.75 in. x 1.375 in.	White	1,000
102033	3.25 in. x 1.625 in.	White	1,000
102034	3.75 in. x 1.875 in.	White	1,000
102035	4.25 in. x 2.125 in.	White	1,000
102036	4.75 in. x 2.375 in.	White	1,000
102037	5.25 in. x 2.625 in.	White	1,000
102038	5.75 in. x 2.875 in.	White	1,000
102039	6.25 in. x 3.125 in.	White	1,000

Aluminum Write-On Tags

- Laminated B-184 Dead Soft Aluminum Foil on cardboard backing (includes plastic lock-on ties)
- For indoor use only



Catalog #	Description	Qty.
23199	1.125 in x 3.5 in. Aluminum Foil Tag	25/pk






Metal Write-On Tags

- Durable metal accepts most marking pens and includes nylon tie
- Metal can be bent and straightened

Catalog #	Size	Color	Qty.
56937	5 in. x 3 in.	White	1 ea.
56936	5 in. x 3 in.	Yellow	1 ea.
56938	5 in. x 3 in.	Blue	1 ea.
56939	5 in. x 3 in.	Green	1 ea.
56940	5 in. x 3 in.	Red	1 ea.





Color-Coded Lock-On Tags

- Plastic tag locks onto itself
- Resists moisture, grease and dirt

Catalog #	Size	Color	Qty.
30680	5.8 in. x 3.25 in.	White	25/pk
30684	5.8 in. x 3.25 in.	Yellow	25/pk
30682	5.8 in. x 3.25 in.	Blue	25/pk
30683	5.8 in. x 3.25 in.	Green	25/pk
30681	5.8 in. x 3.25 in.	Red	25/pk



Color-Coded Plasti-Tags

- Rigid 10-mil blank tags with nylon ties
- Available in square or round shapes

Catalog #	Size	Color	Qty.
56927	2.5 in. x 3.5 in.	White	25/pk
56926	2.5 in. x 3.5 in.	Yellow	25/pk
56928	2.5 in. x 3.5 in.	Blue	25/pk
56929	2.5 in. x 3.5 in.	Green	25/pk
56930	2.5 in. x 3.5 in.	Red	25/pk
56932	3 in. Round	White	25/pk
56931	3 in. Round	Yellow	25/pk
56933	3 in. Round	Blue	25/pk
56934	3 in. Round	Green	25/pk
56935	3 in. Round	Red	25/pk

BRADY



1-Pocket Tag Holder

- Clear plastic holder is designed to hold 50 tags, ties and a marking pen
- Comes with adhesive strips, magnetic strips and screws for mounting
- Dimensions: 7.5 in. x 4.5 in. x 1.5 in.
- Tags sold separately

Catalog #	Description
TH2	1-Pocket Economy Tag Holder



Pocket Premium Tag Center

- Acrylic center features 8 pockets for displaying and dispensing tags
- Each pocket holds up to 30 tags
- Four pre-drilled holes for wall mounting
- Board: 15.75 in. x 23.5 in. x 2 in. Pockets: 4.5 in. x 3.5 in.
- Tags sold separately


Catalog #	Description
TC8	8-Pocket Premium Tag Center



10-Pocket Tag Safety Station

- Made of rugged polycarbonate
- Four pre-drilled holes for wall mounting
- Dimensions: 22 in. x 16.5 in. x 2.25 in.
- Tags sold separately


Catalog #	Description
81773	10-Pocket Tag Safety Station



Tag Fasteners

- Three fastener styles available to meet every application
- Nylon fasteners meet OSHA requirements for attaching tagout devices

Catalog #	Description	Qty.
81760	12 in. 26 Gauge Wire	100
81761	8 in. Reusable Beaded Ties	100
81762	7 in. Nylon Fasteners	100



Protective Envelopes

- Transparent, durable vinyl construction
- Ideal for indoor or outdoor use
- Protects tags and cards on machinery, valves, switches, controls and more

Catalog #	Description	Size	Qty.
81769	Magnetic Backed	4.5 in. x 6.5 in.	10
81770	Magnetic Backed	5.5 in. x 8.5 in.	10
81771	Adhesive Backed	4.5 in. x 6.5 in.	10
81772	Adhesive Backed	5.5 in. x 8.5 in.	10
81765	Zip-lock w/o Grommet	4.5 in. x 6.5 in.	10
81767	Zip-lock w/o Grommet	5.5 in. x 8.5 in.	10
81766	Zip-lock w/ Grommet	4.5 in. x 6.5 in.	10
81768	Zip-lock w/ Grommet	5.5 in. x 8.5 in.	10
81763	Open-Ended	4.5 in. x 6.5 in.	10
81764	Open-Ended	5.5 in. x 8.5 in.	10



Fluorescent Protective Envelopes

- Transparent, durable vinyl construction
- Fluorescent edging is ideal for color-coding work in process, machine procedures and drawings

Catalog #	Size	Color	Qty.
56941	9 in. x 9 in.	Fluorescent Green	25
56945	9 in. x 12 in.	Fluorescent Green	25
56942	9 in. x 9 in.	Fluorescent Orange	25
56946	9 in. x 12 in.	Fluorescent Orange	25
56944	9 in. x 9 in.	Fluorescent Yellow	25
56948	9 in. x 12 in.	Fluorescent Yellow	25

BradyID.com/s36

Valve Identification

Valve tags help relay important pipe content information, valve identification or operation information at the point of need. Some stock valve tag options, like our brass valve tags and energy source tags, are available with preset legends. All of our tags are available for customization or as blanks so you may stamp or print your own tag text or legends.



ASME A13.1

Recommends the use of a permanently legible tag for identification of materials in pipes less than 3⁄4 in. (19 mm) in diameter.

	High-Performance Material				General-Purpose Material					
	HEET Tag B-748	Coated Aluminum B-541	Fiberglass B-120	Plastic Tag B-418	Brass B-907	Aluminum B-906	Stainless Steel B-919	3-Ply Engraved B-1	Polyester B-851	Polyurethane B-462
Environment										
Indoor	Good	Good	Good	Good	Good	Good	Good	Good	Good	Good
Avg. Outdoor Durability (yrs)	5-7	Up to 10	15	5-7**	3-6	Up to 2	5-7	5-8	3-5	5-7
Surface Abrasion Resistance	Good	Good	Good	Good	Good	Good	Good	Good	Fair	Good
Temperatures										
Upper Limit	248° F (120°)	500° F (260° C)	193° F (89° C)	260° F (127° C)	233° F (113° C)	233° F (113° C)	1500° F (815° C)	193° F (89° C)	212° F (100° C)	250° F (121° C)
Lower Limit	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)	-40° F (40° C)
Chemical Resistance										
Organic Solvents (MEK, Acetone, Toluene)	Not Rec.	Good	Not Rec.	Not Rec.	Not Rec.	Not Rec.	Good	Not Rec.	Not Rec.	Not Rec.
Acids (Sulfuric, HCl, Acetic)	Good	Not Rec.	Not Rec.	Good	Not Rec.	Not Rec.	Not Rec.	Not Rec.	Good	Good
Alkali (Sodium Hydroxide)	Not Rec.	Not Rec.	Not Rec.	Good	Not Rec.	Not Rec.	Not Rec.	Good	Good	Good
Alcohols (Methanol, Isopropanol)	Not Rec.	Good	Good	Good	Good	Not Rec.	Good	Good	Good	Good
Grease/Oils (SAE 20, ASTM#3)	Good	Good	Good	Good	Good	Good	Good	Good	Good	Good
Special Properties										
Bar Coding Available	Yes	Yes	No	Yes	No	No	No	No	Yes	No
Protective Covering Available	Yes	No	No	Yes	No	No	No	No	Yes	No

*** Includes overlaminate* *Not Rec. = Not Recommended*







Custom Valve Tags

Brady offers a wide variety of customizable valve tags to meet your needs and the harsh environments throughout your facility. View the available tag types, then contact Brady Customer Service to order your custom tags today.

Contact Customer Service to order your custom tags



HEET Tags (B-748)

- Features overlaminated polyester which permanently bonds graphics to a stainless steel baseplate
- Optional protective tag covers are available to maintain readability even when covered with paint
- Custom text on one or both sides
- Sizes: 2 in. x 2 in. or 2.5 in. x 5 in.
- Available colors: yellow, red, green, blue or white



Coated Aluminum Tags (B-541)

- Anodized aluminum printed with black text and coated with flourinated polyethylene; resists corrosion, paint, chemicals and sunlight
- Legends, barcodes and human readable text available with variable print
- Fixed custom message, warning or logo may be added to all tags
- Sizes: 1.5 in. x 1.5 in. or 1 in. x 3 in.



Fiberglass Tags (B-120)

- Graphics are embedded within a fiberglass / resin package in order to withstand moisture, grease and dirt
- Standard colors are yellow and white
- Ability to add multiple lines of text
- Sizes: 2 in. x 2 in. or 4 in. x 4 in. Custom sizes and colors available




Durable Rigid Plastic Tags (B-418)

- Colorful plastic tag has recessed area on both sides to apply printed label
- Non-corrosive, lightweight, non-conductive and impact resistant
- Available with either 1.5 in. x 3 in. or 2.5 in. x 4 in. label area
- Overlaminate choices include standard or UV resistant for durability
- Tags can be purchased individually
- Available colors: black, yellow, red, blue, green, orange, white, gray, brown and tan



Stamped and Engraved Brass Tags (B-907)

- 19 gauge cartridge brass (40-mil thick) for general purpose valve identification
- Available in 1.5 in. and 2 in. round, square, triangle or octagon / hexagon shapes
- Available in natural color or black-filled. All tags are produced natural unless requested. Black-filled legend is recommended for maximum legibility
- Stamping or engraving options available



Stamped and Engraved Aluminum Tags (B-906)

- Durable 19 gauge aluminum tags
- Type 3003-H14 material has been anodized, dyed and sealed
- Available in round or square shapes in either 1.5 in. or 2 in. sizes.
- Available in natural color or black-filled. All tags are produced natural unless requested. Black-filled legend is recommended for maximum legibility
- Stamping, engraving or etching options available

Custom Valve Tags


BradyID.com/s36

Custom Valve Tags (continued)



Stainless Steel (B-919)

- Durable .025 in. stainless steel tags
- Pre-stamped tags may be black filled for easier readability
- Equipment tags are surface coated with ink and then engraved
- Available in round or square shapes in either 1.5 in. or 2 in. sizes
- Withstands temperatures of 2,700° F
- Stamping, engraving or etching options available



3-Ply Engraved (B-1)

- Rigid laminate plastic is heat resistant, non-conductive and non-corroding
- Tag text engraved through a colored cap sheet to a contrasting colored base sheet
- Multiple background colors available
- Round size: 1.5 in. or 2 in.
- Square size options:
  0.75 in. x 2.5 in. 1 in. x 2.5 in.
  1 in. x 3 in. 2 in. x 3 in.
  1.5 in. x 4 in. 2 in. x 4 in.
- Hole size: 3⁄16 in.



Polyester (B-851)

- Grommeted heavy duty polyester tags withstand moisture, grease and dirt
- Rigid polyester surface exceeds OSHA 50-lb. pull out requirement
- Polyester tags withstand moisture, grease and dirt
- Provides good outdoor UV resistance
- Ability to add barcodes and multiple lines of text
- Standard colors include: red, yellow, blue, green and white

Grade 316 Stainless Steel Tags and Ties (B-7316)

Designed to withstand extreme temperatures, harsh chemicals and to offer excellent outdoor durability

- Service temperature of -112°F to 1,000°F (-80°C to 815°C)
- Blank stock tags can be embossed or laser-engraved, and offer excellent clarity and print permanence. Tags can also be ordered with custom legends
- Easy installation with the cable tie tool, capable of both cinching and cutting ties (sold separately)









Cable tie tool with teeth

Stainless Steel Tags

Catalog #	Size	Qty
SSTAG-5219-7316	2.040 in. x 0.740 in.	100/pk
SSTAG-7010-7316	2.756 in. x 0.394 in.	100/pk
SSTAG-7013-7316	2.756 in. x 0.512 in.	100/pk
SSTAG-9010-7316	3.543 in. x 0.394 in.	100/pk
SSTAG-11010-7316	4.331 in. x 0.394 in.	100/pk
SSTAG-11013-7316	4.331 in. x 0.512 in.	100/pk

Stainless Steel Ties


Catalog #	Size	Qty
SSTIE-127-7316	0.181 in. x 5.00 in.	100/pk
SSTIE-201-7316	0.181 in. x 7.913 in.	100/pk
SSTIEC-201-7316	0.181 in. x 7.913 in.	100/pk
SSTIE-300-7316	0.181 in. x 11.811 in.	100/pk
SSTIE-370-7316	0.181 in. x 14.566 in.	100/pk
SSTIEC-370-7316	0.181 in. x 14.566 in.	100/pk
SSTIE-520-7316	0.181 in. x 20.472 in.	100/pk
SSTIE-150-7316-HD	0.311 in. x 5.905 in.	100/pk
SSTIE-201-7316-HD	0.311 in. x 7.913 in.	100/pk
SSTIE-300-7316-HD	0.311 in. x 11.811 in.	100/pk
SSTIEC-362-7316	0.311 in. x 14.251 in.	100/pk
SSTIE-370-7316-HD	0.311 in. x 14.566 in.	100/pk
SSTIE-520-7316-HD	0.311 in. x 20.472 in.	100/pk
SSTIEC-520-7316	0.311 in. x 20.472 in.	100/pk
SSTIE-840-7316-HD	0.311 in. x 33.07 in.	100/pk

Cable-Tie Tools

Catalog #	Size	Qty
JV-4580	Heavy Duty Cable Tie Tool	1
JV-4580MG	Heavy Duty Cable Tie Tool w/Teeth	1

Stamped Brass Valve Tags (B-907)

- 1.5 in. diameter stamped valve tags
- Constructed from 19 gauge cartridge brass (40-mils thick)
- Black-filled text for easy readability
- Text size: 0.25 in. top legend; 0.5 in. number sequence
- Standard package: 25 tags (one each of sequence)





Contact Brady to customize

Top Line Copy	1-25	26-50	51-75	76-100	101-125	126-150	151-175	176-200	201-225	226-250	251-275	276-300	301-325	326-350	351-375	376-400	401-425	426-450	451-475	476-500
(Blank)	23200	23201	23202	23203	23204	23205	23206	23207	23208	23209	23617	23618	23619	23620	23621	23622	23623	23624	23625	23626
AC	23272	23273	23274	23275	23480	23481	23482	23483	23484	23485	23486	23487	23488	23489	23490	23491	23492	23493	23494	23495
CA	87460	87461	87462	87463	87464	87465	87466	87467	87468	87469	87470	87471	87472	87473	87474	87475	87476	87477	87478	87479
CHW	23516	23517	23518	23519	23520	23521	23522	23523	23524	23525	23526	23527	23528	23529	23530	23531	23532	23533	23534	23535
CHWR	23596	23597	23598	23599	23600	23601	23602	23603	23604	23605	23606	23607	23608	23609	-	-	-	-	-	-
CHWS	23576	23577	23578	23579	23580	23581	23582	23583	23584	23585	-	23587	23588	23589	-	-	-	-	-	-
COND	23647	23648	23649	23650	23651	23652	23653	23654	23655	23656	23657	23658	-	23660	23661	23662	23663	23664	23665	23666
CW	23256	23257	23258	23259	23400	23401	23402	23403	23404	23405	23406	23407	23408	23409	23410	23411	23412	23413	23414	23415
CWR	87100	87101	87102	87103	87104	87105	87106	87107	87108	87109	87110	87111	87112	87113	87114	87115	87116	87117	87118	87119
CWS	87120	87121	87122	87123	87124	87125	87126	87127	87128	87129	87130	87131	87132	87133	87134	87135	87136	87137	87138	87139
DCW	87200	87201	87202	87203	87204	87205	87206	87207	87208	87209	87300	87302	87303	87304	87305	87306	87307	87308	87309	87310
DCWR	87331	87332	87333	87334	87335	87336	87337	87338	87339	87340	87341	87342	87343	87344	87345	87346	87347	87348	87349	87350
DCWS	87371	87372	87373	87374	87375	87376	87377	87378	87379	87380	87381	87382	87383	87384	87385	87386	87387	87388	87389	87942
DHW	87180	87181	87182	87183	87184	87185	87186	87187	87188	87189	87190	87191	87192	87193	87194	87195	87196	87197	87198	87199
DHWR	87311	87312	87313	87314	87315	87316	87317	87318	87319	87320	87321	87322	87323	87324	87325	87326	87327	87328	87329	87330
DHWS	87351	87352	87353	87354	87355	87356	87357	87358	87359	87360	87361	87362	87363	87364	87365	87366	87367	87368	87369	87370
FP	23667	23668	23669	23670	23671	23672	23673	23674	23675	23676	23677	23678	23679	23680	-	23682	23683	23684	23685	23686
GAS	23264	23265	23266	23267	23448	23449	23450	23451	23452	23453	23454	23455	23456	23457	23458	23459	23460	23461	23462	23463
HPS	44720	44721	44722	44723	44724	44725	44726	44727	44728	44729	44730	-	44732	44733	44734	44735	44736	44737	44738	44739
HTG	23268	23269	23270	23271	23464	23465	23466	23467	23468	23469	23470	23471	23472	23473	23474	23475	23476	23477	23478	23479
HW	23276	23277	23278	23279	23416	23417	23418	23419	23420	23421	23422	23423	23424	23425	23426	23427	23428	-	23430	23431
HWR	23536	23537	23538	23539	23540	23541	23542	23543	23544	23545	23546	23547	23548	23549	23550	-	23552	23553	23554	23555
HWS	23556	23557	23558	23559	23560	23561	23562	23563	23564	23565	23566	23567	23568	23569	23570	23571	23572	23573	23574	23575
HVAC	87140	87141	87142	87143	87144	87145	87146	87147	87148	87149	87150	87151	87152	87153	87154	87155	87156	87157	87158	87159
LPC	87390	87391	87392	87393	87394	87395	87396	87397	87398	87399	87400	87401	87402	87403	87404	87405	87406	87407	87408	87409
LPS	44740	44741	44742	44743	44744	44745	44746	44747	44748	44749	44750	44751	44752	44753	-	44755	44756	44757	44758	44759
MPS	-	-	44702	44703	44704	44705	44706	44707	44708	44709	44710	44711	44712	44713	44714	44715	44716	44717	44718	44719
OXY	87480	87481	87482	87483	87484	87485	87486	87487	87488	87489	87490	87491	87492	87493	87494	87495	87496	87497	87498	87499
PLBG	23260	23261	23262	23263	23432	23433	23434	23435	23436	23437	23438	23439	23440	23441	23442	23443	23444	23445	23446	23447
SPK	-	-	-	23630	23631	23632	23633	23634	23635	23636	23637	23638	23639	23640	23641	23642	23643	23644	23645	23646
SPR	87160	87161	87162	87163	87164	87165	87166	87167	87168	87169	87170	87171	87172	87173	87174	87175	87176	87177	87178	87179
STM	23496	23497	23498	23499	23500	23501	23502	23503	23504	23505	23506	23507	23508	23509	23510	23511	23512	23513	23514	23515
VAC	87500	87501	87502	87503	87504	87505	87506	87507	87508	87509	87510	87511	87512	87513	87514	87515	87516	87517	87518	87519

Blank Valve Tags


BradyID.com/s36



Blank Brass Valve Tags

- Customize your own brass tags with Brady steel stamps


Catalog #	Description	Qty.
23210	1.5 in. Round Brass Tag	25
23211	2 in. Round Brass Tag	25
23212	1.5 in. Square Brass Tag	25
23213	2 in. Square Brass Tag	25



Blank Stainless Steel Tags

- B-919 tags are ideal for harsh environments or where a stainless steel material is specified
- Tag hole is 3⁄16 in.

Catalog #	Size	Qty.
44400	1.5 in. Round	25
44401	1.5 in. Square	25
44402	2 in. Round	25
44403	2 in. Square	25



Valve Chart Frame

- Aluminum frame with plastic window displays your valve tag chart
- Chart size: 8 in. x 11 in.
- Chart lists up to 50 locations

Catalog #	Description	Qty.
23309	Valve Chart Frame	1 ea..



Blank Aluminum Tags

- Anodized aluminum B-906 is dyed to offer color-coding options not available with brass tags
- Available in round or square styles
- Standard package: 25 tags

Catalog #	2 in. Round	2 in. Square	1.5 in. Round	1.5 in. Square
Black	87612	87637	87605	87619
Blue	49907	87641	49902	87629
Green	49908	87642	49903	87630
Natural	49909	87643	49904	87631
Orange	87611	87636	87604	87618
Pink	-	87635	87603	87617
Yellow	49905	87639	49900	87627
Red	49906	87640	49901	87628



Rigid Plastic Tags

- B-418 durable plastic tags are lightweight, non-corrosive, non-conductive and impact resistant
- Withstands temps -40°F to 260°F
- Standard package: 1 each

Print Valve Tag Labels

Print custom labels with your Brady printer and attach them to these blank tags to customize.



Blank Rigid Tags

Catalog #	Color	Tag Size	Recessed Label Area
87696	White	2.1 in. x 3.6 in.	1.5 in. x 3 in.
87697	White	3.1 in. x 4.6 in.	2.5 in. x 4 in.
41922	Yellow	2.1 in. x 3.6 in.	1.5 in. x 3 in.
41923	Yellow	3.1 in. x 4.6 in.	2.5 in. x 4 in.
41924	Red	2.1 in. x 3.6 in.	1.5 in. x 3 in.
41925	Red	3.1 in. x 4.6 in.	2.5 in. x 4 in.
41926	Blue	2.1 in. x 3.6 in.	1.5 in. x 3 in.
41927	Blue	3.1 in. x 4.6 in.	2.5 in. x 4 in.
41928	Green	2.1 in. x 3.6 in.	1.5 in. x 3 in.
41929	Green	3.1 in. x 4.6 in.	2.5 in. x 4 in.
87694	Orange	2.1 in. x 3.6 in.	1.5 in. x 3 in.
87695	Orange	3.1 in. x 4.6 in.	2.5 in. x 4 in.
87712	Tan	2.1 in. x 3.6 in.	1.5 in. x 3 in.
87713	Tan	3.1 in. x 4.6 in.	2.5 in. x 4 in.
87710	Brown	2.1 in. x 3.6 in.	1.5 in. x 3 in.
87711	Brown	3.1 in. x 4.6 in.	2.5 in. x 4 in.
87698	Gray	2.1 in. x 3.6 in.	1.5 in. x 3 in.
87699	Gray	3.1 in. x 4.6 in.	2.5 in. x 4 in.
41920	Black	2.1 in. x 3.6 in.	1.5 in. x 3 in.
41921	Black	3.1 in. x 4.6 in.	2.5 in. x 4 in.
142133	Variety Pack*	-	-

** Variety Pack combines 30 tags including at least one of each size and color. Perfect for evaluating which sizes and colors you need.*

Contact Brady Customer Service to customize tags for your facility.



S-Hooks

- Standard package: 100 s-hooks, sold in full packages only

Catalog #	Description	For Valve Stems Up To	Qty.
23305	1.75 in. O.D. Brass	0.5 in.	100
23304	1.5 in. O.D. Brass	0.375 in.	100
23303	1.25 in. O.D. Brass	0.25 in.	100



#16 Jack Chain

- Approximately 25 links per foot
- Standard package: 50 feet of chain, sold in full packages only


Catalog #	Description	Qty.
23308	#16 brass	50 ft.
98859	Stainless steel	50 ft.



4.5 Inch Beaded Chain

- Extremely flexible 4.5 inch bead chain with locking link
- Standard package contains 100 chains. Sold in full packages only


Catalog #	Description	Qty.
23306	4.5 in. #6 brass chain	100
23307	4.5 in. #6 nickel plate chain	100
98857	4.5 in. #6 stainless steel chain	100



Lead Seals

- 12 in. wires with pre-fitted lead seals fit easily around pipes or valves
- Seals and Hand Sealing Press sold separately

Catalog #	Description	Qty.
23301	Copper Lead Seals	250
23302	Monel Seals	250
23300	Hand Sealing Press	1



Wire, Clamps and Tools

- Stranded stainless steel wire offers secure attachment when used with zinc clamps
- Clamps feature double ferrule design

Catalog #	Description	Qty.
38090	Zinc Wire Clamps	50
38091	48-mil Stainless Steel Wire	30 ft.
38088	Stainless Steel Wire Cutter	1



Fastening Devices

- 32-mil stainless steel safety wire to be used with wire twister pliers

Catalog #	Outside Dia.	Length
15424	Stainless Steel Safety Wire	1,800 ft



Zinc Plated Temporary Fastener

Nickel Key / Tag Ring

Tag and Key Rings

- Squeeze fastener to open and close; Inside diameter of fastener is 1.375 in.

Catalog #	Description	Qty.
58973	Nickel Key Ring	10
98858	Zinc Plated Temp. Fastener	100



Quik-Apply™ Nylon Straps

- Use with a variety of valve and lockout tagout tags

Catalog #	Outside Dia.	Strap Length
91165	1 in.	6 in.
91166	2 in.	7 in.



Colored Nylon Ties

- Use with a variety of valve and lockout tagout tags

Catalog #	Description	Length	Qty.
98848	Black	8 in.	100
98849	Blue	8 in.	100
98850	Green	8 in.	100
98851	Natural	8 in.	100
98853	Purple	8 in.	100
98854	Red	8 in.	100
98855	Yellow	8 in.	100

Pipe Marking

ASME (ANSI) Standard A13.1-2007


The ASME (ANSI) Standard for pipe identification is a widely used guideline in determining pipe identification requirements. The purpose of the standard is to:

- Assist in identification of hazardous materials conveyed in piping systems and their hazards when released into the environment
- Pipes are defined as conduits for the transport of gases, liquids, semi-liquids or fine particulate dust




Marker placement


ASME (ANSI) A13.1-2007 visibility standard states that markers shall be located so that they are readily visible to plant personnel from the point of normal approach.




At all valves and flanges




At all direction changes



At both sides of floor or wall penetrations



Every 25 to 50 ft. intervals on straight runs



Placement of the marker may be above or below the centerline of the pipe, depending on the normal approach of personnel

Text size

The text and directional flow arrow is the primary means of identifying pipe content. A13.1-2007 standard makes recommendations as to the size of letter height and length of color field for various pipe diameters.



Outside Diameter	Length of Color Field	Size of Letters
Over 10 in.	32 in.	3.5 in.
8 in. to 10 in.	24 in.	2.5 in.
2.5 in. to 6 in.	12 in.	1.25 in.
1.5 in. to 2 in.	8 in.	0.75 in.
0.75 in. to 1.25 in.	5 in.	0.5 in.
less than 0.75 in.	Permanently legible tag recommended	

Color standards

Pipe marker colors communicate the type of contents, and are particularly important when outside agencies are called in under emergency conditions.

Pipe Classification	Color Scheme
Fire quenching fluids	White on Red
Toxic and corrosive fluids	Black on Orange
Flammable fluids	Black on Yellow
Combustible fluids	White on Brown
Potable, cooling, boiler feed and other water	White on Green
Compressed air	White on Blue

Custom colors available including gray, black, purple and clear.

	Self-Sticking		Mechanically Applied			
						
	B-946 Self-Sticking Marker	**B-736 Self-Sticking Markers-To-Go**	**B-915 Snap-On Marker**	**B-915 Strap-On Marker**	**B-689 Wrap-Around Marker**	**B-681 / B-883 High-Performance High-Visibility Marker**
Overview						
Marker Type	Premium self-adhesive marker for indoor or outdoor use in either individual markers or roll-form.	Economical self-adhesive roll-form markers for smooth, clean, dry pipe surfaces.	Non-adhesive coiled pipe marker "snaps" around pipe giving 360 visibility while remaining easily removeable	Non-adhesive vinyl marker applied with nylon stapping (included).	Wrap-around marker with an adhesive edge to secure marker. Repeating legends offers 360 visibility.	Polyester marker applied to a fiberglass carrier. Markers fasten to pipe with with included mounting clips and strapping (sold separately).
Marker Material	Vinyl	Plastic Film	Vinyl	Vinyl	Polyester	Plastic Carrier
Installation Type	Adhesive	Adhesive	Snap-on	Nylon Strapping	Wrap-around with adhesive edge	Mounting clips (included) & strapping (sold separately)
Outer Diameter	From less than 0.75 in. to greater than 8 in.	–	0.75 in. to 6 in.	6 in. to 15 in.	0.2 in. to 7.875 in.	8 in. or larger
Environment						
Indoor	✔	✔	✔	✔	✔	✔
Average Outdoor Durability	3 to 5 years	2 to 3 years	5 to 8 years	5 to 8 years	5 to 8 years	5 to 8 years
Surface Abrasion Resistance	✖	✖	✖	✖	✔	✔
Dirty, Dusty Surface	✖	✖	✔	✔	✔	✔
Rough Surface	✔	✖	✔	✔	✔	✔
Insulated Surface	✔	✔	✔	✔	✔	✔
Wet Surface	✖	✖	✔	✔	✔	✔
Greasy, Oily Surface	✖	✖	✔	✔	✔	✔
Chemical Resistance						
Organic Solvents (MEK, Acetone, Toluene)	✖	✖	✖	✖	✖	✖
Acids (Sulfuric, HCL, Acetic)	✖	✔	✖	✖	✔	✔
Alkalis (Sodium Hydroxide)	✖	✖	✖	✖	✔	✔
Alcohols (Methanol, Isopropanol)	✔	✔	✔	✔	✔	✔
Grease/Oils (SAE 20, ASTM #3)	✔	✔	✔	✔	✔	✔
Temperature						
Minimum Installation Temperature	0° F (-18° C)	50° F (0° C)	–	–	40° F (5° C)	–
Service Temperature	-40° F to 180° F (-40° C to 82° C)	-40° F to 212° F (-40° C to 100° C)	-40° F to 180° F (-40° C to 82° C)	-40° F to 180° F (-40° C to 82° C)	-40° F to 248° F (-40° C to 120° C)	-40° F to 230° F (-40° C to 110° C)
Special Properties						
Low PVC - Pipe contact point	✖	✖	✖	✖	✔	✔
Low PVC - Whole marker	✖	✖	✖	✖	✖	✔
Low Halogen - Pipe contact point	✖	✖	✖	✖	✔	✔
Low Halogen - Whole marker	✖	✖	✖	✖	✖	✔
Meets ASME (ANSI) A13.1	✔	✔	✔	✔	✔	✔

IIAR Pipe Markers

BradyID.com/s36



IIAR Ammonia Refrigeration Pipe Markers

The International Institute of Ammonia Refrigeration (IIAR) standardizes pipe labeling for Ammonia Refrigeration Piping and System Components.



Ammonia piping abbreviation
*See chart below

Physical state of the refrigerant:
Liquid (LIQ)
black or white on yellow
Vapor (VAP)
black or white on sky blue
Both (LIQ and VAP)
both in colors listed above

Marker body
AMMONIA in black letters on orange background

Pressure level of the refrigerant:
HIGH
black or white on red
LOW
black or white on green
HIGH and LOW
both in colors listed above

Ammonia piping abbreviations

Abbr.	System
BD	Booster Discharge
CD	Condenser
DC	Defrost Condensate
EQ*	Equalizer
ES	Economizer Suction
HGD	Hot Gas Defrost
HPL	High Pressure Liquid
HSD	High Stage Discharge
HSS	High Stage Suction
HTS*	High Temp. Suction
HTRL	High Temp. Recirculated Liquid
HTRS	High Temp. Recirculated Suction

Abbr.	System
LTRL	Low Temp. Recirculated Liquid
LTS*	Low Temp. Suction
LTRS	Low Temp. Recirculated Suction
LIC	Liquid Injection Cooling
LSS	Low Stage Suction
PO*	Pump Out
PU*	Purge
RV	Relief Vent
TSR	Thermosyphon Return
TSS	Thermosyphon Supply

Not currently covered in the IIAR standard

Orange vs. Yellow



Orange was adopted by the International Institute of Ammonia Refrigeration (IIAR) for ammonia markers, instead of yellow, because it meets the ANSI A13.1 (2007) revised standard for toxic and corrosive fluids. Yellow will continue to be available for established facilities needing replacements.

IIAR Marker Styles

Brady offers a variety of ammonia pipe markers that comply with the IIAR's established guidelines, including self-adhesive markers, snap-around marker styles and high performance pipe markers recommended for harsh environments.



IIAR B-689 High Performance Wrap-Around Marker Styles and Sizes

Style Code		Outside Diameter	Letter Height	Marker Size
Style: I	VALVE	1.5 in. to 2.378 in.	0.75 in.	9 in. x 8 in. (uncoiled)
Style: II	VALVE	2.5 in. to 7.875 in.	1.25 in.	26 in. x 12 in. (uncoiled)



IIAR B-681 / B-883 HPHV Marker Styles and Sizes

Style Code		Outside Diameter	Letter Height	Marker Size
Style: HPHV	HOT WATER	8 in. or larger	3.5 in.	4 in. x 24 in. (includes 2 mounting clips)



B-946 Self-Sticking Marker Styles and Sizes

Style Code	Style Example	Outside Diameter	Letter Height	Marker Size
Style: 1HV	HEATING RETURN	8 in. or greater	3.5 in.	One 4 in. x 24 in. marker per card
Style: 1	HEATING RETURN	2.5 in. to 7.875 in.	2 in.	One 2.25 in. x 14 in. marker per card
Style: 4	FIRE AUTO SPRINKLERS / FIRE AUTO SPRINKLERS / FIRE AUTO SPRINKLERS / FIRE AUTO SPRINKLERS	0.75 in. to 2.378 in.	0.75 in.	Four 1.125 in. x 7 in. markers per card*

** Use in conjunction with 1 in. arrow tape to meet the 8 in. marking required by ANSI standards.*

BRADY

Orange IIAR Pipe Markers

	IIAR Abbr.	Physical	Legend	Pressure	B-689 Wrap-Around Style I	B-689 Wrap-Around Style II	B-681/B-883 Style HPHV	B-946 Self-Sticking Vinyl Style 1	B-946 Self-Sticking Vinyl Style 1HV	B-946 Self-Sticking Vinyl Style 4
Orange Markers	(blank)	LIQ	Ammonia	High	145793	145830	145953	145866	145894	145924
	(blank)	LIQ	Ammonia	Low	145789	145823	145946	145859	145888	145917
	(blank)	LIQVAP	Ammonia	High	145787	145820	145943	145856	145885	145914
	(blank)	LIQVAP	Ammonia	Low	145783	145817	145940	145852	145882	145911
	(blank)	VAP	Ammonia	High	145778	145814	145937	145850	145876	145907
	(blank)	VAP	Ammonia	Low	145771	145809	145932	145845	145873	145903
	BD	VAP	Ammonia	Low	145772	145799	145926	145839	145868	145897
	CD	LIQ	Ammonia	High	145795	145825	145948	145861	145890	145919
	DC	LIQ	Ammonia	High	145796	145826	145949	145862	145891	145920
	EQ	LIQVAP	Ammonia	Low	145784	145818	145941	145853	145883	145912
	ES	VAP	Ammonia	Low	145773	145800	145927	145840	145869	145898
	HGD	VAP	Ammonia	High	145780	145811	145934	145847	145878	145904
	HG	VAP	Ammonia	High	145779	145810	145933	145846	145877	145908
	HPL	LIQ	Ammonia	High	145797	145827	145950	145863	145896	145921
	HSD	VAP	Ammonia	High	145781	145812	145935	145848	145879	145905
	HSS	VAP	Ammonia	Low	145774	145802	145928	145841	145870	145899
	HTRL	LIQ	Ammonia	Low	145791	145821	145944	145857	145886	145915
	HTRS	LIQVAP	Ammonia	Low	145785	145815	145938	145851	145880	145909
	HTS	VAP	Ammonia	Low	145775	145805	145929	145842	145871	145900
	LIC	LIQ	Ammonia	High	145798	145828	145951	145864	145892	145922
	LSS	VAP	Ammonia	Low	145776	145807	145930	145843	145872	145901
	LTRL	LIQ	Ammonia	Low	145788	145822	145945	145858	145887	145916
	LTRS	LIQVAP	Ammonia	Low	145782	145816	145939	145854	145881	145910
	LTS	VAP	Ammonia	Low	145770	145808	145931	145844	145874	145902
	PO	LIQ	Ammonia	Low	145790	145824	145947	145860	145889	145918
	PU	LIQ	Ammonia	High	145794	145831	145954	145867	145895	145925
	PV	VAP	Ammonia	High	145777	145813	145936	145849	145875	145906
	TSR	LIQVAP	Ammonia	High	145786	145819	145942	145855	145884	145913
	TSS	LIQ	Ammonia	High	145792	145829	145952	145865	145893	145923

Yellow IIAR Pipe Markers

For established facilities needing replacements.

	IIAR Abbr.	Physical	Legend	Pressure	B-689 Wrap-Around Style I	B-689 Wrap-Around Style II	B-681/B-883 Style HPHV	B-946 Self-Sticking Vinyl Style 1	B-946 Self-Sticking Vinyl Style 1HV	B-946 Self-Sticking Vinyl Style 4
Yellow Markers	(blank)	LIQ	Ammonia	High	58000	58006	59939	90462	90460	90461
	(blank)	LIQ	Ammonia	Low	58003	58009	59942	90465	90463	90464
	(blank)	LIQVAP	Ammonia	High	58002	58008	59941	90474	90472	90473
	(blank)	LIQVAP	Ammonia	Low	58005	58011	59944	90477	90475	90476
	(blank)	VAP	Ammonia	High	58001	58007	59940	90468	90466	90467
	(blank)	VAP	Ammonia	Low	58004	58010	59943	90471	90469	90470
	BD	VAP	Ammonia	Low	57960	57980	59919	90440	90400	90420
	CD	LIQ	Ammonia	High	57961	57981	59920	90441	90401	90421
	DC	LIQ	Ammonia	High	57962	57982	59921	90442	90402	90422
	EQ	LIQVAP	Ammonia	Low	58014	58017	59982	90486	90484	90485
	ES	VAP	Ammonia	Low	57963	57983	59922	90443	90403	90423
	HGD	VAP	Ammonia	High	57965	57985	59924	90445	90405	90425
	HG	VAP	Ammonia	High	57964	57984	59923	90444	90404	90424
	HPL	LIQ	Ammonia	High	57966	57986	59925	90446	90406	90426
	HSD	VAP	Ammonia	High	57967	57987	59926	90447	90407	90427
	HSS	VAP	Ammonia	Low	57968	57988	59927	90448	90408	90428
	HTRL	LIQ	Ammonia	Low	57969	57989	59928	90449	90409	90429
	HTRS	LIQVAP	Ammonia	Low	57970	57990	59929	90450	90410	90430
	HTS	VAP	Ammonia	Low	57971	57991	59930	90451	90411	90431
	LIC	LIQ	Ammonia	High	57972	57992	59931	90452	90412	90432
	LSS	VAP	Ammonia	Low	57973	57993	59932	90453	90413	90433
	LTRL	LIQ	Ammonia	Low	57974	57994	59933	90454	90414	90434
	LTRS	LIQVAP	Ammonia	Low	57975	57995	59934	90455	90415	90435
	LTS	VAP	Ammonia	Low	57976	57996	59935	90456	90416	90436
	PO	LIQ	Ammonia	Low	58012	58015	59980	90480	90478	90479
	PU	LIQ	Ammonia	High	58013	58016	59981	90483	90481	90482
	PV	VAP	Ammonia	High	57977	57997	59936	90457	90417	90437
	TSR	LIQVAP	Ammonia	High	57978	57998	59937	90458	90418	90438
	TSS	LIQ	Ammonia	High	57979	57999	59938	90459	90419	90439



IIAR Component Markers

Legend	Pressure	Yellow Style 1HV	Orange Style 1HV
ACCUMULATOR	Low	90340	145832
COMPRESSOR	High	90341	145836
EVAPORATOR	Low	90350	145833
HEAT EXCHANGER	Low	90343	145834
OIL SEPARATOR	High	90349	145837
RECEIVER	High	90345	145838
RECIRCULATOR	Low	90346	145835

Self-Sticking Pipe Markers

BradyID.com/s36

Self-Sticking Vinyl Pipe Markers (B-946)

- Markers meet the requirements of the ASME (ANSI) A13.1 Standard for the identification of piping system contents when used with directional flow arrow tape
- Durable B-946 material ideal for indoor and outdoor environments
- Supplied on a coated backing material that makes handling and installation easy





Marker Styles and Sizes

Style Code	Style Example	Outside Diameter	Letter Height	Marker Size
Style: 1HV	HEATING RETURN	8 in. or greater	3.5 in.	One 4 in. x 24 in. marker per card
Style: 1	HEATING RETURN	2.5 in. to 7.875 in.	2 in.	One 2.25 in. x 14 in. marker per card
Style: 3C	GAS	less than 0.75 in	0.3 in	Three 2.25 in. x 2.75 in markers per card plus 8 strips of arrow tape
Style: 4	FIRE AUTO SPRINKLERS	0.75 in. to 2.378 in.	0.75 in.	Four 1.125 in. x 7 in. markers per card*

** Use in conjunction with 1 in. arrow tape to meet the ANSI marking requirement of 8 in.*

Self-Sticking Pipe Marker Legends

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
(Blank)	Blue	7021-1HV	7021-1	7021-3C	7021-4
(Blank)	Green	7022-1HV	7022-1	7022-3C	7022-4
(Blank)	Orange	7023-1HV	7023-1	7023-3C	7023-4
(Blank)	Red	7024-1HV	7024-1	7024-3C	7024-4
(Blank)	White	7026-1HV	7026-1	7026-3C	7026-4
(Blank)	Yellow	7025-1HV	7025-1	7025-3C	7025-4
_____ ° C	Yellow	7307-1HV	7307-1	7307-3C	7307-4
_____ ° F	Yellow	7308-1HV	7308-1	7308-3C	7308-4
_____ Kg/Cm2	Yellow	-	91834	-	91835
_____ LB. Steam	Green	7427-1HV	7427-1	7427-3C	7427-4
_____ LB. Steam	Yellow	7309-1HV	7309-1	7309-3C	7309-4
_____ PSI	Yellow	7310-1HV	7310-1	7310-3C	7310-4
Acetone	Yellow	7000-1HV	7000-1	7000-3C	7000-4
Acetylene Gas	Brown	7317-1HV	7317-1	7317-3C	7317-4
Acetylene Gas	Yellow	7001-1HV	7001-1	7001-3C	7001-4
Acid	Orange	7318-1HV	7318-1	7318-3C	7318-4
Acid	Yellow	7002-1HV	7002-1	7002-3C	7002-4
Acid Vent	Orange	7319-1HV	7319-1	7319-3C	7319-4
Acid Vent	Yellow	7003-1HV	7003-1	7003-3C	7003-4
Acid Waste	Orange	7320-1HV	7320-1	7320-3C	7320-4
Acid Waste	Yellow	7004-1HV	7004-1	7004-3C	7004-4
Air	Blue	7006-1HV	7006-1	7006-3C	7006-4
Air	Green	7007-1HV	7007-1	7007-3C	7007-4
Air	Yellow	7005-1HV	7005-1	7005-3C	7005-4
Air Return	Blue	7008-1HV	7008-1	7008-3C	7008-4
Air Return	White	7009-1HV	7009-1	7009-3C	7009-4
Air Supply	Blue	7010-1HV	7010-1	7010-3C	7010-4
Air Supply	White	7011-1HV	7011-1	7011-3C	7011-4
Alcohol	Yellow	7012-1HV	7012-1	7012-3C	7012-4
Alum	Yellow	7013-1HV	7013-1	7013-3C	7013-4
Ammonia	Orange	7321-1HV	7321-1	7321-3C	7321-4
Ammonia	Yellow	7014-1HV	7014-1	7014-3C	7014-4
Argon	Blue	7016-1HV	7016-1	7016-3C	7016-4
Argon	Brown	7322-1HV	7322-1	7322-3C	7322-4
Argon	Green	7015-1HV	7015-1	7015-3C	7015-4
Asbestos Free	Blue	7017-1HV	7017-1	7017-3C	7017-4
Asbestos Free Insulation	Blue	7018-1HV	7018-1	7018-3C	7018-4
Asbestos Insulation	Yellow	7019-1HV	7019-1	7019-3C	7019-4
Backwash	Green	7020-1HV	7020-1	7020-3C	7020-4
Black Liquor	Orange	7324-1HV	7324-1	7324-3C	7324-4
Black Liquor	Yellow	8782-1HV	8782-1	8782-3C	8782-4
Bleach Liquor	Orange	7325-1HV	7325-1	7325-3C	7325-4
Bleach Liquor	Yellow	8783-1HV	8783-1	8783-3C	8783-4
Blow Off Water	Green	7326-1HV	7326-1	7326-3C	7326-4
Blow Off Water	Yellow	7027-1HV	7027-1	7027-3C	7027-4
Blowdown	Yellow	7028-1HV	7028-1	7028-3C	7028-4
Blowdown	Green	7327-1HV	7327-1	7327-3C	7327-4

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Blower Air	Blue	7329-1HV	7329-1	7329-3C	7329-4
Blower Air	Green	7029-1HV	7029-1	7029-3C	7029-4
Blower Air	Red	7330-1HV	7330-1	7330-3C	7330-4
Boiler Blowdown	Green	7331-1HV	7331-1	7331-3C	7331-4
Boiler Blowdown	Yellow	7030-1HV	7030-1	7030-3C	7030-4
Boiler Feed	Green	7032-1HV	7032-1	7032-3C	7032-4
Boiler Feed	Yellow	7031-1HV	7031-1	7031-3C	7031-4
Boiler Feed Water	Green	7332-1HV	7332-1	7332-3C	7332-4
Boiler Feed Water	Yellow	7033-1HV	7033-1	7033-3C	7033-4
Boiler Water	Green	7034-1HV	7034-1	7034-3C	7034-4
Bop Control	Yellow	-	131048	-	131053
Breathing Air	Blue	7334-1HV	7334-1	7334-3C	7334-4
Breathing Air	Green	7035-1HV	7035-1	7035-3C	7035-4
Breathing Air	Red	7335-1HV	7335-1	7335-3C	7335-4
Brine	Green	7036-1HV	7036-1	7036-3C	7036-4
Brine	Orange	7336-1HV	7336-1	7336-3C	7336-4
Carbon Dioxide	Brown	7338-1HV	7338-1	7338-3C	7338-4
Carbon Dioxide	Gray	-	-	87740	90307
Carbon Dioxide	Red	7039-1HV	7039-1	7039-3C	7039-4
Carbon Dioxide	Yellow	7038-1HV	7038-1	7038-3C	7038-4
Caustic	Orange	7339-1HV	7339-1	7339-3C	7339-4
Caustic	Yellow	7040-1HV	7040-1	7040-3C	7040-4
Caustic Soda	Orange	7340-1HV	7340-1	7340-3C	7340-4
Caustic Soda	Yellow	7041-1HV	7041-1	7041-3C	7041-4
Caution Asbestos	Yellow	97542	97543	-	-
Caution Asbestos Hazard Do Not Distrub Without Pro	Yellow	97627	97628	-	-
Chemical	Orange	7341-1HV	7341-1	7341-3C	7341-4
Chemical	Yellow	7042-1HV	7042-1	7042-3C	7042-4
Chemical Feed	Orange	7342-1HV	7342-1	7342-3C	7342-4
Chemical Feed	Yellow	7043-1HV	7043-1	7043-3C	7043-4
Chilled Hot Water	Green	7044-1HV	7044-1	7044-3C	7044-4
Chilled Water	Green	7045-1HV	7045-1	7045-3C	7045-4
Chilled Water Return	Green	7046-1HV	7046-1	7046-3C	7046-4
Chilled Water Supply	Green	7047-1HV	7047-1	7047-3C	7047-4
Chlorine	Orange	7343-1HV	7343-1	7343-3C	7343-4
Chlorine	Yellow	7048-1HV	7048-1	7048-3C	7048-4
Chlorine Gas	Brown	7344-1HV	7344-1	7344-3C	7344-4
Chlorine Gas	Yellow	7049-1HV	7049-1	7049-3C	7049-4
Chlorine Solution	Orange	7345-1HV	7345-1	7345-3C	7345-4
Chlorine Solution	Yellow	7050-1HV	7050-1	7050-3C	7050-4
Circulating Water	Green	7051-1HV	7051-1	7051-3C	7051-4
Circulating Water	Yellow	7052-1HV	7052-1	7052-3C	7052-4
City Gas	Brown	7346-1HV	7346-1	7346-3C	7346-4
City Gas	Yellow	7053-1HV	7053-1	7053-3C	7053-4
City Water	Green	7054-1HV	7054-1	7054-3C	7054-4
Cold Water	Green	7055-1HV	7055-1	7055-3C	7055-4
Cold Water Return	Green	7056-1HV	7056-1	7056-3C	7056-4

Self-Sticking Pipe Marker Legends (continued)

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Cold Water Supply	Green	7057-1HV	7057-1	7057-3C	7057-4
Compressed Air	Blue	7060-1HV	7060-1	7060-3C	7060-4
Compressed Air	Green	7059-1HV	7059-1	7059-3C	7059-4
Compressed Air	Yellow	7058-1HV	7058-1	7058-3C	7058-4
Condensate	Brown	7348-1HV	7348-1	7348-3C	7348-4
Condensate	Yellow	7061-1HV	7061-1	7061-3C	7061-4
Condensate Drain	Green	7063-1HV	7063-1	7063-3C	7063-4
Condensate Drain	Yellow	7062-1HV	7062-1	7062-3C	7062-4
Condensate Pump Discharge	Brown	7347-1HV	7347-1	7347-3C	7347-4
Condensate Pump Discharge	Yellow	7064-1HV	7064-1	7064-3C	7064-4
Condensate Return	Green	7349-1HV	7349-1	7349-3C	7349-4
Condensate Return	Yellow	7065-1HV	7065-1	7065-3C	7065-4
Condensate Supply	Yellow	7066-1HV	7066-1	7066-3C	7066-4
Condenser Water	Green	7067-1HV	7067-1	7067-3C	7067-4
Condenser Water Return	Green	7068-1HV	7068-1	7068-3C	7068-4
Condenser Water Supply	Green	7069-1HV	7069-1	7069-3C	7069-4
Cooling Water	Green	7070-1HV	7070-1	7070-3C	7070-4
Cooling Water Return	Green	7071-1HV	7071-1	7071-3C	7071-4
Cooling Water Supply	Green	7072-1HV	7072-1	7072-3C	7072-4
Crude Oil	Yellow	8784-1HV	8784-1	8784-3C	8784-4
Cyclopropane	Orange	-	90308	-	-
Danger Asbestos	Yellow	97544	97545	-	-
Deionized Water	Green	7073-1HV	7073-1	7073-3C	7073-4
Deionized Water Return	Green	7074-1HV	7074-1	7074-3C	7074-4
Deionized Water Supply	Green	7075-1HV	7075-1	7075-3C	7075-4
Diesel Oil	Yellow	7078-1HV	7078-1	7078-3C	7078-4
Digested Sludge	Yellow	7076-1HV	7076-1	7076-3C	7076-4
Digester Gas	Yellow	7077-1HV	7077-1	7077-3C	7077-4
Discharge	Green	7080-1HV	7080-1	7080-3C	7080-4
Discharge	Yellow	7079-1HV	7079-1	7079-3C	7079-4
Distilled Water	Green	7081-1HV	7081-1	7081-3C	7081-4
Do Not Paint	Red	150681	150683	150684	150682
Dom Cold Water	Green	-	103553	-	-
Dom Hot Water	Yellow	-	103554	-	103549
Domestic	Green	7083-1HV	7083-1	7083-3C	7083-4
Domestic	Yellow	7082-1HV	7082-1	7082-3C	7082-4
Domestic Cold Water	Green	7084-1HV	7084-1	7084-3C	7084-4
Domestic Cold Water Return	Green	7085-1HV	7085-1	7085-3C	7085-4
Domestic Cold Water Supply	Green	7086-1HV	7086-1	7086-3C	7086-4
Domestic Hot Water	Green	7350-1HV	7350-1	7350-3C	7350-4
Domestic Hot Water	Yellow	7087-1HV	7087-1	7087-3C	7087-4
Domestic Hot Water Return	Green	7351-1HV	7351-1	7351-3C	7351-4
Domestic Hot Water Return	Yellow	7088-1HV	7088-1	7088-3C	7088-4
Domestic Hot Water Supply	Green	7352-1HV	7352-1	7352-3C	7352-4
Domestic Hot Water Supply	Yellow	7089-1HV	7089-1	7089-3C	7089-4
Drain	Green	7090-1HV	7090-1	7090-3C	7090-4
Drain	Yellow	7091-1HV	7091-1	7091-3C	7091-4
Drain Water	Green	7092-1HV	7092-1	7092-3C	7092-4
Drilling Mud	Yellow	-	131047	-	131052
Drinking Water	Green	7093-1HV	7093-1	7093-3C	7093-4
Dual Temperature	Green	7353-1HV	7353-1	7353-3C	7353-4
Dual Temperature	Yellow	7094-1HV	7094-1	7094-3C	7094-4
Dye	Yellow	8785-1HV	8785-1	8785-3C	8785-4
Effluent	Yellow	7095-1HV	7095-1	7095-3C	7095-4
Electric Traced	Orange	7097-1HV	7097-1	7097-3C	7097-4
Electric Traced	Yellow	7096-1HV	7096-1	7096-3C	7096-4
Engine Oil	Yellow	8786-1HV	8786-1	8786-3C	8786-4
Exhaust	Blue	7354-1HV	7354-1	7354-3C	7354-4
Exhaust	Green	7099-1HV	7099-1	7099-3C	7099-4
Exhaust	Yellow	7098-1HV	7098-1	7098-3C	7098-4
Exhaust Air	Blue	7100-1HV	7100-1	7100-3C	7100-4
Exhaust Air	White	7101-1HV	7101-1	7101-3C	7101-4
Exhaust Intake	Blue	7102-1HV	7102-1	7102-3C	7102-4
Feed	Green	7104-1HV	7104-1	7104-3C	7104-4
Feed	Yellow	7103-1HV	7103-1	7103-3C	7103-4
Filtered Water	Green	7105-1HV	7105-1	7105-3C	7105-4
Filtrate	Green	7355-1HV	7355-1	7355-3C	7355-4
Filtrate	Yellow	7106-1HV	7106-1	7106-3C	7106-4
Fire Auto Sprinklers	Red	7107-1HV	7107-1	7107-3C	7107-4
Fire Dry Standpipe	Red	7108-1HV	7108-1	7108-3C	7108-4
Fire Main	Red	7109-1HV	7109-1	7109-3C	7109-4
Fire Protection	Red	-	103551	-	103546
Fire Protection Water	Red	7110-1HV	7110-1	7110-3C	7110-4

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Floor Drain	Green	7111-1HV	7111-1	7111-3C	7111-4
Floor Drain	Yellow	7356-1HV	7356-1	7356-3C	7356-4
Freon	Green	7112-1HV	7112-1	7112-3C	7112-4
Fresh Water	Green	7113-1HV	7113-1	7113-3C	7113-4
Fuel Gas	Brown	7357-1HV	7357-1	7357-3C	7357-4
Fuel Gas	Yellow	7114-1HV	7114-1	7114-3C	7114-4
Fuel Oil	Yellow	7115-1HV	7115-1	7115-3C	7115-4
Fuel Oil Return	Yellow	7116-1HV	7116-1	7116-3C	7116-4
Fuel Oil Supply	Yellow	7117-1HV	7117-1	7117-3C	7117-4
Fuel Oil Vent	Yellow	7118-1HV	7118-1	7118-3C	7118-4
Gas	Brown	7358-1HV	7358-1	7358-3C	7358-4
Gas	Yellow	7119-1HV	7119-1	7119-3C	7119-4
Gas - Air	Yellow	-	131050	-	131055
Gas - Mist	Yellow	-	131051	-	131056
Gasoline	Brown	7359-1HV	7359-1	7359-3C	7359-4
Gasoline	Yellow	7120-1HV	7120-1	7120-3C	7120-4
Glycol	Brown	8779-1HV	8779-1	8779-3C	8779-4
Glycol	Yellow	7121-1HV	7121-1	7121-3C	7121-4
Glycol Return	Brown	8780-1HV	8780-1	8780-3C	8780-4
Glycol Return	Yellow	7122-1HV	7122-1	7122-3C	7122-4
Glycol Supply	Brown	8781-1HV	8781-1	8781-3C	8781-4
Glycol Supply	Yellow	7123-1HV	7123-1	7123-3C	7123-4
Green Liquor	Orange	7360-1HV	7360-1	7360-3C	7360-4
Green Liquor	Yellow	8787-1HV	8787-1	8787-3C	8787-4
Halon	Red	8788-1HV	8788-1	8788-3C	8788-4
Heating	Green	7361-1HV	7361-1	7361-3C	7361-4
Heating	Yellow	7124-1HV	7124-1	7124-3C	7124-4
Heating Return	Green	7362-1HV	7362-1	7362-3C	7362-4
Heating Return	Yellow	7125-1HV	7125-1	7125-3C	7125-4
Heating Steam	Yellow	7126-1HV	7126-1	7126-3C	7126-4
Heating Supply	Green	7363-1HV	7363-1	7363-3C	7363-4
Heating Supply	Yellow	7127-1HV	7127-1	7127-3C	7127-4
Heating Water	Green	7364-1HV	7364-1	7364-3C	7364-4
Heating Water	Yellow	7128-1HV	7128-1	7128-3C	7128-4
Heating Water Return	Green	7365-1HV	7365-1	7365-3C	7365-4
Heating Water Return	Yellow	7129-1HV	7129-1	7129-3C	7129-4
Heating Water Supply	Green	7366-1HV	7366-1	7366-3C	7366-4
Heating Water Supply	Yellow	7130-1HV	7130-1	7130-3C	7130-4
Helium	Blue	7133-1HV	7133-1	7133-3C	7133-4
Helium	Brown	-	-	87742	-
Helium	Green	7132-1HV	7132-1	7132-3C	7132-4
High Pressure	Yellow	7134-1HV	7134-1	7134-3C	7134-4
High Pressure Air	Blue	7367-1HV	7367-1	7367-3C	7367-4
High Pressure Air	Green	7136-1HV	7136-1	7136-3C	7136-4
High Pressure Air	Yellow	7135-1HV	7135-1	7135-3C	7135-4
High Pressure Condensate	Yellow	7137-1HV	7137-1	7137-3C	7137-4
High Pressure Gas	Brown	7368-1HV	7368-1	7368-3C	7368-4
High Pressure Gas	Yellow	7138-1HV	7138-1	7138-3C	7138-4
High Pressure Natural Gas	Yellow	7139-1HV	7139-1	7139-3C	7139-4
High Pressure Nitrogen	Yellow	7140-1HV	7140-1	7140-3C	7140-4
High Pressure Steam	Green	7369-1HV	7369-1	7369-3C	7369-4
High Pressure Steam	Yellow	7141-1HV	7141-1	7141-3C	7141-4
High Pressure Water	Green	7370-1HV	7370-1	7370-3C	7370-4
High Pressure Water	Yellow	7142-1HV	7142-1	7142-3C	7142-4
High Temperature Hot Water	Green	7371-1HV	7371-1	7371-3C	7371-4
High Temperature Hot Water	Yellow	7143-1HV	7143-1	7143-3C	7143-4
Hot	Green	7372-1HV	7372-1	7372-3C	7372-4
Hot	Yellow	7144-1HV	7144-1	7144-3C	7144-4
Hot Gas	Brown	7373-1HV	7373-1	7373-3C	7373-4
Hot Gas	Yellow	7145-1HV	7145-1	7145-3C	7145-4
Hot Oil	Yellow	-	131049	-	131054
Hot Water	Green	7374-1HV	7374-1	7374-3C	7374-4
Hot Water	Yellow	7146-1HV	7146-1	7146-3C	7146-4
Hot Water Recirculation	Green	7375-1HV	7375-1	7375-3C	7375-4
Hot Water Recirculation	Yellow	7147-1HV	7147-1	7147-3C	7147-4
Hot Water Return	Green	7376-1HV	7376-1	7376-3C	7376-4
Hot Water Return	Yellow	7148-1HV	7148-1	7148-3C	7148-4
Hot Water Supply	Green	7377-1HV	7377-1	7377-3C	7377-4
Hot Water Supply	Yellow	7149-1HV	7149-1	7149-3C	7149-4
House Vacuum	Blue	7378-1HV	7378-1	7378-3C	7378-4
House Vacuum	Green	7150-1HV	7150-1	7150-3C	7150-4
HVAC Return	Green	7379-1HV	7379-1	7379-3C	7379-4
HVAC Return	Yellow	7151-1HV	7151-1	7151-3C	7151-4

Self-Sticking Pipe Markers

BradyID.com/s36



Style Code	Style Example	Outside Diameter	Letter Height	Marker Size
Style: 1HV	HEATING RETURN	8 in. or greater	3.5 in.	One 4 in. x 24 in. marker per card
Style: 1	HEATING RETURN	2.5 in. to 7.875 in.	2 in.	One 2.25 in. x 14 in. marker per card
Style: 3C		less than 0.75 in	0.3 in	Three 2.25 in. x 2.75 in markers per card plus 8 strips of arrow tape
Style: 4	FIRE AUTO SPRINKLERS FIRE AUTO SPRINKLERS FIRE AUTO SPRINKLERS FIRE AUTO SPRINKLERS	0.75 in. to 2.378 in.	0.75 in.	Four 1.125 in. x 7 in. markers per card*

** Use in conjunction with 1 in. arrow tape to meet the ANSI marking requirement of 8 in.*

Self-Sticking Pipe Marker Legends (continued)

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
HVAC Supply	Green	7380-1HV	7380-1	7380-3C	7380-4
HVAC Supply	Yellow	7152-1HV	7152-1	7152-3C	7152-4
Hydraulic Fluid	Yellow	8789-1HV	8789-1	8789-3C	8789-4
Hydraulic Line	Yellow	7153-1HV	7153-1	7153-3C	7153-4
Hydraulic Oil	Yellow	8790-1HV	8790-1	8790-3C	8790-4
Hydraulic Return	Yellow	7154-1HV	7154-1	7154-3C	7154-4
Hydraulic Supply	Yellow	7155-1HV	7155-1	7155-3C	7155-4
Hydrochloric Acid	Orange	7381-1HV	7381-1	7381-3C	7381-4
Hydrochloric Acid	Yellow	7156-1HV	7156-1	7156-3C	7156-4
Hydrogen	Brown	7382-1HV	7382-1	7382-3C	7382-4
Hydrogen	Yellow	7157-1HV	7157-1	7157-3C	7157-4
Hydrogen Peroxide	Orange	7383-1HV	7383-1	7383-3C	7383-4
Hydrogen Peroxide	Yellow	7158-1HV	7158-1	7158-3C	7158-4
Hydrogen Sulfide	Orange	7384-1HV	7384-1	7384-3C	7384-4
Hydrogen Sulfide	Yellow	7159-1HV	7159-1	7159-3C	7159-4
Industrial Cold Water Return	Green	7160-1HV	7160-1	7160-3C	7160-4
Industrial Hot Water	Yellow	7161-1HV	7161-1	7161-3C	7161-4
Industrial Waste	Yellow	7162-1HV	7162-1	7162-3C	7162-4
Industrial Water	Green	7163-1HV	7163-1	7163-3C	7163-4
Inert Gas	Green	7164-1HV	7164-1	7164-3C	7164-4
Inert Gas	Yellow	8791-1HV	8791-1	8791-3C	8791-4
Inlet	Yellow	7165-1HV	7165-1	7165-3C	7165-4
Instrument Air	Blue	7168-1HV	7168-1	7168-3C	7168-4
Instrument Air	Green	7167-1HV	7167-1	7167-3C	7167-4
Instrument Air	Yellow	7166-1HV	7166-1	7166-3C	7166-4
Kerosene	Yellow	7169-1HV	7169-1	7169-3C	7169-4
Lab Compressed Air	Blue	7170-1HV	7170-1	7170-3C	7170-4
Lab Vacuum	Yellow	7171-1HV	7171-1	7171-3C	7171-4
Lab Vent	Yellow	8792-1HV	8792-1	8792-3C	8792-4
Lab Waste	Yellow	8793-1HV	8793-1	8793-3C	8793-4
Liquid Nitrogen	Yellow	7172-1HV	7172-1	7172-3C	7172-4
Liquor	Yellow	-	91757	-	-
Low Pressure	Green	7173-1HV	7173-1	7173-3C	7173-4
Low Pressure Air	Blue	7385-1HV	7385-1	7385-3C	7385-4
Low Pressure Air	Green	7174-1HV	7174-1	7174-3C	7174-4
Low Pressure Condensate	Green	7386-1HV	7386-1	7386-3C	7386-4
Low Pressure Condensate	Yellow	7175-1HV	7175-1	7175-3C	7175-4
Low Pressure Gas	Brown	7388-1HV	7388-1	7388-3C	7388-4
Low Pressure Gas	Yellow	7176-1HV	7176-1	7176-3C	7176-4
Low Pressure Natural Gas	Brown	7387-1HV	7387-1	7387-3C	7387-4
Low Pressure Natural Gas	Yellow	7177-1HV	7177-1	7177-3C	7177-4
Low Pressure Nitrogen	Brown	7389-1HV	7389-1	7389-3C	7389-4
Low Pressure Nitrogen	Yellow	7178-1HV	7178-1	7178-3C	7178-4
Low Pressure Steam	Green	7390-1HV	7390-1	7390-3C	7390-4
Low Pressure Steam	Yellow	7179-1HV	7179-1	7179-3C	7179-4
Low Pressure Water	Green	7180-1HV	7180-1	7180-3C	7180-4
Lube Oil	Yellow	7181-1HV	7181-1	7181-3C	7181-4
Make-Up Water	Green	7182-1HV	7182-1	7182-3C	7182-4
Medical Air	Blue	-	7183-1	7183-3C	7183-4
Medical Air	Yellow	7184-1HV	7184-1	7184-3C	7184-4
Medical Air 50-55 PSI	Yellow	-	-	86330	86331
Medical Gas	Brown	-	-	108706	108707
Medical Vacuum	Blue	7185-1HV	7185-1	7185-3C	7185-4
Medical Vacuum	White	7186-1HV	7186-1	7186-3C	7186-4
Medium Pressure Air	Blue	7187-1HV	7187-1	7187-3C	7187-4
Medium Pressure Condensate	Yellow	7188-1HV	7188-1	7188-3C	7188-4
Medium Pressure Gas	Brown	7391-1HV	7391-1	7391-3C	7391-4
Medium Pressure Gas	Yellow	7189-1HV	7189-1	7189-3C	7189-4
Medium Pressure Natural Gas	Brown	7392-1HV	7392-1	7392-3C	7392-4
Medium Pressure Natural Gas	Yellow	7190-1HV	7190-1	7190-3C	7190-4
Medium Pressure Nitrogen	Yellow	-	90261	-	-
Medium Pressure Steam	Green	7393-1HV	7393-1	7393-3C	7393-4
Medium Pressure Steam	Yellow	7191-1HV	7191-1	7191-3C	7191-4

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Mill Air	Blue	7192-1HV	7192-1	7192-3C	7192-4
Mill Water	Green	7193-1HV	7193-1	7193-3C	7193-4
Mixed Gas	Yellow	7194-1HV	7194-1	7194-3C	7194-4
Muriatic Acid	Orange	7394-1HV	7394-1	7394-3C	7394-4
Muriatic Acid	Yellow	7195-1HV	7195-1	7195-3C	7195-4
Naphtha	Yellow	8795-1HV	8795-1	8795-3C	8795-4
Natural Gas	Brown	7395-1HV	7395-1	7395-3C	7395-4
Natural Gas	Yellow	7196-1HV	7196-1	7196-3C	7196-4
Nitric Acid	Orange	7396-1HV	7396-1	7396-3C	7396-4
Nitric Acid	Yellow	7197-1HV	7197-1	7197-3C	7197-4
Nitrogen	Black	-	-	87745	90331
Nitrogen	Blue	7200-1HV	7200-1	7200-3C	7200-4
Nitrogen	Green	7198-1HV	7198-1	7198-3C	7198-4
Nitrogen 180-200 PSI	Black	-	-	86334	-
Nitrous Oxide	Blue	-	-	87746	90333
Nitrous Oxide	Yellow	7202-1HV	7202-1	7202-3C	7202-4
Nitrous Oxide 50-55 PSI	Blue	-	-	86332	86333
No Asbestos	Blue	97597	97626	-	-
Non-Potable Water	Green	7397-1HV	7397-1	7397-3C	7397-4
Non-Potable Water	Yellow	7203-1HV	7203-1	7203-3C	7203-4
Oil	Yellow	7204-1HV	7204-1	7204-3C	7204-4
Outlet	Green	7205-1HV	7205-1	7205-3C	7205-4
Outside Air	Blue	7206-1HV	7206-1	7206-3C	7206-4
Outside Air	White	7207-1HV	7207-1	7207-3C	7207-4
Overflow	Yellow	7208-1HV	7208-1	7208-3C	7208-4
Oxygen	Blue	7211-1HV	7211-1	7211-3C	7211-4
Oxygen	Green	7210-1HV	7210-1	7210-3C	7210-4
Oxygen	Yellow	7209-1HV	7209-1	7209-3C	7209-4
Oxygen 50-55 PSI	Green	-	-	86328	86329
Peroxide	Green	7398-1HV	7398-1	7398-3C	7398-4
Peroxide	Yellow	8796-1HV	8796-1	8796-3C	8796-4
Plant Air	Blue	7399-1HV	7399-1	7399-3C	7399-4
Plant Air	Yellow	7212-1HV	7212-1	7212-3C	7212-4
Plant Water	Green	7213-1HV	7213-1	7213-3C	7213-4
Plumbing Vent	Green	7214-1HV	7214-1	7214-3C	7214-4
Polymer	White	7216-1HV	7216-1	7216-3C	7216-4
Polymer	Yellow	7215-1HV	7215-1	7215-3C	7215-4
Potable	Green	7217-1HV	7217-1	7217-3C	7217-4
Potable Water	Green	7219-1HV	7219-1	7219-3C	7219-4
Potable Water	Yellow	7218-1HV	7218-1	7218-3C	7218-4
Primary	Green	7221-1HV	7221-1	7221-3C	7221-4
Primary	Yellow	7220-1HV	7220-1	7220-3C	7220-4
Primary Sludge	Brown	7222-1HV	7222-1	7222-3C	7222-4
Process	Yellow	7223-1HV	7223-1	7223-3C	7223-4
Process Water	Green	7224-1HV	7224-1	7224-3C	7224-4
Processed Water	Green	7226-1HV	7226-1	7226-3C	7226-4
Processed Water	Yellow	7225-1HV	7225-1	7225-3C	7225-4
Propane Gas	Brown	7400-1HV	7400-1	7400-3C	7400-4
Propane Gas	Yellow	7227-1HV	7227-1	7227-3C	7227-4
Pulp	Green	7401-1HV	7401-1	7401-3C	7401-4
Pulp	Yellow	8797-1HV	8797-1	8797-3C	8797-4
Pump	Green	7402-1HV	7402-1	7402-3C	7402-4
Pump	Yellow	7228-1HV	7228-1	7228-3C	7228-4
Pumped Condensate	Green	7403-1HV	7403-1	7403-3C	7403-4
Pumped Condensate	Yellow	8799-1HV	8799-1	8799-3C	8799-4
Rain Water	Green	7229-1HV	7229-1	7229-3C	7229-4
Raw Water	Green	7230-1HV	7230-1	7230-3C	7230-4
Raw Water	Yellow	7231-1HV	7231-1	7231-3C	7231-4
Recirculated	Yellow	7232-1HV	7232-1	7232-3C	7232-4
Recovery	Yellow	7233-1HV	7233-1	7233-3C	7233-4
Red Liquor	Orange	7404-1HV	7404-1	7404-3C	7404-4
Red Liquor	Yellow	8801-1HV	8801-1	8801-3C	8801-4
Refrigerant Discharge	Yellow	7234-1HV	7234-1	7234-3C	7234-4

BRADY

Self-Sticking Pipe Marker Legends (continued)

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Refrigerant Liquid	Yellow	7235-1HV	7235-1	7235-3C	7235-4
Refrigerant Suction	Yellow	7236-1HV	7236-1	7236-3C	7236-4
Refrigerated Water	Green	7237-1HV	7237-1	7237-3C	7237-4
Refrigeration	Green	7238-1HV	7238-1	7238-3C	7238-4
Reheat Water Return	Green	7428-1HV	7428-1	7428-3C	7428-4
Reheat Water Return	Yellow	8802-1HV	8802-1	8802-3C	8802-4
Reheat Water Supply	Green	7405-1HV	7405-1	7405-3C	7405-4
Reheat Water Supply	Yellow	8803-1HV	8803-1	8803-3C	8803-4
Relief	Yellow	7239-1HV	7239-1	7239-3C	7239-4
Relief Air	Blue	7240-1HV	7240-1	7240-3C	7240-4
Ret. Activated Sludge	Yellow	7245-1HV	7245-1	7245-3C	7245-4
Return	Blue	7241-1HV	7241-1	7241-3C	7241-4
Return	Green	7242-1HV	7242-1	7242-3C	7242-4
Return	Red	7243-1HV	7243-1	7243-3C	7243-4
Return	Yellow	7244-1HV	7244-1	7244-3C	7244-4
River Water	Green	7246-1HV	7246-1	7246-3C	7246-4
Roof Drain	Green	7247-1HV	7247-1	7247-3C	7247-4
Salt Water	Green	7248-1HV	7248-1	7248-3C	7248-4
Sanitary Drain	Green	7249-1HV	7249-1	7249-3C	7249-4
Sanitary Sewer	Green	7250-1HV	7250-1	7250-3C	7250-4
Sanitary Sewer	Yellow	7251-1HV	7251-1	7251-3C	7251-4
Sanitary Vent	Yellow	7252-1HV	7252-1	7252-3C	7252-4
Sanitary Waste	Green	7406-1HV	7406-1	7406-3C	7406-4
Sanitary Waste	Yellow	7253-1HV	7253-1	7253-3C	7253-4
Seal Water	Green	7254-1HV	7254-1	7254-3C	7254-4
Secondary	Green	7255-1HV	7255-1	7255-3C	7255-4
Secondary Scum	Yellow	-	91808	-	-
Service Air	Blue	7407-1HV	7407-1	7407-3C	7407-4
Service Air	Yellow	7256-1HV	7256-1	7256-3C	7256-4
Service Water	Green	7257-1HV	7257-1	7257-3C	7257-4
Sewage	Yellow	7258-1HV	7258-1	7258-3C	7258-4
Sewer	Green	7259-1HV	7259-1	7259-3C	7259-4
Sludge	Yellow	7260-1HV	7260-1	7260-3C	7260-4
Slurry	Yellow	7261-1HV	7261-1	7261-3C	7261-4
Soap	Yellow	8804-1HV	8804-1	8804-3C	8804-4
Sodium Chlorate	Orange	7409-1HV	7409-1	7409-3C	7409-4
Sodium Chlorate	Yellow	7262-1HV	7262-1	7262-3C	7262-4
Sodium Hydrosulphide	Yellow	-	91763	-	91764
Sodium Hydroxide	Orange	7410-1HV	7410-1	7410-3C	7410-4
Sodium Hydroxide	Yellow	7263-1HV	7263-1	7263-3C	7263-4
Sodium Hypochlorite	Orange	7408-1HV	7408-1	7408-3C	7408-4
Sodium Hypochlorite	Yellow	7264-1HV	7264-1	7264-3C	7264-4
Soft Water	Green	7265-1HV	7265-1	7265-3C	7265-4
Solvent	Yellow	7266-1HV	7266-1	7266-3C	7266-4
Soot Blower Air	Yellow	-	36230	-	79936
Spent Acid	Orange	7411-1HV	7411-1	7411-3C	7411-4
Spent Acid	Yellow	8807-1HV	8807-1	8807-3C	8807-4
Sprinkler	Red	7267-1HV	7267-1	7267-3C	7267-4
Sprinkler Fire	Red	7268-1HV	7268-1	7268-3C	7268-4
Sprinkler Water	Red	7269-1HV	7269-1	7269-3C	7269-4
Steam	Green	7412-1HV	7412-1	7412-3C	7412-4
Steam	Yellow	7270-1HV	7270-1	7270-3C	7270-4
Steam Return	Green	7413-1HV	7413-1	7413-3C	7413-4
Steam Return	Yellow	7271-1HV	7271-1	7271-3C	7271-4
Steam Supply	Green	7414-1HV	7414-1	7414-3C	7414-4
Steam Supply	Yellow	7272-1HV	7272-1	7272-3C	7272-4

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Storm Drain	Green	7273-1HV	7273-1	7273-3C	7273-4
Storm Sewer	Green	7274-1HV	7274-1	7274-3C	7274-4
Storm Water	Green	7275-1HV	7275-1	7275-3C	7275-4
Suction	Yellow	7276-1HV	7276-1	7276-3C	7276-4
Sulfur	Orange	7415-1HV	7415-1	7415-3C	7415-4
Sulfur	Yellow	8808-1HV	8808-1	8808-3C	8808-4
Sulfur Dioxide	Orange	7417-1HV	7417-1	7417-3C	7417-4
Sulfur Dioxide	Yellow	7277-1HV	7277-1	7277-3C	7277-4
Sulfur Dioxide Liquid	Orange	7418-1HV	7418-1	7418-3C	7418-4
Sulfur Dioxide Liquid	Yellow	7278-1HV	7278-1	7278-3C	7278-4
Sulfuric Acid	Orange	7416-1HV	7416-1	7416-3C	7416-4
Sulfuric Acid	Yellow	7279-1HV	7279-1	7279-3C	7279-4
Sump Pump Discharge	Yellow	7280-1HV	7280-1	7280-3C	7280-4
Supply	Blue	7281-1HV	7281-1	7281-3C	7281-4
Supply	Green	7282-1HV	7282-1	7282-3C	7282-4
Supply	Yellow	7311-1HV	7311-1	7311-3C	7311-4
Tank Drain	Green	7419-1HV	7419-1	7419-3C	7419-4
Tank Drain	Yellow	8809-1HV	8809-1	8809-3C	8809-4
Tempered Water	Green	7420-1HV	7420-1	7420-3C	7420-4
Tempered Water	Yellow	7283-1HV	7283-1	7283-3C	7283-4
Thickened Activated Sludge	Yellow	-	90276	-	-
Toluene	Yellow	7284-1HV	7284-1	7284-3C	7284-4
Tower Water	Green	7285-1HV	7285-1	7285-3C	7285-4
Tower Water Return	Green	7286-1HV	7286-1	7286-3C	7286-4
Tower Water Supply	Green	7287-1HV	7287-1	7287-3C	7287-4
Transfer	Yellow	7288-1HV	7288-1	7288-3C	7288-4
Treated Water	Green	7289-1HV	7289-1	7289-3C	7289-4
Trichloroethylene	Yellow	-	-	92059	-
Unbleached Stock	Yellow	91783	91782	-	-
Unsafe Water	Yellow	7290-1HV	7290-1	7290-3C	7290-4
Vacuum	Green	7292-1HV	7292-1	7292-3C	7292-4
Vacuum	Yellow	7291-1HV	7291-1	7291-3C	7291-4
Valve	Yellow	7293-1HV	7293-1	7293-3C	7293-4
Vapor	Yellow	7294-1HV	7294-1	7294-3C	7294-4
Vent	Blue	7297-1HV	7297-1	7297-3C	7297-4
Vent	Green	7296-1HV	7296-1	7296-3C	7296-4
Vent	Yellow	7295-1HV	7295-1	7295-3C	7295-4
Warm Mill Water	Yellow	-	91784	-	91785
Warm Water	Green	8920-1HV	8920-1	8920-3C	8920-4
Waste	Green	7299-1HV	7299-1	7299-3C	7299-4
Waste	Yellow	7298-1HV	7298-1	7298-3C	7298-4
Waste Activated Sludge	Yellow	7300-1HV	7300-1	7300-3C	7300-4
Waste Water	Green	7301-1HV	7301-1	7301-3C	7301-4
Waste Water	Yellow	7302-1HV	7302-1	7302-3C	7302-4
Water	Green	7304-1HV	7304-1	7304-3C	7304-4
Water	Yellow	7303-1HV	7303-1	7303-3C	7303-4
Weak Black Liquor	Orange	7424-1HV	7424-1	7424-3C	7424-4
Weak Black Liquor	Yellow	8921-1HV	8921-1	8921-3C	8921-4
Weak Caustic Liquor	Yellow	-	91793	-	-
Weak White Liquor	Orange	7425-1HV	7426-1	7426-3C	7426-4
Weak White Liquor	Yellow	8922-1HV	8922-1	8922-3C	8922-4
Well Water	Green	7305-1HV	7305-1	7305-3C	7305-4
White Liquor	Orange	7423-1HV	7423-1	7423-3C	7423-4
White Liquor	Yellow	8923-1HV	8923-1	8923-3C	8923-4
White Water	Yellow	7306-1HV	7306-1	7306-3C	7306-4

Spanish Legends

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Agua	Yellow	-	-	-	83614
Agua	Green	83596	83540	83576	83615
Agua De Refrigeracion	Green	83484	83424	83460	-
Agua Fria	Green	-	83418	83453	83498
Agua Potable	Yellow	-	83522	83558	-
Agua Refrigerada	Green	83477	83414	83449	-
Agua Protec. Papa Incendios	Red	-	83430	83466	83503
Aire	Blue	-	83400	83436	-
Aire Comprimido	Yellow	-	-	83454	83499
Aire Comprimido	Blue	-	83421	83456	83501
Aire Uso Medico	Yellow	-	83514	83550	83599
Caustica	Yellow	-	83413	83448	83496
Desague Sanitario	Green	83589	83527	83563	-

Legend	Color	Style 1HV	Style 1	Style 3C	Style 4
Gas	Yellow	83489	83432	83468	83505
Gas Natural	Yellow	83585	83517	83553	83601
Hidrogeno	Yellow	-	83510	83545	83598
Nitrogeno	Green	-	83518	-	83554
Oxigeno	Green	-	83520	83556	83604
Respiradero	Yellow	-	83537	83573	83612
Retorno	Yellow	-	-	-	83561
Retorno De Agua Refrigerada	Green	83478	83415	83450	-
Suministro Agua Refrigerada	Green	83479	83416	83451	-
Vacio Uso Medico	White	-	83515	83551	83600
Vacio Uso Medico	Yellow	83583	-	-	83571
Vapor	Yellow	83590	83530	83566	83607

Self-Sticking Pipe Markers

BradyID.com/s36

Food and Beverage Self-Sticking Pipe Markers (B-681)

- Laminated B-681 polyester seals and protects graphics
- Industrial grade self-adhesive protects against bacteria or moisture trapping behind the pipe marker
- All stock markers meet ASME (ANSI) when used with arrow tape
- For clean room applications, the material liner should be removed prior to entering the clean room



Marker Styles and Sizes

Style Code	Style Example	Outside Diameter	Letter Height	Marker Size
Style: 1HV	HEATING RETURN	8 in. or greater	3.5 in.	One 4 in. x 24 in. marker per card
Style: 1	HEATING RETURN	2.5 in. to 7.875 in.	2 in.	One 2.25 in. x 14 in. marker per card
Style: 3C	GAS	less than 0.75 in	0.3 in	Three 2.25 in. x 2.75 in markers per card plus 8 strips of arrow tape
Style: 4	FIRE AUTO SPRINKLERS	0.75 in. to 2.378 in.	0.75 in.	Four 1.125 in. x 7 in. markers per card*

** Use in conjunction with 1 in. arrow tape to meet the ANSI marking requirement of 8 in.*

Legend	Bkgd Color	Style 1HV	Style 1	Style 3C	Style 4
Abandoned	Green	106063	106064	106066	106065
Boiler Feedwater	Yellow	105735	105736	105738	105737
Carbon Dioxide	Yellow	105739	105740	105742	105741
Chlorine Water	Yellow	105743	105744	105746	105745
City Water	Green	106067	106068	106070	106069
Compressed Air	Blue	105807	105808	105810	105809
Condensate Drain	Green	106071	106072	106074	106073
Condensate Return	Yellow	105747	105748	105750	105749
Condenser Water Return	Green	106075	106076	106078	106077
Condenser Water Supply	Green	106079	106080	106082	106081
Cooking Oil	Green	106083	106084	106086	106085
Cooling Water Return	Green	106087	106088	106090	106089
Cooling Water Supply	Green	106091	106092	106094	106093
Corn Oil	Green	106095	106096	106098	106097
DC LIQ Ammonia HIGH	Yellow	105751	105752	105754	105753
Diesel Fuel	Yellow	105755	105756	105758	105757
Domestic Cold Water	Green	106099	106100	106102	106101
Domestic Hot Water	Green	106103	106104	106106	106105
Drain	Green	106107	106108	106110	106109
Frying Oil	Green	106111	106112	106114	106113
Glycol Return	Yellow	105759	105760	-	105761
Glycol Supply	Yellow	105763	105764	105766	105765
HGD LIQ Ammonia HIGH	Yellow	105767	105768	105770	105769
High Pressure Steam	Yellow	105771	105772	105774	105773

Legend	Bkgd Color	Style 1HV	Style 1	Style 3C	Style 4
High Pressure Water	Green	106115	106116	106118	106117
Hot Water Return	Yellow	105775	105776	105778	105777
Hot Water Supply	Yellow	105779	105780	105782	105781
HTRL LIQ Ammonia LOW	Yellow	105783	105784	105786	105785
HTRS LIQ VAP Ammonia LOW	Yellow	105787	105788	105790	105789
LSS VAP Ammonia LOW	Yellow	105791	105792	105794	105793
LTRL LIQ Ammonia LOW	Yellow	105795	105796	105798	105797
LTRS LIQ VAP Ammonia LOW	Yellow	105799	105800	105802	105801
Natural Gas	Yellow	105803	105804	105806	105805
Non-Potable Chilled Water Return	Green	106119	106120	106122	106121
Non-Potable Chilled Water Supply	Green	106123	106124	106126	106125
Non-Potable Water	Green	106127	106128	106130	106129
Potable Chilled Water Return	Green	106131	106132	106134	106133
Potable Chilled Water Supply	Green	106135	106136	106138	106137
Potable Heat Reclaim	Green	106139	106140	106142	106141
Potable Water	Green	106143	106144	106146	106145
Potable Water - Cold	Green	106147	106148	106150	106149
Potable Water - Hot	Green	106151	106152	106154	106153
Salad Oil	Green	106155	106156	106158	106157
Sprinkler Water	Red	106163	106164	106166	106165
Vacuum	Blue	105811	105812	105814	105813
Virgin Oil	Green	106159	106160	106162	106161

Food and Beverage Directional Flow Arrow Tape

- B-302 self-sticking vinyl with protective overlaminate
- For clean room application the material liner should be removed prior to entering the clean room
- Meets ASME (ANSI) when used with the standard pipe marker



Color	1 in. x 30 yds	2 in. x 30 yds	3 in. x 30 yds
White on Red	-	106168	106169
White on Green	-	106171	106172
White on Blue	-	106174	106175
Black on Yellow	106176	106177	106178
Black on Orange	109940	109941	109942
White on Brown	109937	109938	109939

Roll-Form Pipe Markers

- Eliminates need for precise measurement of pipe diameter Simply cut to the size you need from the 30 foot long roll
- B-946 material adheres to itself for easy wrap-around marker installation
- 8 in. wide roll repeats legend 65 times per roll 12 in. wide roll repeats legend 29 times per roll





Legend	Color	8 in. x 30 ft.	12 in. x 30 ft.
(Blank)	Blue	41598	15507
(Blank)	Clear	41594	15504
(Blank)	Green	41597	-
(Blank)	Red	41599	15508
(Blank)	Yellow	41596	-
(Blank)	Yellow	41532	15509
____ LB Steam	Yellow	41483	15600
____LB. Steam	Green	109926	109927
Acid	Orange	108442	108443
Acid	Yellow	41538	15500
Alum	Yellow	41539	15501
Asbestos Free	Blue	41593	15502
Black Liquor	Orange	108503	108504
Black Liquor	Yellow	41523	15503
Bleach Stock	Yellow	52643	52644
Bleached Liquor	Orange	108520	108521
Bleached Liquor	Yellow	52641	52642
Boiler Feed Water	Green	108609	108610
Boiler Feed Water	Yellow	41537	15512
Caustic	Orange	108724	108725
Caustic	Yellow	41545	15515
Caustic Soda	Orange	108744	108745
Caustic Soda	Yellow	41535	15516
Chilled Water	Green	41518	15517
Chlorine	Orange	108780	108781
Chlorine	Yellow	41530	15518
Chlorine Gas	Brown	108798	108799
Chlorine Gas	Yellow	41549	15520
Circulating Water	Green	41551	15521
City Water	Green	41522	15522
Cold Water	Green	41512	15523
Compressed Air	Blue	41456	15536
Compressed Air	Yellow	41455	15535
Condensate	Yellow	41521	15524
Contains Asbestos	Blue	108863	108864
Contains Asbestos	Yellow	52665	81728
Cooling Water	Green	41457	15537
Danger Asbestos Insulation	Blue	108872	108873
Danger Asbestos Insulation	Yellow	41592	15526
Danger Contains Asbestos Fibers	Blue	108874	108875
Danger Contains Asbestos Fibers	Yellow	41595	15527
Demin. Water	Blue	52673	52674
Demin. Water	Green	108880	108881
Domestic Cold Water	Green	41458	15538
Domestic Hot Water	Green	108897	108898
Domestic Hot Water	Yellow	41459	15539
Drain	Green	41460	15540
Filtered Water	Green	41554	15530
Fire Auto Sprinklers	Red	41461	15541
Fire Protection Water	Red	41462	15542
Fresh Water	Green	41555	15532
Fuel Oil	Yellow	41463	15543
Gas	Brown	109002	109003
Gas	Yellow	41464	15544
Green Liquor	Orange	109032	109033
Green Liquor	Yellow	41527	15533
High Pressure Steam	Green	109152	109153
High Pressure Steam	Yellow	41519	15534
Hot Water	Green	109219	109220
Hot Water	Yellow	41510	15545
Hot Water Return	Green	109250	109251
Hot Water Return	Yellow	41465	15582
Hot Water Supply	Green	109273	109274
Hot Water Supply	Yellow	41466	15583
Hydrochloric Acid	Orange	109308	109309
Hydrochloric Acid	Yellow	41557	15546
Hydrogen	Brown	109326	109327
Hydrogen	Yellow	41467	15584
Hydrogen Peroxide	Orange	109344	109345
Hydrogen Peroxide	Yellow	41558	15547
Hydrogen Sulfide	Orange	109350	109351
Hydrogen Sulfide	Yellow	41559	15548
Industrial Water	Green	41468	15585
Lime Mud	Orange	109360	109361
Lime Mud	Yellow	41560	15549
Low Pressure Steam	Green	109440	109441
Low Pressure Steam	Yellow	41520	15550
Make-Up Water	Green	41562	15552
Mill Air	Blue	41563	15553
Mill Water	Green	41564	15554
Natural Gas	Brown	109488	109489
Natural Gas	Yellow	41511	15556
Noncondensable Gas	Yellow	41565	15555
Oxygen	Blue	41470	15587
Oxygen	Yellow	41469	15586
Plant Air	Blue	109560	109561
Plant Air	Yellow	41471	15588
Pond Water	Green	41567	15557
Potable Water	Green	41472	15589
Process Water	Green	41568	15558
Raw Water	Green	41570	15560
Return	Green	41515	15562
Return	Yellow	41514	15561
Roof Drain	Green	41473	15590
Sanitary Sewer	Yellow	41474	15591
Seal Water	Green	41572	15563
Sodium Hypochlorite	Orange	109681	109682
Sodium Hypochlorite	Yellow	41575	15566
Sprinkler Fire	Red	41475	15592
Sprinkler Water	Red	41476	15593
Steam	Green	109725	109726
Steam	Yellow	41513	15567
Storm Drain	Green	41477	15594
Sulfur Dioxide	Orange	109802	109803
Sulfur Dioxide	Yellow	41579	15569
Sulfuric Acid	Orange	109785	109786
Sulfuric Acid	Yellow	41536	15570
Supply	Green	41517	15572
Supply	Yellow	41516	15571
Tower Water	Green	41478	15595
Treated Water	Green	41582	15573
Vacuum	Yellow	41479	15596
Vent	Blue	109845	109846
Vent	Yellow	41480	15597
Warm Mill Water	Yellow	41584	15574
Waste Water	Green	109865	109866
Waste Water	Yellow	41586	15576
Water	Green	41482	15599
Water	Yellow	41481	15598
Weak Wash	Orange	109894	109895
Weak Wash	Yellow	41589	15578
White Liquor	Orange	109888	109889
White Liquor	Yellow	41524	15580
White Water	Yellow	41525	15581

Self-Sticking Pipe Markers

BradyID.com/s36



Pipe Markers-To-Go


- Made of economical B-736 surface printed plastic for use on smooth, clean, dry pipe surfaces
- Markers withstand temperatures from -40° F to 212° F
- Supplied in as roll of 25 identical markers and arrows
- Arrows are perforated and may be applied to indicate flow in either direction
- Ideal for on-the-spot repair or replacement of damaged or missing markers

Legend	Color	1 in. x 8 in. (25/roll)	2 in. x 12 in. (25/roll)
(Blank)	Yellow	20483	73944
(Blank)	Green	20484	73945
(Blank)	Blue	20485	73946
(Blank)	Red	20486	73947
Acid	Yellow	20400	73860
Acid	Orange	108444	108445
Air	Blue	20401	73861
Arrow	Yellow	20487	73948
Arrow	Green	20488	73949
Arrow	Blue	20489	73950
Arrow	Red	20490	73951
Asbestos Free Insulation	Blue	20402	73862
Boiler Blowdown	Green	108585	108586
Boiler Blowdown	Yellow	20403	73863
Boiler Feed Water	Yellow	20404	73864
Boiler Feed Water	Green	108611	108612
Carbon Dioxide	Yellow	20405	73865
Carbon Dioxide	Brown	108699	108700
Caustic	Yellow	20406	73866
Caustic	Orange	108726	108727
Chilled Water	Green	20407	73867
Chilled Water Return	Green	20408	73868
Chilled Water Supply	Green	20409	73869
Circulating Water	Green	20410	73870
City Water	Green	20411	73871
Cold Water	Green	20412	73872
Cold Water Return	Green	20413	73873
Cold Water Supply	Green	20414	73874
Compressed Air	Blue	20415	73875
Compressed Air	Yellow	20416	73877
Condensate	Yellow	20417	73878
Condensate Return	Yellow	20418	73879
Condensate Return	Green	108857	108858
Condensate Supply	Yellow	20419	73880
Condenser Water Return	Green	20421	73882
Condenser Water Supply	Green	20422	73883
Cooling Water	Green	20424	73885
Domestic Cold Water	Green	20425	73886
Domestic Hot Water	Yellow	20426	73887
Domestic Hot Water	Green	108899	108900
Drain	Green	20427	73888
Exhaust	Yellow	20428	73889
Exhaust	Blue	108950	108951
Filtered Water	Green	20429	73890
Fire Protection Water	Red	20430	73891
Fuel Oil	Yellow	20431	73892
Gas	Yellow	20432	73893
Gas	Brown	109004	109005
Glycol	Yellow	20433	73894
Glycol	Brown	110235	110236
Heating	Yellow	20434	73895
Heating	Green	109038	109039
Heating Return	Yellow	20435	73896
Heating Return	Green	109055	109056
Heating Supply	Yellow	20436	73897
Heating Supply	Green	109072	109073
High Pressure Air	Yellow	20437	73898
High Pressure Air	Blue	109124	109125
High Pressure Condensate	Yellow	20438	73899
High Pressure Condensate	Green	109182	109183

Legend	Color	1 in. x 8 in. (25/roll)	2 in. x 12 in. (25/roll)
High Pressure Steam	Yellow	20439	73900
High Pressure Steam	Green	109154	109155
Hot Water	Yellow	20440	73901
Hot Water	Green	109221	109222
Hot Water Return	Yellow	20441	73902
Hot Water Return	Green	109252	109253
Hot Water Supply	Yellow	20442	73903
Hot Water Supply	Green	109275	109276
Low Pressure Air	Blue	20443	73904
Low Pressure Air	Blue	109373	109374
Low Pressure Condensate	Yellow	20444	73905
Low Pressure Condensate	Green	109390	109391
Low Pressure Steam	Yellow	20445	73906
Low Pressure Steam	Green	109442	109443
Make-Up Water	Green	20446	73907
Medium Pressure Air	Blue	20447	73908
Medium Pressure Steam	Yellow	20448	73909
Medium Pressure Steam	Green	109467	109468
Natural Gas	Yellow	20449	73910
Natural Gas	Brown	109490	109491
Nitrogen	Green	20450	73911
Non-Potable Water	Yellow	20452	73913
Non-Potable Water	Green	109527	109528
Oil	Yellow	20453	73914
Oxygen	Yellow	20454	73915
Plant Air	Yellow	20455	73916
Plant Air	Blue	109562	109563
Potable Water	Green	20456	73917
Propane Gas	Yellow	20457	73918
Propane Gas	Brown	109579	109580
Raw Water	Green	20458	73919
Refrigerated Liquid	Yellow	20459	73920
Refrigerated Suction	Yellow	20460	73921
Return	Green	20461	73922
Return	Yellow	20462	73923
Roof Drain	Green	20463	73924
Sanitary Drain	Green	20464	73925
Sanitary Sewer	Green	20465	73926
Sprinkler Fire	Red	20466	73927
Sprinkler Water	Red	20467	73928
Steam	Yellow	20468	73929
Steam	Green	109727	109728
Steam Return	Yellow	20469	73930
Steam Return	Green	109740	109741
Steam Supply	Yellow	20470	73931
Steam Supply	Green	109753	109754
Storm Drain	Blue	20471	73932
Supply	Green	20472	73933
Supply	Yellow	20473	73934
Tower Water	Green	20474	73935
Vacuum	Green	20475	73936
Vacuum	Yellow	20476	73937
Vent	Green	20477	73938
Vent	Yellow	20478	73939
Vent	Blue	109847	109848
Waste	Yellow	20479	73940
Waste Water	Green	20480	73941
Water	Green	20481	73942
Water	Yellow	20482	73943

BRADY





Semiconductor and Chemical Pipe Markers

- B-946 self-sticking vinyl with permanent adhesive
- For use on small diameter piping or tubing 0.75 in. or less
- Meets ASME A13.1 color specifications

Legend	Color	0.5 in. x 2.25 in. (28/card)
(Arrow)	Yellow	91883
(Arrow)	Green	91884
(Arrow)	Red	91885
(Arrow)	Blue	91886
(Arrow)	Orange	91887
(Arrow)	White	91888
(Blank)	Yellow	91889
(Blank)	Green	91890
(Blank)	Red	91891
(Blank)	Blue	91892
(Blank)	Orange	91893
(Blank)	White	91894
Acetone	Yellow	91895
Acid	Orange	108446
Acid	Yellow	91896
Acid Waste	Orange	108455
Acid Waste	Yellow	91897
Air	Green	91898
Ammonia	Orange	108471
Ammonia	Yellow	91899
Argon	Brown	108483
Argon	Yellow	91900
Argon	Green	91901
Carbon Dioxide	Brown	108708
Carbon Dioxide	Yellow	91906
Carbon Dioxide	Green	91907
Caustic	Orange	108728
Caustic	Green	91909
Chilled Water	Green	91910

Legend	Color	0.5 in. x 2.25 in. (28/card)
Chlorine	Orange	108782
Chlorine	Yellow	91911
City Water	Green	91913
Clean Dry Air	Yellow	91914
Clean Dry Air	Green	91915
Cold Water	Green	91916
Compressed Air	Blue	91917
Cooling Water	Green	91918
D.I. Water	Green	91920
Deionized Water	Green	91921
Do Not Paint	Red	150685
Drain	Yellow	91925
Drain	Green	91926
Exhaust	Blue	108952
Exhaust	Yellow	91930
Heating Water	Green	109078
Heating Water	Yellow	91933
Helium	Yellow	91934
Helium	Green	91935
Hot	Green	109199
Hot	Yellow	91936
Hot Water	Green	109223
Hot Water	Yellow	91937
Hydrochloric Acid	Orange	109310
Hydrochloric Acid	Yellow	91938
Hydrofluoric Acid	Yellow	91939
Hydrogen	Brown	109328
Hydrogen	Yellow	91940
Hydrogen Chloride	Yellow	91942

Legend	Color	0.5 in. x 2.25 in. (28/card)
Industrial Water	Green	91943
Isopropyl Alcohol	Yellow	91944
Methyl Alcohol	Yellow	91948
Natural Gas	Brown	109496
Natural Gas	Yellow	91949
Nitrogen	Blue	91997
Nitrogen	Green	91998
Nitrogen Trifluoride	Yellow	91950
Nitrous Oxide	Yellow	91951
Non-Potable Water	Green	109529
Non-Potable Water	Yellow	91953
Oxygen	Yellow	91955
Phosphine	Yellow	91956
Potable Water	Green	91958
Process Cooling Water	Green	91959
Process Vacuum	Green	91961
Return	Yellow	91964
Return	Green	91965
Silane	Yellow	91966
Solvent	Yellow	91967
Spare	Green	91968
Supply	Yellow	91972
Trichlorosilane	Yellow	91974
Vacuum	Green	91977
Vent	Blue	109849
Vent	Yellow	91978
Vent	Green	91979
Water	Green	91981



Medical Gas Pipe Markers-on-a-Roll

- 3 in. x 3 in. markers wrap completely around 0.75 in. pipe
- Includes direction flow arrows with 0.25 in. high characters
- Complies with CGA and NFPA Standards

Catalog #	Legend	Color	Roll Length	Qty.
98499	Cyclopropane	Black on Orange	15 ft.	60/roll
98621	Helium	White on Brown	15 ft.	60/roll
98838	Medical Vacuum	Black on White	15 ft.	60/roll
98844	Oxygen	White on Green	15 ft.	60/roll



Duct Markers

- B-946 self-sticking vinyl markers make it easy to color-code between different air systems
- Detachable arrows can be applied in any direction

Legend	Color	2.25 in. x 13.25 in.	4.0 in. x 20.5 in.
Exhaust	Yellow	98356	98490
Exhaust Air	Yellow	98357	98491
Intake	Yellow	98358	98492
Outside Air	Blue	98368	98493
Relief	Yellow	98378	98494
Relief Air	Blue	98487	98495
Return Air	Blue	98488	98496
Supply Air	Blue	98489	98497

BradySnap-On™ / Strap-On Pipe Markers

BradyID.com/s36



BradySnap-On Pipe Markers

- Designed for pipes that have an outside diameter between 0.75 in. and 6 in. (including insulation)
- Coiled plastic marker snaps around pipe and can be removed and re-applied
- May be applied to dirty, oily, greasy or rough surfaces
- Meet ASME (ANSI) Standard

BradySnap-On Marker Styles and Sizes

Style Code		Outside Diameter	Letter Height	Marker Length
Style: A	VALVE	0.75 in. to 1.375 in.	0.5 in.	8 in.
Style: B	VALVE	1.5 in. to 2.375 in.	0.75 in.	9 in.
Style: C	VALVE	2.5 in. to 3.875 in.	1.25 in.	13 in.
Style: D	VALVE	4 in. to 6 in.	1.25 in.	21 in.



Strap-On Pipe Markers

- Designed for pipes that have a 6 in. or larger diameter (including insulation)
- May be applied to dirty, oily, greasy or rough surfaces
- Can be removed and reapplied in other areas
- Styles F, G and H include nylon straps

Strap-On Marker Styles and Sizes

Style Code		Outside Diameter	Letter Height	Marker Size
Style: F	AIR	6 in. to 7.875 in.	1.25 in.	8 in. x 16 in.
Style: G	AIR	8 in. to 9.875 in.	2.5 in.	10 in. x 24 in.
Style: H	AIR	10 in. to 15 in.	3.5 in.	10 in. x 32 in.

How to order:

1. Choose the desired pipe marker legend below.
2. Replace the asterisk (*) with the style code (A, B, C, D, F, G or H) from the size charts above to indicate your desired pipe marker size and style. (Example: Air = 4001-H)

BradySnap-On and Strap-On Marker Legends

Legend	Color	Cat. #
(Blank)	Blue	4013–*
(Blank)	Green	4011–*
(Blank)	Red	4012–*
(Blank)	Yellow	4010–*
Acetone	Yellow	4157–*
Acetylene Gas	Brown	4288–*
Acetylene Gas	Yellow	4158–*
Acid	Orange	4289–*
Acid	Yellow	4000–*
Air	Blue	4002–*
Air	Green	4001–*
Air	Yellow	4003–*
Air Supply	Blue	4160–*
Alum	Yellow	4004–*
Ammonia	Orange	4290–*
Ammonia	Yellow	4005–*
Argon	Blue	4162–*
Argon	Brown	4291–*
Argon	Green	4006–*
Asbestos Free	Blue	4007–*
Asbestos Free Insulation	Blue	4008–*
Asbestos Insulation	Blue	4315–*
Asbestos Insulation	Yellow	4009–*
Black Liquor	Orange	4292–*
Bleach Liquor	Orange	4293–*
Blow Off Water	Yellow	4284–*
Blowdown	Green	4294–*
Blowdown	Yellow	4014–*
Blower Air	Blue	4296–*
Blower Air	Green	4165–*
Blower Air	Red	4297–*
Boiler Blowdown	Green	4298–*
Boiler Blowdown	Yellow	4015–*
Boiler Drain	Green	4299–*
Boiler Feed	Yellow	4016–*
Boiler Feed Water	Green	4300–*
Boiler Feed Water	Yellow	4017–*
Breathing Air	Blue	4302–*
Breathing Air	Green	4167–*
Breathing Air	Red	4303–*
Brine	Green	4018–*
Brine	Orange	4304–*
Carbon Dioxide	Brown	4306–*
Carbon Dioxide	Yellow	4019–*
Carbon Dioxide	Yellow	4168–*
Caustic	Orange	4307–*
Caustic	Yellow	4020–*
Caustic Soda	Orange	4308–*
Caustic Soda	Yellow	4021–*
Chemical	Orange	4309–*
Chemical	Yellow	4169–*
Chilled Water	Green	4022–*
Chilled Water Return	Green	4023–*
Chilled Water Supply	Green	4024–*
Chlorine	Orange	4310–*
Chlorine	Yellow	4025–*
Chlorine Gas	Brown	4311–*
Chlorine Gas	Yellow	4026–*
Circulating Water	Green	4170–*
City Gas	Brown	4312–*
City Gas	Yellow	4027–*
City Water	Green	4028–*
Cold Water	Green	4029–*
Cold Water Return	Green	4030–*
Cold Water Supply	Green	4031–*
Compressed Air	Blue	4034–*
Compressed Air	Green	4033–*
Compressed Air	Yellow	4032–*
Condensate	Brown	4313–*
Condensate	Yellow	4035–*
Condensate Drain	Yellow	4036–*
Condensate Return	Green	4314–*
Condensate Return	Yellow	4037–*
Condensate Supply	Yellow	4038–*
Condenser Water	Green	4039–*
Condenser Water Return	Green	4040–*
Condenser Water Supply	Green	4041–*
Cooling Water	Green	4042–*
Cooling Water Return	Green	4043–*
Cooling Water Supply	Green	4044–*
Danger Asbestos Insulation	Yellow	4045–*
Deionized Water	Green	4046–*
Deionized Water Return	Green	4172–*
Deionized Water Supply	Green	4173–*
Diesel Oil	Yellow	4174–*
Discharge	Green	4175–*
Distilled Water	Green	4047–*
Domestic Cold Water	Green	4048–*
Domestic Cold Water Return	Green	4049–*
Domestic Cold Water Supply	Green	4050–*

BradySnap-On and Strap-On Marker Legends (continued)

Legend	Color	Cat. #
Domestic Hot Water	Green	4316–*
Domestic Hot Water	Yellow	4051–*
Domestic Hot Water Return	Green	4317–*
Domestic Hot Water Return	Yellow	4052–*
Domestic Hot Water Supply	Green	4318–*
Domestic Hot Water Supply	Yellow	4053–*
Drain	Green	4055–*
Drain	Yellow	4054–*
Drain Water	Green	4176–*
Drinking Water	Green	4056–*
Dye	Yellow	4177–*
Effluent	Yellow	4178–*
Electric Traced	Yellow	4179–*
Engine Oil	Yellow	4180–*
Exhaust	Blue	4319–*
Exhaust	Yellow	4057–*
Exhaust Air	Blue	4181–*
Filtered Water	Green	4058–*
Filtrate	Green	4320–*
Filtrate	Yellow	4184–*
Fire Auto Sprinklers	Red	4059–*
Fire Main	Red	4185–*
Fire Protection Water	Red	4060–*
Floor Drain	Green	4285–*
Freon	Green	4061–*
Fresh Water	Green	4186–*
Fuel Gas	Brown	4321–*
Fuel Gas	Yellow	4062–*
Fuel Oil	Yellow	4063–*
Fuel Oil Return	Yellow	4064–*
Fuel Oil Supply	Yellow	4065–*
Fuel Oil Vent	Yellow	4066–*
Gas	Blue	4187–*
Gas	Brown	4322–*
Gas	Yellow	4067–*
Gasoline	Brown	4323–*
Glycol	Brown	4200–*
Glycol	Yellow	4068–*
Glycol Return	Brown	4201–*
Glycol Return	Yellow	4189–*
Glycol Supply	Brown	4202–*
Glycol Supply	Yellow	4190–*
Green Liquor	Orange	4324–*
Heating Return	Green	4325–*
Heating Return	Yellow	4070–*
Heating Supply	Green	4326–*
Heating Supply	Yellow	4071–*
Heating Water Return	Green	4327–*
Heating Water Return	Yellow	4072–*
Heating Water Supply	Green	4328–*
Heating Water Supply	Yellow	4073–*
Helium	Green	4074–*
High Pressure Air	Blue	4329–*
High Pressure Air	Yellow	4075–*
High Pressure Condensate	Green	4333–*
High Pressure Condensate	Yellow	4076–*
High Pressure Gas	Brown	4330–*
High Pressure Gas	Yellow	4193–*
High Pressure Natural Gas	Yellow	4194–*
High Pressure Nitrogen	Yellow	4195–*
High Pressure Steam	Green	4331–*
High Pressure Steam	Yellow	4077–*
High Pressure Water	Green	4332–*
High Pressure Water	Yellow	4078–*
Hot	Green	4334–*
Hot	Yellow	4197–*
Hot Water	Green	4335–*
Hot Water	Yellow	4079–*
Hot Water Recirculation	Green	4336–*
Hot Water Recirculation	Yellow	4080–*
Hot Water Return	Green	4337–*
Hot Water Return	Yellow	4081–*
Hot Water Supply	Green	4338–*
Hot Water Supply	Yellow	4082–*
Hydraulic Fluid	Yellow	4198–*
Hydraulic Line	Yellow	4083–*
Hydraulic Oil	Yellow	4199–*
Hydraulic Supply	Yellow	4084–*
Hydrochloric Acid	Orange	4339–*
Hydrochloric Acid	Yellow	4085–*
Hydrogen	Brown	4340–*
Hydrogen	Yellow	4086–*
Hydrogen Peroxide	Orange	4341–*
Hydrogen Peroxide	Yellow	4087–*
Industrial Water	Green	4088–*
Instrument Air	Blue	4089–*
Instrument Air	Blue	4223–*
Instrument Air	Green	4287–*
Instrument Air	Green	4287–*
Instrument Air	Green	4287–*
Instrument Air	Green	4287–*
Instrument Air	Yellow	4222–*
Lab Vent	Yellow	4225–*
Lab Waste	Yellow	4226–*
Liquid Nitrogen	Yellow	4227–*
Low Pressure	Green	4228–*
Low Pressure Air	Blue	4342–*
Low Pressure Air	Green	4229–*
Low Pressure Air	Yellow	4090–*
Low Pressure Condensate	Green	4343–*
Low Pressure Condensate	Yellow	4091–*
Low Pressure Gas	Brown	4345–*
Low Pressure Gas	Yellow	4240–*
Low Pressure Natural Gas	Brown	4344–*
Low Pressure Natural Gas	Yellow	4241–*
Low Pressure Nitrogen	Brown	4346–*
Low Pressure Steam	Green	4347–*
Low Pressure Steam	Yellow	4092–*
Low Pressure Water	Green	4243–*
Lube Oil	Yellow	4244–*
Make-Up Water	Green	4093–*
Med. Pressure Condensate	Yellow	4094–*
Medical Air	Blue	4096–*
Medium Pressure Steam	Green	4348–*
Medium Pressure Steam	Yellow	4095–*
Mixed Gas	Yellow	4245–*
Natural Gas	Brown	4349–*
Natural Gas	Yellow	4097–*
Nitric Acid	Orange	4350–*
Nitric Acid	Yellow	4247–*
Nitrogen	Blue	4100–*
Nitrogen	Green	4099–*
Nitrogen	Yellow	4098–*
Nitrous Oxide	Yellow	4101–*
Non-Potable Water	Green	4351–*
Non-Potable Water	Yellow	4102–*
Oil	Yellow	4103–*
Outside Air	Blue	4248–*
Overflow	Yellow	4104–*
Oxygen	Blue	4107–*
Oxygen	Green	4106–*
Oxygen	Yellow	4105–*
Peroxide	Green	4352–*
Peroxide	Yellow	4249–*
Plant Air	Blue	4353–*
Plant Air	Yellow	4108–*
Plant Water	Green	4109–*
Plumbing Vent	Green	4110–*
Polymer	Yellow	4260–*
Potable	Green	4261–*
Potable Water	Green	4111–*
Process Water	Green	4113–*
Process Water	Yellow	4112–*
Propane Gas	Brown	4354–*
Propane Gas	Yellow	4114–*
Pulp	Green	4355–*
Pump	Green	4356–*
Pumped Condensate	Green	4357–*
Pumped Condensate	Yellow	4264–*
Rain Water	Green	4115–*
Raw Water	Green	4116–*
Red Liquor	Orange	4358–*
Refrigerant Liquid	Yellow	4117–*
Refrigerant Suction	Yellow	4118–*
Reheat Water Return	Green	4359–*
Reheat Water Return	Yellow	4266–*
Reheat Water Supply	Green	4360–*
Reheat Water Supply	Yellow	4267–*
Return	Green	4120–*
Return	Yellow	4119–*
Roof Drain	Green	4121–*
Sanitary Drain	Green	4122–*
Sanitary Sewer	Green	4123–*
Service Air	Blue	4361–*
Service Air	Yellow	4269–*
Service Water	Green	4270–*
Sewage	Yellow	4271–*
Sewer	Green	4272–*
Sludge	Yellow	4273–*
Soap	Yellow	4274–*
Sodium Hydroxide	Orange	4363–*
Sodium Hydroxide	Yellow	4275–*
Sodium Hypochlorite	Orange	4362–*
Sodium Hypochlorite	Yellow	4124–*
Soft Water	Green	4125–*
Spent Acid	Orange	4364–*
Sprinkler	Red	4277–*
Sprinkler Fire	Red	4127–*
Sprinkler Water	Red	4128–*
Steam	Yellow	4129–*
Steam Return	Green	4365–*
Steam Return	Yellow	4130–*
Steam Supply	Green	4366–*
Steam Supply	Yellow	4131–*
Storm Drain	Green	4132–*
Storm Sewer	Green	4133–*
Storm Water	Green	4134–*
Sulfur	Orange	4367–*
Sulfur Dioxide	Orange	4369–*
Sulfur Dioxide	Yellow	4135–*
Sulfuric Acid	Orange	4368–*
Sulfuric Acid	Yellow	4136–*
Sump Pump Discharge	Yellow	4137–*
Supply	Green	4139–*
Supply	Yellow	4138–*
Tank Drain	Green	4370–*
Tank Drain	Yellow	4279–*
Tempered Water	Green	4371–*
Tempered Water	Yellow	4140–*
Toluene	Yellow	4141–*
Tower Water	Green	4142–*
Tower Water Return	Green	4143–*
Tower Water Supply	Green	4144–*
Treated Water	Green	4145–*
Vacuum	Green	4147–*
Vacuum	Yellow	4146–*
Vent	Blue	4149–*
Vent	Green	4150–*
Vent	Yellow	4148–*
Waste	Yellow	4151–*
Waste Water	Green	4153–*
Waste Water	Yellow	4152–*
Water	Green	4155–*
Water	Yellow	4154–*
Weak Black Liquor	Orange	4375–*
Weak Black Liquor	Yellow	4281–*
Weak White Liquor	Orange	4376–*
Well Water	Green	4156–*
White Liquor	Orange	4374–*
White Liquor	Yellow	4283–*

High-Performance Pipe Markers

BradyID.com/s36



Adhesive lip seals marker to itself during installation

B-689 Wrap-Around High Performance Pipe Markers

- PVF overlaminated polyester construction seals in and protects graphics
- Markers resist abrasion, chemicals, high humidity and outdoor weathering
- Pre-coiled for easy wrap-around installation on pipe up to 7.875 in. diameter

Wrap-Around Marker Styles and Sizes

Style Code		Outside Dia.	Letter Height	Marker Size
Style: 0	VALVE	0.5 in. to 1.375 in.	0.5 in.	8 in. x 5 in. (uncoiled)
Style: I	VALVE	1.5 in. to 2.378 in.	0.75 in.	9 in. x 8 in. (uncoiled)
Style: II	VALVE	2.5 in. to 7.875 in.	1.25 in.	26 in. x 12 in. (uncoiled)



B-681 / B-883 HPHV High Performance, High Visibility Markers

- Ideal for pipes 8 in. and larger in diameter
- Overlaminated graphics are factory applied to a fiberglass plastic carrier
- Easy strap-on installation of fiberglass plastic carrier
- Includes two heavy-duty mounting clips that apply to pipe using continuous stainless steel strapping (sold separately)

HPHV Marker Style and Size Chart

Style Code		Outside Dia.	Letter Height	Marker Size
Style: HPHV	HOT WATER	8 in. or larger	3.5 in.	4 in. x 24 in.

Spare carriers, mounting clips and steel strapping available on page 359.

High Performance Marker Legends

Legend	Color	Style 0	Style I	Style II	Style HPHV
(Blank Carrier)	White	-	-	-	59918
(Blank)	Blue	5600-O	5600-I	5600-II	-
(Blank)	Green	5601-O	5601-I	5601-II	-
(Blank)	Red	5602-O	5602-I	5602-II	-
(Blank)	Yellow	5603-O	5603-I	5603-II	-
120# Steam	Yellow	5613-O	5613-I	5613-II	5613-HPHV
150# Steam	Yellow	5614-O	5614-I	5614-II	-
2# Fuel Oil	Yellow	5693-O	5693-I	5693-II	5693-HPHV
200# Steam	Yellow	5617-O	5617-I	5617-II	5617-HPHV
35# Steam	Yellow	5607-O	5607-I	5607-II	-
400# Steam	Yellow	5619-O	5619-I	5619-II	-
6# Fuel Oil	Yellow	5694-O	5694-I	5694-II	5694-HPHV
60# Steam	Yellow	5609-O	5609-I	5609-II	-
Abandoned	Yellow	5622-O	5622-I	5622-II	5622-HPHV
Acid	Orange	5796-O	5796-I	5796-II	5796-HPHV
Acid	Yellow	5624-O	5624-I	5624-II	5624-HPHV
Air	Blue	5625-O	5625-I	5625-II	-
Ammonia	Orange	5797-O	5797-I	5797-II	5797-HPHV
Anhydrous	Yellow	5631-O	5631-I	5631-II	5631-HPHV
Anhydrous Ammonia	Yellow	5631-O	5631-I	5631-II	5631-HPHV
Asbestos Free Insulation	Blue	5632-O	5632-I	5632-II	5632-HPHV
Black Liquor	Orange	5798-O	5798-I	5798-II	5798-HPHV
Black Liquor	Yellow	5634-O	5634-I	5634-II	5634-HPHV
Bleached Stock	Orange	5799-O	5799-I	5799-II	5799-HPHV
Boiler Blowdown	Green	5800-O	5800-I	5800-II	5800-HPHV
Boiler Blowdown	Yellow	5636-O	5636-I	5636-II	5636-HPHV
Boiler Blowdown	Yellow	5636-O	5636-I	5636-II	5636-HPHV
Boiler Feed Water	Green	5801-O	5801-I	5801-II	5801-HPHV
Boiler Feed Water	Yellow	5637-O	5637-I	5637-II	5637-HPHV
BOP Control	Yellow	-	-	131058	-
Broke Stock	Green	5804-O	5804-I	5804-II	5804-HPHV
Brine	Orange	5802-O	5802-I	5802-II	5802-HPHV
Carbon Dioxide	Brown	5805-O	5805-I	5805-II	5805-HPHV
Caustic	Orange	5806-O	5806-I	5806-II	5806-HPHV

Legend	Color	Style 0	Style I	Style II	Style HPHV
Caustic	Yellow	5643-O	5643-I	5643-II	5643-HPHV
Caustic Soda	Orange	5807-O	5807-I	5807-II	5807-HPHV
Chemical Feed	Orange	5808-O	5808-I	5808-II	5808-HPHV
Chemical Feed	Yellow	5645-O	5645-I	5645-II	5645-HPHV
Chilled Water	Green	5646-O	5646-I	5646-II	-
Chilled Water Return	Green	5647-O	5647-I	5647-II	5647-HPHV
Chilled Water Supply	Green	5648-O	5648-I	5648-II	5648-HPHV
Chlorine	Orange	5809-O	5809-I	5809-II	5809-HPHV
Chlorine Dioxide Gas	Brown	5811-O	5811-I	5811-II	5811-HPHV
Chlorine Dioxide Liquid	Brown	5812-O	5812-I	5812-II	5812-HPHV
Chlorine Gas	Brown	5810-O	5810-I	5810-II	5810-HPHV
Chlorine Water	Green	5813-O	5813-I	5813-II	5813-HPHV
Chlorine Water	Yellow	5653-O	5653-I	5653-II	5653-HPHV
Circulating Water	Green	5654-O	5654-I	5654-II	5654-HPHV
City Water	Green	5655-O	5655-I	5655-II	5655-HPHV
Cold Water	Green	5658-O	5658-I	5658-II	5658-HPHV
Cold Water Return	Green	80548	80549	80550	80551
Compressed Air	Blue	5660-O	5660-I	5660-II	5660-HPHV
Compressed Air	Yellow	5661-O	5661-I	5661-II	-
Condensate	Yellow	5662-O	5662-I	5662-II	5662-HPHV
Condensate Drain	Green	5663-O	5663-I	5663-II	5663-HPHV
Condensate Return	Yellow	5664-O	5664-I	5664-II	5664-HPHV
Condenser Water Return	Green	5665-O	5665-I	5665-II	5665-HPHV
Cooling Water	Green	5668-O	5668-I	5668-II	5668-HPHV
Deionized Water	Green	5671-O	5671-I	5671-II	5671-HPHV
Demin. Water	Blue	5814-O	5814-I	5814-II	5814-HPHV
Demin. Water	Green	5672-O	5672-I	5672-II	5672-HPHV
Domestic Cold Water	Green	5673-O	5673-I	5673-II	5673-HPHV
Domestic Hot Water	Green	5815-O	5815-I	5815-II	5815-HPHV
Domestic Hot Water	Yellow	5675-O	5675-I	5675-II	5675-HPHV
Domestic Hot Water Return	Green	5816-O	5816-I	5816-II	5816-HPHV
Domestic Hot Water Return	Yellow	5676-O	5676-I	5676-II	5676-HPHV

BRADY


High Performance Pipe Marker Legends (continued)

Legend	Color	Style O	Style I	Style II	Style HPHV
Domestic Hot Water Supply	Green	5817-O	5817-I	5817-II	5817-HPHV
Domestic Hot Water Supply	Yellow	5677-O	5677-I	5677-II	5677-HPHV
Drain	Green	5678-O	5678-I	5678-II	5678-HPHV
Drain	Yellow	5679-O	5679-I	5679-II	-
Drilling Mud	Yellow	-	-	131057	-
Ethylene Oxide	Orange	5818-O	5818-I	5818-II	5818-HPHV
Filtrate	Green	5819-O	5819-I	5819-II	5819-HPHV
Filtrate	Yellow	5685-O	5685-I	5685-II	5685-HPHV
Fire Auto Sprinklers	Red	5686-O	5686-I	5686-II	5686-HPHV
Fire Protection	Red	5688-O	5688-I	5688-II	5688-HPHV
Fire Protection Water	Red	5689-O	5689-I	5689-II	5689-HPHV
Floor Drain	Green	5820-O	5820-I	5820-II	5820-HPHV
Floor Drain	Yellow	5690-O	5690-I	5690-II	-
Foul Condensate	Yellow	5691-O	5691-I	5691-II	5691-HPHV
Fresh Water	Green	5692-O	5692-I	5692-II	5692-HPHV
Fuel Oil	Yellow	5695-O	5695-I	5695-II	5695-HPHV
Fuel Oil Return	Yellow	5696-O	5696-I	5696-II	5696-HPHV
Fuel Oil Supply	Yellow	5697-O	5697-I	5697-II	5697-HPHV
Gas	Brown	5821-O	5821-I	5821-II	5821-HPHV
Gas	Yellow	5698-O	5698-I	5698-II	5698-HPHV
Gas Air	Yellow	-	-	131060	-
Gas Mist	Yellow	-	-	131061	-
Green Liquor	Orange	5822-O	5822-I	5822-II	5822-HPHV
Green Liquor	Yellow	5699-O	5699-I	5699-II	5699-HPHV
Heating Return	Green	5823-O	5823-I	5823-II	5823-HPHV
Heating Return	Yellow	5700-O	5700-I	5700-II	5700-HPHV
Heating Supply	Green	5824-O	5824-I	5824-II	5824-HPHV
Heating Supply	Yellow	5701-O	5701-I	5701-II	5701-HPHV
Heating Water Return	Green	5825-O	5825-I	5825-II	5825-HPHV
Heating Water Return	Yellow	5702-O	5702-I	5702-II	5702-HPHV
Heating Water Supply	Green	5826-O	5826-I	5826-II	5826-HPHV
Heating Water Supply	Yellow	5703-O	5703-I	5703-II	5703-HPHV
Heavy Black Liquor	Orange	5827-O	5827-I	5827-II	5827-HPHV
High Pressure Condensate	Green	5829-O	5829-I	5829-II	5829-HPHV
High Pressure Steam	Green	5828-O	5828-I	5828-II	5828-HPHV
High Pressure Steam	Yellow	5706-O	5706-I	5706-II	5706-HPHV
Hot Oil	Yellow	-	-	131059	-
Hot Water	Green	5830-O	5830-I	5830-II	5830-HPHV
Hot Water	Yellow	5707-O	5707-I	5707-II	5707-HPHV
Hot Water Return	Green	5831-O	5831-I	5831-II	5831-HPHV
Hot Water Return	Yellow	5708-O	5708-I	5708-II	5708-HPHV
Hot Water Supply	Green	5832-O	5832-I	5832-II	5832-HPHV
Hot Water Supply	Yellow	5709-O	5709-I	5709-II	5709-HPHV
Hydraulic Fluid	Yellow	5710-O	5710-I	5710-II	5710-HPHV
Hydraulic Oil	Yellow	5711-O	5711-I	5711-II	-
Hydrochloric Acid	Orange	5833-O	5833-I	5833-II	5833-HPHV
Hydrochloric Acid	Yellow	5712-O	5712-I	5712-II	5712-HPHV
Hydrogen	Brown	5834-O	5834-I	5834-II	5834-HPHV
Hydrogen Peroxide	Orange	5835-O	5835-I	5835-II	5835-HPHV
Instrument Air	Blue	5716-O	5716-I	5716-II	5716-HPHV
Instrument Air	Yellow	5715-O	5715-I	5715-II	5715-HPHV
Lime	Orange	5836-O	5836-I	5836-II	5836-HPHV
Lime Mud	Orange	5837-O	5837-I	5837-II	5837-HPHV
Lime Mud	Yellow	5718-O	5718-I	5718-II	5718-HPHV
Low Pressure Condensate	Green	5838-O	5838-I	5838-II	5838-HPHV
Low Pressure Condensate	Yellow	5719-O	5719-I	5719-II	5719-HPHV
Low Pressure Steam	Green	5839-O	5839-I	5839-II	5839-HPHV
Low Pressure Steam	Yellow	5720-O	5720-I	5720-II	5720-HPHV
Lube Oil	Yellow	5721-O	5721-I	5721-II	5721-HPHV
Make-Up Water	Green	5722-O	5722-I	5722-II	5722-HPHV
Medium Pressure Steam	Green	5840-O	5840-I	5840-II	5840-HPHV
Medium Pressure Steam	Yellow	5723-O	5723-I	5723-II	5723-HPHV
Mill Air	Blue	5724-O	5724-I	5724-II	5724-HPHV
Mill Water	Green	5725-O	5725-I	5725-II	-

Legend	Color	Style O	Style I	Style II	Style HPHV
Natural Gas	Brown	5841-O	5841-I	5841-II	5841-HPHV
Natural Gas	Yellow	5726-O	5726-I	5726-II	-
Nitric Acid	Orange	5842-O	5842-I	5842-II	5842-HPHV
Nitric Acid	Yellow	5727-O	5727-I	5727-II	5727-HPHV
Nitrogen	Green	5728-O	5728-I	5728-II	5728-HPHV
Nitrogen	Yellow	5729-O	5729-I	5729-II	5729-HPHV
Non-Potable Water	Green	5843-O	5843-I	5843-II	5843-HPHV
Non-Potable Water	Yellow	5730-O	5730-I	5730-II	5730-HPHV
Noncondensable Gas	Yellow	5731-O	5731-I	5731-II	5731-HPHV
Overflow	Green	5733-O	5733-I	5733-II	-
Oxygen	Blue	5734-O	5734-I	5734-II	5734-HPHV
Oxygen	Green	5735-O	5735-I	5735-II	5735-HPHV
Oxygen	Yellow	5736-O	5736-I	5736-II	5736-HPHV
Peroxide	Green	5844-O	5844-I	5844-II	5844-HPHV
Peroxide	Yellow	5737-O	5737-I	5737-II	5737-HPHV
Plant Air	Blue	5845-O	5845-I	5845-II	5845-HPHV
Plant Air	Yellow	5738-O	5738-I	5738-II	5738-HPHV
Plant Water	Green	5739-O	5739-I	5739-II	5739-HPHV
Polymer	Yellow	5740-O	5740-I	5740-II	5740-HPHV
Potable Water	Green	5744-O	5744-I	5744-II	-
Process Water	Green	5747-O	5747-I	5747-II	5747-HPHV
Process Water	Yellow	5746-O	5746-I	5746-II	5746-HPHV
Propane Gas	Brown	5846-O	5846-I	5846-II	5846-HPHV
Propane Gas	Yellow	5748-O	5748-I	5748-II	5748-HPHV
Pulp	Green	5847-O	5847-I	5847-II	5847-HPHV
Raw Water	Green	5750-O	5750-I	5750-II	-
River Water	Green	5753-O	5753-I	5753-II	5753-HPHV
Roof Drain	Green	5754-O	5754-I	5754-II	5754-HPHV
Sanitary Sewer	Yellow	5755-O	5755-I	5755-II	5755-HPHV
Seal Water	Green	5758-O	5758-I	5758-II	5758-HPHV
Seal Water	Yellow	5757-O	5757-I	5757-II	5757-HPHV
Sodium Chlorate	Orange	5849-O	5849-I	5849-II	5849-HPHV
Sodium Hypochlorite	Orange	5848-O	5848-I	5848-II	5848-HPHV
Sodium Hypochlorite	Yellow	5761-O	5761-I	5761-II	5761-HPHV
Spent Acid	Orange	5850-O	5850-I	5850-II	5850-HPHV
Sprinkler Water	Red	5765-O	5765-I	5765-II	5765-HPHV
Steam	Green	5851-O	5851-I	5851-II	5851-HPHV
Steam	Yellow	5767-O	5767-I	5767-II	5767-HPHV
Storm Drain	Green	5769-O	5769-I	5769-II	5769-HPHV
Strong Black Liquor	Orange	5852-O	5852-I	5852-II	5852-HPHV
Sulfur Dioxide	Orange	5854-O	5854-I	5854-II	5854-HPHV
Sulfuric Acid	Orange	5853-O	5853-I	5853-II	5853-HPHV
Sulfuric Acid	Yellow	5774-O	5774-I	5774-II	5774-HPHV
Treated Water	Green	5775-O	5775-I	5775-II	5775-HPHV
Turpentine	Yellow	5776-O	5776-I	5776-II	5776-HPHV
Vacuum	Blue	5778-O	5778-I	5778-II	5778-HPHV
Vacuum	Green	5777-O	5777-I	5777-II	5777-HPHV
Vacuum	Yellow	5779-O	5779-I	5779-II	5779-HPHV
Vent	Blue	5855-O	5855-I	5855-II	5855-HPHV
Vent	Green	5780-O	5780-I	5780-II	-
Vent	Yellow	5781-O	5781-I	5781-II	-
Warm Mill Water	Green	5782-O	5782-I	5782-II	5782-HPHV
Warm Water	Green	5783-O	5783-I	5783-II	5783-HPHV
Waste Water	Yellow	5784-O	5784-I	5784-II	5784-HPHV
Waste Water Effluent	Green	5857-O	5857-I	5857-II	5857-HPHV
Water	Green	5786-O	5786-I	5786-II	-
Water	Yellow	5787-O	5787-I	5787-II	5787-HPHV
Weak Black Liquor	Orange	5860-O	5860-I	5860-II	5860-HPHV
Weak Wash	Orange	5859-O	5859-I	5859-II	5859-HPHV
Well Water	Green	5790-O	5790-I	5790-II	5790-HPHV
White Liquor	Orange	5858-O	5858-I	5858-II	5858-HPHV
White Liquor	Yellow	5791-O	5791-I	5791-II	5791-HPHV
White Water	Green	5793-O	5793-I	5793-II	5793-HPHV
White Water	Yellow	5792-O	5792-I	5792-II	-

Pipe Marker Accessories

BradyID.com/s36



Self Sticking Vinyl Arrows

- Durable B-946 material withstands the elements indoors or out
- Mounted on easy-to-use cards
- Available as single or double arrows

	1.125 in. x 7 in. (4/Card)	2.5 in. x 7 in. (2/Card)	4 in. x 12 in. (2/Card)
Single Direction Arrow			
Blk/Ylw	93242	76507	93390
Wht/Blu	93247	76502	93392
Wht/Rd	93252	76505	93394
Wht/Grn	93257	76503	93396
Blk/Org	93262	76504	-
Wht/Brwn	109935	109933	109931
Blk/Wht	93267	76506	-
Blk/Alum	93272	76501	-
Double Direction Arrow			
Blk/Ylw	93243	76514	93391
Wht/Blu	93248	76509	-
Wht/Rd	-	76512	93395
Wht/Grn	93258	76510	93397
Wht/Brwn	109936	109934	109932



Directional Flow Arrow Tape

- Durable B-946 material withstands the elements indoors or out
- Provides visibility on all side of pipe
- Supplied in liner-mounted rolled form

Color	1 in. x 30 yds (1440 Arrows)	2 in. x 30 yds (720 Arrows)	4 in. x 30 yds (270 Arrows)
Blk/Ylw	91424	91420	91287
Wht/Grn	91425	91421	91290
Blk/Grn	91412	91416	91408
Wht/Rd	91426	91422	91288
Wht/Blu	91427	91423	91289
Blk/Wht	91413	91417	91409
Blk/Org	91414	91418	91410
Blk/Gry	91415	91419	91411
Wht/Brwn	109928	109929	109930



Solid Color Banding Tape

- Durable B-946 material withstands the elements indoors or outdoors
- Meets ASME color field size when used in combination with worded legends and directional flow arrows

Color	1 in. x 30 yds	2 in. x 30 yds	4 in. x 30 yds
White	91429	91431	91433
Clear	36309	36314	36319
Yellow	36301	55260	36287
Green	36304	55263	36290
Red	36302	55261	36288
Orange	91428	91430	91432
Blue	36303	55262	36289
Brown	36305	36310	36315
Black	36306	36311	36316
Gray	36307	36312	36317
Purple	36308	36313	36318



Reflective Pipe Banding

- Reflective vinyl increases night time visibility throughout your facility
- Withstands temperatures of -40° F (-40° C) to 180° F (82° C)
- Exceeds Federal Spec. C-S-300, Class I and FP-79 type II

Color	1 in. x 30 ft.	2 in. x 30 ft.	4 in. x 30 ft.
Yellow	105976	105982	105988
Green	105973	105979	105985
Red	105974	105980	105986
Blue	105972	105978	105984
Orange	105971	105977	105983
White	105975	105981	105987



ISO 14726 Banding Tape

- Help reduce accidents and damage to machinery
- ISO14726 Marine Standard defines the principle colors for identifying pipes - each color indicates a certain gauge of substances

Color	1 in. x 30 yds	2 in. x 30 yds	4 in. x 30 yds
Green	-	105564	105574
Blue	-	105562	105572
Brown	-	105563	105573
Gray	-	105565	105575
Purple	-	-	105576
Maroon	105557	105567	105577



Stock IIAR Tape

- Ideal for use with IIAR Pipe Markers
- Made of B-946 Self-Sticking Vinyl
- Use arrow tapes to indicate flow direction


Legend	Color	2 in. x 30 yds	4 in. x 30 yds
VAP	BK on BL	55364	55365
HIGH	BK on RD	-	55368
LOW	BK on GR	-	55371

How many rolls do I need?

Use this guide to help estimate approximately how many pipes you can mark with a 30-yard roll of tape.

1 in. pipe = 260 wraps
2 in. pipe = 150 wraps
3 in. pipe = 100 wraps
4 in. pipe = 80 wraps
5 in. pipe = 60 wraps
6 in. pipe = 50 wraps
7 in. pipe = 40 wraps
8 in. pipe = 35 wraps
9 in. pipe = 30 wraps
10 in. pipe = 30 wraps

BRADY



Tape Strip Rolls

- Use to re-secure wrap-around pipe markers should they become damaged need to be moved

Catalog #	Description
59946	2 in. x 30 yards Tape Strip Roll



Quik-Apply™ Nylon Straps

- Can be used with a variety of tags including valve and lockout tags
- For larger outer diameters, use BradyLock Fasteners

Catalog #	Outside Dia.	Strap Length
91165	1 in.	6 in.
91166	2 in.	7 in.



Bradylock™ Fastener

- Self-locking heavy-duty plastic fastener for Strap-On Markers
- Excellent chemical resistance


Catalog #	Description
41772	0.5 in. x 150 ft. Bradylock Fastener



Stainless Steel Wire

- 32 mil stainless steel safety wire to be used with wire twister pliers

Catalog #	Description	Length
15424	Stainless Steel Safety Wire	1,800 ft.



Stainless Steel Strapping

- Type 316 Stainless Steel Strapping is highly corrosion and heat resistant
- Ideal for HPHV pipe markers
- Continuous form requires separate stainless steel heads for uses other than HPHV pipe marker installation

Catalog #	Description
42331	0.25 in. x 100 ft. Steel Strapping
42332	0.25 in. x 250 ft. Steel Strapping



Banding Heads

- Use with continuous stainless steel strapping to create secure closures
- Stainless steel heads fit 0.25 in. strapping

Catalog #	Description	Qty.
90910	Stainless Steel Banding Heads	100

Custom Legend pipe markers available in a variety of sizes, colors and styles.






Blank HPHV Carrier

- Fiberglass carrier is blank (no label) and comes with two mounting clips
- Sized to accommodate labels up to 4.25 in. x 32 in.

Catalog #	Description	Qty.
59918	Blank HPHV Carrier	1



HPHV Mounting Clips

- For use with HPHV pipe markers

Catalog #	Description	Qty.
42335	Heavy Duty Clip	1

BradyID.com/s36

Custom Pipe Markers

Use the information below to help create your own custom pipe markers then use the following form to order.



B-946 Self-Sticking Marker Styles and Sizes


Style Code	Style Example	Outside Diameter	Letter Height	Marker Size
Style: 1HV	HEATING RETURN	8 in. or greater	3.5 in.	One 4 in. x 24 in. marker per card
Style: 1	HEATING RETURN	2.5 in. to 7.875 in.	2 in.	One 2.25 in. x 14 in. marker per card
Style: 3C	GAS	less than 0.75 in	0.3 in	Three 2.25 in. x 2.75 in markers per card plus 8 strips of arrow tape
Style: 4	FIRE AUTO SPRINKLERS	0.75 in. to 2.378 in.	0.75 in.	Four 1.125 in. x 7 in. markers per card*

** Use in conjunction with 1 in. arrow tape to meet the ANSI marking requirement of 8 in.*



Wrap-Around Marker Styles and Sizes

Style Code		Outside Diameter	Letter Height	Marker Size
Style: 0	VALVE	0.5 in. to 1.375 in.	0.5 in.	8 in. x 5 in. (uncoiled)
Style: I	VALVE	1.5 in. to 2.378 in.	0.75 in.	9 in. x 8 in. (uncoiled)
Style: II	VALVE	2.5 in. to 7.875 in.	1.25 in.	26 in. x 12 in. (uncoiled)



HPHV Marker Style and Size Chart

Style Code		Outside Diameter	Letter Height	Marker Size
Style: HPHV	HOT WATER	8 in. or larger	3.5 in.	4 in. x 24 in. (includes 2 mounting clips and 2 arrows)



BradySnap-On™ Marker Styles and Sizes

Style Code		Outside Diameter	Letter Height	Marker Length
Style: A	VALVE	0.75 in. to 1.375 in.	0.5 in.	8 in.
Style: B	VALVE	1.5 in. to 2.375 in.	0.75 in.	9 in.
Style: C	VALVE	2.5 in. to 3.875 in.	1.25 in.	13 in.
Style: D	VALVE	4 in. to 6 in.	1.25 in.	21 in.



Strap-On Marker Styles and Sizes

Style Code		Outside Diameter	Letter Height	Marker Size
Style: F	AIR	6 in. to 7.875 in.	1.25 in.	8 in. x 16 in.
Style: G	AIR	8 in. to 9.875 in.	2.5 in.	10 in. x 24 in.
Style: H	AIR	10 in. to 15 in.	3.5 in.	10 in. x 32 in.



Self-Sticking Semiconductor Marker Style and Size Chart

Style Code		Outside Diameter	Marker Size
Style: 28		less than 0.75 in.	0.5 in. x 2.25 in. (28 markers per card)



Snap-On Fiber Optic and Coaxial Cable Marker Styles and Sizes

Style Code	Outside Diameter	Marker Size
Cable Style: 12	0.375 in. to 0.625 in.	12 in. color field
Cable Style: 8	0.375 in. to 0.625 in.	8 in. color field
Cable Style: 5	0.375 in. to 0.625 in.	5 in. color field

Custom Pipe Marker Order Form

❑ Order ❑ Quote ❑ Artwork Attached **Ship Via:** _____ **P.O. # or Request # :** _____

Customer information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor information

Distributor: _____ Contact Name: _____

Account #: _____ Fax #: _____ Phone #: _____

Custom pipe markers

Legend	Color* (Text / Bkgd)	Marker Style Code	Quantity
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			

Marker style reference

Style	Pipe Outside Diameter	Qty.
B-946 Self-Sticking Markers		
1	2.5 to 7.875 in.	1 marker
1HV	8 in. or larger	1 marker
3c	Less than 0.75 in.	3 / card
4	0.75 in. to 2.375 in.	4 / card
B-689 Wrap-around Markers		
O	0.5 in. to 1.375 in.	1 marker
I	1.5 in. to 2.375 in.	1 marker
II	2.5 in. to 7.875 in.	1 marker
III	8 in. to 10 in.	1 marker
IV	10 in. or larger to 16 in.	1 marker
V	16 in. or larger to 22 in.	1 marker
VI	22 in. or larger to 26 in.	1 marker
High Performance (HPHV) Markers		
HPHV	8 in. or larger	1 marker

Style	Pipe Outside Diameter	Qty.
Snap-On Markers		
A	0.75 in. to 1.375 in.	1 marker
B	1.5 in. to 2.375 in.	1 marker
C	2.5 in. to 3.875 in.	1 marker
D	4 in. to 6 in.	1 marker
Strap-On Markers		
F	6 to 7.875 in.	1 marker
G	8 in. to 9.875 in.	1 marker
H	10 in. to 15 in.	1 marker
B-946 Semiconductor Markers		
28	0.75 in. or less	28 / card
Cable Markers		
CABLE	0.75 in. to 0.625 in.	1 marker

Marker color reference

Pipe Classification	Background Color
Fire quenching fluids	White on Red
Toxic and corrosive fluids	Black on Orange
Flammable fluids	Black on Yellow
Combustible fluids	White on Brown
Potable, cooling, boiler feed and other water	White on Green
Compressed air	White on Blue

Custom colors available including gray, black, purple and clear.

HazCom OSHA Standards and GHS Compliance

OSHA's Hazard Communication Standard directly affects all areas of chemical labeling and specify mandatory employee training. This means you need to know exactly what the Global Harmonized System (GHS) is and how it affects your business.

What is GHS?


GHS is an international system that the United Nations created for the unified classification and labeling of chemicals. It was officially adopted in the U.S. on March 26, 2012, by the Occupational Safety and Health Administration (OSHA).

Why does GHS matter?

GHS compliance is important because it gives employees the right to understand hazard information, rather than the right to know about potential hazards.

OSHA HazCom violations

HazCom was #2 on OSHA's Top 10 list of most frequently cited standards for fiscal year 2017.



Regulations

In the United States, OSHA is enforcing GHS by adopting it into its Hazard Communication Standard (CFR 1910.1200). It is focused on ensuring chemical safety in the workplace by requiring chemicals to be labeled and chemical hazards to be identified in a way that is easily understood by workers. It entails:

1910.1200(h)(1)
Employee information and training

1910.1200(e)(1)
Developing, implementing and maintaining a written HazCom program

1910.1200(g)(1)
Developing and maintaining written Safety Data Sheets

1910.1200(f)(1)
Labels on shipped containers

1910.1200(i)(1)
Employee training on new label elements and Safety Data Sheets



HazCom Program



Training



Labeling

Full compliance was required as of June 1, 2016

OSHA published an updated Hazard Communication standard in 2012 that incorporated the major elements of the GHS standards. A 3-year transitional period allowed companies time to fully implement the new GHS standards within their facility prior to the 2016 full compliance deadline. Below is an overview of each of the deadlines and some of the items that were required is listed below.

December 1, 2013	June 1, 2015	December 1, 2015	June 1, 2016
Employers must train employees on the new label elements and Safety Data Sheet (SDS) format	**Chemical manufacturers, importers and distributors reclassify chemicals, send SDS and GHS labels**	**Distributors send only updated SDS and labels**	**Employer full compliance deadline**
☑ Schedule and document periodic re-training on pictograms, labels and SDS ☑ Post GHS signs, posters, and hand out wallet cards ☑ Be able to demonstrate that workers clearly understand the hazards associated with each chemical they're exposed to, along with practice measures they must take ☑ Separate SDS and Material Safety Data Sheet (MSDS) binders and sheets as part of the management system. This helps you create secondary container labels with SDS information and determine which chemicals haven't been updated	☑ Identify secondary container labeling needs and procedures ☑ Purchase GHS labeling equipment and supplies ☑ Implement labeling procedures (create your own or order pre-printed) based on new SDS sheets ☑ Archive old MSDS for determined amount of time (We recommend 30 years) ☑ Re-train on GHS as well as your existing HazCom system (NFPA/HMIS) until full conversion to GHS is complete	☑ Update your chemical database as new SDSs are received ☑ Review and ensure that all MSDS for any chemicals received after December 1, 2015, have been converted to SDS format ☑ Notify and document your communications with suppliers who have not provided new SDS information ☑ Audit all containers for compliance with updated regulations. Establish policies to control improperly labeled containers	☑ Ensure your training policy is in place, including new and existing chemical and internal product changes. Annual training is always recommended ☑ Update and complete a written HazCom program that includes a system of labeling, pictograms, training schedule and how/where to obtain more information ☑ Perform audits as conditions change or once a year to ensure program effectiveness



Continually enhance your HazCom program

Throughout your journey to HazCom/GHS compliance, you should always keep the following tasks in mind:

- Note any hazard or PPE changes on SDS sheets with each chemical that comes into your facility. As new chemicals are brought into your facility, new hazard and PPE needs may be required
- Ensure your written HazCom program is updated and reflects all internal and external changes
- Provide training to all new employees working with or around hazardous chemicals

BradyID.com/s36

Safety Data Sheets (SDS)

Formerly called Material Safety Data Sheets (MSDS), the new Safety Data Sheets (SDS) follow a consistent, user-friendly format to communicate chemical hazards. They provide the information that's needed to understand what the chemical is, what hazards it presents and how to respond to these hazards. SDSs must accompany any hazardous chemicals that are distributed. Most of the SDSs you need may be available online or through third party providers, such as MSDSonline.com.

When you need to create your compliant GHS labels, the SDS has the content you need. With the SDS information in hand, you're then ready to order pre-printed labels or quickly create labels onsite with the right printing system.

How do you obtain an SDS?

Chemical manufacturers, distributors or importers are required to create SDSs for any chemical they offer. These SDSs are then provided to the companies that purchase and use the chemicals, in order to effectively communicate any relevant chemical information and hazards.

The 16 elements of Safety Data Sheets (SDS)

The updated standards require that the chemical manufacturer, distributor or importer provide Safety Data Sheets (SDS) for each hazardous chemical to communicate information on these hazards. Each SDS is required to be presented in a consistent format, including the following sections:

Section 1: Identification
Chemical and recommended uses, and supplier contact information.

Section 2: Hazard(s) Identification
Hazards of chemical and the appropriate warning information.

Section 3: Composition/Information of Ingredients
Ingredients contained in the products.

Section 4: First-Aid Measures
Initial care that should be given by an untrained responder to an individual exposed to a chemical.

Section 5: Fire-Fighting Measures
Recommendations for fighting a fire caused by the chemical.

Section 6: Accidental Release Measures
Appropriate response to spills, leaks or releases, including containment and cleanup practices.

Section 7: Handling and Storage
Safe handling practices and conditions for safe storage.

Section 8: Exposure Controls/Personal Protection
Exposure limits, engineering controls and personal protective measures to minimize worker exposure.

Section 9: Physical and Chemical Properties
Physical and chemical properties associated with the substance.

Section 10: Stability and Reactivity
Reactivity hazards and stability information.

Section 11: Toxicology Information
Toxicological and health effects information or indicates data is unavailable.

Section 12: Ecological Information (non-mandatory)
Environmental impact of the chemical(s) if it were released to the environment.

Section 13: Disposal Considerations (non-mandatory)
Proper disposal practices, recycling or reclamation and safe handling practices.

Section 14: Transport Information (non-mandatory)
Classification information for shipping and transporting.

Section 15: Regulatory Information (non-mandatory)
Safety, health and environmental regulations specific for the product that is not indicated anywhere else on the SDS.

Section 16: Other Information
When the SDS was prepared or when the last known revision took place.

Brady's partnership with MSDSonline.com

Without a comprehensive online system to save and manage SDS information, users would have to input data manually in order to print the needed chemical labels. By utilizing Brady's partnership with MSDSonline, labels can be quickly populated and printed — saving you time and ensuring information is input correctly onto the label.



MSDSonline.com
Helps improve the real time management of chemical products and SDS

+

Brady Printers
Reliable label printing with a range of durable materials for specific applications or regulation requirements.

=

MSDSonline customers use SDS from their system to create labels that are formatted with the GHS label elements and can be printed to a variety of Brady label printers.

Symbols Guide

The new symbols, also known as hazard pictograms, each serve a special purpose and are used to identify hazardous products. While the environmental pictogram was not mandated by OSHA, it is listed because it may be required by other agencies for labeling.

Chemical and physical risk symbols



Exploding Bomb
Explosives, self-reactives, organic peroxides



Flame
Flammable gases, liquids, and solids; self-reactives; pyrophorics; self-heating



Flame Over Circle
Oxidizing gases, liquids and solids



Gas Cylinder
Compressed gases; liquefied gases; dissolved gases



Corrosion
Corrosives to metals

Health risk symbols



Corrosion
Skin corrosion; eye damage



Skull and Crossbones
Acute toxicity (severe, fatal)



Exclamation Mark
Irritant, dermal sensitizer, acute toxicity (harmful)



Health Hazard
Carcinogens, respiratory sensitizers, reproductive toxicity, target organ toxicity, germ cell mutagens

Environmental risk symbols



Environment
Aquatic toxicity (Not regulated by OSHA)

The Environmental Protection Agency (EPA) has not yet incorporated GHS into its Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) labeling requirements. Currently, a combination product that contains a pesticide and a fertilizer is regulated as a pesticide product under the FIFRA and must continue to be labeled in accordance with 40 CFR Part 156. However, some pesticide products may still be required to have an SDS.

The Six Elements of GHS Labels

GHS labels for primary containers must have six key elements in order to be compliant to the HazCom 2012 standard. All chemicals shipped from chemical manufacturers after June 1, 2015, must contain these six elements.

#6 Manufacturer information

Company name, address and phone number. (SDS Section 1)

#3 Product name or identifiers*


(SDS Section 1)

#4 Hazard statements

Phrases that describe the nature of hazardous products and associated risks if precautionary action is not taken. (SDS Section 2)

#1 Signal word

Indicates relative severity of hazard. DANGER is used for most severe instances, while WARNiNG is less severe. (SDS Section 2)



#2 Symbols (pictograms)

Convey health, physical and environmental hazard information with red diamond pictograms. May use a combination of one to five symbols. (SDS Section 2)

** Additional Product Identifiers*

#5 Precautionary statements

Phrases associated with each hazard statement, that describe general preventative, response, storage or disposal precautions. (SDS Section 2)

HazCom Labels

Learn more with the *Streamlined Guide To GHS*

Brady understands that GHS has been a significant change for businesses and that there is a lot you need to do to become GHS compliant.

Download our extensive e-book for help navigating HazCom and GHS compliance.

Download at: BradyID.com/ghs



Primary vs. Secondary Container



Primary container labeling

Primary chemical containers are bags, barrels, bottles, boxes, cans, cylinders, and drums that you receive from the manufacturer. These containers should be labeled following the GHS mandates and include all six labeling elements.

When a label is on a container directly from a supplier, this label cannot be removed, altered or defaced. If it needs to replaced, the new label must contain the same information as the original.



Secondary container labeling

Secondary containers are usually smaller than primary container, such as spray bottles, jugs or jars. They usually hold chemicals that are transferred from a primary container.

Secondary containers must comply with GHS workplace labeling requirements except when the following criteria are met:

- The material is used within the work shift of the individual who makes the transfer
- The worker who made the transfer is in the work area the entire time during use
- The container stays in within the work area and in the possession of the worker who filled the container



Regulation information

OSHA has not changed the general requirements for secondary container labeling specifically. Employers have the option to create their own workplace labels by using all of the information provided by the manufacturer or using a combination of the elements in the GHS label example on page 366.

Employers may continue to use rating systems such as the National Fire Protection Association (NFPA) diamonds or Hazardous Materials Identification System (HMIS) requirements for workplace labels, as long as they are consistent with the HazCom 2012 / GHS standard.

BradyID.com/s36

Hazard Communication Training

OSHA requires all employees who are covered under the 29 CFR 1910.1200 regulation must complete initial training on the new Hazard Communication Standard updates and the GHS elements. To help you achieve and sustain complete compliance, Brady offers a full suite of training options.

GHS HazCom Training Program (DVD)

Used for: Inital GHS Training

- Two-video program focused specifically on the GHS elements
- Fulfills an initial training requirement
- Program is intended to ensure employees:
  - Understand the new GHS label elements
  - Are able to identify the new GHS pictograms
  - Are able to read and interpret GHS Safety Data Sheets (SDS)
- Includes: DVD with two videos (14 minute GHS Labeling Video and 10 minute GHS SDS Video), instructor's guide, employee quiz, presentation slides and five Employee Handbooks

Catalog #	Description	Qty.
132428	GHS HazCom Training Program Kit (English)	1
132429	Additional GHS HazCom Training Employee Handbooks (English)	5




HazCom Comprehensive Training Program (DVD)

Used for: Annual Refresher Training

- Fully comprehensive training program on OSHA's Hazard Communication Regulation (1910.1200) including GHS
- Fullfills annual refresher requirement
- Program is intended to ensure employees:
  - Understand types of hazardous materials in the workplace
  - Are able to read and understand labels and Safety Data Sheets (SDS)
  - Are able to understand how to safely use hazardous materials
- Includes: DVD, instructor's guide, employee quiz, presentation slides and five Employee Handbooks

Catalog #	Description	Qty.
132457	HazCom Comprehensive Training Program Kit	1
132458	Additional HazCom Comprehensive Training Employee Handbooks	5





GHS Reference Center Poster

- This all-inclusive, large-format poster gets worker's attention and combines many of the most important changes into one easy-to-read format
- Includes detailed information on:
  - Safety Data Sheet (SDS) format
  - GHS-formatted label elements
  - GHS Hazard Pictograms


Catalog #	Description	Size	Qty.
133209	GHS Reference Center Poster	25.5 in. x 39.5 in.	1 each



GHS Pictograms Wallet Cards

- Wallet Cards outline all nine GHS hazard pictograms
- A great training aid to help employees become familiar with the new hazard pictograms, and as a handy reference for when the new GHS labels are entering your facility
- Made of laminated cardstock


Catalog #	Description	Size	Qty.
133208	GHS Pictograms Wallet Card	2.1 in. x 3.4 in.	10/pk



GHS Intro Poster Pack

- Set of 3 informational posters puts critical GHS information in your facility and to promote employee understanding
- Posters outline:
  - An overview of the Globally Harmonized System of Classification and Labeling of Chemicals
  - Information regarding the new Safety Data Sheets format and outline
  - Information regarding the new GHS-formatted label elements

Catalog #	Description	Size	Qty.
133207	GHS Intro Posters	17 in. x 22 in.	1 set of 3



Pictogram Sign

Format Sign

Label Elements Sign

GHS Reference Signs

- Post signs to remind and reinforce label, pictogram and SDS training
- Choice of B-140 fiberglass or B-302 self-sticking polyester

Catalog #	Description	Material	Size	Qty.
133167	GHS Pictogram Overview Sign	Fiberglass	14 in. x 10 in.	1
133170	GHS Pictogram Overview Sign	Self-Sticking	14 in. x 10 in.	1
133168	GHS Label Elements Sign	Fiberglass	10 in. x 14 in.	1
133171	GHS Label Elements Sign	Self-Sticking	10 in. x 14 in.	1
133169	SDS Format Overview Sign	Fiberglass	14 in. x 10 in.	1
133172	SDS Format Overview Sign	Self-Sticking	14 in. x 10 in.	1

GHS Labeling

BradyID.com/s36

Print-Your-Own GHS Labels

Achieve full GHS compliance throughout your facility by utilizing easy-to-use label printers, label design software and a wide range of label materials from Brady.





How can I create a GHS label?

Printer built-in touchscreen app
Many of Brady's printers feature an easy-to-use touchscreen interface with built-in GHS label creation applications that make creating GHS labels simple.

Brady Workstation GHS Labels App
The Brady Workstation GHS App features built-in, pre-formatted layouts, pictograms, as well as drag and drop hazard statements so there's no need to type them all in. Once your label is created, print to any compatible Brady printer.

Brady's partnership with MSDSonline.com
By utilizing Brady's partnership with MSDSonline, labels can be quickly populated using the SDS data managed within your MSDSonline account – saving you time and ensuring information is correctly input onto the label. Once the label is created, print directly to a compatible Brady printer.





How can I print a GHS label?

Your printing solution can consist of a mono-color printer and label materials with pre-printed diamonds, or use a multi-color printer to print your own red diamonds on any blank label material.



Mono-color printing

Pre-printed diamond labels available for the following Brady printers:

- BradyPrinter S3000, BradyPrinter S3100, BradyPrinter i3300, BBP®35, BBP®37 and BBP®85 printers



Multi-color printing

Color printers capable of printing red diamonds on any blank label material:

- BBP®35, BBP®37 color printers
- BradyJet J2000 and J5000 color printers



Pre-Printed and Custom Labels


If a full printing system isn't an option for you, Brady still has solutions to help you get the GHS labels you need. From custom label options to individual pictogram labels, Brady has you covered.

Die-cut GHS pictogram labels

Printing your own GHS labels but can't get the pictograms you need? Use Brady's pre-printed GHS pictogram labels to add the necessary icons to your label. These are a great way to supplement mono-color label printers without investing in a brand new label printing system.

Custom GHS labels

Have Brady create your GHS labels for you! It's simple. Just fill in the forms on the following pages with your label content and specifications. Then send it back to Brady's custom quote team for pricing. From there, use your quote to place the order. That's it!




Use with pre-printed diamond picto labels (sold separately)





Die-cut picto labels included on every label



Write-On GHS Labels

- Ample room to include product identifier, hazard and precautionary statements, and emergency contact information
- Durable vinyl material for indoor or outdoor use
- Accommodate Brady's 5/8 in. or 1 in. pre-printed red diamond pictogram labels (sold separately)

Catalog #	Header	Size	Material	Qty.
145957	Warning	4 in. x 6 in.	Vinyl	50/pk
145956	Danger	4 in. x 6 in.	Vinyl	50/pk

Write-On GHS and NFPA Labels with Die-Cut GHS Pictos

- Convenient, write-on GHS labels
- Durable vinyl material for indoor or outdoor use
- Contains both GHS and NFPA label elements
- Included die-cut pictograms can be applied onto the label

Catalog #	Header	Size	Material	Qty.
148804	Warning	4 in. x 6 in.	Vinyl	25/roll
148805	Danger	4 in. x 6 in.	Vinyl	25/roll

BradyID.com/s36

Die-Cut GHS Pictogram Labels

- To be applied to primary and secondary container labels that do not already contain GHS pictogram symbols
- Ideal when printing black and white labels or when pictograms are not available in the label design process
- Picto labels must accompany all other required GHS label elements in order order to meet OSHA standards



Explosive Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118815	5/8 in.	Vinyl	1 card of 39
118816	1 in.	Vinyl	1 card of 16
118817	2 in.	Vinyl	1 card of 4
B-235 Paper			
118869	5/8 in.	Paper	1 card of 39
118870	1 in.	Paper	1 card of 16
118871	2 in.	Paper	1 card of 4
B-7451 Polyester			
121188	1.5 in.	Polyester	1 card of 20
121202	2 in.	Polyester	Roll of 250
121201	4 in.	Polyester	Roll of 250

Flammable Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118821	5/8 in.	Vinyl	1 card of 39
118822	1 in.	Vinyl	1 card of 16
118823	2 in.	Vinyl	1 card of 4
B-235 Paper			
118875	5/8 in.	Paper	1 card of 39
118876	1 in.	Paper	1 card of 16
118877	2 in.	Paper	1 card of 4
B-7451 Polyester			
121190	1.5 in.	Polyester	1 card of 20
121203	2 in.	Polyester	Roll of 250
121189	4 in.	Polyester	Roll of 250

Oxidizing Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118827	5/8 in.	Vinyl	1 card of 39
118828	1 in.	Vinyl	1 card of 16
118829	2 in.	Vinyl	1 card of 4
B-235 Paper			
118881	5/8 in.	Paper	1 card of 39
118882	1 in.	Paper	1 card of 16
118883	2 in.	Paper	1 card of 4
B-7451 Polyester			
121191	1.5 in.	Polyester	1 card of 20
121205	2 in.	Polyester	Roll of 250
121204	4 in.	Polyester	Roll of 250

Gas Pressure Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118833	5/8 in.	Vinyl	1 card of 39
118834	1 in.	Vinyl	1 card of 16
118835	2 in.	Vinyl	1 card of 4
B-235 Paper			
118887	5/8 in.	Paper	1 card of 39
118888	1 in.	Paper	1 card of 16
118889	2 in.	Paper	1 card of 4
B-7451 Polyester			
121192	1.5 in.	Polyester	1 card of 20
121207	2 in.	Polyester	Roll of 250
121206	4 in.	Polyester	Roll of 250

Corrosive Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118839	5/8 in.	Vinyl	1 card of 39
118840	1 in.	Vinyl	1 card of 16
118841	2 in.	Vinyl	1 card of 4
B-235 Paper			
118893	5/8 in.	Paper	1 card of 39
118894	1 in.	Paper	1 card of 16
118895	2 in.	Paper	1 card of 4
B-7451 Polyester			
121198	1.5 in.	Polyester	1 card of 20
121213	2 in.	Polyester	Roll of 250
121197	4 in.	Polyester	Roll of 250

Severe Toxic Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118845	5/8 in.	Vinyl	1 card of 39
118846	1 in.	Vinyl	1 card of 16
118847	2 in.	Vinyl	1 card of 4
B-235 Paper			
118899	5/8 in.	Paper	1 card of 39
118900	1 in.	Paper	1 card of 16
118901	2 in.	Paper	1 card of 4
B-7451 Polyester			
121200	1.5 in.	Polyester	1 card of 20
121214	2 in.	Polyester	Roll of 250
121199	4 in.	Polyester	Roll of 250

Health Danger Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118851	5/8 in.	Vinyl	1 card of 39
118852	1 in.	Vinyl	1 card of 16
118853	2 in.	Vinyl	1 card of 4
B-235 Paper			
118905	5/8 in.	Paper	1 card of 39
118906	1 in.	Paper	1 card of 16
118907	2 in.	Paper	1 card of 4
B-7451 Polyester			
121196	1.5 in.	Polyester	1 card of 20
121212	2 in.	Polyester	Roll of 250
121195	4 in.	Polyester	Roll of 250

Acute Toxic Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118857	5/8 in.	Vinyl	1 card of 39
118858	1 in.	Vinyl	1 card of 16
118859	2 in.	Vinyl	1 card of 4
B-235 Paper			
118911	5/8 in.	Paper	1 card of 39
118912	1 in.	Paper	1 card of 16
118913	2 in.	Paper	1 card of 4
B-7451 Polyester			
121193	1.5 in.	Polyester	1 card of 20
121209	2 in.	Polyester	Roll of 250
121208	4 in.	Polyester	Roll of 250

Environmental Picto Labels

Catalog #	Size	Material	Qty.
B-7569 Vinyl			
118863	5/8 in.	Vinyl	1 card of 39
118864	1 in.	Vinyl	1 card of 16
118865	2 in.	Vinyl	1 card of 4
B-235 Paper			
118917	5/8 in.	Paper	1 card of 39
118918	1 in.	Paper	1 card of 16
118919	2 in.	Paper	1 card of 4
B-7451 Polyester			
121194	1.5 in.	Polyester	1 card of 20
121211	2 in.	Polyester	Roll of 250
121210	4 in.	Polyester	Roll of 250

Custom GHS Label Form

When ordering a Custom GHS Label from Brady, please have a Safety Data Sheet (SDS) in hand to fill in the form. The SDS, supplied from your chemical manufacturer must be up-to-date with GHS elements. All required label elements that are needed to fill this form out are found in sections 1-3 in your chemical SDS. (Once label has been created a proof will be provided.) Once complete, return this form to BradyUSAQuotes@BradyCorp.com or fax to 1-800-292-2289.

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account #: _____ Fax #: _____ Phone #: _____

Label Specifications

Label Material

- ❑ B-302 Self-Sticking Polyester
- ❑ B-946 Vinyl
- ❑ B-7569 Economy Vinyl
- ❑ B-235 Coated Paper

Quantity and Size
(minimum order qty. of 25)

- ❑ 3 in. x 5 in. Qty. _____
- ❑ 4 in. x 6 in. Qty. _____
- ❑ 4.5 in. x 7 in. Qty. _____

Label Package

- ❑ Roll Form *(100 labels minimum)*
- ❑ Individual Labels

Label Content

Chemical/Product Name:

_____

Signal Word: _____
(DANGER or WARNING)

Capacity: _____

Units: _____

Hazard Statements:
Located on your Safety Data Sheet, please include H-Code if available. i.e. H100

_____

_____

_____

Precautionary Statements/First Aid:
Located on your Safety Data Sheet, please include P-Code if available. i.e. P100

_____

_____

_____

GHS Pictograms:
Locate on your Safety Data Sheet and indicate pictogram number below: 1 minimum / 4 maximum

Diamond 1: _____ Diamond 3: _____

Diamond 2: _____ Diamond 4: _____



1. Corrosive *2. Severe Toxic* *3. Explosive* *4. Flammable* *5. Environmental*



6. Acute Toxic *7. Oxidizing* *8. Gas Pressure* *9. Health*

Additional Label Content:

EC #: _____

CAS #: _____

Index #: _____

Reach Authorization #: _____

Internal Reference #: _____

Chemical Manufacturer Name: _____

Chemical Manufacturer Address: _____

_____


Emergency Contact Phone #: _____

Multiple Languages Requested* _____

** Please indicate languages requested, then provide the necessary translations to the customer service rep after you have received the initial English proof.*

Hazard Communication (RTK)

BradyID.com/s36



NFPA




HMIG Color Bar

5 in. x 3 in. Container Labels

- Economical option for secondary container labeling
- Available with NFPA Diamond or HMIG Color Bar formats

Catalog #	Material	Format	Qty.
99175	Paper	HMIG Color Bar	500
121164	Vinyl	HMIG Color Bar	500
99195	Paper	NFPA	500
121146	Vinyl	NFPA	500



Blank NFPA Placards

- Meets NFPA's Code No. 704M and Federal Standard 313
- Place on potentially hazardous equip.
- Use with Gothic style Quik-Align® numbers and letters (sold separately)


Catalog #	Description	Size	Qty.
58656	Fiberglass	11 in.	1
58510	Fiberglass	16 in.	1
58500	Vinyl	2.5 in.	10
58501	Vinyl	5 in.	10
58502	Vinyl	7.5 in.	10
58503	Vinyl	10 in.	10
58504	Vinyl	15 in.	10
58272	Reflective	5 in.	10
58273	Reflective	7.5 in.	10
58274	Reflective	10 in.	10



HMIG Labels Station

- Features six 3/4 in. pockets for holding sheet labels, one 5 in. dowel to hold label rolls and a pen holder
- Displays hazard rating information

Catalog #	Description	Size	Qty.
PD674E	HMIG Label Station	11 in. x 18 in.	1



NFPA



HMIG Color Bar

2 in. x 1.25 in. Lab Labels

- Paper or vinyl materials in NFPA Diamond or HMIG Color Bar formats
- Write-on labels allow you to customize your message


Catalog #	Material	Format	Qty.
58268	Paper	HMIG Color Bar	500
121161	Vinyl	HMIG Color Bar	500
99199	Paper	NFPA	500
121163	Vinyl	NFPA	500



NFPA Placard Kits

- Vinyl kits includes:
  10 blank NFPA placards
  10 characters each of 0 – 4, W, ☢, OXY, ACID, COR and ALK
- Fiberglass kits includes:
  1 blank NFPA placard
  10 characters each of 0 – 4, W, ☢, OXY, ACID, COR and ALK


Catalog #	Description	Size	Qty.
50053	Vinyl	10 in.	1 kit
50054	Vinyl	15 in.	1 kit
50055	Fiberglass	11 in.	1 kit
50056	Fiberglass	16 in.	1 kit



HMIG Self-Laminating Labels

- Self-adhesive polyester label includes protective laminate cover
- Write in the rating on the left side
- Features index for required PPE

Catalog #	Description	Size	Qty.
60332	Self-Lam Label	2 in. x 3.5 in.	25
60333	Self-Lam Label	3 in. x 5 in.	25



3 in. x 5 in. Write-On Labels


- Customize these Blank RTK Labels by writing your own message on them and adding RTK pictograms

Catalog #	Material	Format	Qty.
121056	Vinyl	NFPA	50



NFPA Diamond Labels


Catalog #	Description	Size	Qty.
53072	Vinyl	6 in. x 6 in.	500



NFPA Information Placards

- Placards graphically explain the NFPA Hazard Identification Coding System

Catalog #	Description	Size	Qty.
78788	Fiberglass	10 in. x 14 in.	1
58511	Vinyl	2.25 in. x 3.125 in.	1
76415	Vinyl	10 in. x 14 in.	1



RTK Wallet Card

- Handy wallet-sized reference card of the NFPA Hazard Identification Coding System

Catalog #	Description	Size	Qty.
58515	English	2.125 in. x 3.375 in.	25
89257	Spanish	2.125 in. x 3.375 in.	25

HazCom Labels

BRADY

Hazardous Waste Labels

- Labels comply with all current federal regulations regarding identification of hazardous waste materials for transportation



Catalog #	Material	Size	Qty.
121155	Vinyl	6 in. x 6 in.	50
121151	Vinyl	6 in. x 6 in.	100
California Specific Labels			
121157	Vinyl	6 in. x 6 in.	50
121152	Vinyl	6 in. x 6 in.	100
New Jersey Specific Labels			
121156	Vinyl	6 in. x 6 in.	50
121144	Vinyl	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121158	Vinyl	6 in. x 6 in.	50
121153	Vinyl	6 in. x 6 in.	100
121159	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121154	Vinyl	6 in. x 6 in.	50
60447	Vinyl	6 in. x 6 in.	100
121064	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121064	Vinyl	4 in. x 6 in.	50
121063	Vinyl	4 in. x 6 in.	100
60445	Paper	4 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121061	Vinyl	4 in. x 4 in.	100
121438	Vinyl	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
87026	Paper	6 in. x 6 in.	50
87031	Vinyl	4 in. x 4 in.	50
87028	Vinyl	6 in. x 6 in.	50

Waste Disposal Labels


- Use to easily identify and sort waste



Catalog #	Material	Size	Qty.
121439	Vinyl	6 in. x 6 in.	100
60363	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
63240	Vinyl	6 in. x 6 in.	500



Catalog #	Material	Size	Qty.
121062	Vinyl	6 in. x 6 in.	100
60369	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121436	Vinyl	6 in. x 6 in.	100
60364	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121140	Vinyl	6 in. x 6 in.	100
60366	Paper	6 in. x 6 in.	100




Catalog #	Material	Size	Qty.
121437	Vinyl	6 in. x 6 in.	100
60362	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121433	Vinyl	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121431	Vinyl	6 in. x 6 in.	100
60365	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121432	Vinyl	6 in. x 6 in.	100
60367	Paper	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121434	Vinyl	6 in. x 6 in.	100



Catalog #	Material	Size	Qty.
121435	Vinyl	6 in. x 6 in.	100

Hazardous Material Shipping

BradyID.com/s36

Hazardous Material Shipping Labels

- Composite plastic material offers extreme weatherability so label colors stay bright
- Super tacky adhesive back permanently bonds to most surfaces (including low energy surfaces such as polyethylene bags)
- Labels withstand temperatures of -50°



Class 2:



121066 4 in. x 4 in. 500/roll



121065 4 in. x 4 in. 500/roll



121469 4 in. x 4 in. 500/roll

Class 3:



121067 4 in. x 4 in. 500/roll

Class 4:



121069 4 in. x 4 in. 500/roll



121068 4 in. x 4 in. 500/roll

Placard Labels and GHS

While GHS requires proper chemical labeling, the Department of Transportation (DOT) requires proper labeling when you're shipping chemicals.

This means when the product is shipped, the outer package must bear all of the required DOT marks and labels as well as the GHS label information if it is a primary container.

Essentially, DOT labeling does not change with GHS, but when the primary container is also the shipping container, you'll need both.

Class 5:



121071 4 in. x 4 in. 500/roll



121471 4 in. x 4 in. 500/roll

Class 6:



121466 4 in. x 4 in. 500/roll



63473 4 in. x 4 in. 500/roll



121467 4 in. x 4 in. 500/roll

Class 7:



121473 4 in. x 4 in. 500/roll



121441 4 in. x 4 in. 500/roll

Class 8:



121070 4 in. x 4 in. 500/roll

Class 9:



121141 4 in. x 4 in. 500/roll

Die-Cut Placard Numbers



Catalog #	Description	Qty.
5010-*	1 in. Quik-Align Numbers	10pk

**Replace (*) with the desired number (0-9).*
Example: To order die-cut 8, order # 5010-8.

Vehicle Placard Signs

Brady also offers a wide range of Vehicle Placard Signs for shipping hazardous materials.

View signs on page 463.




BRADY

Regulations

OSHA standards require you to have SDS on hand for all chemicals at your facility.

1910.1200(g)(1)
Developing and maintaining written Safety Data Sheets


1910.1200(i)(1)
Employee training on new label elements and Safety Data Sheets



Bilingual Training Insert

- This detailed binder insert package contains:
  - OSHA Haz-Com Standard highlights and overview of program requirements
  - Compliance checklist
  - Two 15-page RTK training booklets,
  - 2-Sided RTK poster (Spanish/English)
  - 50 clear sheet protectors
  - A-Z index tabs

Catalog #	Description
BR801B	Bilingual Binder Insert



Standard MSDS Binders

- 1.5 in. dia. rings hold 275-300 sheets
  2.5 in. dia. ring holds 400-500 sheets
  3 in. dia. ring holds 600 sheets
- Durable polyethylene cover, 36 in. chain and pair of sheet lifters

Catalog #	Description
2023	1.5 in. MSDS Binder
2024	2.5 in. MSDS Binder
2025	3.0 in. MSDS Binder
2026	1.5 in. Bilingual MSDS Binder
2027	2.5 in. Bilingual MSDS Binder
2028	3.0 in. Bilingual MSDS Binder
BR801B	Binder Insert



GHS SDS Binders

- Complies with OSHA regulations
- 1.5 in. dia. ring holds 275-300 sheets
  3 in. dia. ring holds 600 sheets
- Features a durable polyethylene cover, 36 in. chain and a pair of sheet lifters

Catalog #	Description
121183	1.5 in. SDS Binder, English
121184	3 in. SDS Binder, English
121185	1.5 in. SDS Binder, English/Spanish
121186	3 in. SDS Binder, English/Spanish
121187	3 in. SDS Binder, English/French



Double RTK Center

- This center includes red polystyrene board, 2 binder racks and two MSDS binders
- Center size: 20 in. x 29 in. x 4.5 in.

Catalog #	Description
2010DB	Double RTK Compliance Center



Economy RTK Center

- Includes MSDS v-style sign, 8 in. x 14.5 in. x 6 in.
- 1.5 in. MSDS binder with 300 sheet capacity

Catalog #	Description
2007	Economy RTK Center
RK085A	Rack and Binder w/inserts
2005	Rack and Binder Only



GHS SDS Centers

- 20 in. x 14 in. x 4.5 in. center offered in English and Spanish
- Includes 1.5 in. SDS binder, Right To Know Compliance Center backboard and yellow wire rack

Catalog #	Description
121370	SDS Center English
121371	SDS Center Spanish



RTK Compliance Center

- 20 in. x 14 in. x 4.5 in. compliance center includes red polystyrene board, binder rack and MSDS binder
- 1.5 in. binder w/ 300 sheet capacity

Catalog #	Description
2010	Compliance Center
RK018A	Compliance Center w/inserts
2010NB	Compliance Center w/o binder
2010SP	Spanish Compliance Center*

**Board is Spanish with 1.5 in. Bilingual Binder*




High Visibilty SDS Signs

- High visibility signs easily mount and project from the wall for easy viewing
- Made from heavy-duty B-493 plastic

Catalog #	Style	Size	Qty
139786	V-Shape	6 in. x 9 in. x 4 in.	1
139787	L-Shape	8 in. x 8 in.	1

Safety Information Centers

BradyID.com/s36



Information Centers

- Rugged poly backboard comes with white PVC coated wire basket, allowing for high visibility and convenience
- Tear resistant 3-ring binder holds approx. 300 sheets and includes chain and mounting hardware
- Center Size: 20 in. x 14 in.

Catalog #	Description
IC326E	Emergency Information Center



Standard Operating Procedures Center

- Poly backboard w/ white PVC coated wire basket
- Rugged binder holds approximately 300 sheets and comes with an attached chain
- Additional binders sold separately

Catalog #	Description
SM681A	Procedures Center
SM682A	Double Standard Operation Procedures Center



MSDS / Job Site Safety Document Center

- Table top or wall mount center holds one 3-ring binder in a weather resistant and lockable polystyrene case
- Size: 13.5 in. x 13.5 in. x 4.75 in.

Catalog #	Description
JS1	MSDS/Job Site Center



Bloodborne Pathogen Compliance Center

- Wall-mount display includes a 1.5 in. binder that holds up to 300 pages of your exposure control plans (not included)
- Center size: 20 in. x 14 in. x 4.5 in.

Catalog #	Description
BH2010	Bloodborne Pathogen Center
BH2023	Exposure Control Binder only



Lockout Procedure Station

- Durable polystyrene board includes pre-drilled holes and mounting hardware
- Backboard dimensions: 20 in. x 14 in. x 4.5 in.

Catalog #	Description
LOSP22	Station With Binder and 25 Forms
99289	Lockout Procedure Station With Binder Only
LOSB1	Lockout Procedure Binder Only



Standard RTK Center

- Acrylic board can hold up to 100 booklets and an MSDS binder
- Includes our 1.5 in. binder and 10 training booklets
- Center size: 30 in. x 24 in. x 4.5 in.

Catalog #	Description
2001	Standard Right to Know Center
2012	Board Only
2002	Bilingual version*

**Includes 5 English booklets, 5 Spanish booklets and a bilingual binder*



Binder Holders

- PVC coated steel racks designed for holding binders up to 3 in. ring dia.
- Single: 9 in. x 14 in. x 4.5 in. Double: 9 in. x 14 in. x 6.5 in.


Catalog #	Description	Color	Qty.
2014	Single Binder Holder	Yellow	1
2014W	Single Binder Holder	White	1
104791	Double Binder Holder	Yellow	1
104792	Double Binder Holder	White	1



Suggestion Box

- Wall or table mount black acrylic box w/ a lockable top and side pocket
- Box: 12 in. x 11.75 in. x 4.75 in. Side pocket: 5 in. x 4 in. x 1.625 in. Top drop slot: 9 in.

Catalog #	Description
MC111E	Suggestion Box



Format 1

Format 2

Confined Space Entry Permits

- 8.5 in. x 11 in. forms include all information required by OSHA's Confined Space Regulation
- Available in several materials to best meet your facility's environment

Catalog #	Description	Qty
EP1	Format 1 Permits	25/pk
65937	Format 2 Permits (2-ply Carbonless)	25/pk



Confined Space Permit Center

- Wall-mounted Permit Center provides ready access to entry permits while making employees aware of special safety requirements
- Holds 8.5 in. x 11 in. forms
  Holder dimensions: 15.75 in. x 23.5 in.
- Permit forms sold separately

Catalog #	Description	Qty
PC1	Permit Center (Permit forms sold separately)	25/pk



Confined Space Entry Permit Holder

- Provides a confined space warning and easy access to permits
- Made of durable polycarbonate material
- Holds 8.5 in. x 11 in. forms
  Holder dimensions: 12 in. x 19 in.
- Permit forms sold separately

Catalog #	Description	Qty
65903	Permit Holder (Permit forms sold separately)	1



Safe-T-Grip® Fuse Pullers

- Provides maximum convenience when removing or replacing cartridge fuses
- Notched handles for no-slip grip
- Clearly marked amperage ranges
- Exceeds MIL specifications
- For 0-100A, 250V and 600V fuses

Catalog #	Description
65280	Safe-T-Grip Fuse Pullers



E-Z Check® Plus GFI Circuit Tester

- Checks for the following conditions: correct wiring, open ground, reverse polarity, open hot, open neutral, hot on neutral, hot and ground reversed with open hot and ground fault interruption

Catalog #	Description
65273	E-Z Check Plus GFI Circuit Tester



Battery Cleaning and Charging Safety Kit

- Help minimize the risk of acid burns or shocks while charging batteries
- Fully equipped portable kit includes:
  - (1) pair of large unsupported neoprene over natural rubber gloves
  - (1) pair of clear chemical goggles
  - (1) 45 in. x 35 in. black rubber apron
  - (1) 8 in. synthetic brush
  - (2) 9.25 in. x 14.5 in. chemical sorbent pads
  - (1) quart neutralizing and cleaning agent
  - (1) laminated instruction card

Catalog #	Description
BCK	Battery cleaning and charging kit

Arc Flash Safety

What is arc flash and what causes it?

An arc flash is a short circuit through air that flashes from one exposed live conductor to another conductor or ground. This electrical fault can create a dangerous release of energy, including thermal energy, acoustical energy, pressure wave or debris.

There are many ways an arc flash can occur, including:

- Close proximity of a high-amp source to a conductive object
- Dropping a tool or creating a spark
- Breaks or gaps in insulation
- Failing equipment due to use of substandard parts, improper installation or even normal wear and tear
- Dust, corrosion or other impurities on the surface of the conductor

What impacts the size of an arc flash event?

Common variables that impact the size and energy of an arc flash include:

- Amperage
- Voltage
- Arc gap
- Closure time
- Distance from arc
- Three phase vs. single phase
- Confined space



Did You Know?

Anything above 50V that could be worked on while energized ,resulting in exposure to electrical hazards, requires an arc flash label.

Examples include, but are not limited to:

- Switchboards
- Panel boards
- Motor control centers
- Industrial control panels
- Meter socket enclosures

NFPA 70E Standard for Electrical Safety in the Workplace

OSHA cites and fines employers for failure to protect employees from the dangers of arc flash under regulation 29 CFR 1910.333(a). The National Fire Protection Association (NFPA) details how to comply with this regulation through the NFPA 70E standard.

According to the NFPA 70E standard, there are six primary responsibilities that facilities must meet, including:

1. Training for employees
2. Written safety program in place that is actionable
3. Personal protective equipment (PPE) available for employees
4. Insulated tools
5. Arc flash hazard degree calculations
6. Properly labeled equipment

Most recent updates (2018)
The NFPA 70E gets updated every three years. Some of the most recent updates include:

- Updated training and retraining requirements
- Revision to arc flash warning label content
- Elimination of the PPE hazard category 0
- Elimination of prohibited approach boundary
- Additional boundary requirements
- Revisions to selecting appropriate PPE
- Minor terminology changes (such as work shoes now referred to as footwear)


What is an arc flash boundary?

An arc flash boundary is the distance at which an electrical arc can flash outward and endanger employees working on electrical equipment.

Additional boundary requirements include:

- Conductive articles of jewelry and clothing: Watchbands, bracelets, rings, key chains, necklaces, metal frame glasses, etc. shall not be worn within the restricted approach boundary
- Working space: Space shall be kept clear and not used for storage to permit safe operation and maintenance
- Barricades: When the arc flash boundary is greater than the limited approach boundary, barricades shall not be placed closer than the arc flash boundary
- Insulated tools: Employees shall use insulated tools when working inside the restricted approach boundary of exposed energized electrical conductors.





1. **Exposed / energized conductor or circuit part**
2. **Restricted approach boundary**
   Distance where there is an increased likelihood of electric shock
3. **Limited approach boundary**
   Distance where a shock hazard exists
4. **Arc flash boundary**
   Distance from an arc source where the thermal energy exposure could cause 2nd degree burns on unprotected skin

Arc Flash Risk Assessment

The NFPA 70E 2015 edition requires employers to conduct an arc flash risk assessment to determine the amount of thermal energy that could be generated from an arc flash incident. The information is then used to define a flash protection boundary around the potential source, and to determine the level of arc-rated apparel and other personal protection equipment required when employees cross the boundary while they work on or near explosive live parts.

At minimum, the safety program needs to be audited at intervals not to exceed three years and arc flash risk assessments shall be periodically reviewed at intervals not to exceed five years.

Who should perform arc flash risk assessments?

Completing a best-in-class arc flash risk assessment in-house requires time, resources and analysis software to accurately calculate arc flash risk. In addition, simple miscalculations can lead to incorrect incident energy levels resulting in the improper use of PPE.

Brady's **Arc Flash Risk Assessment Service,** performed by a licensed electrical engineer using power system analysis software, enables you to not only reach compliance, but maintain compliance. Additional services also include Arc Flash Audits and Arc Flash Safety Training.

Arc Flash Labeling



Who's responsible for labeling?

Arc flash labeling is the responsibility of the employer, not the manufacturer or installer of the equipment.

What needs to be labeled?

Labeling is required for any piece of electrical equipment that is likely to require examination, adjustment, service or maintenance while energized, creating the potential for an arc flash incident to occur.


Any modifications or renovations to electrical equipment that changes data on the label requires an updated arc flash risk assessment and label.

Where should the label be placed?

Markings must be in a location that is clearly visible to workers before they may be exposed to any potentially dangerous live parts. Typically, the label is placed outside the panel or enclosure door.

What needs to appear on the label?

Once an arc flash risk assessment has been conducted, in which the arc flash boundary, the incident energy at the working distance and the personal protective equipment required has been determined, Article 130.5 (C) in the 2015 edition of NFPA 70E further dictates that the label must contain these important elements.



Learn more with our free e-book at BradyID.com/arcflash



Brady Arc Flash Solutions



Arc flash services

Brady understands the importance of electrical safety as a whole and has licensed engineers who understand not only arc flash safety, but also the firsthand impact of arc flash risk. We work with your team to best protect your employees based on your custom facility and program requirements.

- **Arc Flash Risk Assessment**
  A Brady safety electrical engineer completes your assessment, provides you with a detailed assessment report, including your single-line diagram, and installs the correct arc flash labels.
- **Arc Flash Audit**
  Let our electrical engineer perform your arc flash audit and ensure your assessment is up to date and compliant.
- **Arc Flash Safety Training**
  This custom approach to training incorporates both the NFPA regulation and your company-specific arc flash requirements to ensure participating employees can apply their knowledge.



Print your own labels

Create and print customized arc flash labels when and where you need them with an on-demand label printer. When you're working on a project, you can stop handwriting your labels, and print all the labels you need in batches. You also avoid the hassle of having to select, order and wait for pre-printed labels to arrive.



Pre-printed die-cut labels

Pre-printed arc flash labels with the arc flash PPE category and a list of the required PPE relieve the employer from having to hand-write this information. As with the check box labels, a version for both arc flash and shock hazards is available.

Arc Flash Labels

BradyID.com/s36

Pre-Printed Arc Flash Labels

- Labels come with the hazard category and PPE requirements preprinted
- Write in specifics such as minimum arc rating, protection boundary, etc.
- B-7569 vinyl can be written on with pen or marker



Catalog #	Header	Hazard	Size	Qty
121085	Warning	1	5 in. x 7 in.	5/pk.
121087	Warning	2	5 in. x 7 in.	5/pk.
121091	Warning	3	5 in. x 7 in.	5/pk.
121093	Warning	4	5 in. x 7 in.	5/pk.
121086	Danger	1	5 in. x 7 in.	5/pk.
121088	Danger	2	5 in. x 7 in.	5/pk.
121092	Danger	3	5 in. x 7 in.	5/pk.
121094	Danger	4	5 in. x 7 in.	5/pk.



Catalog #	Header	Hazard	Size	Qty
121097	Warning	1	4 in. x 6 in.	5/pk.
121099	Warning	2	4 in. x 6 in.	5/pk.
121101	Warning	3	4 in. x 6 in.	5/pk.
121103	Warning	4	4 in. x 6 in.	5/pk.
121098	Danger	1	4 in. x 6 in.	5/pk.
121100	Danger	2	4 in. x 6 in.	5/pk.
121102	Danger	3	4 in. x 6 in.	5/pk.
121104	Danger	4	4 in. x 6 in.	5/pk.

Write-On Arc Flash Labels

- Write in specifics such as minimum arc rating, protection boundary, etc.
- B-7569 vinyl can be written on with pen or marker



Catalog #	Header	Size	Qty
121077	Warning	5 in. x 7 in.	5/pk.
121078	Danger	5 in. x 7 in.	5/pk.



Catalog #	Header	Size	Qty
121079	Warning	4 in. x 6 in.	5/pk.
121080	Danger	4 in. x 6 in.	5/pk.



Catalog #	Header	Size	Qty
145975	Danger	5 in. x 7 in.	5/pk.
145974	Danger	4 in. x 6 in.	5/pk.
145973	Warning	5 in. x 7 in.	5/pk.
145972	Warning	4 in. x 6 in.	5/pk.

Arc flash hazard categories and PPE requirements

	Required Flash Protection Equipment*
Hazard Category 1 Incident energy 4 cal/cm²	Arc-rated longsleeve shirt and long pants (or arc-rated coverall)
	Arc-rated face shield or arc flash hood
	Arc-rated jacket, parka, rainwear or hard hat liner (as needed)
	Hard hat
	Safety glasses or safety goggles
	Hearing protection (ear canal inserts)
	Leather gloves
	Leather footwear (as needed)
Hazard Category 2 Incident energy 8 cal/cm²	Arc-rated longsleeve shirt and long pants (or arc-rated coverall)
	Arc-rated face shield or arc flash hood
	Arc-rated jacket, parka, rainwear or hard hat liner (as needed)
	Hard hat
	Safety glasses or safety goggles
	Hearing protection (ear canal inserts)
	Leather gloves
	Leather footwear
Hazard Category 3 Incident energy 25 cal/cm²	Arc-rated longsleeve shirt and long pants (or arc-rated coverall)
	Arc-rated arc flash suit jacket and pants
	Arc-rated arc flash hood
	Arc-rated jacket, parka or rainwear (as needed)
	Hard hat and arc-rated hard hat liner
	Safety glasses or safety goggles
	Hearing protection (ear canal inserts)
	Leather footwear
	Arc-rated gloves
Hazard Category 4 Incident energy 40 cal/cm²	Arc-rated longsleeve shirt and long pants (or arc-rated coverall)
	Arc-rated arc flash suit jacket and pants
	Arc-rated arc flash hood
	Arc-rated jacket, parka or rainwear (as needed)
	Hard hat and arc-rated hard hat liner
	Safety glasses or safety goggles
	Hearing protection (ear canal inserts)
	Leather footwear
	Arc-rated gloves

** Arc rating of PPE should correspond with the Hazard Category and Incident Energy present. Voltage-rated gloves and other shock protection may also be required when working on exposed energized electrical parts.*


BradyID.com/s36



Poster

- Highlights the common causes of arc flash and provides safe work practices and personal protection equipment requirements
- Laminated on both sides to stand up to industrial environments
- Full-color printing and eye-catching graphics for optimum visual impact
- Poster reflects all changes from NFPA 70E-2015 regulation

Catalog #	Description	Quantity
104571	18 in. x 24 in. poster	1 each




Sign

Label

Sign and Label

- Post signs and labels in the work area and near electrical equipment to boost awareness and compliance
- Signs and labels specify the personal protection equipment required for each arc flash hazard category
- Sign and label reflects all changes from NFPA 70E-2015 regulation
- Sign: B-401 rigid plastic with laminated graphics
  Label: B-302 self-sticking polyester with overlaminate

Catalog #	Description	Quantity
102523	7 in. x 10 in. sign	1 each
102524	3.5 in. x 5 in. label	5/pack



Front

Back

Wallet Card

- Ensure compliance and safety by providing each employee with their own arc flash wallet card
- Card specifies the personal protection equipment required for each arc flash hazard category
- Made of laminated cardstock
- Reflects all changes from NFPA 70E-2015 regulation

Catalog #	Description	Quantity
102525	2.1 in. x 3.4 in. card	25/pack



On-Site Arc Flash Training Service

Under the NFPA 70E standard, arc flash training must be completed every three years.

Brady's Arc Flash Safety Training is a custom approach to training that includes:

- Custom training materials with NFPA regulations and your company-specific arc flash information
- On-site interactive training session
- Attendees receive a workbook and a certificate of completion

Training topics include:


- What is an arc flash and related information, such as boundaries, labeling, work permits and PPE requirements
- OSHA regulations, responsibilities, training and PPE
- NFPA updates, compliance and PPE tables
- The difference between qualified and unqualified employees
- And more

For more info, visit BradyID.com/Services

BradyID.com/s36

Conduit and Voltage Labels

- Orange markers meet ASME (ANSI) Standard ZG3.22 and alert employees to potentially dangerous machinery or energized equipment
- Cards sold individually



Legend	Style A	Style B	Style C
(blank)	44099	44100	-
110 Volts	44101	44201	44301
115 Volts	44102	44202	44302
120 Volts	44104	44204	44304
120/208 Volts	44159	44259	44359
208 Volts	44106	44206	44306
220 Volts	44107	44207	44307
230 Volts	44108	44208	44308
240 Volts	44110	44210	44310
250 Volts	44111	44211	44311
277 Volts	44112	44212	-
277/480 Volts	44160	44260	44360
440 Volts	44113	44213	44313
460 Volts	44114	44214	44314
480 Volts	44115	44215	44315
550 Volts	44116	44216	-
600 Volts	44118	44218	-
2300 Volts	44134	44234	-
2400 Volts	44121	44221	-
4160 Volts	44122	44222	-

Legend	Style A	Style B	Style C
4800 Volts	44124	-	-
6900 Volts	44125	-	-
7200 Volts	44126	-	-
13,200 Volts	44151	-	-
AC	44127	44227	44327
Air Conditioning	-	44247	44347
Circuit #	44155	44255	-
Circuit Breaker	44157	44257	-
DC	44138	44238	44338
Electric Out of Service	-	44250	-
Emergency Service	-	-	44328
Fuse Box	44158	44258	-
Heating Circuit	-	44248	-
Light and Power	-	44242	44342
Lights	44133	44233	44333
On/Off	-	44256	-
Power	44132	44232	44332
Single Phase	44129	44229	44329
Three Phase	44131	44231	44331
Volts	44149	-	-



Style A:
(1) 2.25 in. x 9 in. marker per card



Style B:
(4) 1.125 in. x 4.125 in. markers per card



Style C:
(18) 0.5 in. x 2.25 in. markers per card



Warning Labels

- Call attention to hazards on paperwork, equipment and packages
- Made of B-946 pressure sensitive vinyl
- **0.5, 1 and 2 inch labels:** 10 per card, 10 cards per pack
  4 inch labels: 3 per card, 10 cards per pack
  8 inch labels: 1 per card, 10 cards per pack



No Smoking

60237	2 in. x 2 in.	Vinyl	50/pk.

** 5 labels per card.10 cards per pack*



Acid

60184	0.5 in. x 0.5 in.	Vinyl	100/pk.
60195	1 in. x 1 in.	Vinyl	100/pk.
60206	2 in. x 2 in.	Vinyl	100/pk.
60217	4 in. x 4 in.	Vinyl	30/pk.
60228	8 in. x 8 in.	Vinyl	10/pk.



Battery Hazard

60186	0.5 in. x 0.5 in.	Vinyl	100/pk.
60197	1 in. x 1 in.	Vinyl	100/pk.
60208	2 in. x 2 in.	Vinyl	100/pk.
60219	4 in. x 4 in.	Vinyl	30/pk.
60230	8 in. x 8 in.	Vinyl	10/pk.



Electrical Voltage

60235	0.5 in. x 0.5 in.	Vinyl	100/pk.
60191	1 in. x 1 in.	Vinyl	100/pk.
60202	2 in. x 2 in.	Vinyl	100/pk.
60213	4 in. x 4 in.	Vinyl	30/pk.
60224	8 in. x 8 in.	Vinyl	10/pk.



Explosive Atmosphere

60189	0.5 in. x 0.5 in.	Vinyl	100/pk.
60200	1 in. x 1 in.	Vinyl	100/pk.
60211	2 in. x 2 in.	Vinyl	100/pk.
60222	4 in. x 4 in.	Vinyl	30/pk.
60233	8 in. x 8 in.	Vinyl	10/pk.



Explosive Material

60182	0.5 in. x 0.5 in.	Vinyl	100/pk.
60193	1 in. x 1 in.	Vinyl	100/pk.
60204	2 in. x 2 in.	Vinyl	100/pk.
60215	4 in. x 4 in.	Vinyl	30/pk.
60226	8 in. x 8 in.	Vinyl	10/pk.



Flammable Material

60181	0.5 in. x 0.5 in.	Vinyl	100/pk.
60192	1 in. x 1 in.	Vinyl	100/pk.
60203	2 in. x 2 in.	Vinyl	100/pk.
60214	4 in. x 4 in.	Vinyl	30/pk.
60225	8 in. x 8 in.	Vinyl	10/pk.



Hazardous Area

60188	0.5 in. x 0.5 in.	Vinyl	100/pk.
60199	1 in. x 1 in.	Vinyl	100/pk.
60210	2 in. x 2 in.	Vinyl	100/pk.
60221	4 in. x 4 in.	Vinyl	30/pk.
60232	8 in. x 8 in.	Vinyl	10/pk.



Laser Beam

60187	0.5 in. x 0.5 in.	Vinyl	100/pk.
60198	1 in. x 1 in.	Vinyl	100/pk.
60209	2 in. x 2 in.	Vinyl	100/pk.
60220	4 in. x 4 in.	Vinyl	30/pk.
60231	8 in. x 8 in.	Vinyl	10/pk.



Radioactive Material

60185	0.5 in. x 0.5 in.	Vinyl	100/pk.
60196	1 in. x 1 in.	Vinyl	100/pk.
60207	2 in. x 2 in.	Vinyl	100/pk.
60218	4 in. x 4 in.	Vinyl	30/pk.
60229	8 in. x 8 in.	Vinyl	10/pk.



Static Sensitive Devices

60190	0.5 in. x 0.5 in.	Vinyl	100/pk.
60201	1 in. x 1 in.	Vinyl	100/pk.
60212	2 in. x 2 in.	Vinyl	100/pk.
60223	4 in. x 4 in.	Vinyl	30/pk.
60234	8 in. x 8 in.	Vinyl	10/pk.



Toxic Material

60183	0.5 in. x 0.5 in.	Vinyl	100/pk.
60194	1 in. x 1 in.	Vinyl	100/pk.
60205	2 in. x 2 in.	Vinyl	100/pk.
60216	4 in. x 4 in.	Vinyl	30/pk.
60227	8 in. x 8 in.	Vinyl	10/pk.





Porta-Pack® Voltage Labels

- Voltage labels mounted on pocket-sized flip strip cards so they are easy to carry and always on hand when needed
- Made of self-sticking vinyl material

Catalog #	Legend	Size	Quantity
44500	120 Volts	0.562 in. x 3.250 in.	3 labels/card; 5 cards/pack
44501	240 Volts	0.562 in. x 3.250 in.	3 labels/card; 5 cards/pack
44503	480 Volts	0.562 in. x 3.250 in.	3 labels/card; 5 cards/pack

Mr. Ouch Transformer Labels

- National Electrical Manufacturers Association (NEMA) recommends use on transformers located in public areas
- Meet the NEMA Standard as well as Underwriters Laboratory Performance Standard #969
- Made of B-927 tamper-resistant film



46346 8 in. x 4.5 in. 1 ea.



46347 8 in. x 4.5 in. 1 ea.




46348 4.5 in. x 10.75 in. 1 ea.



46349 4.5 in. x 10.75 in. 1 ea.

CEMA Conveyor Safety Labels

- Conveyor Equipment Safety Labels help make your conveying equipment operations safer
- Made of B-302 high-performance polyester



96175 6 in. x 3 in. 5/pk.



96179 6 in. x 3 in. 5/pk.



96177 6 in. x 3 in. 5/pk.




96180 6 in. x 3 in. 5/pk.



96178 6 in. x 3 in. 5/pk.



96160 2.5 in. x 5 in. 5/pk.



96168 2.5 in. x 5 in. 5/pk.



96167 2.5 in. x 5 in. 5/pk.



96171 2.5 in. x 5 in. 5/pk.



96162 2.5 in. x 5 in. 5/pk.



96158 2.5 in. x 5 in. 5/pk.




96157 2.5 in. x 5 in. 5/pk.




96170 2.5 in. x 5 in. 5/pk.



96156 2.5 in. x 5 in. 5/pk.



96164 2.5 in. x 5 in. 5/pk.



96155 2.5 in. x 5 in. 5/pk.



96165 2.5 in. x 5 in. 5/pk.



96159 2.5 in. x 5 in. 5/pk.



96163 2.5 in. x 5 in. 5/pk.



96173 2.5 in. x 5 in. 5/pk.

BradyID.com/s36

Quality Control Labels

- Identify the calibration, testing and repair of tools and equipment
- Material options include B-500 repositionable vinyl cloth, B-619 permanent polyester and B-184 aluminum foil tape
- Standard package is 1 card. Value pack (VP) is 5 cards. Bulk pack (PK) is 25 cards






B-500 repositionable vinyl cloth			
WO-47	0.250 x 0.75 in.	Vinyl	72 labels
WO-47-PK	0.250 x 0.75 in.	Vinyl	1800 labels
WO-46	0.250 x 1.50 in.	Vinyl	36 labels
WO-46-VP	0.250 x 1.50 in.	Vinyl	180 labels
WO-46-PK	0.250 x 1.50 in.	Vinyl	900 labels
WO-35	0.343 x 1.50 in.	Vinyl	25 labels
WO-35-PK	0.343 x 1.50 in.	Vinyl	625 labels
WO-30	0.437 x 1.50 in.	Vinyl	20 labels
WO-30-PK	0.437 x 1.50 in.	Vinyl	500 labels
WO-48	0.500 x 0.50 in.	Vinyl	54 labels
WO-49	0.500 x 1.50 in.	Vinyl	18 labels
WO-49-PK	0.500 x 1.50 in.	Vinyl	450 labels
WO-68	0.500 x 2.25 in.	Vinyl	18 labels
WO-24	0.625 x 1.50 in.	Vinyl	14 labels
WO-24-PK	0.625 x 1.50 in.	Vinyl	350 labels
WO-50	0.750 x 0.50 in.	Vinyl	36 labels
WO-50-PK	0.750 x 0.50 in.	Vinyl	900 labels
WO-62	0.750 x 2.25 in.	Vinyl	12 labels
WO-62-VP	0.750 x 2.25 in.	Vinyl	60 labels
WO-59	1.000 x 1.50 in.	Vinyl	9 labels
WO-59-PK	1.000 x 1.50 in.	Vinyl	225 labels
WO-19	1.500 x 1.00 in.	Vinyl	9 labels
WO-19-VP	1.500 x 1.00 in.	Vinyl	45 labels
WO-19-PK	1.500 x 1.00 in.	Vinyl	225 labels
WO-16	1.500 x 1.50 in.	Vinyl	6 labels
WO-56	2.250 x 1.50 in.	Vinyl	6 labels
WO-56-PK	2.250 x 1.50 in.	Vinyl	150 labels
WO-54	2.250 x 2.25 in.	Vinyl	4 labels
WO-54-PK	2.250 x 2.25 in.	Vinyl	100 labels
B-619 permanent polyester			
WOX-47	0.250 x 0.75 in.	Poly.	72 labels
WOX-46	0.250 x 1.50 in.	Poly.	36 labels
WOX-49	0.500 x 1.50 in.	Poly.	18 labels
WOX-24	0.625 x 1.50 in.	Poly.	14 labels
B-184 aluminum foil tape			
WOAF-46	0.250 x 1.50 in.	Alum.	36 labels
WOAF-30	0.437 x 1.50 in.	Alum.	20 labels
WOAF-30-PK	0.437 x 1.50 in.	Alum.	500 labels
WOAF-24	0.625 x 1.50 in.	Alum.	14 labels
WOAF-19	1.500 x 1.00 in.	Alum.	9 labels



WO-2	0.625 x 1.5 in.	Vinyl	14 labels
WO-2-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-2	0.625 x 1.5 in.	Poly.	14 labels
WOX-2-PK	0.625 x 1.5 in.	Poly.	350 labels
WOAF-2	0.625 x 1.5 in.	Alum.	14 labels




WO-7	0.625 x 1.5 in.	Vinyl	14 labels




WO-41	0.625 x 1.5 in.	Vinyl	14 labels
WO-41-PK	0.625 x 1.5 in.	Vinyl	350 labels




WO-10	0.625 x 1.5 in.	Vinyl	14 labels
WO-10-VP	0.625 x 1.5 in.	Vinyl	70 labels
WO-10-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-10	0.625 x 1.5 in.	Poly.	14 labels
WOX-10-PK	0.625 x 1.5 in.	Poly.	350 labels
WOAF-10	0.625 x 1.5 in.	Alum.	14 labels
WOAF-10-PK	0.625 x 1.5 in.	Alum.	350 labels



WO-64	0.625 x 1.5 in.	Vinyl	14 labels
WO-64-PK	0.625 x 1.5 in.	Vinyl	350 labels



WO-63	0.5 x 1.50 in.	Vinyl	6 labels



WO-9	1.0 x 1.5 in.	Vinyl	9 labels
WO-9-PK	1.0 x 1.5 in.	Vinyl	225 labels
WOX-9	1.0 x 1.5 in.	Poly.	9 labels
WOX-9-PK	1.0 x 1.5 in.	Poly.	225 labels
WOAF-9	1.0 x 1.5 in.	Alum.	9 labels
WOAF-9-PK	1.0 x 1.5 in.	Alum.	225 labels



WO-53	0.5 x 1.5 in.	Vinyl	18 labels
WO-53-PK	0.5 x 1.5 in.	Vinyl	450 labels
WOAF-53	0.5 x 1.5 in.	Alum.	18 labels
WOAF-53-PK	0.5 x 1.5 in.	Alum.	450 labels



WO-11	0.625 x 1.5 in.	Vinyl	14 labels
WO-11-PK	0.625 x 1.5 in.	Vinyl	350 labels



WO-42	0.625 x 1.5 in.	Vinyl	14 labels
WO-42-PK	0.625 x 1.5 in.	Vinyl	350 labels



WO-14	0.625 x 1.5 in.	Vinyl	14 labels



WO-17	0.625 x 1.5 in.	Vinyl	14 labels
WO-17-PK	0.625 x 1.5 in.	Vinyl	350 labels



WO-18	0.625 x 1.5 in.	Vinyl	14 labels
WO-18-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-18	0.625 x 1.5 in.	Poly.	14 labels
WOX-18-PK	0.625 x 1.5 in.	Poly.	350 labels
WOAF-18	0.625 x 1.5 in.	Alum.	14 labels



WO-51	0.625 x 1.5 in.	Vinyl	14 labels
WO-51-PK	0.625 x 1.5 in.	Vinyl	350 labels



WO-20	0.625 x 1.5 in.	Vinyl	14 labels
WO-20-PK	0.625 x 1.5 in.	Vinyl	350 labels



WOX-23	0.625 x 1.5 in.	Poly.	14 labels




WO-3	0.625 x 1.5 in.	Vinyl	14 labels



WO-6	0.625 x 1.5 in.	Vinyl	14 labels



WO-52	0.625 x 1.5 in.	Vinyl	14 labels
WO-52-VP	0.625 x 1.5 in.	Vinyl	70 labels
WO-52-PK	0.625 x 1.5 in.	Vinyl	350 labels



WO-27	1.0 x 1.5 in.	Vinyl	9 labels



WO-43	0.625 x 1.5 in.	Vinyl	14 labels
WO-43-PK	0.625 x 1.5 in.	Vinyl	350 labels



WOAF-29	0.5 x 1.5 in.	Alum.	18 labels
WOAF-29-VP	0.5 x 1.5 in.	Alum.	90 labels
WOAF-29-PK	0.5 x 1.5 in.	Alum.	450 labels



WO-5	0.625 x 1.5 in.	Vinyl	14 labels
WO-5-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-5	0.625 x 1.5 in.	Poly.	14 labels



WO-1	0.625 x 1.5 in.	Vinyl	14 labels
WO-1-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-1	0.625 x 1.5 in.	Poly.	14 labels




WO-31	0.625 x 1.5 in.	Vinyl	14 labels
WO-31-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-31	0.625 x 1.5 in.	Poly.	14 labels



WO-4	0.625 x 1.5 in.	Vinyl	14 labels




WOX-57	0.75 x 0.25	Poly.	72 labels



WO-33	0.625 x 1.5 in.	Vinyl	14 labels



WO-37	0.5 x 1.5 in.	Vinyl	18 labels
WO-37-PK	0.5 x 1.5 in.	Vinyl	450 labels



WOAF-36	2.25 x 1.5 in.	Alum.	6 labels
WOAF-36-VP	2.25 x 1.5 in.	Alum.	30 labels
WOAF-36-PK	2.25 x 1.5 in.	Alum.	150 labels



WO-34	0.5 x 1.5 in.	Vinyl	18 labels
WO-34-PK	0.5 x 1.5 in.	Vinyl	450 labels
WOAF-34	0.5 x 1.5 in.	Alum.	18 labels
WOAF-34-PK	0.5 x 1.5 in.	Alum.	450 labels




WO-38	0.625 x 1.5 in.	Vinyl	14 labels
WO-38-PK	0.625 x 1.5 in.	Vinyl	350 labels
WOX-38	0.625 x 1.5 in.	Poly.	14 labels
WOX-38-PK	0.625 x 1.5 in.	Poly.	350 labels
WOAF-38	0.625 x 1.5 in.	Alum.	14 labels
WOAF-38-PK	0.625 x 1.5 in.	Alum.	350 labels



WO-39	0.625 x 1.5 in.	Poly.	14 labels

Bilingual Labels

- Labels feature English and Spanish legends
- Made of B-500 repositionable vinyl cloth
- Standard package is 1 card



WOS-41	0.625 x 1.5 in.	Vinyl	14/card



WOS-10	0.625 x 1.5 in.	Vinyl	14/card




WOS-1	0.625 x 1.5 in.	Vinyl	14/card




Write-On Inspection Labels


- Made of durable, write-on polyester
- 364 identical labels per package




82586	0.625 x 1.5 in.	364/pk.	



82589	0.625 x 1.5 in.	364/pk.	



82592	0.625 x 1.5 in.	364/pk.	



42211	0.625 x 1.5 in.	364/pk.	



82594	0.625 x 1.5 in.	364/pk.	




42217	0.625 x 1.5 in.	364/pk.	



82590	0.625 x 1.5 in.	364/pk.	




82587	0.625 x 1.5 in.	364/pk.	



42221	0.625 x 1.5 in.	364/pk.	



82591	0.625 x 1.5 in.	364/pk.	



82593	0.625 x 1.5 in.	364/pk.	



82588	0.625 x 1.5 in.	364/pk.	

BradyID.com/s36

Machine and Equipment Labels

- Labels communicate dangers and messages to those close to or working around machinery and equipment
- Place these small labels on equipment to increase safety
- Made of B-302 self-sticking polyester





86271 3.5 x 5 in. Poly. 5/pk.



86864 3.5 x 5 in. Poly. 5/pk.



86841 3.5 x 5 in. Poly. 5/pk.



86842 3.5 x 5 in. Poly. 5/pk.




86843 3.5 x 5 in. Poly. 5/pk.



86844 3.5 x 5 in. Poly. 5/pk.



86846 3.5 x 5 in. Poly. 5/pk.




86889 3.5 x 5 in. Poly. 5/pk.




86866 3.5 x 5 in. Poly. 5/pk.



86850 3.5 x 5 in. Poly. 5/pk.



86853 3.5 x 5 in. Poly. 5/pk.




81963 3.5 x 5 in. Poly. 5/pk.




86857 3.5 x 5 in. Poly. 5/pk.




86260 3.5 x 5 in. Poly. 5/pk.




86870 3.5 x 5 in. Poly. 5/pk.




60372 3.5 x 5 in. Poly. 5/pk.




86784 3.5 x 5 in. Poly. 5/pk.




86786 3.5 x 5 in. Poly. 5/pk.




86785 3.5 x 5 in. Poly. 5/pk.



60373 3.5 x 5 in. Poly. 5/pk.



86783 3.5 x 5 in. Poly. 5/pk.




86789 3.5 x 5 in. Poly. 5/pk.



86895 3.5 x 5 in. Poly. 5/pk.



86898 3.5 x 5 in. Poly. 5/pk.



86913 3.5 x 5 in. Poly. 5/pk.

Stock Spanish Labels Available

Contact Brady Customer Service to order.



86847 3.5 x 5 in. Poly. 5/pk.




86235 5 x 3.5 in. Poly. 5/pk.



86234 5 x 3.5 in. Poly. 5/pk.



86792 3.5 x 5 in. Poly. 5/pk.



86793 3.5 x 5 in. Poly. 5/pk.




86882 3.5 x 5 in. Poly. 5/pk.



86796 3.5 x 5 in. Poly. 5/pk.




86797 3.5 x 5 in. Poly. 5/pk.



86869 3.5 x 5 in. Poly. 5/pk.



86899 3.5 x 5 in. Poly. 5/pk.



86798 3.5 x 5 in. Poly. 5/pk.



86799 3.5 x 5 in. Poly. 5/pk.




86801 3.5 x 5 in. Poly. 5/pk.



86896 3.5 x 5 in. Poly. 5/pk.



86804 3.5 x 5 in. Poly. 5/pk.



86861 3.5 x 5 in. Poly. 5/pk.



86871 5 x 3.5 in. Poly. 5/pk.



86860 3.5 x 5 in. Poly. 5/pk.



86877 5 x 3.5 in. Poly. 5/pk.



86862 3.5 x 5 in. Poly. 5/pk.



86808 3.5 x 5 in. Poly. 5/pk.



86811 3.5 x 5 in. Poly. 5/pk.



86891 3.5 x 5 in. Poly. 5/pk.



86886 5 x 3.5 in. Poly. 5/pk.




86894 3.5 x 5 in. Poly. 5/pk.



86874 3.5 x 5 in. Poly. 5/pk.



86885 3.5 x 5 in. Poly. 5/pk.




86868 3.5 x 5 in. Poly. 5/pk.




86867 3.5 x 5 in. Poly. 5/pk.



86813 3.5 x 5 in. Poly. 5/pk.



86863 3.5 x 5 in. Poly. 5/pk.



86148 3.5 x 5 in. Poly. 5/pk.



86817 3.5 x 5 in. Poly. 5/pk.

BradyID.com/s36

Machine and Equipment Labels (continued)



86887 5 x 3.5 in. Poly. 5/pk.



86818 3.5 x 5 in. Poly. 5/pk.



86865 3.5 x 5 in. Poly. 5/pk.



86248 3.5 x 5 in. Poly. 5/pk.



86250 3.5 x 5 in. Poly. 5/pk.



86194 3.5 x 5 in. Poly 5/pk.



86905 3.5 x 5 in. Poly. 5/pk.



86859 3.5 x 5 in. Poly. 5/pk.




86193 3.5 x 5 in. Poly. 5/pk.



86909 3.5 x 5 in. Poly. 5/pk.



86890 3.5 x 5 in. Poly. 5/pk.



86879 3.5 x 5 in. Poly. 5/pk.



86302 3.5 x 5 in. Poly. 5/pk.



86880 3.5 x 5 in. Poly. 5/pk.



86900 3.5 x 5 in. Poly. 5/pk.



86901 3.5 x 5 in. Poly. 5/pk.



86826 3.5 x 5 in. Poly. 5/pk.




86828 3.5 x 5 in. Poly. 5/pk.




86830 3.5 x 5 in. Poly. 5/pk.



86832 3.5 x 5 in. Poly. 5/pk.



86878 3.5 x 5 in. Poly. 5/pk.



86902 3.5 x 5 in. Poly. 5/pk.



86837 3.5 x 5 in. Poly. 5/pk.



86903 3.5 x 5 in. Poly. 5/pk.



86838 3.5 x 5 in. Poly. 5/pk.





86839 3.5 x 5 in. Poly. 5/pk.




86266 5 x 3.5 in. Poly. 5/pk.



86243 3.5 x 5 in. Poly. 5/pk.

Machine and Equipment Labels (continued)




86199 3.5 x 5 in. Poly. 5/pk.




86218 3.5 x 5 in. Poly. 5/pk.




86203 3.5 x 5 in. Poly. 5/pk.



86246 3.5 x 5 in. Poly. 5/pk.




86198 3.5 x 5 in. Poly. 5/pk.



86275 3.5 x 5 in. Poly. 5/pk.



86270 3.5 x 5 in. Poly. 5/pk.



86261 3.5 x 5 in. Poly. 5/pk.




86245 3.5 x 5 in. Poly. 5/pk.



86204 3.5 x 5 in. Poly. 5/pk.



86216 3.5 x 5 in. Poly. 5/pk.



86240 5 x 3.5 in. Poly. 5/pk.



86213 3.5 x 5 in. Poly. 5/pk.



86267 5 x 3.5 in. Poly. 5/pk.



86225 3.5 x 5 in. Poly. 5/pk.

Gas Cylinder Labels

- Promote safety and safe handling of gas cylinders by posting these labels around cylinders and cylinder storage areas
- Labels remove cleanly, leaving no residue on surface
- Made of B-235 self-adhesive paper



60311 3 x 5 in. Paper 10/pk.



60312 3 x 5 in. Paper 10/pk.



60309 3 x 5 in. Paper 10/pk.




60313 3 x 5 in. Paper 10/pk.



60310 3 x 5 in. Paper 10/pk.



60314 3 x 5 in. Paper 10/pk.



60307 3 x 5 in. Paper 10/pk.



60308 3 x 5 in. Paper 10/pk.



60315 3 x 5 in. Paper 10/pk.

Pre-Printed Labels

BradyID.com/s36

Cabinet Labels

- Clearly identify cabinets containing chemicals and safety equipment
- Specially designed for placement on any size cabinet, including one-door and low-capacity cabinets
- Made of B-302 self-adhesive laminated polyester





60284	3.5 x 12 in.	Polyester	1 ea.
60261	7 x 24 in.	Polyester	1 ea.



60285	3.5 x 12 in.	Polyester	1 ea.
60262	7 x 24 in.	Polyester	1 ea.



60286	3.5 x 12 in.	Polyester	1 ea.
60263	7 x 24 in.	Polyester	1 ea.



60287	3.5 x 12 in.	Polyester	1 ea.
60264	7 x 24 in.	Polyester	1 ea.



60288	3.5 x 12 in.	Polyester	1 ea.
60265	7 x 24 in.	Polyester	1 ea.



60289	3.5 x 12 in.	Polyester	1 ea.
60266	7 x 24 in.	Polyester	1 ea.



60290	3.5 x 12 in.	Polyester	1 ea.
60267	7 x 24 in.	Polyester	1 ea.



60291	3.5 x 12 in.	Polyester	1 ea.
60268	7 x 24 in.	Polyester	1 ea.



60292	3.5 x 12 in.	Polyester	1 ea.
60269	7 x 24 in.	Polyester	1 ea.



60294	3.5 x 12 in.	Polyester	1 ea.
60271	7 x 24 in.	Polyester	1 ea.



60295	3.5 x 12 in.	Polyester	1 ea.
60272	7 x 24 in.	Polyester	1 ea.



60296	3.5 x 12 in.	Polyester	1 ea.
60273	7 x 24 in.	Polyester	1 ea.



60297	3.5 x 12 in.	Polyester	1 ea.
60274	7 x 24 in.	Polyester	1 ea.



60298	3.5 x 12 in.	Polyester	1 ea.
60275	7 x 24 in.	Polyester	1 ea.



60299	3.5 x 12 in.	Polyester	1 ea.
60276	7 x 24 in.	Polyester	1 ea.



60300	3.5 x 12 in.	Polyester	1 ea.
60277	7 x 24 in.	Polyester	1 ea.



60301	3.5 x 12 in.	Polyester	1 ea.
60278	7 x 24 in.	Polyester	1 ea.



60302	3.5 x 12 in.	Polyester	1 ea.
60279	7 x 24 in.	Polyester	1 ea.



60303	3.5 x 12 in.	Polyester	1 ea.
60280	7 x 24 in.	Polyester	1 ea.



60293	3.5 x 12 in.	Polyester	1 ea.
60270	7 x 24 in.	Polyester	1 ea.



60304	3.5 x 12 in.	Polyester	1 ea.
60281	7 x 24 in.	Polyester	1 ea.



60305	3.5 x 12 in.	Polyester	1 ea.
60282	7 x 24 in.	Polyester	1 ea.



60306	3.5 x 12 in.	Polyester	1 ea.
60283	7 x 24 in.	Polyester	1 ea.

Container Labels

- Bold pre-printed labels leave no doubt as to the contents of containers
- Self-adhesive polyester labels are constructed from laminated polyester
- Chemical resistant for longer label life





60243 3 x 7 in. 25/pk.



60244 3 x 7 in. 25/pk.



60245 3 x 7 in. 25/pk.



60246 3 x 7 in. 25/pk.



60247 3 x 7 in. 25/pk.



60248 3 x 7 in. 25/pk.



60249 3 x 7 in. 25/pk.



60250 3 x 7 in. 25/pk.



60251 3 x 7 in. 25/pk.



60252 3 x 7 in. 25/pk.



60253 3 x 7 in. 25/pk.



60254 3 x 7 in. 25/pk.



60255 3 x 7 in. 25/pk.



60256 3 x 7 in. 25/pk.



60257 3 x 7 in. 25/pk.



60258 3 x 7 in. 25/pk.



60259 3 x 7 in. 25/pk.



60260 3 x 7 in. 25/pk.

Fire Extinguisher Labels

- Fire extinguisher labels use the most recently recommended pictorial design from NAFED (National Association of Fire Equipment Distributors)
- Label style meets the NFPA 10, 1084 standard for portable fire extinguishers labels



45193 1.5 x 1.5 in. B-927 6/card
95218 3 x 3 in. B-927 3/card



45194 1.5 x 1.5 in. B-927 6/card
95219 3 x 3 in. B-927 3/card



45195 1.5 x 1.5 in. B-927 6/card
95220 3 x 3 in. B-927 3/card



45196 1.5 x 1.5 in. B-927 6/card
95221 3 x 3 in. B-927 3/card



95222 1.5 x 6 in. B-927 6/card



95223 1.5 x 6 in. B-927 6/card



95224 1.5 x 6 in. B-927 6/card



95225 1.5 x 6 in. B-927 6/card




95226 1.5 x 6 in. B-927 6/card



95227 1.5 x 6 in. B-927 6/card



95228 1.5 x 6 in. B-927 6/card




76303 1.5 x 3 in. B-927 3/card




A extinguishers, water based

76299 2 x 5 in. B-927 5/card




A/B extinguishers, AFFF, foam

76300 2 x 5 in. B-927 5/card



B/C extinguishers, carbon dioxide, halon 1211 and 1301, dry chemical

76301 2 x 5 in. B-927 5/card



A/B/C extinguishers, halon 1211, multi-purpose dry chemical

76302 2 x 5 in. B-927 5/card

Pre-Printed Labels

BradyID.com/s36

Hard Hat Emblems

- Provide a constant visual reminder to observe good safety practices
- Emblems may also be used to identify first aid personnel.
- 2 in. diameter indoor / outdoor vinyl labels and are card-mounted
- Glow-in-the-dark labels sold 1 per card, non glow-in-the-dark sold 4 per card



49551 · 49550 · 102027 Glow - 1/pk. · 49574 · 42229 · 42228 · 49554

49576 · 42230 · 42231 · 42293 · 49560 · 49565 · 102030 Glow - 1/pk. · 42233 · 49562

49567 · 49568 · 49561 · 42234 · 42294 · 49580 · 49570 · 42238 · 49556

49579 · 45332 · 76306 · 42241 · 42242 · 42243 · 49563 · 49578 · 49558

42244 · 42245 · 49569 · 42247 · 42248 · 49559 · 76305 · 42257 · 49571

42262 · 42263 · 42261 · 49566 · 42541 · 49557 · 49577 · 49553 · 49552

49555 · 42269 · 45330 · 102024 Glow - 1/pk. · 49581 · 102026 Glow - 1/pk. · 42272 · 42271 · 42273

49572 · 49573 · 49564 · 42283 · 42284 · 45333 · 45331 · 102025 Glow - 1/pk. · 42290

Pre-Printed Labels

BRADY



Reflective Hard Hat Labels

- Made of silver-reflective, pressure-sensitive vinyl so they are easy to read even in low-light conditions

Catalog #	Legend	Size	Qty.
28713	Chief	3 in. x 6.875 in.	1
28714	Emergency Medical Technician	3 in. x 6.875 in.	1
28720	Safety Officers	3 in. x 6.875 in.	1



Reflective Hard Hat Stripes

- (50) 1.25 in. x 5 in. stripes per package

Catalog #	Description	Qty.
95229	1.25 in. x 5 in.	50



Write-On Magnetic Labels

- Re-useable labels with a water-soluble pen that wipes off with a wet cloth
- For a permanent label, use our permanent marking pen (87052)

Catalog #	Size	Color	Qty.
56957	1 in. x 50 ft.	Blue	1 roll
56958	1 in. x 50 ft.	Green	1 roll
56959	1 in. x 50 ft.	Orange	1 roll
56960	1 in. x 50 ft.	Red	1 roll
56961	1 in. x 50 ft.	White	1 roll
56962	1 in. x 50 ft.	Yellow	1 roll



Gauge Marking Labels

- Color code your gauges to easily identify acceptable or dangerous levels
- Transparent, adhesive polyester label sheets

Catalog #	Description	Color	Qty.
30697	9 in. x 10 in. sheet	Red	1
30698	9 in. x 10 in. sheet	Green	1
30699	9 in. x 10 in. sheet	Yellow	1

Print-Your-Own Labels

Benchtop and portable printers offer you the opportunity to make custom labels on-demand. No need to wait for custom labels to arrive, simply print your own labels at the point of need.



For more information view:
Benchtop printers..... page 26
Portable printers..... page 102



BradyID.com/s36

ToughStripe® Floor Marking Numbers and Letters

- Easy to view 6 in. x 8 in. numbers and letters are ideal for marking aisle-ways, shipping and receiving docks, distribution centers or other areas in your facility
- Material removes cleanly without any unsightly adhesive residue or damage to the floor

	Black 20/pk.	White 20/pk.	Red 20/pk.	Green 20/pk.	Blue 20/pk.	Yellow 20/pk.
0	121847	121848	121849	121850	121851	121852
1	121853	121854	121855	121856	121857	121858
2	121859	121860	121861	121862	121863	121864
3	121865	121866	121867	121868	121869	121870
4	121871	121872	121873	121874	121875	121876
5	121877	121878	121879	121880	121881	121882
6	121883	121884	121885	121886	121887	121888
7	121889	121890	121891	121892	121893	121894
8	121895	121896	121897	121898	121899	121900
9	121901	121902	121903	121904	121905	121906
A	121691	121692	121693	121694	121695	121696
B	121697	121698	121699	121700	121701	121702
C	121703	121704	121705	121706	121707	121708
D	121709	121710	121711	121712	121713	121714
E	121715	121716	121717	121718	121719	121720
F	121721	121722	121723	121724	121725	121726
G	121727	121728	121729	121730	121731	121732
H	121733	121734	121735	121736	121737	121738
I	121739	121740	121741	121742	121743	121744
J	121745	121746	121747	121748	121749	121750

	Black 20/pk.	White 20/pk.	Red 20/pk.	Green 20/pk.	Blue 20/pk.	Yellow 20/pk.
K	121751	121752	121753	121754	121755	121756
L	121757	121758	121759	121760	121761	121762
M	121763	121764	121765	121766	121767	121768
N	121769	121770	121771	121772	121773	121774
O	121775	121776	121777	121778	121779	121780
P	121781	121782	121783	121784	121785	121786
Q	121787	121788	121789	121790	121791	121792
R	121793	121794	121795	121796	121797	121798
S	121799	121800	121801	121802	121803	121804
T	121805	121806	121807	121808	121809	121810
U	121811	121812	121813	121814	121815	121816
V	121817	121818	121819	121820	121821	121822
W	121823	121824	121825	121826	121827	121828
X	121829	121830	121831	121832	121833	121834
Y	121835	121836	121837	121838	121839	121840
Z	121841	121842	121843	121844	121845	121846
Punct. Set*	121907	121908	121909	121910	121911	121912

** Each set includes: 40 periods, 20 commas, 20 question marks, 20 exclamation points, 20 forward slashes, 20 dashes and 20 ampersands.*



15 Series Outdoor Numbers and Letters

- B-946 premium outdoor grade vinyl with permanent pressure sensitive adhesive
- Designed for permanent applications in severe outdoor environments as well as indoors
- Special acrylic adhesive adheres strongly, making marker removal difficult







15 Series Individual Cards

- Sold as individual cards

Catalog #	Character Height	Marker Size	Markers Per Card
Available in letters (A-Z), dashes (DSH) only			
1500-*	0.25 in.	0.375 in. x 0.25 in.	144
Available in numbers (0-9), letters (A-Z), dashes (DSH) and arrows (ARO).			
1520-*	0.625 in.	0.75 in. x 0.562 in.	32
1530-*	1 in.	1.5 in. x 0.875 in.	10
1534-*	2 in.	2.25 in. x 0.875 in.	10
1550-*	3 in.	3.5 in. x 1.5 in.	6
Available in numbers (0-9), letters (A-Z), dashes (DSH)			
1560-*	3.875 in.	5 in. x 1.75 in.	5
1570-*	6 in.	9 in. x 5 in.	1

To order: replace the asterisk (*) with the desired character listed above.

15 Series Combo Packs

- Standard package: 25 assorted cards

Catalog #	Character Height	Marker Size	Markers Per Card
Letter Combo Packs			
1500-LTR KIT	0.25 in.	0.375 in. x 0.25 in.	144
1520-LTR KIT	0.625 in.	0.75 in. x 0.562 in.	32
1530-LTR KIT	1 in.	1.5 in. x 0.875 in.	10
1534-LTR KIT	2 in.	2.25 in. x 0.875 in.	10
1550-LTR KIT	3 in.	3.5 in. x 1.5 in.	6
1560-LTR KIT	3.875 in.	5 in. x 1.75 in.	5
1570-LTR KIT	6 in.	9 in. x 5 in.	1
Number Combo Packs			
1500-# KIT	0.25 in.	0.375 in. x 0.25 in.	144
1520-# KIT	0.625 in.	0.75 in. x 0.562 in.	32
1530-# KIT	1 in.	1.5 in. x 0.875 in.	10
1534-# KIT	2 in.	2.25 in. x 0.875 in.	10
1550-# KIT	3 in.	3.5 in. x 1.5 in.	6
1560-# KIT	3.875 in.	5 in. x 1.75 in.	5
1570-# KIT	6 in.	9 in. x 5 in.	1







34 Series Indoor Numbers and Letters

- B-498 plastic coated cloth numbers and letters with pressure sensitive adhesive
- The adhesive and cloth backing offers excellent holding power, yet allows for clean removal and repositioning if necessary



34 Series Individual Cards

- A single number, letter or character
- Sold as individual cards

Catalog #	Character Height	Marker Size	Markers Per Card
Available in numbers (0-9), letters (A-Z), dashes (DSH)			
3400-*	0.25 in.	0.375 in. x 0.25 in.	144
3410-*	0.375 in.	0.5 in. x 1.031 in.	78
Available in numbers (0-9), letters (A-Z), dashes (DSH) and arrows (ARO).			
3420-*	0.625 in.	0.75 in. x 0.562 in.	32
3430-*	1 in.	1.5 in. x 0.875 in.	10
3440-*	1.937 in.	2.25 in. x 0.875 in.	10
3450-*	2.937 in.	3.5 in. x 1.5 in.	6
Available in numbers (0-9), letters (A-Z), dashes (DSH) and blanks (BLANK).			
3460-*	3.875 in.	5 in. x 1.75 in.	5
3470-*	6 in.	9 in. x 5 in.	1

To order: replace the asterisk (*) with the desired characters listed above.



34 Series Combo Packs

- Combo of all numbers or all letters
- Standard package: 25 assorted cards

Catalog #	Character Height	Marker Size	Markers Per Card
Letter Combo Packs (A-Z)			
3400-LTR KIT	0.25 in.	0.375 in. x 0.25 in.	144
3410-LTR KIT	0.375 in.	0.5 in. x 1.031 in.	78
3420-LTR KIT	0.625 in.	0.75 in. x 0.562 in.	32
3430-LTR KIT	1 in.	1.5 in. x 0.875 in.	10
3440-LTR KIT	1.937 in.	2.25 in. x 0.875 in.	10
3450-LTR KIT	2.937 in.	3.5 in. x 1.5 in.	6
3460-LTR KIT	3.875 in.	5 in. x 1.75 in.	5
3470-LTR KIT	6 in.	9 in. x 5 in.	1
Number Combo Packs (0-9)			
3400-# KIT	0.25 in.	0.375 in. x 0.25 in.	144
3410-# KIT	0.375 in.	0.5 in. x 1.031 in.	78
3420-# KIT	0.625 in.	0.75 in. x 0.562 in.	32
3430-# KIT	1 in.	1.5 in. x 0.875 in.	10
3440-# KIT	1.937 in.	2.25 in. x 0.875 in.	10
3450-# KIT	2.937 in.	3.5 in. x 1.5 in.	6
3460-# KIT	3.875 in.	5 in. x 1.75 in.	5
3470-# KIT	6 in.	9 in. x 5 in.	1



34 Series Consecutive Markers

- Contains sequence on one card (larger sized cards split the alphabet)
- Sold as individual cards

Catalog #	Legend	Char. Height	Marker Size	Markers Per Card
34010	(0-9)	0.25 in.	0.375 x 0.25 in.	144
34110	(0-9)	0.375 in.	0.5 x 1.031 in.	78
34138	(A-Z)	0.375 in.	0.5 x 1.031 in.	78
34210	(0-9)	0.625 in.	0.75 x 0.562 in.	32
34238	(A-Z)	0.625 in.	0.75 x 0.562 in.	32
34310	(0-9)	1 in.	1.5 x 0.875 in.	10
34340	(A-J)	1 in.	1.5 x 0.875 in.	10
34341	(K-T)	1 in.	1.5 x 0.875 in.	10
34342	(U-Z)	1 in.	1.5 x 0.875 in.	10
34410	(0-9)	1.937 in.	2.25 x 0.875 in.	10
34440	(A-J)	1.937 in.	2.25 x 0.875 in.	10
34441	(K-T)	1.937 in.	2.25 x 0.875 in.	10
34442	(U-Z)	1.937 in.	2.25 x 0.875 in.	10





97 Series Indoor / Outdoor Numbers and Letters

- B-946 markers with superior abrasion, chemical and UV resistance
- Designed for permanent applications in indoor and outdoor environments



97 Series Individual Cards

- Sold as individual cards

Catalog #	Card Size	Character Height	Markers Per Card
9712-*	0.75 in. x 2 in.	0.625 in.	20
9713-*	1.5 in. x 1 in.	1 in.	10
9714-*	2.25 in. x 1.8 in.	1.937 in.	5

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z) or dash (DSH).



97 Series Combo Packs

- Standard package: 25 assorted cards

Catalog #	Char. Height	Marker Size	Markers Per Card
Letter Combo Packs			
9712-LTR KIT	0.625 in.	0.75 in. x 2.031 in.	20
9713-LTR KIT	1 in.	1.5 in. x 1.187 in.	10
9714-LTR KIT	2 in.	2.25 in. x 1.187 in.	5
Number Combo Packs			
9712-# KIT	0.625 in.	0.75 in. x 2.031 in.	20
9713-# KIT	1 in.	1.5 in. x 1.187 in.	10
9714-# KIT	2 in.	2.25 in. x 1.187 in.	5

BradyID.com/s36





Helvetica Quik-Align® Kits and 10-Packs

- B-933 vinyl with permanent adhesive
- Self-spacing and self-aligning die-cuts

Helvetica Quik-Align Kits:
10 identical characters or arrows; 5 identical $ or &;
Punctuation includes 5 periods and 5 commas

Size	Black Lowercase	White Lowercase	Black Uppercase
1 in. kit	-	-	-
2 in. kit	80012	80032	-
3 in. kit	80013	80033	-
4 in. kit	80014	80034	-
6 in. kit	80016	80036	-

10-Pack Refills:
10 identical characters or arrows; 5 identical $ or &;
Punctuation includes 5 periods and 5 commas

Size	Black Lowercase	White Lowercase	Black Uppercase	
1 in.	8235-*	8305-*	8200-*	Available in (0-9), (&), ($) only
1.5 in.	8240-*	-	8205-*	Available in (0-9), (&), ($) only
2 in.	8245-*	-		
3 in.	8250-*	8320-*	8215-*	
4 in.	8255-*	8325-*	8220-*	Available in (0-9), (&), ($) only
6 in.	8265-*	8335-*		

Letter sizes refer to uppercase letters, lowercase are proportional.
*To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), (&), ($) or punctuation (PUN).**





Gothic Quik-Align® Kits and 10-Packs

- B-933 vinyl with permanent adhesive
- Self-spacing and self-aligning die-cuts

Gothic Quik-Align Kits:
Includes 20 each of A, E, I, L, N, O, R, S, T, and 0-9;
10 each of remaining letters; 5 each of $ and & punctuation

Size	Black	Black Condensed	White	Yellow	Red
1 in. kit	52203	52180	52204	-	-
2 in. kit	52207	52184	52208	52210	-
3 in. kit	52211	52188	52212	52214	-
4 in. kit	52215	-	52216	-	52213
6 in. kit	52219	-	52220	-	52217

10-Pack Refills:
Includes 10 identical characters or arrows; 5 identical $ or &;
Punctuation includes 5 periods and 5 commas

Size	Black	Black Condensed*	White	Yellow	Red
1 in.	5010-*	-	5040-*	-	-
2 in.	5050-*	6450-*	5080-*	5060-*	-
3 in.	5100-*	6500-*	5130-*	5110-*	5120-*
4 in.	5140-*	-	5170-*	5150-*	5160-*
6 in.	5180-*	-	5210-*	-	-

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), arrow (ARO), ($), (&) or punctuation (PUN).
** Arrows not available in Condensed Black*





3-Series Glow-in-the-Dark Ultra Reflective Numbers and Letters

- 7 times more reflective than other reflective materials
- Black characters w/ glow-in-the-dark border on a highly-reflective silver background
- Designed for permanent application in indoor or outdoor environments

Catalog #	Marker Size	Character Size	Qty
3000-*	2.875 in. x 1.5 in.	2 in.	10
3010-*	3.5 in. x 2.5 in.	3 in.	10
3020-*	6 in. x 3 in.	5 in.	10

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH), blank (BLANK), ampersand (&) or period (PRD).



BradyGlo™ Gothic Quik-Align Numbers and Letters

- Photoluminescent material charges in 5 minutes at 1000 Lux for 10+ hours of glow time
- Consistent glow life and unlimited rechargability
- Complies with ASTM 2030-99

Catalog #	Character Size	Qty
6001-*	1 in.	25
6002-*	2 in.	25
6003-*	3 in.	25
6004-*	4 in.	25

To order: replace the asterisk (*) with the desired number (0-9) or capital letter (A-Z).





Die-cut Magnetic Numbers

- Magnetic numbers are perfect for safety scoreboards

Catalog #	Size	Qty.
57624	1.5 in.	15 each of 0-3; 8 each of 4-9



Aluminum Utility Panels

- 20 mil. aluminum panels are designed to be rugged, yet conform to pole
- Recommended use with B-946 vinyl or B-997 reflective markers
- 7.25 in. panel holds eight markers
- 12 in. panel holds eleven reflective markers or twelve vinyl markers

Catalog #	Panel Size	Qty.
97198	1.75 in. x 7.25 in.	25
97199	1.75 in. x 12 in.	25



Outdoor Numbers and Letters (B-946)

- B-946 tough vinyl film provides high visibility and lasting performance
- UV resistant protects against fading and shrugs off oil and water
- Meets APWA color code: black on orange for communications yellow on black for electric, oil and gas
- Standard package: 1 card

Catalog #	Char. Height	Marker Size	Color	Markers Per Card
6560-*	1 in.	1.5 x 0.875 in.	Blk / Org	10
6570-*	2 in.	2.25 x 0.875 in.	Blk / Org	10
7890-*	1 in.	1.5 x 0.875 in.	Ylw / Blk	10
7897-*	2 in.	2.25 x 0.875 in.	Ylw / Blk	10

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z) or dash (DSH).



Bradylite® Reflective Numbers and Letters (B-997)

- Reflects light 100 times brighter than a plain white surface
- Will perform in tough environmental conditions
- Can be applied in temps as low as 10° F
- Standard package: 25 cards

Catalog #	Char. Height	Marker Size	Color	Markers Per Card
5900-*	1 in.	1.5 x 1 in.	Blk / Slvr	1
5905-*	1 in.	1.5 x 1 in.	Ylw / Blk	1
5920-*	1 in.	1.5 x 1 in.	Blk / Ylw	1
5890-*	1.5 in.	1.875 x 1.375 in.	Ylw / Blk	1
5000-*	2.5 in.	2.875 x 1.75 in.	Ylw / Blk	1
Only available in numbers (0-9) and blank (BLANK)				
5910-*	1 in.	1.5 x 1 in.	Blk / Org	1

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z), dash (DSH) or blank (BLANK)



Pre-printed KVA Markers

- Help determine the KVA classification of pole-mounted transformers
- Yellow numbers printed on B-997 BradyLite Reflective Sheeting
- Come with slit liner for easy application
- Standard Package: 25 cards

Catalog #	Legend	Marker Size	Markers Per Card
50010	7 ½	2.875 in. x 3.25 in.	1
50011	10	2.875 in. x 3.25 in.	1
50012	15	2.875 in. x 3.25 in.	1
50013	25	2.875 in. x 3.25 in.	1
50015	50	2.875 in. x 3.25 in.	1
50016	75	2.875 in. x 3.25 in.	1
50014	37 ½	2.875 in. x 3.25 in.	1
50017	100	2.875 in. x 3.25 in.	1
50018	150	2.875 in. x 3.25 in.	1
50019	167	2.875 in. x 3.25 in.	1
50020	500	2.875 in. x 3.25 in.	1





Seriesystem™ Kit Serialized Markers

- B-498 repositionable vinyl cloth with black character on yellow background
- 10 single digit cards (0-9) included in each kit for replacing numbers
- Standard Package:
  - Legend 01-99 is 6/card, 27 cards/pack
  - Legend 001-999 is 12/card, 94 cards/pack

Catalog #	Legends	Char. Height	Marker Size	Markers Per Card
34353	01-99	1 in.	1.5 x 1.5 in.	6
34253	001-999	0.625 in.	0.75 x 1.5 in.	12





Aluminum Embossed Numbers and Letters

- Roman style numbers and letters contain pre-punched holes for easy installation; 1 in. nails included
- Standard Package: 10

Catalog #	Character Height	Qty.
1600-*	3 in.	10

To order: replace the asterisk (*) with the desired number (0-9), capital letter (A-Z).

Safety and Facility Signs

Safety signs are a necessary and required component for warning and communicating messages or notices to your employees, customers and the general public.

In order to provide a clear and concise message, the sign must meet a variety of requirements and standards. Selecting and placing a safety sign in your facility is more than a workplace requirement, but an opportunity to prevent costly accidents or dangerous hazards within your facility.





Top 5 things to consider when choosing safety signs

1. **Comply with applicable regulations**
   Several regulating bodies come into play when posting signs throughout your facility. Familiarize yourself with these regulations to increase safety and avoid costly fines.
2. **Display a clear and visible message**
   The header you select is directly tied to the severity of the hazard. Make sure you are communicating the correct message with the right sign headers.
3. **Use visually intuitive pictograms**
   75% of knowledge is gained through visuals. Use pictogram visuals to convey your message quickly and more accurately in multi-language environments.
4. **Location, location, location**
   Location is extremely important when it comes to sign placement. Make sure your signs are posted at eye level and in highly visible locations.
5. **Use the right material for your application**
   Brady offers a wide variety of sign materials for unique applications throughout your facility. But make sure you are choosing the right material to avoid having to replace the sign more frequently than needed.


1. Comply with applicable regulations

Check the specific sign requirements of the regulation you're complying with. Exit and fire extinguisher signs are covered by NFPA and IBC, general and chemical hazards by OSHA, traffic and parking signs by the Dept. of Transportation. Layout, text and signal words are covered by OSHA and ANSI. Below are several of the common regulations affecting signs:

Organization	Regulations
OSHA – Occupational Safety and Health Administration	OSHA 1910.37 Means of Egress, General (Exit Signs and Routes) OSHA 1910.144 Safety Color Code for Marking Physical Hazards OSHA 1910.145 Specifications for Accident Prevention Signs and Tags OSHA 1910.146 Permit-Required Confined Spaces OSHA 1910.147 Control of Hazardous Energy (Lockout/Tagout) OSHA 1910.1200 Hazard Communication (includes updated GHS standard) OSHA 1910.303 Electrical Subpart S; ((g)(2)(iii) and (h)(5)(iii)[B] – Warning Signs) OSHA 1926.200 Signs, Signals and Barricades for Construction
DOT – Department of Transportation	Hazardous Materials Warning Placards and Labels - Title 49, Code of Federal Regulations, Part 172 Subpart D–Marking, Subpart E – Labeling, Subpart F-Placarding - Title 49, Code of Federal Regulations, Parts 100-199
NFPA – National Fire Protection Association	NFPA 70: National Electrical Code NFPA 101: Life Safety Code NFPA 101B: Code for Means of Egress for Buildings and Structures NFPA 704: Standard System for the Identification of the Hazards of Materials for Emergency Response
ICC – International Code Council	IBC 2015 International Building Code IFC 2015 International Fire Code
IMO – International Maritime Organization	Resolution A.752(18) Egress and Low Level Lighting
ANSI – American National Standards Institute	ANSI Z535.1-2006 (R2011), Safety Color Code ANSI Z535.2-2011, Environmental and Facility Safety Signs ANSI Z535.3-2011, Criteria for Safety Symbols ANSI Z535.4-2011, Product Safety Signs and Labels
ISO – International Standards Organization	ISO 7010:2011 Prescribes Safety Signs for the Purposes of Accident Prevention, Fire Protection, Health Hazard Information and Emergency Evacuation. ISO 7001:2007 Graphical Symbols, Public Information Symbols
ADA – Americans with Disabilities Act	2010 ADA Standards for Accessible Design; 703 Signs Meet Occupational Health Administration (OSHA 1910.145) and ANSI (ANSI Z535) regulations and guidelines.

ANSI sign standard increases comprehension and safety

Under OSHA's Hazard Communication Standard update, organizations can now use either the American National Standard Institute (ANSI) standards from 1967-1968 (ANSI Z53.1, Z35.1 and Z35.2) or from 2011 (ANSI Z535.1, Z535.2 and Z535.5) for safety signage.




Previous standard **New standard**

Redesign includes:

1. A safety alert symbol in the header
2. Three part text statement with:
   - the hazard
   - the possible consequences
   - how to avoid the hazard
3. More visual pictograms

2. Display a clear and visible message

Sign headers may seem interchangeable, but actually deliver very different messages. ANSI and OSHA specify that safety signs must indicate and define specific hazards that, without identification, may lead to accidental injury to workers, customers or the general public.



3. Use visually intuitive pictograms for increased comprehension

As immigration rates increase and demographics evolve, it is essential to communicate messages across many different cultural backgrounds. Everyone within the facility should be able to understand the message being communicated.

Pictograms provide a universal way to communicate warnings to all employees and visitors, regardless of language or demographic, and can provide a better understanding of hazards. Pictograms provide an easy to understand alternative to multi-lingual signs, which can often be difficult to read.

Examples of standard ISO pictograms are below:



Safety sign letter height (ANSI Z535.2-2011)

The size and letter height used on your sign makes a difference in the readability and clarity of your message.

9.2.2 Overall size of the lettering

The overall size of the lettering shall be determined by the distance from which the sign can be safely and easily read. The message should be concise and practical. Letters shall be adequately spaced and not crowded.

9.2.3 Minimum letter height

Minimum letter height shall be one unit in height for every 150 units of safe viewing distance from the hazard alerting device for signal words and one unit in height for every 300 units viewing distance for the majority of other words contained on the word message panel. The safe viewing distance must be determined for each specific case where a safety sign is needed. The message panel text shall meet the legibility criteria at the determined safe viewing distance.

Viewing Distance	< 4 ft.	5 ft.	8 ft.	10 ft.	15 ft.	20 ft.	30 ft.	40 ft.	60 ft.	80 ft.	100 ft.	125 ft.	150 ft.	200 ft.
In favorable reading conditions minimum letter height is:	0.16 in. *	0.24 in.	0.32 in.	0.40 in.	0.60 in.	0.80 in.	1.20 in.	1.60 in.	2.40 in.	3.20 in.	4.00 in.	5.00 in.	6.00 in.	8.00 in.
In unfavorable reading conditions recommended letter height is:	0.33 in.	0.50 in.	0.66 in.	0.83 in.	1.27 in.	1.68 in.	2.51 in.	3.36 in.	5.04 in.	6.72 in.	8.40 in.	10.49 in.	12.58 in.	16.79 in.

**0.16 inch (4.1 mm) is the suggested minimum type size for use on environmental / facility safety signs.*

4. Sign locations

It is important that your sign will communicate the safety message to all of your employees, customers and the general public. The sign should be clear, concise and placed in a highly visible location. Placement of the sign is a key aspect in transmitting your message.



Keep the following in mind when choosing sign locations.

- ✔ Signs must be clear, visible and unobstructed.
- ✔ Signs must be placed to alert and inform employees of hazards. They should have sufficient time to avoid the hazard and take appropriate action.
- ✔ Lighting, maintenance and storage should be considered during the placement process to make sure the sign can be clearly illuminated.
- ✔ Inspect, maintain and keep signs clean to ensure they are in good condition.
- ✖ Signs should not be placed in moveable areas or near areas that could obstruct sign visibility.
- ✖ If the message is no longer relevant or the hazard ceases to exist, the sign should be removed as soon as possible.





Brady signs help keep your employees and visitors safe – both inside and outside your facility.

Examples of indoor locations

- Areas with restricted access
- Areas with PPE requirements
- Established emergency egress routes
- Locations with hazardous materials, electrical and confined spaces
- Around machine and equipment
- Areas prone to slips, trips and falls
- Areas with fire, emergency and first aid equipment













Examples of outdoor applications

- Control the flow of vehicle traffic
- Indicate vistor, employee and handicap parking
- Outside shipping and receiving areas
- Around storage and equipment area
- Post security policies including no smoking or prohibited weapons
- Areas of restricted access or admission including employee and visitor entrances













5. The right material for your application

Choosing a sign material may not seem significant, but it's important to remember that different materials are equipped for different environments and applications. If you don't select the proper material, you could end up having to replace the sign more frequently than needed.

Sign Material Comparison

Material Type	Description		Protected Graphics	For Outdoor Use	Average Outdoor Durability	Chemical Resistance	Abrasion Resistance	Max. Temp	Thickness (inch)
Flexible Sign Materials									
Adhesive	B-302	High performance polyester	✔	✔	8 years	Excellent	Excellent	230° F (100° C)	.006-.010
Adhesive	B-324	BradyGlo™ photoluminescent polyester		-	-	Good	Good	176° F (80° C)	.008
Adhesive	B-485	Polyester film	✔	-	-	Good	Good	122° F (50° C)	.011
Adhesive	B-523	Photoluminescent polyester film		-	-	Good	Good	176° F (80° C)	.0096
Adhesive	B-534	Polyester floor sign with anti-skid tread	✔	-	-	Good	Good	130° F (54° C)	.011
Adhesive	B-808	BradyGlo anti-slip polyester floor sign	✔	-	-	Good	Good	158° F (70° C)	.017
Adhesive	B-819	Anti-slip vinyl floor sign	✔	-	-	Good	Good	158° F (70° C)	.012
Adhesive	B-928	Write-on vinyl with cold temp adhesive	-	✔	2 years	Good	Good	176° F (80° C)	.005
Adhesive	B-946	Self-sticking vinyl	-	✔	10 years	Fair	Good	180° F (82° C)	.004
Adhesive	B-984	Photoluminescent polyester film	-	-	-	Good	Good	176° F (80° C)	.013
Adhesive	B-997	BradyLite® reflective vinyl	-	✔	4-6 years	Good	Good	200° F (93° C)	.007
Non-Adhesive	B-101	Polycoated tagstock	-	-	-	Good	Good	158° F (70° C)	.010
Non-Adhesive	B-586	Eco-friendly paperboard	-	-	-	Good	Good	175° F (80° C)	.060
Non-Adhesive	B-811	Magnetic vinyl	-	✔	2-4 years	Good	Good	158° F (70° C)	.025
Rigid Sign Materials									
Metal	B-555	Aluminum	✔	✔	8 years	Excellent	Excellent	230° F (110° C)	.040-.090
Metal	B-959	Reflective aluminum	-	✔	4-8 years	Good	Good	175° F (80° C)	.040-.080
Metal	B-986	Photoluminescent polyester film on aluminum	-	-	-	Good	Good	175° F (80° C)	.049
Metal	B-995	Diamond-grade™ reflective aluminum	-	✔	7 years	Good	Good	212° F (100° C)	.097
Fiberglass	B-120	Premium fiberglass	✔	✔	25 years	Excellent	Excellent	193° F (90° C)	.100
Fiberglass	B-140	Polyester on fiberglass	✔	✔	8 years	Excellent	Excellent	175° F (79° C)	.070
Fiberglass	B-320	Sub surface printed lexan on fiberglass	✔	✔	8 years	Good	Good	175° F (79° C)	.070
Fiberglass	B-382	Sub surface printed polycarbonate on fiberglass	✔	✔	8 years	Good	Good	175° F (79° C)	.090
Plastic	B-1	Thermoset plastic	-	✔	8 years	Good	Good	193° F (89° C)	.062
Plastic	B-347	BradyGlo™ phosphorescent polyester on polystyrene	-	-	-	Good	Good	175° F (79° C)	.068
Plastic	B-355	BradyGlo steel encased photoluminescent plastic	--	-	-	Good	Good	122° F (50° C)	.250
Plastic	B-401	Polystyrene plastic	✔	✔	5 years	Good	Good	175° F (79° C)	.060
Plastic	B-450	Polyethylene plastic	-	-	-	Good	Good	180° F (82° C)	.055
Plastic	B-493	Plastic v-shaped signs	-	✔	2 years	Good	Good	193° F (90° C)	.100
Plastic	B-563	Eco-friendly plastic (70% post consumer waste)	-	✔	5 years	Good	Good	185° F (85° C)	.055
Plastic	B-793	Polystyrene	-	✔	1-3 years	Poor	Good	165° F (74° C)	-
Plastic	B-836	Temporary sign fluted polypropylene	-	✔	1 year	Good	Good	130° F (54° C)	.156
Plastic	B-866	ToughWash® Polypropylene	✔	-	-	Excellent	Good	175° F (80° C)	.035
Plastic	B-869	ToughWash Metal-Detectable Polypropylene	✔	-	-	Good	Good	175° F (80° C)	.098
Plastic	B-985	Photoluminescent polyester film on polystyrene	-	-	-	Good	Good	175° F (80° C)	.069

Most popular sign materials

Rigid



B-120 Premium fiberglass

B-120 Premium fiberglass (FB)

- Most durable material – will not chip, fade, rust, shatter or peel
- Graphics protected under fiberglass layer
- Excellent chemical and abrasion resistance and ideal for outdoor and harsh environments
- Up to 25 year outdoor life



B-555 Aluminum

B-555 Aluminum (AL)

- Durable for outdoor usage – withstands wind, rain, sunlight and high temperatures
- Uses UV inks and UV clear coat protection for fade resistance
- Used for parking, building and informational signs
- 5-8 year outdoor life



B-401 Plastic

B-401 Plastic (PL)

- Cost-effective durable polystyrene
- Ideal for directional, informational, department and safety applications
- Conforms to well-curved surfaces
- Up to 5 year outdoor life

Flexible



B-302 Self-sticking polyester

B-302 Self-sticking polyester (SS)

- Withstands wide temperature variations (up to 230° F)
- Protected graphics holds up to repeated spills and cleanings
- Permanent adhesive ideal for machine / equipment signs and labeling
- Up to 8 year outdoor life



B-946 Self-sticking vinyl

B-946 Self-sticking durable vinyl (SSV)

- High gloss vinyl printed with UV resistant inks
- Permanent cold temp acrylic adhesive
- Good for outdoor applications on curved sufaces
- Fair chemical and abrasion resistance
- Durable, provides up to 10 years outdoor life

Design Online

Custom Safety Signs



With Brady's online design tool, creating custom safety signs is simple, affordable and fast.

- Custom message
- Variety of materials
- No minimum order
- Sizes range from 3.5 in. to 36 in.
- Ships quickly

Design your signs at BradyID.com



Signs Table of Contents

Use the following to view signs group by legend topics.

Each section is arranged alphabetically by header, then by legend.

Can't find your sign?
View the Sign Legend Index
(Page 588)

Example:



124745	7" x 10"	SS
124748	10" x 14"	SS
124744	7" x 10"	PL
124747	10" x 14"	PL
124743	7" x 10"	AL
124746	10" x 14"	AL

Catalog # **Size** **Material**



Safety and Facility

Admittance 412
ANSI Z535 420
Bilingual / Spanish 434
Biohazard 445
Blank Signs 446
Braille Signs 447
Chemical: Hazardous Material 448
Chemical: Proposition 65 461
Chemical: Vehicle Placards 463
Confined Space 466
Construction Site 469
Door 470
Electrical Hazard 472
Exit / Directional 475
Exit / Directional: Severe Weather 479
Evacuation / Assembly Point 484
Evacuation IMO 485
Fire Safety 486
First Aid 493
Floor 496
Funny 498
High Visibility 499
Hospital 502
Lockout Tagout 504
Machine and Operational 506
Maintenance 518
No Cellular Phones 521
No Firearms / Concealed Carry 521
No Smoking / Smoking Areas 522
Personal Hygiene 528
Personal Protection (PPE) 529
Radiation and Laser 541
Recycle and Environment 544
Restroom 545
Safety Sign Sliders 546
Safety Banners 548
Safety Posters 551
Safety Slogans 553
Scoreboards 554
Security 555
Temporary 558
ToughWash® Signs 559

Traffic

Parking 560
Parking: E-Vehicle 565
Parking: Handicapped 566
Rail Road Traffic 568
Road Construction 569
Shipping / Receiving Traffic 570
Traffic Control 573

Misc.

Sign Accessories 578
Custom Signs 583
Sign Legend Index 588

Admittance Signs

Brady admittance signs indicate and identify areas of access and are required in virtually every workplace. They alert employees to potential hazards, safety warning and cautionary notices. They also restrict access to property and are available in a variety of sizes and materials.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



124649	7" x 10"	SS
124652	10" x 14"	SS
124648	7" x 10"	PL
124651	10" x 14"	PL
124647	7" x 10"	AL
124650	10" x 14"	AL



124655	7" x 10"	SS
124658	10" x 14"	SS
124654	7" x 10"	PL
124657	10" x 14"	PL
124653	7" x 10"	AL
124656	10" x 14"	AL



95329	7" x 10"	FB
95333	10" x 14"	FB
95326	7" x 10"	SS
95330	10" x 14"	SS
95327	7" x 10"	PL
95332	10" x 14"	PL
95328	7" x 10"	AL
95331	10" x 14"	AL



84002	7" x 10"	SS
84003	10" x 14"	SS
22053	7" x 10"	PL
22054	10" x 14"	PL
40617	7" x 10"	AL
40618	10" x 14"	AL



84006	7" x 10"	SS
84007	10" x 14"	SS
40621	7" x 10"	AL
40622	10" x 14"	AL



95341	10" x 14"	FB
95338	10" x 14"	SS
95335	7" x 10"	PL
95340	10" x 14"	PL
95339	10" x 14"	AL



75444	7" x 10"	FB
47093	10" x 14"	FB
84008	7" x 10"	SS
84009	10" x 14"	SS
22059	7" x 10"	PL
22060	10" x 14"	PL
40623	7" x 10"	AL
40624	10" x 14"	AL



124667	7" x 10"	SS
124670	10" x 14"	SS
124666	7" x 10"	PL
124669	10" x 14"	PL
124665	7" x 10"	AL
124668	10" x 14"	AL



69102	10" x 14"	FB
84010	7" x 10"	SS
84011	10" x 14"	SS
22061	7" x 10"	PL
22062	10" x 14"	PL
40625	7" x 10"	AL
40626	10" x 14"	AL



69103	10" x 14"	FB
84012	7" x 10"	SS
84013	10" x 14"	SS
22063	7" x 10"	PL
22064	10" x 14"	PL
40627	7" x 10"	AL
40628	10" x 14"	AL



69106	10" x 14"	FB
84014	7" x 10"	SS
84015	10" x 14"	SS
22065	7" x 10"	PL
22066	10" x 14"	PL
40629	7" x 10"	AL
40630	10" x 14"	AL



124661	7" x 10"	SS
124664	10" x 14"	SS
124660	7" x 10"	PL
124663	10" x 14"	PL
124659	7" x 10"	AL
124662	10" x 14"	AL



124673	7" x 10"	SS
124676	10" x 14"	SS
124672	7" x 10"	PL
124675	10" x 14"	PL
124671	7" x 10"	AL
124674	10" x 14"	AL



124679	7" x 10"	SS
124682	10" x 14"	SS
124678	7" x 10"	PL
124681	10" x 14"	PL
124677	7" x 10"	AL
124680	10" x 14"	AL



84018	7" x 10"	SS
84019	10" x 14"	SS
22067	7" x 10"	PL
40631	7" x 10"	AL
40632	10" x 14"	AL



124685	7" x 10"	SS
124688	10" x 14"	SS
124684	7" x 10"	PL
124687	10" x 14"	PL
124683	7" x 10"	AL
124686	10" x 14"	AL



124697	7" x 10"	SS
124700	10" x 14"	SS
124696	7" x 10"	PL
124699	10" x 14"	PL
124695	7" x 10"	AL
124698	10" x 14"	AL



124691	7" x 10"	SS
124694	10" x 14"	SS
124690	7" x 10"	PL
124693	10" x 14"	PL
124689	7" x 10"	AL
124692	10" x 14"	AL



124703	7" x 10"	SS
124706	10" x 14"	SS
124702	7" x 10"	PL
124705	10" x 14"	PL
124701	7" x 10"	AL
124704	10" x 14"	AL



95345	7" x 10"	FB
95349	10" x 14"	FB
95346	10" x 14"	SS
95343	7" x 10"	PL
95348	10" x 14"	PL
95344	7" x 10"	AL
95347	10" x 14"	AL



73472	14" x 20"	FB
84026	7" x 10"	SS
84027	10" x 14"	SS
22069	7" x 10"	PL
22070	10" x 14"	PL
40633	7" x 10"	AL



124709	7" x 10"	SS
124712	10" x 14"	SS
124708	7" x 10"	PL
124711	10" x 14"	PL
124707	7" x 10"	AL
124710	10" x 14"	AL



124715	7" x 10"	SS
124718	10" x 14"	SS
124714	7" x 10"	PL
124717	10" x 14"	PL
124713	7" x 10"	AL
124716	10" x 14"	AL



124721	7" x 10"	SS
124724	10" x 14"	SS
124720	7" x 10"	PL
124723	10" x 14"	PL
124719	7" x 10"	AL
124722	10" x 14"	AL

Admittance Signs (continued)



124727	7" x 10"	SS
124730	10" x 14"	SS
124726	7" x 10"	PL
124729	10" x 14"	PL
124725	7" x 10"	AL
124728	10" x 14"	AL



124733	7" x 10"	SS
124736	10" x 14"	SS
124732	7" x 10"	PL
124735	10" x 14"	PL
124731	7" x 10"	AL
124734	10" x 14"	AL



70820	14" x 20"	FB
84032	7" x 10"	SS
84033	10" x 14"	SS
22071	7" x 10"	PL
22072	10" x 14"	PL
40635	7" x 10"	AL
40636	10" x 14"	AL



84034	7" x 10"	SS
84035	10" x 14"	SS
22074	10" x 14"	PL
40637	7" x 10"	AL
40638	10" x 14"	AL



95369	7" x 10"	FB
95373	10" x 14"	FB
95366	7" x 10"	SS
95370	10" x 14"	SS
95367	7" x 10"	PL
95372	10" x 14"	PL
SP430D	14" x 10"	PL
95368	7" x 10"	AL
95371	10" x 14"	AL



118156	7" x 10"	EcoSS
118157	10" x 14"	EcoSS
116100	7" x 10"	EcoPL
116101	10" x 14"	EcoPL
115936	7" x 10"	EcoPaper



41502	7" x 10"	PL



131637	7" x 10"	FB
131638	10" x 14"	FB
131635	7" x 10"	SS
131636	10" x 14"	SS
131633	7" x 10"	PL
131634	10" x 14"	PL
131631	7" x 10"	AL
131632	10" x 14"	AL



10825	10" x 14"	B-140



95396	7" x 10"	FB
95400	10" x 14"	FB
95393	7" x 10"	SS
95397	10" x 14"	SS
95394	7" x 10"	PL
95399	10" x 14"	PL
95395	7" x 10"	AL
95398	10" x 14"	AL



131645	7" x 10"	FB
131646	10" x 14"	FB
131643	7" x 10"	SS
131644	10" x 14"	SS
131641	7" x 10"	PL
131642	10" x 14"	PL
131639	7" x 10"	AL
131640	10" x 14"	AL



70852	14" x 20"	FB
84036	7" x 10"	SS
84037	10" x 14"	SS
22075	7" x 10"	PL
22076	10" x 14"	PL
40639	7" x 10"	AL
40640	10" x 14"	AL



69771	10" x 14"	FB
84038	7" x 10"	SS
84039	10" x 14"	SS
22077	7" x 10"	PL
22078	10" x 14"	PL
40641	7" x 10"	AL
40642	10" x 14"	AL



124745	7" x 10"	SS
124748	10" x 14"	SS
124744	7" x 10"	PL
124747	10" x 14"	PL
124743	7" x 10"	AL
124746	10" x 14"	AL



70885	7" x 10"	FB
122714	10" x 14"	FB
87750	3.5" x 5"	SS
84571	7" x 10"	SS
84572	10" x 14"	SS
22433	7" x 10"	PL
22434	10" x 14"	PL
40997	7" x 10"	AL
40998	10" x 14"	AL



118162	7" x 10"	EcoSS
118163	10" x 14"	EcoSS
116106	7" x 10"	EcoPL
116107	10" x 14"	EcoPL
115943	10" x 14"	EcoPaper



131621	7" x 10"	FB
131622	10" x 14"	FB
131619	7" x 10"	SS
131620	10" x 14"	SS
131617	7" x 10"	PL
131618	10" x 14"	PL
131615	7" x 10"	AL
131616	10" x 14"	AL



69109	7" x 17"	FB



69097	10" x 14"	FB
84054	7" x 10"	SS
84055	10" x 14"	SS
22082	10" x 14"	PL
40645	7" x 10"	AL
40646	10" x 14"	AL



118164	7" x 10"	EcoSS
118165	10" x 14"	EcoSS
116108	7" x 10"	EcoPL
116109	10" x 14"	EcoPL
115944	7" x 10"	EcoPaper
115945	10" x 14"	EcoPaper



131629	7" x 10"	FB
131630	10" x 14"	FB
131627	7" x 10"	SS
131628	10" x 14"	SS
131625	7" x 10"	PL
131626	10" x 14"	PL
131623	7" x 10"	AL
131624	10" x 14"	AL



69111	10" x 14"	FB
84056	7" x 10"	SS
84057	10" x 14"	SS
22083	7" x 10"	PL
22084	10" x 14"	PL
40647	7" x 10"	AL



123619	7" x 10"	SS
123622	10" x 14"	SS
123618	7" x 10"	PL
123621	10" x 14"	PL
123617	7" x 10"	AL
123620	10" x 14"	AL



124757	7" x 10"	SS
124760	10" x 14"	SS
124756	7" x 10"	PL
124759	10" x 14"	PL
124755	7" x 10"	AL
124758	10" x 14"	AL



69101	10" x 14"	FB
84060	7" x 10"	SS
84061	10" x 14"	SS
22086	10" x 14"	PL
40649	7" x 10"	AL
40650	10" x 14"	AL



124739	7" x 10"	SS
124742	10" x 14"	SS
124738	7" x 10"	PL
124741	10" x 14"	PL
124737	7" x 10"	AL
124740	10" x 14"	AL



69105	10" x 14"	FB
84062	7" x 10"	SS
84063	10" x 14"	SS
22087	7" x 10"	PL
22088	10" x 14"	PL



69108	10" x 14"	FB
84064	7" x 10"	SS
84065	10" x 14"	SS
22089	7" x 10"	PL
22090	10" x 14"	PL
40654	10" x 14"	AL



124763	7" x 10"	SS
124766	10" x 14"	SS
124762	7" x 10"	PL
124765	10" x 14"	PL
124761	7" x 10"	AL
124764	10" x 14"	AL

BradyID.com/s36

Admittance Signs (continued)



71543	7" x 10"	FB
71545	10" x 14"	FB
87754	3.5" x 5"	SS
84068	7" x 10"	SS
84069	10" x 14"	SS
22093	7" x 10"	PL
22094	10" x 14"	PL
40657	7" x 10"	AL
40658	10" x 14"	AL



131721	7" x 10"	FB
131722	10" x 14"	FB
131719	7" x 10"	SS
131720	10" x 14"	SS
131717	7" x 10"	PL
131718	10" x 14"	PL
131715	7" x 10"	AL
131716	10" x 14"	AL



95357	7" x 10"	FB
69193	10" x 14"	FB
87755	3.5" x 5"	SS
84066	7" x 10"	SS
84067	10" x 14"	SS
22091	7" x 10"	PL
22092	10" x 14"	PL
40655	7" x 10"	AL
40656	10" x 14"	AL



124769	7" x 10"	SS
124772	10" x 14"	SS
124768	7" x 10"	PL
124771	10" x 14"	PL
124767	7" x 10"	AL
124770	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



124751	7" x 10"	SS
124754	10" x 14"	SS
124750	7" x 10"	PL
124753	10" x 14"	PL
124749	7" x 10"	AL
124752	10" x 14"	AL



70330	10" x 14"	FB
85174	10" x 14"	SS
25659	10" x 14"	PL
43236	10" x 14"	AL



124775	7" x 10"	SS
124778	10" x 14"	SS
124774	7" x 10"	PL
124777	10" x 14"	PL
124773	7" x 10"	AL
124776	10" x 14"	AL



69273	10" x 14"	FB
22097	7" x 10"	PL
22098	10" x 14"	PL
40661	7" x 10"	AL
40662	10" x 14"	AL



95407	10" x 14"	FB
70371	14" x 20"	FB
84074	7" x 10"	SS
84075	10" x 14"	SS
22099	7" x 10"	PL
22100	10" x 14"	PL
40663	7" x 10"	AL
40664	10" x 14"	AL



45470	7" x 10"	FB
45471	10" x 14"	FB
45472	14" x 20"	FB
89174	3.25" x 4.5"	SS
84082	3.5" x 5"	SS
84083	7" x 10"	SS
84084	10" x 14"	SS
22103	7" x 10"	PL
22104	10" x 14"	PL
40667	7" x 10"	AL
40668	10" x 14"	AL



131661	7" x 10"	FB
131662	10" x 14"	FB
131659	7" x 10"	SS
131660	10" x 14"	SS
131657	7" x 10"	PL
131658	10" x 14"	PL
131655	7" x 10"	AL



122894	7" x 10"	FB
122756	10" x 14"	FB
71580	14" x 20"	FB
87751	3.5" x 5"	SS
84085	7" x 10"	SS
84086	10" x 14"	SS
22105	7" x 10"	PL
22106	10" x 14"	PL
40669	7" x 10"	AL
40670	10" x 14"	AL



47006	10" x 14"	FB
84089	7" x 10"	SS
84090	10" x 14"	SS
40671	7" x 10"	AL
40672	10" x 14"	AL



124781	7" x 10"	SS
124784	10" x 14"	SS
124780	7" x 10"	PL
124783	10" x 14"	PL
124779	7" x 10"	AL
124782	10" x 14"	AL



124787	7" x 10"	SS
124790	10" x 14"	SS
124786	7" x 10"	PL
124789	10" x 14"	PL
124785	7" x 10"	AL
124788	10" x 14"	AL



47152	7" x 10"	FB
84091	7" x 10"	SS
84092	10" x 14"	SS
22109	7" x 10"	PL
22110	10" x 14"	PL
40673	7" x 10"	AL
40674	10" x 14"	AL



124793	7" x 10"	SS
124796	10" x 14"	SS
124792	7" x 10"	PL
124795	10" x 14"	PL
124791	7" x 10"	AL
124794	10" x 14"	AL



95356	7" x 10"	FB
75478	14" x 20"	FB
47008	10" x 14"	FB
87759	3.5" x 5"	SS
84095	7" x 10"	SS
84096	10" x 14"	SS
22111	7" x 10"	PL
22112	10" x 14"	PL
40675	7" x 10"	AL
40676	10" x 14"	AL



118189	7" x 10"	EcoSS
118188	10" x 14"	EcoSS
116133	7" x 10"	EcoPL
116132	10" x 14"	EcoPL



131653	7" x 10"	FB
131654	10" x 14"	FB
131651	7" x 10"	SS
131652	10" x 14"	SS
131649	7" x 10"	PL
131650	10" x 14"	PL
131647	7" x 10"	AL
131648	10" x 14"	AL



73430	14" x 20"	FB
84097	7" x 10"	SS
22113	7" x 10"	PL
22114	10" x 14"	PL
40677	7" x 10"	AL
40678	10" x 14"	AL



123721	7" x 10"	SS
123724	10" x 14"	SS
123720	7" x 10"	PL
123723	10" x 14"	PL
123719	7" x 10"	AL
123722	10" x 14"	AL



84101	7" x 10"	SS
22115	7" x 10"	PL
22116	10" x 14"	PL
40679	7" x 10"	AL
40680	10" x 14"	AL



124799	7" x 10"	SS
124802	10" x 14"	SS
124798	7" x 10"	PL
124801	10" x 14"	PL
124797	7" x 10"	AL
124800	10" x 14"	AL



95392	10" x 14"	FB
95389	10" x 14"	SS
95391	10" x 14"	PL
95390	10" x 14"	AL



95361	7" x 10"	FB
95365	10" x 14"	FB
132057	7" x 10"	SS
95362	10" x 14"	SS
95359	7" x 10"	PL
95364	10" x 14"	PL
95360	7" x 10"	AL
95363	10" x 14"	AL



123703	10" x 7"	SS
123706	14" x 10"	SS
123702	10" x 7"	PL
123705	14" x 10"	PL
123701	10" x 7"	AL
123704	14" x 10"	AL



70456	7" x 17"	FB

BRADY

Admittance Signs (continued)



69410	10" x 14"	FB
84103	7" x 10"	SS
84104	10" x 14"	SS
22117	7" x 10"	PL
22118	10" x 14"	PL
40681	7" x 10"	AL
40682	10" x 14"	AL



70479	10" x 14"	FB
84107	7" x 10"	SS
84108	10" x 14"	SS
22121	7" x 10"	PL
22122	10" x 14"	PL
40685	7" x 10"	AL
40686	10" x 14"	AL



69473	10" x 14"	FB
84110	10" x 14"	SS
22123	7" x 10"	PL
22124	10" x 14"	PL
40687	7" x 10"	AL
40688	10" x 14"	AL



69461	10" x 14"	FB
84111	7" x 10"	SS
84112	10" x 14"	SS
22125	7" x 10"	PL
22126	10" x 14"	PL
40689	7" x 10"	AL
40690	10" x 14"	AL



84113	7" x 10"	SS
84114	10" x 14"	SS
22127	7" x 10"	PL
22128	10" x 14"	PL
40691	7" x 10"	AL
40692	10" x 14"	AL



95378	7" x 10"	FB
95382	10" x 14"	FB
95375	7" x 10"	SS
95379	10" x 14"	SS
95376	7" x 10"	PL
95381	10" x 14"	PL
95377	7" x 10"	AL
95380	10" x 14"	AL



70565	7" x 17"	FB



74391	10" x 14"	FB
84115	7" x 10"	SS
22129	7" x 10"	PL
22130	10" x 14"	PL
40694	10" x 14"	AL



69380	10" x 14"	FB
84119	7" x 10"	SS
84120	10" x 14"	SS
22131	7" x 10"	PL
22132	10" x 14"	PL
40695	7" x 10"	AL
40696	10" x 14"	AL



69382	10" x 14"	FB
84122	10" x 14"	SS
22133	7" x 10"	PL
22134	10" x 14"	PL
40698	10" x 14"	AL



95321	7" x 10"	FB
84123	7" x 10"	SS
84124	10" x 14"	SS
22135	7" x 10"	PL
22136	10" x 14"	PL
40699	7" x 10"	AL
40700	10" x 14"	AL



69387	10" x 14"	FB
22137	7" x 10"	PL
22138	10" x 14"	PL
40702	10" x 14"	AL



40703	7" x 10"	AL
40704	10" x 14"	AL



95214	7" x 10"	FB
95230	10" x 14"	FB
95211	7" x 10"	SS
95212	7" x 10"	PL
95213	7" x 10"	AL
95216	10" x 14"	AL



95278	10" x 14"	FB
95268	7" x 10"	SS
60578	10" x 14"	SS
95275	7" x 10"	PL
60539	10" x 14"	PL
95270	7" x 10"	AL
60510	10" x 14"	AL



73476	7" x 10"	FB
70602	10" x 14"	FB
84129	7" x 10"	SS
84130	10" x 14"	SS
22141	7" x 10"	PL
22142	10" x 14"	PL
40705	7" x 10"	AL
40706	10" x 14"	AL



95284	7" x 17"	FB
95259	10" x 14"	FB
95254	7" x 10"	SS
95258	10" x 14"	SS
95256	7" x 10"	PL
25901	10" x 14"	PL
95255	7" x 10"	AL
43478	10" x 14"	AL



131677	7" x 10"	FB
131678	10" x 14"	FB
131675	7" x 10"	SS
131676	10" x 14"	SS
131673	7" x 10"	PL
131674	10" x 14"	PL
131671	7" x 10"	AL
131672	10" x 14"	AL



124811	7" x 10"	SS
124814	10" x 14"	SS
124810	7" x 10"	PL
124813	10" x 14"	PL
124809	7" x 10"	AL
124812	10" x 14"	AL



124817	7" x 10"	SS
124820	10" x 14"	SS
124816	7" x 10"	PL
124819	10" x 14"	PL
124815	7" x 10"	AL
124818	10" x 14"	AL



131669	7" x 10"	FB
131670	10" x 14"	FB
131667	7" x 10"	SS
131668	10" x 14"	SS
131665	7" x 10"	PL
131666	10" x 14"	PL
131663	7" x 10"	AL
131664	10" x 14"	AL



47327	10" x 14"	FB
84131	7" x 10"	SS
84132	10" x 14"	SS
22143	7" x 10"	PL
22144	10" x 14"	PL
40707	7" x 10"	AL
40708	10" x 14"	AL



69210	10" x 14"	FB
84133	7" x 10"	SS
84134	10" x 14"	SS
22145	7" x 10"	PL
22146	10" x 14"	PL
40709	7" x 10"	AL
40710	10" x 14"	AL



95240	7" x 10"	FB
70667	10" x 14"	FB
84732	7" x 10"	SS
84733	10" x 14"	SS
22537	7" x 10"	PL
22538	10" x 14"	PL
41101	7" x 10"	AL
41102	10" x 14"	AL





124823	7" x 10"	SS
124826	10" x 14"	SS
124822	7" x 10"	PL
124825	10" x 14"	PL
124821	7" x 10"	AL
124824	10" x 14"	AL



124829	7" x 10"	SS
124832	10" x 14"	SS
124828	7" x 10"	PL
124831	10" x 14"	PL
124827	7" x 10"	AL
124830	10" x 14"	AL



122854	7" x 10"	FB
70699	10" x 14"	FB
122654	7" x 10"	SS
84138	10" x 14"	SS
22147	7" x 10"	PL
22148	10" x 14"	PL
40711	7" x 10"	AL
40712	10" x 14"	AL



84140	10" x 14"	SS
22150	10" x 14"	PL
40713	7" x 10"	AL
40714	10" x 14"	AL

BradyID.com/s36

Admittance Signs (continued)



84141	7" x 10"	SS
84142	10" x 14"	SS
22151	7" x 10"	PL
22152	10" x 14"	PL
40715	7" x 10"	AL
40716	10" x 14"	AL



95324	7" x 10"	FB
84143	7" x 10"	SS
84144	10" x 14"	SS
40717	7" x 10"	AL
40718	10" x 14"	AL



84146	10" x 14"	SS
22156	10" x 14"	PL
40720	10" x 14"	AL



70713	10" x 14"	FB
84149	7" x 10"	SS
84150	10" x 14"	SS
22157	7" x 10"	PL
22158	10" x 14"	PL
40721	7" x 10"	AL
40722	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



25902	10" x 14"	PL
43479	10" x 14"	AL



84908	10" x 14"	SS
23092	10" x 14"	PL
84907	10" x 14"	AL



84151	7" x 10"	SS
84152	10" x 14"	SS
22160	10" x 14"	PL
40723	7" x 10"	AL
40724	10" x 14"	AL



84153	7" x 10"	SS
84154	10" x 14"	SS
22161	7" x 10"	PL
22162	10" x 14"	PL
40725	7" x 10"	AL
40726	10" x 14"	AL



122850	7" x 10"	FB
47330	10" x 14"	FB
75510	14" x 20"	FB
84155	7" x 10"	SS
84156	10" x 14"	SS
22163	7" x 10"	PL
22164	10" x 14"	PL
122412	7" x 10"	AL
40728	10" x 14"	AL



95285	7" x 17"	FB



95236	10" x 14"	SS
95233	7" x 10"	PL
95238	10" x 14"	PL
95237	10" x 14"	AL



95283	7" x 10"	FB
95291	10" x 14"	FB
95279	7" x 10"	SS
95288	10" x 14"	SS
95280	7" x 10"	PL
95290	10" x 14"	PL
95281	7" x 10"	AL
95289	10" x 14"	AL



95296	10" x 14"	SS
95293	7" x 10"	PL
95298	10" x 14"	PL
95294	7" x 10"	AL
95297	10" x 14"	AL



84159	7" x 10"	SS
84160	10" x 14"	SS
22166	10" x 14"	PL
40729	7" x 10"	AL
40730	10" x 14"	AL



69446	10" x 14"	FB
22168	10" x 14"	PL
40732	10" x 14"	AL



69447	10" x 14"	FB
40734	10" x 14"	AL



95310	10" x 14"	FB
95300	7" x 10"	SS
95301	7" x 10"	PL
95309	10" x 14"	PL
95305	7" x 10"	AL




95248	10" x 14"	FB
95241	7" x 10"	SS
95245	10" x 14"	SS
95242	7" x 10"	PL
95247	10" x 14"	PL
95243	7" x 10"	AL
95246	10" x 14"	AL




69477	10" x 14"	FB
84167	7" x 10"	SS
84168	10" x 14"	SS
22171	7" x 10"	PL
22172	10" x 14"	PL
40736	10" x 14"	AL



95311	7" x 10"	FB
70522	10" x 14"	FB
84736	7" x 10"	SS
84737	10" x 14"	SS
22541	7" x 10"	PL
22542	10" x 14"	PL
41106	10" x 14"	AL



84171	7" x 10"	SS
84172	10" x 14"	SS
22173	7" x 10"	PL
22174	10" x 14"	PL
40737	7" x 10"	AL



124835	7" x 10"	SS
124838	10" x 14"	SS
124834	7" x 10"	PL
124837	10" x 14"	PL
124833	7" x 10"	AL
124836	10" x 14"	AL



95316	7" x 10"	B-120
95312	7" x 10"	B-302
95317	10" x 14"	B-302
95314	7" x 10"	B-401
95419	10" x 14"	B-401
95315	7" x 10"	B-555
95318	10" x 14"	B-555



95263	7" x 10"	FB
95266	10" x 14"	PL
95262	7" x 10"	AL
95265	10" x 14"	AL



70567	14" x 20"	FB
84173	7" x 10"	SS
84174	10" x 14"	SS
22175	7" x 10"	PL
22176	10" x 14"	PL
40739	7" x 10"	AL
40740	10" x 14"	AL



122910	7" x 10"	FB
70220	10" x 14"	FB
84175	7" x 10"	SS
84176	10" x 14"	SS
22177	7" x 10"	PL
22178	10" x 14"	PL
40741	7" x 10"	AL
40742	10" x 14"	AL



84179	7" x 10"	SS
22181	7" x 10"	PL
40746	10" x 14"	AL



71335	10" x 14"	FB
84181	7" x 10"	SS
84182	10" x 14"	SS
22183	7" x 10"	PL
22184	10" x 14"	PL
40747	7" x 10"	AL
40748	10" x 14"	AL

Admittance Signs (continued)



71229	14" x 20"	FB
84183	7" x 10"	SS
84184	10" x 14"	SS
22185	7" x 10"	PL
22186	10" x 14"	PL
40749	7" x 10"	AL
40750	10" x 14"	AL



71258	14" x 20"	FB
84185	7" x 10"	SS
84186	10" x 14"	SS
22187	7" x 10"	PL
22188	10" x 14"	PL
40751	7" x 10"	AL
40752	10" x 14"	AL



122857	7" x 10"	FB
71389	10" x 14"	FB
87758	3.5" x 5"	SS
84187	7" x 10"	SS
84188	10" x 14"	SS
122525	7" x 10"	PL
22190	10" x 14"	PL
40753	7" x 10"	AL
40754	10" x 14"	AL



123476	7" x 10"	SS
123479	10" x 14"	SS
123475	7" x 10"	PL
123478	10" x 14"	PL
123474	7" x 10"	AL
123477	10" x 14"	AL





69099	10" x 14"	FB
84189	7" x 10"	SS
84190	10" x 14"	SS
22191	7" x 10"	PL
22192	10" x 14"	PL
40755	7" x 10"	AL
40756	10" x 14"	AL



69566	10" x 14"	FB
84191	7" x 10"	SS
84192	10" x 14"	SS
22193	7" x 10"	PL
22194	10" x 14"	PL
40757	7" x 10"	AL
40758	10" x 14"	AL



127070	7" x 10"	SS
127073	10" x 14"	SS
127069	7" x 10"	PL
127072	10" x 14"	PL
127068	7" x 10"	AL
127071	10" x 14"	AL



11089	7" x 10"	FB
11095	10" x 14"	FB
11090	7" x 10"	SSV
26641	7" x 10"	PL
26453	10" x 14"	PL
40194	10" x 14"	AL



69575	10" x 14"	FB
84195	7" x 10"	SS
84196	10" x 14"	SS
22195	7" x 10"	PL
22196	10" x 14"	PL
40759	7" x 10"	AL
40760	10" x 14"	AL



69580	10" x 14"	FB
84197	7" x 10"	SS
84198	10" x 14"	SS
22197	7" x 10"	PL
22198	10" x 14"	PL
40761	7" x 10"	AL
40762	10" x 14"	AL



69591	10" x 14"	FB
84199	7" x 10"	SS
84200	10" x 14"	SS
22199	7" x 10"	PL
22200	10" x 14"	PL
40763	7" x 10"	AL
40764	10" x 14"	AL



69603	10" x 14"	FB
84203	7" x 10"	SS
84204	10" x 14"	SS
22201	7" x 10"	PL
22202	10" x 14"	PL
40765	7" x 10"	AL
40766	10" x 14"	AL



69606	10" x 14"	FB
84205	7" x 10"	SS
84206	10" x 14"	SS
22203	7" x 10"	PL
22204	10" x 14"	PL
40767	7" x 10"	AL
40768	10" x 14"	AL



69612	10" x 14"	FB
84207	7" x 10"	SS
84208	10" x 14"	SS
22205	7" x 10"	PL
22206	10" x 14"	PL
40769	7" x 10"	AL
40770	10" x 14"	AL



143631	14" x 10"	AL



140871	14" x 10"	AL



122851	7" x 10"	FB
70833	10" x 14"	FB
84212	7" x 10"	SS
84213	10" x 14"	SS
22207	7" x 10"	PL
22208	10" x 14"	PL
122413	7" x 10"	AL
40772	10" x 14"	AL




122907	7" x 10"	FB
122768	10" x 14"	FB
84211	4.5" x 10"	SS
122697	7" x 10"	SS
122620	10" x 14"	SS
122560	7" x 10"	PL
122497	10" x 14"	PL
122456	7" x 10"	AL
122385	10" x 14"	AL



70846	14" x 20"	FB
84215	10" x 14"	SS
22209	7" x 10"	PL
22210	10" x 14"	PL
40773	7" x 10"	AL
40774	10" x 14"	AL



122868	7" x 10"	FB
70632	10" x 14"	FB
80037	7" x 10"	SS
122622	10" x 14"	SS
25977	7" x 10"	PL
25978	10" x 14"	PL
122459	7" x 10"	AL
43906	10" x 14"	AL



122852	7" x 10"	FB
70863	10" x 14"	FB
84218	7" x 10"	SS
84219	10" x 14"	SS
22213	7" x 10"	PL
22214	10" x 14"	PL
122414	7" x 10"	AL
40778	10" x 14"	AL



22216	10" x 14"	PL
40780	10" x 14"	AL



69096	10" x 14"	FB
87757	3.5" x 5"	SS
84222	7" x 10"	SS
84223	10" x 14"	SS
22217	7" x 10"	PL
22218	10" x 14"	PL
40781	7" x 10"	AL



95442	10" x 14"	PL




84226	7" x 10"	SS
84227	10" x 14"	SS
22219	7" x 10"	PL



95443	10" x 14"	PL

BradyID.com/s36

Admittance Signs (continued)



69032	10" x 14"	FB
43356	10" x 14"	AL



84236	5" x 14"	SS
22220	7" x 10"	PL



71136	10" x 14"	FB
84237	7" x 10"	SS
84238	10" x 14"	SS
22221	7" x 10"	PL
22222	10" x 14"	PL
40785	7" x 10"	AL
40786	10" x 14"	AL



123458	7" x 10"	SS
123461	10" x 14"	SS
123457	7" x 10"	PL
123460	10" x 14"	PL
123456	7" x 10"	AL
123459	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



71142	20" x 28"	FB
84239	7" x 10"	SS
84240	10" x 14"	SS
22224	10" x 14"	PL
40788	10" x 14"	AL



124805	7" x 10"	SS
124808	10" x 14"	SS
124804	7" x 10"	PL
124807	10" x 14"	PL
124803	7" x 10"	AL
124806	10" x 14"	AL



123550	14" x 10"	SS
123547	10" x 7"	SS
123549	14" x 10"	PL
123546	10" x 7"	PL
123548	14" x 10"	AL
123545	10" x 7"	AL



123556	14" x 10"	SS
123553	10" x 7"	SS
123555	14" x 10"	PL
123552	10" x 7"	PL
123554	14" x 10"	AL
123551	10" x 7"	AL



69793	7" x 7"	FB
88517	7" x 7"	SS
25179	7" x 10"	PL
42756	7" x 10"	AL



123513	14" x 10"	SS
123510	10" x 7"	SS
123512	14" x 10"	PL
123509	10" x 7"	PL
123511	14" x 10"	AL
123508	10" x 7"	AL



123544	14" x 10"	SS
123541	10" x 7"	SS
123543	14" x 10"	PL
123540	10" x 7"	PL
123542	14" x 10"	AL
123539	10" x 7"	AL



84245	7" x 10"	SS
84246	10" x 14"	SS
22225	7" x 10"	PL
22226	10" x 14"	PL
40789	7" x 10"	AL
40790	10" x 14"	AL



123504	7" x 10"	SS
123507	10" x 14"	SS
123503	7" x 10"	PL
123506	10" x 14"	PL
123502	7" x 10"	AL
123505	10" x 14"	AL




95445	10" x 14"	PL



70736	5" x 14"	FB
122800	7" x 10"	FB
122708	10" x 14"	FB
84247	5" x 14"	SS
122639	7" x 10"	SS
122568	10" x 14"	SS
122470	10" x 14"	PL
40791	7" x 10"	AL
122344	10" x 14"	AL



71199	20" x 28"	FB
84249	10" x 14"	SS
22228	7" x 10"	PL
22229	10" x 14"	PL
40792	7" x 10"	AL
40793	10" x 14"	AL



69405	10" x 14"	FB
84251	10" x 14"	SS
40795	10" x 14"	AL



122801	7" x 10"	FB
122709	10" x 14"	FB
71216	14" x 20"	FB
84252	7" x 10"	SS
122569	10" x 14"	SS
22232	7" x 10"	PL
22233	10" x 14"	PL
40796	7" x 10"	AL
40797	10" x 14"	AL



95446	10" x 14"	PL



70747	10" x 14"	FB
22234	7" x 10"	PL
40798	7" x 10"	AL
40799	10" x 14"	AL



124865	7" x 10"	SS
124868	10" x 14"	SS
124864	7" x 10"	PL
124867	10" x 14"	PL
124863	7" x 10"	AL
124866	10" x 14"	AL



73469	14" x 10"	FB
84257	14" x 10"	SS
84256	10" x 7"	SS
22237	14" x 10"	PL
22236	10" x 7"	PL
40801	14" x 10"	AL
40800	10" x 7"	AL



124871	7" x 10"	SS
124874	10" x 14"	SS
124870	7" x 10"	PL
124873	10" x 14"	PL
124869	7" x 10"	AL
124872	10" x 14"	AL



84258	7" x 10"	SS
84259	10" x 14"	SS
40803	10" x 14"	AL



69449	7" x 10"	FB
84260	7" x 10"	SS
22241	10" x 14"	PL
40805	10" x 14"	AL



70753	10" x 14"	FB
84263	10" x 14"	SS
40806	7" x 10"	AL
40807	10" x 14"	AL



69445	10" x 14"	FB
40808	7" x 10"	AL
40809	10" x 14"	AL



124847	7" x 10"	SS
124850	10" x 14"	SS
124846	7" x 10"	PL
124849	10" x 14"	PL
124845	7" x 10"	AL
124848	10" x 14"	AL

Admittance Signs (continued)



84266	7" x 10"	SS
84267	10" x 14"	SS
22246	7" x 10"	PL
22247	10" x 14"	PL
40810	7" x 10"	AL
40811	10" x 14"	AL



124853	7" x 10"	SS
124856	10" x 14"	SS
124852	7" x 10"	PL
124855	10" x 14"	PL
124851	7" x 10"	AL
124854	10" x 14"	AL



122883	7" x 10"	FB
122744	10" x 14"	FB
71282	14" x 20"	FB
122679	7" x 10"	SS
122602	10" x 14"	SS
122548	7" x 10"	PL
122485	10" x 14"	PL
122439	7" x 10"	AL
122370	10" x 14"	AL



124892	24" x 24"	SS
124889	18" x 18"	SS
124891	24" x 24"	PL
124888	18" x 18"	PL
124890	24" x 24"	AL
124887	18" x 18"	AL





124841	7" x 10"	SS
124844	10" x 14"	SS
124840	7" x 10"	PL
124843	10" x 14"	PL
124839	7" x 10"	AL
124842	10" x 14"	AL



124859	7" x 10"	SS
124862	10" x 14"	SS
124858	7" x 10"	PL
124861	10" x 14"	PL
124857	7" x 10"	AL
124860	10" x 14"	AL



122884	7" x 10"	FB
71293	10" x 14"	FB
71288	14" x 20"	FB
122680	7" x 10"	SS
84269	10" x 14"	SS
22248	7" x 10"	PL
22249	10" x 14"	PL
40812	7" x 10"	AL
40813	10" x 14"	AL



123464	7" x 10"	SS
123467	10" x 14"	SS
123463	7" x 10"	PL
123466	10" x 14"	PL
123462	7" x 10"	AL
123465	10" x 14"	AL





84270	7" x 10"	SS
22251	10" x 14"	PL
40815	10" x 14"	AL



123498	10" x 7"	SS
123501	14" x 10"	SS
123497	10" x 7"	PL
123500	14" x 10"	PL
123496	10" x 7"	AL
123499	14" x 10"	AL



69448	10" x 14"	FB



84274	7" x 10"	SS
84275	10" x 14"	SS
22254	7" x 10"	PL
22255	10" x 14"	PL
40818	7" x 10"	AL
40819	10" x 14"	AL



71326	14" x 20"	FB
84276	7" x 10"	SS
84277	10" x 14"	SS
22256	7" x 10"	PL
40820	7" x 10"	AL



71313	5" x 14"	FB
84278	5" x 14"	SS





84279	7" x 10"	SS
22257	7" x 10"	PL
22258	10" x 14"	PL
40821	7" x 10"	AL



124877	7" x 10"	SS
124880	10" x 14"	SS
124876	7" x 10"	PL
124879	10" x 14"	PL
124875	7" x 10"	AL
124878	10" x 14"	AL



95447	10" x 14"	PL



124883	7" x 10"	SS
124886	10" x 14"	SS
124882	7" x 10"	PL
124885	10" x 14"	PL
124881	7" x 10"	AL
124884	10" x 14"	AL



95448	10" x 14"	PL



71396	14" x 20"	FB
84284	10" x 14"	SS
22260	7" x 10"	PL
22261	10" x 14"	PL
40825	10" x 14"	AL



123491	10" x 7"	SS
123494	14" x 10"	SS
123490	10" x 7"	PL
123493	14" x 10"	PL
123489	10" x 7"	AL
123492	14" x 10"	AL



123470	7" x 10"	SS
123473	10" x 14"	SS
123469	7" x 10"	PL
123472	10" x 14"	PL
123468	7" x 10"	AL
123471	10" x 14"	AL

ANSI Z535 Signs

Brady offers a variety of ANSI safety signs to help you prevent accidents and enhance productivity and safety within your facility. ANSI signs are highly visible and provide recognizable safety alert messages for workplace caution, warning, notice, danger and more. Brady's ANSI signs adhere to ANSI Z535.1, Z535.2 and Z535.5 safety standards for colors and symbols and can be understood by employees and visitors of all cultural backgrounds.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



144791	7" x 10"	SS
144792	10" x 14"	SS
144793	7" x 10"	PL
144794	10" x 14"	PL
144795	7" x 10"	AL
144796	10" x 14"	AL



144816	7" x 10"	SS
144817	10" x 14"	SS
144818	7" x 10"	PL
144815	10" x 14"	PL
144819	7" x 10"	AL
144820	10" x 14"	AL



144336	7" x 10"	SS
144347	10" x 14"	SS
144337	7" x 10"	PL
144338	10" x 14"	PL
144339	7" x 10"	AL
144340	10" x 14"	AL



144844	7" x 10"	SS
144845	10" x 14"	SS
144840	7" x 10"	PL
144841	10" x 14"	PL
144842	7" x 10"	AL
144843	10" x 14"	AL



144833	10" x 14"	FB
144836	7" x 10"	SS
144837	10" x 14"	SS
144834	7" x 10"	PL
144835	10" x 14"	PL
144838	7" x 10"	AL
144839	10" x 14"	AL



144348	10" x 14"	FB
144349	7" x 10"	SS
144350	10" x 14"	SS
144351	7" x 10"	PL
144352	10" x 14"	PL
144353	7" x 10"	AL
144354	10" x 14"	AL



144600	7" x 10"	SS
144598	7" x 10"	PL
144597	7" x 10"	AL




144589	10" x 14"	FB
144601	10" x 14"	SS
144599	10" x 14"	PL
144590	10" x 14"	AL



144160	7" x 10"	SS
144163	10" x 14"	SS
144161	7" x 10"	PL
144158	10" x 14"	PL
144159	7" x 10"	AL
144162	10" x 14"	AL



143867	7" x 10"	SS
143868	10" x 14"	SS
143866	7" x 10"	PL
143865	10" x 14"	PL
143869	7" x 10"	AL
143870	10" x 14"	AL




144529	7" x 10"	SS
144528	10" x 14"	SS
144527	7" x 10"	PL
144531	10" x 14"	PL
144530	7" x 10"	AL
144526	10" x 14"	AL



144171	7" x 10"	SS
144174	10" x 14"	SS
144173	7" x 10"	PL
144170	10" x 14"	PL
144175	7" x 10"	AL
144172	10" x 14"	AL



144859	7" x 10"	SS
144860	10" x 14"	SS
144861	7" x 10"	PL
144862	10" x 14"	PL
144863	7" x 10"	AL
144858	10" x 14"	AL



144180	10" x 14"	FB
144178	7" x 10"	SS
144182	10" x 14"	SS
144176	7" x 10"	PL
144179	10" x 14"	PL
144177	7" x 10"	AL
144181	10" x 14"	AL



144893	10" x 14"	FB
144892	7" x 10"	SS
144894	10" x 14"	SS
144895	7" x 10"	PL
144896	10" x 14"	PL
144897	7" x 10"	AL
144898	10" x 14"	AL



143937	7" x 10"	SS
143936	10" x 14"	SS
143935	7" x 10"	PL
143933	10" x 14"	PL
143934	7" x 10"	AL
143932	10" x 14"	AL



144918	7" x 10"	SS
144919	10" x 14"	SS
144920	7" x 10"	PL
144921	10" x 14"	PL
144922	7" x 10"	AL
144923	10" x 14"	AL



144952	7" x 10"	SS
144950	10" x 14"	SS
144951	7" x 10"	PL
144949	10" x 14"	PL
144953	7" x 10"	AL
144954	10" x 14"	AL



143731	7" x 10"	SS
143748	10" x 14"	SS
143752	7" x 10"	PL
143751	10" x 14"	PL
143749	10" x 14"	AL



45033	10" x 7"	FB
45102	14" x 10"	PL
49021	10" x 7"	AL



143747	7" x 10"	SS
143740	10" x 14"	SS
143750	7" x 10"	AL
143743	10" x 14"	AL



143746	10" x 14"	FB

ANSI sign standard increases comprehension and safety



Previous standard

Redesigned to:



New standard

Design includes:

1. A safety alert symbol in the header
2. Text statements that communicate:
   - the hazard
   - the possible consequences
   - how to avoid the hazard
3. More visual pictograms



144191	7" x 10"	FB
144222	7" x 10"	SS
144225	10" x 14"	PL
144195	10" x 14"	SS
144223	7" x 10"	PL
144224	7" x 10"	AL
144227	10" x 14"	AL



143952	7" x 10"	SS
143953	10" x 14"	SS
143950	7" x 10"	PL
143951	10" x 14"	PL
143954	7" x 10"	AL
143955	10" x 14"	AL



144221	7" x 10"	FB
144226	10" x 14"	SS



45039	10" x 7"	FB
45040	14" x 10"	FB
45175	10" x 7"	SS
45176	14" x 10"	SS
45107	10" x 7"	PL
45108	14" x 10"	PL
49027	10" x 7"	AL



143957	3.5" x 5"	SS
143960	10" x 14"	PL



144234	10" x 14"	FB
144236	7" x 10"	SS
144240	10" x 14"	SS
144238	7" x 10"	PL
144235	10" x 14"	PL
144237	7" x 10"	AL
144239	10" x 14"	AL



144241	20" x 14"	FB
144243	10" x 7"	SS
144246	14" x 10"	SS
144244	10" x 7"	PL
144245	14" x 10"	PL
144242	10" x 7"	AL
144247	14" x 10"	AL



144261	7" x 10"	FB
144265	10" x 14"	SS
144259	7" x 10"	PL
144262	10" x 14"	PL
144260	7" x 10"	AL
144263	10" x 14"	AL



144266	14" x 10"	FB
144267	10" x 7"	SS
144268	14" x 10"	SS
144269	10" x 7"	PL
144270	14" x 10"	PL
144271	10" x 7"	AL
144272	14" x 10"	AL



144275	7" x 10"	SS
144276	10" x 14"	SS
144274	7" x 10"	PL
144273	10" x 14"	PL
144277	7" x 10"	AL
144278	10" x 14"	AL



144283	7" x 10"	SS
144282	10" x 14"	SS
144281	7" x 10"	PL
144279	10" x 14"	PL
144284	7" x 10"	AL
144280	10" x 14"	AL



144286	7" x 10"	SS
144287	10" x 14"	SS
144285	7" x 10"	PL
144289	10" x 14"	PL
144290	7" x 10"	AL
144288	10" x 14"	AL



144294	7" x 10"	SS
144295	10" x 14"	SS
144293	7" x 10"	PL
144292	10" x 14"	PL
144296	7" x 10"	AL
144291	10" x 14"	AL



144299	20" x 14"	FB
144303	10" x 7"	SS
144301	14" x 10"	SS
144300	10" x 7"	PL
144305	14" x 10"	PL
144302	10" x 7"	AL
144298	14" x 10"	AL



144312	7" x 10"	SS
144313	10" x 14"	SS
144314	7" x 10"	PL
144315	10" x 14"	PL
144316	7" x 10"	AL
144317	10" x 14"	AL



144989	7" x 10"	SS
144990	10" x 14"	SS
144991	7" x 10"	PL
144988	10" x 14"	PL
144993	7" x 10"	AL
144992	10" x 14"	AL



45008	14" x 10"	FB
45143	10" x 7"	SS
45144	14" x 10"	SS
45075	10" x 7"	PL
45076	14" x 10"	PL
48995	10" x 7"	AL
48996	14" x 10"	AL



62809	10" x 14"	FB
83925	3.5" x 5"	SS
21797	7" x 10"	PL
26572	10" x 14"	PL
46473	7" x 10"	AL
46750	10" x 14"	AL



144121	7" x 10"	SS
144122	10" x 14"	SS



144142	7" x 10"	SS
144143	10" x 14"	SS
144138	7" x 10"	PL
144141	10" x 14"	PL
144140	7" x 10"	AL
144139	10" x 14"	AL



144714	7" x 10"	SS
144715	10" x 14"	SS
144712	7" x 10"	PL
144713	10" x 14"	PL
144716	7" x 10"	AL
144717	10" x 14"	AL



122905	7" x 10"	FB
62738	10" x 14"	FB
83887	3.5" x 5"	SS
83664	7" x 10"	SS
21713	7" x 10"	PL
26534	10" x 14"	PL
122454	7" x 10"	AL
46674	10" x 14"	AL



62551	7" x 10"	FB
62813	10" x 14"	FB
83929	3.5" x 5"	SS
83754	7" x 10"	SS
21801	7" x 10"	PL
26576	10" x 14"	PL
46477	7" x 10"	AL
46754	10" x 14"	AL



145071	7" x 10"	SS
145073	10" x 14"	SS
145074	7" x 10"	PL
145075	10" x 14"	PL
145072	7" x 10"	AL
145070	10" x 14"	AL

BradyID.com/s36

ANSI Signs (continued)



44989	10" x 7"	FB
44990	14" x 10"	FB
45125	10" x 7"	SS
45126	14" x 10"	SS
45057	10" x 7"	PL
45058	14" x 10"	PL
48977	10" x 7"	AL
48978	14" x 10"	AL



145118	7" x 10"	SS
145116	10" x 14"	SS
145120	7" x 10"	PL
145119	10" x 14"	PL
145115	7" x 10"	AL
145117	10" x 14"	AL



145124	7" x 10"	SS
145125	10" x 14"	SS
145126	7" x 10"	PL
145127	10" x 14"	PL
145123	7" x 10"	AL
145122	10" x 14"	AL



62545	7" x 10"	FB
62807	10" x 14"	FB
83923	3.5" x 5"	SS
83748	7" x 10"	SS
122611	10" x 14"	SS
21795	7" x 10"	PL
26570	10" x 14"	PL
46471	7" x 10"	AL
46748	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



45004	14" x 10"	FB
45139	10" x 7"	SS
45140	14" x 10"	SS
45071	10" x 7"	PL
45072	14" x 10"	PL
48991	10" x 7"	AL
48992	14" x 10"	AL



144128	7" x 10"	SS
144130	10" x 14"	SS
144126	7" x 10"	PL
144127	10" x 14"	PL
144129	7" x 10"	AL
144131	10" x 14"	AL



143830	7" x 10"	PL
143829	10" x 14"	AL



143847	7" x 10"	SS
143848	10" x 14"	SS
143849	7" x 10"	PL
143850	10" x 14"	PL
143846	7" x 10"	AL
143851	10" x 14"	AL



143816	3.5" x 5"	SS
143817	7" x 10"	SS
143821	10" x 14"	SS
143819	7" x 10"	PL
143822	10" x 14"	PL
143818	7" x 10"	AL
143820	10" x 14"	AL



62538	7" x 10"	FB
122754	10" x 14"	FB
83916	3.5" x 5"	SS
83741	7" x 10"	SS
122689	7" x 10"	SS
21788	7" x 10"	PL
26563	10" x 14"	PL
46464	7" x 10"	AL
46741	10" x 14"	AL



143859	7" x 10"	PL
143860	10" x 14"	PL
143863	7" x 10"	SS
143864	10" x 14"	SS
143862	7" x 10"	AL
143861	10" x 14"	AL



144427	7" x 10"	SS
144429	10" x 14"	SS
144428	7" x 10"	PL
144430	10" x 14"	PL
144431	7" x 10"	AL
144432	10" x 14"	AL



144433	10" x 7"	SS
144434	14" x 10"	SS
144435	10" x 7"	PL
144436	14" x 10"	PL
144437	10" x 7"	AL
144438	14" x 10"	AL



144534	7" x 10"	SS
144535	10" x 14"	SS
144533	7" x 10"	PL
144532	10" x 14"	PL
144536	7" x 10"	AL
144537	10" x 14"	AL



144494	10" x 7"	FB
144497	5" x 3.5"	SS
144499	10" x 7"	SS
144498	14" x 10"	SS
144500	10" x 7"	PL
144495	14" x 10"	PL
144502	10" x 7"	AL
144496	14" x 10"	AL



144450	7" x 10"	SS
144451	10" x 14"	SS
144448	7" x 10"	PL
144446	10" x 14"	PL
144449	7" x 10"	AL
144447	10" x 14"	AL



143989	7" x 10"	SS
143992	10" x 14"	SS
143991	7" x 10"	PL
143994	10" x 14"	PL
143990	7" x 10"	AL
143993	10" x 14"	AL



144000	10" x 14"	FB
144002	3.5" x 5"	SS
143999	7" x 10"	SS
143995	10" x 14"	SS
143998	7" x 10"	PL
143996	10" x 14"	PL
143997	7" x 10"	AL
144001	10" x 14"	AL



45031	10" x 7"	FB
45032	14" x 10"	FB
45167	10" x 7"	SS
45168	14" x 10"	SS
45099	10" x 7"	PL
45100	14" x 10"	PL
49019	10" x 7"	AL
49020	14" x 10"	AL



144562	7" x 10"	SS
144563	10" x 14"	SS
144564	7" x 10"	PL
144565	10" x 14"	PL
144566	7" x 10"	AL
144567	10" x 14"	AL



143765	14" x 20"	FB
143769	7" x 10"	SS
143768	10" x 14"	SS
143766	7" x 10"	PL
143767	10" x 14"	PL
143770	7" x 10"	AL
143771	10" x 14"	AL



144718	7" x 10"	SS
144719	10" x 14"	SS
144720	7" x 10"	PL
144721	10" x 14"	PL
144722	7" x 10"	AL
144723	10" x 14"	AL



143701	7" x 10"	SS
143702	10" x 14"	SS
143704	7" x 10"	PL
143703	10" x 14"	PL
143706	7" x 10"	AL
143705	10" x 14"	AL



145199	10" x 14"	FB
145198	7" x 10"	SS
145202	10" x 14"	SS
145201	7" x 10"	PL
145204	10" x 14"	PL
145200	7" x 10"	AL
145203	10" x 14"	AL



144724	7" x 10"	SS
144725	10" x 14"	SS
144726	7" x 10"	PL
144727	10" x 14"	PL
144728	7" x 10"	AL
144729	10" x 14"	AL



144324	7" x 10"	SS
144325	10" x 14"	SS
144326	7" x 10"	PL
144327	10" x 14"	PL
144328	7" x 10"	AL
144329	10" x 14"	AL



144025	10" x 14"	FB
144028	7" x 10"	SS
144029	10" x 14"	SS
144026	7" x 10"	PL
144023	10" x 14"	PL
144027	7" x 10"	AL
144024	10" x 14"	AL

ANSI Signs (continued)



143889	10" x 7"	SS
143890	14" x 10"	SS
143887	10" x 7"	PL
143888	14" x 10"	PL
143886	10" x 7"	AL
143885	14" x 10"	AL



122830	7" x 10"	FB
62734	10" x 14"	FB
83883	3.5" x 5"	SS
83660	7" x 10"	SS
122575	10" x 14"	SS
21709	7" x 10"	PL
26530	10" x 14"	PL
46626	7" x 10"	AL
46670	10" x 14"	AL



143912	3.5" x 5"	SS



145222	7" x 10"	SS
145220	10" x 14"	SS
145223	7" x 10"	PL
145224	10" x 14"	PL
145221	7" x 10"	AL
145219	10" x 14"	AL



45029	10" x 7"	FB
45165	10" x 7"	SS
45166	14" x 10"	SS
45097	10" x 7"	PL
49017	10" x 7"	AL
49018	14" x 10"	AL



45025	10" x 7"	FB
45026	14" x 10"	FB
45161	10" x 7"	SS
45162	14" x 10"	SS
45093	10" x 7"	PL
45094	14" x 10"	PL
49013	10" x 7"	AL
49014	14" x 10"	AL



145240	7" x 10"	SS
145241	10" x 14"	SS
145238	7" x 10"	PL
145239	10" x 14"	PL
145242	7" x 10"	AL
145243	10" x 14"	AL



45041	10" x 7"	FB
45042	14" x 10"	FB
45177	10" x 7"	SS
45178	14" x 10"	SS
45109	10" x 7"	PL
45110	14" x 10"	PL
49029	10" x 7"	AL
49030	14" x 10"	AL



144754	7" x 10"	SS
144751	10" x 14"	SS
144753	7" x 10"	PL
144750	10" x 14"	PL
144755	7" x 10"	AL
144752	10" x 14"	AL



144758	10" x 14"	FB
144761	7" x 10"	SS
144762	10" x 14"	SS
144759	7" x 10"	PL
144756	10" x 14"	PL
144757	7" x 10"	AL
144760	10" x 14"	AL



144523	10" x 7"	SS
144521	14" x 10"	SS
144524	10" x 7"	PL
144525	14" x 10"	PL
144522	10" x 7"	AL
144520	14" x 10"	AL




143896	7" x 10"	SS
143894	10" x 14"	SS
143892	7" x 10"	PL
143891	10" x 14"	PL
143895	7" x 10"	AL
143893	10" x 14"	AL



143902	7" x 10"	SS
143900	10" x 14"	SS
143898	7" x 10"	PL
143897	10" x 14"	PL
143901	7" x 10"	AL
143899	10" x 14"	AL



143921	7" x 10"	SS
143920	10" x 14"	SS
143922	7" x 10"	PL
143923	10" x 14"	PL
143924	7" x 10"	AL
143925	10" x 14"	AL



144508	5" x 3.5"	SS
144504	7" x 5"	SS
144511	10" x 7"	SS
144506	14" x 10"	SS
144512	10" x 7"	PL
144509	14" x 10"	PL
144513	10" x 7"	AL
144510	14" x 10"	AL



144763	10" x 14"	FB
144764	7" x 10"	SS
144765	10" x 14"	SS
144766	7" x 10"	PL
144767	10" x 14"	PL
144768	7" x 10"	AL
144769	10" x 14"	AL



144789	7" x 10"	SS
144790	10" x 14"	SS
144785	7" x 10"	PL
144787	10" x 14"	PL
144786	7" x 10"	AL
144788	10" x 14"	AL



145265	7" x 10"	SS
145264	10" x 14"	SS
145262	7" x 10"	PL
145263	10" x 14"	PL
145267	7" x 10"	AL
145266	10" x 14"	AL



144093	7" x 10"	SS
144094	10" x 14"	SS
144091	7" x 10"	PL
144089	10" x 14"	PL
144092	7" x 10"	AL
144090	10" x 14"	AL



144095	7" x 17"	FB



144098	7" x 10"	SS
144099	10" x 14"	SS
144097	7" x 10"	PL
144096	10" x 14"	PL
144100	7" x 10"	AL
144101	10" x 14"	AL



143905	7" x 10"	SS
143906	10" x 14"	SS
143907	7" x 10"	PL
143908	10" x 14"	PL
143903	7" x 10"	AL
143904	10" x 14"	AL



144109	7" x 10"	SS
144110	10" x 14"	SS
144111	7" x 10"	PL
144108	10" x 14"	PL
144112	7" x 10"	AL
144113	10" x 14"	AL



83931	3.5" x 5"	SS
83756	7" x 10"	SS
21803	7" x 10"	PL
26578	10" x 14"	PL
46479	7" x 10"	AL
46756	10" x 14"	AL



144778	7" x 17"	FB



144773	10" x 14"	FB
144777	3.5" x 5"	SS
144775	7" x 10"	SS
144772	10" x 14"	SS
144774	7" x 10"	PL
144770	10" x 14"	PL
144776	7" x 10"	AL
144771	10" x 14"	AL



145279	7" x 10"	SS
145278	10" x 14"	SS
145276	7" x 10"	PL
145277	10" x 14"	PL
145275	7" x 10"	AL
145274	10" x 14"	AL



62816	10" x 14"	FB
83932	3.5" x 5"	SS
83757	7" x 10"	SS
21804	7" x 10"	PL
26579	10" x 14"	PL
46480	7" x 10"	AL
46757	10" x 14"	AL



145289	7" x 10"	SS
145288	10" x 14"	SS
145291	7" x 10"	PL
145290	10" x 14"	PL
145287	7" x 10"	AL
145286	10" x 14"	AL

BradyID.com/s36

ANSI Signs (continued)



144780	7" x 10"	SS
144781	10" x 14"	SS
144779	7" x 10"	PL
144782	10" x 14"	PL
144783	7" x 10"	AL
144784	10" x 14"	AL



143910	10" x 14"	B-946
143909	14" x 10"	B-946



125912	10" x 7"	SS
125915	14" x 10"	SS
125911	10" x 7"	PL
125914	14" x 10"	PL
125910	10" x 7"	AL
125913	14" x 10"	AL



124213	10" x 7"	SS
124216	14" x 10"	SS
124212	10" x 7"	PL
124215	14" x 10"	PL
124211	10" x 7"	AL
124214	14" x 10"	AL


Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



128624	10" x 7"	SS
128627	14" x 10"	SS
128623	10" x 7"	PL
128626	14" x 10"	PL
128622	10" x 7"	AL
128625	14" x 10"	AL



144330	7" x 10"	SS
144331	10" x 14"	SS
144332	7" x 10"	PL
144333	10" x 14"	PL
144334	7" x 10"	AL
144335	10" x 14"	AL



45023	10" x 7"	FB
45024	14" x 10"	FB
45159	10" x 7"	SS
45091	10" x 7"	PL
45092	14" x 10"	PL
49011	10" x 7"	AL



143647	7" x 10"	SS
143648	10" x 14"	SS
143644	7" x 10"	PL
143646	10" x 14"	PL
143645	7" x 10"	AL
143643	10" x 14"	AL



143650	7" x 10"	SS
143649	10" x 14"	SS
143653	7" x 10"	PL
143651	10" x 14"	PL
143654	7" x 10"	AL
143652	10" x 14"	AL



144797	7" x 10"	SS
144798	10" x 14"	SS
144799	7" x 10"	PL
144800	10" x 14"	PL
144801	7" x 10"	AL
144802	10" x 14"	AL



144803	7" x 10"	SS
144804	10" x 14"	SS
144805	7" x 10"	PL
144806	10" x 14"	PL
144807	7" x 10"	AL
144808	10" x 14"	AL



144813	7" x 10"	SS
144810	10" x 14"	SS
144814	7" x 10"	PL
144811	10" x 14"	PL
144812	7" x 10"	AL
144809	10" x 14"	AL



144341	7" x 10"	SS
144342	10" x 14"	SS
144343	7" x 10"	PL
144344	10" x 14"	PL
144345	7" x 10"	AL
144346	10" x 14"	AL



144821	20" x 14"	FB
144828	10" x 7"	SS
144825	14" x 10"	SS
144827	10" x 7"	PL
144824	14" x 10"	PL
144826	10" x 7"	AL
144823	14" x 10"	AL



144829	7" x 10"	SS
144830	10" x 14"	SS
144822	7" x 10"	PL
144851	10" x 14"	PL
144832	10" x 14"	AL



144850	7" x 10"	PL
144847	10" x 14"	AL



144592	7" x 10"	SS
144588	7" x 10"	PL
144591	7" x 10"	AL



144593	10" x 14"	SS
144594	10" x 14"	PL
144596	10" x 14"	AL



144168	7" x 10"	SS
144169	10" x 14"	SS
144165	7" x 10"	PL
144164	10" x 14"	PL
144167	7" x 10"	AL
144166	10" x 14"	AL



144355	14" x 20"	FB



144358	7" x 10"	SS
144359	10" x 14"	SS
144360	7" x 10"	PL
144361	10" x 14"	PL
144357	7" x 10"	AL
144356	10" x 14"	AL



144852	7" x 10"	SS
144853	10" x 14"	SS
144854	7" x 10"	PL
144855	10" x 14"	PL
144856	7" x 10"	AL
144857	10" x 14"	AL



144865	10" x 14"	FB
144864	7" x 10"	SS
144866	10" x 14"	SS
144867	7" x 10"	PL
144868	10" x 14"	PL
144869	7" x 10"	AL
144870	10" x 14"	AL



144871	7" x 10"	SS
144872	10" x 14"	SS
144873	7" x 10"	PL
144874	10" x 14"	PL
144875	7" x 10"	AL
144876	10" x 14"	AL



144882	7" x 10"	FB
144878	10" x 14"	FB
144881	7" x 10"	SS
144879	10" x 14"	SS
144883	7" x 10"	PL
144877	10" x 14"	PL
144884	7" x 10"	AL
144880	10" x 14"	AL



144900	10" x 14"	FB
144899	10" x 14"	SS



144885	10" x 14"	FB
144887	7" x 10"	SS
144886	10" x 14"	SS
144888	7" x 10"	PL
144889	10" x 14"	PL
144890	7" x 10"	AL
144891	10" x 14"	AL



144913	7" x 10"	SS
144912	10" x 14"	SS
144914	7" x 10"	PL
144915	10" x 14"	PL
144916	7" x 10"	AL
144917	10" x 14"	AL

ANSI Signs (continued)



144926	7" x 10"	SS
144927	10" x 14"	SS
144924	7" x 10"	PL
144925	10" x 14"	PL
144928	7" x 10"	AL
144929	10" x 14"	AL



143681	10" x 14"	FB
143679	10" x 14"	SS
143682	7" x 10"	PL
143660	10" x 14"	PL
143680	7" x 10"	AL
143655	10" x 14"	AL



143656	7" x 10"	SS
143657	10" x 14"	SS
143659	7" x 10"	PL
143658	7" x 10"	AL



122813	7" x 10"	FB
62866	10" x 14"	FB
83954	3.5" x 5"	SS
83839	7" x 10"	SS
21866	7" x 10"	PL
26591	10" x 14"	PL
46579	7" x 10"	AL
46819	10" x 14"	AL



143667	10" x 14"	FB
143669	3.5" x 5"	SS
143662	7" x 10"	SS
143661	10" x 14"	SS
143668	7" x 10"	PL
143666	10" x 14"	PL
143665	7" x 10"	AL
143664	10" x 14"	AL



44981	10" x 7"	FB
44982	14" x 10"	FB
45117	10" x 7"	SS
45118	14" x 10"	SS
45050	14" x 10"	PL



143676	7" x 10"	SS



143683	7" x 10"	SS
143684	10" x 14"	SS
143686	7" x 10"	PL
143685	10" x 14"	PL
143688	7" x 10"	AL
143687	10" x 14"	AL



143689	7" x 10"	SS
143690	10" x 14"	SS
143692	7" x 10"	PL
143691	10" x 14"	PL
143694	7" x 10"	AL
143693	10" x 14"	AL



143671	10" x 7"	SS
143670	14" x 10"	SS
143673	10" x 7"	PL
143672	14" x 10"	PL
143675	10" x 7"	AL
143674	14" x 10"	AL



144612	7" x 10"	SS
144608	7" x 10"	PL
144611	7" x 10"	AL



144609	10" x 14"	FB
144613	10" x 14"	SS
144607	10" x 14"	PL
144610	10" x 14"	AL



143872	10" x 14"	FB
143874	7" x 10"	SS
143875	10" x 14"	SS
143873	7" x 10"	PL
143871	10" x 14"	PL
143876	7" x 10"	AL
143877	10" x 14"	AL



45015	10" x 7"	FB
45151	10" x 7"	SS
45084	14" x 10"	PL
49003	10" x 7"	AL
49004	14" x 10"	AL



144936	3.5" x 5"	SS
144937	7" x 10"	SS
144938	10" x 14"	SS
144939	7" x 10"	PL
144940	10" x 14"	PL
144941	7" x 10"	AL
144942	10" x 14"	AL



144946	7" x 10"	SS
144943	10" x 14"	SS
144947	7" x 10"	PL
144944	10" x 14"	PL
144948	7" x 10"	AL
144945	10" x 14"	AL



83896	3.5" x 5"	SS
83675	7" x 10"	SS
21723	7" x 10"	PL
26543	10" x 14"	PL
46641	7" x 10"	AL



143946	7" x 10"	SS
143947	10" x 14"	SS
143945	7" x 10"	PL
143944	10" x 14"	PL
143948	7" x 10"	AL
143949	10" x 14"	AL



144961	7" x 10"	SS
144967	10" x 14"	SS
144963	7" x 10"	PL
144964	10" x 14"	PL
144965	7" x 10"	AL
144966	10" x 14"	AL



144971	10" x 14"	FB
144969	3.5" x 5"	SS
144968	7" x 10"	SS
144973	7" x 10"	PL
144972	10" x 14"	PL
144974	7" x 10"	AL



144976	7" x 10"	SS
144975	10" x 14"	SS
144979	7" x 10"	PL
144980	10" x 14"	PL
144978	7" x 10"	AL
144977	10" x 14"	AL



143754	7" x 10"	SS
143753	10" x 14"	SS
143755	7" x 10"	PL
143756	10" x 14"	PL
143757	7" x 10"	AL
143758	10" x 14"	AL



143730	7" x 10"	FB
143738	7" x 10"	SS
143739	10" x 14"	SS
143737	7" x 10"	PL
143733	10" x 14"	PL
143735	7" x 10"	AL
143734	10" x 14"	AL



143736	10" x 14"	FB



BradyID.com/s36

ANSI Signs (continued)



144468	7" x 10"	SS
144469	10" x 14"	SS
144470	7" x 10"	PL
144471	10" x 14"	PL
144472	7" x 10"	AL
144467	10" x 14"	AL



144308	7" x 10"	SS
144307	10" x 14"	SS
144187	7" x 10"	PL
144306	10" x 14"	PL
144310	7" x 10"	AL
144311	10" x 14"	AL



144197	7" x 10"	SS
144199	10" x 14"	SS
144198	7" x 10"	PL
144196	10" x 14"	PL
144200	7" x 10"	AL
144201	10" x 14"	AL



144204	10" x 14"	FB
144202	7" x 10"	SS
144205	10" x 14"	SS
144206	7" x 10"	PL
144203	10" x 14"	PL
144207	7" x 10"	AL
144208	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



143709	3.5" x 5"	SS
143713	7" x 10"	SS
143707	10" x 14"	SS
143711	7" x 10"	PL
143712	10" x 14"	PL
143710	7" x 10"	AL
143708	10" x 14"	AL



144209	7" x 10"	SS
144210	10" x 14"	SS
144211	7" x 10"	PL
144212	10" x 14"	PL
144213	7" x 10"	AL
144214	10" x 14"	AL



144220	7" x 10"	SS
144217	10" x 14"	SS
144218	7" x 10"	PL
144219	7" x 10"	PL
144216	10" x 14"	PL



144473	7" x 5"	B-811



62796	10" x 14"	FB
83912	3.5" x 5"	SS
83737	7" x 10"	SS
122573	10" x 14"	SS
21784	7" x 10"	PL
26559	10" x 14"	PL
46460	7" x 10"	AL
46737	10" x 14"	AL



143911	3.5" x 5"	SS



144230	7" x 10"	SS
144231	10" x 14"	SS
144229	7" x 10"	PL
144228	10" x 14"	PL
144232	7" x 10"	AL
144233	10" x 14"	AL



144250	20" x 14"	FB
144255	7" x 10"	PL
144253	10" x 7"	PL
144251	14" x 10"	PL
144252	10" x 7"	AL
144248	14" x 10"	AL




144249	7" x 10"	SS
144254	10" x 14"	SS
144256	10" x 14"	PL
144258	10" x 14"	AL



144575	7" x 10"	SS
144577	10" x 14"	SS
144576	7" x 10"	PL
144574	10" x 14"	PL
144578	7" x 10"	AL
144579	10" x 14"	AL



144458	3.5" x 5"	SS
144371	7" x 10"	SS
144369	10" x 14"	SS
144370	7" x 10"	PL
144368	10" x 14"	PL
144372	7" x 10"	AL
144373	10" x 14"	AL



83900	3.5" x 5"	SS
83679	7" x 10"	SS
21727	7" x 10"	PL
26547	10" x 14"	PL
46645	7" x 10"	AL
46689	10" x 14"	AL



143878	10" x 14"	FB
143879	7" x 10"	SS
143880	10" x 14"	SS
143881	7" x 10"	PL
143882	10" x 14"	PL
143883	7" x 10"	AL
143884	10" x 14"	AL



144297	7" x 17"	FB



144304	10" x 14"	FB
144309	7" x 10"	PL



144362	7" x 10"	SS
144363	10" x 14"	SS
144364	7" x 10"	PL
144365	10" x 14"	PL
144366	7" x 10"	AL
144367	10" x 14"	AL



144474	5" x 3.5"	B-811
144475	7" x 5"	B-811
144477	7" x 10"	SS
144478	10" x 14"	SS
144476	7" x 10"	PL
144479	10" x 14"	PL
144480	7" x 10"	AL
144481	10" x 14"	AL



144982	10" x 14"	FB
144983	7" x 10"	SS
144981	10" x 14"	SS
144986	7" x 10"	PL
144987	10" x 14"	PL
144985	7" x 10"	AL
144984	10" x 14"	AL



62797	10" x 14"	FB
83913	3.5" x 5"	SS
83738	7" x 10"	SS
60572	10" x 14"	SS
21785	7" x 10"	PL
26560	10" x 14"	PL
46461	7" x 10"	AL
46738	10" x 14"	AL



144635	10" x 14"	FB
144621	3.5" x 5"	SS
144630	10" x 14"	SS
144619	10" x 14"	PL
144616	10" x 14"	AL



144615	7" x 10"	SS
144622	10" x 14"	SS
144620	7" x 10"	PL
144634	10" x 14"	PL
144617	7" x 10"	AL
144632	10" x 14"	AL



144374	7" x 10"	SS
144375	10" x 14"	SS
144376	7" x 10"	PL
144377	10" x 14"	PL
144378	7" x 10"	AL
144379	10" x 14"	AL



144116	7" x 10"	SS
144117	10" x 14"	SS
144118	7" x 10"	PL
144114	10" x 14"	PL
144119	7" x 10"	AL
144120	10" x 14"	AL



144116	7" x 10"	SS
144117	10" x 14"	SS
144118	7" x 10"	PL
144114	10" x 14"	PL
144119	7" x 10"	AL
144120	10" x 14"	AL

ANSI Signs (continued)



144136	7" x 10"	SS
144137	10" x 14"	SS
144134	7" x 10"	PL
144135	10" x 14"	PL
144132	7" x 10"	AL
144133	10" x 14"	AL



145015	10" x 14"	FB
145019	7" x 10"	SS
145014	10" x 14"	SS
145017	7" x 10"	PL
145016	10" x 14"	PL
145018	7" x 10"	AL
145000	10" x 14"	AL



145020	10" x 14"	SS
145025	7" x 10"	PL
145024	10" x 14"	PL
145022	7" x 10"	AL



145026	7" x 10"	SS
145031	10" x 14"	AL
145032	7" x 10"	SS
145034	10" x 14"	SS
145035	7" x 10"	PL
145036	7" x 10"	AL
145037	10" x 14"	AL



83731	7" x 10"	SS
21778	7" x 10"	PL
26553	10" x 14"	PL
46454	7" x 10"	AL
46731	10" x 14"	AL



145053	7" x 10"	SS
145041	10" x 14"	SS
145042	7" x 10"	PL
145040	10" x 14"	PL
145046	7" x 10"	AL
145038	10" x 14"	AL



145045	10" x 14"	SS



145055	10" x 14"	FB
145050	10" x 14"	SS
145056	7" x 10"	PL
145054	7" x 10"	AL
145051	10" x 14"	AL



45019	10" x 7"	FB
45020	14" x 10"	FB
45155	10" x 7"	SS
45156	14" x 10"	SS
45087	10" x 7"	PL
45088	14" x 10"	PL
49008	14" x 10"	AL



144997	7" x 10"	SS
144998	10" x 14"	SS
144999	7" x 10"	PL
144996	10" x 14"	PL
144995	7" x 10"	AL
144994	10" x 14"	AL



62436	7" x 10"	FB
83902	3.5" x 5"	SS
83681	7" x 10"	SS
21729	7" x 10"	PL
26549	10" x 14"	PL
46647	7" x 10"	AL
46691	10" x 14"	AL



145058	7" x 10"	SS
145060	10" x 14"	SS
145061	7" x 10"	PL
145057	10" x 14"	PL
145059	7" x 10"	AL
145062	10" x 14"	AL



145063	10" x 14"	FB
145064	7" x 10"	SS
145065	10" x 14"	SS
145066	7" x 10"	PL
145067	10" x 14"	PL
145068	7" x 10"	AL
145069	10" x 14"	AL



144153	10" x 14"	FB
144157	7" x 10"	SS
144154	10" x 14"	SS
144156	7" x 10"	PL
144152	10" x 14"	PL
144155	7" x 10"	AL
144151	10" x 14"	AL



62794	10" x 14"	FB
83910	3.5" x 5"	SS
83735	7" x 10"	SS
60574	10" x 14"	SS
21782	7" x 10"	PL
26557	10" x 14"	PL
46458	7" x 10"	AL
46735	10" x 14"	AL



144636	7" x 10"	AL



145080	7" x 10"	SS
145081	10" x 14"	SS
145078	7" x 10"	PL
145112	10" x 14"	PL
145077	7" x 10"	AL
145076	10" x 14"	AL



145084	7" x 10"	FB
145086	10" x 14"	FB
145085	7" x 10"	PL
145088	10" x 14"	PL
145087	7" x 10"	AL
145083	10" x 14"	AL



145091	7" x 10"	SS
145108	10" x 14"	SS
145093	7" x 10"	PL
145095	7" x 10"	AL
145096	10" x 14"	AL



145107	7" x 10"	SS
145103	7" x 10"	PL
145104	10" x 14"	AL



145111	7" x 10"	SS
145110	10" x 14"	SS
145109	7" x 10"	PL
145114	7" x 10"	AL
145113	10" x 14"	AL



144639	10" x 14"	FB
144642	7" x 10"	SS
144643	10" x 14"	SS
144638	7" x 10"	PL
144637	10" x 14"	PL
144641	7" x 10"	AL
144640	10" x 14"	AL




62756	10" x 14"	FB
83901	3.5" x 5"	SS
83680	7" x 10"	SS
21728	7" x 10"	PL
26548	10" x 14"	PL
46646	7" x 10"	AL
46690	10" x 14"	AL



145136	7" x 10"	SS
145137	10" x 14"	SS
145138	7" x 10"	PL



145132	7" x 10"	SS
145133	10" x 14"	SS
145129	7" x 10"	PL
145139	10" x 14"	PL
145131	7" x 10"	AL
145130	10" x 14"	AL



95772	7" x 10"	FB
62868	10" x 14"	FB
83956	3.5" x 5"	SS
83841	7" x 10"	SS
21868	7" x 10"	PL
26593	10" x 14"	PL
46581	7" x 10"	AL
46821	10" x 14"	AL




45011	10" x 7"	FB
45012	14" x 10"	FB
45147	10" x 7"	SS
45148	14" x 10"	SS
45080	14" x 10"	PL
48999	10" x 7"	AL



144406	14" x 20"	FB



144412	7" x 10"	SS
144409	10" x 14"	SS
144411	7" x 10"	PL
144408	10" x 14"	PL
144410	7" x 10"	AL
144407	10" x 14"	AL



144383	7" x 10"	FB
144384	10" x 14"	FB
144386	2.25" x 4.5"	SS
144380	3.5" x 5"	SS
144381	7" x 10"	SS
144382	10" x 14"	SS
144389	7" x 10"	BGSS
144388	7" x 10"	PL
144385	10" x 14"	PL
144387	7" x 10"	AL

BradyID.com/s36

ANSI Signs (continued)



144415	7" x 17"	FB



144414	10" x 14"	FB
144413	7" x 10"	SS
144416	10" x 14"	SS
144417	7" x 10"	PL
144418	10" x 14"	PL
144419	7" x 10"	AL
144420	10" x 14"	AL



44992	14" x 10"	FB
45127	10" x 7"	SS
45059	10" x 7"	PL
45060	14" x 10"	PL
48979	10" x 7"	AL
48980	14" x 10"	AL




144651	7" x 10"	FB
144645	10" x 14"	FB
144659	14" x 20"	FB
144648	3.5" x 5"	SS
144660	7" x 10"	SS
144661	10" x 14"	SS
144658	7" x 10"	PL
144657	10" x 14"	PL
144652	7" x 10"	AL
144644	10" x 14"	AL


Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)


Material Comparison ..... page 408
Sign Legend Index..... page 588



144459	3.5" x 5"	SS



62791	10" x 14"	FB
83907	3.5" x 5"	SS
83732	7" x 10"	SS
46732	10" x 14"	AL



144398	10" x 7"	FB
144397	10" x 7"	SS
144401	14" x 10"	SS
144399	10" x 7"	PL
144402	14" x 10"	PL
144400	10" x 7"	AL
144403	14" x 10"	AL



144396	10" x 14"	BGSS
144405	10" x 14"	AL



144460	3.5" x 5"	SS
144461	7" x 10"	SS
144462	10" x 14"	SS
144463	7" x 10"	PL
144464	10" x 14"	PL
144465	7" x 10"	AL
144466	10" x 14"	AL



144423	7" x 10"	SS
144426	10" x 14"	SS
144421	7" x 10"	PL
144424	10" x 14"	PL
144425	7" x 10"	AL
144422	10" x 14"	AL



62753	10" x 14"	FB
83898	3.5" x 5"	SS
83677	7" x 10"	SS
21725	7" x 10"	PL
26545	10" x 14"	PL
46643	7" x 10"	AL
46687	10" x 14"	AL



143841	7" x 10"	SS
143842	10" x 14"	SS
143843	7" x 10"	PL
143844	10" x 14"	PL
143840	7" x 10"	AL
143845	10" x 14"	AL



143852	7" x 17"	FB



143853	7" x 10"	SS
143854	10" x 14"	SS
143855	7" x 10"	PL
143856	10" x 14"	PL
143857	7" x 10"	AL
143858	10" x 14"	AL



143836	10" x 14"	FB
143832	3.5" x 5"	SS
143810	10" x 14"	SS
143838	10" x 14"	AL



143815	10" x 14"	AL



145140	7" x 10"	SS
145141	10" x 14"	SS
145144	7" x 10"	PL
145145	10" x 14"	PL
145143	7" x 10"	AL
145142	10" x 14"	AL



145147	10" x 14"	FB
145151	7" x 10"	SS
145152	10" x 14"	SS
145150	7" x 10"	PL
145148	10" x 14"	PL
145149	7" x 10"	AL
145146	10" x 14"	AL



145153	7" x 17"	FB



145158	7" x 10"	SS
145159	10" x 14"	SS
145156	7" x 10"	PL
145154	10" x 14"	PL
145157	7" x 10"	AL
145155	10" x 14"	AL



144662	7" x 10"	FB
144663	7" x 10"	SS
144664	10" x 14"	SS
144665	7" x 10"	PL
144666	10" x 14"	PL
144667	7" x 10"	AL
144668	10" x 14"	AL



144671	10" x 14"	FB
144675	7" x 10"	SS
144672	7" x 10"	PL
144670	10" x 14"	PL
144674	7" x 10"	AL
144669	10" x 14"	AL


ANSI Signs (continued)



44993	10" x 7"	FB
44994	14" x 10"	FB
45129	10" x 7"	SS



143973	7" x 10"	SS
143974	10" x 14"	SS
143971	7" x 10"	PL
143972	10" x 14"	PL
143970	7" x 10"	AL
143969	10" x 14"	AL



62530	7" x 10"	FB
62792	10" x 14"	FB
83908	3.5" x 5"	SS
83733	7" x 10"	SS
21780	7" x 10"	PL
26555	10" x 14"	PL
46733	10" x 14"	AL



144544	7" x 10"	SS
144545	10" x 14"	SS
144546	7" x 10"	PL
144547	10" x 14"	PL
144548	7" x 10"	AL
144549	10" x 14"	AL



144552	7" x 10"	SS
144555	10" x 14"	SS
144550	7" x 10"	PL
144553	10" x 14"	PL
144551	7" x 10"	AL
144554	10" x 14"	AL



145171	7" x 10"	SS
145172	10" x 14"	SS
145168	7" x 10"	PL
145167	10" x 14"	PL
145170	7" x 10"	AL
145169	10" x 14"	AL



144439	10" x 14"	FB
144440	7" x 10"	SS
144441	10" x 14"	SS
144442	7" x 10"	PL
144443	10" x 14"	PL
144444	7" x 10"	AL
144445	10" x 14"	AL



144482	7" x 10"	SS
144483	10" x 14"	SS
144484	7" x 10"	PL
144485	10" x 14"	PL
144486	7" x 10"	AL
144487	10" x 14"	AL



144490	7" x 10"	SS
144491	10" x 14"	SS
144492	7" x 10"	PL
144493	10" x 14"	PL
144488	7" x 10"	AL
144489	10" x 14"	AL



143975	10" x 14"	AL



143976	10" x 14"	FB
143980	10" x 14"	SS
143979	7" x 10"	B-302
143981	7" x 10"	PL
143977	10" x 14"	PL
143982	7" x 10"	AL
143978	10" x 14"	AL



143984	7" x 10"	SS
143985	10" x 14"	SS
143986	7" x 10"	PL
143983	10" x 14"	PL
143987	7" x 10"	AL
143988	10" x 14"	AL



144007	7" x 10"	SS
144008	10" x 14"	SS
144006	7" x 10"	PL
144004	10" x 14"	PL
144003	7" x 10"	AL
144005	10" x 14"	AL



145174	14" x 20"	FB
145178	7" x 10"	SS
145179	10" x 14"	SS
145177	7" x 10"	PL
145176	10" x 14"	PL
145175	7" x 10"	AL
145173	10" x 14"	AL



144011	10" x 14"	FB
144010	20" x 14"	FB
144015	7" x 10"	SS
144016	10" x 14"	SS
144013	7" x 10"	PL
144009	10" x 14"	PL
144014	7" x 10"	AL
144012	10" x 14"	AL



144556	7" x 10"	SS
144558	10" x 14"	SS
144557	7" x 10"	PL
144559	10" x 14"	PL
144560	7" x 10"	AL
144561	10" x 14"	AL



144017	7" x 10"	SS
144020	10" x 14"	SS
144019	7" x 10"	PL
144022	10" x 14"	PL
144018	7" x 10"	AL
144021	10" x 14"	AL



145184	7" x 10"	SS
145185	10" x 14"	SS
145183	7" x 10"	PL
145182	10" x 14"	PL
145181	7" x 10"	AL



145188	7" x 10"	SS
145189	10" x 14"	SS
145187	7" x 10"	PL
145186	10" x 14"	PL
145191	7" x 10"	AL
145190	10" x 14"	AL



145194	7" x 10"	SS
145195	10" x 14"	SS
145192	7" x 10"	PL
145193	10" x 14"	PL
145197	7" x 10"	AL
145196	10" x 14"	AL



144516	7" x 10"	SS
144517	10" x 14"	SS
144518	7" x 10"	PL
144519	10" x 14"	PL
144515	7" x 10"	AL
144514	10" x 14"	AL



143762	10" x 14"	FB
143763	7" x 10"	SS
143760	10" x 14"	SS
143761	10" x 14"	PL
143764	7" x 10"	AL
143759	10" x 14"	AL



62827	10" x 14"	FB
83943	3.5" x 5"	SS
83768	7" x 10"	SS
21815	7" x 10"	PL
26590	10" x 14"	PL
46491	7" x 10"	AL
46768	10" x 14"	AL



143772	7" x 17"	FB



143774	10" x 14"	FB
143776	14" x 20"	FB
143777	7" x 10"	SS
143773	10" x 14"	SS
143780	7" x 10"	PL
143778	10" x 14"	PL
143779	7" x 10"	AL
143775	10" x 14"	AL



143783	10" x 14"	FB
143785	3.5" x 5"	SS
143784	7" x 10"	SS
143781	10" x 14"	SS
143787	7" x 10"	PL
143782	10" x 14"	PL
143786	7" x 10"	AL
143788	10" x 14"	AL



45123	10" x 7"	SS
45124	14" x 10"	SS
45055	10" x 7"	PL
45056	14" x 10"	PL
48975	10" x 7"	AL
48976	14" x 10"	AL

Design custom signs online

BradyID.com/customsigns

BradyID.com/s36

ANSI Signs (continued)



143791	7" x 10"	SS
143792	10" x 14"	SS
143793	7" x 10"	PL
143794	10" x 14"	PL
143790	7" x 10"	AL
143789	10" x 14"	AL



143795	7" x 10"	SS
143797	10" x 14"	SS
143796	7" x 10"	PL
143798	10" x 14"	PL
143799	7" x 10"	AL
143800	10" x 14"	AL



141913	10" x 7"	FB
141908	14" x 10"	FB
141914	10" x 7"	SS
141909	14" x 10"	SS
141917	10" x 7"	PL
141912	14" x 10"	PL
141915	10" x 7"	AL
141910	14" x 10"	AL
141916	10" x 7"	B-946
141911	14" x 10"	B-946



144686	7" x 10"	SS
144687	10" x 14"	SS
144684	7" x 10"	PL
144685	10" x 14"	PL
144682	7" x 10"	AL
144683	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



144692	10" x 7"	SS
144693	14" x 10"	SS
144690	10" x 7"	PL
144691	14" x 10"	PL
144688	10" x 7"	AL
144689	14" x 10"	AL



143695	7" x 10"	SS
143696	10" x 14"	SS
143698	7" x 10"	PL
143697	10" x 14"	PL
143700	7" x 10"	AL
143699	10" x 14"	AL



145205	7" x 17"	FB



145206	7" x 10"	SS
145207	10" x 14"	SS
145208	7" x 10"	PL
145209	10" x 14"	PL
145210	7" x 10"	AL
145211	10" x 14"	AL



144730	7" x 10"	FB
144735	7" x 10"	SS
144736	10" x 14"	SS
144732	7" x 10"	PL
144731	10" x 14"	PL
144734	7" x 10"	AL
144733	10" x 14"	AL



144738	10" x 14"	FB
144740	7" x 10"	SS
144741	10" x 14"	SS
144742	7" x 10"	PL
144743	10" x 14"	PL
144739	7" x 10"	AL
144737	10" x 14"	AL



144746	7" x 10"	SS
144747	10" x 14"	SS
144745	7" x 10"	PL
144744	10" x 14"	PL
144748	7" x 10"	AL
144749	10" x 14"	AL



144456	7" x 10"	SS
144457	10" x 14"	SS
144455	7" x 10"	PL
144453	10" x 14"	PL
144454	7" x 10"	AL
144452	10" x 14"	AL



144568	7" x 10"	SS
144569	10" x 14"	SS
144570	7" x 10"	PL
144571	10" x 14"	PL
144572	7" x 10"	AL
144573	10" x 14"	AL




144034	7" x 10"	SS
144035	10" x 14"	SS
144032	7" x 10"	PL
144031	10" x 14"	PL
144033	7" x 10"	AL
144030	10" x 14"	AL



122829	7" x 10"	FB
122715	10" x 14"	FB
83911	3.5" x 5"	SS
83736	7" x 10"	SS
122574	10" x 14"	SS
21783	7" x 10"	PL
26558	10" x 14"	PL
46459	7" x 10"	AL
46736	10" x 14"	AL



143913	3.5" x 5"	SS
143914	7" x 10"	SS
143916	7" x 10"	PL
143918	7" x 10"	AL



145212	10" x 14"	FB
145213	7" x 10"	SS
145214	10" x 14"	SS
145215	7" x 10"	PL
145216	10" x 14"	PL
145217	7" x 10"	AL
145218	10" x 14"	AL



145229	7" x 10"	SS
145230	10" x 14"	SS
145227	7" x 10"	PL
145228	10" x 14"	PL
145231	7" x 10"	AL
145225	10" x 14"	AL



145233	10" x 14"	FB
145234	7" x 10"	SS



144698	7" x 10"	SS
144699	10" x 14"	SS
144696	7" x 10"	PL
144697	10" x 14"	PL
144695	7" x 10"	AL
144694	10" x 14"	AL



144037	7" x 10"	FB
144036	7" x 10"	SS
144038	10" x 14"	SS
144042	7" x 10"	PL
144041	10" x 14"	PL
144039	7" x 10"	AL
144040	10" x 14"	AL



62433	7" x 10"	FB
62754	10" x 14"	FB
83899	3.5" x 5"	SS
83678	7" x 10"	SS
21726	7" x 10"	PL
26546	10" x 14"	PL
46644	7" x 10"	AL
46688	10" x 14"	AL

ANSI Signs (continued)



144049	7" x 17"	FB



144043	7" x 10"	SS
144044	10" x 14"	SS
144045	7" x 10"	PL
144046	10" x 14"	PL
144047	7" x 10"	AL
144048	10" x 14"	AL



144051	7" x 10"	SS
144052	10" x 14"	SS
144053	7" x 10"	PL
144050	10" x 14"	PL
144054	7" x 10"	AL
144055	10" x 14"	AL



143927	7" x 10"	SS
143929	10" x 14"	SS
143926	7" x 10"	PL
143928	10" x 14"	PL
143930	7" x 10"	AL
143931	10" x 14"	AL



144057	7" x 10"	SS
144056	10" x 14"	SS
144058	7" x 10"	PL
144059	10" x 14"	PL
144060	7" x 10"	AL
144061	10" x 14"	AL



145250	7" x 10"	SS
145251	10" x 14"	SS
145254	7" x 10"	PL
145255	10" x 14"	PL
145253	7" x 10"	AL
145252	10" x 14"	AL



145257	7" x 10"	SS
145256	10" x 14"	SS
145260	7" x 10"	PL
145261	10" x 14"	PL
145259	7" x 10"	AL
145258	10" x 14"	AL



144700	7" x 10"	SS
144701	10" x 14"	SS
144702	7" x 10"	PL
144703	10" x 14"	PL
144705	10" x 14"	AL



144062	7" x 10"	SS
144063	10" x 14"	SS
144064	7" x 10"	PL
144065	10" x 14"	PL
144066	7" x 10"	AL
144067	10" x 14"	AL



44983	10" x 7"	FB
44984	14" x 10"	FB
45119	10" x 7"	SS
45052	14" x 10"	PL
48972	14" x 10"	AL



144074	7" x 10"	FB
144068	10" x 14"	FB
144071	3.5" x 5"	SS
144070	10" x 14"	SS
144076	7" x 10"	PL
144073	10" x 14"	PL
144075	7" x 10"	AL
144069	10" x 14"	AL



144077	7" x 10"	SS
144078	10" x 14"	SS
144079	7" x 10"	PL
144080	10" x 14"	PL
144081	7" x 10"	AL
144082	10" x 14"	AL



144581	7" x 10"	PL
144580	7" x 10"	AL



144710	7" x 10"	SS
144711	10" x 14"	SS
144707	7" x 10"	PL
144706	10" x 14"	PL
144708	7" x 10"	AL
144709	10" x 14"	AL



144083	7" x 10"	SS
144084	10" x 14"	SS
144085	7" x 10"	PL
144086	10" x 14"	PL
144087	7" x 10"	AL
144088	10" x 14"	AL



144584	7" x 10"	SS
144585	10" x 14"	SS
144586	7" x 10"	PL
144587	10" x 14"	PL
144583	7" x 10"	AL
144582	10" x 14"	AL



144106	7" x 10"	SS
144107	10" x 14"	SS
144105	7" x 10"	PL
144103	10" x 14"	PL
144104	7" x 10"	AL
144102	10" x 14"	AL



145269	7" x 10"	SS
145268	10" x 14"	SS
145272	7" x 10"	PL
145273	10" x 14"	PL
145271	7" x 10"	AL
145270	10" x 14"	AL



145283	7" x 10"	SS
145282	10" x 14"	SS
145281	7" x 10"	PL
145280	10" x 14"	PL
145285	7" x 10"	AL
145284	10" x 14"	AL



45021	10" x 7"	FB
45022	14" x 10"	FB
45157	10" x 7"	SS
45158	14" x 10"	SS
45089	10" x 7"	PL
45090	14" x 10"	PL
49009	10" x 7"	AL
49010	14" x 10"	AL



120645	7" x 10"	SS
119752	10" x 14"	SS
119990	5" x 7"	SSV
119768	10" x 14"	SSV
120658	7" x 10"	BGPL
119764	10" x 14"	BGPL
119982	5" x 7"	SS
119986	5" x 7"	PL
120649	7" x 10"	PL
119756	10" x 14"	PL
120653	7" x 10"	AL
119760	10" x 14"	AL



132218	7" x 10"	FB
132219	10" x 14"	FB
132220	7" x 10"	SS
132221	10" x 14"	SS
132214	7" x 10"	PL
132215	10" x 14"	PL
132216	7" x 10"	AL
132217	10" x 14"	AL



62557	7" x 10"	FB
122753	10" x 14"	FB
83935	3.5" x 5"	SS
83760	7" x 10"	SS
122612	10" x 14"	SS
21807	7" x 10"	PL
26582	10" x 14"	PL
46483	7" x 10"	AL
46760	10" x 14"	AL



62818	10" x 14"	FB
83934	3.5" x 5"	SS
83759	7" x 10"	SS
21806	7" x 10"	PL
46482	7" x 10"	AL
46759	10" x 14"	AL

BradyID.com/s36

ANSI Signs (continued)



83936	3.5" x 5"	SS
83761	7" x 10"	SS
21808	7" x 10"	PL
26583	10" x 14"	PL
46484	7" x 10"	AL
46761	10" x 14"	AL



62555	7" x 10"	FB
62817	10" x 14"	FB
83933	3.5" x 5"	SS
83758	7" x 10"	SS
21805	7" x 10"	PL
26580	10" x 14"	PL
46481	7" x 10"	AL
46758	10" x 14"	AL



62560	7" x 10"	FB
62822	10" x 14"	FB
83938	3.5" x 5"	SS
83763	7" x 10"	SS
21810	7" x 10"	PL
26585	10" x 14"	PL
46486	7" x 10"	AL
46763	10" x 14"	AL



44979	10" x 7"	FB
44980	14" x 10"	FB
45115	10" x 7"	SS
45116	14" x 10"	SS
45047	10" x 7"	PL
45048	14" x 10"	PL
48967	10" x 7"	AL
48968	14" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



83874	3.5" x 5"	SS
21700	7" x 10"	PL
26521	10" x 14"	PL
46661	10" x 14"	AL



62561	7" x 10"	FB
83939	3.5" x 5"	SS
83764	7" x 10"	SS
26586	10" x 14"	PL
46764	10" x 14"	AL



83658	7" x 10"	SS
21707	7" x 10"	PL
26528	10" x 14"	PL



83877	3.5" x 5"	SS
83654	7" x 10"	SS
21703	7" x 10"	PL
26524	10" x 14"	PL
46620	7" x 10"	AL
46664	10" x 14"	AL



45173	10" x 7"	SS
45105	10" x 7"	PL
45106	14" x 10"	PL
49026	14" x 10"	AL



45035	10" x 7"	FB
45171	10" x 7"	SS
45172	14" x 10"	SS
45103	10" x 7"	PL
45104	14" x 10"	PL
49024	14" x 10"	AL



45141	10" x 7"	SS
45073	10" x 7"	PL
45074	14" x 10"	PL



44985	10" x 7"	FB
45121	10" x 7"	SS
45122	14" x 10"	SS
45053	10" x 7"	PL
45054	14" x 10"	PL
48974	14" x 10"	AL



45001	10" x 7"	FB
45138	14" x 10"	SS
45069	10" x 7"	PL
48989	10" x 7"	AL
48990	14" x 10"	AL



45113	10" x 7"	SS
45045	10" x 7"	PL
48966	14" x 10"	AL



62810	10" x 14"	FB
83751	7" x 10"	SS
21798	7" x 10"	PL
26573	10" x 14"	PL
46474	7" x 10"	AL
46751	10" x 14"	AL



44999	10" x 7"	FB
45000	14" x 10"	FB
45136	14" x 10"	SS
45067	10" x 7"	PL
45068	14" x 10"	PL
48987	10" x 7"	AL
48988	14" x 10"	AL



126422	10" x 7"	SS
126425	14" x 10"	SS
126421	10" x 7"	PL
126424	14" x 10"	PL
126420	10" x 7"	AL
126423	14" x 10"	AL



132235	7" x 10"	FB
132236	10" x 14"	FB
132237	7" x 10"	SS
132238	10" x 14"	SS
132231	7" x 10"	PL
132232	10" x 14"	PL
132233	7" x 10"	AL
132234	10" x 14"	AL



132244	7" x 10"	FB
132245	10" x 14"	FB
132246	7" x 10"	SS
132247	10" x 14"	SS
132240	7" x 10"	PL
132241	10" x 14"	PL
132242	7" x 10"	AL
132243	10" x 14"	AL



45179	10" x 7"	SS
45180	10" x 7"	SS
45111	10" x 7"	PL
45112	14" x 10"	PL
49032	14" x 10"	AL



144605	7" x 10"	SS
144603	7" x 10"	PL
144602	7" x 10"	AL



45017	10" x 7"	FB
45018	14" x 10"	FB
45153	10" x 7"	SS
45154	14" x 10"	SS
45085	10" x 7"	PL
45086	14" x 10"	PL
49005	10" x 7"	AL
49006	10" x 14"	AL

ANSI Signs (continued)



144606	10" x 14"	SS
144604	10" x 14"	PL
144595	10" x 14"	AL



126506	7" x 10"	SS
126509	10" x 14"	SS
126505	7" x 10"	PL
126508	10" x 14"	PL
126504	7" x 10"	AL
126507	10" x 14"	AL



143728	7" x 10"	SS
143729	10" x 14"	SS
143725	7" x 10"	PL
143727	10" x 14"	PL
143724	7" x 10"	AL
143726	10" x 14"	AL



143963	7" x 10"	SS
143964	10" x 14"	SS
143965	7" x 10"	PL
143966	10" x 14"	PL
143967	7" x 10"	AL
143968	10" x 14"	AL



144623	7" x 10"	SS
144624	10" x 14"	SS
144625	7" x 10"	PL
144626	10" x 14"	PL
144627	7" x 10"	AL
144628	10" x 14"	AL



145099	7" x 10"	SS
145100	10" x 14"	SS
145101	7" x 10"	PL
145102	10" x 14"	PL
145097	7" x 10"	AL
145098	10" x 14"	AL



144390	7" x 10"	SS
144393	10" x 14"	SS
144391	7" x 10"	PL
144394	10" x 14"	PL
144392	7" x 10"	AL
144395	10" x 14"	AL



143824	7" x 10"	SS
143825	10" x 14"	SS
143826	7" x 10"	PL
143827	10" x 14"	PL
143823	7" x 10"	AL
143828	10" x 14"	AL



62423	7" x 10"	FB
62743	10" x 14"	FB
83892	3.5" x 5"	SS
83669	7" x 10"	SS
21718	7" x 10"	PL
26539	10" x 14"	PL
46679	10" x 14"	AL
46635	7" x 10"	AL



145162	10" x 14"	FB
145164	7" x 10"	SS
145161	10" x 14"	SS
145163	7" x 10"	PL
145160	10" x 14"	PL
145166	7" x 10"	AL
145165	10" x 14"	AL



45028	14" x 10"	FB
45163	10" x 7"	SS
45164	10" x 7"	SS
45095	10" x 7"	PL
45096	14" x 10"	PL
49015	10" x 7"	AL
49016	14" x 10"	AL



144680	7" x 10"	SS
144681	10" x 14"	SS
144678	7" x 10"	PL
144677	10" x 14"	PL
144679	7" x 10"	AL
144676	10" x 14"	AL



145248	7" x 10"	SS
145249	10" x 14"	SS
145246	7" x 10"	PL
145247	10" x 14"	PL
145245	7" x 10"	AL
145244	10" x 14"	AL



126494	10" x 7"	SS
126497	14" x 10"	SS
126493	10" x 7"	PL
126496	14" x 10"	PL
126492	10" x 7"	AL
126495	14" x 10"	AL



129026	10" x 7"	SS
129029	14" x 10"	SS
129025	10" x 7"	PL
129028	14" x 10"	PL
129024	10" x 7"	AL
129027	14" x 10"	AL



90175	14" x 10"	BGSS
90706	10" x 7"	BGPL



90707	10" x 7"	BGPL



45009	10" x 7"	FB
45145	10" x 7"	SS
45146	14" x 10"	SS
45077	10" x 7"	PL
45078	14" x 10"	PL
48998	14" x 10"	AL



83941	3.5" x 5"	SS
83766	7" x 10"	SS
21813	7" x 10"	PL
26588	10" x 14"	PL
46489	7" x 10"	AL
46766	10" x 14"	AL



83942	3.5" x 5"	SS
83767	7" x 10"	SS
21814	7" x 10"	PL
26589	10" x 14"	PL
46767	10" x 14"	AL



45013	10" x 7"	FB
45150	14" x 10"	SS
45081	10" x 7"	PL
45082	14" x 10"	PL
49001	10" x 7"	AL



44995	10" x 7"	FB
44996	14" x 10"	FB
45131	10" x 7"	SS
45132	14" x 10"	SS
45063	10" x 7"	PL
45064	14" x 10"	PL
48983	10" x 7"	AL
48984	14" x 10"	AL



45133	10" x 7"	SS
45065	10" x 7"	PL

BradyID.com/s36

Bilingual and Spanish-Only Signs

Brady has a full line of Bilingual and Spanish signs that communicate safety and facility information to your Spanish-speaking employees and visitors. Brady Spanish signs provide your facility with the appropriate Spanish safety message such as “precaucion,” “peligro,” “securidad primero,” “aviso” and “advertencia.”

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-sticking (B-324)
BGPL - BradyGlo plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



124051	10" x 7"	SS
124054	14" x 10"	SS
124050	10" x 7"	PL
124053	14" x 10"	PL
124049	10" x 7"	AL
124052	14" x 10"	AL



125393	10" x 7"	SS
125396	14" x 10"	SS
90514	14" x 10"	BGSS
125392	10" x 7"	PL
125395	14" x 10"	PL
125391	10" x 7"	AL
125394	14" x 10"	AL



125429	7" x 10"	SS
125432	10" x 14"	SS
125428	7" x 10"	PL
125431	10" x 14"	PL
125427	7" x 10"	AL
125430	10" x 14"	AL



125351	7" x 10"	SS
125354	10" x 14"	SS
125350	7" x 10"	PL
125353	10" x 14"	PL
125349	7" x 10"	AL
125352	10" x 14"	AL



125477	10" x 7"	SS
125480	14" x 10"	SS
125476	10" x 7"	PL
125479	14" x 10"	PL
125475	10" x 7"	AL
125478	14" x 10"	AL



125333	7" x 10"	SS
125336	10" x 14"	SS
125332	7" x 10"	PL
125335	10" x 14"	PL
125331	7" x 10"	AL
125334	10" x 14"	AL



125345	10" x 7"	SS
125348	14" x 10"	SS
125344	10" x 7"	PL
125347	14" x 10"	PL
125343	10" x 7"	AL
125346	14" x 10"	AL



39850	7" x 10"	FB
38964	7" x 10"	PL
38984	10" x 14"	PL
38474	10" x 14"	AL



123997	10" x 7"	SS
124000	14" x 10"	SS
123996	10" x 7"	PL
123999	14" x 10"	PL
123995	10" x 7"	AL
123998	14" x 10"	AL



122807	7" x 10"	FB
122783	14" x 10"	FB
122645	7" x 10"	SS
90809	14" x 10"	SS
122512	7" x 10"	PL
38942	14" x 10"	PL
122401	7" x 10"	AL
38430	14" x 10"	AL



125339	10" x 7"	SS
125342	14" x 10"	SS
125338	10" x 7"	PL
125341	14" x 10"	PL
125337	10" x 7"	AL
125340	14" x 10"	AL



124913	7" x 10"	SS
124916	10" x 14"	SS
124912	7" x 10"	PL
124915	10" x 14"	PL
124911	7" x 10"	AL
124914	10" x 14"	AL



39738	20" x 14"	FB
90816	14" x 10"	SS
38846	14" x 10"	PL
38345	14" x 10"	AL



124057	10" x 7"	SS
124060	14" x 10"	SS
124056	10" x 7"	PL
124059	14" x 10"	PL
124055	10" x 7"	AL
124058	14" x 10"	AL



125357	10" x 7"	SS
125360	14" x 10"	SS
125356	10" x 7"	PL
125359	14" x 10"	PL
125355	10" x 7"	AL
125358	14" x 10"	AL



125465	10" x 7"	SS
125468	14" x 10"	SS
125464	10" x 7"	PL
125467	14" x 10"	PL
125463	10" x 7"	AL
125466	14" x 10"	AL



125363	10" x 7"	SS
125366	14" x 10"	SS
125362	10" x 7"	PL
125365	14" x 10"	PL
125361	10" x 7"	AL
125364	14" x 10"	AL



125459	10" x 7"	SS
125462	14" x 10"	SS
125458	10" x 7"	PL
125461	14" x 10"	PL
125457	10" x 7"	AL
125460	14" x 10"	AL



125405	10" x 7"	SS
125408	14" x 10"	SS
125404	10" x 7"	PL
125407	14" x 10"	PL
125403	10" x 7"	AL
125406	14" x 10"	AL



125399	10" x 7"	SS
125402	14" x 10"	SS
125398	10" x 7"	PL
125401	14" x 10"	PL
125397	10" x 7"	AL
125400	14" x 10"	AL



125369	10" x 7"	SS
125372	14" x 10"	SS
125368	10" x 7"	PL
125371	14" x 10"	PL
125367	10" x 7"	AL
125370	14" x 10"	AL



125417	10" x 7"	SS
125420	14" x 10"	SS
125416	10" x 7"	PL
125419	14" x 10"	PL
125415	10" x 7"	AL
125418	14" x 10"	AL

Bilingual and Spanish-Only Signs (continued)



125375	10" x 7"	SS
125378	14" x 10"	SS
125374	10" x 7"	PL
125377	14" x 10"	PL
125373	10" x 7"	AL
125376	14" x 10"	AL



125327	7" x 10"	SS
125330	10" x 14"	SS
125326	7" x 10"	PL
125329	10" x 14"	PL
125325	7" x 10"	AL
125328	10" x 14"	AL



124919	7" x 10"	SS
124922	10" x 14"	SS
124918	7" x 10"	PL
124921	10" x 14"	PL
124917	7" x 10"	AL
124920	10" x 14"	AL



125411	10" x 7"	SS
125414	14" x 10"	SS
125410	10" x 7"	PL
125413	14" x 10"	PL
125409	10" x 7"	AL
125412	14" x 10"	AL



125453	10" x 7"	SS
125456	14" x 10"	SS
125452	10" x 7"	PL
125455	14" x 10"	PL
125451	10" x 7"	AL
125454	14" x 10"	AL



125387	7" x 10"	SS
125390	10" x 14"	SS
125386	7" x 10"	PL
125389	10" x 14"	PL
125385	7" x 10"	AL
125388	10" x 14"	AL



125381	7" x 10"	SS
125384	10" x 14"	SS
125380	7" x 10"	PL
125383	10" x 14"	PL
125379	7" x 10"	AL
125382	10" x 14"	AL



125471	10" x 7"	SS
125474	14" x 10"	SS
125470	10" x 7"	PL
125473	14" x 10"	PL
125469	10" x 7"	AL
125472	14" x 10"	AL



124931	7" x 10"	SS
124934	10" x 14"	SS
124930	7" x 10"	PL
124933	10" x 14"	PL
124929	7" x 10"	AL
124932	10" x 14"	AL



125483	10" x 7"	SS
125486	14" x 10"	SS
125482	10" x 7"	PL
125485	14" x 10"	PL
125481	10" x 7"	AL
125484	14" x 10"	AL



125447	10" x 7"	SS
125450	14" x 10"	SS
125446	10" x 7"	PL
125449	14" x 10"	PL
125445	10" x 7"	AL
125448	14" x 10"	AL



39965	20" x 14"	FB
90817	14" x 10"	SS
39085	14" x 10"	PL
38585	14" x 10"	AL



39149	10" x 14"	PL
37847	10" x 14"	AL



125321	7" x 10"	SS
125324	10" x 14"	SS
125320	7" x 10"	PL
125323	10" x 14"	PL
125319	7" x 10"	AL
125322	10" x 14"	AL



124925	7" x 10"	SS
124928	10" x 14"	SS
124924	7" x 10"	PL
124927	10" x 14"	PL
124923	7" x 10"	AL
124926	10" x 14"	AL



125441	10" x 7"	SS
125444	14" x 10"	SS
125440	10" x 7"	PL
125443	14" x 10"	PL
125439	10" x 7"	AL
125442	14" x 10"	AL



122805	7" x 10"	FB
122781	14" x 10"	FB
122643	7" x 10"	SS
90818	14" x 10"	SS
122510	7" x 10"	PL
39086	14" x 10"	PL
122399	7" x 10"	AL
38586	14" x 10"	AL



39173	10" x 14"	FB
39123	7" x 10"	PL
39150	10" x 14"	PL
37848	10" x 14"	AL



39991	7" x 10"	FB
39171	10" x 14"	FB
37803	7" x 10"	SS
39121	7" x 10"	PL
39148	10" x 14"	PL




122806	7" x 10"	FB
122782	14" x 10"	FB
39964	20" x 14"	FB
122644	7" x 10"	SS
90799	14" x 10"	SS
122511	7" x 10"	PL
39084	14" x 10"	PL
122400	7" x 10"	AL
122391	14" x 10"	AL



125435	10" x 7"	SS
125438	14" x 10"	SS
125434	10" x 7"	PL
125437	14" x 10"	PL
125433	10" x 7"	AL
125436	14" x 10"	AL

BradyID.com/s36

Bilingual and Spanish-Only Signs (continued)



90792	14" x 10"	SS
38683	14" x 10"	PL



39605	10" x 14"	FB
37635	7" x 10"	SS
38734	10" x 14"	PL



90820	14" x 10"	SS
38684	14" x 10"	PL



39606	10" x 14"	FB
37636	7" x 10"	SS
38711	7" x 10"	PL
38205	7" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



125135	10" x 7"	SS
125138	14" x 10"	SS
125134	10" x 7"	PL
125137	14" x 10"	PL
125133	10" x 7"	AL
125136	14" x 10"	AL



125129	7" x 10"	SS
125132	10" x 14"	SS
125128	7" x 10"	PL
125131	10" x 14"	PL
125127	7" x 10"	AL
125130	10" x 14"	AL




125147	10" x 7"	SS
125150	14" x 10"	SS
90655	10" x 7"	BGPL
125146	10" x 7"	PL
125149	14" x 10"	PL
125145	10" x 7"	AL
125148	14" x 10"	AL



39579	20" x 14"	FB
90797	14" x 10"	SS
38679	14" x 10"	PL
38175	14" x 10"	AL



39590	7" x 10"	FB
39601	10" x 14"	FB
37631	7" x 10"	SS
38706	7" x 10"	PL
38730	10" x 14"	PL
38200	7" x 10"	AL
38227	10" x 14"	AL



39506	20" x 14"	FB
90793	14" x 10"	SS
90147	10" x 7"	BGSS
90509	14" x 10"	BGSS
90658	10" x 7"	BGPL
90740	14" x 10"	BGPL
38606	14" x 10"	PL
38106	14" x 10"	AL



39531	7" x 10"	FB
39556	10" x 14"	FB
37606	7" x 10"	SS
38656	10" x 14"	PL
38152	10" x 14"	AL



122804	7" x 10"	FB
122780	14" x 10"	FB
39967	20" x 14"	FB
122642	7" x 10"	SS
90803	14" x 10"	SS
122509	7" x 10"	PL
39087	14" x 10"	PL
122398	7" x 10"	AL
38587	14" x 10"	AL



39505	20" x 14"	FB
90542	14" x 10"	SS
38605	14" x 10"	PL
38105	14" x 10"	AL



39555	10" x 14"	FB
38630	7" x 10"	PL
38655	10" x 14"	PL
38127	7" x 10"	AL
38151	10" x 14"	AL



125309	10" x 7"	SS
125312	14" x 10"	SS
125308	10" x 7"	PL
125311	14" x 10"	PL
125307	10" x 7"	AL
125310	14" x 10"	AL



125159	10" x 7"	SS
125162	14" x 10"	SS
125158	10" x 7"	PL
125161	14" x 10"	PL
125157	10" x 7"	AL
125160	14" x 10"	AL



125165	10" x 7"	SS
125168	14" x 10"	SS
125164	10" x 7"	PL
125167	14" x 10"	PL
125163	10" x 7"	AL
125166	14" x 10"	AL



124087	10" x 7"	SS
124090	14" x 10"	SS
124086	10" x 7"	PL
124089	14" x 10"	PL
124085	10" x 7"	AL
124088	14" x 10"	AL



125117	7" x 10"	SS
125120	10" x 14"	SS
125116	7" x 10"	PL
125119	10" x 14"	PL
125115	7" x 10"	AL
125118	10" x 14"	AL



124099	10" x 7"	SS
124102	14" x 10"	SS
124098	10" x 7"	PL
124101	14" x 10"	PL
124097	10" x 7"	AL
124100	14" x 10"	AL



125261	10" x 7"	SS
125264	14" x 10"	SS
125260	10" x 7"	PL
125263	14" x 10"	PL
125259	10" x 7"	AL
125262	14" x 10"	AL



124937	7" x 10"	SS
124940	10" x 14"	SS
124936	7" x 10"	PL
124939	10" x 14"	PL
124935	7" x 10"	AL
124938	10" x 14"	AL

Bilingual and Spanish-Only Signs (continued)



124081	10" x 7"	SS
124084	14" x 10"	SS
124080	10" x 7"	PL
124083	14" x 10"	PL
124079	10" x 7"	AL
124082	14" x 10"	AL



38865	14" x 10"	PL
38360	14" x 10"	AL



39780	7" x 10"	FB
39804	14" x 10"	FB
37718	7" x 10"	SS
124072	10" x 14"	SS
38892	7" x 10"	PL
124071	10" x 14"	PL
38383	7" x 10"	AL
38403	10" x 14"	AL



125201	10" x 7"	SS
125204	14" x 10"	SS
125200	10" x 7"	PL
125203	14" x 10"	PL
125199	10" x 7"	AL
125202	14" x 10"	AL



125153	10" x 7"	SS
125156	14" x 10"	SS
125152	10" x 7"	PL
125151	10" x 7"	AL
125154	14" x 10"	AL



39978	7" x 10"	FB
37790	7" x 10"	SS
39108	7" x 10"	PL
39135	10" x 14"	PL
37833	10" x 14"	AL



124015	10" x 7"	SS
124018	14" x 10"	SS
124014	10" x 7"	PL
124017	14" x 10"	PL
124013	10" x 7"	AL
124016	14" x 10"	AL



39658	20" x 14"	FB
38767	14" x 10"	PL
38264	14" x 10"	AL



125243	10" x 7"	SS
125246	14" x 10"	SS
125242	10" x 7"	PL
125245	14" x 10"	PL
125241	10" x 7"	AL
125244	14" x 10"	AL



125267	10" x 7"	SS
125270	14" x 10"	SS
125266	10" x 7"	PL
125269	14" x 10"	PL
125265	10" x 7"	AL
125268	14" x 10"	AL



124063	10" x 7"	SS
124066	14" x 10"	SS
124062	10" x 7"	PL
124065	14" x 10"	PL
124061	10" x 7"	AL
124064	14" x 10"	AL



39576	20" x 14"	FB
90543	14" x 10"	SS
38676	14" x 10"	PL
38172	14" x 10"	AL



124943	7" x 10"	SS
124946	10" x 14"	SS
124942	7" x 10"	PL
124945	10" x 14"	PL
124941	7" x 10"	AL
124944	10" x 14"	AL



125207	10" x 7"	SS
125210	14" x 10"	SS
125206	10" x 7"	PL
125209	14" x 10"	PL
125205	10" x 7"	AL
125208	14" x 10"	AL



50270	7" x 10"	PL



125105	7" x 10"	SS
125108	10" x 14"	SS
125104	7" x 10"	PL
125107	10" x 14"	PL
125103	7" x 10"	AL
125106	10" x 14"	AL



125099	7" x 10"	SS
125102	10" x 14"	SS
125098	7" x 10"	PL
125101	10" x 14"	PL
125097	7" x 10"	AL
125100	10" x 14"	AL



124949	7" x 10"	SS
124952	10" x 14"	SS
39124	7" x 10"	PL
39151	10" x 14"	PL
124947	7" x 10"	AL
37849	10" x 14"	AL



124093	10" x 7"	SS
124096	14" x 10"	SS
124092	10" x 7"	PL
124095	14" x 10"	PL
124091	10" x 7"	AL
124094	14" x 10"	AL



124105	10" x 7"	SS
124108	14" x 10"	SS
124104	10" x 7"	PL
124107	14" x 10"	PL
124103	10" x 7"	AL
124106	14" x 10"	AL



124141	10" x 7"	SS
124144	14" x 10"	SS
124140	10" x 7"	PL
124143	14" x 10"	PL
124139	10" x 7"	AL
124142	14" x 10"	AL



39811	20" x 14"	FB
90795	14" x 10"	SS
38920	14" x 10"	PL
38411	14" x 10"	AL



39833	7" x 10"	FB
37725	7" x 10"	SS
38457	10" x 14"	AL

BradyID.com/s36

Bilingual and Spanish-Only Signs (continued)



125213	10" x 7"	SS
125216	14" x 10"	SS
125212	10" x 7"	PL
125215	14" x 10"	PL
125211	10" x 7"	AL
125214	14" x 10"	AL



125291	10" x 7"	SS
125294	14" x 10"	SS
125290	10" x 7"	PL
125293	14" x 10"	PL
125289	10" x 7"	AL
125292	14" x 10"	AL



90143	10" x 7"	BGSS
90654	10" x 7"	BGPL
90736	14" x 10"	BGPL



124123	10" x 7"	SS
124126	14" x 10"	SS
124122	10" x 7"	PL
124125	14" x 10"	PL
124121	10" x 7"	AL
124124	14" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



39951	20" x 14"	FB
39071	14" x 10"	PL
38571	14" x 10"	AL



125171	10" x 7"	SS
125174	14" x 10"	SS
125170	10" x 7"	PL
125173	14" x 10"	PL
125169	10" x 7"	AL
125172	14" x 10"	AL



125285	7" x 10"	SS
125288	10" x 14"	SS
125284	7" x 10"	PL
125287	10" x 14"	PL
125283	7" x 10"	AL
125286	10" x 14"	AL



125279	7" x 10"	SS
125282	10" x 14"	SS
125278	7" x 10"	PL
125281	10" x 14"	PL
125277	7" x 10"	AL
125280	10" x 14"	AL



124955	7" x 10"	SS
124958	10" x 14"	SS
124954	7" x 10"	PL
124957	10" x 14"	PL
124953	7" x 10"	AL
124956	10" x 14"	AL



125297	10" x 7"	SS
125300	14" x 10"	SS
125296	10" x 7"	PL
125299	14" x 10"	PL
125295	10" x 7"	AL
125298	14" x 10"	AL



125249	10" x 7"	SS
125252	14" x 10"	SS
125248	10" x 7"	PL
125251	14" x 10"	PL
125247	10" x 7"	AL
125250	14" x 10"	AL



39758	20" x 14"	FB
90819	14" x 10"	SS
38866	14" x 10"	PL
38361	14" x 10"	AL



37719	7" x 10"	SS
38893	7" x 10"	PL
38384	7" x 10"	AL
38404	10" x 14"	AL



124961	7" x 10"	SS
124964	10" x 14"	SS
124960	7" x 10"	PL
124963	10" x 14"	PL
124959	7" x 10"	AL
124962	10" x 14"	AL




125255	10" x 7"	SS
125258	14" x 10"	SS
125254	10" x 7"	PL
125257	14" x 10"	PL
125253	10" x 7"	AL
125256	14" x 10"	AL



125273	10" x 7"	SS
125276	14" x 10"	SS
125272	10" x 7"	PL
125275	14" x 10"	PL
125271	10" x 7"	AL
125274	14" x 10"	AL



124075	10" x 7"	SS
124078	14" x 10"	SS
124074	10" x 7"	PL
124077	14" x 10"	PL
124073	10" x 7"	AL
124076	14" x 10"	AL



125231	10" x 7"	SS
125234	14" x 10"	SS
90507	14" x 10"	BGSS
90656	10" x 7"	BGPL
125230	10" x 7"	PL
125233	14" x 10"	PL
125229	10" x 7"	AL
125232	14" x 10"	AL



125183	10" x 7"	SS
125186	14" x 10"	SS
125182	10" x 7"	PL
125185	14" x 10"	PL
125181	10" x 7"	AL
125184	14" x 10"	AL



125177	10" x 7"	SS
125180	14" x 10"	SS
125176	10" x 7"	PL
125179	14" x 10"	PL
125175	10" x 7"	AL
125178	14" x 10"	AL



39503	20" x 14"	FB
38603	14" x 10"	PL
38103	14" x 10"	AL

Bilingual and Spanish-Only Signs (continued)



39528	7" x 10"	FB
39553	14" x 10"	FB
37603	7" x 10"	SS
38628	7" x 10"	PL
38653	10" x 14"	PL



125237	10" x 7"	SS
125240	14" x 10"	SS
125236	10" x 7"	PL
125239	14" x 10"	PL
125235	10" x 7"	AL
125238	14" x 10"	AL



124117	10" x 7"	SS
124120	14" x 10"	SS
124116	10" x 7"	PL
124119	14" x 10"	PL
124115	10" x 7"	AL
124118	14" x 10"	AL



39504	20" x 14"	FB
90810	14" x 10"	SS
90734	14" x 10"	BGPL
38604	14" x 10"	PL
38104	14" x 10"	AL



39529	7" x 10"	FB
39554	10" x 14"	FB
37604	7" x 10"	SS
38629	7" x 10"	PL
38654	10" x 14"	PL
38150	10" x 14"	AL



122803	7" x 10"	FB
122779	14" x 10"	FB
39876	20" x 14"	FB
122641	7" x 10"	SS
90666	14" x 10"	SS
122508	7" x 10"	PL
38990	14" x 10"	PL
122397	7" x 10"	AL
38478	14" x 10"	AL



39894	7" x 10"	FB
39912	10" x 14"	FB
37758	7" x 10"	SS
39008	7" x 10"	PL
39026	10" x 14"	PL
38514	10" x 14"	AL




39817	20" x 14"	FB
38928	14" x 10"	PL
38417	14" x 10"	AL



39860	14" x 10"	FB
37737	7" x 10"	SS
38973	10" x 14"	PL
38440	7" x 10"	AL
38463	10" x 14"	AL



125315	10" x 7"	SS
125318	14" x 10"	SS
125314	10" x 7"	PL
125317	14" x 10"	PL
125313	10" x 7"	AL
125316	14" x 10"	AL



125189	7" x 10"	SS
125192	10" x 14"	SS
125188	7" x 10"	PL
125191	10" x 14"	PL
125187	7" x 10"	AL
125190	10" x 14"	AL



38867	14" x 10"	PL
38362	14" x 10"	AL



37720	7" x 10"	SS



124147	10" x 7"	SS
124150	14" x 10"	SS
124146	10" x 7"	PL
124149	14" x 10"	PL
124145	10" x 7"	AL
124148	14" x 10"	AL



125123	7" x 10"	SS
125126	10" x 14"	SS
125122	7" x 10"	PL
125125	10" x 14"	PL
125121	7" x 10"	AL
125124	10" x 14"	AL



125141	7" x 10"	SS
125144	10" x 14"	SS
125140	7" x 10"	PL
125143	10" x 14"	PL
125139	7" x 10"	AL
125142	10" x 14"	AL



125195	10" x 7"	SS
125198	14" x 10"	SS
125194	10" x 7"	PL
125197	14" x 10"	PL
125193	10" x 7"	AL
125196	14" x 10"	AL



125219	10" x 7"	SS
125222	14" x 10"	SS
125218	10" x 7"	PL
125221	14" x 10"	PL
125217	10" x 7"	AL
125220	14" x 10"	AL



124045	10" x 7"	SS
124048	14" x 10"	SS
124044	10" x 7"	PL
124047	14" x 10"	PL
124043	10" x 7"	AL
124046	14" x 10"	AL



39954	20" x 14"	FB
39074	14" x 10"	PL
38574	14" x 10"	AL



39981	7" x 10"	FB
39161	14" x 10"	FB
37793	7" x 10"	SS
39111	7" x 10"	PL
39138	10" x 14"	PL
37809	7" x 10"	AL



39756	20" x 14"	FB
38864	14" x 10"	PL
38359	14" x 10"	AL



39803	14" x 10"	FB
38914	10" x 14"	PL



125111	7" x 10"	SS
125114	10" x 14"	SS
125110	7" x 10"	PL
125113	10" x 14"	PL
125109	7" x 10"	AL
125112	10" x 14"	AL

BradyID.com/s36

Bilingual and Spanish-Only Signs (continued)



125303	10" x 7"	SS
125306	14" x 10"	SS
125302	10" x 7"	PL
125305	14" x 10"	PL
125301	10" x 7"	AL
125304	14" x 10"	AL



90149	10" x 7"	BGSS
90680	10" x 7"	BGPL



124009	10" x 7"	SS
124012	14" x 10"	SS
124008	10" x 7"	PL
124011	14" x 10"	PL
124007	10" x 7"	AL
124010	14" x 10"	AL



125495	7" x 10"	SS
125498	10" x 14"	SS
125494	7" x 10"	PL
125497	10" x 14"	PL
125493	7" x 10"	AL
125496	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



39961	20" x 14"	FB
90674	14" x 10"	SS
39081	14" x 10"	PL
38581	14" x 10"	AL



37800	7" x 10"	SS
39145	10" x 14"	PL
37843	10" x 14"	AL



125063	10" x 7"	SS
125066	14" x 10"	SS
125062	10" x 7"	PL
125065	14" x 10"	PL
125061	10" x 7"	AL
125064	14" x 10"	AL



124997	10" x 7"	SS
125000	14" x 10"	SS
124996	10" x 7"	PL
124999	14" x 10"	PL
124995	10" x 7"	AL
124998	14" x 10"	AL



124979	10" x 7"	SS
124982	14" x 10"	SS
124978	10" x 7"	PL
124981	14" x 10"	PL
124977	10" x 7"	AL
124980	14" x 10"	AL




124991	10" x 7"	SS
124994	14" x 10"	SS
124990	10" x 7"	PL
124993	14" x 10"	PL
124989	10" x 7"	AL
124992	14" x 10"	AL



125033	10" x 7"	SS
125036	14" x 10"	SS
125032	10" x 7"	PL
125035	14" x 10"	PL
125031	10" x 7"	AL
125034	14" x 10"	AL




124033	10" x 7"	SS
124036	14" x 10"	SS
124032	10" x 7"	PL
124035	14" x 10"	PL
124031	10" x 7"	AL
124034	14" x 10"	AL



125069	10" x 7"	SS
125072	14" x 10"	SS
125068	10" x 7"	PL
125071	14" x 10"	PL
125067	10" x 7"	AL
125070	14" x 10"	AL



124039	10" x 7"	SS
124042	14" x 10"	SS
124038	10" x 7"	PL
124041	14" x 10"	PL
124037	10" x 7"	AL
124040	14" x 10"	AL



125009	7" x 10"	SS
125012	10" x 14"	SS
125008	7" x 10"	PL
125011	10" x 14"	PL
125007	7" x 10"	AL
125010	10" x 14"	AL



14216	14" x 10"	SS
14218	14" x 10"	PL
14219	14" x 10"	AL




122809	7" x 10"	FB
122785	14" x 10"	FB
122647	7" x 10"	SS
90807	14" x 10"	SS
122514	7" x 10"	PL
38937	14" x 10"	PL
122403	7" x 10"	AL
38425	14" x 10"	AL



14218	14" x 10"	FB
14216	14" x 10"	SS
87714	14" x 10"	PL
14219	14" x 10"	AL



37748	7" x 10"	SS
38979	10" x 14"	PL



125015	10" x 7"	SS
125018	14" x 10"	SS
125014	10" x 7"	PL
125017	14" x 10"	PL
125013	10" x 7"	AL
125016	14" x 10"	AL



125075	10" x 7"	SS
125078	14" x 10"	SS
125074	10" x 7"	PL
125077	14" x 10"	PL
125073	10" x 7"	AL
125076	14" x 10"	AL



125081	10" x 7"	SS
125084	14" x 10"	SS
125080	10" x 7"	PL
125083	14" x 10"	PL
125079	10" x 7"	AL
125082	14" x 10"	AL

Bilingual and Spanish-Only Signs (continued)



39718	7" x 10"	FB
39731	10" x 14"	FB
37690	7" x 10"	SS
38819	7" x 10"	PL
38837	10" x 14"	PL
38329	7" x 10"	AL
38338	10" x 14"	AL



90811	14" x 10"	SS
38803	14" x 10"	PL
38313	14" x 10"	AL



125039	7" x 10"	SS
125042	10" x 14"	SS
125038	7" x 10"	PL
125041	10" x 14"	PL
125037	7" x 10"	AL
125040	10" x 14"	AL



38875	7" x 10"	PL
38902	10" x 14"	PL
38368	7" x 10"	AL



125051	10" x 7"	SS
125054	14" x 10"	SS
125050	10" x 7"	PL
125053	14" x 10"	PL
125049	10" x 7"	AL
125052	14" x 10"	AL



125003	7" x 10"	SS
125006	10" x 14"	SS
125002	7" x 10"	PL
125005	10" x 14"	PL
125001	7" x 10"	AL
125004	10" x 14"	AL



124985	10" x 7"	SS
124988	14" x 10"	SS
124984	10" x 7"	PL
124987	14" x 10"	PL
124983	10" x 7"	AL
124986	14" x 10"	AL



125045	10" x 7"	SS
125048	14" x 10"	SS
125044	10" x 7"	PL
125047	14" x 10"	PL
125043	10" x 7"	AL
125046	14" x 10"	AL



124973	10" x 7"	SS
124976	14" x 10"	SS
124972	10" x 7"	PL
124975	14" x 10"	PL
124971	10" x 7"	AL
124974	14" x 10"	AL



39740	20" x 14"	FB
90668	14" x 10"	SS
38848	14" x 10"	PL
38347	10" x 14"	AL



122810	7" x 10"	FB
122786	14" x 10"	FB
39514	20" x 14"	FB
122648	7" x 10"	SS
90544	14" x 10"	SS
122515	7" x 10"	PL
38614	14" x 10"	PL
122404	7" x 10"	AL
38114	14" x 10"	AL



39054	7" x 10"	PL
39055	10" x 14"	PL
38160	10" x 14"	AL



125057	10" x 7"	SS
125060	14" x 10"	SS
125056	10" x 7"	PL
125059	14" x 10"	PL
125055	10" x 7"	AL
125058	14" x 10"	AL



125027	10" x 7"	SS
125030	14" x 10"	SS
125026	10" x 7"	PL
125029	14" x 10"	PL
125025	10" x 7"	AL
125028	14" x 10"	AL



125021	10" x 7"	SS
125024	14" x 10"	SS
125020	10" x 7"	PL
125023	14" x 10"	PL
125019	10" x 7"	AL
125022	14" x 10"	AL



124967	7" x 10"	SS
124970	10" x 14"	SS
124966	7" x 10"	PL
124969	10" x 14"	PL
124965	7" x 10"	AL
124968	10" x 14"	AL



125489	7" x 10"	SS
125492	10" x 14"	SS
125488	7" x 10"	PL
125491	10" x 14"	PL
125487	7" x 10"	AL
125490	10" x 14"	AL



122914	7" x 10"	FB
122758	10" x 14"	FB
39512	20" x 14"	FB
90667	14" x 10"	SS
38612	14" x 10"	PL
38112	14" x 10"	AL



39537	7" x 10"	FB
37612	7" x 10"	SS
38637	7" x 10"	PL
38662	10" x 14"	PL
38134	7" x 10"	AL
38158	10" x 14"	AL



125087	10" x 7"	SS
125090	14" x 10"	SS
125086	10" x 7"	PL
125089	14" x 10"	PL
125085	10" x 7"	AL
125088	14" x 10"	AL



39613	20" x 14"	FB
90808	14" x 10"	SS
38188	14" x 10"	AL



39639	10" x 14"	FB
37645	7" x 10"	SS
38742	10" x 14"	PL
38239	10" x 14"	AL

BradyID.com/s36

Bilingual and Spanish-Only Signs (continued)



124165	7" x 10"	SS
124168	10" x 14"	SS
124164	7" x 10"	PL
124167	10" x 14"	PL
124163	7" x 10"	AL
124166	10" x 14"	AL



38616	14" x 10"	PL



37616	7" x 10"	SS
38640	7" x 10"	PL
38665	10" x 14"	PL
38162	10" x 14"	AL



124003	10" x 7"	SS
124006	14" x 10"	SS
124002	10" x 7"	PL
124005	14" x 10"	PL
124001	10" x 7"	AL
124004	14" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



124901	7" x 10"	SS
124904	10" x 14"	SS
124900	7" x 10"	PL
124903	10" x 14"	PL
124899	7" x 10"	AL
124902	10" x 14"	AL



39517	20" x 14"	FB
124895	10" x 7"	SS
124898	14" x 10"	SS
124894	10" x 7"	PL
38617	14" x 10"	PL
124893	10" x 7"	AL
38117	14" x 10"	AL



39542	7" x 10"	FB
39567	14" x 10"	FB
37617	7" x 10"	SS
38641	7" x 10"	PL
38666	10" x 14"	PL
38138	7" x 10"	AL
38163	10" x 14"	AL



39769	7" x 10"	FB
39789	10" x 14"	FB
37703	7" x 10"	SS
38877	7" x 10"	PL
38904	10" x 14"	PL
38370	7" x 10"	AL
38392	10" x 14"	AL



39742	20" x 14"	FB
90791	14" x 10"	SS
38850	14" x 10"	PL
38349	14" x 10"	AL



38996	14" x 10"	PL
38484	14" x 10"	AL



125501	7" x 10"	SS
125504	10" x 14"	SS
125500	7" x 10"	PL
125503	10" x 14"	PL
125499	7" x 10"	AL
125502	10" x 14"	AL



122808	10" x 7"	FB
122784	14" x 10"	FB
122646	10" x 7"	SS
122631	14" x 10"	SS
122513	10" x 7"	PL
38993	14" x 10"	PL
122402	10" x 7"	AL
38481	14" x 10"	AL



39029	10" x 14"	PL



125543	7" x 10"	SS
125546	10" x 14"	SS
125542	7" x 10"	PL
125545	10" x 14"	PL
125541	7" x 10"	AL
125544	10" x 14"	AL



123991	7" x 10"	SS
123994	10" x 14"	SS
123990	7" x 10"	PL
123993	10" x 14"	PL
123989	7" x 10"	AL
123992	10" x 14"	AL



124135	10" x 7"	SS
124138	14" x 10"	SS
124134	10" x 7"	PL
124137	14" x 10"	PL
124133	10" x 7"	AL
124136	14" x 10"	AL



124027	10" x 7"	SS
124030	14" x 10"	SS
124026	10" x 7"	PL
124029	14" x 10"	PL
124025	10" x 7"	AL
124028	14" x 10"	AL



124564	18" x 4"	SS
124563	18" x 4"	PL
124562	18" x 4"	AL



38756	14" x 10"	PL
38253	14" x 10"	AL



37661	14" x 5"	SS



39649	14" x 20"	FB
90821	14" x 20"	SS



37657	12" x 9"	SS
38775	14" x 10"	PL
38272	14" x 10"	AL

Bilingual and Spanish-Only Signs (continued)



39880	20" x 14"	FB
90804	14" x 10"	SS
90156	10" x 7"	BGSS
90518	14" x 10"	BGSS
90687	10" x 7"	BGPL
38994	14" x 10"	PL
38482	14" x 10"	AL



39012	7" x 10"	PL



90158	10" x 7"	BGSS
90520	14" x 10"	BGSS
90751	14" x 10"	BGPL



124159	10" x 7"	SS
124162	14" x 10"	SS
124158	10" x 7"	PL
124161	14" x 10"	PL
124157	10" x 7"	AL
124160	14" x 10"	AL



125531	10" x 7"	SS
125534	14" x 10"	SS
125530	10" x 7"	PL
125533	14" x 10"	PL
125529	10" x 7"	AL
125532	14" x 10"	AL



124153	10" x 7"	SS
124156	14" x 10"	SS
124152	10" x 7"	PL
124155	14" x 10"	PL
124151	10" x 7"	AL
124154	14" x 10"	AL



125537	10" x 7"	SS
125540	14" x 10"	SS
125536	10" x 7"	PL
125539	14" x 10"	PL
125535	10" x 7"	AL
125538	14" x 10"	AL



39881	20" x 14"	FB
38995	14" x 10"	PL
38483	14" x 10"	AL



47655	10" x 7"	SS
47657	10" x 7"	PL
47658	10" x 7"	AL



47643	10" x 7"	SS
47645	10" x 7"	PL
47646	10" x 7"	AL



37660	14" x 5"	SS



125513	10" x 7"	SS
125516	14" x 10"	SS
125512	10" x 7"	PL
125515	14" x 10"	PL
125511	10" x 7"	AL
125514	14" x 10"	AL



39883	20" x 14"	FB
38997	14" x 10"	PL
38485	14" x 10"	AL



124021	10" x 7"	SS
124024	14" x 10"	SS
124020	10" x 7"	PL
124023	14" x 10"	PL
124019	10" x 7"	AL
124022	14" x 10"	AL



90670	14" x 10"	SS
90160	10" x 7"	BGSS
90522	14" x 10"	BGSS
90691	10" x 7"	BGPL
38800	14" x 10"	PL
38310	14" x 10"	AL



37686	7" x 10"	SS
38816	7" x 10"	PL



124171	10" x 7"	SS
124174	14" x 10"	SS
124170	10" x 7"	PL
124173	14" x 10"	PL
124169	10" x 7"	AL
124172	14" x 10"	AL



39820	14" x 20"	FB
38931	14" x 10"	PL
38420	10" x 14"	AL



37740	7" x 10"	SS
38976	10" x 14"	PL



122802	7" x 10"	FB
122712	10" x 14"	FB
39821	14" x 20"	FB
122640	7" x 10"	SS
122507	7" x 10"	PL
38933	10" x 14"	PL
122396	7" x 10"	AL
122347	10" x 14"	AL



37743	10" x 7"	SS
38955	14" x 10"	PL
38444	14" x 10"	AL



39698	20" x 14"	FB
90662	14" x 10"	SS
90159	10" x 7"	BGSS
90521	14" x 10"	BGSS
90690	10" x 7"	BGPL
90752	14" x 10"	BGPL
38799	14" x 10"	PL
38309	14" x 10"	AL



124129	10" x 7"	SS
124132	14" x 10"	SS
124128	10" x 7"	PL
124131	14" x 10"	PL
124127	10" x 7"	AL
124130	14" x 10"	AL



125549	7" x 10"	SS
125552	10" x 14"	SS
125548	7" x 10"	PL
125551	10" x 14"	PL
125547	7" x 10"	AL
125550	10" x 14"	AL

BradyID.com/s36

Bilingual and Spanish-Only Signs (continued)



90555	10" x 7"	BGSS
90188	14" x 10"	BGSS
90633	10" x 7"	BGPL
90949	14" x 10"	BGPL



124572	18" x 18"	PL
124574	24" x 24"	PL
124571	18" x 18"	AL
124573	24" x 24"	AL



125093	10" x 7"	SS
125096	14" x 10"	SS
125092	10" x 7"	PL
125095	14" x 10"	PL
125091	10" x 7"	AL
125094	14" x 10"	AL



124111	10" x 7"	SS
124114	14" x 10"	SS
124110	10" x 7"	PL
124113	14" x 10"	PL
124109	10" x 7"	AL
124112	14" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



124644	12" x 18"	PL
124646	18" x 24"	PL
124643	12" x 18"	AL
124645	18" x 24"	AL



124907	10" x 7"	SS
124910	14" x 10"	SS
124906	10" x 7"	PL
124909	14" x 10"	PL
124905	10" x 7"	AL
124908	14" x 10"	AL



124177	7" x 10"	SS
124180	10" x 14"	SS
124176	7" x 10"	PL
124179	10" x 14"	PL
124175	7" x 10"	AL
124178	10" x 14"	AL




125525	10" x 7"	SS
125528	14" x 10"	SS
125524	10" x 7"	PL
125527	14" x 10"	PL
125523	10" x 7"	AL
125526	14" x 10"	AL



125519	10" x 7"	SS
125522	14" x 10"	SS
125518	10" x 7"	PL
125521	14" x 10"	PL
125517	10" x 7"	AL
125520	14" x 10"	AL



90685	10" x 7"	BGPL



39696	20" x 14"	FB
90805	14" x 10"	SS
90155	10" x 7"	BGSS
90157	14" x 10"	BGSS
90686	10" x 7"	BGPL
38797	14" x 10"	PL
38307	14" x 10"	AL



37683	7" x 10"	SS
38813	7" x 10"	PL
38831	10" x 14"	PL
38323	7" x 10"	AL



90750	14" x 10"	BGPL



125507	7" x 10"	SS
125510	10" x 14"	SS
125506	7" x 10"	PL
125509	10" x 14"	PL
125505	7" x 10"	AL
125508	10" x 14"	AL

Design custom signs online

BradyID.com/customsigns



Biohazard Signs

Brady biohazard signs are used to identify equipment, rooms and materials which contain or are contaminated with hazardous agents. Biohazard marking is required by safety code 1910.1030(g)(1), which states that warning labels must be affixed to containers of regulated waste, refrigerators and freezers containing blood or other potentially infectious material.

Regulations

OSHA 29 CFR 1910.1030 Bloodborne Pathogens:
Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b) Labeling Requirements:
Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances:
Ebola virus defined as Category A infectious substance.



126692	7" x 10"	SS
126695	10" x 14"	SS
126691	7" x 10"	PL
126694	10" x 14"	PL
126690	7" x 10"	AL
126693	10" x 14"	AL



126686	7" x 10"	SS
126689	10" x 14"	SS
126685	7" x 10"	PL
126688	10" x 14"	PL
126684	7" x 10"	AL
126687	10" x 14"	AL



126680	7" x 10"	SS
126683	10" x 14"	SS
126679	7" x 10"	PL
126682	10" x 14"	PL
126678	7" x 10"	AL
126681	10" x 14"	AL



126668	7" x 10"	SS
126671	10" x 14"	SS
126667	7" x 10"	PL
126670	10" x 14"	PL
126666	7" x 10"	AL
126669	10" x 14"	AL



126674	7" x 10"	SS
126677	10" x 14"	SS
126673	7" x 10"	PL
126676	10" x 14"	PL
126672	7" x 10"	AL
126675	10" x 14"	AL



62550	7" x 10"	FB
62812	10" x 14"	FB
21800	7" x 10"	PL
26575	10" x 14"	PL
83928	3.5" x 5"	SS
83753	7" x 10"	SS
46753	10" x 14"	AL



90704	10" x 7"	BGPL



69768	10" x 14"	FB
25742	7" x 10"	PL
25743	10" x 14"	PL
89170	3.5" x 5"	SS
85553	7" x 10"	SS
85554	10" x 14"	SS
43319	7" x 10"	AL
43320	10" x 14"	AL



126649	7" x 10"	PL
126652	10" x 14"	PL
126650	7" x 10"	SS
126653	10" x 14"	SS
126648	7" x 10"	AL
126651	10" x 14"	AL



69767	10" x 14"	FB
22211	7" x 10"	PL
22212	10" x 14"	PL
84216	7" x 10"	SS
84217	10" x 14"	SS
40775	7" x 10"	AL
40776	10" x 14"	AL



126625	10" x 7"	PL
126628	14" x 10"	PL
126626	10" x 7"	SS
126629	14" x 10"	SS
126624	10" x 7"	AL
126627	14" x 10"	AL



126643	10" x 7"	PL
126646	14" x 10"	PL
126644	10" x 7"	SS
126647	14" x 10"	SS
126642	10" x 7"	AL
126645	14" x 10"	AL



126637	10" x 7"	PL
126640	14" x 10"	PL
126638	10" x 7"	SS
126641	14" x 10"	SS
126636	10" x 7"	AL
126639	14" x 10"	AL



126631	10" x 7"	PL
126634	14" x 10"	PL
126632	10" x 7"	SS
126635	14" x 10"	SS
126630	10" x 7"	AL
126633	14" x 10"	AL



126655	10" x 7"	PL
126658	14" x 10"	PL
126656	10" x 7"	SS
126659	14" x 10"	SS
126654	10" x 7"	AL
126657	14" x 10"	AL



69815	14" x 10"	FB
25780	10" x 7"	PL
25781	14" x 10"	PL
89169	5" x 3.5"	SS
89163	10" x 7"	SS
89164	14" x 10"	SS
43357	10" x 7"	AL
43358	14" x 10"	AL



69789	7" x 17"	FB



126661	7" x 10"	PL
126664	10" x 14"	PL
126662	7" x 10"	SS
126665	10" x 14"	SS
126660	7" x 10"	AL
126663	10" x 14"	AL



69813	14" x 10"	FB
89158	10" x 7"	SS
89159	14" x 10"	SS

View page 303 for biohazard labels, tape and waste disposal bags.



Blank Signs

Brady offers a variety of blank signs and panels that can be customized to your specific needs. They can be used to create custom safety signs, alert signs, admittance signs and more.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo self-sticking (B-324)
BGPL - BradyGlo plastic (B-347)
TG - Polycoated tagstock (B-101)
TMP - Temporary fluted polypropylene (B-836)

Material Comparison Guide on page 408



65263	7" x 10"	TG
65264	10" x 14"	TG
76005	7" x 10"	FB
47002	10" x 14"	FB
76006	14" x 20"	FB
88918	7" x 10"	SS
88919	10" x 14"	SS
25356	7" x 10"	PL
25357	10" x 14"	PL
42933	7" x 10"	AL
42934	10" x 14"	AL
78063	10" x 14"	TMP
78064	14" x 20"	TMP



65261	7" x 10"	TG
65262	10" x 14"	TG
76009	7" x 10"	FB
47004	10" x 14"	FB
76013	14" x 20"	FB
88925	7" x 10"	SS
88926	10" x 14"	SS
25360	7" x 10"	PL
25361	10" x 14"	PL
42937	7" x 10"	AL
42938	10" x 14"	AL
78066	10" x 14"	TMP
78067	14" x 20"	TMP
77995	18" x 24"	TMP




65266	10" x 14"	TG
76015	7" x 10"	FB
47014	10" x 14"	FB
76021	14" x 20"	FB
88932	7" x 10"	SS
88933	10" x 14"	SS
25364	7" x 10"	PL
25365	10" x 14"	PL
42941	7" x 10"	AL
42942	10" x 14"	AL
77997	18" x 24"	TMP



69806	10" x 14"	FB
88944	7" x 10"	SS
88945	10" x 14"	SS
25372	7" x 10"	PL
25373	10" x 14"	PL
42949	7" x 10"	AL
42950	10" x 14"	AL



75990	10" x 14"	FB
88942	7" x 10"	SS
25370	7" x 10"	PL
25371	10" x 14"	PL
42948	10" x 14"	AL
78073	14" x 20"	TMP



76063	7" x 10"	FB
47000	10" x 14"	FB
76034	14" x 20"	FB
76036	20" x 28"	FB
88948	7" x 10"	SS
88949	10" x 14"	SS
25963	3.5" x 5"	PL
25960	5" x 7"	PL
25376	7" x 10"	PL
25377	10" x 14"	PL
42953	7" x 10"	AL
42954	10" x 14"	AL
78084	7" x 10"	TMP
78086	14" x 20"	TMP
77998	18" x 24"	TMP



88915	2.25" x 9"	SS



88922	2.25" x 9"	SS
88924	5" x 14"	SS



88930	3.5" x 10"	SS



89115	2.25" x 9"	SS



88941	2.25" x 9"	SS



76064	7" x 10"	FB
76040	10" x 14"	FB
76045	14" x 20"	FB
76050	20" x 28"	FB
88946	7" x 10"	SS
88947	10" x 14"	SS
25964	3.5" x 5"	PL
25961	5" x 7"	PL
25374	7" x 10"	PL
25375	10" x 14"	PL
42951	7" x 10"	AL
42952	10" x 14"	AL
78083	14" x 20"	TMP
77999	18" x 24"	TMP



88058	2.25" x 9"	SS
88059	3.5" x 10"	SS



88061	2.25" x 9"	SS
88063	5" x 14"	SS



95563	14" x 20"	FB
89006	10" x 14"	SS



88064	2.25" x 9"	SS
88065	3.5" x 10"	SS
88066	5" x 14"	SS



76097	7" x 10"	FB
76098	10" x 14"	FB
88052	7" x 10"	SS
88053	10" x 14"	SS
25971	7" x 10"	PL
25972	10" x 14"	PL



76100	7" x 10"	FB
76101	10" x 14"	FB
88054	7" x 10"	SS
25973	7" x 10"	PL
42252	7" x 10"	AL



69825	10" x 14"	FB
88056	7" x 10"	SS
88057	10" x 14"	SS
25975	7" x 10"	PL
42254	7" x 10"	AL
42255	10" x 14"	AL



76061	10" x 14"	FB
88914	10" x 14"	SS



88935	10" x 14"	SS
25366	7" x 10"	PL




74871	10" x 14"	FB
88927	7" x 10"	SS
88928	10" x 14"	SS
25362	7" x 10"	PL



65825	10" x 14"	FB
65828	10" x 14"	AL



76053	10" x 14"	FB
76056	14" x 20"	FB
88939	7" x 10"	SS
25368	7" x 10"	PL
25369	10" x 14"	PL



69809	10" x 14"	FB
69810	14" x 20"	FB
89113	7" x 10"	SS
25962	5" x 7"	PL
25886	10" x 14"	PL
43462	7" x 10"	AL




95559	10" x 14"	FB
89001	7" x 10"	SS
25406	7" x 10"	PL
25407	10" x 14"	PL



42986	10" x 14"	AL



25413	10" x 14"	PL



65159	18" x 18"	B-959


Braille (ADA) Signs

Brady Braille signs meet ADA requirements and ICC / ANSI 117.1 specifications for identifying permanent rooms within a building. Braille signs are required by law under the Americans with Disabilities Act. These Braille signs are available in more than 15 stock legends to identify restrooms, elevators, exits, safety equipment and more.

Brady Braille signs are made of non-glare rigid plastic (B-81) material. Double-sided tape included.


Regulations

All Braille signs feature a true dome-shaped Braille dot to meet ICC / ANSI 117.1 specifications.





70123 6" x 6" B-81 Black



70109 8" x 8" B-81 Black



70167 2" x 8" B-81 Brown




70161 8" x 8" B-81 Black
73447 8" x 8" B-81 Brown



70115 2" x 8" B-81 Black
70141 2" x 8" B-81 Brown



70105 8" x 8" B-81 Black



70102 8" x 8" B-81 Black
70128 8" x 8" B-81 Brown




70112 2" x 8" B-81 Black
70138 2" x 8" B-81 Brown




73445 8" x 8" B-81 Brown




70117 2" x 8" B-81 Black



70103 8" x 8" B-81 Black
70129 8" x 8" B-81 Brown



73400 8" x 8" B-81 Black
70127 8" x 8" B-81 Brown



70110 8" x 8" B-81 Black
70136 8" x 8" B-81 Brown



70137 2" x 8" B-81 Brown

Braille (ADA) Sign Frames

- Square cornered frames available to fit all Braille (ADA) signs above

Catalog #	Description	Size	Color
70153	Braille Sign Frame	2" x 8"	Black
73446	Braille Sign Frame	2" x 8"	Brown
73403	Braille Sign Frame	8" x 8"	Black
70152	Braille Sign Frame	8" x 8"	Brown





California (ADA) Restroom Signs

- California ADA standards specify circular or triangular signs be mounted onto restroom doors
- Double-sided foam tape included




106179 10" x 11" Plastic Blue



106182 10" x 11" Plastic Blue



106181 12 dia. Plastic Blue



106180 12 dia. Plastic Blue
106186 12 dia. Plastic Black



106183 13 dia. Plastic Black



106184 12 dia. Plastic Blue

BradyID.com/s36

Chemical and Hazardous Material Signs

Brady's chemical signs are used to identify your plant's chemical storage and hazardous materials areas. These signs keep your employees safe by clearly indicating where and how chemicals are kept.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588

Regulations

Appendix A to 1910.1450
Prominent signs of the following types should be posted:

(a) Emergency telephone numbers of emergency personnel/facilities, supervisors, and laboratory workers;

(b) Location signs for safety showers, eyewash stations, other safety and first aid equipment, and exits.

(c) Warnings at areas or equipment where special or unusual hazards exist.



125888	7" x 10"	SS
125891	10" x 14"	SS
125887	7" x 10"	PL
125890	10" x 14"	PL
125886	7" x 10"	AL
125889	10" x 14"	AL



69371	10" x 14"	FB
84285	7" x 10"	SS
84286	10" x 14"	SS
22262	7" x 10"	PL
22263	10" x 14"	PL
40826	7" x 10"	AL
40827	10" x 14"	AL



125894	7" x 10"	SS
125897	10" x 14"	SS
125893	7" x 10"	PL
125896	10" x 14"	PL
125892	7" x 10"	AL
125895	10" x 14"	AL



76080	10" x 14"	FB
85382	7" x 10"	SS
85383	10" x 14"	SS
22697	7" x 10"	PL
22698	10" x 14"	PL
41261	7" x 10"	AL
41262	10" x 14"	AL



69290	14" x 20"	FB
85384	7" x 10"	SS
85385	10" x 14"	SS
22699	7" x 10"	PL
22700	10" x 14"	PL
41264	10" x 14"	AL



58763	10" x 14"	FB
58764	14" x 20"	FB
89087	7" x 10"	SS
89088	10" x 14"	SS
25418	7" x 10"	PL
25419	10" x 14"	PL
42995	7" x 10"	AL
42996	10" x 14"	AL



69291	14" x 20"	FB
85386	7" x 10"	SS
22701	7" x 10"	PL
41266	10" x 14"	AL



125900	7" x 10"	SS
125903	10" x 14"	SS
125899	7" x 10"	PL
125902	10" x 14"	PL
125898	7" x 10"	AL
125901	10" x 14"	AL



125906	7" x 10"	SS
125909	10" x 14"	SS
125905	7" x 10"	PL
125908	10" x 14"	PL
125904	7" x 10"	AL
125907	10" x 14"	AL



69775	10" x 14"	FB
22703	7" x 10"	PL
22704	10" x 14"	PL
41267	7" x 10"	AL
41268	10" x 14"	AL



125918	7" x 10"	SS
125921	10" x 14"	SS
125917	7" x 10"	PL
125920	10" x 14"	PL
125916	7" x 10"	AL
125919	10" x 14"	AL



43496	10" x 14"	AL



125924	7" x 10"	SS
125927	10" x 14"	SS
125923	7" x 10"	PL
125926	10" x 14"	PL
125922	7" x 10"	AL
125925	10" x 14"	AL



125930	10" x 7"	SS
125933	14" x 10"	SS
125929	10" x 7"	PL
125932	14" x 10"	PL
125928	10" x 7"	AL
125931	14" x 10"	AL



125936	7" x 10"	SS
125939	10" x 14"	SS
125935	7" x 10"	PL
125938	10" x 14"	PL
125934	7" x 10"	AL
125937	10" x 14"	AL



76073	10" x 14"	FB
84289	7" x 10"	SS
40829	10" x 14"	AL



84291	7" x 10"	SS
84292	10" x 14"	SS
22266	7" x 10"	PL
22267	10" x 14"	PL
40831	10" x 14"	AL



43514	10" x 14"	AL



84293	7" x 10"	SS
84294	10" x 14"	SS
22268	7" x 10"	PL
22269	10" x 14"	PL
40832	7" x 10"	AL
40833	10" x 14"	AL



125942	7" x 10"	SS
125945	10" x 14"	SS
125941	7" x 10"	PL
125944	10" x 14"	PL
125940	7" x 10"	AL
125943	10" x 14"	AL




125750	7" x 10"	SS
125753	10" x 14"	SS
125749	7" x 10"	PL
125752	10" x 14"	PL
125748	7" x 10"	AL
125751	10" x 14"	AL



70256	10" x 14"	FB
84295	7" x 10"	SS
84296	10" x 14"	SS
22270	7" x 10"	PL
40834	7" x 10"	AL



122838	7" x 10"	FB
47117	10" x 14"	FB
87766	3.5" x 5"	SS
84297	7" x 10"	SS
84298	10" x 14"	SS
22272	7" x 10"	PL
22273	10" x 14"	PL
40836	7" x 10"	AL
40837	10" x 14"	AL



125954	7" x 10"	SS
125957	10" x 14"	SS
125953	7" x 10"	PL
125956	10" x 14"	PL
125952	7" x 10"	AL
125955	10" x 14"	AL

BRADY

Chemical and Hazardous Material Signs (continued)



125960	7" x 10"	SS
125963	10" x 14"	SS
125959	7" x 10"	PL
125962	10" x 14"	PL
125958	7" x 10"	AL
125961	10" x 14"	AL



125966	7" x 10"	SS
125969	10" x 14"	SS
125965	7" x 10"	PL
125968	10" x 14"	PL
125964	7" x 10"	AL
125967	10" x 14"	AL




69228	10" x 14"	FB
84301	7" x 10"	SS
84302	10" x 14"	SS
22277	10" x 14"	PL
40840	7" x 10"	AL
40841	10" x 14"	AL



125972	7" x 10"	SS
125975	10" x 14"	SS
125971	7" x 10"	PL
125974	10" x 14"	PL
125970	7" x 10"	AL
125973	10" x 14"	AL



125978	7" x 10"	SS
125981	10" x 14"	SS
125977	7" x 10"	PL
125980	10" x 14"	PL
125976	7" x 10"	AL
125979	10" x 14"	AL



124282	7" x 10"	SS
124285	10" x 14"	SS
124281	7" x 10"	PL
124284	10" x 14"	PL
124280	7" x 10"	AL
124283	10" x 14"	AL



126008	7" x 10"	SS
126011	10" x 14"	SS
126007	7" x 10"	PL
126010	10" x 14"	PL
126006	7" x 10"	AL
126009	10" x 14"	AL



125990	7" x 10"	SS
125993	10" x 14"	SS
125989	7" x 10"	PL
125992	10" x 14"	PL
125988	7" x 10"	AL
125991	10" x 14"	AL



126002	7" x 10"	SS
126005	10" x 14"	SS
126001	7" x 10"	PL
126004	10" x 14"	PL
126000	7" x 10"	AL
126003	10" x 14"	AL



125996	7" x 10"	SS
125999	10" x 14"	SS
125995	7" x 10"	PL
125998	10" x 14"	PL
125994	7" x 10"	AL
125997	10" x 14"	AL



122898	7" x 10"	FB
122760	10" x 14"	FB
69005	14" x 20"	FB
85407	7" x 10"	SS
85408	10" x 14"	SS
22707	7" x 10"	PL
22708	10" x 14"	PL
41271	7" x 10"	AL
41272	10" x 14"	AL



122842	7" x 10"	FB
70374	10" x 14"	FB
85409	7" x 10"	SS
85410	10" x 14"	SS
22709	7" x 10"	PL
22710	10" x 14"	PL
41273	7" x 10"	AL
41274	10" x 14"	AL



85411	7" x 10"	SS
85412	10" x 14"	SS
22711	7" x 10"	PL
22712	10" x 14"	PL
41275	7" x 10"	AL
41276	10" x 14"	AL



126014	7" x 10"	SS
126017	10" x 14"	SS
126013	7" x 10"	PL
126016	10" x 14"	PL
126012	7" x 10"	AL
126015	10" x 14"	AL



85414	10" x 14"	SS
22713	7" x 10"	PL
22714	10" x 14"	PL



126020	7" x 10"	SS
126023	10" x 14"	SS
126019	7" x 10"	PL
126022	10" x 14"	PL
126018	7" x 10"	AL
126021	10" x 14"	AL



126026	7" x 10"	SS
126029	10" x 14"	SS
126025	7" x 10"	PL
126028	10" x 14"	PL
126024	7" x 10"	AL
126027	10" x 14"	AL



126032	7" x 10"	SS
126035	10" x 14"	SS
126031	7" x 10"	PL
126034	10" x 14"	PL
126030	7" x 10"	AL
126033	10" x 14"	AL



69408	10" x 14"	FB
84313	7" x 10"	SS
84314	10" x 14"	SS
22282	7" x 10"	PL
22283	10" x 14"	PL
40846	7" x 10"	AL
40847	10" x 14"	AL



84315	7" x 10"	SS
84316	10" x 14"	SS
22285	10" x 14"	PL
40848	7" x 10"	AL
40849	10" x 14"	AL



126038	7" x 10"	SS
126041	10" x 14"	SS
126037	7" x 10"	PL
126040	10" x 14"	PL
126036	7" x 10"	AL
126039	10" x 14"	AL



72573	10" x 14"	FB
84317	7" x 10"	SS
84318	10" x 14"	SS
22287	10" x 14"	PL
40850	7" x 10"	AL
40851	10" x 14"	AL



126044	7" x 10"	SS
126047	10" x 14"	SS
126043	7" x 10"	PL
126046	10" x 14"	PL
126042	7" x 10"	AL
126045	10" x 14"	AL



84319	7" x 10"	SS
84320	10" x 14"	SS
22289	10" x 14"	PL
40852	7" x 10"	AL
40853	10" x 14"	AL



126050	7" x 10"	SS
126053	10" x 14"	SS
126049	7" x 10"	PL
126052	10" x 14"	PL
126048	7" x 10"	AL
126051	10" x 14"	AL



73422	10" x 14"	FB
85417	7" x 10"	SS
85418	10" x 14"	SS
22717	7" x 10"	PL
22718	10" x 14"	PL
41281	7" x 10"	AL
41282	10" x 14"	AL



126056	7" x 10"	SS
126059	10" x 14"	SS
126055	7" x 10"	PL
126058	10" x 14"	PL
126054	7" x 10"	AL
126057	10" x 14"	AL



70559	10" x 14"	FB
84321	7" x 10"	SS
84322	10" x 14"	SS
22291	10" x 14"	PL



126062	7" x 10"	SS
126065	10" x 14"	SS
126061	7" x 10"	PL
126064	10" x 14"	PL
126060	7" x 10"	AL
126063	10" x 14"	AL



126068	7" x 10"	SS
126071	10" x 14"	SS
126067	7" x 10"	PL
126070	10" x 14"	PL
126066	7" x 10"	AL
126069	10" x 14"	AL

BradyID.com/s36

Chemical and Hazardous Material Signs (continued)



126074	10" x 7"	SS
126077	14" x 10"	SS
126073	10" x 7"	PL
126076	14" x 10"	PL
126072	10" x 7"	AL
126075	14" x 10"	AL



126086	7" x 10"	SS
126089	10" x 14"	SS
126085	7" x 10"	PL
126088	10" x 14"	PL
126084	7" x 10"	AL
126087	10" x 14"	AL



126092	7" x 10"	SS
126095	10" x 14"	SS
126091	7" x 10"	PL
126094	10" x 14"	PL
126090	7" x 10"	AL
126093	10" x 14"	AL



43499	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



126080	7" x 10"	SS
126083	10" x 14"	SS
126079	7" x 10"	PL
126082	10" x 14"	PL
126078	7" x 10"	AL
126081	10" x 14"	AL



70206	7" x 10"	FB
70207	10" x 14"	FB
84323	7" x 10"	SS
84324	10" x 14"	SS
22292	7" x 10"	PL
22293	10" x 14"	PL
40856	7" x 10"	AL
40857	10" x 14"	AL



122819	7" x 10"	FB
47206	10" x 14"	FB
84326	7" x 10"	SS
84327	10" x 14"	SS
122518	7" x 10"	PL
22295	10" x 14"	PL
40858	7" x 10"	AL
40859	10" x 14"	AL



70208	7" x 17"	FB



131825	7" x 10"	FB
131826	10" x 14"	FB
131823	7" x 10"	SS
131824	10" x 14"	SS
131821	7" x 10"	PL
131822	10" x 14"	PL
131819	7" x 10"	AL
131820	10" x 14"	AL



126110	7" x 10"	SS
126113	10" x 14"	SS
126109	7" x 10"	PL
126112	10" x 14"	PL
126108	7" x 10"	AL
126111	10" x 14"	AL



126116	7" x 10"	SS
126119	10" x 14"	SS
126115	7" x 10"	PL
126118	10" x 14"	PL
126114	7" x 10"	AL
126117	10" x 14"	AL



84332	7" x 10"	SS
84333	10" x 14"	SS
22296	7" x 10"	PL
22297	10" x 14"	PL
40860	7" x 10"	AL
40861	10" x 14"	AL



126104	7" x 10"	SS
126107	10" x 14"	SS
126103	7" x 10"	PL
126106	10" x 14"	PL
126102	7" x 10"	AL
126105	10" x 14"	AL



84334	7" x 10"	SS
84335	10" x 14"	SS
22298	7" x 10"	PL
25878	10" x 14"	PL
40862	7" x 10"	AL
43455	10" x 14"	AL



126122	7" x 10"	SS
126125	10" x 14"	SS
126121	7" x 10"	PL
126124	10" x 14"	PL
126120	7" x 10"	AL
126123	10" x 14"	AL



125822	7" x 10"	SS
125825	10" x 14"	SS
125821	7" x 10"	PL
125824	10" x 14"	PL
125820	7" x 10"	AL
125823	10" x 14"	AL



131861	7" x 10"	FB
131862	10" x 14"	FB
131859	7" x 10"	SS
84337	10" x 14"	SS
22299	7" x 10"	PL
22300	10" x 14"	PL
40863	7" x 10"	AL
40864	10" x 14"	AL



84338	7" x 10"	SS
84339	10" x 14"	SS
22301	7" x 10"	PL
22302	10" x 14"	PL
40865	7" x 10"	AL
40866	10" x 14"	AL



126194	7" x 10"	SS
126197	10" x 14"	SS
126193	7" x 10"	PL
126196	10" x 14"	PL
126192	7" x 10"	AL
126195	10" x 14"	AL



70217	10" x 14"	FB
84340	7" x 10"	SS
84341	10" x 14"	SS
22304	10" x 14"	PL
40867	7" x 10"	AL
40868	10" x 14"	AL



74520	20" x 14"	FB
85437	10" x 7"	SS
85438	14" x 10"	SS
22721	10" x 7"	PL
22722	14" x 10"	PL
41285	10" x 7"	AL
41286	14" x 10"	AL



123661	7" x 10"	SS
123664	10" x 14"	SS
123660	7" x 10"	PL
123663	10" x 14"	PL
123659	7" x 10"	AL
123662	10" x 14"	AL



125810	7" x 10"	SS
125813	10" x 14"	SS
125809	7" x 10"	PL
125812	10" x 14"	PL
125808	7" x 10"	AL
125811	10" x 14"	AL



75974	7" x 10"	FB
75975	10" x 14"	FB
85439	7" x 10"	SS
22723	7" x 10"	PL



85441	7" x 10"	SS
85442	10" x 14"	SS
69765	10" x 14"	FB
22725	7" x 10"	PL
22726	10" x 14"	PL



85443	7" x 10"	SS
85444	10" x 14"	SS
25777	10" x 14"	PL
43353	7" x 10"	AL
43354	10" x 14"	AL



125834	7" x 10"	SS
125837	10" x 14"	SS
125833	7" x 10"	PL
125836	10" x 14"	PL
125832	7" x 10"	AL
125835	10" x 14"	AL



23090	7" x 10"	PL
41990	7" x 10"	AL
41991	10" x 14"	AL

Chemical and Hazardous Material Signs (continued)



126140	7" x 10"	SS
126143	10" x 14"	SS
126139	7" x 10"	PL
126142	10" x 14"	PL
126138	7" x 10"	AL
126141	10" x 14"	AL



126134	7" x 10"	SS
126137	10" x 14"	SS
126133	7" x 10"	PL
126136	10" x 14"	PL
126132	7" x 10"	AL
126135	10" x 14"	AL



72392	7" x 10"	FB
73489	10" x 14"	FB
84345	7" x 10"	SS
84346	10" x 14"	SS
22305	7" x 10"	PL
22306	10" x 14"	PL
40869	7" x 10"	AL
40870	10" x 14"	AL



126146	7" x 10"	SS
126149	10" x 14"	SS
126145	7" x 10"	PL
126148	10" x 14"	PL
126144	7" x 10"	AL
126147	10" x 14"	AL



22308	10" x 14"	PL
40871	7" x 10"	AL



126152	7" x 10"	SS
126155	10" x 14"	SS
126151	7" x 10"	PL
126154	10" x 14"	PL
126150	7" x 10"	AL
126153	10" x 14"	AL



84349	7" x 10"	SS
84350	10" x 14"	SS
22309	7" x 10"	PL
22310	10" x 14"	PL
40873	7" x 10"	AL
40874	10" x 14"	AL



122820	7" x 10"	FB
70240	10" x 14"	FB
84351	7" x 10"	SS
84352	10" x 14"	SS
22311	7" x 10"	PL
22312	10" x 14"	PL
122406	7" x 10"	AL
40876	10" x 14"	AL



131753	7" x 10"	FB
131754	10" x 14"	FB
131751	7" x 10"	SS
131752	10" x 14"	SS
131749	7" x 10"	PL
131750	10" x 14"	PL
131747	7" x 10"	AL
131748	10" x 14"	AL



84042	7" x 10"	SS
84043	10" x 14"	SS
22079	7" x 10"	PL
22080	10" x 14"	PL
40643	7" x 10"	AL
40644	10" x 14"	AL



131829	7" x 10"	FB
72408	10" x 14"	FB
84355	7" x 10"	SS
84356	10" x 14"	SS
22313	7" x 10"	PL
22314	10" x 14"	PL
40877	7" x 10"	AL
40878	10" x 14"	AL



84357	7" x 10"	SS
84358	10" x 14"	SS
22315	7" x 10"	PL
22316	10" x 14"	PL
40879	7" x 10"	AL
40880	10" x 14"	AL



125840	7" x 10"	SS
125843	10" x 14"	SS
125839	7" x 10"	PL
125842	10" x 14"	PL
125838	7" x 10"	AL
125841	10" x 14"	AL



126158	7" x 10"	SS
126161	10" x 14"	SS
126157	7" x 10"	PL
126160	10" x 14"	PL
126156	7" x 10"	AL
126159	10" x 14"	AL



122821	7" x 10"	FB
70246	10" x 14"	FB
84361	7" x 10"	SS
84362	10" x 14"	SS
22317	7" x 10"	PL
22318	10" x 14"	PL
40881	7" x 10"	AL
40882	10" x 14"	AL



131809	7" x 10"	FB
131810	10" x 14"	FB
131807	7" x 10"	SS
131808	10" x 14"	SS
131805	7" x 10"	PL
131806	10" x 14"	PL
131803	7" x 10"	AL
131804	10" x 14"	AL



126164	7" x 10"	SS
126167	10" x 14"	SS
126163	7" x 10"	PL
126166	10" x 14"	PL
126162	7" x 10"	AL
126165	10" x 14"	AL



126164	7" x 10"	SS
126167	10" x 14"	SS
126163	7" x 10"	PL
126166	10" x 14"	PL
126162	7" x 10"	AL
126165	10" x 14"	AL



125876	7" x 10"	SS
125879	10" x 14"	SS
125875	7" x 10"	PL
125878	10" x 14"	PL
125874	7" x 10"	AL
125877	10" x 14"	AL



69054	10" x 14"	FB
84366	10" x 14"	SS
22321	7" x 10"	PL
22322	10" x 14"	PL
40885	7" x 10"	AL
40886	10" x 14"	AL



122909	7" x 10"	FB
122770	10" x 14"	FB
85451	3.5" x 5"	SS
85452	7" x 10"	SS
85453	10" x 14"	SS
122562	7" x 10"	PL
122499	10" x 14"	PL
122458	7" x 10"	AL
122387	10" x 14"	AL



125948	7" x 10"	SS
125951	10" x 14"	SS
125947	7" x 10"	PL
125950	10" x 14"	PL
125946	7" x 10"	AL
125949	10" x 14"	AL



126170	7" x 10"	SS
126173	10" x 14"	SS
126169	7" x 10"	PL
126172	10" x 14"	PL
126168	7" x 10"	AL
126171	10" x 14"	AL



126176	7" x 10"	SS
126179	10" x 14"	SS
126175	7" x 10"	PL
126178	10" x 14"	PL
126174	7" x 10"	AL
126177	10" x 14"	AL



122822	7" x 10"	FB
70258	10" x 14"	FB
122650	7" x 10"	SS
84368	10" x 14"	SS
22323	7" x 10"	PL
22324	10" x 14"	PL
40887	7" x 10"	AL
40888	10" x 14"	AL



69070	7" x 17"	FB



84369	7" x 10"	SS
84370	10" x 14"	SS
25420	7" x 10"	PL
42998	10" x 14"	AL



70260	10" x 14"	FB
84371	7" x 10"	SS
84372	10" x 14"	SS
25424	7" x 10"	PL
25425	10" x 14"	PL
43001	7" x 10"	AL
43002	10" x 14"	AL



125846	7" x 10"	SS
125849	10" x 14"	SS
125845	7" x 10"	PL
125848	10" x 14"	PL
125844	7" x 10"	AL
125847	10" x 14"	AL



72428	10" x 14"	FB
22727	7" x 10"	PL
22728	10" x 14"	PL

BradyID.com/s36

Chemical and Hazardous Material Signs (continued)



126188	7" x 10"	SS
126191	10" x 14"	SS
126187	7" x 10"	PL
126190	10" x 14"	PL
126186	7" x 10"	AL
126189	10" x 14"	AL



126182	7" x 10"	SS
126185	10" x 14"	SS
126181	7" x 10"	PL
126184	10" x 14"	PL
126180	7" x 10"	AL
126183	10" x 14"	AL



69089	10" x 14"	FB
85458	7" x 10"	SS
85459	10" x 14"	SS
22729	7" x 10"	PL
22730	10" x 14"	PL
41293	7" x 10"	AL
41294	10" x 14"	AL



122823	7" x 10"	FB
70267	14" x 20"	FB
87763	3.5" x 5"	SS
84375	7" x 10"	SS
84376	10" x 14"	SS
25428	7" x 10"	PL
25429	10" x 14"	PL
122407	7" x 10"	AL
43006	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



123631	7" x 10"	SS
123634	10" x 14"	SS
123630	7" x 10"	PL
123633	10" x 14"	PL
123629	7" x 10"	AL
123632	10" x 14"	AL



126212	7" x 10"	SS
126215	10" x 14"	SS
126211	7" x 10"	PL
126214	10" x 14"	PL
126210	7" x 10"	AL
126213	10" x 14"	AL



126200	7" x 10"	SS
126203	10" x 14"	SS
126199	7" x 10"	PL
126202	10" x 14"	PL
126198	7" x 10"	AL
126201	10" x 14"	AL



126206	7" x 10"	SS
126209	10" x 14"	SS
126205	7" x 10"	PL
126208	10" x 14"	PL
126204	7" x 10"	AL
126207	10" x 14"	AL



43507	10" x 14"	AL



126218	10" x 7"	SS
126221	14" x 10"	SS
126217	10" x 7"	PL
126220	14" x 10"	PL
126216	10" x 7"	AL
126219	14" x 10"	AL



70327	10" x 14"	FB
72207	14" x 20"	FB
85161	7" x 10"	SS
85162	10" x 14"	SS
25650	7" x 10"	PL
25651	10" x 14"	PL
43228	10" x 14"	AL



70329	7" x 17"	FB



84379	7" x 10"	SS
25430	7" x 10"	PL
25431	10" x 14"	PL
43007	7" x 10"	AL
43008	10" x 14"	AL



73436	14" x 20"	FB
85165	7" x 10"	SS
85166	10" x 14"	SS
25652	7" x 10"	PL
25653	10" x 14"	PL
43230	10" x 14"	AL



75639	10" x 14"	FB
85167	7" x 10"	SS
85168	10" x 14"	SS
25654	7" x 10"	PL
25655	10" x 14"	PL
43231	7" x 10"	AL
43232	10" x 14"	AL



131777	7" x 10"	FB
131778	10" x 14"	FB
131775	7" x 10"	SS
131776	10" x 14"	SS
131773	7" x 10"	PL
131774	10" x 14"	PL
131771	7" x 10"	AL
131772	10" x 14"	AL



71895	14" x 20"	FB
85169	7" x 10"	SS
85170	10" x 14"	SS
25656	7" x 10"	PL
25657	10" x 14"	PL
43233	7" x 10"	AL



70350	7" x 17"	FB
25898	10" x 14"	PL
43475	10" x 14"	AL



122815	7" x 10"	FB
72230	10" x 14"	FB
87764	3.5" x 5"	SS
85175	7" x 10"	SS
85176	10" x 14"	SS
122517	7" x 10"	PL
25661	10" x 14"	PL
43237	7" x 10"	AL
43238	10" x 14"	AL



131801	7" x 10"	FB
131802	10" x 14"	FB
131799	7" x 10"	SS
131800	10" x 14"	SS
131797	7" x 10"	PL
131798	10" x 14"	PL
131795	7" x 10"	AL
131796	10" x 14"	AL



123709	7" x 10"	SS
123712	10" x 14"	SS
123708	7" x 10"	PL
123711	10" x 14"	PL
123707	7" x 10"	AL
123710	10" x 14"	AL



71932	10" x 14"	FB
85179	7" x 10"	SS
85180	10" x 14"	SS
25662	7" x 10"	PL
25663	10" x 14"	PL
43239	7" x 10"	AL
43240	10" x 14"	AL



72238	10" x 14"	FB
85181	7" x 10"	SS
85182	10" x 14"	SS
25665	10" x 14"	PL
43241	7" x 10"	AL
43242	10" x 14"	AL



123691	7" x 10"	SS
123694	10" x 14"	SS
123690	7" x 10"	PL
123693	10" x 14"	PL
123689	7" x 10"	AL
123692	10" x 14"	AL



47148	7" x 10"	FB
47024	10" x 14"	FB
75662	14" x 20"	FB
85185	7" x 10"	SS
85186	10" x 14"	SS
25668	7" x 10"	PL
25669	10" x 14"	PL
43245	7" x 10"	AL
43246	10" x 14"	AL



73412	10" x 14"	FB
88359	7" x 10"	SS
88360	10" x 14"	SS
25068	7" x 10"	PL
25069	10" x 14"	PL
42645	7" x 10"	AL
42646	10" x 14"	AL



122825	7" x 10"	FB
72246	10" x 14"	FB
87762	3.5" x 5"	SS
85183	7" x 10"	SS
85184	10" x 14"	SS
25666	7" x 10"	PL
25667	10" x 14"	PL
43243	7" x 10"	AL
43244	10" x 14"	AL



131793	7" x 10"	FB
131794	10" x 14"	FB
131791	7" x 10"	SS
131792	10" x 14"	SS
131789	7" x 10"	PL
131790	10" x 14"	PL
131787	7" x 10"	AL
131788	10" x 14"	AL

Chemical and Hazardous Material Signs (continued)



71945	10" x 14"	FB
85187	7" x 10"	SS
85188	10" x 14"	SS
25670	7" x 10"	PL
25671	10" x 14"	PL
43247	7" x 10"	AL
43248	10" x 14"	AL



126224	10" x 7"	SS
126227	14" x 10"	SS
126223	10" x 7"	PL
126226	14" x 10"	PL
126222	10" x 7"	AL
126225	14" x 10"	AL



43508	10" x 14"	AL



94996	7" x 10"	FB
95002	7" x 10"	SS
95003	10" x 14"	SS
95000	7" x 10"	PL
95001	10" x 14"	PL
94998	7" x 10"	AL
94999	10" x 14"	AL



76092	10" x 14"	FB
85485	7" x 10"	SS
85486	10" x 14"	SS
22741	7" x 10"	PL
22742	10" x 14"	PL
41305	7" x 10"	AL
41306	10" x 14"	AL



70357	10" x 14"	FB
84387	7" x 10"	SS
84388	10" x 14"	SS
25422	7" x 10"	PL
25423	10" x 14"	PL
42999	7" x 10"	AL
43000	10" x 14"	AL



126230	7" x 10"	SS
126233	10" x 14"	SS
126229	7" x 10"	PL
126232	10" x 14"	PL
126228	7" x 10"	AL
126231	10" x 14"	AL



69265	10" x 14"	FB
85489	7" x 10"	SS
85490	10" x 14"	SS
22745	7" x 10"	PL
22746	10" x 14"	PL
41310	10" x 14"	AL



69264	7" x 17"	FB



69275	10" x 14"	FB
84393	7" x 10"	SS
84394	10" x 14"	SS
25436	7" x 10"	PL
25437	10" x 14"	PL
43013	7" x 10"	AL
43014	10" x 14"	AL



72473	10" x 14"	FB
84395	7" x 10"	SS
84396	10" x 14"	SS
25438	7" x 10"	PL
25439	10" x 14"	PL
43015	7" x 10"	AL
43016	10" x 14"	AL



69000	10" x 14"	FB
85493	7" x 10"	SS
22749	7" x 10"	PL
22750	10" x 14"	PL
41313	7" x 10"	AL
41314	10" x 14"	AL



122826	7" x 10"	FB
70372	10" x 14"	FB
84397	7" x 10"	SS
84398	10" x 14"	SS
122519	7" x 10"	PL
25441	10" x 14"	PL
43017	7" x 10"	AL
43018	10" x 14"	AL



131769	7" x 10"	FB
131770	10" x 14"	FB
131767	7" x 10"	SS
131768	10" x 14"	SS
131765	7" x 10"	PL
131766	10" x 14"	PL
131763	7" x 10"	AL
131764	10" x 14"	AL



70373	10" x 14"	FB
84399	7" x 10"	SS
84400	10" x 14"	SS
25442	7" x 10"	PL
25443	10" x 14"	PL
43019	7" x 10"	AL
43020	10" x 14"	AL



126242	7" x 10"	SS
126245	10" x 14"	SS
126241	7" x 10"	PL
126244	10" x 14"	PL
126240	7" x 10"	AL
126243	10" x 14"	AL



85497	7" x 10"	SS
85498	10" x 14"	SS
22751	7" x 10"	PL
22752	10" x 14"	PL
41315	7" x 10"	AL
41316	10" x 14"	AL



85499	7" x 10"	SS
85500	10" x 14"	SS
22753	7" x 10"	PL
22754	10" x 14"	PL
41317	7" x 10"	AL
41318	10" x 14"	AL



126248	7" x 10"	SS
126251	10" x 14"	SS
126247	7" x 10"	PL
126250	10" x 14"	PL
126246	7" x 10"	AL
126249	10" x 14"	AL



131761	7" x 10"	FB
131762	10" x 14"	FB
131759	7" x 10"	SS
131760	10" x 14"	SS
131757	7" x 10"	PL
131758	10" x 14"	PL
131755	7" x 10"	AL
131756	10" x 14"	AL



70375	10" x 14"	FB
84080	7" x 10"	SS
84081	10" x 14"	SS
22101	7" x 10"	PL
22102	10" x 14"	PL
40665	7" x 10"	AL
40666	10" x 14"	AL



126236	10" x 7"	SS
126239	14" x 10"	SS
126235	10" x 7"	PL
126238	14" x 10"	PL
126234	10" x 7"	AL
126237	14" x 10"	AL



126254	7" x 10"	SS
126257	10" x 14"	SS
126253	7" x 10"	PL
126256	10" x 14"	PL
126252	7" x 10"	AL
126255	10" x 14"	AL



126260	7" x 10"	SS
126263	10" x 14"	SS
126259	7" x 10"	PL
126262	10" x 14"	PL
126258	7" x 10"	AL
126261	10" x 14"	AL



126266	7" x 10"	SS
126269	10" x 14"	SS
126265	7" x 10"	PL
126268	10" x 14"	PL
126264	7" x 10"	AL
126267	10" x 14"	AL



72489	10" x 14"	FB
84403	7" x 10"	SS
25447	10" x 14"	PL
43023	7" x 10"	AL
43024	10" x 14"	AL



73484	14" x 20"	FB
85191	7" x 10"	SS
85192	10" x 14"	SS
25674	7" x 10"	PL
25675	10" x 14"	PL
43251	7" x 10"	AL



126272	7" x 10"	SS
126275	10" x 14"	SS
126271	7" x 10"	PL
126274	10" x 14"	PL
126270	7" x 10"	AL
126273	10" x 14"	AL



126278	7" x 10"	SS
126281	10" x 14"	SS
126277	7" x 10"	PL
126280	10" x 14"	PL
126276	7" x 10"	AL
126279	10" x 14"	AL

BradyID.com/s36

Chemical and Hazardous Material Signs (continued)



125870	7" x 10"	SS
125873	10" x 14"	SS
125869	7" x 10"	PL
125872	10" x 14"	PL
125868	7" x 10"	AL
125871	10" x 14"	AL



125858	7" x 10"	SS
125861	10" x 14"	SS
125857	7" x 10"	PL
125860	10" x 14"	PL
125856	7" x 10"	AL
125859	10" x 14"	AL



125864	7" x 10"	SS
125867	10" x 14"	SS
125863	7" x 10"	PL
125866	10" x 14"	PL
125862	7" x 10"	AL
125865	10" x 14"	AL



72503	7" x 10"	FB
84407	7" x 10"	SS
84408	10" x 14"	SS
25448	7" x 10"	PL
25449	10" x 14"	PL
43026	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588




131837	7" x 10"	FB
131838	10" x 14"	FB
131835	7" x 10"	SS
131836	10" x 14"	SS
131833	7" x 10"	PL
131834	10" x 14"	PL
131831	7" x 10"	AL
131832	10" x 14"	AL



84409	7" x 10"	SS
25450	7" x 10"	PL
25451	10" x 14"	PL
43027	7" x 10"	AL
43028	10" x 14"	AL



69294	10" x 14"	FB
84411	7" x 10"	SS
84412	10" x 14"	SS
25453	10" x 14"	PL
43029	7" x 10"	AL
43030	10" x 14"	AL



126284	7" x 10"	SS
126287	10" x 14"	SS
126283	7" x 10"	PL
126286	10" x 14"	PL
126282	7" x 10"	AL
126285	10" x 14"	AL



131845	7" x 10"	FB
131846	10" x 14"	FB
131843	7" x 10"	SS
131844	10" x 14"	SS
131841	7" x 10"	PL
131842	10" x 14"	PL
131839	7" x 10"	AL
131840	10" x 14"	AL



69304	7" x 17"	FB



43505	10" x 14"	AL



69308	7" x 17"	FB
25910	10" x 14"	PL
43487	10" x 14"	AL



126296	7" x 10"	SS
126299	10" x 14"	SS
126295	7" x 10"	PL
126298	10" x 14"	PL
126294	7" x 10"	AL
126297	10" x 14"	AL



126302	7" x 10"	SS
126305	10" x 14"	SS
126301	7" x 10"	PL
126304	10" x 14"	PL
126300	7" x 10"	AL
126303	10" x 14"	AL



126290	7" x 10"	SS
126293	10" x 14"	SS
126289	7" x 10"	PL
126292	10" x 14"	PL
126288	7" x 10"	AL
126291	10" x 14"	AL



126308	7" x 10"	SS
126311	10" x 14"	SS
126307	7" x 10"	PL
126310	10" x 14"	PL
126306	7" x 10"	AL
126309	10" x 14"	AL



125828	7" x 10"	SS
125831	10" x 14"	SS
125827	7" x 10"	PL
125830	10" x 14"	PL
125826	7" x 10"	AL
125829	10" x 14"	AL



126314	7" x 10"	SS
126317	10" x 14"	SS
126313	7" x 10"	PL
126316	10" x 14"	PL
126312	7" x 10"	AL
126315	10" x 14"	AL



43510	10" x 14"	AL



126320	7" x 10"	SS
126323	10" x 14"	SS
126319	7" x 10"	PL
126322	10" x 14"	PL
126318	7" x 10"	AL
126321	10" x 14"	AL



70419	10" x 14"	FB
84421	10" x 14"	SS
22326	10" x 14"	PL



69337	10" x 14"	FB
85512	7" x 10"	SS
22760	7" x 10"	PL
22761	10" x 14"	PL
41324	7" x 10"	AL
41325	10" x 14"	AL



70423	14" x 20"	FB
84422	7" x 10"	SS
84423	10" x 14"	SS
22327	7" x 10"	PL
22328	10" x 14"	PL
40891	7" x 10"	AL
40892	10" x 14"	AL



123667	7" x 10"	SS
123670	10" x 14"	SS
123666	7" x 10"	PL
123669	10" x 14"	PL
123665	7" x 10"	AL
123668	10" x 14"	AL



126326	7" x 10"	SS
126329	10" x 14"	SS
126325	7" x 10"	PL
126328	10" x 14"	PL
126324	7" x 10"	AL
126327	10" x 14"	AL



72537	10" x 14"	FB
84425	10" x 14"	SS
22329	7" x 10"	PL
22330	10" x 14"	PL



131853	7" x 10"	FB
131854	10" x 14"	FB
84426	7" x 10"	SS
84427	10" x 14"	SS
22331	7" x 10"	PL
22332	10" x 14"	PL
40895	7" x 10"	AL
40896	10" x 14"	AL



126338	7" x 10"	SS
126341	10" x 14"	SS
126337	7" x 10"	PL
126340	10" x 14"	PL
126336	7" x 10"	AL
126339	10" x 14"	AL

BRADY

Chemical and Hazardous Material Signs (continued)



126344	7" x 10"	SS
126347	10" x 14"	SS
126343	7" x 10"	PL
126346	10" x 14"	PL
126342	7" x 10"	AL
126345	10" x 14"	AL



69399	10" x 14"	FB
84428	7" x 10"	SS
84429	10" x 14"	SS
22333	7" x 10"	PL
22334	10" x 14"	PL
40897	7" x 10"	AL
40898	10" x 14"	AL



126350	7" x 10"	SS
126353	10" x 14"	SS
126349	7" x 10"	PL
126352	10" x 14"	PL
126348	7" x 10"	AL
126351	10" x 14"	AL



131745	7" x 10"	FB
131746	10" x 14"	FB
131743	7" x 10"	SS
131744	10" x 14"	SS
131741	7" x 10"	PL
131742	10" x 14"	PL
131739	7" x 10"	AL
131740	10" x 14"	AL



69409	7" x 17"	FB



84430	7" x 10"	SS
84431	10" x 14"	SS
22335	7" x 10"	PL
22336	10" x 14"	PL
40899	7" x 10"	AL
40900	10" x 14"	AL



126356	7" x 10"	SS
126359	10" x 14"	SS
126355	7" x 10"	PL
126358	10" x 14"	PL
126354	7" x 10"	AL
126357	10" x 14"	AL



84434	3.5" x 5"	SS
84435	7" x 10"	SS
84436	10" x 14"	SS
22337	7" x 10"	PL
22338	10" x 14"	PL
40901	7" x 10"	AL
40902	10" x 14"	AL



126374	7" x 10"	SS
126377	10" x 14"	SS
126373	7" x 10"	PL
126376	10" x 14"	PL
126372	7" x 10"	AL
126375	10" x 14"	AL



126368	7" x 10"	SS
126371	10" x 14"	SS
126367	7" x 10"	PL
126370	10" x 14"	PL
126366	7" x 10"	AL
126369	10" x 14"	AL



40904	10" x 14"	AL
69440	10" x 14"	FB
84438	10" x 14"	SS
22339	7" x 10"	PL



126362	7" x 10"	SS
126365	10" x 14"	SS
126361	7" x 10"	PL
126364	10" x 14"	PL
126360	7" x 10"	AL
126363	10" x 14"	AL



126380	7" x 10"	SS
126383	10" x 14"	SS
126379	7" x 10"	PL
126382	10" x 14"	PL
126378	7" x 10"	AL
126381	10" x 14"	AL



131830	7" x 10"	FB
73420	10" x 14"	FB
84439	7" x 10"	SS
84440	10" x 14"	SS
22341	7" x 10"	PL
22342	10" x 14"	PL
40905	7" x 10"	AL
40906	10" x 14"	AL



126386	7" x 10"	SS
126389	10" x 14"	SS
126385	7" x 10"	PL
126388	10" x 14"	PL
126384	7" x 10"	AL
126387	10" x 14"	AL



126398	7" x 10"	SS
126401	10" x 14"	SS
126397	7" x 10"	PL
126400	10" x 14"	PL
126396	7" x 10"	AL
126399	10" x 14"	AL



123655	7" x 10"	SS
123658	10" x 14"	SS
123654	7" x 10"	PL
123657	10" x 14"	PL
123653	7" x 10"	AL
123656	10" x 14"	AL



72587	14" x 20"	FB
85521	7" x 10"	SS
85522	10" x 14"	SS
22764	7" x 10"	PL
22765	10" x 14"	PL
41328	7" x 10"	AL
41329	10" x 14"	AL



87647	7" x 10"	FB
87648	10" x 14"	FB
59397	7" x 10"	SS
50998	10" x 14"	SS
59395	7" x 10"	PL
16840	10" x 14"	PL
16841	10" x 14"	AL



84446	10" x 14"	SS
22343	7" x 10"	PL
40908	10" x 14"	AL



126098	7" x 10"	SS
126101	10" x 14"	SS
126097	7" x 10"	PL
126100	10" x 14"	PL
126096	7" x 10"	AL
126099	10" x 14"	AL



126404	7" x 10"	SS
126407	10" x 14"	SS
126403	7" x 10"	PL
126406	10" x 14"	PL
126402	7" x 10"	AL
126405	10" x 14"	AL



125852	7" x 10"	SS
125855	10" x 14"	SS
125851	7" x 10"	PL
125854	10" x 14"	PL
125850	7" x 10"	AL
125853	10" x 14"	AL



125816	7" x 10"	SS
125819	10" x 14"	SS
125815	7" x 10"	PL
125818	10" x 14"	PL
125814	7" x 10"	AL
125817	10" x 14"	AL



70582	10" x 14"	FB
88627	7" x 10"	SS
88628	10" x 14"	SS
25222	7" x 10"	PL
25223	10" x 14"	PL
42799	7" x 10"	AL
42800	10" x 14"	AL



84457	7" x 10"	SS
84458	10" x 14"	SS
22349	7" x 10"	PL
22350	10" x 14"	PL
40913	10" x 14"	AL
40914	10" x 14"	AL



70585	10" x 14"	FB
84459	7" x 10"	SS
22351	7" x 10"	PL



69558	10" x 14"	FB
84461	7" x 10"	SS
84462	10" x 14"	SS
22353	7" x 10"	PL
22354	10" x 14"	PL



126416	7" x 10"	SS
126419	10" x 14"	SS
126415	7" x 10"	PL
126418	10" x 14"	PL
126414	7" x 10"	AL
126417	10" x 14"	AL



126410	7" x 10"	SS
126413	10" x 14"	SS
126409	7" x 10"	PL
126412	10" x 14"	PL
126408	7" x 10"	AL
126411	10" x 14"	AL

BradyID.com/s36

Chemical and Hazardous Material Signs (continued)



84473	7" x 10"	SS
22365	7" x 10"	PL
22366	10" x 14"	PL



126428	7" x 10"	SS
126431	10" x 14"	SS
126427	7" x 10"	PL
126430	10" x 14"	PL
126426	7" x 10"	AL
126429	10" x 14"	AL



70239	10" x 14"	FB
85531	7" x 10"	SS
85532	10" x 14"	SS
22768	7" x 10"	PL
22769	10" x 14"	PL
41332	7" x 10"	AL
41333	10" x 14"	AL



126434	7" x 10"	SS
126437	10" x 14"	SS
126433	7" x 10"	PL
126436	10" x 14"	PL
126432	7" x 10"	AL
126435	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



85533	7" x 10"	SS
85534	10" x 14"	SS
22770	7" x 10"	PL
22771	10" x 14"	PL
41334	7" x 10"	AL
41335	10" x 14"	AL



70270	10" x 14"	FB
84463	7" x 10"	SS
84464	10" x 14"	SS
22355	7" x 10"	PL
22356	10" x 14"	PL
40920	10" x 14"	AL



85535	7" x 10"	SS
85536	10" x 14"	SS
25734	7" x 10"	PL
25735	10" x 14"	PL
43311	7" x 10"	AL
43312	10" x 14"	AL



126440	7" x 10"	SS
126443	10" x 14"	SS
126439	7" x 10"	PL
126442	10" x 14"	PL
126438	7" x 10"	AL
126441	10" x 14"	AL



126452	7" x 10"	SS
126455	10" x 14"	SS
126451	7" x 10"	PL
126454	10" x 14"	PL
126450	7" x 10"	AL
126453	10" x 14"	AL



126446	7" x 10"	SS
126449	10" x 14"	SS
126445	7" x 10"	PL
126448	10" x 14"	PL
126444	7" x 10"	AL
126447	10" x 14"	AL



131885	7" x 10"	FB
131886	10" x 14"	FB
131883	7" x 10"	SS
131884	10" x 14"	SS
131881	7" x 10"	PL
131882	10" x 14"	PL
131879	7" x 10"	AL
131880	10" x 14"	AL



126458	7" x 10"	SS
126461	10" x 14"	SS
126457	7" x 10"	PL
126460	10" x 14"	PL
126456	7" x 10"	AL
126459	10" x 14"	AL



126470	7" x 10"	SS
126473	10" x 14"	SS
126469	7" x 10"	PL
126472	10" x 14"	PL
126468	7" x 10"	AL
126471	10" x 14"	AL



126464	7" x 10"	SS
126467	10" x 14"	SS
126463	7" x 10"	PL
126466	10" x 14"	PL
126462	7" x 10"	AL
126465	10" x 14"	AL



70430	10" x 14"	FB
84466	10" x 14"	SS
22357	7" x 10"	PL
22358	10" x 14"	PL
40922	10" x 14"	AL



126476	7" x 10"	SS
126479	10" x 14"	SS
126475	7" x 10"	PL
126478	10" x 14"	PL
126474	7" x 10"	AL
126477	10" x 14"	AL



69407	10" x 14"	FB
84467	7" x 10"	SS
84468	10" x 14"	SS
22359	7" x 10"	PL
22360	10" x 14"	PL
40923	7" x 10"	AL
40924	10" x 14"	AL



95277	7" x 17"	FB



72546	7" x 10"	FB
84471	7" x 10"	SS
84472	10" x 14"	SS
22363	7" x 10"	PL
22364	10" x 14"	PL
40927	7" x 10"	AL
40928	10" x 14"	AL



84469	7" x 10"	SS
22361	7" x 10"	PL
22362	10" x 14"	PL
40925	7" x 10"	AL
40926	10" x 14"	AL



126482	7" x 10"	SS
126485	10" x 14"	SS
126481	7" x 10"	PL
126484	10" x 14"	PL
126480	7" x 10"	AL
126483	10" x 14"	AL



126488	7" x 10"	SS
126491	10" x 14"	SS
126487	7" x 10"	PL
126490	10" x 14"	PL
126486	7" x 10"	AL
126489	10" x 14"	AL



73418	10" x 14"	FB
88455	7" x 10"	SS
88456	10" x 14"	SS
25138	7" x 10"	PL
42715	7" x 10"	AL



74616	14" x 20"	FB
84476	10" x 14"	SS
22367	7" x 10"	PL
22368	10" x 14"	PL



74464	14" x 20"	FB
84477	7" x 10"	SS
84478	10" x 14"	SS
22369	7" x 10"	PL
40933	7" x 10"	AL
40934	10" x 14"	AL



126500	7" x 10"	SS
126503	10" x 14"	SS
126499	7" x 10"	PL
126502	10" x 14"	PL
126498	7" x 10"	AL
126501	10" x 14"	AL




126512	7" x 10"	SS
126515	10" x 14"	SS
126511	7" x 10"	PL
126514	10" x 14"	PL
126510	7" x 10"	AL
126513	10" x 14"	AL



126608	7" x 10"	SS
126611	10" x 14"	SS
126607	7" x 10"	PL
126610	10" x 14"	PL
126606	7" x 10"	AL
126609	10" x 14"	AL

Chemical and Hazardous Material Signs (continued)



126518	7" x 10"	SS
126521	10" x 14"	SS
126517	7" x 10"	PL
126520	10" x 14"	PL
126516	7" x 10"	AL
126519	10" x 14"	AL



126524	7" x 10"	SS
126527	10" x 14"	SS
126523	7" x 10"	PL
126526	10" x 14"	PL
126522	7" x 10"	AL
126525	10" x 14"	AL



126530	7" x 10"	SS
126533	10" x 14"	SS
126529	7" x 10"	PL
126532	10" x 14"	PL
126528	7" x 10"	AL
126531	10" x 14"	AL



126542	7" x 10"	SS
126545	10" x 14"	SS
126541	7" x 10"	PL
126544	10" x 14"	PL
126540	7" x 10"	AL
126543	10" x 14"	AL



126560	7" x 10"	SS
126563	10" x 14"	SS
126559	7" x 10"	PL
126562	10" x 14"	PL
126558	7" x 10"	AL
126561	10" x 14"	AL



69585	10" x 14"	FB
85547	7" x 10"	SS
85548	10" x 14"	SS
25738	7" x 10"	PL
25739	10" x 14"	PL
43315	7" x 10"	AL
43316	10" x 14"	AL



69573	10" x 14"	FB
84483	7" x 10"	SS
84484	10" x 14"	SS
22371	7" x 10"	PL
22372	10" x 14"	PL
40935	7" x 10"	AL
40936	10" x 14"	AL



126548	7" x 10"	SS
126551	10" x 14"	SS
126547	7" x 10"	PL
126550	10" x 14"	PL
126546	7" x 10"	AL
126549	10" x 14"	AL



126554	7" x 10"	SS
126557	10" x 14"	SS
126553	7" x 10"	PL
126556	10" x 14"	PL
126552	7" x 10"	AL
126555	10" x 14"	AL



126566	7" x 10"	SS
126569	10" x 14"	SS
126568	10" x 14"	PL
126564	7" x 10"	AL
126567	10" x 14"	AL



126614	7" x 10"	SS
126617	10" x 14"	SS
126613	7" x 10"	PL
126616	10" x 14"	PL
126612	7" x 10"	AL
126615	10" x 14"	AL



126572	7" x 10"	SS
126575	10" x 14"	SS
126571	7" x 10"	PL
126574	10" x 14"	PL
126570	7" x 10"	AL
126573	10" x 14"	AL



126578	7" x 10"	SS
126581	10" x 14"	SS
126577	7" x 10"	PL
126580	10" x 14"	PL
126576	7" x 10"	AL
126579	10" x 14"	AL



126584	7" x 10"	SS
126587	10" x 14"	SS
126583	7" x 10"	PL
126586	10" x 14"	PL
126582	7" x 10"	AL
126585	10" x 14"	AL



122895	7" x 10"	FB
76085	10" x 14"	FB
87767	3.5" x 5"	SS
85549	7" x 10"	SS
85550	10" x 14"	SS
25740	7" x 10"	PL
25741	10" x 14"	PL
43317	7" x 10"	AL
43318	10" x 14"	AL



126590	7" x 10"	SS
126593	10" x 14"	SS
126589	7" x 10"	PL
126592	10" x 14"	PL
126588	7" x 10"	AL
126591	10" x 14"	AL



126596	7" x 10"	SS
126599	10" x 14"	SS
126595	7" x 10"	PL
126598	10" x 14"	PL
126594	7" x 10"	AL
126597	10" x 14"	AL



69604	10" x 14"	FB
84487	7" x 10"	SS
84488	10" x 14"	SS
22373	7" x 10"	PL
22374	10" x 14"	PL
40937	7" x 10"	AL
40938	10" x 14"	AL



69615	10" x 14"	FB
84491	7" x 10"	SS
84492	10" x 14"	SS
22377	7" x 10"	PL
22378	10" x 14"	PL
40942	10" x 14"	AL



126620	10" x 7"	SS
126623	14" x 10"	SS
126619	10" x 7"	PL
126622	14" x 10"	PL
126618	10" x 7"	AL
126621	14" x 10"	AL



125567	7" x 10"	SS
125570	10" x 14"	SS
125566	7" x 10"	PL
125569	10" x 14"	PL
125565	7" x 10"	AL
125568	10" x 14"	AL



125561	7" x 10"	SS
125564	10" x 14"	SS
125560	7" x 10"	PL
125563	10" x 14"	PL
125559	7" x 10"	AL
125562	10" x 14"	AL



125573	7" x 10"	SS
125576	10" x 14"	SS
125572	7" x 10"	PL
125575	10" x 14"	PL
125571	7" x 10"	AL
125574	10" x 14"	AL



84493	7" x 10"	SS
84494	10" x 14"	SS
40943	7" x 10"	AL



125579	7" x 10"	SS
125582	10" x 14"	SS
125578	7" x 10"	PL
125581	10" x 14"	PL
125577	7" x 10"	AL
125580	10" x 14"	AL



17942	7" x 10"	SS



125585	7" x 10"	SS
125588	10" x 14"	SS
125584	7" x 10"	PL
125587	10" x 14"	PL
125583	7" x 10"	AL
125586	10" x 14"	AL



17943	7" x 10"	SS



125591	7" x 10"	SS
125594	10" x 14"	SS
125590	7" x 10"	PL
125593	10" x 14"	PL
125589	7" x 10"	AL
125592	10" x 14"	AL

BradyID.com/s36

Chemical and Hazardous Material Signs (continued)



125597	7" x 10"	SS
125600	10" x 14"	SS
125596	7" x 10"	PL
125599	10" x 14"	PL
125595	7" x 10"	AL
125598	10" x 14"	AL



17944	7" x 10"	SS



125603	7" x 10"	SS
125606	10" x 14"	SS
125602	7" x 10"	PL
125605	10" x 14"	PL
59404	7" x 10"	AL
125604	10" x 14"	AL



17945	7" x 10"	SS

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



25883	10" x 14"	PL



125705	7" x 17"	SS
125704	7" x 17"	PL
125703	7" x 17"	AL



84497	7" x 10"	SS
84498	10" x 14"	SS
22380	7" x 10"	PL
22381	10" x 14"	PL



125615	7" x 10"	SS
125618	10" x 14"	SS
125614	7" x 10"	PL
125617	10" x 14"	PL
125613	7" x 10"	AL
125616	10" x 14"	AL




125621	7" x 10"	SS
125624	10" x 14"	SS
125620	7" x 10"	PL
125623	10" x 14"	PL
125619	7" x 10"	AL
125622	10" x 14"	AL



69794	7" x 7"	FB
88491	7" x 7"	SS
25157	7" x 10"	PL
42734	7" x 10"	AL



125627	7" x 10"	SS
125630	10" x 14"	SS
125626	7" x 10"	PL
125629	10" x 14"	PL
125625	7" x 10"	AL
125628	10" x 14"	AL



73490	10" x 14"	FB
85562	7" x 10"	SS
85563	10" x 14"	SS



60563	7" x 10"	SS
60533	7" x 10"	PL
60504	7" x 10"	AL



96090	7" x 10"	SS
60349	10" x 14"	SS
60348	10" x 14"	PL
96087	10" x 14"	AL



125633	7" x 10"	SS
125636	10" x 14"	SS
125632	7" x 10"	PL
125635	10" x 14"	PL
125631	7" x 10"	AL
125634	10" x 14"	AL



95010	7" x 10"	SS
95011	10" x 14"	SS
95008	7" x 10"	PL
95009	10" x 14"	PL
95006	7" x 10"	AL
95007	10" x 14"	AL



125639	7" x 10"	SS
125642	10" x 14"	SS
125638	7" x 10"	PL
125641	10" x 14"	PL
125637	7" x 10"	AL
125640	10" x 14"	AL



17955	7" x 10"	SS



125663	7" x 10"	SS
125666	10" x 14"	SS
125662	7" x 10"	PL
125665	10" x 14"	PL
125661	7" x 10"	AL
125664	10" x 14"	AL



125669	7" x 10"	SS
125672	10" x 14"	SS
125668	7" x 10"	PL
125671	10" x 14"	PL
125667	7" x 10"	AL
125670	10" x 14"	AL



70317	10" x 14"	FB
85564	7" x 10"	SS
85565	10" x 14"	SS
25745	7" x 10"	PL
43322	7" x 10"	AL



131901	7" x 10"	FB
131902	10" x 14"	FB
131899	7" x 10"	SS
131900	10" x 14"	SS
131897	7" x 10"	PL
131898	10" x 14"	PL
131895	7" x 10"	AL
131896	10" x 14"	AL



17956	7" x 10"	SS



125651	7" x 10"	SS
125654	10" x 14"	SS
125650	7" x 10"	PL
125653	10" x 14"	PL
125649	7" x 10"	AL
125652	10" x 14"	AL



125645	7" x 10"	SS
125648	10" x 14"	SS
125644	7" x 10"	PL
125647	10" x 14"	PL
125643	7" x 10"	AL
125646	10" x 14"	AL



125657	7" x 10"	SS
125660	10" x 14"	SS
125656	7" x 10"	PL
125659	10" x 14"	PL
125655	7" x 10"	AL
125658	10" x 14"	AL



69221	10" x 10"	FB
88500	10" x 10"	SS
25165	10" x 14"	PL



69252	10" x 10"	FB
88506	10" x 10"	SS
42748	10" x 14"	AL

BRADY

Chemical and Hazardous Material Signs (continued)



69442	10" x 10"	FB
88522	10" x 10"	SS



90710	10" x 7"	BGPL



17952	7" x 10"	SS



125681	7" x 10"	SS
125684	10" x 14"	SS
125680	7" x 10"	PL
125683	10" x 14"	PL
125679	7" x 10"	AL
125682	10" x 14"	AL



125675	7" x 10"	SS
125678	10" x 14"	SS
125674	7" x 10"	PL
125677	10" x 14"	PL
125673	7" x 10"	AL
125676	10" x 14"	AL



70356	10" x 14"	FB
85566	7" x 10"	SS
85567	10" x 14"	SS
25746	7" x 10"	PL
43323	7" x 10"	AL



131893	7" x 10"	FB
131894	10" x 14"	FB
131891	7" x 10"	SS
131892	10" x 14"	SS
131889	7" x 10"	PL
131890	10" x 14"	PL
131887	7" x 10"	AL
131888	10" x 14"	AL



17953	7" x 10"	SS



125693	7" x 10"	SS
125696	10" x 14"	SS
125692	7" x 10"	PL
125695	10" x 14"	PL
125691	7" x 10"	AL
125694	10" x 14"	AL



125699	7" x 10"	SS
125702	10" x 14"	SS
125698	7" x 10"	PL
125701	10" x 14"	PL
125697	7" x 10"	AL
125700	10" x 14"	AL



125687	7" x 10"	SS
125690	10" x 14"	SS
125686	7" x 10"	PL
125689	10" x 14"	PL
125685	7" x 10"	AL
125688	10" x 14"	AL



84507	7" x 10"	SS
84508	10" x 14"	SS
22385	7" x 10"	PL
40949	7" x 10"	AL



60568	7" x 10"	SS



30673	7" x 10"	SS
30670	10" x 14"	AL



125708	7" x 10"	SS
125711	10" x 14"	SS
125707	7" x 10"	PL
125710	10" x 14"	PL
125706	7" x 10"	AL
125709	10" x 14"	AL



17946	7" x 10"	SS



125714	7" x 10"	SS
125717	10" x 14"	SS
125713	7" x 10"	PL
125716	10" x 14"	PL
125712	7" x 10"	AL
125715	10" x 14"	AL



17947	7" x 10"	SS



125720	7" x 10"	SS
125723	10" x 14"	SS
125719	7" x 10"	PL
125722	10" x 14"	PL
125718	7" x 10"	AL
125721	10" x 14"	AL



125726	7" x 10"	SS
125729	10" x 14"	SS
125725	7" x 10"	PL
125728	10" x 14"	PL
125724	7" x 10"	AL
125727	10" x 14"	AL



17948	7" x 10"	SS



125732	7" x 10"	SS
125735	10" x 14"	SS
125731	7" x 10"	PL
125734	10" x 14"	PL
125730	7" x 10"	AL
125733	10" x 14"	AL



17949	7" x 10"	SS



125738	7" x 10"	SS
125741	10" x 14"	SS
125737	7" x 10"	PL
125740	10" x 14"	PL
125736	7" x 10"	AL
125739	10" x 14"	AL



125744	7" x 10"	SS
125747	10" x 14"	SS
125743	7" x 10"	PL
125746	10" x 14"	PL
125742	7" x 10"	AL
125745	10" x 14"	AL



17954	7" x 10"	SS



125555	7" x 10"	SS
125558	10" x 14"	SS
125554	7" x 10"	PL
125557	10" x 14"	PL
125553	7" x 10"	AL
125556	10" x 14"	AL



17950	7" x 10"	SS Vinyl



17951	7" x 10"	SS



125882	7" x 10"	SS
125885	10" x 14"	SS
125881	7" x 10"	PL
125884	10" x 14"	PL
125880	7" x 10"	AL
125883	10" x 14"	AL

BradyID.com/s36

Chemical and Hazardous Material Signs (continued)



125756	7" x 10"	SS
125759	10" x 14"	SS
125755	7" x 10"	PL
125758	10" x 14"	PL
125754	7" x 10"	AL
125757	10" x 14"	AL



125774	10" x 7"	SS
125777	14" x 10"	SS
125773	10" x 7"	PL
125776	14" x 10"	PL
125772	10" x 7"	AL
125775	14" x 10"	AL



30672	7" x 10"	SS
30669	10" x 14"	AL



123859	7" x 10"	SS
123862	10" x 14"	SS
123858	7" x 10"	PL
123861	10" x 14"	PL
123857	7" x 10"	AL
123860	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



43979	7" x 10"	SS



125762	7" x 10"	SS
125765	10" x 14"	SS
125761	7" x 10"	PL
125764	10" x 14"	PL
125760	7" x 10"	AL
125763	10" x 14"	AL



30674	7" x 10"	SS
30671	10" x 14"	AL



43502	10" x 14"	AL



69801	7" x 7"	FB
88529	7" x 7"	SS
25190	7" x 10"	PL
42767	7" x 10"	AL



122890	7" x 10"	FB
122750	10" x 14"	FB
43983	7" x 10"	SS
122608	10" x 14"	SS
122554	7" x 10"	PL
122489	10" x 14"	PL
60350	10" x 14"	AL



125768	7" x 10"	SS
125771	10" x 14"	SS
125767	7" x 10"	PL
125770	10" x 14"	PL
125766	7" x 10"	AL
125769	10" x 14"	AL



125780	7" x 10"	SS
125783	10" x 14"	SS
125779	7" x 10"	PL
125782	10" x 14"	PL
125778	7" x 10"	AL
125781	10" x 14"	AL



84511	7" x 10"	SS
22386	7" x 10"	PL



125798	7" x 10"	SS
125801	10" x 14"	SS
125797	7" x 10"	PL
125800	10" x 14"	PL
125796	7" x 10"	AL
125799	10" x 14"	AL



125792	7" x 10"	SS
125795	10" x 14"	SS
125791	7" x 10"	PL
125794	10" x 14"	PL
125790	7" x 10"	AL
125793	10" x 14"	AL




125804	7" x 10"	SS
125807	10" x 14"	SS
125803	7" x 10"	PL
125806	10" x 14"	PL
125802	7" x 10"	AL
125805	10" x 14"	AL


Carbon Dioxide Signs




106053	7" x 10"	FB
106054	10" x 14"	FB
106047	3.5" x 5"	SS
106048	7" x 10"	SS
106049	7" x 10"	PL
106050	10" x 14"	PL
106051	7" x 10"	AL
106052	10" x 14"	AL




106045	7" x 10"	FB
106046	10" x 14"	FB
106039	3.5" x 5"	SS
106040	7" x 10"	SS
106041	7" x 10"	PL
106042	10" x 14"	PL
106043	7" x 10"	AL
106044	10" x 14"	AL




106061	7" x 10"	FB
106062	10" x 14"	FB
106055	3.5" x 5"	SS
106056	7" x 10"	SS
106057	7" x 10"	PL
106058	10" x 14"	PL
106059	7" x 10"	AL
106060	10" x 14"	AL



106029	7" x 10"	FB
106030	10" x 14"	FB
106023	3.5" x 5"	SS
106024	7" x 10"	SS
106025	7" x 10"	PL
106026	10" x 14"	PL
106027	7" x 10"	AL
106028	10" x 14"	AL



106037	7" x 10"	FB
106038	10" x 14"	FB
106031	3.5" x 5"	SS
106032	7" x 10"	SS
106033	7" x 10"	PL
106034	10" x 14"	PL
106035	7" x 10"	AL
106036	10" x 14"	AL




106021	7" x 10"	FB
106022	10" x 14"	FB
106015	3.5" x 5"	SS
106016	7" x 10"	SS
106017	7" x 10"	PL
106018	10" x 14"	PL
106019	7" x 10"	AL
106020	10" x 14"	AL

California Proposition 65 Signs


Proposition 65, officially known as the Safe Drinking Water and Toxic Enforcement Act of 1986, requires businesses to provide warnings to Californians about significant exposures to chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.




125609	7" x 10"	SS
125612	10" x 14"	SS
125608	7" x 10"	PL
125611	10" x 14"	PL
125607	7" x 10"	AL
125610	10" x 14"	AL




150457	10" x 7"	SS
150473	14" x 10"	SS
150447	14" x 10"	PL
150472	10" x 7"	AL
150446	14" x 10"	AL




150467	10" x 7"	SS
150475	14" x 10"	SS
150459	10" x 7"	PL
150476	14" x 10"	PL
150474	10" x 7"	AL
150458	14" x 10"	AL



150462	10" x 7"	SS
150465	14" x 10"	SS
150466	10" x 7"	PL
150445	14" x 10"	PL
150482	10" x 7"	AL
150456	14" x 10"	AL



150479	10" x 7"	SS
150468	14" x 10"	SS
150469	10" x 7"	PL
150454	14" x 10"	PL
150464	10" x 7"	AL
150451	14" x 10"	AL




150481	10" x 7"	SS
150455	14" x 10"	SS
150441	10" x 7"	PL
150440	14" x 10"	PL
150461	10" x 7"	AL
150480	14" x 10"	AL



18151	10" x 14"	SS
18153	10" x 14"	PL
18152	10" x 14"	PL
18154	10" x 14"	AL




144955	7" x 10"	SS
144956	10" x 14"	SS
144957	7" x 10"	PL
144958	10" x 14"	PL
144959	7" x 10"	AL
144960	10" x 14"	AL




126536	7" x 10"	SS
126539	10" x 14"	SS
126535	7" x 10"	PL
126538	10" x 14"	PL
126534	7" x 10"	AL
126537	10" x 14"	AL



125786	7" x 10"	SS
125789	10" x 14"	SS
125785	7" x 10"	PL
125788	10" x 14"	PL
125784	7" x 10"	AL
125787	10" x 14"	AL



122798	7" x 10"	FB
58621	10" x 14"	FB
89015	5" x 6"	SS
122637	7" x 10"	SS
89097	10" x 14"	SS
122505	7" x 10"	PL
122469	10" x 14"	PL
122394	7" x 10"	AL
122343	10" x 14"	AL




18191	10" x 14"	FB
18187	10" x 14"	SS
18189	10" x 14"	PL
18188	10" x 14"	PL
18190	10" x 14"	AL



150444	10" x 7"	SS
150443	14" x 10"	SS
150471	10" x 7"	PL
150484	14" x 10"	PL
150442	10" x 7"	AL
150470	14" x 10"	AL



150439	10" x 7"	SS
150453	14" x 10"	SS
150478	10" x 7"	PL
150460	14" x 10"	PL
150450	10" x 7"	AL
150477	14" x 10"	AL



150448	10" x 7"	SS
150438	14" x 10"	SS
150452	10" x 7"	PL
150449	14" x 10"	PL
150483	10" x 7"	AL
150463	14" x 10"	AL



80716	5" x 6"	SS
80717	10" x 14"	SS




18161	10" x 14"	FB
18157	10" x 14"	SS
18159	10" x 14"	PL
18158	10" x 14"	PL
18160	10" x 14"	AL



18179	10" x 14"	FB
18175	14" x 10"	SS
18177	10" x 14"	PL
18176	10" x 14"	PL
18178	10" x 14"	AL



18185	10" x 14"	FB
18181	14" x 10"	SS
18183	10" x 14"	PL
18182	10" x 14"	PL



18184	10" x 14"	AL



18197	10" x 14"	FB
18193	10" x 14"	SS
18195	10" x 14"	PL
18194	10" x 14"	PL
18196	10" x 14"	AL



18167	10" x 14"	FB
18163	10" x 14"	SS
18165	10" x 14"	PL
18164	10" x 14"	PL
18166	10" x 14"	AL



18173	10" x 14"	FB
18169	10" x 14"	SS
18171	10" x 14"	PL
18170	10" x 14"	PL
18172	10" x 14"	AL

BradyID.com/s36


Hazardous Material Signs

- Most signs include the NFPA Code Number 704M for Hazardous Information
- Clear identification of hazardous chemicals
- Resistant to vapors or spills
- Red legend on white background

Chemical information from the Department of Transportation Guidebook for Hazardous Materials Incidents (SOT 5800.4-1987)

Catalog #	Size	Material	Legend
48893	10 in. x 7 in.	FB	1, 1, 1, Trichloroethane
48840	10 in. x 7 in.	FB	Acetic Acid, Glacial
48841	10 in. x 7 in.	FB	Acetone
48842	10 in. x 7 in.	FB	Acetylene
48843	10 in. x 7 in.	FB	Acrylic Acid
48845	10 in. x 7 in.	FB	Ammonium Hydroxide
48846	10 in. x 7 in.	FB	Anhydrous Ammonia
48847	10 in. x 7 in.	FB	Benzaldehyde
48848	10 in. x 7 in.	FB	Benzene
48849	10 in. x 7 in.	FB	Bromine
48850	10 in. x 7 in.	FB	Butane
48851	10 in. x 7 in.	FB	Butanol
48852	10 in. x 7 in.	FB	Calcium Chloride
48853	10 in. x 7 in.	FB	Calcium Hypochlorite
48854	10 in. x 7 in.	FB	Carbon Dioxide
48855	10 in. x 7 in.	FB	Carbon Disulfide
48856	10 in. x 7 in.	FB	Carbon Tetrachloride
48857	10 in. x 7 in.	FB	Caustic Potash (Potassium Hydroxide)
48858	10 in. x 7 in.	FB	Caustic Soda (Sodium Hydroxide)
48859	10 in. x 7 in.	FB	Chlorine
48860	10 in. x 7 in.	FB	Chloroform
48861	10 in. x 7 in.	FB	Chromic Acid, Solid Chromium Anhydride
48862	10 in. x 7 in.	FB	Diesel Fuel
48863	10 in. x 7 in.	FB	Ethyl Acetate
48864	10 in. x 7 in.	FB	Ethyl Alcohol (Ethanol)
48865	10 in. x 7 in.	FB	Ethylene Glycol
48866	10 in. x 7 in.	FB	Formic Acid
48867	10 in. x 7 in.	FB	Fuel Oil
48868	10 in. x 7 in.	FB	Gasoline
48869	10 in. x 7 in.	FB	Heptane

Catalog #	Size	Material	Legend
48870	10 in. x 7 in.	FB	Hexane
48871	10 in. x 7 in.	FB	Hydrochloric Acid
48872	10 in. x 7 in.	FB	Hydrofluoric Acid
48874	10 in. x 7 in.	FB	Hydrofluorsilicic Acid
48873	10 in. x 7 in.	FB	Hydrogen Peroxide, 52%
48875	10 in. x 7 in.	FB	Isopropanol
48876	10 in. x 7 in.	FB	Isopropyl Acetate
48877	10 in. x 7 in.	FB	Kerosene
48878	10 in. x 7 in.	FB	Mercury
48879	10 in. x 7 in.	FB	Methanol
48880	10 in. x 7 in.	FB	Methyl Ethyl Ketone
48881	10 in. x 7 in.	FB	Muriatic Acid
48882	10 in. x 7 in.	FB	Nitric Acid
48883	10 in. x 7 in.	FB	Nitrogen, Liquid
48884	10 in. x 7 in.	FB	Oxygen, Compressed
48885	10 in. x 7 in.	FB	Phenol
48886	10 in. x 7 in.	FB	Phosphoric Acid
48887	10 in. x 7 in.	FB	Potassium Hydroxide
48888	10 in. x 7 in.	FB	Potassium Perchlorate
48889	10 in. x 7 in.	FB	Potassium Permanganate
48890	10 in. x 7 in.	FB	Propane Gas
48891	10 in. x 7 in.	FB	Sodium Hydroxide
48892	10 in. x 7 in.	FB	Toluene
48899	10 in. x 7 in.	FB	Trichloroethylene
48894	10 in. x 7 in.	FB	Turpentine
48895	10 in. x 7 in.	FB	Unleaded Gasoline
48896	10 in. x 7 in.	FB	Vinyl Acetate
48897	10 in. x 7 in.	FB	Vinyl Chloride
48898	10 in. x 7 in.	FB	Xylene



Vehicle Placards

- Placards meet D.O.T. requirements 49CFR Part 172
- Placards have square corners and no holes

Sign Selection Guide

PTG - Economical polycoated tagboard - exceeds D.O.T.'s 30-day weather requirement (B-101)
SSV - Self-sticking vinyl - can applied directly to vehicle (B-946)
FB - Premium fiberglass offer over 15 years outdoor durability. (B-120) Use with Brady Slide-in Placard Holders. (sold separately)



Hazard Division1.1 Compatibility Group A, B, C, D, E, F, G, J or L

63300	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.1A
63371	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.1B
63336	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.1B
63301	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.1B
63372	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.1C
63337	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.1C
63302	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.1C
63373	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.1D
63303	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.1D
63339	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.1E
63304	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.1E
63375	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.1F
63340	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.1F
63376	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.1G
63341	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.1G
63306	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.1G
63377	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.1J
63342	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.1J
63307	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.1J
63378	10.75 in. x 10.75 in.	PTG	EXPLOSIVES 1.1L
63308	10.75 in. x 10.75 in.	SSV	EXPLOSIVES 1.1L



Hazard Division1.2 Compatibility Group B, C, D, E, F, G, H, J, K or L

63344	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2B
63380	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.2C
63345	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2C
63310	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.2C
63381	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.2D
63346	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2D
63311	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.2D
63347	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2E
63312	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.2E
63383	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.2F
63348	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2F
63313	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.2F
63384	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.2G
63349	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2G
63314	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.2G
63385	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.2H
63350	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2H
63386	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.2J
63351	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2J
63316	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.2J
63387	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.2K
63352	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.2K
63317	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.2K
63353	10.75 in. x 10.75 in.	FB	EXPLOSIVES 1.2L
63318	10.75 in. x 10.75 in.	SSV	EXPLOSIVES 1.2L



Hazard Division1.3 Compatibility Group C, F, G, H, J, K or L

63389	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.3C
63354	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.3C
63390	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.3F
63355	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.3F
63320	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.3F
63356	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.3G
63321	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.3G
63392	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.3H
63357	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.3H
63322	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.3H
63393	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.3J
63358	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.3J
63323	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.3J
63394	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.3K
63359	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.3K
63324	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.3K
63395	10.75 in. x 10.75 in.	PTG	EXPLOSIVES 1.3L
63360	10.75 in. x 10.75 in.	FB	EXPLOSIVES 1.3L
63325	10.75 in. x 10.75 in.	SSV	EXPLOSIVES 1.3L



Hazard Division 1.4 Compatibility Group B, C, D, E, F, G or S

63396	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.4B
63361	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.4B
63326	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.4B
63362	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.4C
63327	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.4C
63363	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.4D
63328	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.4D
63399	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.4E
63364	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.4E
63400	10.75 in. x 10.75 in.	PTG	EXPLOSIVE 1.4F
63365	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.4F
63366	10.75 in. x 10.75 in.	FB	EXPLOSIVE 1.4G
63331	10.75 in. x 10.75 in.	SSV	EXPLOSIVE 1.4G
63332	10.75 in. x 10.75 in.	SSV	EXPLOSIVES 1.4S



Hazard Division 1.5 Compatibility Group D

63403	10.75 in. x 10.75 in.	PTG	1.5 BLASTING AGENTS D 1
63368	10.75 in. x 10.75 in.	FB	1.5 BLASTING AGENTS D 1
63333	10.75 in. x 10.75 in.	SSV	1.5 BLASTING AGENTS D 1



Hazard Division 1.6 Compatibility Group N

63404	10.75 in. x 10.75 in.	PTG	1.6 EXPLOSIVE N 1
63369	10.75 in. x 10.75 in.	FB	1.6 EXPLOSIVE N 1
63334	10.75 in. x 10.75 in.	SSV	1.6 EXPLOSIVE N 1

Chemical and Hazardous Material Signs

BradyID.com/s36

D.O.T. Hazardous Material Shipping Placards

- Placards meet D.O.T. requirements 49CFR Part 172
- Placards have square corners and no holes
- Dimensions: 10.75" x 10.75"

Sign Selection Guide

PTG - Economical polycoated tagboard - exceeds D.O.T.'s 30-day weather requirement (B-101)
SSV - Self-sticking vinyl - can applied directly to vehicle (B-946)
FB - Premium fiberglass offer over 15 years outdoor durability. (B-120)
Use with Brady Slide-in Placard Holders. (sold separately)

Class 2



63439 PTG



60391 PTG
60407 FB
60375 SSV



63436 FB
63406 SS



60428 PTG
60423 FB
60433 SSV



60434 SSV



60421 FB



63442 PTG
63438 FB



60409 FB
60377 SSV



63441 PTG
63437 FB
63407 SSV



60408 FB
60376 SSV

Class 3



63444 PTG
63423 FB
63410 SSV



63443 PTG
63422 FB
63409 SSV



63411 SSV



60394 PTG
60410 FB
60378 SSV

Class 4



60398 PTG
60414 FB
60382 SSV



60413 FB



60412 FB
60380 SSV



63448 PTG
63414 SSV



63446 PTG
63425 FB
63412 SSV



63447 PTG
63426 FB

Class 5



60383 SSV



63449 PTG
63428 FB
63415 SSV



60400 PTG
60416 FB
60384 SSV



63429 FB

Class 6



60390 SSV



60402 PTG



63452 PTG
63431 FB
63418 SSV



60427 FB



60431 PTG
60426 FB
60436 SSV



60425 FB
60435 SSV

Class 7



63419 SSV

Class 8



60403 PTG
60419 FB
60387 SSV



63454 PTG
63433 FB
63420 SSV

Class 9



60404 PTG
60388 SSV



63455 PTG
63434 FB
63421 SSV

Mixed Loads



63212 PTG
76259 FB
76394 SSV

Die-Cut Placard Numbers

Catalog #	Description	Qty.
5010-*	3 in. Quik-Align Numbers	10pk

**Replace (*) with the desired number (0-9).*
Example: To order die-cut "2" order # 5010-2.



4 in. x 4 in. labels also available.
View page 376.



Safety Signs

BRADY

Flip-Style Vehicle Placards







Split-frame *One-piece frame*

Cargo Tank Placards

- Flipping numerals give you the flexibility to set-up any 4-digit identification number in seconds
- Durable, heavy-duty aluminum frame assures stability in the wind and saves money on placard replacement costs
- Included legends:
  - Blank
  - Flammable 3
  - Corrosive 8
  - Combustible 3
  - Poison 6

Catalog #	Description	Qty.
63214	One-Piece Frame	1

Welding Supply and Medical Van Placards

- Standard flip-file system contain multiple panels in one frame
- Self-contained placards slide easily on for aluminum hinges
- Four stainless steel fasteners securely lock in your chosen legend
- Deep-formed aluminum frame provides stability and excellent wind protection
- Included legends:
  - Blank
  - Flammable Gas 2
  - Non-Flammable Gas 2
  - Oxygen 2

Catalog #	Description	Qty.
63200	One-Piece Frame	1


General Commodities Placards

- Approved for private and fleet carriers
- Split frame available for roll up doors
- Self-contained placards slide easily on for aluminum hinges
- Four stainless steel fasteners securely lock in your chosen legend
- Deep-formed aluminum frame provides stability and excellent wind protection
- Included legends:
  - Blank
  - Blasting Agents 1.5d
  - Corrosive 8
  - Dangerous
  - Dangerous When Wet 4
  - Explosive 1.4
  - Flammable 2
  - Flammable Gas 2
  - Flammable Solid 4
  - Inhalation 2
  - Inhalation 6
  - Misc. 9
  - Non-Flammable Gas 2
  - Organic Peroxide 5.2
  - Oxidizer 5.1
  - Poison 6
  - Spontaneously Combustible 4

Catalog #	Description	Qty.
59955	One-Piece Frame	1
59956	Split-Frame for roll up doors	1

Vehicle Conspicuity Tape

- Made of B-752 material that is a diamond grade reflective sheeting backed with a pressure sensitive adhesive
- Average outdoor durability of 7 years
- Kits available that contain enough material to mark a trailer per the NHTSA Regulation for enhanced visibility and detection



Catalog #	Description	Qty.
76434	DOT-C2 2 in. x 50 ft. roll solid white	1 roll
76436	DOT-C2 2 in. x 50 ft. roll (alternating 7 in. white / 11 in. red)	1 roll
76437	(1) 2 in. x 75 ft. white / red roll (1) Squeegee and instructions	1 kit
76438	Large 53-57 ft. Truck Kit (36) 2 in. x 18 in. solid white strips (sides) (4) 2 in. x 12 in. red / white strips (corners) (1) 2 in. x 90 in. red / white strips (bumper / door) (1) 1.5 in. x 90 in. red / white strips (underride) (1) Squeegee and instructions	1 kit
76439	Small 45-48 ft. Truck Kit (32) 2 in. x 18 in. solid white strips (sides) (4) 2 in. x 12 in. red / white strips (corners) (1) 2 in. x 90 in. red / white strips (bumper / door) (1) 1.5 in. x 90 in. red / white strips (underride) (1) Squeegee and instructions	1 kit



Placard Holders

- Slide-in placard holder mounts vehicle placards to your vehicle
- Features easy-off guides over the retaining clip so placards slide easily

Catalog #	Description	Qty.
60142	Split Frame	1
60141	Frame without clipped corners	1
60143	Frame with 2 clipped corners	1

Confined Space Signs

Brady offers a variety of confined space signs to help you identify your confined workspace areas including tanks, electrical rooms and enclosures. These confined space signs include warnings for authorized or permit entry areas. Brady's confined space signs also communicate required protective gear including gloves, eye protection or hearing protection.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



126698	7" x 10"	SS
126701	10" x 14"	SS
126697	7" x 10"	PL
126700	10" x 14"	PL
126696	7" x 10"	AL
126699	10" x 14"	AL



76077	10" x 14"	FB
84516	10" x 14"	SS
40953	7" x 10"	AL
40954	10" x 14"	AL



126704	10" x 7"	SS
126707	14" x 10"	SS
126703	10" x 7"	PL
126706	14" x 10"	PL
126702	10" x 7"	AL
126705	14" x 10"	AL



126710	7" x 10"	SS
126713	10" x 14"	SS
126709	7" x 10"	PL
126712	10" x 14"	PL
126708	7" x 10"	AL
126711	10" x 14"	AL



124267	7" x 10"	SS
124270	10" x 14"	SS
124266	7" x 10"	PL
124269	10" x 14"	PL
124265	7" x 10"	AL
124268	10" x 14"	AL



126716	7" x 10"	SS
126719	10" x 14"	SS
126715	7" x 10"	PL
126718	10" x 14"	PL
126714	7" x 10"	AL
126717	10" x 14"	AL



126728	7" x 10"	SS
126731	10" x 14"	SS
126727	7" x 10"	PL
126730	10" x 14"	PL
126726	7" x 10"	AL
126729	10" x 14"	AL



124288	7" x 10"	SS
124291	10" x 14"	SS
124287	7" x 10"	PL
124290	10" x 14"	PL
124286	7" x 10"	AL
124289	10" x 14"	AL



126722	7" x 10"	SS
126725	10" x 14"	SS
126721	7" x 10"	PL
126724	10" x 14"	PL
126720	7" x 10"	AL
126723	10" x 14"	AL



126734	7" x 10"	SS
126737	10" x 14"	SS
126733	7" x 10"	PL
126736	10" x 14"	PL
126732	7" x 10"	AL
126735	10" x 14"	AL



126740	7" x 10"	SS
126743	10" x 14"	SS
126739	7" x 10"	PL
126742	10" x 14"	PL
126738	7" x 10"	AL
126741	10" x 14"	AL



126752	7" x 10"	SS
126755	10" x 14"	SS
126751	7" x 10"	PL
126754	10" x 14"	PL
126750	7" x 10"	AL
126753	10" x 14"	AL



22409	7" x 10"	PL
22410	10" x 14"	PL
40973	7" x 10"	AL
40974	10" x 14"	AL



84542	10" x 14"	SS
22411	7" x 10"	PL
22412	10" x 14"	PL
40975	7" x 10"	AL



124237	7" x 10"	SS
124240	10" x 14"	SS
124236	7" x 10"	PL
124239	10" x 14"	PL
124235	7" x 10"	AL
124238	10" x 14"	AL



84558	7" x 10"	SS
84559	10" x 14"	SS
22420	7" x 10"	PL
22421	10" x 14"	PL
40984	7" x 10"	AL



84560	7" x 10"	SS
84561	10" x 14"	SS
40987	10" x 14"	AL



126746	7" x 10"	SS
126749	10" x 14"	SS
126745	7" x 10"	PL
126748	10" x 14"	PL
126744	7" x 10"	AL
126747	10" x 14"	AL



126758	7" x 10"	SS
126761	10" x 14"	SS
126757	7" x 10"	PL
126760	10" x 14"	PL
126756	7" x 10"	AL
126759	10" x 14"	AL



95012	7" x 10"	FB
95013	10" x 14"	FB
95018	7" x 10"	SS
60569	10" x 14"	SS
95015	7" x 10"	PL
60535	10" x 14"	PL
95014	7" x 10"	AL
60506	10" x 14"	AL



131685	7" x 10"	FB
131686	10" x 14"	FB
131683	7" x 10"	SS
131681	7" x 10"	PL
131682	10" x 14"	PL
131679	7" x 10"	AL
131680	10" x 14"	AL



126812	7" x 10"	SS
126815	10" x 14"	SS
126811	7" x 10"	PL
126814	10" x 14"	PL
126810	7" x 10"	AL
126813	10" x 14"	AL



126782	7" x 10"	SS
126781	7" x 10"	PL
126784	10" x 14"	PL
126780	7" x 10"	AL
126783	10" x 14"	AL



123715	7" x 10"	SS
123718	10" x 14"	SS
123714	7" x 10"	PL
123717	10" x 14"	PL
123713	7" x 10"	AL
123716	10" x 14"	AL

Confined Space Signs (continued)



126764	7" x 10"	SS
126767	10" x 14"	SS
126763	7" x 10"	PL
126766	10" x 14"	PL
126762	7" x 10"	AL
126765	10" x 14"	AL



126794	7" x 10"	SS
126797	10" x 14"	SS
126793	7" x 10"	PL
126796	10" x 14"	PL
126792	7" x 10"	AL
126795	10" x 14"	AL



70248	7" x 10"	FB
70249	10" x 14"	FB
87748	3.5" x 5"	SS
84562	7" x 10"	SS
84563	10" x 14"	SS
22424	7" x 10"	PL
22425	10" x 14"	PL
40988	7" x 10"	AL
40989	10" x 14"	AL



87674	7" x 10"	FB
87675	10" x 14"	FB
19191	7" x 10"	SS
19197	10" x 14"	SS
19193	7" x 10"	PL
19199	10" x 14"	PL
19194	7" x 10"	AL
19200	10" x 14"	AL



122812	7" x 10"	FB
122787	14" x 10"	FB
65909	20" x 14"	FB
122649	7" x 10"	SS
84564	14" x 10"	SS
122516	7" x 10"	PL
22426	14" x 10"	PL
122405	7" x 10"	AL



126818	7" x 10"	SS
126821	10" x 14"	SS
126817	7" x 10"	PL
126820	10" x 14"	PL
126816	7" x 10"	AL
126819	10" x 14"	AL



123643	7" x 10"	SS
123646	10" x 14"	SS
123642	7" x 10"	PL
123645	10" x 14"	PL
123641	7" x 10"	AL
123644	10" x 14"	AL



126800	7" x 10"	SS
126803	10" x 14"	SS
126799	7" x 10"	PL
126802	10" x 14"	PL
126798	7" x 10"	AL
126801	10" x 14"	AL

Regulations

Permit Required Confined Space, Do Not Enter 1910.146(c)(2)
Exposed employees must be informed of the existence and location of and the danger posed by permit-required confined spaces through the posting of danger signs or by any other equally effective means. A sign reading "DANGER – PERMIT – REQUIRED CONFINED SPACE, DO NOT ENTER" or using other similar language satisfies the requirement.

Accident Prevention 1910.145(c)(2)
Caution signs shall be used only to warn against potential hazards or to caution against unsafe practices. All employees shall be instructed that caution signs indicate a possible hazard against which proper precaution should be taken.



40991	10" x 7"	AL
40992	14" x 10"	AL



122811	7" x 10"	FB
122713	10" x 14"	FB
73408	14" x 20"	FB
87773	3.5" x 5"	SS
84567	7" x 10"	SS
84568	10" x 14"	SS
22429	7" x 10"	PL
22430	10" x 14"	PL
40993	7" x 10"	AL
40994	10" x 14"	AL



70250	20" x 14"	FB
84566	14" x 10"	SS



70252	20" x 14"	FB
84569	10" x 7"	SS
84570	14" x 10"	SS
22432	14" x 10"	PL
40995	10" x 7"	AL
40996	14" x 10"	AL



126788	7" x 10"	SS
126791	10" x 14"	SS
126787	7" x 10"	PL
126790	10" x 14"	PL
126786	7" x 10"	AL
126789	10" x 14"	AL



123649	7" x 10"	SS
123652	10" x 14"	SS
123648	7" x 10"	PL
123651	10" x 14"	PL
123647	7" x 10"	AL
123650	10" x 14"	AL



126776	7" x 10"	SS
126779	10" x 14"	SS
126775	7" x 10"	PL
126778	10" x 14"	PL
126774	7" x 10"	AL
126777	10" x 14"	AL



123673	10" x 7"	SS
123676	14" x 10"	SS
123672	10" x 7"	PL
123675	14" x 10"	PL
123671	10" x 7"	AL
123674	14" x 10"	AL



126770	7" x 10"	SS
126773	10" x 14"	SS
126769	7" x 10"	PL
126772	10" x 14"	PL
126768	7" x 10"	AL
126771	10" x 14"	AL



Confined Space Signs

BradyID.com/s36

Confined Space Signs (continued)



126836	7" x 10"	SS
126839	10" x 14"	SS
126835	7" x 10"	PL
126838	10" x 14"	PL
126834	7" x 10"	AL
126837	10" x 14"	AL



131693	7" x 10"	FB
131694	10" x 14"	FB
131691	7" x 10"	SS
131692	10" x 14"	SS
131689	7" x 10"	PL
131690	10" x 14"	PL
131687	7" x 10"	AL
131688	10" x 14"	AL



126806	7" x 10"	SS
126809	10" x 14"	SS
126805	7" x 10"	PL
126808	10" x 14"	PL
126804	7" x 10"	AL
126807	10" x 14"	AL



126830	7" x 10"	SS
126833	10" x 14"	SS
126829	7" x 10"	PL
126832	10" x 14"	PL
126828	7" x 10"	AL
126831	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



123607	7" x 10"	SS
123610	10" x 14"	SS
123606	7" x 10"	PL
123609	10" x 14"	PL
123605	7" x 10"	AL
123608	10" x 14"	AL



40999	7" x 10"	AL



123625	7" x 10"	SS
123628	10" x 14"	SS
123624	7" x 10"	PL
123627	10" x 14"	PL
123623	7" x 10"	AL
123626	10" x 14"	AL



126824	7" x 10"	SS
126827	10" x 14"	SS
126823	7" x 10"	PL
126826	10" x 14"	PL
126822	7" x 10"	AL
126825	10" x 14"	AL



65948	7" x 10"	FB
65817	10" x 14"	FB
87768	3.5" x 5"	SS
65950	7" x 10"	SS
65949	10" x 14"	SS
25920	7" x 10"	PL
25921	10" x 14"	PL
43517	7" x 10"	AL
43518	10" x 14"	AL



84575	7" x 10"	SS
22437	7" x 10"	PL
22438	10" x 14"	PL
41001	7" x 10"	AL
41002	10" x 14"	AL



84577	7" x 10"	SS
41003	7" x 10"	AL



82595	7" x 10"	SS
82596	10" x 14"	SS
20027	7" x 10"	PL
20028	10" x 14"	PL
49069	7" x 10"	AL
49070	10" x 14"	AL
60241	10" x 14"	FB



65910	10" x 14"	FB
22441	7" x 10"	PL
41006	10" x 14"	AL

Confined Space Manhole Cover Signs

- Polystyrene manhole signs fit under most standard manhole covers
- Sign is visible only when the cover is removed from the confined space entry point





43760	Fits 21" to 30" dia.
47204	Fits 30.5" to 42" dia.



43759	Fits 21" to 30" dia.
47198	Fits 30.5" to 42" dia.



43754	Fits 21" to 30" dia.
47196	Fits 30.5" to 42" dia.



43753	Fits 21" to 30" dia.



43758	Fits 21" to 30" dia.



43747	Fits 21" to 30" dia.



43748	Fits 21" to 30" dia.

Construction Site Signs

Brady construction signs are a highly visible, effective way to warn employees, pedestrians and visitors of the potential dangers of construction areas. These signs indicate a wide range of warnings including employee locations, temporary road closings and more. Brady also offers additional traffic control signs to identify traffic lane closings, shoulder closings, and other construction areas.



126866	7" x 10"	SS
126869	10" x 14"	SS
126865	7" x 10"	PL
126868	10" x 14"	PL
126864	7" x 10"	AL
126867	10" x 14"	AL



126872	7" x 10"	SS
126875	10" x 14"	SS
126871	7" x 10"	PL
126874	10" x 14"	PL
126870	7" x 10"	AL
126873	10" x 14"	AL



60570	10" x 14"	SS
95351	7" x 10"	PL
60536	10" x 14"	PL
95352	7" x 10"	AL
60507	10" x 14"	AL



73451	10" x 14"	FB
95401	7" x 10"	SS
60571	10" x 14"	SS
25804	10" x 14"	PL
43381	10" x 14"	AL



126878	7" x 10"	SS
126881	10" x 14"	SS
126877	7" x 10"	PL
126880	10" x 14"	PL
126876	7" x 10"	AL
126879	10" x 14"	AL



122903	7" x 10"	FB
122765	10" x 14"	FB
70255	24" x 36"	FB
122695	7" x 10"	SS
122619	10" x 14"	SS
122559	7" x 10"	PL
25805	10" x 14"	PL
122452	7" x 10"	AL
43382	10" x 14"	AL



126884	7" x 10"	SS
126887	10" x 14"	SS
126883	7" x 10"	PL
126886	10" x 14"	PL
126882	7" x 10"	AL
126885	10" x 14"	AL



126890	7" x 10"	SS
126893	10" x 14"	SS
126889	7" x 10"	PL
126892	10" x 14"	PL
126888	7" x 10"	AL
126891	10" x 14"	AL



126896	7" x 10"	SS
126899	10" x 14"	SS
126895	7" x 10"	PL
126898	10" x 14"	PL
126894	7" x 10"	AL
126897	10" x 14"	AL



126902	7" x 10"	SS
126905	10" x 14"	SS
126901	7" x 10"	PL
126904	10" x 14"	PL
126900	7" x 10"	AL
126903	10" x 14"	AL



126908	7" x 10"	SS
126911	10" x 14"	SS
126907	7" x 10"	PL
126910	10" x 14"	PL
126906	7" x 10"	AL
126909	10" x 14"	AL



126914	7" x 10"	SS
126917	10" x 14"	SS
126913	7" x 10"	PL
126916	10" x 14"	PL
126912	7" x 10"	AL
126915	10" x 14"	AL



126932	7" x 10"	SS
126935	10" x 14"	SS
126931	7" x 10"	PL
126934	10" x 14"	PL
126930	7" x 10"	AL
126933	10" x 14"	AL



126920	7" x 10"	SS
126923	10" x 14"	SS
126919	7" x 10"	PL
126922	10" x 14"	PL
126918	7" x 10"	AL
126921	10" x 14"	AL



126926	7" x 10"	SS
126929	10" x 14"	SS
126925	7" x 10"	PL
126928	10" x 14"	PL
126924	7" x 10"	AL
126927	10" x 14"	AL



126848	7" x 10"	SS
126851	10" x 14"	SS
126847	7" x 10"	PL
126850	10" x 14"	PL
126846	7" x 10"	AL
126849	10" x 14"	AL



126842	7" x 10"	SS
126845	10" x 14"	SS
126841	7" x 10"	PL
126844	10" x 14"	PL
126840	7" x 10"	AL
126843	10" x 14"	AL



126854	7" x 10"	SS
126857	10" x 14"	SS
126853	7" x 10"	PL
126856	10" x 14"	PL
126852	7" x 10"	AL
126855	10" x 14"	AL



126860	7" x 10"	SS
126863	10" x 14"	SS
126859	7" x 10"	PL
126862	10" x 14"	PL
126858	7" x 10"	AL
126861	10" x 14"	AL

Door Signs

Brady door signs are for marking doors that must be kept closed, emergency exits, fire exits and more. With bright, noticeable colors and a wide range of sizes and materials, Brady has a sign for every door in your facility.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



70245	10" x 14"	FB
84692	10" x 14"	SS
22505	7" x 10"	PL
41069	7" x 10"	AL
41070	10" x 14"	AL

95272	7" x 17"	FB



84695	7" x 10"	SS
84696	10" x 14"	SS
22507	7" x 10"	PL
22508	10" x 14"	PL
41071	7" x 10"	AL



84697	7" x 10"	SS
84698	10" x 14"	SS
22509	7" x 10"	PL
22510	10" x 14"	PL
41073	7" x 10"	AL
41074	10" x 14"	AL





47075	7" x 10"	FB
47113	10" x 14"	FB
84699	7" x 10"	SS
84700	10" x 14"	SS
22511	7" x 10"	PL
22512	10" x 14"	PL
41075	7" x 10"	AL
41076	10" x 14"	AL



84702	7" x 10"	SS
84703	10" x 14"	SS



71106	10" x 14"	FB
84704	7" x 10"	SS
84705	10" x 14"	SS
22513	7" x 10"	PL
22514	10" x 14"	PL
41077	7" x 10"	AL
41078	10" x 14"	AL



122844	7" x 10"	FB
70466	10" x 14"	FB
87775	3.5" x 5"	SS
84706	7" x 10"	SS
84707	10" x 14"	SS
22515	7" x 10"	PL
22516	10" x 14"	PL
41079	7" x 10"	AL
41080	10" x 14"	AL



70532	10" x 14"	FB
84710	7" x 10"	SS
84711	10" x 14"	SS
22519	7" x 10"	PL
22520	10" x 14"	PL
41084	10" x 14"	AL



70542	7" x 10"	FB
84712	7" x 10"	SS
84713	10" x 14"	SS
22521	7" x 10"	PL
22522	10" x 14"	PL
41085	7" x 10"	AL
41086	10" x 14"	AL



84714	7" x 10"	SS
84715	10" x 14"	SS
22523	7" x 10"	PL
22524	10" x 14"	PL
41087	7" x 10"	AL
41088	10" x 14"	AL



84716	7" x 10"	SS
84717	10" x 14"	SS
22525	7" x 10"	PL
22526	10" x 14"	PL
41090	10" x 14"	AL



84718	7" x 10"	SS
84719	10" x 14"	SS
22527	7" x 10"	PL
22528	10" x 14"	PL



132058	7" x 10"	FB
69091	10" x 14"	FB
87776	3.5" x 5"	SS
84720	7" x 10"	SS
84721	10" x 14"	SS
132059	7" x 10"	PL
22530	10" x 14"	PL
41093	7" x 10"	AL
41094	10" x 14"	AL



84725	10" x 14"	SS
22532	10" x 14"	PL
41095	7" x 10"	AL
41096	10" x 14"	AL



84726	7" x 10"	SS
84727	10" x 14"	SS
22533	7" x 10"	PL
22534	10" x 14"	PL
41097	7" x 10"	AL
41098	10" x 14"	AL



127058	7" x 10"	SS
127061	10" x 14"	SS
127057	7" x 10"	PL
127060	10" x 14"	PL
127056	7" x 10"	AL
127059	10" x 14"	AL



84730	7" x 10"	SS
22535	7" x 10"	PL
41099	7" x 10"	AL
41100	10" x 14"	AL



87774	3.5" x 5"	SS



73414	7" x 17"	FB



127064	7" x 10"	SS
127067	10" x 14"	SS
127063	7" x 10"	PL
127066	10" x 14"	PL
127062	7" x 10"	AL
127065	10" x 14"	AL



70548	10" x 14"	FB
84738	7" x 10"	SS
84739	10" x 14"	SS
22543	7" x 10"	PL
22544	10" x 14"	PL
41107	7" x 10"	AL
41108	10" x 14"	AL

Door Signs (continued)



127076	7" x 10"	SS
127079	10" x 14"	SS
127075	7" x 10"	PL
127078	10" x 14"	PL
127074	7" x 10"	AL
127077	10" x 14"	AL



69607	10" x 14"	FB
84740	7" x 10"	SS
84741	10" x 14"	SS
22545	7" x 10"	PL
22546	10" x 14"	PL
41109	7" x 10"	AL
41110	10" x 14"	AL



127082	7" x 10"	SS
127085	10" x 14"	SS
127081	7" x 10"	PL
127084	10" x 14"	PL
127080	7" x 10"	AL
127083	10" x 14"	AL



124304	6" dia.	SS




132115	10" x 14"	FB
132114	10" x 14"	PL
132113	10" x 14"	AL



127094	7" x 10"	SS
127097	10" x 14"	SS
127093	7" x 10"	PL
127096	10" x 14"	PL
127092	7" x 10"	AL
127095	10" x 14"	AL



123817	7" x 10"	SS
123820	10" x 14"	SS
123816	7" x 10"	PL
123819	10" x 14"	PL
123815	7" x 10"	AL
123818	10" x 14"	AL




123495	6" dia.	SS



123538	6" dia.	SS



124627	3.5" x 10"	SS
124626	3.5" x 10"	PL
124625	3.5" x 10"	AL



132124	10" x 14"	FB
132123	10" x 14"	PL
132122	10" x 14"	AL



132130	10" x 14"	FB
132129	10" x 14"	PL
132128	10" x 14"	AL



84746	3.5" x 5"	SS
84747	5" x 14"	SS



84748	7" x 10"	SS
84749	10" x 14"	SS
22549	7" x 10"	PL
41113	7" x 10"	AL



84750	3.5" x 10"	SS



84751	7" x 10"	SS
84752	10" x 14"	SS
25881	7" x 10"	PL
43458	7" x 10"	AL



69302	10" x 14"	FB
84755	7" x 10"	SS
84756	10" x 14"	SS
22550	7" x 10"	PL
22551	10" x 14"	PL



73463	10" x 14"	FB
84757	7" x 10"	SS
84758	10" x 14"	SS
22552	7" x 10"	PL
22553	10" x 14"	PL
41116	7" x 10"	AL
41117	10" x 14"	AL



132106	10" x 14"	FB
132105	10" x 14"	PL
132104	10" x 14"	AL



132118	10" x 14"	FB
132117	10" x 14"	PL
132116	10" x 14"	AL



132121	10" x 14"	FB
132120	10" x 14"	PL
132119	10" x 14"	AL



124630	3.5" x 10"	SS
124629	3.5" x 10"	PL
124628	3.5" x 10"	AL



132109	10" x 14"	FB
132108	10" x 14"	PL
132107	10" x 14"	AL



69415	10" x 14"	FB
84761	7" x 10"	SS
84762	10" x 14"	SS
22555	10" x 14"	PL



132112	10" x 14"	FB
132111	10" x 14"	PL
132110	10" x 14"	AL




132127	10" x 14"	FB
132126	10" x 14"	PL
132125	10" x 14"	AL



84767	3.5" x 10"	SS



122904	7" x 10"	FB
122766	10" x 14"	FB
84768	7" x 10"	SS
84769	10" x 14"	SS
22558	7" x 10"	PL
22559	10" x 14"	PL
122453	7" x 10"	AL
41123	10" x 14"	AL



85747	5" x 14"	SS

BradyID.com/s36

Electrical Hazard Signs

Brady electrical hazard signs can be used throughout your facility to identify electrical hazards and high voltage areas. These electrical signs use bright colors, pictograms and legends to warn against entry, machine operation and buried cables.



122862	7" x 10"	FB
122724	10" x 14"	FB
84827	7" x 10"	SS
84828	10" x 14"	SS
122528	7" x 10"	PL
122477	10" x 14"	PL
122419	7" x 10"	AL
122353	10" x 14"	AL



71425	10" x 14"	FB
84829	7" x 10"	SS
84830	10" x 14"	SS
25502	7" x 10"	PL
25503	10" x 14"	PL
43079	7" x 10"	AL
43080	10" x 14"	AL



69292	10" x 14"	FB
84831	7" x 10"	SS
84832	10" x 14"	SS
25505	10" x 14"	PL
43081	7" x 10"	AL
43082	10" x 14"	AL



76065	10" x 14"	FB
84834	10" x 14"	SS
25506	7" x 10"	PL
43083	7" x 10"	AL
43084	10" x 14"	AL



126938	7" x 10"	SS
126941	10" x 14"	SS
126937	7" x 10"	PL
126940	10" x 14"	PL
126936	7" x 10"	AL
126939	10" x 14"	AL



126944	7" x 10"	SS
126947	10" x 14"	SS
126943	7" x 10"	PL
126946	10" x 14"	PL
126942	7" x 10"	AL
126945	10" x 14"	AL



69057	10" x 14"	FB
84837	7" x 10"	SS
84838	10" x 14"	SS




126950	7" x 10"	SS
126953	10" x 14"	SS
126949	7" x 10"	PL
126952	10" x 14"	PL
126948	7" x 10"	AL
126951	10" x 14"	AL



41147	14" x 10"	AL



126956	7" x 10"	SS
126959	10" x 14"	SS
126955	7" x 10"	PL
126958	10" x 14"	PL
126954	7" x 10"	AL
126957	10" x 14"	AL



84843	7" x 10"	SS
84844	10" x 14"	SS




69315	10" x 14"	FB
84847	7" x 10"	SS
84848	10" x 14"	SS
25512	7" x 10"	PL
25513	10" x 14"	PL
43089	7" x 10"	AL
43090	10" x 14"	AL



126962	10" x 7"	SS
126965	14" x 10"	SS
126961	10" x 7"	PL
126964	14" x 10"	PL
126960	10" x 7"	AL
126963	14" x 10"	AL



126968	7" x 10"	SS
126971	10" x 14"	SS
126967	7" x 10"	PL
126970	10" x 14"	PL
126966	7" x 10"	AL
126969	10" x 14"	AL



126974	7" x 10"	SS
126977	10" x 14"	SS
126973	7" x 10"	PL
126976	10" x 14"	PL
126972	7" x 10"	AL
126975	10" x 14"	AL



126980	10" x 7"	SS
126983	14" x 10"	SS
126979	10" x 7"	PL
126982	14" x 10"	PL
126978	10" x 7"	AL
126981	14" x 10"	AL



70533	10" x 14"	FB
84851	7" x 10"	SS
84852	10" x 14"	SS
25515	10" x 14"	PL
43092	10" x 14"	AL



70534	10" x 14"	FB
84853	7" x 10"	SS
25516	7" x 10"	PL
25517	10" x 14"	PL
43094	10" x 14"	AL



84855	7" x 10"	SS
84856	10" x 14"	SS
43095	7" x 10"	AL
43096	10" x 14"	AL



70569	10" x 14"	FB
84857	7" x 10"	SS
25520	7" x 10"	PL
25521	10" x 14"	PL
43097	7" x 10"	AL
43098	10" x 14"	AL



126986	7" x 10"	SS
126989	10" x 14"	SS
126985	7" x 10"	PL
126988	10" x 14"	PL
126984	7" x 10"	AL
126987	10" x 14"	AL



126998	7" x 10"	SS
127001	10" x 14"	SS
126997	7" x 10"	PL
127000	10" x 14"	PL
126996	7" x 10"	AL
126999	10" x 14"	AL



73404	7" x 10"	FB
84933	7" x 10"	SS
84934	10" x 14"	SS
25569	10" x 14"	PL
43145	7" x 10"	AL
43146	10" x 14"	AL



70202	7" x 10"	FB
84929	7" x 10"	SS
25566	7" x 10"	PL
25567	10" x 14"	PL
43143	7" x 10"	AL
43144	10" x 14"	AL



122864	7" x 10"	FB
122726	10" x 14"	FB
84859	7" x 10"	SS
84860	10" x 14"	SS
122530	7" x 10"	PL
122479	10" x 14"	PL
122421	7" x 10"	AL
122355	10" x 14"	AL



71432	14" x 20"	FB

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588

Regulations

High Voltage 1910.305(b)(iii)
Covers for boxes shall be permanently marked "High Voltage." The marking shall be on the outside of the box cover and shall be readily visible and legible.

Access Area Marking 1910.303(g)(1)
Sufficient access and working space must be provided and maintained about all electrical equipment to permit ready and safe operation and maintenance of the equipment.

Electrical Hazard Signs (continued)



47195	10" x 14"	FB
89098	7" x 10"	SS
89099	10" x 14"	SS
25530	7" x 10"	PL
25531	10" x 14"	PL
43107	7" x 10"	AL
43108	10" x 14"	AL



70402	20" x 14"	FB
43363	10" x 7"	AL
43364	14" x 10"	AL



25522	7" x 10"	PL
43099	7" x 10"	AL



25524	7" x 10"	PL
43101	7" x 10"	AL
43102	10" x 14"	AL



84865	7" x 10"	SS
25526	7" x 10"	PL
25527	10" x 14"	PL
43104	10" x 14"	AL



70306	7" x 17"	FB
95687	10" x 14"	SS
25897	10" x 14"	PL
43474	10" x 14"	AL



69192	7" x 17"	FB



89173	2.25" x 4.5"	SS
84875	3.5" x 5"	SS



127004	7" x 10"	SS
127007	10" x 14"	SS
127003	7" x 10"	PL
127006	10" x 14"	PL
127002	7" x 10"	AL
127005	10" x 14"	AL



127016	7" x 10"	SS
127019	10" x 14"	SS
127015	7" x 10"	PL
127018	10" x 14"	PL
127014	7" x 10"	AL
127017	10" x 14"	AL



127010	7" x 10"	SS
127013	10" x 14"	SS
127009	7" x 10"	PL
127012	10" x 14"	PL
127008	7" x 10"	AL
127011	10" x 14"	AL



127022	7" x 10"	SS
127025	10" x 14"	SS
127021	7" x 10"	PL
127024	10" x 14"	PL
127020	7" x 10"	AL
127023	10" x 14"	AL



126992	7" x 10"	SS
126995	10" x 14"	SS
126991	7" x 10"	PL
126994	10" x 14"	PL
126990	7" x 10"	AL
126993	10" x 14"	AL



47146	10" x 7"	FB
122788	14" x 10"	FB
84878	10" x 7"	SS
84879	14" x 10"	SS
25534	10" x 7"	PL
122503	14" x 10"	PL
43111	10" x 7"	AL
43112	14" x 10"	AL



71565	7" x 10"	FB
47005	10" x 14"	FB
75590	14" x 20"	FB
71570	20" x 28"	FB
84876	7" x 10"	SS
84877	10" x 14"	SS
25532	7" x 10"	PL
25533	10" x 14"	PL
73540	7" x 10"	BGSS
80204	10" x 14"	BGSS
80269	7" x 10"	BGPL
80270	10" x 14"	BGPL



43109	7" x 10"	AL
43110	10" x 14"	AL



87681	14" x 10"	FB
59382	10" x 7"	SS
19527	14" x 10"	SS
59383	10" x 7"	PL
45427	14" x 10"	PL
59384	10" x 7"	AL
45428	14" x 10"	AL



131703	7" x 10"	FB
131704	10" x 14"	FB
131706	3" x 3"	SS
131705	3" x 5"	SS
131701	7" x 10"	SS
131702	10" x 14"	SS
131699	7" x 10"	PL
131700	10" x 14"	PL
131697	7" x 10"	AL
131698	10" x 14"	AL



95287	7" x 17"	FB
60580	10" x 14"	SS
25900	10" x 14"	PL
43477	10" x 14"	AL




69023	14" x 20"	FB
84883	10" x 14"	SS
25538	7" x 10"	PL
25539	10" x 14"	PL
43115	7" x 10"	AL
43116	10" x 14"	AL



123697	7" x 10"	SS
123700	10" x 14"	SS
123696	7" x 10"	PL
123699	10" x 14"	PL
123695	7" x 10"	AL
123698	10" x 14"	AL



84884	7" x 10"	SS
84885	10" x 14"	SS



70388	7" x 17"	FB



87678	7" x 10"	FB
59385	7" x 10"	SS
19837	10" x 14"	SS
59386	7" x 10"	PL
19839	10" x 14"	PL
59387	7" x 10"	AL



76072	10" x 14"	FB
84880	7" x 10"	SS
25537	10" x 14"	PL
43113	7" x 10"	AL
43114	10" x 14"	AL



69026	10" x 14"	FB
84886	7" x 10"	SS
84887	10" x 14"	SS
25540	7" x 10"	PL
25541	10" x 14"	PL
43117	7" x 10"	AL
43118	10" x 14"	AL



70389	7" x 17"	FB



69157	10" x 14"	FB
84888	7" x 10"	SS
84889	10" x 14"	SS
43119	7" x 10"	AL
43120	10" x 14"	AL



71572	20" x 14"	FB
25545	14" x 10"	PL
43122	14" x 10"	AL



69024	14" x 20"	FB
84895	7" x 10"	SS
25546	7" x 10"	PL
25547	10" x 14"	PL
43123	7" x 10"	AL
43124	10" x 14"	AL



131713	7" x 10"	FB
131714	10" x 14"	FB
131711	7" x 10"	SS
131712	10" x 14"	SS
131709	7" x 10"	PL
131710	10" x 14"	PL
131707	7" x 10"	AL
131708	10" x 14"	AL

BradyID.com/s36

Electrical Hazard Signs (continued)



69036	10" x 14"	FB
84897	7" x 10"	SS
25548	7" x 10"	PL
25549	10" x 14"	PL
43125	7" x 10"	AL



69035	10" x 14"	FB
25551	10" x 14"	PL
43127	7" x 10"	AL
43128	10" x 14"	AL



69025	10" x 14"	FB
84903	7" x 10"	SS
84904	10" x 14"	SS
25552	7" x 10"	PL
25553	10" x 14"	PL
43129	7" x 10"	AL
43130	10" x 14"	AL



84905	7" x 10"	SS
84906	10" x 14"	SS

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



87667	7" x 10"	FB
19929	7" x 10"	SS
19935	10" x 14"	SS
19931	7" x 10"	PL
19937	10" x 14"	PL
19932	7" x 10"	AL
19938	10" x 14"	AL



84917	7" x 10"	SS
84918	10" x 14"	SS
69339	10" x 14"	FB
25556	7" x 10"	PL
25557	10" x 14"	PL
43134	10" x 14"	AL



123613	7" x 10"	SS
123616	10" x 14"	SS
123612	7" x 10"	PL
123615	10" x 14"	PL
123611	7" x 10"	AL
123614	10" x 14"	AL



84924	10" x 14"	SS
25560	7" x 10"	PL



59379	7" x 10"	SS
59380	7" x 10"	PL
16953	10" x 14"	PL
59381	7" x 10"	AL
16954	10" x 14"	AL



47169	7" x 10"	FB
84925	7" x 10"	SS
84926	10" x 14"	SS
25562	7" x 10"	PL
25563	10" x 14"	PL
43139	7" x 10"	AL
43140	10" x 14"	AL



127028	7" x 10"	SS
127031	10" x 14"	SS
127027	7" x 10"	PL
127030	10" x 14"	PL
127026	7" x 10"	AL
127029	10" x 14"	AL



47170	7" x 10"	FB
84927	7" x 10"	SS
84928	10" x 14"	SS
25564	7" x 10"	PL
25565	10" x 14"	PL
43141	7" x 10"	AL
43142	10" x 14"	AL



84937	7" x 10"	SS
84938	10" x 14"	SS



127034	7" x 10"	SS
127037	10" x 14"	SS
127033	7" x 10"	PL
127036	10" x 14"	PL
127032	7" x 10"	AL
127035	10" x 14"	AL



127040	7" x 10"	SS
127043	10" x 14"	SS
127039	7" x 10"	PL
127042	10" x 14"	PL
127038	7" x 10"	AL
127041	10" x 14"	AL



69586	10" x 14"	FB
84941	7" x 10"	SS
84942	10" x 14"	SS
22562	7" x 10"	PL
22563	10" x 14"	PL
41126	7" x 10"	AL
41127	10" x 14"	AL




69587	10" x 14"	FB
84943	7" x 10"	SS
84944	10" x 14"	SS
22564	7" x 10"	PL
22565	10" x 14"	PL
41128	7" x 10"	AL
41129	10" x 14"	AL




127046	7" x 10"	SS
127049	10" x 14"	SS
127045	7" x 10"	PL
127048	10" x 14"	PL
127044	7" x 10"	AL
127047	10" x 14"	AL



69613	10" x 14"	FB
84945	7" x 10"	SS
84946	10" x 14"	SS
22566	7" x 10"	PL
22567	10" x 14"	PL
41130	7" x 10"	AL
41131	10" x 14"	AL



122861	7" x 10"	FB
122723	10" x 14"	FB
84949	3.5" x 10"	SS
122656	7" x 10"	SS
122579	10" x 14"	SS
122527	7" x 10"	PL
122476	10" x 14"	PL
122418	7" x 10"	AL
122352	10" x 14"	AL



122863	7" x 10"	FB
122725	10" x 14"	FB
84950	3.5" x 10"	SS
122580	10" x 14"	SS




71463	5" x 14"	FB
71473	10" x 14"	FB
84956	5" x 14"	SS
84957	7" x 10"	SS
84958	10" x 14"	SS
25771	7" x 10"	PL
25772	10" x 14"	PL
43349	10" x 14"	AL



71479	10" x 14"	FB
84959	7" x 10"	SS
84960	10" x 14"	SS
22569	7" x 10"	PL
22570	10" x 14"	PL
41133	7" x 10"	AL
41134	10" x 14"	AL



84962	3.5" x 10"	SS



84963	3.5" x 10"	SS



69190	10" x 10"	FB
131729	10" x 14"	FB
89152	3" x 3"	SS
88497	10" x 10"	SS
131730	10" x 14"	SS
25162	10" x 14"	PL
42739	10" x 14"	AL




88498	10" x 10"	SS
42740	10" x 14"	AL



69796	7" x 7"	FB
88512	7" x 7"	SS
25176	7" x 10"	PL
42753	7" x 10"	AL



89100	3.5" x 10"	SS
84966	5" x 14"	SS
41136	10" x 14"	AL



71065	14" x 20"	FB
84967	7" x 10"	SS
84968	10" x 14"	SS
41137	7" x 10"	AL

BRADY

Exit and Directional Signs

Brady exit signs lead employees to safety in an emergency or guide traffic in your facility. Brady's exit signs are available in standard and photoluminescent materials, with combination lighting and emergency floodlights, as well as exit markings with safety and egress instructions.

Regulations

Not an Exit 1910.37(b)(5)
Any door, passage, or stairway that is not an exit or a way to get to an exit, but looks as though it could be an exit must be marked with a sign reading "NOT AN EXIT," or must be identified by a sign telling what it is, such as "basement," "storeroom," "linen closet," or whatever it may be.

Evacuation Route 1910.38(a)(2), 1910.120(1)(2)(vi) (Informational marking)
Elements of an emergency response plan. The employer shall develop an emergency response plan for emergencies which shall address, as minimum, the following:...(vi) Evacuation routes and procedures.

Exit 1910.37(b)(4)
If the direction of travel to the exit or exit discharge is not immediately apparent, signs must be posted along the exit access indicating the direction of travel to the nearest exit or exit discharge. Additionally, the line-of-sight to an exit sign must clearly be visible at all times.

EXIT 29 CFR 1910.37 (b)(7)
Each exit sign must have the word "Exit" in plainly legible letters not less than 6 inches high, with the principal strokes of the letters in the word "Exit" less than 0.75 inch wide.



40648	10" x 14"	AL



127052	7" x 10"	SS
127055	10" x 14"	SS
127051	7" x 10"	PL
127054	10" x 14"	PL
127050	7" x 10"	AL
127053	10" x 14"	AL



73482	7" x 10"	FB
71166	10" x 14"	FB
84617	7" x 10"	SS
84618	10" x 14"	SS
25761	7" x 10"	PL
25762	10" x 14"	PL
43338	7" x 10"	AL
43339	10" x 14"	AL



127106	7" x 10"	SS
127109	10" x 14"	SS
127105	7" x 10"	PL
127108	10" x 14"	PL
127104	7" x 10"	AL
127107	10" x 14"	AL




84622	3.5" x 14"	SS




90491	2.5" x 7"	BGSS
80201	3.5" x 10"	BGSS
80202	5" x 14"	BGSS
80267	3.5" x 10"	BGPL
80268	5" x 14"	BGPL




84621	1.75" x 10"	SS




25765	7" x 10"	PL
43342	7" x 10"	AL




90123	7" x 10"	BGSS




84619	3.5" x 10"	SS
25763	7" x 10"	PL
43340	7" x 10"	AL



25766	7" x 10"	PL
43343	7" x 10"	AL



25764	7" x 10"	PL
43341	7" x 10"	AL



90964	7" x 10"	BGPL



59279	6" x 6"	BGSS



127088	7" x 10"	SS
127091	10" x 14"	SS
127087	7" x 10"	PL
127090	10" x 14"	PL
127086	7" x 10"	AL
127089	10" x 14"	AL



80272	5" x 14"	BGPL



90926	5" x 14"	BGPL



132200	7" x 10"	FB
132201	10" x 14"	FB
123811	7" x 10"	SS
123814	10" x 14"	SS
123810	7" x 10"	PL
123813	10" x 14"	PL
123809	7" x 10"	AL
123812	10" x 14"	AL

BradyID.com/s36

Exit and Directional Signs (continued)



132172	7" x 10"	FB
132173	10" x 14"	FB
132174	7" x 10"	SS
132175	10" x 14"	SS
132168	7" x 10"	PL
132169	10" x 14"	PL
132170	7" x 10"	AL
132171	10" x 14"	AL



132156	7" x 10"	FB
132157	10" x 14"	FB
132158	7" x 10"	SS
132159	10" x 14"	SS
132152	7" x 10"	PL
132153	10" x 14"	PL
132154	7" x 10"	AL
132155	10" x 14"	AL



132164	7" x 10"	FB
132165	10" x 14"	FB
132166	7" x 10"	SS
132167	10" x 14"	SS
132160	7" x 10"	PL
132161	10" x 14"	PL
132162	7" x 10"	AL
132163	10" x 14"	AL



90109	7" x 10"	BGSS
90623	10" x 14"	BGSS
90951	7" x 10"	BGPL
90635	10" x 14"	BGPL

Popular Sign Materials

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
BGSS - BradyGlo self-sticking polyester (B-324)
BGPL - BradyGlo plastic (B-347)
PL - Plastic (B-401)
AL - Aluminum (B-555)

Material Guide..... page 408
Sign Legend Index..... page 588



90622	10" x 14"	BGSS
90950	7" x 10"	BGPL
90634	10" x 14"	BGPL



80207	3.5" x 10"	BGSS
80208	5" x 14"	BGSS
80273	3.5" x 10"	BGPL
80274	5" x 14"	BGPL



90494	10" x 14"	BGSS
90495	10" x 14"	BGPL



69199	10" x 14"	FB
84663	7" x 10"	SS
84664	10" x 14"	SS
22481	7" x 10"	PL
22482	10" x 14"	PL
41045	7" x 10"	AL
41046	10" x 14"	AL



90102	7" x 10"	BGSS
90616	10" x 14"	BGSS
90944	7" x 10"	BGPL
90628	10" x 14"	BGPL



132131	7" x 10"	FB



70915	5" x 14"	FB
122793	7" x 10"	FB
122705	10" x 14"	FB
84662	5" x 14"	SS
122635	7" x 10"	SS
122565	10" x 14"	SS
22480	7" x 10"	PL
122464	10" x 14"	PL
41044	7" x 10"	AL
122338	10" x 14"	AL



123787	7" x 10"	SS
123790	10" x 14"	SS
123786	7" x 10"	PL
123789	10" x 14"	PL
123785	7" x 10"	AL
123788	10" x 14"	AL



75978	7" x 10"	FB
122757	10" x 14"	FB
89156	3.5" x 10"	SS
84665	7" x 10"	SS
84666	10" x 14"	SS
22483	7" x 10"	PL
22484	10" x 14"	PL
41047	7" x 10"	AL
41048	10" x 14"	AL



80211	3.5" x 10"	BGSS
80212	5" x 14"	BGSS
80277	3.5" x 10"	BGPL
80278	5" x 14"	BGPL



80209	3.5" x 10"	BGSS
80210	5" x 14"	BGSS
80275	3.5" x 10"	BGPL
80276	5" x 14"	BGPL



90924	5" x 14"	BGPL



90923	5" x 14"	BGPL



84661	6.5" x 14"	SS
22479	10" x 14"	PL
41043	10" x 14"	AL



80213	7" x 10"	BGSS
80214	10" x 14"	BGSS
80279	7" x 10"	BGPL



132180	7" x 10"	FB
132181	10" x 14"	FB
132182	7" x 10"	SS
132183	10" x 14"	SS
132176	7" x 10"	PL
132177	10" x 14"	PL
132178	7" x 10"	AL
132179	10" x 14"	AL



123805	7" x 10"	SS
123808	10" x 14"	SS
123804	7" x 10"	PL
123807	10" x 14"	PL
123803	7" x 10"	AL
123806	10" x 14"	AL



90940	5" x 14"	BGPL




90927	5" x 14"	BGPL




84667	7" x 10"	SS
22485	7" x 10"	PL
41049	7" x 10"	AL



70923	14" x 20"	FB
84668	7" x 10"	SS
84669	10" x 14"	SS
22486	7" x 10"	PL
41050	7" x 10"	AL



84626	6.5" x 14"	SS
25768	10" x 14"	PL
43345	10" x 14"	AL



84625	6.5" x 14"	SS
25767	10" x 14"	PL
43344	10" x 14"	AL

Exit and Directional Signs (continued)



90941	5" x 14"	BGPL



70323	6.5" x 14"	FB
84670	5" x 14"	SS
22487	7" x 10"	PL
41051	7" x 10"	AL



Meets OSHA 1910.37(b)(7):

73509	7" x 10"	BGSS
73510	10" x 14"	BGSS
80281	7" x 10"	BGPL
80282	10" x 14"	BGPL



73558	4" x 9"	BGSS



Meets OSHA 1910.37(b)(7):

84675	7" x 10"	SS
84676	10" x 14"	SS
22491	7" x 10"	PL
22492	10" x 14"	PL
41055	7" x 10"	AL



Meets OSHA 1910.37(b)(7):

47040	7" x 10"	FB
47288	10" x 14"	FB
84673	7" x 10"	SS
84674	10" x 14"	SS
22489	7" x 10"	PL
22490	10" x 14"	PL
41053	7" x 10"	AL
41054	10" x 14"	AL



80215	7" x 10"	BGSS
80283	7" x 10"	BGPL

Meets OSHA 1910.37(b)(7):

73513	10" x 14"	BGSS
80284	10" x 14"	BGPL



95142	7" x 10"	B-997



84677	7" x 10"	SS
22493	7" x 10"	PL

Meets OSHA 1910.37(b)(7):

84678	10" x 14"	SS



59329	3" x 6"	BGSS
59330	3" x 6"	BGPL



70947	7" x 10"	FB
84671	7" x 10"	SS
22488	7" x 10"	PL
41052	7" x 10"	AL

Meets OSHA 1910.37(b)(7):

70949	10" x 14"	FB
84672	10" x 14"	SS



51551	10" x 14"	SS
51552	10" x 14"	PL

Package includes 6 identical signs.



70976	14" x 20"	FB
84679	7" x 10"	SS
84680	10" x 14"	SS
22494	7" x 10"	PL
41058	7" x 10"	AL



116077	10" x 14"	B-563
116078	7" x 10"	B-563



84633	7" x 10"	SS
22459	7" x 10"	PL
41023	7" x 10"	AL

Meets OSHA 1910.37(b)(7):

84634	10" x 14"	SS
22460	10" x 14"	PL
41024	10" x 14"	AL



Meets OSHA 1910.37(b)(7):

80221	10" x 7"	BGSS
80222	14" x 10"	BGSS
80289	10" x 7"	BGPL
80290	14" x 10"	BGPL




Meets OSHA 1910.37(b)(7):

80219	10" x 7"	BGSS
80220	14" x 10"	BGSS
80287	10" x 7"	BGPL
80288	14" x 10"	BGPL




Meets OSHA 1910.37(b)(7):

80217	10" x 7"	BGSS
80218	14" x 10"	BGSS
80285	10" x 7"	BGPL
80286	14" x 10"	BGPL



70325	6.5" x 14"	FB
84628	6.5" x 14"	SS
22454	10" x 14"	PL
41018	10" x 14"	AL



84627	6.5" x 14"	SS
22453	10" x 14"	PL
41017	10" x 14"	AL



47035	7" x 14"	FB
76066	10" x 14"	FB
122636	7" x 10"	SS
84632	10" x 14"	SS
22457	7" x 10"	PL
22458	10" x 14"	PL
41021	7" x 10"	AL
41022	10" x 14"	AL



47034	7" x 14"	FB
76067	10" x 14"	FB
122634	7" x 10"	SS
84630	10" x 14"	SS
22455	7" x 10"	PL
22456	10" x 14"	PL
41019	7" x 10"	AL
41020	10" x 14"	AL

Perimeter L.E.D. Exit Signs

- An economical alternative to traditional, incandescent or fluorescent exit signs.
- Listed to UL 924 and in compliance with OSHA, NEC and NFP standard
- Includes a 90-minute nickel cadmium battery back-up assembly for power failure
- Standard input voltages are 120 or 277AC



Catalog #	Description	Color	Size
56905	Perimeter LED Exit Sign	Black / Red	7.5" x 12.25" x 2.5"
56907	Perimeter LED Exit Sign	White / Red	7.5" x 12.25" x 2.5"
56908	Perimeter LED Exit Sign	White / Green	7.5" x 12.25" x 2.5"

BradyID.com/s36

Exit and Directional Signs (continued)



90966	7" x 10"	BGPL



84685	7" x 10"	SS
84686	10" x 14"	SS
22499	7" x 10"	PL
22500	10" x 14"	PL
41063	7" x 10"	AL
41064	10" x 14"	AL



73542	7" x 10"	BGSS
80247	10" x 14"	BGSS
85480	7" x 10"	BGPL
85481	10" x 14"	BGPL

Popular Sign Materials

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
BGSS - BradyGlo self-sticking polyester (B-324)
BGPL - BradyGlo plastic (B-347)
PL - Plastic (B-401)
AL - Aluminum (B-555)

Material Guide..... page 408
Sign Legend Index..... page 588



90105	7" x 10"	BGSS
90619	10" x 14"	BGSS
90947	7" x 10"	BGPL
90631	10" x 14"	BGPL



90492	3.5" x 10"	BGSS



73545	7" x 10"	BGSS
80250	10" x 14"	BGSS
85484	7" x 10"	BGPL
85523	10" x 14"	BGPL




71015	7" x 10"	FB
71016	10" x 14"	FB
84687	7" x 10"	SS
84688	10" x 14"	SS
22501	7" x 10"	PL
22502	10" x 14"	PL
41065	7" x 10"	AL
41066	10" x 14"	AL




70460	6.5" x 14"	FB
84642	6.5" x 14"	SS
22466	10" x 14"	PL
41030	10" x 14"	AL



73417	6.5" x 14"	FB
84641	6.5" x 14"	SS
22465	10" x 14"	PL
41029	10" x 14"	AL



84644	6.5" x 14"	SS
22468	10" x 14"	PL
41032	10" x 14"	AL



73467	6.5" x 14"	FB
84643	6.5" x 14"	SS
22467	10" x 14"	PL
41031	10" x 14"	AL



80253	2.5" x 7"	BGSS
85528	2.5" x 7"	BGPL



80254	2.5" x 7"	BGSS
85540	2.5" x 7"	BGPL




90929	5" x 14"	BGPL




90928	5" x 14"	BGPL



90611	5" x 14"	BGSS
90939	5" x 14"	BGPL



84648	6.5" x 14"	SS
22470	10" x 14"	PL
41034	10" x 14"	AL



84647	6.5" x 14"	SS
22469	10" x 14"	PL
41033	10" x 14"	AL



73473	6.5" x 14"	FB
22472	10" x 14"	PL
41036	10" x 14"	AL



70525	6.5" x 14"	FB
22471	10" x 14"	PL
41035	10" x 14"	AL



80255	10" x 14"	BGSS
85541	7" x 10"	BGPL
85545	10" x 14"	BGPL




80261	10" x 14"	BGSS
80027	7" x 10"	BGPL
80028	10" x 14"	BGPL

Are you prepared if the lights go out?

Brady carries a wide variety of BradyGlo products to support your emergency egress plan. Visit BradyID.com for learning resources and products such as:

- BradyGlo Marking Tape
- BradyGlo Printable Label Material
- BradyGlo signs



Exit and Directional Signs (continued)



90931	5" x 14"	BGPL



80259	10" x 14"	BGSS
85601	7" x 10"	BGPL



80256	7" x 10"	BGSS
80257	10" x 14"	BGSS
85546	7" x 10"	BGPL



127100	7" x 10"	SS
127103	10" x 14"	SS
127099	7" x 10"	PL
127102	10" x 14"	PL
127098	7" x 10"	AL
127101	10" x 14"	AL



90713	7" x 10"	BGPL



84689	7" x 10"	SS
84690	10" x 14"	SS
22503	7" x 10"	PL
22504	10" x 14"	PL
41067	7" x 10"	AL
41068	10" x 14"	AL



71373	6.5" x 14"	FB
84654	6.5" x 14"	SS
22476	10" x 14"	PL



71366	6.5" x 14"	FB
84653	6.5" x 14"	SS
22475	10" x 14"	PL



80264	3.5" x 10"	BGSS
80040	3.5" x 10"	BGPL
80041	5" x 14"	BGPL



80262	3.5" x 10"	BGSS
80029	3.5" x 10"	BGPL
80035	5" x 14"	BGPL



84652	6.5" x 14"	SS
41038	10" x 14"	AL



70550	6.5" x 14"	FB
84651	6.5" x 14"	SS
22473	10" x 14"	PL
41037	10" x 14"	AL



90553	7" x 10"	BGSS
90186	10" x 14"	BGSS
90717	7" x 10"	BGPL



90185	10" x 14"	BGSS



87651	7" x 10"	FB
59388	7" x 10"	SS
59389	7" x 10"	PL



59391	7" x 10"	SS



80266	2.5" x 7"	BGSS
80048	2.5" x 7"	BGPL

Severe Weather Directional Signs



132188	7" x 10"	FB
132189	10" x 14"	FB
132190	7" x 10"	SS
132191	10" x 14"	SS
132184	7" x 10"	PL
132185	10" x 14"	PL
132186	7" x 10"	AL
132187	10" x 14"	AL



127352	7" x 10"	SS
127355	10" x 14"	SS
127351	7" x 10"	PL
127354	10" x 14"	PL
127350	7" x 10"	AL
127353	10" x 14"	AL



75970	7" x 10"	FB
75971	10" x 14"	FB
84770	7" x 10"	SS
84771	10" x 14"	SS
22560	7" x 10"	PL
22561	10" x 14"	PL
41124	7" x 10"	AL
41125	10" x 14"	AL



90540	14" x 20"	FB



127160	10" x 7"	SS
127163	14" x 10"	SS
127159	10" x 7"	PL
127162	14" x 10"	PL
127158	10" x 7"	AL
127161	14" x 10"	AL



90551	10" x 7"	BGSS
90184	14" x 10"	BGSS
90777	14" x 10"	BGPL



123799	10" x 7"	SS
123802	14" x 10"	SS
123798	10" x 7"	PL
123801	14" x 10"	PL
123797	10" x 7"	AL
123800	14" x 10"	AL



103595	14" x 10"	PL



123793	10" x 7"	SS
123796	14" x 10"	SS
123792	10" x 7"	PL
123795	14" x 10"	PL
123791	10" x 7"	AL
123794	14" x 10"	AL



90550	10" x 7"	BGSS
90183	14" x 10"	BGSS
90714	10" x 7"	BGPL
90776	14" x 10"	BGPL



BradyID.com/s36





BradyGlo™ Exit Signs

- Energy efficient and require no power source. Certified by UL for LED lighting as an acceptable charging source
- Compliant to NFPA Life Safety Code 101 and UL 924 Listed
- Non-electric, non-toxic, non-radioactive
- May qualify for LEED credits

Regulations

UL1994 - Luminous Egress Path Marking Systems
This standard regulates specific materials and testing for photoluminescent egress products for doors, door hardware, door frames, stairs, obstacles, egress symbols and more.

UL 924: Exit Signs are to automatically supply illumination to critical areas in the event of failure of the normal power supply. UL 924 lists photoluminescent exit signs as acceptable to use in place of UL Listed electrical exit signs.

Visibility Options



50 ft. visibility
- Meets minimum UL924 standards
- Economical choice
- Full framed or ultra light (unframed) options


75 ft. visibility
- Exceeds minimum visibility
- Good for extended distances between exits
- Full framed or ultra light (unframed) options

100 ft. visibility
- 2X the minimum visibility
- Good for warehouses or facilities with large distances between exits
- Full framed with lightweight high impact ABS plastic material


Installation Options



T-Bar mount
T-bar clips allow you to easily mount the sign from drop ceilings.



Ultra-light bracket **Full framed bracket**
Brackets can be attached to either the top or the side of the sign.




Ultra-light **Full framed**
The smooth surface of ultra-light signs accepts various mounting techniques. The full framed signs have two permanent top mounts.

BRADY

100 ft. Visibilty Plastic

- Ideal for warehouses and other facilities with large spans between exits
- Constructed of highly durable, injection molded plastic and UL 924 listed
- Includes two adhesive directional arrows

Visibily	Material	Style	Size	Red	Green	Black
100 ft.	Plastic	Double Sided, Bracket	9.5" x 17.25"	145480	145479	145478
100 ft.	Plastic	Double Sided, T-Bar	9.5" x 17.25"	145483	145482	145481
100 ft.	Plastic	Single Sided, Bracket	9.5" x 17.25"	145474	145473	145472
100 ft.	Plastic	Single Sided, T-Bar	9.5" x 17.25"	145477	145476	145475
100 ft.	Plastic	Wall Mounted	9.5" x 17.25"	145471	145470	145469



75 ft. Visibilty Full Framed

- Ideal for warehouses and other facilities with large spans between exits
- Steel face plate with aluminum photoluminescent letters, UL 924 listed
- Includes two adhesive directional arrows

Visibily	Material	Style	Size	Red	Green	Black
75 ft	Steel Frame	Double Sided, Bracket	8.75" x 15.75"	145495	145494	145493
75 ft	Steel Frame	Double Sided, T-Bar	8.75" x 15.75"	145498	145497	145496
75 ft	Steel Frame	Single Sided, Bracket	8.75" x 15.75"	145489	145488	145487
75 ft	Steel Frame	Single Sided, T-Bar	8.75" x 15.75"	145492	145491	145490
75 ft	Steel Frame	Wall Mounted	8.75" x 15.75"	145486	145485	145484



75 ft. Visibilty Ultra-Light Aluminum

- Economical solution for facilities with large spans between exits
- Light weight composite aluminum panel sign, UL 924 listed
- Includes two adhesive directional arrows


Visibily	Material	Style	Size	Red	Green	Black
75 ft	Aluminum	Double Sided, Bracket	9" x 15.75"	145533	145532	145531
75 ft	Aluminum	Double Sided, T-Bar	9" x 15.75"	145536	145535	145534
75 ft	Aluminum	Single Sided, Bracket	9" x 15.75"	145527	145526	145525
75 ft	Aluminum	Single Sided, T-Bar	9" x 15.75"	145530	145529	145528
75 ft	Aluminum	Wall Mounted	9" x 15.75"	145524	145523	145522



50 ft. Visibilty Ultra-Light Aluminum

- Economical solution for minimum compliance
- Light weight composite aluminum panel sign, UL 924 listed
- Includes two adhesive directional arrows

Visibily	Material	Style	Size	Red	Green	Black
50 ft	Aluminum	Double Sided, Bracket	8.5" x 15.5"	145518	145517	145516
50 ft	Aluminum	Double Sided, T-Bar	8.5" x 15.5"	145521	145520	145519
50 ft	Aluminum	Single Sided, Bracket	8.5" x 15.5"	145510	145509	145502
50 ft	Aluminum	Single Sided, T-Bar	8.5" x 15.5"	145515	145514	145513
50 ft	Aluminum	Wall Mounted	8.5" x 15.5"	145501	145500	145499



BradyGlo™ Directional Exit Signs

- Doors opening to corridors where such corridors act as required exit passageways connecting two vertical exits
- Doors serving as horizontal exits or stairwell exits
- Transfer levels and wherever egress direction is not clear

Sign Selection Guide

BGSS - BradyGlo self-sticking polyester (B-523)
BGAL - BradyGlo aluminum (B-552)

Material Guide..... page 408
Sign Legend Index..... page 588



81919	5" x 14"	BGSS	1/pk
81921	5" x 14"	BGSS	10/pk
81923	5" x 14"	BGAL	1/pk
81925	5" x 14"	BGAL	10/pk



81918	5" x 14"	BGSS	1/pk
81920	5" x 14"	BGSS	10/pk
81922	5" x 14"	BGAL	1/pk



81810	5" x 14"	BGSS	1/pk
81811	5" x 14"	BGSS	10/pk
81813	5" x 14"	BGAL	10/pk



81906	5" x 9"	BGSS	1/pk
81907	5" x 9"	BGSS	10/pk
81908	5" x 9"	BGAL	1/pk



81791	5" x 14"	BGSS	10/pk
81792	5" x 14"	BGAL	1/pk



81886	5" x 9"	BGSS	1/pk
81887	5" x 9"	BGSS	10/pk
81888	5" x 9"	BGAL	1/pk



81794	5" x 14"	BGSS	1/pk
81795	5" x 14"	BGSS	10/pk
81796	5" x 14"	BGAL	1/pk
81797	5" x 14"	BGAL	10/pk



81890	5" x 9"	BGSS	1/pk
81891	5" x 9"	BGSS	10/pk
81892	5" x 9"	BGAL	1/pk



81806	5" x 14"	BGSS	1/pk
81807	5" x 14"	BGSS	10/pk
81808	5" x 14"	BGAL	1/pk
81809	5" x 14"	BGAL	10/pk



81904	5" x 9"	BGSS	1/pk
81902	5" x 9"	BGSS	1/pk
81903	5" x 9"	BGAL	10/pk



81814	5" x 14"	BGSS	1/pk
81815	5" x 14"	BGSS	10/pk
81816	5" x 14"	BGAL	1/pk



81910	5" x 9"	BGSS	1/pk
81911	5" x 9"	BGSS	10/pk
81912	5" x 9"	BGAL	1/pk
81913	5" x 9"	BGAL	10/pk



81818	5" x 14"	BGSS	1/pk
81819	5" x 14"	BGSS	10/pk
81820	5" x 14"	BGAL	1/pk



81914	5" x 9"	BGSS	1/pk
81915	5" x 9"	BGSS	10/pk
81916	5" x 9"	BGAL	1/pk



81798	5" x 14"	BGSS	1/pk
81799	5" x 14"	BGSS	10/pk
81800	5" x 14"	BGAL	1/pk
81801	5" x 14"	BGAL	10/pk



81894	5" x 9"	BGSS	1/pk
81895	5" x 9"	BGSS	10/pk
81896	5" x 9"	BGAL	1/pk



81802	5" x 14"	BGSS	1/pk
81803	5" x 14"	BGSS	10/pk
81804	5" x 14"	BGAL	1/pk
81805	5" x 14"	BGAL	10/pk



81898	5" x 9"	BGSS	1/pk
81899	5" x 9"	BGSS	10/pk
81900	5" x 9"	BGAL	1/pk



81831	7" x 18"	BGSS	10/pk
81830	14" x 18"	BGSS	1/pk



81822	7" x 18"	BGSS	1/pk
81823	14" x 18"	BGSS	10/pk
81824	7" x 18"	BGAL	1/pk



81826	7" x 18"	BGSS	1/pk
81827	7" x 18"	BGSS	10/pk
81828	7" x 18"	BGAL	1/pk



81879	10" x 7"	BGSS	10/pk



81843	7" x 18"	BGSS	10/pk
81842	14" x 18"	BGSS	1/pk
81845	7" x 18"	BGAL	10/pk



81835	7" x 18"	BGSS	10/pk
81834	14" x 18"	BGSS	1/pk



81838	14" x 18"	BGSS	1/pk
81839	7" x 18"	BGSS	10/pk
81840	7" x 18"	BGAL	1/pk



81882	10" x 7"	BGSS	1/pk
81883	10" x 7"	BGSS	10/pk
81884	10" x 7"	BGAL	1/pk

BradyGlo™ Exit Signs

- Compliant to NFPA Life Safety Code 101, 2015 IBC Regulation and current building codes
- Energy efficient, non-electric, non toxic, non-radioactive and may qualify for LEED credits
- 50 ft. visibility, 100% reliable and virtually maintenance free
- 3 configurations which can be attached on a surface, ceiling or flag mounted



Frameless exit signs

Catalog #	Description	Size	Color
87807B	Frameless Exit Sign*	8.5" x 15"	Red
87808B	Frameless Exit Sign*	8.5" x 15"	Green

* Includes 2 chevron arrows



BradyGlo Kick Plate Exit Sign

Catalog #	Description	Size
113063B	Kick Plate Exit Sign	10" x 34"




Framed single face wall mount sign with hanging tabs

Catalog #	Description	Size	Color
Red	Single / Wall Mount	8.25" x 15.25"	Black
Green	Single / Wall Mount	8.25" x 15.25"	Red
90887B	Single / Wall Mount	8.25" x 15.25"	Green
80753B	Single / Wall Mount	8.25" x 15.25"	White
112653B	Single / Wall Mount	8.25" x 15.25"	Silver



Framed double face sign with bracket

Catalog #	Description	Size	Color
38097B	Single w/ Bracket	8.25" x 15.25"	Black
90839B	Single w/ Bracket	8.25" x 15.25"	Red
90841B	Single w/ Bracket	8.25" x 15.25"	Green
80754B	Single w/ Bracket	8.25" x 15.25"	White
112654B	Single w/ Bracket	8.25" x 15.25"	Silver
38098B	Double w/ Bracket	8.25" x 15.25"	Black
90840B	Double w/ Bracket	8.25" x 15.25"	Red
90842B	Double w/ Bracket	8.25" x 15.25"	Green
80755B	Double w/ Bracket	8.25" x 15.25"	White
112655B	Double w/ Bracket	8.25" x 15.25"	Silver
38099B	Extra Mounting Bracket		Black
90886B	Extra Mounting Bracket		Red
90888B	Extra Mounting Bracket		Green
80756B	Extra Mounting Bracket		White
112656B	Extra Mounting Bracket		Silver



Evacuation Frames

- Holders display your custom evacuation maps
- Clear acrylic frames hold your custom maps and allow you to easily change them when updates are needed


Catalog #	Description	Size	Material
102851	Evacuation Map	11.5" X 11"	Luminous
102852	Evacuation Map	17.5" X 15"	Standard
102853	Evacuation Map	17.5" X 15"	Luminous
102857	Emergency Evacuation	17.5" X 15"	Luminous



Evacuation Map Display Holder

- Easy-to-see acrylic board
- Quickly shows viewers the best evacuation route from their work area

Catalog #	Description	Size
45381	Evacuation Map Display Holder	15" x 11"



Evacuation Plan Holder

- Simply print and insert your map
- Accommodates 17 in. x 11 in. insert
- Non-glare, scratch-resistant finish
- Red border with raised white lettering
- 2 adhesive mounting strips on back

Catalog #	Description	Size
102849	Evacuation Plan Insert Holder	17.5" x 13.5"

Evacuation Assembly / Muster Point Signs


During an emergency, it is imperative for employees and visitors to know where to congregate safely. Make sure these designated areas are clearly marked in order to communicate to everyone in your facility.

Brady's Muster Point, Assembly Point, and Evacuation Point signs are designed with ISO approved pictogram for assembly points and help keep your facility up to code.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)


Material Comparison ..... page 408
Sign Legend Index..... page 588



139559	10" x 14"	FB
139560	14" x 20"	FB
139561	18" x 24"	FB
139562	10" x 14"	PL
139563	14" x 20"	PL
139564	18" x 24"	PL
139565	10" x 14"	AL
139566	14" x 20"	AL
139567	18" x 24"	AL



139622	10" x 14"	FB
139623	14" x 20"	FB
139624	18" x 24"	FB
139625	10" x 14"	PL
139626	14" x 20"	PL
139627	18" x 24"	PL
139628	10" x 14"	AL
139629	14" x 20"	AL
139630	18" x 24"	AL



139577	10" x 14"	FB
139578	14" x 20"	FB
139579	18" x 24"	FB
139580	10" x 14"	PL
139581	14" x 20"	PL
139582	18" x 24"	PL
139583	10" x 14"	AL
139584	14" x 20"	AL
139585	18" x 24"	AL



139640	10" x 14"	FB
139641	14" x 20"	FB
139642	18" x 24"	FB
139643	10" x 14"	PL
139644	14" x 20"	PL
139645	18" x 24"	PL
139646	10" x 14"	AL
139647	14" x 20"	AL
139648	18" x 24"	AL



139595	10" x 14"	FB
139596	14" x 20"	FB
139597	18" x 24"	FB
139598	10" x 14"	PL
139599	14" x 20"	PL
139600	18" x 24"	PL
139601	10" x 14"	AL
139602	14" x 20"	AL
139603	18" x 24"	AL



139649	10" x 14"	FB
139650	14" x 20"	FB
139651	18" x 24"	FB
139652	10" x 14"	PL
139653	14" x 20"	PL
139654	18" x 24"	PL
139655	10" x 14"	AL
139656	14" x 20"	AL
139657	18" x 24"	AL



139604	10" x 14"	FB
139605	14" x 20"	FB
139606	18" x 24"	FB
139607	10" x 14"	PL
139608	14" x 20"	PL
139609	18" x 24"	PL
139610	10" x 14"	AL
139611	14" x 20"	AL
139612	18" x 24"	AL



139631	10" x 14"	FB
139632	14" x 20"	FB
139633	18" x 24"	FB
139634	10" x 14"	PL
139635	14" x 20"	PL
139636	18" x 24"	PL
139637	10" x 14"	AL
139638	14" x 20"	AL
139639	18" x 24"	AL



139586	10" x 14"	FB
139587	14" x 20"	FB
139588	18" x 24"	FB
139589	10" x 14"	PL
139590	14" x 20"	PL
139591	18" x 24"	PL
139592	10" x 14"	AL
139593	14" x 20"	AL
139594	18" x 24"	AL



139613	10" x 14"	FB
139614	14" x 20"	FB
139615	18" x 24"	FB
139616	10" x 14"	PL
139617	14" x 20"	PL
139618	18" x 24"	PL
139619	10" x 14"	AL
139620	14" x 20"	AL
139621	18" x 24"	AL



139568	10" x 14"	FB
139569	14" x 20"	FB
139570	18" x 24"	FB
139571	10" x 14"	PL
139572	14" x 20"	PL
139573	18" x 24"	PL
139574	10" x 14"	AL
139575	14" x 20"	AL
139576	18" x 24"	AL



139658	10" x 14"	FB
139659	14" x 20"	FB
139660	18" x 24"	FB
139661	10" x 14"	PL
139662	14" x 20"	PL
139663	18" x 24"	PL
139664	10" x 14"	AL
139665	14" x 20"	AL
139666	18" x 24"	AL



139667	10" x 14"	FB
139668	14" x 20"	FB
139669	18" x 24"	FB
139670	10" x 14"	PL
139671	14" x 20"	PL
139672	18" x 24"	PL
139673	10" x 14"	AL
139674	14" x 20"	AL
139675	18" x 24"	AL



139676	10" x 14"	FB
139677	14" x 20"	FB
139678	18" x 24"	FB
139679	10" x 14"	PL
139680	14" x 20"	PL
139681	18" x 24"	PL
139682	10" x 14"	AL
139683	14" x 20"	AL
139684	18" x 24"	AL




139685	10" x 14"	FB
139686	14" x 20"	FB
139687	18" x 24"	FB
139688	10" x 14"	PL
139689	14" x 20"	PL
139690	18" x 24"	PL
139691	10" x 14"	AL
139692	14" x 20"	AL
139693	18" x 24"	AL



139694	10" x 14"	FB
139695	14" x 20"	FB
139696	18" x 24"	FB
139697	10" x 14"	PL
139698	14" x 20"	PL
139699	18" x 24"	PL
139700	10" x 14"	AL
139703	14" x 20"	AL
139704	18" x 24"	AL



139705	10" x 14"	FB
139706	14" x 20"	FB
139707	18" x 24"	FB
139708	10" x 14"	PL
139709	14" x 20"	PL
139710	18" x 24"	PL
139711	10" x 14"	AL
139712	14" x 20"	AL
139713	18" x 24"	AL




139714	10" x 14"	FB
139715	14" x 20"	FB
139716	18" x 24"	FB
139717	10" x 14"	PL
139718	14" x 20"	PL
139719	18" x 24"	PL
139720	10" x 14"	AL
139721	14" x 20"	AL
139722	18" x 24"	AL



139723	10" x 14"	FB
139724	14" x 20"	FB
139725	18" x 24"	FB
139726	10" x 14"	PL
139727	14" x 20"	PL
139728	18" x 24"	PL
139729	10" x 14"	AL
139730	14" x 20"	AL
139731	18" x 24"	AL

International Maritime Organization (IMO) Evacuation Signs

Brady IMO signs are designed to meet the needs of the marine and shipping industry. In the event of an emergency, these signs help warn, instruct and advise passengers of proper evacuation procedures on the vessel. These IMO signs are highly visible to help facilitate a safe and efficient onboard ship evacuation and comply with the IMO resolution A.752 (18).



59289 6" x 6" BGSS



59293 6" x 6" BGSS




59109 6" x 6" BGPL




59335 6" x 6" BGSS
59336 6" x 6" BGPL



59283 6" x 6" BGSS




59122 6" x 6" BGSS



59111 6" x 6" BGPL



59114 6" x 6" BGSS



59112 6" x 6" BGSS



59102 6" x 6" BGSS




59341 6" x 6" BGSS
59342 6" x 6" BGPL



59345 6" x 6" BGSS



80899 6" x 6" BGSS



80903 6" x 6" BGSS




80885 6" x 6" BGSS



80735 6" x 6" BGSS



59277 6" x 6" BGSS



59349 6" x 6" BGSS



59287 6" x 6" BGSS
59288 6" x 6" BGPL



59298 6" x 3" BGPL



59299 6" x 3" BGSS



59301 6" x 3" BGSS



59303 6" x 3" BGSS



59305 6" x 3" BGSS



59307 6" x 3" BGSS

Fire Safety Signs

Brady fire signs help you quickly identify fire exits, fire extinguishers and other fire suppression equipment in your facility. With exit standard red / white and glow-in-the-dark fire signs, you can clearly indicate flammable materials and mark your entire facility for emergency safety.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



73458	10" x 14"	FB
89104	7" x 10"	SS
89105	10" x 14"	SS
25640	7" x 10"	PL
25641	10" x 14"	PL
43217	7" x 10"	AL
43218	10" x 14"	AL



89106	7" x 10"	SS
89107	10" x 14"	SS
25642	7" x 10"	PL
25643	10" x 14"	PL
43220	10" x 14"	AL



89110	7" x 10"	SS
85148	10" x 14"	SS
25644	7" x 10"	PL
25645	10" x 14"	PL
43221	7" x 10"	AL
43222	10" x 14"	AL



70225	14" x 20"	FB
85151	7" x 10"	SS
85152	10" x 14"	SS
25646	7" x 10"	PL
25647	10" x 14"	PL
43223	7" x 10"	AL
43224	10" x 14"	AL



73440	10" x 14"	FB
86033	7" x 10"	SS
86034	10" x 14"	SS
23215	7" x 10"	PL
23216	10" x 14"	PL
41889	7" x 10"	AL
41890	10" x 14"	AL



85197	7" x 10"	SS
85198	10" x 14"	SS
25676	7" x 10"	PL
25677	10" x 14"	PL
43254	10" x 14"	AL



69511	10" x 14"	FB
85199	7" x 10"	SS
85200	10" x 14"	SS
25678	7" x 10"	PL
25679	10" x 14"	PL
43255	7" x 10"	AL
43256	10" x 14"	AL



71715	14" x 20"	FB
85294	10" x 14"	SS
22688	7" x 10"	PL
22689	10" x 14"	PL
41252	7" x 10"	AL
41253	10" x 14"	AL

Regulations

Flammable: Keep Fire Away 1910.106(d)(3)(ii)
Storage cabinets in which you keep flammable liquids, such as gasoline, must be labeled in conspicuous lettering, "Flammable – Keep Fire Away."

Fire Extinguisher Marking 1910.157(c)(1)
If you are using portable fire extinguishers, you must mount, locate and identify them so that they are readily accessible to employees.

Fire Hose 1910.158(c)(1)
Where reels or cabinets are provided to contain fire hose, the employer must be sure that they are conspicuously identified and used only for fire equipment.



122832	7" x 10"	FB
71708	10" x 14"	FB
122651	7" x 10"	SS
85206	10" x 14"	SS
25680	7" x 10"	PL
25681	10" x 14"	PL
43257	7" x 10"	AL
43258	10" x 14"	AL



127346	7" x 10"	SS
127349	10" x 14"	SS
127345	7" x 10"	PL
127348	10" x 14"	PL
127344	7" x 10"	AL
127347	10" x 14"	AL



70410	10" x 14"	FB
85639	10" x 14"	SS
22798	7" x 10"	PL
22799	10" x 14"	PL
41362	7" x 10"	AL



85209	7" x 10"	SS
85210	10" x 14"	SS



80007	10" x 14"	SS
80017	10" x 14"	PL
80009	10" x 14"	AL



127358	7" x 10"	SS
127361	10" x 14"	SS
127357	7" x 10"	PL
127360	10" x 14"	PL
127356	7" x 10"	AL
127359	10" x 14"	AL



127370	7" x 10"	SS
127373	10" x 14"	SS
127369	7" x 10"	PL
127372	10" x 14"	PL
127368	7" x 10"	AL
127371	10" x 14"	AL



69582	10" x 14"	FB
85219	7" x 10"	SS
85220	10" x 14"	SS
25690	7" x 10"	PL
25691	10" x 14"	PL
43267	7" x 10"	AL
43268	10" x 14"	AL



69583	10" x 14"	FB
85221	7" x 10"	SS
85222	10" x 14"	SS
25692	7" x 10"	PL
25693	10" x 14"	PL
43269	7" x 10"	AL



127364	7" x 10"	SS
127367	10" x 14"	SS
127363	7" x 10"	PL
127366	10" x 14"	PL
127362	7" x 10"	AL
127365	10" x 14"	AL

Fire Safety Signs (continued)



127112	7" x 10"	SS
127115	10" x 14"	SS
127111	7" x 10"	PL
127114	10" x 14"	PL
127110	7" x 10"	AL
127113	10" x 14"	AL




127118	7" x 10"	SS
127121	10" x 14"	SS
127117	7" x 10"	PL
127120	10" x 14"	PL
127116	7" x 10"	AL
127119	10" x 14"	AL



127136	7" x 10"	SS
127139	10" x 14"	SS
127135	7" x 10"	PL
127138	10" x 14"	PL
127134	7" x 10"	AL
127137	10" x 14"	AL



127124	7" x 10"	SS
127127	10" x 14"	SS
127123	7" x 10"	PL
127126	10" x 14"	PL
127122	7" x 10"	AL
127125	10" x 14"	AL



127130	7" x 10"	SS
127133	10" x 14"	SS
127129	7" x 10"	PL
127132	10" x 14"	PL
127128	7" x 10"	AL
127131	10" x 14"	AL



127142	7" x 10"	SS
127145	10" x 14"	SS
127141	7" x 10"	PL
127144	10" x 14"	PL
127140	7" x 10"	AL
127143	10" x 14"	AL



85225	10" x 14"	SS
43272	10" x 14"	AL



90103	7" x 10"	BGSS
90617	10" x 14"	BGSS
90629	10" x 14"	BGPL



85228	5" x 14"	SS



69168	10" x 14"	FB
85231	10" x 14"	SS
25696	7" x 10"	PL
43274	10" x 14"	AL




127148	7" x 10"	SS
127151	10" x 14"	SS
127147	7" x 10"	PL
127150	10" x 14"	PL
127146	7" x 10"	AL
127149	10" x 14"	AL



127166	7" x 10"	SS
127169	10" x 14"	SS
127165	7" x 10"	PL
127168	10" x 14"	PL
127164	7" x 10"	AL
127167	10" x 14"	AL



127154	7" x 10"	SS
127157	10" x 14"	SS
127153	7" x 10"	PL
127156	10" x 14"	PL
127152	7" x 10"	AL
127155	10" x 14"	AL



85236	7" x 10"	SS
85237	10" x 14"	SS
25700	7" x 10"	PL
25701	10" x 14"	PL
43277	7" x 10"	AL
43278	10" x 14"	AL



69202	10" x 14"	FB
85239	10" x 14"	SS
25702	7" x 10"	PL
43279	7" x 10"	AL



51545	10" x 14"	AL



122870	7" x 10"	FB
122731	10" x 14"	FB
90372	7" x 10"	SS
122585	10" x 14"	SS
122535	7" x 10"	PL
122481	10" x 14"	PL
122426	7" x 10"	AL
122360	10" x 14"	AL



69206	24" x 4"	FB
85240	14" x 5"	SS
25703	14" x 10"	PL



85241	7" x 10"	SS
85242	10" x 14"	SS
25704	7" x 10"	PL
25705	10" x 14"	PL
43281	7" x 10"	AL
43282	10" x 14"	AL



95504	10" x 14"	AL
95505	14" x 20"	AL



127178	7" x 10"	SS
127181	10" x 14"	SS
127177	7" x 10"	PL
127180	10" x 14"	PL
127176	7" x 10"	AL
127179	10" x 14"	AL



127172	7" x 10"	SS
127175	10" x 14"	SS
127171	7" x 10"	PL
127174	10" x 14"	PL
127170	7" x 10"	AL
127173	10" x 14"	AL



90379	3.5" x 3.5"	SS



47273	7" x 10"	FB
85243	7" x 10"	SS
85244	10" x 14"	SS
25706	7" x 10"	PL
25707	10" x 14"	PL
43283	7" x 10"	AL
43284	10" x 14"	AL



80224	5" x 7"	BGSS



127184	7" x 10"	SS
127187	10" x 14"	SS
127183	7" x 10"	PL
127186	10" x 14"	PL
127182	7" x 10"	AL
127185	10" x 14"	AL



BradyID.com/s36

Fire Safety Signs (continued)



127190	7" x 10"	SS
127193	10" x 14"	SS
127189	7" x 10"	PL
127192	10" x 14"	PL
127188	7" x 10"	AL
127191	10" x 14"	AL



127340	7" x 10"	SS
127343	10" x 14"	SS
127339	7" x 10"	PL
127342	10" x 14"	PL
127338	7" x 10"	AL
127341	10" x 14"	AL



BradyGlo

122873	7" x 10"	FB
69071	14" x 10"	FB
122665	7" x 10"	SS
86090	14" x 10"	SS
80161	14" x 10"	BGSS
122538	7" x 10"	PL
25708	14" x 10"	PL
122429	7" x 10"	AL
43285	14" x 10"	AL
95147	14" x 10"	B-997



BradyGlo

103599	14" x 3.5"	SS
90366	14" x 5"	SS
103598	14" x 3.5"	BGSS
80223	14" x 5"	BGSS

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



90976	5" x 14"	BGPL



90376	14" x 5"	SS



127196	7" x 10"	SS
127199	10" x 14"	SS
127195	7" x 10"	PL
127198	10" x 14"	PL
127194	7" x 10"	AL
127197	10" x 14"	AL



51546	10" x 14"	AL



123775	10" x 7"	SS
123778	14" x 10"	SS
123774	10" x 7"	PL
123777	14" x 10"	PL
123773	10" x 7"	AL
123776	14" x 10"	AL



85248	7" x 10"	SS
85249	10" x 14"	SS
25709	7" x 10"	PL
25710	10" x 14"	PL
43286	7" x 10"	AL
43287	10" x 14"	AL



127226	7" x 10"	SS
127229	10" x 14"	SS
127225	7" x 10"	PL
127228	10" x 14"	PL
127224	7" x 10"	AL
127227	10" x 14"	AL



90100	7" x 10"	BGSS
90942	7" x 10"	BGPL
90626	10" x 14"	BGPL



90101	7" x 10"	BGSS
90943	7" x 10"	BGPL
90627	10" x 14"	BGPL



132148	7" x 10"	FB
132149	10" x 14"	FB
132150	7" x 10"	SS
132151	10" x 14"	SS
132144	7" x 10"	PL
132145	10" x 14"	PL
132146	7" x 10"	AL
132147	10" x 14"	AL



127214	7" x 10"	SS
127217	10" x 14"	SS
127213	7" x 10"	PL
127216	10" x 14"	PL
127212	7" x 10"	AL
127215	10" x 14"	AL



85253	7" x 10"	SS
85254	10" x 14"	SS
25711	7" x 10"	PL
25712	10" x 14"	PL
43288	7" x 10"	AL
43289	10" x 14"	AL



90377	14" x 5"	SS



90625	10" x 14"	BGSS
90637	10" x 14"	BGPL
90953	10" x 14"	BGPL



90952	7" x 10"	BGPL
90636	10" x 14"	BGPL



BradyGlo

84681	3.5" x 14"	SS
80225	3.5" x 10"	BGSS
80294	3.5" x 10"	BGPL
22495	10" x 14"	PL
41059	10" x 14"	AL



90946	7" x 10"	BGPL
90630	10" x 14"	BGPL



127232	7" x 10"	SS
127235	10" x 14"	SS
127231	7" x 10"	PL
127234	10" x 14"	PL
127230	7" x 10"	AL
127233	10" x 14"	AL






132140	7" x 10"	FB
132141	10" x 14"	FB
132142	7" x 10"	SS
132143	10" x 14"	SS
132136	7" x 10"	PL
132137	10" x 14"	PL
132138	7" x 10"	AL
132139	10" x 14"	AL



84682	7" x 10"	SS
84683	10" x 14"	SS
22496	7" x 10"	PL
22497	10" x 14"	PL
41060	7" x 10"	AL
41061	10" x 14"	AL



80229	3.5" x 10"	BGSS
80298	3.5" x 10"	BGPL
80299	5" x 14"	BGPL

BRADY

Fire Safety Signs (continued)



80233	3.5" x 10"	BGSS
80234	5" x 14"	BGSS



47247	3.5" x 14"	FB
84635	3.5" x 14"	SS
22461	7" x 10"	PL
41025	7" x 10"	AL



80227	3.5" x 10"	BGSS
80296	3.5" x 10"	BGPL
80297	5" x 14"	BGPL




80231	3.5" x 10"	BGSS
80232	5" x 14"	BGSS





84636	3.5" x 14"	SS
22462	7" x 10"	PL
41026	7" x 10"	AL



BradyGlo

71649	5" x 14"	FB
85256	3.5" x 10"	SS
85257	5" x 14"	SS
80235	3.5" x 10"	BGSS
80167	3.5" x 10"	BGPL



122892	7" x 10"	FB
122752	10" x 14"	FB
122688	7" x 10"	SS
122610	10" x 14"	SS
25714	7" x 10"	PL
122491	10" x 14"	PL
43291	7" x 10"	AL
122377	10" x 14"	AL



71643	5" x 14"	FB
85255	5" x 14"	SS
25713	7" x 10"	PL
43290	7" x 10"	AL



91020	7" x 10"	BGSS



123769	10" x 7"	SS
123772	14" x 10"	SS
123768	10" x 7"	PL
123771	14" x 10"	PL
123767	10" x 7"	AL
123770	14" x 10"	AL



69246	10" x 14"	FB
85262	7" x 10"	SS
85263	10" x 14"	SS
25719	7" x 10"	PL
25720	10" x 14"	PL
43297	10" x 14"	AL



123757	10" x 7"	SS
123760	14" x 10"	SS
124567	18" x 4"	SS
123756	10" x 7"	PL
123759	14" x 10"	PL
124566	18" x 4"	PL
123755	10" x 7"	AL
123758	14" x 10"	AL



124565	18" x 4"	AL



51555	18" x 4"	SS Vinyl
51556	18" x 4"	PL

Package includes 6 identical signs.



90371	7" x 10"	SS



85264	7" x 10"	SS
85265	10" x 14"	SS



86092	14" x 10"	SS
25721	10" x 14"	PL
43298	10" x 14"	AL



80242	5" x 14"	BGSS



85267	3.5" x 10"	SS
85268	5" x 14"	SS



127202	7" x 10"	SS
127205	10" x 14"	SS
127201	7" x 10"	PL
127204	10" x 14"	PL
127200	7" x 10"	AL
127203	10" x 14"	AL



73433	5" x 14"	FB
85269	5" x 14"	SS
25722	7" x 10"	PL
43299	7" x 10"	AL



127208	7" x 10"	SS
127211	10" x 14"	SS
127207	7" x 10"	PL
127210	10" x 14"	PL
127206	7" x 10"	AL
127209	10" x 14"	AL



122790	10" x 7"	FB
122702	14" x 10"	FB
122632	10" x 7"	SS
90383	14" x 10"	SS
122463	14" x 10"	PL
122392	10" x 7"	AL
122337	14" x 10"	AL



123781	10" x 7"	SS
123784	14" x 10"	SS
123780	10" x 7"	PL
123783	14" x 10"	PL
123779	10" x 7"	AL
123782	14" x 10"	AL



69243	7" x 7"	FB
88504	7" x 7"	SS
25169	7" x 10"	PL
42746	7" x 10"	AL



123763	10" x 7"	SS
123766	14" x 10"	SS
123762	10" x 7"	PL
123765	14" x 10"	PL
123761	10" x 7"	AL
123764	14" x 10"	AL

BradyID.com/s36

Fire Safety Signs (continued)



124570	18" x 4"	SS
124569	18" x 4"	PL
124568	18" x 4"	AL



90373	7" x 10"	SS



BradyGlo

47039	14" x 3.5"	FB
71655	24" x 4"	FB
85261	14" x 3.5"	SS
90367	14" x 5"	SS
103597	14" x 3.5"	BGSS
80241	14" x 5"	BGSS
80460	14" x 5"	BGPL



122775	10" x 7"	FB
122710	14" x 10"	FB
122627	10" x 7"	SS
122570	14" x 10"	SS
122471	14" x 10"	PL
25718	10" x 7"	PL
43295	10" x 7"	AL
122345	14" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



BradyGlo

69074	14" x 10"	FB
86091	14" x 10"	SS
80162	14" x 10"	BGSS
80174	14" x 10"	BGPL
25717	14" x 10"	PL
43294	14" x 10"	AL
95146	14" x 10"	B-997



90369	14" x 28"	SS

When wrapped around columns the word "Fire Extinguisher" is repeated 4 times. Or can be cut into four 14" x 7" single signs.



90975	5" x 14"	BGPL



25914	10" x 14"	PL
43491	10" x 14"	AL



78260	14" x 10"	BGSS
80173	14" x 10"	BGPL



85258	3.5" x 14"	SS
25715	7" x 10"	PL
43292	7" x 10"	AL



85259	3.5" x 14"	SS
25716	7" x 10"	PL
43293	7" x 10"	AL



80237	3.5" x 10"	BGSS



90560	5" x 14"	BGSS



BradyGlo

80243	5" x 14"	BGSS
47279	3.5" x 10"	FB
71688	5" x 14"	FB
85275	3.5" x 10"	SS
85276	5" x 14"	SS
43305	7" x 10"	AL



122794	7" x 10"	FB
73434	10" x 14"	FB
85277	7" x 10"	SS
85278	10" x 14"	SS
25729	7" x 10"	PL
122466	10" x 14"	PL
43306	7" x 10"	AL
122340	10" x 14"	AL



91031	7" x 10"	BGSS



88505	7" x 7"	SS
25170	7" x 10"	PL
42747	7" x 10"	AL



127220	7" x 10"	SS
127223	10" x 14"	SS
127219	7" x 10"	PL
127222	10" x 14"	PL
127218	7" x 10"	AL
127221	10" x 14"	AL



122706	10" x 14"	FB
122566	10" x 14"	SS
122465	10" x 14"	PL
122339	10" x 14"	AL



122774	10" x 7"	FB
122626	10" x 7"	SS
25723	10" x 7"	PL
43300	10" x 7"	AL



BradyGlo

73483	24" x 4"	FB
85270	14" x 5"	SS
80244	14" x 5"	BGSS
85476	14" x 5"	BGPL



90384	14" x 10"	SS

Fire-Changeable Arrow Sign

Self-sticking arrow and sign offers the flexibility to place arrow in desired direction

Catalog #	Size	Description
70855	12" x 9"	Fiberglass Sign and Arrow
89149	12" x 9"	Self-Sticking Sign and Arrow
43355	14" x 10"	Aluminum Sign and Arrow
38082	4" dia.	Self-Sticking Replacement Arrow



Fire Safety Signs (continued)



80160	14" x 10"	BGSS



90558	5" x 14"	BGSS



73481	10" x 14"	FB
85273	7" x 10"	SS
43303	7" x 10"	AL
43304	10" x 14"	AL



71046	10" x 14"	FB
85271	7" x 10"	SS
85272	10" x 14"	SS
43302	10" x 14"	AL



71732	10" x 14"	FB
85279	7" x 10"	SS
85280	10" x 14"	SS
25730	7" x 10"	PL
43307	7" x 10"	AL



90370	7" x 10"	SS



90106	7" x 10"	BGSS
90620	10" x 14"	BGSS
90948	7" x 10"	BGPL
90632	10" x 14"	BGPL



90576	5" x 14"	BGSS
90895	5" x 14"	BGPL



127244	7" x 10"	SS
127247	10" x 14"	SS
127243	7" x 10"	PL
127246	10" x 14"	PL
127242	7" x 10"	AL
127245	10" x 14"	AL



90988	5" x 14"	BGPL



90994	5" x 14"	BGPL



127250	7" x 10"	SS
127253	10" x 14"	SS
127249	7" x 10"	PL
127252	10" x 14"	PL
127248	7" x 10"	AL
127251	10" x 14"	AL



127262	7" x 10"	SS
127265	10" x 14"	SS
127261	7" x 10"	PL
127264	10" x 14"	PL
127260	7" x 10"	AL
127263	10" x 14"	AL



127238	7" x 10"	SS
127241	10" x 14"	SS
127237	7" x 10"	PL
127240	10" x 14"	PL
127236	7" x 10"	AL
127239	10" x 14"	AL



127268	7" x 10"	SS
127271	10" x 14"	SS
127267	7" x 10"	PL
127270	10" x 14"	PL
127266	7" x 10"	AL
127269	10" x 14"	AL



127274	10" x 7"	SS
127277	14" x 10"	SS
127273	10" x 7"	PL
127276	14" x 10"	PL
127272	10" x 7"	AL
127275	14" x 10"	AL



90930	5" x 14"	BGPL




90107	7" x 10"	BGSS
90781	7" x 10"	BGPL



90554	10" x 7"	BGSS
90187	14" x 10"	BGSS
90718	10" x 7"	BGPL
90780	14" x 10"	BGPL



76870	7" x 7"	FB
122707	10" x 14"	FB
84684	7" x 7"	SS
122567	10" x 14"	SS
22498	7" x 10"	PL
122467	10" x 14"	PL
41062	7" x 10"	AL
122341	10" x 14"	AL



90380	5" x 7"	SS



127256	7" x 10"	SS
127259	10" x 14"	SS
127255	7" x 10"	PL
127258	10" x 14"	PL
127254	7" x 10"	AL
127257	10" x 14"	AL



BradyID.com/s36

Fire Safety Signs (continued)



127280	7" x 10"	SS
127283	10" x 14"	SS
127279	7" x 10"	PL
127282	10" x 14"	PL
127278	7" x 10"	AL
127281	10" x 14"	AL



127286	7" x 10"	SS
127289	10" x 14"	SS
127285	7" x 10"	PL
127288	10" x 14"	PL
127284	7" x 10"	AL
127287	10" x 14"	AL



127292	7" x 10"	SS
127295	10" x 14"	SS
127291	7" x 10"	PL
127294	10" x 14"	PL
127290	7" x 10"	AL
127293	10" x 14"	AL



71985	14" x 20"	FB

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



127298	7" x 10"	SS
127301	10" x 14"	SS
127297	7" x 10"	PL
127300	10" x 14"	PL
127296	7" x 10"	AL
127299	10" x 14"	AL



90993	5" x 14"	BGPL



51547	10" x 14"	AL



127304	10" x 7"	SS
127307	14" x 10"	SS
127303	10" x 7"	PL
127306	14" x 10"	PL
127302	10" x 7"	AL
127305	14" x 10"	AL



69500	10" x 14"	FB
85297	7" x 10"	SS
85298	10" x 14"	SS
22690	7" x 10"	PL
22691	10" x 14"	PL
41254	7" x 10"	AL
41255	10" x 14"	AL



90573	5" x 14"	BGSS
90992	5" x 14"	BGPL



127310	7" x 10"	SS
127313	10" x 14"	SS
127309	7" x 10"	PL
127312	10" x 14"	PL
127308	7" x 10"	AL
127311	10" x 14"	AL



51549	10" x 14"	AL



90996	5" x 14"	BGPL



90368	7" x 10"	SS



85299	3.5" x 10"	SS
22692	7" x 10"	PL
41256	7" x 10"	AL



71779	10" x 14"	FB
22693	7" x 10"	PL
41257	7" x 10"	AL



127322	7" x 10"	SS
127325	10" x 14"	SS
127321	7" x 10"	PL
127324	10" x 14"	PL
127320	7" x 10"	AL
127323	10" x 14"	AL



127316	7" x 10"	SS
127319	10" x 14"	SS
127315	7" x 10"	PL
127318	10" x 14"	PL
127314	7" x 10"	AL
127317	10" x 14"	AL



127328	7" x 10"	SS
127331	10" x 14"	SS
127327	7" x 10"	PL
127330	10" x 14"	PL
127326	7" x 10"	AL
127329	10" x 14"	AL



85305	10" x 14"	SS
22695	7" x 10"	PL
41260	10" x 14"	AL



127334	7" x 10"	SS
127337	10" x 14"	SS
127333	7" x 10"	PL
127336	10" x 14"	PL
127332	7" x 10"	AL
127335	10" x 14"	AL



90553	7" x 10"	BGSS
90186	10" x 14"	BGSS



90185	10" x 14"	BGSS



90386	5" x 14"	SS



First Aid Signs

Brady first aid signs identify safety equipment and first aid stations. Designed with pictograms, bold text and bright colors, Brady's first aid signs clearly indicate the locations of first aid kits, safety showers, eyewash stations and other safety equipment. First aid signs reinforce safe work practices and ensure that your employees are prepared for accidents and emergencies.



74940	14" x 20"	FB
85308	10" x 14"	SS
22632	7" x 10"	PL
22633	10" x 14"	PL
41197	10" x 14"	AL



70227	10" x 14"	FB
85309	7" x 10"	SS
85310	10" x 14"	SS
22635	10" x 14"	PL
41198	7" x 10"	AL



85311	7" x 10"	SS
85312	10" x 14"	SS
22636	7" x 10"	PL
22637	10" x 14"	PL
41200	7" x 10"	AL
41201	10" x 14"	AL



127394	7" x 10"	SS
127397	10" x 14"	SS
127393	7" x 10"	PL
127396	10" x 14"	PL
127392	7" x 10"	AL
127395	10" x 14"	AL



127412	7" x 10"	SS
127415	10" x 14"	SS
127411	7" x 10"	PL
127414	10" x 14"	PL
127410	7" x 10"	AL
127413	10" x 14"	AL



127400	7" x 10"	SS
127403	10" x 14"	SS
127399	7" x 10"	PL
127402	10" x 14"	PL
127398	7" x 10"	AL
127401	10" x 14"	AL



127418	7" x 10"	SS
127421	10" x 14"	SS
127417	7" x 10"	PL
127420	10" x 14"	PL
127416	7" x 10"	AL
127419	10" x 14"	AL



127406	7" x 10"	SS
127409	10" x 14"	SS
127405	7" x 10"	PL
127408	10" x 14"	PL
127404	7" x 10"	AL
127407	10" x 14"	AL



69463	7" x 17"	FB



69088	7" x 17"	FB



74097	10" x 14"	FB
74966	14" x 20"	FB
85315	7" x 10"	SS
85316	10" x 14"	SS
22638	7" x 10"	PL
22639	10" x 14"	PL
41202	7" x 10"	AL
41203	10" x 14"	AL



85321	7" x 10"	SS
85322	10" x 14"	SS
22642	7" x 10"	PL
22643	10" x 14"	PL
41206	7" x 10"	AL
41207	10" x 14"	AL



85323	10" x 7"	SS
85324	14" x 10"	SS
22644	10" x 7"	PL
22645	14" x 10"	PL
41208	10" x 7"	AL
41209	14" x 10"	AL



127430	7" x 10"	SS
127433	10" x 14"	SS
127429	7" x 10"	PL
127432	10" x 14"	PL
127428	7" x 10"	AL
127431	10" x 14"	AL



75962	10" x 7"	FB
75963	14" x 10"	FB
85325	10" x 7"	SS
85326	14" x 10"	SS
22646	10" x 7"	PL
22647	14" x 10"	PL
41210	10" x 7"	AL
41211	14" x 10"	AL



85327	7" x 10"	SS
85328	10" x 14"	SS
22648	7" x 10"	PL
22649	10" x 14"	PL
41213	10" x 14"	AL



127424	7" x 10"	SS
127427	10" x 14"	SS
127423	7" x 10"	PL
127426	10" x 14"	PL
127422	7" x 10"	AL
127425	10" x 14"	AL

Regulations

First Aid 1910.252(f)(13), 1910.151(b) (Informational Marking):
First aid supplies...shall be readily available.

Emergency Eyewash and Shower 1910.151(c) (Informational Marking):
Suitable facilities for quick drenching or flushing of the eyes and body must be provided in the work area for emergency use if workers are exposed to injurious corrosive materials.

Appendix A (non-mandatory appendix) to 1910.1450:
The National Research Council Recommendations Concerning Chemical Hygiene in Laboratories, recommends that location signs for safety showers, eyewash stations and other safety and first aid equipment be posted.

Respirators 1910.134(f)(5)(i):
Respirators placed at stations and work areas for emergency use should be quickly accessible at all times and should be stored in compartments built for this purpose. The compartments should be clearly marked.

BradyID.com/s36

First Aid Signs (continued)



127436	7" x 10"	SS
127439	10" x 14"	SS
127435	7" x 10"	PL
127438	10" x 14"	PL
127434	7" x 10"	AL
127437	10" x 14"	AL



122722	10" x 14"	FB
85331	7" x 10"	SS
85332	10" x 14"	SS
22650	7" x 10"	PL
22651	10" x 14"	PL
41214	7" x 10"	AL
41215	10" x 14"	AL



85333	7" x 10"	SS
85334	10" x 14"	SS
22652	7" x 10"	PL
22653	10" x 14"	PL
41217	10" x 14"	AL



22654	7" x 10"	PL
22655	10" x 14"	PL
73493	14" x 20"	FB
85337	7" x 10"	SS
85338	10" x 14"	SS
41218	7" x 10"	AL
41219	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



127442	7" x 10"	SS
127445	10" x 14"	SS
127441	7" x 10"	PL
127444	10" x 14"	PL
127440	7" x 10"	AL
127443	10" x 14"	AL



127448	7" x 10"	SS
127451	10" x 14"	SS
127447	7" x 10"	PL
127450	10" x 14"	PL
127446	7" x 10"	AL
127449	10" x 14"	AL



99326	10" x 14"	FB
85343	7" x 10"	SS
85344	10" x 14"	SS
22656	7" x 10"	PL
41220	7" x 10"	AL
41221	10" x 14"	AL



73442	5" x 14"	FB
85346	5" x 14"	SS
22659	10" x 14"	PL
41223	10" x 14"	AL



87662	10" x 14"	FB
29067	7" x 10"	SS
29079	10" x 14"	SS
29069	7" x 10"	PL
29081	10" x 14"	PL
29076	7" x 10"	AL
29082	10" x 14"	AL



43511	10" x 14"	AL



43511	10" x 14"	AL
122853	7" x 10"	FB
72700	10" x 14"	FB
87785	3.5" x 5"	SS
85349	7" x 10"	SS
85350	10" x 14"	SS
22661	7" x 10"	PL
22662	10" x 14"	PL
41225	7" x 10"	AL
41226	10" x 14"	AL



122872	7" x 10"	FB
122733	10" x 14"	FB
88502	7" x 7"	SS
122663	7" x 10"	SS
122587	10" x 14"	SS
25167	7" x 10"	PL
122483	10" x 14"	PL
42744	7" x 10"	AL
122362	10" x 14"	AL



122871	7" x 10"	FB
122732	10" x 14"	FB
122662	7" x 10"	SS
122586	10" x 14"	SS
122536	7" x 10"	PL
122482	10" x 14"	PL
122427	7" x 10"	AL
122361	10" x 14"	AL



72708	10" x 14"	FB
85352	7" x 10"	SS
85353	10" x 14"	SS
22663	7" x 10"	PL
22664	10" x 14"	PL
41227	7" x 10"	AL



72722	7" x 10"	FB
122720	10" x 14"	FB
87786	3.5" x 5"	SS
85354	7" x 10"	SS
85355	10" x 14"	SS
22665	7" x 10"	PL
122473	10" x 14"	PL
41229	7" x 10"	AL
122349	10" x 14"	AL



122911	7" x 10"	FB
69232	7" x 17"	FB
122734	10" x 14"	FB
122664	7" x 10"	SS
122588	10" x 14"	SS
122537	7" x 10"	PL
25904	10" x 14"	PL
122428	7" x 10"	AL
43481	10" x 14"	AL



First Aid Signs (continued)



85356	3.5" x 10"	SS
22666	7" x 10"	PL
41230	7" x 10"	AL



69250	7" x 17"	FB



85359	3.5" x 10"	SS
22669	7" x 10"	PL
41233	7" x 10"	AL



73538	3.5" x 10"	BGSS
80245	5" x 14"	BGSS
85478	5" x 14"	BGPL





70345	3.5" x 10"	FB
85360	3.5" x 10"	SS
22670	7" x 10"	PL



122902	7" x 10"	FB
122764	10" x 14"	FB
85361	3.5" x 10"	SS
122694	7" x 10"	SS
122618	10" x 14"	SS
22671	7" x 10"	PL
122495	10" x 14"	PL
122451	7" x 10"	AL
122382	10" x 14"	AL



123751	10" x 7"	SS
123754	14" x 10"	SS
123750	10" x 7"	PL
123753	14" x 10"	PL
123749	10" x 7"	AL
123752	14" x 10"	AL




70347	10" x 14"	FB
85362	7" x 10"	SS
85363	10" x 14"	SS
22672	7" x 10"	PL
22673	10" x 14"	PL
41236	7" x 10"	AL
41237	10" x 14"	AL



85358	3.5" x 14"	SS
22668	7" x 10"	PL
41232	7" x 10"	AL



85357	5" x 14"	SS
22667	7" x 10"	PL
41231	7" x 10"	AL



85370	7" x 10"	SS
85371	10" x 14"	SS
22680	7" x 10"	PL
22681	10" x 14"	PL
41244	7" x 10"	AL
41245	10" x 14"	AL



76095	7" x 10"	FB
76096	10" x 14"	FB
85368	7" x 10"	SS
85369	10" x 14"	SS
22678	7" x 10"	PL
22679	10" x 14"	PL
41243	10" x 14"	AL



127376	10" x 7"	SS
127379	14" x 10"	SS
127375	10" x 7"	PL
127378	14" x 10"	PL
127374	10" x 7"	AL
127377	14" x 10"	AL



85375	10" x 14"	SS
22684	7" x 10"	PL
22685	10" x 14"	PL
41248	7" x 10"	AL
41249	10" x 14"	AL



122858	7" x 10"	FB
72897	7" x 20"	FB
72883	10" x 14"	FB
85377	7" x 10"	SS
85378	10" x 14"	SS
22686	7" x 10"	PL
122475	10" x 14"	PL
41250	7" x 10"	AL
122351	10" x 14"	AL



88528	7" x 7"	SS
42766	7" x 10"	AL



127388	7" x 10"	SS
127391	10" x 14"	SS
127387	7" x 10"	PL
127390	10" x 14"	PL
127386	7" x 10"	AL
127389	10" x 14"	AL



127382	10" x 7"	SS
127385	14" x 10"	SS
127381	10" x 7"	PL
127384	14" x 10"	PL
127380	10" x 7"	AL
127383	14" x 10"	AL



90607	5" x 14"	BGSS
90935	5" x 14"	BGPL

BradyID.com/s36

Floor Signs

Brady floor safety signs are a durable, highly visible way to communicate important safety and warning messages in your facility. Safety floor decals can be used to provide direction, point to exits, and provide warnings for enhanced workplace safety. Brady floor signs feature a strong adhesive backing that sticks to almost any dry, clean surface, as well as a clear anti-slip surface that helps prevent accidental falls.

Sign Selection Guide

SS - Self-sticking polyester (B-302)
BGSS - BradyGlo™ self-stick polyester (B-324)




97616	17" dia.	SS



13284	17" dia.	SS




92400	17" dia.	SS



49057	17" dia.	BGSS
49058	17" dia.	SS



47437	17" dia.	SS



49806	17" dia.	BGSS
49805	17" dia.	SS



49801	17" dia.	SS




92405	17" dia.	SS



49067	17" dia.	SS



49068	17" dia.	SS



49061	17" dia.	BGSS
49060	17" dia.	SS




92406	17" dia.	SS



97609	17" dia.	SS



49065	17" dia.	SS



49062	17" dia.	BGSS
49064	17" dia.	SS



49066	17" dia.	SS

Regulations

Phosphorescent Floor Signs address section 4.2.1 Floor Mounted Markings
The ASTM guide for recommended uses of photoluminescent safety markings describes recommended uses and information on installation of photoluminescent safety markings to supplement emergency lighting.





29294	17" dia.	SS



49063	17" dia.	SS



92407	17" dia.	SS



97610	17" dia.	SS



97611	17" dia.	SS



97613	17" dia.	SS



92408	17" dia.	SS



29296	17" dia.	SS



97614	17" dia.	SS



97615	17" dia.	SS



92404	17" dia.	SS



49807	17" dia.	SS

ToughStripe® Floor Marking Signs

ToughStripe (TS) polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- 3 mil thickness; service temperature range of 0° F to 129° F
- Black areas of signs are coated with anti-skid tread
- US Patent No: 8,302,337







104489 17" dia. TS



104495 17" dia. TS



104496 17" dia. TS



104490 17" dia. TS



104492 17" dia. TS



104493 17" dia. TS



104494 17" dia. TS



104509 17" dia. TS



104501 17" dia. TS



104512 17" dia. TS



104513 17" dia. TS



104486 17" dia. TS



104487 17" dia. TS



104507 17" dia. TS



104511 17" dia. TS



104508 17" dia. TS



104488 14" x 18" TS



104491 14" x 18" TS



104497 14" x 18" TS



104498 14" x 18" TS



104499 14" x 18" TS



104500 14" x 18" TS



104502 14" x 18" TS



104503 14" x 18" TS



104504 14" x 18" TS



104505 14" x 18" TS



104506 14" x 18" TS



104510 14" x 18" TS

Don't miss: ToughStripe Floor Marking Tape

ToughStripe Floor Marking Tape offers superior durability and high visibility making it ideal for marking aisles, passageways,storage locations and pointing out important safety equipment and egress paths.

View **page 295** for ToughStripe tapes and die-cut shapes.



Funny Signs

Brady funny signs are a great way to bring a bit of humor into your office or facility. These funny signs look exactly like our traditional sign products, but feature humorous messages, pictures and sayings that are bound to make you laugh. Funny signs are a perfect gift for fellow employees and can lighten the mood in the office.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



38083 7" x 10" PL



38040 10" x 7" PL



38052 7" x 10" PL



38055 7" x 10" PL



38047 7" x 10" PL



38067 7" x 10" PL



38056 7" x 10" PL



38062 7" x 10" PL



38061 7" x 10" PL



49035 7" x 10" PL



38065 10" x 7" PL



38086 7" x 10" PL



38084 7" x 10" PL



38069 7" x 10" PL



38085 10" x 7" PL



38068 10" x 7" PL



38071 7" x 10" PL




38077 10" x 7" PL



38075 10" x 7" PL



38076 10" x 7" PL



38073 7" x 10" PL



38072 14" x 10" PL



38087 7" x 10" PL



Create your own funny signs online


BradyID.com/customsigns

High-Visibility Signs

Brady high-visibility signs feature bright colors, graphics and pictograms to effectively communicate a safety message, identify a location or to clearly mark safety equipment for quick and easy access in an emergency situation.



L-Style 90° Angle
(Legend appears on both sides)




V-Style 45° Angle
(Legend repeated on outward facing sides)

Sign Selection Guide

PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347 or similar)
PolyE - Polyethylene (B-450)

Material Comparison ..... page 408
Sign Legend Index..... page 588



60499 12" x 18" PolyE



L0AE01A 8" x 8" Acrylic



V1AE01A 6" x 9" x 4" Acrylic



132239 6" x 9" x 4" Acrylic



V1DS24A 6" x 9" x 4" Acrylic



V1EP24A 6" x 9" x 4" Acrylic



45369 5.5" x 10" x 4" PL



V1ESG1G 6" x 9" x 4" Acrylic



45379 12" x 18" x 8" PL



50684 4" x 12" PL



V2EX01A 8" x 15" x 6" Acrylic



45422 12" x 9" PolyE



94022 12" x 9" BGPL



45363 5.5" x 10" x 4" PL
80704 12" x 18" x 8" PL



L0EW03A 8" x 8" Acrylic
49041 12" x 9" PolyE



V1EW03A 6" x 9" x 4" Acrylic
49044 12" x 18" PolyE



V1EWG1G 6" x 9" x 4" Acrylic



V3EW03A 11" x 12" x 5" Acrylic



BradyGlo

94027 12" x 9" BGPL
PolyE 12" x 9" PL



96907 12" x 18" PolyE



50783 18" x 7.5" PL



45365 5.5" x 10" x 4" PL



L0FL15A 8" x 8" Acrylic



V1FL15A 6" x 9" x 4" Acrylic



BradyGlo

50688 12" x 4" BGPL
50687 12" x 4" PL



50777 18" x 7.5" PL



BradyGlo

50786 18" x 7.5" BGPL
50785 18" x 7.5" PL



SP184L 18" x 4.5" Acrylic



SP818V 18" x 8.5" x 3.25" Acrylic

High-Visibility Signs (continued)



94008	12" x 9"	BGPL
70998	12" x 9"	PolyE



96908	12" x 18"	PolyE



94044	12" x 9"	BGPL

Sign Selection Guide

PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347 or similar)
PolyE - Polyethylene (B-450)

Material Comparison ..... page 408
Sign Legend Index..... page 588




45366	5.5" x 10" x 4"	PL
80702	8" x 14.5" x 6"	PL



45368	5.5" x 10" x 4"	PL
80703	8" x 14.5" x 6"	PL



L0FEG1G	8" x 8"	Acrylic





V1FEG1G	6" x 9" x 4"	Acrylic



L0FE15A	8" x 8"	Acrylic



V1FE15A	6" x 8" x 4"	Acrylic



BradyGlo


50692	12" x 4"	BGPL
50691	12" x 4"	PL
50693	18" x 4"	PL



L3FE15A	11" x 17"	Acrylic



V3FE15A	11" x 12" x 5"	Acrylic



94029	12" x 9"	BGPL



70999	12" x 9"	PolyE



BradyGlo

50784	18" x 7.5"	BGPL



V1FHG1G	6" x 9" x 4"	Acrylic



BradyGlo

50696	12" x 4"	BGPL
50698	18" x 4"	BGPL
50695	12" x 4"	PL
50697	18" x 4"	PL



94054	12" x 9"	BGPL



94014	12" x 9"	BGPL
45370	5.5" x 10" x 4"	PL



50685	4" x 12"	PL



45367	5.5" x 10" x 4"	PL



45375	8" x 14.5" x 6"	PL



V1LS01A	6" x 9" x 4"	Acrylic

High-Visibility Signs (continued)



L0ME02A 8" x 8" Acrylic



V1ME02A 6" x 9" x 4" Acrylic



V2MS24A 8" x 15" x 6" Acrylic



V2MS21A 8" x 14.5" x 6" B-494



45378 8" x 14.5" x 6" PL



V1MS03A 6" x 9" x 4" Acrylic
49045 12" x 18" PolyE



L0MS03A 8" x 8" Acrylic
49042 12" x 9" PolyE



V1CP45A 6" x 9" x 4" Acrylic



45376 8" x 14.5" x 6" PL



L0PH02A 8" x 8" Acrylic



V1PH02A 6" x 9" x 4" Acrylic



V1RR02A 6" x 9" x 4" Acrylic



V1RR45A 6" x 9" x 4" Acrylic



45377 8" x 14.5" x 6" PL



80705 12" x 18" x 8" PL



L0SS03A 8" x 8" Acrylic



V1SS03A 6" x 9" x 4" Acrylic
49043 12" x 18" PolyE



V1SSG4G 6" x 9" x 4" Acrylic



139907 12" x 18" x 8" PolyE



139787 8" x 8" Plastic



139786 8" x 14.5" x 6" Plastic



L0SWG4G 8" x 8" Acrylic



V1SWG4G 6" x 9" x 4" Acrylic



L0SR03A 8" x 8" Acrylic



V1SR03A 6" x 9" x 4" Acrylic



V2SS24A 8" x 15" x 6" Acrylic



V1TOG1G 6" x 9" x 4" Acrylic



L0TS024A 8" x 8" Acrylic



V1TS024A 6" x 9" x 4" Acrylic



V1WH45A 6" x 9" x 4" PL



L0WO02A 8" x 8" Acrylic



V1WO02A 6" x 9" x 4" Acrylic



45373 5.5" x 10" x 4" PL



V1WO45A 6" x 9" x 4" Acrylic

Hospital Signs

Brady hospital signs feature universal wayfinding symbols to clearly direct visitors of all languages to their destination. Hospital wayfinding signs are a great alternative to multi-lingual signs which are often difficult to read. Brady wayfinding signs can be customized by size, color and text and are available in aluminum, plastic and self-sticking materials.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



10" x 7"

142647	4" x 4"	SS
142593	8" x 8"	SS
142539	10" x 7"	SS
142485	10" x 7"	PL
142431	10" x 7"	AL



10" x 7"

142621	4" x 4"	SS
142567	8" x 8"	SS
142513	10" x 7"	SS
142459	10" x 7"	PL
142405	10" x 7"	AL



10" x 7"

142644	4" x 4"	SS
142590	8" x 8"	SS
142536	10" x 7"	SS
142482	10" x 7"	PL
142428	10" x 7"	AL



10" x 7"

142640	4" x 4"	SS
142586	8" x 8"	SS
142532	10" x 7"	SS
142478	10" x 7"	PL
142424	10" x 7"	AL



10" x 7"

142649	4" x 4"	SS
142595	8" x 8"	SS
142541	10" x 7"	SS
142487	10" x 7"	PL
142433	10" x 7"	AL




10" x 7"

142633	4" x 4"	SS
142579	8" x 8"	SS
142525	10" x 7"	SS
142471	10" x 7"	PL
142417	10" x 7"	AL




10" x 7"

142612	4" x 4"	SS
142558	8" x 8"	SS
142504	10" x 7"	SS
142450	10" x 7"	PL
142396	10" x 7"	AL




10" x 7"

142664	4" x 4"	SS
142610	8" x 8"	SS
142556	10" x 7"	SS
142502	10" x 7"	PL
142448	10" x 7"	AL




10" x 7"

142657	4" x 4"	SS
142603	8" x 8"	SS
142549	10" x 7"	SS
142495	10" x 7"	PL
142441	10" x 7"	AL



10" x 7"

142654	4" x 4"	SS
142600	8" x 8"	SS
142546	10" x 7"	SS
142492	10" x 7"	PL
142438	10" x 7"	AL



10" x 7"

142663	4" x 4"	SS
142609	8" x 8"	SS
142555	10" x 7"	SS
142501	10" x 7"	PL
142447	10" x 7"	AL



10" x 7"

142639	4" x 4"	SS
142585	8" x 8"	SS
142531	10" x 7"	SS
142477	10" x 7"	PL
142423	10" x 7"	AL




10" x 7"

142628	4" x 4"	SS
142574	8" x 8"	SS
142520	10" x 7"	SS
142466	10" x 7"	PL
142412	10" x 7"	AL



10" x 7"

142617	4" x 4"	SS
142563	8" x 8"	SS
142509	10" x 7"	SS
142455	10" x 7"	PL
142401	10" x 7"	AL



10" x 7"

142629	4" x 4"	SS
142575	8" x 8"	SS
142521	10" x 7"	SS
142467	10" x 7"	PL
142413	10" x 7"	AL



10" x 7"

142643	4" x 4"	SS
142589	8" x 8"	SS
142535	10" x 7"	SS
142481	10" x 7"	PL
142427	10" x 7"	AL



10" x 7"

142618	4" x 4"	SS
142564	8" x 8"	SS
142510	10" x 7"	SS
142456	10" x 7"	PL
142402	10" x 7"	AL




10" x 7"

142637	4" x 4"	SS
142583	8" x 8"	SS
142529	10" x 7"	SS
142475	10" x 7"	PL
142421	10" x 7"	AL




10" x 7"

142651	4" x 4"	SS
142597	8" x 8"	SS
142543	10" x 7"	SS
142489	10" x 7"	PL
142435	10" x 7"	AL



10" x 7"

142611	4" x 4"	SS
142557	8" x 8"	SS
142503	10" x 7"	SS
142449	10" x 7"	PL
142395	10" x 7"	AL



10" x 7"

142660	4" x 4"	SS
142606	8" x 8"	SS
142552	10" x 7"	SS
142498	10" x 7"	PL
142444	10" x 7"	AL




10" x 7"

142619	4" x 4"	SS
142565	8" x 8"	SS
142511	10" x 7"	SS
142457	10" x 7"	PL
142403	10" x 7"	AL



10" x 7"


142638	4" x 4"	SS
142584	8" x 8"	SS
142530	10" x 7"	SS
142476	10" x 7"	PL
142422	10" x 7"	AL



10" x 7"

142614	4" x 4"	SS
142560	8" x 8"	SS
142506	10" x 7"	SS
142452	10" x 7"	PL
142398	10" x 7"	AL

Hospital Signs (continued)



Picto Only

10" x 7"

142613	4" x 4"	SS
142559	8" x 8"	SS
142505	10" x 7"	SS
142451	10" x 7"	PL
142397	10" x 7"	AL



Picto Only

10" x 7"


142631	4" x 4"	SS
142577	8" x 8"	SS
142523	10" x 7"	SS
142469	10" x 7"	PL
142415	10" x 7"	AL



Picto Only

10" x 7"

142652	4" x 4"	SS
142598	8" x 8"	SS
142544	10" x 7"	SS
142490	10" x 7"	PL
142436	10" x 7"	AL



Picto Only

10" x 7"

142632	4" x 4"	SS
142578	8" x 8"	SS
142524	10" x 7"	SS
142470	10" x 7"	PL
142416	10" x 7"	AL



Picto Only

10" x 7"

142622	4" x 4"	SS
142568	8" x 8"	SS
142514	10" x 7"	SS
142460	10" x 7"	PL
142406	10" x 7"	AL



Picto Only

10" x 7"


142656	4" x 4"	SS
142602	8" x 8"	SS
142548	10" x 7"	SS
142494	10" x 7"	PL
142440	10" x 7"	AL



Picto Only

10" x 7"

142650	4" x 4"	SS
142596	8" x 8"	SS
142542	10" x 7"	SS
142488	10" x 7"	PL
142434	10" x 7"	AL



Picto Only

10" x 7"


142648	4" x 4"	SS
142594	8" x 8"	SS
142540	10" x 7"	SS
142486	10" x 7"	PL
142432	10" x 7"	AL



Picto Only

10" x 7"

142626	4" x 4"	SS
142572	8" x 8"	SS
142518	10" x 7"	SS
142464	10" x 7"	PL
142410	10" x 7"	AL



Picto Only

10" x 7"

142661	4" x 4"	SS
142607	8" x 8"	SS
142553	10" x 7"	SS
142499	10" x 7"	PL
142445	10" x 7"	AL



Picto Only

10" x 7"

142658	4" x 4"	SS
142604	8" x 8"	SS
142550	10" x 7"	SS
142496	10" x 7"	PL
142442	10" x 7"	AL



Picto Only

10" x 7"

142627	4" x 4"	SS
142573	8" x 8"	SS
142519	10" x 7"	SS
142465	10" x 7"	PL
142411	10" x 7"	AL



Picto Only

10" x 7"

142620	4" x 4"	SS
142566	8" x 8"	SS
142512	10" x 7"	SS
142458	10" x 7"	PL
142404	10" x 7"	AL



Picto Only

10" x 7"

142635	4" x 4"	SS
142581	8" x 8"	SS
142527	10" x 7"	SS
142473	10" x 7"	PL
142419	10" x 7"	AL



Picto Only

10" x 7"

142624	4" x 4"	SS
142570	8" x 8"	SS
142516	10" x 7"	SS
142462	10" x 7"	PL
142408	10" x 7"	AL



Picto Only

10" x 7"

142625	4" x 4"	SS
142571	8" x 8"	SS
142517	10" x 7"	SS
142463	10" x 7"	PL
142409	10" x 7"	AL



Picto Only

10" x 7"


142615	4" x 4"	SS
142561	8" x 8"	SS
142507	10" x 7"	SS
142453	10" x 7"	PL
142399	10" x 7"	AL



Picto Only

10" x 7"

142623	4" x 4"	SS
142569	8" x 8"	SS
142515	10" x 7"	SS
142461	10" x 7"	PL
142407	10" x 7"	AL



Picto Only

10" x 7"

142636	4" x 4"	SS
142582	8" x 8"	SS
142528	10" x 7"	SS
142474	10" x 7"	PL
142420	10" x 7"	AL



Picto Only

10" x 7"

142662	4" x 4"	SS
142608	8" x 8"	SS
142554	10" x 7"	SS
142500	10" x 7"	PL
142446	10" x 7"	AL



Picto Only

10" x 7"


142616	4" x 4"	SS
142562	8" x 8"	SS
142508	10" x 7"	SS
142454	10" x 7"	PL
142400	10" x 7"	AL



Picto Only

10" x 7"

142642	4" x 4"	SS
142588	8" x 8"	SS
142534	10" x 7"	SS
142480	10" x 7"	PL
142426	10" x 7"	AL



Picto Only

10" x 7"


142655	4" x 4"	SS
142601	8" x 8"	SS
142547	10" x 7"	SS
142493	10" x 7"	PL
142439	10" x 7"	AL



Picto Only

10" x 7"

142645	4" x 4"	SS
142591	8" x 8"	SS
142537	10" x 7"	SS
142483	10" x 7"	PL
142429	10" x 7"	AL



Picto Only

10" x 7"


142630	4" x 4"	SS
142576	8" x 8"	SS
142522	10" x 7"	SS
142468	10" x 7"	PL
142414	10" x 7"	AL



Picto Only

10" x 7"

142653	4" x 4"	SS
142599	8" x 8"	SS
142545	10" x 7"	SS
142491	10" x 7"	PL
142437	10" x 7"	AL



Picto Only

10" x 7"

142641	4" x 4"	SS
142587	8" x 8"	SS
142533	10" x 7"	SS
142479	10" x 7"	PL
142425	10" x 7"	AL



Picto Only

10" x 7"

142659	4" x 4"	SS
142605	8" x 8"	SS
142551	10" x 7"	SS
142497	10" x 7"	PL
142443	10" x 7"	AL



Picto Only

10" x 7"

142646	4" x 4"	SS
142592	8" x 8"	SS
142538	10" x 7"	SS
142484	10" x 7"	PL
142430	10" x 7"	AL



Picto Only

10" x 7"

142634	4" x 4"	SS
142580	8" x 8"	SS
142526	10" x 7"	SS
142472	10" x 7"	PL
142418	10" x 7"	AL

Lockout Tagout Signs

Brady lockout tagout signs are high quality, industrial-strength safety signs for identifying machinery and equipment that require lockout. These lockout tagout signs can identify energy sources, provide lockout instructions and serve as a reminder for safe lockout tagout procedures. In addition, lockout tagout signs create a safer and a more efficient workplace for employees.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)
SSV - Self-sticking vinyl (B-946)
MAG- Magnetic vinyl (B-811)

Material Comparison ..... page 408
Sign Legend Index..... page 588



69763	10" x 14"	FB
85754	7" x 10"	SS
85755	10" x 14"	SS



127484	7" x 10"	SS
127487	10" x 14"	SS
127483	7" x 10"	PL
127486	10" x 14"	PL
127482	7" x 10"	AL
127485	10" x 14"	AL



127490	7" x 10"	SS
127493	10" x 14"	SS
127489	7" x 10"	PL
127492	10" x 14"	PL
127488	7" x 10"	AL
127491	10" x 14"	AL



60175	2.25" x 4.5"	SSV



127496	7" x 10"	SS
127499	10" x 14"	SS
127495	7" x 10"	PL
127498	10" x 14"	PL
127494	7" x 10"	AL
127497	10" x 14"	AL



60162	2" x 2"	SSV



127502	7" x 10"	SS
127505	10" x 14"	SS
127501	7" x 10"	PL
127504	10" x 14"	PL
127500	7" x 10"	AL
127503	10" x 14"	AL



127508	7" x 10"	SS
127511	10" x 14"	SS
127507	7" x 10"	PL
127510	10" x 14"	PL
127506	7" x 10"	AL
127509	10" x 14"	AL



127514	7" x 10"	SS
127517	10" x 14"	SS
127513	7" x 10"	PL
127516	10" x 14"	PL
127512	7" x 10"	AL
127515	10" x 14"	AL



65571	10" x 7"	FB
65570	14" x 10"	FB
85846	5" x 3.5"	SS
85847	7" x 5"	SS
85848	10" x 7"	SS
85849	14" x 10"	SS
22909	10" x 7"	PL
22910	14" x 10"	PL
42432	10" x 7"	AL
42433	14" x 10"	AL



60176	2.25" x 4.5"	SSV



127526	7" x 10"	SS
127529	10" x 14"	SS
127525	7" x 10"	PL
127528	10" x 14"	PL
127524	7" x 10"	AL
127527	10" x 14"	AL



127520	7" x 10"	SS
127523	10" x 14"	SS
127519	7" x 10"	PL
127522	10" x 14"	PL
127518	7" x 10"	AL
127521	10" x 14"	AL



60178	2.25" x 4.5"	SSV



60173	2.25" x 4.5"	SSV



60172	2.25" x 4.5"	SSV



127532	7" x 10"	SS
127535	10" x 14"	SS
127531	7" x 10"	PL
127534	10" x 14"	PL
127530	7" x 10"	AL
127533	10" x 14"	AL



122776	10" x 7"	FB
65516	14" x 10"	FB
85890	5" x 3.5"	SS
85891	7" x 5"	SS
122628	10" x 7"	SS
85893	14" x 10"	SS
22931	10" x 7"	PL
22932	14" x 10"	PL
42454	10" x 7"	AL
42455	14" x 10"	AL



60170	2.25" x 4.5"	SSV



65575	10" x 7"	FB
65576	14" x 10"	FB
85911	5" x 3.5"	SS
85912	7" x 5"	SS
85913	10" x 7"	SS
22943	10" x 7"	PL



66004	5" x 3.5"	MAG
66005	7" x 5"	MAG



127544	7" x 10"	SS
127547	10" x 14"	SS
127543	7" x 10"	PL
127546	10" x 14"	PL
127542	7" x 10"	AL
127545	10" x 14"	AL



66006	5" x 3.5"	MAG
66007	7" x 5"	MAG



66008	5" x 3.5"	MAG
66009	7" x 5"	MAG
50269	7" x 10"	PL

Lockout Tagout Signs (continued)



50269	7" x 10"	PL



127550	7" x 10"	SS
127553	10" x 14"	SS
127549	7" x 10"	PL
127552	10" x 14"	PL
127548	7" x 10"	AL
127551	10" x 14"	AL



62436	7" x 10"	FB
83902	3.5" x 5"	SS
83681	7" x 10"	SS
21729	7" x 10"	PL
26549	10" x 14"	PL
46647	7" x 10"	AL
46691	10" x 14"	AL



127556	7" x 10"	SS
127559	10" x 14"	SS
127555	7" x 10"	PL
127558	10" x 14"	PL
127554	7" x 10"	AL
127557	10" x 14"	AL



127562	7" x 10"	SS
127565	10" x 14"	SS
127561	7" x 10"	PL
127564	10" x 14"	PL
127560	7" x 10"	AL
127563	10" x 14"	AL



127574	7" x 10"	SS
127577	10" x 14"	SS
127573	7" x 10"	PL
127576	10" x 14"	PL
127572	7" x 10"	AL
127575	10" x 14"	AL




123637	7" x 10"	SS
123640	10" x 14"	SS
123636	7" x 10"	PL
123639	10" x 14"	PL
123635	7" x 10"	AL
123638	10" x 14"	AL




127538	7" x 10"	SS
127541	10" x 14"	SS
127537	7" x 10"	PL
127540	10" x 14"	PL
127536	7" x 10"	AL
127539	10" x 14"	AL



127568	7" x 10"	SS
127571	10" x 14"	SS
127567	7" x 10"	PL
127570	10" x 14"	PL
127566	7" x 10"	AL
127569	10" x 14"	AL



60180	7" x 10"	SSV



60179	7" x 10"	SSV



122799	7" x 10"	FB
122778	14" x 10"	FB
65511	20" x 14"	FB
122638	7" x 10"	SS
122629	14" x 10"	SS
122506	7" x 10"	PL
25922	14" x 10"	PL
122395	7" x 10"	AL
43519	14" x 10"	AL



127580	7" x 10"	SS
127583	10" x 14"	SS
127579	7" x 10"	PL
127582	10" x 14"	PL
127578	7" x 10"	AL
127581	10" x 14"	AL



127592	7" x 10"	SS
127595	10" x 14"	SS
127591	7" x 10"	PL
127594	10" x 14"	PL
127590	7" x 10"	AL
127593	10" x 14"	AL



60177	2.25" x 4.5"	SSV



127586	7" x 10"	SS
127589	10" x 14"	SS
127585	7" x 10"	PL
127588	10" x 14"	PL
127584	7" x 10"	AL
127587	10" x 14"	AL



60174	2.25" x 4.5"	SSV




65682	10" x 7"	FB
89093	7" x 5"	SS
25876	10" x 7"	PL
25877	14" x 10"	PL
43454	14" x 10"	AL




88302	2.25" x 4.5"	SS




88303	2.25" x 4.5"	SS




88304	2.25" x 4.5"	SS
122667	7" x 10"	SS
122590	10" x 14"	SS




88316	2.25" x 4.5"	SS



60167	2.25" x 4.5"	SSV



88320	2.25" x 4.5"	SS



60161	2" x 2"	SSV



Machine and Operational Signs

Brady machine safety signs communicate warning messages about the potential dangers of operating machinery and equipment in your facility. These signs remind employees about safety, risks, proper operating instructions and other restrictions.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



85757	10" x 14"	SS
22861	7" x 10"	PL
22862	10" x 14"	PL
42385	10" x 14"	AL



127598	7" x 10"	SS
127601	10" x 14"	SS
127597	7" x 10"	PL
127600	10" x 14"	PL
127596	7" x 10"	AL
127599	10" x 14"	AL



124276	7" x 10"	SS
124279	10" x 14"	SS
124275	7" x 10"	PL
124278	10" x 14"	PL
124274	7" x 10"	AL
124277	10" x 14"	AL



124219	7" x 10"	SS
124222	10" x 14"	SS
124218	7" x 10"	PL
124221	10" x 14"	PL
124217	7" x 10"	AL
124220	10" x 14"	AL



127604	7" x 10"	SS
127607	10" x 14"	SS
127603	7" x 10"	PL
127606	10" x 14"	PL
127602	7" x 10"	AL
127605	10" x 14"	AL



127610	7" x 10"	SS
127613	10" x 14"	SS
127609	7" x 10"	PL
127612	10" x 14"	PL
127608	7" x 10"	AL
127611	10" x 14"	AL



85777	7" x 10"	SS
85778	10" x 14"	SS
22863	7" x 10"	PL
22864	10" x 14"	PL
42386	7" x 10"	AL
42387	10" x 14"	AL



69068	10" x 14"	FB
85779	7" x 10"	SS
85780	10" x 14"	SS
22865	7" x 10"	PL
42388	7" x 10"	AL
42389	10" x 14"	AL



85781	7" x 10"	SS
22867	7" x 10"	PL
42391	10" x 14"	AL



69090	10" x 14"	FB
85783	7" x 10"	SS
22870	10" x 14"	PL



127634	7" x 10"	SS
127637	10" x 14"	SS
127633	7" x 10"	PL
127636	10" x 14"	PL
127632	7" x 10"	AL
127635	10" x 14"	AL



22873	7" x 10"	PL
22874	10" x 14"	PL
42396	7" x 10"	AL
42397	10" x 14"	AL



70278	10" x 14"	FB
85791	7" x 10"	SS
85792	10" x 14"	SS
22875	7" x 10"	PL
22876	10" x 14"	PL
42398	7" x 10"	AL



47058	7" x 10"	FB
85793	7" x 10"	SS
22877	7" x 10"	PL
22878	10" x 14"	PL
42400	7" x 10"	AL
42401	10" x 14"	AL



47060	7" x 10"	FB
122716	10" x 14"	FB
87791	3.5" x 5"	SS
85797	7" x 10"	SS
122576	10" x 14"	SS
22879	7" x 10"	PL
22880	10" x 14"	PL
42402	7" x 10"	AL



70280	10" x 14"	FB
85799	7" x 10"	SS
42404	7" x 10"	AL



127628	7" x 10"	SS
127631	10" x 14"	SS
127627	7" x 10"	PL
127630	10" x 14"	PL
127626	7" x 10"	AL
127629	10" x 14"	AL



127616	7" x 10"	SS
127619	10" x 14"	SS
127615	7" x 10"	PL
127618	10" x 14"	PL
127614	7" x 10"	AL
127617	10" x 14"	AL



127622	7" x 10"	SS
127625	10" x 14"	SS
127621	7" x 10"	PL
127624	10" x 14"	PL
127620	7" x 10"	AL
127623	10" x 14"	AL



22891	7" x 10"	PL
22892	10" x 14"	PL
42414	7" x 10"	AL
42415	10" x 14"	AL



70322	10" x 14"	FB
85813	7" x 10"	SS
42416	7" x 10"	AL



132082	7" x 10"	FB
132083	10" x 14"	FB
132080	7" x 10"	SS
132081	10" x 14"	SS
132078	7" x 10"	PL
132079	10" x 14"	PL
132076	7" x 10"	AL
132077	10" x 14"	AL



85819	7" x 10"	SS
85820	10" x 14"	SS
22895	7" x 10"	PL
22896	10" x 14"	PL
42418	7" x 10"	AL
42419	10" x 14"	AL



127640	7" x 10"	SS
127643	10" x 14"	SS
127639	7" x 10"	PL
127642	10" x 14"	PL
127638	7" x 10"	AL
127641	10" x 14"	AL

Machine and Operational Signs (continued)



122874	7" x 10"	FB
122735	10" x 14"	FB
122666	7" x 10"	SS
122589	10" x 14"	SS
122539	7" x 10"	PL
122484	10" x 14"	PL
122430	7" x 10"	AL
43500	10" x 14"	AL



69031	10" x 14"	FB
85828	10" x 14"	SS
22897	7" x 10"	PL
22898	10" x 14"	PL
42420	7" x 10"	AL
42421	10" x 14"	AL



124243	7" x 10"	SS
124246	10" x 14"	SS
124242	7" x 10"	PL
124245	10" x 14"	PL
124241	7" x 10"	AL
124244	10" x 14"	AL



129086	10" x 7"	SS
129089	14" x 10"	SS
129085	10" x 7"	PL
129088	14" x 10"	PL
129084	10" x 7"	AL
129087	14" x 10"	AL



127646	7" x 10"	SS
127649	10" x 14"	SS
127645	7" x 10"	PL
127648	10" x 14"	PL
127644	7" x 10"	AL
127647	10" x 14"	AL



85831	7" x 10"	SS
22901	7" x 10"	PL
22902	10" x 14"	PL
42424	7" x 10"	AL
42425	10" x 14"	AL



127652	7" x 10"	SS
127655	10" x 14"	SS
127651	7" x 10"	PL
127654	10" x 14"	PL
127650	7" x 10"	AL
127653	10" x 14"	AL



70406	10" x 14"	FB
85838	7" x 10"	SS
22903	7" x 10"	PL
42427	10" x 14"	AL



70409	10" x 14"	FB
85844	7" x 10"	SS
22907	7" x 10"	PL
42430	7" x 10"	AL
42431	10" x 14"	AL



85854	7" x 10"	SS
85855	10" x 14"	SS
22913	7" x 10"	PL
22914	10" x 14"	PL
42436	7" x 10"	AL
42437	10" x 14"	AL



134179	7" x 10"	AL
134180	10" x 14"	AL
134181	18" x 24"	AL
134182	24" x 36"	AL



75126	10" x 14"	FB
85856	7" x 10"	SS
85857	10" x 14"	SS
22915	7" x 10"	PL
22916	10" x 14"	PL
42438	7" x 10"	AL
42439	10" x 14"	AL



122843	7" x 10"	FB
74270	10" x 14"	FB
87790	3.5" x 5"	SS
85858	7" x 10"	SS
85859	10" x 14"	SS
22917	7" x 10"	PL
22918	10" x 14"	PL
42440	7" x 10"	AL
42441	10" x 14"	AL



132090	7" x 10"	FB
132091	10" x 14"	FB
132088	7" x 10"	SS
132089	10" x 14"	SS
132086	7" x 10"	PL
132087	10" x 14"	PL
132084	7" x 10"	AL
132085	10" x 14"	AL



85860	7" x 10"	SS
85861	10" x 14"	SS
22919	7" x 10"	PL
22920	10" x 14"	PL
42442	7" x 10"	AL
42443	10" x 14"	AL



127658	7" x 10"	SS
127661	10" x 14"	SS
127657	7" x 10"	PL
127660	10" x 14"	PL
127656	7" x 10"	AL
127659	10" x 14"	AL



127664	7" x 10"	SS
127667	10" x 14"	SS
127663	7" x 10"	PL
127666	10" x 14"	PL
127662	7" x 10"	AL
127665	10" x 14"	AL



69404	10" x 14"	FB
85083	7" x 10"	SS
85084	10" x 14"	SS
25596	7" x 10"	PL
25597	10" x 14"	PL
43173	7" x 10"	AL
43174	10" x 14"	AL



129056	7" x 10"	SS
129059	10" x 14"	SS
129055	7" x 10"	PL
129058	10" x 14"	PL
129054	7" x 10"	AL
129057	10" x 14"	AL



85866	7" x 10"	SS
85867	10" x 14"	SS
22921	7" x 10"	PL
22922	10" x 14"	PL
42444	7" x 10"	AL
42445	10" x 14"	AL



129062	7" x 10"	SS
129065	10" x 14"	SS
129061	7" x 10"	PL
129064	10" x 14"	PL
129060	7" x 10"	AL
129063	10" x 14"	AL



73444	10" x 14"	FB
84708	7" x 10"	SS
22517	7" x 10"	PL
22518	10" x 14"	PL
41081	7" x 10"	AL
41082	10" x 14"	AL



127670	7" x 10"	SS
127673	10" x 14"	SS
127669	7" x 10"	PL
127672	10" x 14"	PL
127668	7" x 10"	AL
127671	10" x 14"	AL



122845	7" x 10"	FB
70470	10" x 14"	FB
85870	7" x 10"	SS
85871	10" x 14"	SS
22923	7" x 10"	PL
22924	10" x 14"	PL
122409	7" x 10"	AL
42447	10" x 14"	AL

BradyID.com/s36

Machine and Operational Signs (continued)



127676	7" x 10"	SS
127679	10" x 14"	SS
127675	7" x 10"	PL
127678	10" x 14"	PL
127674	7" x 10"	AL
127677	10" x 14"	AL



127682	7" x 10"	SS
127685	10" x 14"	SS
127681	7" x 10"	PL
127684	10" x 14"	PL
127680	7" x 10"	AL
127683	10" x 14"	AL



127688	7" x 10"	SS
127691	10" x 14"	SS
127687	7" x 10"	PL
127690	10" x 14"	PL
127686	7" x 10"	AL
127689	10" x 14"	AL



70527	7" x 10"	FB
70528	10" x 14"	FB
87783	3.5" x 5"	SS
85085	7" x 10"	SS
85086	10" x 14"	SS
25598	7" x 10"	PL
25599	10" x 14"	PL
43175	7" x 10"	AL
43176	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



132074	7" x 10"	FB
132075	10" x 14"	FB
132072	7" x 10"	SS
132073	10" x 14"	SS
132070	7" x 10"	PL
132071	10" x 14"	PL
132068	7" x 10"	AL
132069	10" x 14"	AL



129068	7" x 10"	SS
129071	10" x 14"	SS
129067	7" x 10"	PL
129070	10" x 14"	PL
129066	7" x 10"	AL
129069	10" x 14"	AL



47124	10" x 14"	FB
87784	3.5" x 5"	SS
85087	7" x 10"	SS
85088	10" x 14"	SS
25600	7" x 10"	PL
25601	10" x 14"	PL
43177	7" x 10"	AL
43178	10" x 14"	AL



70529	7" x 17"	FB





132066	7" x 10"	FB
132067	10" x 14"	FB
132064	7" x 10"	SS
132065	10" x 14"	SS
132062	7" x 10"	PL
132063	10" x 14"	PL
132060	7" x 10"	AL
132061	10" x 14"	AL



129074	7" x 10"	SS
129077	10" x 14"	SS
129073	7" x 10"	PL
129076	10" x 14"	PL
129072	7" x 10"	AL
129075	10" x 14"	AL



41083	7" x 10"	AL



127694	7" x 10"	SS
127697	10" x 14"	SS
127693	7" x 10"	PL
127696	10" x 14"	PL
127692	7" x 10"	AL
127695	10" x 14"	AL



127700	7" x 10"	SS
127703	10" x 14"	SS
127699	7" x 10"	PL
127702	10" x 14"	PL
127698	7" x 10"	AL
127701	10" x 14"	AL



74350	7" x 10"	FB
85886	7" x 10"	SS
85887	10" x 14"	SS
22929	7" x 10"	PL
22930	10" x 14"	PL
42452	7" x 10"	AL
42453	10" x 14"	AL



85091	7" x 10"	SS
85092	10" x 14"	SS
25604	7" x 10"	PL
25605	10" x 14"	PL
43181	7" x 10"	AL
43182	10" x 14"	AL



127706	7" x 10"	SS
127709	10" x 14"	SS
127705	7" x 10"	PL
127708	10" x 14"	PL
127704	7" x 10"	AL
127707	10" x 14"	AL



85896	7" x 10"	SS
85897	10" x 14"	SS
22933	7" x 10"	PL
42457	10" x 14"	AL



69531	10" x 14"	FB
85898	7" x 10"	SS
22935	7" x 10"	PL
42458	7" x 10"	AL
42459	10" x 14"	AL



74385	10" x 14"	FB
85093	7" x 10"	SS
85094	10" x 14"	SS
25606	7" x 10"	PL
25607	10" x 14"	PL
43183	7" x 10"	AL
43184	10" x 14"	AL

Machine and Operational Signs (continued)



70563	10" x 14"	FB
85900	7" x 10"	SS
85901	10" x 14"	SS
22937	7" x 10"	PL



85902	3.5" x 5"	SS



43185	7" x 10"	AL
43186	10" x 14"	AL
74680	7" x 10"	FB
85095	7" x 10"	SS
85096	10" x 14"	SS
25608	7" x 10"	PL
25609	10" x 14"	PL



129092	10" x 7"	SS
129095	14" x 10"	SS
129091	10" x 7"	PL
129094	14" x 10"	PL
129090	10" x 7"	AL
129093	14" x 10"	AL



122848	7" x 10"	FB
122718	10" x 14"	FB
122652	7" x 10"	SS
122577	10" x 14"	SS
122521	7" x 10"	PL
25906	10" x 14"	PL
122411	7" x 10"	AL
43483	10" x 14"	AL



127712	7" x 10"	SS
127715	10" x 14"	SS
127711	7" x 10"	PL
127714	10" x 14"	PL
127710	7" x 10"	AL
127713	10" x 14"	AL



70577	7" x 17"	FB



74442	14" x 20"	FB
85903	7" x 10"	SS
85904	10" x 14"	SS
22939	7" x 10"	PL
22940	10" x 14"	PL
42462	7" x 10"	AL
42463	10" x 14"	AL



70579	10" x 14"	FB
85905	7" x 10"	SS
22941	7" x 10"	PL
22942	10" x 14"	PL
42464	7" x 10"	AL
42465	10" x 14"	AL



70580	7" x 17"	FB
25907	10" x 14"	PL
43484	10" x 14"	AL



127718	7" x 10"	SS
127721	10" x 14"	SS
127717	7" x 10"	PL
127720	10" x 14"	PL
127716	7" x 10"	AL
127719	10" x 14"	AL



74455	10" x 14"	FB
87782	3.5" x 5"	SS
85097	7" x 10"	SS
85098	10" x 14"	SS
25610	7" x 10"	PL
25611	10" x 14"	PL
43187	7" x 10"	AL
43188	10" x 14"	AL



132098	7" x 10"	FB
132099	10" x 14"	FB
132096	7" x 10"	SS
132097	10" x 14"	SS
132094	7" x 10"	PL
132095	10" x 14"	PL
132092	7" x 10"	AL
132093	10" x 14"	AL



69551	7" x 17"	FB



129080	7" x 10"	SS
129083	10" x 14"	SS
129079	7" x 10"	PL
129082	10" x 14"	PL
129078	7" x 10"	AL
129081	10" x 14"	AL



70587	7" x 17"	FB



74509	10" x 14"	FB
85099	7" x 10"	SS
85100	10" x 14"	SS
25612	7" x 10"	PL
25613	10" x 14"	PL
43189	7" x 10"	AL
43190	10" x 14"	AL



Design custom signs online

BradyID.com/customsigns

BradyID.com/s36

Machine and Operational Signs (continued)



127802	7" x 10"	SS
127805	10" x 14"	SS
127801	7" x 10"	PL
127804	10" x 14"	PL
127800	7" x 10"	AL
127803	10" x 14"	AL



73009	10" x 14"	FB
85919	7" x 10"	SS
85920	10" x 14"	SS
22945	7" x 10"	PL
22946	10" x 14"	PL
42468	7" x 10"	AL
42469	10" x 14"	AL



127820	7" x 10"	SS
127823	10" x 14"	SS
127819	7" x 10"	PL
127822	10" x 14"	PL
127818	7" x 10"	AL
127821	10" x 14"	AL



127814	7" x 10"	SS
127817	10" x 14"	SS
127813	7" x 10"	PL
127816	10" x 14"	PL
127812	7" x 10"	AL
127815	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



69046	10" x 14"	FB
85921	7" x 10"	SS
22948	10" x 14"	PL
42471	10" x 14"	AL



73052	14" x 20"	FB
85923	7" x 10"	SS
85924	10" x 14"	SS
22949	7" x 10"	PL
22950	10" x 14"	PL
42472	7" x 10"	AL
42473	10" x 14"	AL



85925	7" x 10"	SS
85926	10" x 14"	SS



73058	10" x 14"	FB
85927	7" x 10"	SS
85928	10" x 14"	SS
22951	7" x 10"	PL
22952	10" x 14"	PL
42474	7" x 10"	AL
42475	10" x 14"	AL





69075	10" x 14"	FB
85101	7" x 10"	SS
85102	10" x 14"	SS
25614	7" x 10"	PL
25615	10" x 14"	PL
43191	7" x 10"	AL
43192	10" x 14"	AL



127808	7" x 10"	SS
127811	10" x 14"	SS
127807	7" x 10"	PL
127810	10" x 14"	PL
127806	7" x 10"	AL
127809	10" x 14"	AL



85942	10" x 14"	SS
22953	7" x 10"	PL
42476	7" x 10"	AL



73086	7" x 10"	FB
22955	7" x 10"	PL
22956	10" x 14"	PL
42478	7" x 10"	AL



69131	7" x 17"	FB



127856	7" x 10"	SS
127859	10" x 14"	SS
127855	7" x 10"	PL
127858	10" x 14"	PL
127854	7" x 10"	AL
127857	10" x 14"	AL



127868	7" x 10"	SS
127871	10" x 14"	SS
127867	7" x 10"	PL
127870	10" x 14"	PL
127866	7" x 10"	AL
127869	10" x 14"	AL



127838	7" x 10"	SS
127841	10" x 14"	SS
127837	7" x 10"	PL
127840	10" x 14"	PL
127836	7" x 10"	AL
127839	10" x 14"	AL



69144	10" x 14"	FB
85949	7" x 10"	SS
22957	7" x 10"	PL
22958	10" x 14"	PL
42480	7" x 10"	AL
42481	10" x 14"	AL



127862	7" x 10"	SS
127865	10" x 14"	SS
127861	7" x 10"	PL
127864	10" x 14"	PL
127860	7" x 10"	AL
127863	10" x 14"	AL



22960	10" x 14"	PL



69148	10" x 14"	FB
22961	7" x 10"	PL
22962	10" x 14"	PL
42485	10" x 14"	AL



74111	10" x 14"	FB
85959	7" x 10"	SS
85960	10" x 14"	SS
22963	7" x 10"	PL
22964	10" x 14"	PL
42486	7" x 10"	AL
42487	10" x 14"	AL



127844	7" x 10"	SS
127847	10" x 14"	SS
127843	7" x 10"	PL
127846	10" x 14"	PL
127842	7" x 10"	AL
127845	10" x 14"	AL

Machine and Operational Signs (continued)



127832	7" x 10"	SS
127835	10" x 14"	SS
127831	7" x 10"	PL
127834	10" x 14"	PL
127830	7" x 10"	AL
127833	10" x 14"	AL



43497	7" x 10"	AL



127850	7" x 10"	SS
127853	10" x 14"	SS
127849	7" x 10"	PL
127852	10" x 14"	PL
127848	7" x 10"	AL
127851	10" x 14"	AL



69170	10" x 14"	FB
85973	7" x 10"	SS
85974	10" x 14"	SS
22968	10" x 14"	PL
42490	7" x 10"	AL
42491	10" x 14"	AL



122824	7" x 10"	FB
74132	10" x 14"	FB
85971	7" x 10"	SS
85972	10" x 14"	SS
22965	7" x 10"	PL
22966	10" x 14"	PL
42488	7" x 10"	AL
42489	10" x 14"	AL



70290	7" x 10"	FB
85975	7" x 10"	SS
22970	10" x 14"	PL
42492	7" x 10"	AL
42493	10" x 14"	AL



85979	7" x 10"	SS
22971	7" x 10"	PL
22972	10" x 14"	PL
42494	7" x 10"	AL
42495	10" x 14"	AL



85119	7" x 10"	SS
85120	10" x 14"	SS
25623	10" x 14"	PL
43200	10" x 14"	AL



85985	7" x 10"	SS
85986	10" x 14"	SS
22973	7" x 10"	PL
22974	10" x 14"	PL
42496	7" x 10"	AL
42497	10" x 14"	AL



69237	10" x 14"	FB
85987	7" x 10"	SS
85988	10" x 14"	SS
22975	7" x 10"	PL
22976	10" x 14"	PL
42498	7" x 10"	AL
42499	10" x 14"	AL



122814	7" x 10"	FB
70340	10" x 14"	FB
85989	7" x 10"	SS
85990	10" x 14"	SS
22977	7" x 10"	PL
22978	10" x 14"	PL
42500	7" x 10"	AL
42501	10" x 14"	AL



70363	10" x 14"	FB
85995	7" x 10"	SS
42502	7" x 10"	AL
42503	10" x 14"	AL



73460	7" x 10"	FB
85997	7" x 10"	SS
85998	10" x 14"	SS
22981	7" x 10"	PL
22982	10" x 14"	PL
42504	7" x 10"	AL
42505	10" x 14"	AL



122840	7" x 10"	FB
74187	10" x 14"	FB
88101	7" x 10"	SS
88102	10" x 14"	SS
22983	7" x 10"	PL
22984	10" x 14"	PL
42506	7" x 10"	AL
42507	10" x 14"	AL



127874	7" x 10"	SS
127877	10" x 14"	SS
127873	7" x 10"	PL
127876	10" x 14"	PL
127872	7" x 10"	AL
127875	10" x 14"	AL



122816	7" x 10"	FB
74609	10" x 14"	FB
87788	3.5" x 5"	SS
88107	7" x 10"	SS
88108	10" x 14"	SS
22985	7" x 10"	PL
22986	10" x 14"	PL
42508	7" x 10"	AL
42509	10" x 14"	AL



131877	7" x 10"	FB
131878	10" x 14"	FB
131875	7" x 10"	SS
131876	10" x 14"	SS
131873	7" x 10"	PL
131874	10" x 14"	PL
131871	7" x 10"	AL
131872	10" x 14"	AL



123727	7" x 10"	SS
123730	10" x 14"	SS
123726	7" x 10"	PL
123729	10" x 14"	PL
123725	7" x 10"	AL
123728	10" x 14"	AL



70393	10" x 14"	FB
88109	7" x 10"	SS
22987	7" x 10"	PL
42510	7" x 10"	AL
42511	10" x 14"	AL



69028	7" x 17"	FB



127880	7" x 10"	SS
127883	10" x 14"	SS
127879	7" x 10"	PL
127882	10" x 14"	PL
127878	7" x 10"	AL
127881	10" x 14"	AL



69317	10" x 14"	FB
88115	7" x 10"	SS
88116	10" x 14"	SS
22989	7" x 10"	PL



88117	7" x 10"	SS
42514	7" x 10"	AL
42515	10" x 14"	AL



127886	7" x 10"	SS
127889	10" x 14"	SS
127885	7" x 10"	PL
127888	10" x 14"	PL
127884	7" x 10"	AL
127887	10" x 14"	AL



74226	7" x 10"	FB
88119	7" x 10"	SS
88120	10" x 14"	SS
22993	7" x 10"	PL
22994	10" x 14"	PL
42516	7" x 10"	AL



127892	7" x 10"	SS
127895	10" x 14"	SS
127891	7" x 10"	PL
127894	10" x 14"	PL
127890	7" x 10"	AL
127893	10" x 14"	AL



88123	7" x 10"	SS
88124	10" x 14"	SS
22995	7" x 10"	PL
22996	10" x 14"	PL
42518	7" x 10"	AL
42519	10" x 14"	AL



22998	10" x 14"	PL
42521	10" x 14"	AL

BradyID.com/s36

Machine and Operational Signs (continued)



69344	10" x 14"	FB
88127	7" x 10"	SS
88128	10" x 14"	SS
23000	10" x 14"	PL
42522	7" x 10"	AL
42523	10" x 14"	AL



123745	7" x 10"	SS
123748	10" x 14"	SS
123744	7" x 10"	PL
123747	10" x 14"	PL
123743	7" x 10"	AL
123746	10" x 14"	AL



74264	10" x 14"	FB
88131	7" x 10"	SS
88132	10" x 14"	SS
23001	7" x 10"	PL
23002	10" x 14"	PL
42524	7" x 10"	AL
42525	10" x 14"	AL



25911	10" x 14"	PL
43488	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



23003	7" x 10"	PL
23004	10" x 14"	PL
42526	7" x 10"	AL
42527	10" x 14"	AL



73415	14" x 20"	FB
88135	7" x 10"	SS
23005	7" x 10"	PL
23006	10" x 14"	PL
42528	7" x 10"	AL
42529	10" x 14"	AL



127898	7" x 10"	SS
127901	10" x 14"	SS
127897	7" x 10"	PL
127900	10" x 14"	PL
127896	7" x 10"	AL
127899	10" x 14"	AL



70422	10" x 14"	FB
88137	7" x 10"	SS
88138	10" x 14"	SS
23007	7" x 10"	PL
23008	10" x 14"	PL
42530	7" x 10"	AL
42531	10" x 14"	AL



88141	7" x 10"	SS
88142	10" x 14"	SS
23009	7" x 10"	PL
23010	10" x 14"	PL
42533	10" x 14"	AL



122827	7" x 10"	FB
47022	10" x 14"	FB
87793	3.5" x 5"	SS
88143	7" x 10"	SS
88144	10" x 14"	SS
23011	7" x 10"	PL
23012	10" x 14"	PL
42534	7" x 10"	AL
42535	10" x 14"	AL



71118	20" x 14"	FB
88146	14" x 10"	SS
23013	10" x 7"	PL
23014	14" x 10"	PL
42536	10" x 7"	AL



71120	20" x 14"	FB
42539	14" x 10"	AL
23015	10" x 7"	PL
23016	14" x 10"	PL



127904	7" x 10"	SS
127907	10" x 14"	SS
127903	7" x 10"	PL
127906	10" x 14"	PL
127902	7" x 10"	AL
127905	10" x 14"	AL



88152	7" x 10"	SS
88153	10" x 14"	SS
23019	7" x 10"	PL
23020	10" x 14"	PL
42542	7" x 10"	AL
42543	10" x 14"	AL



127910	7" x 10"	SS
127913	10" x 14"	SS
127909	7" x 10"	PL
127912	10" x 14"	PL
127908	7" x 10"	AL
127911	10" x 14"	AL



88158	7" x 10"	SS
23021	7" x 10"	PL
23022	10" x 14"	PL



70437	7" x 10"	FB
88155	10" x 14"	SS
25815	10" x 14"	PL
43392	10" x 14"	AL



70438	14" x 20"	FB
25816	10" x 14"	PL



127916	7" x 10"	SS
127919	10" x 14"	SS
127915	7" x 10"	PL
127918	10" x 14"	PL
127914	7" x 10"	AL
127917	10" x 14"	AL



123739	7" x 10"	SS
123742	10" x 14"	SS
123738	7" x 10"	PL
123741	10" x 14"	PL
123737	7" x 10"	AL
123740	10" x 14"	AL



74299	7" x 10"	FB
85115	7" x 10"	SS
85116	10" x 14"	SS
25618	7" x 10"	PL
25619	10" x 14"	PL
43195	7" x 10"	AL
43196	10" x 14"	AL



74305	10" x 14"	FB
85117	7" x 10"	SS
85118	10" x 14"	SS
25620	7" x 10"	PL
25621	10" x 14"	PL
43197	7" x 10"	AL
43198	10" x 14"	AL

Machine and Operational Signs (continued)



69413	10" x 14"	FB
25625	10" x 14"	PL
43202	10" x 14"	AL



70467	7" x 10"	FB
70468	10" x 14"	FB
88160	7" x 10"	SS
88161	10" x 14"	SS
23023	7" x 10"	PL
23024	10" x 14"	PL
42546	7" x 10"	AL
42547	10" x 14"	AL



69417	10" x 14"	FB
88162	7" x 10"	SS
88163	10" x 14"	SS
23025	7" x 10"	PL
23026	10" x 14"	PL
42548	7" x 10"	AL
42549	10" x 14"	AL



88164	7" x 10"	SS
88165	10" x 14"	SS
23027	7" x 10"	PL
23028	10" x 14"	PL
42550	7" x 10"	AL
42551	10" x 14"	AL



127826	7" x 10"	SS
127829	10" x 14"	SS
127825	7" x 10"	PL
127828	10" x 14"	PL
127824	7" x 10"	AL
127827	10" x 14"	AL



127922	7" x 10"	SS
127925	10" x 14"	SS
127921	7" x 10"	PL
127924	10" x 14"	PL
127920	7" x 10"	AL
127923	10" x 14"	AL



122882	7" x 10"	FB
122743	10" x 14"	FB
122678	7" x 10"	SS
122601	10" x 14"	SS
122547	7" x 10"	PL
25913	10" x 14"	PL
122438	7" x 10"	AL
43490	10" x 14"	AL



127928	7" x 10"	SS
127931	10" x 14"	SS
127927	7" x 10"	PL
127930	10" x 14"	PL
127926	7" x 10"	AL
127929	10" x 14"	AL



69475	10" x 14"	FB
23029	7" x 10"	PL
23030	10" x 14"	PL



87669	7" x 10"	FB
87670	10" x 14"	FB
59506	7" x 10"	SS
21335	10" x 14"	SS
59507	7" x 10"	PL
26923	10" x 14"	PL
59508	7" x 10"	AL
21338	10" x 14"	AL



47159	7" x 10"	FB
88172	3.5" x 5"	SS
88173	7" x 10"	SS
88174	10" x 14"	SS
23031	7" x 10"	PL
23032	10" x 14"	PL
42554	7" x 10"	AL
42555	10" x 14"	AL



69504	7" x 17"	FB



60576	10" x 14"	SS
60538	10" x 14"	PL
60509	10" x 14"	AL



88175	7" x 10"	SS
88176	10" x 14"	SS
23033	7" x 10"	PL
23034	10" x 14"	PL
42556	7" x 10"	AL
42557	10" x 14"	AL



60575	10" x 14"	SS
60537	10" x 14"	PL
60508	10" x 14"	AL



69510	14" x 20"	FB
88182	10" x 14"	SS
23035	7" x 10"	PL
23036	10" x 14"	PL
42559	10" x 14"	AL



70547	7" x 10"	FB
88183	7" x 10"	SS
88184	10" x 14"	SS
23037	7" x 10"	PL
23038	10" x 14"	PL
42560	7" x 10"	AL



127934	7" x 10"	SS
127937	10" x 14"	SS
127933	7" x 10"	PL
127936	10" x 14"	PL
127932	7" x 10"	AL
127935	10" x 14"	AL



47160	7" x 10"	FB
47192	10" x 14"	FB
87792	3.5" x 5"	SS
88185	7" x 10"	SS
88186	10" x 14"	SS
23039	7" x 10"	PL
23040	10" x 14"	PL
42562	7" x 10"	AL
42563	10" x 14"	AL



123685	7" x 10"	SS
123688	10" x 14"	SS
123684	7" x 10"	PL
123687	10" x 14"	PL
123683	7" x 10"	AL
123686	10" x 14"	AL



131869	7" x 10"	FB
131870	10" x 14"	FB
131867	7" x 10"	SS
131868	10" x 14"	SS
131865	7" x 10"	PL
131866	10" x 14"	PL
131863	7" x 10"	AL
131864	10" x 14"	AL



BradyID.com/s36

Machine and Operational Signs (continued)



69540	10" x 14"	FB
88187	7" x 10"	SS
88188	10" x 14"	SS
23041	7" x 10"	PL
42564	7" x 10"	AL



69541	10" x 14"	FB
88189	7" x 10"	SS
23043	7" x 10"	PL
42566	7" x 10"	AL
42567	10" x 14"	AL



47161	7" x 10"	FB
88191	7" x 10"	SS
88192	10" x 14"	SS
23045	7" x 10"	PL
23046	10" x 14"	PL
42568	7" x 10"	AL
42569	10" x 14"	AL



127940	7" x 10"	SS
127943	10" x 14"	SS
127939	7" x 10"	PL
127942	10" x 14"	PL
127938	7" x 10"	AL
127941	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



47162	7" x 10"	FB
75928	14" x 20"	FB
88193	7" x 10"	SS
88194	10" x 14"	SS
23047	7" x 10"	PL
23048	10" x 14"	PL
42570	7" x 10"	AL
42571	10" x 14"	AL



128792	7" x 10"	SS
128795	10" x 14"	SS
128791	7" x 10"	PL
128794	10" x 14"	PL
128790	7" x 10"	AL
128793	10" x 14"	AL



129110	7" x 10"	SS
129113	10" x 14"	SS
129109	7" x 10"	PL
129112	10" x 14"	PL
129108	7" x 10"	AL
129111	10" x 14"	AL



Create custom signs for your facility online at BradyID.com



128402	7" x 10"	SS
128405	10" x 14"	SS
128401	7" x 10"	PL
128404	10" x 14"	PL
128400	7" x 10"	AL
128403	10" x 14"	AL



128396	7" x 10"	SS
128399	10" x 14"	SS
128395	7" x 10"	PL
128398	10" x 14"	PL
128394	7" x 10"	AL
128397	10" x 14"	AL



88199	7" x 10"	SS
23051	7" x 10"	PL
23052	10" x 14"	PL



127724	7" x 10"	SS
127727	10" x 14"	SS
127723	7" x 10"	PL
127726	10" x 14"	PL
127722	7" x 10"	AL
127725	10" x 14"	AL



69162	10" x 14"	FB
88205	7" x 10"	SS
88206	10" x 14"	SS
23054	10" x 14"	PL
42576	7" x 10"	AL
42577	10" x 14"	AL



127730	7" x 10"	SS
127733	10" x 14"	SS
127729	7" x 10"	PL
127732	10" x 14"	PL
127728	7" x 10"	AL
127731	10" x 14"	AL



128408	7" x 10"	SS
128411	10" x 14"	SS
128407	7" x 10"	PL
128410	10" x 14"	PL
128406	7" x 10"	AL
128409	10" x 14"	AL



69196	10" x 14"	FB
88208	10" x 14"	SS
23055	7" x 10"	PL
23056	10" x 14"	PL
42578	7" x 10"	AL
42579	10" x 14"	AL



88209	10" x 7"	SS
23057	10" x 7"	PL
23058	14" x 10"	PL



127736	7" x 10"	SS
127739	10" x 14"	SS
127735	7" x 10"	PL
127738	10" x 14"	PL
127734	7" x 10"	AL
127737	10" x 14"	AL



123565	7" x 10"	SS
123568	10" x 14"	SS
123564	7" x 10"	PL
123567	10" x 14"	PL
123563	7" x 10"	AL
123566	10" x 14"	AL



69350	7" x 10"	FB
88215	7" x 10"	SS
88216	10" x 14"	SS
23059	7" x 10"	PL
23060	10" x 14"	PL
42582	7" x 10"	AL
42583	10" x 14"	AL

Machine and Operational Signs (continued)



88217	7" x 10"	SS
88218	10" x 14"	SS
23061	7" x 10"	PL
23062	10" x 14"	PL
42584	7" x 10"	AL
42585	10" x 14"	AL



70446	7" x 17"	FB



70448	7" x 17"	FB



129116	7" x 10"	SS
129119	10" x 14"	SS
129115	7" x 10"	PL
129118	10" x 14"	PL
129114	7" x 10"	AL
129117	10" x 14"	AL



70546	10" x 14"	FB
88221	7" x 10"	SS
23063	7" x 10"	PL
23064	10" x 14"	PL
42587	10" x 14"	AL



129122	7" x 10"	SS
129125	10" x 14"	SS
129121	7" x 10"	PL
129124	10" x 14"	PL
129120	7" x 10"	AL
129123	10" x 14"	AL



73450	7" x 10"	FB
88225	7" x 10"	SS
88226	10" x 14"	SS
23065	7" x 10"	PL
23066	10" x 14"	PL
42588	7" x 10"	AL
42589	10" x 14"	AL



127742	7" x 10"	SS
127745	10" x 14"	SS
127741	7" x 10"	PL
127744	10" x 14"	PL
127740	7" x 10"	AL
127743	10" x 14"	AL



127748	7" x 10"	SS
127751	10" x 14"	SS
127747	7" x 10"	PL
127750	10" x 14"	PL
127746	7" x 10"	AL
127749	10" x 14"	AL



69149	10" x 14"	FB
88231	7" x 10"	SS
23069	7" x 10"	PL
23070	10" x 14"	PL
42592	7" x 10"	AL



88234	10" x 14"	SS
23071	7" x 10"	PL
42594	7" x 10"	AL
42595	10" x 14"	AL



127754	7" x 10"	SS
127757	10" x 14"	SS
127753	7" x 10"	PL
127756	10" x 14"	PL
127752	7" x 10"	AL
127755	10" x 14"	AL



127760	7" x 10"	SS
127763	10" x 14"	SS
127759	7" x 10"	PL
127762	10" x 14"	PL
127758	7" x 10"	AL
127761	10" x 14"	AL



85133	7" x 10"	SS
85134	10" x 14"	SS
25630	7" x 10"	PL
25631	10" x 14"	PL
43208	10" x 14"	AL



88237	7" x 10"	SS
88238	10" x 14"	SS
23074	10" x 14"	PL



128444	7" x 10"	SS
128447	10" x 14"	SS
128443	7" x 10"	PL
128446	10" x 14"	PL
128442	7" x 10"	AL
128445	10" x 14"	AL



85135	7" x 10"	SS
85136	10" x 14"	SS
25632	7" x 10"	PL
25633	10" x 14"	PL
43209	7" x 10"	AL
43210	10" x 14"	AL



129128	7" x 10"	SS
129131	10" x 14"	SS
129127	7" x 10"	PL
129130	10" x 14"	PL
129126	7" x 10"	AL
129129	10" x 14"	AL



69561	10" x 14"	FB
88243	7" x 10"	SS
88244	10" x 14"	SS
23077	7" x 10"	PL
23078	10" x 14"	PL
42600	7" x 10"	AL
42601	10" x 14"	AL



69577	10" x 14"	FB
88245	7" x 10"	SS
88246	10" x 14"	SS
23079	7" x 10"	PL
25026	10" x 14"	PL
42602	7" x 10"	AL
42603	10" x 14"	AL



69576	10" x 14"	FB
88247	7" x 10"	SS
88248	10" x 14"	SS
25027	7" x 10"	PL
25028	10" x 14"	PL
42604	7" x 10"	AL
42605	10" x 14"	AL



127766	7" x 10"	SS
127769	10" x 14"	SS
127765	7" x 10"	PL
127768	10" x 14"	PL
127764	7" x 10"	AL
127767	10" x 14"	AL



127772	7" x 10"	SS
127775	10" x 14"	SS
127771	7" x 10"	PL
127774	10" x 14"	PL
127770	7" x 10"	AL
127773	10" x 14"	AL



69588	10" x 14"	FB
88251	7" x 10"	SS
88252	10" x 14"	SS
25029	7" x 10"	PL
25030	10" x 14"	PL
42606	7" x 10"	AL
42607	10" x 14"	AL



69590	10" x 14"	FB
88253	7" x 10"	SS
88254	10" x 14"	SS
25031	7" x 10"	PL
25032	10" x 14"	PL
42608	7" x 10"	AL
42609	10" x 14"	AL



69594	10" x 14"	FB
88255	7" x 10"	SS
88256	10" x 14"	SS
25033	7" x 10"	PL
25034	10" x 14"	PL
42610	7" x 10"	AL
42611	10" x 14"	AL



127778	7" x 10"	SS
127781	10" x 14"	SS
127777	7" x 10"	PL
127780	10" x 14"	PL
127776	7" x 10"	AL
127779	10" x 14"	AL



69595	10" x 14"	FB
88257	7" x 10"	SS
88258	10" x 14"	SS
25035	7" x 10"	PL
42612	7" x 10"	AL
42613	10" x 14"	AL



69596	10" x 14"	FB
88259	7" x 10"	SS
88260	10" x 14"	SS
25037	7" x 10"	PL
25038	10" x 14"	PL
42614	7" x 10"	AL
42615	10" x 14"	AL



127784	7" x 10"	SS
127787	10" x 14"	SS
127783	7" x 10"	PL
127786	10" x 14"	PL
127782	7" x 10"	AL
127785	10" x 14"	AL

BradyID.com/s36

Machine and Operational Signs (continued)



127790	7" x 10"	SS
127793	10" x 14"	SS
127789	7" x 10"	PL
127792	10" x 14"	PL
127788	7" x 10"	AL
127791	10" x 14"	AL



129140	7" x 10"	SS
129143	10" x 14"	SS
129139	7" x 10"	PL
129142	10" x 14"	PL
129138	7" x 10"	AL
129141	10" x 14"	AL



69608	10" x 14"	FB
85139	7" x 10"	SS
85140	10" x 14"	SS
25634	7" x 10"	PL
25635	10" x 14"	PL
43211	7" x 10"	AL
43212	10" x 14"	AL



69609	10" x 14"	FB
85141	7" x 10"	SS
85142	10" x 14"	SS
25636	7" x 10"	PL
25637	10" x 14"	PL
43213	7" x 10"	AL
43214	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



69611	10" x 14"	FB
88267	7" x 10"	SS
88268	10" x 14"	SS
25039	7" x 10"	PL
25040	10" x 14"	PL
42616	7" x 10"	AL
42617	10" x 14"	AL



69614	10" x 14"	FB
85143	7" x 10"	SS
85144	10" x 14"	SS
25638	7" x 10"	PL
25639	10" x 14"	PL
43215	7" x 10"	AL
43216	10" x 14"	AL



127796	7" x 10"	SS
127799	10" x 14"	SS
127795	7" x 10"	PL
127798	10" x 14"	PL
127794	7" x 10"	AL
127797	10" x 14"	AL



123953	10" x 7"	SS
123958	14" x 10"	SS
123952	10" x 7"	PL
123955	14" x 10"	PL
123951	10" x 7"	AL
123954	14" x 10"	AL



88275	7" x 10"	SS
88276	10" x 14"	SS
69791	10" x 14"	FB
25041	7" x 10"	PL
42618	7" x 10"	AL



128216	7" x 10"	SS
128219	10" x 14"	SS
128215	7" x 10"	PL
128218	10" x 14"	PL
128214	7" x 10"	AL
128217	10" x 14"	AL



128342	7" x 10"	SS
128345	10" x 14"	SS
128341	7" x 10"	PL
128344	10" x 14"	PL
128340	7" x 10"	AL
128343	10" x 14"	AL



69080	10" x 10"	FB
88494	10" x 10"	SS
42737	10" x 14"	AL



88281	7" x 10"	SS
25043	10" x 14"	PL
42619	7" x 10"	AL
42620	10" x 14"	AL



90524	10" x 7"	BGSS



88283	3.5" x 10"	SS



88285	3.5" x 10"	SS



127952	7" x 10"	SS
127955	10" x 14"	SS
127951	7" x 10"	PL
127954	10" x 14"	PL
127950	7" x 10"	AL
127953	10" x 14"	AL




70315	7" x 10"	FB
88288	7" x 10"	SS
88293	10" x 14"	SS
25044	7" x 10"	PL
25045	10" x 14"	PL
42621	7" x 10"	AL
42622	10" x 14"	AL



123853	7" x 10"	SS
123856	10" x 14"	SS
123852	7" x 10"	PL
123855	10" x 14"	PL
123851	7" x 10"	AL
123854	10" x 14"	AL



127958	7" x 10"	SS
127961	10" x 14"	SS
127957	7" x 10"	PL
127960	10" x 14"	PL
127956	7" x 10"	AL
127959	10" x 14"	AL



88298	10" x 7"	SS
88299	14" x 10"	SS
25048	10" x 7"	PL
25049	14" x 10"	PL
42626	14" x 10"	AL



128360	7" x 10"	SS
128363	10" x 14"	SS
128359	7" x 10"	PL
128362	10" x 14"	PL
128358	7" x 10"	AL
128361	10" x 14"	AL



128348	7" x 10"	SS
128351	10" x 14"	SS
128347	7" x 10"	PL
128350	10" x 14"	PL
128346	7" x 10"	AL
128349	10" x 14"	AL



128354	7" x 10"	SS
128357	10" x 14"	SS
128353	7" x 10"	PL
128356	10" x 14"	PL
128352	7" x 10"	AL
128355	10" x 14"	AL



129146	10" x 7"	SS
129149	14" x 10"	SS
129145	10" x 7"	PL
129148	14" x 10"	PL
129144	10" x 7"	AL
129147	14" x 10"	AL

Machine and Operational Signs (continued)



123865	7" x 10"	SS
123868	10" x 14"	SS
123864	7" x 10"	PL
123867	10" x 14"	PL
123863	7" x 10"	AL
123866	10" x 14"	AL



88513	7" x 7"	SS
25177	7" x 10"	PL
42754	7" x 10"	AL



129152	10" x 7"	SS
129155	14" x 10"	SS
129151	10" x 7"	PL
129154	14" x 10"	PL
129150	10" x 7"	AL
129153	14" x 10"	AL



88305	3.5" x 10"	SS



69416	10" x 14"	FB
88310	7" x 10"	SS
88311	10" x 14"	SS
25050	7" x 10"	PL
25051	10" x 14"	PL
42627	7" x 10"	AL
42628	10" x 14"	AL



127964	7" x 10"	SS
127967	10" x 14"	SS
127963	7" x 10"	PL
127966	10" x 14"	PL
127962	7" x 10"	AL
127965	10" x 14"	AL




128288	7" x 10"	SS
128291	10" x 14"	SS
128287	7" x 10"	PL
128290	10" x 14"	PL
128286	7" x 10"	AL
128289	10" x 14"	AL



123841	10" x 7"	SS
123844	14" x 10"	SS
123840	10" x 7"	PL
123843	14" x 10"	PL
123839	10" x 7"	AL
123842	14" x 10"	AL



128390	7" x 10"	SS
128393	10" x 14"	SS
128389	7" x 10"	PL
128392	10" x 14"	PL
128388	7" x 10"	AL
128391	10" x 14"	AL



88307	3.5" x 10"	SS



128324	10" x 7"	SS
128327	14" x 10"	SS
128323	10" x 7"	PL
128326	14" x 10"	PL
128322	10" x 7"	AL
128325	14" x 10"	AL



69460	10" x 14"	FB
88314	7" x 10"	SS
88315	10" x 14"	SS
42632	10" x 14"	AL



123847	7" x 10"	SS
123850	10" x 14"	SS
123846	7" x 10"	PL
123849	10" x 14"	PL
123845	7" x 10"	AL
123848	10" x 14"	AL



123835	7" x 10"	SS
123838	10" x 14"	SS
123834	7" x 10"	PL
123837	10" x 14"	PL
123833	7" x 10"	AL
123836	10" x 14"	AL



69430	10" x 10"	FB
88521	10" x 10"	SS
25183	10" x 14"	PL
42760	10" x 14"	AL



69456	10" x 14"	FB
88312	7" x 10"	SS
25052	7" x 10"	PL
25053	10" x 14"	PL
42630	10" x 14"	AL



127946	7" x 10"	SS
127949	10" x 14"	SS
127945	7" x 10"	PL
127948	10" x 14"	PL
127944	7" x 10"	AL
127947	10" x 14"	AL



88323	3.5" x 10"	SS



88317	3.5" x 10"	SS



88318	7" x 10"	SS



128366	7" x 10"	SS
128369	10" x 14"	SS
128365	7" x 10"	PL
128368	10" x 14"	PL
128364	7" x 10"	AL
128367	10" x 14"	AL



128378	7" x 10"	SS
128381	10" x 14"	SS
128377	7" x 10"	PL
128380	10" x 14"	PL
128376	7" x 10"	AL
128379	10" x 14"	AL



128372	7" x 10"	SS
128375	10" x 14"	SS
128371	7" x 10"	PL
128374	10" x 14"	PL
128370	7" x 10"	AL
128373	10" x 14"	AL



85145	3.5" x 10"	SS



74415	7" x 10"	FB
88324	7" x 10"	SS
88325	10" x 14"	SS
25058	10" x 14"	PL
42634	7" x 10"	AL
42635	10" x 14"	AL



74429	10" x 14"	FB
88326	3.5" x 10"	SS
88327	7" x 10"	SS
88328	10" x 14"	SS
42636	7" x 10"	AL



88329	7" x 10"	SS
88330	10" x 14"	SS



85147	3.5" x 10"	SS



69238	10" x 10"	FB
88503	10" x 10"	SS
25168	10" x 14"	PL
42745	10" x 14"	AL

Maintenance Signs

Brady maintenance signs remind employees to follow good housekeeping practices and help manage and sustain a clean and safe workplace. Brady offers more than 250 maintenance signs, each featuring a unique legend or pictogram.



69783	10" x 14"	FB
85572	7" x 10"	SS
85573	10" x 14"	SS
25747	7" x 10"	PL
25748	10" x 14"	PL
43324	7" x 10"	AL
43325	10" x 14"	AL



85580	7" x 10"	SS
85581	10" x 14"	SS
25751	7" x 10"	PL
25752	10" x 14"	PL
43328	7" x 10"	AL
43329	10" x 14"	AL



69307	10" x 14"	FB
85582	7" x 10"	SS
85583	10" x 14"	SS
25753	7" x 10"	PL
25754	10" x 14"	PL
43331	10" x 14"	AL



73443	10" x 14"	FB
85584	7" x 10"	SS
25755	7" x 10"	PL
43332	7" x 10"	AL
43333	10" x 14"	AL



25758	10" x 14"	PL



47115	10" x 14"	FB
85592	7" x 10"	SS
85593	10" x 14"	SS
25759	7" x 10"	PL
25760	10" x 14"	PL
43336	7" x 10"	AL
43337	10" x 14"	AL



122835	7" x 10"	FB
72975	10" x 14"	FB
85598	7" x 10"	SS
85599	10" x 14"	SS
22772	7" x 10"	PL
22773	10" x 14"	PL
41336	7" x 10"	AL
41337	10" x 14"	AL



73439	18" x 12"	FB



85604	7" x 10"	SS
85605	10" x 14"	SS
22776	7" x 10"	PL
22777	10" x 14"	PL



69087	10" x 14"	FB
85606	7" x 10"	SS
85607	10" x 14"	SS
41342	7" x 10"	AL



85610	7" x 10"	SS
22780	7" x 10"	PL



85614	7" x 10"	SS
22782	7" x 10"	PL



85620	7" x 10"	SS
22785	10" x 14"	PL
41348	7" x 10"	AL
41349	10" x 14"	AL



128414	7" x 10"	SS
128417	10" x 14"	SS
128413	7" x 10"	PL
128416	10" x 14"	PL
128412	7" x 10"	AL
128415	10" x 14"	AL



69012	10" x 14"	FB
85629	10" x 14"	SS
22790	7" x 10"	PL



69013	10" x 14"	FB
85631	10" x 14"	SS
22793	10" x 14"	PL
41357	10" x 14"	AL



85632	7" x 10"	SS
85633	10" x 14"	SS
22794	7" x 10"	PL
22795	10" x 14"	PL
41359	10" x 14"	AL



85634	7" x 10"	SS
22796	7" x 10"	PL
22797	10" x 14"	PL
41360	7" x 10"	AL



128420	7" x 10"	SS
128423	10" x 14"	SS
128419	7" x 10"	PL
128422	10" x 14"	PL
128418	7" x 10"	AL
128421	10" x 14"	AL



85642	7" x 10"	SS
85643	10" x 14"	SS
22800	7" x 10"	PL
22801	10" x 14"	PL
41364	7" x 10"	AL
41365	10" x 14"	AL



70442	10" x 14"	FB
85644	7" x 10"	SS
85645	10" x 14"	SS
22802	7" x 10"	PL
22803	10" x 14"	PL
41366	7" x 10"	AL
41367	10" x 14"	AL



69425	10" x 14"	FB
85211	7" x 10"	SS
85212	10" x 14"	SS
25687	10" x 14"	PL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588

Regulations

Do Not Enter Lunchroom
29 CFR 1926.62(i)(4)
The employer shall assure that employees do not enter lunchroom facilities or eating areas with protective work clothing or equipment unless surface lead dust has been removed by vacuuming, downdraft booth, other cleaning method that limits dispersion of lead dust.

Housekeeping, Keeping the Aisles Clean 29 CFR 1910.22(a)(1)-(2)
Every workplace, including aisles, storerooms and service rooms must be kept clean and orderly, and in a sanitary condition. Work room floors should be kept dry, with adequate drainage provided.

No Food or Drink Beyond This Point 1910.141(g)
No employee shall be allowed to consume food or beverages in an area exposed to toxic material or in a toilet room.

Load Rating Plate 1910.22(d)
Every building or structure used for mercantile, business, industrial or storage purposes, the loads approved by the building official shall be marked on plates of approved design and shall be affixed by the owner of the building, or his authorized agent, in a conspicuous place in each space to which they relate.

Maintenance Signs (continued)



85648	7" x 10"	SS
85649	10" x 14"	SS
22804	7" x 10"	PL
22805	10" x 14"	PL
41368	7" x 10"	AL
41369	10" x 14"	AL



85650	7" x 10"	SS
22806	7" x 10"	PL
22807	10" x 14"	PL
41370	7" x 10"	AL
41371	10" x 14"	AL



69455	10" x 14"	FB
85652	7" x 10"	SS
85653	10" x 14"	SS
22808	7" x 10"	PL
22809	10" x 14"	PL
41372	7" x 10"	AL
41373	10" x 14"	AL



47337	14" x 10"	FB
85654	10" x 7"	SS
85655	14" x 10"	SS
22810	10" x 7"	PL
22811	14" x 10"	PL
41374	10" x 7"	AL
41375	14" x 10"	AL



122856	7" x 10"	FB
72623	10" x 14"	FB
122655	7" x 10"	SS
85659	10" x 14"	SS
122524	7" x 10"	PL
22813	10" x 14"	PL
122416	7" x 10"	AL
42336	10" x 14"	AL



85662	7" x 10"	SS
85663	10" x 14"	SS



87715	10" x 14"	FB
56691	10" x 14"	SS
30544	10" x 14"	PL



85664	7" x 10"	SS
22816	7" x 10"	PL
42339	7" x 10"	AL
43352	10" x 14"	AL



87716	10" x 14"	FB
47526	10" x 14"	SS
47518	10" x 14"	PL



72808	7" x 10"	FB
85667	10" x 14"	SS
85666	7" x 10"	SS
22817	7" x 10"	PL
22818	10" x 14"	PL
42340	7" x 10"	AL
42341	10" x 14"	AL



87717	10" x 14"	FB
47550	10" x 14"	SS
47532	10" x 14"	PL
47533	10" x 14"	AL



42341	10" x 14"	AL
85668	7" x 10"	SS
85669	10" x 14"	SS
22819	7" x 10"	PL
22820	10" x 14"	PL
42342	7" x 10"	AL
42343	10" x 14"	AL



78227	14" x 20"	FB
85670	7" x 10"	SS
85671	10" x 14"	SS
22821	7" x 10"	PL
22822	10" x 14"	PL
42344	7" x 10"	AL
42345	10" x 14"	AL



87736	10" x 14"	FB
47618	10" x 14"	PL
57080	10" x 14"	AL



128432	7" x 10"	SS
128435	10" x 14"	SS
128431	7" x 10"	PL
128434	10" x 14"	PL
128430	7" x 10"	AL
128433	10" x 14"	AL



128438	7" x 10"	SS
128441	10" x 14"	SS
128437	7" x 10"	PL
128440	10" x 14"	PL
128436	7" x 10"	AL
128439	10" x 14"	AL



22823	7" x 10"	PL
22824	10" x 14"	PL
42346	7" x 10"	AL



69143	10" x 14"	FB
85686	7" x 10"	SS
85687	10" x 14"	SS
22825	7" x 10"	PL




69282	10" x 14"	FB
85692	7" x 10"	SS
22828	7" x 10"	PL
22829	10" x 14"	PL



69364	10" x 14"	FB
85690	7" x 10"	SS
85691	10" x 14"	SS
22827	7" x 10"	PL
42350	7" x 10"	AL



128192	7" x 10"	SS
128195	10" x 14"	SS
128191	7" x 10"	PL
128194	10" x 14"	PL
128190	7" x 10"	AL
128193	10" x 14"	AL



128198	7" x 10"	SS
128201	10" x 14"	SS
128197	7" x 10"	PL
128200	10" x 14"	PL
128196	7" x 10"	AL
128199	10" x 14"	AL



128204	7" x 10"	SS
128207	10" x 14"	SS
128203	7" x 10"	PL
128206	10" x 14"	PL
128202	7" x 10"	AL
128205	10" x 14"	AL



128222	7" x 10"	SS
128225	10" x 14"	SS
128221	7" x 10"	PL
128224	10" x 14"	PL
128220	7" x 10"	AL
128223	10" x 14"	AL



128210	7" x 10"	SS
128213	10" x 14"	SS
128209	7" x 10"	PL
128212	10" x 14"	PL
128208	7" x 10"	AL
128211	10" x 14"	AL



47116	14" x 10"	FB
85694	10" x 7"	SS
42353	10" x 7"	AL
42354	14" x 10"	AL



69044	10" x 14"	FB
85696	7" x 10"	SS
85697	10" x 14"	SS
22832	7" x 10"	PL



85703	10" x 14"	SS
22833	7" x 10"	PL
42356	7" x 10"	AL



128228	7" x 10"	SS
128231	10" x 14"	SS
128227	7" x 10"	PL
128230	10" x 14"	PL
128226	7" x 10"	AL
128229	10" x 14"	AL



128234	10" x 7"	SS
128237	14" x 10"	SS
128233	10" x 7"	PL
128236	14" x 10"	PL
128232	10" x 7"	AL
128235	14" x 10"	AL

BradyID.com/s36

Maintenance Signs (continued)



128240	7" x 10"	SS
128243	10" x 14"	SS
128239	7" x 10"	PL
128242	10" x 14"	PL
128238	7" x 10"	AL
128241	10" x 14"	AL



85706	7" x 10"	SS
85707	10" x 14"	SS
22834	7" x 10"	PL
42357	7" x 10"	AL



72655	14" x 20"	FB
85708	7" x 10"	SS
85709	10" x 14"	SS
22835	7" x 10"	PL
22836	10" x 14"	PL



128246	7" x 10"	SS
128249	10" x 14"	SS
128245	7" x 10"	PL
128248	10" x 14"	PL
128244	7" x 10"	AL
128247	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



128252	7" x 10"	SS
128255	10" x 14"	SS
128251	7" x 10"	PL
128254	10" x 14"	PL
128250	7" x 10"	AL
128253	10" x 14"	AL



128258	10" x 7"	SS
128261	14" x 10"	SS
128257	10" x 7"	PL
128260	14" x 10"	PL
128256	10" x 7"	AL
128259	14" x 10"	AL



128264	7" x 10"	SS
128267	10" x 14"	SS
128263	7" x 10"	PL
128266	10" x 14"	PL
128262	7" x 10"	AL
128265	10" x 14"	AL



70378	7" x 10"	FB
85717	10" x 14"	SS
22839	7" x 10"	PL
42362	7" x 10"	AL



128270	7" x 10"	SS
128273	10" x 14"	SS
128269	7" x 10"	PL
128272	10" x 14"	PL
128268	7" x 10"	AL
128271	10" x 14"	AL



72752	7" x 10"	FB
22840	7" x 10"	PL
22841	10" x 14"	PL
42363	7" x 10"	AL



128276	7" x 10"	SS
128279	10" x 14"	SS
128275	7" x 10"	PL
128278	10" x 14"	PL
128274	7" x 10"	AL
128277	10" x 14"	AL



72800	7" x 10"	FB
122721	10" x 14"	FB
85720	7" x 10"	SS
85721	10" x 14"	SS
22842	7" x 10"	PL
122474	10" x 14"	PL
42365	7" x 10"	AL
122350	10" x 14"	AL



85722	3.5" x 10"	SS



128282	7" x 10"	SS
128285	10" x 14"	SS
128281	7" x 10"	PL
128284	10" x 14"	PL
128280	7" x 10"	AL
128283	10" x 14"	AL



122860	7" x 10"	FB
70436	10" x 14"	FB
85723	7" x 10"	SS
85724	10" x 14"	SS
22843	7" x 10"	PL
22844	10" x 14"	PL
122417	7" x 10"	AL
42367	10" x 14"	AL



22845	7" x 10"	PL
22846	10" x 14"	PL
42368	7" x 10"	AL
42369	10" x 14"	AL



73419	7" x 10"	FB
85730	10" x 14"	SS
22847	7" x 10"	PL



85733	7" x 10"	SS
22849	7" x 10"	PL
22850	10" x 14"	PL
42372	7" x 10"	AL
42373	10" x 14"	AL



128294	7" x 10"	SS
128297	10" x 14"	SS
128293	7" x 10"	PL
128296	10" x 14"	PL
128292	7" x 10"	AL
128295	10" x 14"	AL




128300	7" x 10"	SS
128303	10" x 14"	SS
128299	7" x 10"	PL
128302	10" x 14"	PL
128298	7" x 10"	AL
128301	10" x 14"	AL



128306	7" x 10"	SS
128309	10" x 14"	SS
128305	7" x 10"	PL
128308	10" x 14"	PL
128304	7" x 10"	AL
128307	10" x 14"	AL



69444	10" x 14"	FB
85737	7" x 10"	SS
85738	10" x 14"	SS
22851	7" x 10"	PL
22852	10" x 14"	PL
42375	10" x 14"	AL



85741	7" x 10"	SS
22853	7" x 10"	PL
22854	10" x 14"	PL



85745	7" x 10"	SS
85746	10" x 14"	SS



72949	10" x 14"	FB
22855	7" x 10"	PL
22856	10" x 14"	PL
42378	7" x 10"	AL



85750	7" x 10"	SS
85751	10" x 14"	SS
22857	7" x 10"	PL
42380	7" x 10"	AL



85752	7" x 10"	SS
85753	10" x 14"	SS
22858	7" x 10"	PL
42381	7" x 10"	AL



128336	7" x 10"	SS
128339	10" x 14"	SS
128335	7" x 10"	PL
128338	10" x 14"	PL
128334	7" x 10"	AL
128337	10" x 14"	AL



128318	10" x 7"	SS
128321	14" x 10"	SS
128317	10" x 7"	PL
128320	14" x 10"	PL
128316	10" x 7"	AL
128319	14" x 10"	AL

Black on white

128318	10" x 7"	SS

No Cellular Phones Signs

Brady signs communicate the prohibited use of cell phones and two-way radios where the radio frequency, noise or distraction is a concern, including blasting areas, quiet rooms, hospitals and other sensitive areas.





95501	10" x 14"	PL



95500	10" x 14"	PL



95499	10" x 14"	PL



95498	10" x 14"	PL



132039	7" x 10"	FB
132040	10" x 14"	FB
132037	7" x 10"	SS
132038	10" x 14"	SS
132036	7" x 10"	PL
132034	7" x 10"	AL
132035	10" x 14"	AL



122877	7" x 10"	FB
122738	10" x 14"	FB
122673	7" x 10"	SS
122596	10" x 14"	SS
122542	7" x 10"	PL
95503	10" x 14"	PL
95410	14" x 10"	PL
122433	7" x 10"	AL
122365	10" x 14"	AL



122878	7" x 10"	FB
122739	10" x 14"	FB
122674	7" x 10"	SS
122597	10" x 14"	SS
122543	7" x 10"	PL
95502	10" x 14"	PL
122434	7" x 10"	AL
122366	10" x 14"	AL



132032	7" x 10"	FB
132033	10" x 14"	FB
132030	7" x 10"	SS
132031	10" x 14"	SS
132029	7" x 10"	PL
132027	7" x 10"	AL
132028	10" x 14"	AL
122366	10" x 14"	AL

No Firearms / Concealed Carry Signs

Concealed Carry signs help indicate weapon policies within private businesses and public facilities. Establishments such as restaurants, bars, certain government buildings and more can post signs to prohibit guns in their buildings.







84908	10" x 14"	SS
23092	10" x 14"	PL
84907	10" x 14"	AL



122868	7" x 10"	FB
70632	10" x 14"	FB
80037	7" x 10"	SS
122622	10" x 14"	SS
25977	7" x 10"	PL
25978	10" x 14"	PL
122459	7" x 10"	AL
43906	10" x 14"	AL



123550	14" x 10"	SS
123547	10" x 7"	SS
123549	14" x 10"	PL
123546	10" x 7"	PL
123548	14" x 10"	AL
123545	10" x 7"	AL



123544	14" x 10"	SS
123541	10" x 7"	SS
123543	14" x 10"	PL
123540	10" x 7"	PL
123542	14" x 10"	AL
123539	10" x 7"	AL



141797	12" x 18"	AL




Illinois Gun Law Sign

139798	4" x 6"	B-595
139797	5" x 7"	PL



Nebraska Gun Law Sign

104061	10" x 7"	SS
104064	14" x 10"	PL



Texas Gun Law Sign

148137	20" x 28"	SS
148139	14" x 10"	AL

No Smoking / Smoking Area Signs

Brady smoking signs communicate to employees and visitors areas where smoking is prohibited or where designated smoking areas are located. Brady has signs in various sizes and materials for indoor and outdoor use.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



128108	7" x 10"	SS
128111	10" x 14"	SS
128107	7" x 10"	PL
128110	10" x 14"	PL
128106	7" x 10"	AL
128109	10" x 14"	AL



72285	14" x 20"	FB
88345	7" x 10"	SS
88346	10" x 14"	SS
25060	7" x 10"	PL
25061	10" x 14"	PL
42637	7" x 10"	AL
42638	10" x 14"	AL



72072	14" x 20"	FB
88347	7" x 10"	SS
88348	10" x 14"	SS
25062	7" x 10"	PL
25063	10" x 14"	PL
42639	7" x 10"	AL
42640	10" x 14"	AL



128102	7" x 10"	SS
128105	10" x 14"	SS
128101	7" x 10"	PL
128104	10" x 14"	PL
128100	7" x 10"	AL
128103	10" x 14"	AL



88351	7" x 10"	SS
88352	10" x 14"	SS
25064	7" x 10"	PL
25065	10" x 14"	PL
42641	7" x 10"	AL
42642	10" x 14"	AL



128132	7" x 10"	SS
128135	10" x 14"	SS
128131	7" x 10"	PL
128134	10" x 14"	PL
128130	7" x 10"	AL
128133	10" x 14"	AL



128120	7" x 10"	SS
128123	10" x 14"	SS
128119	7" x 10"	PL
128122	10" x 14"	PL
128118	7" x 10"	AL
128121	10" x 14"	AL



128138	7" x 10"	SS
128141	10" x 14"	SS
128137	7" x 10"	PL
128140	10" x 14"	PL
128136	7" x 10"	AL
128139	10" x 14"	AL



128126	7" x 10"	SS
128129	10" x 14"	SS
128125	7" x 10"	PL
128128	10" x 14"	PL
128124	7" x 10"	AL
128127	10" x 14"	AL



73437	10" x 14"	FB
85189	7" x 10"	SS
85190	10" x 14"	SS
25672	7" x 10"	PL
25673	10" x 14"	PL
43249	7" x 10"	AL
43250	10" x 14"	AL



88363	10" x 7"	SS
88364	14" x 10"	SS
25073	14" x 10"	PL
42649	10" x 7"	AL
42650	14" x 10"	AL



47171	7" x 10"	FB
47010	10" x 14"	FB
88369	3.5" x 5"	SS
88370	7" x 10"	SS
88371	10" x 14"	SS
25076	7" x 10"	PL
25077	10" x 14"	PL
42653	7" x 10"	AL
42654	10" x 14"	AL



44545	6" x 6"	B-447



132003	7" x 10"	FB
132004	10" x 14"	FB
132001	7" x 10"	SS
132002	10" x 14"	SS
132000	7" x 10"	PL
25912	10" x 14"	PL
131999	7" x 10"	AL
43489	10" x 14"	AL



95269	7" x 17"	FB



73416	7" x 17"	FB



72083	14" x 20"	FB
88374	7" x 10"	SS
88375	10" x 14"	SS
25078	7" x 10"	PL
25079	10" x 14"	PL
42655	7" x 10"	AL
42656	10" x 14"	AL



70452	7" x 17"	FB

Regulations

No Smoking
1910.106(e)(6)(i)
Adequate precautions shall be taken to prevent the ignition of flammable vapors. Sources of ignition include but are not limited to open flames; lightning; smoking…

Battery Charging Area
1910.178(g)(1)
Battery charging installations shall be located in areas designated for that purpose.

Hydrogen Marking
1910.103(b)(1)(v)
Hydrogen storage location shall be permanently placarded as follows: "HYDROGEN - FLAMMABLE GAS - NO SMOKING - NO OPEN FLAMES," or equivalent.

No Smoking, No Open Flames
1910.106(d)(7)(iii)
Open flames and smoking shall not be permitted in flammable liquid storage areas.

No Smoking Signs (continued)





143471	7" x 10"	SS
143472	10" x 14"	SS
143469	7" x 10"	PL
143470	10" x 14"	PL
143467	7" x 10"	AL
143468	10" x 14"	AL



131785	7" x 10"	FB
131786	10" x 14"	FB
131783	7" x 10"	SS
131784	10" x 14"	SS
131781	7" x 10"	PL
131782	10" x 14"	PL
131779	7" x 10"	AL
131780	10" x 14"	AL



143477	7" x 10"	SS
143478	10" x 14"	SS
143475	7" x 10"	PL
143476	10" x 14"	PL
143473	7" x 10"	AL
143474	10" x 14"	AL



128144	7" x 10"	SS
128147	10" x 14"	SS
128143	7" x 10"	PL
128146	10" x 14"	PL
128142	7" x 10"	AL
128145	10" x 14"	AL



122817	7" x 10"	FB
47203	10" x 14"	FB
75670	14" x 20"	FB
88376	7" x 10"	SS
88377	10" x 14"	SS
25080	7" x 10"	PL
25081	10" x 14"	PL
42657	7" x 10"	AL
42658	10" x 14"	AL
95154	10" x 14"	Reflective



131737	7" x 10"	FB
131738	10" x 14"	FB
131735	7" x 10"	SS
131736	10" x 14"	SS
131733	7" x 10"	PL
131734	10" x 14"	PL
131731	7" x 10"	AL
131732	10" x 14"	AL



122818	7" x 10"	FB
72118	10" x 14"	FB
87796	3.5" x 5"	SS
88378	7" x 10"	SS
88379	10" x 14"	SS
25082	7" x 10"	PL
25083	10" x 14"	PL
42659	7" x 10"	AL
42660	10" x 14"	AL



43504	10" x 14"	AL



143494	10" x 14"	FB
143491	14" x 20"	FB
143493	7" x 10"	SS
143496	10" x 14"	SS
143495	10" x 14"	PL
143492	7" x 10"	AL
143497	10" x 14"	AL



72133	14" x 20"	FB
88380	7" x 10"	SS
88381	10" x 14"	SS
25084	7" x 10"	PL
25085	10" x 14"	PL
42661	7" x 10"	AL
42662	10" x 14"	AL



73466	10" x 14"	FB
88382	7" x 10"	SS
88383	10" x 14"	SS
25086	7" x 10"	PL
25087	10" x 14"	PL
42663	7" x 10"	AL
42664	10" x 14"	AL



128150	7" x 10"	SS
128153	10" x 14"	SS
128149	7" x 10"	PL
128152	10" x 14"	PL
128148	7" x 10"	AL
128151	10" x 14"	AL



143483	7" x 10"	SS
143484	10" x 14"	SS
143481	7" x 10"	PL
143482	10" x 14"	PL
143479	7" x 10"	AL
143480	10" x 14"	AL



143489	7" x 10"	SS
143490	10" x 14"	SS
143487	7" x 10"	PL
143488	10" x 14"	PL
143485	7" x 10"	AL
143486	10" x 14"	AL



128156	7" x 10"	SS
128159	10" x 14"	SS
128155	7" x 10"	PL
128158	10" x 14"	PL
128154	7" x 10"	AL
128157	10" x 14"	AL



88384	7" x 10"	SS
25088	7" x 10"	PL
25089	10" x 14"	PL
42665	7" x 10"	AL
42666	10" x 14"	AL



70509	7" x 17"	FB



72342	10" x 14"	FB
88449	7" x 10"	SS
88450	10" x 14"	SS
25132	7" x 10"	PL
25133	10" x 14"	PL
42710	10" x 14"	AL



88386	7" x 10"	SS
88387	10" x 14"	SS
25090	7" x 10"	PL
25091	10" x 14"	PL
42667	7" x 10"	AL



128162	7" x 10"	SS
128165	10" x 14"	SS
128161	7" x 10"	PL
128164	10" x 14"	PL
128160	7" x 10"	AL
128163	10" x 14"	AL



88388	7" x 10"	SS
88389	10" x 14"	SS
25092	7" x 10"	PL
25093	10" x 14"	PL
42669	7" x 10"	AL
42670	10" x 14"	AL



128168	7" x 10"	SS
128171	10" x 14"	SS
128167	7" x 10"	PL
128170	10" x 14"	PL
128166	7" x 10"	AL
128169	10" x 14"	AL



73427	10" x 14"	FB
84177	7" x 10"	SS
84178	10" x 14"	SS
22179	7" x 10"	PL
22180	10" x 14"	PL
40744	10" x 14"	AL



88394	7" x 10"	SS
25097	10" x 14"	PL
42674	10" x 14"	AL



69568	10" x 14"	FB
88396	7" x 10"	SS
88397	10" x 14"	SS
25098	7" x 10"	PL
25099	10" x 14"	PL
42675	7" x 10"	AL
42676	10" x 14"	AL



69599	10" x 14"	FB
88400	7" x 10"	SS
88401	10" x 14"	SS
25100	7" x 10"	PL
25101	10" x 14"	PL
42677	7" x 10"	AL
42678	10" x 14"	AL



69601	10" x 14"	FB
88402	7" x 10"	SS
88403	10" x 14"	SS
25102	7" x 10"	PL
25103	10" x 14"	PL
42679	7" x 10"	AL
42680	10" x 14"	AL

No Smoking Signs

BradyID.com/s36

No Smoking Signs (continued)



128174	7" x 10"	SS
128177	10" x 14"	SS
128173	7" x 10"	PL
128176	10" x 14"	PL
128172	7" x 10"	AL
128175	10" x 14"	AL



128186	7" x 10"	SS
128189	10" x 14"	SS
128185	7" x 10"	PL
128188	10" x 14"	PL
128184	7" x 10"	AL
128187	10" x 14"	AL



69600	10" x 14"	FB
88404	7" x 10"	SS
88405	10" x 14"	SS
25104	7" x 10"	PL
25105	10" x 14"	PL
42681	7" x 10"	AL
42682	10" x 14"	AL



128180	7" x 10"	SS
128183	10" x 14"	SS
128179	7" x 10"	PL
128182	10" x 14"	PL
128178	7" x 10"	AL
128181	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



69792	7" x 7"	FB
88520	7" x 7"	SS
25182	7" x 10"	PL
42759	7" x 10"	AL



88410	3.5" x 10"	SS



127976	7" x 10"	SS
127979	10" x 14"	SS
127975	7" x 10"	PL
127978	10" x 14"	PL
127974	7" x 10"	AL
127977	10" x 14"	AL



127970	7" x 10"	SS
127973	10" x 14"	SS
127969	7" x 10"	PL
127972	10" x 14"	PL
127968	7" x 10"	AL
127971	10" x 14"	AL



127982	7" x 10"	SS
127985	10" x 14"	SS
127981	7" x 10"	PL
127984	10" x 14"	PL
127980	7" x 10"	AL
127983	10" x 14"	AL



72255	14" x 20"	FB
88413	14" x 20"	SS
88414	10" x 14"	SS
25109	7" x 10"	PL
42686	7" x 10"	AL



87677	14" x 10"	FB



72009	5" x 14"	FB
88421	3.5" x 10"	SS
88422	5" x 14"	SS
25114	7" x 10"	PL
42691	7" x 10"	AL



88423	7" x 10"	SS
88424	10" x 14"	SS
25115	7" x 10"	PL
25116	10" x 14"	PL
42692	7" x 10"	AL
42693	10" x 14"	AL



80248	7" x 10"	BGSS
80249	10" x 14"	BGSS
85482	7" x 10"	BGPL



72022	7" x 10"	FB
72024	10" x 14"	FB
89176	3.5" x 5"	SS
89154	5" x 14"	SS
88425	7" x 10"	SS
88426	10" x 14"	SS
25117	7" x 10"	PL
25118	10" x 14"	PL
42694	7" x 10"	AL
42695	10" x 14"	AL



72040	5" x 14"	FB
88418	5" x 14"	SS
25110	7" x 10"	PL
42687	7" x 10"	AL



141944	10" x 14"	FB
141949	14" x 20"	FB
141945	10" x 14"	SS
141950	14" x 20"	SS
141948	10" x 14"	PL
141953	14" x 20"	PL
141946	10" x 14"	AL
141951	14" x 20"	AL
141947	10" x 14"	SSV
141952	14" x 20"	SSV



51553	10" x 14"	SS
51554	10" x 14"	PL

Package includes 6 identical signs.



73487	10" x 14"	FB
88443	7" x 10"	SS
88444	10" x 14"	SS



72293	10" x 7"	FB
73486	14" x 10"	FB
72295	20" x 14"	FB
87795	3.5" x 5"	SS
88427	10" x 7"	SS
88428	14" x 10"	SS
25119	10" x 7"	PL
25120	14" x 10"	PL
42696	10" x 7"	AL
42697	14" x 10"	AL



72049	14" x 20"	FB
88429	7" x 10"	SS
88430	10" x 14"	SS
25121	7" x 10"	PL
42698	7" x 10"	AL



70450	14" x 20"	FB
88432	10" x 14"	SS
25122	7" x 10"	PL
42699	7" x 10"	AL

No Smoking Signs (continued)



141939	10" x 7"	FB
141940	10" x 7"	PL
141943	10" x 7"	PL
141941	10" x 7"	AL
141942	10" x 7"	SSV



141919	10" x 14"	FB
141920	10" x 14"	PL
141923	10" x 14"	PL
141921	10" x 14"	AL
141922	10" x 14"	SSV



72055	5" x 14"	FB
88433	3.5" x 10"	SS
88434	5" x 14"	SS



25123	7" x 10"	PL
25884	10" x 14"	PL
42700	7" x 10"	AL
43461	10" x 14"	AL



88435	7" x 10"	SS
88436	10" x 14"	SS
25124	7" x 10"	PL
42701	7" x 10"	AL



141924	10" x 7"	FB
141925	10" x 7"	PL
141928	10" x 7"	PL
141926	10" x 7"	AL
141928	10" x 7"	SSV



46993	10" x 14"	FB
88437	7" x 10"	SS
88438	10" x 14"	SS
42702	7" x 10"	AL



128006	10" x 7"	SS
128009	14" x 10"	SS
128005	10" x 7"	PL
128008	14" x 10"	PL
128004	10" x 7"	AL
128007	14" x 10"	AL



72091	14" x 20"	FB
88439	7" x 10"	SS
88440	10" x 14"	SS
25126	7" x 10"	PL
42703	7" x 10"	AL



128000	10" x 7"	SS
128003	14" x 10"	SS
127999	10" x 7"	PL
128002	14" x 10"	PL
127998	10" x 7"	AL
128001	14" x 10"	AL



128036	7" x 10"	SS
128039	10" x 14"	SS
128035	7" x 10"	PL
128038	10" x 14"	PL
128034	7" x 10"	AL
128037	10" x 14"	AL



141964	10" x 14"	FB
141969	14" x 20"	FB
141965	10" x 14"	SS
141970	14" x 20"	SS
141968	10" x 14"	PL
141973	14" x 20"	PL
141966	10" x 14"	AL
141971	14" x 20"	AL
141967	10" x 14"	SSV
141972	14" x 20"	SSV



141954	10" x 14"	FB
141955	10" x 14"	SS
141957	10" x 14"	PL
141956	10" x 14"	AL
141958	10" x 14"	SSV



72097	14" x 20"	FB
88441	7" x 10"	SS
88442	10" x 14"	SS
25127	7" x 10"	PL
42704	7" x 10"	AL



47172	7" x 10"	FB
88445	7" x 10"	SS
88446	7" x 10"	SS
88447	10" x 14"	SS
25130	10" x 14"	PL
42706	7" x 10"	AL
42707	10" x 14"	AL



141959	10" x 7"	FB
141960	10" x 7"	PL
141963	10" x 7"	PL
141961	10" x 7"	AL
141962	10" x 7"	SSV



123893	10" x 7"	SS
123896	14" x 10"	SS
123892	10" x 7"	PL
123895	14" x 10"	PL
123891	10" x 7"	AL
123894	14" x 10"	AL



128012	10" x 7"	SS
128015	14" x 10"	SS
128011	10" x 7"	PL
128014	14" x 10"	PL
128010	10" x 7"	AL
128013	14" x 10"	AL



128024	7" x 10"	SS
128027	10" x 14"	SS
128023	7" x 10"	PL
128026	10" x 14"	PL
128022	7" x 10"	AL
128025	10" x 14"	AL



123941	10" x 7"	SS
123944	14" x 10"	SS
123940	10" x 7"	PL
123943	14" x 10"	PL
123939	10" x 7"	AL
123942	14" x 10"	AL



88448	5" x 14"	SS



25131	7" x 10"	PL
42708	7" x 10"	AL



128030	7" x 10"	SS
128033	10" x 14"	SS
128029	7" x 10"	PL
128032	10" x 14"	PL
128028	7" x 10"	AL
128031	10" x 14"	AL



122795	7" x 10"	FB
72148	10" x 14"	FB
88451	7" x 10"	SS
87797	3.5" x 5"	SS
88452	10" x 14"	SS
25134	7" x 10"	PL
25135	10" x 14"	PL
42711	7" x 10"	AL
42712	10" x 14"	AL

No Smoking Signs

BradyID.com/s36

No Smoking Signs (continued)



128042	7" x 10"	SS
128045	10" x 14"	SS
128041	7" x 10"	PL
128044	10" x 14"	PL
128040	7" x 10"	AL
128043	10" x 14"	AL



128018	10" x 7"	SS
128021	14" x 10"	SS
128017	10" x 7"	PL
128020	14" x 10"	PL
128016	10" x 7"	AL
128019	14" x 10"	AL



110977	10" x 7"	FB
110976	14" x 10"	FB
110978	10" x 7"	SS
110979	14" x 10"	SS
110975	10" x 7"	PL
110973	10" x 7"	AL
110972	14" x 10"	AL



122703	10" x 14"	FB
72155	14" x 20"	FB
88453	7" x 10"	SS
88454	7" x 10"	SS
25136	7" x 10"	PL
25137	10" x 14"	PL
42713	7" x 10"	AL
42714	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



123917	7" x 10"	SS
123920	10" x 14"	SS
123916	7" x 10"	PL
123919	10" x 14"	PL
123915	7" x 10"	AL
123918	10" x 14"	AL



128048	7" x 10"	SS
128051	10" x 14"	SS
128047	7" x 10"	PL
128050	10" x 14"	PL
128046	7" x 10"	AL
128049	10" x 14"	AL



124642	10" x 3.5"	SS
124641	10" x 3.5"	PL
124640	10" x 3.5"	AL



128054	10" x 7"	SS
128057	14" x 10"	SS
128053	10" x 7"	PL
128056	14" x 10"	PL
128052	10" x 7"	AL
128055	14" x 10"	AL



75972	7" x 10"	FB
75973	10" x 14"	FB
88457	7" x 10"	SS
88458	10" x 14"	SS
25139	7" x 10"	PL
25140	10" x 14"	PL
42716	7" x 10"	AL
42717	10" x 14"	AL



128072	7" x 10"	SS
128075	10" x 14"	SS
128071	7" x 10"	PL
128074	10" x 14"	PL
128070	7" x 10"	AL
128073	10" x 14"	AL



70730	10" x 14"	FB



123049	7" x 5"	SS
123053	10" x 7"	SS
123050	7" x 5"	PL
123054	10" x 7"	PL
123051	7" x 5"	AL
123055	10" x 7"	AL
123048	7" x 5"	SSV
123052	10" x 7"	SSV



122796	7" x 10"	FB
72176	10" x 14"	FB
88467	7" x 10"	SS
88468	10" x 14"	SS
25144	7" x 10"	PL
122468	10" x 14"	PL
42721	7" x 10"	AL
122342	10" x 14"	AL



128060	10" x 7"	SS
128063	14" x 10"	SS
128059	10" x 7"	PL
128062	14" x 10"	PL
128058	10" x 7"	AL
128061	14" x 10"	AL



123899	10" x 7"	SS
123902	14" x 10"	SS
123898	10" x 7"	PL
123901	14" x 10"	PL
123897	10" x 7"	AL
123900	14" x 10"	AL



72296	10" x 7"	FB
72297	14" x 10"	FB
72298	20" x 14"	FB
88469	10" x 7"	SS
88470	14" x 10"	SS
25145	10" x 7"	PL
42722	10" x 7"	AL
42723	14" x 10"	AL



128078	7" x 10"	SS
128081	10" x 14"	SS
128077	7" x 10"	PL
128080	10" x 14"	PL
128076	7" x 10"	AL
128079	10" x 14"	AL



123905	10" x 7"	SS
123908	14" x 10"	SS
123904	10" x 7"	PL
123907	14" x 10"	PL
123903	10" x 7"	AL
123906	14" x 10"	AL



128084	7" x 10"	SS
128087	10" x 14"	SS
128083	7" x 10"	PL
128086	10" x 14"	PL
128082	7" x 10"	AL
128085	10" x 14"	AL



87691	10" x 14"	FB
87684	7" x 10"	SS
87685	10" x 14"	SS
87687	10" x 14"	PL
87688	7" x 10"	AL
87689	10" x 14"	AL



72341	10" x 14"	FB
72343	7" x 10"	SS
72344	10" x 14"	SS
72347	7" x 10"	PL
72348	10" x 14"	PL
72345	7" x 10"	AL
72346	10" x 14"	AL



141929	10" x 14"	FB
141934	14" x 20"	FB
141930	10" x 14"	SS
141935	14" x 20"	SS
141933	10" x 14"	PL
141938	14" x 20"	PL
141931	10" x 14"	AL
141936	14" x 20"	AL
141932	10" x 14"	SSV
141937	14" x 20"	SSV

No Smoking Signs (continued)



128090	7" x 10"	SS
128093	10" x 14"	SS
128089	7" x 10"	PL
128092	10" x 14"	PL
128088	7" x 10"	AL
128091	10" x 14"	AL



123923	10" x 7"	SS
123926	14" x 10"	SS
123922	10" x 7"	PL
123925	14" x 10"	PL
123921	10" x 7"	AL
123924	14" x 10"	AL



123911	7" x 10"	SS
123914	10" x 14"	SS
123910	7" x 10"	PL
123913	10" x 14"	PL
123909	7" x 10"	AL
123912	10" x 14"	AL



123929	7" x 10"	SS
123932	10" x 14"	SS
123928	7" x 10"	PL
123931	10" x 14"	PL
123927	7" x 10"	AL
123930	10" x 14"	AL



72349	7" x 10"	FB
72355	7" x 10"	SS
72395	10" x 14"	SS
72398	7" x 10"	PL
72399	10" x 14"	PL
72396	7" x 10"	AL
72397	10" x 14"	AL



128096	7" x 10"	SS
128099	10" x 14"	SS
128095	7" x 10"	PL
128098	10" x 14"	PL
128094	7" x 10"	AL
128097	10" x 14"	AL



123935	10" x 7"	SS
123938	14" x 10"	SS
123934	10" x 7"	PL
123937	14" x 10"	PL
123933	10" x 7"	AL
123936	14" x 10"	AL



128114	10" x 7"	SS
128117	14" x 10"	SS
128113	10" x 7"	PL
128116	14" x 10"	PL
128112	10" x 7"	AL
128115	14" x 10"	AL



Design custom smoking area signs online

BradyID.com/customsigns

Designated Smoking Areas



132011	7" x 10"	FB
132012	10" x 14"	FB
132009	7" x 10"	SS
132010	10" x 14"	SS
132007	7" x 10"	PL
132008	10" x 14"	PL
132005	7" x 10"	AL
132006	10" x 14"	AL



72328	7" x 10"	FB
72329	10" x 14"	FB
88392	7" x 10"	SS
88393	10" x 14"	SS
25094	7" x 10"	PL
25095	10" x 14"	PL
42671	7" x 10"	AL
42672	10" x 14"	AL



143465	7" x 10"	SS
143466	10" x 14"	SS
143463	7" x 10"	PL
143464	10" x 14"	PL
143461	7" x 10"	AL
143462	10" x 14"	AL



46872	3.5" x 10"	AL



122906	7" x 10"	FB
46990	10" x 14"	FB
88411	7" x 10"	SS
88412	10" x 14"	SS
25108	7" x 10"	PL
122496	10" x 14"	PL
42685	7" x 10"	AL
122384	10" x 14"	AL



103845	10" x 14"	PL



103844	10" x 14"	PL



127994	10" x 7"	SS
127997	14" x 10"	SS
127993	10" x 7"	PL
127996	14" x 10"	PL
127992	10" x 7"	AL
127995	14" x 10"	AL



127988	7" x 10"	SS
127991	10" x 14"	SS
127987	7" x 10"	PL
127990	10" x 14"	PL
127986	7" x 10"	AL
127989	10" x 14"	AL



128066	10" x 7"	SS
128069	14" x 10"	SS
128065	10" x 7"	PL
128068	14" x 10"	PL
128064	10" x 7"	AL
128067	14" x 10"	AL



122797	7" x 10"	FB
72336	10" x 14"	FB
88471	7" x 10"	SS
88472	10" x 14"	SS
25147	7" x 10"	PL
25148	10" x 14"	PL
42724	7" x 10"	AL
42725	10" x 14"	AL

Personal Hygiene Signs

Brady personal hygiene signs remind and encourage employees to use appropriate sanitary methods such as hand washing and use of hair nets before returning to work.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



30705	10" x 14"	SS
30707	10" x 14"	PL



47579	10" x 14"	PL



128456	10" x 7"	SS
128459	14" x 10"	SS
128455	10" x 7"	PL
128458	14" x 10"	PL
128454	10" x 7"	AL
128457	14" x 10"	AL



122789	7" x 10"	FB
73474	10" x 14"	FB
88475	7" x 10"	SS
88476	10" x 14"	SS
25149	7" x 10"	PL
25150	10" x 14"	PL
42726	7" x 10"	AL
42727	10" x 14"	AL



72988	14" x 20"	FB
88477	7" x 10"	SS
88478	10" x 14"	SS
25151	7" x 10"	PL
25152	10" x 14"	PL
42728	7" x 10"	AL
42729	10" x 14"	AL



88479	7" x 10"	SS
88480	10" x 14"	SS
25153	7" x 10"	PL
25154	10" x 14"	PL
42730	7" x 10"	AL
42731	10" x 14"	AL



69567	10" x 14"	FB
88485	7" x 10"	SS
88486	10" x 14"	SS
25155	7" x 10"	PL
25156	10" x 14"	PL
42732	7" x 10"	AL
42733	10" x 14"	AL



128450	10" x 7"	SS
128453	14" x 10"	SS
128449	10" x 7"	PL
128452	14" x 10"	PL
128448	10" x 7"	AL
128451	14" x 10"	AL



87732	10" x 14"	FB
30911	10" x 14"	SS
30913	10" x 14"	PL
30914	10" x 14"	AL



47636	10" x 7"	SS
47638	10" x 7"	PL
47639	10" x 7"	AL



47587	10" x 14"	SS
57079	10" x 14"	AL



47593	10" x 14"	SS
47595	10" x 14"	PL



47606	10" x 14"	SS
47612	10" x 14"	PL



128312	10" x 7"	SS
128315	14" x 10"	SS
128311	10" x 7"	PL
128314	14" x 10"	PL
128310	10" x 7"	AL
128313	14" x 10"	AL



128330	7" x 10"	SS
128333	10" x 14"	SS
128329	7" x 10"	PL
128332	10" x 14"	PL
128328	7" x 10"	AL
128331	10" x 14"	AL



87738	10" x 14"	FB
57084	10" x 14"	SS
47632	10" x 14"	PL



31218	10" x 14"	PL
31219	10" x 14"	AL



88682	7" x 10"	SS
88683	10" x 14"	SS
25250	7" x 10"	PL
25251	10" x 14"	PL
42828	10" x 14"	AL



128384	7" x 10"	SS
128387	10" x 14"	SS
128383	7" x 10"	PL
128386	10" x 14"	PL
128382	7" x 10"	AL
128385	10" x 14"	AL



47649	10" x 7"	SS
47651	10" x 7"	PL
47652	10" x 7"	AL

Personal Protection Signs

Brady's full line of personal protection signs remind employees and floor workers about areas that require a hardhat, ear protection, face shield, eye protection or other garment. Brady personal protection signs are a strong and noticeable reminder for your employees to maintain a safe work atmosphere.



22575	7" x 10"	PL
22576	10" x 14"	PL



129032	7" x 10"	SS
129035	10" x 14"	SS
129031	7" x 10"	PL
129034	10" x 14"	PL
129030	7" x 10"	AL
129033	10" x 14"	AL



124225	10" x 7"	SS
124228	14" x 10"	SS
124224	10" x 7"	PL
124227	14" x 10"	PL
124223	10" x 7"	AL
124226	14" x 10"	AL



129038	7" x 10"	SS
129041	10" x 14"	SS
129037	7" x 10"	PL
129040	10" x 14"	PL
129036	7" x 10"	AL
129039	10" x 14"	AL



131949	7" x 10"	FB
131950	10" x 14"	FB
131947	7" x 10"	SS
131948	10" x 14"	SS
131945	7" x 10"	PL
131946	10" x 14"	PL
131943	7" x 10"	AL
131944	10" X 14"	AL



128516	7" x 10"	SS
128519	10" x 14"	SS
128515	7" x 10"	PL
128518	10" x 14"	PL
128514	7" x 10"	AL
128517	10" x 14"	AL



69041	10" x 14"	FB
84971	7" x 10"	SS
84972	10" x 14"	SS
22577	7" x 10"	PL
22578	10" x 14"	PL
41141	7" x 10"	AL
41142	10" x 14"	AL



131941	7" x 10"	FB
131942	10" x 14"	FB
131939	7" x 10"	SS
131940	10" x 14"	SS
131937	7" x 10"	PL
131938	10" x 14"	PL
131935	7" x 10"	AL
131936	10" x 14"	AL



47056	7" x 10"	FB
47094	10" x 14"	FB
84973	7" x 10"	SS
22579	7" x 10"	PL
22580	10" x 14"	PL
41143	7" x 10"	AL



47059	7" x 10"	FB
84975	7" x 10"	SS
84976	10" x 14"	SS
22581	7" x 10"	PL
25773	10" x 14"	PL
41145	7" x 10"	AL
43350	10" x 14"	AL



70286	10" x 14"	FB
85079	7" x 10"	SS
85080	10" x 14"	SS
25594	7" x 10"	PL
25595	10" x 14"	PL
43171	7" x 10"	AL
43172	10" x 14"	AL



74542	20" x 14"	FB
84977	10" x 7"	SS
22582	10" x 7"	PL
22583	14" x 10"	PL
41146	10" x 7"	AL



70288	7" x 10"	FB
25192	7" x 10"	PL
25193	10" x 14"	PL
42769	7" x 10"	AL



105728	10" x 7"	FB
105729	14" x 10"	FB
105730	20" x 14"	FB
105734	14" x 10"	AL



128522	7" x 10"	SS
128525	10" x 14"	SS
128521	7" x 10"	PL
128524	10" x 14"	PL
128520	7" x 10"	AL
128523	10" x 14"	AL



88543	7" x 10"	SS
88544	10" x 14"	SS
25194	7" x 10"	PL
25195	10" x 14"	PL
42771	7" x 10"	AL
42772	10" x 14"	AL



84774	7" x 10"	SS
84775	10" x 14"	SS
25454	7" x 10"	PL
43032	10" x 14"	AL



128528	7" x 10"	SS
128531	10" x 14"	SS
128527	7" x 10"	PL
128530	10" x 14"	PL
128526	7" x 10"	AL
128529	10" x 14"	AL



70299	20" x 14"	FB
84776	10" x 7"	SS
84777	14" x 10"	SS
25456	10" x 7"	PL
25457	14" x 10"	PL
43033	10" x 7"	AL
43034	14" x 10"	AL



84778	7" x 10"	SS
84779	10" x 14"	SS
25459	10" x 14"	PL
43035	7" x 10"	AL
43036	10" x 14"	AL

Regulations

Safety Instruction Signs
1910.145(c)(3)
Safety instruction signs shall be used where there is a need for general instructions and suggestions relative to safety measures.

Danger Signs
1910.145(c)(1)(ii)
All employees shall be instructed that danger signs indicate immediate danger and that special precautions are necessary.

Caution Signs
1910.145(c)(2)(i)

Caution signs shall be used only to warn against potential hazards or to caution against unsafe practices.

1910.145(c)(2)(ii)
All employees shall be instructed that caution signs indicate a possible hazard against which proper precaution should be taken.

BradyID.com/s36

Personal Protection Signs (continued)



25891	10" x 14"	PL
43468	10" x 14"	AL



70303	7" x 17"	FB



70305	10" x 14"	FB
84780	7" x 10"	SS
25460	7" x 10"	PL
25461	10" x 14"	PL
43037	7" x 10"	AL
43038	10" x 14"	AL



70302	10" x 14"	FB
84782	7" x 10"	SS
84783	10" x 14"	SS
25462	7" x 10"	PL
25463	10" x 14"	PL
43039	7" x 10"	AL
43040	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



69226	10" x 14"	FB
88545	7" x 10"	SS
88546	10" x 14"	SS
25196	7" x 10"	PL
25197	10" x 14"	PL
42773	7" x 10"	AL
42774	10" x 14"	AL



76070	10" x 14"	FB
88547	7" x 10"	SS
88548	10" x 14"	SS
25198	7" x 10"	PL
25199	10" x 14"	PL
42775	7" x 10"	AL
42776	10" x 14"	AL



69229	10" x 14"	FB
88551	7" x 10"	SS
88552	10" x 14"	SS
25200	7" x 10"	PL
25201	10" x 14"	PL
42777	7" x 10"	AL
42778	10" x 14"	AL



70335	7" x 17"	FB



47061	7" x 10"	FB
47050	10" x 14"	FB
87769	3.5" x 5"	SS
84529	7" x 10"	SS
84530	10" x 14"	SS
22399	7" x 10"	PL
22400	10" x 14"	PL
40964	10" x 14"	AL



122900	7" x 10"	FB
122762	10" x 14"	FB
122692	7" x 10"	SS
122616	10" x 14"	SS
122557	7" x 10"	PL
25892	10" x 14"	PL
122449	7" x 10"	AL
43469	10" x 14"	AL



73457	7" x 17"	FB



47100	10" x 14"	FB
84981	7" x 10"	SS
84982	10" x 14"	SS
22584	7" x 10"	PL
22585	10" x 14"	PL
41148	7" x 10"	AL
41149	10" x 14"	AL



84531	7" x 10"	SS
84532	10" x 14"	SS
22402	10" x 14"	PL
40965	7" x 10"	AL
40966	10" x 14"	AL



122839	7" x 10"	FB
70339	10" x 14"	FB
84983	7" x 10"	SS
84984	10" x 14"	SS
22586	7" x 10"	PL
22587	10" x 14"	PL
41150	7" x 10"	AL
41151	10" x 14"	AL



128534	7" x 10"	SS
128537	10" x 14"	SS
128533	7" x 10"	PL
128536	10" x 14"	PL
128532	7" x 10"	AL
128535	10" x 14"	AL



124261	7" x 10"	SS
124264	10" x 14"	SS
124260	7" x 10"	PL
124263	10" x 14"	PL
124259	7" x 10"	AL
124262	10" x 14"	AL



129044	7" x 10"	SS
129047	10" x 14"	SS
129043	7" x 10"	PL
129046	10" x 14"	PL
129042	7" x 10"	AL
129045	10" x 14"	AL



129050	7" x 10"	SS
129053	10" x 14"	SS
129049	7" x 10"	PL
129052	10" x 14"	PL
129048	7" x 10"	AL
129051	10" x 14"	AL



65039	10" x 14"	FB
89091	7" x 10"	SS
89090	10" x 14"	SS
25416	7" x 10"	PL
25417	10" x 14"	PL
42993	7" x 10"	AL
42994	10" x 14"	AL



70352	7" x 17"	FB



128618	10" x 7"	SS
128621	14" x 10"	SS
128617	10" x 7"	PL
128620	14" x 10"	PL
128616	10" x 7"	AL
128619	14" x 10"	AL



122841	7" x 10"	FB
70358	10" x 14"	FB
87770	3.5" x 5"	SS
84533	7" x 10"	SS
84534	10" x 14"	SS
22403	7" x 10"	PL
22404	10" x 14"	PL
40967	7" x 10"	AL
40968	10" x 14"	AL



131933	7" x 10"	FB
131934	10" x 14"	FB
131931	7" x 10"	SS
131932	10" x 14"	SS
131929	7" x 10"	PL
131930	10" x 14"	PL
131927	7" x 10"	AL
131928	10" x 14"	AL



124294	7" x 10"	SS
124297	10" x 14"	SS
124293	7" x 10"	PL
124296	10" x 14"	PL
124292	7" x 10"	AL
124295	10" x 14"	AL



128540	7" x 10"	SS
128543	10" x 14"	SS
128539	7" x 10"	PL
128542	10" x 14"	PL
128538	7" x 10"	AL
128541	10" x 14"	AL



70359	7" x 17"	FB

Personal Protection Signs (continued)



122833	7" x 10"	FB
74581	10" x 14"	FB
87771	3.5" x 5"	SS
84535	7" x 10"	SS
84536	10" x 14"	SS
122520	7" x 10"	PL
22406	10" x 14"	PL
122408	7" x 10"	AL
40970	10" x 14"	AL



131925	7" x 10"	FB
131926	10" x 14"	FB
131923	7" x 10"	SS
131924	10" x 14"	SS
131922	7" x 10"	PL
25893	10" x 14"	PL
131921	7" x 10"	AL
43470	10" x 14"	AL



124249	7" x 10"	SS
124252	10" x 14"	SS
124248	7" x 10"	PL
124251	10" x 14"	PL
124247	7" x 10"	AL
124250	10" x 14"	AL



128552	7" x 10"	SS
128555	10" x 14"	SS
128551	7" x 10"	PL
128554	10" x 14"	PL
128550	7" x 10"	AL
128553	10" x 14"	AL



128546	7" x 10"	SS
128549	10" x 14"	SS
128545	7" x 10"	PL
128548	10" x 14"	PL
128544	7" x 10"	AL
128547	10" x 14"	AL



122834	7" x 10"	FB
47101	10" x 14"	FB
75900	14" x 20"	FB
87778	3.5" x 5"	SS
84784	7" x 10"	SS
84785	10" x 14"	SS
25464	7" x 10"	PL
25465	10" x 14"	PL
43041	7" x 10"	AL
43042	10" x 14"	AL



47064	7" x 10"	FB
47018	10" x 14"	FB
75914	14" x 20"	FB
87772	3.5" x 5"	SS
84537	7" x 10"	SS
84538	10" x 14"	SS
22407	7" x 10"	PL
22408	10" x 14"	PL
40971	7" x 10"	AL
40972	10" x 14"	AL



131913	7" x 10"	FB
131914	10" x 14"	FB
131911	7" x 10"	SS
131912	10" x 14"	SS
131910	7" x 10"	PL
25894	10" x 14"	PL
131909	7" x 10"	AL
43471	10" x 14"	AL



84788	7" x 10"	SS
84789	10" x 14"	SS
25466	7" x 10"	PL
25467	10" x 14"	PL
43043	7" x 10"	AL
43044	10" x 14"	AL



87664	10" x 14"	FB
33656	10" x 14"	SS
33658	10" x 14"	PL
33659	10" x 14"	AL



75919	7" x 10"	FB
84790	7" x 10"	SS
84791	10" x 14"	SS
25468	7" x 10"	PL
25469	10" x 14"	PL
43045	7" x 10"	AL
43046	10" x 14"	AL



128558	7" x 10"	SS
128561	10" x 14"	SS
128557	7" x 10"	PL
128560	10" x 14"	PL
128556	7" x 10"	AL
128559	10" x 14"	AL



128570	7" x 10"	SS
128573	10" x 14"	SS
128569	7" x 10"	PL
128572	10" x 14"	PL
128568	7" x 10"	AL
128571	10" x 14"	AL



129170	7" x 10"	SS
129173	10" x 14"	SS
129169	7" x 10"	PL
129172	10" x 14"	PL
129168	7" x 10"	AL
129171	10" x 14"	AL



84792	10" x 7"	SS
84793	14" x 10"	SS
25470	10" x 7"	PL
25471	14" x 10"	PL
43047	10" x 7"	AL
43048	14" x 10"	AL



128564	7" x 10"	SS
128567	10" x 14"	SS
128563	7" x 10"	PL
128566	10" x 14"	PL
128562	7" x 10"	AL
128565	10" x 14"	AL



70383	10" x 14"	FB
84794	7" x 10"	SS
84795	10" x 14"	SS
25472	7" x 10"	PL
25473	10" x 14"	PL
43049	7" x 10"	AL
43050	10" x 14"	AL



73461	10" x 14"	FB
84796	7" x 10"	SS
84797	10" x 14"	SS
25474	7" x 10"	PL
25475	10" x 14"	PL
43051	7" x 10"	AL
43052	10" x 14"	AL





69331	10" x 14"	FB
84987	7" x 10"	SS
22588	7" x 10"	PL
22589	10" x 14"	PL
41152	7" x 10"	AL
41153	10" x 14"	AL



128576	7" x 10"	SS
128579	10" x 14"	SS
128575	7" x 10"	PL
128578	10" x 14"	PL
128574	7" x 10"	AL
128577	10" x 14"	AL



128582	7" x 10"	SS
128585	10" x 14"	SS
128581	7" x 10"	PL
128584	10" x 14"	PL
128580	7" x 10"	AL
128583	10" x 14"	AL

BradyID.com/s36

Personal Protection Signs (continued)



70475	10" x 14"	FB
88571	7" x 10"	SS
88572	10" x 14"	SS
25204	7" x 10"	PL
25205	10" x 14"	PL
42781	7" x 10"	AL
42782	10" x 14"	AL



131966	10" x 14"	FB
131965	10" x 14"	SS
131964	10" x 14"	PL
131963	10" x 14"	AL



131974	10" x 14"	FB
131973	10" x 14"	SS
131972	10" x 14"	PL
131971	10" x 14"	AL



131986	10" x 14"	FB
131985	10" x 14"	SS
131984	10" x 14"	PL
131983	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



131982	10" x 14"	FB
131981	10" x 14"	SS
131980	10" x 14"	PL
131979	10" x 14"	AL



131970	10" x 14"	FB
131969	10" x 14"	SS
131968	10" x 14"	PL
131967	10" x 14"	AL



131962	10" x 14"	FB
131961	10" x 14"	SS
131960	10" x 14"	PL
131959	10" x 14"	AL



131978	10" x 14"	FB
131977	10" x 14"	SS
131976	10" x 14"	PL
131975	10" x 14"	AL



122846	7" x 10"	FB
73470	10" x 14"	FB
84545	7" x 10"	SS
84546	10" x 14"	SS
22415	7" x 10"	PL
22416	10" x 14"	PL
122410	7" x 10"	AL
40980	10" x 14"	AL



65916	14" x 10"	FB
65917	20" x 14"	FB
84547	14" x 10"	SS
22417	14" x 10"	PL
40981	14" x 10"	AL



131957	7" x 10"	FB
131958	10" x 14"	FB
131955	7" x 10"	SS
131956	10" x 14"	SS
131953	7" x 10"	PL
131954	10" x 14"	PL
131951	7" x 10"	AL
131952	10" x 14"	AL



128588	7" x 10"	SS
128591	10" x 14"	SS
128587	7" x 10"	PL
128590	10" x 14"	PL
128586	7" x 10"	AL
128589	10" x 14"	AL



122847	7" x 10"	FB
70506	10" x 14"	FB
84556	7" x 10"	SS
84557	10" x 14"	SS
22418	7" x 10"	PL
22419	10" x 14"	PL
40982	7" x 10"	AL
40983	10" x 14"	AL



75042	14" x 20"	FB
84989	7" x 10"	SS
84990	10" x 14"	SS
22590	7" x 10"	PL
22591	10" x 14"	PL
41154	7" x 10"	AL
41155	10" x 14"	AL



74630	14" x 20"	FB
84991	7" x 10"	SS
84992	10" x 14"	SS
22592	7" x 10"	PL
22593	10" x 14"	PL
41156	7" x 10"	AL
41157	10" x 14"	AL



84993	7" x 10"	SS
84994	10" x 14"	SS
22594	7" x 10"	PL
22595	10" x 14"	PL
41158	7" x 10"	AL
41159	10" x 14"	AL

Create Your Own PPE Sign

Adhere PPE pictos onto these blank signs to create the unique PPE combination that your application requires.



131990	10" x 14"	FB
131989	10" x 14"	SS
131988	10" x 14"	PL
131987	10" x 14"	AL



131997	10" x 7"	FB
131998	14" x 10"	FB
131995	10" x 7"	SS
131996	14" x 10"	SS
131993	10" x 7"	PL
131994	14" x 10"	PL
131991	10" x 7"	AL
131992	14" x 10"	AL



84548 2.25" x 2.25" SS



84549 2.25" x 2.25" SS



84550 2.25" x 2.25" SS



84551 2.25" x 2.25" SS



84552 2.25" x 2.25" SS



84553 2.25" x 2.25" SS



84554 2.25" x 2.25" SS



84555 2.25" x 2.25" SS

Personal Protection Signs (continued)



128594	7" x 10"	SS
128597	10" x 14"	SS
128593	7" x 10"	PL
128596	10" x 14"	PL
128592	7" x 10"	AL
128595	10" x 14"	AL



75976	7" x 10"	FB
75977	10" x 14"	FB
84995	7" x 10"	SS
84996	10" x 14"	SS
22596	7" x 10"	PL
22597	10" x 14"	PL
41160	7" x 10"	AL
41161	10" x 14"	AL



131919	7" x 10"	FB
131920	10" x 14"	FB
131917	7" x 10"	SS
131918	10" x 14"	SS
131916	7" x 10"	PL
25895	10" x 14"	PL
131915	7" x 10"	AL



25895	10" x 14"	PL
43472	10" x 14"	AL



128600	7" x 10"	SS
128603	10" x 14"	SS
128599	7" x 10"	PL
128602	10" x 14"	PL
128598	7" x 10"	AL
128601	10" x 14"	AL



122767	10" x 14"	FB
122455	7" x 10"	AL
122383	10" x 14"	AL



128606	7" x 10"	SS
128609	10" x 14"	SS
128605	7" x 10"	PL
128608	10" x 14"	PL
128604	7" x 10"	AL
128607	10" x 14"	AL



128612	7" x 10"	SS
128615	10" x 14"	SS
128611	7" x 10"	PL
128614	10" x 14"	PL
128610	7" x 10"	AL
128613	10" x 14"	AL



122836	7" x 10"	FB



128660	7" x 10"	SS
128663	10" x 14"	SS
128659	7" x 10"	PL
128662	10" x 14"	PL
128658	7" x 10"	AL
128661	10" x 14"	AL



128666	7" x 10"	SS
128669	10" x 14"	SS
128665	7" x 10"	PL
128668	10" x 14"	PL
128664	7" x 10"	AL
128667	10" x 14"	AL



84798	7" x 10"	SS
84799	10" x 14"	SS
25476	7" x 10"	PL
25477	10" x 14"	PL
43053	7" x 10"	AL
43054	10" x 14"	AL



25908	10" x 14"	PL
43485	10" x 14"	AL



84997	7" x 10"	SS
84998	10" x 14"	SS
22599	10" x 14"	PL
41162	7" x 10"	AL
41163	10" x 14"	AL



25909	10" x 14"	PL
43486	10" x 14"	AL



128648	7" x 10"	SS
128651	10" x 14"	SS
128647	7" x 10"	PL
128650	10" x 14"	PL
128646	7" x 10"	AL
128649	10" x 14"	AL



128636	7" x 10"	SS
128639	10" x 14"	SS
128635	7" x 10"	PL
128638	10" x 14"	PL
128634	7" x 10"	AL
128637	10" x 14"	AL



84999	7" x 10"	SS
85000	10" x 14"	SS
22600	7" x 10"	PL
22601	10" x 14"	PL
41164	7" x 10"	AL
41165	10" x 14"	AL



85001	7" x 10"	SS
85002	10" x 14"	SS
22602	7" x 10"	PL
22603	10" x 14"	PL
41166	7" x 10"	AL
41167	10" x 14"	AL



128630	7" x 10"	SS
128633	10" x 14"	SS
128629	7" x 10"	PL
128632	10" x 14"	PL
128628	7" x 10"	AL
128631	10" x 14"	AL



124255	10" x 7"	SS
124258	14" x 10"	SS
124254	10" x 7"	PL
124257	14" x 10"	PL
124253	10" x 7"	AL
124256	14" x 10"	AL



128654	7" x 10"	SS
128657	10" x 14"	SS
128653	7" x 10"	PL
128656	10" x 14"	PL
128652	7" x 10"	AL
128655	10" x 14"	AL



128642	7" x 10"	SS
128645	10" x 14"	SS
128641	7" x 10"	PL
128644	10" x 14"	PL
128640	7" x 10"	AL
128643	10" x 14"	AL



122837	7" x 10"	FB
74740	10" x 14"	FB
88583	7" x 10"	SS
88584	10" x 14"	SS
25206	7" x 10"	PL
25207	10" x 14"	PL
42783	7" x 10"	AL
42784	10" x 14"	AL



128672	7" x 10"	SS
128675	10" x 14"	SS
128671	7" x 10"	PL
128674	10" x 14"	PL
128670	7" x 10"	AL
128673	10" x 14"	AL



74764	10" x 14"	FB
88585	7" x 10"	SS
88586	10" x 14"	SS
25208	7" x 10"	PL
25209	10" x 14"	PL
42785	7" x 10"	AL





BradyID.com/s36

Personal Protection Signs (continued)



129098	7" x 10"	SS
129101	10" x 14"	SS
129097	7" x 10"	PL
129100	10" x 14"	PL
129096	7" x 10"	AL
129099	10" x 14"	AL



40651	7" x 10"	AL
40652	10" x 14"	AL



128702	7" x 10"	SS
128705	10" x 14"	SS
128701	7" x 10"	PL
128704	10" x 14"	PL
128700	7" x 10"	AL
128703	10" x 14"	AL



70273	10" x 14"	FB
85003	7" x 10"	SS
22605	10" x 14"	PL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



128720	7" x 10"	SS
128723	10" x 14"	SS
128719	7" x 10"	PL
128722	10" x 14"	PL
128718	7" x 10"	AL
128721	10" x 14"	AL



85007	7" x 10"	SS
85008	10" x 14"	SS
22606	7" x 10"	PL
22607	10" x 14"	PL
41170	7" x 10"	AL
41171	10" x 14"	AL



128714	7" x 10"	SS
128717	10" x 14"	SS
128713	7" x 10"	PL
128716	10" x 14"	PL
128712	7" x 10"	AL
128715	10" x 14"	AL



128708	7" x 10"	SS
128711	10" x 14"	SS
128707	7" x 10"	PL
128710	10" x 14"	PL
128706	7" x 10"	AL
128709	10" x 14"	AL



70287	20" x 14"	FB
85011	7" x 10"	SS
22608	10" x 7"	PL
22609	14" x 10"	PL
41172	10" x 7"	AL
41173	14" x 10"	AL



70298	7" x 17"	FB



69184	10" x 14"	FB
84802	7" x 10"	SS
84803	10" x 14"	SS
25478	7" x 10"	PL
25479	10" x 14"	PL
43055	7" x 10"	AL
43056	10" x 14"	AL



25896	10" x 14"	PL
43473	10" x 14"	AL



84804	7" x 10"	SS
84805	10" x 14"	SS
25480	7" x 10"	PL
43057	7" x 10"	AL
43058	10" x 14"	AL



73456	10" x 14"	FB
84806	7" x 10"	SS
84807	10" x 14"	SS
25482	7" x 10"	PL
43059	7" x 10"	AL
43060	10" x 14"	AL



85015	7" x 10"	SS
85016	10" x 14"	SS
22612	7" x 10"	PL
22613	10" x 14"	PL
41176	7" x 10"	AL
41177	10" x 14"	AL



128732	7" x 10"	SS
128735	10" x 14"	SS
128731	7" x 10"	PL
128734	10" x 14"	PL
128730	7" x 10"	AL
128733	10" x 14"	AL



128726	7" x 10"	SS
128729	10" x 14"	SS
128725	7" x 10"	PL
128728	10" x 14"	PL
128724	7" x 10"	AL
128727	10" x 14"	AL



128738	7" x 10"	SS
128741	10" x 14"	SS
128737	7" x 10"	PL
128740	10" x 14"	PL
128736	7" x 10"	AL
128739	10" x 14"	AL



128696	7" x 10"	SS
128699	10" x 14"	SS
128695	7" x 10"	PL
128698	10" x 14"	PL
128694	7" x 10"	AL
128697	10" x 14"	AL



129104	7" x 10"	SS
129107	10" x 14"	SS
129103	7" x 10"	PL
129106	10" x 14"	PL
129102	7" x 10"	AL
129105	10" x 14"	AL



47158	7" x 10"	FB
47189	10" x 14"	FB
88611	7" x 10"	SS
88612	10" x 14"	SS
25216	7" x 10"	PL
25217	10" x 14"	PL
42793	7" x 10"	AL
42794	10" x 14"	AL



128744	7" x 10"	SS
128747	10" x 14"	SS
128743	7" x 10"	PL
128746	10" x 14"	PL
128742	7" x 10"	AL
128745	10" x 14"	AL

Personal Protection Signs (continued)



75979	7" x 10"	FB
75980	10" x 14"	FB
42791	7" x 10"	AL
42792	10" x 14"	AL
25214	7" x 10"	PL
25215	10" x 14"	PL
88609	7" x 10"	SS
88610	10" x 14"	SS



128750	7" x 10"	SS
128753	10" x 14"	SS
128749	7" x 10"	PL
128752	10" x 14"	PL
128748	7" x 10"	AL
128751	10" x 14"	AL



123679	7" x 10"	SS
123682	10" x 14"	SS
123678	7" x 10"	PL
123681	10" x 14"	PL
123677	7" x 10"	AL
123680	10" x 14"	AL



128756	7" x 10"	SS
128759	10" x 14"	SS
128755	7" x 10"	PL
128758	10" x 14"	PL
128754	7" x 10"	AL
128757	10" x 14"	AL



128762	7" x 10"	SS
128765	10" x 14"	SS
128761	7" x 10"	PL
128764	10" x 14"	PL
128760	7" x 10"	AL
128763	10" x 14"	AL



128768	7" x 10"	SS
128771	10" x 14"	SS
128767	7" x 10"	PL
128770	10" x 14"	PL
128766	7" x 10"	AL
128769	10" x 14"	AL



128774	7" x 10"	SS
128777	10" x 14"	SS
128773	7" x 10"	PL
128776	10" x 14"	PL
128772	7" x 10"	AL
128775	10" x 14"	AL



69469	10" x 14"	FB
88617	7" x 10"	SS
88618	10" x 14"	SS
25218	7" x 10"	PL
25219	10" x 14"	PL
42795	7" x 10"	AL
42796	10" x 14"	AL



69472	10" x 14"	FB
88619	7" x 10"	SS
88620	10" x 14"	SS
25220	7" x 10"	PL
25221	10" x 14"	PL
42797	7" x 10"	AL
42798	10" x 14"	AL



128780	7" x 10"	SS
128783	10" x 14"	SS
128779	7" x 10"	PL
128782	10" x 14"	PL
128778	7" x 10"	AL
128781	10" x 14"	AL



128786	7" x 10"	SS
128789	10" x 14"	SS
128785	7" x 10"	PL
128788	10" x 14"	PL
128784	7" x 10"	AL
128787	10" x 14"	AL



70515	10" x 14"	FB
87780	3.5" x 5"	SS
85017	7" x 10"	SS
85018	10" x 14"	SS
22614	7" x 10"	PL
22615	10" x 14"	PL
41178	7" x 10"	AL



70517	7" x 17"	FB



69486	7" x 17"	FB



85021	7" x 10"	SS
23049	7" x 10"	PL
22619	10" x 14"	PL



128798	7" x 10"	SS
128801	10" x 14"	SS
128797	7" x 10"	PL
128800	10" x 14"	PL
128796	7" x 10"	AL
128799	10" x 14"	AL



70588	10" x 14"	FB
85027	7" x 10"	SS
85028	10" x 14"	SS
22620	7" x 10"	PL
22621	10" x 14"	PL
41184	7" x 10"	AL



128804	7" x 10"	SS
128807	10" x 14"	SS
128803	7" x 10"	PL
128806	10" x 14"	PL
128802	7" x 10"	AL
128805	10" x 14"	AL





BradyID.com/s36

Personal Protection Signs (continued)



128810	7" x 10"	SS
128813	10" x 14"	SS
128809	7" x 10"	PL
128812	10" x 14"	PL
128808	7" x 10"	AL
128811	10" x 14"	AL



74948	14" x 20"	FB
85029	7" x 10"	SS
85030	10" x 14"	SS
22622	7" x 10"	PL
22623	10" x 14"	PL
41186	7" x 10"	AL
41187	10" x 14"	AL



85032	10" x 14"	SS
22624	7" x 10"	PL
22625	10" x 14"	PL
41188	7" x 10"	AL



128816	7" x 10"	SS
128819	10" x 14"	SS
128815	7" x 10"	PL
128818	10" x 14"	PL
128814	7" x 10"	AL
128817	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



123577	7" x 10"	SS
123580	10" x 14"	SS
123576	7" x 10"	PL
123579	10" x 14"	PL
123575	7" x 10"	AL
123578	10" x 14"	AL



70279	10" x 14"	FB
84808	7" x 10"	SS
84809	10" x 14"	SS
25484	7" x 10"	PL
25485	10" x 14"	PL
43061	7" x 10"	AL
43062	10" x 14"	AL



69179	10" x 14"	FB
88641	7" x 10"	SS
25224	7" x 10"	PL
25225	10" x 14"	PL
42801	7" x 10"	AL
42802	10" x 14"	AL



69183	10" x 14"	FB
84810	7" x 10"	SS
84811	10" x 14"	SS
25486	7" x 10"	PL
25487	10" x 14"	PL
43063	7" x 10"	AL
43064	10" x 14"	AL



128822	7" x 10"	SS
128825	10" x 14"	SS
128821	7" x 10"	PL
128824	10" x 14"	PL
128820	7" x 10"	AL
128823	10" x 14"	AL



84812	7" x 10"	SS
84813	10" x 14"	SS
25488	7" x 10"	PL
25489	10" x 14"	PL
43065	7" x 10"	AL
43066	10" x 14"	AL



128828	7" x 10"	SS
128831	10" x 14"	SS
128827	7" x 10"	PL
128830	10" x 14"	PL
128826	7" x 10"	AL
128829	10" x 14"	AL



128834	7" x 10"	SS
128837	10" x 14"	SS
128833	7" x 10"	PL
128836	10" x 14"	PL
128832	7" x 10"	AL
128835	10" x 14"	AL



128840	7" x 10"	SS
128843	10" x 14"	SS
128839	7" x 10"	PL
128842	10" x 14"	PL
128838	7" x 10"	AL
128841	10" x 14"	AL



128846	7" x 10"	SS
128849	10" x 14"	SS
128845	7" x 10"	PL
128848	10" x 14"	PL
128844	7" x 10"	AL
128847	10" x 14"	AL



128852	7" x 10"	SS
128855	10" x 14"	SS
128851	7" x 10"	PL
128854	10" x 14"	PL
128850	7" x 10"	AL
128853	10" x 14"	AL



128858	7" x 10"	SS
128861	10" x 14"	SS
128857	7" x 10"	PL
128860	10" x 14"	PL
128856	7" x 10"	AL
128859	10" x 14"	AL



70362	10" x 14"	FB
88643	7" x 10"	SS
88644	10" x 14"	SS
25226	7" x 10"	PL
25227	10" x 14"	PL
42803	7" x 10"	AL
42804	10" x 14"	AL



128864	7" x 10"	SS
128867	10" x 14"	SS
128863	7" x 10"	PL
128866	10" x 14"	PL
128862	7" x 10"	AL
128865	10" x 14"	AL



128870	7" x 10"	SS
128873	10" x 14"	SS
128869	7" x 10"	PL
128872	10" x 14"	PL
128868	7" x 10"	AL
128871	10" x 14"	AL



128948	10" x 7"	SS
128951	14" x 10"	SS
128947	10" x 7"	PL
128950	14" x 10"	PL
128946	10" x 7"	AL
128949	14" x 10"	AL



70370	10" x 14"	FB
88645	7" x 10"	SS
88646	10" x 14"	SS
25228	7" x 10"	PL
25229	10" x 14"	PL
42806	10" x 14"	AL



60579	10" x 14"	SS
60540	10" x 14"	PL
60511	10" x 14"	AL



70368	10" x 14"	FB
88647	7" x 10"	SS
88648	10" x 14"	SS
25230	7" x 10"	PL
25231	10" x 14"	PL
42807	7" x 10"	AL
42808	10" x 14"	AL



128876	7" x 10"	SS
128879	10" x 14"	SS
128875	7" x 10"	PL
128878	10" x 14"	PL
128874	7" x 10"	AL
128877	10" x 14"	AL



47305	7" x 10"	FB
47332	10" x 14"	FB
87777	3.5" x 5"	SS
84814	7" x 10"	SS
84815	10" x 14"	SS
25490	7" x 10"	PL
25491	10" x 14"	PL
43067	7" x 10"	AL
43068	10" x 14"	AL



128882	7" x 10"	SS
128885	10" x 14"	SS
128881	7" x 10"	PL
128884	10" x 14"	PL
128880	7" x 10"	AL
128883	10" x 14"	AL



84816	7" x 10"	SS
84817	10" x 14"	SS
25493	10" x 14"	PL
43070	10" x 14"	AL



128888	7" x 10"	SS
128891	10" x 14"	SS
128887	7" x 10"	PL
128890	10" x 14"	PL
128886	7" x 10"	AL
128889	10" x 14"	AL

BRADY

Personal Protection Signs (continued)



87659	7" x 10"	FB
59369	7" x 10"	PL



84818	7" x 10"	SS
25494	7" x 10"	PL
25495	10" x 14"	PL
43072	10" x 14"	AL



128894	7" x 10"	SS
128897	10" x 14"	SS
128893	7" x 10"	PL
128896	10" x 14"	PL
128892	7" x 10"	AL
128895	10" x 14"	AL



70495	10" x 14"	FB
88649	7" x 10"	SS
25232	7" x 10"	PL
25233	10" x 14"	PL
42809	7" x 10"	AL
42810	10" x 14"	AL



123571	7" x 10"	SS
123574	10" x 14"	SS
123570	7" x 10"	PL
123573	10" x 14"	PL
123569	7" x 10"	AL
123572	10" x 14"	AL



70507	7" x 17"	FB



128906	7" x 10"	SS
128909	10" x 14"	SS
128905	7" x 10"	PL
128908	10" x 14"	PL
128904	7" x 10"	AL
128907	10" x 14"	AL



128912	7" x 10"	SS
128915	10" x 14"	SS
128911	7" x 10"	PL
128914	10" x 14"	PL
128910	7" x 10"	AL
128913	10" x 14"	AL



128900	7" x 10"	SS
128903	10" x 14"	SS
128899	7" x 10"	PL
128902	10" x 14"	PL
128898	7" x 10"	AL
128901	10" x 14"	AL



47307	7" x 10"	FB
47334	10" x 14"	FB
87779	3.5" x 5"	SS
85035	7" x 10"	SS
85036	10" x 14"	SS
22626	7" x 10"	PL
22627	10" x 14"	PL
41190	7" x 10"	AL
41191	10" x 14"	AL



47333	10" x 14"	FB
87781	3.5" x 5"	SS
85038	10" x 14"	SS
22628	7" x 10"	PL
22629	10" x 14"	PL
41192	7" x 10"	AL
41193	10" x 14"	AL



70523	7" x 17"	FB



128918	7" x 10"	SS
128921	10" x 14"	SS
128917	7" x 10"	PL
128920	10" x 14"	PL
128916	7" x 10"	AL
128919	10" x 14"	AL



69487	10" x 14"	FB
88651	7" x 10"	SS
88652	10" x 14"	SS
25234	7" x 10"	PL
25235	10" x 14"	PL
42811	7" x 10"	AL
42812	10" x 14"	AL



69494	10" x 14"	FB
85039	7" x 10"	SS
85040	10" x 14"	SS
22630	7" x 10"	PL
22631	10" x 14"	PL
41194	7" x 10"	AL
41195	10" x 14"	AL



128426	7" x 10"	SS
128429	10" x 14"	SS
128425	7" x 10"	PL
128428	10" x 14"	PL
128424	7" x 10"	AL
128427	10" x 14"	AL



74337	10" x 14"	FB
85041	7" x 10"	SS
85042	10" x 14"	SS
25570	7" x 10"	PL
25571	10" x 14"	PL
43147	7" x 10"	AL
43148	10" x 14"	AL



128924	7" x 10"	SS
128927	10" x 14"	SS
128923	7" x 10"	PL
128926	10" x 14"	PL
128922	7" x 10"	AL
128925	10" x 14"	AL



69546	10" x 14"	FB
85129	7" x 10"	SS
85130	10" x 14"	SS
25626	7" x 10"	PL
25627	10" x 14"	PL
43203	7" x 10"	AL
43204	10" x 14"	AL



128930	7" x 10"	SS
128933	10" x 14"	SS
128929	7" x 10"	PL
128932	10" x 14"	PL
128928	7" x 10"	AL
128931	10" x 14"	AL



128936	7" x 10"	SS
128939	10" x 14"	SS
128935	7" x 10"	PL
128938	10" x 14"	PL
128934	7" x 10"	AL
128937	10" x 14"	AL



88656	10" x 14"	SS
42816	10" x 14"	AL



128942	7" x 10"	SS
128945	10" x 14"	SS
128941	7" x 10"	PL
128944	10" x 14"	PL
128940	7" x 10"	AL
128943	10" x 14"	AL



73475	10" x 14"	FB



69182	10" x 14"	FB
25496	7" x 10"	PL



73455	14" x 20"	FB
85045	7" x 10"	SS
85046	10" x 14"	SS
25574	7" x 10"	PL
25575	10" x 14"	PL
43151	7" x 10"	AL
43152	10" x 14"	AL



70336	14" x 20"	FB
85049	7" x 10"	SS
85050	10" x 14"	SS
25576	7" x 10"	PL
25577	10" x 14"	PL
43153	7" x 10"	AL
43154	10" x 14"	AL



70338	7" x 10"	FB
85051	7" x 10"	SS
85052	10" x 14"	SS
25578	7" x 10"	PL
25579	10" x 14"	PL
43155	7" x 10"	AL
43156	10" x 14"	AL



47375	7" x 10"	FB
69255	10" x 14"	FB
88659	7" x 10"	SS
88660	10" x 14"	SS
25241	10" x 14"	PL
42817	7" x 10"	AL

BradyID.com/s36

Personal Protection Signs (continued)



69215	10" x 14"	FB
88661	7" x 10"	SS
88662	10" x 14"	SS
25243	10" x 14"	PL
42819	7" x 10"	AL
42820	10" x 14"	AL



123829	7" x 10"	SS
123832	10" x 14"	SS
123828	7" x 10"	PL
123831	10" x 14"	PL
123827	7" x 10"	AL
123830	10" x 14"	AL



69481	10" x 14"	FB
88663	7" x 10"	SS
88664	10" x 14"	SS
25244	7" x 10"	PL
25245	10" x 14"	PL
42821	7" x 10"	AL
42822	10" x 14"	AL



128966	7" x 10"	SS
128969	10" x 14"	SS
128965	7" x 10"	PL
128968	10" x 14"	PL
128964	7" x 10"	AL
128967	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



85053	7" x 10"	SS
85054	10" x 14"	SS
25581	10" x 14"	PL
43157	7" x 10"	AL
43158	10" x 14"	AL



122859	7" x 10"	FB
74479	10" x 14"	FB
85055	7" x 10"	SS
85056	10" x 14"	SS
122526	7" x 10"	PL
25583	10" x 14"	PL
43159	7" x 10"	AL
43160	10" x 14"	AL



128954	7" x 10"	SS
128957	10" x 14"	SS
128953	7" x 10"	PL
128956	10" x 14"	PL
128952	7" x 10"	AL
128955	10" x 14"	AL



128960	10" x 7"	SS
128963	14" x 10"	SS
128959	10" x 7"	PL
128962	14" x 10"	PL
128958	10" x 7"	AL
128961	14" x 10"	AL



128972	7" x 10"	SS
128975	10" x 14"	SS
128971	7" x 10"	PL
128974	10" x 14"	PL
128970	7" x 10"	AL
128973	10" x 14"	AL



69579	10" x 14"	FB
84822	7" x 10"	SS
84823	10" x 14"	SS
25498	7" x 10"	PL
25499	10" x 14"	PL
43075	7" x 10"	AL
43076	10" x 14"	AL



33796	10" x 14"	SS
33799	10" x 14"	AL
33795	10" x 14"	SSV



128978	7" x 10"	SS
128981	10" x 14"	SS
128977	7" x 10"	PL
128980	10" x 14"	PL
128976	7" x 10"	AL
128979	10" x 14"	AL



128984	7" x 10"	SS
128987	10" x 14"	SS
128983	7" x 10"	PL
128986	10" x 14"	PL
128982	7" x 10"	AL
128985	10" x 14"	AL



69581	10" x 14"	FB
85057	7" x 10"	SS
85058	10" x 14"	SS
25584	7" x 10"	PL
25585	10" x 14"	PL
43161	7" x 10"	AL
43162	10" x 14"	AL



33341	10" x 14"	PL
33344	10" x 14"	SS



129134	7" x 10"	SS
129137	10" x 14"	SS
129133	7" x 10"	PL
129136	10" x 14"	PL
129132	7" x 10"	AL
129135	10" x 14"	AL



69584	10" x 14"	FB
88669	7" x 10"	SS
88670	10" x 14"	SS
25246	7" x 10"	PL
25247	10" x 14"	PL
42823	7" x 10"	AL
42824	10" x 14"	AL



128990	7" x 10"	SS
128993	10" x 14"	SS
128989	7" x 10"	PL
128992	10" x 14"	PL
128988	7" x 10"	AL
128991	10" x 14"	AL



128996	7" x 10"	SS
128999	10" x 14"	SS
128995	7" x 10"	PL
128998	10" x 14"	PL
128994	7" x 10"	AL
128997	10" x 14"	AL



129002	7" x 10"	SS
129005	10" x 14"	SS
129001	7" x 10"	PL
129004	10" x 14"	PL
129000	7" x 10"	AL
129003	10" x 14"	AL



129008	7" x 10"	SS
129011	10" x 14"	SS
129007	7" x 10"	PL
129010	10" x 14"	PL
129006	7" x 10"	AL
129009	10" x 14"	AL



129020	7" x 10"	SS
129023	10" x 14"	SS
129019	7" x 10"	PL
129022	10" x 14"	PL
129018	7" x 10"	AL
129021	10" x 14"	AL



129014	7" x 10"	SS
129017	10" x 14"	SS
129013	7" x 10"	PL
129016	10" x 14"	PL
129012	7" x 10"	AL
129015	10" x 14"	AL



90720	10" x 14"	BGPL



85066	3.5" x 10"	SS



90731	10" x 14"	BGPL



90139	10" x 7"	BGSS



90121	7" x 10"	BGSS

Personal Protection Signs (continued)



69799	7" x 7"	FB
84551	2.25" x 2.25"	SS
88495	7" x 7"	SS
25161	7" x 10"	PL
42738	7" x 10"	AL



73410	10" x 14"	FB
84824	7" x 10"	SS
84825	10" x 14"	SS
43078	10" x 14"	AL



128462	7" x 10"	SS
128465	10" x 14"	SS
128461	7" x 10"	PL
128464	10" x 14"	PL
128460	7" x 10"	AL
128463	10" x 14"	AL



69800	7" x 7"	FB
25166	7" x 10"	PL
42743	7" x 10"	AL



84549	2.25" x 2.25"	SS



90196	10" x 14"	BGSS
90727	10" x 14"	BGPL



90644	10" x 7"	BGPL



85069	3.5" x 10"	SS



74982	10" x 14"	FB
25589	7" x 10"	PL



74170	7" x 10"	FB
85070	7" x 10"	SS
85071	10" x 14"	SS
25591	7" x 10"	PL
25592	10" x 14"	PL
43168	7" x 10"	AL



84552	2.25" x 2.25"	SS



90960	7" x 10"	BGPL



128468	7" x 10"	SS
128471	10" x 14"	SS
128467	7" x 10"	PL
128470	10" x 14"	PL
128466	7" x 10"	AL
128469	10" x 14"	AL



84550	2.25" x 2.25"	SS



84555	2.25" x 2.25"	SS



128474	7" x 10"	SS
128477	10" x 14"	SS
128473	7" x 10"	PL
128476	10" x 14"	PL
128472	7" x 10"	AL
128475	10" x 14"	AL



70366	10" x 14"	FB
88677	7" x 10"	SS
88678	10" x 14"	SS
25248	7" x 10"	PL
42826	10" x 14"	AL



69006	7" x 7"	FB
88511	7" x 7"	SS
25175	7" x 10"	PL
42752	7" x 10"	AL



60573	10" x 14"	SS
25899	10" x 14"	PL
43476	10" x 14"	AL



84548	2.25" x 2.25"	SS



128480	7" x 10"	SS
128483	10" x 14"	SS
128479	7" x 10"	PL
128482	10" x 14"	PL
128478	7" x 10"	AL
128481	10" x 14"	AL



128486	7" x 10"	SS
128489	10" x 14"	SS
128485	7" x 10"	PL
128488	10" x 14"	PL
128484	7" x 10"	AL
128487	10" x 14"	AL



90723	10" x 14"	BGPL



84826	3.5" x 10"	SS



124624	5" x 14"	SS
124623	5" x 14"	PL
124622	5" x 14"	AL



90584	5" x 14"	BGSS



128492	7" x 10"	SS
128495	10" x 14"	SS
128491	7" x 10"	PL
128494	10" x 14"	PL
128490	7" x 10"	AL
128493	10" x 14"	AL



Personal Protection Signs (continued)



123823	10" x 7"	SS
123826	14" x 10"	SS
123822	10" x 7"	PL
123825	14" x 10"	PL
123821	10" x 7"	AL
123824	14" x 10"	AL



90587	5" x 14"	BGSS
90785	5" x 14"	BGPL



84554	2.25" x 2.25"	SS



69470	7" x 7"	FB
88525	7" x 7"	SS
25186	7" x 10"	PL
42763	7" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



128498	7" x 10"	SS
128501	10" x 14"	SS
128497	7" x 10"	PL
128500	10" x 14"	PL
128496	7" x 10"	AL
128499	10" x 14"	AL



90112	7" x 10"	BGSS



84553	2.25" x 2.25"	SS



88527	7" x 7"	SS
25188	7" x 10"	PL
42765	7" x 10"	AL



128678	18" x 18"	SS
128681	24" x 24"	SS
128677	18" x 18"	PL
128676	18" x 18"	AL
128679	24" x 24"	AL



128690	18" x 18"	SS
128693	24" x 24"	SS
128689	18" x 18"	PL
128688	18" x 18"	AL
128691	24" x 24"	AL



124539	18" x 18"	PL
124541	24" x 24"	PL
124538	18" x 18"	AL
124540	24" x 24"	AL



124551	18" x 18"	PL
124553	24" x 24"	PL
124550	18" x 18"	AL
124552	24" x 24"	AL



128684	18" x 18"	SS
128687	24" x 24"	SS
128683	18" x 18"	PL
128686	24" x 24"	PL
128682	18" x 18"	AL
128685	24" x 24"	AL



124543	18" x 18"	PL
124545	24" x 24"	PL
124542	18" x 18"	AL
124544	24" x 24"	AL



124527	18" x 18"	PL
124529	24" x 24"	PL
124526	18" x 18"	AL
124528	24" x 24"	AL



90722	14" x 10"	BGPL



90643	10" x 7"	BGPL
90725	14" x 10"	BGPL



90128	10" x 7"	BGSS
90721	14" x 10"	BGPL



85072	3.5" x 10"	SS



85076	3.5" x 10"	SS



85074	3.5" x 10"	SS



85075	3.5" x 10"	SS



90729	14" x 10"	BGPL



90199	14" x 10"	BGSS



128504	7" x 10"	SS
128507	10" x 14"	SS
128503	7" x 10"	PL
128506	10" x 14"	PL
128502	7" x 10"	AL
128505	10" x 14"	AL



88684	3.5" x 10"	SS



128510	7" x 10"	SS
128513	10" x 14"	SS
128509	7" x 10"	PL
128512	10" x 14"	PL
128508	7" x 10"	AL
128511	10" x 14"	AL



Radiation and Laser Signs

Brady radiation signs can help you comply with OSHA's regulations for radiation safety and laser warnings. These radiation signs offer messages for radiation danger, microwave warning signs and other radioactive warning safety signs. Radiation signs can be placed around your facility where radiation and x-ray safety are concerns.

Regulations

Radioactive Area 1910.1096(e)(2)
Each radiation area shall be conspicuously posted with a sign or signs bearing the radiation caution symbol described in subparagraph (1) of this paragraph and the words: CAUTION RADIATION AREA.

High Radiation Area 1910.1096(e)(3)(i)
Each high radiation area shall be conspicuously posted with a sign or signs bearing the radiation caution symbol and the words: CAUTION HIGH RADIATION AREA




129158	7" x 10"	SS
129161	10" x 14"	SS
129157	7" x 10"	PL
129160	10" x 14"	PL
129156	7" x 10"	AL
129159	10" x 14"	AL



129278	10" x 7"	SS
129281	14" x 10"	SS
129277	10" x 7"	PL
129280	14" x 10"	PL
129276	10" x 7"	AL
129279	14" x 10"	AL



129242	7" x 10"	SS
129245	10" x 14"	SS
129241	7" x 10"	PL
129244	10" x 14"	PL
129240	7" x 10"	AL
129243	10" x 14"	AL



88691	7" x 10"	SS
25254	7" x 10"	PL
25255	10" x 14"	PL



129164	7" x 10"	SS
129167	10" x 14"	SS
129163	7" x 10"	PL
129166	10" x 14"	PL
129162	7" x 10"	AL
129165	10" x 14"	AL



129176	7" x 10"	SS
129179	10" x 14"	SS
129175	7" x 10"	PL
129178	10" x 14"	PL
129174	7" x 10"	AL
129177	10" x 14"	AL



76082	10" x 14"	FB
88699	7" x 10"	SS
88700	10" x 14"	SS
25256	7" x 10"	PL
25257	10" x 14"	PL
42833	7" x 10"	AL
42834	10" x 14"	AL



88702	10" x 14"	SS



129236	7" x 10"	SS
129239	10" x 14"	SS
129235	7" x 10"	PL
129238	10" x 14"	PL
129234	7" x 10"	AL
129237	10" x 14"	AL



129230	7" x 10"	SS
129233	10" x 14"	SS
129229	7" x 10"	PL
129232	10" x 14"	PL
129228	7" x 10"	AL
129231	10" x 14"	AL



129182	7" x 10"	SS
129185	10" x 14"	SS
129181	7" x 10"	PL
129184	10" x 14"	PL
129180	7" x 10"	AL
129183	10" x 14"	AL



129248	7" x 10"	SS
129251	10" x 14"	SS
129247	7" x 10"	PL
129250	10" x 14"	PL
129246	7" x 10"	AL
129249	10" x 14"	AL



129188	7" x 10"	SS
129191	10" x 14"	SS
129187	7" x 10"	PL
129190	10" x 14"	PL
129186	7" x 10"	AL
129189	10" x 14"	AL



95755	7" x 10"	FB
62950	10" x 14"	FB
62954	10" x 14"	SS
62951	7" x 10"	PL
62952	10" x 14"	PL
67992	10" x 14"	AL



129260	7" x 10"	SS
129263	10" x 14"	SS
129259	7" x 10"	PL
129262	10" x 14"	PL
129258	7" x 10"	AL
129261	10" x 14"	AL



42835	7" x 10"	AL
42836	10" x 14"	AL
88707	7" x 10"	SS
88708	10" x 14"	SS
25258	7" x 10"	PL
25259	10" x 14"	PL



70416	10" x 14"	FB
88709	7" x 10"	SS
88710	10" x 14"	SS
25260	7" x 10"	PL
25261	10" x 14"	PL
42837	7" x 10"	AL
42838	10" x 14"	AL



129266	7" x 10"	SS
129269	10" x 14"	SS
129265	7" x 10"	PL
129268	10" x 14"	PL
129264	7" x 10"	AL
129267	10" x 14"	AL



25263	10" x 14"	PL
42840	10" x 14"	AL



129254	7" x 10"	SS
129257	10" x 14"	SS
129253	7" x 10"	PL
129256	10" x 14"	PL
129252	7" x 10"	AL
129255	10" x 14"	AL



76081	10" x 14"	FB
88715	7" x 10"	SS
25264	7" x 10"	PL
25265	10" x 14"	PL
42841	7" x 10"	AL
42842	10" x 14"	AL



88717	7" x 10"	SS
88718	10" x 14"	SS
25266	7" x 10"	PL
25267	10" x 14"	PL
42843	7" x 10"	AL



88725	7" x 10"	SS
88726	10" x 14"	SS
25268	7" x 10"	PL
25269	10" x 14"	PL
42845	7" x 10"	AL
42846	10" x 14"	AL

BradyID.com/s36

Radiation and Laser Signs (continued)



129272	7" x 10"	SS
129275	10" x 14"	SS
129271	7" x 10"	PL
129274	10" x 14"	PL
129270	7" x 10"	AL
129273	10" x 14"	AL



129284	7" x 10"	SS
129287	10" x 14"	SS
129283	7" x 10"	PL
129286	10" x 14"	PL
129282	7" x 10"	AL
129285	10" x 14"	AL



129290	7" x 10"	SS
129293	10" x 14"	SS
129289	7" x 10"	PL
129292	10" x 14"	PL
129288	7" x 10"	AL
129291	10" x 14"	AL



129296	7" x 10"	SS
129299	10" x 14"	SS
129295	7" x 10"	PL
129298	10" x 14"	PL
129294	7" x 10"	AL
129297	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



129302	7" x 10"	SS
129305	10" x 14"	SS
129301	7" x 10"	PL
129304	10" x 14"	PL
129300	7" x 10"	AL
129303	10" x 14"	AL



69437	10" x 14"	FB
84583	7" x 10"	SS
22443	7" x 10"	PL
41007	7" x 10"	AL
41008	10" x 14"	AL



129308	10" x 7"	SS
129311	14" x 10"	SS
129307	10" x 7"	PL
129310	14" x 10"	PL
129306	10" x 7"	AL
129309	14" x 10"	AL



84586	10" x 14"	SS
22445	7" x 10"	PL
22446	10" x 14"	PL



129320	7" x 10"	SS
129323	10" x 14"	SS
129319	7" x 10"	PL
129322	10" x 14"	PL
129318	7" x 10"	AL
129321	10" x 14"	AL



129314	10" x 7"	SS
129317	14" x 10"	SS
129313	10" x 7"	PL
129316	14" x 10"	PL
129312	10" x 7"	AL



129326	7" x 10"	SS
129329	10" x 14"	SS
129325	7" x 10"	PL
129328	10" x 14"	PL
129324	7" x 10"	AL
129327	10" x 14"	AL



129332	7" x 10"	SS
129335	10" x 14"	SS
129331	7" x 10"	PL
129334	10" x 14"	PL
129330	7" x 10"	AL
129333	10" x 14"	AL



129338	7" x 10"	SS
129341	10" x 14"	SS
129337	7" x 10"	PL
129340	10" x 14"	PL
129336	7" x 10"	AL
129339	10" x 14"	AL



124183	10" x 7"	SS
124186	14" x 10"	SS
124182	10" x 7"	PL
124185	14" x 10"	PL
124181	10" x 7"	AL
124184	14" x 10"	AL



124300	10" x 7"	SS
124303	14" x 10"	SS
124299	10" x 7"	PL
124302	14" x 10"	PL
124298	10" x 7"	AL
124301	14" x 10"	AL



88731	7" x 10"	SS
25270	7" x 10"	PL



88733	10" x 7"	SS
88734	14" x 10"	SS
25272	10" x 7"	PL
25273	14" x 10"	PL
42849	10" x 7"	AL
42850	14" x 10"	AL



88736	7" x 10"	SS
88737	10" x 14"	SS
25274	7" x 10"	PL
25275	10" x 14"	PL



122777	10" x 7"	FB
74829	14" x 10"	FB
88738	10" x 7"	SS
88739	14" x 10"	SS
25276	10" x 7"	PL
25277	14" x 10"	PL
42853	10" x 7"	AL
42854	14" x 10"	AL



74837	7" x 10"	FB
88741	7" x 10"	SS
88742	10" x 14"	SS
25278	7" x 10"	PL
25279	10" x 14"	PL
42855	7" x 10"	AL
42856	10" x 14"	AL



88740	3.5" x 10"	SS



74844	14" x 20"	FB
88743	7" x 10"	SS
25280	7" x 10"	PL
25281	10" x 14"	PL
42857	7" x 10"	AL
42858	10" x 14"	AL



124231	10" x 7"	SS
124234	14" x 10"	SS
124230	10" x 7"	PL
124233	14" x 10"	PL
124229	10" x 7"	AL
124232	14" x 10"	AL



74850	14" x 20"	FB
88746	7" x 10"	SS
88747	10" x 14"	SS
25282	7" x 10"	PL
25283	10" x 14"	PL
42859	7" x 10"	AL
42860	10" x 14"	AL



89112	2.25" x 2.25"	SS
88750	3.5" x 10"	SS
88751	5" x 14"	SS



74855	7" x 10"	FB
122717	10" x 14"	FB
88748	7" x 10"	SS
88749	10" x 14"	SS
25284	7" x 10"	PL
25285	10" x 14"	PL
42861	7" x 10"	AL
42862	10" x 14"	AL



88745	2.25" x 2.25"	SS



89171	2.25" x 2.25"	SS
88752	3.5" x 10"	SS

Radiation and Laser Signs (continued)



74900	14" x 20"	FB
25286	7" x 10"	PL
42863	7" x 10"	AL




74886	5" x 14"	FB
122849	7" x 10"	FB
122719	10" x 14"	FB
88762	5" x 14"	SS
122653	7" x 10"	SS
122578	10" x 14"	SS
122522	7" x 10"	PL
25288	10" x 14"	PL
42865	10" x 14"	AL



88767	7" x 10"	SS
88768	10" x 14"	SS
25289	7" x 10"	PL
74907	7" x 10"	FB
42867	10" x 14"	AL



129200	7" x 10"	SS
129203	10" x 14"	SS
129199	7" x 10"	PL
129202	10" x 14"	PL
129198	7" x 10"	AL
129201	10" x 14"	AL



88769	10" x 7"	SS
88770	14" x 10"	SS
25291	10" x 7"	PL
25292	14" x 10"	PL
42868	10" x 7"	AL
42869	14" x 10"	AL



88936	2.25" x 9"	SS
88937	3.5" x 10"	SS
88938	5" x 14"	SS



129206	10" x 7"	SS
129209	14" x 10"	SS
129205	10" x 7"	PL
129208	14" x 10"	PL
129204	10" x 7"	AL
129207	14" x 10"	AL



129212	10" x 7"	SS
129215	14" x 10"	SS
129211	10" x 7"	PL
129214	14" x 10"	PL
129210	10" x 7"	AL
129213	14" x 10"	AL



129218	10" x 7"	SS
129221	14" x 10"	SS
129217	10" x 7"	PL
129220	14" x 10"	PL
129216	10" x 7"	AL
129219	14" x 10"	AL



129224	7" x 10"	SS
129227	10" x 14"	SS
129223	7" x 10"	PL
129226	10" x 14"	PL
129222	7" x 10"	AL
129225	10" x 14"	AL





129344	18" x 18"	SS
129343	18" x 18"	PL
129342	18" x 18"	AL

Nuclear Insert Signs

- Insert signs capable of holding multiple messages
- Durable subsurface printed on polycarbonate material
- Sharply contrasting magenta on yellow CAUTION header with radiation symbol
- Thumb notch at pocket opening allows for easy removal of the insert
- Snap-in design holds inserts lightly
- Available with nylon clamps for hanging or brass grommets for wall mounting

Catalog #	Size	Description	Qty
(See below)	1.68" x 8"	Polycarbonate Sign Inserts	5
93600	12" x 8"	3-Pocket Caution Insert Holder	1
93602	16" x 8"	5-Pocket Caution Insert Holder	1





Signs provide precise hazard warning by enabling you to include up to 5 messages per sign.



93634	1.68" x 8"




93620	1.68" x 8"



93636	1.68" x 8"



93625	1.68" x 8"



93637	1.68" x 8"



93619	1.68" x 8"



93629	1.68" x 8"



93631	1.68" x 8"



93640	1.68" x 8"




93627	1.68" x 8"




93616	1.68" x 8"



93638	1.68" x 8"



93621	1.68" x 8"



93611	1.68" x 8"

Recycle and Environment Signs

Brady offers a full line of recycling signs for an environmentally responsible facility. Recycle signs can be placed in designated areas for recycling.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
SSV - Self-Sticking Vinyl (B-946)

Material Comparison ..... page 408
Sign Legend Index..... page 588



73478	10" x 14"	FB
86023	7" x 10"	SS
86024	10" x 14"	SS
25943	7" x 10"	PL
25944	10" x 14"	PL



129389	10" x 7"	SS
129392	14" x 10"	SS
129388	10" x 7"	PL
129391	14" x 10"	PL
129387	10" x 7"	AL
129390	14" x 10"	AL



86027	7" x 10"	SS
25947	7" x 10"	PL
41972	7" x 10"	AL



129353	10" x 7"	SS
129356	14" x 10"	SS
129352	10" x 7"	PL
129355	14" x 10"	PL
129351	10" x 7"	AL
129354	14" x 10"	AL



129359	10" x 7"	SS
129362	14" x 10"	SS
129358	10" x 7"	PL
129361	14" x 10"	PL
129357	10" x 7"	AL
129360	14" x 10"	AL



129365	10" x 7"	SS
129368	14" x 10"	SS
129364	10" x 7"	PL
129367	14" x 10"	PL
129363	10" x 7"	AL
129366	14" x 10"	AL



129347	7" x 10"	SS
129350	10" x 14"	SS
129346	7" x 10"	PL
129349	10" x 14"	PL
129345	7" x 10"	AL
129348	10" x 14"	AL



129371	10" x 7"	SS
129374	14" x 10"	SS
129370	10" x 7"	PL
129373	14" x 10"	PL
129369	10" x 7"	AL
129372	14" x 10"	AL



123516	7" x 10"	SS
123519	10" x 14"	SS
123515	7" x 10"	PL
123518	10" x 14"	PL
123514	7" x 10"	AL
123517	10" x 14"	AL




76879	12" x 12"	FB
22451	7" x 10"	PL




123947	7" x 10"	SS
123950	10" x 14"	SS
123946	7" x 10"	PL
123949	10" x 14"	PL
123945	7" x 10"	AL
123948	10" x 14"	AL



123559	10" x 7"	SS
123562	14" x 10"	SS
123558	10" x 7"	PL
123561	14" x 10"	PL
123557	10" x 7"	AL
123560	14" x 10"	AL



129377	10" x 7"	SS
129380	14" x 10"	SS
129376	10" x 7"	PL
129379	14" x 10"	PL
129375	10" x 7"	AL
129378	14" x 10"	AL



129383	10" x 7"	SS
129386	14" x 10"	SS
129382	10" x 7"	PL
129385	14" x 10"	PL
129381	10" x 7"	AL
129384	14" x 10"	AL



86025	7" x 10"	SS
25945	7" x 10"	PL
25946	10" x 14"	PL



129395	10" x 7"	SS
129398	14" x 10"	SS
129394	10" x 7"	PL
129397	14" x 10"	PL
129393	10" x 7"	AL
129396	14" x 10"	AL



86029	7" x 10"	SS
25950	10" x 14"	PL



123967	10" x 7"	SS
123970	14" x 10"	SS
123966	10" x 7"	PL
123969	14" x 10"	PL
123965	10" x 7"	AL
123968	14" x 10"	AL



73477	10" x 14"	FB
86013	7" x 10"	SS
86014	10" x 14"	SS
25933	7" x 10"	PL
25934	10" x 14"	PL
41959	10" x 14"	AL



73426	7" x 10"	FB
70612	10" x 14"	FB
86011	7" x 10"	SS
86012	10" x 14"	SS
41956	7" x 10"	AL



70617	7" x 10"	FB
86018	10" x 14"	SS
41963	10" x 14"	AL



70609	7" x 10"	FB
70610	10" x 14"	FB
86009	7" x 10"	SS
86010	10" x 14"	SS
25929	7" x 10"	PL
25930	10" x 14"	PL



70608	10" x 14"	FB
86007	7" x 10"	SS
86008	10" x 14"	SS
25927	7" x 10"	PL
25928	10" x 14"	PL
41952	7" x 10"	AL
41953	10" x 14"	AL



84601	10" x 14"	SS



84602	10" x 14"	SS



84603	10" x 14"	SS



84604	10" x 14"	SS



84605	10" x 14"	SS



70616	10" x 14"	FB
86015	7" x 10"	SS
86016	10" x 14"	SS
25936	10" x 14"	PL
41961	10" x 14"	AL



123961	10" x 7"	SS
123964	14" x 10"	SS
123960	10" x 7"	PL
123963	14" x 10"	PL
123959	10" x 7"	AL
123962	14" x 10"	AL



124633	3.5" x 10"	SS
124632	3.5" x 10"	PL
124631	3.5" x 10"	AL



76290	1" x 2.25"	SSV

Restroom Signs

Brady's restroom signs easily identify your facility's restrooms. These signs feature bold lettering and universal pictograms. Brady has over 20 different pictogram and stock legends for restroom signs in various sizes, color, languages and materials, including signs that identify handicap access.





129401	10" x 7"	SS
129404	14" x 10"	SS
129400	10" x 7"	PL
129403	14" x 10"	PL
129399	10" x 7"	AL
129402	14" x 10"	AL



123979	7" x 10"	SS
123982	10" x 14"	SS
123978	7" x 10"	PL
123981	10" x 14"	PL
123977	7" x 10"	AL
123980	10" x 14"	AL



123985	7" x 10"	SS
123988	10" x 14"	SS
123984	7" x 10"	PL
123987	10" x 14"	PL
123983	7" x 10"	AL
123986	10" x 14"	AL



123973	7" x 10"	SS
123976	10" x 14"	SS
123972	7" x 10"	PL
123975	10" x 14"	PL
123971	7" x 10"	AL
123974	10" x 14"	AL



84234	3.5" x 10"	SS



132100	7" x 10"	FB
47668	7" x 10"	SS
47670	7" x 10"	PL
47671	7" x 10"	AL



47699	7" x 10"	SS
47701	7" x 10"	PL
47708	7" x 10"	AL



47725	10" x 7"	SS
47727	10" x 7"	PL
47728	10" x 7"	AL



88516	7" x 7"	SS
44607	6" x 6"	Acrylic
25178	7" x 10"	PL
42755	7" x 10"	AL



70426	4" x 12"	FB



25917	10" x 14"	PL
43493	10" x 14"	AL



124639	3.5" x 10"	SS
124638	3.5" x 10"	PL
124637	3.5" x 10"	AL



124636	3.5" x 10"	SS
124635	3.5" x 10"	PL
124634	3.5" x 10"	AL



47685	7" x 10"	SS
47690	7" x 10"	PL
47691	7" x 10"	AL



70508	4" x 12"	FB



25918	10" x 14"	PL
43494	10" x 14"	AL



91319	6" x 12"	FB
89128	6" x 12"	SS



123881	7" x 10"	SS
123884	10" x 14"	SS
123880	7" x 10"	PL
123883	10" x 14"	PL
123879	7" x 10"	AL
123882	10" x 14"	AL



87719	10" x 14"	FB
47538	10" x 14"	SS
47551	10" x 14"	PL
47555	10" x 14"	AL



87718	10" x 14"	FB
47546	10" x 14"	SS
47540	10" x 14"	PL



132101	7" x 10"	FB
47674	7" x 10"	SS
47676	7" x 10"	PL
47677	7" x 10"	AL



47713	7" x 10"	SS
47721	7" x 10"	PL
47722	7" x 10"	AL



47731	10" x 7"	SS
47733	10" x 7"	PL
47734	10" x 7"	AL



88530	7" x 7"	SS
44608	6" x 6"	Acrylic
25191	7" x 10"	PL
42768	7" x 10"	AL



70593	4" x 12"	FB




25919	10" x 14"	PL
43495	10" x 14"	AL

Braille (ADA) Restroom Signs

Brady also offers restroom signs that comply with requirements set under the Americans with Disabilites Act (ADA).

View **page 447** for all Braille Signs.



Safety Sign Sliders

Brady Safety Sign Sliders help you keep employees and visitors safe with the most current and important messages. The highly visual display ensures that anyone entering the facility or work area is aware of the necessary safety precautions. Custom or stock sliding inserts can easily be added, removed or reordered to update safety and awareness messages quickly and cost-effectively.

Sign Selection Guide

PL - Plastic (B-401)
AL - Aluminum (B-555)

Material Comparison ..... page 408
Sign Legend Index..... page 588



Wall Mount Boards



Catalog #	Description	Material	Sign Capacity	Size	Qty
140747	Single Wall Mount	Plastic	4	36" x 24"	1
140746	Single Wall Mount	Plastic	6	50" x 24"	1
140745	Single Wall Mount	Plastic	8	64" x 24"	1
140736	Single Wall Mount	Plastic	11	74" x 24"	1
140744	Single Wall Mount	Aluminum	4	36" x 24"	1
140743	Single Wall Mount	Aluminum	6	50" x 24"	1
140742	Single Wall Mount	Aluminum	8	64" x 24"	1
140741	Single Wall Mount	Aluminum	11	74" x 24"	1



3-Sided Free Standing Boards



Catalog #	Description	Material	Sign Capacity	Size	Qty
140740	3-Side Free Standing	Plastic	4	36" x 24"	1
140739	3-Side Free Standing	Plastic	6	50" x 24"	1
140738	3-Side Free Standing	Plastic	8	64" x 24"	1
140737	3-Side Free Standing	Plastic	11	74" x 24"	1

Mandatory Action Sign Sliders



140777	6" x 23.875"	PL
140822	6" x 23.875"	AL



140803	6" x 23.875"	PL
140823	6" x 23.875"	AL



140751	6" x 23.875"	PL
140797	6" x 23.875"	AL



140757	6" x 23.875"	PL
140801	6" x 23.875"	AL



140753	6" x 23.875"	PL
140795	6" x 23.875"	AL



140783	6" x 23.875"	PL
140828	6" x 23.875"	AL



140782	6" x 23.875"	PL
140829	6" x 23.875"	AL



140784	6" x 23.875"	PL
140796	6" x 23.875"	AL



140752	6" x 23.875"	PL
140830	6" x 23.875"	AL



140802	6" x 23.875"	PL
140831	6" x 23.875"	AL



140750	6" x 23.875"	PL
140798	6" x 23.875"	AL



140773	6" x 23.875"	PL
140819	6" x 23.875"	AL



140774	6" x 23.875"	PL
140820	6" x 23.875"	AL



140776	6" x 23.875"	PL
140821	6" x 23.875"	AL



140780	6" x 23.875"	PL
140826	6" x 23.875"	AL



140781	6" x 23.875"	PL
140827	6" x 23.875"	AL



140785	6" x 23.875"	PL
140763	6" x 23.875"	AL



140786	6" x 23.875"	PL
140832	6" x 23.875"	AL



140748	6" x 23.875"	PL
140800	6" x 23.875"	AL



140778	6" x 23.875"	PL
140824	6" x 23.875"	AL



140779	6" x 23.875"	PL
140825	6" x 23.875"	AL



140749	6" x 23.875"	PL
140799	6" x 23.875"	AL

Prohibition Sign Sliders



140758	6" x 23.875"	PL
140791	6" x 23.875"	AL



140767	6" x 23.875"	PL
140812	6" x 23.875"	AL



140768	6" x 23.875"	PL
140813	6" x 23.875"	AL



140769	6" x 23.875"	PL
140814	6" x 23.875"	AL



140804	6" x 23.875"	PL
140815	6" x 23.875"	AL



140759	6" x 23.875"	PL
140790	6" x 23.875"	AL



140760	6" x 23.875"	PL
140789	6" x 23.875"	AL



140761	6" x 23.875"	PL
140788	6" x 23.875"	AL



140772	6" x 23.875"	PL
140818	6" x 23.875"	AL



140771	6" x 23.875"	PL
140817	6" x 23.875"	AL

Caution Sign Sliders



140765	6" x 23.875"	PL
140810	6" x 23.875"	AL



140754	6" x 23.875"	B-401
140811	6" x 23.875"	B-555



140766	6" x 23.875"	PL
140794	6" x 23.875"	AL



140755	6" x 23.875"	PL
140793	6" x 23.875"	AL



140770	6" x 23.875"	PL
140816	6" x 23.875"	AL



140762	3" x 23.875"	PL
140787	3" x 23.875"	AL



140807	3" x 23.875"	PL
140808	4" x 23.875"	PL
140805	3" x 23.875"	AL
140806	4" x 23.875"	AL

Environmental Sign Sliders



140764	6" x 23.875"	PL
140809	6" x 23.875"	AL

140756	6" x 23.875"	PL
140792	6" x 23.875"	AL

BradyID.com/s36

Safety Banners


Brady safety banners promote and motivate employees on the importance of workplace safety and preparedness. These banners are large, highly visible and can be hung throughout your facility. Made of a heavy-duty polyethlene, Brady safety banners can withstand industrial work environments.

Banner Material

Banners are constructed of heavy-duty vinyl and are for indoor use only.



106313 3.5' x 10' vinyl



106312 3.5' x 10' vinyl



106333 3' x 5' vinyl



50908 3.5' x 10' vinyl



50905 3.5' x 10' vinyl



106315 3.5' x 10' vinyl



50904 3.5' x 10' vinyl



106316 3.5' x 10' vinyl



106334 3' x 5' vinyl
106318 3.5' x 10' vinyl



50910 3.5' x 10' vinyl



106321 3.5' x 10' vinyl



56972 3' x 5' vinyl



106322 3.5' x 10' vinyl



50906 3.5' x 10' vinyl



106323 3.5' x 10' vinyl



106326 3.5' x 10' vinyl



106324 3.5' x 10' vinyl



106325 3.5' x 10' vinyl

BRADY

Safety Banners (continued)




106327 3.5' x 10' vinyl



106328 3.5' x 10' vinyl



56970 3' x 5' vinyl



106298 3.5' x 10' vinyl



106332 3' x 5' vinyl



106329 3' x 5' vinyl



106291 3.5' x 10' vinyl



106292 3.5' x 10' vinyl



106294 3.5' x 10' vinyl



106295 3.5' x 10' vinyl



106330 3' x 5' vinyl




50909 3.5' x 10' vinyl



50907 3.5' x 10' vinyl



106296 3.5' x 10' vinyl



106331 3' x 5' vinyl
106297 3.5' x 10' vinyl



106303 3.5' x 10' vinyl




106299 3.5' x 10' vinyl



106300 3.5' x 10' vinyl

BradyID.com/s36

Safety Banners (continued)



50900 3.5' x 10' vinyl



50911 3.5' x 10' vinyl

Banner Material

Banners are constructed of heavy-duty vinyl and are for indoor use only.



106304 3.5' x 10' vinyl



106305 3.5' x 10' vinyl



106306 3.5' x 10' vinyl



56968 3' x 5' vinyl



50902 3.5' x 10' vinyl



50912 3.5' x 10' vinyl



50901 3.5' x 10' vinyl



106308 3.5' x 10' vinyl



106307 3.5' x 10' vinyl



106310 3.5' x 10' vinyl



106311 3.5' x 10' vinyl



50903 3.5' x 10' vinyl






Safety Posters


Brady safety banners are concise, easy to understand safety posters that are designed to provide continued reinforcement of your ongoing safety programs.

Banner Material


Posters are laminated on both sides and are recommended for indoor use only.




PS125E	English	18" x 24"	Laminated
PS125S	Spanish	18" x 24"	Laminated




CSP	English	18" x 24"	Laminated




PS128E	English	18" x 24"	Laminated




FESP	English	18" x 24"	Laminated



FLSP	English	18" x 24"	Laminated




PS135E	English	18" x 24"	Laminated



53202	English	22" x 26"	Laminated
53203	Spanish	22" x 26"	Laminated




BLSP	English	18" x 24"	Laminated




LOSP8	English	18" x 24"	Laminated
LOSP8SP	Spanish	18" x 24"	Laminated

BradyID.com/s36


Safety Posters (continued)



MSSP	English	18" x 24"	Laminated



PS127E	English	18" x 24"	Laminated




PS139E	English	18" x 24"	Laminated
PS139S	Spanish	18" x 24"	Laminated



OSHA Safety Poster

- Poster provides all the postings, notices and information that the government requires general industry employers to have in their facility
- All-on-one format saves wall space
- Poster comes with a first aid at-a-glance sheet and a good faith safety compliance certificate

Catalog #	Description	Size	Qty.
106434	OSHA Safety Poster	25.5" x 39.5"	1 set



GHS Reference Center Poster

- This all-inclusive, large format poster gets worker attention and combines many of the most important changes into one easy-to-read format
- Includes detailed information on:
  - Safety Data Sheet (SDS) format
  - GHS-formatted label elements
  - GHS Hazard Pictograms

Catalog #	Description	Size	Qty.
133209	GHS Reference Center Poster	25.5" x 39.5"	1 each



GHS Intro Poster Pack


- Set of 3 informational posters puts critical GHS information in different parts of your facility and promotes employee understanding
- Posters outline:
  - An overview of the Globally Harmonized System of Classification and Labeling of Chemicals
  - Information on SDS format and outline
  - Information on GHS-formatted label elements

Catalog #	Description	Size	Qty.
133207	GHS Intro Posters	17" x 22"	1 set of 3

Sign Holders

Clear poster holder allows you to store different posters and to rotate the display according to your safety program.

Catalog #	Description	Size	Color	Qty.
SH1824	Sign Holder	18" x 24"	Clear	1



Safety Slogan Signs

Brady safety awareness signs will promote safety and teamwork in your facility while helping you comply with OSHA regulations for accident prevention. They are highly noticeable and available in a wide array of sizes and materials and available for almost any application.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)

Material Comparison ..... page 408
Sign Legend Index..... page 588



72605	14" x 20"	FB
88791	10" x 14"	SS
25295	7" x 10"	PL



88842	7" x 10"	SS
88843	10" x 14"	SS
25315	7" x 10"	PL
25316	10" x 14"	PL
42893	10" x 14"	AL



25297	7" x 10"	PL
25298	10" x 14"	PL
88806	7" x 10"	SS
42874	7" x 10"	AL



88810	7" x 10"	SS
88811	10" x 14"	SS
25299	7" x 10"	PL
25300	10" x 14"	PL
42876	7" x 10"	AL

Regulations

Safety Instruction Signs 1910.145(c)(3)

Safety instruction signs shall be used where there is a need for general instructions and suggestions relative to safety measures.



72936	14" x 20"	FB
88814	7" x 10"	SS
88815	10" x 14"	SS
25301	7" x 10"	PL
25302	10" x 14"	PL
42879	10" x 14"	AL



88830	7" x 10"	SS
88831	10" x 14"	SS
25307	7" x 10"	PL



25688	7" x 10"	PL
25689	10" x 14"	PL
43265	7" x 10"	AL



69755	10" x 14"	FB
88834	7" x 10"	SS
88835	10" x 14"	SS
25309	7" x 10"	PL
25310	10" x 14"	PL
42887	10" x 14"	AL



69173	10" x 14"	FB
88838	7" x 10"	SS
88839	10" x 14"	SS
25311	7" x 10"	PL
25312	10" x 14"	PL
42888	7" x 10"	AL
42889	10" x 14"	AL



88840	7" x 10"	SS
25313	7" x 10"	PL
25314	10" x 14"	PL
42891	10" x 14"	AL



69333	10" x 14"	FB
88846	7" x 10"	SS
25317	7" x 10"	PL
42895	10" x 14"	AL



69352	10" x 14"	FB
88848	7" x 10"	SS
88849	10" x 14"	SS
25319	7" x 10"	PL
25320	10" x 14"	PL
42896	7" x 10"	AL
42897	10" x 14"	AL



87682	7" x 10"	FB
35478	10" x 14"	SS
35480	10" x 14"	PL



73471	7" x 10"	FB



69464	10" x 14"	FB
88852	7" x 10"	SS
88853	10" x 14"	SS
25323	7" x 10"	PL
25324	10" x 14"	PL
42900	7" x 10"	AL
42901	10" x 14"	AL



88860	7" x 10"	SS
88861	10" x 14"	SS
42902	7" x 10"	AL
42903	10" x 14"	AL
70205	10" x 14"	FB
25325	7" x 10"	PL
25326	10" x 14"	PL



73449	10" x 14"	FB
88864	7" x 10"	SS
88865	10" x 14"	SS
25327	7" x 10"	PL
25328	10" x 14"	PL
42904	7" x 10"	AL
42905	10" x 14"	AL



70293	10" x 14"	FB
88866	7" x 10"	SS
25329	7" x 10"	PL
25330	10" x 14"	PL
42906	7" x 10"	AL
42907	10" x 14"	AL



73464	10" x 14"	FB
88870	7" x 10"	SS
88871	10" x 14"	SS
25331	7" x 10"	PL
25332	10" x 14"	PL
42909	10" x 14"	AL



70462	10" x 14"	FB
88872	7" x 10"	SS
88873	10" x 14"	SS
25333	7" x 10"	PL
25334	10" x 14"	PL
42910	7" x 10"	AL
42911	10" x 14"	AL



69414	10" x 14"	FB
88874	7" x 10"	SS
88875	10" x 14"	SS
25335	7" x 10"	PL
25336	10" x 14"	PL
42912	7" x 10"	AL
42913	10" x 14"	AL



25337	7" x 10"	PL
25338	10" x 14"	PL
42914	7" x 10"	AL
42915	10" x 14"	AL
88876	7" x 10"	SS
88877	10" x 14"	SS

BradyID.com/s36

Safety Slogan Signs (continued)



69515	10" x 14"	FB
88878	7" x 10"	SS
88879	10" x 14"	SS
25339	7" x 10"	PL
25340	10" x 14"	PL
42916	7" x 10"	AL
42917	10" x 14"	AL



88880	7" x 10"	SS
25341	7" x 10"	PL
25342	10" x 14"	PL
42918	7" x 10"	AL
88881	10" x 14"	SSV



70578	10" x 14"	FB
25343	7" x 10"	PL
25344	10" x 14"	PL
42920	7" x 10"	AL
42921	10" x 14"	AL



25346	10" x 14"	PL
42923	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



69785	14" x 20"	FB
88898	7" x 10"	SS
88899	10" x 14"	SS
25347	7" x 10"	PL
42924	7" x 10"	AL



70518	10" x 14"	FB
88905	7" x 10"	SS
25348	7" x 10"	PL
25349	10" x 14"	PL
42925	7" x 10"	AL
42926	10" x 14"	AL



73423	20" x 28"	FB



90786	5" x 14"	BGPL



76093	10" x 14"	FB
88908	7" x 10"	SS
88909	10" x 14"	SS
25350	7" x 10"	PL
25351	10" x 14"	PL
42928	10" x 14"	AL



88910	7" x 10"	SS
88911	10" x 14"	SS
42929	7" x 10"	AL

Scoreboards Signs

Brady safety scoreboards help you track your facility's safety performance, and motivate your employees to maintain safe work practices. They are made of durable 20 gauge steel or polyethylene.




Magnetic Numbers

- 1.5" high numbers
- Includes 15 each of 0-3; 8 each of 4-9


Catalog #	Size	Qty.
57624	1.5"	108



SM793E	20" x 14"	Polyethylene



49111	28" x 20"	This plant....without a disabling injury	Steel
49113	28" x 20"	This company....without a disabling injury	Steel
49112	28" x 20"	This department....without a disabling injury	Steel



49114	28" x 20"	This job....without a lost time accident	Steel
49115	28" x 20"	This plant....without a lost time accident	Steel
49117	28" x 20"	This company....without a lost time accident	Steel
49116	28" x 20"	This department....without a lost time accident	Steel

Security Signs

Brady security signs deter unwanted visitors and keep your facility safe with a variety of messages, including: video surveillance, restricted areas, and “no trespassing” notices.



129407	7" x 10"	SS
129410	10" x 14"	SS
129406	7" x 10"	PL
129409	10" x 14"	PL
129405	7" x 10"	AL
129408	10" x 14"	AL



95418	10" x 14"	PL



95462	14" x 20"	FB



123595	7" x 10"	SS
123598	10" x 14"	SS
123594	7" x 10"	PL
123597	10" x 14"	PL
123593	7" x 10"	AL
123596	10" x 14"	AL



132047	7" x 10"	FB
132048	10" x 14"	FB
132045	7" x 10"	SS
132046	10" x 14"	SS
132043	7" x 10"	PL
132044	10" x 14"	PL
132041	7" x 10"	AL
132042	10" x 14"	AL



123601	10" x 7"	SS
123604	14" x 10"	SS
123600	10" x 7"	PL
123603	14" x 10"	PL
123599	10" x 7"	AL
123602	14" x 10"	AL



123589	7" x 10"	SS
123592	10" x 14"	SS
123588	7" x 10"	PL
123591	10" x 14"	PL
123587	7" x 10"	AL
123590	10" x 14"	AL



122865	7" x 10"	FB
122727	10" x 14"	FB
122658	7" x 10"	SS
122581	10" x 14"	SS
122531	7" x 10"	PL
95465	10" x 14"	PL
122422	7" x 10"	AL
122356	10" x 14"	AL



95466	10" x 14"	PL



95467	10" x 14"	PL



122869	7" x 10"	FB
122730	10" x 14"	FB
122661	7" x 10"	SS
122584	10" x 14"	SS
122534	7" x 10"	PL
95468	10" x 14"	PL
122425	7" x 10"	AL
122359	10" x 14"	AL



95469	10" x 14"	PL



122875	7" x 10"	FB
122736	10" x 14"	FB
122671	7" x 10"	SS
122594	10" x 14"	SS
122540	7" x 10"	PL
95470	10" x 14"	PL
122431	7" x 10"	AL
122363	10" x 14"	AL



95471	10" x 14"	PL



95472	10" x 14"	PL



95473	10" x 14"	PL



95474	10" x 14"	PL



95475	10" x 14"	PL



95476	10" x 14"	PL



95477	10" x 14"	PL



95478	10" x 14"	PL



95479	10" x 14"	PL



123528	7" x 10"	SS
123531	10" x 14"	SS
123527	7" x 10"	PL
123530	10" x 14"	PL
123526	7" x 10"	AL
123529	10" x 14"	AL



122866	7" x 10"	FB
122728	10" x 14"	FB
122659	7" x 10"	SS
122582	10" x 14"	SS
122532	7" x 10"	PL
122480	10" x 14"	PL
95481	14" x 20"	PL
122423	7" x 10"	AL
122357	10" x 14"	AL



95483	14" x 20"	PL



95484	14" x 20"	PL



95485	14" x 20"	PL



95486	14" x 20"	PL



95487	14" x 20"	PL



95488	14" x 20"	PL

BradyID.com/s36

Security Signs (continued)



95489	14" x 20"	PL



122886	7" x 10"	FB
122746	10" x 14"	FB
122682	7" x 10"	SS
122604	10" x 14"	SS
122550	7" x 10"	PL
122486	10" x 14"	PL
95491	14" x 20"	PL
122441	7" x 10"	AL
122372	10" x 14"	AL



95492	14" x 20"	PL



95493	14" x 20"	PL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison ..... page 408
Sign Legend Index..... page 588



122888	7" x 10"	FB
122748	10" x 14"	FB
122684	7" x 10"	SS
122606	10" x 14"	SS
122552	7" x 10"	PL
122487	10" x 14"	PL
95494	14" x 20"	PL
122443	7" x 10"	AL
122374	10" x 14"	AL



95495	14" x 20"	PL



122889	7" x 10"	FB
122749	10" x 14"	FB
122685	7" x 10"	SS
122607	10" x 14"	SS
122553	7" x 10"	PL
122488	10" x 14"	PL
95496	14" x 20"	PL
122444	7" x 10"	AL
122375	10" x 14"	AL




95426	10" x 14"	PL



95427	10" x 14"	PL



95428	10" x 14"	PL



95461	14" x 20"	FB




95459	14" x 20"	FB



132025	7" x 10"	FB
132026	10" x 14"	FB
132023	7" x 10"	SS
132024	10" x 14"	SS
132022	7" x 10"	PL
132020	7" x 10"	AL
132021	10" x 14"	AL



122867	7" x 10"	FB
122729	10" x 14"	FB
122660	7" x 10"	SS
122583	10" x 14"	SS
95411	10" x 14"	PL
122424	7" x 10"	AL
122358	10" x 14"	AL



95412	10" x 14"	PL



40782	10" x 14"	AL



95431	10" x 14"	PL



95432	10" x 14"	PL



95458	14" x 20"	FB



95433	10" x 14"	PL



95434	10" x 14"	PL



95435	10" x 14"	PL



95436	10" x 14"	PL



122876	7" x 10"	FB
122737	10" x 14"	FB
95463	14" x 20"	FB
122672	7" x 10"	SS
122595	10" x 14"	SS
122541	7" x 10"	PL
95413	10" x 14"	PL
122432	7" x 10"	AL
122364	10" x 14"	AL



122879	7" x 10"	FB
122740	10" x 14"	FB
122675	7" x 10"	SS
122598	10" x 14"	SS
122544	7" x 10"	PL
95414	10" x 14"	PL
122435	7" x 10"	AL
122367	10" x 14"	AL





Design custom security signs online

BradyID.com/customsigns

Security Signs (continued)



122880	7" x 10"	FB
122741	10" x 14"	FB
122676	7" x 10"	SS
122599	10" x 14"	SS
122545	7" x 10"	PL
95415	10" x 14"	PL
122436	7" x 10"	AL
122368	10" x 14"	AL



95416	10" x 14"	PL



90498	14" x 20"	FB



95417	10" x 14"	PL



123485	10" x 7"	SS
123488	14" x 10"	SS
123484	10" x 7"	PL
123487	14" x 10"	PL
123483	10" x 7"	AL
123486	14" x 10"	AL



129413	7" x 10"	SS
129416	10" x 14"	SS
129412	7" x 10"	PL
129415	10" x 14"	PL
129411	7" x 10"	AL
129414	10" x 14"	AL



95457	14" x 20"	FB



90499	14" x 20"	FB



95456	14" x 20"	FB



123522	10" x 7"	SS
123525	14" x 10"	SS
123521	10" x 7"	PL
123524	14" x 10"	PL
123520	10" x 7"	AL
123523	14" x 10"	AL



122881	7" x 10"	FB
122742	10" x 14"	FB
95452	24" x 18"	FB
122677	7" x 10"	SS
122600	10" x 14"	SS
122546	7" x 10"	PL
95429	20" x 14"	PL
122437	7" x 10"	AL
122369	10" x 14"	AL



95420	10" x 14"	PL



95453	24" x 18"	FB
95430	20" x 14"	PL



122885	7" x 10"	FB
122745	10" x 14"	FB
122681	7" x 10"	SS
122603	10" x 14"	SS
122549	7" x 10"	PL
95421	10" x 14"	PL
122440	7" x 10"	AL
122371	10" x 14"	AL



95438	10" x 14"	PL



95437	10" x 14"	PL



129419	7" x 10"	SS
129422	10" x 14"	SS
129418	7" x 10"	PL
129421	10" x 14"	PL
129417	7" x 10"	AL
129420	10" x 14"	AL



123482	24" x 36"	SS
123480	24" x 36"	AL



95027	11" x 11"	PL



122887	7" x 10"	FB
122747	10" x 14"	FB
122683	7" x 10"	SS
122605	10" x 14"	SS
122551	7" x 10"	PL
95424	10" x 14"	PL
122442	7" x 10"	AL
122373	10" x 14"	AL



95423	10" x 14"	PL



95455	14" x 20"	FB



123534	10" x 7"	SS
123537	14" x 10"	SS
123533	10" x 7"	PL
123536	14" x 10"	PL
123532	10" x 7"	AL
123535	14" x 10"	AL



95451	24" x 18"	FB



95450	24" x 18"	FB

Homeland Security Signs

Security signs with easily changeable panels to indicate the threat level so everyone is prepared and alerted.



103644	30" x 24"	Steel



132451	24" x 24"	Aluminum



132449	24" x 24"	Aluminum

BradyID.com/s36


Temporary Signs

Brady temporary signs are constructed to communicate short-term messages and are ideal for work area safety during short-term construction projects. These signs are also helpful for posting parking restrictions during special events or during parking lot repaving.

Sign Selection Guide

TMP- A lightweight corrugated plastic sign material for indoor use or secured outdoor use. (B-836)

Material Guide..... page 408
Sign Legend Index..... page 588





78037 18" x 24" TMP



78035 18" x 24" TMP



78036 18" x 24" TMP



78031 18" x 24" TMP



78033 18" x 24" TMP



78055 18" x 24" TMP



78002 18" x 24" TMP



78014 18" x 24" TMP



78003 18" x 24" TMP



78011 18" x 24" TMP



78004 18" x 24" TMP



78013 18" x 24" TMP



78009 18" x 24" TMP



78015 18" x 24" TMP



78007 18" x 24" TMP



78016 18" x 24" TMP



78010 18" x 24" TMP




78018 18" x 24" TMP



78019 18" x 24" TMP



78000 18" x 24" TMP



45431 5" x 7" TMP



78047 18" x 12" TMP



78049 18" x 12" TMP



Design custom signs online

BradyID.com/customsigns

BRADY

ToughWash Harsh Washdown Signs

Brady ToughWash Metal-Detectable Polypropylene (B-869) signs feature in-molded and protected graphics for use in harsh environments in the food and beverage processing industry.

- Sign material is detectable by commercially available metal detectors in order to protect food safety
- Durable plastic-encapsulated material withstands harsh washdown environments with temperatures up to 175° F (80° C) and pressure up to 1,500 PSI

Sign Selection Guide

ToughWash Metal-Detectable Polypropylene. (B-869)

Material Guide..... page 408
Sign Legend Index.... page 588



Durable 0.16 in. thick sign with encapsulated graphics



145736	7" x 10"	B-869
145737	10" x 14"	B-869



145754	7" x 10"	B-869
145755	10" x 14"	B-869



145758	7" x 10"	B-869
145759	10" x 14"	B-869



145760	7" x 10"	B-869
145761	10" x 14"	B-869



145746	7" x 10"	B-869
145747	10" x 14"	B-869



145756	7" x 10"	B-869
145757	10" x 14"	B-869



145732	7" x 10"	B-869
145733	10" x 14"	B-869



145734	7" x 10"	B-869
145735	10" x 14"	B-869



145744	7" x 10"	B-869
145745	10" x 14"	B-869



145750	7" x 10"	B-869
145751	10" x 14"	B-869



145762	7" x 10"	B-869
145763	10" x 14"	B-869



145764	7" x 10"	B-869
145765	10" x 14"	B-869




145752	7" x 10"	B-869
145753	10" x 14"	B-869



145748	7" x 10"	B-869
145749	10" x 14"	B-869



145738	7" x 10"	B-869
145739	10" x 14"	B-869



Metal Detectable Cable Ties

- Use these metal detectable ties with ToughWash Metal Detectable Signs as a metal-detectable solution in harsh washdown environments
- These ties are capable of being detected by commercially available metal detectors
- Won't compromise your food safety

Catalog #	Description	Size	Qty.
145588	Metal Detectable Cable Ties	7 in.	10/pk
145589	Metal Detectable Cable Ties	7 in.	100/pk



Parking Signs

Parking signs allow you to clearly identify areas of your facility where parking is available or restricted. These signs are available in a range of sizes and materials and suitable for outdoor lots or indoor structures. They also can be customized to meet your specific parking identification needs.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



70247	10" x 14"	FB
25823	10" x 14"	PL
43400	10" x 14"	AL



69133	10" x 14"	FB
25825	10" x 14"	PL
43402	10" x 14"	AL



75096	14" x 20"	FB
25826	10" x 14"	PL
43403	10" x 14"	AL



122855	7" x 10"	FB
47329	10" x 14"	FB
89133	7" x 10"	SS
89134	10" x 14"	SS
122523	7" x 10"	PL
25829	10" x 14"	PL
122415	7" x 10"	AL
43406	10" x 14"	AL



75103	14" x 20"	FB
25860	10" x 14"	PL
43437	10" x 14"	AL



25861	10" x 14"	PL
43438	10" x 14"	AL



75137	14" x 20"	FB
25868	10" x 14"	PL
43445	10" x 14"	AL



45474	14" x 20"	FB
25874	10" x 14"	PL
43451	10" x 14"	AL



129644	18" x 12"	SS
129643	18" x 12"	PL
129642	18" x 12"	AL



124388	18" x 12"	SS
124387	18" x 12"	PL
124386	18" x 12"	AL



129563	18" x 12"	SS
129562	18" x 12"	PL
129561	18" x 12"	AL



129653	18" x 12"	SS
129652	18" x 12"	PL
129651	18" x 12"	AL



43421	10" x 14"	AL



25846	10" x 14"	PL
43423	10" x 14"	AL



80097	18" x 12"	RFAL



129566	18" x 12"	SS
129565	18" x 12"	PL
129564	18" x 12"	AL



129647	18" x 12"	SS
129646	18" x 12"	PL
129645	18" x 12"	AL



129656	18" x 12"	SS
129655	18" x 12"	PL
129654	18" x 12"	AL



124340	18" x 12"	SS
124339	18" x 12"	PL
124338	18" x 12"	AL



129569	18" x 12"	SS
129568	18" x 12"	PL
129567	18" x 12"	AL



129650	18" x 12"	SS
129649	18" x 12"	PL
129648	18" x 12"	AL



129713	18" x 12"	SS
129712	18" x 12"	PL
129711	18" x 12"	AL



70257	10" x 14"	FB
25889	10" x 14"	PL
43466	10" x 14"	AL



75086	12" x 18"	FB
25847	10" x 14"	PL
43424	10" x 14"	AL

Parking Signs (continued)



129572	18" x 12"	SS
129571	18" x 12"	PL
129570	18" x 12"	AL



129716	18" x 12"	SS
129715	18" x 12"	PL
129714	18" x 12"	AL



124328	18" x 12"	SS
124327	18" x 12"	PL
124326	18" x 12"	AL



129620	18" x 12"	SS
129619	18" x 12"	PL
129618	18" x 12"	AL





129719	18" x 12"	SS
129718	18" x 12"	PL
129717	18" x 12"	AL



129725	18" x 12"	SS
129724	18" x 12"	PL
129723	18" x 12"	AL



75101	12" x 18"	FB



129674	18" x 12"	SS
129673	18" x 12"	PL
129672	18" x 12"	AL



124358	18" x 12"	SS
124357	18" x 12"	PL
124356	18" x 12"	AL



124352	18" x 12"	SS
124351	18" x 12"	PL
124350	18" x 12"	AL



124346	18" x 12"	SS
124345	18" x 12"	PL
124344	18" x 12"	AL



124349	18" x 12"	SS
124348	18" x 12"	PL
124347	18" x 12"	AL



129617	18" x 12"	SS
129616	18" x 12"	PL
129615	18" x 12"	AL



129587	18" x 12"	SS
129586	18" x 12"	PL
129585	18" x 12"	AL



70376	18" x 12"	FB
43427	14" x 10"	AL



129677	18" x 12"	SS
129676	18" x 12"	PL
129675	18" x 12"	AL



69301	10" x 14"	FB
25851	10" x 14"	PL
43428	10" x 14"	AL



129623	18" x 12"	SS
129622	18" x 12"	PL
129621	18" x 12"	AL



70428	10" x 14"	FB
25852	10" x 14"	PL
43429	10" x 14"	AL



129722	18" x 12"	SS
129721	18" x 12"	PL
129720	18" x 12"	AL

Parking Lot Security Signs




69050	10" x 14"	FB
25824	10" x 14"	PL
43401	10" x 14"	AL



75234	10" x 14"	FB
25838	10" x 14"	PL
43415	10" x 14"	AL



25831	10" x 14"	PL
43408	10" x 14"	AL



70458	14" x 20"	FB
25859	10" x 14"	PL
43436	10" x 14"	AL



124505	18" x 12"	SS
124504	18" x 12"	PL
124503	18" x 12"	AL

BradyID.com/s36

Parking Signs (continued)



124576	18" x 18"	PL
124578	24" x 24"	PL
124575	18" x 18"	AL
124577	24" x 24"	AL



71178	7" x 10"	FB
25854	10" x 14"	PL
43431	10" x 14"	AL



25853	7" x 10"	PL
43430	7" x 10"	AL



75071	14" x 20"	FB
25855	10" x 14"	PL
43432	10" x 14"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



75140	18" x 12"	FB
94116	18" x 12"	RFAL
94117	24" x 18"	RFAL



103739	18" x 12"	RFAL



124379	18" x 12"	SS
124378	18" x 12"	PL
124377	18" x 12"	AL



124382	18" x 12"	SS
124381	18" x 12"	PL
124380	18" x 12"	AL



94105	18" x 12"	FB
94120	18" x 12"	RFAL



75141	18" x 12"	FB
94119	18" x 12"	RFAL



113303	18" x 12"	RFAL



113304	18" x 12"	RFAL



113305	18" x 12"	RFAL



75142	18" x 12"	FB
94124	18" x 12"	RFAL



124319	18" x 12"	SS
124318	18" x 12"	PL
124317	18" x 12"	AL



129626	18" x 12"	SS
129625	18" x 12"	PL
129624	18" x 12"	AL



129686	18" x 12"	SS
129685	18" x 12"	PL
129684	18" x 12"	AL



129698	18" x 12"	SS
129697	18" x 12"	PL
129696	18" x 12"	AL



124394	18" x 12"	SS
124393	18" x 12"	PL
124392	18" x 12"	AL



124310	18" x 12"	SS
124309	18" x 12"	PL
124308	18" x 12"	AL



129689	18" x 12"	SS
129688	18" x 12"	PL
129687	18" x 12"	AL



129692	18" x 12"	SS
129691	18" x 12"	PL
129690	18" x 12"	AL



124334	18" x 12"	SS
124333	18" x 12"	PL
124332	18" x 12"	AL



75143	18" x 12"	FB
112626	18" x 12"	RFAL



124325	18" x 12"	SS
124324	18" x 12"	PL
124323	18" x 12"	AL



124322	18" x 12"	SS
124321	18" x 12"	PL
124320	18" x 12"	AL



129734	18" x 12"	SS
129733	18" x 12"	PL
129732	18" x 12"	AL



94127	18" x 12"	RFAL

Parking Signs (continued)



129737	18" x 12"	SS
129736	18" x 12"	PL
129735	18" x 12"	AL



124313	18" x 12"	SS
124312	18" x 12"	PL
124311	18" x 12"	AL



75144	18" x 12"	FB
94130	18" x 12"	RFAL



129695	18" x 12"	SS
129694	18" x 12"	PL
129693	18" x 12"	AL



129746	18" x 12"	SS
129745	18" x 12"	PL
129744	18" x 12"	AL



129749	18" x 12"	SS
129748	18" x 12"	PL
129747	18" x 12"	AL



129632	18" x 12"	SS
129631	18" x 12"	PL
129630	18" x 12"	AL



129629	18" x 12"	SS
129628	18" x 12"	PL
129627	18" x 12"	AL



124337	18" x 12"	SS
124336	18" x 12"	PL
124335	18" x 12"	AL



129635	18" x 12"	SS
129634	18" x 12"	PL
129633	18" x 12"	AL



129638	18" x 12"	SS
129637	18" x 12"	PL
129636	18" x 12"	AL



129740	18" x 12"	SS
129739	18" x 12"	PL
129738	18" x 12"	AL



129701	12" x 18"	SS
129700	12" x 18"	PL
129699	12" x 18"	AL



129659	18" x 12"	SS
129658	18" x 12"	PL
129657	18" x 12"	AL



129743	18" x 12"	SS
129742	18" x 12"	PL
129741	18" x 12"	AL



129683	18" x 12"	SS
129682	18" x 12"	PL
129681	18" x 12"	AL



129707	18" x 12"	SS
129706	18" x 12"	PL
129705	18" x 12"	AL



75166	18" x 12"	FB



129710	18" x 12"	SS
129709	18" x 12"	PL
129708	18" x 12"	AL



25862	10" x 14"	PL
43439	10" x 14"	AL



129596	18" x 12"	SS
129595	18" x 12"	PL
129594	18" x 12"	AL



124391	18" x 12"	SS
124390	18" x 12"	PL
124389	18" x 12"	AL



129662	18" x 12"	SS
129661	18" x 12"	PL
129660	18" x 12"	AL



124307	18" x 12"	SS
124306	18" x 12"	PL
124305	18" x 12"	AL



129641	18" x 12"	SS
129640	18" x 12"	PL
129639	18" x 12"	AL



124367	18" x 12"	SS
124366	18" x 12"	PL
124365	18" x 12"	AL



80077	18" x 12"	RFAL



129602	18" x 12"	SS
129601	18" x 12"	PL
129600	18" x 12"	AL

Handicapped Parking Signs on page 566.



BradyID.com/s36

Parking Signs (continued)



129608	18" x 12"	SS
129607	18" x 12"	PL
129606	18" x 12"	AL



129731	18" x 12"	SS
129730	18" x 12"	PL
129729	18" x 12"	AL



129728	18" x 12"	SS
129727	18" x 12"	PL
129726	18" x 12"	AL



124370	18" x 12"	SS
124369	18" x 12"	PL
124368	18" x 12"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



124331	18" x 12"	SS
124330	18" x 12"	PL
124329	18" x 12"	AL



129605	18" x 12"	SS
129604	18" x 12"	PL
129603	18" x 12"	AL



129611	18" x 12"	SS
129610	18" x 12"	PL
129609	18" x 12"	AL



25865	10" x 14"	PL
43442	10" x 14"	AL



129755	18" x 12"	SS
129754	18" x 12"	PL
129753	18" x 12"	AL



75190	12" x 18"	FB



22253	10" x 14"	PL
40816	7" x 10"	AL
40817	10" x 14"	AL



124385	18" x 12"	SS
124384	18" x 12"	PL
124383	18" x 12"	AL



129665	18" x 12"	SS
129664	18" x 12"	PL
129663	18" x 12"	AL



124343	18" x 12"	SS
124342	18" x 12"	PL
124341	18" x 12"	AL



129752	18" x 12"	SS
129751	18" x 12"	PL
129750	18" x 12"	AL



129668	18" x 12"	SS
129667	18" x 12"	PL
129666	18" x 12"	AL



129704	18" x 12"	SS
129703	18" x 12"	PL
129702	18" x 12"	AL



94106	6" x 12"	FB
94123	6" x 12"	RFAL



129614	18" x 12"	SS
129613	18" x 12"	PL
129612	18" x 12"	AL



75219	14" x 20"	FB
43450	10" x 14"	AL



124316	18" x 12"	SS
124315	18" x 12"	PL
124314	18" x 12"	AL



75226	12" x 18"	FB



124376	18" x 12"	SS
124375	18" x 12"	PL
124374	18" x 12"	AL



124373	18" x 12"	SS
124372	18" x 12"	PL
124371	18" x 12"	AL



80078	18" x 12"	RFAL



75227	18" x 12"	FB

Parking Signs: E-Vehicles

A number of agencies are installing electric vehicle charging facilities at on-street parking locations as electric vehicles become more prevalent in the vehicle fleet.



141672 18" x 12" RFAL



141673 18" x 12" RFAL



141671 18" x 12" RFAL



141678 18" x 12" RFAL



141679 18" x 12" RFAL



141677 18" x 12" RFAL



141675 18" x 12" RFAL



141676 18" x 12" RFAL



141674 18" x 12" RFAL



141683 18" x 12" RFAL



141684 18" x 12" RFAL



141682 18" x 12" RFAL



141686 18" x 12" RFAL



141687 18" x 12" RFAL



141685 18" x 12" RFAL



141689 18" x 12" RFAL



141690 18" x 12" RFAL



141688 18" x 12" RFAL



141698 18" x 12" AL
141694 18" x 12" RFAL



141695 18" x 12" AL
141691 18" x 12" RFAL



141696 24" x 24" AL



141661 18" x 12" AL
141670 18" x 12" RFAL



141665 18" x 12" RFAL



141666 18" x 12" RFAL



141664 18" x 12" RFAL



141662 18" x 12" RFAL



141663 18" x 12" RFAL



141660 18" x 12" RFAL



141668 18" x 12" RFAL



141669 18" x 12" RFAL



141667 18" x 12" RFAL



141697 18" x 12" AL
141693 18" x 12" RFAL



141681 6" x 12" B-959



141680 6" x 12" RFAL

Parking Signs: Handicapped

Brady handicap signs are designed with bright colors and pictograms to clearly identify accommodations for those with disabilities or special needs.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



94336	6" x 6"	FB
91324	9" x 9"	FB
94112	12" x 12"	FB
91370	14" x 10"	SS
94174	12" x 12"	RFAL



91372	14" x 10"	SS
91352	18" x 12"	RFAL



91371	14" x 10"	SS
91351	18" x 12"	RFAL



69277	9" x 9"	FB
88509	9" x 9"	SS
25173	10" x 14"	PL

ADA Handicapped Parking Guide

Parking Spaces Per Lot	Min Number of Reserved Spaces
1 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1,000	2% of total SPACES
More than 1,000	20 plus 1 for every 100 over 1,000



91326	6" x 12"	RFAL



91010	6" x 12"	RFAL



80049	6" x 12"	RFAL



112500	6" x 12"	RFAL



123876	18" x 18"	PL
123878	24" x 24"	PL
123875	18" x 18"	AL
123877	24" x 24"	AL



91354	18" x 12"	RFAL



91378	12" x 18"	FB
91376	10" x 14"	SS
91377	12" x 18"	RFAL



91331	12" x 18"	FB
91357	12" x 18"	RFAL



91332	9" x 9"	FB
91333	12" x 12"	FB
76871	18" x 18"	FB
91358	12" x 12"	RFAL
91359	18" x 18"	RFAL



103780	18" x 12"	RFAL



80110	18" x 12"	RFAL



91334	18" x 12"	FB
91360	18" x 12"	RFAL



123874	18" x 12"	SS
123873	18" x 12"	PL
123872	18" x 12"	AL



91356	18" x 12"	RFAL



90018	18" x 12"	RFAL



91336	18" x 12"	FB
91362	18" x 12"	RFAL

Parking Signs: Handicapped (continued)



145438	18" x 12"	FB



145441	18" x 12"	FB



127469	18" x 12"	SS
127468	18" x 12"	PL
127467	18" x 12"	AL



123887	18" x 12"	SS
123886	18" x 12"	PL
123885	18" x 12"	AL



115256	18" x 12"	AL



127475	18" x 12"	SS
127474	18" x 12"	PL
127473	18" x 12"	AL



127454	18" x 12"	SS
127453	18" x 12"	PL
127452	18" x 12"	AL



103748	18" x 12"	RFAL



94175	18" x 12"	RFAL



123890	18" x 12"	SS
123889	18" x 12"	PL
123888	18" x 12"	AL



127457	18" x 12"	SS
127456	18" x 12"	PL
127455	18" x 12"	AL



127460	18" x 12"	SS
127459	18" x 12"	PL
127458	18" x 12"	AL
115250	18" x 12"	RFAL



127472	18" x 12"	SS
127471	18" x 12"	PL
127470	18" x 12"	AL



127466	18" x 12"	SS
127465	18" x 12"	PL
127464	18" x 12"	AL



91386	24" x 18"	FB
91388	18" x 12"	RFAL
91389	24" x 18"	RFAL



127478	9" x 12"	SS
127477	9" x 12"	PL
127476	9" x 12"	AL



127481	10" x 14"	SS
127480	10" x 14"	PL
127479	10" x 14"	AL



91384	6" x 12"	FB
91387	6" x 12"	RFAL



123871	18" x 12"	SS
123870	18" x 12"	PL
123869	18" x 12"	AL



127463	18" x 12"	SS
127462	18" x 12"	PL
127461	18" x 12"	AL



91375	14" x 10"	SS
91363	18" x 12"	RFAL



Railroad Traffic Signs

Railroad specific signs are highly durable and visible in day or night conditions. Made in both blue and red, these new signs help you comply with the Federal Railroad Administration and OSHA regulations. In the railroad industry, blue is the traditional color for "STOP", and has been used in the rail industry to indicate protection of parked rail cars and the crews working on them. Red is also acceptable for OSHA compliance, as some states and local railroad regulations require red signs on industrial sidings (a low-speed track section).


Sign Selection Guide

Reflective aluminum rail signs are made of .080 inch thick engineer grade reflective aluminum (B-959) unless otherwise noted.

Material Guide..... page 408
Sign Legend Index..... page 588



134193 12" x 15" RFAL



134194 12" x 15" RFAL



134177 12" x 15" RFAL



134178 12" x 15" RFAL



134190 12" x 15" RFAL



70537 10" x 14" FB



70536 10" x 14" FB



134184 12" x 15" RFAL



134183 12" x 15" RFAL



134187 12" x 15" RFAL



134188 12" x 15" RFAL



134186 12" x 15" RFAL



122897	7" x 10"	FB
75211	10" x 14"	FB
122691	7" x 10"	SS
122614	10" x 14"	SS
122493	10" x 14"	PL
122447	7" x 10"	AL
122379	10" x 14"	AL



75212 12" x 15" FB



134191 12" x 15" RFAL



134192 12" x 15" RFAL

Road Construction Traffic Signs

Brady construction signs warn employees, pedestrians and visitors of the potential dangers of road or parking lot construction areas. These roll-up bright orange construction signs indicate temporary road closings, detours, shoulder work and more. Included flexible fiberglass frames fit into plastic or sewn corner pockets to achieve maximum performance, even in the windiest conditions.

Sign Selection Guide

Mesh - Non-reflective mesh
RF Vinyl - Reflective vinyl
Signs include flexible fiberglass frame.



57023	36" x 36"	Mesh
57026	48" x 48"	RF Vinyl



56795	36" x 36"	RF Vinyl



56699	36" x 36"	Mesh
56727	48" x 48"	Mesh
56726	36" x 36"	RF Vinyl



56750	36" x 36"	RF Vinyl



56767	48" x 48"	Mesh



56789	48" x 48"	RF Vinyl



56791	36" x 36"	RF Vinyl



56798	36" x 36"	Mesh
56800	48" x 48"	Mesh
56799	36" x 36"	RF Vinyl



56818	48" x 48"	RF Vinyl



56897	36" x 36"	RF Vinyl



57001	48" x 48"	Mesh
57002	48" x 48"	RF Vinyl



57005	48" x 48"	Mesh
57004	36" x 36"	RF Vinyl
57006	48" x 48"	



57014	48" x 48"	RF Vinyl



57017	48" x 48"	Mesh
57016	36" x 36"	RF Vinyl
57018	48" x 48"	RF Vinyl



57021	48" x 48"	Mesh
57020	36" x 36"	RF Vinyl
57022	48" x 48"	RF Vinyl



57029	48" x 48"	Mesh
57030	48" x 48"	RF Vinyl



57031	36" x 36"	Mesh
57033	48" x 48"	Mesh
57032	36" x 36"	RF Vinyl
57034	48" x 48"	RF Vinyl



57037	36" x 36"	Mesh
57036	48" x 48"	Mesh
57038	36" x 36"	RF Vinyl



Reflective Vinyl

57050	48" x 48"



Non-Reflective Mesh

57045	48" x 48"



Sign Stand and Warning Flags



Sign Tripod

Construction Sign Accessories

Catalog #	Description	Qty.
57067	Sign Stand	1
57069	Tripod	1
57072	Warning Flag Assembly	1
13377	Warning Flag	1
57070	36" Cross Ribs	1 set
57071	48" Cross Ribs	1 set



Construction Barricades and Traffic Cones on page 581.

Shipping and Receiving Traffic

Brady traffic signs provide clear, concise direction to traffic inside and outside your building. These signs can be used in and around your shipping and receiving departments to keep visitor traffic safe and moving smoothly. Available in a variety of sizes and materials for both indoor or outdoor use.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



69100	10" x 14"	FB
22052	10" x 14"	PL
40616	10" x 14"	AL



70223	10" x 14"	FB
25792	10" x 14"	PL
43369	10" x 14"	AL



75082	10" x 14"	FB
25795	10" x 14"	PL
43372	10" x 14"	AL



75118	10" x 14"	FB
25798	10" x 14"	PL
43375	10" x 14"	AL



129503	7" x 10"	SS
129506	10" x 14"	SS
129502	7" x 10"	PL
129505	10" x 14"	PL
129501	7" x 10"	AL
129504	10" x 14"	AL



124207	10" x 7"	SS
124210	14" x 10"	SS
124206	10" x 7"	PL
124209	14" x 10"	PL
124205	10" x 7"	AL
124208	14" x 10"	AL



25801	10" x 14"	PL
43378	10" x 14"	AL



124189	10" x 7"	SS
124192	14" x 10"	SS
124188	10" x 7"	PL
124191	14" x 10"	PL
124187	10" x 7"	AL
124190	14" x 10"	AL



129509	7" x 10"	SS
129512	10" x 14"	SS
129508	7" x 10"	PL
129511	10" x 14"	PL
129507	7" x 10"	AL
129510	10" x 14"	AL



124195	7" x 10"	SS
124198	10" x 14"	SS
124194	7" x 10"	PL
124197	10" x 14"	PL
124193	7" x 10"	AL
124196	10" x 14"	AL



129515	7" x 10"	SS
129518	10" x 14"	SS
129514	7" x 10"	PL
129517	10" x 14"	PL
129513	7" x 10"	AL
129516	10" x 14"	AL



85427	7" x 10"	SS
85428	10" x 14"	SS
22719	7" x 10"	PL
22720	10" x 14"	PL
41283	7" x 10"	AL
41284	10" x 14"	AL



63208	2" x 24"	SS



63203	10" x 14"	SS



63204	14" x 10"	SS



129521	7" x 10"	SS
129524	10" x 14"	SS
129520	7" x 10"	PL
129523	10" x 14"	PL
129519	7" x 10"	AL
129522	10" x 14"	AL

Regulations

Federal MUTCD Standard:
No person shall install or maintain in any area of private property used by the public any sign, signal, marking or other device intended to regulate, warn or guide traffic unless it conforms to the MUTCD.

Traffic Signs and Reflectivity Section 2A.0702 of MUTCDs
Stipulates that regulatory, warning, and guide signs and object markers shall be retroreflective or illuminated to show the same shape and similar color by both day and night. Most of Brady's retroreflective signs are "engineer grade". Higher intensity "Diamond Grade" signs are available as custom options.

All posts used for mounting must be breakaway style and mounted at new minimum mounting heights
All supports require breakaway sockets or posts
Minimum mounting height is 5' from the bottom of the sign to the top of the ground in rural or low-volume areas. Minimum mounting height is 7' from the bottom of the sign in urban or heavily traveled areas.

Notice: Chock Rear Wheels 1910.178(k) and (m)
When trucks are loaded and unloaded, OSHA requires the brakes to be set and wheel chocks to be placed under the rear wheels to prevent the trucks from rolling while they are boarded with a forklift or other powered industrial truck.



69176	10" x 14"	FB
25806	10" x 14"	PL
43383	10" x 14"	AL



129527	7" x 10"	SS
129530	10" x 14"	SS
129526	7" x 10"	PL
129529	10" x 14"	PL
129525	7" x 10"	AL
129528	10" x 14"	AL



75115	14" x 20"	FB
25807	10" x 14"	PL
43384	10" x 14"	AL



129455	7" x 10"	SS
129458	10" x 14"	SS
129454	7" x 10"	PL
129457	10" x 14"	PL
129453	7" x 10"	AL
129456	10" x 14"	AL



73405	10" x 14"	FB
70212	14" x 20"	FB
25819	10" x 14"	PL
43396	10" x 14"	AL



89129	7" x 10"	SS
43464	10" x 14"	AL



129533	7" x 10"	SS
129536	10" x 14"	SS
129532	7" x 10"	PL
129535	10" x 14"	PL
129531	7" x 10"	AL
129534	10" x 14"	AL



75123	14" x 20"	FB
25828	10" x 14"	PL
43405	10" x 14"	AL



70457	10" x 14"	FB
25830	10" x 14"	PL
43407	10" x 14"	AL



25832	10" x 14"	PL
43409	10" x 14"	AL



129539	7" x 10"	SS
129542	10" x 14"	SS
129538	7" x 10"	PL
129541	10" x 14"	PL
129537	7" x 10"	AL
129540	10" x 14"	AL



89155	7" x 10"	SS
25833	10" x 14"	PL
43410	10" x 14"	AL



69539	10" x 14"	FB
25834	10" x 14"	PL
43411	10" x 14"	AL



25835	10" x 14"	PL
43412	10" x 14"	AL



73424	10" x 14"	FB
25836	10" x 14"	PL
43413	10" x 14"	AL



75147	14" x 20"	FB
25839	10" x 14"	PL
43416	10" x 14"	AL



69562	7" x 17"	FB



129545	7" x 10"	SS
129548	10" x 14"	SS
129544	7" x 10"	PL
129547	10" x 14"	PL
129543	7" x 10"	AL
129546	10" x 14"	AL



129551	7" x 10"	SS
129554	10" x 14"	SS
129550	7" x 10"	PL
129553	10" x 14"	PL
129549	7" x 10"	AL
129552	10" x 14"	AL



129557	7" x 10"	SS
129560	10" x 14"	SS
129556	7" x 10"	PL
129559	10" x 14"	PL
129555	7" x 10"	AL
129558	10" x 14"	AL



132055	7" x 10"	FB
132056	10" x 14"	FB
132053	7" x 10"	SS
132054	10" x 14"	SS
132051	7" x 10"	PL
132052	10" x 14"	PL
132049	7" x 10"	AL
132050	10" x 14"	AL



70218	18" x 24"	FB
25845	10" x 14"	PL
43422	10" x 14"	AL



129485	7" x 10"	SS
129488	10" x 14"	SS
129484	7" x 10"	PL
129487	10" x 14"	PL
129483	7" x 10"	AL
129486	10" x 14"	AL



75091	10" x 14"	FB
25848	10" x 14"	PL
43425	10" x 14"	AL



63207	10" x 14"	SS




75097	10" x 14"	FB
25849	10" x 14"	PL
43426	10" x 14"	AL



63210	10" x 14"	SS



129491	7" x 10"	SS
129494	10" x 14"	SS
129490	7" x 10"	PL
129493	10" x 14"	PL
129489	7" x 10"	AL
129492	10" x 14"	AL



89136	7" x 10"	SS
25890	10" x 14"	PL
43467	10" x 14"	AL




89135	3.5" x 5"	SS

BradyID.com/s36

Shipping and Receiving Signs (continued)



25857	10" x 14"	PL
43434	10" x 14"	AL



75183	7" x 20"	FB



75156	14" x 20"	FB
25869	10" x 14"	PL



75155	14" x 20"	FB
25864	10" x 14"	PL



70526	10" x 28"	FB



70503	10" x 28"	FB

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



124499	7" x 10"	SS
124502	10" x 14"	SS
124498	7" x 10"	PL
124501	10" x 14"	PL
124497	7" x 10"	AL
124500	10" x 14"	AL



124493	7" x 10"	SS
124496	10" x 14"	SS
124492	7" x 10"	PL
124495	10" x 14"	PL
124491	7" x 10"	AL
124494	10" x 14"	AL



132103	10" x 14"	FB
75198	14" x 20"	FB
25870	10" x 14"	PL
43447	10" x 14"	AL



124439	18" x 12"	SS
124438	18" x 12"	PL
124437	18" x 12"	AL



124531	18" x 18"	PL
124533	24" x 24"	PL
124530	18" x 18"	AL
124532	24" x 24"	AL



124451	18" x 12"	SS
124450	18" x 12"	PL
124449	18" x 12"	AL



124535	18" x 18"	PL
124537	24" x 24"	PL
124534	18" x 18"	AL
124536	24" x 24"	AL



124555	18" x 18"	PL
124557	24" x 24"	PL
124554	18" x 18"	AL
124556	24" x 24"	AL



124511	18" x 18"	PL
124513	24" x 24"	PL
124510	18" x 18"	AL
124512	24" x 24"	AL



76090	12" x 15"	FB



124519	18" x 18"	PL
124521	24" x 24"	PL
124518	18" x 18"	AL
124520	24" x 24"	AL



124523	18" x 18"	PL
124525	24" x 24"	PL
124522	18" x 18"	AL
124524	24" x 24"	AL



124430	18" x 12"	SS
124429	18" x 12"	PL
124428	18" x 12"	AL



124515	18" x 18"	PL
124517	24" x 24"	PL
124514	18" x 18"	AL
124516	24" x 24"	AL




124559	18" x 18"	PL
124561	24" x 24"	PL
124558	18" x 18"	AL
124560	24" x 24"	AL



124507	18" x 18"	PL
124509	24" x 24"	PL
124506	18" x 18"	AL
124508	24" x 24"	AL



124547	18" x 18"	PL
124549	24" x 24"	PL
124546	18" x 18"	AL
124548	24" x 24"	AL



75215	10" x 14"	FB
25871	10" x 14"	PL
43448	10" x 14"	AL



70562	14" x 20"	FB
25872	10" x 14"	PL
43449	10" x 14"	AL



129497	7" x 10"	SS
129500	10" x 14"	SS
129496	7" x 10"	PL
129499	10" x 14"	PL
129495	7" x 10"	AL
129498	10" x 14"	AL



75157	10" x 14"	FB
75158	14" x 20"	FB
25875	10" x 14"	PL
43452	10" x 14"	AL



124616	18"	PL
124618	24"	PL
124615	18"	RFAL
124617	24"	RFAL



124612	18"	PL
124614	24"	PL
124611	18"	RFAL
124613	24"	RFAL

Traffic Control Signs

Brady traffic signs provide clear, concise direction to traffic outside your building. They guide vehicle traffic with easily recognizable roadway messages. Available in a variety of sizes and materials, Brady these signs can be used in crosswalks, parking lots and more.


Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



80055	9" x 12"	RFAL



75063	5" x 14"	FB



80060	9" x 12"	RFAL



80061	9" x 12"	RFAL



124580	18" x 18"	PL
124582	24" x 24"	PL
124579	18" x 18"	AL
124581	24" x 24"	AL



129470	18" x 12"	SS
129469	18" x 12"	PL
129468	18" x 12"	AL



70230	14" x 20"	FB



124463	18" x 12"	SS
124462	18" x 12"	PL
124461	18" x 12"	AL



46979	7" x 10"	FB
87301	10" x 14"	FB
89131	7" x 10"	SS
89132	10" x 14"	SS
43465	10" x 14"	AL



94225	24" x 24"	RFAL



124592	18" x 18"	PL
124594	24" x 24"	PL
124591	18" x 18"	AL
124593	24" x 24"	AL



124201	10" x 7"	SS
124204	14" x 10"	SS
124200	10" x 7"	PL
124203	14" x 10"	PL
124199	10" x 7"	AL
124202	14" x 10"	AL



80100	18" x 12"	RFAL



124273	24" x 36"	SS
124272	24" x 36"	PL
124271	24" x 36"	AL



129431	18" x 12"	SS
129430	18" x 12"	PL
129429	18" x 12"	AL



129428	18" x 12"	SS
129427	18" x 12"	PL
129426	18" x 12"	AL



129479	12" x 18"	SS
129478	12" x 18"	PL
129477	12" x 18"	AL



129578	18" x 12"	SS
129577	18" x 12"	PL
129576	18" x 12"	AL



124355	18" x 12"	SS
124354	18" x 12"	PL
124353	18" x 12"	AL



129452	18" x 12"	SS
129451	18" x 12"	PL
129450	18" x 12"	AL



75094	24" x 24"	FB



75093	30" x 30"	FB
80076	24" x 24"	RFAL
94150	30" x 30"	RFAL

High Intensity Ref. Alum.

95041	30" x 30"	-



80101	24" x 6"	RFAL
80102	36" x 12"	RFAL



80103	24" x 6"	RFAL
80104	36" x 12"	RFAL



129473	18" x 12"	SS
129472	18" x 12"	PL
129471	18" x 12"	AL



124460	18" x 12"	SS
124459	18" x 12"	PL
124458	18" x 12"	AL



129584	18" x 12"	SS
129583	18" x 12"	PL
129582	18" x 12"	AL



129581	18" x 12"	SS
129580	18" x 12"	PL
129579	18" x 12"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



129671	18" x 12"	SS
129670	18" x 12"	PL
129669	18" x 12"	AL



80094	18" x 18"	RFAL



94180	18" x 18"	RFAL



94181	18" x 18"	RFAL



80091	18" x 18"	RFAL



75110	18" x 18"	FB
115475	18" x 18"	RFAL



75111	18" x 18"	FB
94183	18" x 18"	RFAL



75113	18" x 18"	FB
94185	18" x 18"	RFAL



124406	18" x 12"	SS
124405	18" x 12"	PL
124404	18" x 12"	AL



124608	18" x 18"	PL
124610	24" x 24"	PL
124607	18" x 18"	AL
124609	24" x 24"	AL



94190	24" x 18"	RFAL



129464	18" x 12"	SS
129463	18" x 12"	PL
129462	18" x 12"	AL



129590	18" x 12"	SS
129589	18" x 12"	PL
129588	18" x 12"	AL



80108	18" x 12"	RFAL



124415	12" x 18"	SS
124414	12" x 18"	PL
124413	12" x 18"	AL



124412	18" x 12"	SS
124411	18" x 12"	PL
124410	18" x 12"	AL



124427	18" x 12"	SS
124426	18" x 12"	PL
124425	18" x 12"	AL



124596	18" x 18"	PL
124598	24" x 24"	PL
124595	18" x 18"	AL
124597	24" x 24"	AL



129437	18" x 12"	SS
129436	18" x 12"	PL
129435	18" x 12"	AL



124403	18" x 12"	SS
124402	18" x 12"	PL
124401	18" x 12"	AL



129476	18" x 12"	SS
129475	18" x 12"	PL
129474	18" x 12"	AL



129482	18" x 12"	SS
129481	18" x 12"	PL
129480	18" x 12"	AL



25858	7" x 10"	PL
43435	7" x 10"	AL



80098	24" x 18"	RFAL

Traffic Control Signs (continued)



124409	12" x 18"	SS
124408	12" x 18"	PL
124407	12" x 18"	AL



80105	6" x 12"	RFAL



80109	18" x 12"	RFAL



94163	24" x 24"	RFAL



94192	24" x 24"	RFAL



124457	12" x 18"	SS
124456	12" x 18"	PL
124455	12" x 18"	AL



124442	18" x 12"	SS
124441	18" x 12"	PL
124440	18" x 12"	AL



80095	18" x 12"	RFAL



75066	24" x 24"	FB



75161	24" x 18"	FB
94195	24" x 18"	RFAL



75162	24" x 18"	FB
94197	24" x 18"	RFAL



94199	24" x 18"	RFAL



94234	24" x 24"	RFAL
94235	30" x 30"	RFAL



94222	24" x 24"	RFAL
113319	30" x 30"	RFAL

Diamond Grade Ref. Alum.

80068	24" x 24"	B-995
80067	30" x 30"	B-995



94237	18" x 24"	RFAL



129434	18" x 12"	SS
129433	18" x 12"	PL
129432	18" x 12"	AL



129440	12" x 18"	SS
129439	12" x 18"	PL
129438	12" x 18"	AL



76087	10" x 14"	FB



129680	12" x 18"	SS
129679	12" x 18"	PL
129678	12" x 18"	AL



75178	18" x 18"	FB



80106	18" x 12"	RFAL



75180	14" x 20"	FB
43440	10" x 14"	AL



129599	18" x 12"	SS
129598	18" x 12"	PL
129597	18" x 12"	AL



124475	12" x 18"	SS
124474	12" x 18"	PL
124473	12" x 18"	AL



94307	30" x 30"	RFAL



129443	18" x 12"	SS
129442	18" x 12"	PL
129441	18" x 12"	AL



129446	12" x 18"	SS
129445	12" x 18"	PL
129444	12" x 18"	AL



80099	24" x 24"	RFAL



124466	18" x 12"	SS
124465	18" x 12"	PL
124464	18" x 12"	AL

BradyID.com/s36

Traffic Control Signs (continued)



94240	24" x 18"	RFAL



124436	18" x 12"	SS
124435	18" x 12"	PL
124434	18" x 12"	AL



129425	18" x 12"	SS
129424	18" x 12"	PL
129423	18" x 12"	AL



124424	18" x 12"	SS
124423	18" x 12"	PL
124422	18" x 12"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
RFAL - Reflective aluminum (B-959)

Material Guide..... page 408
Sign Legend Index..... page 588



103786	24" x 18"	RFAL
Diamond Grade Ref. Alum.		
103712	24" x 18"	B-995



124397	18" x 12"	SS
124396	18" x 12"	PL
124395	18" x 12"	AL



124400	18" x 12"	SS
124399	18" x 12"	PL
124398	18" x 12"	AL



124490	18" x 12"	SS
124489	18" x 12"	PL
124488	18" x 12"	AL



124487	18" x 12"	SS
124486	18" x 12"	PL
124485	18" x 12"	AL



124584	18" x 18"	PL
124586	24" x 24"	PL
124583	18" x 18"	AL
124585	24" x 24"	AL



75199	24" x 18"	FB
115239	18" x 12"	AL
94210	24" x 18"	RFAL



75200	24" x 18"	FB
115222	18" x 12"	AL
94211	24" x 18"	RFAL



75201	24" x 18"	FB
115240	18" x 12"	AL
94212	24" x 18"	RFAL



76088	24" x 18"	FB
94213	24" x 18"	RFAL



75203	24" x 18"	FB
94209	24" x 18"	RFAL



80073	18" x 18"	RFAL
80074	30" x 30"	RFAL
80075	36" x 36"	RFAL



75205	18" x 18"	FB
75206	24" x 24"	FB
75207	30" x 30"	FB
115589	12" x 12"	AL
113280	18" x 18"	RFAL
94142	18" x 18"	RFAL
94143	24" x 24"	RFAL
94144	30" x 30"	RFAL
94145	36" x 36"	RFAL
High Intensity Ref. Alum.		
95043	18" x 18"	-
95044	24" x 24"	-
95045	30" x 30"	-
95046	36" x 36"	-



124621	7" x 17"	SS
124620	7" x 17"	PL
124619	7" x 17"	AL



124421	18" x 12"	SS
124420	18" x 12"	PL
124419	18" x 12"	AL



124433	18" x 12"	SS
124432	18" x 12"	PL
124431	18" x 12"	AL



129461	18" x 12"	SS
129460	18" x 12"	PL
129459	18" x 12"	AL



124448	18" x 12"	SS
124447	18" x 12"	PL
124446	18" x 12"	AL

Traffic Control Signs (continued)



129467	12" x 18"	SS
129466	12" x 18"	PL
129465	12" x 18"	AL



124481	18" x 12"	SS
124480	18" x 12"	PL
124479	18" x 12"	AL



124484	18" x 12"	SS
124483	18" x 12"	PL
124482	18" x 12"	AL



124478	18" x 12"	SS
124477	18" x 12"	PL
124476	18" x 12"	AL



124418	12" x 18"	SS
124417	12" x 18"	PL
124416	12" x 18"	AL



94218	18" x 24"	RFAL



124469	12" x 18"	SS
124468	12" x 18"	PL
124467	12" x 18"	AL



124472	12" x 18"	SS
124471	12" x 18"	PL
124470	12" x 18"	AL



124600	18" x 18"	PL
124602	24" x 24"	PL
124599	18" x 18"	AL
124601	24" x 24"	AL



124445	18" x 12"	SS
124444	18" x 12"	PL
124443	18" x 12"	AL



129449	12" x 18"	SS
129448	12" x 18"	PL
129447	12" x 18"	AL



124588	18" x 18"	PL
124590	24" x 24"	PL
124587	18" x 18"	AL
124589	24" x 24"	AL



124604	18" x 18"	PL
124606	24" x 24"	PL
124603	18" x 18"	AL
124605	24" x 24"	AL



124454	18" x 12"	SS
124453	18" x 12"	PL
124452	18" x 12"	AL



94152	18" x 30"	RFAL

High Intensity Ref. Alum.

95040	18" x 30"	-



75062	24"	FB
80071	18"	RFAL
94148	24"	RFAL
80072	30"	RFAL


High Intensity Ref. Alum.

95039	30"	-
95042	36"	-

Stop for Pedestrians Crosswalk Sign and Stand


103709	40" x 14"	AL

Aluminum sign on molded plastic stand.



BradyID.com/s36






U-Channel Sign Posts

- Powder-coated high-tensile steel
- Weight: two pounds per linear foot
- 3⁄8 in. holes, 1 in. on center
- Hardware sold separately below

Catalog #	Description	Size
95047	U-Channel Sign Post	6 ft.
97204	U-Channel Sign Post	8 ft.
97205	U-Channel Sign Post	10 ft.
97206	U-Channel Sign Post	12 ft.



Vandal-Proof Tufnut™ for U-Channel Post

- Plated steel nut secures tightly to prevent sign theft
- 5⁄16 in. nut for use with U-Channel Sign Posts (sold separately)


Catalog #	Description
97211	2 Bolts, 2 Washers, 3 Tufnuts




Sign Base

- Mounts with three expansion bolts
- 15 in. diameter cast aluminum base includes post mount stub and hardware

Catalog #	Description	Qty.
86339	15 in. Diameter Base	1





Tuff-N-Light™ U-Channel Post

- Ideal for traffic and industrial signage
- Closed profile posts are 6 times torsionally stronger than steel posts
- Open profile style can accommodate signs up to 12 in. x18 in.

Catalog #	Description	Size	Color
97208	Closed profile	8 ft.	White
97210	Closed profile	8 ft.	Green
97207	Open profile	8 ft.	White
97209	Open profile	8 ft.	Green



NuLock II™ Fastener for Tuff-N-Light Posts

- Nylon fastener with adjustable tightening
- Reusable or cut off slip wings for permanent applications
- Use with Tuff-N-Light Sign Posts


Catalog #	Description
90913	NuLock II - 2 stems and 2 clips



Sign Base Stub Hardware

- Aluminum hardware is ideal for indoor or outdoor use
- Base: 4.25 in. H x 3.25 in. W x 2.5 in. D


Catalog #	Description	Qty
145962	Sign Base Hardware	1



Galvanized Posts

- Galvanized steel posts are manufactured of a high tensile steel and resist corrosion
- Square posts have 7/6 in. dia. holes on 1 in. centers along length of all sides


Catalog #	Shape	Size	Length
78998	Square	2 in. x 2 in.	8 ft.



Sign Mounting Brackets

- Aluminum mounting brackets ideal for indoor or outdoor use
- Fastens sign securely to round 2.35 in. outer diameter posts

Catalog #	Description	Qty
103559	Sign Brackets	2



V-Loc Breakaways

- Steel fins hold the socket securely in concrete, asphalt or dirt
- Allows post to break off cleanly at ground level if struck
- Easily replaceable posts

Catalog #	Shape	Qty.
78991	Round w/ Wedge	1
78993	U-Channel w/ Wedge and Adaptor	1





Flexible Sign Post

- Polypropylene post is equipped with reactive springs to endure collisions
- Can be mounted to asphalt or concrete
- Includes hardware and installation kit

Catalog #	Color	Height	Base	Qty.
103569	White	5 ft.	8 in. x 8 in.	1
103570	Yellow	5 ft.	8 in. x 8 in.	1





Moveable Sign Posts

- Black baked enamel finish
- Small - 14 in. dia., 16 lb cast iron base
  Post: 48 in. tall, 1 in. dia.,
  pre-drilled for 18 in. x 12 in. signs
- Large - 17 in. dia., 35 lb cast iron base
  Post: 48 in. tall, 1.5 in. dia.,
  pre-drilled for 18 in. x 18 in.,
  24 in. x 18 in. or 24 in. x 24 in. signs

Catalog #	Description	Color	Qty.
86336	Small: 16 lb base	Black	1
86345	Large: 35 lb base	Black	1



Rubber Sign Post

- Moveable post for indoors or outdoors
- 100% recycled rubber base won't chip, crack or rust
- Fits signs 18 in. x 12 in. or 24 in. x 24 in.

Catalog #	Color	Base	Qty.
103566	White	20 lb	1
103567	White	30 lb	1
103568	White	60 lb	1



Mounting Tape

- Indoor / outdoor, double-faced foam tape
- Bonds well to rough, irregular surfaces
- Service temp. range: 50° F to 180° F

Catalog #	Description	Size	Qty.
78272	Roll Mounted	0.5 in. x 108 ft.	1 roll
78273	Roll Mounted	0.75 in. x 108 ft.	1 roll
19811	Roll Mounted	1 in. x 108 ft.	1 roll
97200	Card Mounted	0.75 in. x 4.5 in.	1 card of 4



Tape Strips

- Use for mounting signs or bin panels to rough surfaces
- Double-coated foam strips have adhesive on both sides

Catalog #	Description	Size	Qty.
58300	Tape Strips	1 in. x 4 in.	10



Magnetic Strips

- Magnetic mounting strips with pressure sensitive adhesive on one side


Catalog #	Description	Size	Qty.
58301	Magnetic Strips	1 in. x 4 in.	10



Sign Holders

- Clear acrylic holder protects your sign
- May be hung vertically or horizontally

Catalog #	Size	Color	Qty.
SH710	7 in. x 10 in.	Clear	1
SH912	9 in. x 12 in.	Clear	1
SH1014	10 in. x 14 in.	Clear	1
SH1219	11.375 in. x 19.06 in.	Clear	1
SH1420	14 in. x 20 in.	Clear	1
SH1824	18 in. x 24 in.	Clear	1



Fence Sign Brackets

- Easily attaches signs to fences
- Brackets are constructed of 14 gauge steel with a green baked enamel finish
- Mounting hardware included


Catalog #	Description
86337	17 in. bracket for 18 in. x1 2 in. or 18 in. x 18 in.
86338	22 in. bracket for 12 in. x 18 in. or 24 in. x 24 in.



BriteSide™ Reflective Panels

- Create a reflective u-channel post
- Highly-reflective diamond-grade material
- Mounting hardware included


Catalog #	Description	Color	Size	Qty.
95036	Reflective Panel	Blue	3 in. x 6 ft.	1
95037	Reflective Panel	Red	3 in. x 6 ft.	1
95038	Reflective Panel	Yellow	3 in. x 6 ft.	1



Stainless Steel Coil

- Strapping coil in dispensing box for attaching street sign accessories to sign posts

Catalog #	Description	Qty.
56694	Stainless Steel Coil	1



Street Sign 4-Way Cross Piece

- Mount on top of another street sign for additional sign


Catalog #	Description	Qty.
56681	4-Way Cross Piece	1



Street Sign Tubular Post Top

- Attach to top of post to mount a street sign


Catalog #	Description	Qty.
56687	Tubular Post Top	1



Street Sign Jumbo Wing Bracket

- 21 in. bracket can mount 9 in. high street name blades

Catalog #	Description	Qty.
56688	Wing Bracket	1



Traffic Control Paddles

- Made of durable aluminum
- 18 in. octagons weight 2 lbs
- 5 ft. aluminum handle also available


Catalog #	Description	Qty.
57754	Stop / Slow	1
57755	Stop on both sides	1
55775	Stop / Go	1
55784	5 ft. Handle Extension	1



Emergency Triangles

- Reflector for day and night visibility
- Solid weighted base for stability
- 13 lbs each


Catalog #	Description	Qty.
57892	Emergency Triangles	3



Slow Moving Vehicle Sign

- For vehicles traveling 25 mph or less
- Hardware not included

Catalog #	Size	Material	Qty.
57893	14 in. x 16 in.	Vinyl	1
57894	14 in. x 16 in.	Steel	1
57895	14 in. x 16 in.	Aluminum	1



A-Frame Barricades

- Made from impact-resistant polyethylene
- Legs are 42 in. high and base is 28 in. wide

Catalog #	Description	Length	Qty.
57073	Single Board	6 ft.	1
57445	Single Board	8 ft.	1
57446	Single Board	10 ft.	1
57502	Double Board	6 ft.	1
57593	Double Board	8 ft.	1
57594	Double Board	10 ft.	1



Traffic Barrel

- Designed to break-away from base if struck
- Includes 25 lb rubber ring for stability and wind resistance

Catalog #	Description	Qty.
57771	40 in. tall and 4 in. high base	1



Pavement Tape

- Apply to clean, dry pavement
- Instantly conforms to the road surface
- High retro-directive reflectivity
- Exceeds federal specification requirements for permanent tape

Catalog #	Description	Color	Size
78263	Pavement Tape	White	4 in. x 150 ft.
78264	Pavement Tape	Yellow	4 in. x 150 ft.



Metal Folding Barricades

- Made of high density polyethylene
- **Style One:** Reflective sheeting on upper
- **Style Two:** Reflective sheeting on upper and lower panels

Catalog #	Style	Size	Qty.
57596	Metal Style One	42 in. x 24 in.	1
57597	Metal Style Two	42 in. x 24 in.	1



Traffic Cones

- Vinyl construction assures flexible, yet rugged durability

Catalog #	Description	Qty.
80111	18 in. Cone	1
80112	24 in. Cone	1



Temporary Pavement Tape

- Foil-backed vinyl, coated with sand and reflective beads
- Bonds temporarily to clean, dry surfaces making it ideal for low traffic areas

Catalog #	Description	Color	Size
78261	Economy Tape	White	4 in. x 150 ft.
78262	Economy Tape	Yellow	4 in. x 150 ft.



Plastic Folding Barricades

- Made of rugged polyethylene
- **Style One:** Reflective sheeting on upper
- **Style Two:** Reflective sheeting on upper and lower panels

Catalog #	Style	Size	Qty.
57630	Plastic Style Narrow	36 in. x 16 in.	1
57599	Plastic Style One	45 in. x 25 in.	1
57627	Plastic Style Two	45 in. x 25 in.	1



Road Construction Signs on page 569

Design Online
Custom Safety Signs



With Brady's online design tool, creating custom safety signs is simple, affordable and fast.

- Custom message
- Variety of materials
- No minimum order
- Sizes range from 3.5 in. to 36 in.
- Ships quickly

Design your signs at BradyID.com



Safety Sign Headers

ANSI and OSHA specify that safety signs must indicate and define specific hazards that, without identification, may lead to accidental injury to workers, customers or the general public. Standard headers and definitions are:

DANGER

- Indicates an imminently hazardous situation which if not avoided, will result in death or serious injury.
- Limited to most extreme situations.
- Not used for property damage hazards unless personal injury risk to this level is also involved.

WARNING

- Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.
- Not used for property damage hazards unless personal injury risk is also involved.
- Appropriate for outside of the area or on the exterior of enclosures containing a danger-level hazard.

CAUTION

- Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.
- May be used to alert against unsafe practices that may cause property damage.

NOTICE

- Indicates a statement of company policy directly or indirectly related to the safety of personnel or protection of property.
- Should not be associated with a hazard or hazardous situation, and shall not be used in place of DANGER, WARNING or CAUTION.

SAFETY

- Indicate general instructions relative to safe work practices or indicate the location of safety equipment (e.g. eye wash station)

Sign Material Guide

Brady offers a sign material for virtually every application. Whether the sign is used indoors or outdoors, in mild or harsh environments, we have the material to match your application.

Material Type	Description		Protected Graphics	For Outdoor Use	Average Outdoor Durability	Chemical Resistance	Abrasion Resistance	Max. Temp	Thickness (inch)
Flexible Sign Materials									
Adhesive	B-302	High performance polyester	✔	✔	8 years	Excellent	Excellent	230° F (100° C)	.006-.010
Adhesive	B-324	BradyGlo™ photoluminescent polyester		-	-	Good	Good	176° F (80° C)	.008
Adhesive	B-485	Polyester film	✔	-	-	Good	Good	122° F (50° C)	.011
Adhesive	B-523	Photoluminescent polyester film		-	-	Good	Good	176° F (80° C)	.0096
Adhesive	B-534	Polyester floor sign with anti-skid tread	✔	-	-	Good	Good	130° F (54° C)	.011
Adhesive	B-808	BradyGlo anti-slip polyester floor sign	✔	-	-	Good	Good	158° F (70° C)	.017
Adhesive	B-819	Anti-slip vinyl floor sign	✔	-	-	Good	Good	158° F (70° C)	.012
Adhesive	B-928	Write-on vinyl with cold temp adhesive	-	✔	2 years	Good	Good	176° F (80° C)	.005
Adhesive	B-946	Self-sticking vinyl	-	✔	10 years	Fair	Good	180° F (82° C)	.004
Adhesive	B-984	Photoluminescent polyester film	-	-	-	Good	Good	176° F (80° C)	.013
Adhesive	B-997	BradyLite® reflective vinyl	-	✔	4-6 years	Good	Good	200° F (93° C)	.007
Non-Adhesive	B-101	Polycoated tagstock	-	-	-	Good	Good	158° F (70° C)	.010
Non-Adhesive	B-586	Eco-friendly paperboard	-	-	-	Good	Good	175° F (80° C)	.060
Non-Adhesive	B-811	Magnetic vinyl	-	✔	2-4 years	Good	Good	158° F (70° C)	.025
Rigid Sign Materials									
Metal	B-555	Aluminum	✔	✔	8 years	Excellent	Excellent	230° F (110° C)	.040-.090
Metal	B-959	Reflective aluminum	-	✔	4-8 years	Good	Good	175° F (80° C)	.040-.080
Metal	B-986	Photoluminescent polyester film on aluminum	-	-	-	Good	Good	175° F (80° C)	.049
Metal	B-995	Diamond-grade™ reflective aluminum	-	✔	7 years	Good	Good	212° F (100° C)	.097
Fiberglass	B-120	Premium fiberglass	✔	✔	25 years	Excellent	Excellent	193° F (90° C)	.100
Fiberglass	B-140	Polyester on fiberglass	✔	✔	8 years	Excellent	Excellent	175° F (79° C)	.070
Fiberglass	B-320	Sub surface printed lexan on fiberglass	✔	✔	8 years	Good	Good	175° F (79° C)	.070
Fiberglass	B-382	Sub surface printed polycarbonate on fiberglass	✔	✔	8 years	Good	Good	175° F (79° C)	.090
Plastic	B-1	Thermoset plastic	-	✔	8 years	Good	Good	193° F (89° C)	.062
Plastic	B-347	BradyGlo™ phosphorescent polyester on polystyrene	-	-	-	Good	Good	175° F (79° C)	.068
Plastic	B-355	BradyGlo steel encased photoluminescent plastic	--	-	-	Good	Good	122° F (50° C)	.250
Plastic	B-401	Polystyrene plastic	✔	✔	5 years	Good	Good	175° F (79° C)	.060
Plastic	B-450	Polyethylene plastic	-	-	-	Good	Good	180° F (82° C)	.055
Plastic	B-493	Plastic v-shaped signs	-	✔	2 years	Good	Good	193° F (90° C)	.100
Plastic	B-563	Eco-friendly plastic (70% post consumer waste)	-	✔	5 years	Good	Good	185° F (85° C)	.055
Plastic	B-793	Polystyrene	-	✔	1-3 years	Poor	Good	165° F (74° C)	-
Plastic	B-836	Temporary sign fluted polypropylene	-	✔	1 year	Good	Good	130° F (54° C)	.156
Plastic	B-866	ToughWash® Polypropylene	✔	-	-	Excellent	Good	175° F (80° C)	.035
Plastic	B-869	ToughWash Metal-Detectable Polypropylene	✔	-	-	Good	Good	175° F (80° C)	.098
Plastic	B-985	Photoluminescent polyester film on polystyrene	-	-	-	Good	Good	175° F (80° C)	.069

BradyID.com/s36

Custom Sign Pictograms

Pictograms provide a universal way to communicate warnings to all employees and visitors, regardless of language or demographic, and can provide a better understanding of hazards. Pictograms provide an easy-to-understand alternative to bilingual and trilingual signs, which can often be difficult to read. Use the following pictograms on your custom signs to communicate the right message for your application.




Custom Sign Pictograms (continued)


Picto #: 152 | Picto #: 153 | Picto #: 154 | Picto #: 158 | Picto #: 159 | Picto #: 160 | Picto #: 162 | Picto #: 166 | Picto #: 170 | Picto #: 171 | Picto #: 174



Picto #: 176 | Picto #: 181 | Picto #: 190 | Picto #: 191 | Picto #: 192 | Picto #: 198 | Picto #: 206 | Picto #: 210 | Picto #: 215 | Picto #: 218 | Picto #: 219




Picto #: 227 | Picto #: 229 | Picto #: 230 | Picto #: 234 | Picto #: 235 | Picto #: 236 | Picto #: 237 | Picto #: 238 | Picto #: 333 | Picto #: 338 | Picto #: 347




Picto #: 348 | Picto #: 358 | Picto #: 361 | Picto #: 362 | Picto #: 368 | Picto #: 375 | Picto #: 376 | Picto #: 377 | Picto #: 383 | Picto #: 388 | Picto #: 389


Picto #: 396 | Picto #: 397 | Picto #: 400 | Picto #: 404 | Picto #: 411 | Picto #: 413 | Picto #: 418 | Picto #: 419 | Picto #: 420 | Picto #: 429 | Picto #: 436


Picto #: 437 | Picto #: 438 | Picto #: 439 | Picto #: 440 | Picto #: 447 | Picto #: 448 | Picto #: 449 | Picto #: 450 | Picto #: 451 | Picto #: 452 | Picto #: 453


Picto #: 454 | Picto #: 456 | Picto #: 457 | Picto #: 458 | Picto #: 459 | Picto #: 460 | Picto #: 461 | Picto #: 462 | Picto #: 463 | Picto #: 464 | Picto #: 465


Picto #: 470 | Picto #: 471 | Picto #: 472 | Picto #: 473 | Picto #: 476 | Picto #: 478 | Picto #: 480 | Picto #: 481 | Picto #: 482 | Picto #: 487 | Picto #: 492



Picto #: 493 | Picto #: 495 | Picto #: 496 | Picto #: 497 | Picto #: 498 | Picto #: 500 | Picto #: 505 | Picto #: 508 | Picto #: 517 | Picto #: 518 | Picto #: 529


Picto #: 530 | Picto #: 531 | Picto #: 532 | Picto #: 535 | Picto #: 536 | Picto #: 539 | Picto #: 540 | Picto #: 543 | Picto #: 544 | Picto #: 559 | Picto #: 560


Picto #: 566 | Picto #: 572 | Picto #: 584 | Picto #: 585 | Picto #: 589 | Picto #: 590 | Picto #: 592 | Picto #: 593 | Picto #: 598 | Picto #: 600 | Picto #: 612

BradyID.com/s36

Custom Sign Order Form

❑ Order ❑ Quote ❑ Artwork Attached Ship Via. _____ P.O. # or Request # _____

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account: _____ Fax #: _____ Phone #: _____

Sign Material

❑ B-120 Premium Fiberglass
❑ B-302 Self-Sticking Polyester
❑ B-324 Self-Sticking BradyGlo™
❑ B-347 BradyGlo™ Plastic
❑ B-401 Plastic
❑ B-555 Aluminum
❑ Other: B-_____
(View all sign materials on page 583)

Size and Quantity *(H x W)*

❑ 3.5 in. x 5 in. Qty. ____
❑ 4 in. x 6 in. Qty. ____
❑ 5 in. x 7 in. Qty. ____
❑ 7 in. x 10 in. Qty. ____
❑ 9 in. x 12 in. Qty. ____
❑ 10 in. x 14 in. Qty. ____
❑ 12 in. x 18 in. Qty. ____
❑ 14 in. x 20 in. Qty. ____
❑ 18 in. x 24 in. Qty. ____
❑ __ in. x __ in. Qty. ____

Sign Header

❑ CAUTION ❑ DANGER ❑ NOTICE ❑ WARNING ❑ SAFETY FIRST
❑ PRECAUCION ❑ PELIGRO ❑ AVISO ❑ ADVERTENCIA ❑ SEGURIDAD PRIMERO

❑ **No Header** *(Fill in below)*
Background Color: _____
Lower Text Color: _____
(Lower text will be black unless specified)

❑ **Pictogram #** _____
(View Previous Page For Available Pictograms)

Finishing:

❑ No Holes
❑ 4 Corner Holes
❑ Foam Tape
❑ 2 Post Holes
❑ 2 Side Holes
❑ Other
(Show placement in box)

Draw sign layout and text in box below:

Please Include The Following Three Items:
1. Header 2. Picto Placement (If applicable) 3. Finishing Hole Placement

Custom Tank and Vessel Signs Order Form

Please have a Safety Data Sheet (SDS) in hand to fill in the form. The SDS, supplied from your chemical manufacturer, must be up-to-date with GHS elements. All required label elements needed to fill this form out are found in sections 1-3 in your chemical SDS. Once complete, return this form to BradyUSAQuotes@BradyCorp.com or fax to 1-800-292-2289. (A proof will be provided.)

Customer Information

Company Name: _____ Name: _____

Address1: _____ Phone #: _____

Address2: _____ Fax #: _____

City: _____ State: _____ Zip: _____

Email: _____

Distributor Information

Distributor: _____ Contact Name: _____

Account: _____ Fax #: _____ Phone #: _____

Sign Material

- ❑ B-120 Fiberglass
- ❑ B-302 Self-Sticking
- ❑ B-401 Rigid Plastic

Size and Quantity *(H x W)*

- ❑ 10 in. x 7 in. Qty. _____
- ❑ 14 in. x 10 in. Qty. _____
- ❑ 20 in. x 14 in. Qty. _____

Sign Format



❑ Format 1



❑ Format 2



❑ Format 3

Sign Content *(Use sections 1-3 of your chemical SDS)*

Tank #: _____

Chemical Name: _____

Signal Word: _____
(DANGER or WARNING)

Hazard Statements:
Located on your Safety Data Sheet, please include H-Code if available. i.e. H100

_____

_____

Precautionary Statements/First Aid:
Located on your Safety Data Sheet, please include P-Code if available. i.e. P100

_____

_____

_____

Pictograms:
Located on your Safety Data Sheet, indicate pictogram number below:
1 Minimum / Maximum 4

Diamond 1: _____ Diamond 3: _____

Diamond 2: _____ Diamond 4: _____



1. Corrosive *2. Severe Toxic* *3. Explosive* *4. Flammable* *5. Environmental*



6. Acute Toxic *7. Oxidizing* *8. Gas Pressure* *9. Health*


NFPA Rating:
Health _____ Fire _____ Instability _____ Specific _____

HMIG Rating:
Health _____ Fire _____ Instability _____ Specific _____


Protective Equipment Required Pictograms:
Choose up to 6 icons.

PPE 1: _____ PPE 3: _____ PPE 5: _____

PPE 2: _____ PPE 4: _____ PPE 6: _____



A. Safety Glasses *B. Rubber Gloves* *C. Face Shield* *D. Chemical Goggles* *E. S.C.B.A* *F. Dust Mask*



G. Rubber Boots *H. Apron* *I. Respirator* *J. Chemical Suit* *K. Boots/ Gloves* *L. Eyewash/ Shower*

Additional Sign Content:

DOT Class: _____

DOT ID #: _____

CAS #: _____

Reach Authorization #: _____

Internal Reference #: _____

Chemical Manufacturer Name: _____

Chemical Manufacturer Address: _____

_____

Emergency Contact Phone #: _____

Confined Space Entry Permit Required? ❑ Yes ❑ No

BradyID.com/s36

Sign Legend Index

Legend Text	Header	Pg
___Is Responsible For The Housekeeping In...	-	519
___Voltios	Peligro	436
___Volts	Danger	424
___Volts	Danger	474
___Volts / ___Voltios	Danger / Peligro	436
___Volts Authorized Personnel Only	Danger	472
$100 Fine	-	566
$200 Fine	-	566
$250 Fine	-	566
$350 Fine	-	566
1, 1, 1, Trichloroethane	-	462
1.5 Blasting Agents D 1	-	463
1.6 Explosive N 1	-	463
10 Min Parking Admission And Discharge Onl...	-	560
13,200 Volts	Danger	472
15 Minute Parking	-	560
2 Hr Parking Electric Vehicles Only	-	565
2 Hr Parking Electric Vehicles Only...	-	565
2 Hr Vehicle Charging Only	-	565
2 Way Traffic Symbol	-	573
3 Causes Of Accidents I Didn't Think I Did...	-	548
440 Voltios	Peligro	436
440 Volts	Danger	472
440 Volts / 440 Voltios	Danger / Peligro	436
45 Min Vehicle Charging Only 7 Am-10 Pm	-	565
480 Volts	Danger	424

A

A Careful Workman Is The Best Safety Devic...	Be Careful	553
A Careful Workman Is The Best Safety Devic...	Safety First	553
A Clean Place Is A Safe Place	-	519
A Clean Work Area Is A Safe Work Area	-	519
A Cluttered Area Is A Hazard Please Help...	-	519
A Fire Today No Job Tomorrow	Safety First	553
A.E.D.	-	499
Access At Side	-	566
Accessible	-	545
Accidents Are Avoidable Forget The Alibi	Think	553
Acetic Acid, Glacial	-	462
Acetone	-	462
Acetylene	Caution	448
Acetylene	Danger	450
Acetylene	-	462
Acetylene Empty Cylinders	-	457
Acetylene Flammable Gas No Smoking No Open...	-	457
Acetylene Full Cylinders	-	457
Acetylene No Smoking No Open Flames	-	457
Acetylene. Flammable.	Danger	424
Acid	Caution	448
Acid	Danger	450
Acid	Warning	456
Acid (w/ Ghs Picto)	Danger	450
Acid / Acido	Danger / Peligro	436
Acid Keep Away	Danger	450
Acid Unloading Area Authorized Personnel...	Danger	450
Acid Wear Proper Protection	Danger	450
Acid Wear Protective Equipment	Danger	450
Acid. Contact Will Result In Serious Burns...	Danger	424
Acid. Could Result In Moderate Injury.	Caution	420
Acid. Wear Proper Protection.	Danger	424
Acids	Danger	450
Acids. Contact Will Result In Severe Burns...	Danger	424
Acrylic Acid	-	462
Acrylonitrile (An) Cancer Hazard Authorize...	Danger	450
Acrylonitrile (An) May Cause Cancer...	Danger	450
Additional Parking In Rear	-	560
Administration	-	502
Admittance Limited To Authorized Personnel	Danger	413
Admittance Only To Personnel Working In...	Danger	413
Aerosols	-	544
After Using Extinguisher Return To Storero...	-	487
Agua No Potable	Aviso	440
Agua No Potable, No Apta Para Beber Ni Coc...	Aviso	440
Airborne Radioactivity Area	-	543
Alarm Secured Door Emergency Exit Use Only	-	487
Alarm Will Sound If Door Opens	Caution	412
All Drums In This Area Must Be Grounded	Notice	456
All Employees And Visitors Must Wear Eye...	Notice	536
All Employees And Visitors Must Wear...	Notice	555
All employees must wash their hands before…	Notice	559
All Employees Whose Work Does Not Require...	Notice	415
All Injuries No Matter How Slight They May...	Notice	493
All Lunch Boxes, Packages, Bags, Purses,...	Notice	415
All Personnel Must Wear Safety Glasses...	Notice	536
All Through Traffic Use Designated Walk...	-	496
All Truck Drivers Must Sign In Before...	Notice	415
All Unauthorized Vehicles Will Be Towed...	-	556
All Vehicles And Personnel Entering Or...	Notice	571
All Vehicles Entering Or Leaving Subject...	Notice	555
All Vehicles Entering Or Leaving The...	Notice	415
All Visitors And Job Applicants Must Stop...	Notice	415
All Visitors Must Get Pass At Office	Notice	415
All Visitors Must Get Pass At Office	Restricted Area	555
All Visitors Must Register At Office	Notice	415
All Visitors Must Report To Security	Security Notice	555
All Visitors Report To Site Office	Notice	558
All Way	-	576
Alternative Medicine	-	502
Alto Voltaje	Peligro	436
Alto Voltaje No Entrar	Peligro	436
Aluminum Cans Only	-	544
Always Add Acid To Water	Caution (ANSI)	424
Always Keep Clear	-	562
Ambulance Entrance	-	502
Ambulance Parking Only	-	560
America And Safety First	-	548
America On Guard	-	557
Ammonia	Danger	450
Ammonium Hydroxide	-	462
And Start A Trend Here	Think	498
Anesthesia	-	502
Anhydrous Ammonia	Danger	450
Anhydrous Ammonia	-	462
Anhydrous Ammonia. Contact Will Result In...	Danger	424
Antifreeze	Danger	450
Any Time	-	562
Anyone Entering Tanks Must Wear Safety Bel...	Caution	466
Anyone Working Over This Area Shall Wear A...	Caution	466
Approach Door Slowly	Caution	412
Approach Slowly Gate Will Open	-	556
Arc Welding	Caution	420
Arc Welding	Caution	448
Area De Almacenamiento De Desechos Peligro...	Peligro	436
Area For Evacuation Assistance	-	487
Area For Rescue Assistance	-	487
Area In Front Of This Electrical Panel...	Caution	420
Area In Front Of This Electrical Panel...	Caution	472
Area In Front Of This Electrical Panel...	Caution	559
Area In Front Of This Electrical Panel...	Caution / Precaucion	434
Area In Front Of This Electrical Panel...	Danger	424
Area In Front Of This Electrical Panel...	Danger	472
Area In Front Of This Electrical Panel...	Danger / Peligro	437
Area In Front Of This Electrical Panel...	-	474
Area Of Refuge	-	487
Argon	Danger	450
Argon Be Back Later	Danger	498
Argon Empty Cylinders	-	457
Argon Full Cylinders	-	457
Arrow Left Picto	-	475
Arrow Picto (Floor Sign)	-	497
Arrow Pointing Left And Right Picto	-	573
Arrow Pointing Right	-	573
Arrow Pointing Upper Right	-	573
Arrow Right Down Picto	-	475
Arrow Right Picto	-	475
Arrow Right Up Picto	-	475
Arrow Up Picto	-	496
Arrow Up Picto (Glow)	-	496
Asbestos	-	544
Asbestos Cancer And Lung Disease Hazard...	Caution	448
Asbestos Cancer And Lung Disease Hazard...	Danger	424
Asbestos Cancer And Lung Disease Hazard...	Danger	450
Asbestos Cancer And Lung Disease Hazard...	Danger	558
Asbestos Dust Hazard Avoid Breathing Dust...	Caution	448
Asbestos Dust Hazard Cancer And Lung Disea...	Danger	450
Asbestos Hazard. Do Not Disturb Without...	Caution	420
Asbestos Hazardous Do Not Disturb Without...	Caution	448
Asbestos May Cause Cancer Causes Damage...	Danger	450

BRADY

Legend Text	Header	Pg
Asbestos Waste Disposal Site Do Not Create...	Caution	448
Asbestos. Cancer And Lung Disease Hazard...	Caution	420
Asbestos. Cancer And Lung Disease Hazard...	Danger	424
Asbestos. Hazardous. Do Not Disturb Without...	Caution	420
Asbestos. May Cause Cancer And Lung Damage...	Danger	424
Assembly Picto Only	-	484
Assembly Point	-	484
Assigned Parking Only	-	560
Atmosphere May Be Hazardous Follow Confine...	Caution	466
Attach Grounding Cables	Caution	420
Attach Grounding Cables	Caution	472
Attach Grounding Wire Clips	Caution	472
Attention All Visitors And Sales People...	-	571
Authorized Drivers Only Are Allowed To...	Notice	571
Authorized Employees Only	Restricted Area	416
Authorized Employees Only / Solo Empleados...	Restricted Area / Area Restringida	442
Authorized Parking Only	-	560
Authorized Personnel	-	417
Authorized Personnel Only	Caution	412
Authorized Personnel Only	Danger	413
Authorized Personnel Only	Notice	415
Authorized Personnel Only	Notice	432
Authorized Personnel Only	Restricted Area	555
Authorized Personnel Only	Warning	417
Authorized Personnel Only	Warning	432
Authorized Personnel Only	-	417
Authorized Personnel Only	-	560
Authorized Personnel Only / Solo Personal...	Danger / Peligro	439
Authorized Personnel Only / Solo Personal...	No Trespassing / Prohibida La Entrada	440
Authorized Personnel Only / Solo Personal...	Notice / Aviso	441
Authorized Personnel Only Beyond This Point	Danger	413
Authorized Personnel Only Check With Control...	Danger	413
Authorized Personnel Only Proper Id Require...	Restricted Area	417
Authorized Personnel Only Proper Safety...	-	417
Authorized Personnel Only.	Caution	420
Authorized Personnel Only.	Danger	424
Authorized Personnel Only.	Warning	432
Authorized Personnel Only. Entering Could...	Caution	420
Authorized Personnel Only. Entering Could...	Danger	424
Authorized Personnel Only. Entering Could...	Warning	433
Authorized Use Only	Danger	510
Authorized Vehicles Only	-	560
Automatic Door Keep Clear	-	471
Automatic Equipment May Start At Anytime	Caution	506
Automatic Equipment Will Start At Any Time	Caution	506
Automatic Equipment Will Start Without...	Caution	506
Automatic Security Alarm Will Sound When...	Notice	470
Automatic Sprinkler System Sub Basement	-	487
Automatic Start Equipment	Danger	510
Avoid A Fall Use Handrails	-	516
Avoid A Fall Use Handrails / Evite Caidas...	-	442
Avoid Accidents Clean Up Spills	-	519
Avoid Backtalk Please Lift Properly	-	548
Avoid Breathing Chemical Vapors Use Protect...	Caution	448
Avoid Contamination Wash Your Hands	Warning	528
Avoid Contamination Wash Your Hands Before...	-	528
Avoid Contamination Wash Your Hands...	Notice	432
Avoid Injury Watch Your Step	Caution	529
Avoid Injury. Watch Your Step.	Caution	420
Ayude A Mantener Esta Area Limpia	-	442

B

Back In Or Pull Out On Green Only	Warning	571
Back-In Parking Only	-	560
Bad Planning On Your Part Does Not...	-	498
Barricade Area Do Not Enter Without...	Danger	413
Basement Not An Exit	-	475
Battery Charging Area No Smoking	Danger	522
Battery Charging Area No Smoking	Warning	523
Battery Charging Station No Smoking Or...	Caution	570
Battery Charging Station. No Smoking Or...	Caution	420
Battery Room Absolutely No Smoking Safety...	-	457
Be Alert Don't Get Hurt	-	554
Be Alert Moving Parts	Caution	506
Be Aware Of Moving Equipment	-	547
Be Aware Of Overhead Cranes	-	547
Be Aware Of Overhead Cranes And Avoid...	-	547
Be Careful	Safety First	553
Be Careful Carelessness Can Hurt You And...	-	548
Be Prepared To Stop	-	569
Be Safe Lock It Out	Caution	504

Legend Text	Header	Pg
Be Sure Cylinder Is Properly Supported And...	Warning	432
Be Sure Elevator Is Locked When Loading...	Caution	506
Be Sure Everyone Is Clear Before Starting...	Danger	510
Be Sure Safety Guards Work At All Times	Danger	510
Before Entering, Test For Explosive Atmosp...	Caution	412
Before Working On Any Machine, Be Positive...	Be Careful	504
Before You Act	Think	553
Before You Leave Please Clean Up!	-	519
Before You Leave…Take A Minute To Clean	-	519
Benzaldehyde	-	462
Benzene	Danger	450
Benzene	-	462
Benzene Cancer Hazard	Danger	450
Benzene Cancer Hazard Flammable-No Smoking...	Danger	450
Benzene Vapors	Caution	448
Beyond This Point You Are In The Presence...	Caution	420
Beyond This Point You Are In The Presence...	Caution	541
Bicycle Parking Only	-	560
Bike Lane	-	562
Billing Department	-	502
Bio Hazard / Riesgo Biologico	Danger / Peligro	439
Bio Hazard / Riesgo Biologico	-	444
Bio-Hazard Area	-	445
Biohazard	-	445
Biohazard (Floor Sign)	-	497
Biohazard Area	-	445
Biohazard Authorized Personnel Only...	Warning	445
Biohazard Authorized Personnel Only...	-	445
Biohazard Dispose Of Properly	-	445
Biohazard Infectious Agent___ Entry Require...	-	445
Biohazard Infectious Waste	-	445
Biohazard No Food Or Drink To Be Stored In...	-	445
Biohazard Universal Precautions Must Be...	-	445
Biological Hazard Authorized Personnel Only	Caution	445
Blank (Blue)	-	568
Blank (Red)	-	568
Blank Sign	Advertencia	446
Blank Sign	Area Restringida	446
Blank Sign	Aviso	446
Blank Sign	Be Careful	446
Blank Sign	Caution	446
Blank Sign	Danger	446
Blank Sign	Notice	446
Blank Sign	Peligro	446
Blank Sign	Precaucion	446
Blank Sign	Radiation	446
Blank Sign	Restricted Area	446
Blank Sign	Safety First	446
Blank Sign	Warning	446
Blank Sign	-	446
Blank Sign	-	543
Blasting Keep Away	Danger	486
Blasting Keep Away	Warning	469
Blind Corner Proceed With Caution	-	573
Bloquear Los Manubrios Electricos Antes...	Peligro	436
Body Harness Required For Entry	Danger	424
Body Harness Required For Entry	Danger	534
Boiler Room Authorized Personnel Only	Danger	413
Books	-	544
Boots Must Be Worn	-	538
Boys	-	545
Braille Sign Frame	-	447
Breakers Locked Out	Danger	504
Breathing Air Emergency Use Only	Notice	493
Breathing Air Empty Cylinders	-	458
Breathing Air Full Cylinders	-	458
Breathing Air Station	Notice	493
Breathing Apparatus	-	499
Breathing Apparatus Keep Area Clear...	Safety First	432
Breathing Apparatus Required	Caution	529
Breathing The Air In This Parking Garage Can….	Warning	461
Breathing The Air In This Smoking Area Can…	Warning	461
Bromine	-	462
Buckle Up And Drive Safely	-	573
Buckle Up It Could Save Your Life	-	573
Buckle Up! It's The Law	-	573
Buddy System Is Required For Entry	Caution	466
Buddy System Must Be Used For Entry Into...	Danger	466
Building Materials	-	544
Bump	-	573
Bump Caps Must Be Worn In This Area	Caution	420
Bump Caps Must Be Worn In This Area	Caution	529

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
Bump Caps Must Be Worn In This Area.	Caution	420
Buried Cable	Caution	472
Buried Cable	Danger	472
Buried Cable Call Before Digging ____-____...	Caution	472
Buried Cable. Proceed With Caution. Contac...	Danger	424
Buried Electric Line Below	Caution	472
Buried Gas Line	Caution	469
Buried Pipeline	Caution	448
Butane	-	462
Butanol	-	462

C

Legend Text	Header	Pg
Cable Buried Here	Danger	473
Cable Buried Here. Contact Will Result In...	Danger	424
Cadmium May Cause Cancer Causes Damage...	Danger	450
Calcium Chloride	-	462
Calcium Hypochlorite	-	462
Caliente	Peligro	437
California Proposition 65 Warning Diesel E...	-	461
Cameras Not Allowed	-	556
Cancer Hazard Authorized Personnel Only No...	Danger	451
Cancer Suspect Agent Area Protective Equip...	-	458
Capacity ___ Lbs / Capacidad: ___ Kg	Caution / Precaucion	434
Capacity _____ Lbs	Caution	518
Capacity Tons	-	519
Car Pool Parking Only	-	560
Carbon Dioxide	Danger	451
Carbon Dioxide	-	462
Carbon Dioxide Gas Can Cause Injury Or Death...	Caution	460
Carbon Dioxide Gas Can Cause Injury Or Death...	Warning	460
Carbon Dioxide Gas Discharge Into Nearby...	Caution	460
Carbon Disulfide	-	462
Carbon Monoxide Area Requires Proper...	Caution	448
Carbon Monoxide May Be Present	Caution	448
Carbon Monoxide May Be Present	Danger	451
Carbon Monoxide May Be Present. Wear...	Caution	420
Carbon Monoxide May Be Present. Wear...	Danger	424
Carbon Tetrachloride	-	462
Cardboard Only	-	544
Cardiology	-	502
Cardiology Parking Only	-	560
Care Staff Area	-	502
Carry It Low - Drive It Slow	-	548
Carrying Concealed Deadly Weapons Is...	-	521
Cartons	-	544
Cat Scan	-	502
Cath Lab	-	502
Causes Of Accidents: 1 I Didn't Think...	-	554
Caustic	Danger	451
Caustic Chemical Goggles Must Be Worn...	Caution	448
Caustic In Use Wear Protective Equipment	Danger	451
Caustic Overhead	Danger	451
Caustic Potash (Potassium Hydroxide)	-	462
Caustic Soda (Sodium Hydroxide)	-	462
Caustic Soda Avoid Skin Or Eye Contact...	Caution	448
Caustic Unloading Area Authorized Personnel...	Danger	451
Caustic Wear Protective Equipment	Danger	451
Caustic. Will Cause Severe Burns, Injury...	Danger	424
Caution - Propane	-	458
Caution (3 Pocket With Grommets)	-	542
Caution (5 Pocket With Grommets)	-	542
Caution (With Stripes)	-	516
Caution Automatic Door	-	471
Caution Biohazard	-	445
Caution Biological Hazard	-	445
Caution Children At Play	-	573
Caution Door Swings Out	-	499
Caution Drive Slowly	-	573
Caution Eye Protection Required In This...	-	499
Caution High Level Radio Frequency Energy...	-	542
Caution High Radiation Area	-	542
Caution Laser Invisible Beam	-	542
Caution Lock Out Radiation Source Before...	-	543
Caution Radiation Area	-	496
Caution Radiation Area	-	542
Caution Radiation Area Authorized Entry On...	-	542
Caution Radiation Area Keep Out	-	542
Caution Radiation Area Radioactive Materia...	-	542
Caution Radioactive Material	-	542
Caution Radioactive Materials	-	542
Caution Slippery Surface	-	433
Caution Speed Bump	-	573
Caution This Equipment Produces Ionizing...	-	542
Caution Wet Floor	-	433
Caution X-Rays This Equipment Produces X-Ray...	-	542
Caution! Automatic Gates No Playing Or...	-	573
Certain Dental Procedures Performed In This…	Warning	461
Certain Food And Beverages Sold Or Served…	Warning	461
Chain All Cylinders Securely	Notice	456
Changeable Arrow	-	487
Chapel	-	502
Check Battery Acid Before Connecting Charge...	Caution (ANSI)	448
Chemical Goggles Must Be Worn Beyond This...	Notice	536
Chemical Goggles Required	-	458
Chemical Goggles Required In This Area	Caution	420
Chemical Goggles Required In This Area	Caution	529
Chemical Goggles Required In This Area.	Caution	420
Chemical Lines Overhead	Caution	448
Chemical Spillage Must Be Reported Immedia...	-	458
Chemical Spills Must Be Reported Immediate...	Notice	456
Chemical Storage	Danger	425
Chemical Storage	Danger	451
Chemical Storage (Floor Sign)	-	497
Chemical Storage / Almacenamiento De Susta...	Danger / Peligro	436
Chemical Storage Area	Warning	456
Chemical Storage Area	-	496
Chemical Storage Area / Area Para Almacena...	Caution / Precaucion	434
Chemical Waste Storage Area Unauthorized...	Danger	451
Chlorine	Danger	451
Chlorine	-	462
Chlorine / Cloro	Danger / Peligro	437
Chlorine Area	Caution	448
Chlorine Area. Hazardous Contact May Result...	Caution	420
Chlorine Gas	Danger	451
Chlorine Gas. Breathing Gas Will Result In...	Danger	425
Chlorine. Contact Will Cause Burns Or Severe...	Danger	425
Chloroform	-	462
Chromic Acid, Solid Chromium Anhydride	-	462
Church Parking Only	-	560
Clean And Store Respirator After Use	Notice	536
Clean Empty Drums	-	458
Clean Equipment After Use	Notice	514
Clean Machine At The End Of Each Shift	Notice	514
Clean Up After Your Dog Dog Waste Transmit...	-	544
Clean Up And Keep Clean	-	519
Clearance ___ Ft	Notice	514
Clearance ___ Ft ___ In	Caution	420
Clearance ___ Ft ___ In	Caution	506
Climb Ladders Slowly And Use Both Hands	Safety First	515
Close Clearance	Caution	570
Close Clearance	Danger	510
Close Door When Not In Use	Caution	470
Closed Area Authorized Personnel Only	-	417
Clothing Contaminated With Lead	Caution	448
Coke Oven Emissions May Cause Cancer Do No...	Danger	451
Combustible	Danger	451
Combustible 3	-	464
Combustible Diesel	Peligro	437
Combustible Dust	Warning	456
Combustible Dust Area No Smoking Or Open...	Danger	522
Combustible Dust No Smoking, Welding Or...	Danger	522
Combustible Liquids	Danger	451
Combustible Liquids (w/ Ghs Picto)	Danger	451
Combustible Liquids.	Danger	425
Compact Cars Only	Notice	560
Company Is Not Responsible For Loss Or Damage...	Notice	561
Company Phones Are For Business Only No...	-	516
Complaint Department 100 Miles	Notice	498
Compressed Air	Caution	448
Compressed Air	Danger	451
Compressed Air Do Not Use For Blowing Off...	Danger	451
Compressed Air Do Not Use For Cleaning	Danger	451
Compressed Air Lock Out Source And Bleed...	Warning	505
Compressed Air. Do Not Use For Blowing Off...	Danger	425
Compressed Air. Improper Release Could...	Caution	420
Compressed Gas	Danger	451
Concealed Firearms Are Prohibited In This...	Security Notice	521
Confined Space	Danger	425
Confined Space	Danger	466
Confined Space Air-Supplied Respirator...	Danger	466
Confined Space Authorized Personnel Only	Danger	425
Confined Space Authorized Personnel Only...	Danger	425
Confined Space Call _____ Before...	Danger	466
Confined Space Call Your Supervisor	Danger	468
Confined Space Class __ Permit Required...	Caution	466
Confined Space Class _____ Permit Required...	Caution	466

Legend Text	Header	Pg
Confined Space Do Not Enter Without Obtain...	Caution	466
Confined Space Do Not Enter Without Obtain...	Caution	468
Confined Space Do Not Enter Without Permit...	Danger	466
Confined Space Do Not Enter Without Proper...	Danger	467
Confined Space Enter All Tanks By Permit...	Danger	467
Confined Space Enter By Permit Only	Caution	466
Confined Space Enter By Permit Only	Danger	425
Confined Space Enter By Permit Only	Danger	454
Confined Space Enter By Permit Only	Danger	467
Confined Space Enter By Permit Only	Danger	468
Confined Space Enter By Permit Only / Area...	Danger / Peligro	436
Confined Space Enter By Permit Only Prepar...	Danger	467
Confined Space Enter By Permit Only...	Danger	425
Confined Space Enter By Permit Only...	Danger	467
Confined Space Entry Can Be Fatal Entry By...	Danger	467
Confined Space Entry Can Be Fatal Follow...	Danger	468
Confined Space Entry Permit Required #___	Danger	467
Confined Space Entry Permit Required Call...	Caution	466
Confined Space Entry Permit Required Call...	Danger	468
Confined Space Follow Entry Procedures #__...	Danger	467
Confined Space Hazardous Atmosphere Entry...	Danger	467
Confined Space Hazardous Atmosphere...	Danger	454
Confined Space Hazardous Atmosphere...	Danger	467
Confined Space Keep Out	Danger	467
Confined Space Keep Out Unless Authorized	Danger	425
Confined Space Keep Out Unless Authorized	Danger	467
Confined Space Keep Out Unless Authorized...	Danger / Peligro	437
Confined Space Lock Out And Tag Out Require...	Danger	425
Confined Space Lock Out And Tag Out Require...	Danger	467
Confined Space Lock-Out & Tag-Out Procedure...	Danger	467
Confined Space No Smoking, Matches Or Open...	Danger	467
Confined Space No___ Entry Permit Required...	Caution	412
Confined Space Permit Not Required	Danger	468
Confined Space Permit Required	Danger	468
Confined Space Permit Required For Entry	Danger	468
Confined Space Permit Required Unauthorized...	Danger	468
Confined Space Procedures Must Be Followed	Caution	466
Confined Space Trained Personnel Only	Caution	466
Confined Space Use Lockout And Entry...	Caution	466
Confined Space Use Lockout And Entry...	Caution / Precaucion	434
Confined Space Ventilate Before Entering	Danger	468
Confined Space.	Danger	425
Confined Space. Authorized Personnel Only.	Danger	425
Confined Space. Enter By Permit Only.	Danger	425
Confined Space. Enter by permit only.	Danger	559
Confined Space. Enter By Permit Only...	Danger	425
Confined Space. Entering Without Training...	Danger	425
Confined Space. Keep Out Unless Authorized...	Danger	425
Confined Space. Lock Out And Tag Out Required...	Danger	425
Connect Ground Wire Before Using	Caution	472
Conserve Water	-	544
Construction Ahead	-	569
Construction Area	Danger	469
Construction Area / Area De Construccion	Danger / Peligro	436
Construction Area Authorized Personnel...	Caution	412
Construction Area Authorized Personnel...	-	469
Construction Area Keep Out	Danger	469
Construction Area Keep Out / Area De Const...	Danger / Peligro	436
Construction Area. Keep Out.	Danger	425
Construction Area. Keep Out. Entering Could...	Danger	425
Construction Entrance	-	469
Construction In Progress	Caution	469
Construction Parking	-	558
Construction Personnel Only	Danger	469
Construction Site Keep Out	Danger	558
Construction Site No Trespassing	Danger	558
Construction Site No Trespassing	Notice	415
Construction Site Unauthorized Persons...	Danger	558
Construction Zone Unauthorized Personnel...	Danger	469
Construction Zone. Unauthorized Personnel...	Danger	425
Contact Will Cause Electrocution Or Death	Danger	426
Contains Asbestos Fibers Avoid Creating...	Danger	425
Contains Asbestos Fibers Avoid Creating...	Danger	451
Contains Asbestos Fibers Avoid Creating...	Danger / Peligro	437
Contains Benzene Cancer Hazard	Caution	448
Contains Cadmium Poisonous Fumes May Be...	Warning	457
Contains Ethylene Oxide Cancer Hazard And...	Danger	451
Contains Fluorides	Caution	448
Contains Hazardous Material See Msds File	Caution	448
Contaminated Water	Danger	451
Contamination In System	-	543
Contents Under Extreme Pressure Handle...	Danger	451
Contractor Parking	-	560
Control Room	-	471
Controlled Access Zone	Danger	413
Conveyor May Start Without Warning	Caution	506
Conveyor May Start Without Warning / La Ba...	Caution / Precaucion	434
Cooked Meat Only	-	516
Corrosive	Danger	451
Corrosive	-	458
Corrosive 8	-	464
Corrosive Liquids Wear Acid Gloves And...	Danger	451
Corrosive Liquids Wear Protective Equipment	Danger	451
Corrosive Materials	Caution	448
Corrosive Materials (w/ Ghs Picto)	Danger	451
Corrosive Materials Wear Protective Clothing	Warning	457
Corrosive Materials Wear Required Protection	Caution	448
Corrosive Materials Wear Required Protection...	Caution / Precaucion	434
Corrosive Materials. Wear Proper Protection...	Caution	420
Corrosive Materials. Wear Required Protection...	Caution	420
Corrosive Picto 8	-	464
Corrosive. Contact Will Cause Burns Or...	Danger	425
Corrosives Avoid Contact With Eyes And...	Danger	425
Cotton Dust Causes Damage To Lungs...	Danger	451
Cotton Dust Work Area May Cause Acute Or...	Warning	457
Cpr Station	-	499
Crane Overhead	Danger	510
Crane Overhead / Grua Aerea	Danger / Peligro	438
Crane Overhead Proceed With Caution	Danger	425
Crane Swing	Danger	510
Crane Working Overhead	Danger	510
Cross On Green Light Only	-	573
Cross Only At Cross Walks	-	573
Crossing Or Standing On Conveyor Is Forbid...	Danger	510
Crosswalk Picto	-	575
Crude Oil, Gasoline, Diesel Fuel and Other Petroleum…	Warning	461
CT	-	502
Cuidado Con La Salida De Camiones	Precaucion	434
Customer Parking	-	560
Customer Parking Unauthorized Cars Will Be...	-	561
Customer Pick-Up	-	573
Customers Not Permitted In Working Area	Notice	415
Cut / Sever	-	516
Cutting And Welding Permit Required In This...	Caution	506
Cyanide	Danger	451
Cylinder Storage Area	-	458
Cylinders Contain Explosive Gas Handle Wit...	Danger	452
Cylinders Must Be Secured	Danger	452
Cylinders Not Connected Must Be Capped	Notice	456

D

Damaging Or Defacing Company Property Will...	-	556
Danger Automatically Controlled May Start...	-	516
Danger High Radiation Area Authorized...	-	543
Danger High Voltage	-	474
Danger High Voltage Cable Buried Here	-	474
Danger Laser Light	-	543
Danger Moving Machinery	-	516
Danger No Trespassing Positively No Admitt...	-	417
Danger-Acids Wear Goggles Avoid Fumes And...	-	458
Dangerous	-	464
Dangerous When Wet 4	-	464
Debe Haber Un Espacio De 1M Delante De...	Peligro	437
Debe Haber Un Espacio De 1M Delante De...	Precaucion	434
Deep Excavation	Danger	558
Deliveries In Rear	-	571
Demolition Work In Progress	Danger	558
Dental	-	502
Deposit All Rubbish In Receptacles Provide...	Please	519
Deposit Matches And All Smoking Material...	-	524
Deposit Waste Here	Notice	518
Derail (Blue)	-	568
Derail (Red)	-	568
Dermatology	-	502
Designated Smoking Area	Notice	527
Designated Smoking Area	-	527
Designated Smoking Eating & Drinking Area	-	527
Designated Smoking Room	-	527
Designated Work Area Select Carcinogens Re...	Caution	448
Detectable Amounts Of Chemicals Known To...	Warning	461
Detour Ahead	-	569
Diabetes Education	-	502
Diagonal Parking	-	561
Dial 911 In Case Of Emergency	Safety First	493
Did You Remember To Remove Your Locks And...	-	505

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
Did You Wash Them? Hand Washing Stops The...	-	528
Diesel	Danger	452
Diesel Fuel	Danger	452
Diesel Fuel	-	462
Diesel Fuel / Gasoleo	Danger / Peligro	438
Diesel Fuel No Smoking In This Area	-	524
Diesel Fuel No Smoking No Open Flames	Danger	452
Diesel Fuel No Smoking No Open Flames...	Danger / Peligro	437
Diesel Fuel. Flammable.	Danger	425
Diesel Fuel. No Smoking. No Open Flames...	Danger	425
Diesel No Smoking	Danger	522
Diesel Only	-	458
Diesel. Flammable.	Danger	425
Diesel. No Smoking.	Danger	425
Disconnect Power Supplies And Lock Out...	Caution	504
Do It Right The First Time! Plan Ahead	Think	498
Do Not Alter Or Move Scaffold While In Use	Danger	469
Do Not Attempt To Adjust Machinery While...	Caution	506
Do Not Block	-	573
Do Not Block Door	Notice	470
Do Not Block Door	Warning	471
Do Not Block Door / No Obstruir La Puerta	Notice / Aviso	441
Do Not Block Doorway	-	471
Do Not Block Driveway 24 Hour Access Require...	-	573
Do Not Block Keep Clear At All Times	-	471
Do Not Climb On Or Jump Off Dock	-	571
Do Not Climb Over This Enclosure Contains...	Danger	473
Do Not Deposit Sanitary Napkins In Toilet...	Notice	518
Do Not Discard Trash Of Any Kind In Toilet...	-	443
Do Not Discard Trash Of Any Kind In Toilet...	-	545
Do Not Drink The Water	Warning	457
Do Not Drink This Water	Danger	452
Do Not Drink This Water / No Beber Esta...	Danger / Peligro	438
Do Not Drive On Tracks	-	573
Do Not Dump Chemicals Down This Drain	Notice	456
Do Not Dump Chemicals Solvents Or Oils Dow...	Warning	457
Do Not Enter	Caution	412
Do Not Enter	Caution	420
Do Not Enter	Caution	470
Do Not Enter	Danger	413
Do Not Enter	Danger	558
Do Not Enter	Notice	415
Do Not Enter	Restricted Area	555
Do Not Enter	Warning	417
Do Not Enter	-	417
Do Not Enter	-	496
Do Not Enter	-	556
Do Not Enter	-	573
Do Not Enter (Floor Sign)	-	497
Do Not Enter / No Entrar	Caution / Precaucion	435
Do Not Enter / No Entrar	Danger / Peligro	438
Do Not Enter / Out	-	471
Do Not Enter Area Unless Wearing Proper...	Notice	536
Do Not Enter Authorized Personnel Only	Danger	413
Do Not Enter Authorized Personnel Only	Warning	417
Do Not Enter Authorized Personnel Only / Nn Entrar...	Danger / Peligro	439
Do Not Enter Authorized Personnel Only...	Restricted Area	555
Do Not Enter Chemicals In Use	Danger	452
Do Not Enter Emergency Exit Only	Danger	413
Do Not Enter Emergency Exit Only	Danger	475
Do Not Enter Hazardous Area Authorized Per...	Danger	452
Do Not Enter Test In Progress	Danger	413
Do Not Enter Truck Or Trailer With Forklif...	Danger	570
Do Not Enter Unless Wearing Safety Equipment	Safety First	417
Do Not Enter Unless Wheels Are Chocked	Be Careful	570
Do Not Enter Until Lockout Procedures Are...	Danger	425
Do Not Enter Until Lockout Procedures Are...	Danger	504
Do Not Enter When Equipment Is Operating	Danger	413
Do Not Enter When Equipment Is Operating...	Danger / Peligro	439
Do Not Enter When Light Is On	Caution	412
Do Not Enter When Lights Are Flashing	Danger	413
Do Not Enter When Red Light Is On	Danger	413
Do Not Enter While Machinery In Motion	Caution	412
Do Not Enter While Machinery In Motion...	Caution	420
Do Not Enter Without A Confined Space Permit	Caution	412
Do Not Enter Without A Confined Space Permit...	Caution	420
Do Not Enter Without Wearing Ear Protectio...	Caution	421
Do Not Enter Without Wearing Ear Protectio...	Danger	413
Do Not Enter Without Wearing Ear Protectio...	Danger	426
Do Not Enter Without Wearing Ear Protectio...	Danger	534
Do Not Enter Without Wearing Eye And Ear...	Caution	412
Do Not Enter Without Wearing Eye Protection	Caution	529
Do Not Enter Without Wearing Eye Protection...	Caution	421

Legend Text	Header	Pg
Do Not Enter Without Wearing Hard Hat	Danger	534
Do Not Enter Without Wearing Hard Hat....	Danger	426
Do Not Enter Without Wearing Protective...	Danger	413
Do Not Enter Without Wearing Safety Glasses	Danger	534
Do Not Enter Without Wearing Safety Glasses...	Danger	426
Do Not Enter.	Caution	420
Do Not Enter.	Danger	425
Do Not Enter.	Warning	432
Do Not Enter. Authorized Personnel Only.	Danger	425
Do Not Enter. Permit-Required Confined Space...	Danger	426
Do Not Exit / Enter	-	471
Do Not Handle Without Wearing Safety Shield...	Danger	426
Do Not Handle Without Wearing Safety Shield...	Danger	534
Do Not Leave Machine Unattended	Notice	514
Do Not Litter Place All Refuse In Trash...	-	519
Do Not Litter Please Use Containers Provide...	-	519
Do Not Litter! Please Put Cigarette Butts...	-	544
Do Not Look At Electric Arc It Will Hurt...	Danger	534
Do Not Look At Electric Arc. It Will Hurt...	Danger	426
Do Not Look At The Electric Arc. It Will H...	Danger	426
Do Not Obstruct Fire Apparatus	-	487
Do Not Oil Or Clean Machinery While In...	Safety First	515
Do Not Open Alarm Will Sound	Caution	412
Do Not Open Door Alarm Will Sound	-	487
Do Not Open This Door	Danger	470
Do Not Operate	Danger	504
Do Not Operate Closer Than 20 Feet To Power...	Danger	510
Do Not Operate Controls While This Sign Is...	Danger	510
Do Not Operate Machine Under Repair	Caution	506
Do Not Operate Machine Without Guards...	Warning	515
Do Not Operate Man Working On Repairs	Caution	506
Do Not Operate Men Working On Repairs	Danger	510
Do Not Operate This Equipment Without Ear...	Notice	536
Do Not Operate This Machine Without Guards...	Caution	421
Do Not Operate This Machine Without Guards...	Caution	506
Do Not Operate This Machine Without Guards...	Danger	421
Do Not Operate When Wearing Gloves Or Loos...	Caution	506
Do Not Operate When Wearing Gloves Or Loos...	-	516
Do Not Operate Without Eye Protection	Caution	529
Do Not Operate Without Eye Protection	-	538
Do not operate without eye protection. May cause…	Caution	559
Do Not Operate Without Eye Protection. May...	Caution	421
Do Not Operate Without Guards	Caution	421
Do Not Operate Without Guards	Caution	506
Do Not Operate Without Guards	-	516
Do Not Operate Without Guards In Place...	Danger	426
Do Not Operate Without Guards In Place...	Danger	510
Do Not Operate Without Guards In Place...	Danger / Peligro	439
Do Not Operate Without Guards Machines...	Caution	421
Do Not Operate Without Wearing Goggles	Danger	534
Do Not Operate Without Wearing Goggles...	Danger	426
Do Not Operate. Activation Will Result In...	Danger	426
Do Not Park Here	Notice	560
Do Not Park In Driveway	Notice	560
Do Not Park In Front Of Door	Notice	470
Do Not Park In Front Of Door	-	561
Do Not Park In Front Of Dumpster	-	561
Do Not Pass	-	574
Do Not Perform A Confined Space Rescue...	Danger	468
Do Not Play On Or Around	Caution	506
Do Not Pour Chemicals Down The Drain	Caution	449
Do Not Put Hands Or Fingers Into Or Under...	Danger	510
Do Not Put On Or Take Off Belts While Mach...	Safety First	515
Do Not Put Your Hands In This Press Under...	Caution	506
Do Not Raise Gate Until The Elevator Has...	Danger	510
Do Not Reach Into Running Equipment	Caution	506
Do Not Remove Guards Or Operate Machinery...	Warning	433
Do Not Remove Guards Or Operate Machinery...	Warning	515
Do Not Ride On The Elevator It Is For Freight...	Notice	514
Do Not Ride This Vehicle	Danger	510
Do Not Scatter Paper And Trash On Floors...	Think	519
Do Not Smoke Eat Or Drink In This Area	Caution	522
Do Not Smoke In This Area	Notice	432
Do Not Smoke, Eat Or Drink In This Area...	Notice	432
Do Not Stack To Within 18 Of Sprinkler Pipe...	-	487
Do Not Stand Here	Danger	510
Do Not Stand In Front Of Machine While...	Danger	510
Do Not Start	Caution	504
Do Not Start Engine	Danger	510
Do Not Start Machine Being Repaired	Danger	510
Do Not Start Machine Being Repaired / No...	Danger / Peligro	438
Do Not Start This Machine	Danger	510
Do Not Start This Machine	Warning	515

Legend Text	Header	Pg
Do Not Stop On Tracks	-	574
Do Not Talk To Operator	Caution	506
Do Not Talk To Operator	Notice	514
Do Not Talk To Operator While Machine Is...	Danger	510
Do Not Talk To Operators To Distract Their...	Safety First	515
Do Not Throw Any Rubbish Or Waste In Toilet	Notice	518
Do Not Throw Paper Towels In Toilet	Please	519
Do Not Touch Out Of Order	Danger	511
Do Not Touch Switches	Danger	473
Do Not Unload Without Full Protective Gear	Danger	534
Do Not Use	Danger	511
Do Not Use Hands To Clean This Machine	Danger	511
Do Not Use On Electrical Fires	Caution	472
Do Not Use This Equipment	Warning	515
Do Not Use Water On Fires In This Area	-	487
Do Not Walk On Conveyors	Caution	529
Do Not Walk On Conveyors. Fall Will Result...	Caution	421
Do Not Watch Arc	Caution	472
Do Not Watch Arc	Caution	529
Do Not Watch Arc Welder At Work The Light...	Danger	511
Do Not Watch Arc Welder At Work The Light...	Danger	534
Do Not Watch Arc Welder At Work. The Light...	Danger	426
Do Not Watch Arc. Vision Damage May Occur.	Caution	421
Do Not Watch The Arc	Danger	511
Do Not Watch The Arc. Severe Vision Damage...	Danger	426
Do Not Wear Gloves While Operating This...	Caution	421
Do Not Wear Gloves While Operating This...	Caution	529
Do Not Wear Jewelry, Loose Clothing Or...	Caution	506
Do Not Wear Loose Clothing While Operating...	Caution	506
Do You Want To Talk To The One In Charge...	Notice	498
Dog Waste Transmits Disease Contaminates...	-	544
Don't Clean Or Repair Machinery While In...	Danger	511
Don't Forget Lock Out Tag Out	-	548
Don't Have An Accident	-	548
Don't Start Out Of Order	Danger	511
Don't Take Chances Others Are Depending On...	Think	553
Don't Try To Lift More Than You Are Able	Safety First	553
Don't Be A Litterbug Use Receptacles	-	519
Don't Even Think About Smoking In This Area	-	524
Don't Even Think Of Parking Here	-	561
Don't Pass It Up…Pick It Up!	-	520
Door Alarmed Open Only For Emergency Exit	Notice	470
Door For Emergency Use Only	Notice	470
Door Opens Outward	Caution	412
Door Swings Inward	Caution	470
Dose Rate At This Point Is___ Mr/Hr Date...	-	543
Dose Rate__Mr/Hr__Special Instructions__Co...	-	543
Double Hearing Protection Required In This...	Caution	421
Double Hearing Protection Required In This...	Caution	529
Down Time Is Clean Up Time	-	520
Drilling, Sawing, Sanding Or Maching Wood...	Warning	461
Drinking Distilled Spirits, Beer, Coolers, Wine and...	Warning	461
Drinking Water	Notice	518
Drive Slowly	Danger	571
Drive Slowly Accident Will Result In Severe...	Danger	426
Drivers Chock Both Wheels	-	571
Drivers Chock Wheels And Turn Off Engine...	-	571
Drivers Must Report Inside	-	417
Drivers Restricted To Truck Loading Dock...	Notice	571
Drum Storage Rules All Drums Must Be Secure...	-	458
Drums Must Be Labeled	Notice	456
Ducha De Emergencia Y Para Lavado De Ojos	-	442
Dust Mask Is Required	Caution	529
Dust Mask Is Required. Breathing Unflitered...	Caution	421
Dust Masks Are Required At All Times	-	547
Dust Masks Are Required In This Area	-	547
Dust Respirator Must Be Worn On This Job	Notice	536

E

Ear And Eye Protection Area	Caution	529
Ear And Eye Protection Area. Failure May...	Caution	421
Ear Hazard Area Ear Protection Required At...	Caution	529
Ear Hazard Area. Ear Protection Required...	Caution	421
Ear Plugs Must Be Worn In This Area	Caution	529
Ear Plugs Must Be Worn In This Area. Failure...	Caution	421
Ear Protection Area	Danger	534
Ear Protection Area	-	496
Ear Protection Area (Floor Sign)	-	497
Ear Protection Area / Area De Proteccion...	Danger / Peligro	436
Ear Protection Area. Severe Hearing Damage...	Danger	426
Ear Protection Is Available See Your Super...	Safety First	537
Ear Protection Must Be Worn	-	538
Ear Protection Must Be Worn Beyond This Po...	Notice	536
Ear Protection Must Be Worn In This Area	Caution	529
Ear Protection Must Be Worn In This Area	Danger	534
Ear protection must be worn in this area. Moderate…	Caution	559
Ear Protection Must Be Worn In This Area...	Caution	421
Ear Protection Must Be Worn In This Area...	Danger	426
Ear Protection Must Be Worn In This Area...	Notice / Aviso	440
Ear Protection Must Be Worn In This Area...	-	538
Ear Protection Must Be Worn In This Plant	Caution	529
Ear Protection Must Be Worn While Working...	Notice	536
Ear Protection Picto	-	538
Ear Protection Picto	-	539
Ear Protection Required	Caution	530
Ear Protection Required	Danger	534
Ear Protection Required / Se Requiere...	Danger / Peligro	439
Ear Protection Required At All Times	Danger	534
Ear Protection Required Beyond This Point	-	539
Ear Protection Required In This Area	Notice	536
Ear Protection Required In This Area	Warning	538
Ear Protection Required In This Area / En...	Caution / Precaucion	434
Ear Protection Required In This Area...	Caution	530
Ear Protection Required When Operating	Caution	530
Ear Protection Required When This Equipment...	Caution	530
Ear Protection Required While Equipment Is...	Warning	538
Ear Protectors Required When In This Area...	Notice	536
Ear, Nose & Throat	-	502
Eating And Drinking Permitted Only In The...	-	520
Eating, Drinking, And Smoking Prohibited	-	543
Efficiency Requires Cleanliness And Order	Notice	514
Electric Current Keep Away	Danger	473
Electric Fence	Danger	413
Electric Fence / Cerca Electrificada	Danger / Peligro	437
Electric Meter Room No Storage	Danger	473
Electric Spark Hazard No Cell Phones	Warning	474
Electric Vehicle Charging Station	-	565
Electrical	-	544
Electrical Box Covers Must Be Closed At Al...	Danger	426
Electrical Box Covers Must Be Closed At Al...	Danger	473
Electrical Closet No Storage Permitted	Notice	474
Electrical Closet No Storage Permitted	-	474
Electrical Equipment Authorized Personnel...	Danger	414
Electrical Equipment Authorized Personnel...	Danger	426
Electrical Equipment Authorized Personnel...	Danger	473
Electrical Equipment Authorized Personnel...	Danger / Peligro	437
Electrical Equipment Authorized Personnel...	-	474
Electrical Hazard	Danger	473
Electrical Hazard Authorized Personnel Onl...	Danger	414
Electrical Hazard Authorized Personnel Onl...	Warning	417
Electrical Hazard Authorized Personnel Onl...	Warning	433
Electrical hazard. Authorized personnel only. Serious…	Warning	559
Electrical Picto	-	474
Electrical Room No Storage Permitted	Danger	426
Electrical Room No Storage Permitted	Danger	473
Electrical Room No Storage Permitted / Cua...	Notice / Aviso	440
Electrical Shock Hazard Do Not Touch	Danger	473
Electrical Supply Station Danger All Unaut...	-	417
Electricians Only	Danger	473
Electricity Picto	-	474
Elevator (Braille w/Picto)	-	447
Elevator Out Of Order	Notice	514
Elevator Shaft	Danger	511
Eliminate Doubt Lock It Out	Caution	504
Emergency	-	502
Emergency And Authorized Vehicles Only	-	574
Emergency Assembly Point	-	484
Emergency Breathing Apparatus Inside	-	494
Emergency Conveyor Stop	-	516
Emergency Door	-	475
Emergency Equipment w/Picto	-	475
Emergency Evacuation Point	-	475
Emergency Evacuation Route	-	476
Emergency Evacuation Route w/Left Arrow...	-	476
Emergency Evacuation Route w/Right Arrow...	-	476
Emergency Exit	-	476
Emergency Exit	-	496
Emergency Exit (Floor Sign)	-	497
Emergency Exit (Braille)	-	447
Emergency Exit Do Not Block	-	487
Emergency Exit Only	-	476
Emergency Exit Only (Red On White)...	-	476
Emergency Exit Only Keep Area Clear At All...	-	476
Emergency Exit Only Security Alarm Will So...	-	487
Emergency Exit Only: Alarm Will Sound	-	476
Emergency Exit: Keep Area Clear	-	476

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
Emergency Eye Wash	Notice	493
Emergency Eye Wash And Shower	Notice	493
Emergency Eye Wash Picto	-	485
Emergency Eye Wash Station	Notice	493
Emergency Fire Exit	-	487
Emergency Fuel Shutoff	-	458
Emergency Gas Shut-Off Do Not Block	-	458
Emergency Gasoline Shut Off	-	487
Emergency Only Pull Handle Down	-	487
Emergency Phone Numbers Fire Dept Police...	-	476
Emergency Phone Picto	-	485
Emergency Response Kit	Notice	493
Emergency Room Parking Only	-	561
Emergency Shelter	-	476
Emergency Shelter (Red On White)	-	476
Emergency Shelter For Hazardous Weather...	-	479
Emergency Shower	Safety First	493
Emergency Shower	-	494
Emergency Shower And Eye Wash	-	494
Emergency Shower And Eye Wash /...	-	442
Emergency Shower Eye Bath	Safety First	537
Emergency Shut Off	-	487
Emergency Shut-Off	Notice	474
Emergency Shutoff	-	499
Emergency Spill Response Equipment	-	458
Emergency Stairs	-	496
Emergency Stairs (Floor Sign)	-	497
Emergency Stop	-	476
Emergency Stop Button	-	516
Emergency Stop Pull Cable	-	516
Emergency Telephone	-	476
Emergency Telephone Information	-	494
Emergency Use Only	-	487
Emergency Vehicles Only	-	574
Emergency Vehicles Only Beyond This Point	-	574
Employee Parking	-	561
Employees Are Not Permitted To Remove Guard...	Safety First	515
Employees Must Not Operate Machines Without...	Safety First	515
Employees Must Wash Hands Before Leaving...	-	528
Employees Must Wash Hands Before Returning...	-	443
Employees Must Wash Hands Before Returning...	-	528
Employees Only	Caution	412
Employees Only	Danger	414
Employees Only	Notice	415
Employees Only	Parking	560
Employees Only	-	471
Employees Only	-	556
Employees Only / Solo Empleados	Notice / Aviso	441
Empty	-	458
Empty Acetylene Cylinders Do Not Use	-	458
Empty Co2 Cylinders Do Not Use	-	458
Empty Cylinders	-	458
Empty Cylinders Do Not Use	-	458
Empty Drums Only	Notice	456
Empty Nitrogen Cylinders Do Not Use	-	458
Empty Oxygen Cylinders Do Not Use	-	458
Empty Propane Cylinders Do Not Use	-	458
Emt Parking Only	-	561
End Utility Work	-	569
Energy Source	Caution	504
Engineering Dept.	-	471
Enter	-	574
Enter Here	-	574
Enter Only	-	574
Entrance	-	476
Entrance	-	566
Entrance (Braille w/Picto)	-	447
Entrance For Employees Only	Notice	415
Entrance For Employees Only	Restricted Area	555
Entrance Only	-	476
Entry Prohibited Without Permit Test For...	Caution	412
Environmental, Health & Safety Dept.	-	471
Equipment Being Serviced Do Not Operate	Danger	504
Equipment Being Serviced Do Not Operate...	Danger	437
Equipment Being Serviced Do Not Operate...	Danger	504
Equipment Being Serviced. Do Not Operate...	Danger	426
Equipment Is Not To Be Removed From This...	-	516
Equipment Locked Out Do Not Remove Locks	Danger	505
Equipment Operated By Remote Control	Caution	506
Escape Ladder	-	477
Espacio Cerrado, Entrada Solo Con Autoriza...	Peligro	437
Este Equipo Se Enciende Automaticamente	Peligro	437

Legend Text	Header	Pg
Ethyl Acetate	-	462
Ethyl Alcohol (Ethanol)	-	462
Ethylene Glycol	-	462
Ethylene Oxide Cancer Hazard And Reproduct...	Danger	452
Ev	-	565
Evacuate This Area Immediately If Fire...	Warning	486
Evacuation Assembly Area	-	487
Evacuation Assembly Point	-	484
Evacuation Route	-	477
Evacuation Slide Picto	-	485
Evaluation Letter "0" Picto	-	485
Evaluation Letter "1" Picto	-	485
Evaluation Letter "2" Picto	-	485
Evaluation Letter "3" Picto	-	485
Evaluation Letter "4" Picto	-	485
Evaluation Letter "5" Picto	-	485
Every Injury However Slight Must Be Report...	Notice	493
Every Machine In This Department Is Danger...	Be Careful	506
Every Person Has The Responsibility And...	-	547
Everyone Grinding Must Wear Goggles	Safety First	515
Except For Electric Vehicle Charging	-	565
Excessive Noise Ear Protection Must Be...	Danger	534
Excessive Radio Frequency Fields Authorize...	Warning	542
Exclusion Area Radiation Exposure Permit...	Caution	541
Exit	-	477
Exit	-	481
Exit	-	483
Exit	-	496
Exit	-	499
Exit	-	574
Exit	-	477
Exit (Braille)	-	447
Exit (Framed Sign Extra Bracket)	-	483
Exit (Framed Sign)	-	483
Exit / Salida	-	444
Exit Arrow (Floor Sign)	-	497
Exit Only	-	477
Exit Only	-	574
Exit Only Do Not Enter	-	574
Exit Only No Reentry To Building	-	487
Exit Route Do Not Block	-	487
Exit Sign	-	574
Explosion	-	458
Explosion Relief Vent Stay Clear	Danger	452
Explosive 1.[#][#]	-	463
Explosive Gas No Smoking	Danger	452
Explosive Gas No Smoking Or Open Flames...	Danger	452
Explosive Gases	-	459
Explosive Materials Authorized Personnel...	Danger	414
Explosive Personality Keep Out	Danger	498
Explosive Vapor No Smoking No Open Flames...	Danger	452
Explosives	Danger	452
Explosives (w/ Ghs Picto)	Danger	452
Explosives 1.1L	-	463
Explosives 1.2L	-	463
Explosives 1.3L	-	463
Explosives 1.4S	-	463
Explosives Keep Away	Danger	452
Explosives Keep Out	Danger	414
Explosives Keep Out	Warning	457
Explosives Keep Out / Explosivos No Acerca...	Danger / Peligro	438
Explosives. Follow Appropriate Precautions...	Danger	426
Extinguidor De Incendios	-	442
Extinguidor De Incendios	-	443
Extinguisher Do Not Block / Extinguidor No...	-	442
Extinguisher Missing Ext. #	-	487
Extremely Cold Liquid Nitrogen Do Not Touch	Caution	449
Eye And Ear Protection Must Be Work In Thi...	-	539
Eye And Ear Protection Must Be Worn Beyond...	Caution	530
Eye And Ear Protection Must Be Worn In...	Caution	530
Eye And Ear Protection Required In This...	Warning	538
Eye And Ear Protection Required While...	Danger	511
Eye And Glove Protection Must Be Worn When...	Caution	421
Eye And Glove Protection Must Be Worn When...	Caution	449
Eye Protection And Hard Hats Must Be Worn...	Caution	530
Eye Protection Area	Caution	530
Eye Protection Area	Danger	534
Eye Protection Area	-	496
Eye Protection Area (Floor Sign)	-	497
Eye Protection Glasses Picto	-	532
Eye Protection Glasses Picto	-	539
Eye Protection Must Be Worn	-	539

BRADY

Legend Text	Header	Pg
Eye Protection Must Be Worn In This Area	Safety First	537
Eye Protection Must Be Worn In This Area...	-	539
Eye Protection Must Be Worn When Grinding	Notice	536
Eye Protection Must Be Worn When Operating...	Notice	514
Eye Protection Must Be Worn When Working...	Danger	534
Eye Protection Required	Caution	421
Eye Protection Required	Caution	530
Eye Protection Required	Notice	536
Eye Protection Required / Se Requiere Prot...	Danger / Peligro	439
Eye Protection Required / Uso Obligatorio...	Caution / Precaucion	435
Eye Protection Required Beyond This Point	Danger	534
Eye Protection Required In This Area	Safety First	537
Eye Protection Required In This Area	Warning	538
Eye Protection Required In This Area / Es...	Danger / Peligro	437
Eye Protection Required In This Area. Mode...	Caution	421
Eye protection required in this area. Moderate injury…	Caution	559
Eye Protection Required In This Area. Seri...	Danger	426
Eye Protection Required In This Area...	Caution	421
Eye Protection Required In This Area...	Caution	530
Eye Protection Required In This Area...	Danger	426
Eye Protection Required Safety Glasses	Caution	530
Eye Protection Required Safety Glasses	-	539
Eye Protection Shall Be Worn In This Area	-	539
Eye Protection Shall Be Worn When Operatin...	-	539
Eye Wash	-	494
Eye Wash	-	496
Eye Wash	-	499
Eye Wash (Floor Sign)	-	497
Eye Wash Fountain	Safety First	493
Eye Wash Fountain	-	494
Eye Wash Picto	-	494
Eye Wash Station	Emergency	431
Eye Wash Station	-	494
Eye Wash Station & Safety Shower...	Emergency	431
Eye Wash Station Keep Area Clear...	Emergency	432
Eye Wash/Lavado De Ojos	-	499

F

Legend Text	Header	Pg
Face Mask Picto	-	532
Face Mask Required	Caution	530
Face Shield Area	Caution	530
Face Shield Must Be Worn When Operating...	Danger	426
Face Shield Must Be Worn When Operating...	Danger	511
Face Shield Picto	-	539
Face Shield Required In This Area	Danger	534
Face Shield Required In This Area	Notice	536
Face Shields Or Goggles Must Be Worn In...	Caution	530
Faculty And Staff Parking	-	561
Fall Hazard	Caution	506
Fall Hazard Do Not Start Work Unless Guard...	-	539
Fall Hazard. Injury May Result.	Caution	421
Fall Protection Required	Caution	530
Fall Protection Required In This Area	Caution	530
Fall Protection Required In This Area	Danger	534
Fall Protection Required In This Area	Warning	538
Falling Material	Danger	426
Falling Material	Danger	511
Falling Material.	Danger	426
Family Practice	-	502
Fasten Seat Belts Picto	-	485
Federal Regulations Require No Food To Be...	Notice	518
Fedex Pick Up	-	571
Fiber Optic Cable Above	-	558
Film Badge Required In This Area	Caution	541
Fire Alarm	-	487
Fire Alarm	-	488
Fire Alarm	-	496
Fire Alarm	-	499
Fire Alarm	-	500
Fire Alarm (Floor Sign)	-	497
Fire Alarm Call Fire Dept.	-	487
Fire Alarm Inside	-	488
Fire Alarm Panel	-	488
Fire And Explosion Hazard No Smoking Or...	Danger	522
Fire Assembly Point	-	484
Fire Blanket	-	488
Fire Blanket	-	495
Fire Damper	-	488
Fire Department Connections	-	488
Fire Department Sprinkler Connection	-	488
Fire Dept Use Only	-	488
Fire Door Alarm Will Sound If Door Is Open...	-	488
Fire Door Do Not Block	Caution	470
Fire Door Do Not Block	-	471
Fire Door Do Not Block	-	488
Fire Door Do Not Block / Puerta De Emergen...	-	444
Fire Door Emergency Only Violators Subject...	-	471
Fire Door Keep Closed	Caution	470
Fire Door Keep Closed	-	471
Fire Door Keep Closed	-	488
Fire Door Keep Closed Do Not Block	-	488
Fire Equipment	-	488
Fire Equipment	-	499
Fire Equipment Do Not Block	-	488
Fire Equipment Keep Clear	-	488
Fire Escape	-	488
Fire Exit	-	488
Fire Exit	-	489
Fire Exit (Glow)	-	488
Fire Exit (Glow)	-	489
Fire Exit Door Must Be Kept Unlocked Durin...	-	488
Fire Exit Keep Clear	-	488
Fire Exit Please Keep Door Closed	-	488
Fire Exit Please Keep Door Closed / Salida...	-	444
Fire Extinguisher	-	433
Fire Extinguisher	-	489
Fire Extinguisher	-	490
Fire Extinguisher	-	496
Fire Extinguisher	-	499
Fire Extinguisher	-	500
Fire Extinguisher (Floor Sign)	-	497
Fire Extinguisher (6 Pack)	-	489
Fire Extinguisher (Braille w/Picto)	-	447
Fire Extinguisher (Glow)	-	489
Fire Extinguisher (w/Changeable Arrow)	-	490
Fire Extinguisher / Extinguidor De Incendi...	-	442
Fire Extinguisher / Extinguidor De Incendi...	-	443
Fire Extinguisher & Fire Picto	-	489
Fire Extinguisher Area In Front Must Be...	-	489
Fire Extinguisher Do Not Block	-	489
Fire Extinguisher Do Not Block / Extinguid...	-	443
Fire Extinguisher For All Purpose	-	489
Fire Extinguisher Halon	-	489
Fire Extinguisher Here	-	489
Fire Extinguisher Here (Glow)	-	489
Fire Extinguisher In Case Of Fire Break...	-	489
Fire Extinguisher Inside	-	489
Fire Extinguisher Inside Building	-	489
Fire Extinguisher Keep Clear At All Times...	-	489
Fire Extinguisher Picto	-	489
Fire Extinguisher Remove Pin And Squeeze...	-	433
Fire Extinguisher Use For All Fires A B C...	-	489
Fire Extinguisher Use On All Fires A B C...	-	490
Fire Extinguisher/Extinto De Incendios...	-	499
Fire Fighting Equipment Stored Inside...	-	490
Fire Hose	-	490
Fire Hose	-	491
Fire Hose	-	496
Fire Hose	-	500
Fire Hose (Floor Sign)	-	497
Fire Hose And Extinguisher Inside	-	490
Fire Hose And Fire Picto	-	490
Fire Hose Picto	-	490
Fire Hydrant Symbol	-	574
Fire Lane Keep Clear	Caution	486
Fire Lane Keep Clear At All Times	No Parking	486
Fire Lane Keep Clear At All Times	Notice	486
Fire Lane No Parking Tow-Away Zone	-	561
Fire Regulations Demand That This Space Be...	Caution	486
Fire Regulations Demand That This Space Is...	Notice	486
Fire Regulations Demand This Space Be Kept...	-	491
Fire Sprinkler Shut-Off Valve	-	491
Fire-Police-Medical Emergency Dial 911	-	491
First Aid	-	433
First Aid	-	495
First Aid	-	496
First Aid	-	500
First Aid (Floor Sign)	-	497
First Aid Equipment	-	495
First Aid Kit	Safety First	493
First Aid Kit	-	495
First Aid Kit Inside	-	495
First Aid Location	Safety First	493
First Aid Room	-	495

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
First Aid Station	Emergency	432
First Aid Station	Safety First	493
First Aid Station / Estacion De Primeros...	-	442
First Aid Station In Office	Safety First	493
First Aid Station In Personnel Room	Safety First	493
First Aid/Medical Locker Picto	-	485
Fishing And Hunting Stories In Progress...	Caution	498
Flagger Ahead	-	569
Flammable	Danger	452
Flammable 3	-	464
Flammable Area	Warning	486
Flammable Gas	Danger	452
Flammable Gas (w/ Ghs Picto)	Danger	452
Flammable Gas / Gas Inflamable	Danger / Peligro	438
Flammable Gas 2	-	464
Flammable Gas Keep Fire Or Flame Away No...	Danger	452
Flammable Gas Keep Fire Or Flame Away No...	Danger / Peligro	438
Flammable Gas.	Danger	427
Flammable Gas. Keep Fire Or Flame Away. No...	Danger	427
Flammable Keep Fire Away	Danger	486
Flammable Keep Flames And Heat Away	Danger	452
Flammable Liquid	Warning	486
Flammable Liquids	Caution	449
Flammable Liquids	Danger	452
Flammable Liquids No Smoking	Restricted Area	523
Flammable Liquids No Smoking, Matches Or...	Danger	452
Flammable Liquids.	Danger	427
Flammable Material Keep Fire Away...	Danger	427
Flammable Material No Smoking	Danger	453
Flammable Material No Smoking Within 20 Feet	Danger	453
Flammable Material. No Smoking Within 20 Feet...	Danger	427
Flammable Material. No Smoking. Death Or...	Danger	427
Flammable Materials	Danger	427
Flammable Materials	Danger	453
Flammable Materials (w/ Ghs Picto)	Danger	452
Flammable Materials / Materiales Inflamabl...	Danger / Peligro	438
Flammable Materials.	Danger	427
Flammable Materials.	Danger	429
Flammable No Matches Or Open Lights	Danger	453
Flammable No Smoking	-	524
Flammable No Smoking Or Open Flame Within...	-	459
Flammable No Smoking Or Open Flame Within...	-	524
Flammable Picto	-	458
Flammable Picto 3	-	464
Flammable Picto 4	-	464
Flammable Solid 4	-	464
Flammable. Keep Flames And Heat Away...	Danger	427
Flammable. No Smoking Or Open Flames...	Danger	427
Floor Load Limit No To Exceed __Lbs. Sq....	Caution / Precaucion	434
Floor Load Limit Not To Exceed ____Lbs Sq...	Caution	518
Floor Opening Do Not Remove	Caution	530
Floor Slippery When Wet	Caution	421
Floor Slippery When Wet	Danger	534
Floorboards Out	Danger	469
Fluorescent Tubes	-	544
Flush Toilet After Using	Please	519
Flying Debris Hazard Keep Door Closed While...	Danger	453
Foam Inlet	-	491
Follow Confined Space Entry Procedure Before...	Danger	468
Follow Fall Protection Guidelines When Working...	Notice	536
Follow Lockout/Tagout Procedures...	Danger	427
Food Prep Area	-	516
Food Preparation Area Cooked Food Only	-	516
Food Preparation Area Raw Food Only	-	516
Foot Protection Required	Caution	530
Foot Protection Required In This Area	Safety First	537
Foot Protection Required In This Area...	Caution	530
For Chemical Storage Only No Food Permitted	Notice	456
For Fire Use Only	-	491
For Security Reasons Individuals Entering...	Notice	555
For Use On All Fires	-	491
For Your Own Safety Talk Safety	Safety First	553
Fork Lift Trucks Go Slow	Caution	506
Fork Lift Trucks Operating Beyond This...	Caution	557
Forklift Traffic Keep Clear	Caution	421
Forklift Traffic Keep Clear / Trafico De...	Caution / Precaucion	435
Forklift Traffic Stay Clear	Danger	571
Formaldehyde Irritant And Potential Cancer...	Danger	453
Formic Acid	-	462
Formwork Stripping Area Falling Material...	Danger / Peligro	439
Fr Clothing Required	Caution	531
Fragile Equipment Do Not Touch	Caution	506
Freezing Temperature When Blue	-	516
Front End Parking Only	-	561
Fuel	Danger	453
Fuel Oil	Danger	453
Fuel Oil	-	462
Fuel Oil 3	-	464
Fuel Storage No Smoking	Danger	522
Full	-	459
Full Acetylene Cylinders Ready For Use	-	459
Full Co2 Cylinders Ready For Use	-	459
Full Cylinders	-	459
Full Cylinders Ready For Use	-	459
Full Face Respirator Must Be Worn In This...	Caution	530
Full Nitrogen Cylinders Ready For Use	-	459
Full Oxygen Cylinders Ready For Use	-	459
Full Propane Cylinders Ready For Use	-	459
Fumes May Be Present	Caution	449
Fumes May Be Present	Warning	457

G

Gas	Danger	453
Gas Cylinder Storage Area	Danger	453
Gas Mask Picto	-	532
Gas No Smoking, Matches Or Lights	-	459
Gas Only	-	459
Gasoline	Warning	457
Gasoline	-	462
Gasoline And Oil	Danger	453
Gasoline No Smoking	Danger	453
Gates Open And Close Automatically	Danger	414
Gates Open And Close Automatically	-	417
Genetics	-	502
Girls	-	545
Glass Only	-	544
Gloves Picto	-	532
Gloves Required	Caution	530
Gloves Required / Uso Obligatorio De Guantes	Caution / Precaucion (ANSI)	435
Gloves Required In This Area	Caution	530
Go Slow Sound Signal	Danger	571
Goggles Must Be Worn When Working In This...	Caution	530
Goggles Positively Must Be Worn	Caution	530
Good Housekeeping Is The First Principle...	-	520
Good Housekeeping Promotes Safety	-	548
Good Housekeeping Promotes Safety Do Your...	-	520
Good Housekeeping This Is Your Home Away...	-	520
Ground All Barrels	Caution	472
Guard Dogs On Duty	Danger	414

H

H2S May Be Present	Danger	453
H2S May Be Present. No Open Flames. Wear...	Danger	427
H2S Poisonous Gas	Danger	453
H2S Poisonous Gas May Be Present	Caution	449
H2S Poisonous Gas May Be Present. No Open...	Caution	421
H2S Poisonous Gas May Be Present. No Open...	Danger	427
H2S Poisonous Gas. No Open Flames. Wear...	Caution	421
H2S Poisonous Gas. No Open Flames. Wear...	Danger	427
Hair And Beard Nets Required	-	539
Hair Covering Required In This Area	Notice	536
Hair covering required in this area.	Notice	559
Hair Net Required Beyond This Point	Notice	536
Hairnets and beard covers required in this area.	Notice	559
Hairnets And Beard Covers Required In This...	Notice	536
Halon	-	491
Halon Extinguisher For Use On Computer...	-	491
Hand Hazard Turn Power Off Before Reaching...	Danger	511
Hand Hazard Watch Your Fingers	Danger	511
Hand Signals For Shovel-Crane Operation...	-	516
Hand Wash Only	-	520
Handcapped Parking Van Accessible...	-	566
Handicapped	-	566
Handicapped Parking	-	566
Handicapped Parking Only	-	566
Handicapped Parking Permit Required...	-	566
Handicapped Parking Sign	-	566
Handicapped Parking State Permit Required	-	567
Handicapped Parking Towing Enforced...	-	567
Handicapped Picto	-	496
Handicapped Picto	-	566
Handicapped Picto (Braille)	-	447
Handicapped Ramp Picto	-	566
Hard Hat Area	Caution	558
Hard Hat Area	Danger	427

BRADY

Legend Text	Header	Pg
Hard Hat Area	Danger	511
Hard Hat Area	Warning	538
Hard Hat Area	-	496
Hard Hat Area	-	539
Hard Hat Area (Floor Sign)	-	497
Hard Hat Area / Usar Casco Protector En Es...	Danger / Peligro	439
Hard Hat Area.	Danger	427
Hard Hat Picto	-	532
Hard Hat Picto	-	539
Hard Hat Protection Required	Danger	534
Hard Hat Required Beyond This Point	Caution	558
Hard Hat Required Beyond This Point	Danger	534
Hard Hat Required In This Area	Danger	427
Hard Hat, Safety Glasses And Hearing Protection...	-	547
Hard Hats - Safety Glasses - Safety Shoes...	Caution	529
Hard Hats And Eye Protection Required In...	Notice	536
Hard Hats And Fall Protection Must Be Worn...	Notice	536
Hard Hats And Safety Glasses With Clear...	-	547
Hard Hats Ear And Eye Protection Required...	Danger	535
Hard Hats Ear And Eye Required Protection...	Danger	535
Hard Hats Must Be Worn At All Times	-	547
Hard Hats Must Be Worn In This Area	Notice	536
Hard Hats Must Be Worn In This Area	-	547
Hard Hats Must Be Worn In This Area / Se D...	Notice / Aviso	441
Hard Hats Must Be Worn On Site	Danger	535
Hard Hats Must Be Worn On This Contruction...	Notice	536
Hard Hats Required	Caution	421
Hard Hats Required	Caution	531
Hard Hats Required / Uso Obligatorio De Ca...	Caution / Precaucion	435
Hard Hats Required In This Area	Caution	531
Hard Hats Required In This Area	Notice	536
Hard Hats Required In This Area. / Es Obli...	Danger / Peligro	437
Hard Hats Required On This Job By All Empl...	-	539
Hard Hats Required When This Equipment Is...	-	539
Hard Hats, Safety Glasses, Safety Shoes...	Caution	531
Hard Head Area	Danger	498
Haute Tension	Danger	473
Have You Hugged Your Maintenance Manager...	Notice	498
Have You Hugged Your Safety Manager Today?	Notice	498
Hazard	-	543
Hazard Area No Unauthorized Personnel...	Danger	414
Hazard Area. No Unauthorized Personnel...	Danger	427
Hazardous Area	Danger	453
Hazardous Area Authorized Personnel Only	Caution	412
Hazardous Area No Smoking	-	524
Hazardous Area.	Danger	427
Hazardous Chemicals	Danger	453
Hazardous Chemicals / Sustancias Quimicas...	Danger / Peligro	439
Hazardous Chemicals Authorized Personnel...	Caution	449
Hazardous Chemicals. Improper Contact Will...	Danger	427
Hazardous Material Area Authorized Personnel...	Danger	453
Hazardous Material Area. Authorized Person...	Danger	427
Hazardous Material Check Msds	Danger	453
Hazardous Material Storage Area	Warning	457
Hazardous Material Storage Area.	Warning	433
Hazardous Materials	Danger	453
Hazardous Materials 9	-	464
Hazardous Materials Handle With Care	Caution	449
Hazardous Materials May Be Used In This...	Caution	449
Hazardous Materials. Improper Contact Will...	Danger	427
Hazardous Waste	Danger	453
Hazardous Waste	Warning	457
Hazardous Waste Area Labeled Drums Only	Caution	449
Hazardous Waste Material Storage Only No...	Caution	449
Hazardous Waste Material Storage Only No...	Caution / Precaucion	434
Hazardous Waste Material Storage Only. No...	Caution	421
Hazardous Waste Oil	Danger	453
Hazardous Waste Storage	Danger	453
Hazardous Waste Storage	-	459
Hazardous Waste Storage Area Unauthorized...	Caution	449
Hazardous Waste Storage Area Unauthorized...	Danger	453
Hazardous Waste Storage Area Unauthorized...	Danger / Peligro	436
Hazardous Waste Storage Area. Unauthorized...	Caution	421
Hazardous Waste Storage Area. Unauthorized...	Danger	427
Hazardous Waste Treatment Area Unauthorized...	Danger	453
Hazardous Waste.	Danger	427
Head In Parking Only	-	561
Head In To Park	-	561
Head Protection Must Be Worn	-	539
Health Education	-	502
Health Hints Clean Toilet Rooms Mean Good...	-	520
Health Services	-	502
Hearing Protection And Safety Glasses Must...	Notice	536

Legend Text	Header	Pg
Hearing Protection And Safety Glasses Must...	Notice / Aviso	440
Hearing Protection And Safety Glasses Must...	-	547
Hearing Protection Must Be Worn At All Tim...	-	547
Hearing Protection Must Be Worn In This...	Caution	531
Hearing Protection Must Be Worn In This...	Notice	536
Hearing Protection Must Be Worn In This...	Notice / Aviso	440
Hearing Protection Must Be Worn In This...	-	547
Hearing Protection Required	Caution	531
Hearing Protection Required / Uso Obligato...	Caution / Precaucion	435
Hearing Protection Required After ___ Hr...	Caution	531
Hearing Protection Required Beyond This...	Caution	558
Hearing Protection Required Beyond This...	Danger	535
Hearing Protection Required For Prolonged...	Caution	531
Hearing Protection Required Here	Caution	531
Hearing Protection Required Here	-	539
Hearing Protection Required In This Area	Danger	535
Hearing Protection Required In This Area	Warning	538
Hearing Protection Required In This Area...	Caution	421
Hearing Protection Required In This Area...	Caution	422
Hearing Protection Required While Equipment...	Caution	531
Hearing Protection Required. / Uso Obligat...	Danger / Peligro	439
Heart Pacemaker Implants This Room Contain...	Caution	541
Helium Empty Cylinders	-	459
Helium Full Cylinders	-	459
Helium Neon Laser Do Not Stare Into Beam	Caution	541
Help Keep Our Facility Clean	-	547
Help Keep This Fountain Clean And Sanitary...	Notice	518
Help Keep This Place Clean	-	520
Help Keep This Place Clean / Ayude A Mante...	-	442
Help Keep This Plant Clean Put Rubbish And...	Notice	518
Help Keep This Plant Safe And Clean	Notice	519
Heptane	-	462
Hexane	-	462
Hexavalent Chromium Chromium...	Danger	453
High Explosives	Danger	453
High Impact Safety Glasses Area	Danger	535
High Impact Safety Glasses Beyond This...	Notice	536
High Impact Safety Glasses Required	Caution	531
High Intensity Ultraviolet Light Wear Eye...	Caution	531
High Noise Area Hearing Protection May...	Caution	531
High Noise Area Wear Ear Plugs	Notice	536
High Noise Area Wear Ear Protection	Warning	538
High Noise Area Wear Ear Protection...	Danger	427
High Noise Area Wear Hearing Protection	Caution	531
High Noise Level Area	Caution	531
High Noise Level Use Ear Protection	Caution	531
High Pressure	Danger	453
High Pressure Air Authorized Personnel...	Warning	457
High Pressure Gas Line	Danger	453
High Pressure Gas Line.	Danger	427
High Pressure Pipeline	Caution	449
High Pressure.	Danger	427
High Radiation Area	-	543
High Speed Saw	Danger	511
High Voltage	Danger	428
High Voltage	Danger	473
High Voltage	Danger	558
High Voltage	Warning	474
High Voltage	-	474
High Voltage ___Volts	Danger	474
High Voltage / Alto Voltaje	Danger / Peligro	436
High Voltage Above	Danger	473
High Voltage Above. Contact Will Cause...	Danger	428
High Voltage Authorized Personnel Only	Danger	473
High Voltage Authorized Personnel Only...	Danger	428
High Voltage Contact Could Result In Serious...	Warning	433
High Voltage Do Not Remove This Barrier	Danger	473
High Voltage Electrical Equipment...	Danger	473
High Voltage Inside	Danger	473
High Voltage Keep Away	Danger	473
High Voltage Keep Away	Warning	474
High Voltage Keep Off	Danger	473
High Voltage Keep Out	Danger	414
High Voltage Keep Out	Danger	428
High Voltage Keep Out	Danger	558
High Voltage Keep Out	-	474
High Voltage Keep Out / Alto Voltaje No...	Danger / Peligro	436
High Voltage Keep Out Will Result In Serious...	Danger	428
High Voltage On Wires Above	Danger	473
High Voltage Overhead	Danger	473
High Voltage Picto	-	474
High Voltage Testing In Progress	Danger	473
High Voltage Turn Power Off And Lock Out...	Danger	505

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
High Voltage Turn Power Off Before Servicing	Danger	428
High Voltage Turn Power Off Before Servicing...	Danger	428
High Voltage Unauthorized Personnel Keep...	Danger	414
High Voltage Underground Cable	Danger	474
High Voltage Will Result In Serious Shock...	Danger	428
High Voltage Will Result In Shock Or Death	Danger	428
High Voltage Within	Danger	474
High Voltage Within Keep Out	Danger	474
High Voltage Within Keep Out Contact Will...	Danger	428
High Voltage: Do Not Enter This Enclosure	Caution	472
High Voltage. Contact Could Result In Serious...	Danger	427
High Voltage. Keep Away. Contact Will Result...	Danger	428
High voltage. Will result in shock or death.	Danger	559
Highly Combustible Area No Welding, Burning...	Danger	453
Highly Flammable	Danger	453
Highly Toxic Handle With Care	Danger	453
Hole Cover Do Not Remove / Cubierta De Hoyo...	Danger / Peligro	437
Hospital Visitor Parking Only	-	561
Hot	Caution	507
Hot	Danger	428
Hot	Danger	511
Hot	Warning	515
Hot	-	517
Hot / Caliente	Danger / Peligro	437
Hot Acid	Danger	454
Hot Do Not Touch	Danger	511
Hot Do Not Touch. Will Cause Severe Burns...	Danger	428
Hot Equipment Unauthorized Persons Keep...	Danger	511
Hot Keep Away	Caution	507
Hot Lead Use Protective Equipment	Danger	454
Hot Metal	Danger	469
Hot Pipes	Danger	454
Hot Pipes Do Not Touch	Danger	469
Hot Surface	-	517
Hot Surface Do Not Touch	Caution	422
Hot Surface Do Not Touch	Danger	428
Hot Surface Do Not Touch	Danger	511
Hot Surface Do Not Touch / Superficie Cali...	Caution / Precaucion	435
Hot Surface. Do Not Touch.	Caution	422
Hot surface. Do not touch.	Caution	559
Hot Surface. Do Not Touch.	Danger	428
Hot Work Area	Caution	507
Hot Work Area.	Caution	422
Hot Work Fire Watch Area	Danger	469
Hot Work Permits Are Required For All Weld...	Notice	514
Hot. Contact Can Result In Severe Burn...	Warning	433
Hot. Contact May Result In Injury.	Caution	422
Hot. Do Not Touch. Will Cause Severe Burns...	Danger	428
Hot. Keep Away Injury May Result.	Caution	422
Hot. Keep Away. Injury May Result.	Caution	422
Hot. Keep Away. Injury May Result.	Caution	428
Hot. Surface Do Not Touch.	Caution	422
Hot. Will Cause Severe Burns Or Injury.	Danger	428
Household & Garden Chemicals	-	544
How To Lift Correctly…	-	495
Hunting Or Fishing On These Grounds...	-	418
Hydrochloric Acid	Danger	454
Hydrochloric Acid	-	462
Hydrochloric Acid (Hcl)	Danger	454
Hydrochloric Acid. Improper Contact Will...	Danger	428
Hydrofluoric Acid	-	462
Hydrofluorsilicic Acid	-	462
Hydrogen	Danger	454
Hydrogen Flammable Gas No Smoking Or Open...	Danger	454
Hydrogen Peroxide	Danger	454
Hydrogen Peroxide, 52%	-	462
Hydrogen Sulfide (H2S)	Danger	454
Hydrogen. Flammable Gas. No Smoking Or Open...	Danger	428

I

I'M So Far Behind I Might Run Over Myself	Notice	498
Icy Conditions When Blue	-	517
Icy Surface	Caution	507
If Fire Alarm Sounds Call Fire Dept.	-	491
If Machine Is Not Operating Properly Advise...	Danger	511
If We Are To Have Efficiency In Our Organization...	Notice	518
If You Drop It Pick It Up If You Spill It...	-	520
If You Get Chemicals On Your Body Or Eyes...	Safety First	456
If You Think Osha Is A Small Town In Wisco...	Caution	498
If You Use It Clean It	-	520
Illegally Parked Cars Will Be Towed Away A...	-	561
Illegally Parked Vehicles Will Be Towed At...	-	561
Imaging	-	502
Immersion Suit Picto	-	485
Immunizations	-	502
Impaired Headroom	Caution	507
Improper Disposal Of Chemicals Is Punishable...	Notice	456
Improper Disposal Of Chemicals Is Punishable...	Warning	457
In	-	471
In Accordance With Osha Standard...	Notice	505
In Case Of Emergency Break Glass	-	491
In Case Of Emergency Dial 9 Then 911	-	491
In Case Of Emergency Dial 911	-	495
In Case Of Emergency Report To Evacuation...	-	491
In Case Of Fire Assembly Point Is…...	-	491
In Case Of Fire Do Not Use Elevator Use...	-	444
In Case Of Fire Do Not Use Elevators Use...	-	491
In Case Of Fire Pull Firmly Here...	-	491
In Case Of Fire Unreel Hose Completely The...	-	491
Infection Hazard Handle Needles With Care	Danger	445
Infectious Diseases	-	502
Infectious Waste Area	Danger	445
Infectious Waste Area Use Precautions	Danger	445
Infectious Waste Notify Public Health Auth...	-	445
Inflamable	Peligro	438
Inhalation Hazard 2	-	464
Inhalation Hazard 6	-	464
Inhalation Hazard Do Not Breathe Vapors...	Danger	454
Inorganic Arsenic Cancer Hazard Authorized...	Danger	454
Inpatient	-	502
Inspect Slings Before Use	Caution	507
Intensive Care	-	503
Internal Medecine	-	503
Internal Medicine	-	503
Interpretive Services	-	503
Is Our Responsibility Each And Every One...	Safety First	553
Isopropanol	-	462
Isopropyl Acetate	-	462
It Is Illegal & Against Company Policy To...	Warning	457
It Is Unlawful And Dangerous To Dispense...	Warning	457

J

Just Do It Safely	-	548

K

Keep Aisles Clear	Caution	570
Keep Aisles Clear	-	496
Keep Aisles Clear (Floor Sign)	-	497
Keep Aisles Clear If It's Not Moving It Do...	Caution	518
Keep All Aisles Clear	Caution	518
Keep All Cylinders Chained	Caution	449
Keep All Cylinders Chained	Danger	454
Keep All Cylinders Chained	Warning (ANSI)	433
Keep All Cylinders Chained / Mantener Los...	Warning / Advertencia (ANSI)	442
Keep All Cylinders Chained / Mantener Todo...	Caution / Precaucion	434
Keep All Cylinders Chained / Mantener Todo...	Danger / Peligro	438
Keep All Cylinders Chained.	Danger	429
Keep All Guards In Place Wear Goggles	Be Careful	529
Keep Area Clean / Mantener Limpia Esta Are...	Notice / Aviso	441
Keep Away	Caution	412
Keep Away	Danger	414
Keep Away Do Not Climb Over This Enclosure	Danger	414
Keep Away From Heat	Danger	454
Keep Clear When Boom Is Near High Voltage	Caution	507
Keep Closed	Caution	470
Keep Cylinders Chained	Notice	456
Keep Door Closed	Notice	432
Keep Door Closed At All Times	-	471
Keep Electric Panel Area Clear	Caution	422
Keep Electric Panel Area Clear	Caution	472
Keep Electrical Panel Clear For 36 Inches	Caution	422
Keep Electrical Panel Clear For 36 Inches	Caution	472
Keep Everything Away From This Fire Door...	Notice	470
Keep Fingers Clear Of Machine While In Mot...	Danger	511
Keep Floors Clear Of Oil-Grease Or Other...	Safety First	515
Keep From Under Conveyor	Danger	511
Keep Gates Closed	Danger	414
Keep Gates Closed	-	418
Keep Guards In Place	Danger	511
Keep Guards In Place / Mantener Las Guarda...	Danger / Peligro	438
Keep Hands Clear	Danger	511
Keep Hands Clear / Mantener Las Manos Alej...	Danger / Peligro	438
Keep Hands Clear Of Moving Machinery	Warning	515
Keep Hands Clear When Equipment Is Running...	-	443
Keep Hands Clear While Blades Are Turning	Danger	511

Legend Text	Header	Pg
Keep Hands Off	Caution	507
Keep Hands Out Of Machinery	Warning	433
Keep Hands Out Of Moving Machinery	Safety First	515
Keep Hands Out Of Moving Machinery / Mante...	Caution / Precaucion	434
Keep Material Away From Fire Door So The...	Caution	518
Keep Off	Danger	414
Keep Off	Warning	417
Keep Off Roof	Danger	414
Keep Off Tracks	Danger	571
Keep Off.	Danger	429
Keep Our Plant Clean And Safe	-	548
Keep Out	Caution	412
Keep Out	Danger	414
Keep Out	Danger	429
Keep Out	Restricted Area	417
Keep Out	-	418
Keep Out Authorized Personnel Only	-	556
Keep Out From Under Crane Loads	Caution	507
Keep Out Fumigating With Poisonous Gas	Danger	454
Keep Out Hazard Area	Danger	414
Keep Out Hazardous Chemicals	Danger	454
Keep Out Radiation Area X-Ray Keep Out...	-	543
Keep Out Radiation Area X-Ray: Keep Out...	-	543
Keep Out: Radiation Area X-Ray Keep Out...	-	543
Keep Out.	Danger	428
Keep Passageway And Doorway Clear	Notice	475
Keep Right	-	574
Keep Storage 36" Below Sprinklers	-	492
Keep This Area Clean	Notice	518
Keep This Area Clean	Safety First	519
Keep This Area Clean Your Mother Isn't Her...	-	520
Keep This Area Clear	Notice	486
Keep This Door Closed	Caution	470
Keep This Door Closed	Notice	415
Keep This Door Closed	Notice	432
Keep This Door Closed	Notice	470
Keep This Door Closed / Mantener Esta Puer...	Notice / Aviso	441
Keep This Door Closed At All Times	Notice	514
Keep This Doorway Free Of Obstructions So...	Notice	486
Keep This Gate Closed	Danger	429
Keep This Gate Closed	Danger	511
Keep This Passageway Clear	Notice	571
Keep This Place Clean And Orderly	Please	519
Keep This Place Clean And Orderly	-	520
Keep This Place Clean And Orderly...	Notice	432
Keep This Plant Safe And Clean	Safety First	519
Keep This Space Clear At All Times	Caution	518
Keep This Space Clear At All Times	-	520
Keep Your Work Area Clean It Is Part Of...	-	520
Kerosene	-	462
Kerosene No Smoking No Open Flames	Danger	454
Kidney	-	503

L

Legend Text	Header	Pg
Label All Drums	Notice	456
Laboratory	-	503
Ladies	-	545
Laser Area	Caution	541
Laser Area. Vision Damage May Result.	Caution	422
Laser Beams Do Not Look Directly At Laser...	Danger	541
Laser Beams. Do Not Look Directly At Laser...	Danger	429
Laser Beams. Do Not Look Directly At Laser...	Danger	430
Laser Operating	Warning	542
Laser Operating Protect Eyes And Skin From...	Danger	429
Laser Radiation Avoid Direct Exposure To...	Danger	541
Laser Radiation Avoid Eye Or Skin Exposure...	Danger	541
Laser Radiation Do Not Stare Into Beam Or...	Caution	531
Laser Radiation. Avoid Direct Exposure To...	Danger	429
Laser Radiation. Avoid Eye Or Skin Exposure...	Danger	429
Laser Range In Use Do Not Enter	Danger	541
Laser Repair In Progress Do Not Enter When...	Notice	542
Laser Test Area Do Not Approach This Area...	Danger	541
Laser Wear Protective Laser Goggles	Danger	541
Lavarse Las Manos Antes De Salir De Este...	Aviso	440
Lead Hazard Area Wear Respirator Possessio...	Caution	449
Lead Hazard Do Not Enter Work Area Unless...	Caution	449
Lead May Damage Fertility Or The Unborn...	Danger	454
Lead Work Area Poison No Smoking Or Eating	Warning	457
Lead Work Area Respirator Required	Danger	454
Lead Work Area. Poison. No Smoking Or Eati...	Warning	433
Left	-	569
Left Turn Signal	-	574
Let Us All Be Safety Inspectors Report Uns...	Safety First	553
Life Jackets Must Be Worn Beyond This Poin...	Notice	536
Lifebuoy Picto	-	485
Lifebuoy With Light Picto	-	485
Lifebuoy With Line Picto	-	485
Lifeline Must Be Hooked Up While On Platfo...	Caution	466
Lifeline Required	Caution	466
Lifeline Required For Entry	Danger	468
Lift Raft Picto	-	485
Limited Access Area Authorized Personnel O...	Notice	415
Liquefied Hydrogen Flammable Gas No Smokin...	Danger	454
Liquid Nitrogen	Danger	454
Liquid Nitrogen Gloves And Face Shield Req...	Caution	531
Liquid Petroleum Gas	Danger	454
Live Steam	Danger	454
Live Steam.	Danger	429
Live Wire Overhead	Danger	474
Live Wire Overhead. Contact Will Result In...	Danger	429
Loading And Unloading Zone	-	574
Local Alarm Only Not Connected To Fire Dep...	-	492
Lock Out All Power Sources Before Entering...	Caution	504
Lock Out Before Maintenance Or Any Operato...	Caution	504
Lock Out Before Maintenance Or Any Operato...	Notice	505
Lock Out Before Servicing	Danger	505
Lock Out Before Servicing	-	433
Lock Out Before Servicing. Failure To Lock...	Danger	429
Lock Out Electrical Equipment Before Perfo...	Caution	504
Lock Out Electrical Switches Before Workin...	Danger	505
Lock Out Electrical Switches Before Workin...	Danger / Peligro	436
Lock Out Equipment Before Entering	Danger	505
Lock Out Equipment Before Entering / Bloqu...	Danger / Peligro	436
Lock Out Equipment Before Entering. Failur...	Danger	429
Lock Out Equipment Before Servicing. /...	Danger / Peligro	436
Lock Out For Safety	Caution	504
Lock Out For Safety	Danger	505
Lock Out For Safety	-	505
Lock Out For Safety Before You Start	Caution	504
Lock Out For Safety. Failure To Lock Out M...	Caution	422
Lock Out Here	-	505
Lock Out Power Before Opening Guards Acces...	Caution	504
Lock Out Switches Before Working On Equipm...	Warning	505
Lock Valves Before Entering Tanks	Caution	504
Lock-Out For Safety Before You Start / Por...	Caution / Precaucion	435
Lock-Out/Tag-Out Power Before Servicing,...	Danger	505
Locker With Additional Breathing Apparatus	-	485
Lockout Center	-	500
Lockout Safety Center w/Down Arrow	-	500
Lockout Tagout Center	Safety First	432
Look Out For Cars	Danger	511
Look Out For Contact Hazards And Moving...	Caution	507
Look Out For Crane	Danger	512
Look Out For Fork Lifts	Danger	429
Look Out For Fork Lifts	Warning	515
Look Out For Fork Lifts	Danger	512
Look Out For Forklifts / Cuidado Con Los M...	Caution / Precaucion	434
Look Out For Lift Trucks	Danger	512
Look Out For Lift Trucks	Warning	571
Look Out For Lift Trucks / Cuidado Con Los...	Danger / Peligro	437
Look Out For Lift Trucks. Accident Will Ca...	Danger	429
Look Out For Powered Industrial Trucks	Caution	570
Look Out For Trucks	Danger	512
Look Up Power Lines Overhead	Caution	472
Look Up. Power Lines Overhead. Serious Inj...	Caution	422
Low Clearance	Caution	507
Low Clearance	Danger	512
Low Clearance	Warning	515
Low Clearance / Poca Altura	Danger / Peligro	439
Low Clearance Accident Will Result In Seri...	Danger	429
Low Headroom	Caution	507
Low Headroom	Danger	512
Low Headroom	Warning	515
Low Headroom	-	517
Low Headroom Injury May Result.	Caution	422
Low Overhead Clearance	Caution	422
Low Overhead Clearance	Caution	507
Low Overhead Clearance	Danger	512
Low Overhead Clearance Accident Will Resul...	Danger	429
Low Overhead Clearance Injury May Result	Caution	422
Low Pressure Manifold Do Not Connect High...	Caution	449
Low-Pressure Manifold Do Not Connect High...	-	459
Lower Lifeboat Picto	-	485
Lower Rescue Boat Picto	-	485
Lp Gas Storage No Smoking Or Open Flames...	Danger	454
Lp Gas Storage. No Smoking Or Open Flames...	Danger	429

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
M		
M.S.D.S.	-	500
Machine Lockout Point	Caution	504
Machine Starts Automatically Keep Hands...	Caution	507
Magnetic Field In Place	Warning	542
Main Electric Shut-Off	Caution	472
Main Gas Cut Off	Notice	514
Main Office	-	471
Main Power Cut Off	Notice	515
Main Sprinkler Valve	-	492
Maintenance Dept.	-	471
Maintenance Personnel Only	Notice	415
Maintenance Shop	-	471
Make Every Move A Safe One	Think	553
Make Quality A Company Wide Commitment...	-	548
Make Safety A Daily Habit	-	548
Make Sure All Power Sources Are Locked Out...	Caution	504
Make Time For Safety	-	548
Make Your Work Place Safe Before Starting...	Safety First	553
Mammography	-	503
Man Picto	-	545
Mandatory Action Caution Prohibition Envir...	-	547
Manguera Para Incendios	-	443
Mantener Cerrada Esta Puerta	Aviso	441
Mantener Las Manos Alejadas	Peligro	438
Mantener Los Cilindros Encadenadost...	Peligro	438
Many Food and Beverage Cans Have Linings…	Warning	461
Marsec	-	557
Material Safety Data Sheets & The Written...	Notice	456
Material Safety Data Sheets Available Upon...	Notice	456
Material Safety Data Sheets Available Upon...	Notice / Aviso	440
Maximum Height ____Ft. ____In.	Caution	507
Maximum Load _____Lbs.	Caution	507
May Contain Asbestos Do Not Disturb Pipe...	Danger	454
Meat Wash Only	-	517
Medical Library	-	503
Medical Records	-	503
Meet The Person Most Responsible For Your...	-	539
Men	-	501
Men	-	545
Men (Braille w/Picto)	-	447
Men / Hombres	-	443
Men Working	Danger	512
Men Working	Warning	515
Men Working	-	569
Men Working Above	Danger	512
Men Working Above	Danger	558
Men Working Above / Hombres Trabajando...	Danger / Peligro	438
Men Working Above Proceed With Caution	Danger	429
Men Working Below	Danger	512
Men Working Below	Warning	515
Men Working Below / Hombres Trabajando Aba...	Danger / Peligro	438
Men Working Do Not Start	Danger	512
Mental Health	-	503
Mercury	-	462
Methanol	-	462
Methyl Ethyl Ketone	-	462
Microwave Frequencies Present	Danger	541
Microwave Hazard In This Area	Notice	542
Microwave In Operation	Caution	541
Microwave In Use / Microondas En Uso	Caution / Precaucion	434
Microwave Oven Could Be Harmful To Persons...	Caution	541
Microwave Oven In Use	Danger	541
Microwave Oven In Use	Notice	542
Microwave Oven In Use.	Danger	429
Monitored By Video Camera	Restricted Area	555
Monitored By Video Camera / Area Monitorea...	Restricted Area / Area Restringida	442
More Than One Energy Source Locations Are...	-	505
Motorcycle Parking Only	-	561
Moving Machinery	Danger	512
Moving Machinery / Maquinaria En Movimient...	Danger / Peligro	438
Moving Machinery Do Not Enter	Danger	414
Moving Machinery Do Not Enter / Maquinaria...	Danger / Peligro	438
Moving Machinery Stay Clear. Accident Will...	Danger	429
Moving Saw Blade May Result In Loss Of Fin...	Danger	512
Mowing Ahead	-	569
MRI	-	503
MRI / PET	-	503
Msds	-	501
Msds And The Written Hazardous Communicati...	Notice	456
Msds And The Written Hazardous Communicati...	Notice / Aviso	440
Msds Info	-	501
Msfs Info	-	501
Muriatic Acid	-	462
Muster Point	-	484
Muster Point 1	-	484
Muster Point 2	-	484
Muster Point 3	-	484
Muster Point 4	-	484
Muster Point 5	-	484
Muster Point 6	-	484
Muster Point 7	-	484
Muster Point 8	-	484
N		
N.O.R.M. Naturally Occurring Radioactive...	Caution	422
N.O.R.M. Naturally Occurring Radioactive...	Caution	541
Natural Gas	Danger	454
Natural Gas.	Danger	429
Naturally Occurring Radioactive Material	Caution	541
Neurology	-	503
Never Be Hasty	-	548
New Chemical Storage Only	Danger	454
Nip Point	Danger	512
Nitric Acid	Danger	454
Nitric Acid	-	462
Nitric Acid. Improper Contact Will Cause...	Danger	429
Nitrogen	Danger	454
Nitrogen .	Danger	429
Nitrogen Empty Cylinders	-	459
Nitrogen Full Cylinders	-	459
Nitrogen Storage No Smoking No Open Flames	Danger	454
Nitrogen, Liquid	-	462
Nitrogen.	Danger	429
No Admittance	Danger	414
No Admittance	Notice	415
No Admittance	-	418
No Admittance Apply At Office	Notice	415
No Admittance Authorized Employees Only...	-	444
No Admittance Authorized Persons Only	-	418
No Admittance Authorized Persons Only	-	556
No Admittance Beyond This Point Check With...	Security Notice	555
No Admittance Employees Only	Notice	416
No Admittance Employees Only	Restricted Area	555
No Admittance Employees Only	-	556
No Admittance Employees Only Vendors...	-	418
No Admittance Except For Assigned Employee...	-	418
No Admittance Except To Employees On Duty	Danger	414
No Admittance Except To Employees On Duty	-	556
No Admittance Please Use Other Door	-	418
No Admittance Ring Bell For Service	-	556
No Admittance Without A Permit	Notice	416
No Admittance Without Authorization	Danger	414
No Admittance Without Authorization	Restricted Area	555
No Admittance Without Authorization	-	556
No Admittance Without Pass From Office	Notice	416
No Admittance Without Security Pass	Security Notice	555
No Alcoholic Beverages Or Drugs Permitted...	Notice	555
No Beverages Or Food Allowed In This Area	-	520
No Bicycles Skateboards Rollerblades...	-	557
No Bull	-	498
No Burning Welding Or Open Flame Without...	-	492
No Cell Phones	-	501
No Cell Phones / No Texting While Driving	-	547
No Celluar Phone Or Two Way Radios Allowed	Notice	521
No Celluar Phones	-	521
No Cellular Phone Picto	Security Notice	521
No Cellular Phones	-	521
No Cellular Phones Allowed	Notice	521
No Chemical Storage Allowed In This Area	-	459
No Chemicals In Drain Use Chemical Waste...	Caution	449
No Clearance	Danger	512
No Clearance For Man On Car	Danger	512
No Comer Ni Beber En Esta Area	Aviso	441
No Concealed Weapons Allowed On Company...	-	547
No Concealed Weapons Allowed On This Prope...	-	521
No Dogs Allowed	-	418
No Double Parking	-	561
No Dumping	-	520
No Dumping Violators Will Be Prosecuted	-	557
No Dumping Violators Will Be Prosecuted	-	574
No Eating Or Drinking In This Area	Notice	518
No Eating Or Drinking In This Area / Prohi...	Notice / Aviso	441
No Eating, Drinking, Or Smoking	-	445

BRADY

Legend Text	Header	Pg
No Entrar	Peligro	439
No Entrar Solo Personal Autorizado	Peligro	439
No Entry	-	478
No Entry By Unauthorized Personnel	-	543
No Entry Picto	-	418
No Entry Unless Authorized	Notice	416
No Entry Unless Authorized	Restricted Area	555
No Es Salida	-	443
No Exit	Notice	432
No Exit	Notice	475
No Exit	-	478
No Exit / No Hay Salida	Notice / Aviso	441
No Exit / No Hay Salida	-	443
No Firearms Allowed On Company Grounds	-	547
No Firearms Allowed On Premises	Notice	521
No Firearms Allowed On Premises / No Se Pe...	Notice / Aviso	441
No Firearms Allowed On This Property / No...	Notice / Aviso	441
No Firearms Allowed On This Property / No...	-	443
No Firearms No Knives No Drugs No Alcohol...	-	418
No Firearms Or Weapons Allowed On This Pro...	-	521
No Flammable Liquids Beyond This Point	Danger	455
No Foil Or Metal In This Machine This Mach...	Caution	541
No Food Or Beverage Allowed	-	547
No Food Or Beverage Allowed In This Area	-	547
No Food Or Drink Beyond This Point	Notice	518
No Forklifts Allowed In This Area	-	517
No Fumar	Peligro	439
No Fumar	-	443
No Fumar, No Producir Llamas Ni Chispas	Peligro	439
No Gasoline Or Fuel In Unauthorized Contai...	-	459
No Goggles No Work	Notice	537
No Guns Allowed Beyond This Point...	-	557
No High Heel, Open Toe, Open Heel Or Tenni...	-	547
No Idling Diesel-Powered Vehicles Over 5 T...	-	574
No Idling Turn Your Engines Off And Protec...	-	574
No Jewelry No Piercings No Exposed Cuts...	Notice	528
No Left Turn	-	574
No Lift Trucks	Notice	515
No Lift Trucks Beyond This Point	-	571
No Lift Trucks Beyond This Point...	Notice	515
No Loitering	-	418
No Loitering On This Property	-	557
No Loitering Police Take Notice	-	557
No Loitering Soliciting Skateboards Roller...	-	557
No Loose Clothing While Operating This Mac...	Danger	512
No Operar Sin Protecciones	Precaucion	435
No Outlet	-	574
No Parking	Notice	432
No Parking	Notice	560
No Parking	Restricted Area	560
No Parking	-	558
No Parking	-	562
No Parking / No Estacionarse	Notice / Aviso	441
No Parking 7Am-7Pm Except Electric Vehicle...	-	565
No Parking Any Time	-	562
No Parking Any Time Sign	-	562
NO PARKING AT ANY TIME	-	558
No Parking Between Signs	-	562
No Parking Beyond This Point	-	562
No Parking Beyond This Sign	-	562
No Parking Bus Stop	-	562
No Parking Company Vehicles Only	-	562
No Parking Doctors Only	-	562
No Parking Except Electric Vehicles	-	565
No Parking Except On Shoulder	-	562
No Parking Except Sundays And Holidays	-	562
No Parking Except While Charging	-	565
No Parking Fire Hydrant	-	562
No Parking Fire Lane	-	562
No Parking Fire Lane / No Estacionarse Zon...	-	443
No Parking Fire Lane Keep Clear At All Tim...	-	562
No Parking Fire Lane Police Enforced	-	562
No Parking Fire Lane Sign	-	562
No Parking Fire Station	-	562
No Parking Here To Corner	-	562
No Parking In This Block	-	563
No Parking Keep Area Clear At All Times	-	563
No Parking Loading Zone	-	563
No Parking On Pavement	-	563
No Parking Police Cars	-	563
No Parking School Days	-	563
No Parking Service And Delivery Area	-	563
No Parking Sign	-	562

Legend Text	Header	Pg
No Parking Symbol	-	562
No Parking This Side	-	563
No Parking This Space Is Reserved	-	563
No Pedestrian Crossing	-	574
No Pedestrian Traffic	Danger	512
No Pedestrian Traffic	-	574
No Pedestrian Traffic Accident Will Result...	Danger	429
No Pets	-	418
No Phones Cameras Or Other Electronic Devi...	Notice	555
No Public Restrooms	-	545
No Riders	-	571
No Roof Access	-	482
No Se Permiten Armas, En Conformidad Con...	-	443
No Smoking	Caution	522
No Smoking	Danger	430
No Smoking	Danger	522
No Smoking	Warning	523
No Smoking	-	524
No Smoking (Floor Sign)	-	497
No Smoking - No Eating	-	524
No Smoking (Braille w/Picto)	-	447
No Smoking / No Fumar	Danger / Peligro	439
No Smoking / No Fumar	-	443
No Smoking Allowed	-	524
No Smoking Allowed In This Building At Any...	-	524
No Smoking At Any Time	-	524
No Smoking Battery Charging Emits Hydrogen...	Danger	455
No Smoking Beyond This Door	Danger	522
No Smoking Beyond This Door	-	525
No Smoking Beyond This Point	Caution	522
No Smoking Beyond This Point	Danger	430
No Smoking Beyond This Point	Danger	522
No Smoking Beyond This Point	Warning	523
No Smoking Beyond This Point	-	525
No Smoking Beyond This Point. / No Fumar...	Caution / Precaucion (ANSI)	435
No Smoking Except In Designated Areas	-	525
No Smoking Except In Designated Smoking...	Danger	523
No Smoking Flammable Materials	Danger	523
No Smoking In Office Area	-	525
No Smoking In This Area	Danger	525
No Smoking In This Area	-	433
No Smoking In This Area	-	525
No Smoking In This Building	Danger	523
No Smoking In This Building	-	525
No Smoking In This Building By Order Of Go...	-	525
No Smoking In This Building It's The Law...	-	525
No Smoking In This Building.	Danger	523
No Smoking In This Facility	-	525
No Smoking In Trailers And Dock Area	Danger	523
No Smoking Matches Or Open Lights	Danger	523
No Smoking Matches Or Open Lights	-	525
No Smoking No Flames No Sparks	Danger	523
No Smoking No Open Flames	Caution	522
No Smoking No Open Flames	Oxygen	456
No Smoking No Open Flames No Sparks	Danger	523
No Smoking No Open Flames No Sparks / No...	Danger / Peligro	439
No Smoking No Open Flames No Sparks...	Danger	429
No Smoking No Open Flames No Sparks...	Danger	430
No Smoking No Open Flames No Water Reactive...	Danger	523
No Smoking On Premises	-	525
No Smoking On School Grounds	-	525
No Smoking On Stairway	-	525
No Smoking On These Premises	-	525
No Smoking On This Property	-	525
No Smoking Or E-Cigarettes.	Danger	522
No Smoking Or Open Flames	-	525
No Smoking Or Open Lights Within __Feet	Danger	523
No Smoking Or Open Lights Within___Feet	Danger	523
No Smoking Or Tobacco Products In This Facility	-	525
No Smoking Oxygen In Use	Danger	523
No Smoking Picto	-	496
No Smoking Picto	-	524
No Smoking Stop Engine When Refueling	-	572
No Smoking This Area	-	525
No Smoking To Report Violations Call: ____...	-	526
No Smoking Turn Off Engine	Warning	524
No Smoking Turn Off Ignition	Danger	523
No Smoking Under Penalty Of Dismissal	Notice	523
No Smoking Under Penalty Of Law	-	526
No Smoking Unless You'Re On Fire	Notice	498
No Smoking Violation Will Result In Discip...	Notice	523
No Smoking Violators Are Subject To Fine....	-	526

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
No Smoking Within __ Feet	-	526
No Smoking Within 15 Feet Of Building Entr...	Danger	523
No Smoking Within 20 Feet Of Building Entr...	Danger	523
No Smoking Within 30 Feet Of Building Entr...	Danger	522
No Smoking Within 50 Feet	Warning	524
No Smoking Within 50 Feet	-	526
No Smoking, Eating Or Drinking In This Are...	Warning	433
No Smoking, Matches Or Open Lights	Warning	524
No Smoking, Matches Or Open Lights.	Danger	430
No Smoking, No Open Flames, No Sparks.	Danger	430
No Smoking, Or Open Lights Within___Feet.	Danger	430
No Smoking.	Caution	422
No Smoking.	Danger	429
No Smoking.	Danger	430
No Smoking. Oxygen In Use.	Danger	430
No Solicitation	-	418
No Solicitation Or Distribution Of Materia...	Notice	416
No Soliciting	Notice	416
No Soliciting	Notice	432
No Soliciting No Loitering No Trespassing...	-	557
No Solicitors Allowed	-	574
No Steps	Caution	422
No Steps	Caution	507
No Stopping Fire Lane	-	563
No Text	-	485
No Text	-	521
No Text	-	522
No Text	-	545
No Text	-	547
No Texting While Driving	-	574
No Thoroughfare	Restricted Area	416
No Through Traffic	-	574
No Thru Traffic	-	574
No Tractor Trailers	-	575
No Trespassing	Caution	412
No Trespassing	Danger	414
No Trespassing	Notice	416
No Trespassing	Notice	432
No Trespassing	Restricted Area	555
No Trespassing	Warning	417
No Trespassing	-	418
No Trespassing	-	575
No Trespassing / Prohibido El Paso	Notice / Aviso	441
No Trespassing / Prohibido El Paso	Warning / Advertencia	442
No Trespassing Admittance Limited To Emplo...	-	418
No Trespassing Authorized Personnel Only	Danger	414
No Trespassing Construction Area Violators...	-	469
No Trespassing On This Property Under Pena...	Danger	414
No Trespassing On This Property Under Pena...	Notice	416
No Trespassing Private Road	-	557
No Trespassing Under Penalty Of Law	-	557
No Trespassing Under Penalty Of Law...	Restricted Area	555
No Trespassing Under Penalty Of The Law	-	418
No Trespassing Vendors & Visitors Must Reg...	-	557
No Trespassing Violators Will Be Prosecute...	-	418
No Trespassing Violators Will Be Prosecute...	-	444
No Trespassing Violators Will Be Prosecute...	-	575
No Trespassing.	Danger	430
No Trespassing.	Warning	433
No Trespassing. Authorized Personnel Only...	Danger	430
No Truck Drivers Beyond This Point	Notice	571
No Truck Parking	-	563
No Trucks	-	575
No Trucks Or Trailers	-	575
No Trucks Picto	-	575
No Turkeys Allowed	-	498
No Turn Around	-	575
No U-Turn Picto	-	575
No Unauthorized Personnel Beyond This Point	Restricted Area	417
No Vehicles Beyond This Point	-	575
No Welding Or Open Flames	Danger	486
No Whining	-	498
Nobody Notices What I Do Until I Don't Do...	-	498
Noise Area May Cause Hearing Loss Use Prop...	Caution	531
Noise Area May Cause Hearing Loss Use Prop...	Warning	538
Non-Flammable Gas	-	459
Non-Flammable Gas	-	464
Non-Flammable Gas 2	-	464
Non-Hazardous Materials Only	Notice	456
Non-Permit Confined Space Authorized Person...	Danger	430
Non-Permit Confined Space Authorized Person...	Danger	468
Non-Permit Confined Space Authorized Person...	Danger / Peligro	437
Non-Permit Confined Space Keep Out Unless...	Caution	422
Non-Permit Confined Space Keep Out Unless...	Caution	466
Non-Permit Confined Space. Authorized Pers...	Danger	430
Non-Permit Confined Space. Keep Out Unless...	Caution	422
Non-Potable Water	Notice	456
Non-Potable Water	Warning	457
Non-Potable Water Do Not Drink	Caution	449
Non-Potable Water Do Not Drink	Danger	455
Non-Potable Water Do Not Use For Drinking,...	Danger	455
Non-Potable Water Not For Drinking Or Cook...	Notice	456
Non-Potable Water Not For Drinking Or Cook...	Notice / Aviso	440
Non-Potable Water Not To Be Used For Drink...	Notice	456
Non-Potable Water. Do Not Drink. / Agua No...	Danger / Peligro	436
Non-Potable Water. Do Not Drink. May Resul...	Caution	422
Non-Potable Water. Do Not Use For Drinking...	Danger	430
Not A Fire Exit	Warning	475
Not A Fire Exit	Warning	486
Not A Pedestrian Walkway Fork Trucks Only	Danger	415
Not A Step	Caution	422
Not A Step	Caution	507
Not An Emergency Exit	-	492
Not An Entrance	Notice	416
Not An Entrance	Restricted Area	555
Not An Exit	Notice	416
Not An Exit	-	478
Not An Exit	-	482
Not An Exit	-	478
Not An Exit / No Es Salida	-	443
Not Consumable	-	517
Not Flammable	Notice	486
Not Odorized	-	459
Not Responsible For Cars Or Personal Prope...	-	561
Not Responsible For Theft Or Damage To Veh...	-	557
Not Responsible For Theft Or Damage To Veh...	-	561
Notice All Activities Monitored By Video...	-	557
Notice Carrying A Concealed Handgun Is Pro...	Notice	521
Notice Do Not Throw Smoking Material In Wa...	-	526
Notice No Trespassing Loitering Soliciting...	-	557
Notify Health Physics Prior To Entry	-	543
Nutrition	-	503

O

Ob Clinic	-	503
Office	-	471
Office	-	478
Official Parking Only	-	563
On Bridge	-	563
On The Job Safety Begins Here	Think	553
On The Job Safety Begins Here	-	548
Oncology	-	503
One Lane Closed Ahead	-	569
One Lane Road Ahead	-	569
One Way	-	478
One Way	-	575
One Way Do Not Enter	-	575
Only Authorized Personnel Allowed To Opera...	Caution	507
Only Authorized Personnel Allowed To Opera...	-	517
Only Authorized Personnel Are Allowed To...	-	418
Only Authorized Persons To Enter This Area	Notice	416
Only Authorized Persons To Enter This Area...	Restricted Area	555
Only Authorized Vehicle Or Foot Traffic...	-	418
Open Door Slowly	Caution	470
Open Door Slowly / Abrir La Puerta Lentame...	Caution / Precaucion	434
Open Hole	Danger	512
Open Hole Stay Clear. Fall Will Result In...	Danger	430
Open Pit	Caution	507
Open Pit	Danger	512
Open Pit	Danger	558
Open Pit Stay Clear. Fall Will Result In...	Danger	430
Open Slowly	Caution	507
Open Slowly. May Cause Injury.	Caution	422
Open This Valve In The Event Of Fire...	-	492
Open Trench	Danger	513
Open Trench. Fall Will Result In Severe In...	Danger	430
Operation By Authorized Personnel Only	Danger	513
Operations Dept.	-	471
Operator Must Wear Ear Protection In This...	Notice	537
Ophthalmology	-	503
Organic Peroxide 5.2	-	464
Osha Info	-	501
Osha Regulations Area In Front Of Electric...	Caution	472
Others Are Depending On You Don't Take...	Be Careful	553
Our Aim No Accidents	Think	553
Our Goal No Accidents	-	548

BRADY

Legend Text	Header	Pg
Out	-	471
Out Of Order	-	517
Out Of Service / Fuera De Servicio	Danger / Peligro	438
Out Of Service For Repairs	-	517
Outpatient	-	503
Outpatient Parking Only	-	563
Overhead Conveyor	Danger	513
Overhead Crane Area Proceed With Caution	-	517
Overhead Equipment	Caution	507
Overhead Hoist	Danger	513
Overhead Machinery	Danger	513
Overhead Power Lines	Danger	474
Overhead Power Lines / Lineas De Electrici...	Danger / Peligro	438
Overhead Power Lines. Contact Will Result...	Danger	430
Overhead Work	Caution	507
Overhead Work Proceeed With Caution. May...	Caution	422
Oxidizer 5.1	-	464
Oxidizer Picto 5.1	-	464
Oxidizer Picto 5.2	-	464
Oxygen 2	-	464
Oxygen Deficient Confined Space	Danger	468
Oxygen Empty Cylinders	-	459
Oxygen Full Cylinders	-	459
Oxygen In Use	-	526
Oxygen, Compressed	-	462

P

Legend Text	Header	Pg
Pacemaker Wearer Do Not Enter This Room...	Danger	430
Pacemaker Wearer Do Not Enter This Room...	Danger	541
Pacemaker Wearers Do Not Proceed Through...	-	543
Paint Vault	-	459
Paper Only	-	544
Parallel Parking	-	563
Paramedic Parking Only	-	563
Park At Angle	-	563
Park At Your Own Risk	-	563
Park At Your Own Risk Company Not Responsible...	-	557
Park In Assigned Spaced Only	-	563
Parking	-	567
Parking $50 To $300 Fine	-	567
Parking By Disabled Permit Only	-	567
Parking Facilities Under Camera Surveillan...	Notice	561
Parking For Customers Only	-	563
Parking Lot May Be Slippery When Icy Or We...	Caution	422
Parking Lot May Be Slippery When Icy Or We...	Caution	570
Parking Lot Rules No Firearms No Knives No...	-	571
Parking Permit Required	-	567
Parking Permits Are Requiredd In This Area...	Security Notice	555
Parking Vehicle ID Required	-	567
Parking With D.M.V. Disabled Permit Only....	-	567
Passage To This Fire Hose Must Be Kept...	Notice	518
Pathology	-	503
Ped Xing	-	575
Pedestrian Crossing Ahead	-	575
Pedestrian Traffic Only	-	496
Pedestrian Traffic Only	-	517
Pedestrian Traffic Only (Floor Sign)	-	497
Pedestrians And Bicycles Prohibited	-	575
Pedestrians Picto	-	575
Pediatrics	-	503
People Working	Caution	508
People Working Above	Danger	513
Permission To Use Scaffold Shall Be Obtain...	Warning	469
Permit Parking Only Lot Is Patrolled	-	563
Permit Parking Only Violators Will Be Towe...	-	563
Permit Required Confined Space Do Not Enter...	Danger / Peligro	439
Permit-Required Confined Space Do Not Enter	Danger	468
Personal Eyewash	Safety First	494
Personal Eyewash Keep Area Clean	-	495
Personal Protection Required In This Area	Notice	537
Personal Protective Clothing Is To Be Worn...	Caution	449
Personal Protective Equipment Is Provided...	-	539
Personal protective equipment required beyond…	Caution	559
Personal Protective Equipment Required...	Caution	532
Personal Protective Equipment Stored Here	-	539
Persons Not Assigned To This Area Must Obtain...	Restricted Area	417
Pesticide Storage Area	Warning	457
Pesticide Storage Area All Unauthorized...	Danger	455
Pesticide Storage Authorized Personnel Onl...	Danger	415
Pesticides	Caution	449
Pesticides In Use Do Not Enter	Danger	455
Pet	-	503
Pg Iii 6	-	464
Pharmacy	-	503
Phenol	-	462
Phone	-	501
Phosphoric Acid	-	462
Photography Is Not Allowed Unless Authoriz...	-	547
Physical Therapy	-	503
Physician Parking Only	-	563
Pick-Up And Drop-Off Only No Parking	-	563
Pinch Point	Warning	516
Pinch Point	-	517
Pinch Point Keep Hands Clear	Caution	422
Pinch Point Keep Hands Clear Moderate Inju...	Caution	423
Pinch Point Watch Your Hands	Danger	513
Pinch Point Watch Your Hands Keep Hands...	Danger	430
Pinch Points / Punto De Agarre	Danger / Peligro	439
Pinch Points Watch Your Hands	Danger	430
Pinch Points Watch Your Hands. Serious Inj...	Danger	430
Pitch In Keep This Place Clean	-	520
Pitch In!	-	520
Pitch In! Help Keep Our Plant Clean!	-	544
Pitch In! Put Trash In Its Place	-	520
Place All Refuse In Can	-	520
Place Cigarettes, Cigar Butts And Ashes In...	Notice	519
Play It Safe	-	549
Please Do Not Litter / Favor De No Tirar...	-	443
Please Do Not Spit On The Floor	Safety First	519
Please Excuse Our Appearance We Are Remode...	Notice	469
Please Excuse Our Appearance While We'Re U...	-	469
Please Extinguish Before Entering	-	526
Please Flush After Each Use / Favor De Jal...	-	443
Please Keep Door Closed At All Times	-	418
Please Keep This Door Closed	-	418
Please No Smoking In This Area	-	526
Please Ring Bell	Notice	571
Please Turn Out Lights When Not In Use	Notice	542
Please Wash Hands Before Returning To Work	-	545
Please Wear Your Seat Belt	-	575
Please Wipe Your Feet Upon Entering	Notice	519
Please.... Deposit All Sanitary Napkins In...	-	528
Please.... Do Not Throw Rubbish In Urinals	-	528
Please.... Flush After Using	-	519
Please.... Flush After Using	-	528
Please…Don't Take Food That Doesn't Belong...	-	520
Please...Keep Off The Grass	-	418
Poca Altura	Peligro	439
Poison	Danger	455
Poison / Veneno	Danger / Peligro	440
Poison 6	-	464
Poison Gas 2	-	464
Poison Keep Out	Danger	455
Poison Picto	-	459
Poison Picto 2	-	464
Poison Picto 6	-	464
Poison Storage Area All Unauthorized Perso...	Danger	455
Poison Storage Area All Unauthorized Perso...	Danger / Peligro	436
Poisonous Gas Hydrogen Sulfide	Danger	455
Poisonous Gas Storage	Danger	455
Poisonous Gas. Hydrogen Sulfide. Breathing...	Danger	430
Positively No Admittance Except To Employe...	-	418
Positively No Smoking	Danger	523
Positively No Smoking	-	526
Positively No Smoking Allowed On These...	Notice	523
Positively No Smoking Beyond This Point	Safety First	523
Possible Hydrogen Sulfide Gas Present	Caution	449
Potassium Hydroxide	-	462
Potassium Perchlorate	-	462
Potassium Permanganate	-	462
Potential Biohazard Present	Caution	445
Ppe Required	Caution	532
Ppe Required (w/ 4-6 Pictos)	Caution	532
Ppe Required Hard Hat Hearing Protection...	Caution	532
Ppe Required Hard Hat Safety Glasses Fr Suit...	Caution	532
Ppe Required Hard Hat Safety Glasses Hearing...	Caution	532
Ppe Required Hard Hat Safety Glasses Safety...	Caution	532
Ppe Required Safety Glasses Hearing Protec...	Caution	532
Practice Good Housekeeping A Place For...	-	520
Pregnant Women Should Not Enter	Caution	449
Prevent Static Spark Discharge Use Ground...	Caution	449
Prevent Static Spark Discharge. Use Ground...	Caution	423
Primary Escape Route	-	485
Private Drive	-	575
Private Keep Out	-	418
Private No Trespassing	Restricted Area	555

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
Private No Trespassing	-	418
Private Parking Violators Will Be Towed...	-	563
Private Property Authorized Personnel Only	-	418
Private Property Keep Out	Notice	416
Private Property Keep Out	Security Notice	555
Private Property Keep Out	-	418
Private Property Keep Out / Prohibido El Paso...	Notice / Aviso	441
Private Property No Dumping	-	419
Private Property No Hunting Fishing Trespass...	-	419
Private Property No Hunting No Trespassing	-	419
Private Property No Hunting Or Trespassing...	-	419
Private Property No Hunting Or Trespassing...	-	444
Private Property No Loitering Soliciting...	-	557
Private Property No Parking... Etc	-	563
Private Property No Skateboards Bicycles...	-	419
Private Property No Soliciting Loitering...	-	419
Private Property No Trespassing	-	419
Private Property No Trespassing	-	575
Private Property No Trespassing Loitering	-	419
Private Property No Trespassing Violators...	-	444
Private Property No Trespassing Violators...	-	557
Private Property No Unauthorized Parking	-	563
Private Property Trespassers Will Be...	Security Notice	555
Private Property Trespassers Will Be...	-	419
Private Property Unauthorized Persons...	-	419
Private Property Violators Will Be Prosecu...	Notice	416
Private Road	-	575
Private Road Do Not Enter	-	419
Private Road No Thru Traffic	-	575
Private Vehicles Are Not Permitted To Park...	Notice	558
Problems Next Office	Notice	498
Production Area All Through Traffic Use De...	-	497
Production Dept.	-	471
Prohibido El Paso	Advertencia	442
Prohibido El Paso	Aviso	441
Prohibido El Paso A Personal No Autorizado	Area Restringida	442
Promote Safety Through Good Housekeeping	-	520
Propane	Warning	457
Propane Cylinders	Danger	455
Propane Cylinders. Handle With Care.	Danger	430
Propane Gas	Danger	455
Propane Gas	-	462
Propane Gas. Flammable.	Danger	430
Proper Hand Protection Is Required For All...	-	547
Protect Your Eyes Wear Safety Glasses	-	540
Protective Clothing Must Be Worn In This...	-	540
Protective Clothing Picto	-	532
Protective Clothing Required In This Area	Caution	532
Protective Clothing Required In This Area	Danger	535
Protective Clothing Required In This Area	Notice	537
Protective Equipment Is Available See Your...	Safety First	538
Protective Equipment Must Be Worn In This...	Danger	535
Protective Equipment Required Affix Pictog...	Caution	532
Protective Wear Required In This Area	Caution (ANSI)	424
Pull	-	478
Pull To Open w/Right Up Arrow Picto	-	478
Pursuant To Section 30.06, Penal Code...	-	521
Push	-	478
Push Bar To Open	-	478
Push To Open	-	478
Put Things In Their Proper Places-And You...	Please	519
Put Tools Back In Their Proper Place	Notice	519
Put Tools Back In Their Proper Place	Safety First	515

Q

Quality - Only Your Best Will Do	-	549
Quality Is Our Most Important Product	-	517
Quarantine Area	Caution	449

R

Radiation	Danger	542
Radiation Area	Caution	423
Radiation Area (Floor Sign)	-	497
Radiation Area Authorized Personnel Only...	Caution / Precaucion	434
Radiation Caution Lock Out Radiation Sourc...	-	543
Radiation High Radiation Area Personnel...	-	543
Radiation Radioactive Waste Prohibited...	-	543
Radiation Radiologically Controlled Area...	-	543
Radiation Restricted Area	-	543
Radiation/Contamination Area	-	543
Radio Frequency Fields No Trespassing	Notice	542
Radioactive 7	-	464
Radioactive Equipment In This Area	Caution	541
Radioactive Materials Area	-	543
Radiology	-	503
Rail Car Wheels Must Be Chocked	Caution	570
Railroad Crossing Picto	-	575
Railroad Danger Crossing	-	575
Raw And Cooked Foods Must Not Be Stored...	-	517
Rcra Accumulation Area	-	460
Read Instructions Before Operating	Caution	508
Receiving	-	478
Receiving	-	572
Receiving Department	-	572
Receiving Hours __Am-_ Pm	-	572
Recyclable Aluminum Cans Only	-	544
Recyclable Aluminum Cansonly	-	544
Recyclable Cans Only	-	544
Recyclable Metals Only	-	544
Recyclable Paper Only	-	544
Recyclable Plastic Only	-	544
Recyclable Save Our Resources Aluminum...	-	544
Recyclable Save Our Resources Cardboard...	-	544
Recyclable Save Our Resources Glass...	-	544
Recyclable Save Our Resources Paper...	-	544
Recyclable Save Our Resources Plastic...	-	544
Recyclable Waste Only	-	544
Recycle / Recicle	-	444
Recycle Can	-	544
Recycle Symbol Picto	-	544
Registration	-	503
Remember The Next Inspector Is Our Custome...	-	517
Remove All Doubt Lock It Out	-	505
Report All Accidents	Safety First	553
Report All Accidents No Matter How Small...	Safety First	494
Report All Accidents To Your Supervisor...	-	495
Report All Injuries At Once	Notice	432
Report All Injuries At Once	Notice	493
Report All Injuries No Matter How Slight...	Safety First	494
Report All Injuries Or Unsafe Conditions...	-	547
Report All Injuries To Your Supervisor	Think	494
Report All Unsafe Conditions To Your Foreman	Safety First	553
Requirement For Entry Shoe Covers Boots...	-	543
Reserved For Customers	-	564
Reserved For Electric Vehicle	-	565
Reserved For Faculty	-	564
Reserved For New And Expecting Mothers	-	564
Reserved For Physicians	-	564
Reserved For School Maintenance Vehicles	-	564
Reserved For Security	-	564
Reserved For Service And Delivery	-	564
Reserved For Visitors Only	-	564
Reserved For World's Greatest Dad	-	564
Reserved Handicapped	-	567
Reserved Parking	-	564
Reserved Parking $250 Fine	-	567
Reserved Parking $50 Fine 1St Offense Park...	-	567
Reserved Parking Authorized Personnel Only	-	564
Reserved Parking Handicap Plate Or Permit...	-	567
Reserved Parking Maximum Fine Of $100...	-	567
Reserved Parking Placard Required	-	567
Reserved Parking Sign	-	567
Reserved Parking Vehicles With Vet Or...	-	567
Reserved Parking Violators Towed Away...	-	564
Reserved Parking...	-	567
Resident Parking Only	-	564
Respirator Picto	-	540
Respirator Required	Caution	532
Respirator Required	Danger	535
Respirator Required In This Area	Danger	535
Respirator Required While Painting Or...	Caution	532
Respirator Storage	-	520
Respirators Are Required At All Times	-	547
Respirators Are Required In This Area	-	547
Respirators Must Be Worn In This Area	Caution	532
Respirators Must Be Worn In This Area	Notice	537
Respirators Must Be Worn In This Area...	Caution	423
Respirators Required Beyond This Point	Danger	535
Respirators Required In This Area / Uso...	Caution / Precaucion	435
Respirators Required In This Area...	Notice	537
Respiratory	-	503
Respiratory Protection Required	-	543
Rest Rooms	-	501
Rest Rooms	-	545
Restricted Are Keep Out	-	557
Restricted Area	Caution	412

Legend Text	Header	Pg
Restricted Area	Danger	415
Restricted Area	Notice	416
Restricted Area	-	419
Restricted Area All Persons Must Have...	-	419
Restricted Area Authorized Employees Only	Warning	417
Restricted Area Authorized Personnel Only	Notice	416
Restricted Area Authorized Personnel Only	Security Notice	556
Restricted Area Authorized Personnel Only	-	419
Restricted Area Authorized Personnel Only...	Notice / Aviso	440
Restricted Area Get Permission Before...	-	557
Restricted Area Keep Out	Notice	416
Restricted Area No Smoking	-	526
Restricted Area No Smoking At Any Time	Danger	523
Restricted Area No Smoking At Any Time...	Danger	523
Restricted Area.	Danger	430
Restroom	-	545
Restroom (Braille w/Picto)	-	447
Restroom (Braille)	-	447
Restroom Being Cleaned	Do Not Enter	528
Restroom Closed For Cleaning	-	519
Restrooms	-	545
Restrooms/Banos	-	442
Reward For Information Leading To The...	-	557
Right	-	569
Right Arrow Picto	-	485
Right Lane Closed Ahead	-	569
Right Shoulder Closed	-	569
Right To Know Info	-	501
Right To Know Information Available...	Notice	456
Right To Know Information Available...	Notice / Aviso	440
Right To Know Station	-	460
Ring Bell For Service	-	419
Road Closed Ahead	-	569
Road Work Ahead	-	569
Robot In Operation	Danger	513
Robot Moves Without Warning Keep Away	Danger	513
Robot Operating Area Do Not Enter...	Caution	412
Robotic Area Authorized Personnel Only	Danger	415
Rotating Machinery	Danger	513
Rotating Machinery. Proceed With Caution...	Danger	431
Running Man Exit	-	482
Running Man Exit Down	-	482
Running Man Exit Down Left	-	482
Running Man Exit Down Right	-	482
Running Man Exit Left	-	482
Running Man Exit Right	-	482
Running Man Exit Through Lobby	-	482
Running Man Exit To Street	-	482
Running Man Exit Up	-	482
Running Man Exit Up Left	-	482
Running Man Exit Up Right	-	482
Rush Job Calendar	-	498

S

S.D.S. Info	-	501
Safe Floor Load Limit Not To Exceed __ Lbs...	Notice	519
Safety & Quality	-	549
Safety & Quality #1 Priorities!	-	549
Safety = Success	-	549
Safety And Quality #1 Prioities	-	549
Safety Belt And A Lifeline Required	Caution	466
Safety Belt Required	Caution	466
Safety Belts Required	Danger	468
Safety Belts Required In This Area	Danger	468
Safety Boots Picto	-	532
Safety Boots Picto	-	540
Safety Dept.	-	471
Safety Equipment Stored Here	Notice	537
Safety First Wear Personal Protective...	Think	538
Safety Footwear Is Required At All Times	-	547
Safety Footwear Is Required In This Area	-	547
Safety Glasses	-	501
Safety Glasses And Hard Hats Required In...	Danger	535
Safety Glasses And Safety Shoes Required...	Notice	537
Safety Glasses Must Be Worn At All Times	Caution	532
Safety Glasses Must Be Worn At All Times	-	547
Safety Glasses Must Be Worn In This Area	-	547
Safety Glasses Must Be Worn When Using...	-	540
Safety Glasses Must Be Worn With Face Shield	Notice	537
Safety Glasses Required	-	496
Safety Glasses Required (Floor Sign)	-	497
Safety Glasses Required Beyond This Point	Caution	532
Safety Glasses Required Beyond This Point	Caution	558
Safety Glasses Required Beyond This Point	Notice	537
Safety Glasses Required Beyond This Point...	Notice	432
Safety Glasses Required Beyond This Point...	Notice / Aviso	441
Safety Glasses Required In This Area	Caution	532
Safety Glasses Required In This Area	Danger	535
Safety Glasses Required In This Area	Notice	537
Safety Glasses Required In This Area	Safety First	538
Safety Glasses Required In This Area / Uso...	Caution / Precaucion	435
Safety Glasses Required In This Area...	Danger	535
Safety Glasses Required In This Area...	Notice	537
Safety Glasses Safety Shoes And Hard Hats...	Safety First	538
Safety Glasses With Clear Lenses And Side...	-	547
Safety Glasses With Side Shields Must Be...	Caution	533
Safety Gloves Are Required At All Times	-	547
Safety Gloves Are Required In This Area	-	547
Safety Goggles Required	-	496
Safety Goggles Required (Floor Sign)	-	497
Safety Goggles Required In This Area	Caution	533
Safety Harness Required	Danger	468
Safety Has No Quitting Time	-	549
Safety Has No Quitting Time	-	554
Safety Is Everyone's Job	-	549
Safety Is Job #1	-	549
Safety Is Your Responsibility	-	549
Safety Never Hurts	-	549
Safety Now Means No Accidents Later	-	549
Safety Protects People Quality Protects Jobs...	-	549
Safety Shoes Must Be Worn	Warning	538
Safety Shoes Must Be Worn In This Area...	Danger	535
Safety Shoes Required	Caution	533
Safety Shoes Required / Uso Obligatorio...	Caution / Precaucion	435
Safety Shoes Required In This Area	Notice	537
Safety Shoes Required In This Area...	Danger	431
Safety Shower	-	495
Safety Shower	-	496
Safety Shower	-	501
Safety Shower (Floor Sign)	-	497
Safety Shower And Eye Wash Station	Safety First	494
Safety Shower And Eyewash Station	Safety First	494
Safety Shower Keep Area Clear	Emergency	432
Safety Starts With You This Department Has...	-	554
Safety Starts With You!	-	549
Safety Teamwork	-	549
Safety Training Mandatory Do Not Operate...	Caution	508
Safety... Work Safely	Think	553
Safety...Work Safely	Think	553
Safey Harness Required	Danger	468
Saftey Glasses, Safety Shoes And Hard Hats...	Notice	537
Salida	-	444
Satellite Storage Area	-	460
Save Energy Close Doors When Not In Use	Notice	542
Save Your Eyes Wear Eye Protection	Notice	537
Scaffold Incomplete Do Not Use	Danger	558
School Crossing Picto	-	575
School Crossing Picto Sign	-	575
Secure All Tanks Chain Cylinders	Caution	423
Secure All Tanks Chain Cylinders	Caution	449
Security Alarm Will Sound If Door Is Opened	Notice	416
Security Alarm Will Sound If Door Is Opened	Restricted Area	555
Security Alarm Will Sound If Door Is Opened	Warning	471
Security Badges Must Be Worn At All Times	Security Notice	556
Security Notice Entering This Facility Is...	-	557
Segregate Waste And Recycle In Appropriate...	-	547
Severe Weather Shelter	-	479
Severe Weather Shelter Area	-	479
Severe Weather Shelter Area	-	501
SEVERE WEATHER SHELTER AREA Sign	-	479
Sewage Water No Drinking, Fishing Or Swimming	Danger	455
Share The Road	-	575
Sharp Objects Gloves Required	Caution	533
Shipping	-	478
Shipping	-	572
Shipping & Receiving	-	572
Shipping And Receiving	-	572
Shipping Department	-	572
Shoe Covers Required	Notice	537
Shorts, Sleeveless Shirts And Un-Tucked...	-	547
Shoulder Work Ahead	-	569
Shower Station	Safety First	494
Shower Station	-	495
Shower Station Emergency Use Only	-	495
Siamese Connection For Fire Dept.	-	492
Side Shield Safety Glasses Required In This Area	Notice	537

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
Sidewalk Closed	-	575
Slippery Floor	Be Careful	529
Slippery Floor	Caution	423
Slippery Floor	Caution	508
Slippery Floor	Warning	516
Slippery Floor. Falls May Result In Injury...	Caution	423
Slippery Trip Hazard	Caution	508
Slippery When Wet	Caution	508
Slippery When Wet	Notice	515
Slippery When Wet / Resbaloso Cuando Esta...	Caution / Precaucion	435
Slippery When Wet. Falls May Result In Inj...	Caution	423
Slow	-	575
Slow Blind Corner Proceed With Caution	-	575
Slow Children	-	576
Slow Children Playing	-	576
Slow Dangerous Intersection	-	576
Slow Down Pedestrian Traffic	Caution	570
Slow Down Pedestrian Traffic Accident May...	Caution	423
Slow High Traffic Area	-	576
Slow Pedestrian Crossing Sign	-	576
Slow Proceed With Caution	-	576
Slow Sound Horn	Caution	570
Slow Speed Bump	-	576
Slow. Sound Horn To Avoid Injury.	Caution	423
Smoke Barrier Please Keep Closed...	-	492
Smoking Allowed In This Area	Notice	527
Smoking In Designated Areas Only	-	526
Smoking In Elevator Prohibited	-	526
Smoking Is Prohibited Except In Designated...	-	526
Smoking Lounge	-	527
Smoking Permitted	-	526
Smoking Permitted In This Area	-	527
Smoking Permitted In This Area.	Notice	527
Smoking Prohibited Except In Designated...	-	526
Smoking Prohibited In This Area	-	526
Smoking Will Result In Disciplinary Action	-	526
Social Services	-	503
Sodium Hydroxide	Danger	455
Sodium Hydroxide	-	462
Sodium Hypochlorite	Danger	455
Sodium Hypochlorite Chemical Information	-	460
Solo Empleados	Aviso	441
Solo Personal Autorizado	Aviso	441
Sorry, We'Re Closed	-	419
Sound Horn Before Entering	Notice	571
Sound Horn Proceed Slowly	Caution	570
Sound Horn Proceed Slowly / Toque La Bocin...	-	444
Sound Horn Proceed Slowly. Accident May...	Caution	423
Sound Horn. Proceed Slowly. Accident May...	Caution	423
Space Or Group Of Spaces Monitored By Heat...	-	485
Space Protected By Halon	-	485
Speed Bump Ahead	-	576
Speed Limit 10 Mph	-	576
Speed Limit 10 Sign	-	576
Speed Limit 15 Mph	-	576
Speed Limit 15 Sign	-	576
Speed Limit 20 Mph	-	576
Speed Limit 25 Mph	-	576
Speed Limit 5 Mph	-	576
Speed Limit 5 Sign	-	576
Spill Control Station	-	460
Spill Response Equipment	Emergency	432
Spill Response Equipment	-	501
Spill Sorbent Storage	-	460
Spill Station	-	501
Spill-Kit Station	-	460
Spitting Is Unlawful Unsanitary Unhealthy...	-	528
Spontaneously Combustible 4	-	464
Spray Paint Booth Paint Fumes May Be Present	-	460
Sprinkler Control Valve	-	492
Sprinkler Control Valve	-	492
Sprinkler Drain Valve	-	492
Sprinkler Fire Alarm	-	492
Sprinkler Stop Valve	-	492
Sprinkler Valve	-	478
Sprinkler Valve	-	492
Sprinkler Valve Do Not Close Unless Author...	-	492
Sprinkler Valve Keep Open	-	492
Staff Parking Only	-	564
Stairs	-	478
Stairs	-	479
Stairs To Fire Exit	-	479
Stairway	Caution	508
Stairway	-	479
Stairway (Braille w/Picto)	-	447
Stand Clear Of Door	Caution	470
Stand Clear Of Door	Caution	508
Stand Clear Of Swing Radius	Caution	508
Standpipe	-	492
Standpipe At Other Stairs	-	492
Standpipe For Fire Department Use Only	-	492
Start Water Spray Picto	-	485
Starts Automatically	Danger	513
Starts Automatically Keep Hands Clear...	Danger	513
Starts Automatically Keep Hands. Clear...	Danger	431
Starts Automatically Proceed With Caution...	Danger	431
State Law Prohibits Smoking Within 8 Feet of This Entrance	-	526
Static Control Area	Caution	472
Static Sensitive Devices: Do Not Enter Without...	Caution	472
Stay Alert	-	549
Stay Alert And Yield To Forklift Traffic	-	547
Stay Alert Don't Get Hurt	Be Careful	553
Stay Back _____Feet	Caution	508
Stay Clear	Caution	412
Stay Clear	Danger	431
Stay Clear	Danger	513
Stay Clear / No Obstruir El Paso	Danger / Peligro	439
Stay Clear Automatic Equipment May Start...	Caution	423
Stay Clear Automatic Start Equipment	Danger	431
Stay Clear Of Moving Conveyors	Danger	513
Stay Clear Of Swing Radius	Danger	513
Stay Clear Of Swing Radius Moving Equipment...	Danger	431
Stealing Will Lead To Arrest And Prosecution	Warning	556
Steel Toe Shoes Required In This Area	Notice	537
Steel-Toe Safety Footwear Is Required In...	-	547
Step Down	Caution	508
Step Down	Warning	516
Step Up	Caution	508
Step Up	Warning	516
Stop	-	496
Stop	-	568
Stop	-	576
Stop (Floor Sign)	-	497
Stop / Pare	-	444
Stop Ahead	-	576
Stop All Visitors Must Report To Main Offi...	-	572
Stop Authorized Personnel Only Beyond This...	-	572
Stop Brew At Work (Blue)	-	568
Stop Car Connected (Blue)	-	568
Stop Car Connected (Red)	-	568
Stop Check In Here	-	557
Stop Check With Guard Before Entering Plan...	-	572
Stop Check With Guard Before Proceeding	-	572
Stop Crew At Work (Red)	-	568
Stop Ear Protection Required In This Area	-	540
Stop Employees Working (Blue)	-	568
Stop Engine No Smoking	-	526
Stop Exit Only Do Not Enter	-	572
Stop Fires Before They Start Think Fire...	-	492
Stop For Pedestrians In Crosswalk	-	576
Stop For Pedestrians Sign and Stand	-	576
Stop For Vehicle Check	-	576
Stop Hard Hat Required Beyond This Point	-	540
Stop Hearing Protection & Safety Glasses...	-	540
Stop Hearing Protection Required In This...	-	540
Stop Here When Flashing	-	576
Stop Look Before Exiting	-	576
Stop Look Out For Forklifts	-	572
Stop Machine Before Removing Jams	Caution	508
Stop Men At Work	-	572
Stop No Pedestrians Fork Trucks Only	-	572
Stop Pedestrian Crossing	-	576
Stop Pedestrian Crosswalk	-	572
Stop Personal Protective Equipment Require...	-	540
Stop Proceed Slowly	Danger	513
Stop Proceed Slowly	-	572
Stop Proceed With Caution	-	572
Stop Safety Glasses Required Beyond This...	-	540
Stop Sign	-	576
Stop Sound Horn And Proceed With Caution	-	572
Stop Sound Horn Proceed Slowly	-	568
Stop Tank Car Connected	-	568
Stop Tank Car Connected (Blue)	-	568
Stop Tank Car Connected (Red)	-	568
Stop Think Observe Proceed	-	572

Legend Text	Header	Pg
Stop This Machinery Before Oiling, Wiping...	-	517
Stop Vendors And Visitors. Must Sign In At...	-	419
Stop Your Hand Is Near A Pinch Point	-	517
Stop Your Motor	No Smoking	523
Stop Your Motor	No Smoking	523
Storage Area Flammable Material	Danger	486
Storage Area No Smoking Or Open Flames	Warning	524
Storage Not Permitted In This Area	Warning	457
Storage Not Permitted In This Area.	Warning	433
Storage Room Not An Exit	-	479
Store Full Gas Cylinders Here	Notice	456
Stretcher	-	495
Striped Traffic Sign	-	573
Student Parking Only	-	564
Sudden Stops Or Turns May Cause Loads To...	Caution	570
Sulfuric Acid	Danger	455
Sulfuric Acid Wear Goggles And Protective...	Danger	455
Sulfuric Acid. Contact Will Result In Seve...	Danger	431
Sulfuric Acid. Wear Goggles And Protective...	Danger	431
Surgery	-	503
Sustancias Quimicas Peligrosas	Peligro	439

T

Legend Text	Header	Pg
Taxi Lane	-	577
Teamwork The Nessasary Ingrediant For Safe...	-	549
Teamwork There Is No 'I' In Teamwork	-	550
Telephone	-	479
Tenant Parking Only	-	564
Thank You For Not Smoking	-	526
Thank You For Not Smoking	-	527
Thank You For Working Safely	-	550
Thank You…I Appreciate Your Not Smoking...	-	527
The Best Safety Device Is A Careful Worker	-	554
The Placement Of Hazardous Waste In This...	Caution	449
The Safe Way Is The Best Way	Be Careful	553
The Safe Way Is The Best Way	Think	554
The Safe Way Is The Only Way	-	550
The Use Of Cameras Or Video Equipment Is...	-	557
The Use Of Tobacco Products In This Facility...	-	527
There Is No Substitute For Safety	Think	554
These Doors Close Automatically	Caution	412
These Doors Must Be Kept Closed	Caution	470
These Premises Are Alarmed	Security Notice	556
These Premises Protected By Closed Circuit...	Notice	416
Think And Work Safely	-	550
Think And Work Safely (Bilingual)	-	550
Think Like I Do	-	498
Think Quality	-	550
Think Safety	-	550
Think Safety	-	554
This Area Closed Off	Caution	412
This area contains a chemical known to the state…	Warning	461
This Area Contains Chemicals Known To The State…	Warning	461
This Area Is Under 24 Hour Tv Surveillance...	Notice	555
This Area Is Under 24 Hour Tv Surveillance...	Notice / Aviso	440
This Area Is Under 24 Hour Tv Surveliillan...	-	557
This Area Patrolled By Attack Dogs	Warning	556
This Area Protected By Halon 1301 Fire Ext...	-	492
This Company Has Worked [#] Days Without...	-	554
This Company Promotes A Drug Free Environm...	-	554
This Company Promotes A Smoke Free Environ...	-	554
This Department Has Worked [#] Days Without...	-	554
This Device Controlled By An Energy Manage...	-	505
This Disconnect Does Not Remove All Power...	Warning	505
This Disconnect Does Not Remove All Power...	-	505
This Door For Emergency Exit Only	-	479
This Door Is Alarmed	Security Notice	556
This Door Must Be Kept Closed	Caution	470
This Door Must Be Kept Closed	-	471
This Door To Remain Unlocked During Business...	Notice	470
This Door To Remain Unlocked During Business...	-	471
This Door To Remain Unlocked During Working...	-	471
This Elevator Is For Freight Only Not For...	Notice	515
This Elevator Maximum Capacity _____Lbs...	-	517
This Enclosure Contains High Voltage Elect...	Danger	415
This Enclosure Contains High Voltage Elect...	Danger	431
This Equipment Has Been Locked Out	Caution	504
This Equipment Is Supplied With Two Electr...	Danger	431
This Equipment Is Supplied With Two Electr...	Danger	513
This Equipment Must Be Locked Out When Work...	Caution	504
This Equipment Operates From Remote Control	Danger	513
This Equipment Starts Automatically	Danger	513
This Equipment Starts Automatically	-	517
This Equipment Starts Automatically / Este...	Danger / Peligro	437
This Equipment Starts Automatically Stay...	Danger	431
This equipment starts automatically. Stay clear.	Danger	559
This Equipment Starts Automatically...	Danger	431
This Facility Permits Smoking And Tobacco. Smoking...	Warning	461
This Gate Must Be Kept Locked	Notice	470
This Is A Drug-Free Workplace	Notice	416
This Is A Drug-Free Workplace / Esta Es Un...	Notice / Aviso	440
This Is A No Smoking Lunch Area	Notice	523
This Is A Safety Helmet Area	-	540
This Is A Smoke Free Facility Thank You...	-	442
This Is A Smoke Free Facility Thank You...	-	527
This Is A Smoke Free Tobacco Free Facility...	-	527
This Is A Smoke Free Work Place	-	527
This Is A Smoke Free Workplace	-	547
This Is A Smoke-Free Building	-	527
This Is A Smoke-Free Campus Smoking...	-	527
This Is Your Home Five Days Of The Week...	-	528
This Is Your Lunch Area Keep It Clean	Please	519
This Is Your Wash Room Please Help Keep...	-	520
This Is Your Wash Room Please Help Keep...	-	528
This Is Your Washroom Help Keep It Clean...	-	442
This Is Your Washroom Help Keep It Clean...	-	528
This Is Your Washroom Please Help Keep It...	-	528
This Job Has Worked [#] Days Without A...	-	554
This Line Carries High Voltage Damage To...	Danger	474
This Lunchroom Is Here For Your Convenienc...	-	520
This Machine Is Automatically Controlled...	Caution / Precaucion	434
This Machine Must Be Locked Out Prior To...	Caution	423
This Machine Must Be Locked Out Prior To...	Caution	504
This Machine Starts And Stops Automatically	Danger	513
This Machine Starts And Stops Automatically...	Danger	431
This Machine Starts And Stops Automatically...	Danger / Peligro	437
This Machine Starts Automatically	Danger	513
This Machine Starts Automatically	Warning	516
This Machine Starts By Remote Control	Caution	508
This Magnet Is Always On	Danger	542
This Motor Starts By Remote Control	Caution	508
This Plant Has Worked [#] Days Without...	-	554
This Product May Contain A Chemical Know To…	Warning	461
This Property Is Protected By Electronic...	Security Notice	556
This Property Protected By Electronic Surveillance	Notice	416
This Property Protected By Electronic Surveillance	Restricted Area	555
This Property Protected By Security Patrol	Warning	556
This Restroom Is Here For Your Convenience...	-	520
This Room Is Protected By Halon Fire Extin...	Caution	486
This Sign Is Posted To Comply With The Requirements…	Warning	461
This Sink Is For Food Wash Only	-	517
This Sink Is For Hand Wash Only	-	517
This Sink Is For Utensil Wash Only	-	517
This Space Must Be Kept Clear At All Times	Caution	518
This Space Must Be Kept Clear At All Times...	Caution / Precaucion	434
This Vehicle Stops At All Railroad Crossin...	Notice	571
This Water Is Safe To Drink	Notice	456
This Water Is Unsafe To Drink	Notice	432
This Way Out	-	479
This Way To Office	-	479
Thou Shalt Not Park Here	-	564
Thru Truck Route	-	577
To Open Break Glass And Pull Chain	-	492
To Sprinkler Control Valve	-	492
To Use Fire Extinguisher	-	501
Today	Be Careful	553
Today's Threat Advisory:	-	557
Toluene	-	462
Tornado Shelter	Notice	479
Tornado Shelter	-	479
Tornado Shelter	-	501
Tornado Shelter / Refugio Contra Tornados	-	444
Tow-Away Special Placard Or License Plate...	-	567
Tow-Away Zone	-	564
Toxic 6	-	464
Toxic Chemicals	Danger	455
Toxic Gas 2	-	464
Toxic Gas Do Not Enter When Light Is Flash...	Danger	455
Toxic Materials	Danger	455
Toxic/Hazardous Chemicals Are Used In This...	Caution	449
Trash Goes Here Don't Litter	-	544
Trash Only	-	544
Trash Only / Basura Solamente	-	442
Trespassers Will Be Prosecuted	Notice	416
Trichloroethylene	-	462

Sign Legend Index

BradyID.com/s36

Legend Text	Header	Pg
Tripping Hazard	Caution	508
Tripping Hazard. Falls May Result In Injur...	Caution	423
Truck Drivers Must Chock Wheels And Set...	-	572
Truck Drivers Must Remain With Their Vehic...	Notice	571
Truck Drivers Ring Bell And Wait	Notice	571
Truck Drivers Shut Off Motor Set Brakes...	Notice	571
Truck Drivers Waiting For Loading Or Unloa...	-	572
Truck Entrance	-	577
Truck Must Be Turned Off When Loading	Warning	571
Truck Parking	-	564
Truck Route	-	577
Trucks	-	577
Trucks Entering Highway	-	577
Try To See It Our Way Wear Goggles And...	-	550
Turn Machine Off When Not In Use	Caution	509
Turn Off Battery Charger Before Disconnect...	Danger	474
Turn Off Cellular Phones, Pagers And Other...	Notice	542
Turn Off Lights Conserve Energy	-	544
Turn Off Power Before Working On Machines	Danger	514
Turpentine	-	462
Two Way Feed	Danger	431
Two Way Feed	Danger	514
Two Way Traffic Ahead	-	577

U

Ultrasound	-	503
Ultraviolet Light	Caution	541
Unauthorized Motor Vehicles Prohibited On...	-	557
Unauthorized Parking Mandates $100 Fee	-	567
Unauthorized Personnel Are Not Permitted...	Notice	416
Unauthorized Personnel Keep Out	Caution	413
Unauthorized Personnel Keep Out	Danger	415
Unauthorized Personnel Keep Out	Warning	417
Unauthorized Personnel Keep Out.	Danger	431
Unauthorized Persons Keep Out	Restricted Area	417
Unauthorized Persons Keep Out	-	433
Unauthorized Persons Keep Out / Prohibido...	Restricted Area / Area Restringida	442
Unauthorized Vehicles Prohibited	Security Notice	556
Underground Cable	Danger	474
Underground Cable Call Before Digging...	Warning	474
Underground Live Wire	Danger	474
Unlawful To Operate This Equipment Within...	Caution	472
Unleaded Gasoline	-	462
Unloading Caustic	Danger	455
Unsafe Roof Keep Off	Danger	415
Unsafe To Drink Picto	-	460
Ups Pick Up	-	572
Usar Casco Protector En Esta Area	Peligro	439
Usar El Pasamanos	Precaucion	435
Use Crosswalk	-	577
Use Fuse Puller To Change Fuses	Caution	509
Use Hand Rail	-	517
Use Handrail	Caution	509
Use Handrail	Caution	533
Use Handrail / Usar El Pasamanos	Caution / Precaucion	435
Use Handrail Falls May Result In Injury	Caution	423
Use Lockout Device During Maintenance...	Caution	504
Use Of Cellular Phone Is Prohibited In...	Security Notice	521
Use Of Cellular Phones Not Allowed	-	521
Use Of Cellular Phones Prohibited	-	547
Use Of Safety Belt And Line Required For...	Notice	537
Use Other Door	Caution	413
Use Static Grounding Devices	Caution	472
Use Static Grounding Devices	Warning	474
Used Batteries	Caution	449
Used Oil	-	460
Used Oil Storage Area	-	460
Uso Obligatorio De Casco De Proteccion	Precaucion	435
Uso Obligatorio De Guantes Y Proteccion...	Precaucion	435
Uso Obligatorio De Lentes De Seguridad...	Aviso	441
Uso Obligatorio De Proteccion Auditiva	Precaucion	435
Uso Obligatorio De Proteccion Para La Vist...	Precaucion	435
Utility Work Ahead	-	569

V

Vacate Stall When Charging Completed	-	565
Valve Caps Must Be In Place On Cylinders...	-	460
Van Accessible	-	567
Vapor Respirator Required In This Area	Caution	533
Vehicle Must Be Plugged In	-	565
Vehicles Improperly Parked Subject To...	-	564
Vehicles Must Come To A Complete Stop...	-	419
Vendors And Visitors Must Register At Main...	Notice	555
Vendors And Visitors Must Register At Main...	Notice / Aviso	440
Very Hot Water	Caution	449
Very Hot Water. Burns Or Injury May Occur...	Caution	423
Video Surveillance In Use On These Premise...	Security Notice	556
Vinyl Acetate	-	462
Vinyl Chloride	-	462
Vinyl Chloride May Cause Cancer Authorized...	Danger	455
Violators Towed Away At Vehicle Owner's ...	-	564
Violators Will Be Fined Min $150 Handicapp...	-	567
Violators Will Be Towed At Owner's Expense	Warning	560
Visitor Parking	-	564
Visitors Must Report To Office / Los Visitantes...	Notice / Aviso	440
Visitors Must Wear Eye Protection Beyond...	Notice	537
Visitors Must Wear Hard Hats And Safety...	Caution	533
Visitors Obtain Plant Pass In Main Office...	-	419
Visitors Only	Parking	560
Visitors Parking Only	-	564
Visitors Please Report To Office	-	557
Voltage Source	-	505

W

Waiting Area	-	503
Walk Don't Run	Safety First	515
Walk Down Stairs Backwards	Caution	509
Walking Of Dogs Prohibited On This Property	-	419
Warning Fire Equipment Protected From Theft...	-	492
Warning Forklift Traffic	-	496
Warning Forklift Traffic (Floor Sign)	-	497
Warning If You Come In Contact With...	-	460
Warning Radio-Frequency Radiation Hazard...	-	543
Warning Smoking Is Hazardous To Your Health	-	527
Warning Surveillance Zone You Are Being...	-	557
Warning This Area Contains A Chemical Know...	-	461
Warning This Equipment Starts Automaticall...	-	517
Warning This Machine Is Automatically...	Danger	431
Warning This Machine Is Automatically...	Danger	514
Warning This Machine Is Automatically...	-	517
Warning This Property Protected By Security...	-	557
Warning Unlawful To Operate This Equipment...	-	517
Warning! Attack Dogs On Premises...	-	419
Wash And Sanitize Hands Before Starting...	-	528
Wash Hands And Arms Up To The Elbows For...	-	528
Wash Hands Before Leaving This Room...	-	528
Wash Hands Before Returning To Work	Notice	528
Wash Hands Before Returning To Work /Lava...	Notice / Aviso	440
Wash Hands Before Returning To Work /Lava...	Notice / Aviso	559
Wash Hands Before Returning To Work /Lava...	-	443
Wash Hands Before Returning To Work...	-	501
Wash Your Hands Before Leaving As A Sanita...	Notice	528
Wash Your Hands Before Leaving This Room	Notice	528
Wash Your Hands Before Leaving This Room...	Notice / Aviso	440
Wash your hands. Avoid contamination.	Notice	559
Waste Oil	-	460
Waste Oil Storage Area	-	460
Waste Solvent	-	460
Watch For Children	-	577
Watch For Falling Debris	Danger	514
Watch For Falling Debris. Will Result In...	Danger	431
Watch For Lift Trucks	Caution	509
Watch For Lift Trucks / Cuidado Con Los Mo...	Caution / Precaucion	434
Watch For Lift Trucks. Accident May Cause...	Caution	423
Watch For Low Pipes	Caution	509
Watch For Moving Vehicles	-	547
Watch For Pedestrians	-	577
Watch For Trucks	-	577
Watch Out For Falling Ice	Caution	518
Watch Out For Fork Lift (Floor Sign)	-	497
Watch Out For Fork Lift Trucks	Caution	509
Watch Out For Fork Lift Trucks. Accident...	Caution	423
Watch Out For Fork Truck Operating In Area	Caution	509
Watch Out For Fork Truck Operating In Area...	Caution	423
Watch Out For Forklift Trucks	-	496
Watch Out For Moving Equipment	Danger	514
Watch Out For Moving Equipment Stay Clear	Danger	431
Watch Out For The Other Person	Think	554
Watch Out For Trucks	Caution	570
Watch Out For Trucks. Accident May Cause...	Caution	423
Watch Overhead Clearance	Caution	509
Watch Your Back When Lifting! Use Your...	-	550
Watch Your Fingers And Your Hands...	Caution	509

Legend Text	Header	Pg
Watch Your Hands And Fingers / Cuidado...	Danger / Peligro	437
Watch Your Head	Caution	509
Watch Your Head	Danger	514
Watch Your Head Low Clearance Could Result...	Caution	423
Watch Your Step	Caution	423
Watch Your Step	Caution	509
Watch Your Step	Caution	533
Watch Your Step	Danger	514
Watch Your Step	Notice	515
Watch Your Step	Safety First	515
Watch Your Step	Warning	516
Watch Your Step	-	479
Watch Your Step	-	496
Watch Your Step	-	517
Watch Your Step (Floor Sign)	-	497
Watch Your Step / Camine Con Cuidado	Caution / Precaucion	434
Watch Your Step / Camine Con Cuidado...	Caution / Precaucion (ANSI)	434
Watch Your Step Use Handrail	Caution	509
Watch Your Step. Falls Can Result In...	Caution	423
Watch Your Step/Fall	-	517
Water Line	Danger	469
Water Shut Off	Notice	486
We Aim For Zero Injuries	-	550
We Are Doing Asbestos We Can	Notice	498
We Are Setting The Standard	-	550
We Cannot Be Responsible For Damage...	Notice	561
Wear Approved Breathing Apparatus Beyond...	Caution	533
Wear Breathing Apparatus In This Area	Caution	533
Wear Ear Protection	Caution	533
Wear Eye Protection	Caution	533
Wear Eye Protection	-	540
Wear Eye Protection When Using Power Tools	Safety First	538
Wear Eye Protection When Using This Machin...	-	540
Wear Face Shield	Caution	533
Wear Face Shield	-	540
Wear Face Shield And Rubber Gloves When...	Danger	431
Wear Face Shield And Rubber Gloves When...	Danger	455
Wear Face Shield Batteries May Explode Tur...	Caution	450
Wear Face Shield When Using Grinder	Safety First	538
Wear Face Shields, Rubber Gloves And Apron...	Safety First	456
Wear Foot Protection	Notice	537
Wear Gloves	-	540
Wear Gloves And Goggles	Caution	533
Wear Goggles	Safety First	432
Wear Goggles	Safety First	538
Wear Goggles And Rubber Gloves...	Danger	455
Wear Goggles And Rubber Gloves...	Warning	457
Wear Goggles Face Shield Rubber Gloves And...	Caution	450
Wear Goggles Or Face Shield	Safety First	538
Wear Goggles Or Face Shield While Operatin...	Caution	533
Wear Goggles Or Face Shield While Operatin...	Caution / Precaucion	435
Wear Goggles Or Use Shield	-	540
Wear Goggles When Chipping Or Grinding	Danger	535
Wear Goggles When Handling Acid Or Caustic	Danger	455
Wear Goggles When Using This Machine	Caution	533
Wear Goggles When Using This Machine	-	540
Wear Goggles When Using This Machine...	Caution	509
Wear Goggles, Face Shield, Rubber Gloves...	Caution	423
Wear Hard Hats	Notice	537
Wear Mask	-	540
Wear Proper Safety Equipment	Think	538
Wear Protective Clothing	Caution	533
Wear Protective Equipment	Caution	533
Wear Protective Equipment In This Area	Warning	538
Wear Protective Safety Equipment When Hand...	Danger	455
Wear Respirator	-	540
Wear Respirator In This Area	Warning (ANSI)	433
Wear Respirator To Protect Your Lungs	Caution (ANSI)	424
Wear Respirator While Spraying	Caution	533
Wear Respirator While Spraying	Danger	535
Wear Safety Equipment	Caution	533
Wear Safety Shoes In This Area	Caution	533
Wear Splash Goggles Face Shield Rubber...	Notice	537
Wear Your Fall Protection	Caution	533
Wear Your Gloves	Warning	538
Wear Your Goggles	-	540
Wear Your Goggles While Operating This...	Danger	535
Wear Your Hair Net	-	540
Wear Your Respirator	Caution	423
Wear Your Respirator	Caution	533
Wear Your Safety Glasses Foresight...	-	540
Welding Arc Wear Proper Eye Protection	Danger	455
Welding Arc. Wear Proper Eye Protection.	Danger	431
Welding Area	Caution	450
Welding Area	Danger	455
Welding Fumes May Be Present	Caution	450
Welding Fumes May Be Present.	Caution	423
Welding Goggles Must Be Worn At All Times	Danger	535
Welding May Produce Fumes And Gases Hazard...	Caution	450
Wet Floor	Caution	509
Wet Floor. Falls May Result In Injury.	Caution	423
Wet Floors Be Careful	Caution	518
Wet Floors May Result In Injury.	Caution	423
Wheel Chocks Must Be Placed On Both Sides...	Safety First	515
Wheelchair Ramp	-	567
Wheels Must Be Chocked And Engine Turned...	Notice	571
Wheels Must Be Chocked Before Loading...	Notice / Aviso	441
Wheels Must Be Chocked Before Loading...	Safety First	571
When Servicing Or Checking Batteries...	Caution	472
When Throwing Switch Use Left Hand...	Caution	504
Wide Right Turns	Caution	570
Wide Right Turns.	Caution	423
Will Call	-	572
Woman Picto	-	545
Women	-	501
Women	-	545
Women (Braille w/Picto)	-	447
Women (Braille)	-	447
Women / Mujeres	-	443
Women's Health	-	503
Wood Dust Explosion Hazard	Warning	457
Work Area Ahead	-	569
Work Safely Today	-	550
Work Safely You Count	-	550
Worker In Confined Space	Caution	466
Worker In Confined Space	-	468
Would You Like Some Cheese To Along...	-	498
Wrong Way	-	577

X

X-Ray In Use	Caution	541
X-Ray Producing Machine Within	-	543
X-Ray Radiation	Warning	542
Xylene	-	462

Y

Yield	-	577
Yield Pedestrian Crossing	-	572
Yield Pedestrian Crosswalk	-	576
Yield Proceed Slowly	-	572
You Are The Key To Safety	-	550
You Can Obtain A Pair Of Safety Goggles...	Notice	537
You Must Be At Least 18 Years Old To Opera...	Warning	516
Your Habits Are A Reflection Of You.....	-	520
Your Job Is Not Complete Until Your Area...	-	520

Part Number Index

BradyID.com/s36

Catalog #	Pg
64MB-CF	92
1500-	398
1500-# KIT	398
1500-LTR KIT	398
1520-	398
1520-# KIT	398
1530-	398
1530-# KIT	398
1530-LTR KIT	398
1534-	398
1534-# KIT	398
1534-LTR KIT	398
1550-	398
1550-# KIT	398
1550-LTR KIT	398
1560-	398
1560-# KIT	398
1560-LTR KIT	398
1570-	398
1570-# KIT	398
1570-LTR KIT	398
1600-	401
2001	378
2002	378
2005	377
2007	377
2010	377
2010DB	377
2010NB	377
2010SP	377
2011	314
2011L	314
2012	378
2014	378
2014W	378
2019	315
2019L	315
2023	377
2024	377
2025	377
2026	377
2027	377
2028	377
2112	185
2112-TEN	185
2112SP	185
2112SP-TEN	185
3000-	400
3001	245
3002	245
3003Y	246
3004Y	246
3010-	400
3012	245
3013	245
3020-	400
3400-# KIT	399
3400-LTR KIT	399
3400-	399
3410-	399
3410-# KIT	399
3410-LTR KIT	399
3420-	399
3420-# KIT	399
3420-LTR KIT	399
3430-	399
3430-# KIT	399
3430-LTR KIT	399
3440-	399
3440-# KIT	399
3440-LTR KIT	399
3450-	399
3450-# KIT	399
3450-LTR KIT	399
3460-	399
3460-# KIT	399
3460-LTR KIT	399
3470-	399
3470-# KIT	399
3470-LTR KIT	399
4000-*	354
4001-*	354
4002-*	354
4003-*	354
4004-*	354
4005-*	354
4006-*	354
4007-*	354
4008-*	354
4009-*	354
4010-*	354
4011-*	354
4012-*	354
4013-*	354
4014-*	354
4015-*	354
4016-*	354
4017-*	354
4018-*	354
4019-*	354
4020-*	354
4021-*	354
4022-*	354
4023-*	354
4024-*	354
4025-*	354
4026-*	354
4027-*	354
4028-*	354
4029-*	354
4030-*	354
4031-*	354
4032-*	354
4033-*	354
4034-*	354
4035-*	354
4036-*	354
4037-*	354
4038-*	354
4039-*	354
4040-*	354
4041-*	354
4042-*	354
4043-*	354
4044-*	354
4045-*	354
4046-*	354
4047-*	354
4048-*	354
4049-*	354
4050-*	354
4051-*	354
4052-*	355
4053-*	355
4054-*	355
4055-*	355
4056-*	355
4057-*	355
4058-*	355
4059-*	355
4060-*	355
4061-*	355
4062-*	355
4063-*	355
4064-*	355
4065-*	355
4066-*	355
4067-*	355
4068-*	355
4070-*	355
4071-*	355
4072-*	355
4073-*	355
4074-*	355
4075-*	355
4076-*	355
4077-*	355
4078-*	355
4079-*	355
4080-*	355
4081-*	355
4082-*	355
4083-*	355
4084-*	355
4085-*	355
4086-*	355
4087-*	355
4088-*	355
4089-*	355
4090-*	355
4091-*	355
4092-*	355
4093-*	355
4094-*	355
4095-*	355
4096-*	355
4097-*	355
4098-*	355
4099-*	355
4100-*	355
4101-*	355
4102-*	355
4103-*	355
4104-*	355
4105-*	355
4106-*	355
4107-*	355
4108-*	355
4109-*	355
4110-*	355
4111-*	355
4112-*	355
4113-*	355
4114-*	355
4115-*	355
4116-*	355
4117-*	355
4118-*	355
4119-*	355
4120-*	355
4121-*	355
4122-*	355
4123-*	355
4124-*	355
4125-*	355
4127-*	355
4128-*	355
4129-*	355
4130-*	355
4131-*	355
4132-*	355
4133-*	355
4134-*	355
4135-*	355
4136-*	355
4137-*	355
4138-*	355
4139-*	355
4140-*	355
4141-*	355
4142-*	355
4143-*	355
4144-*	355
4145-*	355
4146-*	355
4147-*	355
4148-*	355
4149-*	355
4150-*	355
4151-*	355
4152-*	355
4153-*	355
4154-*	355
4155-*	355
4156-*	355
4157-*	354
4158-*	354
4160-*	354
4162-*	354
4165-*	354
4167-*	354
4168-*	354
4169-*	354
4170-*	354
4172-*	354
4173-*	354
4174-*	354
4175-*	354
4176-*	355
4177-*	355
4178-*	355
4179-*	355
4180-*	355
4181-*	355
4184-*	355
4185-*	355
4186-*	355
4187-*	355
4189-*	355
4190-*	355
4193-*	355
4194-*	355
4195-*	355
4197-*	355
4198-*	355
4199-*	355
4200-*	355
4201-*	355
4202-*	355
4222-*	355
4223-*	355
4225-*	355
4226-*	355
4227-*	355
4228-*	355
4229-*	355
4240-*	355
4241-*	355
4243-*	355
4244-*	355
4245-*	355
4247-*	355
4248-*	355
4249-*	355
4260-*	355
4261-*	355
4264-*	355
4266-*	355
4267-*	355
4269-*	355
4270-*	355
4271-*	355
4272-*	355
4273-*	355
4274-*	355
4275-*	355
4277-*	355
4279-*	355
4281-*	355
4283-*	355
4284-*	354
4285-*	355
4287-*	355
4288-*	354
4289-*	354
4290-*	354
4291-*	354
4292-*	354
4293-*	354
4294-*	354
4296-*	354
4297-*	354
4298-*	354
4299-*	354
4300-*	354
4302-*	354
4303-*	354
4304-*	354
4306-*	354
4307-*	354
4308-*	354
4309-*	354
4310-*	354
4311-*	354
4312-*	354
4313-*	354
4314-*	354
4315-*	354
4316-*	354
4317-*	354
4318-*	355
4319-*	355
4320-*	355
4321-*	355
4322-*	355
4323-*	355
4324-*	355
4325-*	355
4326-*	355
4327-*	355
4328-*	355
4329-*	355
4330-*	355
4331-*	355
4332-*	355
4333-*	355
4334-*	355
4335-*	355
4336-*	355
4337-*	355
4338-*	355
4339-*	355
4340-*	355
4341-*	355
4342-*	355
4343-*	355
4344-*	355
4345-*	355
4346-*	355
4347-*	355
4348-*	355
4349-*	355
4350-*	355
4351-*	355
4352-*	355
4353-*	355
4354-*	355
4355-*	355
4356-*	355
4357-*	355
4358-*	355
4359-*	355
4360-*	355
4361-*	355
4362-*	355
4363-*	355
4364-*	355
4365-*	355
4366-*	355
4367-*	355
4368-*	355
4369-*	355
4370-*	355
4371-*	355
4374-*	355
4375-*	355
4376-*	355
5000-*	401
5010-*	400
5040-*	400
5050-*	400
5060-*	400
5080-*	400
5100-*	400
5110-*	400
5120-*	400
5130-*	400
5140-*	400
5150-*	400
5160-*	400
5170-*	400
5180-*	400
5210-*	400
5600-*	356
5601-*	356
5602-*	356
5603-*	356
5607-*	356
5609-*	356
5613-*	356
5614-*	356
5617-*	356
5619-*	356
5622-*	356
5624-*	356
5625-*	356
5631-*	356
5632-*	356
5634-*	356
5636-*	356
5637-*	356
5643-*	356
5645-*	356
5646-*	356
5647-*	356
5648-*	356
5653-*	356
5654-*	356
5655-*	356
5658-*	356
5660-*	356
5661-*	356
5662-*	356
5663-*	356
5664-*	356
5665-*	356
5668-*	356
5671-*	356
5672-*	356
5673-*	356
5675-*	356
5676-*	356
5677-*	357
5678-*	357
5679-*	357
5685-*	357
5686-*	357
5688-*	357
5689-*	357
5690-*	357
5691-*	357
5692-*	357
5693-*	356
5694-*	356
5695-*	357
5696-*	357
5697-*	357
5698-*	357
5699-*	357
5700-*	357
5701-*	357
5702-*	357
5703-*	357
5706-*	357
5707-*	357
5708-*	357
5709-*	357
5710-*	357
5711-*	357
5712-*	357
5715-*	357
5716-*	357
5718-*	357
5719-*	357
5720-*	357
5721-*	357
5722-*	357
5723-*	357
5724-*	357
5725-*	357
5726-*	357
5727-*	357
5728-*	357
5729-*	357
5730-*	357
5731-*	357
5733-*	357
5734-*	357
5735-*	357
5736-*	357
5737-*	357
5738-*	357
5739-*	357
5740-*	357
5744-*	357
5746-*	357
5747-*	357
5748-*	357
5750-*	357
5753-*	357
5754-*	357
5755-*	357
5757-*	357
5758-*	357
5761-*	357
5765-*	357
5767-*	357
5769-*	357
5774-*	357
5775-*	357
5776-*	357
5777-*	357
5778-*	357
5779-*	357
5780-*	357
5781-*	357
5782-*	357
5783-*	357
5784-*	357
5786-*	357
5787-*	357
5790-*	357
5791-*	357
5792-*	357
5793-*	357
5796-*	356
5797-*	356
5798-*	356
5799-*	356
5800-*	356
5801-*	356
5802-*	356
5804-*	356
5805-*	356
5806-*	356
5807-*	356
5808-*	356
5809-*	356
5810-*	356
5811-*	356
5812-*	356
5813-*	356
5814-*	356
5815-*	356
5816-*	357
5817-*	357
5818-*	357
5819-*	357
5820-*	357
5821-*	357
5822-*	357
5823-*	357
5824-*	357
5825-*	357
5826-*	357
5827-*	357
5828-*	357
5829-*	357
5830-*	357
5831-*	357
5832-*	357
5833-*	357
5834-*	357
5835-*	357
5836-*	357
5837-*	357
5838-*	357
5839-*	357
5840-*	357
5841-*	357
5842-*	357
5843-*	357
5844-*	357
5845-*	357
5846-*	357
5847-*	357
5848-*	357
5849-*	357
5850-*	357
5851-*	357
5852-*	357
5853-*	357
5854-*	357
5855-*	357
5857-*	357
5858-*	357
5859-*	357
5860-*	357
5890-	401
5900-	401
5905-	401
5910-	401
5920-	401
6001-	400
6002-	400
6003-	400
6004-	400
6450-	400
6500-	400
6560-	401
6570-	401
7000-*	346
7001-*	346
7002-*	346
7003-*	346
7004-*	346
7005-*	346
7006-*	346
7007-*	346
7008-*	346
7009-*	346
7010-*	346
7011-*	346
7012-*	346
7013-*	346
7014-*	346
7015-*	346
7016-*	346
7017-*	346
7018-*	346
7019-*	346
7020-*	346
7021-*	346
7022-*	346
7023-*	346
7024-*	346
7025-*	346
7026-*	346
7027-*	346
7028-*	346
7029-*	346
7030-*	346
7031-*	346
7032-*	346
7033-*	346
7034-*	346
7035-*	346
7036-*	346
7038-*	346
7039-*	346
7040-*	346
7041-*	346
7042-*	346
7043-*	346
7044-*	346
7045-*	346
7046-*	346
7047-*	346
7048-*	346
7049-*	346
7050-*	346
7051-*	346
7052-*	346
7053-*	346
7054-*	346
7055-*	346
7056-*	346
7057-*	346
7058-*	347
7059-*	347
7060-*	346
7061-*	347
7062-*	347
7063-*	347
7064-*	347
7065-*	347
7066-*	347
7067-*	347
7068-*	347
7069-*	347
7070-*	347
7071-*	347
7072-*	347
7073-*	347
7074-*	347
7075-*	347
7076-*	347
7077-*	347
7078-*	347
7079-*	347
7080-*	347
7081-*	347
7082-*	347
7083-*	347
7084-*	347
7085-*	347
7086-*	347
7087-*	347
7088-*	347
7089-*	347
7090-*	347
7091-*	347
7092-*	347
7093-*	347
7094-*	347
7095-*	347

BRADY

Catalog #	Pg
7096-*	347
7097-*	347
7098-*	347
7099-*	347
7100-*	347
7101-*	347
7102-*	347
7103-*	347
7104-*	347
7105-*	347
7106-*	347
7107-*	347
7108-*	347
7109-*	347
7110-*	347
7111-*	347
7112-*	347
7113-*	347
7114-*	347
7115-*	347
7116-*	347
7117-*	347
7118-*	347
7119-*	347
7120-*	347
7121-*	347
7122-*	347
7123-*	347
7124-*	347
7125-*	347
7126-*	347
7127-*	347
7128-*	347
7129-*	347
7130-*	347
7132-*	347
7133-*	347
7134-*	347
7135-*	347
7136-*	347
7137-*	347
7138-*	347
7139-*	347
7140-*	347
7141-*	347
7142-*	347
7143-*	347
7144-*	347
7145-*	347
7146-*	347
7147-*	347
7148-*	347
7149-*	347
7150-*	347
7151-*	347
7152-*	347
7153-*	348
7154-*	348
7155-*	348
7156-*	348
7157-*	348
7158-*	348
7159-*	348
7160-*	348
7161-*	348
7162-*	348
7163-*	348
7164-*	348
7165-*	348
7166-*	348
7167-*	348
7168-*	348
7169-*	348
7170-*	348
7171-*	348
7172-*	348
7173-*	348
7174-*	348
7175-*	348
7176-*	348
7177-*	348
7178-*	348
7179-*	348
7180-*	348
7181-*	348
7182-*	348
7183-*	348
7184-*	348
7185-*	348
7186-*	348
7187-*	348
7188-*	348
7189-*	348
7190-*	348
7191-*	348
7192-*	348
7193-*	348
7194-*	348
7195-*	348
7196-*	348
7197-*	348
7198-*	348
7200-*	348
7202-*	348
7203-*	348
7204-*	348
7205-*	348
7206-*	348
7207-*	348
7208-*	348
7209-*	348
7210-*	348
7211-*	348
7212-*	348
7213-*	348
7214-*	348
7215-*	348
7216-*	348
7217-*	348
7218-*	348
7219-*	348
7220-*	348
7221-*	348
7222-*	348
7223-*	348
7224-*	348
7225-*	348
7226-*	348
7227-*	348
7228-*	348
7229-*	348
7230-*	348
7231-*	348
7232-*	348
7233-*	348
7234-*	348
7235-*	348
7236-*	348
7237-*	349
7238-*	349
7239-*	349
7240-*	349
7241-*	349
7242-*	349
7243-*	349
7244-*	349
7245-*	349
7246-*	349
7247-*	349
7248-*	349
7249-*	349
7250-*	349
7251-*	349
7252-*	349
7253-*	349
7254-*	349
7255-*	349
7256-*	349
7257-*	349
7258-*	349
7259-*	349
7260-*	349
7261-*	349
7262-*	349
7263-*	349
7264-*	349
7265-*	349
7266-*	349
7267-*	349
7268-*	349
7269-*	349
7270-*	349
7271-*	349
7272-*	349
7273-*	349
7274-*	349
7275-*	349
7276-*	349
7277-*	349
7278-*	349
7279-*	349
7280-*	349
7281-*	349
7282-*	349
7283-*	349
7284-*	349
7285-*	349
7286-*	349
7287-*	349
7288-*	349
7289-*	349
7290-*	349
7291-*	349
7292-*	349
7293-*	349
7294-*	349
7295-*	349
7296-*	349
7297-*	349
7298-*	349
7299-*	349
7300-*	349
7301-*	349
7302-*	349
7303-*	349
7304-*	349
7305-*	349
7306-*	349
7307-*	346
7308-*	346
7309-*	346
7310-*	346
7311-*	349
7317-*	346
7318-*	346
7319-*	346
7320-*	346
7321-*	346
7322-*	346
7324-*	346
7325-*	346
7326-*	346
7327-*	346
7329-*	346
7330-*	346
7331-*	346
7332-*	346
7334-*	346
7335-*	346
7336-*	346
7338-*	346
7339-*	346
7340-*	346
7341-*	346
7342-*	346
7343-*	346
7344-*	346
7345-*	346
7346-*	346
7347-*	347
7348-*	347
7349-*	347
7350-*	347
7351-*	347
7352-*	347
7353-*	347
7354-*	347
7355-*	347
7356-*	347
7357-*	347
7358-*	347
7359-*	347
7360-*	347
7361-*	347
7362-*	347
7363-*	347
7364-*	347
7365-*	347
7366-*	347
7367-*	347
7368-*	347
7369-*	347
7370-*	347
7371-*	347
7372-*	347
7373-*	347
7374-*	347
7375-*	347
7376-*	347
7377-*	347
7378-*	347
7379-*	347
7380-*	347
7381-*	348
7382-*	348
7383-*	348
7384-*	348
7385-*	348
7386-*	348
7387-*	348
7388-*	348
7389-*	348
7390-*	348
7391-*	348
7392-*	348
7393-*	348
7394-*	348
7395-*	348
7396-*	348
7397-*	348
7398-*	348
7399-*	348
7400-*	348
7401-*	348
7402-*	348
7403-*	348
7404-*	348
7405-*	349
7406-*	349
7407-*	349
7408-*	349
7409-*	349
7410-*	349
7411-*	349
7412-*	349
7413-*	349
7414-*	349
7415-*	349
7416-*	349
7417-*	349
7418-*	349
7419-*	349
7420-*	349
7423-*	349
7424-*	349
7425-*	349
7426-*	349
7427-*	346
7428-*	349
7890-	401
7897-	401
8200-	400
8205-	400
8215-	400
8220-	400
8235-	400
8240-	400
8245-	400
8250-	400
8255-	400
8265-	400
8305-	400
8320-	400
8325-	400
8335-	400
8779-*	347
8780-*	347
8781-*	347
8782-*	346
8783-*	346
8784-*	347
8785-*	347
8786-*	347
8787-*	347
8788-*	347
8789-*	348
8790-*	348
8791-*	348
8792-*	348
8793-*	348
8795-*	348
8796-*	348
8797-*	348
8799-*	348
8801-*	348
8802-*	349
8803-*	349
8804-*	349
8807-*	349
8808-*	349
8809-*	349
8920-*	349
8921-*	349
8922-*	349
8923-*	349
9712-# KIT	399
9712-LTR KIT	399
9712-	399
9713-	399
9713-# KIT	399
9713-LTR KIT	399
9714-	399
9714-# KIT	399
9714-LTR KIT	399
10825	413
11089	417
11090	417
11095	417
13284	496
13377	569
13402	82
13403	82
13404	82
13510	83
13511	83
13512	83
13513	83
13514	83
13515	83
13516	83
13517	83
13518	83
13519	83
13520	83
13521	83
13522	83
13523	83
13524	83
13525	83
13526	83
13527	83
13528	83
13529	83
13530	83
13531	83
13532	83
13533	83
13534	83
13535	83
13536	83
13537	83
13538	78
13539	78
13540	78
13541	78
13542	78
13543	78
13544	78
13545	78
13546	78
13547	78
13548	78
13549	78
13550	78
13551	78
13552	78
13553	78
13554	78
13555	78
13556	78
13557	78
13558	78
13559	78
13560	78
13561	78
13562	78
13563	78
13564	79
13565	79
13566	79
13567	79
13568	79
13569	79
13570	79
13571	79
13572	79
13573	79
13574	79
13575	79
13576	79
13577	79
13578	79
13579	79
13580	82
13585	82
13590	82
13595	83
13596	83
13597	83
13598	83
13599	83
13600	83
13601	78
13602	78
13603	78
13604	78
13605	78
13606	78
13607	78
13608	78
13609	78
13610	78
13611	78
13612	78
13613	78
13614	78
13615	78
13616	78
13617	78
13618	78
13620	38
13621	89
13622	38
13623	89
13624	89
13625	89
13626	89
13627	89
13628	89
13629	89
13630	89
13631	38
13632	89
13633	89
13634	89
13635	89
13636	89
13637	89
13638	89
13639	89
13640	89
13651	78
13652	78
13653	78
13654	78
13655	78
13656	78
13704	83
13705	83
13706	83
13707	83
14216	440
14218	440
14219	440
15424	341
15500	351
15501	351
15502	351
15503	351
15504	351
15507	351
15508	351
15509	351
15512	351
15515	351
15516	351
15517	351
15518	351
15520	351
15521	351
15522	351
15523	351
15524	351
15526	351
15527	351
15530	351
15532	351
15533	351
15534	351
15535	351
15536	351
15537	351
15538	351
15539	351
15540	351
15541	351
15542	351
15543	351
15544	351
15545	351
15546	351
15547	351
15548	351
15549	351
15550	351
15552	351
15553	351
15554	351
15555	351
15556	351
15557	351
15558	351
15560	351
15561	351
15562	351
15563	351
15566	351
15567	351
15569	351
15570	351
15571	351
15572	351
15573	351
15574	351
15576	351
15578	351
15580	351
15581	351
15582	351
15583	351
15584	351
15585	351
15586	351
15587	351
15588	351
15589	351
15590	351
15591	351
15592	351
15593	351
15594	351
15595	351
15596	351
15597	351
15598	351
15599	351
15600	351
16840	455
16841	455
16953	474
16954	474
17923	324
17924	324
17925	324
17926	324
17927	324
17928	324
17942	457
17943	457
17944	458
17945	458
17946	459
17947	459
17948	459
17949	459
17950	459
17951	459
17952	459
17953	459
17954	459
17955	458
17956	458
18151	461
18152	461
18153	461
18154	461
18157	461
18158	461
18159	461
18160	461
18161	461
18163	461
18164	461
18165	461
18166	461
18167	461
18169	461
18170	461
18171	461
18172	461
18173	461
18175	461
18176	461
18177	461
18178	461
18179	461
18181	461
18182	461
18183	461
18184	461
18185	461
18187	461
18188	461
18189	461
18190	461
18191	461
18193	461
18194	461
18195	461
18196	461
18197	461
19191	467
19193	467
19194	467
19197	467
19199	467
19200	467
19527	473
19811	579
19837	473
19839	473
19929	474
19931	474
19932	474
19935	474
19937	474
19938	474
20027	468
20028	468
20400	352
20401	352
20402	352
20403	352
20404	352
20405	352
20406	352
20407	352
20408	352
20409	352
20410	352
20411	352
20412	352
20413	352
20414	352
20415	352
20416	352

Part Number Index

BradyID.com/s36

Catalog #	Pg
20417	352
20418	352
20419	352
20421	352
20422	352
20424	352
20425	352
20426	352
20427	352
20428	352
20429	352
20430	352
20431	352
20432	352
20433	352
20434	352
20435	352
20436	352
20437	352
20438	352
20439	352
20440	352
20441	352
20442	352
20443	352
20444	352
20445	352
20446	352
20447	352
20448	352
20449	352
20450	352
20452	352
20453	352
20454	352
20455	352
20456	352
20457	352
20458	352
20459	352
20460	352
20461	352
20462	352
20463	352
20464	352
20465	352
20466	352
20467	352
20468	352
20469	352
20470	352
20471	352
20472	352
20473	352
20474	352
20475	352
20476	352
20477	352
20478	352
20479	352
20480	352
20481	352
20482	352
20483	352
20484	352
20485	352
20486	352
20487	352
20488	352
20489	352
20490	352
20591	92
20596	92
21335	513
21338	513
21700	432
21703	432
21707	432
21709	422
21713	421
21718	433
21723	425
21725	428
21726	431
21727	426
21728	427
21729	427
21778	427
21780	429
21782	427
21783	430
21784	426
21785	426
21788	422
21795	421
21797	421
21798	432
21800	445
21801	421
21803	423
21804	423
21805	432
21806	432
21807	432
21808	432
21810	432
21813	433
21814	433
21815	430
21866	425
21868	428
22052	570
22053	412
22054	412
22059	412
22060	412
22061	412
22062	412
22063	412
22064	412
22065	412
22066	412
22067	412
22069	412
22070	412
22071	413
22072	413
22074	413
22075	413
22076	413
22077	413
22078	413
22079	451
22080	451
22082	413
22083	413
22084	413
22086	413
22087	413
22088	413
22089	413
22090	413
22091	414
22092	414
22093	414
22094	414
22097	414
22098	414
22099	414
22100	414
22101	453
22102	453
22103	414
22104	414
22105	414
22106	414
22109	414
22110	414
22111	414
22112	414
22113	414
22114	414
22115	414
22116	414
22117	415
22118	415
22121	415
22122	415
22123	415
22124	415
22125	415
22126	415
22127	415
22128	415
22129	415
22130	415
22131	415
22132	415
22133	415
22134	415
22135	415
22136	415
22137	415
22138	415
22141	415
22142	415
22143	415
22144	415
22145	415
22146	415
22147	415
22148	415
22150	415
22151	416
22152	416
22156	416
22157	416
22158	416
22160	416
22161	416
22162	416
22163	416
22164	416
22166	416
22168	416
22171	416
22172	416
22173	416
22174	416
22175	416
22176	416
22177	416
22178	416
22179	523
22180	523
22181	417
22183	416
22184	416
22185	417
22186	417
22187	417
22188	417
22190	417
22191	417
22192	417
22193	417
22194	417
22195	417
22196	417
22197	417
22198	417
22199	417
22200	417
22201	417
22202	417
22203	417
22204	417
22205	417
22206	417
22207	417
22208	417
22209	417
22210	417
22211	445
22212	445
22213	417
22214	417
22216	417
22217	417
22218	417
22219	417
22220	418
22221	418
22222	418
22224	418
22225	418
22226	418
22228	418
22229	418
22232	418
22233	418
22234	418
22236	418
22237	418
22241	418
22246	419
22247	419
22248	419
22249	419
22251	419
22253	564
22254	419
22255	419
22256	419
22257	419
22258	419
22260	419
22261	419
22262	448
22263	448
22266	448
22267	448
22268	448
22269	448
22270	448
22272	448
22273	448
22277	449
22282	449
22283	449
22285	449
22287	449
22289	449
22291	449
22292	450
22293	450
22295	450
22296	450
22297	450
22298	450
22299	450
22300	450
22301	450
22302	450
22304	450
22305	451
22306	451
22308	451
22309	451
22310	451
22311	451
22312	451
22313	451
22314	451
22315	451
22316	451
22317	451
22318	451
22319	451
22320	451
22321	451
22322	451
22323	451
22324	451
22326	454
22327	454
22328	454
22329	454
22330	454
22331	454
22332	454
22333	455
22334	455
22335	455
22336	455
22337	455
22338	455
22339	455
22341	455
22342	455
22343	455
22349	455
22350	455
22351	455
22353	455
22354	455
22355	456
22356	456
22357	456
22358	456
22359	456
22360	456
22361	456
22362	456
22363	456
22364	456
22365	456
22366	456
22367	456
22368	456
22369	456
22371	457
22372	457
22373	457
22374	457
22377	457
22378	457
22380	458
22381	458
22385	459
22386	460
22399	530
22400	530
22402	530
22403	530
22404	530
22406	531
22407	531
22408	531
22409	466
22410	466
22411	466
22412	466
22415	532
22416	532
22417	532
22418	532
22419	532
22420	466
22421	466
22424	454
22425	467
22426	467
22429	454
22430	454
22432	467
22433	413
22434	413
22437	468
22438	468
22441	468
22443	542
22445	542
22446	542
22451	544
22453	477
22454	477
22455	477
22456	477
22457	477
22458	477
22459	477
22460	477
22461	489
22462	489
22465	478
22466	478
22467	478
22468	478
22469	478
22470	478
22471	478
22472	478
22473	479
22475	479
22476	479
22479	476
22480	476
22481	476
22482	476
22483	476
22484	476
22485	476
22486	476
22487	477
22488	477
22489	477
22490	477
22491	477
22492	477
22493	477
22494	477
22495	488
22496	488
22497	488
22498	491
22499	478
22500	478
22501	478
22502	478
22503	479
22504	479
22505	470
22507	470
22508	470
22509	470
22510	470
22511	470
22512	470
22513	470
22514	470
22515	470
22516	470
22517	507
22518	507
22519	470
22520	470
22521	470
22522	470
22523	470
22524	470
22525	470
22526	470
22527	470
22528	470
22530	470
22532	470
22533	470
22534	470
22535	470
22537	415
22538	415
22541	416
22542	416
22543	470
22544	470
22545	471
22546	471
22549	471
22550	471
22551	471
22552	471
22553	471
22555	471
22558	471
22559	471
22560	479
22561	479
22562	474
22563	474
22564	474
22565	474
22566	474
22567	474
22569	474
22570	474
22575	529
22576	529
22577	529
22578	529
22579	529
22580	529
22581	529
22582	529
22583	529
22584	530
22585	530
22586	530
22587	530
22588	531
22589	531
22590	532
22591	532
22592	532
22593	532
22594	532
22595	532
22596	533
22597	533
22599	533
22600	533
22601	533
22602	533
22603	533
22605	534
22606	534
22607	534
22608	534
22609	534
22612	534
22613	534
22614	535
22615	535
22619	535
22620	535
22621	535
22622	536
22623	536
22624	536
22625	536
22626	537
22627	537
22628	537
22629	537
22630	537
22631	537
22632	493
22633	493
22635	493
22636	493
22637	493
22638	493
22639	493
22642	493
22643	493
22644	493
22645	493
22646	493
22647	493
22648	493
22649	493
22650	494
22651	494
22652	494
22653	494
22654	494
22655	494
22656	494
22659	494
22661	494
22662	494
22663	494
22664	494
22665	494
22666	495
22667	495
22668	495
22669	495
22670	495
22671	495
22672	495
22673	495
22678	495
22679	495
22680	495
22681	495
22684	495
22685	495
22686	495
22688	486
22689	486
22690	492
22691	492
22692	492
22693	492
22695	492
22697	448
22698	448
22699	448
22700	448
22701	448
22703	448
22704	448
22707	449
22708	449
22709	449
22710	449
22711	449
22712	449
22713	449
22714	449
22717	449
22718	449
22719	570
22720	570
22721	450
22722	450
22723	450
22725	450
22726	450
22727	451
22728	451
22729	452
22730	452
22741	453
22742	453
22745	453
22746	453
22749	453
22750	453
22751	453
22752	453
22753	453
22754	453
22760	454
22761	454
22764	455
22765	455
22768	456
22769	456
22770	456
22771	456
22772	518
22773	518
22776	518
22777	518
22780	518
22782	518
22785	518
22790	518
22793	518
22794	519
22795	519
22796	518
22797	518
22798	486
22799	486
22800	518
22801	518
22802	518
22803	518
22804	519
22805	519
22806	519
22807	519
22808	519
22809	519
22810	519
22811	519
22813	519
22816	519
22817	519
22818	519
22819	519
22820	519
22821	519
22822	519
22823	519
22824	519
22825	519
22827	519
22828	519
22829	519
22832	519
22833	519
22834	520

BRADY

Catalog #	Pg
22835	520
22836	520
22839	520
22840	520
22841	520
22842	520
22843	520
22844	520
22845	520
22846	520
22847	520
22849	520
22850	520
22851	520
22852	520
22853	520
22854	520
22855	520
22856	520
22857	520
22858	520
22861	506
22862	506
22863	506
22864	506
22865	506
22867	506
22870	506
22873	506
22874	506
22875	506
22876	506
22877	506
22878	506
22879	506
22880	506
22883	506
22891	506
22892	506
22895	506
22896	506
22897	507
22898	507
22901	507
22902	507
22903	507
22907	507
22909	504
22910	504
22913	507
22914	507
22915	507
22916	507
22917	507
22918	507
22919	507
22920	507
22921	507
22922	507
22923	507
22924	507
22929	508
22930	508
22931	504
22932	504
22933	508
22935	508
22937	509
22939	509
22940	509
22941	509
22942	509
22943	504
22945	510
22946	510
22948	510
22949	510
22950	510
22951	510
22952	510
22953	510
22955	510
22956	510
22957	510
22958	510
22960	510
22961	510
22962	510
22963	510
22964	510
22965	511
22966	511
22968	511
22970	511
22971	511
22972	511
22973	511
22974	511
22975	511
22976	511
22977	511
22978	511
22981	511
22982	511
22983	511
22984	511
22985	511
22986	511
22987	511
22989	511
22993	511
22994	511
22995	511
22996	511
22998	511
23000	512
23001	512
23002	512
23003	512
23004	512
23005	512
23006	512
23007	512
23008	512
23009	512
23010	512
23011	512
23012	512
23013	512
23014	512
23015	512
23016	512
23019	512
23020	512
23021	512
23022	512
23023	513
23024	513
23025	513
23026	513
23027	513
23028	513
23029	513
23030	513
23031	513
23032	513
23033	513
23034	513
23035	513
23036	513
23037	513
23038	513
23039	513
23040	513
23041	514
23043	514
23045	514
23046	514
23047	514
23048	514
23049	535
23051	514
23052	514
23054	514
23055	514
23056	514
23057	514
23058	514
23059	514
23060	514
23061	515
23062	515
23063	515
23064	515
23065	515
23066	515
23069	515
23070	515
23071	515
23074	515
23077	515
23078	515
23079	515
23090	451
23092	521
23199	334
23200	339
23201	339
23202	339
23203	339
23204	339
23205	339
23206	339
23207	339
23208	339
23209	339
23210	340
23211	340
23212	340
23213	340
23215	486
23216	486
23256	339
23257	339
23258	339
23259	339
23260	339
23261	339
23262	339
23263	339
23264	339
23265	339
23266	339
23267	339
23268	339
23269	339
23270	339
23271	339
23272	339
23273	339
23274	339
23275	339
23276	339
23277	339
23278	339
23279	339
23300	310
23301	341
23302	310
23303	341
23304	341
23305	341
23306	341
23307	341
23308	341
23309	340
23400	339
23401	339
23402	339
23403	339
23404	339
23405	339
23406	339
23407	339
23408	339
23409	339
23410	339
23411	339
23412	339
23413	339
23414	339
23415	339
23416	339
23417	339
23418	339
23419	339
23420	339
23421	339
23422	339
23423	339
23424	339
23425	339
23426	339
23427	339
23428	339
23430	339
23431	339
23432	339
23433	339
23434	339
23435	339
23436	339
23437	339
23438	339
23439	339
23440	339
23441	339
23442	339
23443	339
23444	339
23445	339
23446	339
23447	339
23448	339
23449	339
23450	339
23451	339
23452	339
23453	339
23454	339
23455	339
23456	339
23457	339
23458	339
23459	339
23460	339
23461	339
23462	339
23463	339
23464	339
23465	339
23466	339
23467	339
23468	339
23469	339
23470	339
23471	339
23472	339
23473	339
23474	339
23475	339
23476	339
23477	339
23478	339
23479	339
23480	339
23481	339
23482	339
23483	339
23484	339
23485	339
23486	339
23487	339
23488	339
23489	339
23490	339
23491	339
23492	339
23493	339
23494	339
23495	339
23496	339
23497	339
23498	339
23499	339
23500	339
23501	339
23502	339
23503	339
23504	339
23505	339
23506	339
23507	339
23508	339
23509	339
23510	339
23511	339
23512	339
23513	339
23514	339
23515	339
23516	339
23517	339
23518	339
23519	339
23520	339
23521	339
23522	339
23523	339
23524	339
23525	339
23526	339
23527	339
23528	339
23529	339
23530	339
23531	339
23532	339
23533	339
23534	339
23535	339
23536	339
23537	339
23538	339
23539	339
23540	339
23541	339
23542	339
23543	339
23544	339
23545	339
23546	339
23547	339
23548	339
23549	339
23550	339
23552	339
23553	339
23554	339
23555	339
23556	339
23557	339
23558	339
23559	339
23560	339
23561	339
23562	339
23563	339
23564	339
23565	339
23566	339
23567	339
23568	339
23569	339
23570	339
23571	339
23572	339
23573	339
23574	339
23575	339
23576	339
23577	339
23578	339
23579	339
23580	339
23581	339
23582	339
23583	339
23584	339
23585	339
23587	339
23588	339
23589	339
23596	339
23597	339
23598	339
23599	339
23600	339
23601	339
23602	339
23603	339
23604	339
23605	339
23606	339
23607	339
23608	339
23609	339
23617	339
23618	339
23619	339
23620	339
23621	339
23622	339
23623	339
23624	339
23625	339
23626	339
23630	339
23631	339
23632	339
23633	339
23634	339
23635	339
23636	339
23637	339
23638	339
23639	339
23640	339
23641	339
23642	339
23643	339
23644	339
23645	339
23646	339
23647	339
23648	339
23649	339
23650	339
23651	339
23652	339
23653	339
23654	339
23655	339
23656	339
23657	339
23658	339
23660	339
23661	339
23662	339
23663	339
23664	339
23665	339
23666	339
23667	339
23668	339
23669	339
23670	339
23671	339
23672	339
23673	339
23674	339
23675	339
23676	339
23677	339
23678	339
23679	339
23680	339
23682	339
23683	339
23684	339
23685	339
23686	339
25026	515
25027	515
25028	515
25029	515
25030	515
25031	515
25032	515
25033	515
25034	515
25035	515
25037	515
25038	515
25039	516
25040	516
25041	516
25043	516
25044	516
25045	516
25048	516
25049	516
25050	517
25051	517
25052	517
25053	517
25058	517
25060	522
25061	522
25062	522
25063	522
25064	522
25065	522
25068	453
25069	453
25073	522
25076	522
25077	522
25078	522
25079	522
25080	523
25081	523
25082	523
25083	523
25084	523
25085	523
25086	523
25087	523
25088	523
25089	523
25090	523
25091	523
25092	523
25093	523
25094	527
25095	527
25097	523
25098	523
25099	523
25100	523
25101	523
25102	523
25103	523
25104	524
25105	524
25108	527
25109	459
25110	524
25114	524
25115	524
25116	524
25117	524
25118	524
25119	524
25120	524
25121	524
25122	524
25123	525
25124	525
25126	525
25127	525
25130	525
25131	525
25132	523
25133	523
25134	525
25135	525
25136	526
25137	526
25138	456
25139	526
25140	526
25144	526
25145	526
25147	527
25148	527
25149	528
25150	528
25151	528
25152	528
25153	528
25154	528
25155	528
25156	528
25157	458
25161	539
25162	474
25165	458
25166	539
25167	494
25168	517
25169	489
25170	490
25173	566
25175	539
25176	474
25177	517
25178	545
25179	418
25182	524
25183	517
25186	540
25188	540
25190	460
25191	545
25192	529
25193	529
25194	529
25195	529
25196	530
25197	530
25198	530
25199	530
25200	530
25201	530
25204	532
25205	532
25206	533
25207	533
25208	533
25209	533
25214	535
25215	535
25216	534
25217	534
25218	535
25219	535
25220	535
25221	535
25222	455
25223	455
25224	536
25225	536
25226	536
25227	536
25228	536
25229	536
25230	536
25231	536
25232	537
25233	537
25234	537
25235	537
25241	537
25243	538
25244	538
25245	538
25246	538
25247	538
25248	539
25250	528
25251	528
25254	541
25255	541
25256	541
25257	541
25258	541
25259	541
25260	541
25261	541
25263	541
25264	541
25265	541
25266	541
25267	541
25268	541
25269	541
25270	542
25272	542
25273	542
25274	542
25275	542
25276	542
25277	542
25278	542
25279	542

Part Number Index

BradyID.com/s36

Catalog #	Pg
25280	542
25281	542
25282	542
25283	542
25284	542
25285	542
25286	543
25288	543
25289	543
25291	543
25292	543
25295	553
25297	553
25298	553
25299	553
25300	553
25301	553
25302	553
25303	553
25304	553
25307	553
25309	553
25310	553
25311	553
25312	553
25313	553
25314	553
25315	553
25316	553
25317	553
25319	553
25320	553
25323	553
25324	553
25325	553
25326	553
25327	553
25328	553
25329	553
25330	553
25331	553
25332	553
25333	553
25334	553
25335	553
25336	553
25337	553
25338	553
25339	554
25340	554
25341	554
25342	554
25343	554
25344	554
25346	554
25347	554
25348	554
25349	554
25350	554
25351	554
25356	446
25357	446
25360	446
25361	446
25362	446
25364	446
25365	446
25366	446
25368	446
25369	446
25370	446
25371	446
25372	446
25373	446
25374	446
25375	446
25376	446
25377	446
25406	446
25407	446
25413	446
25416	530
25417	530
25418	448
25419	448
25420	451
25422	453
25423	453
25424	451
25425	451
25428	452
25429	452
25430	452
25431	452
25436	453
25437	453
25438	453
25439	453
25441	453
25442	453
25443	453
25447	453
25448	454
25449	454
25450	454
25451	454
25453	454
25454	529
25456	529
25457	529
25459	529
25460	530
25461	530
25462	530
25463	530
25464	531
25465	531
25466	531
25467	531
25468	531
25469	531
25470	531
25471	531
25472	531
25473	531
25474	531
25475	531
25476	533
25477	533
25478	534
25479	534
25480	534
25482	534
25484	536
25485	536
25486	536
25487	536
25488	536
25489	536
25490	536
25491	536
25493	536
25494	537
25495	537
25496	537
25498	538
25499	538
25502	472
25503	472
25505	472
25506	472
25512	472
25513	472
25515	472
25516	472
25517	472
25520	472
25521	472
25522	473
25524	473
25526	473
25527	473
25530	473
25531	473
25532	473
25533	473
25534	473
25537	473
25538	473
25539	473
25540	473
25541	473
25545	473
25546	473
25547	473
25548	473
25549	473
25551	474
25552	474
25553	474
25556	474
25557	474
25560	474
25562	474
25563	474
25564	474
25565	474
25566	472
25567	472
25569	472
25570	537
25571	537
25574	537
25575	537
25576	537
25577	537
25578	537
25579	537
25581	538
25583	538
25584	538
25585	538
25589	539
25591	539
25592	539
25594	529
25595	529
25596	507
25597	507
25598	508
25599	508
25600	508
25601	508
25604	508
25605	508
25606	508
25607	508
25608	509
25609	509
25610	509
25611	509
25612	509
25613	509
25614	510
25615	510
25618	512
25619	512
25620	512
25621	512
25623	511
25625	513
25626	537
25627	537
25630	515
25631	515
25632	515
25633	515
25634	516
25635	516
25636	516
25637	516
25638	516
25639	516
25640	486
25641	486
25642	486
25643	486
25644	486
25645	486
25646	486
25647	486
25650	452
25651	452
25652	452
25653	452
25654	452
25655	452
25656	452
25657	452
25659	414
25661	452
25662	452
25663	452
25665	452
25666	453
25667	453
25668	453
25669	453
25670	453
25671	453
25672	522
25673	522
25674	453
25675	453
25676	486
25677	486
25678	486
25679	486
25680	486
25681	486
25687	518
25688	553
25689	553
25690	486
25691	486
25692	486
25693	486
25696	487
25700	487
25701	487
25702	487
25703	487
25704	487
25705	487
25706	487
25707	487
25708	488
25709	488
25710	488
25711	488
25712	488
25713	489
25714	489
25715	490
25716	490
25717	490
25718	490
25719	489
25720	489
25721	489
25722	489
25723	490
25729	490
25730	491
25734	456
25735	456
25738	457
25739	457
25740	457
25741	457
25742	445
25743	445
25745	458
25746	459
25747	518
25748	518
25751	518
25752	518
25753	518
25754	518
25755	518
25758	518
25759	518
25760	518
25761	475
25762	475
25763	475
25764	475
25765	475
25766	475
25767	476
25768	476
25771	474
25772	474
25773	529
25777	450
25780	445
25781	445
25792	570
25795	570
25798	570
25801	570
25804	469
25805	469
25806	571
25807	571
25815	512
25816	512
25819	571
25823	560
25824	561
25825	560
25826	560
25828	571
25829	560
25830	571
25831	561
25832	571
25833	571
25834	571
25835	571
25836	571
25838	561
25839	571
25845	571
25846	560
25847	560
25848	571
25849	571
25851	561
25852	561
25853	562
25854	562
25855	562
25857	572
25858	574
25859	561
25860	560
25861	560
25862	563
25864	572
25865	564
25868	560
25869	572
25870	572
25871	572
25872	572
25874	560
25875	572
25876	505
25877	505
25878	450
25881	471
25883	458
25884	525
25886	446
25889	560
25890	571
25891	530
25892	530
25893	531
25894	531
25895	533
25896	534
25897	473
25898	452
25899	539
25900	473
25901	415
25902	416
25904	494
25906	509
25907	509
25908	533
25909	533
25910	454
25911	512
25912	522
25913	513
25914	490
25917	545
25918	545
25919	545
25920	468
25921	468
25922	505
25927	544
25928	544
25929	544
25930	544
25933	544
25934	544
25936	544
25943	544
25944	544
25945	544
25946	544
25947	544
25950	544
25960	446
25961	446
25962	446
25963	446
25964	446
25966	101
25967	101
25968	101
25969	101
25971	446
25972	446
25973	446
25975	446
25977	521
25978	521
26453	417
26521	432
26524	432
26528	432
26530	422
26534	421
26539	433
26543	425
26545	428
26546	431
26547	426
26548	427
26549	427
26553	427
26555	429
26557	427
26558	430
26559	426
26560	426
26563	422
26570	421
26572	421
26573	432
26575	445
26576	421
26578	423
26579	423
26580	432
26582	432
26583	432
26585	432
26586	432
26588	433
26589	433
26590	430
26591	425
26593	428
26641	417
26923	513
28713	397
28714	397
28720	397
29067	494
29069	494
29076	494
29079	494
29081	494
29082	494
29294	496
29296	496
30544	519
30661	301
30662	301
30663	301
30664	301
30665	301
30666	301
30667	301
30668	301
30669	460
30670	459
30671	460
30672	460
30673	459
30674	460
30680	334
30681	334
30682	334
30683	334
30684	334
30697	397
30698	397
30699	397
30705	528
30707	528
30911	528
30913	528
30914	528
31218	528
31219	528
31550	301
31551	301
31552	301
31553	301
33341	538
33344	538
33656	531
33658	531
33659	531
33795	538
33796	538
33799	538
34010	399
34110	399
34138	399
34210	399
34238	399
34253	401
34310	399
34340	399
34341	399
34342	399
34353	401
34410	399
34440	399
34441	399
34442	399
35478	553
35480	553
36230	349
36287	358
36288	358
36289	358
36290	358
36301	358
36302	358
36303	358
36304	358
36305	358
36306	358
36307	358
36308	358
36309	358
36310	358
36311	358
36312	358
36313	358
36314	358
36315	358
36316	358
36317	358
36318	358
36319	358
37603	439
37604	439
37606	436
37612	441
37616	442
37617	442
37631	436
37635	436
37636	436
37645	441
37657	442
37660	443
37661	442
37683	444
37686	443
37690	441
37703	442
37718	437
37719	438
37720	439
37725	437
37737	439
37740	443
37743	443
37748	440
37758	439
37790	437
37793	439
37800	440
37803	435
37809	439
37833	437
37843	440
37847	435
37848	435
37849	437
37851B	483
37860	306
37861	306
37864	306
37865	306
38040	498
38047	498
38052	498
38055	498
38056	498
38061	498
38062	498
38065	498
38067	498
38068	498
38069	498
38071	498
38072	498
38073	498
38075	498
38076	498
38077	498
38082	487
38083	498
38084	498
38085	498
38086	498
38087	498
38088	341
38090	341
38091	341
38097B	483
38098B	483
38099B	483
38103	438
38104	439
38105	436
38106	436
38112	441
38114	441
38117	442
38127	436
38134	441
38138	442
38150	439
38151	436
38152	436
38158	441
38160	441
38162	442
38163	442
38172	437
38175	436
38188	441
38200	436
38205	436
38227	436
38239	441
38253	442
38264	437
38272	442
38307	444
38309	443

BRADY

Catalog #	Pg
38310	443
38313	441
38323	444
38329	441
38338	441
38345	434
38347	441
38349	442
38359	439
38360	437
38361	438
38362	439
38368	441
38370	442
38383	437
38384	438
38392	442
38403	437
38404	438
38411	437
38417	439
38420	443
38425	440
38430	434
38440	439
38444	443
38457	437
38463	439
38474	434
38478	439
38481	442
38482	443
38483	443
38484	442
38485	443
38514	439
38571	438
38574	439
38581	440
38585	435
38586	435
38587	436
38603	438
38604	439
38605	436
38606	436
38612	441
38614	441
38616	442
38617	442
38628	439
38629	439
38630	436
38637	441
38640	442
38641	442
38653	439
38654	439
38655	436
38656	436
38662	441
38665	442
38666	442
38676	437
38679	436
38683	436
38684	436
38706	436
38711	436
38730	436
38734	436
38742	441
38756	442
38767	437
38775	442
38797	444
38799	443
38800	443
38803	441
38813	444
38816	443
38819	441
38831	444
38837	441
38846	434
38848	441
38850	442
38864	439
38865	437
38866	438
38867	439
38875	441
38877	442
38892	437
38893	438
38902	441
38904	442
38914	439
38920	437
38928	439
38931	443
38933	443
38937	440
38942	434
38955	443
38964	434
38973	439
38976	443
38979	440
38984	434
38990	439
38993	442
38994	443
38995	443
38996	442
38997	443
39008	439
39012	443
39026	439
39029	442
39054	441
39055	441
39071	438
39074	439
39081	440
39084	435
39085	435
39086	435
39087	436
39108	437
39111	439
39121	435
39123	435
39124	437
39135	437
39138	439
39145	440
39148	435
39149	435
39150	435
39151	437
39161	439
39171	435
39173	435
39480	197
39481	197
39503	438
39504	439
39505	436
39506	436
39512	441
39514	441
39517	442
39528	439
39529	439
39531	436
39537	441
39542	442
39553	439
39554	439
39555	436
39556	436
39567	442
39576	437
39579	436
39590	436
39601	436
39605	436
39606	436
39613	441
39639	441
39649	442
39658	437
39696	444
39698	443
39718	441
39731	441
39738	434
39740	441
39742	442
39756	439
39758	438
39769	442
39780	437
39789	442
39803	439
39804	437
39811	437
39817	439
39820	443
39821	443
39833	437
39850	434
39860	439
39876	439
39880	443
39881	443
39883	443
39894	439
39912	439
39951	438
39954	439
39961	440
39964	435
39965	435
39967	436
39978	437
39981	439
39991	435
40194	417
40616	570
40617	412
40618	412
40621	412
40622	412
40623	412
40624	412
40625	412
40626	412
40627	412
40628	412
40629	412
40630	412
40631	412
40632	412
40633	412
40635	413
40636	413
40637	413
40638	413
40639	413
40640	413
40641	413
40642	413
40643	451
40644	451
40645	413
40646	413
40647	413
40648	475
40649	413
40650	413
40651	534
40652	534
40654	413
40655	414
40656	414
40657	414
40658	414
40661	414
40662	414
40663	414
40664	414
40665	453
40666	453
40667	414
40668	414
40669	414
40670	414
40671	414
40672	414
40673	414
40674	414
40675	414
40676	414
40677	414
40678	414
40679	414
40680	414
40681	415
40682	415
40685	415
40686	415
40687	415
40688	415
40689	415
40690	415
40691	415
40692	415
40694	415
40695	415
40696	415
40698	415
40699	415
40700	415
40702	415
40703	415
40704	415
40705	415
40706	415
40707	415
40708	415
40709	415
40710	415
40711	415
40712	415
40713	415
40714	415
40715	416
40716	416
40717	416
40718	416
40720	416
40721	416
40722	416
40723	416
40724	416
40725	416
40726	416
40728	416
40729	416
40730	416
40732	416
40734	416
40736	416
40737	416
40739	416
40740	416
40741	416
40742	416
40744	523
40746	417
40747	416
40748	416
40749	417
40750	417
40751	417
40752	417
40753	417
40754	417
40755	417
40756	417
40757	417
40758	417
40759	417
40760	417
40761	417
40762	417
40763	417
40764	417
40765	417
40766	417
40767	417
40768	417
40769	417
40770	417
40772	417
40773	417
40774	417
40775	445
40776	445
40778	417
40780	417
40781	417
40782	556
40785	418
40786	418
40788	418
40789	418
40790	418
40791	418
40792	418
40793	418
40795	418
40796	418
40797	418
40798	418
40799	418
40800	418
40801	418
40803	418
40805	418
40806	418
40807	418
40808	418
40809	418
40810	419
40811	419
40812	419
40813	419
40815	419
40816	564
40817	564
40818	419
40819	419
40820	419
40821	419
40825	419
40826	448
40827	448
40829	448
40831	448
40832	448
40833	448
40834	448
40836	448
40837	448
40840	449
40841	449
40846	449
40847	449
40848	449
40849	449
40850	449
40851	449
40852	449
40853	449
40856	450
40857	450
40858	450
40859	450
40860	450
40861	450
40862	450
40863	450
40864	450
40865	450
40866	450
40867	450
40868	450
40869	451
40870	451
40871	451
40873	451
40874	451
40876	451
40877	451
40878	451
40879	451
40880	451
40881	451
40882	451
40883	451
40884	451
40885	451
40886	451
40887	451
40888	451
40891	454
40892	454
40895	454
40896	454
40897	455
40898	455
40899	455
40900	455
40901	455
40902	455
40904	455
40905	455
40906	455
40908	455
40913	455
40914	455
40920	456
40922	456
40923	456
40924	456
40925	456
40926	456
40927	456
40928	456
40933	456
40934	456
40935	457
40936	457
40937	457
40938	457
40942	457
40943	457
40949	459
40953	466
40954	466
40964	530
40965	530
40966	530
40967	530
40968	530
40970	531
40971	531
40972	531
40973	466
40974	466
40975	466
40980	532
40981	532
40982	532
40983	532
40984	466
40987	466
40988	454
40989	467
40990	467
40991	467
40992	467
40993	467
40994	467
40995	467
40996	467
40997	413
40998	413
40999	468
41001	468
41002	468
41003	468
41006	468
41007	542
41008	542
41017	477
41018	477
41019	477
41020	477
41021	477
41022	477
41023	477
41024	477
41025	489
41026	489
41029	478
41030	478
41031	478
41032	478
41033	478
41034	478
41035	478
41036	478
41037	479
41038	479
41043	476
41044	476
41045	476
41046	476
41047	476
41048	476
41049	476
41050	476
41051	477
41052	477
41053	477
41054	477
41055	477
41058	477
41059	488
41060	488
41061	488
41062	491
41063	478
41064	478
41065	478
41066	478
41067	479
41068	479
41069	470
41070	470
41071	470
41073	470
41074	470
41075	470
41076	470
41077	470
41078	470
41079	470
41080	470
41081	507
41082	507
41083	508
41084	470
41085	470
41086	470
41087	470
41088	470
41090	470
41093	470
41094	470
41095	470
41096	470
41097	470
41098	470
41099	470
41100	470
41101	415
41102	415
41106	416
41107	470
41108	470
41109	471
41110	471
41113	471
41116	471
41117	471
41123	471
41124	479
41125	479
41126	474
41127	474
41128	474
41129	474
41130	474
41131	474
41133	474
41134	474
41136	474
41137	474
41141	529
41142	529
41143	529
41145	529
41146	529
41147	472
41148	530
41149	530
41150	530
41151	530
41152	531
41153	531
41154	532
41155	532
41156	532
41157	532
41158	532
41159	532
41160	533
41161	533
41162	533
41163	533
41164	533
41165	533
41166	533
41167	533
41170	534
41171	534
41172	534
41173	534
41176	534
41177	534
41178	535
41184	535
41186	536
41187	536
41188	536
41190	537
41191	537
41192	537
41193	537
41194	537
41195	537
41197	493
41198	493
41200	493
41201	493
41202	493
41203	493
41206	493
41207	493
41208	493
41209	493
41210	493
41211	493
41213	493
41214	494
41215	494
41217	494
41218	494
41219	494
41220	494
41221	494
41223	494
41225	494
41226	494
41227	494
41229	494
41230	495
41231	495
41232	495
41233	495
41236	495
41237	495
41243	495
41244	495
41245	495
41248	495
41249	495
41250	495
41252	486
41253	486
41254	492
41255	492
41256	492
41257	492
41260	492
41261	448
41262	448
41264	448
41266	448
41267	448
41268	448

Part Number Index

BradyID.com/s36

Catalog #	Pg
41271	449
41272	449
41273	449
41274	449
41275	449
41276	449
41281	449
41282	449
41283	570
41284	570
41285	450
41286	450
41293	452
41294	452
41305	453
41306	453
41310	453
41313	453
41314	453
41315	453
41316	453
41317	453
41318	453
41324	454
41325	454
41328	455
41329	455
41332	456
41333	456
41334	456
41335	456
41336	518
41337	518
41342	518
41348	518
41349	518
41357	518
41359	519
41360	518
41362	486
41364	518
41365	518
41366	518
41367	518
41368	519
41369	519
41370	519
41371	519
41372	519
41373	519
41374	519
41375	519
41455	351
41456	351
41457	351
41458	351
41459	351
41460	351
41461	351
41462	351
41463	351
41464	351
41465	351
41466	351
41467	351
41468	351
41469	351
41470	351
41471	351
41472	351
41473	351
41474	351
41475	351
41476	351
41477	351
41478	351
41479	351
41480	351
41481	351
41482	351
41483	351
41502	413
41510	351
41511	351
41512	351
41513	351
41514	351
41515	351
41516	351
41517	351
41518	351
41519	351
41520	351
41521	351
41522	351
41523	351
41524	351
41525	351
41527	351
41530	351
41532	351
41535	351
41536	351
41537	351
41538	351
41539	351
41545	351
41549	351
41551	351
41554	351
41555	351
41557	351
41558	351
41559	351
41560	351
41562	351
41563	351
41564	351
41565	351
41567	351
41568	351
41570	351
41572	351
41575	351
41579	351
41582	351
41584	351
41586	351
41589	351
41592	351
41593	351
41594	351
41595	351
41596	351
41597	351
41598	351
41599	351
41772	359
41889	486
41890	486
41920	340
41921	340
41922	340
41923	340
41924	340
41925	340
41926	340
41927	340
41928	340
41929	340
41952	544
41953	544
41956	544
41959	544
41961	544
41963	544
41972	544
41990	451
41991	451
42211	389
42217	389
42221	389
42228	396
42229	396
42230	396
42231	396
42233	396
42234	396
42238	396
42241	396
42242	396
42243	396
42244	396
42245	396
42247	396
42248	396
42252	446
42254	446
42255	446
42257	396
42261	396
42262	396
42263	396
42269	396
42271	396
42272	396
42273	396
42283	396
42284	396
42290	396
42293	396
42294	396
42331	359
42332	359
42335	359
42336	519
42339	519
42340	519
42341	519
42342	519
42343	519
42344	519
42345	519
42346	519
42350	519
42353	519
42354	519
42356	519
42357	520
42360	520
42362	520
42363	520
42365	520
42367	520
42368	520
42369	520
42372	520
42373	520
42375	520
42378	520
42380	520
42381	520
42385	506
42386	506
42387	506
42388	506
42389	506
42391	506
42396	506
42397	506
42398	506
42400	506
42401	506
42402	506
42404	506
42414	506
42415	506
42416	506
42418	506
42419	506
42420	507
42421	507
42424	507
42425	507
42427	507
42430	507
42431	507
42432	504
42433	504
42436	507
42437	507
42438	507
42439	507
42440	507
42441	507
42442	507
42443	507
42444	507
42445	507
42447	507
42452	508
42453	508
42454	504
42455	504
42457	508
42458	508
42459	508
42462	509
42463	509
42464	509
42465	509
42468	510
42469	510
42471	510
42472	510
42473	510
42474	510
42475	510
42476	510
42478	510
42480	510
42481	510
42485	510
42486	510
42487	510
42488	511
42489	511
42490	511
42491	511
42492	511
42493	511
42494	511
42495	511
42496	511
42497	511
42498	511
42499	511
42500	511
42501	511
42502	511
42503	511
42504	511
42505	511
42506	511
42507	511
42508	511
42509	511
42510	511
42511	511
42514	511
42515	511
42516	511
42518	511
42519	511
42521	511
42522	512
42523	512
42524	512
42525	512
42526	512
42527	512
42528	512
42529	512
42530	512
42531	512
42533	512
42534	512
42535	512
42536	512
42539	512
42541	396
42542	512
42543	512
42546	513
42547	513
42548	513
42549	513
42550	513
42551	513
42554	513
42555	513
42556	513
42557	513
42559	513
42560	513
42562	513
42563	513
42564	514
42566	514
42567	514
42568	514
42569	514
42570	514
42571	514
42576	514
42577	514
42578	514
42579	514
42582	514
42583	514
42584	515
42585	515
42587	515
42588	515
42589	515
42592	515
42594	515
42595	515
42600	515
42601	515
42602	515
42603	515
42604	515
42605	515
42606	515
42607	515
42608	515
42609	515
42610	515
42611	515
42612	515
42613	515
42614	515
42615	515
42616	516
42617	516
42618	516
42619	516
42620	516
42621	516
42622	516
42626	516
42627	517
42628	517
42630	517
42632	517
42634	517
42635	517
42636	517
42637	522
42638	522
42639	522
42640	522
42641	522
42642	522
42645	453
42646	453
42649	522
42650	522
42653	522
42654	522
42655	522
42656	522
42657	523
42658	523
42659	523
42660	523
42661	523
42662	523
42663	523
42664	523
42665	523
42666	523
42667	523
42669	523
42670	523
42671	527
42672	527
42674	523
42675	523
42676	523
42677	523
42678	523
42679	523
42680	523
42681	524
42682	524
42685	527
42686	459
42687	524
42691	524
42692	524
42693	524
42694	524
42695	524
42696	524
42697	524
42698	524
42699	524
42700	525
42701	525
42702	525
42703	525
42704	525
42706	525
42707	525
42708	525
42710	523
42711	525
42712	525
42713	526
42714	526
42715	456
42716	526
42717	526
42721	526
42722	526
42723	526
42724	527
42725	527
42726	528
42727	528
42728	528
42729	528
42730	528
42731	528
42732	528
42733	528
42734	458
42737	516
42738	539
42739	474
42740	474
42743	539
42744	494
42745	517
42746	489
42747	490
42748	458
42752	539
42753	474
42754	517
42755	545
42756	418
42759	524
42760	517
42763	540
42765	540
42766	495
42767	460
42768	545
42769	529
42771	529
42772	529
42773	530
42774	530
42775	530
42776	530
42777	530
42778	530
42781	532
42782	532
42783	533
42784	533
42785	533
42791	535
42792	535
42793	534
42794	534
42795	535
42796	535
42797	535
42798	535
42799	455
42800	455
42801	536
42802	536
42803	536
42804	536
42806	536
42807	536
42808	536
42809	537
42810	537
42811	537
42812	537
42816	537
42817	537
42819	538
42820	538
42821	538
42822	538
42823	538
42824	538
42826	539
42828	528
42833	541
42834	541
42835	541
42836	541
42837	541
42838	541
42840	541
42841	541
42842	541
42843	541
42845	541
42846	541
42849	542
42850	542
42853	542
42854	542
42855	542
42856	542
42857	542
42858	542
42859	542
42860	542
42861	542
42862	542
42863	543
42865	543
42867	543
42868	543
42869	543
42874	553
42876	553
42879	553
42881	553
42887	553
42888	553
42889	553
42891	553
42893	553
42895	553
42896	553
42897	553
42900	553
42901	553
42902	553
42903	553
42904	553
42905	553
42906	553
42907	553
42909	553
42910	553
42911	553
42912	553
42913	553
42914	553
42915	553
42916	554
42917	554
42918	554
42920	554
42921	554
42923	554
42924	554
42925	554
42926	554
42928	554
42929	554
42933	446
42934	446
42937	446
42938	446
42941	446
42942	446
42948	446
42949	446
42950	446
42951	446
42952	446
42953	446
42954	446
42986	446
42993	530
42994	530
42995	448
42996	448
42998	451
42999	453
43000	453
43001	451
43002	451
43006	452
43007	452
43008	452
43013	453
43014	453
43015	453
43016	453
43017	453
43018	453
43019	453
43020	453
43023	453
43024	453
43026	454
43027	454
43028	454
43029	454
43030	454
43032	529
43033	529
43034	529
43035	529
43036	529
43037	530
43038	530
43039	530
43040	530
43041	531
43042	531
43043	531
43044	531
43045	531
43046	531
43047	531
43048	531
43049	531
43050	531
43051	531
43052	531
43053	533
43054	533
43055	534
43056	534
43057	534
43058	534
43059	534
43060	534
43061	536
43062	536
43063	536
43064	536
43065	536
43066	536
43067	536
43068	536
43070	536
43072	537
43075	538
43076	538
43078	539

BRADY

Catalog #	Pg
43079	472
43080	472
43081	472
43082	472
43083	472
43084	472
43089	472
43090	472
43092	472
43094	472
43095	472
43096	472
43097	472
43098	472
43099	473
43101	473
43102	473
43104	473
43107	473
43108	473
43109	473
43110	473
43111	473
43112	473
43113	473
43114	473
43115	473
43116	473
43117	473
43118	473
43119	473
43120	473
43122	473
43123	473
43124	473
43125	473
43127	474
43128	474
43129	474
43130	474
43134	474
43139	474
43140	474
43141	474
43142	474
43143	472
43144	472
43145	472
43146	472
43147	537
43148	537
43151	537
43152	537
43153	537
43154	537
43155	537
43156	537
43157	538
43158	538
43159	538
43160	538
43161	538
43162	538
43168	539
43171	529
43172	529
43173	507
43174	507
43175	508
43176	508
43177	508
43178	508
43181	508
43182	508
43183	508
43184	508
43185	509
43186	509
43187	509
43188	509
43189	509
43190	509
43191	510
43192	510
43195	512
43196	512
43197	512
43198	512
43200	511
43202	513
43203	537
43204	537
43208	515
43209	515
43210	515
43211	516
43212	516
43213	516
43214	516
43215	516
43216	516
43217	486
43218	486
43220	486
43221	486
43222	486
43223	486
43224	486
43228	452
43230	452
43231	452
43232	452
43233	452
43236	414
43237	452
43238	452
43239	452
43240	452
43241	452
43242	452
43243	453
43244	453
43245	453
43246	453
43247	453
43248	453
43249	522
43250	522
43251	453
43254	486
43255	486
43256	486
43257	486
43258	486
43265	553
43267	486
43268	486
43269	486
43272	487
43274	487
43277	487
43278	487
43279	487
43281	487
43282	487
43283	487
43284	487
43285	488
43286	488
43287	488
43288	488
43289	488
43290	489
43291	489
43292	490
43293	490
43294	490
43295	490
43297	489
43298	489
43299	489
43300	490
43302	491
43303	491
43304	491
43305	490
43306	490
43307	491
43311	456
43312	456
43315	457
43316	457
43317	457
43318	457
43319	445
43320	445
43322	458
43323	459
43324	518
43325	518
43328	518
43329	518
43331	518
43332	518
43333	518
43336	518
43337	518
43338	475
43339	475
43340	475
43341	475
43342	475
43343	475
43344	476
43345	476
43349	474
43350	529
43352	519
43353	450
43354	450
43355	490
43356	418
43357	445
43358	445
43363	473
43364	473
43369	570
43372	570
43375	570
43378	570
43381	469
43382	469
43383	571
43384	571
43392	512
43396	571
43400	560
43401	561
43402	560
43403	560
43405	571
43406	560
43407	571
43408	561
43409	571
43410	571
43411	571
43412	571
43413	571
43415	561
43416	571
43421	560
43422	571
43423	560
43424	560
43425	571
43426	571
43427	561
43428	561
43429	561
43430	562
43431	562
43432	562
43434	572
43435	574
43436	561
43437	560
43438	560
43439	563
43440	575
43442	564
43445	560
43447	572
43448	572
43449	572
43450	564
43451	560
43452	572
43454	505
43455	450
43458	471
43461	525
43462	446
43464	571
43465	573
43466	560
43467	571
43468	530
43469	530
43470	531
43471	531
43472	533
43473	534
43474	473
43475	452
43476	539
43477	473
43478	415
43479	416
43481	494
43483	509
43484	509
43485	533
43486	533
43487	454
43488	512
43489	522
43490	513
43491	490
43493	545
43494	545
43495	545
43496	448
43497	511
43499	450
43500	507
43502	460
43504	523
43505	454
43507	452
43508	453
43510	454
43511	494
43514	448
43517	468
43518	468
43519	505
43747	468
43748	468
43753	468
43754	468
43758	468
43759	468
43760	468
43906	521
43979	460
43983	460
44099	386
44100	386
44101	386
44102	386
44104	386
44106	386
44107	386
44108	386
44110	386
44111	386
44112	386
44113	386
44114	386
44115	386
44116	386
44118	386
44121	386
44122	386
44124	386
44125	386
44126	386
44127	386
44129	386
44131	386
44132	386
44133	386
44134	386
44138	386
44149	386
44151	386
44155	386
44157	386
44158	386
44159	386
44160	386
44201	386
44202	386
44204	386
44206	386
44207	386
44208	386
44210	386
44211	386
44212	386
44213	386
44214	386
44215	386
44216	386
44218	386
44221	386
44222	386
44227	386
44229	386
44231	386
44232	386
44233	386
44234	386
44238	386
44242	386
44247	386
44248	386
44250	386
44255	386
44256	386
44257	386
44258	386
44259	386
44260	386
44301	386
44302	386
44304	386
44306	386
44307	386
44308	386
44310	386
44311	386
44313	386
44314	386
44315	386
44327	386
44328	386
44329	386
44331	386
44332	386
44333	386
44338	386
44342	386
44347	386
44359	386
44360	386
44400	340
44401	340
44402	340
44403	340
44500	387
44501	387
44503	387
44545	522
44607	545
44608	545
44702	339
44703	339
44704	339
44705	339
44706	339
44707	339
44708	339
44709	339
44710	339
44711	339
44712	339
44713	339
44714	339
44715	339
44716	339
44717	339
44718	339
44719	339
44720	339
44721	339
44722	339
44723	339
44724	339
44725	339
44726	339
44727	339
44728	339
44729	339
44730	339
44732	339
44733	339
44734	339
44735	339
44736	339
44737	339
44738	339
44739	339
44740	339
44741	339
44742	339
44743	339
44744	339
44745	339
44746	339
44747	339
44748	339
44749	339
44750	339
44751	339
44752	339
44753	339
44755	339
44756	339
44757	339
44758	339
44759	339
44979	432
44980	432
44981	425
44982	425
44983	431
44984	431
44985	432
44989	421
44990	421
44992	428
44993	429
44994	429
44995	433
44996	433
44999	432
45000	432
45001	432
45004	421
45008	421
45009	433
45011	428
45012	428
45013	433
45015	425
45017	432
45018	432
45019	427
45020	427
45021	431
45022	431
45023	424
45024	424
45025	423
45026	423
45028	433
45029	423
45031	422
45032	422
45033	420
45035	432
45039	421
45040	421
45041	423
45042	423
45045	432
45047	432
45048	432
45050	425
45052	431
45053	432
45054	432
45055	430
45056	430
45057	421
45058	421
45059	428
45060	428
45063	433
45064	433
45065	433
45067	432
45068	432
45069	432
45071	421
45072	421
45073	432
45074	432
45075	421
45076	421
45077	433
45078	433
45080	428
45081	433
45082	433
45084	425
45085	432
45086	432
45087	427
45088	427
45089	431
45090	431
45091	424
45092	424
45093	423
45094	423
45095	433
45096	433
45097	423
45099	422
45100	422
45102	420
45103	432
45104	432
45105	432
45106	432
45107	421
45108	421
45109	423
45110	423
45111	432
45112	432
45113	432
45115	432
45116	432
45117	425
45118	425
45119	431
45121	432
45122	432
45123	429
45124	429
45125	421
45126	421
45127	428
45129	429
45131	433
45132	433
45133	433
45136	432
45138	432
45139	421
45140	421
45141	432
45143	421
45144	421
45145	433
45146	433
45147	428
45148	428
45150	433
45151	425
45153	432
45154	432
45155	427
45156	427
45157	431
45158	431
45159	424
45161	423
45162	423
45163	433
45164	433
45165	423
45166	423
45167	422
45168	422
45171	432
45172	432
45173	432
45175	421
45176	421
45177	423
45178	423
45179	432
45180	432
45190	199
45191	208
45192	208
45193	395
45194	395
45195	395
45196	395
45330	396
45331	396
45332	396
45333	396
45363	499
45365	499
45366	500
45367	500
45368	500
45369	499
45370	500
45373	501
45375	500
45376	501
45377	501
45378	501
45379	499
45381	483
45422	499
45427	473
45428	473
45431	558
45470	414
45471	414
45472	414
45474	560
46346	387
46347	387
46348	387
46349	387
46454	427
46458	427
46459	430
46460	426
46461	426
46464	422
46471	421
46473	421
46474	432
46477	421
46479	423
46480	423
46481	432
46482	432
46483	432
46484	432
46486	432
46489	433
46491	430
46579	425
46581	428
46620	432
46626	422
46635	433
46641	425
46643	428
46644	431
46645	426
46646	427
46647	427
46661	432

Part Number Index

BradyID.com/s36

Catalog #	Pg
46664	432
46670	422
46674	421
46679	433
46687	428
46688	431
46689	426
46690	427
46691	427
46731	427
46732	428
46733	429
46735	427
46736	430
46737	426
46738	426
46741	422
46748	421
46750	421
46751	432
46753	445
46754	421
46756	423
46757	423
46758	432
46759	432
46760	432
46761	432
46763	432
46764	432
46766	433
46767	433
46768	430
46819	425
46821	428
46872	527
46979	573
46990	527
46993	525
47000	446
47002	446
47004	446
47005	473
47006	414
47008	414
47010	522
47014	446
47018	531
47022	512
47024	453
47034	477
47035	477
47039	490
47040	477
47050	530
47056	529
47058	506
47059	529
47060	506
47061	530
47064	531
47075	470
47093	412
47094	529
47100	530
47101	531
47113	470
47115	518
47116	519
47117	448
47124	508
47146	473
47148	453
47152	414
47158	534
47159	513
47160	513
47161	514
47162	514
47169	474
47170	474
47171	522
47172	525
47189	534
47192	513
47195	473
47196	468
47198	468
47203	523
47204	468
47206	450
47239	308
47243	308
47247	489
47251	308
47273	487
47279	490
47288	477
47305	536
47307	537
47327	415
47329	560
47330	416
47332	536
47333	537
47334	537
47337	519
47375	537
47437	496
47518	519
47526	519
47532	519
47533	519
47538	545
47540	545
47546	545
47550	519
47551	545
47555	545
47579	528
47587	528
47593	528
47595	528
47606	528
47612	528
47618	519
47632	528
47636	528
47638	528
47639	528
47643	443
47645	443
47646	443
47649	528
47651	528
47652	528
47655	443
47657	443
47658	443
47668	545
47670	545
47671	545
47674	545
47676	545
47677	545
47685	545
47690	545
47691	545
47699	545
47701	545
47708	545
47713	545
47721	545
47722	545
47725	545
47727	545
47728	545
47731	545
47733	545
47734	545
48111	320
48112	320
48840	462
48841	462
48842	462
48843	462
48845	462
48846	462
48847	462
48848	462
48849	462
48850	462
48851	462
48852	462
48853	462
48854	462
48855	462
48856	462
48857	462
48858	462
48859	462
48860	462
48861	462
48862	462
48863	462
48864	462
48865	462
48866	462
48867	462
48868	462
48869	462
48870	462
48871	462
48872	462
48873	462
48874	462
48875	462
48876	462
48877	462
48878	462
48879	462
48880	462
48881	462
48882	462
48883	462
48884	462
48885	462
48886	462
48887	462
48888	462
48889	462
48890	462
48891	462
48892	462
48893	462
48894	462
48895	462
48896	462
48897	462
48898	462
48899	462
48966	432
48967	432
48968	432
48972	431
48974	432
48975	429
48976	429
48977	421
48978	421
48979	428
48980	428
48983	433
48984	433
48987	432
48988	432
48989	432
48990	432
48991	421
48992	421
48995	421
48996	421
48998	433
48999	428
49001	433
49003	425
49004	425
49005	432
49006	432
49008	427
49009	431
49010	431
49011	424
49013	423
49014	423
49015	433
49016	433
49017	423
49018	423
49019	422
49020	422
49021	420
49024	432
49026	432
49027	421
49029	423
49030	423
49032	432
49035	498
49041	499
49042	501
49043	501
49044	499
49045	501
49057	496
49058	496
49060	496
49061	496
49062	496
49063	496
49064	496
49065	496
49066	496
49067	496
49068	496
49069	468
49070	468
49111	554
49112	554
49113	554
49114	554
49115	554
49116	554
49117	554
49227	323
49228	323
49234	323
49550	396
49551	396
49552	396
49553	396
49554	396
49555	396
49556	396
49557	396
49558	396
49559	396
49560	396
49561	396
49562	396
49563	396
49564	396
49565	396
49566	396
49567	396
49568	396
49569	396
49570	396
49571	396
49572	396
49573	396
49574	396
49576	396
49577	396
49578	396
49579	396
49580	396
49581	396
49801	496
49805	496
49806	496
49807	496
49900	340
49901	340
49902	340
49903	340
49904	340
49905	340
49906	340
49907	340
49908	340
49909	340
50010	401
50011	401
50012	401
50013	401
50014	401
50015	401
50016	401
50017	401
50018	401
50019	401
50020	401
50053	374
50054	374
50055	374
50056	374
50198	203
50199	203
50248	323
50250	203
50258	203
50261	203
50269	504
50270	437
50274	195
50275	323
50280	196
50281	196
50282	323
50283	196
50286	323
50287	323
50289	196
50290	323
50291	323
50292	196
50293	196
50684	499
50685	500
50687	499
50688	499
50691	500
50692	500
50693	500
50695	500
50696	500
50697	500
50698	500
50777	499
50783	499
50784	500
50785	499
50786	499
50899	213
50900	550
50901	550
50902	550
50903	550
50904	548
50905	548
50906	548
50907	549
50908	548
50909	549
50910	548
50911	550
50912	550
50914	315
50924	213
50932	213
50937	200
50938	200
50939	200
50940	208
50941	209
50943	209
50944	209
50945	209
50947	213
50948	209
50950	213
50951	209
50953	213
50954	209
50956	213
50961	184
50962	184
50979	241
50989	247
50990	247
50991	247
50992	247
50993	244
50994	244
50995	244
50996	244
50997	244
50998	455
51171	199
51172	241
51173	241
51181	246
51186	246
51187	247
51188	247
51189	247
51194	247
51195	247
51196	247
51252	220
51254	220
51256	220
51258	220
51260	220
51264	221
51265	221
51279	194
51280	194
51281	194
51282	194
51283	194
51284	194
51290	194
51291	194
51292	194
51297	194
51298	194
51299	194
51339	192
51344	192
51345	192
51346	192
51347	192
51353	192
51360	195
51361	195
51362	195
51363	195
51368	195
51369	195
51370	195
51371	195
51376	195
51377	195
51378	195
51379	196
51388	213
51390	213
51392	213
51394	213
51395	213
51442	208
51447	99
51448	83
51545	487
51546	488
51547	492
51549	492
51550	492
51551	477
51552	477
51553	524
51554	524
51555	489
51556	489
51584	82
51585	82
51586	82
52042	91
52044	91
52045	91
52047	91
52059	91
52148	90
52149	90
52150	90
52152	90
52203	400
52204	400
52207	400
52208	400
52210	400
52211	400
52212	400
52213	400
52214	400
52215	400
52216	400
52217	400
52219	400
52220	400
52641	351
52642	351
52643	351
52644	351
52665	351
52673	351
52674	351
53202	551
53203	551
55260	358
55261	358
55262	358
55263	358
55290	300
55291	300
55292	300
55293	300
55294	300
55295	300
55296	300
55297	300
55300	300
55301	300
55302	300
55303	300
55312	300
55313	300
55314	300
55358	301
55359	301
55364	358
55365	358
55368	358
55371	358
55775	580
55784	580
56681	580
56687	580
56688	580
56691	519
56694	580
56699	569
56726	569
56727	569
56750	569
56767	569
56789	569
56791	569
56795	569
56798	569
56799	569
56800	569
56818	569
56897	569
56905	477
56907	477
56908	477
56926	334
56927	334
56928	334
56929	334
56930	334
56931	334
56932	334
56933	334
56934	334
56935	334
56936	334
56937	334
56938	334
56939	334
56940	334
56941	184
56942	184
56944	184
56945	184
56946	184
56948	184
56957	397
56958	397
56959	397
56960	397
56961	397
56962	397
56968	550
56970	549
56972	548
57001	569
57002	569
57004	569
57005	569
57006	569
57014	569
57016	569
57017	569
57018	569
57020	569
57021	569
57022	569
57023	569
57026	569
57029	569
57030	569
57031	569
57032	569
57033	569
57034	569
57036	569
57037	569
57038	569
57045	569
57050	569
57067	569
57069	569
57070	569
57071	569
57072	569
57073	581
57079	528
57080	519
57084	528
57445	581
57446	581
57502	581
57593	581
57594	581
57596	581
57597	581
57599	581
57624	400
57627	581
57630	581
57754	580
57755	580
57771	581
57892	580
57893	580
57894	580
57895	580
57960	345
57961	345
57962	345
57963	345
57964	345
57965	345
57966	345
57967	345
57968	345
57969	345
57970	345
57971	345
57972	345
57973	345
57974	345
57975	345
57976	345
57977	345
57978	345
57979	345
57980	345
57981	345
57982	345
57983	345
57984	345

BRADY

Catalog #	Pg
57985	345
57986	345
57987	345
57988	345
57989	345
57990	345
57991	345
57992	345
57993	345
57994	345
57995	345
57996	345
57997	345
57998	345
57999	345
58000	345
58001	345
58002	345
58003	345
58004	345
58005	345
58006	345
58007	345
58008	345
58009	345
58010	345
58011	345
58012	345
58013	345
58014	345
58015	345
58016	345
58017	345
58200	300
58201	300
58202	300
58203	300
58220	300
58221	300
58222	300
58223	300
58250	300
58251	300
58252	300
58253	300
58255	302
58257	302
58268	374
58272	374
58273	374
58274	374
58300	579
58301	579
58342	305
58343	305
58344	305
58345	305
58346	305
58347	305
58348	305
58349	305
58351	305
58352	305
58353	305
58354	305
58388	305
58389	305
58413	309
58476	93
58500	374
58501	374
58502	374
58503	374
58504	374
58510	374
58511	374
58515	374
58621	461
58656	374
58706	93
58763	448
58764	448
58973	341
59102	485
59109	485
59111	485
59112	485
59114	485
59122	485
59277	485
59279	475
59283	485
59287	485
59288	485
59289	485
59293	485
59298	485
59299	485
59301	485
59303	485
59305	485
59307	485
59329	477
59330	477
59335	485
59336	485
59341	485
59342	485
59345	485
59349	485
59369	537
59379	474
59380	474
59381	474
59382	473
59383	473
59384	473
59385	473
59386	473
59387	473
59388	479
59389	479
59391	479
59395	455
59397	455
59404	458
59506	513
59507	513
59508	513
59529	78
59530	78
59531	78
59532	78
59918	359
59919	345
59920	345
59921	345
59922	345
59923	345
59924	345
59925	345
59926	345
59927	345
59928	345
59929	345
59930	345
59931	345
59932	345
59933	345
59934	345
59935	345
59936	345
59937	345
59938	345
59939	345
59940	345
59941	345
59942	345
59943	345
59944	345
59946	359
59955	465
59956	465
59980	345
59981	345
59982	345
60141	465
60142	465
60143	465
60161	505
60162	504
60167	505
60170	504
60172	504
60173	504
60174	504
60175	504
60176	504
60177	505
60178	504
60179	505
60180	505
60181	386
60182	386
60183	386
60184	386
60185	386
60186	386
60187	386
60188	386
60189	386
60190	386
60191	386
60192	386
60193	386
60194	386
60195	386
60196	386
60197	386
60198	386
60199	386
60200	386
60201	386
60202	386
60203	386
60204	386
60205	386
60206	386
60207	386
60208	386
60209	386
60210	386
60211	386
60212	386
60213	386
60214	386
60215	386
60216	386
60217	386
60218	386
60219	386
60220	386
60221	386
60222	386
60223	386
60224	386
60225	386
60226	386
60227	386
60228	386
60229	386
60230	386
60231	386
60232	386
60233	386
60234	386
60235	386
60237	386
60241	468
60243	395
60244	395
60245	395
60246	395
60247	395
60248	395
60249	395
60250	395
60251	395
60252	395
60253	395
60254	395
60255	395
60256	395
60257	395
60258	395
60259	395
60260	395
60261	394
60262	394
60263	394
60264	394
60265	394
60266	394
60267	394
60268	394
60269	394
60270	394
60271	394
60272	394
60273	394
60274	394
60275	394
60276	394
60277	394
60278	394
60279	394
60280	394
60281	394
60282	394
60283	394
60284	394
60285	394
60286	394
60287	394
60288	394
60289	394
60290	394
60291	394
60292	394
60293	394
60294	394
60295	394
60296	394
60297	394
60298	394
60299	394
60300	394
60301	394
60302	394
60303	394
60304	394
60305	394
60306	394
60307	393
60308	393
60309	393
60310	393
60311	393
60312	393
60313	393
60314	393
60315	393
60332	374
60333	374
60348	458
60349	458
60350	460
60362	375
60363	375
60364	375
60365	375
60366	375
60367	375
60369	375
60372	390
60373	390
60375	464
60376	464
60377	464
60380	464
60382	464
60383	464
60384	464
60387	464
60388	464
60390	464
60391	464
60394	464
60398	464
60400	464
60402	464
60403	464
60404	464
60407	464
60408	464
60409	464
60410	464
60412	464
60413	464
60414	464
60416	464
60419	464
60421	464
60423	464
60425	464
60426	464
60427	464
60428	464
60431	464
60433	464
60434	464
60435	464
60436	464
60445	375
60447	375
60499	501
60504	458
60506	466
60507	469
60508	513
60509	513
60510	415
60511	536
60533	458
60535	466
60536	469
60537	513
60538	513
60539	415
60540	536
60563	458
60568	459
60569	466
60570	469
60571	469
60572	426
60573	539
60574	427
60575	513
60576	513
60578	415
60579	536
60580	473
62423	433
62433	431
62436	427
62530	429
62538	422
62545	421
62550	445
62551	421
62555	432
62557	432
62560	432
62561	432
62734	422
62738	421
62743	433
62753	428
62754	431
62756	427
62791	428
62792	429
62794	427
62796	426
62797	426
62807	421
62809	421
62810	432
62812	445
62813	421
62816	423
62817	432
62818	432
62822	432
62827	430
62866	425
62868	428
62950	541
62951	541
62952	541
62954	541
63009	305
63050	305
63200	465
63203	570
63204	570
63207	571
63208	570
63210	571
63212	464
63214	465
63240	375
63300	463
63301	463
63302	463
63303	463
63304	463
63306	463
63307	463
63308	463
63310	463
63311	463
63312	463
63313	463
63314	463
63316	463
63317	463
63318	463
63320	463
63321	463
63322	463
63323	463
63324	463
63325	463
63326	463
63327	463
63328	463
63331	463
63332	463
63333	463
63334	463
63336	463
63337	463
63339	463
63340	463
63341	463
63342	463
63344	463
63345	463
63346	463
63347	463
63348	463
63349	463
63350	463
63351	463
63352	463
63353	463
63354	463
63355	463
63356	463
63357	463
63358	463
63359	463
63360	463
63361	463
63362	463
63363	463
63364	463
63365	463
63366	463
63368	463
63369	463
63371	463
63372	463
63373	463
63375	463
63376	463
63377	463
63378	463
63380	463
63381	463
63383	463
63384	463
63385	463
63386	463
63387	463
63389	463
63390	463
63392	463
63393	463
63394	463
63395	463
63396	463
63399	463
63400	463
63403	463
63404	463
63406	464
63407	464
63409	464
63410	464
63411	464
63412	464
63414	464
63415	464
63418	464
63419	464
63420	464
63421	464
63422	464
63423	464
63425	464
63426	464
63428	464
63429	464
63431	464
63433	464
63434	464
63436	464
63437	464
63438	464
63439	464
63441	464
63442	464
63443	464
63444	464
63446	464
63447	464
63448	464
63449	464
63452	464
63454	464
63455	464
63473	376
64057	211
64221	225
64331	101
64332	101
64333	101
64335	101
64336	101
64339	101
64340	101
64347	101
64348	101
64349	101
64355	101
64356	101
64357	101
64401	101
64402	101
64403	101
64404	101
64405	101
64539	225
64540	225
64731	101
64732	101
64733	101
64735	101
64736	101
64737	101
64739	101
64740	101
64741	101
64984	93
64985	93
65039	530
65040	199
65043	231
65159	446
65240	201
65241	201
65261	446
65262	446
65263	446
65264	446
65266	446
65269	229
65270	323
65273	379
65279	224
65280	379
65289	234
65291	233
65299	323
65318	208
65319	208
65320	208
65321	221
65329	221
65347	328
65348	328
65349	328
65350	328
65371	324
65372	328
65373	328
65375	197
65376	197
65387	221
65392	227
65396	221
65397	221
65402	213
65403	213
65404	221
65405	233
65406	221
65407	203
65408	203
65440	203
65441	203
65442	203
65443	203
65444	203
65445	203
65446	203
65447	203
65448	203
65450	203
65451	203
65452	203
65453	203
65454	203
65455	203
65456	323
65457	323
65500	205
65501	333
65502	203
65503	203
65504	203
65505	203
65506	203
65508	190
65511	505
65515	203
65516	504
65520	203
65521	203
65522	203
65523	203
65524	203
65525	203
65526	203
65527	203
65534	203
65535	203
65560	211
65561	211
65562	211
65563	211
65564	211
65570	504
65571	504
65575	504
65576	504
65585	211
65586	211
65587	211
65588	211
65589	211
65590	211
65591	211

Part Number Index

BradyID.com/s36

Catalog #	Pg
65592	211
65593	211
65594	211
65595	211
65596	211
65597	211
65598	211
65599	211
65645	225
65666	212
65669	212
65670	203
65671	203
65672	199
65673	229
65674	228
65675	228
65682	505
65688	221
65690	224
65691	224
65692	212
65693	212
65695	229
65696	227
65699	199
65750	224
65751	224
65777	234
65780	241
65810	220
65814	220
65815	220
65817	468
65825	446
65828	446
65903	379
65909	467
65910	468
65916	532
65917	532
65937	379
65948	468
65949	468
65950	468
65960	197
65961	197
65962	197
65963	197
65964	197
65965	221
65966	221
65967	197
65968	229
65970	197
65971	197
65972	197
65973	197
65974	197
65975	197
66004	504
66005	504
66006	504
66007	504
66008	504
66009	504
66050	203
66051	203
66052	203
66053	203
66054	203
66055	203
66056	203
66060	203
66061	203
66062	203
66063	203
66064	203
66065	203
66066	203
66067	203
66219	185
66320	221
66321	221
66322	323
66324	323
66328	245
67992	541
69000	453
69005	449
69006	539
69008	520
69012	518
69013	518
69023	473
69024	473
69025	474
69026	473
69028	511
69031	507
69032	418
69035	474
69036	473
69041	529
69044	519
69046	510
69050	561
69054	451
69057	472
69068	506
69070	451
69071	488
69074	490
69075	510
69080	516
69087	518
69088	493
69089	452
69090	506
69091	470
69096	417
69097	413
69099	417
69100	570
69101	413
69102	412
69103	412
69105	413
69106	412
69108	413
69109	413
69111	413
69131	510
69133	560
69138	506
69143	519
69144	510
69148	510
69149	515
69157	473
69162	514
69168	487
69170	511
69173	553
69176	571
69179	536
69182	537
69183	536
69184	534
69190	474
69192	473
69193	414
69196	514
69199	476
69202	487
69206	487
69210	415
69215	538
69221	458
69226	530
69228	449
69229	530
69232	494
69237	511
69238	517
69243	489
69246	489
69250	495
69252	458
69255	537
69264	453
69265	453
69273	414
69275	453
69277	566
69282	519
69290	448
69291	448
69292	472
69294	454
69301	561
69302	471
69304	454
69307	518
69308	454
69315	472
69317	511
69331	531
69333	553
69337	454
69339	474
69344	512
69350	514
69352	553
69364	519
69371	448
69380	415
69382	415
69387	415
69399	455
69404	507
69405	418
69407	456
69408	449
69409	455
69410	415
69413	513
69414	553
69415	471
69416	517
69417	513
69425	518
69430	517
69437	542
69440	455
69442	459
69444	520
69445	418
69446	416
69447	416
69448	419
69449	418
69455	519
69456	517
69460	517
69461	415
69463	493
69464	553
69469	535
69470	540
69472	535
69473	415
69475	513
69477	416
69481	538
69486	535
69487	537
69494	537
69500	492
69504	513
69510	513
69511	486
69515	554
69531	508
69539	571
69540	514
69541	514
69546	537
69551	509
69558	455
69561	515
69562	571
69566	417
69567	528
69568	523
69573	457
69575	417
69576	515
69577	515
69579	538
69580	417
69581	538
69582	486
69583	486
69584	538
69585	457
69586	474
69587	474
69588	515
69590	515
69591	417
69594	515
69595	515
69596	515
69599	523
69600	524
69601	523
69603	417
69604	457
69606	417
69607	471
69608	516
69609	516
69611	516
69612	417
69613	474
69614	516
69615	457
69755	553
69763	504
69765	450
69767	445
69768	445
69771	413
69775	448
69783	518
69785	554
69789	445
69791	516
69792	524
69793	418
69794	458
69796	474
69799	539
69800	539
69801	460
69806	446
69809	446
69810	446
69813	445
69815	445
69825	446
70102	447
70103	447
70105	447
70109	447
70110	447
70112	447
70115	447
70117	447
70123	447
70127	447
70128	447
70129	447
70136	447
70137	447
70138	447
70141	447
70152	447
70153	447
70161	447
70167	447
70202	472
70205	553
70206	450
70207	450
70208	450
70212	571
70217	450
70218	571
70220	416
70223	570
70225	486
70227	493
70230	573
70239	456
70240	451
70245	470
70246	451
70247	560
70248	454
70249	454
70250	467
70252	467
70255	469
70256	448
70257	560
70258	451
70260	451
70267	452
70270	456
70273	534
70278	506
70279	536
70280	506
70286	529
70287	534
70288	529
70290	511
70293	553
70298	534
70299	529
70302	530
70303	530
70305	530
70306	473
70315	516
70317	458
70322	506
70323	477
70325	477
70327	452
70329	452
70330	414
70335	530
70336	537
70338	537
70339	530
70340	511
70345	495
70347	495
70350	452
70352	530
70356	459
70357	453
70358	530
70359	530
70362	536
70363	511
70366	539
70368	536
70370	536
70371	414
70372	453
70373	453
70374	449
70375	453
70376	561
70378	520
70383	531
70388	473
70389	473
70393	511
70402	473
70406	507
70409	507
70410	486
70416	541
70419	454
70422	512
70423	454
70426	545
70428	561
70430	456
70436	520
70437	512
70438	512
70442	518
70446	515
70448	515
70450	524
70452	522
70456	414
70457	571
70458	561
70460	478
70462	553
70466	470
70467	513
70468	513
70470	507
70475	532
70479	415
70495	537
70503	572
70506	532
70507	537
70508	545
70509	523
70515	535
70517	535
70518	554
70522	416
70523	537
70525	478
70526	572
70527	508
70528	508
70529	508
70532	470
70533	472
70534	472
70536	568
70537	568
70542	470
70546	515
70547	513
70548	470
70550	479
70555	553
70559	449
70562	572
70563	509
70565	415
70567	416
70569	472
70577	509
70578	554
70579	509
70580	509
70582	455
70585	455
70587	509
70588	535
70593	545
70602	415
70608	544
70609	544
70610	544
70612	544
70616	544
70617	544
70632	521
70667	415
70699	415
70713	416
70730	526
70736	418
70747	418
70753	418
70820	413
70833	417
70846	417
70852	413
70855	490
70863	417
70885	413
70915	476
70923	476
70947	477
70949	477
70976	477
70997	499
70998	500
70999	500
71015	478
71016	478
71046	491
71065	474
71106	470
71118	512
71120	512
71136	418
71142	418
71166	475
71178	562
71199	418
71216	418
71229	417
71258	417
71282	419
71288	419
71293	419
71313	419
71326	419
71335	416
71366	479
71373	479
71389	417
71396	419
71425	472
71432	472
71463	474
71473	474
71479	474
71543	414
71545	414
71565	473
71570	473
71572	473
71580	414
71643	489
71649	489
71655	490
71688	490
71708	486
71715	486
71732	491
71779	492
71895	452
71932	452
71945	453
71985	492
72009	524
72022	524
72024	524
72040	524
72049	524
72055	525
72072	522
72083	522
72091	525
72097	525
72118	523
72133	523
72148	525
72155	526
72176	526
72207	452
72230	452
72238	452
72246	453
72255	524
72285	522
72293	524
72295	524
72296	526
72297	526
72298	526
72328	527
72329	527
72336	527
72341	526
72342	523
72343	526
72344	526
72345	526
72346	526
72347	526
72348	526
72349	527
72355	527
72392	451
72395	527
72396	527
72397	527
72398	527
72399	527
72408	451
72412	304
72428	451
72473	453
72489	453
72503	454
72537	454
72546	456
72573	449
72587	455
72605	553
72623	519
72655	520
72700	494
72708	494
72722	494
72752	520
72800	520
72808	519
72883	495
72897	495
72936	553
72949	520
72975	518
72988	528
73009	510
73052	510
73058	510
73086	510
73400	447
73403	447
73404	472
73405	571
73408	454
73410	539
73412	453
73414	470
73415	512
73416	522
73417	478
73418	456
73419	520
73420	455
73422	449
73423	554
73424	571
73426	544
73427	523
73430	414
73433	489
73434	490
73436	452
73437	522
73439	518
73440	486
73442	494
73443	518
73444	507
73445	447
73446	447
73447	447
73449	553
73450	515
73451	469
73455	537
73456	534
73457	530
73458	486
73460	511
73461	531
73463	471
73464	553
73466	523
73467	478
73469	418
73470	532
73471	494
73472	412
73473	478
73474	528
73475	537
73476	415
73477	544
73478	544
73481	491
73482	475
73483	490
73484	453

BRADY

Catalog #	Pg
73486	524
73487	524
73489	451
73490	458
73493	494
73509	477
73510	477
73513	477
73538	495
73540	473
73542	478
73545	478
73558	477
73860	352
73861	352
73862	352
73863	352
73864	352
73865	352
73866	352
73867	352
73868	352
73869	352
73870	352
73871	352
73872	352
73873	352
73874	352
73875	352
73877	352
73878	352
73879	352
73880	352
73882	352
73883	352
73885	352
73886	352
73887	352
73888	352
73889	352
73890	352
73891	352
73892	352
73893	352
73894	352
73895	352
73896	352
73897	352
73898	352
73899	352
73900	352
73901	352
73902	352
73903	352
73904	352
73905	352
73906	352
73907	352
73908	352
73909	352
73910	352
73911	352
73913	352
73914	352
73915	352
73916	352
73917	352
73918	352
73919	352
73920	352
73921	352
73922	352
73923	352
73924	352
73925	352
73926	352
73927	352
73928	352
73929	352
73930	352
73931	352
73932	352
73933	352
73934	352
73935	352
73936	352
73937	352
73938	352
73939	352
73940	352
73941	352
73942	352
73943	352
73944	352
73945	352
73946	352
73947	352
73948	352
73949	352
73950	352
73951	352
74097	493
74111	510
74132	511
74170	539
74187	511
74226	511
74264	512
74270	507
74299	512
74305	512
74337	537
74350	508
74385	508
74391	415
74415	517
74429	517
74442	509
74455	509
74464	456
74479	538
74509	509
74520	450
74542	529
74581	531
74609	511
74616	456
74630	532
74680	509
74740	533
74764	533
74829	542
74837	542
74844	542
74850	542
74855	542
74871	446
74886	543
74900	543
74907	543
74940	493
74948	536
74966	493
74982	539
75042	532
75062	577
75063	573
75066	575
75071	562
75082	570
75086	560
75091	571
75093	573
75094	573
75096	560
75097	571
75101	561
75103	560
75110	574
75111	574
75113	574
75115	571
75118	570
75123	571
75126	507
75137	560
75140	562
75141	562
75142	562
75143	562
75144	563
75147	571
75155	572
75156	572
75157	572
75158	572
75161	575
75162	575
75166	563
75178	575
75180	575
75183	572
75190	564
75198	572
75199	576
75200	576
75201	576
75203	576
75205	576
75206	576
75207	576
75211	568
75212	568
75215	572
75219	564
75226	564
75227	564
75234	561
75444	412
75478	414
75510	416
75590	473
75639	452
75662	453
75670	523
75900	531
75914	531
75919	531
75928	514
75962	493
75963	493
75970	479
75971	479
75972	526
75973	526
75974	450
75975	450
75976	533
75977	533
75978	476
75979	535
75980	535
75990	446
76005	446
76006	446
76009	446
76013	446
76015	446
76021	446
76034	446
76036	446
76040	446
76045	446
76050	446
76053	446
76056	446
76061	446
76063	446
76064	446
76065	472
76066	477
76067	477
76070	530
76072	473
76073	448
76077	466
76080	448
76081	541
76082	541
76085	457
76087	575
76088	576
76090	572
76092	453
76093	554
76095	495
76096	495
76097	446
76098	446
76100	446
76101	446
76168	328
76171	328
76192	328
76193	328
76197	328
76198	328
76222	324
76259	464
76290	544
76299	395
76300	395
76301	395
76302	395
76303	395
76305	396
76306	396
76308	300
76309	300
76310	300
76312	300
76313	300
76316	300
76317	300
76318	300
76319	300
76321	300
76394	464
76415	374
76430	303
76431	303
76432	303
76433	303
76434	465
76436	465
76437	465
76438	465
76439	465
76501	358
76502	358
76503	358
76504	358
76505	358
76506	358
76507	358
76509	358
76510	358
76512	358
76514	358
76598	95
76599	95
76600	95
76601	95
76602	95
76603	95
76604	95
76606	95
76607	95
76608	95
76609	95
76610	95
76611	95
76612	95
76613	95
76614	95
76615	95
76616	95
76617	95
76618	95
76619	95
76620	95
76621	95
76622	95
76623	95
76624	95
76625	95
76626	95
76627	95
76628	95
76629	95
76630	95
76631	95
76632	95
76633	95
76634	95
76635	95
76636	95
76637	95
76638	95
76639	95
76640	95
76641	95
76642	95
76643	95
76644	95
76645	95
76646	95
76647	95
76648	95
76649	95
76650	95
76651	95
76652	95
76653	95
76654	95
76686	98
76687	98
76688	98
76689	98
76691	98
76692	98
76693	98
76694	98
76695	98
76696	98
76697	98
76698	98
76699	98
76700	98
76701	98
76702	98
76703	98
76704	98
76705	97
76706	97
76707	97
76711	96
76712	96
76713	96
76714	97
76715	97
76716	97
76720	98
76721	98
76722	98
76737	34
76739	99
76741	99
76743	99
76745	99
76747	99
76749	99
76751	99
76752	99
76759	99
76760	99
76761	99
76762	99
76763	99
76766	99
76767	99
76770	99
76771	99
76774	99
76775	99
76778	99
76779	99
76782	99
76786	99
76787	99
76790	99
76791	99
76794	99
76795	99
76811	92
76870	491
76871	566
76879	544
77198	307
77200	307
77201	307
77202	307
77203	307
77204	307
77205	307
77207	307
77208	307
77210	307
77216	307
77217	307
77219	307
77221	307
77224	307
77226	307
77995	446
77997	446
77998	446
77999	446
78000	558
78002	558
78003	558
78004	558
78007	558
78009	558
78010	558
78011	558
78013	558
78014	558
78015	558
78016	558
78018	558
78019	558
78031	558
78033	558
78035	558
78036	558
78037	557
78047	558
78049	558
78055	558
78063	446
78064	446
78066	446
78067	446
78073	446
78083	446
78084	446
78086	446
78091	302
78092	302
78130	300
78131	300
78132	300
78136	300
78137	300
78140	300
78141	300
78142	300
78146	302
78147	302
78148	302
78149	302
78150	302
78160	302
78161	302
78162	302
78163	302
78187	302
78188	302
78189	302
78190	302
78191	302
78193	302
78194	302
78195	302
78196	302
78197	302
78198	302
78199	302
78227	519
78234	306
78235	306
78238	306
78239	306
78241	306
78246	306
78247	306
78248	306
78254	306
78257	306
78258	306
78259	306
78260	490
78261	581
78262	581
78263	581
78264	581
78268	306
78272	579
78273	579
78788	374
78985	300
78986	300
78987	300
78988	300
78989	300
78990	300
78991	578
78993	578
78998	578
79936	349
80007	486
80009	486
80012	400
80013	400
80014	400
80016	400
80017	486
80027	478
80028	478
80029	479
80032	400
80033	400
80034	400
80036	400
80035	479
80037	521
80040	479
80041	479
80048	479
80049	566
80055	573
80060	573
80061	573
80067	575
80068	575
80071	577
80072	577
80073	576
80074	576
80075	576
80076	573
80077	563
80078	564
80091	574
80094	574
80095	575
80097	560
80098	574
80099	575
80100	573
80101	573
80102	573
80103	573
80104	573
80105	575
80106	575
80108	574
80109	575
80110	566
80111	581
80112	581
80117	309
80118	309
80125	309
80127	309
80129	309
80130	309
80131	309
80160	491
80161	488
80162	490
80167	489
80173	490
80174	490
80201	475
80202	475
80204	473
80207	476
80208	476
80209	476
80210	476
80211	476
80212	476
80213	476
80214	476
80215	477
80217	477
80218	477
80219	477
80220	477
80221	477
80222	477
80223	488
80224	487
80225	488
80227	489
80229	488
80231	489
80232	489
80233	488
80234	488
80235	489
80237	490
80241	490
80242	489
80243	490
80244	490
80245	495
80247	478
80248	524
80249	524
80250	478
80253	478
80254	478
80255	478
80256	479
80257	479
80259	479
80261	478
80262	479
80264	479
80266	479
80267	475
80268	475
80269	473
80270	473
80272	475
80273	476
80274	476
80275	476
80276	476
80277	476
80278	476
80279	476
80281	477
80282	477
80283	477
80284	477
80285	477
80286	477
80287	477
80288	477
80289	477
80290	477
80294	488
80296	489
80297	489
80298	488
80299	488
80460	490
80548	356
80549	356
80550	356
80551	356
80702	500
80703	500
80704	499
80705	501
80716	461
80717	461
80735	485
80753B	483
80754B	483
80755B	483
80756B	483

Part Number Index

BradyID.com/s36

Catalog #	Pg
80885	485
80899	485
80903	485
80937	306
80938	306
80943	306
80944	306
80958	306
80959	306
80960	306
80961	306
81728	351
81729	303
81760	207
81761	207
81762	207
81763	335
81764	335
81765	207
81766	207
81767	207
81768	207
81769	207
81770	207
81771	335
81772	335
81773	207
81791	482
81792	482
81794	482
81795	482
81796	482
81797	482
81798	482
81799	482
81800	482
81801	482
81802	482
81803	482
81804	482
81805	482
81806	482
81807	482
81808	482
81809	482
81810	482
81811	482
81813	482
81814	482
81815	482
81816	482
81818	482
81819	482
81820	482
81822	482
81823	482
81824	482
81826	482
81827	482
81828	482
81830	482
81831	482
81834	482
81835	482
81838	482
81839	482
81840	482
81842	482
81843	482
81845	482
81869	303
81873	303
81879	482
81882	482
81883	482
81884	482
81886	482
81887	482
81888	482
81890	482
81891	482
81892	482
81894	482
81895	482
81896	482
81898	482
81899	482
81900	482
81902	482
81903	482
81904	482
81906	482
81907	482
81908	482
81910	482
81911	482
81912	482
81913	482
81914	482
81915	482
81916	482
81918	482
81919	482
81920	482
81921	482
81922	482
81923	482
81925	482
81963	390
81991	333
82586	389
82587	389
82588	389
82589	389
82590	389
82591	389
82592	389
82593	389
82594	389
82595	468
82596	468
83400	349
83413	349
83414	349
83415	349
83416	349
83418	349
83421	349
83424	349
83430	349
83432	349
83436	349
83448	349
83449	349
83450	349
83451	349
83453	349
83454	349
83456	349
83460	349
83466	349
83468	349
83477	349
83478	349
83479	349
83484	349
83489	349
83496	349
83498	349
83499	349
83501	349
83503	349
83505	349
83510	349
83514	349
83515	349
83517	349
83518	349
83520	349
83522	349
83527	349
83530	349
83537	349
83540	349
83545	349
83550	349
83551	349
83553	349
83554	349
83556	349
83558	349
83561	346
83563	349
83566	349
83571	346
83573	349
83576	349
83585	349
83589	349
83590	349
83596	349
83598	349
83599	349
83600	349
83601	349
83604	349
83607	349
83612	349
83614	349
83615	349
83654	432
83658	432
83660	422
83664	421
83669	433
83675	425
83677	428
83678	431
83679	426
83680	427
83681	427
83731	427
83732	428
83733	429
83735	427
83736	430
83737	426
83738	426
83741	422
83748	421
83751	432
83753	445
83754	421
83756	423
83757	423
83758	432
83759	432
83760	432
83761	432
83763	432
83764	432
83766	433
83767	433
83768	430
83839	425
83841	428
83874	432
83877	432
83883	422
83887	421
83892	433
83896	425
83898	428
83899	431
83900	426
83901	427
83902	427
83907	428
83908	429
83910	427
83911	430
83912	426
83913	426
83916	422
83923	421
83925	421
83928	445
83929	421
83931	423
83932	423
83933	432
83934	432
83935	432
83936	432
83938	432
83939	432
83941	433
83942	433
83943	430
83954	425
83956	428
84002	412
84003	412
84006	412
84007	412
84008	412
84009	412
84010	412
84011	412
84012	412
84013	412
84014	412
84015	412
84018	412
84019	412
84026	412
84027	412
84032	413
84033	413
84034	413
84035	413
84036	413
84037	413
84038	413
84039	413
84042	451
84043	451
84054	413
84055	413
84056	413
84057	413
84060	413
84061	413
84062	413
84063	413
84064	413
84065	413
84066	414
84067	414
84068	414
84069	414
84074	414
84075	414
84080	453
84081	453
84082	414
84083	414
84084	414
84085	414
84086	414
84089	414
84090	414
84091	414
84092	414
84095	414
84096	414
84097	414
84101	414
84103	415
84104	415
84107	415
84108	415
84110	415
84111	415
84112	415
84113	415
84114	415
84115	415
84119	415
84120	415
84122	415
84123	415
84124	415
84129	415
84130	415
84131	415
84132	415
84133	415
84134	415
84138	415
84140	415
84141	416
84142	416
84143	416
84144	416
84146	416
84149	416
84150	416
84151	416
84152	416
84153	416
84154	416
84155	416
84156	416
84159	416
84160	416
84167	416
84168	416
84171	416
84172	416
84173	416
84174	416
84175	416
84176	416
84177	523
84178	523
84179	417
84181	416
84182	416
84183	417
84184	417
84185	417
84186	417
84187	417
84188	417
84189	417
84190	417
84191	417
84192	417
84195	417
84196	417
84197	417
84198	417
84199	417
84200	417
84203	417
84204	417
84205	417
84206	417
84207	417
84208	417
84211	417
84212	417
84213	417
84215	417
84216	445
84217	445
84218	417
84219	417
84222	417
84223	417
84226	417
84227	417
84234	545
84236	418
84237	418
84238	418
84239	418
84240	418
84245	418
84246	418
84247	418
84249	418
84251	418
84252	418
84256	418
84257	418
84258	418
84259	418
84260	418
84263	418
84266	419
84267	419
84269	419
84270	419
84274	419
84275	419
84276	419
84277	419
84278	419
84279	419
84284	419
84285	448
84286	448
84289	448
84291	448
84292	448
84293	448
84294	448
84295	448
84296	448
84297	448
84298	448
84301	449
84302	449
84313	449
84314	449
84315	449
84316	449
84317	449
84318	449
84319	449
84320	449
84321	449
84322	449
84323	450
84324	450
84326	450
84327	450
84332	450
84333	450
84334	450
84335	450
84337	450
84338	450
84339	450
84340	450
84341	450
84345	451
84346	451
84349	451
84350	451
84351	451
84352	451
84355	451
84356	451
84357	451
84358	451
84361	451
84362	451
84363	451
84364	451
84366	451
84368	451
84369	451
84370	451
84371	451
84372	451
84375	452
84376	452
84379	452
84387	453
84388	453
84393	453
84394	453
84395	453
84396	453
84397	453
84398	453
84399	453
84400	453
84403	453
84407	454
84408	454
84409	454
84411	454
84412	454
84421	454
84422	454
84423	454
84425	454
84426	454
84427	454
84428	455
84429	455
84430	455
84431	455
84434	455
84435	455
84436	455
84438	455
84439	455
84440	455
84446	455
84457	455
84458	455
84459	455
84461	455
84462	455
84463	456
84464	456
84466	456
84467	456
84468	456
84469	456
84471	456
84472	456
84473	456
84476	456
84477	456
84478	456
84483	457
84484	457
84487	457
84488	457
84491	457
84492	457
84493	457
84494	457
84497	458
84498	458
84507	459
84508	459
84511	460
84516	466
84529	530
84530	530
84531	530
84532	530
84533	530
84534	530
84535	531
84536	531
84537	531
84538	531
84542	466
84545	532
84546	532
84547	532
84548	532
84549	532
84550	532
84551	539
84552	532
84553	532
84554	532
84555	532
84556	532
84557	532
84558	466
84559	466
84560	466
84561	466
84562	454
84563	454
84564	467
84566	467
84567	454
84568	454
84569	467
84570	467
84571	413
84572	413
84575	468
84577	468
84583	542
84586	542
84601	544
84602	544
84603	544
84604	544
84605	544
84617	475
84618	475
84619	475
84621	475
84622	475
84625	476
84626	476
84627	477
84628	477
84630	477
84632	477
84633	477
84634	477
84635	489
84636	489
84641	478
84642	478
84643	478
84644	478
84647	478
84648	478
84651	479
84652	479
84653	479
84654	479
84661	476
84662	476
84663	476
84664	476
84665	476
84666	476
84667	476
84668	476
84669	476
84670	477
84671	477
84672	477
84673	477
84674	477
84675	477
84676	477
84677	477
84678	477
84679	477
84680	477
84681	488
84682	488
84683	488
84684	491
84685	478
84686	478
84687	478
84688	478
84689	479
84690	479
84692	470
84695	470
84696	470
84697	470
84698	470
84699	470
84700	470
84702	470
84703	470
84704	470
84705	470
84706	470
84707	470
84708	507
84710	470
84711	470
84712	470
84713	470
84714	470
84715	470
84716	470
84717	470
84718	470
84719	470
84720	470
84721	470
84725	470
84726	470
84727	470
84730	470
84732	415
84733	415
84736	416
84737	416
84738	470
84739	470
84740	471
84741	471
84746	471

BRADY

Catalog #	Pg
84747	471
84748	471
84749	471
84750	471
84751	471
84752	471
84755	471
84756	471
84757	471
84758	471
84761	471
84762	471
84767	471
84768	471
84769	471
84770	479
84771	479
84774	529
84775	529
84776	529
84777	529
84778	529
84779	529
84780	530
84782	530
84783	530
84784	531
84785	531
84788	531
84789	531
84790	531
84791	531
84792	531
84793	531
84794	531
84795	531
84796	531
84797	531
84798	533
84799	533
84802	534
84803	534
84804	534
84805	534
84806	534
84807	534
84808	536
84809	536
84810	536
84811	536
84812	536
84813	536
84814	536
84815	536
84816	536
84817	536
84818	537
84822	538
84823	538
84824	539
84825	539
84826	539
84827	472
84828	472
84829	472
84830	472
84831	472
84832	472
84834	472
84837	472
84838	472
84843	472
84844	472
84847	472
84848	472
84851	472
84852	472
84853	472
84855	472
84856	472
84857	472
84859	472
84860	472
84865	473
84875	473
84876	473
84877	473
84878	473
84879	473
84880	473
84883	473
84884	473
84885	473
84886	473
84887	473
84888	473
84889	473
84895	473
84897	473
84903	474
84904	474
84905	474
84906	474
84907	521
84908	521
84917	474
84918	474
84924	474
84925	474
84926	474
84927	474
84928	474
84929	472
84933	472
84934	472
84937	474
84938	474
84941	474
84942	474
84943	474
84944	474
84945	474
84946	474
84949	474
84950	474
84956	474
84957	474
84958	474
84959	474
84960	474
84962	474
84963	474
84966	474
84967	474
84968	474
84971	529
84972	529
84973	529
84975	529
84976	529
84977	529
84981	530
84982	530
84983	530
84984	530
84987	531
84989	532
84990	532
84991	532
84992	532
84993	532
84994	532
84995	533
84996	533
84997	533
84998	533
84999	533
85000	533
85001	533
85002	533
85003	534
85007	534
85008	534
85011	534
85015	534
85016	534
85017	535
85018	535
85021	535
85027	535
85028	535
85029	536
85030	536
85032	536
85035	537
85036	537
85038	537
85039	537
85040	537
85041	537
85042	537
85045	537
85046	537
85049	537
85050	537
85051	537
85052	537
85053	538
85054	538
85055	538
85056	538
85057	538
85058	538
85066	538
85069	539
85070	539
85071	539
85072	540
85074	540
85075	540
85076	540
85079	529
85080	529
85083	507
85084	507
85085	508
85086	508
85087	508
85088	508
85091	508
85092	508
85093	508
85094	508
85095	509
85096	509
85097	509
85098	509
85099	509
85100	509
85101	510
85102	510
85115	512
85116	512
85117	512
85118	512
85119	511
85120	511
85129	537
85130	537
85133	515
85134	515
85135	515
85136	515
85139	516
85140	516
85141	516
85142	516
85143	516
85144	516
85145	517
85147	517
85148	486
85151	486
85152	486
85161	452
85162	452
85165	452
85166	452
85167	452
85168	452
85169	452
85170	452
85174	414
85175	452
85176	452
85179	452
85180	452
85181	452
85182	452
85183	453
85184	453
85185	453
85186	453
85187	453
85188	453
85189	522
85190	522
85191	453
85192	453
85197	486
85198	486
85199	486
85200	486
85206	486
85209	486
85210	486
85211	518
85212	518
85219	486
85220	486
85221	486
85222	486
85225	487
85228	487
85231	487
85236	487
85237	487
85239	487
85240	487
85241	487
85242	487
85243	487
85244	487
85248	488
85249	488
85253	488
85254	488
85255	489
85256	489
85257	489
85258	490
85259	490
85261	490
85262	489
85263	489
85264	489
85265	489
85267	489
85268	489
85269	489
85270	490
85271	491
85272	491
85273	491
85275	490
85276	490
85277	490
85278	490
85279	491
85280	491
85294	486
85297	492
85298	492
85299	492
85305	492
85308	493
85309	493
85310	493
85311	493
85312	493
85315	493
85316	493
85321	493
85322	493
85323	493
85324	493
85325	493
85326	493
85327	493
85328	493
85331	494
85332	494
85333	494
85334	494
85337	494
85338	494
85343	494
85344	494
85346	494
85349	494
85350	494
85352	494
85353	494
85354	494
85355	494
85356	495
85357	495
85358	495
85359	495
85360	495
85361	495
85362	495
85363	495
85368	495
85369	495
85370	495
85371	495
85375	495
85377	495
85378	495
85382	448
85383	448
85384	448
85385	448
85386	448
85406	309
85407	449
85408	449
85409	449
85410	449
85411	449
85412	449
85414	449
85417	449
85418	449
85427	570
85428	570
85437	450
85438	450
85439	450
85441	450
85442	450
85443	450
85444	450
85451	451
85452	451
85453	451
85458	452
85459	452
85476	490
85478	495
85480	478
85481	478
85482	524
85484	478
85485	453
85486	453
85489	453
85490	453
85493	453
85497	453
85498	453
85499	453
85500	453
85512	454
85521	455
85522	455
85523	478
85528	478
85531	456
85532	456
85533	456
85534	456
85535	456
85536	456
85540	478
85541	478
85545	478
85546	479
85547	457
85548	457
85549	457
85550	457
85551	307
85553	445
85554	445
85562	458
85563	458
85564	458
85565	458
85566	459
85567	459
85572	518
85573	518
85580	518
85581	518
85582	518
85583	518
85584	518
85592	518
85593	518
85598	518
85599	518
85601	479
85604	518
85605	518
85606	518
85607	518
85610	518
85614	518
85620	518
85629	518
85631	518
85632	519
85633	519
85634	518
85639	486
85642	518
85643	518
85644	518
85645	518
85648	519
85649	519
85650	519
85652	519
85653	519
85654	519
85655	519
85659	519
85662	519
85663	519
85664	519
85666	519
85667	519
85668	519
85669	519
85670	519
85671	519
85686	519
85687	519
85690	519
85691	519
85692	519
85694	519
85696	519
85697	519
85703	519
85706	520
85707	520
85708	520
85709	520
85710	520
85717	520
85720	520
85721	520
85722	520
85723	520
85724	520
85730	520
85733	520
85737	520
85738	520
85741	520
85745	520
85746	520
85747	471
85750	520
85751	520
85752	520
85753	520
85754	504
85755	504
85757	506
85777	506
85778	506
85779	506
85780	506
85781	506
85783	506
85791	506
85792	506
85793	506
85797	506
85799	506
85801	506
85813	506
85819	506
85820	506
85828	507
85831	507
85838	507
85844	507
85846	504
85847	504
85848	504
85849	504
85854	507
85855	507
85856	507
85857	507
85858	507
85859	507
85860	507
85861	507
85866	507
85867	507
85870	507
85871	507
85886	508
85887	508
85890	504
85891	504
85893	504
85896	508
85897	508
85898	508
85900	509
85901	509
85902	509
85903	509
85904	509
85905	509
85911	504
85912	504
85913	504
85919	510
85920	510
85921	510
85923	510
85924	510
85925	510
85926	510
85927	510
85928	510
85942	510
85949	510
85959	510
85960	510
85971	511
85972	511
85973	511
85974	511
85975	511
85979	511
85985	511
85986	511
85987	511
85988	511
85989	511
85990	511
85995	511
85997	511
85998	511
86007	544
86008	544
86009	544
86010	544
86011	544
86012	544
86013	544
86014	544
86015	544
86016	544
86018	544
86023	544
86024	544
86025	544
86027	544
86029	544
86033	486
86034	486
86090	488
86091	490
86092	489
86148	391
86193	392
86194	392
86198	393
86199	393
86203	393
86204	393
86213	393
86216	393
86218	393
86225	393
86234	391
86235	391
86240	393
86243	392
86245	393
86246	393
86248	392
86250	392
86260	390
86261	393
86266	392
86267	393
86270	393
86271	390
86275	393
86302	392
86328	348
86329	348
86330	348
86331	348
86332	348
86333	348
86334	348
86336	579
86337	580
86338	580
86339	578
86340	313
86341	309
86342	309
86343	309
86344	309
86345	579
86403	329
86405	329
86406	329
86407	329
86408	329
86409	329
86410	329
86411	329
86413	329
86414	328
86415	329
86416	329
86417	329
86418	329
86420	328
86421	328
86422	329
86423	329
86424	328
86425	328
86426	328
86427	328
86428	328
86429	329
86430	328
86431	328
86432	329
86433	328

Part Number Index

BradyID.com/s36

Catalog #	Pg
86434	329
86435	326
86436	326
86437	326
86438	326
86439	326
86441	326
86442	326
86443	326
86444	326
86445	326
86446	326
86447	326
86448	326
86449	326
86450	326
86451	326
86452	320
86453	320
86454	320
86455	333
86456	333
86457	333
86458	333
86459	333
86460	333
86461	333
86464	329
86465	329
86467	329
86468	329
86469	329
86470	329
86471	329
86472	329
86474	329
86475	328
86476	329
86478	329
86481	328
86482	328
86483	329
86484	329
86485	328
86486	328
86487	328
86490	329
86492	328
86493	329
86494	328
86496	329
86497	326
86498	326
86499	326
86500	326
86501	326
86502	320
86503	326
86504	326
86505	326
86506	326
86508	326
86509	326
86510	326
86511	326
86512	326
86513	326
86514	333
86515	333
86516	333
86517	333
86518	333
86519	333
86522	329
86523	329
86524	329
86525	329
86526	329
86527	329
86528	329
86529	329
86530	329
86532	329
86533	328
86534	329
86535	329
86536	329
86537	329
86539	328
86540	328
86541	329
86542	329
86543	328
86544	328
86545	328
86546	328
86547	328
86548	329
86549	328
86550	328
86551	329
86552	328
86553	329
86554	329
86555	326
86556	326
86557	326
86558	326
86559	326
86560	326
86561	326
86562	326
86563	326
86564	326
86565	326
86566	326
86568	326
86569	326
86570	326
86571	326
86572	320
86573	320
86574	320
86577	329
86578	329
86579	329
86580	329
86581	329
86582	329
86583	329
86584	329
86585	329
86587	329
86588	328
86589	329
86590	329
86591	329
86592	329
86594	328
86595	328
86596	329
86597	329
86598	328
86599	328
86600	328
86601	328
86602	328
86603	329
86604	328
86605	328
86606	329
86607	328
86608	329
86609	329
86610	326
86611	326
86612	326
86613	326
86614	326
86615	326
86616	326
86617	326
86619	326
86620	326
86621	326
86623	326
86624	326
86625	326
86626	326
86627	320
86628	320
86629	320
86632	329
86633	329
86634	329
86635	329
86636	329
86637	329
86638	329
86639	329
86640	329
86642	329
86643	328
86644	329
86645	329
86646	329
86647	329
86649	328
86650	328
86651	329
86652	329
86653	328
86654	328
86655	328
86656	328
86657	328
86658	329
86659	328
86660	328
86661	329
86662	328
86663	329
86664	329
86665	326
86666	326
86667	326
86668	326
86669	326
86670	326
86671	326
86672	326
86673	326
86674	326
86675	326
86676	326
86678	326
86679	326
86680	326
86681	326
86682	320
86683	320
86684	320
86687	329
86688	329
86689	329
86690	329
86691	329
86692	329
86693	329
86694	329
86695	329
86697	329
86698	328
86699	329
86700	329
86701	329
86702	329
86704	328
86705	328
86706	329
86707	329
86708	328
86709	328
86710	328
86711	328
86712	328
86713	329
86714	328
86715	328
86716	329
86717	328
86718	329
86719	329
86720	326
86721	326
86722	326
86723	326
86724	326
86725	326
86726	326
86727	326
86728	326
86729	326
86730	326
86731	326
86733	326
86734	326
86735	326
86736	326
86738	320
86739	320
86740	327
86741	327
86742	327
86743	327
86744	327
86745	327
86746	327
86747	327
86748	327
86749	327
86750	327
86751	327
86752	327
86753	327
86754	327
86755	327
86756	327
86757	327
86758	327
86759	327
86760	327
86761	327
86762	327
86763	327
86764	327
86765	327
86766	327
86767	327
86768	327
86769	327
86770	327
86771	327
86772	327
86773	327
86774	327
86775	327
86776	327
86777	327
86778	327
86779	327
86780	327
86781	327
86783	390
86784	390
86785	390
86786	390
86789	390
86792	391
86793	391
86796	391
86797	391
86798	391
86799	391
86801	391
86804	391
86808	391
86811	391
86813	391
86817	391
86818	392
86826	392
86828	392
86830	392
86832	392
86837	392
86838	392
86839	392
86841	390
86842	390
86843	390
86844	390
86846	390
86847	390
86850	390
86853	390
86857	390
86859	392
86860	391
86861	391
86862	391
86863	391
86864	390
86865	392
86866	390
86867	391
86868	391
86869	391
86870	390
86871	391
86874	391
86877	391
86878	392
86879	392
86880	392
86882	391
86885	391
86886	391
86887	392
86889	390
86890	392
86891	391
86894	391
86895	390
86896	391
86898	390
86899	391
86900	392
86901	392
86902	392
86903	392
86905	392
86909	392
86913	390
87026	375
87028	375
87031	375
87100	339
87101	339
87102	339
87103	339
87104	339
87105	339
87106	339
87107	339
87108	339
87109	339
87110	339
87111	339
87112	339
87113	339
87114	339
87115	339
87116	339
87117	339
87118	339
87119	339
87120	339
87121	339
87122	339
87123	339
87124	339
87125	339
87126	339
87127	339
87128	339
87129	339
87130	339
87131	339
87132	339
87133	339
87134	339
87135	339
87136	339
87137	339
87138	339
87139	339
87140	339
87141	339
87142	339
87143	339
87144	339
87145	339
87146	339
87147	339
87148	339
87149	339
87150	339
87151	339
87152	339
87153	339
87154	339
87155	339
87156	339
87157	339
87158	339
87159	339
87160	339
87161	339
87162	339
87163	339
87164	339
87165	339
87166	339
87167	339
87168	339
87169	339
87170	339
87171	339
87172	339
87173	339
87174	339
87175	339
87176	339
87177	339
87178	339
87179	339
87180	339
87181	339
87182	339
87183	339
87184	339
87185	339
87186	339
87187	339
87188	339
87189	339
87190	339
87191	339
87192	339
87193	339
87194	339
87195	339
87196	339
87197	339
87198	339
87199	339
87200	339
87201	339
87202	339
87203	339
87204	339
87205	339
87206	339
87207	339
87208	339
87209	339
87300	339
87301	573
87302	339
87303	339
87304	339
87305	339
87306	339
87307	339
87308	339
87309	339
87310	339
87311	339
87312	339
87313	339
87314	339
87315	339
87316	339
87317	339
87318	339
87319	339
87320	339
87321	339
87322	339
87323	339
87324	339
87325	339
87326	339
87327	339
87328	339
87329	339
87330	339
87331	339
87332	339
87333	339
87334	339
87335	339
87336	339
87337	339
87338	339
87339	339
87340	339
87341	339
87342	339
87343	339
87344	339
87345	339
87346	339
87347	339
87348	339
87349	339
87350	339
87351	339
87352	339
87353	339
87354	339
87355	339
87356	339
87357	339
87358	339
87359	339
87360	339
87361	339
87362	339
87363	339
87364	339
87365	339
87366	339
87367	339
87368	339
87369	339
87370	339
87371	339
87372	339
87373	339
87374	339
87375	339
87376	339
87377	339
87378	339
87379	339
87380	339
87381	339
87382	339
87383	339
87384	339
87385	339
87386	339
87387	339
87388	339
87389	339
87390	339
87391	339
87392	339
87393	339
87394	339
87395	339
87396	339
87397	339
87398	339
87399	339
87400	339
87401	339
87402	339
87403	339
87404	339
87405	339
87406	339
87407	339
87408	339
87409	339
87460	339
87461	339
87462	339
87463	339
87464	339
87465	339
87466	339
87467	339
87468	339
87469	339
87470	339
87471	339
87472	339
87473	339
87474	339
87475	339
87476	339
87477	339
87478	339
87479	339
87480	339
87481	339
87482	339
87483	339
87484	339
87485	339
87486	339
87487	339
87488	339
87489	339
87490	339
87491	339
87492	339
87493	339
87494	339
87495	339
87496	339
87497	339
87498	339
87499	339
87500	339
87501	339
87502	339
87503	339
87504	339
87505	339
87506	339
87507	339
87508	339
87509	339
87510	339
87511	339
87512	339
87513	339
87514	339
87515	339
87516	339
87517	339
87518	339
87519	339
87603	340
87604	340
87605	340
87611	340
87612	340
87617	340
87618	340
87619	340
87627	340
87628	340
87629	340
87630	340
87631	340
87635	340
87636	340
87637	340
87639	340
87640	340
87641	340
87642	340
87643	340
87647	455
87648	455
87651	479
87659	537
87662	494
87664	531
87667	474
87669	513

BRADY

Catalog #	Pg
87670	513
87674	467
87675	467
87677	524
87678	473
87681	473
87682	553
87684	526
87685	526
87687	526
87688	526
87689	526
87691	526
87692	200
87693	200
87694	340
87695	340
87696	340
87697	340
87698	340
87699	340
87710	340
87711	340
87712	340
87713	340
87714	440
87715	519
87716	519
87717	519
87718	545
87719	545
87732	528
87736	519
87738	528
87740	346
87742	347
87745	348
87746	348
87748	454
87750	413
87751	414
87754	414
87755	414
87757	417
87758	417
87759	414
87762	453
87763	452
87764	452
87766	448
87767	457
87768	468
87769	530
87770	530
87771	531
87772	531
87773	454
87774	470
87775	470
87776	470
87777	536
87778	531
87779	537
87780	535
87781	537
87782	509
87783	508
87784	508
87785	494
87786	494
87788	511
87790	507
87791	506
87792	513
87793	512
87795	524
87796	523
87797	525
87807B	483
87808B	483
87942	339
87982	579
88051	303
88052	446
88053	446
88054	446
88056	446
88057	446
88058	446
88059	446
88061	446
88063	446
88064	446
88065	446
88066	446
88101	511
88102	511
88107	511
88108	511
88109	511
88115	511
88116	511
88117	511
88119	511
88120	511
88123	511
88124	511
88127	512
88128	512
88131	512
88132	512
88135	512
88137	512
88138	512
88141	512
88142	512
88143	512
88144	512
88146	512
88152	512
88153	512
88155	512
88158	512
88160	513
88161	513
88162	513
88163	513
88164	513
88165	513
88172	513
88173	513
88174	513
88175	513
88176	513
88182	513
88183	513
88184	513
88185	513
88186	513
88187	514
88188	514
88189	514
88191	514
88192	514
88193	514
88194	514
88199	514
88205	514
88206	514
88208	514
88209	514
88215	514
88216	514
88217	515
88218	515
88221	515
88225	515
88226	515
88231	515
88234	515
88237	515
88238	515
88243	515
88244	515
88245	515
88246	515
88247	515
88248	515
88251	515
88252	515
88253	515
88254	515
88255	515
88256	515
88257	515
88258	515
88259	515
88260	515
88267	516
88268	516
88275	516
88276	516
88281	516
88283	516
88285	516
88288	516
88293	516
88298	516
88299	516
88302	505
88303	505
88304	505
88305	517
88307	517
88310	517
88311	517
88312	517
88314	517
88315	517
88316	505
88317	517
88318	517
88320	505
88323	517
88324	517
88325	517
88326	517
88327	517
88328	517
88329	517
88330	517
88345	522
88346	522
88347	522
88348	522
88351	522
88352	522
88359	453
88360	453
88363	522
88364	522
88369	522
88370	522
88371	522
88374	522
88375	522
88376	523
88377	523
88378	523
88379	523
88380	523
88381	523
88382	523
88383	523
88384	523
88386	523
88387	523
88388	523
88389	523
88392	527
88393	527
88394	523
88396	523
88397	523
88400	523
88401	523
88402	523
88403	523
88404	524
88405	524
88410	524
88411	527
88412	527
88413	524
88414	524
88418	524
88421	524
88422	524
88423	524
88424	524
88425	524
88426	524
88427	524
88428	524
88429	524
88430	524
88432	524
88433	525
88434	525
88435	525
88436	525
88437	525
88438	525
88439	525
88440	525
88441	525
88442	525
88443	524
88444	524
88445	525
88446	525
88447	525
88448	525
88449	523
88450	523
88451	525
88452	525
88453	526
88454	526
88455	456
88456	456
88457	526
88458	526
88467	526
88468	526
88469	526
88470	526
88471	527
88472	527
88475	528
88476	528
88477	528
88478	528
88479	528
88480	528
88485	528
88486	528
88491	458
88494	516
88495	539
88497	474
88498	474
88500	458
88502	494
88503	517
88504	489
88505	490
88506	458
88509	566
88511	539
88512	474
88513	517
88516	545
88517	418
88520	524
88521	517
88522	459
88525	540
88527	540
88528	495
88529	460
88530	545
88543	529
88544	529
88545	530
88546	530
88547	530
88548	530
88551	530
88552	530
88571	532
88572	532
88583	533
88584	533
88585	533
88586	533
88609	535
88610	535
88611	534
88612	534
88617	535
88618	535
88619	535
88620	535
88627	455
88628	455
88641	536
88643	536
88644	536
88645	536
88646	536
88647	536
88648	536
88649	537
88651	537
88652	537
88656	537
88659	537
88660	537
88661	538
88662	538
88663	538
88664	538
88669	538
88670	538
88677	539
88678	539
88682	528
88683	528
88684	540
88691	541
88699	541
88700	541
88702	541
88707	541
88708	541
88709	541
88710	541
88715	541
88717	541
88718	541
88725	541
88726	541
88731	542
88733	542
88734	542
88736	542
88737	542
88738	542
88739	542
88740	542
88741	542
88742	542
88743	542
88745	542
88746	542
88747	542
88748	542
88749	542
88750	542
88751	542
88752	542
88762	543
88767	543
88768	543
88769	543
88770	543
88791	553
88806	553
88810	553
88811	553
88814	553
88815	553
88816	553
88817	553
88830	553
88831	553
88834	553
88835	553
88838	553
88839	553
88840	553
88842	553
88843	553
88846	553
88848	553
88849	553
88852	553
88853	553
88860	553
88861	553
88864	553
88865	553
88866	553
88870	553
88871	553
88872	553
88873	553
88874	553
88875	553
88876	553
88877	553
88878	554
88879	554
88880	554
88881	554
88898	554
88899	554
88905	554
88908	554
88909	554
88910	554
88911	554
88914	446
88915	446
88918	446
88919	446
88922	446
88924	446
88925	446
88926	446
88927	446
88928	446
88930	446
88932	446
88933	446
88935	446
88936	543
88937	543
88938	543
88939	446
88941	446
88942	446
88944	446
88945	446
88946	446
88947	446
88948	446
88949	446
89001	446
89006	446
89015	461
89017	320
89018	320
89087	448
89088	448
89090	530
89091	530
89093	505
89097	461
89098	473
89099	473
89100	474
89104	486
89105	486
89106	486
89107	486
89110	486
89112	542
89113	446
89115	446
89128	545
89129	571
89131	573
89132	573
89133	560
89134	560
89135	571
89136	571
89149	490
89152	474
89153	474
89154	524
89155	571
89156	476
89158	445
89159	445
89163	445
89164	445
89169	445
89170	445
89171	542
89173	473
89174	414
89176	524
89256	220
89257	374
90018	566
90019	300
90020	300
90100	488
90101	488
90102	476
90103	487
90105	478
90106	491
90107	491
90109	476
90112	540
90121	538
90123	475
90128	540
90139	538
90143	438
90147	436
90149	440
90155	444
90156	443
90157	444
90158	443
90159	443
90160	443
90175	433
90183	479
90184	479
90185	492
90186	492
90187	491
90188	444
90196	539
90199	540
90261	348
90276	349
90307	346
90308	347
90331	348
90333	348
90340	345
90341	345
90343	345
90345	345
90346	345
90349	345
90350	345
90366	488
90367	490
90368	492
90369	490
90370	491
90371	489
90372	487
90373	490
90376	488
90377	488
90379	487
90380	491
90383	489
90384	490
90386	492
90400	345
90401	345
90402	345
90403	345
90404	345
90405	345
90406	345
90407	345
90408	345
90409	345
90410	345
90411	345
90412	345
90413	345
90414	345
90415	345
90416	345
90417	345
90418	345
90419	345
90420	345
90421	345
90422	345
90423	345
90424	345
90425	345
90426	345
90427	345
90428	345
90429	345
90430	345
90431	345
90432	345
90433	345
90434	345
90435	345
90436	345
90437	345
90438	345
90439	345
90440	345
90441	345
90442	345
90443	345
90444	345
90445	345
90446	345
90447	345
90448	345
90449	345
90450	345
90451	345
90452	345
90453	345
90454	345
90455	345
90456	345
90457	345
90458	345
90459	345
90460	345
90461	345
90462	345
90463	345
90464	345
90465	345
90466	345
90467	345
90468	345
90469	345
90470	345
90471	345
90472	345
90473	345
90474	345
90475	345
90476	345
90477	345
90478	345
90479	345
90480	345
90481	345
90482	345
90483	345
90484	345
90485	345
90486	345
90491	475
90492	478
90494	476
90495	476
90496	225
90498	557
90499	557
90507	438
90509	436
90514	434

Part Number Index

BradyID.com/s36

Catalog #	Pg
90518	443
90520	443
90521	443
90522	443
90524	516
90540	479
90542	436
90543	437
90544	441
90550	479
90551	479
90553	492
90554	491
90555	444
90558	491
90560	490
90573	492
90576	491
90584	539
90587	540
90607	495
90611	478
90616	476
90617	487
90619	478
90620	491
90622	476
90623	476
90625	488
90626	488
90627	488
90628	476
90629	487
90630	488
90631	478
90632	491
90633	444
90634	476
90635	476
90636	488
90637	488
90643	540
90644	539
90654	438
90655	436
90656	438
90658	436
90662	443
90666	439
90667	441
90668	441
90670	443
90674	440
90680	440
90685	444
90686	444
90687	443
90690	443
90691	443
90704	445
90706	433
90707	433
90710	459
90713	479
90714	479
90718	491
90720	538
90721	540
90722	540
90723	539
90725	540
90727	539
90729	540
90731	538
90734	439
90736	438
90740	436
90750	444
90751	443
90752	443
90776	479
90777	479
90780	491
90781	491
90785	540
90786	554
90791	442
90792	436
90793	436
90795	437
90797	436
90799	435
90803	436
90804	443
90805	444
90807	440
90808	441
90809	434
90810	439
90811	441
90816	434
90817	435
90818	435
90819	438
90820	436
90821	442
90839B	483
90840B	483
90841B	483
90842B	483
90844	222
90845	222
90847	222
90848	222
90850	223
90851	223
90853	223
90854	223
90885B	483
90886B	483
90887B	483
90888B	483
90891	221
90892	221
90893	221
90895	491
90910	359
90912	578
90913	578
90923	476
90924	476
90926	475
90927	476
90928	478
90929	478
90930	491
90931	479
90935	495
90939	478
90940	476
90941	477
90942	488
90943	488
90944	476
90946	488
90947	478
90948	491
90949	444
90950	476
90951	476
90952	488
90953	488
90960	539
90964	475
90966	478
90971	303
90972	303
90973	303
90974	303
90975	490
90976	488
90988	491
90992	492
90993	492
90994	491
90996	492
91010	566
91020	489
91031	490
91082	304
91083	304
91084	304
91085	304
91086	304
91087	304
91088	305
91089	305
91090	305
91091	305
91092	305
91100	304
91101	304
91102	304
91103	304
91104	304
91165	341
91166	341
91172	304
91173	304
91175	304
91176	304
91179	304
91200	304
91201	304
91212	304
91213	304
91214	304
91215	304
91217	304
91220	304
91227	304
91224	304
91228	304
91229	304
91237	304
91238	304
91255	304
91256	304
91257	304
91287	358
91288	358
91289	358
91290	358
91294	305
91295	305
91296	305
91297	305
91298	305
91299	305
91319	545
91324	566
91326	566
91331	566
91332	566
91333	566
91334	566
91336	567
91351	566
91352	566
91354	566
91356	567
91357	566
91358	566
91359	566
91360	566
91362	567
91363	567
91370	566
91371	566
91372	566
91375	567
91376	566
91377	566
91378	566
91384	567
91386	567
91387	567
91388	567
91389	567
91408	358
91409	358
91410	358
91411	358
91412	358
91413	358
91414	358
91415	358
91416	358
91417	358
91418	358
91419	358
91420	358
91421	358
91422	358
91423	358
91424	358
91425	358
91426	358
91427	358
91428	358
91429	358
91430	358
91431	358
91432	358
91433	358
91447	304
91448	304
91451	304
91452	304
91453	304
91454	304
91455	304
91456	304
91457	304
91458	304
91462	304
91463	304
91464	304
91469	304
91468	304
91470	304
91600	305
91601	305
91603	305
91604	305
91606	305
91757	348
91763	349
91764	349
91782	349
91783	349
91784	349
91785	349
91793	349
91808	349
91834	346
91835	346
91883	353
91884	353
91885	353
91886	353
91887	353
91888	353
91889	353
91890	353
91891	353
91892	353
91893	353
91894	353
91895	353
91896	353
91897	353
91898	353
91899	353
91900	353
91901	353
91906	353
91907	353
91909	353
91910	353
91911	353
91913	353
91914	353
91915	353
91916	353
91917	353
91918	353
91920	353
91921	353
91925	353
91926	353
91930	353
91933	353
91934	353
91935	353
91936	353
91937	353
91938	353
91939	353
91940	353
91942	353
91943	353
91944	353
91948	353
91949	353
91950	353
91951	353
91953	353
91955	353
91956	353
91958	353
91959	353
91961	353
91964	353
91965	353
91966	353
91967	353
91968	353
91972	353
91974	353
91977	353
91978	353
91979	353
91981	353
91997	353
91998	353
92010	306
92011	306
92059	349
92116	306
92117	306
92118	306
92119	306
92120	306
92121	306
92122	306
92123	306
92134	306
92135	306
92136	306
92137	306
92280	308
92281	308
92282	308
92283	308
92284	308
92285	308
92286	308
92288	308
92289	308
92400	496
92404	496
92405	496
92406	496
92407	496
92408	496
92414	302
92415	302
92416	302
92417	302
93242	358
93243	358
93247	358
93248	358
93252	358
93257	358
93258	358
93262	358
93267	358
93272	358
93275	301
93390	358
93391	358
93392	358
93394	358
93395	358
93396	358
93397	358
93600	542
93602	542
93611	543
93616	543
93619	543
93620	543
93621	543
93625	543
93627	543
93629	543
93631	543
93634	543
93636	543
93637	543
93638	543
93640	543
94008	500
94014	500
94022	499
94027	499
94029	500
94044	500
94054	500
94105	562
94106	564
94112	566
94116	562
94117	562
94119	562
94120	562
94123	564
94124	562
94127	562
94130	563
94142	576
94143	576
94144	576
94145	576
94148	577
94150	573
94152	577
94163	575
94174	566
94175	567
94180	574
94181	574
94183	574
94185	574
94190	574
94192	575
94195	575
94197	575
94199	575
94209	576
94210	576
94211	576
94212	576
94213	576
94218	577
94222	575
94225	573
94234	575
94235	575
94237	575
94240	576
94307	575
94336	566
94917	307
94996	453
94998	453
94999	453
95000	453
95001	453
95002	453
95003	453
95006	458
95007	458
95008	458
95009	458
95010	458
95011	458
95012	466
95013	466
95014	466
95015	466
95018	466
95027	557
95036	580
95037	580
95038	580
95039	577
95040	577
95041	573
95042	577
95043	576
95044	576
95045	576
95046	576
95047	578
95071	312
95072	312
95073	312
95074	312
95075	312
95090	312
95091	312
95092	312
95093	312
95094	312
95097	312
95098	312
95099	312
95100	312
95101	312
95102	312
95103	312
95137	225
95138	225
95139	225
95141	311
95142	477
95143	311
95144	311
95146	490
95147	488
95150	311
95154	523
95155	311
95158	311
95159	311
95160	311
95161	311
95162	311
95163	311
95164	311
95165	311
95166	310
95167	310
95168	310
95169	310
95170	310
95171	310
95172	310
95173	310
95174	310
95175	310
95193	310
95195	310
95196	310
95197	310
95198	310
95199	313
95200	313
95201	313
95202	313
95205	313
95206	313
95207	313
95208	313
95211	415
95212	415
95213	415
95214	415
95216	415
95218	395
95219	395
95220	395
95221	395
95222	395
95223	395
95224	395
95225	395
95226	395
95227	395
95228	395
95229	397
95230	415
95233	416
95236	416
95237	416
95238	416
95240	415
95241	416
95242	416
95243	416
95245	416
95246	416
95247	416
95248	416
95254	415
95255	415
95256	415
95258	415
95259	415
95262	416
95263	416
95265	416
95266	416
95268	415
95269	522
95270	415
95272	470
95275	415
95277	456
95278	415
95279	416
95280	416
95281	416
95283	416
95284	415
95285	416
95287	473
95288	416
95289	416
95290	416
95291	416
95293	416
95294	416
95296	416
95297	416
95298	416
95300	416
95301	416
95305	416
95309	416
95310	416
95311	416
95312	416
95314	416
95315	416
95316	416
95317	416
95318	416
95321	415
95324	416
95326	412
95327	412
95328	412
95329	412
95330	412
95331	412
95332	412
95333	412
95335	412
95338	412
95339	412
95340	412
95341	412
95343	412
95344	412
95345	412
95346	412
95347	412
95348	412
95349	412
95351	469
95352	469
95356	414
95357	414
95359	414
95360	414
95361	414
95362	414
95363	414
95364	414
95365	414
95366	413
95367	413

BRADY

Catalog #	Pg
95368	413
95369	413
95370	413
95371	413
95372	413
95373	413
95375	415
95376	415
95377	415
95378	415
95379	415
95380	415
95381	415
95382	415
95389	414
95390	414
95391	414
95392	414
95393	413
95394	413
95395	413
95396	413
95397	413
95398	413
95399	413
95400	413
95401	469
95407	414
95410	521
95411	556
95412	556
95413	557
95414	557
95415	557
95416	557
95417	557
95418	555
95419	416
95420	557
95421	557
95423	557
95424	557
95426	556
95427	556
95428	556
95429	557
95430	557
95431	556
95432	556
95433	556
95434	556
95435	556
95436	556
95437	557
95438	557
95442	417
95443	417
95444	418
95445	418
95446	418
95447	419
95448	419
95450	557
95451	557
95452	557
95453	557
95455	557
95456	557
95457	557
95458	556
95459	556
95461	556
95462	555
95463	557
95465	555
95466	555
95467	555
95468	555
95469	555
95470	555
95471	555
95472	555
95473	555
95474	555
95475	555
95476	555
95477	555
95478	555
95479	555
95481	555
95483	555
95484	555
95485	555
95486	555
95487	555
95488	555
95489	556
95491	556
95492	556
95493	556
95494	556
95495	556
95496	556
95498	521
95499	521
95500	521
95501	521
95502	521
95503	521
95504	487
95505	487
95538	232
95540	235
95548	232
95550	232
95553	232
95559	446
95563	446
95635	312
95643	312
95644	312
95645	312
95646	312
95647	312
95648	312
95649	312
95650	312
95651	312
95652	312
95653	312
95654	312
95655	312
95656	312
95657	312
95658	312
95659	312
95660	312
95661	312
95662	312
95663	312
95664	312
95665	312
95666	312
95667	312
95668	312
95669	312
95670	312
95671	312
95672	312
95673	312
95674	312
95675	312
95677	313
95678	313
95679	313
95680	313
95681	313
95682	313
95687	473
95688	312
95689	312
95690	312
95772	428
95755	541
96060	97
96061	97
96062	97
96087	458
96089	99
96090	458
96155	387
96156	387
96157	387
96158	387
96159	387
96160	387
96162	387
96163	387
96164	387
96165	387
96167	387
96168	387
96170	387
96171	387
96173	387
96175	387
96177	387
96178	387
96179	387
96180	387
96222	333
96229	276
96230	313
96231	313
96232	313
96233	313
96234	313
96235	313
96236	313
96237	313
96246	313
96247	313
96248	313
96249	313
96250	313
96251	313
96252	313
96253	313
96262	313
96263	313
96264	313
96265	313
96266	313
96267	313
96268	313
96269	313
96270	313
96271	313
96272	313
96273	313
96274	313
96275	313
96276	313
96277	313
96278	313
96279	313
96280	313
96281	313
96282	313
96283	313
96284	313
96285	313
96286	313
96287	313
96288	313
96289	313
96290	313
96291	313
96292	313
96293	313
96294	313
96295	313
96296	313
96297	313
96907	499
96908	500
96920	309
96921	309
96922	309
96923	309
96950	309
96951	309
96952	309
96953	309
96954	309
96955	309
97084	309
97198	401
97199	401
97200	579
97204	578
97205	578
97206	578
97207	578
97208	578
97209	578
97210	578
97211	578
97542	346
97543	346
97544	347
97545	347
97597	348
97609	496
97610	496
97611	496
97613	496
97614	496
97615	496
97616	496
97626	348
97627	346
97628	346
97738	95
97739	95
97740	95
97741	95
97742	95
97743	95
97744	95
97745	95
98165	305
98166	305
98167	305
98168	305
98169	305
98170	305
98171	305
98172	305
98173	305
98174	305
98175	305
98176	305
98177	305
98178	305
98219	204
98356	353
98357	353
98358	353
98368	353
98378	353
98455	302
98457	302
98459	302
98487	353
98488	353
98489	353
98490	353
98491	353
98492	353
98493	353
98494	353
98495	353
98496	353
98497	353
98499	353
98621	353
98838	353
98844	353
98848	341
98849	341
98850	341
98851	341
98853	341
98854	341
98855	341
98857	341
98858	341
98859	341
99162	241
99167	79
99168	79
99169	79
99170	79
99175	374
99195	374
99199	374
99219	97
99220	97
99221	97
99289	378
99290	232
99292	232
99293	232
99296	232
99297	232
99300	232
99302	232
99303	232
99305	235
99307	235
99308	235
99310	235
99312	235
99313	235
99320	237
99321	237
99324	237
99326	494
99500	194
99504	194
99508	194
99512	194
99516	194
99520	194
99524	194
99528	194
99533	194
99539	194
99543	194
99548	194
99552	192
99556	192
99564	192
99570	192
99576	192
99580	192
99608	195
99609	195
99610	195
99611	195
99612	195
99613	195
99615	195
99616	195
99617	195
99618	195
99619	195
99620	195
99668	197
99676	236
99677	236
99678	236
99679	236
99680	236
99681	236
99682	230
99684	230
99685	230
99686	230
99687	230
99688	230
99689	231
99690	231
99691	231
99693	244
99694	244
99696	244
99697	244
99699	244
99700	244
99703	244
99704	244
99706	244
99707	244
99709	242
99710	242
101349	304
101416	236
101956	192
101957	194
101958	194
101963	195
101973	333
101974	333
101975	333
101976	333
101977	333
101978	333
101979	333
101980	333
101981	333
101982	333
101983	333
101991	333
101992	333
101993	333
101994	333
101995	333
101996	333
101997	333
101998	333
101999	333
102000	333
102001	333
102002	333
102003	333
102004	333
102005	333
102006	333
102007	333
102008	333
102009	333
102010	333
102011	333
102012	333
102013	333
102014	333
102015	333
102016	333
102017	333
102018	333
102019	333
102020	333
102021	333
102024	396
102025	396
102026	396
102027	396
102030	396
102032	334
102033	334
102034	334
102035	334
102036	334
102037	334
102038	334
102039	334
102040	334
102041	334
102042	334
102043	334
102044	334
102045	334
102046	334
102047	334
102048	334
102049	334
102050	334
102051	334
102052	334
102053	334
102054	334
102055	334
102056	334
102057	334
102058	334
102059	334
102060	334
102061	334
102062	334
102063	334
102064	334
102066	334
102067	334
102068	334
102069	334
102070	334
102071	334
102072	334
102073	334
102074	334
102075	334
102076	334
102077	334
102078	334
102079	334
102080	334
102081	334
102082	334
102083	334
102084	334
102085	334
102086	334
102087	334
102088	334
102089	334
102090	334
102091	334
102092	334
102093	334
102094	334
102095	334
102096	334
102097	334
102098	334
102099	334
102100	334
102101	334
102102	334
102103	334
102104	334
102105	334
102106	334
102107	334
102108	334
102109	334
102110	334
102111	334
102113	334
102114	334
102115	334
102116	334
102117	334
102118	334
102119	334
102120	334
102121	334
102122	334
102123	334
102124	334
102125	334
102126	334
102127	334
102128	334
102129	334
102130	334
102131	334
102132	334
102133	334
102134	334
102135	334
102136	334
102137	334
102138	334
102139	334
102140	334
102141	334
102142	334
102143	334
102144	334
102145	334
102146	334
102147	334
102148	334
102149	334
102150	334
102151	334
102152	334
102153	334
102154	334
102155	334
102157	334
102158	334
102159	334
102160	334
102161	334
102162	334
102163	334
102164	334
102165	334
102166	334
102167	334
102523	385
102524	385
102525	385
102692	236
102693	236
102696	194
102698	194
102821	304
102822	304
102823	304
102824	304
102825	300
102826	300
102827	300
102828	300
102829	300
102830	300
102831	300
102832	300
102833	300
102834	300
102835	300
102836	300
102837	300
102838	300
102839	300
102840	300
102849	483
102851	483
102852	483
102853	483
102857	483
103025	91
103026	91
103030	91
103033	192
103546	347
103549	347
103551	347
103553	347
103554	347
103559	578
103566	579
103567	579
103568	579
103569	579
103570	579
103595	479
103597	490
103598	488
103599	488
103632	324
103644	557
103680	307
103681	307
103682	307
103683	307
103709	576
103712	576
103739	562
103748	567
103780	566
103786	576
104061	521
104064	521
104310	295
104311	295
104312	295
104313	295
104314	295
104315	295
104316	295
104317	295
104318	295
104319	295
104340	295
104341	295
104342	295
104343	295
104344	295
104345	295
104346	295
104347	295

Part Number Index

BradyID.com/s36

Catalog #	Pg
104348	295
104349	295
104370	295
104371	295
104372	295
104373	295
104374	295
104375	295
104376	295
104377	295
104378	295
104379	295
104400	296
104401	296
104402	296
104403	296
104404	296
104405	296
104406	296
104407	296
104408	296
104409	296
104410	296
104411	296
104412	296
104413	296
104414	296
104415	296
104416	296
104417	296
104418	296
104419	296
104420	296
104421	296
104422	296
104423	296
104424	296
104425	296
104426	296
104427	296
104428	296
104429	296
104430	296
104431	296
104432	296
104433	296
104434	296
104435	296
104436	296
104437	296
104438	296
104439	296
104440	296
104441	296
104442	296
104443	296
104444	296
104445	296
104446	296
104447	296
104448	296
104449	296
104450	296
104451	296
104452	296
104453	296
104454	296
104455	296
104456	296
104457	296
104458	296
104459	296
104460	296
104461	296
104462	296
104463	296
104464	296
104465	296
104466	296
104467	296
104468	296
104469	296
104470	296
104471	296
104472	296
104473	296
104474	296
104475	296
104476	296
104477	296
104478	296
104479	296
104480	296
104481	296
104482	296
104483	296
104486	497
104487	497
104488	497
104489	497
104490	497
104491	497
104492	497
104493	497
104494	497
104495	497
104496	497
104497	497
104498	497
104499	497
104500	497
104501	497
104502	497
104503	497
104504	497
104505	497
104506	497
104507	497
104508	497
104509	497
104510	497
104511	497
104512	497
104513	497
104520	296
104521	296
104522	296
104523	296
104524	296
104525	296
104526	296
104527	296
104528	296
104529	296
104554	296
104555	296
104556	296
104571	385
104572	195
104573	195
104574	195
104575	195
104576	195
104577	195
104578	195
104579	195
104791	378
104792	378
104794	239
104795	239
104796	239
104808	308
104809	308
104810	308
104811	308
104916	192
104917	194
104918	194
104919	192
104920	194
104921	194
105038	89
105041	89
105088	90
105089	90
105557	358
105562	358
105563	358
105564	358
105565	358
105567	358
105572	358
105573	358
105574	358
105575	358
105577	358
105634	206
105635	206
105636	206
105637	206
105638	206
105639	206
105640	206
105641	206
105642	206
105643	206
105644	206
105645	206
105646	206
105647	206
105648	206
105649	206
105650	206
105651	206
105652	206
105653	206
105654	206
105655	206
105656	206
105657	206
105658	206
105659	206
105660	206
105661	206
105662	206
105663	206
105664	206
105665	206
105666	206
105667	206
105668	206
105669	206
105670	206
105671	206
105672	206
105673	206
105674	206
105675	206
105676	206
105677	206
105679	206
105680	206
105681	206
105682	206
105683	206
105684	206
105685	206
105686	206
105687	206
105688	206
105689	206
105690	206
105691	206
105692	206
105693	206
105694	206
105695	206
105696	206
105697	206
105698	206
105699	206
105704	206
105705	206
105706	206
105707	206
105708	206
105709	206
105710	206
105711	206
105712	206
105713	206
105714	200
105715	200
105716	199
105717	199
105718	197
105719	197
105720	197
105721	197
105722	205
105723	205
105724	205
105728	529
105729	529
105730	529
105734	529
105735	350
105736	350
105737	350
105738	350
105739	350
105740	350
105741	350
105742	350
105743	350
105744	350
105745	350
105746	350
105747	350
105748	350
105749	350
105750	350
105751	350
105752	350
105753	350
105754	350
105755	350
105756	350
105757	350
105758	350
105759	350
105760	350
105761	350
105763	350
105764	350
105765	350
105766	350
105767	350
105768	350
105769	350
105770	350
105771	350
105772	350
105773	350
105774	350
105775	350
105776	350
105777	350
105778	350
105779	350
105780	350
105781	350
105782	350
105783	350
105784	350
105785	350
105786	350
105787	350
105788	350
105789	350
105790	350
105791	350
105792	350
105793	350
105794	350
105795	350
105796	350
105797	350
105798	350
105799	350
105800	350
105801	350
105802	350
105803	350
105804	350
105805	350
105806	350
105807	350
105808	350
105809	350
105810	350
105811	350
105812	350
105813	350
105814	350
105881	195
105882	195
105883	195
105884	195
105885	195
105886	192
105887	192
105888	192
105889	192
105890	192
105891	192
105892	192
105893	192
105894	194
105895	194
105896	194
105897	194
105898	194
105899	194
105900	194
105901	194
105902	195
105903	195
105904	195
105905	241
105906	241
105909	96
105910	96
105911	96
105912	82
105913	82
105914	82
105928	243
105929	243
105930	243
105931	243
105932	243
105933	243
105934	243
105935	243
105936	243
105937	243
105938	243
105939	243
105940	243
105941	243
105942	243
105954	240
105955	240
105956	240
105957	240
105958	240
105959	240
105960	240
105961	240
105962	240
105963	239
105964	239
105965	239
105966	238
105967	238
105968	238
105969	238
105970	238
105971	358
105972	358
105973	358
105974	358
105975	358
105976	358
105977	358
105978	358
105979	358
105980	358
105981	358
105982	358
105983	358
105984	358
105985	358
105986	358
105987	358
105988	358
106015	460
106016	460
106017	460
106018	460
106019	460
106020	460
106021	460
106022	460
106023	460
106024	460
106025	460
106026	460
106027	460
106028	460
106029	460
106030	460
106031	460
106032	460
106033	460
106034	460
106035	460
106036	460
106037	460
106038	460
106039	460
106040	460
106041	460
106042	460
106043	460
106044	460
106045	460
106046	460
106047	460
106048	460
106049	460
106050	460
106051	460
106052	460
106053	460
106054	460
106055	460
106056	460
106057	460
106058	460
106059	460
106060	460
106061	460
106062	460
106063	350
106064	350
106065	350
106066	350
106067	350
106068	350
106069	350
106070	350
106071	350
106072	350
106073	350
106074	350
106075	350
106076	350
106077	350
106078	350
106079	350
106080	350
106081	350
106082	350
106083	350
106084	350
106085	350
106086	350
106087	350
106088	350
106089	350
106090	350
106091	350
106092	350
106093	350
106094	350
106095	350
106096	350
106097	350
106098	350
106099	350
106100	350
106101	350
106102	350
106103	350
106104	350
106105	350
106106	350
106107	350
106108	350
106109	350
106110	350
106111	350
106112	350
106113	350
106114	350
106115	350
106116	350
106117	350
106118	350
106119	350
106120	350
106121	350
106122	350
106123	350
106124	350
106125	350
106126	350
106127	350
106128	350
106129	350
106130	350
106131	350
106132	350
106133	350
106134	350
106135	350
106136	350
106137	350
106138	350
106139	350
106140	350
106141	350
106142	350
106143	350
106144	350
106145	350
106146	350
106147	350
106148	350
106149	350
106150	350
106151	350
106152	350
106153	350
106154	350
106155	350
106156	350
106157	350
106158	350
106159	350
106160	350
106161	350
106162	350
106163	350
106164	350
106165	350
106166	350
106168	350
106169	350
106171	350
106172	350
106174	350
106175	350
106176	350
106177	350
106178	350
106179	447
106180	447
106181	447
106182	447
106183	447
106184	447
106186	447
106291	549
106292	549
106294	549
106295	549
106296	549
106297	549
106298	549
106299	549
106300	549
106303	549
106304	550
106305	550
106306	550
106307	550
106308	550
106310	550
106311	550
106312	548
106313	548
106315	548
106316	548
106318	548
106321	548
106322	548
106323	548
106324	548
106325	552
106326	548
106327	549
106328	549
106329	549
106330	549
106331	549
106332	549
106333	548
106334	548
106434	552
106460	89
106461	89
106462	89
106463	89
106464	89
106465	89
108442	351
108444	352
108445	352
108446	353
108455	353
108471	353
108483	353
108503	351
108504	351
108520	351
108521	351
108585	352
108586	352
108609	351
108610	351
108611	352
108612	352
108699	352
108700	352
108706	348
108707	348
108708	353
108724	351
108725	351
108726	352
108727	352
108728	353
108744	351
108745	351
108780	351
108781	351
108782	353
108798	351
108799	351
108857	352
108858	352
108863	351
108864	351
108872	351
108873	351
108874	351
108875	351
108880	351
108881	351
108897	351
108898	351
108899	352
108900	352
108950	352
108951	352
108952	353
109002	351
109003	351
109004	352
109005	352
109032	351
109033	351
109038	352

BRADY

Catalog #	Pg
109039	352
109055	352
109056	352
109072	352
109073	352
109078	353
109124	352
109125	352
109152	351
109153	351
109154	352
109155	352
109182	352
109183	352
109199	353
109219	351
109220	351
109221	352
109222	352
109223	353
109250	351
109251	351
109252	352
109253	352
109273	351
109274	351
109275	352
109276	352
109308	351
109309	351
109310	353
109326	351
109327	351
109328	353
109344	351
109345	351
109350	351
109351	351
109360	351
109361	351
109373	352
109374	352
109390	352
109391	352
109440	351
109441	351
109442	352
109443	352
109467	352
109468	352
109488	351
109489	351
109490	352
109491	352
109496	353
109527	352
109528	352
109529	353
109560	351
109561	351
109562	352
109563	352
109579	352
109580	352
109681	351
109682	351
109725	351
109726	351
109727	352
109728	352
109740	352
109741	352
109753	352
109754	352
109785	351
109786	351
109802	351
109803	351
109845	351
109846	351
109847	352
109848	352
109849	353
109865	351
109866	351
109888	351
109889	351
109894	351
109895	351
109926	351
109937	350
109938	350
109939	350
109940	350
109941	350
109942	350
110017	302
110018	302
110019	302
110020	302
110220	99
110221	99
110235	352
110236	352
110972	526
110973	526
110975	526
110976	526
110977	526
110978	526
110979	526
112500	566
112626	562
112653B	483
112654B	483
112655B	483
112656B	483
113063B	483
113105	94
113106	94
113107	94
113108	94
113109	94
113110	94
113111	94
113112	94
113113	94
113114	94
113115	94
113116	94
113117	94
113118	94
113119	94
113120	94
113121	94
113122	94
113123	94
113124	94
113125	94
113126	94
113127	94
113128	94
113129	94
113130	94
113131	94
113132	94
113133	94
113134	94
113135	94
113136	94
113137	94
113138	94
113139	94
113140	94
113141	94
113142	94
113143	94
113144	94
113145	94
113146	94
113147	94
113148	94
113149	94
113150	94
113151	94
113152	94
113153	94
113154	94
113182	90
113183	90
113184	90
113185	90
113186	90
113187	90
113188	90
113189	90
113190	90
113191	90
113192	90
113193	90
113194	90
113195	90
113196	90
113197	90
113198	90
113199	90
113200	90
113201	90
113202	90
113203	90
113204	90
113205	90
113206	90
113207	90
113208	90
113209	90
113210	90
113211	90
113212	90
113213	90
113214	90
113215	90
113216	90
113217	90
113218	90
113219	90
113220	91
113221	91
113222	91
113226	91
113227	91
113228	91
113229	91
113230	91
113231	212
113232	212
113233	212
113234	212
113280	576
113303	562
113304	562
113305	562
113319	575
114533	98
115222	576
115239	576
115240	576
115250	567
115256	567
115475	574
115589	576
115751	90
115752	90
115753	90
115754	90
115755	90
115756	90
115757	90
115759	90
115760	90
115761	90
115762	90
115763	93
115764	93
115765	93
115766	93
115767	93
115768	93
115769	93
115770	93
115771	93
115772	93
115773	93
115936	413
115943	413
115944	413
115945	413
116077	477
116078	477
116100	413
116101	413
116106	413
116107	413
116108	413
116109	413
116132	414
116133	414
118156	413
118157	413
118162	413
118163	413
118164	413
118165	413
118188	414
118189	414
118815	372
118816	372
118817	372
118821	372
118822	372
118823	372
118827	372
118828	372
118829	372
118833	372
118834	372
118835	372
118839	372
118840	372
118841	372
118845	372
118846	372
118847	372
118851	372
118852	372
118853	372
118857	372
118858	372
118859	372
118863	372
118864	372
118865	372
118869	372
118870	372
118871	372
118875	372
118876	372
118877	372
118881	372
118882	372
118883	372
118887	372
118888	372
118889	372
118893	372
118894	372
118895	372
118899	372
118900	372
118901	372
118905	372
118906	372
118907	372
118911	372
118912	372
118913	372
118917	372
118918	372
118919	372
118925	192
118926	192
118927	192
118928	192
118929	192
118930	192
118931	192
118932	192
118933	192
118934	192
118935	194
118936	194
118937	194
118938	194
118939	194
118940	194
118941	194
118942	194
118943	194
118944	194
118945	194
118946	194
118947	192
118948	192
118949	192
118950	192
118951	192
118952	192
118953	192
118954	192
118955	192
118956	192
118957	192
118958	192
118959	192
118960	192
118961	192
118962	192
118963	192
118964	192
118965	192
118966	192
118967	192
118968	192
118969	192
118970	192
118971	194
118972	194
118973	194
118974	194
118975	194
118976	194
118977	194
118978	194
118979	194
118980	194
118981	194
118982	194
119752	431
119756	431
119760	431
119764	431
119768	431
119982	431
119986	431
119990	431
120645	431
120649	431
120653	431
120658	431
120847	90
120848	90
120849	90
120850	90
120851	90
120852	90
120853	90
120854	90
120855	90
120856	90
120857	90
120858	90
120859	90
120860	90
120862	90
120863	90
120864	90
120865	90
120866	90
120867	90
120994	32
121033	301
121034	301
121035	301
121036	301
121037	301
121038	301
121039	301
121040	301
121041	301
121042	301
121043	301
121044	301
121045	301
121046	301
121047	301
121048	301
121049	301
121050	301
121051	301
121056	374
121061	375
121062	375
121063	375
121064	375
121065	376
121066	376
121067	376
121068	376
121069	376
121070	376
121071	376
121077	384
121078	384
121079	384
121080	384
121085	384
121086	384
121087	384
121088	384
121091	384
121092	384
121093	384
121094	384
121097	384
121098	384
121099	384
121100	384
121101	384
121102	384
121103	384
121104	384
121117	300
121118	300
121119	300
121120	300
121121	300
121122	300
121123	300
121124	300
121125	300
121126	300
121127	300
121128	300
121129	300
121130	300
121131	300
121139	301
121140	375
121141	376
121144	375
121151	375
121152	375
121153	375
121154	375
121155	375
121156	375
121157	375
121158	375
121159	375
121161	374
121163	374
121164	374
121165	374
121183	377
121184	377
121185	377
121186	377
121187	377
121188	372
121189	372
121190	372
121191	372
121192	372
121193	372
121194	372
121195	372
121196	372
121197	372
121198	372
121199	372
121200	372
121201	372
121202	372
121203	372
121204	372
121205	372
121206	372
121207	372
121208	372
121209	372
121210	372
121211	372
121212	372
121213	372
121214	372
121364	296
121365	296
121366	296
121367	296
121368	296
121369	296
121370	377
121371	377
121399	301
121400	301
121401	301
121402	301
121403	301
121404	301
121405	301
121406	301
121407	301
121408	301
121409	301
121410	301
121411	301
121412	301
121413	300
121414	300
121415	300
121416	300
121417	300
121418	300
121419	300
121420	300
121421	300
121422	300
121431	375
121432	375
121433	375
121434	375
121435	375
121436	375
121437	375
121438	375
121439	375
121441	376
121448	196
121449	196
121466	376
121467	376
121469	376
121471	376
121473	376
121502	241
121504	210
121505	210
121506	247
121507	247
121508	244
121509	244
121510	234
121511	247
121512	244
121513	234
121514	204
121515	204
121516	204
121517	204
121518	204
121519	204
121520	204
121521	332
121522	332
121540	212
121541	212
121543	93
121544	93
121545	93
121546	93
121547	92
121548	92
121549	92
121550	92
121551	92
121552	92
121553	92
121554	92
121555	92
121556	92
121557	92
121558	92
121559	92
121560	92
121561	92
121562	92
121563	92
121564	92
121691	398
121692	398
121693	398
121694	398
121695	398
121696	398
121697	398
121698	398
121699	398
121700	398
121701	398
121702	398
121703	398
121704	398
121705	398
121706	398
121707	398
121708	398
121709	398
121710	398
121711	398
121712	398
121713	398
121714	398
121715	398
121716	398
121717	398
121718	398
121719	398
121720	398
121721	398
121722	398
121723	398
121724	398
121725	398
121726	398
121727	398
121728	398
121729	398
121730	398
121731	398
121732	398
121733	398
121734	398
121735	398
121736	398
121737	398
121738	398
121739	398
121740	398
121741	398
121742	398
121743	398
121744	398
121745	398
121746	398
121747	398
121748	398
121749	398
121750	398
121751	398
121752	398
121753	398
121754	398
121755	398
121756	398
121757	398
121758	398

Part Number Index

BradyID.com/s36

Catalog #	Pg
121759	398
121760	398
121761	398
121762	398
121763	398
121764	398
121765	398
121766	398
121767	398
121768	398
121769	398
121770	398
121771	398
121772	398
121773	398
121774	398
121775	398
121776	398
121777	398
121778	398
121779	398
121780	398
121781	398
121782	398
121783	398
121784	398
121785	398
121786	398
121787	398
121788	398
121789	398
121790	398
121791	398
121792	398
121793	398
121794	398
121795	398
121796	398
121797	398
121798	398
121799	398
121800	398
121801	398
121802	398
121803	398
121804	398
121805	398
121806	398
121807	398
121808	398
121809	398
121810	398
121811	398
121812	398
121813	398
121814	398
121815	398
121816	398
121817	398
121818	398
121819	398
121820	398
121821	398
121822	398
121823	398
121824	398
121825	398
121826	398
121827	398
121828	398
121829	398
121830	398
121831	398
121832	398
121833	398
121834	398
121835	398
121836	398
121837	398
121838	398
121839	398
121840	398
121841	398
121842	398
121843	398
121844	398
121845	398
121846	398
121847	398
121848	398
121849	398
121850	398
121851	398
121852	398
121853	398
121854	398
121855	398
121856	398
121857	398
121858	398
121859	398
121860	398
121861	398
121862	398
121863	398
121864	398
121865	398
121866	398
121867	398
121868	398
121869	398
121870	398
121871	398
121872	398
121873	398
121874	398
121875	398
121876	398
121877	398
121878	398
121879	398
121880	398
121881	398
121882	398
121883	398
121884	398
121885	398
121886	398
121887	398
121888	398
121889	398
121890	398
121891	398
121892	398
121893	398
121894	398
121895	398
121896	398
121897	398
121898	398
121899	398
121900	398
121901	398
121902	398
121903	398
121904	398
121905	398
121906	398
121907	398
121908	398
121909	398
121910	398
121911	398
121912	398
121913	295
121914	295
121915	295
121916	295
121917	295
121918	295
122048	332
122049	332
122050	332
122051	332
122052	332
122053	332
122054	332
122055	332
122056	332
122057	332
122241	209
122242	209
122243	209
122244	209
122245	209
122246	209
122247	209
122248	209
122249	209
122250	209
122252	209
122253	209
122254	209
122255	209
122256	209
122258	209
122260	209
122261	209
122262	209
122263	209
122264	209
122265	209
122267	332
122268	332
122269	332
122270	332
122271	332
122272	332
122273	332
122274	332
122275	332
122276	332
122277	332
122278	332
122279	332
122280	332
122281	332
122282	332
122283	332
122284	332
122285	332
122286	332
122287	332
122288	332
122289	332
122290	332
122291	332
122292	332
122293	332
122294	332
122295	332
122296	332
122297	332
122298	332
122299	332
122300	332
122301	332
122302	332
122303	332
122304	332
122305	332
122306	332
122307	332
122308	332
122309	332
122310	332
122311	332
122312	332
122313	332
122314	332
122337	489
122338	476
122339	490
122340	490
122341	491
122342	526
122343	461
122344	418
122345	490
122347	443
122349	494
122350	520
122351	495
122352	474
122353	472
122355	472
122356	555
122357	555
122358	556
122359	555
122360	487
122361	494
122362	494
122363	555
122364	557
122365	521
122366	521
122367	557
122368	557
122369	557
122370	419
122371	557
122372	556
122373	557
122374	556
122375	556
122377	489
122379	568
122382	495
122383	533
122384	527
122385	417
122387	451
122391	435
122392	489
122394	461
122395	505
122396	443
122397	439
122398	436
122399	435
122400	435
122401	434
122402	442
122403	440
122404	441
122405	467
122406	451
122407	452
122408	531
122409	507
122410	532
122411	509
122412	416
122413	417
122414	417
122415	560
122416	519
122417	520
122418	474
122419	472
122421	472
122422	555
122423	555
122424	556
122425	555
122426	487
122427	494
122428	494
122429	488
122430	507
122431	555
122432	557
122433	521
122434	521
122435	557
122436	557
122437	557
122438	513
122439	419
122440	557
122441	556
122442	557
122443	556
122444	556
122447	568
122449	530
122451	495
122452	469
122453	471
122454	421
122455	533
122456	417
122458	451
122459	521
122463	489
122464	476
122465	490
122466	490
122467	491
122468	526
122469	461
122470	418
122471	490
122473	494
122474	520
122475	495
122476	474
122477	472
122479	472
122480	555
122481	487
122482	494
122483	494
122484	507
122485	419
122486	556
122487	556
122488	556
122489	460
122491	489
122493	568
122495	495
122496	527
122497	417
122499	451
122503	473
122505	461
122506	505
122507	443
122508	439
122509	436
122510	435
122511	435
122512	434
122513	442
122514	440
122515	441
122516	467
122517	452
122518	450
122519	453
122520	531
122521	509
122522	543
122523	560
122524	519
122525	417
122526	538
122527	474
122528	472
122530	472
122531	555
122532	555
122534	555
122535	487
122536	494
122537	494
122538	488
122539	507
122540	555
122541	557
122542	521
122543	521
122544	557
122545	557
122546	557
122547	513
122548	419
122549	557
122550	556
122551	557
122552	556
122553	556
122554	460
122557	530
122559	469
122560	417
122562	451
122565	476
122566	490
122567	491
122568	418
122569	418
122570	490
122573	426
122574	430
122575	422
122576	506
122577	509
122578	543
122579	474
122580	474
122581	555
122582	555
122583	556
122584	555
122585	487
122586	494
122587	494
122588	494
122589	507
122590	505
122594	555
122595	557
122596	521
122597	521
122598	557
122599	557
122600	557
122601	513
122602	419
122603	557
122604	556
122605	557
122606	556
122607	556
122608	460
122610	489
122611	421
122612	432
122614	568
122616	530
122618	495
122619	469
122620	417
122622	521
122626	490
122627	490
122628	504
122629	505
122631	442
122632	489
122634	477
122635	476
122636	477
122637	461
122638	505
122639	418
122640	443
122641	439
122642	436
122643	435
122644	435
122645	434
122646	442
122647	440
122648	441
122649	467
122650	451
122651	486
122652	509
122653	543
122654	415
122655	519
122656	474
122658	555
122659	555
122660	556
122661	555
122662	494
122663	494
122664	494
122665	488
122666	507
122667	505
122671	555
122672	557
122673	521
122674	521
122675	557
122676	557
122677	557
122678	513
122679	419
122680	419
122681	557
122682	556
122683	557
122684	556
122685	556
122688	489
122689	422
122691	568
122692	530
122694	495
122695	469
122697	417
122702	489
122703	526
122705	476
122706	490
122707	491
122708	418
122709	418
122710	490
122712	443
122713	454
122714	413
122715	430
122716	506
122717	542
122718	509
122719	543
122720	494
122721	520
122722	494
122723	474
122724	472
122725	474
122726	472
122727	555
122728	555
122729	556
122730	555
122731	487
122732	494
122733	494
122734	494
122735	507
122736	555
122737	557
122738	521
122739	521
122740	557
122741	557
122742	557
122743	513
122744	419
122745	557
122746	556
122747	557
122748	556
122749	556
122750	460
122752	489
122753	432
122754	422
122756	414
122757	476
122758	441
122760	449
122762	530
122764	495
122765	469
122766	471
122767	533
122768	417
122770	451
122774	490
122775	490
122776	504
122777	542
122778	505
122779	439
122780	436
122781	435
122782	435
122783	434
122784	442
122785	440
122786	441
122787	467
122788	473
122789	528
122790	489
122793	476
122794	490
122795	525
122796	526
122797	527
122798	461
122799	505
122800	418
122801	418
122802	443
122803	439
122804	436
122805	435
122806	435
122807	434
122808	442
122809	440
122810	441
122811	454
122812	467
122813	425
122814	511
122815	452
122816	511
122817	523
122818	523
122819	450
122820	451
122821	451
122822	451
122823	452
122824	511
122825	453
122826	453
122827	512
122828	512
122829	430
122830	422
122832	486
122833	531
122834	531
122835	518
122836	533
122837	533
122838	448
122839	530
122840	511
122841	530
122842	449
122843	507
122844	470
122845	507
122846	532
122847	532
122848	509
122849	543
122850	416
122851	417
122852	417
122853	494
122854	415
122855	560
122856	519
122857	417
122858	495
122859	538
122860	520
122861	474
122862	472
122863	474
122864	472
122865	555
122866	555
122867	556
122868	521
122869	555
122870	487
122871	494
122872	494
122873	488

BRADY

Catalog #	Pg
122874	507
122875	555
122876	557
122877	521
122878	521
122879	557
122880	557
122881	557
122882	513
122883	419
122884	419
122885	557
122886	556
122887	557
122888	556
122889	556
122890	460
122892	489
122894	414
122895	457
122897	568
122898	449
122900	530
122902	495
122903	469
122904	471
122905	421
122906	527
122907	417
122909	451
122910	416
122911	494
122914	441
123048	526
123049	526
123050	526
123051	526
123052	526
123053	526
123054	526
123055	526
123143	193
123236	194
123237	194
123238	194
123239	194
123240	194
123241	194
123242	194
123243	194
123244	194
123245	194
123246	194
123247	194
123248	194
123249	194
123250	194
123251	194
123252	194
123253	194
123254	194
123255	194
123256	194
123257	194
123258	194
123259	194
123260	194
123261	194
123262	194
123263	194
123264	194
123265	194
123266	194
123267	194
123268	192
123269	192
123270	192
123271	192
123272	194
123273	194
123274	194
123275	194
123276	194
123277	194
123278	194
123279	194
123280	194
123281	194
123282	194
123283	194
123284	195
123285	195
123286	195
123287	195
123288	195
123289	195
123290	195
123291	195
123292	195
123293	195
123294	195
123295	195
123296	195
123297	195
123298	195
123299	195
123300	195
123301	195
123302	195
123303	195
123304	195
123305	195
123306	195
123307	195
123308	195
123309	195
123310	195
123311	195
123312	195
123313	195
123314	195
123315	195
123316	195
123317	195
123318	195
123319	195
123320	195
123321	195
123322	195
123323	195
123324	193
123325	193
123326	193
123327	193
123328	193
123329	193
123330	193
123331	193
123332	193
123333	193
123334	193
123335	193
123336	193
123337	193
123338	193
123339	193
123340	193
123341	193
123342	193
123343	193
123344	193
123345	193
123346	193
123347	193
123348	193
123349	193
123350	193
123351	193
123352	193
123353	193
123354	193
123355	193
123356	193
123357	193
123358	193
123359	193
123396	193
123397	193
123398	193
123399	193
123400	193
123401	193
123402	193
123403	193
123404	193
123405	193
123406	193
123407	193
123408	193
123409	193
123410	193
123411	193
123412	193
123413	193
123414	193
123415	193
123416	193
123417	193
123418	193
123419	193
123420	193
123421	193
123422	193
123423	193
123424	193
123425	193
123426	193
123427	193
123428	193
123429	193
123430	193
123431	193
123432	195
123433	195
123434	195
123435	195
123436	195
123437	195
123438	195
123439	195
123440	195
123441	195
123456	418
123457	418
123458	418
123459	418
123460	418
123461	418
123462	419
123463	419
123464	419
123465	419
123466	419
123467	419
123468	419
123469	419
123470	419
123471	419
123472	419
123473	419
123474	417
123475	417
123476	417
123477	417
123478	417
123479	417
123480	557
123482	557
123483	557
123484	557
123485	557
123486	557
123487	557
123488	557
123489	419
123490	419
123491	419
123492	419
123493	419
123494	419
123495	471
123496	419
123497	419
123498	419
123499	419
123500	419
123501	419
123502	418
123503	418
123504	418
123505	418
123506	418
123507	418
123508	418
123509	418
123510	418
123511	418
123512	418
123513	418
123514	544
123515	544
123516	544
123517	544
123518	544
123519	544
123520	557
123521	557
123522	557
123523	557
123524	557
123525	557
123526	555
123527	555
123528	555
123529	555
123530	555
123531	555
123532	557
123533	557
123534	557
123535	557
123536	557
123537	557
123538	471
123539	521
123540	521
123541	521
123542	521
123543	521
123544	521
123545	521
123546	521
123547	521
123548	521
123549	521
123550	521
123551	418
123552	418
123553	418
123554	418
123555	418
123556	418
123557	544
123558	544
123559	544
123560	544
123561	544
123562	544
123563	514
123564	514
123565	514
123566	514
123567	514
123568	514
123569	537
123570	537
123571	537
123572	537
123573	537
123574	537
123575	536
123576	536
123577	536
123578	536
123579	536
123580	536
123587	555
123588	555
123589	555
123590	555
123591	555
123592	555
123593	555
123594	555
123595	555
123596	555
123597	555
123598	555
123599	555
123600	555
123601	555
123602	555
123603	555
123604	555
123605	468
123606	468
123607	468
123608	468
123609	468
123610	468
123611	474
123612	474
123613	474
123614	474
123615	474
123616	474
123617	413
123618	413
123619	413
123620	413
123621	413
123622	413
123623	468
123624	468
123625	468
123626	468
123627	468
123628	468
123629	452
123630	452
123631	452
123632	452
123633	452
123634	452
123635	505
123636	505
123637	505
123638	505
123639	505
123640	505
123641	467
123642	467
123643	467
123644	467
123645	467
123646	467
123647	467
123648	467
123649	467
123650	467
123651	467
123652	467
123653	455
123654	455
123655	455
123656	455
123657	455
123658	455
123659	450
123660	450
123661	450
123662	450
123663	450
123664	450
123665	454
123666	454
123667	454
123668	454
123669	454
123670	454
123671	467
123672	467
123673	467
123674	467
123675	467
123676	467
123677	535
123678	535
123679	535
123680	535
123681	535
123682	535
123683	513
123684	513
123685	513
123686	513
123687	513
123688	513
123689	452
123690	452
123691	452
123692	452
123693	452
123694	452
123695	473
123696	473
123697	473
123698	473
123699	473
123700	473
123701	414
123702	414
123703	414
123704	414
123705	414
123706	414
123707	452
123708	452
123709	452
123710	452
123711	452
123712	452
123713	466
123714	466
123715	466
123716	466
123717	466
123718	466
123719	414
123720	414
123721	414
123722	414
123723	414
123724	414
123725	511
123726	511
123727	511
123728	511
123729	511
123730	511
123737	512
123738	512
123739	512
123740	512
123741	512
123742	512
123743	512
123744	512
123745	512
123746	512
123747	512
123748	512
123749	495
123750	495
123751	495
123752	495
123753	495
123754	495
123755	489
123756	489
123757	489
123758	489
123759	489
123760	489
123761	489
123762	489
123763	489
123764	489
123765	489
123766	489
123767	489
123768	489
123769	489
123770	489
123771	489
123772	489
123773	488
123774	488
123775	488
123776	488
123777	488
123778	488
123779	489
123780	489
123781	489
123782	489
123783	489
123784	489
123785	476
123786	476
123787	476
123788	476
123789	476
123790	476
123791	479
123792	479
123793	479
123794	479
123795	479
123796	479
123797	479
123798	479
123799	479
123800	479
123801	479
123802	479
123803	476
123804	476
123805	476
123806	476
123807	476
123808	476
123809	475
123810	475
123811	475
123812	475
123813	475
123814	475
123815	471
123816	471
123817	471
123818	471
123819	471
123820	471
123821	540
123822	540
123823	540
123824	540
123825	540
123826	540
123827	538
123828	538
123829	538
123830	538
123831	538
123832	538
123833	517
123834	517
123835	517
123836	517
123837	517
123838	517
123839	517
123840	517
123841	517
123842	517
123843	517
123844	517
123845	517
123846	517
123847	517
123848	517
123849	517
123850	517
123851	516
123852	516
123853	516
123854	516
123855	516
123856	516
123857	460
123858	460
123859	460
123860	460
123861	460
123862	460
123863	517
123864	517
123865	517
123866	517
123867	517
123868	517
123869	567
123870	567
123871	567
123872	567
123873	567
123874	567
123875	566
123876	566
123877	566
123878	566
123879	545
123880	545
123881	545
123882	545
123883	545
123884	545
123885	567
123886	567
123887	567
123888	567
123889	567
123890	567
123891	525
123892	525
123893	525
123894	525
123895	525
123896	525
123897	526
123898	526
123899	526
123900	526
123901	526
123902	526
123903	526
123904	526
123905	526
123906	526
123907	526
123908	526
123909	527
123910	527
123911	527
123912	527
123913	527
123914	527
123915	526
123916	526
123917	526
123918	526
123919	526
123920	526
123921	527
123922	527
123923	527
123924	527
123925	527
123926	527
123927	527
123928	527
123929	527
123930	527
123931	527
123932	527
123933	527
123934	527
123935	527
123936	527
123937	527
123938	527
123939	525
123940	525
123941	525
123942	525
123943	525
123944	525
123945	544
123946	544
123947	544
123948	544
123949	544
123950	544
123951	516
123952	516

Part Number Index

BradyID.com/s36

Catalog #	Pg
123953	516
123954	516
123955	516
123958	516
123959	544
123960	544
123961	544
123962	544
123963	544
123964	544
123965	544
123966	544
123967	544
123968	544
123969	544
123970	544
123971	545
123972	545
123973	545
123974	545
123975	545
123976	545
123977	545
123978	545
123979	545
123980	545
123981	545
123982	545
123983	545
123984	545
123985	545
123986	545
123987	545
123988	545
123989	442
123990	442
123991	442
123992	442
123993	442
123994	442
123995	434
123996	434
123997	434
123998	434
123999	434
124000	434
124001	442
124002	442
124003	442
124004	442
124005	442
124006	442
124007	440
124008	440
124009	440
124010	440
124011	440
124012	440
124013	437
124014	437
124015	437
124016	437
124017	437
124018	437
124019	443
124020	443
124021	443
124022	443
124023	443
124024	443
124025	442
124026	442
124027	442
124028	442
124029	442
124030	442
124031	440
124032	440
124033	440
124034	440
124035	440
124036	440
124037	440
124038	440
124039	440
124040	440
124041	440
124042	440
124043	439
124044	439
124045	439
124046	439
124047	439
124048	439
124049	434
124050	434
124051	434
124052	434
124053	434
124054	434
124055	434
124056	434
124057	434
124058	434
124059	434
124060	434
124061	437
124062	437
124063	437
124064	437
124065	437
124066	437
124071	437
124072	437
124073	438
124074	438
124075	438
124076	438
124077	438
124078	438
124079	437
124080	437
124081	437
124082	437
124083	437
124084	437
124085	436
124086	436
124087	436
124088	436
124089	436
124090	436
124091	437
124092	437
124093	437
124094	437
124095	437
124096	437
124097	436
124098	436
124099	436
124100	436
124101	436
124102	436
124103	437
124104	437
124105	437
124106	437
124107	437
124108	437
124109	444
124110	444
124111	444
124112	444
124113	444
124114	444
124115	439
124116	439
124117	439
124118	439
124119	439
124120	439
124121	438
124122	438
124123	438
124124	438
124125	438
124126	438
124127	443
124128	443
124129	443
124130	443
124131	443
124132	443
124133	442
124134	442
124135	442
124136	442
124137	442
124138	442
124139	437
124140	437
124141	437
124142	437
124143	437
124144	437
124145	439
124146	439
124147	439
124148	439
124149	439
124150	439
124151	443
124152	443
124153	443
124154	443
124155	443
124156	443
124157	443
124158	443
124159	443
124160	443
124161	443
124162	443
124163	442
124164	442
124165	442
124166	442
124167	442
124168	442
124169	443
124170	443
124171	443
124172	443
124173	443
124174	443
124175	444
124176	444
124177	444
124178	444
124179	444
124180	444
124181	542
124182	542
124183	542
124184	542
124185	542
124186	542
124187	570
124188	570
124189	570
124190	570
124191	570
124192	570
124193	570
124194	570
124195	570
124196	570
124197	570
124198	570
124199	573
124200	573
124201	573
124202	573
124203	573
124204	573
124205	570
124206	570
124207	570
124208	570
124209	570
124210	570
124211	424
124212	424
124213	424
124214	424
124215	424
124216	424
124217	506
124218	506
124219	506
124220	506
124221	506
124222	506
124223	529
124224	529
124225	529
124226	529
124227	529
124228	529
124229	542
124230	542
124231	542
124232	542
124233	542
124234	542
124235	466
124236	466
124237	466
124238	466
124239	466
124240	466
124241	507
124242	507
124243	507
124244	507
124245	507
124246	507
124247	531
124248	531
124249	531
124250	531
124251	531
124252	531
124253	533
124254	533
124255	533
124256	533
124257	533
124258	533
124259	530
124260	530
124261	530
124262	530
124263	530
124264	530
124265	466
124266	466
124267	466
124268	466
124269	466
124270	466
124271	573
124272	573
124273	573
124274	506
124275	506
124276	506
124277	506
124278	506
124279	506
124280	449
124281	449
124282	449
124283	449
124284	449
124285	449
124286	466
124287	466
124288	466
124289	466
124290	466
124291	466
124292	530
124293	530
124294	530
124295	530
124296	530
124297	530
124298	542
124299	542
124300	542
124301	542
124302	542
124303	542
124304	471
124305	563
124306	563
124307	563
124308	562
124309	562
124310	562
124311	563
124312	563
124313	563
124314	564
124315	564
124316	564
124317	562
124318	562
124319	562
124320	562
124321	562
124322	562
124323	562
124324	562
124325	562
124326	561
124327	561
124328	561
124329	564
124330	564
124331	564
124332	562
124333	562
124334	562
124335	563
124336	563
124337	563
124338	560
124339	560
124340	560
124341	564
124342	564
124343	564
124344	561
124345	561
124346	561
124347	561
124348	561
124349	561
124350	561
124351	561
124352	561
124353	573
124354	573
124355	573
124356	561
124357	561
124358	561
124365	563
124366	563
124367	563
124368	564
124369	564
124370	564
124371	564
124372	564
124373	564
124374	564
124375	564
124376	564
124377	562
124378	562
124379	562
124380	562
124381	562
124382	562
124383	564
124384	564
124385	564
124386	560
124387	560
124388	560
124389	563
124390	563
124391	563
124392	562
124393	562
124394	562
124395	576
124396	576
124397	576
124398	576
124399	576
124400	576
124401	574
124402	574
124403	574
124404	574
124405	574
124406	574
124407	575
124408	575
124409	575
124410	574
124411	574
124412	574
124413	574
124414	574
124415	574
124416	577
124417	577
124418	577
124419	576
124420	576
124421	576
124422	576
124423	576
124424	576
124425	574
124426	574
124427	574
124428	572
124429	572
124430	572
124431	576
124432	576
124433	576
124434	576
124435	576
124436	576
124437	572
124438	572
124439	572
124440	575
124441	575
124442	575
124443	577
124444	577
124445	577
124446	576
124447	576
124448	576
124449	572
124450	572
124451	572
124452	577
124453	577
124454	577
124455	575
124456	575
124457	575
124458	574
124459	574
124460	574
124461	573
124462	573
124463	573
124464	575
124465	575
124466	575
124467	577
124468	577
124469	577
124470	577
124471	577
124472	577
124473	575
124474	575
124475	575
124476	577
124477	577
124478	577
124479	577
124480	577
124481	577
124482	577
124483	577
124484	577
124485	576
124486	576
124487	576
124488	576
124489	576
124490	576
124491	572
124492	572
124493	572
124494	572
124495	572
124496	572
124497	572
124498	572
124499	572
124500	572
124501	572
124502	572
124503	561
124504	561
124505	561
124506	572
124507	572
124508	572
124509	572
124510	572
124511	572
124512	572
124513	572
124514	572
124515	572
124516	572
124517	572
124518	572
124519	572
124520	572
124521	572
124522	572
124523	572
124524	572
124525	572
124526	540
124527	540
124528	540
124529	540
124530	572
124531	572
124532	572
124533	572
124534	572
124535	572
124536	572
124537	572
124538	540
124539	540
124540	540
124541	540
124542	540
124543	540
124544	540
124545	540
124546	572
124547	572
124548	572
124549	572
124550	540
124551	540
124552	540
124553	540
124554	572
124555	572
124556	572
124557	572
124558	572
124559	572
124560	572
124561	572
124562	442
124563	442
124564	442
124565	489
124566	489
124567	489
124568	490
124569	490
124570	490
124571	444
124572	444
124573	444
124574	444
124575	562
124576	562
124577	562
124578	562
124579	573
124580	573
124581	573
124582	573
124583	576
124584	576
124585	576
124586	576
124587	577
124588	577
124589	577
124590	577
124591	573
124592	573
124593	573
124594	573
124595	574
124596	574
124597	574
124598	574
124599	577
124600	577
124601	577
124602	577
124603	577
124604	577
124605	577
124606	577
124607	574
124608	574
124609	574
124610	574
124611	572
124612	572
124613	572
124614	572
124615	572
124616	572
124617	572
124618	572
124619	576
124620	576
124621	576
124622	539
124623	539
124624	539
124625	471
124626	471
124627	471
124628	471
124629	471
124630	471
124631	544
124632	544
124633	544
124634	545
124635	545
124636	545
124637	545
124638	545
124639	545
124640	526
124641	526
124642	526
124643	444
124644	444
124645	444
124646	444
124647	412
124648	412
124649	412
124650	412
124651	412
124652	412
124653	412
124654	412
124655	412
124656	412
124657	412
124658	412
124659	412
124660	412

BRADY

Catalog #	Pg
124661	412
124662	412
124663	412
124664	412
124665	412
124666	412
124667	412
124668	412
124669	412
124670	412
124671	412
124672	412
124673	412
124674	412
124675	412
124676	412
124677	412
124678	412
124679	412
124680	412
124681	412
124682	412
124683	412
124684	412
124685	412
124686	412
124687	412
124688	412
124689	412
124690	412
124691	412
124692	412
124693	412
124694	412
124695	412
124696	412
124697	412
124698	412
124699	412
124700	412
124701	412
124702	412
124703	412
124704	412
124705	412
124706	412
124707	412
124708	412
124709	412
124710	412
124711	412
124712	412
124713	412
124714	412
124715	412
124716	412
124717	412
124718	412
124719	412
124720	412
124721	412
124722	412
124723	412
124724	412
124725	413
124726	413
124727	413
124728	413
124729	413
124730	413
124731	413
124732	413
124733	413
124734	413
124735	413
124736	413
124737	413
124738	413
124739	413
124740	413
124741	413
124742	413
124743	413
124744	413
124745	413
124746	413
124747	413
124748	413
124749	414
124750	414
124751	414
124752	414
124753	414
124754	414
124755	413
124756	413
124757	413
124758	413
124759	413
124760	413
124761	413
124762	413
124763	413
124764	413
124765	413
124766	413
124767	414
124768	414
124769	414
124770	414
124771	414
124772	414
124773	414
124774	414
124775	414
124776	414
124777	414
124778	414
124779	414
124780	414
124781	414
124782	414
124783	414
124784	414
124785	414
124786	414
124787	414
124788	414
124789	414
124790	414
124791	414
124792	414
124793	414
124794	414
124795	414
124796	414
124797	414
124798	414
124799	414
124800	414
124801	414
124802	414
124803	418
124804	418
124805	418
124806	418
124807	418
124808	418
124809	415
124810	415
124811	415
124812	415
124813	415
124814	415
124815	415
124816	415
124817	415
124818	415
124819	415
124820	415
124821	415
124822	415
124823	415
124824	415
124825	415
124826	415
124827	415
124828	415
124829	415
124830	415
124831	415
124832	415
124833	416
124834	416
124835	416
124836	416
124837	416
124838	416
124839	419
124840	419
124841	419
124842	419
124843	419
124844	419
124845	418
124846	418
124847	418
124848	418
124849	418
124850	418
124851	419
124852	419
124853	419
124854	419
124855	419
124856	419
124857	419
124858	419
124859	419
124860	419
124861	419
124862	419
124863	418
124864	418
124865	418
124866	418
124867	418
124868	418
124869	418
124870	418
124871	418
124872	418
124873	418
124874	418
124875	419
124876	419
124877	419
124878	419
124879	419
124880	419
124881	419
124882	419
124883	419
124884	419
124885	419
124886	419
124887	419
124888	419
124889	419
124890	419
124891	419
124892	419
124893	442
124894	442
124895	442
124898	442
124899	442
124900	442
124901	442
124902	442
124903	442
124904	442
124905	444
124906	444
124907	444
124908	444
124909	444
124910	444
124911	434
124912	434
124913	434
124914	434
124915	434
124916	434
124917	435
124918	435
124919	435
124920	435
124921	435
124922	435
124923	435
124924	435
124925	435
124926	435
124927	435
124928	435
124929	435
124930	435
124931	435
124932	435
124933	435
124934	435
124935	436
124936	436
124937	436
124938	436
124939	436
124940	436
124941	437
124942	437
124943	437
124944	437
124945	437
124946	437
124947	437
124949	437
124952	437
124953	438
124954	438
124955	438
124956	438
124957	438
124958	438
124959	438
124960	438
124961	438
124962	438
124963	438
124964	438
124965	441
124966	441
124967	441
124968	441
124969	441
124970	441
124971	441
124972	441
124973	441
124974	441
124975	441
124976	441
124977	440
124978	440
124979	440
124980	440
124981	440
124982	440
124983	441
124984	441
124985	441
124986	441
124987	441
124988	441
124989	440
124990	440
124991	440
124992	440
124993	440
124994	440
124995	440
124996	440
124997	440
124998	440
124999	440
125000	440
125001	441
125002	441
125003	441
125004	441
125005	441
125006	441
125007	440
125008	440
125009	440
125010	440
125011	440
125012	440
125013	440
125014	440
125015	440
125016	440
125017	440
125018	440
125019	441
125020	441
125021	441
125022	441
125023	441
125024	441
125025	441
125026	441
125027	441
125028	441
125029	441
125030	441
125031	440
125032	440
125033	440
125034	440
125035	440
125036	440
125037	441
125038	441
125039	441
125040	441
125041	441
125042	441
125043	441
125044	441
125045	441
125046	441
125047	441
125048	441
125049	441
125050	441
125051	441
125052	441
125053	441
125054	441
125055	441
125056	441
125057	441
125058	441
125059	441
125060	441
125061	440
125062	440
125063	440
125064	440
125065	440
125066	440
125067	440
125068	440
125069	440
125070	440
125071	440
125072	440
125073	440
125074	440
125075	440
125076	440
125077	440
125078	440
125079	440
125080	440
125081	440
125082	440
125083	440
125084	440
125085	441
125086	441
125087	441
125088	441
125089	441
125090	441
125091	444
125092	444
125093	444
125094	444
125095	444
125096	444
125097	437
125098	437
125099	437
125100	437
125101	437
125102	437
125103	437
125104	437
125105	437
125106	437
125107	437
125108	437
125109	439
125110	439
125111	439
125112	439
125113	439
125114	439
125115	436
125116	436
125117	436
125118	436
125119	436
125120	436
125121	439
125122	439
125123	439
125124	439
125125	439
125126	439
125127	436
125128	436
125129	436
125130	436
125131	436
125132	436
125133	436
125134	436
125135	436
125136	436
125137	436
125138	436
125139	439
125140	439
125141	439
125142	439
125143	439
125144	439
125145	436
125146	436
125147	436
125148	436
125149	436
125150	436
125151	437
125152	437
125153	437
125154	437
125156	437
125157	436
125158	436
125159	436
125160	436
125161	436
125162	436
125163	436
125164	436
125165	436
125166	436
125167	436
125168	436
125169	438
125170	438
125171	438
125172	438
125173	438
125174	438
125175	438
125176	438
125177	438
125178	438
125179	438
125180	438
125181	438
125182	438
125183	438
125184	438
125185	438
125186	438
125187	439
125188	439
125189	439
125190	439
125191	439
125192	439
125193	439
125194	439
125195	439
125196	439
125197	439
125198	439
125199	437
125200	437
125201	437
125202	437
125203	437
125204	437
125205	437
125206	437
125207	437
125208	437
125209	437
125210	437
125211	438
125212	438
125213	438
125214	438
125215	438
125216	438
125217	439
125218	439
125219	439
125220	439
125221	439
125222	439
125229	438
125230	438
125231	438
125232	438
125233	438
125234	438
125235	439
125236	439
125237	439
125238	439
125239	439
125240	439
125241	437
125242	437
125243	437
125244	437
125245	437
125246	437
125247	438
125248	438
125249	438
125250	438
125251	438
125252	438
125253	438
125254	438
125255	438
125256	438
125257	438
125258	438
125259	436
125260	436
125261	436
125262	436
125263	436
125264	436
125265	437
125266	437
125267	437
125268	437
125269	437
125270	437
125271	438
125272	438
125273	438
125274	438
125275	438
125276	438
125277	438
125278	438
125279	438
125280	438
125281	438
125282	438
125283	438
125284	438
125285	438
125286	438
125287	438
125288	438
125289	438
125290	438
125291	438
125292	438
125293	438
125294	438
125295	438
125296	438
125297	438
125298	438
125299	438
125300	438
125301	440
125302	440
125303	440
125304	440
125305	440
125306	440
125307	436
125308	436
125309	436
125310	436
125311	436
125312	436
125313	439
125314	439
125315	439
125316	439
125317	439
125318	439
125319	435
125320	435
125321	435
125322	435
125323	435
125324	435
125325	435
125326	435
125327	435
125328	435
125329	435
125330	435
125331	434
125332	434
125333	434
125334	434
125335	434
125336	434
125337	434
125338	434
125339	434
125340	434
125341	434
125342	434
125343	434
125344	434
125345	434
125346	434
125347	434
125348	434
125349	434
125350	434
125351	434
125352	434
125353	434
125354	434
125355	434
125356	434
125357	434
125358	434
125359	434
125360	434
125361	434
125362	434
125363	434
125364	434
125365	434
125366	434
125367	434
125368	434

Part Number Index

BradyID.com/s36

Catalog #	Pg
125369	434
125370	434
125371	434
125372	434
125373	435
125374	435
125375	435
125376	435
125377	435
125378	435
125379	435
125380	435
125381	435
125382	435
125383	435
125384	435
125385	435
125386	435
125387	435
125388	435
125389	435
125390	435
125391	434
125392	434
125393	434
125394	434
125395	434
125396	434
125397	434
125398	434
125399	434
125400	434
125401	434
125402	434
125403	434
125404	434
125405	434
125406	434
125407	434
125408	434
125409	435
125410	435
125411	435
125412	435
125413	435
125414	435
125415	434
125416	434
125417	434
125418	434
125419	434
125420	434
125427	434
125428	434
125429	434
125430	434
125431	434
125432	434
125433	435
125434	435
125435	435
125436	435
125437	435
125438	435
125439	435
125440	435
125441	435
125442	435
125443	435
125444	435
125445	435
125446	435
125447	435
125448	435
125449	435
125450	435
125451	435
125452	435
125453	435
125454	435
125455	435
125456	435
125457	434
125458	434
125459	434
125460	434
125461	434
125462	434
125463	434
125464	434
125465	434
125466	434
125467	434
125468	434
125469	435
125470	435
125471	435
125472	435
125473	435
125474	435
125475	434
125476	434
125477	434
125478	434
125479	434
125480	434
125481	435
125482	435
125483	435
125484	435
125485	435
125486	435
125487	441
125488	441
125489	441
125490	441
125491	441
125492	441
125493	440
125494	440
125495	440
125496	440
125497	440
125498	440
125499	442
125500	442
125501	442
125502	442
125503	442
125504	442
125505	444
125506	444
125507	444
125508	444
125509	444
125510	444
125511	443
125512	443
125513	443
125514	443
125515	443
125516	443
125517	444
125518	444
125519	444
125520	444
125521	444
125522	444
125523	444
125524	444
125525	444
125526	444
125527	444
125528	444
125529	443
125530	443
125531	443
125532	443
125533	443
125534	443
125535	443
125536	443
125537	443
125538	443
125539	443
125540	443
125541	442
125542	442
125543	442
125544	442
125545	442
125546	442
125547	443
125548	443
125549	443
125550	443
125551	443
125552	443
125553	459
125554	459
125555	459
125556	459
125557	459
125558	459
125559	457
125560	457
125561	457
125562	457
125563	457
125564	457
125565	457
125566	457
125567	457
125568	457
125569	457
125570	457
125571	457
125572	457
125573	457
125574	457
125575	457
125576	457
125577	457
125578	457
125579	457
125580	457
125581	457
125582	457
125583	457
125584	457
125585	457
125586	457
125587	457
125588	457
125589	457
125590	457
125591	457
125592	457
125593	457
125594	457
125595	458
125596	458
125597	458
125598	458
125599	458
125600	458
125602	458
125603	458
125604	458
125605	458
125606	458
125607	461
125608	461
125609	461
125610	461
125611	461
125612	461
125613	458
125614	458
125615	458
125616	458
125617	458
125618	458
125619	458
125620	458
125621	458
125622	458
125623	458
125624	458
125625	458
125626	458
125627	458
125628	458
125629	458
125630	458
125631	458
125632	458
125633	458
125634	458
125635	458
125636	458
125637	458
125638	458
125639	458
125640	458
125641	458
125642	458
125643	458
125644	458
125645	458
125646	458
125647	458
125648	458
125649	458
125650	458
125651	458
125652	458
125653	458
125654	458
125655	458
125656	458
125657	458
125658	458
125659	458
125660	458
125661	458
125662	458
125663	458
125664	458
125665	458
125666	458
125667	458
125668	458
125669	458
125670	458
125671	458
125672	458
125673	459
125674	459
125675	459
125676	459
125677	459
125678	459
125679	459
125680	459
125681	459
125682	459
125683	459
125684	459
125685	459
125686	459
125687	459
125688	459
125689	459
125690	459
125691	459
125692	459
125693	459
125694	459
125695	459
125696	459
125697	459
125698	459
125699	459
125700	459
125701	459
125702	459
125703	458
125704	458
125705	458
125706	459
125707	459
125708	459
125709	459
125710	459
125711	459
125712	459
125713	459
125714	459
125715	459
125716	459
125717	459
125718	459
125719	459
125720	459
125721	459
125722	459
125723	459
125724	459
125725	459
125726	459
125727	459
125728	459
125729	459
125730	459
125731	459
125732	459
125733	459
125734	459
125735	459
125736	459
125737	459
125738	459
125739	459
125740	459
125741	459
125742	459
125743	459
125744	459
125745	459
125746	459
125747	459
125748	448
125749	448
125750	448
125751	448
125752	448
125753	448
125754	460
125755	460
125756	460
125757	460
125758	460
125759	460
125760	460
125761	460
125762	460
125763	460
125764	460
125765	460
125766	460
125767	460
125768	460
125769	460
125770	460
125771	460
125772	460
125773	460
125774	460
125775	460
125776	460
125777	460
125778	460
125779	460
125780	460
125781	460
125782	460
125783	460
125784	461
125785	461
125786	461
125787	461
125788	461
125789	461
125790	460
125791	460
125792	460
125793	460
125794	460
125795	460
125796	460
125797	460
125798	460
125799	460
125800	460
125801	460
125802	460
125803	460
125804	460
125805	460
125806	460
125807	460
125808	450
125809	450
125810	450
125811	450
125812	450
125813	450
125814	455
125815	455
125816	455
125817	455
125818	455
125819	455
125820	450
125821	450
125822	450
125823	450
125824	450
125825	450
125826	454
125827	454
125828	454
125829	454
125830	454
125831	454
125832	450
125833	450
125834	450
125835	450
125836	450
125837	450
125838	451
125839	451
125840	451
125841	451
125842	451
125843	451
125844	451
125845	451
125846	451
125847	451
125848	451
125849	451
125850	455
125851	455
125852	455
125853	455
125854	455
125855	455
125856	454
125857	454
125858	454
125859	454
125860	454
125861	454
125862	454
125863	454
125864	454
125865	454
125866	454
125867	454
125868	454
125869	454
125870	454
125871	454
125872	454
125873	454
125874	451
125875	451
125876	451
125877	451
125878	451
125879	451
125880	459
125881	459
125882	459
125883	459
125884	459
125885	459
125886	448
125887	448
125888	448
125889	448
125890	448
125891	448
125892	448
125893	448
125894	448
125895	448
125896	448
125897	448
125898	448
125899	448
125900	448
125901	448
125902	448
125903	448
125904	448
125905	448
125906	448
125907	448
125908	448
125909	448
125910	424
125911	424
125912	424
125913	424
125914	424
125915	424
125916	448
125917	448
125918	448
125919	448
125920	448
125921	448
125922	448
125923	448
125924	448
125925	448
125926	448
125927	448
125928	448
125929	448
125930	448
125931	448
125932	448
125933	448
125934	448
125935	448
125936	448
125937	448
125938	448
125939	448
125940	448
125941	448
125942	448
125943	448
125944	448
125945	448
125946	451
125947	451
125948	451
125949	451
125950	451
125951	451
125952	448
125953	448
125954	448
125955	448
125956	448
125957	448
125958	449
125959	449
125960	449
125961	449
125962	449
125963	449
125964	449
125965	449
125966	449
125967	449
125968	449
125969	449
125970	449
125971	449
125972	449
125973	449
125974	449
125975	449
125976	449
125977	449
125978	449
125979	449
125980	449
125981	449
125988	449
125989	449
125990	449
125991	449
125992	449
125993	449
125994	449
125995	449
125996	449
125997	449
125998	449
125999	449
126000	449
126001	449
126002	449
126003	449
126004	449
126005	449
126006	449
126007	449
126008	449
126009	449
126010	449
126011	449
126012	449
126013	449
126014	449
126015	449
126016	449
126017	449
126018	449
126019	449
126020	449
126021	449
126022	449
126023	449
126024	449
126025	449
126026	449
126027	449
126028	449
126029	449
126030	449
126031	449
126032	449
126033	449
126034	449
126035	449
126036	449
126037	449
126038	449
126039	449
126040	449
126041	449
126042	449
126043	449
126044	449
126045	449
126046	449
126047	449
126048	449
126049	449
126050	449
126051	449
126052	449
126053	449
126054	449
126055	449
126056	449
126057	449
126058	449
126059	449
126060	449
126061	449
126062	449
126063	449
126064	449
126065	449
126066	449
126067	449
126068	449
126069	449
126070	449
126071	449
126072	450
126073	450
126074	450
126075	450
126076	450
126077	450

BRADY

Catalog #	Pg
126078	450
126079	450
126080	450
126081	450
126082	450
126083	450
126084	450
126085	450
126086	450
126087	450
126088	450
126089	450
126090	450
126091	450
126092	450
126093	450
126094	450
126095	450
126096	455
126097	455
126098	455
126099	455
126100	455
126101	455
126102	450
126103	450
126104	450
126105	450
126106	450
126107	450
126108	450
126109	450
126110	450
126111	450
126112	450
126113	450
126114	450
126115	450
126116	450
126117	450
126118	450
126119	450
126120	450
126121	450
126122	450
126123	450
126124	450
126125	450
126132	451
126133	451
126134	451
126135	451
126136	451
126137	451
126138	451
126139	451
126140	451
126141	451
126142	451
126143	451
126144	451
126145	451
126146	451
126147	451
126148	451
126149	451
126150	451
126151	451
126152	451
126153	451
126154	451
126155	451
126156	451
126157	451
126158	451
126159	451
126160	451
126161	451
126162	451
126163	451
126164	451
126165	451
126166	451
126167	451
126168	451
126169	451
126170	451
126171	451
126172	451
126173	451
126174	451
126175	451
126176	451
126177	451
126178	451
126179	451
126180	452
126181	452
126182	452
126183	452
126184	452
126185	452
126186	452
126187	452
126188	452
126189	452
126190	452
126191	452
126192	450
126193	450
126194	450
126195	450
126196	450
126197	450
126198	452
126199	452
126200	452
126201	452
126202	452
126203	452
126204	452
126205	452
126206	452
126207	452
126208	452
126209	452
126210	452
126211	452
126212	452
126213	452
126214	452
126215	452
126216	452
126217	452
126218	452
126219	452
126220	452
126221	452
126222	453
126223	453
126224	453
126225	453
126226	453
126227	453
126228	453
126229	453
126230	453
126231	453
126232	453
126233	453
126234	453
126235	453
126236	453
126237	453
126238	453
126239	453
126240	453
126241	453
126242	453
126243	453
126244	453
126245	453
126246	453
126247	453
126248	453
126249	453
126250	453
126251	453
126252	453
126253	453
126254	453
126255	453
126256	453
126257	453
126258	453
126259	453
126260	453
126261	453
126262	453
126263	453
126264	453
126265	453
126266	453
126267	453
126268	453
126269	453
126270	453
126271	453
126272	453
126273	453
126274	453
126275	453
126276	453
126277	453
126278	453
126279	453
126280	453
126281	453
126282	454
126283	454
126284	454
126285	454
126286	454
126287	454
126288	454
126289	454
126290	454
126291	454
126292	454
126293	454
126294	454
126295	454
126296	454
126297	454
126298	454
126299	454
126300	454
126301	454
126302	454
126303	454
126304	454
126305	454
126306	454
126307	454
126308	454
126309	454
126310	454
126311	454
126312	454
126313	454
126314	454
126315	454
126316	454
126317	454
126318	454
126319	454
126320	454
126321	454
126322	454
126323	454
126324	454
126325	454
126326	454
126327	454
126328	454
126329	454
126330	454
126331	454
126332	454
126333	454
126334	454
126335	454
126336	454
126337	454
126338	454
126339	454
126340	454
126341	454
126342	455
126343	455
126344	455
126345	455
126346	455
126347	455
126348	455
126349	455
126350	455
126351	455
126352	455
126353	455
126354	455
126355	455
126356	455
126357	455
126358	455
126359	455
126360	455
126361	455
126362	455
126363	455
126364	455
126365	455
126366	455
126367	455
126368	455
126369	455
126370	455
126371	455
126372	455
126373	455
126374	455
126375	455
126376	455
126377	455
126378	455
126379	455
126380	455
126381	455
126382	455
126383	455
126384	455
126385	455
126386	455
126387	455
126388	455
126389	455
126396	455
126397	455
126398	455
126399	455
126400	455
126401	455
126402	455
126403	455
126404	455
126405	455
126406	455
126407	455
126408	455
126409	455
126410	455
126411	455
126412	455
126413	455
126414	455
126415	455
126416	455
126417	455
126418	455
126419	455
126420	432
126421	432
126422	432
126423	432
126424	432
126425	432
126426	456
126427	456
126428	456
126429	456
126430	456
126431	456
126432	456
126433	456
126434	456
126435	456
126436	456
126437	456
126438	456
126439	456
126440	456
126441	456
126442	456
126443	456
126444	456
126445	456
126446	456
126447	456
126448	456
126449	456
126450	456
126451	456
126452	456
126453	456
126454	456
126455	456
126456	456
126457	456
126458	456
126459	456
126460	456
126461	456
126462	456
126463	456
126464	456
126465	456
126466	456
126467	456
126468	456
126469	456
126470	456
126471	456
126472	456
126473	456
126474	456
126475	456
126476	456
126477	456
126478	456
126479	456
126480	456
126481	456
126482	456
126483	456
126484	456
126485	456
126486	456
126487	456
126488	456
126489	456
126490	456
126491	456
126492	433
126493	433
126494	433
126495	433
126496	433
126497	433
126498	456
126499	456
126500	456
126501	456
126502	456
126503	456
126504	432
126505	432
126506	432
126507	432
126508	432
126509	432
126510	456
126511	456
126512	456
126513	456
126514	456
126515	456
126516	457
126517	457
126518	457
126519	457
126520	457
126521	457
126522	457
126523	457
126524	457
126525	457
126526	457
126527	457
126528	457
126529	457
126530	457
126531	457
126532	457
126533	457
126534	461
126535	461
126536	461
126537	461
126538	461
126539	461
126540	457
126541	457
126542	457
126543	457
126544	457
126545	457
126546	457
126547	457
126548	457
126549	457
126550	457
126551	457
126552	457
126553	457
126554	457
126555	457
126556	457
126557	457
126558	457
126559	457
126560	457
126561	457
126562	457
126563	457
126564	457
126566	457
126567	457
126568	457
126569	457
126570	457
126571	457
126572	457
126573	457
126574	457
126575	457
126576	457
126577	457
126578	457
126579	457
126580	457
126581	457
126582	457
126583	457
126584	457
126585	457
126586	457
126587	457
126588	457
126589	457
126590	457
126591	457
126592	457
126593	457
126594	457
126595	457
126596	457
126597	457
126598	457
126599	457
126600	457
126601	457
126602	457
126603	457
126604	457
126605	457
126606	456
126607	456
126608	456
126609	456
126610	456
126611	456
126612	457
126613	457
126614	457
126615	457
126616	457
126617	457
126618	457
126619	457
126620	457
126621	457
126622	457
126623	457
126624	445
126625	445
126626	445
126627	445
126628	445
126629	445
126630	445
126631	445
126632	445
126633	445
126634	445
126635	445
126636	445
126637	445
126638	445
126639	445
126640	445
126641	445
126642	445
126643	445
126644	445
126645	445
126646	445
126647	445
126648	445
126649	445
126650	445
126651	445
126652	445
126653	445
126654	445
126655	445
126656	445
126657	445
126658	445
126659	445
126660	445
126661	445
126662	445
126663	445
126664	445
126665	445
126666	445
126667	445
126668	445
126669	445
126670	445
126671	445
126672	445
126673	445
126674	445
126675	445
126676	445
126677	445
126678	445
126679	445
126680	445
126681	445
126682	445
126683	445
126684	445
126685	445
126686	445
126687	445
126688	445
126689	445
126690	445
126691	445
126692	445
126693	445
126694	445
126695	445
126696	466
126697	466
126698	466
126699	466
126700	466
126701	466
126702	466
126703	466
126704	466
126705	466
126706	466
126707	466
126708	466
126709	466
126710	466
126711	466
126712	466
126713	466
126714	466
126715	466
126716	466
126717	466
126718	466
126719	466
126720	466
126721	466
126722	466
126723	466
126724	466
126725	466
126726	466
126727	466
126728	466
126729	466
126730	466
126731	466
126732	466
126733	466
126734	466
126735	466
126736	466
126737	466
126738	466
126739	466
126740	466
126741	466
126742	466
126743	466
126744	466
126745	466
126746	466
126747	466
126748	466
126749	466
126750	466
126751	466
126752	466
126753	466
126754	466
126755	466
126756	466
126757	466
126758	466
126759	466
126760	466
126761	466
126762	467
126763	467
126764	467
126765	467
126766	467
126767	467
126768	467
126769	467
126770	467
126771	467
126772	467
126773	467
126774	467
126775	467
126776	467
126777	467
126778	467
126779	467
126780	466
126781	466
126782	466
126783	466
126784	466
126786	467
126787	467

Part Number Index

BradyID.com/s36

Catalog #	Pg
126788	467
126789	467
126790	467
126791	467
126792	467
126793	467
126794	467
126795	467
126796	467
126797	467
126798	467
126799	467
126800	467
126801	467
126802	467
126803	467
126804	468
126805	468
126806	468
126807	468
126808	468
126809	468
126810	466
126811	466
126812	466
126813	466
126814	466
126815	466
126816	467
126817	467
126818	467
126819	467
126820	467
126821	467
126822	468
126823	468
126824	468
126825	468
126826	468
126827	468
126828	468
126829	468
126830	468
126831	468
126832	468
126833	468
126834	468
126835	468
126836	468
126837	468
126838	468
126839	468
126840	469
126841	469
126842	469
126843	469
126844	469
126845	469
126846	469
126847	469
126848	469
126849	469
126850	469
126851	469
126852	469
126853	469
126854	469
126855	469
126856	469
126857	469
126858	469
126859	469
126860	469
126861	469
126862	469
126863	469
126864	469
126865	469
126866	469
126867	469
126868	469
126869	469
126870	469
126871	469
126872	469
126873	469
126874	469
126875	469
126876	469
126877	469
126878	469
126879	469
126880	469
126881	469
126882	469
126883	469
126884	469
126885	469
126886	469
126887	469
126888	469
126889	469
126890	469
126891	469
126892	469
126893	469
126894	469
126895	469
126896	469
126897	469
126898	469
126899	469
126900	469
126901	469
126902	469
126903	469
126904	469
126905	469
126906	469
126907	469
126908	469
126909	469
126910	469
126911	469
126912	469
126913	469
126914	469
126915	469
126916	469
126917	469
126918	469
126919	469
126920	469
126921	469
126922	469
126923	469
126924	469
126925	469
126926	469
126927	469
126928	469
126929	469
126930	469
126931	469
126932	469
126933	469
126934	469
126935	469
126936	472
126937	472
126938	472
126939	472
126940	472
126941	472
126942	472
126943	472
126944	472
126945	472
126946	472
126947	472
126948	472
126949	472
126950	472
126951	472
126952	472
126953	472
126954	472
126955	472
126956	472
126957	472
126958	472
126959	472
126960	472
126961	472
126962	472
126963	472
126964	472
126965	472
126966	472
126967	472
126968	472
126969	472
126970	472
126971	472
126972	472
126973	472
126974	472
126975	472
126976	472
126977	472
126978	472
126979	472
126980	472
126981	472
126982	472
126983	472
126984	472
126985	472
126986	472
126987	472
126988	472
126989	472
126990	473
126991	473
126992	473
126993	473
126994	473
126995	473
126996	472
126997	472
126998	472
126999	472
127000	472
127001	472
127002	473
127003	473
127004	473
127005	473
127006	473
127007	473
127008	473
127009	473
127010	473
127011	473
127012	473
127013	473
127014	473
127015	473
127016	473
127017	473
127018	473
127019	473
127020	473
127021	473
127022	473
127023	473
127024	473
127025	473
127026	474
127027	474
127028	474
127029	474
127030	474
127031	474
127032	474
127033	474
127034	474
127035	474
127036	474
127037	474
127038	474
127039	474
127040	474
127041	474
127042	474
127043	474
127044	474
127045	474
127046	474
127047	474
127048	474
127049	474
127050	475
127051	475
127052	475
127053	475
127054	475
127055	475
127056	470
127057	470
127058	470
127059	470
127060	470
127061	470
127062	470
127063	470
127064	470
127065	470
127066	470
127067	470
127068	417
127069	417
127070	417
127071	417
127072	417
127073	417
127074	471
127075	471
127076	471
127077	471
127078	471
127079	471
127080	471
127081	471
127082	471
127083	471
127084	471
127085	471
127086	475
127087	475
127088	475
127089	475
127090	475
127091	475
127092	471
127093	471
127094	471
127095	471
127096	471
127097	471
127098	479
127099	479
127100	479
127101	479
127102	479
127103	479
127104	475
127105	475
127106	475
127107	475
127108	475
127109	475
127110	487
127111	487
127112	487
127113	487
127114	487
127115	487
127116	487
127117	487
127118	487
127119	487
127120	487
127121	487
127122	487
127123	487
127124	487
127125	487
127126	487
127127	487
127128	487
127129	487
127130	487
127131	487
127132	487
127133	487
127134	487
127135	487
127136	487
127137	487
127138	487
127139	487
127140	487
127141	487
127142	487
127143	487
127144	487
127145	487
127146	487
127147	487
127148	487
127149	487
127150	487
127151	487
127152	487
127153	487
127154	487
127155	487
127156	487
127157	487
127158	479
127159	479
127160	479
127161	479
127162	479
127163	479
127164	487
127165	487
127166	487
127167	487
127168	487
127169	487
127170	487
127171	487
127172	487
127173	487
127174	487
127175	487
127176	487
127177	487
127178	487
127179	487
127180	487
127181	487
127182	487
127183	487
127184	487
127185	487
127186	487
127187	487
127188	488
127189	488
127190	488
127191	488
127192	488
127193	488
127194	488
127195	488
127196	488
127197	488
127198	488
127199	488
127200	489
127201	489
127202	489
127203	489
127204	489
127205	489
127206	489
127207	489
127208	489
127209	489
127210	489
127211	489
127212	488
127213	488
127214	488
127215	488
127216	488
127217	488
127218	490
127219	490
127220	490
127221	490
127222	490
127223	490
127224	488
127225	488
127226	488
127227	488
127228	488
127229	488
127230	488
127231	488
127232	488
127233	488
127234	488
127235	488
127236	491
127237	491
127238	491
127239	491
127240	491
127241	491
127242	491
127243	491
127244	491
127245	491
127246	491
127247	491
127248	491
127249	491
127250	491
127251	491
127252	491
127253	491
127254	491
127255	491
127256	491
127257	491
127258	491
127259	491
127260	491
127261	491
127262	491
127263	491
127264	491
127265	491
127266	491
127267	491
127268	491
127269	491
127270	491
127271	491
127272	491
127273	491
127274	491
127275	491
127276	491
127277	491
127278	492
127279	492
127280	492
127281	492
127282	492
127283	492
127284	492
127285	492
127286	492
127287	492
127288	492
127289	492
127290	492
127291	492
127292	492
127293	492
127294	492
127295	492
127296	492
127297	492
127298	492
127299	492
127300	492
127301	492
127302	492
127303	492
127304	492
127305	492
127306	492
127307	492
127308	492
127309	492
127310	492
127311	492
127312	492
127313	492
127314	492
127315	492
127316	492
127317	492
127318	492
127319	492
127320	492
127321	492
127322	492
127323	492
127324	492
127325	492
127326	492
127327	492
127328	492
127329	492
127330	492
127331	492
127332	492
127333	492
127334	492
127335	492
127336	492
127337	492
127338	488
127339	488
127340	488
127341	488
127342	488
127343	488
127344	486
127345	486
127346	486
127347	486
127348	486
127349	486
127350	479
127351	479
127352	479
127353	479
127354	479
127355	479
127356	486
127357	486
127358	486
127359	486
127360	486
127361	486
127362	486
127363	486
127364	486
127365	486
127366	486
127367	486
127368	486
127369	486
127370	486
127371	486
127372	486
127373	486
127374	495
127375	495
127376	495
127377	495
127378	495
127379	495
127380	495
127381	495
127382	495
127383	495
127384	495
127385	495
127386	495
127387	495
127388	495
127389	495
127390	495
127391	495
127392	493
127393	493
127394	493
127395	493
127396	493
127397	493
127398	493
127399	493
127400	493
127401	493
127402	493
127403	493
127404	493
127405	493
127406	493
127407	493
127408	493
127409	493
127410	493
127411	493
127412	493
127413	493
127414	493
127415	493
127416	493
127417	493
127418	493
127419	493
127420	493
127421	493
127422	493
127423	493
127424	493
127425	493
127426	493
127427	493
127428	493
127429	493
127430	493
127431	493
127432	493
127433	493
127434	494
127435	494
127436	494
127437	494
127438	494
127439	494
127440	494
127441	494
127442	494
127443	494
127444	494
127445	494
127446	494
127447	494
127448	494
127449	494
127450	494
127451	494
127452	567
127453	567
127454	567
127455	567
127456	567
127457	567
127458	567
127459	567
127460	567
127461	567
127462	567
127463	567
127464	567
127465	567
127466	567
127467	567
127468	567
127469	567
127470	567
127471	567
127472	567
127473	567
127474	567
127475	567
127476	567
127477	567
127478	567
127479	567
127480	567
127481	567
127482	504
127483	504

BRADY

Catalog #	Pg
127484	504
127485	504
127486	504
127487	504
127488	504
127489	504
127490	504
127491	504
127492	504
127493	504
127494	504
127495	504
127496	504
127497	504
127498	504
127499	504
127500	504
127501	504
127502	504
127503	504
127504	504
127505	504
127506	504
127507	504
127508	504
127509	504
127510	504
127511	504
127512	504
127513	504
127514	504
127515	504
127516	504
127517	504
127518	504
127519	504
127520	504
127521	504
127522	504
127523	504
127524	504
127525	504
127526	504
127527	504
127528	504
127529	504
127530	504
127531	504
127532	504
127533	504
127534	504
127535	504
127536	505
127537	505
127538	505
127539	505
127540	505
127541	505
127542	504
127543	504
127544	504
127545	504
127546	504
127547	504
127548	505
127549	505
127550	505
127551	505
127552	505
127553	505
127554	505
127555	505
127556	505
127557	505
127558	505
127559	505
127560	505
127561	505
127562	505
127563	505
127564	505
127565	505
127566	505
127567	505
127568	505
127569	505
127570	505
127571	505
127572	505
127573	505
127574	505
127575	505
127576	505
127577	505
127578	505
127579	505
127580	505
127581	505
127582	505
127583	505
127584	505
127585	505
127586	505
127587	505
127588	505
127589	505
127590	505
127591	505
127592	505
127593	505
127594	505
127595	505
127596	506
127597	506
127598	506
127599	506
127600	506
127601	506
127602	506
127603	506
127604	506
127605	506
127606	506
127607	506
127608	506
127609	506
127610	506
127611	506
127612	506
127613	506
127614	506
127615	506
127616	506
127617	506
127618	506
127619	506
127620	506
127621	506
127622	506
127623	506
127624	506
127625	506
127626	506
127627	506
127628	506
127629	506
127630	506
127631	506
127632	506
127633	506
127634	506
127635	506
127636	506
127637	506
127638	506
127639	506
127640	506
127641	506
127642	506
127643	506
127644	507
127645	507
127646	507
127647	507
127648	507
127649	507
127650	507
127651	507
127652	507
127653	507
127654	507
127655	507
127656	507
127657	507
127658	507
127659	507
127660	507
127661	507
127662	507
127663	507
127664	507
127665	507
127666	507
127667	507
127668	507
127669	507
127670	507
127671	507
127672	507
127673	507
127674	508
127675	508
127676	508
127677	508
127678	508
127679	508
127680	508
127681	508
127682	508
127683	508
127684	508
127685	508
127686	508
127687	508
127688	508
127689	508
127690	508
127691	508
127692	508
127693	508
127694	508
127695	508
127696	508
127697	508
127698	508
127699	508
127700	508
127701	508
127702	508
127703	508
127704	508
127705	508
127706	508
127707	508
127708	508
127709	508
127710	509
127711	509
127712	509
127713	509
127714	509
127715	509
127716	509
127717	509
127718	509
127719	509
127720	509
127721	509
127722	514
127723	514
127724	514
127725	514
127726	514
127727	514
127728	514
127729	514
127730	514
127731	514
127732	514
127733	514
127734	514
127735	514
127736	514
127737	514
127738	514
127739	514
127740	515
127741	515
127742	515
127743	515
127744	515
127745	515
127746	515
127747	515
127748	515
127749	515
127750	515
127751	515
127752	515
127753	515
127754	515
127755	515
127756	515
127757	515
127758	515
127759	515
127760	515
127761	515
127762	515
127763	515
127764	515
127765	515
127766	515
127767	515
127768	515
127769	515
127770	515
127771	515
127772	515
127773	515
127774	515
127775	515
127776	515
127777	515
127778	515
127779	515
127780	515
127781	515
127782	515
127783	515
127784	515
127785	515
127786	515
127787	515
127788	516
127789	516
127790	516
127791	516
127792	516
127793	516
127794	516
127795	516
127796	516
127797	516
127798	516
127799	516
127800	510
127801	510
127802	510
127803	510
127804	510
127805	510
127806	510
127807	510
127808	510
127809	510
127810	510
127811	510
127812	510
127813	510
127814	510
127815	510
127816	510
127817	510
127818	510
127819	510
127820	510
127821	510
127822	510
127823	510
127824	513
127825	513
127826	513
127827	513
127828	513
127829	513
127830	511
127831	511
127832	511
127833	511
127834	511
127835	511
127836	510
127837	510
127838	510
127839	510
127840	510
127841	510
127842	510
127843	510
127844	510
127845	510
127846	510
127847	510
127848	511
127849	511
127850	511
127851	511
127852	511
127853	511
127854	510
127855	510
127856	510
127857	510
127858	510
127859	510
127860	510
127861	510
127862	510
127863	510
127864	510
127865	510
127866	510
127867	510
127868	510
127869	510
127870	510
127871	510
127872	511
127873	511
127874	511
127875	511
127876	511
127877	511
127878	511
127879	511
127880	511
127881	511
127882	511
127883	511
127884	511
127885	511
127886	511
127887	511
127888	511
127889	511
127890	511
127891	511
127892	511
127893	511
127894	511
127895	511
127896	512
127897	512
127898	512
127899	512
127900	512
127901	512
127902	512
127903	512
127904	512
127905	512
127906	512
127907	512
127908	512
127909	512
127910	512
127911	512
127912	512
127913	512
127914	512
127915	512
127916	512
127917	512
127918	512
127919	512
127920	513
127921	513
127922	513
127923	513
127924	513
127925	513
127926	513
127927	513
127928	513
127929	513
127930	513
127931	513
127932	513
127933	513
127934	513
127935	513
127936	513
127937	513
127938	514
127939	514
127940	514
127941	514
127942	514
127943	514
127944	517
127945	517
127946	517
127947	517
127948	517
127949	517
127950	516
127951	516
127952	516
127953	516
127954	516
127955	516
127956	516
127957	516
127958	516
127959	516
127960	516
127961	516
127962	517
127963	517
127964	517
127965	517
127966	517
127967	517
127968	524
127969	524
127970	524
127971	524
127972	524
127973	524
127974	524
127975	524
127976	524
127977	524
127978	524
127979	524
127980	524
127981	524
127982	524
127983	524
127984	524
127985	524
127986	527
127987	527
127988	527
127989	527
127990	527
127991	527
127992	527
127993	527
127994	527
127995	527
127996	527
127997	527
127998	525
127999	525
128000	525
128001	525
128002	525
128003	525
128004	525
128005	525
128006	525
128007	525
128008	525
128009	525
128010	525
128011	525
128012	525
128013	525
128014	525
128015	525
128016	526
128017	526
128018	526
128019	526
128020	526
128021	526
128022	525
128023	525
128024	525
128025	525
128026	525
128027	525
128028	525
128029	525
128030	525
128031	525
128032	525
128033	525
128034	525
128035	525
128036	525
128037	525
128038	525
128039	525
128040	526
128041	526
128042	526
128043	526
128044	526
128045	526
128046	526
128047	526
128048	526
128049	526
128050	526
128051	526
128052	526
128053	526
128054	526
128055	526
128056	526
128057	526
128058	526
128059	526
128060	526
128061	526
128062	526
128063	526
128064	527
128065	527
128066	527
128067	527
128068	527
128069	527
128070	526
128071	526
128072	526
128073	526
128074	526
128075	526
128076	526
128077	526
128078	526
128079	526
128080	526
128081	526
128082	526
128083	526
128084	526
128085	526
128086	526
128087	526
128088	527
128089	527
128090	527
128091	527
128092	527
128093	527
128094	527
128095	527
128096	527
128097	527
128098	527
128099	527
128100	522
128101	522
128102	522
128103	522
128104	522
128105	522
128106	522
128107	522
128108	522
128109	522
128110	522
128111	522
128112	527
128113	527
128114	527
128115	527
128116	527
128117	527
128118	522
128119	522
128120	522
128121	522
128122	522
128123	522
128124	522
128125	522
128126	522
128127	522
128128	522
128129	522
128130	522
128131	522
128132	522
128133	522
128134	522
128135	522
128136	522
128137	522
128138	522
128139	522
128140	522
128141	522
128142	523
128143	523
128144	523
128145	523
128146	523
128147	523
128148	523
128149	523
128150	523
128151	523
128152	523
128153	523
128154	523
128155	523
128156	523
128157	523
128158	523
128159	523
128160	523
128161	523
128162	523
128163	523
128164	523
128165	523
128166	523
128167	523
128168	523
128169	523
128170	523
128171	523
128172	524
128173	524
128174	524
128175	524
128176	524
128177	524
128178	524
128179	524

Part Number Index

BradyID.com/s36

Catalog #	Pg
128180	524
128181	524
128182	524
128183	524
128184	524
128185	524
128186	524
128187	524
128188	524
128189	524
128190	519
128191	519
128192	519
128193	519
128194	519
128195	519
128196	519
128197	519
128198	519
128199	519
128200	519
128201	519
128202	519
128203	519
128204	519
128205	519
128206	519
128207	519
128208	519
128209	519
128210	519
128211	519
128212	519
128213	519
128214	516
128215	516
128216	516
128217	516
128218	516
128219	516
128220	519
128221	519
128222	519
128223	519
128224	519
128225	519
128226	519
128227	519
128228	519
128229	519
128230	519
128231	519
128232	519
128233	519
128234	519
128235	519
128236	519
128237	519
128238	520
128239	520
128240	520
128241	520
128242	520
128243	520
128244	520
128245	520
128246	520
128247	520
128248	520
128249	520
128250	520
128251	520
128252	520
128253	520
128254	520
128255	520
128256	520
128257	520
128258	520
128259	520
128260	520
128261	520
128262	520
128263	520
128264	520
128265	520
128266	520
128267	520
128268	520
128269	520
128270	520
128271	520
128272	520
128273	520
128274	520
128275	520
128276	520
128277	520
128278	520
128279	520
128280	520
128281	520
128282	520
128283	520
128284	520
128285	520
128286	517
128287	517
128288	517
128289	517
128290	517
128291	517
128292	520
128293	520
128294	520
128295	520
128296	520
128297	520
128298	520
128299	520
128300	520
128301	520
128302	520
128303	520
128304	520
128305	520
128306	520
128307	520
128308	520
128309	520
128310	528
128311	528
128312	528
128313	528
128314	528
128315	528
128316	520
128317	520
128318	520
128319	520
128320	520
128321	520
128322	517
128323	517
128324	517
128325	517
128326	517
128327	517
128328	528
128329	528
128330	528
128331	528
128332	528
128333	528
128334	520
128335	520
128336	520
128337	520
128338	520
128339	520
128340	516
128341	516
128342	516
128343	516
128344	516
128345	516
128346	516
128347	516
128348	516
128349	516
128350	516
128351	516
128352	516
128353	516
128354	516
128355	516
128356	516
128357	516
128358	516
128359	516
128360	516
128361	516
128362	516
128363	516
128364	517
128365	517
128366	517
128367	517
128368	517
128369	517
128370	517
128371	517
128372	517
128373	517
128374	517
128375	517
128376	517
128377	517
128378	517
128379	517
128380	517
128381	517
128382	528
128383	528
128384	528
128385	528
128386	528
128387	528
128388	517
128389	517
128390	517
128391	517
128392	517
128393	517
128394	514
128395	514
128396	514
128397	514
128398	514
128399	514
128400	514
128401	514
128402	514
128403	514
128404	514
128405	514
128406	514
128407	514
128408	514
128409	514
128410	514
128411	514
128412	518
128413	518
128414	518
128415	518
128416	518
128417	518
128418	518
128419	518
128420	518
128421	518
128422	518
128423	518
128424	537
128425	537
128426	537
128427	537
128428	537
128429	537
128430	519
128431	519
128432	519
128433	519
128434	519
128435	519
128436	519
128437	519
128438	519
128439	519
128440	519
128441	519
128442	515
128443	515
128444	515
128445	515
128446	515
128447	515
128448	528
128449	528
128450	528
128451	528
128452	528
128453	528
128454	528
128455	528
128456	528
128457	528
128458	528
128459	528
128460	539
128461	539
128462	539
128463	539
128464	539
128465	539
128466	539
128467	539
128468	539
128469	539
128470	539
128471	539
128472	539
128473	539
128474	539
128475	539
128476	539
128477	539
128478	539
128479	539
128480	539
128481	539
128482	539
128483	539
128484	539
128485	539
128486	539
128487	539
128488	539
128489	539
128490	539
128491	539
128492	539
128493	539
128494	539
128495	539
128496	540
128497	540
128498	540
128499	540
128500	540
128501	540
128502	540
128503	540
128504	540
128505	540
128506	540
128507	540
128508	540
128509	540
128510	540
128511	540
128512	540
128513	540
128514	529
128515	529
128516	529
128517	529
128518	529
128519	529
128520	529
128521	529
128522	529
128523	529
128524	529
128525	529
128526	529
128527	529
128528	529
128529	529
128530	529
128531	529
128532	530
128533	530
128534	530
128535	530
128536	530
128537	530
128538	530
128539	530
128540	530
128541	530
128542	530
128543	530
128544	531
128545	531
128546	531
128547	531
128548	531
128549	531
128550	531
128551	531
128552	531
128553	531
128554	531
128555	531
128556	531
128557	531
128558	531
128559	531
128560	531
128561	531
128562	531
128563	531
128564	531
128565	531
128566	531
128567	531
128568	531
128569	531
128570	531
128571	531
128572	531
128573	531
128574	531
128575	531
128576	531
128577	531
128578	531
128579	531
128580	531
128581	531
128582	531
128583	531
128584	531
128585	531
128586	532
128587	532
128588	532
128589	532
128590	532
128591	532
128592	533
128593	533
128594	533
128595	533
128596	533
128597	533
128598	533
128599	533
128600	533
128601	533
128602	533
128603	533
128604	533
128605	533
128606	533
128607	533
128608	533
128609	533
128610	533
128611	533
128612	533
128613	533
128614	533
128615	533
128616	530
128617	530
128618	530
128619	530
128620	530
128621	530
128622	424
128623	424
128624	424
128625	424
128626	424
128627	424
128628	533
128629	533
128630	533
128631	533
128632	533
128633	533
128634	533
128635	533
128636	533
128637	533
128638	533
128639	533
128640	533
128641	533
128642	533
128643	533
128644	533
128645	533
128646	533
128647	533
128648	533
128649	533
128650	533
128651	533
128652	533
128653	533
128654	533
128655	533
128656	533
128657	533
128658	533
128659	533
128660	533
128661	533
128662	533
128663	533
128664	533
128665	533
128666	533
128667	533
128668	533
128669	533
128670	533
128671	533
128672	533
128673	533
128674	533
128675	533
128676	540
128677	540
128678	540
128679	540
128681	540
128682	540
128683	540
128684	540
128685	540
128686	540
128687	540
128688	540
128689	540
128690	540
128691	540
128693	540
128694	534
128695	534
128696	534
128697	534
128698	534
128699	534
128700	534
128701	534
128702	534
128703	534
128704	534
128705	534
128706	534
128707	534
128708	534
128709	534
128710	534
128711	534
128712	534
128713	534
128714	534
128715	534
128716	534
128717	534
128718	534
128719	534
128720	534
128721	534
128722	534
128723	534
128724	534
128725	534
128726	534
128727	534
128728	534
128729	534
128730	534
128731	534
128732	534
128733	534
128734	534
128735	534
128736	534
128737	534
128738	534
128739	534
128740	534
128741	534
128742	534
128743	534
128744	534
128745	534
128746	534
128747	534
128748	535
128749	535
128750	535
128751	535
128752	535
128753	535
128754	535
128755	535
128756	535
128757	535
128758	535
128759	535
128760	535
128761	535
128762	535
128763	535
128764	535
128765	535
128766	535
128767	535
128768	535
128769	535
128770	535
128771	535
128772	535
128773	535
128774	535
128775	535
128776	535
128777	535
128778	535
128779	535
128780	535
128781	535
128782	535
128783	535
128784	535
128785	535
128786	535
128787	535
128788	535
128789	535
128790	514
128791	514
128792	514
128793	514
128794	514
128795	514
128796	535
128797	535
128798	535
128799	535
128800	535
128801	535
128802	535
128803	535
128804	535
128805	535
128806	535
128807	535
128808	536
128809	536
128810	536
128811	536
128812	536
128813	536
128814	536
128815	536
128816	536
128817	536
128818	536
128819	536
128820	536
128821	536
128822	536
128823	536
128824	536
128825	536
128826	536
128827	536
128828	536
128829	536
128830	536
128831	536
128832	536
128833	536
128834	536
128835	536
128836	536
128837	536
128838	536
128839	536
128840	536
128841	536
128842	536
128843	536
128844	536
128845	536
128846	536
128847	536
128848	536
128849	536
128850	536
128851	536
128852	536
128853	536
128854	536
128855	536
128856	536
128857	536
128858	536
128859	536
128860	536
128861	536
128862	536
128863	536
128864	536
128865	536
128866	536
128867	536
128868	536
128869	536

Catalog #	Pg
128870	536
128871	536
128872	536
128873	536
128874	536
128875	536
128876	536
128877	536
128878	536
128879	536
128880	536
128881	536
128882	536
128883	536
128884	536
128885	536
128886	536
128887	536
128888	536
128889	536
128890	536
128891	536
128892	537
128893	537
128894	537
128895	537
128896	537
128897	537
128898	537
128899	537
128900	537
128901	537
128902	537
128903	537
128904	537
128905	537
128906	537
128907	537
128908	537
128909	537
128910	537
128911	537
128912	537
128913	537
128914	537
128915	537
128916	537
128917	537
128918	537
128919	537
128920	537
128921	537
128922	537
128923	537
128924	537
128925	537
128926	537
128927	537
128928	537
128929	537
128930	537
128931	537
128932	537
128933	537
128934	537
128935	537
128936	537
128937	537
128938	537
128939	537
128940	537
128941	537
128942	537
128943	537
128944	537
128945	537
128946	536
128947	536
128948	536
128949	536
128950	536
128951	536
128952	538
128953	538
128954	538
128955	538
128956	538
128957	538
128958	538
128959	538
128960	538
128961	538
128962	538
128963	538
128964	538
128965	538
128966	538
128967	538
128968	538
128969	538
128970	538
128971	538
128972	538
128973	538
128974	538
128975	538
128976	538
128977	538
128978	538
128979	538
128980	538
128981	538
128982	538
128983	538
128984	538
128985	538
128986	538
128987	538
128988	538
128989	538
128990	538
128991	538
128992	538
128993	538
128994	538
128995	538
128996	538
128997	538
128998	538
128999	538
129000	538
129001	538
129002	538
129003	538
129004	538
129005	538
129006	538
129007	538
129008	538
129009	538
129010	538
129011	538
129012	538
129013	538
129014	538
129015	538
129016	538
129017	538
129018	538
129019	538
129020	538
129021	538
129022	538
129023	538
129024	433
129025	433
129026	433
129027	433
129028	433
129029	433
129030	529
129031	529
129032	529
129033	529
129034	529
129035	529
129036	529
129037	529
129038	529
129039	529
129040	529
129041	529
129042	530
129043	530
129044	530
129045	530
129046	530
129047	530
129048	530
129049	530
129050	530
129051	530
129052	530
129053	530
129054	507
129055	507
129056	507
129057	507
129058	507
129059	507
129060	507
129061	507
129062	507
129063	507
129064	507
129065	507
129066	508
129067	508
129068	508
129069	508
129070	508
129071	508
129072	508
129073	508
129074	508
129075	508
129076	508
129077	508
129078	509
129079	509
129080	509
129081	509
129082	509
129083	509
129084	507
129085	507
129086	507
129087	507
129088	507
129089	507
129090	509
129091	509
129092	509
129093	509
129094	509
129095	509
129096	534
129097	534
129098	534
129099	534
129100	534
129101	534
129102	534
129103	534
129104	534
129105	534
129106	534
129107	534
129108	514
129109	514
129110	514
129111	514
129112	514
129113	514
129114	515
129115	515
129116	515
129117	515
129118	515
129119	515
129120	515
129121	515
129122	515
129123	515
129124	515
129125	515
129126	515
129127	515
129128	515
129129	515
129130	515
129131	515
129132	538
129133	538
129134	538
129135	538
129136	538
129137	538
129138	516
129139	516
129140	516
129141	516
129142	516
129143	516
129144	516
129145	516
129146	516
129147	516
129148	516
129149	516
129150	517
129151	517
129152	517
129153	517
129154	517
129155	517
129156	541
129157	541
129158	541
129159	541
129160	541
129161	541
129162	541
129163	541
129164	541
129165	541
129166	541
129167	541
129168	531
129169	531
129170	531
129171	531
129172	531
129173	531
129174	541
129175	541
129176	541
129177	541
129178	541
129179	541
129180	541
129181	541
129182	541
129183	541
129184	541
129185	541
129186	541
129187	541
129188	541
129189	541
129190	541
129191	541
129192	418
129193	418
129194	418
129195	418
129196	418
129197	418
129198	543
129199	543
129200	543
129201	543
129202	543
129203	543
129204	543
129205	543
129206	543
129207	543
129208	543
129209	543
129210	543
129211	543
129212	543
129213	543
129214	543
129215	543
129216	543
129217	543
129218	543
129219	543
129220	543
129221	543
129222	543
129223	543
129224	543
129225	543
129226	543
129227	543
129228	541
129229	541
129230	541
129231	541
129232	541
129233	541
129234	541
129235	541
129236	541
129237	541
129238	541
129239	541
129240	541
129241	541
129242	541
129243	541
129244	541
129245	541
129246	541
129247	541
129248	541
129249	541
129250	541
129251	541
129252	541
129253	541
129254	541
129255	541
129256	541
129257	541
129258	541
129259	541
129260	541
129261	541
129262	541
129263	541
129264	541
129265	541
129266	541
129267	541
129268	541
129269	541
129270	542
129271	542
129272	542
129273	542
129274	542
129275	542
129276	541
129277	541
129278	541
129279	541
129280	541
129281	541
129282	542
129283	542
129284	542
129285	542
129286	542
129287	542
129288	542
129289	542
129290	542
129291	542
129292	542
129293	542
129294	542
129295	542
129296	542
129297	542
129298	542
129299	542
129300	542
129301	542
129302	542
129303	542
129304	542
129305	542
129306	542
129307	542
129308	542
129309	542
129310	542
129311	542
129312	542
129313	542
129314	542
129316	542
129317	542
129318	542
129319	542
129320	542
129321	542
129322	542
129323	542
129324	542
129325	542
129326	542
129327	542
129328	542
129329	542
129330	542
129331	542
129332	542
129333	542
129334	542
129335	542
129336	542
129337	542
129338	542
129339	542
129340	542
129341	542
129342	543
129343	543
129344	543
129345	544
129346	544
129347	544
129348	544
129349	544
129350	544
129351	544
129352	544
129353	544
129354	544
129355	544
129356	544
129357	544
129358	544
129359	544
129360	544
129361	544
129362	544
129363	544
129364	544
129365	544
129366	544
129367	544
129368	544
129369	544
129370	544
129371	544
129372	544
129373	544
129374	544
129375	544
129376	544
129377	544
129378	544
129379	544
129380	544
129381	544
129382	544
129383	544
129384	544
129385	544
129386	544
129387	544
129388	544
129389	544
129390	544
129391	544
129392	544
129393	544
129394	544
129395	544
129396	544
129397	544
129398	544
129399	545
129400	545
129401	545
129402	545
129403	545
129404	545
129405	555
129406	555
129407	555
129408	555
129409	555
129410	555
129411	557
129412	557
129413	557
129414	557
129415	557
129416	557
129417	557
129418	557
129419	557
129420	557
129421	557
129422	557
129423	576
129424	576
129425	576
129426	573
129427	573
129428	573
129429	573
129430	573
129431	573
129432	575
129433	575
129434	575
129435	574
129436	574
129437	574
129438	575
129439	575
129440	575
129441	575
129442	575
129443	575
129444	575
129445	575
129446	575
129447	577
129448	577
129449	577
129450	573
129451	573
129452	573
129453	571
129454	571
129455	571
129456	571
129457	571
129458	571
129459	576
129460	576
129461	576
129462	574
129463	574
129464	574
129465	577
129466	577
129467	577
129468	573
129469	573
129470	573
129471	574
129472	574
129473	574
129474	574
129475	574
129476	574
129477	573
129478	573
129479	573
129480	574
129481	574
129482	574
129483	571
129484	571
129485	571
129486	571
129487	571
129488	571
129489	571
129490	571
129491	571
129492	571
129493	571
129494	571
129495	572
129496	572
129497	572
129498	572
129499	572
129500	572
129501	570
129502	570
129503	570
129504	570
129505	570
129506	570
129507	570
129508	570
129509	570
129510	570
129511	570
129512	570
129513	570
129514	570
129515	570
129516	570
129517	570
129518	570
129519	570
129520	570
129521	570
129522	570
129523	570
129524	570
129525	571
129526	571
129527	571
129528	571
129529	571
129530	571
129531	571
129532	571
129533	571
129534	571
129535	571
129536	571
129537	571
129538	571
129539	571
129540	571
129541	571
129542	571
129543	571
129544	571
129545	571
129546	571
129547	571
129548	571
129549	571
129550	571
129551	571
129552	571
129553	571
129554	571
129555	571
129556	571
129557	571
129558	571
129559	571
129560	571
129561	560
129562	560
129563	560
129564	560
129565	560
129566	560

Part Number Index

BradyID.com/s36

Catalog #	Pg
129567	560
129568	560
129569	560
129570	561
129571	561
129572	561
129576	573
129577	573
129578	573
129579	574
129580	574
129581	574
129582	574
129583	574
129584	574
129585	561
129586	561
129587	561
129588	574
129589	574
129590	574
129594	563
129595	563
129596	563
129597	575
129598	575
129599	575
129600	563
129601	563
129602	563
129603	564
129604	564
129605	564
129606	564
129607	564
129608	564
129609	564
129610	564
129611	564
129612	564
129613	564
129614	564
129615	561
129616	561
129617	561
129618	561
129619	561
129620	561
129621	561
129622	561
129623	561
129624	562
129625	562
129626	562
129627	563
129628	563
129629	563
129630	563
129631	563
129632	563
129633	563
129634	563
129635	563
129636	563
129637	563
129638	563
129639	563
129640	563
129641	563
129642	560
129643	560
129644	560
129645	560
129646	560
129647	560
129648	560
129649	560
129650	560
129651	560
129652	560
129653	560
129654	560
129655	560
129656	560
129657	563
129658	563
129659	563
129660	563
129661	563
129662	563
129663	564
129664	564
129665	564
129666	564
129667	564
129668	564
129669	574
129670	574
129671	574
129672	561
129673	561
129674	561
129675	561
129676	561
129677	561
129678	575
129679	575
129680	575
129681	563
129682	563
129683	563
129684	562
129685	562
129686	562
129687	562
129688	562
129689	562
129690	562
129691	562
129692	562
129693	563
129694	563
129695	563
129696	562
129697	562
129698	562
129699	563
129700	563
129701	563
129702	564
129703	564
129704	564
129705	563
129706	563
129707	563
129708	563
129709	563
129710	563
129711	560
129712	560
129713	560
129714	561
129715	561
129716	561
129717	561
129718	561
129719	561
129720	561
129721	561
129722	561
129723	561
129724	561
129725	561
129726	564
129727	564
129728	564
129729	564
129730	564
129731	564
129732	562
129733	562
129734	562
129735	563
129736	563
129737	563
129738	563
129739	563
129740	563
129741	563
129742	563
129743	563
129744	563
129745	563
129746	563
129747	563
129748	563
129749	563
129750	564
129751	564
129752	564
129753	564
129754	564
129755	564
140886	80
130749	80
130750	80
140887	80
130752	80
130753	80
140888	80
130755	80
130756	80
140889	80
130758	80
130759	80
140885	80
130761	80
130762	80
140890	80
130764	80
130765	80
130766	80
130767	80
130768	80
130769	80
130770	80
130771	80
130772	80
130773	80
130774	80
130775	80
130776	80
130777	80
130808	82
130809	82
130810	82
130811	82
130812	82
130819	226
130820	226
130821	226
130822	226
130823	226
130824	226
131047	347
131048	346
131049	347
131050	347
131051	347
131052	347
131053	346
131054	347
131055	347
131056	347
131057	357
131058	356
131059	357
131060	357
131061	357
131063	209
131064	209
131065	209
131066	209
131615	413
131616	413
131617	413
131618	413
131619	413
131620	413
131621	413
131622	413
131623	413
131624	413
131625	413
131626	413
131627	413
131628	413
131629	413
131630	413
131631	413
131632	413
131633	413
131634	413
131635	413
131636	413
131637	413
131638	413
131639	413
131640	413
131641	413
131642	413
131643	413
131644	413
131645	413
131646	413
131647	414
131648	414
131649	414
131650	414
131651	414
131652	414
131653	414
131654	414
131655	414
131656	414
131657	414
131658	414
131659	414
131660	414
131661	414
131662	414
131663	415
131664	415
131665	415
131666	415
131667	415
131668	415
131669	415
131670	415
131671	415
131672	415
131673	415
131674	415
131675	415
131676	415
131677	415
131678	415
131679	466
131680	466
131681	466
131682	466
131683	466
131685	466
131686	466
131687	468
131688	468
131689	468
131690	468
131691	468
131692	468
131693	468
131694	468
131697	473
131698	473
131699	473
131700	473
131701	473
131702	473
131703	473
131704	473
131705	473
131706	473
131707	473
131708	473
131709	473
131710	473
131711	473
131712	473
131713	473
131714	473
131715	414
131716	414
131717	414
131718	414
131719	414
131720	414
131721	414
131722	414
131729	474
131730	474
131731	523
131732	523
131733	523
131734	523
131735	523
131736	523
131737	523
131738	523
131739	455
131740	455
131741	455
131742	455
131743	455
131744	455
131745	455
131746	455
131747	451
131748	451
131749	451
131750	451
131751	451
131752	451
131753	451
131754	451
131755	453
131756	453
131757	453
131758	453
131759	453
131760	453
131761	453
131762	453
131763	453
131764	453
131765	453
131766	453
131767	453
131768	453
131769	453
131770	453
131771	452
131772	452
131773	452
131774	452
131775	452
131776	452
131777	452
131778	452
131779	523
131780	523
131781	523
131782	523
131783	523
131784	523
131785	523
131786	523
131787	452
131788	452
131789	452
131790	452
131791	452
131792	452
131793	452
131794	452
131795	452
131796	452
131797	452
131798	452
131799	452
131800	452
131801	452
131802	452
131803	451
131804	451
131805	451
131806	451
131807	451
131808	451
131809	451
131810	451
131811	451
131812	451
131813	451
131814	451
131815	451
131816	451
131817	451
131818	451
131819	450
131820	450
131821	450
131822	450
131823	450
131824	450
131825	450
131826	450
131829	451
131830	455
131831	454
131832	454
131833	454
131834	454
131835	454
131836	454
131837	454
131838	454
131839	454
131840	454
131841	454
131842	454
131843	454
131844	454
131845	454
131846	454
131853	454
131854	454
131859	450
131861	450
131862	450
131863	513
131864	513
131865	513
131866	513
131867	513
131868	513
131869	513
131870	513
131871	511
131872	511
131873	511
131874	511
131875	511
131876	511
131877	511
131878	511
131879	456
131880	456
131881	456
131882	456
131883	456
131884	456
131885	456
131886	456
131887	459
131888	459
131889	459
131890	459
131891	459
131892	459
131893	459
131894	459
131895	458
131896	458
131897	458
131898	458
131899	458
131900	458
131901	458
131902	458
131909	531
131910	531
131911	531
131912	531
131913	531
131914	531
131915	533
131916	533
131917	533
131918	533
131919	533
131920	533
131921	531
131922	531
131923	531
131924	531
131925	531
131926	531
131927	530
131928	530
131929	530
131930	530
131931	530
131932	530
131933	530
131934	530
131935	531
131936	531
131937	531
131938	531
131939	531
131940	531
131941	531
131942	531
131943	529
131944	529
131945	529
131946	529
131947	529
131948	529
131949	529
131950	529
131951	532
131952	532
131953	532
131954	532
131955	532
131956	532
131957	532
131958	532
131959	532
131960	532
131961	532
131962	532
131963	532
131964	532
131965	532
131966	532
131967	532
131968	532
131969	532
131970	532
131971	532
131972	532
131973	532
131974	532
131975	532
131976	532
131977	532
131978	532
131979	532
131980	532
131981	532
131982	532
131983	532
131984	532
131985	532
131986	532
131987	532
131988	532
131989	532
131990	532
131991	532
131992	532
131993	532
131994	532
131995	532
131996	532
131997	532
131998	532
131999	522
132000	522
132001	522
132002	522
132003	522
132004	522
132005	527
132006	527
132007	527
132008	527
132009	527
132010	527
132011	527
132012	527
132020	556
132021	556
132022	556
132023	556
132024	556
132025	556
132026	556
132027	521
132028	521
132029	521
132030	521
132031	521
132032	521
132033	521
132034	521
132035	521
132036	521
132037	521
132038	521
132039	521
132040	521
132041	555
132042	555
132043	555
132044	555
132045	555
132046	555
132047	555
132048	555
132049	571
132050	571
132051	571
132052	571
132053	571
132054	571
132055	571
132056	571
132057	414
132058	470
132059	470
132060	508
132061	508
132062	508
132063	508
132064	508
132065	508
132066	508
132067	508
132068	508
132069	508
132070	508
132071	508
132072	508
132073	508
132074	508
132075	508
132076	506
132077	506
132078	506
132079	506
132080	506
132081	506
132082	506
132083	506
132084	507
132085	507
132086	507
132087	507
132088	507
132089	507
132090	507
132091	507
132092	509
132093	509
132094	509

BRADY

Catalog #	Pg
132095	509
132096	509
132097	509
132098	509
132099	509
132100	545
132101	545
132103	572
132104	471
132105	471
132106	471
132107	471
132108	471
132109	471
132110	471
132111	471
132112	471
132113	471
132114	471
132115	471
132116	471
132117	471
132118	471
132119	471
132120	471
132121	471
132122	471
132123	471
132124	471
132125	471
132126	471
132127	471
132128	471
132129	471
132130	471
132131	476
132136	488
132137	488
132138	488
132139	488
132140	488
132141	488
132142	488
132143	488
132144	488
132145	488
132146	488
132147	488
132148	488
132149	488
132150	488
132151	488
132152	476
132153	476
132154	476
132155	476
132156	476
132157	476
132158	476
132159	476
132160	476
132161	476
132162	476
132163	476
132164	476
132165	476
132166	476
132167	476
132168	476
132169	476
132170	476
132171	476
132172	476
132173	476
132174	476
132175	476
132176	476
132177	476
132178	476
132179	476
132180	476
132181	476
132182	476
132183	476
132184	479
132185	479
132186	479
132187	479
132188	479
132189	479
132190	479
132191	479
132200	475
132201	475
132214	431
132215	431
132216	431
132217	431
132218	431
132219	431
132220	431
132221	431
132231	432
132232	432
132233	432
132234	432
132235	432
132236	432
132237	432
132238	432
132239	499
132240	432
132241	432
132242	432
132243	432
132244	432
132245	432
132246	432
132247	432
140883	80
132393	80
140884	80
132395	80
132421	325
132422	325
132423	325
132424	325
132425	325
132427	185
132428	368
132429	368
132430	295
132431	295
132432	295
132433	295
132434	295
132435	295
132436	295
132437	295
132438	295
132439	295
132440	295
132441	295
132449	557
132451	557
132452	325
132453	325
132454	325
132457	368
132458	368
133133	97
133134	97
133139	97
133140	97
133141	97
133158	97
133159	97
133161	197
133162	197
133164	97
133165	97
133166	97
133167	369
133168	369
133169	369
133170	369
133171	369
133172	369
133207	369
133208	369
133209	369
133261	195
133262	195
133263	195
133264	195
133265	195
133266	195
133267	195
133268	195
133269	195
133270	195
133271	195
133272	195
133273	195
133274	195
133275	195
133276	195
133277	195
133278	195
133279	195
133280	195
133281	195
133282	195
133283	195
133284	195
133285	195
133286	195
133287	195
133288	195
133289	195
133290	195
133291	195
133292	195
133293	195
133294	195
133295	195
133296	195
133481	311
133482	311
133483	311
133484	311
133485	311
133486	311
133487	310
133488	310
133489	203
133490	203
133491	203
133492	203
133493	203
133494	203
133495	203
133496	203
133497	203
133498	203
133499	203
133544	203
133545	203
133546	203
133547	203
133548	203
133549	203
133550	203
133551	203
133552	203
133553	203
133554	203
133555	203
133556	203
133557	203
133558	203
133559	203
133560	203
133561	203
133562	203
133563	203
133564	203
133565	203
133566	203
133567	203
134018	226
134030	238
134031	233
134032	230
134033	237
134034	233
134035	234
134036	245
134086	295
134087	295
134088	295
134089	295
134090	295
134091	295
134092	295
134093	295
134094	295
134177	568
134178	568
134179	507
134180	507
134181	507
134182	507
134183	568
134184	568
134186	568
134187	568
134188	568
134191	568
134192	568
134193	568
134194	568
134352	99
139559	484
139560	484
139561	484
139562	484
139563	484
139564	484
139565	484
139566	484
139567	484
139568	484
139569	484
139570	484
139571	484
139572	484
139573	484
139574	484
139575	484
139576	484
139577	484
139578	484
139579	484
139580	484
139581	484
139582	484
139583	484
139584	484
139585	484
139586	484
139587	484
139588	484
139589	484
139590	484
139591	484
139592	484
139593	484
139594	484
139595	484
139596	484
139597	484
139598	484
139599	484
139600	484
139601	484
139602	484
139603	484
139604	484
139605	484
139606	484
139607	484
139608	484
139609	484
139610	484
139611	484
139612	484
139613	484
139614	484
139615	484
139616	484
139617	484
139618	484
139619	484
139620	484
139621	484
139622	484
139623	484
139624	484
139625	484
139626	484
139627	484
139628	484
139629	484
139630	484
139631	484
139632	484
139633	484
139634	484
139635	484
139636	484
139637	484
139638	484
139639	484
139640	484
139641	484
139642	484
139643	484
139644	484
139645	484
139646	484
139647	484
139648	484
139649	484
139650	484
139651	484
139652	484
139653	484
139654	484
139655	484
139656	484
139657	484
139658	484
139659	484
139660	484
139661	484
139662	484
139663	484
139664	484
139665	484
139666	484
139667	484
139668	484
139669	484
139670	484
139671	484
139672	484
139673	484
139674	484
139675	484
139676	484
139677	484
139678	484
139679	484
139680	484
139681	484
139682	484
139683	484
139684	484
139685	484
139686	484
139687	484
139688	484
139689	484
139690	484
139691	484
139692	484
139693	484
139694	484
139695	484
139696	484
139697	484
139698	484
139699	484
139700	484
139703	484
139704	484
139705	484
139706	484
139707	484
139708	484
139709	484
139710	484
139711	484
139712	484
139713	484
139714	484
139715	484
139716	484
139717	484
139718	484
139719	484
139720	484
139721	484
139722	484
139723	484
139724	484
139725	484
139726	484
139727	484
139728	484
139729	484
139730	484
139731	484
139786	501
139787	501
139793	226
139794	226
139795	226
139796	226
139797	521
139798	521
139811	97
139812	97
139907	501
140736	546
140737	546
140738	546
140739	546
140740	546
140741	546
140742	546
140743	546
140744	546
140745	546
140746	546
140747	546
140748	547
140749	547
140750	547
140751	547
140752	547
140753	547
140754	547
140755	547
140756	547
140757	547
140758	547
140759	547
140760	547
140761	547
140762	547
140763	547
140764	547
140765	547
140766	547
140767	547
140768	547
140769	547
140770	547
140771	547
140772	547
140773	547
140774	547
140776	547
140777	547
140778	547
140779	547
140780	547
140781	547
140782	547
140783	547
140784	547
140785	547
140786	547
140787	547
140788	547
140789	547
140790	547
140791	547
140792	547
140793	547
140794	547
140795	547
140796	547
140797	547
140798	547
140799	547
140800	547
140801	547
140802	547
140803	547
140804	547
140805	547
140806	547
140807	547
140808	547
140809	547
140810	547
140811	547
140812	547
140813	547
140814	547
140815	547
140816	547
140817	547
140818	547
140819	547
140820	547
140821	547
140822	547
140823	547
140824	547
140825	547
140826	547
140827	547
140828	547
140829	547
140830	547
140831	547
140832	547
140871	417
141660	565
141661	565
141662	565
141663	565
141664	565
141665	565
141666	565
141667	565
141668	565
141669	565
141670	565
141671	565
141672	565
141673	565
141674	565
141675	565
141676	565
141677	565
141678	565
141679	565
141680	565
141681	565
141682	565
141683	565
141684	565
141685	565
141686	565
141687	565
141688	565
141689	565
141690	565
141691	565
141693	565
141694	565
141695	565
141696	565
141697	565
141698	565
141797	521
141908	430
141909	430
141910	430
141911	430
141912	430
141913	430
141914	430
141915	430
141916	430
141917	430
141919	525
141920	525
141921	525
141922	525
141923	525
141924	525
141925	525
141926	525
141928	525
141929	526
141930	526
141931	526
141932	526
141933	526
141934	526
141935	526
141936	526
141937	527
141938	526
141939	524
141940	524
141941	524
141942	524
141943	524
141944	524
141945	524
141946	524
141947	524
141948	524
141949	524
141950	524
141951	524
141952	524
141953	524
141954	525
141955	525
141956	525
141957	525
141958	525
141959	525
141960	525
141961	525
141962	525
141963	525
141964	525
141965	525
141966	525
141967	525
141968	525
141969	525
141970	525
141971	525
141972	525
141973	525
142061	72
142062	73
142063	73
142064	73
142065	73
142109	298
142111	298
142133	340
142134	295
142135	295
142136	295
142137	295
142138	295
142139	295
142154	96
142155	96
142156	96
142157	96
142158	96
142159	96
142160	96
142161	96
142162	96

Part Number Index

BradyID.com/s36

Catalog #	Pg
142163	96
142164	96
142165	96
142166	96
142167	96
142168	96
142169	96
142170	96
142171	96
142172	96
142173	96
142174	96
142175	96
142176	96
142177	296
142178	296
142179	296
142180	296
142181	296
142395	502
142396	502
142397	503
142398	502
142399	503
142400	503
142401	502
142402	502
142403	502
142404	503
142405	502
142406	503
142407	503
142408	503
142409	503
142410	503
142411	503
142412	502
142413	502
142414	503
142415	503
142416	503
142417	502
142418	503
142419	503
142420	503
142421	502
142422	502
142423	502
142424	502
142425	503
142426	503
142427	502
142428	502
142429	503
142430	503
142431	502
142432	503
142433	502
142434	503
142435	502
142436	503
142437	503
142438	502
142439	503
142440	503
142441	502
142442	503
142443	503
142444	502
142445	503
142446	503
142447	502
142448	502
142449	502
142450	502
142451	503
142452	502
142453	503
142454	503
142455	502
142456	502
142457	502
142458	503
142459	502
142460	503
142461	503
142462	503
142463	503
142464	503
142465	503
142466	502
142467	502
142468	503
142469	503
142470	503
142471	502
142472	503
142473	503
142474	503
142475	502
142476	502
142477	502
142478	502
142479	503
142480	503
142481	502
142482	502
142483	503
142484	503
142485	502
142486	503
142487	502
142488	503
142489	502
142490	503
142491	503
142492	502
142493	503
142494	503
142495	502
142496	503
142497	503
142498	502
142499	503
142500	503
142501	502
142502	502
142503	502
142504	502
142505	503
142506	502
142507	503
142508	503
142509	502
142510	502
142511	502
142512	503
142513	502
142514	503
142515	503
142516	503
142517	503
142518	503
142519	503
142520	502
142521	502
142522	503
142523	503
142524	503
142525	502
142526	503
142527	503
142528	503
142529	502
142530	502
142531	502
142532	502
142533	503
142534	503
142535	502
142536	502
142537	503
142538	503
142539	502
142540	503
142541	502
142542	503
142543	502
142544	503
142545	503
142546	502
142547	503
142548	503
142549	502
142550	503
142551	503
142552	502
142553	503
142554	503
142555	502
142556	502
142557	502
142558	502
142559	503
142560	502
142561	503
142562	503
142563	502
142564	502
142565	502
142566	503
142567	502
142568	503
142569	503
142570	503
142571	503
142572	503
142573	503
142574	502
142575	502
142576	503
142577	503
142578	503
142579	502
142580	503
142581	503
142582	503
142583	502
142584	502
142585	502
142586	502
142587	503
142588	503
142589	502
142590	502
142591	503
142592	503
142593	502
142594	503
142595	502
142596	503
142597	502
142598	503
142599	503
142600	502
142601	503
142602	503
142603	502
142604	503
142605	503
142606	502
142607	503
142608	503
142609	502
142610	502
142611	502
142612	502
142613	503
142614	502
142615	503
142616	503
142617	502
142618	502
142619	502
142620	503
142621	502
142622	503
142623	503
142624	503
142625	503
142626	503
142627	503
142628	502
142629	502
142630	503
142631	503
142632	503
142633	502
142634	503
142635	503
142636	503
142637	502
142638	502
142639	502
142640	502
142641	503
142642	503
142643	502
142644	502
142645	503
142646	503
142647	502
142648	503
142649	502
142650	503
142651	502
142652	503
142653	503
142654	502
142655	503
142656	503
142657	502
142658	503
142659	503
142660	502
142661	503
142662	503
142663	502
142664	502
142746	100
142747	100
142748	100
142749	100
142750	100
142753	100
142754	100
142755	100
142756	100
142757	100
142758	100
142759	100
142760	100
142762	100
142763	100
142764	100
142765	100
142766	100
142767	100
142768	100
142769	100
142770	100
142771	100
142772	100
142773	100
142774	100
142775	100
142776	100
142777	100
142778	100
142779	100
142780	100
142781	100
142782	100
142783	100
142784	100
142785	100
142786	100
142787	100
142788	100
142789	100
142790	100
142791	100
142792	100
142793	100
143123	192
143126	194
143128	194
143130	194
143132	194
143134	194
143136	194
143138	194
143140	194
143142	194
143144	194
143146	194
143148	194
143150	192
143152	192
143154	192
143156	192
143158	192
143160	192
143162	192
143164	192
143166	192
143461	527
143462	527
143463	527
143464	527
143465	527
143466	527
143467	523
143468	523
143469	523
143470	523
143471	523
143472	523
143473	523
143474	523
143475	523
143476	523
143477	523
143478	523
143479	523
143480	523
143481	523
143482	523
143483	523
143484	523
143485	523
143486	523
143487	523
143488	523
143489	523
143490	523
143491	522
143492	522
143493	522
143494	522
143495	522
143496	522
143497	522
143631	417
143643	424
143644	424
143645	424
143646	424
143647	424
143648	424
143649	424
143650	424
143651	424
143652	424
143653	424
143654	424
143655	425
143656	425
143657	425
143658	425
143659	425
143660	425
143661	425
143662	425
143664	425
143665	425
143666	425
143667	425
143668	425
143669	425
143670	425
143671	425
143672	425
143673	425
143674	425
143675	425
143676	425
143679	425
143680	425
143681	425
143682	425
143683	425
143684	425
143685	425
143686	425
143687	425
143688	425
143689	425
143690	425
143691	425
143692	425
143693	425
143694	425
143695	430
143696	430
143697	430
143698	430
143699	430
143700	430
143701	422
143702	422
143703	422
143704	422
143705	422
143706	422
143707	426
143708	426
143709	426
143710	426
143711	426
143712	426
143713	426
143724	432
143725	432
143726	432
143727	432
143728	432
143729	432
143730	425
143731	420
143733	425
143734	425
143735	425
143736	425
143737	425
143738	425
143739	425
143740	420
143743	420
143746	420
143747	420
143748	420
143749	420
143750	420
143751	420
143752	420
143753	425
143754	425
143755	425
143756	425
143757	425
143758	425
143759	429
143760	429
143761	429
143762	429
143763	429
143764	429
143765	422
143766	422
143767	422
143768	422
143769	422
143770	422
143771	422
143772	430
143773	430
143774	430
143775	430
143776	430
143777	430
143778	430
143779	430
143780	430
143781	430
143782	430
143783	430
143784	430
143785	430
143786	430
143787	430
143788	430
143789	430
143790	430
143791	430
143792	430
143793	430
143794	430
143795	430
143796	430
143797	430
143798	430
143799	430
143800	430
143810	428
143815	428
143816	422
143817	422
143818	422
143819	422
143820	422
143821	422
143822	422
143823	433
143824	433
143825	433
143826	433
143827	433
143828	433
143829	422
143830	422
143832	428
143836	428
143838	428
143840	428
143841	428
143842	428
143843	428
143844	428
143845	428
143846	422
143847	422
143848	422
143849	422
143850	422
143851	422
143852	428
143853	428
143854	428
143855	428
143856	428
143857	428
143858	428
143859	422
143860	422
143861	422
143862	422
143863	422
143864	422
143865	420
143866	420
143867	420
143868	420
143869	420
143870	420
143871	425
143872	425
143873	425
143874	425
143875	425
143876	425
143877	425
143878	426
143879	426
143880	426
143881	426
143882	426
143883	426
143884	426
143885	422
143886	422
143887	422
143888	422
143889	422
143890	422
143891	423
143892	423
143893	423
143894	423
143895	423
143896	423
143897	423
143898	423
143899	423
143900	423
143901	423
143902	423
143903	423
143904	423
143905	423
143906	423
143907	423
143908	423
143909	423
143910	423
143911	426
143912	423
143913	430
143914	430
143916	430
143918	430
143920	423
143921	423
143922	423
143923	423
143924	423
143925	423
143926	431
143927	431
143928	431
143929	431
143930	431
143931	431
143932	420
143933	420
143934	420
143935	420
143936	420
143937	420
143944	425
143945	425
143946	425
143947	425
143948	425
143949	425
143950	421
143951	421
143952	421
143953	421
143954	421
143955	421
143957	421
143960	421
143963	433
143964	433
143965	433
143966	433
143967	433
143968	433
143969	429
143970	429
143971	429
143972	429
143973	429
143974	429
143975	429
143976	429
143977	429
143978	429
143979	429
143980	429
143981	429
143982	429
143983	429
143984	429
143985	429
143986	429
143987	429

BRADY

Catalog #	Pg
143988	429
143989	422
143990	422
143991	422
143992	422
143993	422
143994	422
143995	422
143996	422
143997	422
143998	422
143999	422
144000	422
144001	422
144002	422
144003	429
144004	429
144005	429
144006	429
144007	429
144008	429
144009	429
144010	429
144011	429
144012	429
144013	429
144014	429
144015	429
144016	429
144017	429
144018	429
144019	429
144020	429
144021	429
144022	429
144023	422
144024	422
144025	422
144026	422
144027	422
144028	422
144029	422
144030	430
144031	430
144032	430
144033	430
144034	430
144035	430
144036	431
144037	431
144038	431
144039	431
144040	431
144041	431
144042	431
144043	431
144044	431
144045	431
144046	431
144047	431
144048	431
144049	431
144050	431
144051	431
144052	431
144053	431
144054	431
144055	431
144056	431
144057	431
144058	431
144059	431
144060	431
144061	431
144062	431
144063	431
144064	431
144065	431
144066	431
144067	431
144068	431
144069	431
144070	431
144071	431
144073	431
144074	431
144075	431
144076	431
144077	431
144078	431
144079	431
144080	431
144081	431
144082	431
144083	431
144084	431
144085	431
144086	431
144087	431
144088	431
144089	423
144090	423
144091	423
144092	423
144093	423
144094	423
144095	423
144096	423
144097	423
144098	423
144099	423
144100	423
144101	423
144102	431
144103	431
144104	431
144105	431
144106	431
144107	431
144108	423
144109	423
144110	423
144111	423
144112	423
144113	423
144114	426
144116	426
144117	426
144118	426
144119	426
144120	426
144121	421
144122	421
144126	422
144127	422
144128	422
144129	422
144130	422
144131	422
144132	426
144133	426
144134	426
144135	426
144136	426
144137	426
144138	421
144139	421
144140	421
144141	421
144142	421
144143	421
144144	426
144145	426
144146	426
144147	426
144148	426
144149	426
144150	426
144151	427
144152	427
144153	427
144154	427
144155	427
144156	427
144157	427
144158	420
144159	420
144160	420
144161	420
144162	420
144163	420
144164	424
144165	424
144166	424
144167	424
144168	424
144169	424
144170	420
144171	420
144172	420
144173	420
144174	420
144175	420
144176	420
144177	420
144178	420
144179	420
144180	420
144181	420
144182	420
144187	426
144191	421
144195	421
144196	426
144197	426
144198	426
144199	426
144200	426
144201	426
144202	426
144203	426
144204	426
144205	426
144206	426
144207	426
144208	426
144209	426
144210	426
144211	426
144212	426
144213	426
144214	426
144216	426
144217	426
144218	426
144219	426
144220	426
144221	421
144222	421
144223	421
144224	421
144225	421
144226	421
144227	421
144228	426
144229	426
144230	426
144231	426
144232	426
144233	426
144234	421
144235	421
144236	421
144237	421
144238	421
144239	421
144240	421
144241	421
144242	421
144243	421
144244	421
144245	421
144246	421
144247	421
144248	426
144249	426
144250	426
144251	426
144252	426
144253	426
144254	426
144255	426
144256	426
144258	426
144259	421
144260	421
144261	421
144262	421
144263	421
144265	421
144266	421
144267	421
144268	421
144269	421
144270	421
144271	421
144272	421
144273	421
144274	421
144275	421
144276	421
144277	421
144278	421
144279	421
144280	421
144281	421
144282	421
144283	421
144284	421
144285	421
144286	421
144287	421
144288	421
144289	421
144290	421
144291	421
144292	421
144293	421
144294	421
144295	421
144296	421
144297	426
144298	421
144299	421
144300	421
144301	421
144302	421
144303	421
144304	426
144305	421
144306	426
144307	426
144308	426
144309	426
144310	426
144311	426
144312	421
144313	421
144314	421
144315	421
144316	421
144317	421
144324	422
144325	422
144326	422
144327	422
144328	422
144329	422
144330	424
144331	424
144332	424
144333	424
144334	424
144335	424
144336	420
144337	420
144338	420
144339	420
144340	420
144341	424
144342	424
144343	424
144344	424
144345	424
144346	424
144347	420
144348	420
144349	420
144350	420
144351	420
144352	420
144353	420
144354	420
144355	424
144356	424
144357	424
144358	424
144359	424
144360	424
144361	424
144362	426
144363	426
144364	426
144365	426
144366	426
144367	426
144368	426
144369	426
144370	426
144371	426
144372	426
144373	426
144374	426
144375	426
144376	426
144377	426
144378	426
144379	426
144380	427
144381	427
144382	427
144383	427
144384	427
144385	427
144386	427
144387	427
144388	427
144389	427
144390	433
144391	433
144392	433
144393	433
144394	433
144395	433
144396	428
144397	428
144398	428
144399	428
144400	428
144401	428
144402	428
144403	428
144405	428
144406	428
144407	428
144408	428
144409	428
144410	428
144411	428
144412	428
144413	428
144414	428
144415	428
144416	428
144417	428
144418	428
144419	428
144420	428
144421	428
144422	428
144423	428
144424	428
144425	428
144426	428
144427	422
144428	422
144429	422
144430	422
144431	422
144432	422
144433	422
144434	422
144435	422
144436	422
144437	422
144438	422
144439	429
144440	429
144441	429
144442	429
144443	429
144444	429
144445	429
144446	422
144447	422
144448	422
144449	422
144450	422
144451	422
144452	430
144453	430
144454	430
144455	430
144456	430
144457	430
144458	426
144459	428
144460	428
144461	428
144462	428
144463	428
144464	428
144465	428
144466	428
144467	425
144468	425
144469	425
144470	425
144471	425
144472	425
144473	426
144474	426
144475	426
144476	426
144477	426
144478	426
144479	426
144480	426
144481	426
144482	429
144483	429
144484	429
144485	429
144486	429
144487	429
144488	429
144489	429
144490	429
144491	429
144492	429
144493	429
144494	422
144495	422
144496	422
144497	422
144498	422
144499	422
144500	422
144502	422
144504	423
144506	423
144508	423
144509	423
144510	423
144511	423
144512	423
144513	423
144514	429
144515	429
144516	429
144517	429
144518	429
144519	429
144520	423
144521	423
144522	423
144523	423
144524	423
144525	423
144526	420
144527	420
144528	420
144529	420
144530	420
144531	420
144532	422
144533	422
144534	422
144535	422
144536	422
144537	422
144538	429
144539	429
144540	429
144541	429
144542	429
144543	429
144544	429
144545	429
144546	429
144547	429
144548	429
144549	429
144550	429
144551	429
144552	429
144553	429
144554	429
144555	429
144556	429
144557	429
144558	429
144559	429
144560	429
144561	429
144562	422
144563	422
144564	422
144565	422
144566	422
144567	422
144568	430
144569	430
144570	430
144571	430
144572	430
144573	430
144574	426
144575	426
144576	426
144577	426
144578	426
144579	426
144580	431
144581	431
144582	431
144583	431
144584	431
144585	431
144586	431
144587	431
144588	424
144589	420
144590	420
144591	424
144592	424
144593	424
144594	424
144595	433
144596	424
144597	420
144598	420
144599	420
144600	420
144601	420
144602	432
144603	432
144604	433
144605	432
144606	433
144607	425
144608	425
144609	425
144610	425
144611	425
144612	425
144613	425
144615	426
144616	426
144617	426
144619	426
144620	426
144621	426
144622	426
144623	433
144624	433
144625	433
144626	433
144627	433
144628	433
144630	426
144632	426
144634	426
144635	426
144636	427
144637	427
144638	427
144639	427
144640	427
144641	427
144642	427
144643	427
144644	428
144645	428
144648	428
144651	428
144652	428
144657	428
144658	428
144659	428
144660	428
144661	428
144662	429
144663	429
144664	429
144665	429
144666	429
144667	429
144668	429
144669	428
144670	428
144671	428
144672	428
144674	428
144675	428
144676	433
144677	433
144678	433
144679	433
144680	433
144681	433
144682	430
144683	430
144684	430
144685	430
144686	430
144687	430
144688	430
144689	430
144690	430
144691	430
144692	430
144693	430
144694	430
144695	430
144696	430
144697	430
144698	430
144699	430
144700	431
144701	431
144702	431
144703	431
144705	431
144706	431
144707	431
144708	431
144709	431
144710	431
144711	431
144712	421
144713	421
144714	421
144715	421
144716	421
144717	421
144718	422
144719	422

Part Number Index

BradyID.com/s36

Catalog #	Pg
144720	422
144721	422
144722	422
144723	422
144724	422
144725	422
144726	422
144727	422
144728	422
144729	422
144730	430
144731	430
144732	430
144733	430
144734	430
144735	430
144736	430
144737	430
144738	430
144739	430
144740	430
144741	430
144742	430
144743	430
144744	430
144745	430
144746	430
144747	430
144748	430
144749	430
144750	423
144751	423
144752	423
144753	423
144754	423
144755	423
144756	423
144757	423
144758	423
144759	423
144760	423
144761	423
144762	423
144763	423
144764	423
144765	423
144766	423
144767	423
144768	423
144769	423
144770	423
144771	423
144772	423
144773	423
144774	423
144775	423
144776	423
144777	423
144778	423
144779	423
144780	423
144781	423
144782	423
144783	423
144784	423
144785	423
144786	423
144787	423
144788	423
144789	423
144790	423
144791	420
144792	420
144793	420
144794	420
144795	420
144796	420
144797	424
144798	424
144799	424
144800	424
144801	424
144802	424
144803	424
144804	424
144805	424
144806	424
144807	424
144808	424
144809	424
144810	424
144811	424
144812	424
144813	424
144814	424
144815	420
144816	420
144817	420
144818	420
144819	420
144820	420
144821	424
144822	424
144823	424
144824	424
144825	424
144826	424
144827	424
144828	424
144829	424
144830	424
144832	424
144833	420
144834	420
144835	420
144836	420
144837	420
144838	420
144839	420
144840	420
144841	420
144842	420
144843	420
144844	420
144845	420
144847	424
144850	424
144851	424
144852	424
144853	424
144854	424
144855	424
144856	424
144857	424
144858	420
144859	420
144860	420
144861	420
144862	420
144863	420
144864	424
144865	424
144866	424
144867	424
144868	424
144869	424
144870	424
144871	424
144872	424
144873	424
144874	424
144875	424
144876	424
144877	425
144878	425
144879	425
144880	425
144881	425
144882	425
144883	425
144884	425
144885	425
144886	425
144887	425
144888	425
144889	425
144890	425
144891	425
144892	420
144893	420
144894	420
144895	420
144896	420
144897	420
144898	420
144899	425
144900	425
144912	425
144913	425
144914	425
144915	425
144916	425
144917	425
144918	420
144919	420
144920	420
144921	420
144922	420
144923	420
144924	425
144925	425
144926	425
144927	425
144928	425
144929	425
144936	425
144937	425
144938	425
144939	425
144940	425
144941	425
144942	425
144943	425
144944	425
144945	425
144946	425
144947	425
144948	425
144949	420
144950	420
144951	420
144952	420
144953	420
144954	420
144955	461
144956	461
144957	461
144958	461
144959	461
144960	461
144961	425
144963	425
144964	425
144965	425
144966	425
144967	425
144968	425
144969	425
144971	425
144972	425
144973	425
144974	425
144975	425
144976	425
144977	425
144978	425
144979	425
144980	425
144981	426
144982	426
144983	426
144984	426
144985	426
144986	426
144987	426
144988	421
144989	421
144990	421
144991	421
144992	421
144993	421
144994	427
144995	427
144996	427
144997	427
144998	427
144999	427
145000	427
145014	427
145015	427
145016	427
145017	427
145018	427
145019	427
145020	427
145022	427
145024	427
145025	427
145026	427
145031	427
145032	427
145034	427
145035	427
145036	427
145037	427
145038	427
145040	427
145041	427
145042	427
145045	427
145046	427
145050	427
145051	427
145053	427
145054	427
145055	429
145056	429
145057	427
145058	427
145059	427
145060	427
145061	427
145062	427
145063	427
145064	427
145065	427
145066	427
145067	427
145068	427
145069	427
145070	421
145071	421
145072	421
145073	421
145074	421
145075	421
145076	427
145077	427
145078	427
145080	427
145081	427
145083	427
145084	427
145085	427
145086	427
145087	427
145088	427
145091	427
145093	427
145095	427
145096	427
145097	433
145098	433
145099	433
145100	433
145101	433
145102	433
145103	427
145104	427
145107	427
145108	427
145109	427
145110	427
145111	427
145112	427
145113	427
145114	427
145115	421
145116	421
145117	421
145118	421
145119	421
145120	421
145122	421
145123	421
145124	421
145125	421
145126	421
145127	421
145129	427
145130	427
145131	427
145132	427
145133	427
145136	427
145137	427
145138	427
145139	427
145140	428
145141	428
145142	428
145143	428
145144	428
145145	428
145146	428
145147	428
145148	428
145149	428
145150	428
145151	428
145152	428
145153	429
145154	429
145155	429
145156	429
145157	429
145158	429
145159	429
145160	433
145161	433
145162	433
145163	433
145164	433
145165	433
145166	433
145167	429
145168	429
145169	429
145170	429
145171	429
145172	429
145173	429
145174	429
145175	429
145176	429
145177	429
145178	429
145179	429
145181	429
145182	429
145183	429
145184	429
145185	429
145186	429
145187	429
145188	429
145189	429
145190	429
145191	429
145192	429
145193	429
145194	429
145195	429
145196	429
145197	429
145198	422
145199	422
145200	422
145201	422
145202	422
145203	422
145204	422
145205	430
145206	430
145207	430
145208	430
145209	430
145210	430
145211	430
145212	430
145213	430
145214	430
145215	430
145216	430
145217	430
145218	430
145219	423
145220	423
145221	423
145222	423
145223	423
145224	423
145225	430
145227	430
145228	430
145229	430
145230	430
145231	430
145233	430
145234	430
145238	423
145239	423
145240	423
145241	423
145242	423
145243	423
145244	433
145245	433
145246	433
145247	433
145248	433
145249	433
145250	431
145251	431
145252	431
145253	431
145254	431
145255	431
145256	431
145257	431
145258	431
145259	431
145260	431
145261	431
145262	423
145263	423
145264	423
145265	423
145266	423
145267	423
145268	431
145269	431
145270	431
145271	431
145272	431
145273	431
145274	423
145275	423
145276	423
145277	423
145278	423
145279	423
145280	431
145281	431
145282	431
145283	431
145284	431
145285	431
145286	423
145287	423
145288	423
145289	423
145290	423
145291	423
145438	567
145441	567
145469	481
145470	481
145471	481
145472	481
145473	481
145474	481
145475	481
145476	481
145477	481
145478	481
145479	481
145480	481
145481	481
145482	481
145483	481
145484	481
145485	481
145486	481
145487	481
145488	481
145489	481
145490	481
145491	481
145492	481
145493	481
145494	481
145495	481
145496	481
145497	481
145498	481
145499	481
145500	481
145501	481
145502	481
145509	481
145510	481
145513	481
145514	481
145515	481
145516	481
145517	481
145518	481
145519	481
145520	481
145521	481
145522	481
145523	481
145524	481
145525	481
145526	481
145527	481
145528	481
145529	481
145530	481
145531	481
145532	481
145533	481
145534	481
145535	481
145536	481
145549	208
145550	208
145551	208
145552	208
145553	208
145554	208
145579	199
145580	199
145581	211
145582	211
145583	211
145584	211
145585	211
145586	303
145588	204
145589	204
145732	559
145733	559
145734	559
145735	559
145736	559
145737	559
145738	559
145739	559
145744	559
145745	559
145746	559
145747	559
145748	559
145749	559
145750	559
145751	559
145752	559
145753	559
145754	559
145755	559

BRADY

BradyID.com/s36

Catalog #	Pg
145756	559
145757	559
145758	559
145759	559
145760	559
145761	559
145762	559
145763	559
145764	559
145765	559
145766	204
43490	204
145768	204
145769	204
145770	345
145771	345
145772	345
145773	345
145774	345
145775	345
145776	345
145777	345
145778	345
145779	345
145780	345
145781	345
145782	345
145783	345
145784	345
145785	345
145786	345
145787	345
145788	345
145789	345
145790	345
145791	345
145792	345
145793	345
145794	345
145795	345
145796	345
145797	345
145798	345
145799	345
145800	345
145802	345
145805	345
145807	345
145808	345
145809	345
145810	345
145811	345
145812	345
145813	345
145814	345
145815	345
145816	345
145817	345
145818	345
145819	345
145820	345
145821	345
145822	345
145823	345
145824	345
145825	345
145826	345
145827	345
145828	345
145829	345
145830	345
145831	345
145832	345
145833	345
145834	345
145835	345
145836	345
145837	345
145838	345
145839	345
145840	345
145841	345
145842	345
145843	345
145844	345
145845	345
145846	345
145847	345
145848	345
145849	345
145850	345
145851	345
145852	345
145853	345
145854	345
145855	345
145856	345
145857	345
145858	345
145859	345
145860	345
145861	345
145862	345
145863	345
145864	345
145865	345
145866	345
145867	345
145868	345
145869	345
145870	345
145871	345
145872	345
145873	345
145874	345
145875	345
145876	345
145877	345
145878	345
145879	345
145880	345
145881	345
145882	345
145883	345
145884	345
145885	345
145886	345
145887	345
145888	345
145889	345
145890	345
145891	345
145892	345
145893	345
145894	345
145895	345
145896	345
145897	345
145898	345
145899	345
145900	345
145901	345
145902	345
145903	345
145904	345
145905	345
145906	345
145907	345
145908	345
145909	345
145910	345
145911	345
145912	345
145913	345
145914	345
145915	345
145916	345
145917	345
145918	345
145919	345
145920	345
145921	345
145922	345
145923	345
145924	345
145925	345
145926	345
145927	345
145928	345
145929	345
145930	345
145931	345
145932	345
145933	345
145934	345
145935	345
145936	345
145937	345
145938	345
145939	345
145940	345
145941	345
145942	345
145943	345
145944	345
145945	345
145946	345
145947	345
145948	345
145949	345
145950	345
145951	345
145952	345
145953	345
145954	345
145956	371
145957	371
145962	578
145972	384
145973	384
145974	384
145975	384
146069	72
146070	72
146071	72
146072	72
146073	72
146074	38
146075	38
146076	38
146077	38
146078	38
146079	38
146080	38
146081	38
146082	38
146083	38
146113	38
146114	38
146115	38
146116	38
146117	38
146120	208
146121	208
146122	208
146123	208
146124	208
146125	208
146126	208
146127	208
146128	208
146129	208
146130	208
146131	208
146132	208
146133	208
146134	208
146135	208
148081	229
148137	521
148139	521
148646	211
148647	211
148648	211
148685	219
148686	219
148687	219
148688	219
148689	219
148690	219
148691	219
148692	219
148693	219
148694	219
148695	219
148696	219
148697	219
148698	219
148699	219
148700	219
148701	219
148702	219
148804	371
148805	371
148806	299
148807	299
148808	299
148809	299
148810	299
148812	299
148813	299
148814	299
148815	299
148816	299
148818	299
148819	299
148820	299
148821	299
148822	299
148823	299
148824	205
148861	201
148862	201
148863	201
148864	201
148865	201
148866	201
148867	201
148869	201
149172	198
149173	198
149174	198
149175	198
149176	198
149228	210
149229	210
149230	210
149257	88
149258	88
149259	88
149260	88
149278	224
149279	224
149280	224
149281	224
149282	224
149283	224
149284	224
149285	224
149433	222
149434	222
149514	222
149515	222
149552	32
149629	295
149630	295
149631	295
149632	295
149633	295
149634	295
149635	295
149636	295
149637	295
149638	295
149639	295
149640	295
149641	295
149642	295
149643	295
149644	295
149645	295
149646	295
149647	295
149648	295
150438	461
150439	461
150440	461
150441	461
150442	461
150443	461
150444	461
150445	461
150446	461
150447	461
150448	461
150449	461
150450	461
150451	461
150452	461
150453	461
150454	461
150455	461
150456	461
150457	461
150458	461
150459	461
150460	461
150461	461
150462	461
150463	461
150464	461
150465	461
150466	461
150467	461
150468	461
150469	461
150470	461
150471	461
150472	461
150473	461
150474	461
150475	461
150476	461
150477	461
150478	461
150479	461
150480	461
150481	461
150482	461
150483	461
150484	461
150501	204
150502	204
150503	204
150504	204
150505	198
150555	190
150556	190
150587	226
150639	32
150640	32
150642	32
150643	32
150645	32
150681	347
150682	347
150683	347
150684	347
150685	353
150740	318
150741	318
150742	318
150743	318
150744	318
150820	228
150821	228
150822	228
150823	228
150841	228
150852	295
150938	191
150949	232
150951	230
150952	230
150953	245
150955	243
150959	246
150960	246
150961	247
150962	247
150963	247
150964	244
150965	247
150966	247
150967	232
150969	232
150970	232
150971	235
150972	235
150973	244
150974	244
150975	244
150976	245
150977	240
150978	240
150979	239
150980	239
150981	234
150982	234
150983	247
150984	243
150985	243
150986	243
150987	240
150988	240
150989	231
150990	231
236919	197
833762	324
833763	324
833764	324
833918	185
871239	197
873367	224
AD15100	266
AD15100-BLUE	266
AD30100	266
AD30100-BLUE	266
ALU-BLK-38ST-KA3PK	191
ALU-BLK-38ST-KA6PK	191
ALU-BLK-38ST-KD	191
ALU-BLK-38ST-KD6PK	191
ALU-BLK-76ST-KA3PK	191
ALU-BLK-76ST-KA6PK	191
ALU-BLK-76ST-KD	191
ALU-BLK-76ST-KD6PK	191
ALU-BLU-38ST-KA3PK	191
ALU-BLU-38ST-KA6PK	191
ALU-BLU-38ST-KD	191
ALU-BLU-38ST-KD6PK	191
ALU-BLU-76ST-KA3PK	191
ALU-BLU-76ST-KA6PK	191
ALU-BLU-76ST-KD	191
ALU-BLU-76ST-KD6PK	191
ALU-BRN-38ST-KA3PK	191
ALU-BRN-38ST-KA6PK	191
ALU-BRN-38ST-KD	191
ALU-BRN-38ST-KD6PK	191
ALU-BRN-76ST-KA3PK	191
ALU-BRN-76ST-KA6PK	191
ALU-BRN-76ST-KD	191
ALU-BRN-76ST-KD6PK	191
ALU-GRN-38ST-KA3PK	191
ALU-GRN-38ST-KA6PK	191
ALU-GRN-38ST-KD	191
ALU-GRN-38ST-KD6PK	191
ALU-GRN-76ST-KA3PK	191
ALU-GRN-76ST-KA6PK	191
ALU-GRN-76ST-KD	191
ALU-GRN-76ST-KD6PK	191
ALU-ORG-38ST-KA3PK	191
ALU-ORG-38ST-KA6PK	191
ALU-ORG-38ST-KD	191
ALU-ORG-38ST-KD6PK	191
ALU-ORG-76ST-KA3PK	191
ALU-ORG-76ST-KA6PK	191
ALU-ORG-76ST-KD	191
ALU-ORG-76ST-KD6PK	191
ALU-PRP-38ST-KA3PK	191
ALU-PRP-38ST-KA6PK	191
ALU-PRP-38ST-KD	191
ALU-PRP-38ST-KD6PK	191
ALU-PRP-76ST-KA3PK	191
ALU-PRP-76ST-KA6PK	191
ALU-PRP-76ST-KD	191
ALU-PRP-76ST-KD6PK	191
ALU-RED-38ST-KA3PK	191
ALU-RED-38ST-KA6PK	191
ALU-RED-38ST-KD	191
ALU-RED-38ST-KD6PK	191
ALU-RED-76ST-KA3PK	191
ALU-RED-76ST-KA6PK	191
ALU-RED-76ST-KD	191
ALU-RED-76ST-KD6PK	191
ALU-SLV-38ST-KA3PK	191
ALU-SLV-38ST-KA6PK	191
ALU-SLV-38ST-KD	191
ALU-SLV-38ST-KD6PK	191
ALU-SLV-76ST-KA3PK	191
ALU-SLV-76ST-KA6PK	191
ALU-SLV-76ST-KD	191
ALU-SLV-76ST-KD6PK	191
ALU-YLW-38ST-KA3PK	191
ALU-YLW-38ST-KA6PK	191
ALU-YLW-38ST-KD	191
ALU-YLW-38ST-KD6PK	191
ALU-YLW-76ST-KA3PK	191
ALU-YLW-76ST-KA6PK	191
ALU-YLW-76ST-KD	191
ALU-YLW-76ST-KD6PK	191
AW124	270
AW1818	271
AW412	270
AW430	270
AW806	270
AW99	271
B30-17-438	55
B30-18-438	55
B30-18-7569-CLP4C	42
B30-25-595-ANSICA	44
B30-25-595-ANSIDA	44
B30-25-595-ANSINO	44
B30-25-595-ANSIWA	44
B30-25-595-BLNKWT	44
B30-25-595-BLNKYL	44
B30-25-595-OSHACA	44
B30-25-595-OSHADA	44
B30-25-595-PEL	44
B30-25-595-PREC	44
B30-25-854-ANSICA	45
B30-25-854-ANSIDA	45
B30-25-854-ANSIWA	45
B30-25-854-OSHADA	45
B30-25-854-PEL	45
B30-25-854-PREC	45
B30-25-855-ANSICA	45
B30-25-855-ANSIDA	45
B30-25-855-ANSIWA	45
B30-25-855-OSHADA	45
B30-25-855-PEL	45
B30-25-855-PREC	45
B30-161-595-DIAM	43
B30-219-595-BLNKWT	44
B30-222-438	55
B30-241-595-ANSICA	44
B30-241-595-ANSIDA	44
B30-241-595-ANSINO	44
B30-241-595-ANSIWA	44
B30-241-595-BLNKWT	44
B30-241-595-BLNKYL	44
B30-241-595-OSHACA	44
B30-241-595-OSHADA	44
B30-242-595-BLNKWT	44
B30-244-595-CB	43
B30-244-595-DIAM	43
B30-244-595-HMIG	43
B30-244-595-NFPA	43
B30-245-595-CB	43
B30-245-595-NFPA	43
B30-246-595-HMIG	43
B30-246-595-NFR	43
B30-255-551-ANSICA	44
B30-255-551-ANSIDA	44
B30-255-551-OSHADA	44
B30-255-551-WHT	44
B30-260-569-CLP4B	42
B30-260-7569-CLP1	42
B30-260-7569-CLP2	42
B30-260-7569-CLP3A	42
B30-260-7569-CLP3B	42
B30-260-7569-CLP4A	42
B30-260-7569-CLP4B	42
B30-261-569-CLP4B	42
B30-261-7569-CLP1	42
B30-261-7569-CLP2	42
B30-261-7569-CLP3A	42
B30-261-7569-CLP3B	42
B30-261-7569-CLP4A	42
B30-261-7569-CLP4B	42
B30-262-569-CLP4B	42
B30-262-7569-CLP1	42
B30-262-7569-CLP2	42

Part Number Index

BradyID.com/s36

Catalog #	Pg
B30-262-7569-CLP3A	42
B30-262-7569-CLP3B	42
B30-262-7569-CLP4A	42
B30-262-7569-CLP4B	42
B30-263-595-CB	43
B30-263-595-NFPA	43
B30C-500-569-BK	41
B30C-500-569-BL	41
B30C-500-569-BR	41
B30C-500-569-CL	41
B30C-500-569-GN	41
B30C-500-569-GY	41
B30C-500-569-LB	41
B30C-500-569-OC	41
B30C-500-569-OR	41
B30C-500-569-PK	41
B30C-500-569-PL	41
B30C-500-569-RD	41
B30C-500-569-SB	41
B30C-500-569-TN	41
B30C-500-569-WT	41
B30C-500-569-YL	41
B30C-500-581-WT	47
B30C-500-581-YL	47
B30C-500-595-BK	40
B30C-500-595-BL	40
B30C-500-595-BR	40
B30C-500-595-CL	40
B30C-500-595-GD	40
B30C-500-595-GN	40
B30C-500-595-GY	40
B30C-500-595-OR	40
B30C-500-595-PL	40
B30C-500-595-RD	40
B30C-500-595-WT	40
B30C-500-595-YL	40
B30C-1125-403-WT	47
B30C-1125-483BK-KT	49
B30C-1125-483BL-KT	49
B30C-1125-483GN-KT	49
B30C-1125-483OR-KT	49
B30C-1125-483RD-KT	49
B30C-1125-483WT-KT	49
B30C-1125-483YL-KT	49
B30C-1125-526	46
B30C-1125-549-WT	49
B30C-1125-549-YL	49
B30C-1125-565-SL	54
B30C-1125-569-BK	41
B30C-1125-569-BL	41
B30C-1125-569-BR	41
B30C-1125-569-CL	41
B30C-1125-569-GN	41
B30C-1125-569-GY	41
B30C-1125-569-LB	41
B30C-1125-569-OC	41
B30C-1125-569-OR	41
B30C-1125-569-PK	41
B30C-1125-569-PL	41
B30C-1125-569-RD	41
B30C-1125-569-SB	41
B30C-1125-569-TN	41
B30C-1125-569-WT	41
B30C-1125-569-YL	41
B30C-1125-581-WT	47
B30C-1125-581-YL	47
B30C-1125-584-OR	46
B30C-1125-584-SL	46
B30C-1125-584-YL	46
B30C-1125-595-BK	40
B30C-1125-595-BL	40
B30C-1125-595-BR	40
B30C-1125-595-CL	40
B30C-1125-595-GD	40
B30C-1125-595-GN	40
B30C-1125-595-GY	40
B30C-1125-595-OC	40
B30C-1125-595-OR	40
B30C-1125-595-PL	40
B30C-1125-595-RD	40
B30C-1125-595-WT	40
B30C-1125-595-YL	40
B30C-1125-855-WT	45
B30C-1125-855-YL	45
B30C-2250-403-WT	47
B30C-2250-483BK-KT	49
B30C-2250-483BL-KT	49
B30C-2250-483GN-KT	49
B30C-2250-483OR-KT	49
B30C-2250-483RD-KT	49
B30C-2250-483WT-KT	49
B30C-2250-483YL-KT	49
B30C-2250-526	46
B30C-2250-549-WT	49
B30C-2250-549-YL	49
B30C-2250-565-SL	54
B30C-2250-569-BK	41
B30C-2250-569-BL	41
B30C-2250-569-BR	41
B30C-2250-569-CL	41
B30C-2250-569-GN	41
B30C-2250-569-GY	41
B30C-2250-569-LB	41
B30C-2250-569-OC	41
B30C-2250-569-OR	41
B30C-2250-569-PK	41
B30C-2250-569-PL	41
B30C-2250-569-RD	41
B30C-2250-569-SB	41
B30C-2250-569-TN	41
B30C-2250-569-WT	41
B30C-2250-569-YL	41
B30C-2250-581-WT	47
B30C-2250-581-YL	47
B30C-2250-584-OR	46
B30C-2250-584-SL	46
B30C-2250-584-YL	46
B30C-2250-595-BK	40
B30C-2250-595-BL	40
B30C-2250-595-BR	40
B30C-2250-595-CL	40
B30C-2250-595-GD	40
B30C-2250-595-GN	40
B30C-2250-595-GY	40
B30C-2250-595-OC	40
B30C-2250-595-OR	40
B30C-2250-595-PL	40
B30C-2250-595-RD	40
B30C-2250-595-WT	40
B30C-2250-595-YL	40
B30C-2500-509-WT	47
B30C-2500-509-YL	47
B30C-2500-551-WT	44
B30C-2250-855-WT	45
B30C-2250-855-YL	45
B30C-3000-438-SL	55
B30C-3000-483WT-KT	49
B30C-3000-483YL-KT	49
B30C-3000-569-WT	41
B30C-3000-595-WT	40
B30C-3000-595-YL	40
B30C-3250-551-WT	44
B30C-3000-403-WT	47
B30C-4000-403-WT	47
B30C-4000-423	52
B30C-4000-428	54
B30C-4000-432	53
B30C-4000-434	54
B30C-4000-437	60
B30C-4000-480	54
B30C-4000-483	53
B30C-4000-483BK-KT	49
B30C-4000-483BL-KT	49
B30C-4000-483GN-KT	49
B30C-4000-483OR-KT	49
B30C-4000-483RD-KT	49
B30C-4000-483WT-KT	49
B30C-4000-483YL-KT	49
B30C-4000-484	53
B30C-4000-486	54
B30C-4000-488	53
B30C-4000-489	53
B30C-4000-498	48
B30C-4000-526	46
B30C-4000-549-WT	49
B30C-4000-549-YL	49
B30C-4000-565-SL	54
B30C-4000-569-BK	41
B30C-4000-569-BL	41
B30C-4000-569-BR	41
B30C-4000-569-CL	41
B30C-4000-569-GN	41
B30C-4000-569-GY	41
B30C-4000-569-LB	41
B30C-4000-569-OC	41
B30C-4000-569-OR	41
B30C-4000-569-PK	41
B30C-4000-569-PL	41
B30C-4000-569-RD	41
B30C-4000-569-SB	41
B30C-4000-569-TN	41
B30C-4000-569-WT	41
B30C-4000-569-YL	41
B30C-4000-581-WT	47
B30C-4000-581-YL	47
B30C-4000-584-OR	46
B30C-4000-584-SL	46
B30C-4000-584-YL	46
B30C-4000-595-BK	40
B30C-4000-595-BL	40
B30C-4000-595-BR	40
B30C-4000-595-CL	40
B30C-4000-595-GD	40
B30C-4000-595-GN	40
B30C-4000-595-GY	40
B30C-4000-595-OC	40
B30C-4000-595-OR	40
B30C-4000-595-PL	40
B30C-4000-595-RD	40
B30C-4000-595-WT	40
B30C-4000-595-YL	40
B30C-4000-724	56
B30C-4000-727	56
B30C-4000-787	53
B30C-4000-854-WT	45
B30C-4000-854-YL	45
B30C-4000-855-WT	45
B30C-4000-855-YL	45
B30C-4250-509-WT	47
B30C-4250-509-YL	47
B30C-4250-551-WT	44
B30EP-167-593-BK	50
B30EP-167-593-GN	50
B30EP-167-593-RD	50
B30EP-167-593-WT	50
B30EP-167-593-YL	50
B30EP-168-593-BK	50
B30EP-168-593-GN	50
B30EP-168-593-RD	50
B30EP-168-593-WT	50
B30EP-168-593-YL	50
B30EP-169-593-BK	50
B30EP-169-593-GN	50
B30EP-169-593-RD	50
B30EP-169-593-WT	50
B30EP-169-593-YL	50
B30EP-170-593-BK	50
B30EP-170-593-GN	50
B30EP-170-593-RD	50
B30EP-170-593-WT	50
B30EP-170-593-YL	50
B30EP-171-593-BK	51
B30EP-171-593-GN	51
B30EP-171-593-RD	51
B30EP-171-593-SL	51
B30EP-171-593-WT	51
B30EP-171-593-YL	51
B30EP-172-593-BK	51
B30EP-172-593-GN	51
B30EP-172-593-RD	51
B30EP-172-593-SL	51
B30EP-172-593-WT	51
B30EP-172-593-YL	51
B30EP-173-593-BK	51
B30EP-173-593-GN	51
B30EP-173-593-RD	51
B30EP-173-593-SL	51
B30EP-173-593-WT	51
B30EP-173-593-YL	51
B30EP-174-593-BK	51
B30EP-174-593-GN	51
B30EP-174-593-RD	51
B30EP-174-593-SL	51
B30EP-174-593-WT	51
B30EP-174-593-YL	51
B30EP-175-593-BK	51
B30EP-175-593-GN	51
B30EP-175-593-WT	51
B30EP-175-593-YL	51
B30EP-176-593-BK	51
B30EP-176-593-GN	51
B30EP-176-593-WT	51
B30EP-176-593-YL	51
B30EP-177-593-BK	51
B30EP-177-593-GN	51
B30EP-177-593-WT	51
B30EP-177-593-YL	51
B30EP-167U-593-BK	50
B30EP-167U-593-GN	50
B30EP-167U-593-RD	50
B30EP-167U-593-WT	50
B30EP-167U-593-YL	50
B30-R4300	74
B30-R4400-WT	74
B30-R4500-SV	74
B30-R6000	74
B30-R6200	74
B30-R6400	74
B30-R6600	74
B30-R6700-WT	74
B30-R10000	74
B30-R10000-BL	74
B30-R10000-CMYK-16	74
B30-R10000-CMYK-8	74
B30-R10000-GN	74
B30-R10000-GR-8	74
B30-R10000-KB-16	74
B30-R10000-KB-8	74
B30-R10000-KG-16	74
B30-R10000-KG-8	74
B30-R10000-KO-16	74
B30-R10000-KO-8	74
B30-R10000-KR-16	74
B30-R10000-KR-8	74
B30-R10000-KRBO-8	74
B30-R10000-KRGB-16	74
B30-R10000-KRGB-8	74
B30-R10000-KRYB-16	74
B30-R10000-KRYB-8	74
B30-R10000-KRYG-8	74
B30-R10000-KY-16	74
B30-R10000-KY-8	74
B30-R10000-MA	74
B30-R10000-OR	74
B30-R10000-PRCCY	74
B30-R10000-PRCMAG	74
B30-R10000-PRCYEL	74
B30-R10000-RB-16	74
B30-R10000-RD	74
B30-R10000-YL	74
B30-R10000-YL2	74
B30-R10000-WT	74
B31-CCT	32
B31-WIPER	28
B33-1-423	52
B33-1-437	60
B33-1-472	61
B33-1-498	48
B33-1-718	57
B33-1-724	56
B33-1-727	56
B33-2-437	60
B33-2-472	61
B33-2-719	57
B33-2-724	56
B33-2-727	56
B33-3-423	52
B33-4-724	56
B33-5-422	52
B33-5-423	52
B33-5-425	46
B33-5-428	54
B33-5-430	52
B33-5-432	53
B33-5-434	54
B33-5-437	60
B33-5-437YL	60
B33-5-472	61
B33-5-472YL	61
B33-5-484	48
B33-5-483	48
B33-5-486	54
B33-5-489	53
B33-5-498	48
B33-7-424	55
B33-7-483	48
B33-7-486	54
B33-8-427	59
B33-9-427	59
B33-10-427	59
B33-11-423	52
B33-11-437	60
B33-11-472	61
B33-11-718	57
B33-11-727	56
B33-17-422	52
B33-17-423	52
B33-17-424	55
B33-17-425	46
B33-17-428	54
B33-17-430	52
B33-17-432	53
B33-17-434	54
B33-17-483	48
B33-17-484	48
B33-17-486	54
B33-17-489	53
B33-18-422	52
B33-18-423	52
B33-18-424	55
B33-18-425	46
B33-18-428	54
B33-18-430	52
B33-18-432	53
B33-18-434	54
B33-18-435	54
B33-18-484	48
B33-18-483	48
B33-18-486	54
B33-18-489	53
B33-19-422	52
B33-19-423	52
B33-19-424	55
B33-19-425	46
B33-19-428	54
B33-19-432	53
B33-19-434	54
B33-19-435	54
B33-19-483	48
B33-19-484	48
B33-19-486	54
B33-19-489	53
B33-20-424	55
B33-25-424	55
B33-26-427	59
B33-27-427	59
B33-29-423	52
B33-29-437	60
B33-29-437YL	60
B33-29-472	61
B33-29-472YL	61
B33-37-7425	46
B33-38-423	52
B33-38-718	57
B33-38-719	57
B33-38-727	56
B33-43-423	52
B33-43-717	57
B33-43-718	57
B33-43-719	57
B33-43-724	56
B33-43-727	56
B33-44-727	56
B33-45-423	52
B33-45-717	57
B33-45-718	57
B33-45-727	56
B33-46-423	52
B33-46-717	57
B33-46-718	57
B33-46-719	57
B33-46-724	56
B33-49-423	52
B33-49-718	57
B33-49-727	56
B33-53-423	52
B33-53-424	55
B33-53-428	54
B33-53-486	54
B33-53-7425	46
B33-55-423	52
B33-55-424	55
B33-55-434	54
B33-55-435	54
B33-55-483	48
B33-56-427	59
B33-58-727	56
B33-59-486	54
B33-59-492	68
B33-59-727	56
B33-59-7425	68
B33-68-490	68
B33-68-498	48
B33-68-499	48
B33-72-423	52
B33-72-718	57
B33-72-727	56
B33-73-427	59
B33-74-427	59
B33-75-427	59
B33-76-422	52
B33-76-486	54
B33-80-427	59
B33-81-427	59
B33-82-427	59
B33-87-498	48
B33-88-498	48
B33-88-7425	46
B33-89-498	48
B33-90-498	48
B33-91-498	60
B33-94-2-342	62
B33-94-2-342-2	62
B33-94-2-342YL	62
B33-94-2-342YL-2	62
B33-94-2-7642	65
B33-95-498	48
B33-102-422	52
B33-103-423	52
B33-103-717	57
B33-103-727	56
B33-113-427	59
B33-115-427	59
B33-116-427	59
B33-118-427	59
B33-119-427	59
B33-120-427	59
B33-121-427	59
B33-122-461	68
B33-123-461	68
B33-125-2-342	62
B33-125-2-342-2	62
B33-125-2-342YL	62
B33-125-2-342YL-2	62
B33-125-2-7642	65
B33-125-484	48
B33-125-490	68
B33-125-499	48
B33-126-490	68
B33-126-499	58
B33-127-461	68
B33-131-427	59
B33-133-461	68
B33-134-461	68
B33-135-427AW	59
B33-136-422	52
B33-136-434	54
B33-136-484	48
B33-136-499	48
B33-136-7425	46
B33-137-427AW	59
B33-137-499	48
B33-137-7425	69
B33-137-7425-AC	67
B33-139-461	68
B33-141-481	69
B33-143-492	68
B33-143-499	69
B33-144-490	68
B33-144-492	68
B33-144-499	69
B33-147-422	52
B33-149-422	52
B33-149-423	52
B33-149-432	53
B33-149-483	48
B33-149-718	57
B33-149-724	56
B33-149-727	56
B33-151-490	70
B33-151-499	70
B33-151-7425	70
B33-152-492	68
B33-152-494-BL	67
B33-152-494-GN	67
B33-152-494-OR	67
B33-152-494-PK	67
B33-152-494-RD	67
B33-152-494-YL	67
B33-152-499	48
B33-152-7425	68
B33-153-461	68
B33-154-490	68
B33-155-490	68
B33-155-492	68
B33-156-490	68
B33-156-492	68
B33-157-490	68
B33-158-490	68
B33-161-486	54
B33-163-492	68
B33-163-499	48
B33-165-499	48
B33-179-492	68
B33-179-494-BL	67
B33-179-494-GN	67
B33-179-494-OR	67
B33-179-494-PK	67
B33-179-494-RD	67
B33-179-494-YL	67
B33-179-7425	46
B33-180-492	68
B33-181-492	68
B33-182-492	68
B33-183-461	68
B33-187-2-342	62
B33-187-2-342-2	62
B33-187-2-342YL	62
B33-187-2-7642	65
B33-190-492	68
B33-194-481	69
B33-195-481	69
B33-199-482	70
B33-213-482	70
B33-235-7425	46
B33-235-7425-AC	67
B33-249-7425	69
B33-250-2-342	62
B33-250-2-342-2	62
B33-250-2-342YL	62
B33-250-2-7642	65
B33-250-494-BL	67
B33-250-494-GN	67
B33-250-494-OR	67
B33-250-494-PK	67
B33-250-494-RD	67
B33-250-494-YL	67
B33-251-7425	69
B33-256-7425	68
B33-257-7425	68
B33-258-7425	46
B33-272-427	59
B33-273-427	59
B33-276-461	68
B33-375-2-342	62
B33-375-2-342-2	62
B33-375-2-342YL	62
B33-375-2-7642	65
B33-500-2-342	62
B33-500-2-342-2	62
B33-500-2-342YL	62
B33-500-2-342YL-2	62
B33-500-2-7642	65
B33-750-2-342	62
B33-750-2-342-2	62
B33-750-2-342YL	62
B33-750-2-342YL-2	62
B33-750-2-7642	65
B33-1000-2-342	62
B33-1000-2-342-2	62
B33-1000-2-342YL	62

BRADY

Catalog #	Pg
B33-1000-2-342YL-2	62
B33-1000-2-7642	65
B33-1500-2-342	62
B33-1500-2-342-2	62
B33-1500-2-342BK	62
B33-1500-2-342YL	62
B33-1500-2-342YL-2	62
B33-1500-2-7642	65
B33-2000-2-7642	65
B33-6010-7643-WT	59
B33-6010-7643-YL	59
B33-7510-7643-WT	59
B33-7510-7643-YL	59
B33-7515-7643-WT	59
B33-7515-7643-YL	59
B33-7525-7643-WT	59
B33-7525-7643-YL	59
B33C-312-422	61
B33C-312-498	61
B33C-375-422	61
B33C-375-498	61
B33C-1000-437	60
B33C-1000-437YL	60
B33C-1000-472	61
B33C-1000-472YL	61
B33C-1500-437	60
B33C-1500-437YL	60
B33C-1500-472	61
B33C-1500-472YL	61
B33C-2000-437	60
B33C-2000-437YL	60
B33C-2000-472	61
B33C-2000-472YL	61
B33C-3000-428	54
B33C-3000-437	60
B33C-3000-437YL	60
B33C-3000-472	61
B33C-3000-472YL	61
B33D-94-2-342	63
B33D-94-2-342BK	63
B33D-94-2-342YL	63
B33D-94-2-344	66
B33D-94-2-344BK	66
B33D-94-2-344YL	66
B33D-94-2-345	64
B33D-94-2-345BK	64
B33D-94-2-7641	65
B33D-94-2-7641Y	65
B33D-94-2-7642	65
B33D-125-2-342	63
B33D-125-2-342-2	63
B33D-125-2-342BK	63
B33D-125-2-342YL	63
B33D-125-2-344	66
B33D-125-2-344BK	66
B33D-125-2-344YL	66
B33D-125-2-345	64
B33D-125-2-345BK	64
B33D-125-2-7641	65
B33D-125-2-7641Y	65
B33D-125-2-7642	65
B33D-187-2-342	63
B33D-187-2-342BK	63
B33D-187-2-342YL	63
B33D-187-2-344	66
B33D-187-2-344BK	66
B33D-187-2-344YL	66
B33D-187-2-345	64
B33D-187-2-345BK	64
B33D-187-2-7641	65
B33D-187-2-7641Y	65
B33D-187-2-7642	65
B33D-250-2-342	63
B33D-250-2-342BK	63
B33D-250-2-342YL	63
B33D-250-2-344	66
B33D-250-2-344BK	66
B33D-250-2-344YL	66
B33D-250-2-345	64
B33D-250-2-345BK	64
B33D-250-2-7641	65
B33D-250-2-7641Y	65
B33D-250-2-7642	65
B33D-375-2-342	63
B33D-375-2-342BK	63
B33D-375-2-342YL	63

Catalog #	Pg
B33D-375-2-344	66
B33D-375-2-344BK	66
B33D-375-2-344YL	66
B33D-375-2-345	64
B33D-375-2-345BK	64
B33D-375-2-7641	65
B33D-375-2-7641Y	65
B33D-375-2-7642	65
B33D-500-2-342	63
B33D-500-2-342BK	63
B33D-500-2-342YL	63
B33D-500-2-344	66
B33D-500-2-344BK	66
B33D-500-2-344YL	66
B33D-500-2-345	64
B33D-500-2-345BK	64
B33D-500-2-7641	65
B33D-500-2-7641Y	65
B33D-500-2-7642	65
B33D-750-2-342	63
B33D-750-2-342BK	63
B33D-750-2-342YL	63
B33D-750-2-344	66
B33D-750-2-344BK	66
B33D-750-2-344YL	66
B33D-750-2-345	64
B33D-750-2-345BK	64
B33D-750-2-7641	65
B33D-750-2-7641Y	65
B33D-750-2-7642	65
B33D-1000-2-342	63
B33D-1000-2-342BK	63
B33D-1000-2-342YL	63
B33D-1000-2-344	66
B33D-1000-2-344BK	66
B33D-1000-2-344YL	66
B33D-1000-2-345	64
B33D-1000-2-345BK	64
B33D-1000-2-7641	65
B33D-1000-2-7641Y	65
B33D-1000-2-7642	65
B33D-1500-2-342	63
B33D-1500-2-342BK	63
B33D-1500-2-342YL	63
B33D-1500-2-344	66
B33D-1500-2-344BK	66
B33D-1500-2-344YL	66
B33D-1500-2-345	64
B33D-1500-2-345BK	64
B33D-1500-2-7641	65
B33D-1500-2-7641Y	65
B33D-1500-2-7642	65
B33D-2000-2-7642	65
B37-BLADE	34
B85-DC	76
BBP35	34
BBP35-37-WIPER	34
BBP37	34
BBP85	76
BCK	379
BH2010	378
BH2023	378
BLSP	551
BM15	256
BM30	256
BM61-144-145-GY	134
BM61-144-145FR-GY	134
BM61-145-145-GY	134
BM61-145-145FR-GY	134
BM71-7-423	168
BM71-11-427	164
BM71-11-498	162
BM71-11-499	162
BM71-12-109	161
BM71-16-423	168
BM71-17-423	168
BM71-17-427	164
BM71-17-428	168
BM71-18-427	164
BM71-18-498	162
BM71-19-423	168
BM71-19-427	164
BM71-19-498	162
BM71-20-422	160
BM71-20-423	168
BM71-20-424	156

Catalog #	Pg
BM71-20-428	168
BM71-21-427	164
BM71-23-427	164
BM71-29-423	168
BM71-29-427	164
BM71-29-498	162
BM71-30-427	164
BM71-31-427	164
BM71-32-427	164
BM71-33-427	164
BM71-34-427	164
BM71-40-412	160
BM71-64-427	164
BM71-94-1-342	165
BM71-094-1-344	166
BM71-094-1-344YL	166
BM71-94-1-7641	167
BM71-94-1-7641Y	167
BM71-94-175-342	165
BM71-94-175-342YL	165
BM71-94-175-344	166
BM71-94-175-344YL	166
BM71-94-175-7641	167
BM71-94-175-7641Y	167
BM71-107-427	164
BM71-109-427	164
BM71-110-145-GY	161
BM71-111-145-GY	161
BM71-125-1-342	165
BM71-125-1-342-YL	165
BM71-125-1-344	166
BM71-125-1-344YL	166
BM71-125-1-7641	167
BM71-125-1-7641Y	167
BM71-125-175-342	165
BM71-125-175-342YL	165
BM71-125-175-344	166
BM71-125-175-344YL	166
BM71-125-175-7641	167
BM71-125-175-7641Y	167
BM71-187-1-342	165
BM71-187-1-342YL	165
BM71-187-1-344	166
BM71-187-1-344YL	166
BM71-187-1-7641	167
BM71-187-1-7641Y	167
BM71-187-175-342	165
BM71-187-175-342YL	165
BM71-187-175-344	166
BM71-187-175-344YL	166
BM71-187-175-7641	167
BM71-187-175-7641Y	167
BM71-250-1-342	165
BM71-250-1-342-YL	165
BM71-250-1-344	166
BM71-250-1-344YL	166
BM71-250-1-7641	167
BM71-250-1-7641Y	167
BM71-250-175-342	165
BM71-250-175-342YL	165
BM71-250-175-344	166
BM71-250-175-344YL	166
BM71-250-175-7641	167
BM71-250-175-7641Y	167
BM71-375-1-342	165
BM71-375-1-342-YL	165
BM71-375-1-344	166
BM71-375-1-344YL	166
BM71-375-1-7641	167
BM71-375-1-7641Y	167
BM71-375-175-342	165
BM71-375-175-342YL	165
BM71-375-175-344	166
BM71-375-175-344YL	166
BM71-375-175-7641	167
BM71-375-175-7641Y	167
BM71-500-1-342	165
BM71-500-1-342YL	165
BM71-500-1-344	166
BM71-500-1-344YL	166
BM71-500-1-7641	167
BM71-500-1-7641Y	167
BM71-500-175-342	165
BM71-500-175-342YL	165
BM71-500-175-344	166
BM71-500-175-344YL	166

Catalog #	Pg
BM71-500-175-7641	167
BM71-500-175-7641Y	167
BM71-750-1-7641	167
BM71-750-1-7641Y	167
BM71-750-175-7641	167
BM71-750-175-7641Y	167
BM71-1000-175-342	165
BM71C-125-342	165
BM71C-187-342	165
BM71C-240-498	161
BM71C-250-342	165
BM71C-318-498	161
BM71C-375-342	165
BM71C-375-498	161
BM71C-500-342	165
BM71C-1000-342	165
BM71C-1000-582	157
BM71C-1000-584-OR	157
BM71C-1000-584-WT	157
BM71C-1000-584-YL	157
BM71C-1000-854-WT	155
BM71C-1000-854-YL	155
BM71C-1000-855-WT	155
BM71C-1000-855-YL	155
BM71C-2000-582	157
BM71C-2000-584-OR	157
BM71C-2000-584-WT	157
BM71C-2000-584-YL	157
BM71C-2000-854-CAU	155
BM71C-2000-854-DAN	155
BM71C-2000-854-WAR	155
BM71C-2000-854-WT	155
BM71C-2000-854-YL	155
BM71C-2000-855-CAU	155
BM71C-2000-855-DAN	155
BM71C-2000-855-WAR	155
BM71C-2000-855-WT	155
BM71C-2000-855-YL	155
BMP-HC-1	128
BMP-MAGNET-1	128
BMP-STRAP-1	128
BMP-UBP	114
BMP-UBP-AC	114
BMP21-MAGNET	104
BMP21-PLUS	104
BMP21-PLUS-BATT	104
BMP21-PLUS-HC	104
BMP21-PLUS-KIT1	104
BMP21-TOOL	104
BMP41	108
BMP41-BATT	108
BMP41-HC	108
BMP41-KIT-EL	108
BMP41-KIT-GI	108
BMP41-KIT-VD	108
BMP41-MAGNET	108
BMP41-QC	108
BMP51	114
BMP51-KIT-AC	114
BMP51-KIT-EL	125
BMP51-KIT-GI	125
BMP51-KIT-LS	125
BMP51-KIT-VD	125
BMP61	128
BMP61-BATCOV	128
BMP61-CUTTER	128
BMP61-W	128
BMP61-W-BATCOV	128
BMP71	152
BMP71-QC	152
BMP71-SC	152
BMP71-SC-QC	152
BMP-HC-2	126
BMP-MAGNET-2	126
BMP-PACK-2	126
BMP-SC-1	104
BMP-SC-2	108
BMP-SC-3	152
BMP-STRAP-1	126
BPH100	265
BPH200	265
BPH500	265
BPO100	261
BPO200	261
BPO500	261
BPTDS-15-390	135

Catalog #	Pg
BPTDS-30-390	135
BPTLTB-498-240	139
BPTLTB-498-318	139
BPTLTB-498-375	139
BPU100	255
BPU200	255
BPU500	255
BR801B	377
BRH150	265
BRH152	265
BRO150	261
BRO152	261
BRU152	255
BRU150	255
BS07A-BU	212
BS07A-GN	212
BS07A-RD	212
BS07A-YW	212
BS08A-BU	212
BS08A-GN	212
BS08A-RD	212
BS08A-YW	212
BSC20	270
BSC40	270
BSCSK-CB	284
BSM100	267
BWS-DAS-CD	178
BWS-DAS-EM	178
BWS-PPS-CD	178
BWS-PPS-CD-VOL	178
BWS-PPS-EM	178
BWS-PPS-EM-VOL	178
BWS-PWIDS-CD	178
BWS-PWIDS-EM	178
BWS-SFIDS-NA-CD	177
BWS-SFIDS-NA-EM	177
BWS-SPS-CD	178
BWS-SPS-EM	178
BWS-WIDS-EM	178
BWRK-GHS-DWN	177
BWRK-LOW-DWN	177
BWRK-LOW-CD	177
CABLE	209
CABLE-10FT	209
CABLO	209
CABLO-10	209
CB305	273
CB612	273
CC400	270
CH15P	264
CH30DP	264
CH100	264
CH124	270
CH200	264
CH303	264
CH412	270
CH1212	264
CH1212-50	264
CH1818	271
CHBB15	267
CHBB30	267
CHBB100	267
CHEM-CTH BLANK -FG	324
CHEM-CTHUSA01	324
CHEM-CTI500	324
CHEM-CTSH	324
CLT2	205
CLT4	205
CPT-BLK-25PL-KA3PK	191
CPT-BLK-25PL-KA6PK	191
CPT-BLK-25PL-KD	191
CPT-BLK-25PL-KD6PK	191
CPT-BLU-25PL-KA3PK	191
CPT-BLU-25PL-KA6PK	191
CPT-BLU-25PL-KD	191
CPT-BLU-25PL-KD6PK	191
CPT-BRN-25PL-KA3PK	191
CPT-BRN-25PL-KA6PK	191
CPT-BRN-25PL-KD	191
CPT-BRN-25PL-KD6PK	191
CPT-GRN-25PL-KA3PK	191
CPT-GRN-25PL-KA6PK	191
CPT-GRN-25PL-KD	191
CPT-GRN-25PL-KD6PK	191
CPT-ORG-25PL-KA3PK	191
CPT-ORG-25PL-KA6PK	191

Catalog #	Pg
CPT-ORG-25PL-KD	191
CPT-ORG-25PL-KD6PK	191
CPT-PRP-25PL-KA3PK	191
CPT-PRP-25PL-KA6PK	191
CPT-PRP-25PL-KD	191
CPT-PRP-25PL-KD6PK	191
CPT-RED-25PL-KA3PK	191
CPT-RED-25PL-KA6PK	191
CPT-RED-25PL-KD	191
CPT-RED-25PL-KD6PK	191
CPT-WHT-25PL-KA3PK	191
CPT-WHT-25PL-KA6PK	191
CPT-WHT-25PL-KD	191
CPT-WHT-25PL-KD6PK	191
CPT-YLW-25PL-KA3PK	191
CPT-YLW-25PL-KA6PK	191
CPT-YLW-25PL-KD	191
CPT-YLW-25PL-KD6PK	191
CSP	551
DGUARD9	276
DGUARD14	276
DGUARD910	276
DGUARD1410	276
DMC-1.3/3-15	135
DMC-1.3/3-30	135
DMC-2.5/5-15	135
DMC-2.5/5-30	135
DMC-4/10-15	135
DMC-4/10-30	135
DMC-8/16-15	135
DMC-8/16-30	135
DPA24	277
DPE	316
DRIP1720-B	277
DRIP1720-Y	277
DTA25	271
DTO25	271
DZ100	275
EHMVSD	314
ENT-ETSH157	323
ENT-ETSH157A	323
ENT-ETSH 500	323
ENT-ETSH 505	323
ENT-ETSH 506	323
ENT-ETSH BLANK-FG	323
ENT-ETSI532	323
ENT-ETSI 549	323
ENT-ETSI 567	323
ENT-ETSI 594	323
ENV50	262
ENV100	262
ENV150	262
ENV200	262
ENV300	262
ENV500	262
ENV510	272
ENV810	272
EP1	379
EPD	315
EPDISP	315
FC1	316
FD-SS2-L	552
FESP	551
FLSP	551
FLT-ETSH9	322
FLT-ETSH9A	322
FLT-ETSI51	322
FLT-ETSI 519	322
FLT-ETSI 537	322
FLT-ETSI 583	322
FW181804-Y	278
FW242404-Y	278
FW363604-Y	278
FW484804-Y	278
FW486004-Y	278
FW487204-Y	278
GD01	316
GD02	316
GD03	316
GD03DL	316
GLOBOX	200
GP30	255
GP100	255
GP200	255
GP300	255
GP500	255

Catalog #	Pg
HANDYSORB-BASICPAD	271
HANDYSORB-MOPKIT	271
HANDYSORB-NTPAD	271
HANDYSORB-NTPILLOW	271
HAZ99	271
HAZ124	270
HAZ412	270
HAZ1818	271
HT15	256
HT30	256
HT153	256
HT215	256
HT230	256
HT303	256
HT350	256
HT555	256
HTBB15	268
HTBB30	268
HTBB100	268
IC326E	378
ISO-ISO 08	324
J20-255-2551	85
J20-260-2569	85
J20-260-2595	85
J20-261-2569	85
J20-261-2595	85
J20-262-2569	85
J20-262-2595	85
J20C-1125-2569	85
J20C-1125-2595	85
J20C-2250-2569	85
J20C-2250-2595	85
J20C-2500-2551	85
J20C-3250-2551	85
J20C-4000-2569	85
J20C-4000-2595	85
J20-CMY	84
J20-PAD	84
J20-ROLL	84
J2000	84
J2000-BWSSFID	84
J50-255-2551	88
J50-260-2569	88
J50-260-2595	88
J50-261-2569	88
J50-261-2595	88
J50-262-2569	88
J50-262-2595	88
J50-265-2569	88
J50-265-2595	88
J50-267-2569	88
J50-267-2595	88
J50C-2250-2569	88
J50C-2250-2595	88
J50C-4000-2569	88
J50C-4000-2595	88
J50C-6000-2569	88
J50C-6000-2595	88
J50C-8000-2569	88
J50C-8000-2595	88
J50-BK	88
J50-CMYK	88
J50-CY	88
J50-MA	88
J50-YL	88
J5000	86
JS1	378
JV-4580	338
JV-4580MG	338
KT226A	246
L0AE01A	499
L0EW03A	499
L0FE15A	500
L0FEG1G	500
L0FL15A	499
L0ME02A	501
L0MS03A	501
L0PH02A	501
L0SR03A	501
L0SS03A	501
L0SWG4G	501
L0TS024A	501
L0WO02A	501
L3FE15A	499
LAD-EITH/L12	322
LAD-EITH12	322

Part Number Index

BradyID.com/s36

Catalog #	Pg
LAD-EITL 500	322
LAD-EITL 512	322
LAD-EITL521	322
LC202G	246
LC203G	246
LC210G	247
LC211G	247
LC226A	246
LC251M	242
LC252M	242
LC254M	242
LC501E	246
LC502E	246
LC517E	245
LC517E-SK-AL	245
LC517E-SK-NS	245
LC518E	245
LC744E	246
LCDISP	314
LG003E	200
LG008E	200
LG252M	200
LH220A	197
LH625E	303
LID-3	196
LK041R	238
LK042R	238
LK330E	239
LK331E	239
LK520B	238
LK627E	238
LK627E-SK-AL	238
LK627E-SK-NS	238
LK907E	239
LK980E	231
LK981E	231
LKP	231
LKP-SK-AL	231
LKP-SK-NS	231
LKX	235
LKX-Rack	235
LKX-SK-AL	235
LKX-SK-NS	235
LKXSET	235
LKX-TKLBOX	241
LM023E	225
LOCB	184
LOSB1	378
LOSC13	185
LOSC13 BI	185
LOSP22	378
LOSP8	551
LOSP8SP	551
LR008E	201
LR018E	201
LR060E	201
LR360E	201
LROD101012	278
LROD101512	278
LROD102012	278
LROD151512	278
LROD202012	278
M-7-422	110
M-7-498	113
M-11-427	112
M-11-498	113
M-11-499	110
M-12-109	119
M-17-351	122
M-17-432-CL-BK	121
M-20-351	122
M-29-428	117
M-30-428	117
M-31-7425	124
M-32-427	118
M-33-427	118
M-34-427	118
M-47-422	110
M-47-427	112
M-47-428	111
M-47-483	110
M-48-427	112
M-48-498	113
M-49-422	110
M-49-427	112
M-49-494-BL	125
M-49-494-GN	125
M-49-494-OR	125
M-49-494-PK	125
M-49-494-RD	125
M-49-494-YL	125
M-49-498	113
M-51-427	112
M-51-427-YL	112
M-53-427	112
M-53-427-YL	112
M-60-428	111
M-60-483	110
M-61-483	117
M-72-461	123
M-74-461	123
M-75-461	123
M-78-432-CL-BK	121
M-78-492	123
M-81-488	124
M-82-492	123
M-82-499	124
M-82-499-OR-BK	124
M-82-499-RD-BK	124
M-82-499-YL-BK	124
M-83-492	123
M-83-499	124
M-83-499-OR-BK	124
M-83-499-RD-BK	124
M-83-499-YL-BK	124
M-84-499	110
M-86-461	123
M-89-422	110
M-89-427	112
M-90-422	110
M-90-427	112
M-91-427	112
M-91-427-YL	112
M-91-498	113
M-92-428-BB	111
M-97-481	124
M-97-488	124
M-102-427	112
M-103-498	118
M-111-145FR-GY	119
M-112-490	123
M-113-490	123
M-114-490	123
M-115-427	118
M-116-427	118
M-117-492	123
M-117-499	124
M-118-492	123
M-118-494-BL	125
M-118-494-GN	125
M-118-494-OR	125
M-118-494-PK	125
M-118-494-RD	125
M-118-494-YL	125
M-118-499	124
M-118-7425	124
M-119-461	123
M-120-492	123
M-120-494-BL	125
M-120-494-GN	125
M-120-494-OR	125
M-120-494-PK	125
M-120-494-RD	125
M-120-494-YL	125
M-120-499	124
M-122-461	123
M-123-461	123
M-124-461	123
M-124-490	123
M-125-1-342	119
M-125-075-342	112
M-125-461	123
M-125-490	123
M-126-461	123
M-126-490	123
M-127-482	124
M-128-498	118
M-128-499	110
M-129-461	123
M-130-492	123
M-130-499	110
M-131-492	123
M-131-494-BL	125
M-131-494-GN	125
M-131-494-OR	125
M-131-494-PK	125
M-131-494-RD	125
M-131-494-YL	125
M-131-498	113
M-131-499	110
M-132-499	117
M-133-427	118
M-134-427	118
M-135-427-AW	118
M-136-427	112
M-141-499	112
M-143-427	112
M-152-499	119
M-155-492	123
M-156-492	123
M-163-498	118
M-187-1-342	119
M-187-075-342	112
M-194-481	124
M-195-481	124
M-250-1-342	119
M-250-075-342	112
M-375-1-342	119
M-375-075-342	112
M-AC-110937	104
M-AC-143110	108
M-USB-103788	108
M21-125-C-342	106
M21-125-C-342-YL	106
M21-187-C-342	106
M21-187-C-342-YL	106
M21-250-423	107
M21-250-430	107
M21-250-430-WT-CL	107
M21-250-595-WT	105
M21-250-595-YL	105
M21-250-C-342	106
M21-250-C-342-YL	106
M21-375-423	107
M21-375-430	107
M21-375-430-WT-CL	107
M21-375-461	107
M21-375-488	107
M21-375-499	105
M21-375-499-TB	106
M21-375-595-BK	105
M21-375-595-BL	105
M21-375-595-BR	105
M21-375-595-GN	105
M21-375-595-GY	105
M21-375-595-OR	105
M21-375-595-PL	105
M21-375-595-RD	105
M21-375-595-WT	105
M21-375-595-YL	105
M21-375-7425	107
M21-375-C-342	106
M21-375-C-342-YL	106
M21-500-423	107
M21-500-430	107
M21-500-430-WT-CL	107
M21-500-461	107
M21-500-488	107
M21-500-499	105
M21-500-499-TB	106
M21-500-595-BK	105
M21-500-595-BL	105
M21-500-595-BR	105
M21-500-595-GN	105
M21-500-595-GY	105
M21-500-595-OR	105
M21-500-595-PL	105
M21-500-595-RD	105
M21-500-595-WT	105
M21-500-595-YL	105
M21-500-7425	107
M21-750-403	107
M21-750-423	107
M21-750-427	106
M21-750-430	107
M21-750-430-WT-CL	107
M21-750-461	107
M21-750-488	107
M21-750-499	106
M21-750-595-BK	105
M21-750-595-BL	105
M21-750-595-BR	105
M21-750-595-GN	105
M21-750-595-GY	105
M21-750-595-OR	105
M21-750-595-PL	105
M21-750-595-RD	105
M21-750-595-WT	105
M21-750-595-YL	105
M21-750-7425	107
M21-1000-427	106
M21-1250-427	106
M21-1500-427	106
M50-BATT-TRAY	114
M50-HC	114
M50-MAGNET	114
M61-2-7425	149
M61-7-7425	149
M61-9-430	143
M61-9-8459	143
M61-10-430	143
M61-17-494-BL	149
M61-17-494-GN	149
M61-17-494-OR	149
M61-17-494-PK	149
M61-17-494-RD	149
M61-17-494-YL	149
M61-17-7425	149
M61-17-8459	143
M61-18-7425	149
M61-19-494-BL	149
M61-19-494-GN	149
M61-19-494-OR	149
M61-19-494-PK	149
M61-19-494-RD	149
M61-19-494-YL	149
M61-22-430	143
M61-29-8459	143
M61-30-423	143
M61-30-430	143
M61-30-8459	143
M61-31-7425	149
M61-37-430	143
M61-52-423	143
M61-52-430	143
M61-61-423	143
M61-61-430	143
M61-78-430	143
M61-98-430	143
M61-98-494-BL	149
M61-98-494-GN	149
M61-98-494-OR	149
M61-98-494-PK	149
M61-98-494-RD	149
M61-98-494-YL	149
M61-98-7425	149
M61-121-7425	149
M61-144-145-GY	134
M61-144-145FR-GY	134
M61-145-145-GY	134
M61-145-145FR-GY	134
M61-196-8591	143
M61-196-8591-SL	141
M61-198-430	143
M61-199-7425	149
M61C-240-498	139
M61C-250-439	147
M61C-250-439-YL	147
M61C-318-498	139
M61C-375-422	139
M61C-375-430	139
M61C-375-439	147
M61C-375-439-YL	147
M61C-375-498	139
M61C-475-422	139
M61C-500-422	139
M61C-500-428	139
M61C-500-430	139
M61C-500-483	139
M61C-500-595-BK	147
M61C-500-595-BL	147
M61C-500-595-CL	147
M61C-500-595-GN	147
M61C-500-595-OR	147
M61C-500-595-RD	147
M61C-500-595-WT	147
M61C-500-595-YL	147
M61C-625-422	139
M61C-750-403	148
M61C-1000-584-OR	148
M61C-1000-595-BK	147
M61C-1000-595-BL	147
M61C-1000-595-CL	147
M61C-1000-595-GN	147
M61C-1000-595-GR	147
M61C-1000-595-OR	147
M61C-1000-595-RD	147
M61C-1000-595-WT	147
M61C-1000-595-YL	147
M61C-1000-8591	143
M61C-1500-403	148
M61C-1900-8591	143
M61C-2000-584-OR	148
M61C-2000-584-SL	148
M61C-2000-584-YL	148
M61C-2000-595-BK	147
M61C-2000-595-BL	147
M61C-2000-595-BR	147
M61C-2000-595-CL	147
M61C-2000-595-GD	147
M61C-2000-595-GN	147
M61C-2000-595-LB	147
M61C-2000-595-OR	147
M61C-2000-595-PL	147
M61C-2000-595-RD	147
M61C-2000-595-WT	147
M61C-2000-595-YL	147
M61-R4310	150
M61-R4410-BL	150
M61-R4410-RD	150
M61-R4410-WT	150
M61-R6010	150
M61-R6210	150
M61-R6410	150
M61-R6610	150
M61-R6710-WT	150
M61-R6810-WT	150
M611-AM-BT-W	126
M611-BC-KIT1	126
M71-1-423	168
M71-2-423	168
M71-2-717	169
M71-3-423	168
M71-4-423	168
M71-4-718	169
M71-5-423	168
M71-6-423	168
M71-6-473	169
M71-7-423	160
M71-7-498	162
M71-7-499	162
M71-9-423	168
M71-9-473	169
M71-9-718	169
M71-9-724	169
M71-10-423	168
M71-10-427	164
M71-10-437	163
M71-10-472	163
M71-10-473	169
M71-10-498	162
M71-10-727	169
M71-11-427	164
M71-11-498	162
M71-11-499	162
M71-12-109	161
M71-13-423	168
M71-13-724	169
M71-14-423	168
M71-14-717	169
M71-15-423	168
M71-15-428	168
M71-15-437	163
M71-15-472	163
M71-16-423	160
M71-16-430	156
M71-16-473	169
M71-16-483	156
M71-16-498	162
M71-16-499	162
M71-16-724	169
M71-16-727	169
M71-17-351	170
M71-17-362	170
M71-17-423	160
M71-17-427	164
M71-17-428	168
M71-17-430	156
M71-17-472	163
M71-17-473	169
M71-17-483	156
M71-17-486	156
M71-17-489	156
M71-17-498	162
M71-17-724	169
M71-18-427	164
M71-18-498	162
M71-18-499	162
M71-19-423	168
M71-19-427	164
M71-19-427-YL	164
M71-19-472	163
M71-19-483	156
M71-19-498	162
M71-19-499	162
M71-20-351	170
M71-20-362	170
M71-20-423	168
M71-20-424	156
M71-20-428	168
M71-20-459	156
M71-20-483	156
M71-20-486	156
M71-21-427	164
M71-21-427-YL	164
M71-21-472	163
M71-21-498	162
M71-21-499	162
M71-22-423	168
M71-22-428	168
M71-23-423	168
M71-23-427	164
M71-23-483	156
M71-24-423-BK	168
M71-25-423	168
M71-25-718	169
M71-26-423	168
M71-26-428	168
M71-27-423	168
M71-28-423	168
M71-28-427	164
M71-28-473	169
M71-28-499	162
M71-28-724	169
M71-29-423	160
M71-29-427	164
M71-29-428	168
M71-29-437	163
M71-29-459	156
M71-29-472	163
M71-29-483	156
M71-29-486	156
M71-29-489	156
M71-29-498	162
M71-29-499	162
M71-30-422	160
M71-30-423-TEST	158
M71-30-427	164
M71-30-427-AW	164
M71-30-427-BL	164
M71-30-427-PL	164
M71-30-427-RD	164
M71-30-428-CALI	158
M71-30-459	156
M71-30-472	163
M71-30-483	156
M71-30-486	156
M71-30-498	162
M71-30-499	162
M71-31-351	170
M71-31-362	170
M71-31-423	168
M71-31-427	164
M71-31-427-GN	164
M71-31-427-RD	164
M71-31-427-YL	164
M71-31-472	163
M71-31-483	156
M71-31-498	162
M71-31-499	162
M71-32-423	168
M71-32-427	164
M71-32-427-YL	164
M71-32-489	156
M71-32-498	162
M71-33-427	164
M71-33-427-YL	164
M71-33-498	162
M71-34-427	164
M71-35-428-PROP	158
M71-36-109	161
M71-37-351	170
M71-37-362	170
M71-37-422	160
M71-37-423	168
M71-37-483	156
M71-37-486	156
M71-38-423	168
M71-38-428	168
M71-38-483	156
M71-38-483-CAUT	158
M71-38-483-DANG	158
M71-38-483-NOTI	158
M71-38-483-WARN	158
M71-38-489	156
M71-40-412	160
M71-45-422	160
M71-45-430	156
M71-61-483	156
M71-64-427	164
M71-65-483	156
M71-66-427	164
M71-68-430	156
M71-71-430	156
M71-78-499	162
M71-80-488	156
M71-81-488	156
M71-88-427	164
M71-94-1-342	165
M71-94-1-342YL	165
M71-094-1-344	166
M71-094-1-344YL	166
M71-94-1-7641	167
M71-94-1-7641Y	167
M71-94-175-342	165
M71-94-175-342YL	165
M71-094-175-344	166
M71-094-175-344YL	166
M71-94-175-7641	167
M71-94-175-7641Y	167
M71-96-427	164
M71-97-488	156
M71-103-427	164
M71-104-427	164
M71-107-427	164
M71-109-427	164
M71-110-145FR-GY	161
M71-110-145-GY	161
M71-111-145FR-GY	161
M71-111-145-GY	161
M71-125-1-342	165
M71-125-1-342YL	165
M71-125-1-344	166
M71-125-1-344YL	166
M71-125-1-7641	167
M71-125-1-7641Y	167
M71-125-175-342	165
M71-125-175-342YL	165
M71-125-175-344	166
M71-125-175-344YL	166
M71-125-175-7641	167
M71-125-175-7641Y	167
M71-187-1-342	165
M71-187-1-342YL	165
M71-187-1-344	166
M71-187-1-344YL	166
M71-187-1-7641	167
M71-187-1-7641Y	167
M71-187-175-342	165
M71-187-175-342YL	165
M71-187-175-344	166
M71-187-175-344YL	166
M71-187-175-7641	167
M71-187-175-7641Y	167
M71-250-1-342	165
M71-250-1-342YL	165
M71-250-1-344	166
M71-250-1-344YL	166
M71-250-1-7641	167

BRADY

Catalog #	Pg
M71-250-1-7641Y	167
M71-250-175-342	165
M71-250-175-342YL	165
M71-250-175-344	166
M71-250-175-344YL	166
M71-250-175-7641	167
M71-250-175-7641Y	167
M71-375-1-342	165
M71-375-1-342YL	165
M71-375-1-344	166
M71-375-1-344YL	166
M71-375-1-7641	167
M71-375-1-7641Y	167
M71-375-175-342	165
M71-375-175-342YL	165
M71-375-175-344	166
M71-375-175-344YL	166
M71-375-175-7641	167
M71-375-175-7641Y	167
M71-500-1-342	165
M71-500-1-342YL	165
M71-500-1-344	166
M71-500-1-344YL	166
M71-500-1-7641	167
M71-500-1-7641Y	167
M71-500-175-342	165
M71-500-175-342YL	165
M71-500-175-344	166
M71-500-175-344YL	166
M71-500-175-7641	167
M71-500-175-7641Y	167
M71-750-1-344	166
M71-750-1-344YL	166
M71-750-1-7641	167
M71-750-1-7641Y	167
M71-750-175-344	166
M71-750-175-344YL	166
M71-750-175-7641	167
M71-750-175-7641Y	167
M71-1000-1-342	165
M71-1000-1-342YL	165
M71-1000-175-342	165
M71-1000-175-342YL	165
M71-1000-483-BK-KT	155
M71-1000-483-BL-KT	155
M71-1000-483-GN-KT	155
M71-1000-483-OR-KT	155
M71-1000-483-RD-KT	155
M71-1000-483-WT-KT	155
M71-1000-483-YL-KT	155
M71-2000-483-BK-KT	155
M71-2000-483-BL-KT	155
M71-2000-483-GN-KT	155
M71-2000-483-OR-KT	155
M71-2000-483-RD-KT	155
M71-2000-483-WT-KT	155
M71-2000-483-YL-KT	155
M71-ADAPT-BK	152
M71-BATT	152
M71C-230-412	160
M71C-240-498	161
M71C-250-595-WT	154
M71C-250-595-YL	154
M71C-318-498	161
M71C-375-412	160
M71C-375-422	160
M71C-375-430	156
M71C-375-498	161
M71C-475-412	160
M71C-475-422	160
M71C-500-412	160
M71C-500-422	160
M71C-500-423	160
M71C-500-430	156
M71C-500-483	156
M71C-500-498	162
M71C-500-499	162
M71C-500-530	170
M71C-500-581-WT	157
M71C-500-581-YL	157
M71C-500-595-BK	154
M71C-500-595-BL	154
M71C-500-595-BR	154
M71C-500-595-CL	154
M71C-500-595-GD	154
M71C-500-595-GN	154
M71C-500-595-GY	154
M71C-500-595-LB	154
M71C-500-595-OC	154
M71C-500-595-OR	154
M71C-500-595-PK	154
M71C-500-595-PL	154
M71C-500-595-RD	154
M71C-500-595-SB	154
M71C-500-595-TN	154
M71C-500-595-WT	154
M71C-500-595-YL	154
M71C-625-412	160
M71C-625-422	160
M71C-750-403	157
M71C-785-412	160
M71C-1000-422	160
M71C-1000-430	156
M71C-1000-472	163
M71C-1000-472-YL	163
M71C-1000-483	156
M71C-1000-498	162
M71C-1000-499	162
M71C-1000-530	170
M71C-1000-581-WT	157
M71C-1000-581-YL	157
M71C-1000-595-BK	154
M71C-1000-595-BL	154
M71C-1000-595-BR	154
M71C-1000-595-CL	154
M71C-1000-595-GD	154
M71C-1000-595-GN	154
M71C-1000-595-GY	154
M71C-1000-595-LB	154
M71C-1000-595-OC	154
M71C-1000-595-OR	154
M71C-1000-595-PK	154
M71C-1000-595-PL	154
M71C-1000-595-RD	154
M71C-1000-595-SB	154
M71C-1000-595-TN	154
M71C-1000-595-WT	154
M71C-1000-595-YL	154
M71C-1000-8591	156
M71C-1500-403	157
M71C-1500-472	163
M71C-1500-472-YL	163
M71C-1900-422	160
M71C-1900-430	156
M71C-1900-483	156
M71C-1900-498	162
M71C-1900-499	162
M71C-1900-8591	156
M71C-2000-472	163
M71C-2000-472-YL	163
M71C-2000-530	170
M71C-2000-581-WT	157
M71C-2000-581-YL	157
M71C-2000-595-BK	154
M71C-2000-595-BL	154
M71C-2000-595-BR	154
M71C-2000-595-CL	154
M71C-2000-595-GD	154
M71C-2000-595-GN	154
M71C-2000-595-GY	154
M71C-2000-595-LB	154
M71C-2000-595-OC	154
M71C-2000-595-OR	154
M71C-2000-595-PK	154
M71C-2000-595-PL	154
M71C-2000-595-RD	154
M71C-2000-595-SB	154
M71C-2000-595-TN	154
M71C-2000-595-WT	154
M71C-2000-595-YL	154
M71-CLEAN	152
M71EP-167-593	158
M71EP-167-593-BK	158
M71EP-167-593-GN	158
M71EP-167-593-RD	158
M71EP-167-593-YL	158
M71EP-168-593	158
M71EP-168-593-BK	158
M71EP-168-593-GN	158
M71EP-168-593-RD	158
M71EP-168-593-YL	158
M71EP-169-593	158
M71EP-169-593-BK	158
M71EP-169-593-GN	158
M71EP-169-593-RD	158
M71EP-169-593-YL	158
M71EP-171-593	159
M71EP-171-593-BK	159
M71EP-171-593-GN	159
M71EP-171-593-RD	159
M71EP-171-593-SL	159
M71EP-171-593-YL	159
M71EP-172-593	159
M71EP-172-593-BK	159
M71EP-172-593-GN	159
M71EP-172-593-RD	159
M71EP-172-593-SL	159
M71EP-172-593-YL	159
M71EP-173-593	159
M71EP-173-593-BK	159
M71EP-173-593-GN	159
M71EP-173-593-RD	159
M71EP-173-593-SL	159
M71EP-173-593-YL	159
M71EP-174-593	159
M71EP-174-593-BK	159
M71EP-174-593-GN	159
M71EP-174-593-RD	159
M71EP-174-593-SL	159
M71EP-174-593-YL	159
M71EP-176-593	159
M71EP-176-593-BK	159
M71EP-176-593-GN	159
M71EP-176-593-RD	159
M71EP-176-593-YL	159
M71EP-180-593	158
M71EP-182-593	158
M71EP-186-593	159
M71EP-186-593-BK	159
M71EP-186-593-GN	159
M71EP-186-593-RD	159
M71EP-186-593-SL	159
M71EP-186-593-YL	159
M71EP-189-593	158
M71EP-189-593-BK	158
M71EP-189-593-GN	158
M71EP-189-593-RD	158
M71EP-189-593-YL	158
M71EP-190-593	159
M71EP-190-593-BK	159
M71EP-190-593-GN	159
M71EP-190-593-RD	159
M71EP-190-593-SL	159
M71EP-190-593-YL	159
M71EP-191-593	159
M71EP-191-593-BK	159
M71EP-191-593-GN	159
M71EP-191-593-RD	159
M71EP-191-593-SL	159
M71EP-191-593-YL	159
M71EP-192-593	159
M71EP-192-593-BK	159
M71EP-192-593-GN	159
M71EP-192-593-RD	159
M71EP-192-593-SL	159
M71EP-192-593-YL	159
M71FP-1-425	161
M71FP-2-425	161
M71FT-1-425	161
M71-HC	152
M71-QC	152
M71-R4300	170
M71-R4400-WT	170
M71-R6000	170
M71-R6200	170
M71-R6400	170
M71-R6600	170
M71-R6800-WT	170
M71-R6900-BL	170
M71-R6900-GN	170
M71-R6900-MA	170
M71-R6900-RD	170
M71-R6900-YL	170
M420	316
MC111E	378
MC-125-342	112
MC-125-342-YL	112
MC-187-342	112
MC-187-342-YL	112
MC-240-498	113
MC-250-342	112
MC-250-342-YL	112
MC-250-595-WT-BK	116
MC-250-595-YL-BK	116
MC-318-498	113
MC-375-412	113
MC-375-422	110
MC-375-461	123
MC-375-498	113
MC-375-499	110
MC-375-595-RD-WT	109
MC-375-595-WT-BK	109
MC-375-595-YL-BK	109
MC-475-412	113
MC-475-422	110
MC-500-422	110
MC-500-461	123
MC-500-492	123
MC-500-499	110
MC-500-584	110
MC-500-584-YL	110
MC-500-595-BK-WT	109
MC-500-595-BL-WT	109
MC-500-595-CL-BK	109
MC-500-595-CL-WT	109
MC-500-595-GN-WT	109
MC-500-595-OR-BK	109
MC-500-595-RD-WT	109
MC-500-595-WT-BK	109
MC-500-595-WT-RD	109
MC-500-595-YL-BK	109
MC-625-412	113
MC-625-422	110
MC-750-403	122
MC-750-427	112
MC-750-499	110
MC-750-584	110
MC-750-584-YL	110
MC-750-595-BK-WT	109
MC-750-595-BL-WT	109
MC-750-595-CL-BK	109
MC-750-595-CL-WT	109
MC-750-595-GN-WT	109
MC-750-595-OR-BK	109
MC-750-595-RD-WT	109
MC-750-595-WT-BK	109
MC-750-595-WT-RD	109
MC-750-595-YL-BK	109
MC-1000-427	118
MC-1000-461	123
MC-1000-499	124
MC-1000-584	121
MC-1000-584-YL	121
MC-1250-427	118
MC-1250-461	123
MC-1500-403	122
MC-1500-427	118
MC-1500-584	121
MC-1500-584-YL	121
MC-1500-595-BK-WT	116
MC-1500-595-BL-WT	116
MC-1500-595-CL-BK	116
MC-1500-595-CL-WT	116
MC-1500-595-GN-WT	116
MC-1500-595-OR-BK	116
MC-1500-595-RD-WT	116
MC-1500-595-WT-BK	116
MC-1500-595-YL-BK	116
MC-1500-595-WT-RD	116
MC1-375-342	112
MC1-1000-422	110
MC1-1000-595-BK-WT	109
MC1-1000-595-BL-WT	109
MC1-1000-595-CL-BK	109
MC1-1000-595-CL-WT	109
MC1-1000-595-GN-WT	109
MC1-1000-595-OR-BK	109
MC1-1000-595-RD-WT	109
MC1-1000-595-WT-BK	109
MC1-1000-595-WT-RD	109
MC1-1000-595-YL-BK	109
MFT-01-425	119
MIC-BLANK - FG	320
MIC-MTHSTD04	320
MIC-MTI 500	320
MIC-MTI PLAIN	320
MIC-MTIGP B	320
MIC-MTIGP G	320
MIC-MTIGP O	320
MIC-MTIGP P	320
MIC-MTIGP R	320
MIC-MTIGP W	320
MIC-MTIGP Y	320
MIC-MTIGPI B	320
MIC-MTIGPI G	320
MIC-MTIGPI O	320
MIC-MTIGPI P	320
MIC-MTIGPI R	320
MIC-MTIGPI W	320
MIC-MTIGPI Y	320
MIC-MTIUSA B	320
MIC-MTIUSA G	320
MIC-MTIUSA O	320
MIC-MTIUSA P	320
MIC-MTIUSA R	320
MIC-MTIUSA W	320
MIC-MTIUSA Y	320
MUL-BLANK - FG	322
MUL-EITL 540	322
MPPE	317
MRO15	254
MRO15-DP	254
MRO15P	254
MRO30	254
MRO30-DP	254
MRO30P	254
MRO50	254
MRO100	254
MRO100-2	254
MRO150DND	254
MRO215P	254
MRO300	254
MRO315P	254
MRO350-DP	254
MS50	270
MS124	270
MS412	270
MS806	270
MSSP	552
MUL-EITHUSA01	322
MUL-EITHUSA01A	322
MUL-EITL 230	320
MUL-EITL535	322
MVSD	314
MVSDL	314
MVSDG	314
MVSDM	314
MVSDO	314
MXO1000	262
MXP-C20	281
MXP-O20	281
MXP-U20	281
MXU1000	255
NAN-GP B	319
NAN-GP G	319
NAN-GP O	319
NAN-GP P	319
NAN-GP R	319
NAN-GP W	319
NAN-GP Y	319
NAN-H	319
NAN-NAN BLUE	319
NAN-NAN GREEN	319
NAN-NAN ORANGE	319
NAN-NAN PURPLE	319
NAN-NAN RED	319
NAN-NAN WHITE	319
NAN-NAN YELLOW	319
NET-LAN	114
NET-WIFI	114
NYL-BLK-38PL-KA3PK	190
NYL-BLK-38PL-KA6PK	190
NYL-BLK-38PL-KD	190
NYL-BLK-38PL-KD6PK	190
NYL-BLK-38ST-KA3PK	190
NYL-BLK-38ST-KA6PK	190
NYL-BLK-38ST-KD	190
NYL-BLK-38ST-KD6PK	190
NYL-BLK-76ST-KD	190
NYL-BLU-38PL-KA6PK	190
NYL-BLU-38PL-KD	190
NYL-BLU-38PL-KD6PK	190
NYL-BLU-38ST-KA3PK	190
NYL-BLU-38ST-KA6PK	190
NYL-BLU-38ST-KD	190
NYL-BLU-38ST-KD6PK	190
NYL-BLU-76ST-KD	190
NYL-BRN-38PL-KA3PK	190
NYL-BRN-38PL-KA6PK	190
NYL-BRN-38PL-KD	190
NYL-BRN-38PL-KD6PK	190
NYL-BRN-38ST-KA3PK	190
NYL-BRN-38ST-KA6PK	190
NYL-BRN-38ST-KD	190
NYL-BRN-38ST-KD6PK	190
NYL-BRN-76ST-KD	190
NYL-GRN-38PL-KA3PK	190
NYL-GRN-38PL-KA6PK	190
NYL-GRN-38PL-KD	190
NYL-GRN-38PL-KD6PK	190
NYL-GRN-38ST-KA3PK	190
NYL-GRN-38ST-KA6PK	190
NYL-GRN-38ST-KD	190
NYL-GRN-38ST-KD6PK	190
NYL-GRN-76ST-KD	190
NYL-ORG-38PL-KA3PK	190
NYL-ORG-38PL-KA6PK	190
NYL-ORG-38PL-KD	190
NYL-ORG-38PL-KD6PK	190
NYL-ORG-38ST-KA3PK	190
NYL-ORG-38ST-KA6PK	190
NYL-ORG-38ST-KD	190
NYL-ORG-38ST-KD6PK	190
NYL-ORG-76ST-KD	190
NYL-PRP-38PL-KA3PK	190
NYL-PRP-38PL-KA6PK	190
NYL-PRP-38PL-KD	190
NYL-PRP-38PL-KD6PK	190
NYL-PRP-38ST-KA3PK	190
NYL-PRP-38ST-KA6PK	190
NYL-PRP-38ST-KD	190
NYL-PRP-38ST-KD6PK	190
NYL-PRP-76ST-KD	190
NYL-RED-38PL-KA3PK	190
NYL-RED-38PL-KA6PK	190
NYL-RED-38PL-KD	190
NYL-RED-38PL-KD6PK	190
NYL-RED-38ST-KA3PK	190
NYL-RED-38ST-KA6PK	190
NYL-RED-38ST-KD	190
NYL-RED-38ST-KD6PK	190
NYL-RED-76ST-KD	190
NYL-WHT-38PL-KA3PK	190
NYL-WHT-38PL-KA6PK	190
NYL-WHT-38PL-KD	190
NYL-WHT-38PL-KD6PK	190
NYL-WHT-38ST-KA3PK	190
NYL-WHT-38ST-KA6PK	190
NYL-WHT-38ST-KD	190
NYL-WHT-38ST-KD6PK	190
NYL-WHT-76ST-KD	190
NYL-YLW-38PL-KA3PK	190
NYL-YLW-38PL-KA6PK	190
NYL-YLW-38PL-KD	190
NYL-YLW-38PL-KD6PK	190
NYL-YLW-38ST-KA3PK	190
NYL-YLW-38ST-KA6PK	190
NYL-YLW-38ST-KD	190
NYL-YLW-38ST-KD6PK	190
NYL-YLW-76ST-KD	190
ODN08	273
OIL99	271
OIL124	270
OIL412	270
OIL430	270
OIL806	270
OIL1818	271
ON030	273
OP15	260
OP15-DP	260
OP15P	260
OP30	260
OP30-DP	260
OP30P	260
OP50	260
OP100	260
OP150DND	260
OP300	260
OP315P	260
OP350-DP	260
PBL2	227
PBL4	227
PBL6	227
PBL8	227
PC1	379
PCK-5	126
PCK-6	34
PD001E	317
PD205A	317
PD206A	317
PD228E	317
PD240E	316
PD241E	316
PD244E	315
PD256E	317
PD264E	314
PD265E	315
PD322E	316
PD325E	316
PD439G	315
PD524E	316
PD674E	374
PD701E	314
PD995E	314
PD997E	314
PLLT2	205
PLLT4	205
PLO23	228
PLO27E	229
PLUG2	276
PLUG3	276
PLUG4	276
PLUG6	276
PS125E	551
PS125S	551
PS127E	552
PS128E	551
PS135E	551
PS139E	552
PS139S	552
PSFR-187-175-WT	135
PSFR-250-1-WT	135
PSFR-250-1-YL	135
PSFR-250-175-YL	135
PSFR-500-1-WT	135
PSFR-750-175-BK	135
PSHT-094-1-WT	138
PSHT-094-1-YL	138
PSHT-094-175-WT	138
PSHT-094-175-YL	138
PSHT-1000-1-WT	138
PSHT-1000-1-YL	138
PSHT-1000-175-WT	138
PSHT-1000-175-YL	138
PSHT-125-1-BK	138
PSHT-125-1-BL	138
PSHT-125-1-PK	138
PSHT-125-1-WT	138
PSHT-125-1-YL	138
PSHT-125-175-BL	138
PSHT-125-175-WT	138
PSHT-125-175-YL	138
PSHT-187-1-WT	138
PSHT-187-1-YL	138
PSHT-187-175-BL	138
PSHT-187-175-WT	138
PSHT-187-175-YL	138
PSHT-250-1-WT	138
PSHT-250-1-YL	138
PSHT-250-175-WT	138
PSHT-250-175-YL	138
PSHT-375-1-WT	138
PSHT-375-1-YL	138
PSHT-375-175-WT	138
PSHT-375-175-YL	138
PSHT-500-1-WT	138
PSHT-500-1-YL	138
PSHT-500-175-WT	138
PSHT-500-175-YL	138
PSHT-750-1-WT	138
PSHT-750-1-YL	138

Part Number Index

BradyID.com/s36

Catalog #	Pg
PSHT-750-175-WT	138
PSHT-750-175-YL	138
PSPT-094-1-BL	137
PSPT-094-1-GR	137
PSPT-094-1-OR	137
PSPT-094-1-RD	137
PSPT-094-1-WT	136
PSPT-094-1-YL	136
PSPT-094-2-BK-R	137
PSPT-094-2-WT-R	136
PSPT-094-2-YL-R	136
PSPT-094-175-BL	137
PSPT-094-175-OR	137
PSPT-094-175-WT	136
PSPT-094-175-YL	136
PSPT-125-1-BK	137
PSPT-125-1-BL	137
PSPT-125-1-RD	137
PSPT-125-1-WT	136
PSPT-125-1-YL	136
PSPT-125-2-BK-R	137
PSPT-125-2-WT-R	136
PSPT-125-2-YL-R	136
PSPT-125-175-GR	137
PSPT-125-175-OR	137
PSPT-125-175-WT	136
PSPT-125-175-YL	136
PSPT-187-1-BK	137
PSPT-187-1-BL	137
PSPT-187-1-GR	137
PSPT-187-1-RD	137
PSPT-187-1-VT	137
PSPT-187-1-WT	136
PSPT-187-1-YL	136
PSPT-187-2-BK-R	137
PSPT-187-2-WT-R	136
PSPT-187-2-YL-R	136
PSPT-187-175-BK	137
PSPT-187-175-GR	137
PSPT-187-175-OR	137
PSPT-187-175-RD	137
PSPT-187-175-WT	136
PSPT-187-175-YL	136
PSPT-250-1-BK	137
PSPT-250-1-OR	137
PSPT-250-1-PK	137
PSPT-250-1-RD	137
PSPT-250-1-WT	136
PSPT-250-1-YL	136
PSPT-250-2-BK-R	137
PSPT-250-2-WT-R	136
PSPT-250-2-YL-R	136
PSPT-250-175-GR	137
PSPT-250-175-OR	137
PSPT-250-175-RD	137
PSPT-250-175-WT	136
PSPT-250-175-YL	136
PSPT-375-1-BL	137
PSPT-375-1-GY	137
PSPT-375-1-OR	137
PSPT-375-1-RD	137
PSPT-375-1-WT	136
PSPT-375-1-YL	136
PSPT-375-2-BK-R	137
PSPT-375-2-WT-R	136
PSPT-375-2-YL-R	136
PSPT-375-175-BL	137
PSPT-375-175-GR	137
PSPT-375-175-OR	137
PSPT-375-175-PK	137
PSPT-375-175-RD	137
PSPT-375-175-WT	136
PSPT-375-175-YL	136
PSPT-500-1-OR	137
PSPT-500-1-WT	136
PSPT-500-1-YL	136
PSPT-500-2-BK-R	137
PSPT-500-2-WT-R	136
PSPT-500-2-YL-R	136
PSPT-500-175-BK	137
PSPT-500-175-BL	137
PSPT-500-175-BR	137
PSPT-500-175-GR	137
PSPT-500-175-RD	137
PSPT-500-175-WT	136
PSPT-500-175-YL	136
PSPT-750-1-WT	136
PSPT-750-1-YL	136
PSPT-750-2-BK-R	137
PSPT-750-2-WT-R	136
PSPT-750-2-YL-R	136
PSPT-750-175-WT	136
PSPT-750-175-YL	136
PSPT-1000-1-WT	136
PSPT-1000-1-YL	136
PSPT-1000-2-BK-R	137
PSPT-1000-2-WT-R	136
PSPT-1000-2-YL-R	136
PSPT-1000-175-BK	137
PSPT-1000-175-BL	137
PSPT-1000-175-BR	137
PSPT-1000-175-GR	137
PSPT-1000-175-GY	137
PSPT-1000-175-OR	137
PSPT-1000-175-PK	137
PSPT-1000-175-RD	137
PSPT-1000-175-VT	137
PSPT-1000-175-WT	136
PSPT-1000-175-YL	136
PTDS-15-390	135
PTDS-30-390	135
PTL-1-423	142
PTL-1-473	144
PTL-1-717	144
PTL-1-718	144
PTL-1-724	145
PTL-1-727	145
PTL-2-423	143
PTL-2-717	144
PTL-2-724	145
PTL-2-727	145
PTL-3-423	142
PTL-3-717	144
PTL-3-718	144
PTL-3-724	145
PTL-3-727	145
PTL-4-423	142
PTL-4-718	144
PTL-4-719	144
PTL-4-724	145
PTL-4-727	145
PTL-5-422	142
PTL-5-423	142
PTL-5-473	144
PTL-6-423	142
PTL-6-430	142
PTL-6-473	144
PTL-6-718	144
PTL-6-719	144
PTL-6-724	145
PTL-6-727	145
PTL-7-422	142
PTL-7-423	142
PTL-7-430	142
PTL-7-498	133
PTL-7-499	133
PTL-8-422	142
PTL-8-423	142
PTL-8-428	141
PTL-8-430	142
PTL-8-432	146
PTL-8-439	147
PTL-8-439-BK	147
PTL-8-439-BL	147
PTL-8-439-GR	147
PTL-8-439-OR	147
PTL-8-439-RD	147
PTL-8-439-YL	147
PTL-8-483	142
PTL-8-489	146
PTL-8-498	139
PTL-9-423	142
PTL-9-437	133
PTL-9-473	144
PTL-9-717	144
PTL-9-718	144
PTL-9-719	144
PTL-9-724	145
PTL-9-727	145
PTL-10-423	142
PTL-10-427	130
PTL-10-427-YL	130
PTL-10-432	146
PTL-10-437	133
PTL-10-473	144
PTL-10-498	133
PTL-10-717	144
PTL-10-718	144
PTL-10-719	144
PTL-10-724	145
PTL-10-727	145
PTL-10-8425	134
PTL-11-427	130
PTL-11-427-YL	130
PTL-11-432	146
PTL-11-498	133
PTL-11-499	133
PTL-12-109	134
PTL-13-423	142
PTL-13-718	144
PTL-13-719	144
PTL-13-724	145
PTL-13-727	145
PTL-14-423	142
PTL-14-717	144
PTL-14-718	144
PTL-14-727	145
PTL-15-423	142
PTL-15-428	141
PTL-15-437	133
PTL-15-498	133
PTL-16-422	142
PTL-16-423	142
PTL-16-430	142
PTL-16-435	141
PTL-16-473	144
PTL-16-483	142
PTL-16-486	141
PTL-16-489	146
PTL-16-498	133
PTL-16-499	133
PTL-16-718	144
PTL-16-719	144
PTL-16-724	145
PTL-16-727	145
PTL-17-351	148
PTL-17-422	142
PTL-17-423	142
PTL-17-427	130
PTL-17-427-YL	130
PTL-17-428	141
PTL-17-430	142
PTL-17-432	146
PTL-17-435	141
PTL-17-473	144
PTL-17-483	142
PTL-17-486	141
PTL-17-489	146
PTL-17-498	133
PTL-17-719	144
PTL-17-724	145
PTL-17-7546	148
PTL-18-427	130
PTL-18-427-YL	130
PTL-18-498	133
PTL-18-499	133
PTL-19-422	142
PTL-19-423	142
PTL-19-427	130
PTL-19-427-BL	132
PTL-19-427-BR	132
PTL-19-427-GR	131
PTL-19-427-GY	132
PTL-19-427-OR	131
PTL-19-427-PL	132
PTL-19-427-RD	131
PTL-19-427-YL	130
PTL-19-483	142
PTL-19-486	141
PTL-19-489	146
PTL-19-498	133
PTL-19-499	133
PTL-19-642	132
PTL-20-351	148
PTL-20-422	142
PTL-20-423	143
PTL-20-424	145
PTL-21-427	130
PTL-20-428	141
PTL-20-435	141
PTL-20-459	146
PTL-20-483	142
PTL-20-486	141
PTL-20-489	146
PTL-20-7546	148
PTL-20-7576	148
PTL-21-427-BL	132
PTL-21-427-BR	132
PTL-21-427-GR	131
PTL-21-427-GY	132
PTL-21-427-OR	131
PTL-21-427-PL	132
PTL-21-427-RD	131
PTL-21-427-YL	130
PTL-21-498	133
PTL-21-499	133
PTL-21-642	132
PTL-22-422	142
PTL-22-423	142
PTL-22-424	145
PTL-22-428	141
PTL-23-422	142
PTL-23-423	143
PTL-23-427	130
PTL-23-427-BL	132
PTL-23-427-BR	132
PTL-23-427-GR	131
PTL-23-427-GY	132
PTL-23-427-OR	131
PTL-23-427-PL	132
PTL-23-427-RD	131
PTL-23-427-YL	130
PTL-23-483	142
PTL-23-498	133
PTL-23-499	133
PTL-24-423-BK	143
PTL-24-428-BK	141
PTL-24-483-BK	142
PTL-24-486-BK	141
PTL-25-423	143
PTL-25-717	144
PTL-25-724	145
PTL-26-423	143
PTL-26-428	141
PTL-27-423	143
PTL-27-717	144
PTL-27-724	145
PTL-28-423	143
PTL-28-427	130
PTL-28-427-BL	132
PTL-28-427-BR	132
PTL-28-427-GR	131
PTL-28-427-GY	132
PTL-28-427-OR	131
PTL-28-427-PL	132
PTL-28-427-RD	131
PTL-28-427-YL	130
PTL-28-430	142
PTL-28-473	144
PTL-28-498	133
PTL-28-499	133
PTL-28-717	144
PTL-28-718	144
PTL-28-719	144
PTL-28-724	145
PTL-28-727	145
PTL-29-422	142
PTL-29-423	143
PTL-29-427	130
PTL-29-427-BL	132
PTL-29-427-BR	132
PTL-29-427-GR	131
PTL-29-427-GY	132
PTL-29-427-OR	131
PTL-29-427-PL	132
PTL-29-427-RD	131
PTL-29-427-YL	130
PTL-29-428	141
PTL-29-430	142
PTL-29-435	141
PTL-29-437	133
PTL-29-459	146
PTL-29-483	142
PTL-29-486	141
PTL-29-489	146
PTL-29-498	133
PTL-29-499	133
PTL-30-427	130
PTL-30-422	142
PTL-30-423-CALI	142
PTL-30-423-INSP	142
PTL-30-423-TEST	142
PTL-30-427-AW	130
PTL-30-427-BL	132
PTL-30-427-BR	132
PTL-30-427-GR	131
PTL-30-427-GY	132
PTL-30-427-OR	131
PTL-30-427-PL	132
PTL-30-427-RD	131
PTL-30-427-YL	130
PTL-30-428-CALI	141
PTL-30-435	141
PTL-30-459	146
PTL-30-483	142
PTL-30-486	141
PTL-30-489	146
PTL-30-498	133
PTL-30-499	133
PTL-31-351	148
PTL-31-423	143
PTL-31-427	130
PTL-31-427-BL	132
PTL-31-427-BR	132
PTL-31-427-GR	131
PTL-31-427-GY	132
PTL-31-427-OR	131
PTL-31-427-PL	132
PTL-31-427-RD	131
PTL-31-427-YL	130
PTL-31-435	141
PTL-31-483	142
PTL-31-486	141
PTL-31-489	146
PTL-31-498	133
PTL-31-499	133
PTL-31-642	132
PTL-31-7546	148
PTL-31-7576	148
PTL-32-422	142
PTL-32-423	143
PTL-32-427	130
PTL-33-427	130
PTL-34-427	130
PTL-34-498	133
PTL-35-423-PROP	143
PTL-37-423	143
PTL-37-483-WARNING	142
PTL-38-423	143
PTL-38-483-WARNING	142
PTL-46-422	142
PTL-32-427-BL	132
PTL-32-427-BR	132
PTL-32-427-GR	131
PTL-32-427-GY	132
PTL-32-427-OR	131
PTL-32-427-PL	132
PTL-32-427-RD	131
PTL-32-427-YL	130
PTL-32-435	141
PTL-32-483	142
PTL-32-486	141
PTL-32-489	146
PTL-32-498	133
PTL-33-427-BL	132
PTL-33-427-BR	132
PTL-33-427-GR	131
PTL-33-427-GY	132
PTL-33-427-OR	131
PTL-33-427-PL	132
PTL-33-427-RD	131
PTL-33-427-YL	130
PTL-33-498	133
PTL-34-427-BL	132
PTL-34-427-BR	132
PTL-34-427-GR	131
PTL-34-427-GY	132
PTL-34-427-OR	131
PTL-34-427-PL	132
PTL-34-427-RD	131
PTL-34-427-YL	130
PTL-35-422-PROP	142
PTL-35-428-PROP	141
PTL-36-109	134
PTL-37-351	148
PTL-37-422	142
PTL-37-424	145
PTL-37-428	141
PTL-37-435	141
PTL-37-483	142
PTL-37-486	141
PTL-37-489	146
PTL-37-7576	148
PTL-38-422	142
PTL-38-424	145
PTL-38-428	141
PTL-38-435	141
PTL-38-483	142
PTL-38-486	141
PTL-38-489	146
PTL-39-422	142
PTL-39-430	143
PTL-40-412	134
PTL-41-437-WT	133
PTL-41-437-YL	133
PTL-42-422	142
PTL-42-430	142
PTL-42-432	146
PTL-42-439	147
PTL-42-439-BK	147
PTL-42-439-BL	147
PTL-42-439-GR	147
PTL-42-439-OR	147
PTL-42-439-RD	147
PTL-42-439-YL	147
PTL-42-483	142
PTL-42-489	146
PTL-43-422	142
PTL-43-430	142
PTL-43-432	146
PTL-43-439	147
PTL-43-439-BK	147
PTL-43-439-BL	147
PTL-43-439-GR	147
PTL-43-439-OR	147
PTL-43-439-RD	147
PTL-43-439-YL	147
PTL-43-483	142
PTL-43-489	146
PTL-44-422	142
PTL-44-430	142
PTL-45-422	142
PTL-45-430	142
PTL-46-430	142
PTL-55-412	134
PTL-56-412	134
PTL-57-412	134
PTL-58-412	134
PTL-59-412	134
PTL-61-483	142
PTL-62-483	142
PTL-63-483	142
PTL-64-427	130
PTL-65-483	142
PTL-66-427	130
PTL-71-430	142
PTL-74-427	130
PTL-75-427	130
PTL-78-427-AW	130
PTL-78-488	146
PTL-78-499	133
PTL-80-424	145
PTL-80-488	146
PTL-81-488	146
PTL-81-499	133
PTL-84-499	133
PTL-87-427	130
PTL-88-427	130
PTL-96-427	130
PTL-97-488	146
PTL-98-499	133
PTL-100-483	142
PTL-100-489	146
PTL-101-432	146
PTL-101-483	142
PTL-101-489	146
PTL-102-427	130
PTL-103-427	130
PTL-104-427	130
PTL-105-427-AW	130
PTL-106-427	130
PTL-107-427	130
PTL-109-427	130
PTL-111-145-GY	134
PTL-111-145FR-GY	134
PTL-110-145FR-GY	134
PTL-110-145-GY	134
PTL-117-499	133
PTL-157-427	130
PTLEP-167-593	140
PTLEP-167-593-BK	140
PTLEP-167-593-GN	140
PTLEP-167-593-RD	140
PTLEP-167-593-YL	140
PTLEP-168-593	140
PTLEP-168-593-BK	140
PTLEP-168-593-GN	140
PTLEP-168-593-RD	140
PTLEP-168-593-YL	140
PTLEP-169-593	140
PTLEP-169-593-BK	140
PTLEP-169-593-GN	140
PTLEP-169-593-RD	140
PTLEP-169-593-YL	140
PTLEP-171-593	140
PTLEP-171-593-BK	140
PTLEP-171-593-GN	140
PTLEP-171-593-RD	140
PTLEP-171-593-SL	140
PTLEP-171-593-YL	140
PTLEP-173-593	140
PTLEP-173-593-BK	140
PTLEP-173-593-GN	140
PTLEP-173-593-RD	140
PTLEP-173-593-SL	140
PTLEP-173-593-YL	140
PTLEP-174-593	140
PTLEP-174-593-BK	140
PTLEP-174-593-GN	140
PTLEP-174-593-RD	140
PTLEP-174-593-SL	140
PTLEP-174-593-YL	140
PTLEP-176-593	140
PTLEP-176-593-BK	140
PTLEP-176-593-GN	140
PTLEP-176-593-RD	140
PTLEP-176-593-YL	140
PTLFP-01-425	134
PTLFP-01-8425	134
PTLFP-02-425	134
PTLFT-01-425	134
PTLFT-01-8425	134
PTLFT-54-425	134
PTLSL-17-473	144
PTLTB-498-240	139
PTLTB-498-318	139
PTLTB-498-375	139
PTPSL-17-422	142
PTPSL-17-424	145
PTPSL-17-428	141
PTPSL-20-422	142
PTPSL-20-424	145
PTPSL-20-428	141
PTPSL-26-422	142
PTPSL-26-428	141
PTPSL-50-422	142
PTPSL-50-428	141
PTS-0.45-350-321	135
PTS-0.45-500-321	135
PTS-0.95-1000-321	135
PTS-0.95-350-321	135
PTS-0.95-500-321	135
PTS-0.95-750-321	135
PTS-1.90-1000-321	135
PTS-1.90-350-321	135
PTS-1.90-500-321	135
PTS-1.90-750-321	135
PVC18	276
PVC24	276
PVC36	276
PVC42	276
RAG24150	269
QB0033	229
QS	63
R4310	150
R4410-BL	150
R4410-RD	150
R4410-WT	150
R6010	150

BRADY

Catalog #	Pg
R6210	150
R6410	150
R6810-WT	150
RAG1818	269
RAG36150	269
RF100	259
RF300	259
RF500	259
RFDP300	258
RFDP328-DP	258
RFGRANULAR	275
RFO412	270
RFODP100	263
RFP100	259
RFP300	259
RFP314P	259
RFP328-DP	259
RFP500	259
RFPP100	258
RK018A	377
RK085A	377
S3000	28
S3100-W	30
S3100W-ARC-KIT	72
S3100W-BWSSFID	30
S3100W-GEN-KIT	73
S3100W-GHS-KIT	72
S3100W-LEAN-KIT	73
S3100W-PIPE-KIT	73
S3100W-SAFE-KIT	73
SB-1226	278
SB-1236	278
SC-4	279
SC-3000	279
SC-ACC	279
SC-Cabinet	279
SC-Cabinet-HF	279
SC-Cabinet-OF	279
SC-Cabinet-UF	279
SC-Cart	279
SC-Cart-HF	279
SC-Cart-OF	279
SC-Cart-UF	279
SC-DP2	277
SC-DP4	277
SC-DPR	277
SC-MB	279
SC-SD2	277
SCAF-STH132	321
SCAF-STH132A	321
SCAF-STH 132BLA-FG	321
SCAF-STH 146BLA-FG	321
SCAF-STH 132 FR	321
SCAF-STH 132 SP	321
SCAF-STH146	321
SCAF-STH 153	321
SCAF-STSI 310 STD	321
SCAF-STSI 311	321
SCAF-STSI 539	321
SCAF-STSI593	321
SCAF-STSI594	321
SCAF-STSI 601	321
SCAF-STSI 602	321
SCAF-STSI 629	321
SCAF-STSI 639	321
SCAF-STSI 640	321
SCAF-STSI 681	321
SCAF-STSI 694	321
SCAF-STSI 708	321
SCAF-STSI 772	321
SCAF-STSI751	321
SCAF-STSI 1042	321
SCAF-STSIP 501	321
SCAF-STSIW 510	321
SCAF2-STHUSA	321
SCAF2-STHUSAA	321
SD02M	225
SF-10BOOM	274
SF-20	274
SF-5BOOM	274
SF-7	274
SF-JAR	274
SF-JAR-CS	274
SH710	579
SH912	579
SH1014	579
SH1219	579
SH1420	579
SH1824	579
SIR36	269
SIR36150	269
SK-BATT	286
SK-BF	285
SK-FORM	287
SK-MERC	287
SK-VEH	284
SKA-20	288
SKA20-R	288
SKA-20-RESCUE	288
SKA-20-TAA	288
SKA30	289
SKA30-R	289
SKA30TAA	289
SKA55	290
SKA55-R	290
SKA55-TAA	290
SKA55W	290
SKA65	291
SKA65-R	291
SKA65TAA	291
SKA65W	291
SKA-95	292
SKA95-R	292
SKA-ATK	281
SKA-ATK-TAA	281
SKA-BKTACID	286
SKA-BSC	281
SKA-BKTBASE	286
SKA-BKT-TAA	285
SKA-CFB	282
SKA-PP-TAA	282
SKA-SRP	283
SKA-TRK	284
SKA-BKT	285
SKA-K2	283
SKA-K2R	283
SKA-LT	293
SKA-PP	282
SKA-SAK	282
SKA-XLT	293
SKCH-20	288
SKCH-55	290
SKCH-95	292
SKCH-BKT	285
SKCH-PP	282
SKH-20	288
SKH-20-RESCUE	288
SKH30	289
SKH55	290
SKH55W	290
SKH65	291
SKH65W	291
SKH-95	292
SKH-95W	292
SKA-95W	292
SKH-ATK	281
SKH-BKT	285
SKH-CFB	282
SKH-K2	283
SKH-K2R	283
SKH-PP	282
SKH-SAK	282
SKH-SRP	283
SKH20-R	288
SKH30-R	289
SKH55-R	290
SKH65-R	291
SKH95-R	292
SKMA-20	288
SKMA-30	289
SKMA-65	291
SKMA-65W	291
SKMA-95	292
SKMA-95W	292
SKM-LT	293
SKM-XLT	293
SKO-20	288
SKO-20-RESCUE	288
SKO20-R	288
SKO30	289
SKO30-R	289
SKO55	290
SK055W	290
SKO55-R	290
SKO65	291
SKO65-R	291
SKO-95	292
SK095-R	292
SKO-95W	292
SKO-ATK	281
SKO-BKT	285
SKO-BSC	281
SKO-CFB	282
SKO-K2R	283
SKO-TRK	284
SKO65W	291
SKO-K2	283
SKO-LT	293
SKO-PP	282
SKO-SAK	282
SKO-SRP	283
SKO-XLT	293
SKR-ATK	281
SKR-PP	282
SM681A	378
SM682A	378
SM793E	554
SP818V	500
SP184L	500
SP430D	413
SPC10	273
SPC50	261
SPC100	261
SPC105	261
SPC150	261
SPC152	261
SPC200	261
SPC300	261
SPC500	261
SPC510	272
SPC518	272
SPC810	272
SPC818	272
SPC1900	273
SPC5510	272
SPC-ACID	275
SPC-BASE	275
SPCUN510	272
SPCUN810	272
SPCUN1019	265
SPCUN1113	265
SPCUN1719	265
SPCUN3800	265
SR100	262
SR3600	262
SR3625	262
SRP75P	257
SRP100	257
SRP200	257
SRPH75P	265
SRPH100	265
SRPH200	265
SRPO75P	263
SRPO100	263
SRPO200	263
SSTAG-11010-7316	338
SSTAG-11013-7316	338
SSTAG-7010-7316	338
SSTAG-7013-7316	338
SSTAG-9010-7316	338
SSTIE-127-7316	338
SSTIE-150-7316-HD	338
SSTIE-201-7316	338
SSTIE-201-7316-HD	338
SSTIE-300-7316	338
SSTIE-300-7316-HD	338
SSTIE-370-7316	338
SSTIE-370-7316-HD	338
SSTIE-520-7316	338
SSTIE-520-7316-HD	338
SSTIE-840-7316-HD	338
SSTIEC-201-7316	338
SSTIEC-362-7316	338
SSTIEC-370-7316	338
SSTIEC-520-7316	338
STYLUS-3PK	76
SW46	270
SXT15P	262
SXT30DP	262
SXT100	262
SXT200	262
SXT300	262
T218	197
T220	197
TAMPER	287
TC8	207
TH2	207
TM19	268
TM29	268
TM58	268
UNI-UNH 6 P STRAP	319
UNI-UNH 9 P STRAP	319
UNI-UNH 9 S	319
UNI-UNH 12 P	319
UNI-UNH PC STRAPS	319
UNI-UNH S 6 STRAPS	319
UNI-UNI 503 GREEN	319
UNI-UNI 503 ORANGE	319
UNI-UNI 503 PURPLE	319
UNI-UNI 503 RED	319
UNI-UNI 503 WHITE	319
UNI-UNI 503 YELLOW	319
UNI-UNI 504 YELLOW	319
UNI-UNI BLANK	319
UNI-UNI BLUE	319
UNI-UNI GREEN	319
UNI-UNI ORANGE	319
UNI-UNI PURPLE	319
UNI-UNI RED	319
UNI-UNI WHITE	319
UNI-UNI YELLOW	319
UNI-UNI503 B	319
UXT15P	257
UXT100	257
UXT200	257
UXT300	257
UXT30DP	257
V1AE01A	499
V1CP45A	501
V1DS24A	499
V1EP24A	499
V1ESG1G	499
V1EW03A	499
V1EWG1G	499
V1FE15A	500
V1FEG1G	500
V1FHG1G	500
V1FL15A	499
V1LS01A	500
V1ME02A	501
V1MS03A	501
V1PH02A	501
V1RR02A	501
V1RR45A	501
V1SR03A	501
V1SS03A	501
V1SSG4G	501
V1SWG4G	501
V1TOG1G	501
V1TS024A	501
V1WH45A	501
V1WO02A	501
V1WO45A	501
V2EX01A	499
V2MS24A	501
V2SS24A	501
V3EW03A	499
V3FE15A	499
V2MS21A	500
WKT2	205
WKT3	205
WO-1	389
WO-1-PK	389
WO-2	388
WO-2-PK	388
WO-3	388
WO-4	389
WO-5	389
WO-5-PK	389
WO-6	389
WO-7	388
WO-9	388
WO-9-PK	388
WO-10	388
WO-10-PK	388
WO-10-VP	388
WO-11	388
WO-11-PK	388
WO-14	388
WO-16	388
WO-17	388
WO-17-PK	388
WO-18	388
WO-18-PK	388
WO-19	388
WO-19-VP	388
WO-19-PK	388
WO-20	388
WO-20-PK	388
WO-24	388
WO-24-PK	388
WO-27	389
WO-30	388
WO-30-PK	388
WO-31	389
WO-31-PK	389
WO-33	389
WO-34	389
WO-34-PK	389
WO-35	388
WO-35-PK	388
WO-37	389
WO-37-PK	389
WO-38	389
WO-38-PK	389
WO-39	389
WO-41	388
WO-41-PK	388
WO-42	388
WO-42-PK	388
WO-43	389
WO-43-PK	389
WO-46	388
WO-46-PK	388
WO-46-VP	388
WO-47	388
WO-47-PK	388
WO-48	388
WO-49	388
WO-49-PK	388
WO-50	388
WO-50-PK	388
WO-51	388
WO-51-PK	388
WO-52	389
WO-52-PK	389
WO-52-VP	389
WO-53	388
WO-53-PK	388
WO-54	388
WO-54-PK	388
WO-56	388
WO-56-PK	388
WO-59	388
WO-59-PK	388
WO-62	388
WO-62-VP	388
WO-63	388
WO-64	388
WO-64-PK	388
WO-68	388
WOAF-2	388
WOAF-9	388
WOAF-9-PK	388
WOAF-10	388
WOAF-10-PK	388
WOAF-18	388
WOAF-19	388
WOAF-24	388
WOAF-29	389
WOAF-29-PK	389
WOAF-29-VP	389
WOAF-30	388
WOAF-30-PK	388
WOAF-34	389
WOAF-34-PK	389
WOAF-36	389
WOAF-36-PK	389
WOAF-36-VP	389
WOAF-38	389
WOAF-38-PK	389
WOAF-46	388
WOAF-53	388
WOAF-53-PK	388
WOS-1	389
WOS-10	389
WOS-41	389
WOX-1	389
WOX-2	388
WOX-2-PK	388
WOX-5	389
WOX-9	388
WOX-9-PK	388
WOX-10	388
WOX-10-PK	388
WOX-18	388
WOX-18-PK	388
WOX-23	388
WOX-24	388
WOX-31	389
WOX-38	389
WOX-38-PK	389
WOX-46	388
WOX-47	388
WOX-49	388
WOX-57	389
WSL0	227
X-7-422	172
X-7-498	174
X-11-498	174
X-11-499	172
X-17-422	175
X-17-428-SV-BK	172
X-17-483	172
X-18-498	174
X-19-422	172
X-19-498	174
X-20-428-SV-BK	172
X-20-483	172
X-21-498	174
X-23-498	174
X-24-428-SVBB-BK	172
X-29-422	175
X-29-428-SV-BK	172
X-30-422	172
X-30-428-SV-BK	172
X-31-498	174
X-61-483	172
X-84-499	172
X-103-498	174
X-130-499	172
X-132-422	172
X-162-498	174
X-162-499	172
X-163-498	174
XC-240-498	175
XC-318-498	175
XC-375-422	175
XC-375-498	175
XC-375-499	172
XC-475-422	175
XC-500-499	172
XC-500-595-CL-BK	173
XC-500-595-BL-WT	173
XC-500-595-GN-WT	173
XC-500-595-OR-BK	173
XC-500-595-RD-WT	173
XC-500-595-WT-BK	173
XC-500-595-WT-RD	173
XC-500-595-YL-BK	173
XC-750-499	172
XC-750-595-BL-WT	173
XC-750-595-CL-BK	173
XC-750-595-GN-WT	173
XC-750-595-OR-BK	173
XC-750-595-RD-WT	173
XC-750-595-WT-BK	173
XC-750-595-WT-RD	173
XC-750-595-YL-BK	173
XC-1000-422	175
XC-1000-499	172
XC-1000-595-BL-WT	173
XC-1000-595-CL-BK	173
XC-1000-595-GN-WT	173
XC-1000-595-OR-BK	173
XC-1000-595-RD-WT	173
XC-1000-595-WT-BK	173
XC-1000-595-WT-RD	173
XC-1000-595-YL-BK	173
XC-1500-595-BL-WT	173
XC-1500-595-CL-BK	173
XC-1500-595-GN-WT	173
XC-1500-595-OR-BK	173
XC-1500-595-RD-WT	173
XC-1500-595-WT-BK	173
XC-1500-595-WT-RD	173
XC-1500-595-YL-BK	173
XPS-125-1	173
XPS-125-CONT	173
XPS-125-CONT-YL-BK	173
XPS-187-1	173
XPS-187-CONT	173
XPS-187-CONT-YL-BK	173
XPS-250-1	173
XPS-250-CONT	173
XPS-250-CONT-YL-BK	173
XPS-375-1	173
XPS-375-CONT	173
XSL-11-427	174
XSL-17-427	174
XSL-18-427	174
XSL-19-427	174
XSL-21-427	174
XSL-21-427-YL-BK	174
XSL-23-427	174
XSL-23-427-YL-BK	174
XSL-29-427	174
XSL-30-427	174
XSL-31-427	174
XSL-31-427-YL-BK	174
XSL-32-427	174
XSL-33-427	174
XSL-34-427	174
XSL-96-427	174
XSL-102-427	174
XSL-103-427	174
XSL-115-427	174
XSL-116-427	174

Product Index

BradyID.com/s36

15-Series Numbers and Letters 398
34-Series Numbers and Letters 399
5S Lean Marking Kit 298
97-Series Numbers and Letters 399

A

Absorbents 248
Accident Prevention Tags 328
Admittance Signs 417
Aisle Marking Tape 300
Aluminum Numbers and Letters 401
Aluminum Utility Panels 401
Aluminum Write-On Tags 334
Ansi Z535 Signs 432
Anti-Slip Floor Tape 302
Arc Flash Labels 384
Arc Flash Services 24
Arc Flash Training Aids 385
Arrow Die-Cuts 301

B

B30- and B33-Series Materials 55
B30- and B33-Series Materials 36
B30-Series Ribbons 75
B30-Series Ribbons 74
B30-Series Starter Kit 73
Badge 312
Badge Holder 312
Barricade Tape 304
BatteryBlock Cable Lockout 228
BBP35 Color Printer 34
BBP35 Color Printer Materials 36
BBP35 Ribbons 74
BBP37 Color and Cut Printer 34
BBP37 Color and Cut Printer Materials 36
BBP37 Ribbons 74
BBP85 Label Materials 82
BBP85 Print Ribbons 83
BBP85 Sign and Label Printer 76
Benchtop Printer Comparison 26
Benchtop Printers 26
Bilingual Signs 440
Biohazard Labels 303
Biohazard Signs 445
Biohazard Tape 303
Biohazard Waste Bags 303
Blank Manila Tags 334
Blank Signs 446
Blank Sign Rigid Panels 89
Blank Tags 334
Blind Flange Lockout 210
BMP21-Plus Materials 106
BMP21-Plus Printer 104
BMP41 Materials 111
BMP41 Printer 108
BMP41 Supply Kit 108
BMP51 Materials 120
BMP51 Printer 114
BMP51 Supply Kits 125
BMP53 Materials 116
BMP61 Materials 134
BMP61 Print Ribbons 150
BMP61 Printer 128
BMP71 Materials 164
BMP71 Print Ribbons 170
BMP71 Printer 152
Brady Workstation Software 178
Bradycone Warrning Cones 307
Bradyglo Marking Tape 303
Bradyglo Numbers and Letters 400
BradyJet J2000 Ink 84
BradyJet J2000 Materials 85
BradyJet J2000 Printer 84
BradyJet J5000 Ink 88
BradyJet J5000 Materials 88
BradyJet J5000 Printer 86
Bradylink Posts and Chain 306
BradyPrinter i3300 32
BradyPrinter i3300 Materials 36
BradyPrinter i3300 Ribbons 74
BradyPrinter M611 Accessories 126
BradyPrinter M611 Materials 130
BradyPrinter M611 Print Ribbons 150
BradyPrinter M611 Printer 126
BradyPrinter S3000 28
BradyPrinter S3000 Materials 36
BradyPrinter S3000 Ribbons 74
BradyPrinter S3100 30
BradyPrinter S3100 Materials 36
BradyPrinter S3100 Ribbons 74
Braille Signs 447
Brass Valve Tags 339
BrightSorb Absorbents 264
Butterfly Valve Lockouts 210

C

Cabinet Label 394
Cable Lockout Kit 238
Cable Lockouts 208
Cable Padlocks 208
Carbon Dioxide Signs 460
Chain 341
Chain Lockout Kit 238
Chemical Absorbents 265
Chemical Signs 455
Chemical Signs Prop 65 461
Chemical tag 324
Circuit Breaker Lockout Guide 214
Circuit Breaker Lockouts 220
Collapsible Gate Valve 211
Color-Coded Lock-On Tags 334
Color-Coded Plasti-Tags 334
Concealed Carry / No Fire Arms Signs 521
Conduit and Voltage Labels 386
Confined Space Manhole Cover 468
Confined Space Services 25
Confined Space Signs 467
Confined Space Tags 323
Construction Site Signs 469
Container Label 395
Conveyor Labels 387
Custom GHS labels 373
Custom Pipe Markers 360
Custom Signs 582
Custom Tank and Vessel Signs 583
Custom Toughstripe Tape 296
Custom Valve Tags 337
Cylinder Status Tags 324

D

Directional Flow Arrow Tape 358
Dispensers 314
Door Signs 470
Dot Die-Cuts 301
DOT Placard Frames 465
DOT Placard Signs 464
Drum Cover Absorbents 271
Duct Markers 353

E

E-Vehicle Parking Signs 565
Electrical Hazard Signs 474
Electrical Lockout Tagout Kits 233
Electrical Lockouts 219
Energy Source Tags 206
Entry Tag 323
Evacuation Muster Signs 484
Exit and Directional Signs 477
Exit Running Man 482

F

Facility Marking Tape 294
Fire Extinguisher Labels 395
Fire Extinguisher Tag 324

Fire Safety Signs 489
First Aid Signs 493
Flag Style Blind Tag 325
Flagging Tape 305
Floor Signs 496
Floor Stands 308
Floor Tape 295
Floor Tape Applicator 295
Food and Beverage Pipe Markers 350
Footprint Die-Cuts 301
Forklift Tag 322
Funny Signs 498
Fuse Lockout 224

G

Gas and Air Lockouts 225
Gas Cylinder Labels 393
Gauge Marking Labels 397
GHS 362
GHS Poster 369
GHS Pre-Printed Labels 372
GHS Training 368
GHS Training Aids 369
GHS Write-On Labels 371
Globalmark Accessories 92
Globalmark Materials 93
Globalmark Printer Ribbons 99
Glow Exit Signs 481
Glow Numbers and Letters 400
Granular Absorbents 275
Group Lock Boxes 198

H

Handicapped Parking Signs 566
HandySorb Mop System 271
Hard Hat Emblem Labels 397
Hasp 197
Hazardous Material Shipping Labels ... 376
Hazardous Waste Labels 374
High Performance Pipemarkers 356
High Visibility Signs 499
Hospital Signs 502

I

i3300 Printer 32
IDXPERT Accessories 172
IDXPERT Materials 172
IIAR Component Marker 345
IIAR Pipe Banding Tape 358
IIAR Pipe Markers 345
IMO Signs 485
Inkjet Printers 84
Inspection and Material Control Tags ... 326
Inspection Labels 389
Inspection Tags 318
Inspection Timer 318
ISO Prohibition Labels 386
ISO Warning Labels 386
Isolation Blind Tags 325
Isolation tag 324

J

J2000 Inkjet Printer 84
J5000 Inkjet Printer 86
Joint Flange tag 324

L

Labelizer Plus Materials 101
Ladder Tag 322
Laminator 89
Lanyard 312
Link360 Lockout Procedure Software ... 179
Lock and Tag Carrier 201
Lock Boards 246
Lock Boxes 200
Lockout Hasps 197
Lockout Procedures 182
Lockout Stations 245
Lockout Tagout 180
Lockout Tagout Kits 241
Lockout Tagout Poster 551
Lockout Tagout Services 23
Lockout Tagout Signs 504
Lockout Tagout Training 185
Lockout Tags 203

M

Machine / Equipment Labels 390
Machine and Operational Signs 513
Machine Labels 391
Magnetic Numbers 400
Magnets (Write-On) 301
Maintenance Signs 518
Marine Absorbents 273
Marking Tape 300
Mat and Rug Absorbents 266
Medical Pipe Marker 353
Metal Write-On Tags 334
Metal-Ball Seal 310
Micro Tag 320
Miniature Circuit Breaker Lockout 222
Minimark Label Materials 90
Minimark Printer Ribbon 91
Mirror 309
Multi tag 322

N

Nano tag 319
NetDoc Software 179
No Cellular Phones Signs 521
No Fire Arms Signs / Concealed Carry 521
No Smoking Signs 523
Number and Letters 398
Nylon Straps 341

O

Oil Only Absorbents 261
Outdoor Numbers and Letters 401

P

Padlock Labels 196
Padlock Storage 201
Padlocks 186
Padlocks - Aluminum 195
Padlocks - Nylon 192
Padlocks - Nylon Lock Tag Kit 193
Padlocks - SafeKey 191
Padlocks - SafeKey Lock Labels 190
Padlocks - SafeKey Tag Kit 191
Padlocks - Steel 194
PaintStripe Stencils 299
Parking Permit 313
Parking Signs 560
Pavement Tape 581
Pendant Control Safety Cover 226
Pennant Flags 305
Personal Hygiene Signs 528
Personal Protection (PPE) Signs 530
Pillow Absorbents 271
Pipe Banding Tape 358
Pipe Marker Arrows 358
Pipe Marker-TO-GO 352
Pipe Markers 342
Pipe Markers - Self-Adhesive 346
Pipe Markers - Spanish 349
Pipe Markers Accessories 359
Plastic Seals 310
Plug Lockouts 229
Porta-Pack Voltage Labels 387

Product Index

BradyID.com/s36

Portable Printer Comparison 102
Post Driver 579
Power Cable Lockout 228
Pre-Printed Facility Labels 384
Pre-printed KVA Markers 401
Printers - Benchtop 26
Printers - Portables 102
Procedure Accessories 184
Production Tags 327
ProLock Cable Lockout 209
Prop 65 Signs 461
Pull-Tite Seals 311
Push Button Covers 226

Q

Quik-Align Numbers and Letters 400
Quality Control Labels 389
QuickSleeve Applicator 63

R

Radiation and Laser Signs 542
Railroad Traffic Signs 568
Re-Form Absorbents 259
Recycle and Environment Signs 544
Red Tag Program 332
Red Tag Signs 332
Red Tags 332
Reflective Tape 300
Restroom Signs 545
Right To Know Labels 374
Rigid Sign Panels 89
Rigid Tag Panel 92
Ring-Loc Drum Seal 311
RipTag Rolls 204
Road Construction Signs 569
Roll-Form Pipe Marker 351

S

S-Hooks 341
S3000 Printer 28
S3100 Printer 30
SafeKey Lockout Boards 246
SafeKey Lockout Kits 230
SafeKey Lockout Padlocks 188
SafeKey Lockout Stations 243
Safety Banners 550
Safety Information Centers 378
Safety Posters 552
Safety Sign Slider Boards 546
Safety Sign Sliders 547
Safety Signs 402
Safety Slogan Signs 553
Safety Stop Station 317
Scaffolding Tags 320
Scoreboard Signs 554
Seals 310
Security 310
Security Signs 557
Self-Laminating Tags 333
Semiconductor Pipe Marker 353
Seriesystem Markers 401
Services 22
Severe Weather Directional Signs 479
Shadowboard Tape 300
Shipping / Receiving Signs 570
Sign Accessories 578
Sign Fasteners 580
Sign Panels - Rigid 38
Sign Posts 580
Signs Material Guide 408
SlimView Group Lock Box 198
Slow Moving Vehicle Sign 580
Smoking Area Signs 527
Snap-On Pipe Marker 354
SOC Absorbents 270
Software 176
SPC Absorbents 248
Spill Containment 276
Spill Kits 281
Stainless Steet Tags and Ties 338
Strap-On Pipe Marker 354

T

Tag Accessories 207
Tag Storage Center 207
Taglock Lockouts 219
Tags - Facility 318
Tags - Lockout 202
Tape Applicator 295
Tape - Facility Marking 295
Temporary Signs 558
Tensabarrier Barricades 309
Terminal Block Lockout 224
Timer 318
TLS2200 Materials 129
TLS2200 Print Ribbons 150
Toughstripe Die-cut Shapes 296
Toughstripe Floor Signs 297
Toughstripe Max Tape 295
Toughstripe Numbers and Letters 298
Toughstripe Pre-Spaced Tape 296
Toughstripe Tape 295
ToughStripe Tape Applicator 295
ToughWash Cable Ties 559
ToughWash Harsh Washdown Signs 559
ToughWash Harsh Washdown Tags 204
Traffic Barrels 581
Traffic Cones 580
Traffic Control Signs 574
Transfer Tape 39
Transformer Labels 387
Transparent Gate Valve 211

U

U-Channel Posts 580
Ultra-Compact Lock Box 198
Underground Warning Tape 305
Uni-tag 319
Universal Absorbents 256

V

Valve Lockout Kits 237
Valve Lockouts 213
Valve Tag Fasteners 341
Valve Tags 340
Versaprinter Label and Sign Maker 100
Visual Workplace 294

W

Wall Switch Lockout 227
Warning Stakes 307
Warning Tape 300
Workstation Software 176
Wristband 312
Write-On Inspection Labels 389
Write-On Magnetic Labels 397

BRADY

There's more online at

BradyID.com/s36

Design-Your-Own Padlock Online new

Create a custom SafeKey padlock with the options you need, including engraving, in one easy-to-use online tool.

Design-Your-Own Signs Online

Custom signs in no time! Quickly design, proof and order your custom safety signs with this convenient online tool.



We identify and protect premises, products and people.

For more information or to learn more about our innovative products, visit BradyID.com or call 1-888-272-3946.

USA
Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
BradyID.com

Canada
Customer Service: 1-800-263-6179
BradyCanada.ca

Mexico
Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
BradyLatinAmerica.com

Y4824855 MS4824855

© 2019 Brady Worldwide Inc. ALL RIGHTS RESERVED