

PRODUCT DATA SHEET

Controlled Document - Engineering Drive

1530 Shields Drive Waukegan, IL 60085 Toll-Free (800) 323-9355 Fax: (847) 689-1192

PART NUMBER:

DESCRIPTION: 10/2 W/GND THW FLAT PUMP CABLE

CONSTRUCTION: This cable consists of two bare copper insulated conductors and a ground laid parallel with an overall jacket.

2

APPROVALS: UL Standard 83, Type THW

APPLICATION: **Underwater Pumps and Similar Applications**

Construction Parameters:

Conductor 10 AWG Bare Copper

Stranding 19/.0234 Insulation Material **PVC** Insulation Thickness 0.032" Nom. Insulated Conductor Diameter 0.176" Nom.

Number of Conductors 10 AWG 19 Strand PVC Insulated Ground Wire

Lay Length Parallel Jacket Material **PVC** Jacket Thickness 0.025" Nom.

Overall Cable Diameter 0.226" x 0.578" Nom. Approximate Cable Weight 205.0 Lbs/1M' Nom.

Electrical Properties:

-20°C to 75°C Dry and Wet Temperature Rating

600 V RMS Max. Operating Voltage DC Resistance per Conductor @ 20°C 0.99 Ohms/1M' Nom.

Insulation Colors Black Red Green

Jacket Color Black

Legend (Surface Ink Print) COLEMAN CABLE E101736 * 10 AWG (5.26mm²) (UL) 600 VOLTS TYPE

THW INS. SUBMERSIBLE PUMP CABLE

This product complies with European Directive 2002/95/EC (RoHS)

The customer will accept all factory lengths and +/- 10 percent of total order requested. The jacket is sequentially footprinted from 2 to the footage designated by the put-up code.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Coleman Cable's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Coleman Cable or confer any rights on any customer. The sale of products(s) is conditioned upon acceptance of a purchase order subject to Coleman Cable's standard terms and conditions contained therein, including without limitation Coleman Cable's standard warranty. Coleman cable disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Coleman Cable. Any information contained herein shall not be disclosed to any party without written consent of Coleman Cable.

Customer Name	 _
Customer Approval _	

Specification Issue Date: July 21, 2008