



DESCRIPTIVE INDEX

Partial Item Code	Page	Partial Item Code	Page
A			
A Type Covers "A"	D-5	Ball Valves for Kornerhorns "KHBV"	B-5
Adapter Flanges "UFA"	UI-5 & 6	Basement or Inside Settings	
Adapter, Couplings (see Couplings)		-Basement Resetters "Resetter"	B-8
Adapters, Flanged Coupling "FFCA"	M-10	-Copperhorns "CH"	B-2 & 3
-Fabricated "FCA"	N-12 & 14	-Drophorns "DH"	B-7
Adapters, Meter "A"	H-5	-Handyhorns "HH"	B-5
Adapters for Regulators "RA"	F-24	-Kornerhorns "KH"	B-5
Adjustable Meter Box Cover "32B"	D-14	-Plumbhorns "PB"	B-4
Adjuster, Grade Adjuster for		-Pretzelhorns "PH"	B-7
Yokebox and Gulfbox "9501"	C-22 & 26	-Valve Copperhorns "VCH"	B-4
Akron Style Test Benches "ATB"	K-2	-Wall Setters "WS"	B-8
AMS Test Bench "AMS"	K-2	Bell Joint Leak Clamps "FBC", "FIBC"	L-12
Angle Ball Meter Valves "BA", "BFA"	G-15 & 16	Blow-off Ball Valve "BLA"	G-14
Angle Ball Service Valves "BA"	G-29	Bolts "FBN"	M-3, 5, 7 & 8
Angle Check Valves		 "PSB"	G-12, 15 & 17
(also Check Valves) "HA", "HFA", "HHFA"	E-9 & 10	Branch Pieces "U"	H-6
. "HHA", "HHCA"	I-2, 5, 6 & 8	Branch Valve Assemblies "UV"	G-18 to 21
Angle Coppersetters "70-80" series	F-16 & 17	Brass Saddles (see Saddles)	AA-10 to 14
Angle Meter Couplings "L"	H-4	Bronze Meter Flanges "CF"	H-4
Angle Meter Key Valves "KV", "FV"	G-17 & 18	Bushings	
Angle Service Valves		-Brass "C18"	J-23
-Ball Type "BA"	G-29	-for Corporation Stops "BBAA", "BBIA", "BBAI"	A-18
-Inverted Key Type "AV", "KV"	G-28	-Dielectric "DB"	H-3
-Compression Globe Type "GA"	G-28	Bolted Iron Flex Couplings (see Couplings)	
Angle Meter Valves			
-Ball Type "BA", "BFA"	G-15 & 16	C	
-Inverted Key Type "KV", "FV"	G-17 & 18	C Type Covers "C"	D-6
-Compression Globe Type "GA"	G-16	Calibrated Testing Tanks	K-4
Angle Yokes (see Yoke)	Section E	Cap Style Flange Gasket "CSFG"	AA-2
Arch Pattern Curb Boxes "EA"	GA-2	Cartridge Style Dual Check Valves (see Check Valves)	
Assembled Settings for 1-1/2" & 2" Meters	F-29 to 37, F-45 & 46	Casing Spacers "UFRCS"	UI-14 & 15, UD-10 & 11
Automated Measuring System (AMS)	K-2	Changeover Meter Coupling Nuts "CMC"	H-3
B		Check Valves - Angle	
Ballcorp Corporation Stops "FB"	A-4 to 10	-Cartridge Style Dual Check Valves "HHCA"	I-2 & E-9
Ball Type Curb Stops 3/4" through 2"		-Dual Check Valves "HHA", "HHFA"	I-5, 8 & E-10
-"BH" Series "BH"	G-8	-Check Valves "HA", "HFA"	I-6, 8 & E-10
-FIP x FIP "B11"	G-2, 24, 27 & 31	-Cut-In Assemblies (Retro-Fit) "HL", "HLL", "HHB"	I-11
-Flare Copper x FIP "B21"	G-3, 24, 27 & 30	-Integral Port Option "HHFA"	F-37 & I-8
-Flare Copper x Flare Copper "B22"	G-3, 24, 30 & 31	Check Valves - Straight	
-MIP x FIP "B81"	G-2 & 25	-Cartridge Style Dual Check Valves "HHC", "HHCH"	I-3, 4 & E-9
-Flare Copper x MIP "B82"	G-3	-Dual Check Valves "HHS"	I-9 & E-11
-MIP x MIP "B88"	G-2	for Kornerhorn "KHHCv-1"	I-9
-PJ for IP x FIP "B51"	G-4 & 24	-Check Valves "HS", "HFS"	I-7, 8, 9 & E-11
-PJ for PEP x FIP "B61"	G-4 & 25	Check Valve Repair Kits	I-10
-PJ for PVC x FIP "B71"	G-5 & 25	Clamps	
-MIP x PJ for CTS "B84"	G-5 & 25	-Bell Joint Leak Clamps "FBC", "FIBC"	L-12
-PJ for CTS x FIP "B41"	G-4, 24 & 27	-Coupling Leak Clamps "FCC"	L-12
-PJ x FIP	G-4, 24 & 25	-Repair Clamps	
-PJ for PVC x MIP "B87"	G-5 & 26	Ford Flex (Ductile Iron Lug)	
-PJ x PJ	G-6, 7, 8 & 26	Single Band "F1"	L-6
Ball Type Meter Valves		Double Band "F2"	L-7
-Angle "BA", "BFA"	G-15 & 16	Triple Band "F3"	L-8
-Straight "B", "BF"	G-11 to 13	All Stainless Steel	
Ball Type Service Valves with 5/8" Water Way		Single Band "FS1"	L-2
-Straight "B", "BL"	G-24 to 26	Double Band "FS2"	L-3
-Angle "BA"	G-29	Triple Band "FS3"	L-3
Ball Type Valves - for Iron Yoke Settings		All Stainless Steel (Drop-In Bolt)	
-Angle "BA"	E-3	Single Band "FLS1"	L-4
-Straight "B"	E-5 & 6	Double Band "FLS2"	L-5
		Triple Band "FLS3"	L-5
		-Snap Clamps "FSC"	L-9

DESCRIPTIVE INDEX

	Partial Item Code	Page
-All Stainless Steel Clamps	"FLSC"	L-10
-Stainless Steel Clamps	"Clamp"	J-25
-Tapped Repair Clamps		L-8
-Clamps for Plastic Service Pipe	"Clamp"	J-25
-Wrap Clamps	"FSC-R"	L-10
-Wrap Clamps (with lifter bar)	"FSC1-R"	L-11
-All Stainless Steel Wrap Clamps	"FLSC-R"	L-10
Coil Pits		FA-8 to 11
-Bottoms		FA-14
-Driveway Covers		FA-12
-Extension Rings		FA-13
-Lids		FA-14
-Meter Platform Rods		FA-13
Composition Gasket for Double		
Purpose Connection	"GT"	B-3
Composition Resetter Gaskets	"GT"	H-2
Compression Products (see Pack Joint Products)		
Compression Type Valves		
-Globe Service Valves	"G", "GA"	G-27 & 28
-Meter Valves	"SG", "GA"	G-14 & 16
-for Iron Yoke Settings	"GA", "SG"	E-5 & 6
Copper Discs	"DISC"	A-16 & J-22
Copper Rounding Tools	"CRT"	J-2
Copper Tube Couplings (see Couplings)		
Copper Tube Nuts	"CTN", "FPN"	A-15, J-22 & J-25
Copperhorns	"CH"	B-2 & 3
Coppersetters		F-3 to 24 & F-29 to 37
-"70" Series		F-3 to 9 & F-29 to 32
-"70-80" Series		F-16 & 17, F-33 & 34
-"80" Series		F-14 & 15, F-35 & 36
-"90" Series		F-18 to 23
-"270" Series		F-10 to 13
-Tandem Series		F-24
Coppersetter Tees	"CSTEE", "T1S1"	F-37
Corporation Stops		
-Key Type	"F"	Section "A"
-Ball Type (Ballcorps)	"FB"	Section "A"
Corporation Stop Plugs	"CSP"	A-18
Corporation Conversion Connections		
-for Lead	"LFSC", "L", "C"	A-19
	"LA"	A-20
Corporation Stop Replacement Pieces	"F"	A-17
Couplings - Service Pipe & Tubing	"C" Style	
-Brass Bushings	"C18"	J-23
-Corporation Stop		A-12 to 15
-Female Copper Thread x MIP, FIP or Flare Copper		J-21
-FIP x FIP (Reducing Coupling)	"C11"	J-23
-Flare Copper x FIP	"C21"	J-18
-Flare Copper x MIP	"C28"	J-18
-Flare Copper x Flare Copper	"C22", "CS22"	J-19
-for Iron Yoke Settings		E-7
-Lead-Pak	"Q"	J-14 & 15
-Lok-Pak	"CF", "CT"	H-5
-No-Contact Couplings	"Q"	J-15
-Pack Joint for Copper or CTS		A-12 to 15, A-19 & 20, J-4 to 6
-Pack Joint for PE Pipe		J-6 & 7
-Pack Joint for PVC Pipe		J-8 & 9
-Pack Joint for Iron Pipe		J-9 & 10
-Pack Joint Both Ends for Connecting Dissimilar Types of Pipe & Tubing		J-10 & 11
-Pack Joint Nuts & Parts		J-16 & 17
-with Meter Flange		H-4 & 5
-with Meter Swivel Nut		H-2 & 3
Couplings - Water Main		

	Partial Item Code	Page
-Bolted Flex	"FC1", "FC1-L12"	M-2 & 3
-Cut-In	"FRR"	M-11
-End Cap	"FEC"	M-12
-Fabricated	"FC3", "FC4", "FC5", "FC6"	Section "N"
-Flanged Coupling Adapters	"FFCA"	M-10
Fabricated	"FCA"	N-13 & 14
-Reducing	"FRC"	M-9
Fabricated	"FC6"	N-11
-Restrained	"RCDD", "RCPP", "RCDP"	UI-9 & 10, UD-5
-Standard Steel Couplings (Long Style available)		N-6 to 9
-Transition Couplings	"FC2A", "FC2A-L12"	M-4 to 7
Wide Range Couplings	"FC2W"	M-8
Covers, Meter Box		
-Adjustable	"32B"	D-14
-Adjustable Wabash Double Lid Cover	"W3"	D-4
-"A" Style	"A"	D-5
-"C" Style	"C"	D-6
-Flat Style (one piece)	"PPSC"	D-9
-"KA" Style	"KA"	D-9
-Monitor	"MC"	D-10 & 11
-Plastic	"PMBC-3"	D-7
-Rectangular	"RM"	D-11 & 12
-Round Pit Ring & Lid		D-13
-Spiked	"A32C"	D-13
-Wabash Style	"W"	D-4 & 5
-"X" Style	"X"	D-7
Crescent Meter Boxes	"CB"	C-34
Curb Boxes		
-Arch Pattern	"EA"	GA-2
-Minneapolis Pattern	"EM"	GA-3 & 4
Curb Box Parts		GA-6
Curb Stops		
-See Ball Type Curb Stops		
-See Inverted Key Type Curb Stops		
Curb Stop Keys	"KEY"	D-2
Custom-Setters (1-1/2" & 2" Coppersetters)		F-29 to 37
Custom-Resetters (1-1/2" & 2" Resetters)		F-45 & 46
Cut-In Check Valves (Retro-Fit)	"HL", "HHL", "HHB"	I-11

D

Dielectric Bushings	"DB"	H-3
Dismantling Joint	"FDJ"	N-15
Double Gulfboxes	"DG"	C-28 & 29
Double Meter Settings		
-Branch Valve Assemblies	"UV", "UAV", "UVB"	G-19 to 23
-Tandem Setters		
Coppersetters		F-24
Plastic Pit Setters		Section "FA"
Resetters (Types "A", "B" & "C")		F-47
Double Range Testerate Indicator	"KTI-DR"	K-3
Double Strap Saddles (see Saddles)		
Drilling Machines		
-Model 77	"DMK"	AB-1 to 4
-Model 77 Adapters	"DMA"	AB-2
-SIMTAP™	"SIM"	AB-5 & 6
-SIMTAP™ Adapters	"SIMDMA"	AB-5
Drophorns	"DH"	B-7
Dual Check Valves (see Check Valves)		

E

Eighth Bends	"LA"	
--------------	------	--

DESCRIPTIVE INDEX

	Partial Item Code	Page
-with Pack Joint Outlet (see Couplings for Service Pipe & Tubing)		
-Flare Copper x FIP	"LA21"	A-13
-Female Copper Thread x Flare Copper	"LA02"	A-13
-for Corporation Stops		
-for F800-FB900		A-15
-for F400-FB500		A-13
-for F200-F300		A-12
-for F600-FB700		A-13 & 14
Electronic Meter Read Lid	"-T"	C-1, 9 & 22, C-26 & D-2
Elevator Rings for Meter Box Covers	"ER"	D-8
Ell	"L"	
-with Pack Joint Outlet (see Couplings for Service Pipe & Tubing)		
-Female Copper Thread x Flare Copper	"L02"	A-14 & J-21
-Flare Copper x FIP	"L21"	A-13 & J-18
-Flare Copper x MIP	"L28"	J-18
-MIP x MIP	"L88"	J-23
-FIP x MIP	"L18"	J-23
-Flare Copper x Flare Copper	"L22"	J-19
-for Corporation Stops		
for F800-FB900		A-15
for F400-FB500		A-13
for F200-F300		A-12
for F600-FB700		A-13 & 14
for Iron Yoke Settings		E-8
-for Flanged Meters	"LF"	H-4
-with Meter Swivel Nut		H-4
Emergency Repair Clamp Kit	"FSERK"	L-14 to 15
End Caps	"CAP"	A-16 & J-22
Expansion Connection for		
Iron Yoke Settings & Yokeboxes	"EC"	C-10 & E-2
Expansion Joints	"FEJ"	N-16
Extended Range Couplings	"FC2W"	M-8
Extension Rings for Meter Pit Covers	"EXT"	D-8
Extension Plates for Rectangular Pit Covers	"XP"	D-12

F

Fabricated Products

-Couplings		
FC3	"FC3"	N-6
FC4	"FC4"	N-7 to 9
FC5	"FC5"	N-10
FC6	"FC6"	N-11
End Cap Couplings	"FC4-EC"	N-9
-Flanged Coupling Adapters	"FCA"	N-13 & 14
-Expansion Joints	"FEJ"	N-16
-Service Saddles (3" & 4" taps)	"F202", "FS202"	AA-22
Fiber Anti-Friction Rings		
-for Pack Joint Nuts	"FR", "FG"	J-16 & 17
Flange Adapters	"UFA"	UI-5 & 6
-Restrained	"RFAD", "RFAP"	UI-7 & 8 UD-4
Flange Gasket (Cap Style)	"CSFG"	AA-2
Flanged Check Valves	"HHFA", "HFA", "HFS"	I-8
Flanged Coupling Adapters	"FFCA"	M-10
-Fabricated	"FCA"	N-13 & 14
Flanged Angle Valves for 1-1/2" & 2" Meters		
-Ball Valves	"BFA"	G-16
-Inverted Key Valves	"FV"	G-18
Flanged Ells for 1-1/2" & 2" Meters	"LF"	H-4
Flanged Lead		
-Corp Conversion Connection	"LFSC"	A-19
Flanged Straight Ball Meter Valves	"BF"	G-13
Flare Products		

	Partial Item Code	Page
-Ball Corp Corporation Stops	"FB600", "FB700"	A-7
-Ball Valves	"B", "BA", "BH", "BFA", "BL"	
Curb Stops		G-2 to 8
Meter Valves		G-11 to 13, 15 & 16
Service Valves		G-24 to 26 & 29
-Corporation Stops	"F600", "F700"	A-7
-Copper Tube Nut	"CTN"	A-15 or J-22
-Couplings (see Couplings for Service Pipe & Tubing)		
-Curb Stops		
Ball Type	"B", "BH"	G-2 to 8
Inverted Key Type	"Z"	G-8 to 10
-Eighth Bends (see Eighth Bends)	"LA"	
-Ells (see Ells)	"L"	
-Nuts		
Flare Copper Nuts	"CTN"	A-15 or J-22
for PE Pipe	"FPN"	J-25
-Piggy Back Nuts	"C02"	J-21
-Quarter Bends (see Ells)	"L"	
-Tees	"T"	J-20
-Y's	"Y"	J-19
Flexible Resetters (30 Series)		F-38 to 40
Ford Bolts & Nuts	"FBN"	M-3, 5, 7 & 8
Ford-Flex Repair Clamps (see Clamps)		
Ford Tapping Sleeves		
-FAST Tapping Sleeves	"FAST"	AA-3
-Ford Steel Tapping Sleeves	"FTS"	AA-7
-Stainless with Removable Bolts		
Large Flange	"FTSAS"	AA-5 & 6
-Ford Steel Tapping Sleeves - Epoxy	"FTSC"	AA-7
-Stainless with Removable Bolts	"FTSS"	AA-4
-with Mechanical Joint Option	"-MJ"	AA-9

G

Gaskets

-for Corp Stop Adapters	"GT"	A-12
-for Drilling Machine	"GT"	AB-1 & AB-2
-for Flare Copper Connections	"SLC"	A-16 or J-22
-for Grip Joint Nuts	"GT"	J-17
-for Iron Yoke Settings	"GT"	E-11
-for Meter Boxes	"GT"	C-10, 13, 22, 23, 24, 27, 30 & 32
-for Meter Couplings (Nuts & Flanges)	"GT"	H-2
-for Pack Joint Nuts	"GT", "FR"	J-16
-for Resetters	"GT"	H-2
-SO-EZ	"SO-EZ"	UD-25
-Transition Gasket	"TGA"	UD-25

Globe Valves (see Compression Valves)

Golden Gate Meter Boxes		C-24
Grip Joint Products (see Pack Joint Products)		
Grip Joint Nuts	"GJ"	J-17
Gulfboxes		C-25

H

Handles for Valves		G-32
Handyhorns	"HH"	B-5

I

Idlers - Meter Idlers		H-5 & K-7
Increaser Bushings for Iron Pipe Threads	"C18"	J-23
Increaser Bushings		
-for Corporation Stop Inlets		A-18

DESCRIPTIVE INDEX

	Partial Item Code	Page
Indianapolis Style Meter Test Benches		K-2
Insert Fittings for PE Pipe		J-24
Insert Stiffeners for Plastic Services	A-2, G-33 or J-2	
Insert Stiffeners for HDPE	M-14 or N-19	
Inside Meter Settings (see Basement Settings)		
Insulating Blankets	"FIB"	D-3
Insulating Boot	"FIB"	M-5
Insulating Disc		FA-12
Inverted Key Valves		
-Curb Stops	"Z"	G-8 to 10
-Meter Valves		
Angle	"KV"	G-17
Flanged Angle	"FV"	G-18
Straight	"SV"	G-14
-Service Valves	"AV"	G-28
Iron Saddles (see Saddles)		AA-15 to 24

K

Key Valves (see Inverted Key Valves)		
Keys for Meter Box Covers		
& Curb Stops	"KEY"	D-2
Keys for Valves in Crescent, Yokebox		
& Gulfbox Meter Boxes		C-9, 13, 22, 24, 26, 30, 32 & 34
Keys for Valves in Meter Settings	"KEY"	D-2
Kornerhorns	"KH"	B-5
Kornerhorn Valves		B-5

L

Lead-Pak Couplings	"Q"	J-14 & 15
Lead Corporation Stop		
Conversion Connections	"LFSC", "LFC"	A-19
Linesetters	"LS", "LSV"	F-25 to 28
Lock-Caps for Valves	"AV-LOCKCAP", "BV-LOCKCAP"	E-12 & G-32
Lok-Pak Couplings		
-for 1-1/2" & 2" Meter	"CF", "CT"	H-5
Long Double Gulfbox	"DGHC"	C-31
Long Gulfbox	"GHC"	C-25
Long Yokebox	"LYL"	C-2 to 8 & 12

M

Manifolds	"M111"	F-48
Mechanical Joint Repair Kit	"UFR1300-CAS"	UI-16
Mechanical Joint Accessory Kit	"MJAK"	UD-25
Mechanical Joint Tapping Sleeve Option		AA-9
Meter Adapters	"A"	H-5
Meter Box Covers (see Covers)		
Meter Box Keys (see Keys)		
Meter Boxes		
-Crescent	"CB"	C-33
-Double Gulfbox	"DG"	C-28 & 29
-Golden Gate	"YL"	C-24
-Gulfbox	"G", "DGB"	C-25 to 32
-Long Double Gulfboxes	"DGHC"	C-31
-Long Gulfboxes	"GHC"	C-25
-Long Yokeboxes		C2 to 12
-Protector Box for 1-1/2" & 2" Meters	"FPMB"	C-33
-Yokebox	"YS", "YL", "YM"	C-14 to 21
Meter Couplings		H-2 to 5
Meter Flanges - Bronze	"CF"	H-4 & 5

Partial Item Code	Page
----------------------	------

Meter Idlers		H-5
Metering Manifolds	"M111"	F-48
Meter Repair Bench		K-7
Meter Test Benches		K-2
Meter Testing Tanks		K-4
Meter Valves / Stops		
-see Ball Type Meter Valves		
-see Inverted Key Meter Valves		
Meter Vice		K-7
Minneapolis Pattern Curb Stops	"EM"	GA-3 & 4
Monitor Covers for Large Meter Pits	"MC"	D-10 & 11
Multi-Service Tee	"T"	J-20
Multi-Service Y	"Y"	J-19

N

"New England" Service Valves	"NE"	G-30 & 31
No-Contact Couplings	"Q"	J-15
Nuts		
-Flare Copper Tube Nuts	"CTN"	A-15 & J-22
-Grip Joint Nuts	"GJN"	J-17
-Meter Changeover Nut	"CMC"	H-3
-Meter Coupling Nuts	"MN"	H-3
-Pack Joint Nuts	"NG"	J-16
-Quick Joint Nuts	"QJN"	J-17
-Yoke Lock Nuts	"YLN"	E-12

O

O-ring		B-6, K-5 & 6, J-3
"Open Right" Service Valves	"OR"	G-31
O.D. Tape for Measuring Pipe Dia.	"OD-TAPE"	L-1

P

Pack Joint Products		
-Assemblies	"PJA"	B-6 & F-13
-Ball Corp Corporation Stops	"FB"	A-4 to 6
-Ball Valves		
Curb Stops		G-4 to 8
Meter Valves		G-11 to 13, 15 & 16
Service Valves		G-24 to 27
-Corporation Stops	"F"	A-4 to 6
-Couplings (see Couplings for Service Line Pipe & Tubing)		
-Curb Stop		
Ball Type	"B"	G-4 to 8
Inverted Key Type	"Z"	G-8 to 10
-Cut-In Check Valves (Retro-Fit)	"HL", "HHL"	I-11
-Cut-In Tees	"TD"	J-13
-Eighth Bends (see Eighth Bends)		
-Ells (see Ells)		
-Gaskets		J-16
-Lead-Pak	"Q"	J-14 & 15
-Nuts & Parts	"NG"	J-16 & 17
-Quarter Bends (see Couplings for Service Line Pipe & Tubing)		
-Tees	"T", "TD"	J-12 & 13
-Y's	"Y"	J-13
Padlock Plates for Yokeboxes		C-9 or 22
Piggy Back Nuts	"C02"	J-21
Pipe Plugs	"CSP"	J-24
Pit Covers (see Covers)		
Pit Rings		D-8 & 13
Pitorifice Corp Stops	"-P"	A-11
Plastic Meter Box Cover	"PMBC-3"	D-7

DESCRIPTIVE INDEX

	Partial Item Code	Page
Plastic Pipe Couplings (see Couplings)		
Plastic Pit Setters	"PPS", "PK"	"Section FA"
Plated Steel Bolts	"PSB"	H-4 & 5
Plugs	"CSP"	
-Copper Service		J-24
-Corporation Stop		A-18
-Pipe		J-24
Plugs for Electronic Meter Read		
Module Hole	"TP"	C-1, 9, 13, 22, 24, 30, 32, 34 & D-2
Plumbhorns	"PB"	B-4
Pretzelhorns	"PH"	B-7
Protector Meter Box		
-for 1-1/2" & 2" Meters	"FPMB"	C-33

Q

Quarter Bends (see Ells)
Quick Joint Products (see Pack Joint Products)

R

Reclaimed Water Items		
-Ball Valve	"BRW"	G-2 to 7
-Handle (for Ball Valve)		G-32
-Yokebox Lids	"RW"	C-22 & 26
Rectangular Pit Covers	"RM"	D-12
Reducing Couplings	"FRC"	M-9
-Fabricated	"FC6"	N-11
Repair Clamps (see Clamps)		
Repair Kit (MJ)	"UFR1300-CAS"	UI-16
Repair Kit (Check Valve)	"HRK", "HHRK", "HHCRK"	I-10
Repair Saddles	"FRS202"	AA-24
Resetter Gaskets	"GT"	H-2
Resettlers		
-30 Series		F-38 to 40
-40 Series		F-41 to 43
-Basement		B-8
-Custom for 1-1/2" & 2" Meters		F-44 to 46
-Flexible (30 Series)		F-38 to 40
-Tandem (Types "A" & "B")		F-47
Restrained Flange Adapter	"RFAD", "RFAP"	UI-7 & 8, UD-4
Restrained Coupling	"RCDD", "RCDP", "RCPP"	UI-9 & 10, UD-5
Restrainer Assembly	"FR"	N-17
Restrainers / Retainers	"UFR"	UI-11 to 25 UD-6 to 24
Retainer Glands	"RGRS", "RGBAS"	UI-4
Retrosetters	"RETRO"	I-12 to 16
Retrosetter Sampling Station		I-15
Ribbed Insert Fittings for PE Pipe	"PTP", "PTM", "PTF"	J-24
Ring Adapter	"RA42"	A-16
Riser Yokes (see Yoke)		
Rounding Tool for Copper		J-2
Round Pit Ring & Lid		D-13

S

"S" Tube	"ST"	F-24
Saddles		
-Brass		
All Brass	"S40", "S70", "S90"	AA-10 to 11

	Partial Item Code	Page
Silicon Bronze Straps	"101B", "202B", "202BS"	AA-12
Stainless Steel Straps		
(for C900 PVC)	"101BS", "202BS"	AA-13
-Fabricated (3" & 4" taps)	"F202", "FC202", "FS202"	AA-22
-Iron (ductile)		
Epoxy coated		
(Stainless Steel Straps)	"FCD202", "FC101", "FC202"	AA-15, 16, 19 21 & 22
Steel Straps	"F101", "F202"	AA-15 to 18
-Repair	"FRS202"	AA-24
-Sewer	"FSS"	AA-24
-Stainless Steel	"FS313", "FS323", "FS333"	AA-23
Screw Plug Adapter	"SP"	A-17
Service Couplers (see Couplings)		
Service Insulators	"SI"	A-21, E13, G-34, J-25
Service Tees (see Tees)		
Service Valves		G-24 to 29
Sewer Saddle	"FSS"	AA-24
Side Outlet Couplers (see Tees)		
Solid Copper Gaskets		
-for Flare Copper Connections	"SLC"	A-16 or J-22
Spiked Meter Box Cover	"A32C"	D-13
Stainless Steel Products		
-Saddles	"FS313", "FS323", "FS333"	AA-23
-Tapping Sleeves	"FAST", "FTSS", "FTSAS"	AA-3 to 6
-Repair Clamps		
Single Band	"FS1"	L-2
Double Band	"FS2"	L-3
Triple Band	"FS3"	L-3
-Repair Clamp (Drop-In Bolt)		
Single Band	"FLS1"	L-4
Double Band	"FLS2"	L-5
Triple Band	"FLS3"	L-5
Stop & Waste Ball Valves		G-2 to 6

T

Tandem Coppersettlers		F-24
Tandem Resettlers (Types "A", "B" & "C")		F-44
Tanks - Calibrated Test		K-4
Tapped Repair Clamps		L-8
Tapping Sleeves		
-Epoxy Coated Steel	"FTSC"	AA-7
-Mechanical Joint Option		AA-9
-Stainless Steel	"FAST", "FTSS", "FTSAS"	AA-3 to 6
-Steel	"FTS"	AA-7
-Weld On	"FWS"	AA-8 & N-18
Tee Head Adapters	"TA"	A-11
Tees - Brass Service		
-Coppersetter	"CSTEE", "T1S1"	F-37
-Flare		J-20
-Iron Pipe Thread		J-20
-Pack Joint		J-12 & 13
Test Benches for Water Meters		"Section K"
Test Bench Parts		K-5 to 7
Tester Clamp for 1-1/4", 1-1/2"		
& 2" Meters	"TC"	K-2 & 6
Tester Clamp for 3", 4" & 6" Meters		K-6
Tester Indicator	"KTI"	K-3
Transition Couplings		
-Ductile Iron	"FC2A"	M-4
-Fabricated Steel	"FC23", "FC5"	N-3 to 5 & 10
-Wide Range	"FC2W"	M-8

DESCRIPTIVE INDEX

	Partial Item Code	Page
TouchRead Covers		D-2
Transition Gaskets	"TGA"	UD-25

U

Ultra-Flex Wide Range Couplings	"FC2W"	M-8
Ultra-Tite Components		J-3
Unions	"UNION"	J-23

V

Valve Copperhorns	"VCH"	B-4
Valve Wrenches or Keys		D-2
Valves		
-see Ball Valves		
-see Check Valves		
-see Compression Valves		
-see Inverted Key Valves		

W

Wabash Cover	"W"	D-4
Wall Setters	"WS"	B-8
Washer for Screw Plug Adapters	"WSP"	A-17
Wedding Rings	"WR"	A-15, B-3 & J-19
Wide Range Couplings	"FC2W"	M-8
Wiped Lead Corp		
-Conversion Connections	"L", "LA"	A-12 & 20
Worm Lock Assemblies		
for Meter Box Covers	"WLA"	D-3
Wrench		
-Corp Stop Wrench	"RCORP"	A-11
-Ball Valve Yokebox Wrench	"SAVW"	C-9
-Yokebox Key Valve Wrench	"MBVW"	C-9
-Yoke Lock Nut Spanner Wrench	"YSW"	E-12
-Expansion Connection Wrenches	"YEW"	E-12

X

"X" Type Covers	"X"	D-7
---------------------------	-----	-----

Y

"Y" Branch Connections	"Y"	
-Flare Type		J-19
-Multi Service "Y"		J-20
-Pack Joint Type		J-13
Yoke - Copper Setters		
-see Basement or Inside Setters		
-see Coppersettors		
-see Resettors		
Yoke - Iron Settings		
-Bars - Iron		E-3
-Couplings	"C"	E-7
Asheville Couplings	"C9F1"	E-12
Petersburg Couplings	"C9F2"	E-12
-Ells	"L"	E-8
Petersburg Ells	"L9F2"	E-12
-Expansion Connections	"EC"	E-2
-Expansion Wrenches	"YEW"	E-12
-Gaskets	"GT"	E-11
-Parts - Miscellaneous		E-12
-Valves		

	Partial Item Code	Page
Ball Type Valves		E-3, 5 & 6
Check Valves		E-9 to 11
Compression Valves		E-5 & 6
Inverted Key Valves		E-4
-Yokeboxes	"YS", "YL", "YM"	C-14 to 21
Long Yokeboxes	"LYL"	C-12 & 13