

Pan-Kote Heavy Duty Drain Pan Patch

SECTION 1. IDENTIFICATION

PRODUCT IDENTIFIER:

Pan-Kote Heavy Duty Drain Pan Patch

OTHER MEANS OF IDENTIFICATION:

641-14

RECOMMENDED USE OF THE CHEMICAL:

Please see label for instruction

RESTRICTIONS ON USE:

None known

MANUFACTURED BY:

DiversiTech Corporation
3039 Premiere Parkway
Suite 600
Duluth, GA 30097

INFORMATION PHONE #:

1 800.995.2222

EMERGENCY PHONE #:

1 800.255.3924 Chem-Tel
(Chemical Emergencies)

SECTION 2. HAZARD IDENTIFICATION

CLASSIFICATION OF THE CHEMICAL:

Flammable Aerosol, category 1
Gas Under Pressure, dissolved
Aspiration Hazard, category 1
Skin Irritation, category 2
Eye Irritation, category 2a
Specific Target Organ Toxicity – Single Exposure, category 3 (drowsiness)
Specific Target Organ Toxicity – Repeated Exposure, category 2
Toxic to Reproduction, category 2

HAZARD SYMBOL(S):



SIGNAL WORD: Danger

HAZARD STATEMENT(S)

- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

PRECAUTIONARY STATEMENT(S)

- P102 Keep out of reach of children.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have

RESPONSE

- P301+310+331 IF SWALLOWED: Immediately call a POISON CONTROL CENTER. Do NOT induce vomiting.
- P302+352 IF ON SKIN: Wash with plenty of water.
- P332+313 If skin irritation occurs: Get medical advice.
- P362+364 Take off contaminated clothing and wash it before reuse.
- P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a doctor if you feel unwell.
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing.
- P308+313 IF EXPOSED OR CONCERNED: Call a doctor.

Pan-Kote Heavy Duty Drain Pan Patch

been read and understood.

- P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources.-No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Pressurized container: Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P264 Wash hands and exposed skin thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves and eye protection.
- P321 Specific treatment (see FIRST AID section on this label).
- P403 Store in a well-ventilated place.
- P405 Store locked up
- P410 Protect from sunlight.
- P412 Do not expose to temperatures exceeding 122°F.
- P501 Dispose of container in accordance with local regulations

HAZARD(S) NOT OTHERWISE CLASSIFIED:

None known

0% of the chemical consists of ingredient(s) of unknown acute toxicity.

NOTE:

Labeling elements found on this SDS may be different from labeling elements found on the label. Safety Data Sheets are regulated by OSHA (29 CFR §1910.1200) while the actual product and its label may be regulated by a different government agency. Please contact the responsible party in Section 1 if you have any questions.

SECTION 3. INFORMATION ON INGREDIENTS

| INGREDIENT | CAS No. | COMPOSITION, wt% | GHS CLASSIFICATION(S) |
|------------|----------|------------------|---|
| Acetone | 67-64-1 | <80% | Eye Irrit. 2a; STOT-SE 3; Flam Liq. 3 |
| Toluene | 108-88-3 | <50% | Skin Irrit. 2; Repro. Tox. 2; STOT-SE 3; STOT-RE 2; Asp. Haz. 1 |

TRADE SECRET CLAIM:

When applicable, the specific concentration of each hazardous ingredient is considered a TRADE SECRET. Chemical names and identifiers will be listed in exact composition weight and name when not subject to trade secret exemptions.

Pan-Kote Heavy Duty Drain Pan Patch

NOTE:

This product may contain other ingredients that are not required to be disclosed on this safety data sheet or product label in accordance with 19 CFR §1910.1200. Any ingredient not listed on either the SDS or label is not considered hazardous to health and shouldn't pose a risk to the user.

SECTION 4. FIRST AID MEASURES

GENERAL FIRST AID MEASURES:

If medical attention is required due to exposure then be sure to take product label or safety data sheet when seeking medical care.

IF INHALED:

Move person to fresh air and keep at a comfortable position for breathing. Administer artificial respiration if person is not breathing.

IF IN EYES:

Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

INDICATION OF IMMEDIATE MEDICAL ATTENTION:

Seek immediate medical attention if swallowed as aspiration could be fatal.

MOST IMPORTANT SYMPTOMS:

None known.

IF ON SKIN:

Wash with soap and water. Take off contaminated clothing and wash it before reuse.

IF SWALLOWED:

Do NOT induce vomiting unless instructed to do so by a trained medical professional. Rinse mouth with water.

SECTION 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Water spray, carbon dioxide, sand, powder extinguisher, dry chemical.

SPECIFIC HAZARDS:

Contents under pressure; may explode if heated.

SPECIAL PROTECTIVE EQUIPMENT:

Not determined.

UNSUITABLE EXTINGUISHING MEDIA:

None known.

HAZARDOUS COMBUSTION PRODUCTS:

Not determined.

PRECAUTIONS FOR FIRE-FIGHTERS:

Not determined.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Remove non-emergency personnel from the area in an orderly fashion.

EMERGENCY PROCEDURE(S):

Cover drains to prevent spill from entering waterways. Shut off all sources of ignition.

REFERENCES:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

PROTECTIVE EQUIPMENT:

Use appropriate chemical-resistant gloves and eye protection.

METHODS FOR CONTAINMENT:

Cover drains and ventilate area to prevent vapor build-up.

METHODS FOR CLEAN UP:

For small spills, wipe with an absorbent material. For large spills, collect with sawdust, sand, or binder before cleaning. Place in an area appropriate for disposal.

Pan-Kote Heavy Duty Drain Pan Patch

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Keep away from all ignition sources. Do not smoke while handling.

STORAGE INCOMPATIBILITIES:

None known

CONDITIONS FOR SAFE STORAGE:

Keep cool in a well-ventilated place away from sunlight. Ensure local and adequate ventilation. Keep container tightly sealed in its original container.

SECTION 8. EXPOSURE CONTROLS

INGREDIENT

Acetone
Toluene

CAS No.

67-64-1
108-88-3

PEL

1000ppm
200ppm

AGCIH

250ppm
20ppm

NIOSH

250ppm
100ppm

GENERAL NOTE:

Practice good industrial hygiene. Wash hands after handling and use.

APPROPRIATE ENGINEERING CONTROLS:

Ensure mechanical ventilation.

EYE/FACE PROTECTION:

Wear goggles or another form of chemically resistant eye protection.

SKIN PROTECTION:

Wear gloves suitable for chemical protection.

RESPIRATORY PROTECTION:

No anticipated protective equipment is required.

ENVIRONMENTAL PROTECTION:

No anticipated protective equipment is required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Black liquid.
pH: Not determined.
MELTING POINT: Not determined.
FLASHPOINT: Not determined.
FLAMMABILITY: Flammable contents.
VAPOR PRESSURE: Not determined.
VAPOR DENSITY: Not determined.
SOLUBILITY: Not soluble.
AUTO-IGNITION: Not determined.
VISCOSITY: Not determined.

ODOR: Not determined.
ODOR THRESHOLD: Not determined.
BOILING POINT: Not determined.
EVAPORATION RATE: Not determined.
UPPER EXPLOSIVE %: Not determined.
LOWER EXPLOSIVE %: Not determined.
RELATIVE DENSITY: Not determined.
PARTITION COEFFICIENT: Not determined.
DECOMPOSITION TEMP: Not determined.

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY:

Not anticipated to be reactive.

CHEMICAL STABILITY:

Chemical is anticipated to be stable in normal storage conditions.

HAZARDOUS REACTIONS:

None known.

CONDITIONS TO AVOID:

Heat, sources of ignition, direct sunlight, etc.

INCOMPATIBLE MATERIALS:

Not determined.

HAZARDOUS DECOMPOSITION PRODUCTS:

None known.

Pan-Kote Heavy Duty Drain Pan Patch

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY ESTIMATES:

Oral – Contains no ingredient(s) considered toxic.
Dermal – Contains no ingredient(s) considered toxic.
Inhalation – Contains no ingredient(s) considered toxic.

SENSITIZATION:

Respiratory: Contains no ingredient(s) applicable to this category.
Skin: Contains no ingredient(s) applicable to this category.

REPRODUCTIVE TOXICITY:

May cause damage to fertility or the unborn child.

ASPIRATION HAZARD:

May be fatal if swallowed and enters lungs.
Aspiration risk.

SYMPTOMS RELATED TO CHARACTERISTICS:

Not determined.

NATIONAL TOXICOLOGY PROGRAM LISTING:

Not listed.

SKIN CORROSION/IRRITATION:

Causes skin irritation.

EYE DAMAGE/IRRITATION:

Causes eye irritation.

GERM CELL MUTAGENICITY:

Contains no ingredient(s) applicable to this category.

CARCINOGENICITY:

Contains no ingredient(s) applicable to this category.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:

Causes drowsiness and dizziness.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:

May cause long term damage to organs (toluene).

DELAYED AND IMMEDIATE EFFECT FROM SHORT- AND LONG-TERM EXPOSURE:

Not determined.

INTERNATIONAL AGENCY FOR REACH ON CANCER LISTING:

Not listed.

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Algae – Contains no ingredient(s) considered toxic.
Fish – Contains no ingredient(s) considered toxic.
Crustacea – Contains no ingredient(s) considered toxic.

MOBILITY IN SOIL:

Not determined.

PERSISTENCE AND DEGRADABILITY:

Not determined.

BIOACCUMULATIVE POTENTIAL:

Not determined.

OTHER ADVERSE EFFECTS:

None known.

SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL OF EMPTY CONTAINERS:

Please recycle container with a licensed recycling company.

DISPOSAL OF FULL OR PARTIALLY FULL CONTAINERS:

Dispose in accordance with all local regulations. Contact a licensed waste management company for questions on disposal procedures.

Pan-Kote Heavy Duty Drain Pan Patch

SECTION 14. TRANSPORT INFORMATION

HAZARD PLACARD:

UN NUMBER: UN1950
LTD QTY: <1 LUN PROPER SHIPPING NAME: Aerosol.
HAZARD CLASS: 2.1 Flammable Gas.
PACKAGING GROUP:
ENVIRONMENTAL HAZARD: No.
TRANSPORT IN BULK: Not determined.
SPECIAL PRECAUTIONS: Do not ship with excessive weight on top. Keep in original containers.

SECTION 15. REGULATORY INFORMATION

SARA:

311 – No applicable ingredient(s).
312 – No applicable ingredient(s).
313 – No applicable ingredient(s).

TSCA INVENTORY LIST:

Each ingredient is on the TSCA inventory list as ACTIVE.

HMIS®III: (higher numbers indicate higher risk)

Health, 3
Flammability, 4
Physical Hazard, 2

RIGHT-TO-KNOW:

Sodium metasilicate, potassium carbonate.

CALIFORNIA:

Prop 65: Toluene

WARNING: This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
ARB Designation: Not determined.
VOC Limit: Not determined.

NFPA®: (higher numbers indicate higher risk)

Health, 3
Flammability, 3
Instability, 0

SECTION 16. OTHER INFORMATION

REVISION: 2

REVISION DATE: March 14, 2021

REVISION PURPOSE:

Revision based on the new data in relation to formula.

GENERAL DISCLAIMER:

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publications of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

Pan-Kote Heavy Duty Drain Pan Patch