# **Two-Piece Round Front Toilet**



### **Product Features**

- · 1.1/1.6 GPF Dual Flush
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- $\cdot\,$  15" Round Front Bowl
- $\cdot$  Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 6" x 5-1/2"
- · Side Mounted Color Match Trip Lever (Push Button Available)
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation

#### **Optional Accessories/Available Parts**

PF9312FLPKFill Valve AssemblyPF9312FVPKFlush Valve AssemblyPF9312PFVPKFlush Valve Assembly for Push Button Tank

### **Codes and Certifications**



- · IAPMO/cUPC
- $\cdot\,$  EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g




Available Colors: White (WH)

Tank	
PF9312WH	12" Rough-in Tank
PF9312PWH	12" Rough-in Push Button Tank
Bowl	
PF1400TWH	Round Front Bowl - 15"




# **Two-Piece Round Front Toilet**





**Bowl Footprint Dimensions** 



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

# **Two-Piece Elongated Toilet**



### **Product Features**

- · 1.1/1.6 GPF Dual Flush
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- · 15" Elongated Bowl
- · Rough-in: 12"
- $\cdot\,$  Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Side Mounted Color Match Trip Lever (Push Button Available)
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation

#### **Optional Accessories/Available Parts**

PF9312FLPKFill Valve AssemblyPF9312FVPKFlush Valve AssemblyPF9312PFVPKFlush Valve Assembly for Push Button Tank

### **Codes and Certifications**



- · IAPMO/cUPC
- $\cdot\,$  EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g




#### Available Colors: White (WH)

Tank	
PF9312WH	12" Rough-in Tank
PF9312PWH	12" Rough-in Push Button Tank
Bowl	
PF1401TWH	Elongated Bowl - 15"




# **Two-Piece Elongated Toilet**





**Bowl Footprint Dimensions** 



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

# **Two-Piece Elongated Toilet**



### **Product Features**

- · 1.1/1.6 GPF Dual Flush
- · Gravity-fed Siphon Jet Flush
- $\cdot$  Vitreous China
- · 16-1/4" Elongated Bowl
- · Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Side Mounted Color Match Trip Lever (Push Button Available)
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation

#### **Optional Accessories/Available Parts**

PF9312FLPKFill Valve AssemblyPF9312FVPKFlush Valve AssemblyPF9312PFVPKFlush Valve Assembly for Push Button Tank

#### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA guidelines




Available Colors: White (WH)

Tank	
PF9312WH	12" Rough-in Tank
PF9312PWH	12" Rough-in Push Button Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl - 16-1/4"




# **Two-Piece Elongated Toilet**





**Bowl Footprint Dimensions** 



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

# **Two-Piece Elongated Toilet**



### **Product Features**

- · 1.1/1.6 GPF Dual Flush
- · Gravity-fed Siphon Jet Flush
- $\cdot\,$  Vitreous China
- $\cdot\,$  17" Elongated ADA Bowl
- $\cdot$  Rough-in: 12"
- · Flush Valve: 2"
- · Trapway: 2" Fully Glazed
- · Water Spot: 7" x 6"
- · Side Mounted Color Match Trip Lever (Push Button Available)
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation

#### **Optional Accessories/Available Parts**

PF9312FLPKFill Valve AssemblyPF9312FVPKFlush Valve AssemblyPF9312PFVPKFlush Valve Assembly for Push Button Tank

#### **Codes and Certifications**



- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CAS B45.1
- · MaP Rated 1000g
- $\cdot\,$  Meets ADA guidelines




Available Colors: White (WH)

Tank	
PF9312WH	12" Rough-in Tank
PF9312PWH	12" Rough-in Push Button Tank
Bowl	
PF1403TWH	Elongated ADA Bowl - 17"




# **Two-Piece Elongated Toilet**





Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.