

A detailed close-up of a Viega MegaPress G Valve. The valve is primarily silver-colored metal with a central brown textured section. A yellow-handled lever is attached to the side, featuring a triangle icon and the word "Open". The word "Viega" is embossed on the upper and lower cylindrical sections of the valve. In the background, other valve components are visible but out of focus.

**Viega Product Guide**

**Catalog 2023**

**SAFE, CONSISTENT  
CONNECTIONS**

With Viega MegaPress® G Valves

**viega**

# Shaping the future of press technology

## Engineered for you

Viega pioneered press technology in North America in 1999 with Viega ProPress. Still more than 20 years later, Viega press technology makes consistent, secure connections possible on copper, stainless, carbon steel, copper-nickel and PEX. Our press technology is offered across multiple materials. Viega press systems also offer proven security through innovations like Viega Smart Connect® technology, which is only available on genuine Viega press fittings. Installers can trust Viega connections and finish a job without worrying, because Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections.

## Integrated system solutions

Viega offers products including copper, stainless steel, carbon steel and copper-nickel press fittings and valves, along with a complete PEX plumbing system including water-distribution manifolds, tubing and press fittings. Our primary press solutions for metals are Viega ProPress and Viega MegaPress. Manufactured with different sealing elements, our fittings are for plumbing, mechanical and gas applications. The Viega PureFlow System is a complete PEX plumbing system that works seamlessly for potable water installations. System-matched tools and jaws make it simple and easy to install the full line of Viega press technology for several applications on the same project.

## Energy-efficient heating and cooling

Radiant systems have been around since 10,000 B.C., but Viega has made them more efficient and reliable, as well as easier to install. With options suitable for any commercial or residential application, Viega radiant solutions are perfect for new construction, remodel, and snow melt.

## Viega. Connected in quality.

The term Viega as used in this publication does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC.





# A LEGACY OF DEDICATION

*It doesn't have to stay a small business to remain a family business.*

Scan with phone  
to watch the  
full video here:



“The innovative material that Viega has is state-of-the-art...this equipment is not dumbing down the industry, this is advancing the industry.”

– Mike Caruso, A.C. Plumbing, Cleveland, OH

AC Plumbing  
Heating & Mechanical

Family owned since 1899.

**viega**



**viega**  
ProPress®



SCAN  
WITH PHONE  
TO LISTEN



*...how do you make guys  
lives easier, well get the right  
equipment. And if we can do  
that by using Viega ProPress  
...then we're all about that.*

– Mike Caruso, A.C. Plumbing



Scan with phone to  
watch the full video here:



## A LEGACY OF DEDICATION

AC Plumbing family-first approach to business and their commitment to being the best in the field. See how Viega products help them stay ahead of the competition and keep their clients happy.





Connected in quality.

# MEGAPRESS® BALL VALVE

NOW AVAILABLE

— COMPLETE THE SYSTEM  
WITH NEW VIEGA® BALL VALVES

Features **Smart Connect®** technology which helps installers easily identify unpressed connections. Smart Connect is built directly into each press fitting and helps identify any unpressed connections during system pressure tests.



## THE LATEST ADDITION TO THE MEGAPRESS SYSTEM IDEAL FOR COMMERCIAL AND INDUSTRIAL APPLICATIONS



### MEGAPRESS® BALL VALVE

SEALING ELEMENTS: EPDM  
MATERIAL: CARBON STEEL  
OPERATING TEMPERATURE: 0°F to 250°F  
PRESSURE: 250PSI  
SIZE: ½" – 2"

The MegaPress ball valve is a full port valve which features a carbon steel body, stainless steel ball and a lockable handle. Plus its double-stem seal makes it versatile for a wide range of applications.



### MEGAPRESS® FKM BALL VALVE

SEALING ELEMENTS: FKM  
MATERIAL: CARBON STEEL  
OPERATING TEMPERATURE: 14°F to 284°F  
PRESSURE: 250PSI  
SIZE: ½" – 2"

This full port ball valve has the same carbon steel body, double-stem seal, stainless steel ball and lockable handle, yet features an FKM sealing element which is designed for use in higher-temperature applications.



### MEGAPRESS® 316 BALL VALVE

SEALING ELEMENTS: EPDM  
MATERIAL: 316 STAINLESS STEEL  
OPERATING TEMPERATURE: 0°F to 250°F  
PRESSURE: 250PSI  
SIZE: ½" – 2"

The 316 full port ball valve works in a variety of harsh environments, including cleaning agents, acid and potable water. This valve is made of a 316 stainless steel body featuring a double-stem seal, a stainless steel ball, and a lockable handle.



### MEGAPRESS® 304 FKM BALL VALVE

SEALING ELEMENTS: FKM  
MATERIAL: 304 STAINLESS STEEL  
OPERATING TEMPERATURE: 14°F to 284°F  
PRESSURE: 250PSI  
SIZE: ½" – 2"

The 304 full port ball valve features a 304 stainless steel body, double-stem seal, stainless steel ball and lockable handle. The combination of the 304 stainless steel and the FKM sealing element makes this option ideal for harsh environments that require higher operating temperatures.

Viega MegaPress valve accessories are now available and are interchangeable across multiple valve product lines. With a wide range of options available, you're sure to find the accessory right for your job. Whether you need a handle, stem extension, or something else entirely, Viega has you covered. **Contact your local Viega sales rep to learn more.**

This document is subject to updates. For the most current Viega literature please visit [www.viega.us](http://www.viega.us) The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC. Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty. ©2022, Viega®, MegaPress®, ProPress®, Smart Connect®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG.

01966\_EN\_1222

#### Viega LLC

585 Interlocken Blvd.  
Broomfield, CO 80021  
USA

Phone (800) 976-9819

[viega.us](http://viega.us)



**SCAN**  
WITH PHONE  
TO LEARN MORE






Connected in quality.

# MEGAPRESS<sup>®</sup> 316 CHECK VALVE

NOW AVAILABLE

**— REDUCE DOWNTIME**  
WITH VIEGA<sup>®</sup> PRESS TECHNOLOGY



# MEGAPRESS® 316 CHECK VALVE

## STAINLESS STEEL PRESS FITTINGS

Viega MegaPress 316 spring check valve is the latest addition to the MegaPress 316 system. The check valve helps create directional flow of fluid in one direction while preventing fluid from flowing back. MegaPress 316 check valve is ideal for industrial applications, including potable water, rainwater, chilled and hydronic water.

- Save up to 30-60% on install time compared to traditional methods
- MegaPress jaws work with both fittings and valves
- No flame or fire watch
- Vital in safety systems
- Check valve insert made of POM, stainless steel spring, and EPDM sealing element

SEALING ELEMENT: EPDM  
OPERATING TEMPERATURE: 0°F to 250°F  
PRESSURE: 250PSI  
SIZE: ½" – 2"



■ **Smart Connect® technology** is built directly into each valve and press fitting, which helps identify unpressed connections during system pressure tests.

Viega ProPress and MegaPress systems are approved for over 2,500 standard and non-standard applications. Visit [viega.us/megapress](http://viega.us/megapress) for more information.

**2,500+** APPLICATIONS

This document is subject to updates. For the most current Viega literature please visit [www.viega.us](http://www.viega.us). The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC. Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty. ©2022, Viega®, MegaPress®, ProPress®, Smart Connect®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG.


01967\_EN\_1222

### Viega LLC

585 Interlocken Blvd.  
Broomfield, CO 80021  
USA

Phone (800) 976-9819

[viega.us](http://viega.us)



**SCAN**  
WITH PHONE  
TO LEARN MORE





Connected in quality.

# PROPRESS® 316 ECO TUBING

NOW AVAILABLE

**AN ALTERNATIVE  
SYSTEM**  
FOR COMMERCIAL POTABLE




# PROPRESS® 316 ECO TUBING

## (CTS) STAINLESS STEEL TUBING

Designed for Copper Tube Size (CTS), Viega ProPress 316 stainless steel is engineered for commercial potable systems where the piping systems may come into contact with corrosive cleaning liquids. Viega ProPress 316 ECO Tubing is stainless steel, compatible with ProPress 316 fittings and is a great option for potable water, air, acidic, and cleaning solution applications while being light and easy to work with.

- Ideal for potable applications
- ProPress jaws work for copper and stainless installs
- No flame or fire watch when paired with Viega press fittings
- Stainless steel tube option in copper tube size
- A competitive option for larger (CTS) systems

MATERIAL: 316 STAINLESS STEEL TUBE (CTS)  
OPERATING TEMPERATURE: 0°F to 250°F  
PRESSURE: 200PSI  
SIZE: ½" – 4"



Viega ProPress and MegaPress systems are approved for over 2,500 standard and non-standard applications. Visit [viega.us/propress](http://viega.us/propress) for more information.

**2,500+** APPLICATIONS

This document is subject to updates. For the most current Viega literature please visit [www.viega.us](http://www.viega.us). The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC. Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty. ©2022, Viega®, MegaPress®, ProPress®, Smart Connect®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG.

01968\_EN\_1222

### Viega LLC

585 Interlocken Blvd.  
Broomfield, CO 80021  
USA

Phone (800) 976-9819

[viega.us](http://viega.us)



**SCAN**  
WITH PHONE  
TO LEARN MORE





Connected in quality.

# PROPRESS® MANUAL BALANCING VALVE

NOW AVAILABLE

**ELIMINATE HOT WORK**  
WITH VIEGA® PRESS TECHNOLOGY



**viega**

# PROPRESS® BALANCING VALVE

## MANUAL BALANCING FOR POTABLE WATER

Viega ProPress Manual Balancing Valve features an adjustable handle with an integral scale visible on the side used to increase or decrease the flow rate. The two pressure-test ports are used to measure the differential pressure across the seat of the valve, which can be used to calculate the flow rate. The ProPress Balancing Valve is suitable for commercial applications, including potable and hydronic systems.

SEALING ELEMENT: EPDM  
OPERATING TEMPERATURE: 0°F to 250°F  
PRESSURE: 250PSI  
SIZE: ½" - 2" (drain valve ¼")

- ProPress jaws work for both fittings and valves
- No flame or fire watch
- Hand wheel with integrated scale
- P/T ports
- Shutoff feature with memory stop



■ **Smart Connect® technology** is built directly into each valve and press fitting, which helps identify unpressed connections during system pressure tests.

Viega ProPress and MegaPress systems are approved for over 2,500 standard and non-standard applications. Visit [viega.us/propress](http://viega.us/propress) for more information.

**2,500+** APPLICATIONS

This document is subject to updates. For the most current Viega literature please visit [www.viega.us](http://www.viega.us). The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC. Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty. ©2022, Viega®, MegaPress®, ProPress®, Smart Connect®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG.


01969\_EN\_1222

### Viega LLC

585 Interlocken Blvd.  
Broomfield, CO 80021  
USA

Phone (800) 976-9819

[viega.us](http://viega.us)



**SCAN**  
WITH PHONE  
TO LEARN MORE

**viega**



viega

**NEW**

# MEGAPRESS® VALVES

2½ - 4" NOW AVAILABLE



**SCAN**  
WITH PHONE  
TO LEARN MORE

## COMPLETE THE SYSTEM WITH VIEGA® VALVES



New

### Viega MegaPressG ball valve

#### Smart Connect Technology

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel
- Press connection

#### Components

HNBR sealing elements, lockable metal handle  
**Model 6675XL**

P1	P2	Quantity	Part No	DG
2½	2½	1	<b>86840</b>	12
3	3	1	<b>86845</b>	12
4	4	1	<b>86850</b>	12



New

### Viega MegaPress FKM ball valve

#### Smart Connect Technology

- Carbon steel
- Press connection
- Full port

#### Components

FKM sealing elements, lockable metal handle  
**Model 5970XL**

P1	P2	Quantity	Part No	DG
2½	2½	1	<b>86790</b>	12
3	3	1	<b>86795</b>	12
4	4	1	<b>86800</b>	12



New

### Viega MegaPress 316 ball valve

#### Smart Connect Technology

#### Zero Lead

- Stainless steel 316
- Press connection
- Full port

#### Components

EPDM sealing elements, lockable metal handle, stainless steel ball and stem  
**Model 5170XL**

P1	P2	Quantity	Part No	DG
2½	2½	1	<b>86805</b>	12
3	3	1	<b>86810</b>	12
4	4	1	<b>86815</b>	12



New

### Viega MegaPress 304 ball valve

#### Smart Connect Technology

- 304 stainless steel
- Press connection
- Full port

#### Components

Lockable metal handle, stainless steel ball and stem, FKM sealing elements  
**Model 4170XL**

P1	P2	Quantity	Part No	DG
2½	2½	1	<b>86820</b>	12
3	3	1	<b>86825</b>	12
4	4	1	<b>86830</b>	12



viega.us/valves

*These model numbers are not found within the printed 2023 Viega Product Catalog but can be located online. Please contact your local Viega representative for more information.*

Registered Trademark:



### **Superior Performance with Viega System Solutions**

Viega introduced press technology to North America in 1999 with Viega ProPress. Now more than 20 years later, Viega press technology has made consistent, secure connections possible on copper, stainless, carbon steel, copper nickel and PEX. Viega press systems also offer security through innovations like Viega Smart Connect technology, which is available on many genuine Viega press fittings. Installers can trust a Viega connection and finish a job without worrying, because Viega Smart Connect technology helps installers easily identify unpressed connections during system pressure tests.

Company Information: Viega LLC

Phone: (800) 976-9819

Locations: Corporate Headquarters and Colorado Seminar Center  
Manufacturing and Distribution Center  
Northeast Distribution Center  
West Distribution Center  
New Hampshire Seminar Center

Broomfield, Colorado  
McPherson, Kansas  
Harrisburg, Pennsylvania  
Reno, Nevada  
Nashua, New Hampshire

Websites: [www.viega.us](http://www.viega.us)  
[www.viega.ca](http://www.viega.ca)

Standard terms and conditions in this catalog are those in effect on the date of publication of the catalog. Complete installation information and technical specifications are available on [viega.us](http://viega.us). Viega reserves the right to adjust prices, change its product offering and change standard terms and conditions. To obtain current information, go to [viega.us](http://viega.us).













Table of Contents

**viega**

<b>New</b>	New products from Viega	pg. 9		<b>New</b>
<b>Viega ProPress</b>	Copper press fitting system for a wide variety of applications, including potable water	pg. 17		<b>1.1</b>
<b>Viega ProPress 316</b>	316 stainless steel press CTS fittings for a wide variety of applications, including corrosive chemicals, and potable water	pg. 33		<b>1.2</b>
<b>Viega SeaPress</b>	Copper-nickel press fitting system specifically for marine market, for use in a variety of applications from potable water to fuel to fire sprinkler	pg. 45		<b>1.3</b>
<b>Viega MegaPress</b>	Carbon steel press fitting system for a wide variety of applications, including water, excluding gas	pg. 53		<b>2.1</b>
<b>Viega MegaPressG</b>	Carbon steel press fitting system for gas applications	pg. 61		<b>2.2</b>
<b>Viega MegaPress FKM</b>	Carbon steel press fittings with an FKM sealing element, now in more sizes, for a variety of applications	pg. 71		<b>2.3</b>
<b>Viega MegaPress 304 FKM</b>	304 stainless steel press IPS fittings for a wide variety of commercial and industrial applications	pg. 81		<b>2.4</b>
<b>Viega MegaPress 316</b>	316 stainless steel press IPS fittings for a wide variety of applications, including potable water	pg. 89		<b>2.5</b>
<b>Viega MegaPress 316 FKM</b>	316 stainless steel press IPS fittings with an FKM sealing element for a wide variety of applications	pg. 99		<b>2.6</b>





<b>Viega MegaPress CuNi</b>	Copper-nickel fittings for use in marine applications	pg. 109		<b>2.7</b>
<b>Viega PureFlow Press</b>	Complete plumbing systems for residential and commercial applications	pg. 119		<b>3.1</b>
<b>Viega PureFlow Crimp</b>	Complete plumbing systems for residential applications	pg. 137		<b>3.2</b>
<b>Viega ManaBloc</b>	The Viega ManaBloc is an entire water distribution system, allowing control over each supply line from one central location	pg. 151		<b>3.3</b>
<b>Viega Heating and Cooling Solutions</b>	Complete heating and cooling systems for residential, commercial and industrial applications	pg. 159		<b>4.1</b>
<b>Viega Valves</b>	Variety of choices to use with ProPress, MegaPress or PureFlow systems	pg. 187		<b>5.1</b>
<b>Tools</b>	Battery-powered hand tools, press jaws and rings, to securely press Viega fittings	pg. 205		<b>6.1</b>
<b>Index – Model</b>	Search for products by model number	pg. 221		<b>MODEL NO.</b>
<b>Index – Part</b>	Search for products by part number	pg. 224		<b>PART NO.</b>



## Legend

Abbreviation	Definition
AFM	Asbestos-Free Gasket Material
BA	Insulated Hydronic Mixing Equipment Outlet Connection
BP	Bolt Pattern
BPd	Bolt Pattern Diameter
BSP	British Standard Pipe
BW (IPS)	Butt Weld (Iron Pipe Size)
C	Female Copper Tube Size
Closet	Closet Connection
Comp	Compression
Crimp	PEX Crimp Connection
CTS	Copper Tube Size
D	Depth
d	Diameter
d1	Diameter 1
d2	Diameter 2
d3	Diameter 3
DG	Discount Group
EPDM	Ethylene Propylene Diene Monomer
EVOH	Ethylene Vinyl Alcohol
F BSP	Female Union BSP
FKM	Fluorocarbon elastomer
FNT	Female Nominal Thread
FPT	Female Pipe Thread
FTG	Street
Flare	Flare Connection
G (IPS)	Groove (Iron Pipe Size)
gpm	Gallons Per Minute
H	Height
HDPE	High Density Polyethylene
HNBR	Hydrogenated Nitrile Butadiene Rubber
Hose	Hose Connection
IPS	Iron Pipe Size
L	Length

Abbreviation	Definition
Lav	Lav Connection
Lbs	Pounds
LDPE	Low Density Polyethylene
MNT	Male Nominal Thread
MPT	Male Pipe Thread
NPT	National Pipe Thread for Imperial Connections
OC	On Center
OD	Outside Diameter
P	Press Connection
P1	Press Connection 1
P2	Press Connection 2
P3	Press Connection 3
PB	Polybutylene Connection
pc	Piece
PE	Polyethylene Connection
PEX	Cross-linked Polyethylene
PFC	ProGeo Female Connection
PP	Polypropylene
PTFE	Polytetrafluoroethylene
Part No	Part Number
R	British Standard External Thread (tapered)
SMA	Stainless Manifold Connection
SVC	Standard Viega Connection
Rp	British Standard Internal Thread (straight)
s	Wall thickness
Stub	Connection end that is the same size as pipe OD; similar to a street fitting
Supply	Viega ManaBloc Supply Connection
Swivel	Fitting connection that attaches with a nut that has an integral flat gasket to make a seal
V	Volt
W	Width
Wt	Weight
WC	Water Closet

## How to Read Dimensions of a Fitting or a Product




Viega ProPress tee  
Smart Connect feature  
- For use with ASTM B88 tubing  
- Copper  
- Press connection  
Components

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.202	10	77377	8
1/2	1/2	3/4	0.287	10	77382	8
1/2	1/2	1	0.320	5	15493	8
3/4	1/2	1/2	0.278	10	77392	8
3/4	1/2	3/4	0.326	5	77397	8




Viega ProPress vent elbow  
Smart Connect feature, Zero Lead  
- For use with ASTM B88 tubing  
- Bronze  
- Press connection, female pipe thread

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/8	0.154	2	79635	8
3/4	3/4	1/8	0.234	2	79640	8




Viega PEX Press wall tee  
Smart Connect feature, Zero Lead  
- Polymer  
- Female pipe thread, press connection  
Note  
For use with black ViegaPEX Ultra only.

FPT1	FPT2	P	Wt [lb]	Quantity	Part No	DG
1/2	1/2	3/4	0.309	5	49100	6
1/2	1/2	1	0.366	5	49110	6




Viega PEX Press manifold  
Smart Connect feature  
- Only use with lock clip Part No 58075  
- Polymer  
- Press connection  
- Flow through

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2	3/4	3/4	1/2	0.202	10	49152	6
3	3/4	3/4	1/2	0.255	10	49153	6
4	3/4	3/4	1/2	0.318	10	49054	6
4	1	3/4	1/2	0.330	10	49254	6
6	1	1	1/2	0.455	10	49256	6



Viega PEX Press 90° tub elbow  
- Brazed copper  
- Press connection, street  
Model 2820.0ZL

P	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	3	6	0.245	25	92221	6



Viega ManaBloc distribution manifold  
Smart Connect feature  
- Press connection  
- Color-coded ports for hot and cold water  
Components  
1/4 turn valves, T-handle valve key  
Note  
Does not include supply connections

**d = Diameter of tubing**

**Hot Water Ports**  
↓  
**Cold Water Ports**  
↓

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
polymer	14	3/8	6	8	5.121	1	49142	2



Manifold cabinet  
- Suitable for manifold Model 2804, 2879  
- Galvanized steel, epoxy powder-coated finish  
Model 2879.6US

W [in]	H [in]	D [in]	Wt [lb]	Quantity	Part No	DG
21	30	4 1/2	29.492	1	15800	4
27	30	4 1/2	29.992	1	15801	4
45	30	4 1/2	45.987	1	15802	4

Continued on next page



## How to Read Dimensions of a Fitting or a Product, continued



SeaPress tee  
 - CuNi 90:10  
 - Press connection  
Components  
 EPDM sealing elements

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
15	15	15	0.178	10	453 473	7
22	22	22	0.347	10	453 480	7
28	28	28	0.422	4	453 497	7
35	35	35	0.590	4	453 503	7

Applies to SeaPress only.



SeaPress tee  
 - CuNi 90:10  
 - Press connection, male pipe thread

P1	NPT	P2	Wt [lb]	Quantity	Part No	DG
35	¾	35	0.410	1	461 072	7
42	¾	42	0.847	1	461 089	7
54	¾	54	1.144	1	461 096	7

Applies to SeaPress only.



SeaPress tee  
 - CuNi 90:10  
 - Press connection, Rp-thread  
Components  
 EPDM sealing elements

P1	Rp	P2	Wt [lb]	Quantity	Part No	DG
35	¾	35	0.544	1	453 749	7
42	¾	42	0.820	1	453 756	7
54	¾	54	0.998	1	453 763	7

Applies to SeaPress only.



Viega MegaPress press-in branch connector  
 - For use with Sch.10 carbon steel pipe only  
 - Carbon steel  
 - Press connection, female pipe thread  
Components  
 EPDM sealing element  
 Model 4812.2

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.454	1	26800	12
2	¾	0.452	1	26805	12
2½	¾	0.458	1	26810	12
3	¾	0.452	1	26815	12
4	¾	0.445	1	26820	12
6	¾	0.441	1	26825	12





## New products from Viega

We know that staying connected with our customers and listening to their needs helps us lead the way in the industry. Every day we use innovative solutions to create products that change the way engineers and contractors do business. It's our job to engineer forward-thinking products. That is one of our commitments to the trades: understanding what is needed for the future. Industry connection and product innovation are as important today as they were for our founders more than 120 years ago. That's why Viega remains the global leader in residential, commercial and industrial press-fitting technology. We continually bring new products to market.

### **PROGRESS 316**

Viega now offers a NSF-rated ProPress 316 tubing solution to complement its ProPress 316 fitting line. This new tubing allows for the complete ProPress 316 CTS solution to be used in potable water applications in both commercial and industrial settings.

### **PUREFLOW**

A new ProPress x Crimp adapter has been added to help transition between Viega's copper and PEX crimp systems. Additionally, a few PEX products have received enhanced size offerings to help round out the portfolio.

### **MANABLOCS**

New ManaBloc models are available. These ManaBlocs will be sold with no supply connections or outlet connections. At the same time that we are reducing the number of parts on the shelf, we are increasing customizability. Customers will now be free to mix and match the outlet and supply connections they need. A new standard configuration also includes 4 hard water ports to reduce waste of conditioned water in non-potable uses.

### **VALVES**

Viega is going the way of continuously expanding the range of valves with press technology, accessories and spare parts. We now offer MegaPress ball valves in a 2-piece design with various materials and sealing elements from ½ to 2 inches, a MegaPress 316 inline spring check valve and a manual balancing valve for both the potable and non-potable water application. Interchangeable, lockable stem extensions that come in brass and stainless steel and a variety of handle options help to complete the portfolio.

### **TOOLS**

Viega is expanding our tool offering with the new Viega Pressgun 6 and Pressgun Picco 6 tool kits that include ProPress, MegaPress or PureFlow. Press jaws and rings in a soft-sided tool case. Both tools feature a rotatable press head and are ergonomically designed to allow for easy handling.

**Index**

1.1 ProPress, 3.2 PureFlow Crimp	12
1.2 ProPress 316	12
5.1 Valves	12
6.1 Tools	15

## 1.1 ProPress, 3.2 PureFlow Crimp



New

### Viega PureFlow Crimp transition coupling Smart Connect Technology Zero Lead

- For transitioning between Viega PureFlow Crimp and Viega ProPress
- Bronze
- Crimp connection, press connection

#### Components

EPDM sealing element


#### Note

PureFlow Crimp and ProPress tool and press jaws required

**Model 5013PZL**

Crimp	P	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.064	1	<b>44350</b>	5
1/2	3/4	0.102	1	<b>44355</b>	5
3/4	1/2	0.071	1	<b>44360</b>	5
3/4	3/4	0.100	1	<b>44365</b>	5
1	1	0.150	1	<b>44370</b>	5

## 1.2 ProPress 316



New

### Viega ProPress ECO tubing

- For use with Viega ProPress stainless fittings, potable water installations
- Stainless steel 316

#### Note

All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A778

**Model 4008**

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	20	5.301	1	<b>82150</b>	9
3/4	20	9.001	1	<b>82155</b>	9
1	20	11.722	1	<b>82160</b>	9
1 1/4	20	17.923	1	<b>82165</b>	9
1 1/2	20	21.283	1	<b>82170</b>	9
2	20	28.084	1	<b>82175</b>	9



New

### Viega ProPress ECO tubing

- For use with Viega ProPress stainless fittings, potable water installations
- Stainless steel 316

#### Note

All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A778

**Model 4008XL**

d	L [ft]	Wt [lb]	Quantity	Part No	DG
2 1/2	20	46.127	1	<b>82180</b>	9
3	20	51.608	1	<b>82185</b>	9
4	20	68.550	1	<b>82190</b>	9

## 5.1 Valves



New

### Viega MegaPress ball valve

#### Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for fuel gas application
- Carbon steel

#### Components

Stainless steel ball, EPDM sealing elements, lockable metal handle

**Model 4870**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.807	1	<b>28915</b>	12
3/4	1.115	1	<b>28920</b>	12
1	1.750	1	<b>28925</b>	12
1 1/4	2.759	1	<b>28930</b>	12
1 1/2	3.778	1	<b>28935</b>	12
2	5.847	1	<b>28940</b>	12



New

### Viega MegaPress FKM ball valve

#### Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Not suitable for fuel gas application
- Carbon steel

#### Components

Stainless steel ball, FKM sealing elements, lockable metal handle

**Model 5970**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.818	1	<b>28945</b>	12
3/4	1.109	1	<b>28950</b>	12
1	1.757	1	<b>28955</b>	12
1 1/4	2.777	1	<b>28960</b>	12
1 1/2	3.795	1	<b>28965</b>	12
2	5.863	1	<b>28970</b>	12





New

**Viega MegaPress 304 FKM ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Not suitable for fuel gas application  
 - 316 stainless steel valve/304 stainless steel press ends  
**Components**  
 FKM sealing elements, stainless steel ball, 304 locking handle  
**Model 4170**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.760	1	29005	12
3/4	1.031	1	29010	12
1	1.730	1	29015	12
1 1/4	2.729	1	29020	12
1 1/2	3.621	1	29025	12
2	5.532	1	29030	12



New

**Viega MegaPress 316 ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Not suitable for fuel gas application  
 - 316 stainless steel  
**Components**  
 EPDM sealing elements, 304 locking handle  
**Model 5170**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.774	1	28975	12
3/4	1.031	1	28980	12
1	1.730	1	28985	12
1 1/4	2.729	1	28990	12
1 1/2	3.626	1	28995	12
2	5.554	1	29000	12



New

**Viega MegaPress 316 check valve**  
**Smart Connect Technology**  
 - Stainless steel 316  
 - Press connection  
 - Inline  
**Components**  
 EPDM sealing elements  
**Model 5174**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.441	1	29050	14
3/4	3/4	0.615	1	29055	14
1	1	1.117	1	29060	14
1 1/4	1 1/4	1.798	1	29065	14
1 1/2	1 1/2	2.103	1	29070	14
2	2	3.399	1	29075	14



New

**Viega ProPress manual balancing valve**  
**Smart Connect Technology**  
 - Brass  
**Components**  
 Balancing valve, EPDM sealing elements, pressure/temperature test port  
**Model 2980ZL**

P1	P2	Valve Size (CTS)	Flow Range (GPM)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2- U- Type	0.27 - 0.71	1.378	1	82100	8
1/2	1/2	1/2- L- Type	0.49 - 1.17	1.378	1	82105	8
1/2	1/2	1/2	0.98 - 2.35	1.378	1	82110	8
3/4	3/4	3/4	2.19 - 5.15	1.620	1	82115	8
1	1	1	4.09 - 9.56	2.011	1	82120	8
1 1/4	1 1/4	1 1/4	8.56 - 19.81	3.263	1	82125	8
1 1/2	1 1/2	1 1/2	12.84 - 29.8	4.123	1	82130	8
2	2	2	24.09 - 55.63	5.915	1	82135	8

Flow Range (GPM) = GPM = Gallons per minute



New

**Viega ProPress drain valve**  
 - For potable water installations  
 - Suitable for Viega ProPress manual balancing valve Model 2980ZL  
 - Brass  
 - Pressure/temperature test port  
**Model 2980.1ZL**

MPT	Wt [lb]	Quantity	Part No	DG
1/4	0.342	1	82140	8



New

**Viega replacement handle**

- For Viega ProPress Zero Lead ball valves, Viega MegaPress ball valves and for Viega MegaPressG ball valves
- Suitable for Viega PureFlow Press ball valve Model 2870ZL, Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970
- 304 stainless steel

**Model 4070.8**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.121	1	<b>22425</b>	8
1, 1¼	0.183	1	<b>22430</b>	8
1½, 2	0.220	1	<b>22435</b>	8



New

**Viega ProPress wing style handle**

- For valve top
- Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- Stainless steel

**Model 2971.26**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.117	1	<b>22400</b>	8
1, 1¼	0.165	1	<b>22405</b>	8
1½, 2	0.225	1	<b>22410</b>	8



New

**Viega thermal insulated handle**

- For valve top
- Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970
- POM

**Model 2971.46**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.176	1	<b>23530</b>	8
1, 1¼	0.243	1	<b>23535</b>	8
1½, 2	0.309	1	<b>23540</b>	8




New

**Viega ProPress insulated handle replacement cap**

- Spare part for Viega thermal insulated handle Model 2971.46
- POM

**Model 2971.47**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	0.009	1	<b>22415</b>	8
1¼, 1½, 2	0.011	1	<b>22420</b>	8



New

**Viega lockable stem extension**

- For valve top
- Suitable for Viega ProPress ball valve Model 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- Brass

Note

Suitable for model 2971.1ZL, lockable function only in conjunction with model 2971.8.

**Model 2971.66**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.132	1	<b>23500</b>	8
1, 1¼	0.192	1	<b>23505</b>	8
1½, 2	0.247	1	<b>23510</b>	8



New

**Viega ProPress lockable stem extension**

- Suitable for Viega ProPress ball valve Model 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- 304 stainless steel

Note

Suitable for model 2971.1ZL, lockable function only in conjunction with model 2971.8 and 4070.8.

**Model 4070.96**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.183	1	<b>23515</b>	8
1, 1¼	0.262	1	<b>23520</b>	8
1½, 2	0.340	1	<b>23525</b>	8



New

**Viega MegaPress XL lockable stem extension**

- For valve top
- Suitable for Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8XL, Viega MegaPress 316 3-piece ball valve Model 5175.8XL, Viega MegaPress FKM 3-piece ball valve Model 5975.8XL
- Stainless steel 316

**Model 5970.9XL**

Valve Size	Wt [lb]	Quantity	Part No	DG
3	1.228	1	<b>86836</b>	16
4	1.596	1	<b>86837</b>	16
2½	1.775	1	<b>86835</b>	16

**6.1 Tools**



**Pressgun Picco 6 Compact press tool kit**

- For Viega ProPress connections ½" to 1", Viega PureFlow Press connections ½" to 1"

Components

Battery, battery charger, branded soft-sided case, press jaws, Pressgun Picco 6, hard case

**Model 2880.41**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	½, ¾, 1	24.910	1	<b>56375</b>	16
Viega PureFlow Press	½, ¾, 1	25.727	1	<b>56370</b>	16





**Pressgun 6 Standard Press Tool Kit**

- For Viega ProPress Connections 1/2" to 2", Viega MegaPress connections 1/2" to 2", Viega MegaPress connections 1/2", 3/4", 1"

**Components**

Battery, battery charger, branded soft-sided case, hard case, press jaws, press rings, actuator, Pressgun 6  
**Model 2880.42**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2-2	54.012	1	<b>56380</b>	16
Viega MegaPress	1/2, 3/4, 1	36.597	1	<b>56385</b>	16
Viega MegaPress	1/2-2	62.290	1	<b>56390<sup>1</sup></b>	16

<sup>1</sup>) includes actuator and MegaPress Press Rings for 1 1/4, 1 1/2, 2



**Ridgid RP 350 Standard press tool kit**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

**Components**

Hard case, Ridgid RP 350 tool, MegaPress press jaw sizes 1/2" to 1", battery, battery charger

**Model 2880.7**

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	31.941	1	<b>56092</b>	16



New

**Ridgid RP 342 XL press tool**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

**Components**

2 lithium batteries, battery charger, Ridgid RP 342 XL press tool, hard case

**Note**

Compatible with all standard press jaws and rings.

Viega MegaPress Z3 actuator is required for MegaPress 2-1/2" to 4" connections.

**Model 2980.75**

for d	Wt [lb]	Quantity	Part No	DG
1/2-4	22.694	1	<b>56094</b>	16



New

**Viega MegaPress Z3 actuator**

- For use with Viega MegaPress XL 2-1/2" to 4" press rings

- Steel

**Components**

Z3 actuator, hard case

**Model 4898.5XL**

Wt [lb]	Quantity	Part No	DG
19.968	1	<b>57080</b>	16



New

**Viega MegaPress XL press ring**


- For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

- Steel

**Model 4896.1XL**

for d	Wt [lb]	Quantity	Part No	DG
2 1/2	6.854	1	<b>26791</b>	16
3	7.692	1	<b>26792</b>	16
4	10.092	1	<b>26793</b>	16

# ProPress



1.1



## ProPress

Viega ProPress is the trusted copper press joining solution. Since its introduction in 1999, it has reduced overall job costs, saved time, and increased reliability on jobsites across the globe. Viega ProPress fittings offer Smart Connect technology to provide installers added confidence in their ability to ensure secure connections. With system-matched tools, rings and press jaws, press connections are made in seconds, making Viega ProPress suitable for virtually any type of project.

### FEATURES AND BENEFITS

- Available in sizes ½" to 4"
- Customizable with three sealing elements: EPDM, HNBR and FKM
- More than 400 engineered fitting configurations for copper and Zero Lead bronze from ½" to 4"
- Approved for more than 250 different applications

### ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element.



**Index**

Elbows	20
Tees	23
Adapters	25
Flanges	26
Caps	27
Unions	27
Couplings	28
Reducers	29
Cross-Overs	30
Stub-Outs	30
Sealing Elements and Gaskets	30
Accessories	31

**Elbows**

1.1



**Viega ProPress 90° elbow**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2916**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.116	100	<b>77317</b>	8
3/4	3/4	0.173	100	<b>77022</b>	8
1	1	0.280	5	<b>77027</b>	8
1 1/4	1 1/4	0.364	5	<b>77032</b>	8
1 1/2	1 1/2	0.667	1	<b>77037</b>	8
2	2	1.059	1	<b>77042</b>	8



**Viega ProPress 90° elbow**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 0916XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.101	1	<b>20623</b>	8
3	3	3.031	1	<b>20628</b>	8
4	4	5.724	1	<b>20633</b>	8



**Viega ProPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection, street  
Components  
 EPDM sealing element  
**Model 2916.1**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.104	10	<b>77347</b>	8
3/4	3/4	0.164	10	<b>77052</b>	8
1	1	0.265	5	<b>77057</b>	8
1 1/4	1 1/4	0.353	5	<b>77062</b>	8
1 1/2	1 1/2	0.644	1	<b>77067</b>	8
2	2	1.025	1	<b>77072</b>	8



**Viega ProPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection, street  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 0916.1XL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.955	1	<b>20638</b>	8
3	3	2.861	1	<b>20643</b>	8
4	4	5.510	1	<b>20648</b>	8



**Viega ProPress 90° reducing elbow**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2916.3**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.160	15	<b>77325</b>	8
1	3/4	0.251	10	<b>77330</b>	8



**Viega ProPress 90° elbow**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female pipe thread  
Components  
 EPDM sealing element  
**Model 2914.2ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.136	5	<b>79520</b>	8
1/2	1/2	0.181	5	<b>79525</b>	8
1/2	3/4	0.243	5	<b>79530</b>	8
3/4	1/2	0.245	5	<b>79535</b>	8
3/4	3/4	0.299	5	<b>79540</b>	8
1	1/2	0.313	1	<b>79545</b>	8
1	1	0.463	1	<b>79550</b>	8
1 1/4	1 1/4	0.694	1	<b>79560</b>	8
1 1/2	1 1/2	0.961	1	<b>79565</b>	8
2	2	1.609	1	<b>79570</b>	8



**Viega ProPress vent elbow**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female pipe thread  
Components  
 EPDM sealing elements  
**Model 2917.3ZL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/8	0.154	2	<b>79635</b>	8
3/4	3/4	1/8	0.250	2	<b>79640</b>	8



**Viega ProPress 90° hi ear elbow**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female pipe thread  
Components  
 EPDM sealing element  
**Model 2925.2ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.221	5	<b>79205</b>	8



**Viega ProPress 90° drop ear elbow**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female pipe thread  
Components  
 EPDM sealing element  
**Model 2925.5ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.242	5	<b>79185</b>	8
1/2	1/2	0.250	5	<b>79190</b>	8
3/4	3/4	0.430	5	<b>79195</b>	8



**Viega ProPress double drop elbow**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female pipe thread  
Components  
 EPDM sealing elements  
**Model 2928.7ZL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.390	1	<b>78800</b>	8
3/4	3/4	1/2	0.544	1	<b>78802</b>	8
3/4	3/4	3/4	0.573	1	<b>78801</b>	8
1	1	1/2	0.710	1	<b>78803</b>	8



**Viega ProPress 45° elbow**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2926**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.094	10	<b>77607</b>	8
3/4	3/4	0.153	10	<b>77023</b>	8
1	1	0.210	5	<b>77028</b>	8
1 1/4	1 1/4	0.292	5	<b>77033</b>	8
1 1/2	1 1/2	0.584	1	<b>77038</b>	8
2	2	0.788	1	<b>77043</b>	8



**Viega ProPress 45° elbow**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Note**  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 0926XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.609	1	<b>20653</b>	8
3	3	2.336	1	<b>20658</b>	8
4	4	4.214	1	<b>20663</b>	8





**Viega ProPress 45° street elbow**

**Smart Connect Technology**

- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, street

Components

- EPDM sealing element

**Model 2926.1**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.085	10	<b>77637</b>	8
3/4	3/4	0.140	10	<b>77053</b>	8
1	1	0.199	5	<b>77058</b>	8
1 1/4	1 1/4	0.274	5	<b>77063</b>	8
1 1/2	1 1/2	0.538	1	<b>77068</b>	8
2	2	0.768	1	<b>77073</b>	8



**Viega ProPress 45° street elbow**

**Smart Connect Technology**

- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, street

Components

- EPDM sealing element

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0926.1XL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.554	1	<b>20668</b>	8
3	3	2.189	1	<b>20673</b>	8
4	4	3.964	1	<b>20678</b>	8

**Tees**



**Viega ProPress tee**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2918**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.202	10	77377	8
1/2	1/2	3/4	0.289	10	77382	8
1/2	1/2	1	0.310	5	15493	8
3/4	1/2	1/2	0.277	10	77392	8
3/4	1/2	3/4	0.328	5	77397	8
3/4	3/4	1/2	0.282	10	77402	8
3/4	3/4	3/4	0.331	10	77387	8
3/4	3/4	1	0.382	5	77407	8
1	1/2	3/4	0.400	5	22263	8
1	1/2	1	0.456	5	94767	8
1	3/4	1/2	0.358	5	77417	8
1	3/4	3/4	0.398	5	77422	8
1	3/4	1	0.448	5	77427	8
1	1	1/2	0.370	5	77432	8
1	1	3/4	0.405	5	77437	8
1	1	1	0.443	5	77412	8
1	1	1 1/4	0.580	1	15488	8
1 1/4	1/2	1 1/4	0.538	1	22253	8
1 1/4	3/4	3/4	0.514	1	22258	8
1 1/4	3/4	1	0.553	1	22268	8
1 1/4	3/4	1 1/4	0.608	1	22248	8
1 1/4	1	1/2	0.449	1	22238	8
1 1/4	1	3/4	0.509	1	94762	8
1 1/4	1	1	0.556	1	14568	8
1 1/4	1 1/4	1/2	0.460	1	94757	8
1 1/4	1 1/4	3/4	0.506	1	77452	8
1 1/4	1 1/4	1	0.536	1	77447	8
1 1/4	1 1/4	1 1/4	0.600	1	77442	8
1 1/2	1	3/4	0.754	1	79660	8
1 1/2	1	1	0.799	1	15458	8
1 1/2	1	1 1/2	1.070	1	15463	8
1 1/2	1 1/4	3/4	0.730	1	22233	8
1 1/2	1 1/4	1	0.804	1	15453	8
1 1/2	1 1/4	1 1/4	0.851	1	15483	8
1 1/2	1 1/2	1/2	0.714	1	15448	8
1 1/2	1 1/2	3/4	0.796	1	77462	8
1 1/2	1 1/2	1	0.836	1	77467	8
1 1/2	1 1/2	1 1/4	0.877	1	77472	8
1 1/2	1 1/2	1 1/2	1.185	1	77457	8
2	1 1/4	1 1/4	1.153	1	15518	8
2	1 1/2	3/4	1.012	1	15513	8
2	1 1/2	1	1.087	1	15498	8
2	1 1/2	1 1/4	1.195	1	15508	8
2	1 1/2	1 1/2	1.356	1	15503	8
2	1 1/2	2	1.504	1	22228	8
2	2	1/2	1.001	1	15538	8
2	2	3/4	1.046	1	94777	8
2	2	1	1.105	1	94772	8
2	2	1 1/4	1.208	1	77487	8
2	2	1 1/2	1.355	1	77482	8
2	2	2	1.499	1	77477	8

1.1



**Viega ProPress tee**

**Smart Connect Technology**

- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components

EPDM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0918XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	¾	2½	2.059	1	20684	8
2½	1	2½	2.014	1	20689*	8
2½	1¼	2½	2.081	1	20694*	8
2½	1½	2½	2.204	1	20699	8
2½	2	¾	1.397	1	20704	8
2½	2	1	0.771	1	20709	8
2½	2	1½	1.670	1	22283	8
2½	2	2	1.840	1	22278	8
2½	2	2½	2.169	1	20714	8
2½	2½	½	1.483	1	22303	8
2½	2½	¾	1.463	1	22298	8
2½	2½	1	1.521	1	22293	8
2½	2½	1¼	1.631	1	22288	8
2½	2½	1½	1.809	1	20803	8
2½	2½	2	1.940	1	20688	8
2½	2½	2½	2.292	1	20683	8
3	¾	3	2.953	1	20719*	8
3	1	3	2.885	1	20724*	8
3	1¼	3	2.927	1	20729*	8
3	1½	3	3.044	1	20727	8
3	2	2	2.330	1	20732	8
3	2	2½	2.605	1	20734	8
3	2	3	2.953	1	20739	8
3	2½	2	2.466	1	20744	8
3	2½	2½	2.865	1	20749	8
3	2½	3	3.183	1	20754	8
3	3	½	1.945	1	20759	8
3	3	¾	1.984	1	22323	8
3	3	1	2.063	1	22308	8
3	3	1¼	2.129	1	22313	8
3	3	1½	2.327	1	20798	8
3	3	2	2.499	1	20698	8
3	3	2½	2.903	1	20703	8
3	3	3	3.251	1	20693	8
4	3	2	4.038	1	20774	8
4	3	3	4.915	1	20784	8
4	4	½	1.686	1	20788	8
4	4	¾	3.399	1	20793	8
4	4	1	3.652	1	20794	8
4	4	1¼	3.665	1	20795	8
4	4	1½	3.791	1	20808	8
4	4	2	4.020	1	20713	8
4	4	2½	4.534	1	20718	8
4	4	3	4.853	1	20723	8
4	4	4	5.841	1	20708	8

\* = Available while supplies last



**Viega ProPress tee**

**Smart Connect Technology**

**Zero Lead**

- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components

EPDM sealing elements

**Model 2917.2ZL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	½	0.237	5	79580	8
¾	¾	¼	0.253	5	79585	8
¾	¾	½	0.307	5	79590	8
¾	¾	¾	0.348	5	79595	8
1	1	½	0.414	5	79760	8
1	1	¾	0.492	5	79765	8
1¼	1¼	½	0.529	1	79770	8
1¼	1¼	¾	0.625	1	79775	8
1½	1½	½	0.809	1	79780	8
1½	1½	¾	0.900	1	79785	8
2	2	½	1.150	1	79790	8
2	2	¾	1.300	1	79795	8



**Viega ProPress tee**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection, female pipe thread

**Components**

EPDM sealing elements

**Note**

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0917.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	1.541	1	20883	8
2½	2½	2	2.043	1	20878*	8
3	3	¾	2.043	1	20893	8
3	3	2	2.671	1	20888*	8
4	4	¾	3.474	1	20873	8
4	4	2	4.188	1	20868*	8

\* = Available while supplies last

**Adapters**



**Viega ProPress adapter**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, male pipe thread

**Components**

EPDM sealing element

**Model 2911ZL**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	¾	0.091	10	79210	8
½	½	0.106	10	79215	8
½	¾	0.150	10	79220	8
¾	½	0.146	10	79225	8
¾	¾	0.155	10	79230	8
¾	1	0.237	10	79235	8
1	¾	0.235	10	79240	8
1	1	0.260	10	79245	8
1	1¼	0.458	10	79250	8
1¼	1	0.322	1	79255	8
1¼	1¼	0.449	1	79260	8
1¼	1½	0.522	1	79265	8
1½	1¼	0.597	1	79270	8
1½	1½	0.548	1	79275	8
1½	2	0.934	1	79280	8
2	1½	0.844	1	79285	8
2	2	0.853	1	79290	8



**Viega ProPress adapter**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection, male pipe thread

**Components**

EPDM sealing element

**Note**

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0911XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.585	1	20823	8
3	3	2.314	1	20828	8
4	4	3.643	1	20838	8



**Viega ProPress adapter**  
**Zero Lead**  
 - For use with Viega ProPress fittings  
 - Bronze  
 - Street, male pipe thread

**Model 2911.1ZL**

FTG (CTS)	MPT	Wt [lb]	Quantity	Part No	DG
½	¾	0.066	5	79375	8
½	½	0.103	5	79380	8
½	¾	0.137	5	79385	8
¾	½	0.101	5	79390	8
¾	¾	0.152	5	79395	8
1	¾	0.166	5	79400	8
1	1	0.245	5	79405	8
1¼	1¼	0.502	1	79410	8
1½	1½	0.563	1	79415	8
2	2	0.895	1	79420	8





**Viega ProPress adapter**  
**Smart Connect Technology**

**Zero Lead**

- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection, female pipe thread

Components

EPDM sealing element

**Model 2912ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.083	10	<b>79295</b>	8
1/2	1/2	0.121	10	<b>79300</b>	8
1/2	3/4	0.156	10	<b>79305</b>	8
3/4	1/2	0.147	10	<b>79310</b>	8
3/4	3/4	0.176	10	<b>79315</b>	8
1	1/2	0.179	10	<b>79320</b>	8
1	3/4	0.208	10	<b>79325</b>	8
1	1	0.277	10	<b>79330</b>	8
1	1 1/4	0.370	10	<b>79335</b>	8
1 1/4	1/2	0.220	1	<b>79340</b>	8
1 1/4	1	0.302	1	<b>79345</b>	8
1 1/4	1 1/4	0.391	1	<b>79350</b>	8
1 1/4	1 1/2	0.466	1	<b>79355</b>	8
1 1/2	1 1/4	0.465	1	<b>79360</b>	8
1 1/2	1 1/2	0.560	1	<b>79365</b>	8
2	2	0.781	1	<b>79370</b>	8

1.1



**Viega ProPress adapter**  
**Smart Connect Technology**

**Zero Lead**

- For use with ASTM B88 and B75 tubing
- Copper
- Press connection, female pipe thread

Components

EPDM sealing element

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0912XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.821	1	<b>20819</b>	8
3	3	2.923	1	<b>20829</b>	8
4	4	4.404	1	<b>20839</b>	8



**Viega ProPress adapter**  
**Zero Lead**

- For use with Viega ProPress fittings
- Bronze
- Street, female pipe thread

**Model 2912.1ZL**

FTG (CTS)	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.069	5	<b>79425</b>	8
1/2	1/2	0.103	5	<b>79430</b>	8
1/2	3/4	0.140	5	<b>79435</b>	8
3/4	1/2	0.111	5	<b>79440</b>	8
3/4	3/4	0.140	5	<b>79445</b>	8
1	1/2	0.172	1	<b>79455</b>	8
1	1	0.258	1	<b>79450</b>	8
1 1/4	1 1/4	0.402	1	<b>79465</b>	8
1 1/2	1 1/2	0.519	1	<b>79470</b>	8
2	2	0.825	1	<b>79475</b>	8

**Flanges**



**Viega ProPress adapter flange**

**2 - pc**

**Smart Connect Technology**

**Zero Lead**

- For use with ASTM B88 and B75 tubing
- Bronze
- Press connection

Components

EPDM sealing element

**Model 2959.5ZL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1	4	3 1/8	3.292	1	<b>79680</b>	8
1 1/4	4	3 1/2	3.196	1	<b>79685</b>	8
1 1/2	4	3 7/8	4.369	1	<b>79690</b>	8
2	4	4 3/4	6.010	1	<b>79695</b>	8

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega ProPress adapter flange**

**2 - pc**

**Smart Connect Technology**

- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components

EPDM sealing element

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0959.5XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2 1/2	4	5 1/2	6.762	1	<b>20853</b>	8
3	4	6	8.309	1	<b>20858</b>	8
4	8	7 1/2	11.835	1	<b>20863</b>	8

BP = bolt pattern  
BPd = bolt pattern diameter

**Caps**



**Viega ProPress cap**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing element  
**Model 2956**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.057	10	77712	8
3/4	0.088	10	77717	8
1	0.122	5	77722	8
1 1/4	0.174	1	77727	8
1 1/2	0.312	1	77732	8
2	0.428	1	77737	8



**Viega ProPress cap**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 0956XL**

P	Wt [lb]	Quantity	Part No	DG
2 1/2	0.738	1	20833	8
3	1.025	1	20843	8
4	1.851	1	20848	8

**Unions**



**Viega ProPress union**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection  
 - Ground joint  
Components  
 EPDM sealing elements  
**Model 2960ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.330	1	79125	8
3/4	3/4	0.506	1	79130	8
1	1	0.885	1	79135	8
1 1/4	1 1/4	1.092	1	79140	8
1 1/2	1 1/2	1.750	1	79145	8
2	2	2.824	1	79150	8



**Viega ProPress union**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female pipe thread  
 - Ground joint  
Components  
 EPDM sealing element  
**Model 2962ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.308	1	79700	8
3/4	3/4	0.439	1	79705	8
1	1	0.822	1	79710	8
1 1/4	1 1/4	1.013	1	79715	8
1 1/2	1 1/2	1.661	1	79720	8
2	2	2.837	1	79725	8



**Viega ProPress union**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, male pipe thread  
 - Ground joint  
Components  
 EPDM sealing element  
**Model 2965ZL**

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.326	1	79730	8
3/4	3/4	0.510	1	79735	8
1	1	0.901	1	79740	8
1 1/4	1 1/4	1.139	1	79745	8
1 1/2	1 1/2	1.654	1	79750	8
2	2	2.830	1	79755	8



**Viega ProPress di-electric union**  
**Smart Connect Technology**  
**Zero Lead**  
 - For transitioning between copper and steel  
 - Bronze  
 - Press connection, female pipe thread  
Components  
 Flat gasket EPDM, EPDM sealing element  
**Model 2967ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.815	1	79155	8
3/4	3/4	1.143	1	79160	8
1	1	1.047	1	79165	8
1 1/4	1 1/4	1.558	1	79170	8
1 1/2	1 1/2	1.839	1	79175	8
2	2	2.865	1	79180	8



**Viega ProPress tailpiece**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female union BSP  
Components  
 EPDM sealing element, flat gasket EPDM  
**Model 2957ZL**

P	F BSP	Wt [lb]	Quantity	Part No	DG
1/2	1	0.220	1	<b>79800</b>	8
3/4	1	0.248	1	<b>79805</b>	8
1	1	0.304	1	<b>79810</b>	8
1	1 1/4	0.386	1	<b>79815</b>	8

**Couplings**



**Viega ProPress coupling**  
**With stop**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2915**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.080	10	<b>78047</b>	8
3/4	3/4	0.131	10	<b>78052</b>	8
1	1	0.163	5	<b>78057</b>	8
1 1/4	1 1/4	0.216	5	<b>78062</b>	8
1 1/2	1 1/2	0.468	1	<b>78067</b>	8
2	2	0.603	1	<b>78072</b>	8



**Viega ProPress coupling**  
**With stop**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 0915XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.210	1	<b>20728</b>	8
3	3	1.668	1	<b>20733</b>	8
4	4	2.881	1	<b>20738</b>	8



**Viega ProPress coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2915.3**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.080	10	<b>78172</b>	8
3/4	3/4	0.131	10	<b>78177</b>	8
1	1	0.163	5	<b>78182</b>	8
1 1/4	1 1/4	0.214	5	<b>78187</b>	8
1 1/2	1 1/2	0.472	1	<b>78192</b>	8
2	2	0.595	1	<b>78197</b>	8



**Viega ProPress extended coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2915.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.139	5	<b>79005</b>	8
3/4	3/4	0.212	5	<b>79010</b>	8
1	1	0.284	5	<b>79015</b>	8
1 1/4	1 1/4	0.400	1	<b>79020</b>	8
1 1/2	1 1/2	0.693	1	<b>79025</b>	8
2	2	0.906	1	<b>79030</b>	8



**Viega ProPress coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 0915.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.201	1	<b>20743</b>	8
3	3	1.664	1	<b>20748</b>	8
4	4	2.865	1	<b>20753</b>	8



**Viega PureFlow Press transition coupling**  
Smart Connect Technology

**Zero Lead**

- For transitioning between Viega PureFlow Press and Viega ProPress
- Bronze
- Press connection

Components

- EPDM sealing elements

Note

- ProPress and PureFlow tool and press jaws required

**Model 2813PZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.076	10	99620	6
1/2	3/4	0.115	10	99626	6
3/4	1/2	0.078	10	99630	6
3/4	3/4	0.115	10	99640	6
1	3/4	0.136	10	99645	6
1	1	0.184	10	99660	6
1 1/4	1	0.236	5	99665	6
1 1/4	1 1/4	0.287	5	99670	6
1 1/2	1	0.276	5	99675	6
1 1/2	1 1/2	0.447	5	99680	6
2	1	0.459	5	99685	6
2	2	0.723	5	99690	6



New

**Viega PureFlow Crimp transition coupling**  
Smart Connect Technology

**Zero Lead**

- For transitioning between Viega PureFlow Crimp and Viega ProPress
- Bronze
- Crimp connection, press connection

Components

- EPDM sealing element

Note

- PureFlow Crimp and ProPress tool and press jaws required

**Model 5013PZL**

Crimp	P	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.064	1	44350	5
1/2	3/4	0.102	1	44355	5
3/4	1/2	0.071	1	44360	5
3/4	3/4	0.100	1	44365	5
1	1	0.150	1	44370	5

**Reducers**



**Viega ProPress reducer**  
Smart Connect Technology

- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components

- EPDM sealing elements

**Model 2915.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.126	10	78147	8
1	1/2	0.175	10	15603	8
1	3/4	0.175	10	78152	8
1 1/4	3/4	0.234	1	15593	8
1 1/4	1	0.250	1	78157	8
1 1/2	3/4	0.402	1	18473	8
1 1/2	1	0.395	1	15588	8
1 1/2	1 1/4	0.414	1	78162	8
2	3/4	0.553	1	18468	8
2	1	0.553	1	15608	8
2	1 1/4	0.553	1	22328	8
2	1 1/2	0.635	1	78167	8



**Viega ProPress reducer**  
Smart Connect Technology

- For use with ASTM B88 and B75 tubing
- Copper
- Press connection

Components

- EPDM sealing elements

Note

- Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0915.2XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	1	0.827	1	20685	8
2 1/2	1 1/4	0.851	1	20690	8
2 1/2	1 1/2	0.985	1	20695	8
2 1/2	2	1.047	1	20700	8
3	1 1/2	1.245	1	20705	8
3	2	1.289	1	20710	8
3	2 1/2	1.510	1	20715	8
4	2	2.089	1	20720	8
4	2 1/2	2.332	1	20725	8
4	3	2.482	1	20730	8





**Viega ProPress reducer**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Street, press connection  
Components  
 EPDM sealing element  
**Model 2915.1**

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.097	10	<b>78077</b>	8
1	1/2	0.127	10	<b>78082</b>	8
1	3/4	0.144	10	<b>78087</b>	8
1 1/4	1/2	0.171	5	<b>22333</b>	8
1 1/4	3/4	0.195	5	<b>78092</b>	8
1 1/4	1	0.190	5	<b>78097</b>	8
1 1/2	3/4	0.277	1	<b>14543</b>	8
1 1/2	1	0.293	1	<b>78102</b>	8
1 1/2	1 1/4	0.304	1	<b>78107</b>	8
2	1	0.406	1	<b>78112</b>	8
2	1 1/4	0.418	1	<b>78117</b>	8
2	1 1/2	0.613	1	<b>78122</b>	8



**Viega ProPress reducer**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Street, press connection  
Components  
 EPDM sealing element  
**Model 2915.1ZL**

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
1 1/2	1/2	0.325	5	<b>79850</b>	8
2	1/2	0.527	1	<b>79855</b>	8
2	3/4	0.521	1	<b>79860</b>	8



**Viega ProPress reducer**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Street, press connection  
Components  
 EPDM sealing element  
**Model 0915.1XL**

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
2 1/2	1	0.754	1	<b>20814</b>	8
2 1/2	1 1/4	0.791	1	<b>20815</b>	8
2 1/2	1 1/2	0.880	1	<b>20813</b>	8
2 1/2	2	0.815	1	<b>20758</b>	8
3	1 1/4	1.008	1	<b>20817</b>	8
3	1 1/2	1.157	1	<b>20818</b>	8
3	2	0.886	1	<b>20763</b>	8
3	2 1/2	1.190	1	<b>20768</b>	8
4	2	1.884	1	<b>20773</b>	8
4	2 1/2	2.116	1	<b>20778</b>	8
4	3	2.295	1	<b>20783</b>	8

**Cross-Overs**



**Viega ProPress cross-over**  
**Smart Connect Technology**  
 - For use with ASTM B88 and B75 tubing  
 - Copper  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2928**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.237	10	<b>77742</b>	8
3/4	3/4	0.413	10	<b>77747</b>	8

**Stub-Outs**



**Viega ProPress 90° stub-out**  
 - For use with Viega ProPress fittings  
 - Copper  
Components  
 Wall plate  
**Model 2975.2**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.289	10	<b>19786</b>	8
3/4	0.478	10	<b>19791*</b>	8

\* = Available while supplies last

**Sealing Elements and Gaskets**



**Viega ProPress sealing element**  
**EPDM**  
 - For Viega ProPress CTS size fitting  
**Model 2989**

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	shiny black	0.001	10	<b>78242</b>	8
3/4	shiny black	0.002	10	<b>78247</b>	8
1	shiny black	0.002	10	<b>78252</b>	8
1 1/4	shiny black	0.003	10	<b>78257</b>	8
1 1/2	shiny black	0.005	10	<b>78262</b>	8
2	shiny black	0.007	10	<b>78267</b>	8



**Viega ProPress sealing element EPDM**  
 - For Viega ProPress CTS XL size fitting  
**Model 2989XL**

d	Version	Wt [lb]	Quantity	Part No	DG
2½	shiny black	0.012	5	<b>78268</b>	8
3	shiny black	0.014	1	<b>78269</b>	8
4	shiny black	0.017	1	<b>78270</b>	8



**Viega ProPress sealing element FKM**  
 - For Viega ProPress CTS size fitting  
**Model 2986**

d	Version	Wt [lb]	Quantity	Part No	DG
½	dull black	0.003	5	<b>17768</b>	8
¾	dull black	0.004	5	<b>17778</b>	8
1	dull black	0.006	5	<b>17788</b>	8
1¼	dull black	0.006	5	<b>17803</b>	8
1½	dull black	0.010	5	<b>17818</b>	8
2	dull black	0.013	5	<b>17823</b>	8



**Viega ProPress sealing element FKM**  
 - For Viega ProPress CTS size fitting  
**Model 0186XL**

d	Version	Wt [lb]	Quantity	Part No	DG
2½	dull black	0.017	5	<b>85995</b>	9
3	dull black	0.021	5	<b>85996</b>	9
4	dull black	0.027	5	<b>85997</b>	9



**Viega ProPress sealing element HNBR**  
 - For Viega ProPress CTS size fitting  
Note  
 HNBR sealing elements may NOT be installed in ProPress systems that require ANSI/CSA LC-4 approval for natural gas or propane gas applications.  
**Model 0687**

d	Version	Wt [lb]	Quantity	Part No	DG
½	yellow	0.002	10	<b>21023</b>	8
¾	yellow	0.003	10	<b>21028</b>	8
1	yellow	0.004	10	<b>21033</b>	8
1¼	yellow	0.005	10	<b>21038</b>	8
1½	yellow	0.006	10	<b>21043</b>	8
2	yellow	0.009	10	<b>21048</b>	8



**Viega ProPress flat gasket EPDM**  
 - For Viega ProPress di-electric unions  
 - Bronze  
**Model 2963.9**

d	Version	Wt [lb]	Quantity	Part No	DG
½		0.004	10	<b>15559</b>	8
¾, 1		0.003	10	<b>15569</b>	8
1¼		0.005	10	<b>15549</b>	8
1½		0.005	10	<b>15544</b>	8
2		0.009	10	<b>15564</b>	8

**Accessories**



**Viega ProPress test plug**  
 - For Viega ProPress fittings  
 - Bronze  
**Model 2969**

d	Version	Wt [lb]	Quantity	Part No	DG
½		0.536	1	<b>78202</b>	8
¾		0.700	1	<b>78207</b>	8



# ProPress 316



1.2



## ProPress 316

Viega ProPress 316 is engineered for commercial and industrial environments, such as breweries and other facilities. With applications ranging from industrial gases to caustic chemicals, Viega ProPress 316 is a complete solution, with pipe, valves and fittings. Viega ProPress fittings offer Smart Connect technology to provide installers added confidence in their ability to ensure secure connections.

### FEATURES AND BENEFITS

- More than 200 different engineered fitting configurations
- Available in sizes ½" to 4"
- Approved for more than 450 different applications

### ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element.

**Index**

Tubing	36
Elbows	36
Tees	38
Adapters	39
Flanges	40
Caps	40
Unions	40
Couplings	41
Reducers	42
Sealing Elements and Gaskets	42

**Tubing**



**Viega ProPress tubing**

- For use with Viega ProPress stainless fittings
- 316 stainless steel

**Note**

All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A312

**Model 4003**

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	20	7.480	1	<b>82000</b>	9
3/4	20	10.800	1	<b>82005</b>	9
1	20	14.120	1	<b>82010</b>	9
1 1/4	20	17.460	1	<b>82015</b>	9
1 1/2	20	20.740	1	<b>82020</b>	9
2	20	27.380	1	<b>82025</b>	9



**Viega ProPress tubing**

- For use with Viega ProPress stainless fittings
- 316 stainless steel


**Note**

All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A312

**Model 4007XL**

d	L [ft]	Wt [lb]	Quantity	Part No	DG
2 1/2	20	43.580	1	<b>82042</b>	9
3	20	52.120	1	<b>82050</b>	9
4	20	69.240	1	<b>82055</b>	9



New

**Viega ProPress ECO tubing**

- For use with Viega ProPress stainless fittings, potable water installations
- Stainless steel 316

**Note**

All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A778

**Model 4008**

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	20	5.301	1	<b>82150</b>	9
3/4	20	9.001	1	<b>82155</b>	9
1	20	11.722	1	<b>82160</b>	9
1 1/4	20	17.923	1	<b>82165</b>	9
1 1/2	20	21.283	1	<b>82170</b>	9
2	20	28.084	1	<b>82175</b>	9



New

**Viega ProPress ECO tubing**

- For use with Viega ProPress stainless fittings, potable water installations
- Stainless steel 316

**Note**

All Viega ProPress stainless tube is copper tube size (CTS).

ASTM A778

**Model 4008XL**

d	L [ft]	Wt [lb]	Quantity	Part No	DG
2 1/2	20	46.127	1	<b>82180</b>	9
3	20	51.608	1	<b>82185</b>	9
4	20	68.550	1	<b>82190</b>	9

**Elbows**



**Viega ProPress 90° elbow**

**Smart Connect Technology**

- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components

EPDM sealing elements

**Model 4016**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.127	10	<b>80400</b>	9
3/4	3/4	0.233	10	<b>80405</b>	9
1	1	0.304	5	<b>80410</b>	9
1 1/4	1 1/4	0.390	1	<b>80415</b>	9
1 1/2	1 1/2	0.694	1	<b>80420</b>	9
2	2	0.972	1	<b>80425</b>	9



**Viega ProPress 90° elbow**

**Smart Connect Technology**

- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components

EPDM sealing elements

**Note**

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 4016XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.847	1	<b>80430</b>	9
3	3	2.535	1	<b>80435</b>	9
4	4	4.099	1	<b>80440</b>	9



**Viega ProPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, street  
Components  
 EPDM sealing element  
**Model 4016.1**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.104	10	<b>80490</b>	9
¾	¾	0.228	10	<b>80495</b>	9
1	1	0.317	5	<b>80500</b>	9
1¼	1¼	0.485	1	<b>80505</b>	9
1½	1½	0.648	1	<b>80510</b>	9
2	2	0.950	1	<b>80515</b>	9



**Viega ProPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, street  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4016.1XL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.732	1	<b>80520</b>	9
3	3	2.383	1	<b>80525</b>	9
4	4	3.974	1	<b>80530</b>	9



**Viega ProPress 45° elbow**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 4026**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.101	10	<b>80445</b>	9
¾	¾	0.178	10	<b>80450</b>	9
1	1	0.234	5	<b>80455</b>	9
1¼	1¼	0.305	1	<b>80460</b>	9
1½	1½	0.527	1	<b>80465</b>	9
2	2	0.738	1	<b>80470</b>	9



**Viega ProPress 45° elbow**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4026XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.428	1	<b>80475</b>	9
3	3	1.917	1	<b>80480</b>	9
4	4	3.090	1	<b>80485</b>	9



**Viega ProPress 45° street elbow**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, street  
Components  
 EPDM sealing element  
**Model 4026.1**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.092	10	<b>80535</b>	9
¾	¾	0.174	10	<b>80540</b>	9
1	1	0.237	5	<b>80545</b>	9
1¼	1¼	0.353	1	<b>80550</b>	9
1½	1½	0.478	1	<b>80555</b>	9
2	2	0.714	1	<b>80560</b>	9



**Viega ProPress 45° street elbow**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, street  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4026.1XL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.333	1	<b>80565</b>	9
3	3	1.816	1	<b>80570</b>	9
4	4	2.837	1	<b>80575</b>	9



Tees



**Viega ProPress tee**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements  
**Model 4018**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.154	10	80580	9
3/4	3/4	1/2	0.241	10	80630	9
3/4	3/4	3/4	0.257	10	80585	9
1	1	1/2	0.305	5	80640	9
1	1	3/4	0.340	5	80650	9
1	1	1	0.354	5	80590	9
1 1/4	1 1/4	3/4	0.395	1	80670	9
1 1/4	1 1/4	1	0.483	1	80680	9
1 1/4	1 1/4	1 1/4	0.441	1	80595	9
1 1/2	1 1/2	1/2	0.687	1	80690	9
1 1/2	1 1/2	3/4	0.705	1	80700	9
1 1/2	1 1/2	1	0.721	1	80710	9
1 1/2	1 1/2	1 1/2	0.822	1	80600	9
2	2	1/2	0.957	1	80720	9
2	2	3/4	0.765	1	80730	9
2	2	1	0.785	1	80740	9
2	2	1 1/2	0.948	1	80750	9
2	2	2	1.124	1	80605	9



**Viega ProPress tee**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements  
**Note**  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4018XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1 1/2	1.573	1	80751	9
2 1/2	2 1/2	2	1.739	1	80760	9
2 1/2	2 1/2	2 1/2	2.056	1	80610	9
3	3	1 1/4	1.836	1	80782	9
3	3	1 1/2	1.955	1	80781	9
3	3	2	2.151	1	80770	9
3	3	2 1/2	2.471	1	80780	9
3	3	3	2.722	1	80615	9
4	4	2	3.019	1	80790	9
4	4	3	3.659	1	80810	9
4	4	4	4.212	1	80620	9



**Viega ProPress reducing tee**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, female pipe thread  
**Components**  
 EPDM sealing elements  
**Model 4017.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.287	5	80820	9
3/4	3/4	3/4	0.342	5	80830	9
1	1	1/2	0.351	5	80840	9
1	1	3/4	0.392	5	80850	9
1 1/4	1 1/4	1	0.564	1	80880	9
1 1/2	1 1/2	1/2	0.708	1	80890	9
1 1/2	1 1/2	3/4	0.757	1	80900	9
1 1/2	1 1/2	1	0.840	1	80910	9
2	2	1/2	0.995	1	80920	9
2	2	3/4	0.782	1	80930	9



**Viega ProPress reducing tee**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, female pipe thread  
**Components**  
 EPDM sealing elements  
**Note**  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4017.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3/4	1.408	1	80950	9
3	3	3/4	1.803	1	80970	9
4	4	3/4	2.552	1	80990	9

**Adapters**



**Viega ProPress adapter**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, male pipe thread  
Components  
 EPDM sealing element  
**Model 4011**

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.117	10	80010	9
1/2	3/4	0.170	10	80015	9
3/4	1/2	0.152	10	80020	9
3/4	3/4	0.185	10	80025	9
3/4	1	0.441	5	80030	9
1	3/4	0.200	5	80035	9
1	1	0.317	5	80040	9
1 1/4	1 1/4	0.588	1	80045	9
1 1/2	1 1/2	0.723	1	80050	9
2	2	0.990	1	80055	9



**Viega ProPress adapter**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, male pipe thread  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4011XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.050	1	80060	9
3	3	2.859	1	80065	9
4	4	3.967	1	80070	9



**Viega ProPress adapter**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, female pipe thread  
Components  
 EPDM sealing element  
**Model 4012**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.110	10	80080	9
3/4	1/2	0.155	10	80085	9
3/4	3/4	0.198	10	80090	9
1	1/2	0.247	5	80092	9
1	3/4	0.207	5	80095	9
1	1	0.245	5	80100	9
1 1/4	1 1/4	0.419	1	80105	9
1 1/2	1 1/4	0.507	1	80110	9
1 1/2	1 1/2	0.688	1	80115	9
2	1	1.047	1	80075	9
2	1 1/2	0.720	1	80120	9
2	2	0.802	1	80125	9



**Viega ProPress instrumentation adapter**  
 - For use with Viega ProPress stainless fittings  
 - 316 stainless steel  
 - Street, female pipe thread  
**Model 4012.5**

FTG (CTS)	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.191	1	80126	9
3/4	3/4	0.317	1	80127	9



**Viega ProPress adapter**  
 - For transitioning between IPS and CTS systems  
 - 316 stainless steel  
 - Butt weld - iron pipe size, street  
**Model 4013.1XL**

FTG (IPS)	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.051	1	80081	9
3	3	1.311	1	80082	9
4	4	1.940	1	80083	9



**Viega ProPress adapter**  
**Smart Connect Technology**  
 - For transitioning between IPS and CTS systems  
 - 316 stainless steel  
 - Groove = iron pipe size  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4013.2XL**

G (IPS)	P	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.521	1	80064	9
3	3	1.913	1	80061	9
4	4	2.680	1	80063	9

## Flanges



**Viega ProPress adapter flange**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing element  
**Model 4059**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1/2	4	2 3/8	1.086	1	<b>81035</b>	9
3/4	4	2 3/4	1.555	1	<b>81040</b>	9
1	4	3 1/8	2.344	1	<b>81045</b>	9
1 1/4	4	3 3/8	2.535	1	<b>81050</b>	9
1 1/2	4	3 1/2	2.479	1	<b>81055</b>	9
2	4	4 3/4	5.563	1	<b>81060</b>	9

BP = bolt pattern  
 BPd = bolt pattern diameter



**Viega ProPress adapter flange**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4059XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2 1/2	4	5 1/2	8.880	1	<b>81065</b>	9
3	4	6	10.425	1	<b>81070</b>	9
4	8	7 1/2	14.150	1	<b>81075</b>	9

BP = bolt pattern  
 BPd = bolt pattern diameter

## Caps



**Viega ProPress cap**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing element  
**Model 4056**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.040	10	<b>80355</b>	9
3/4	0.077	10	<b>80360</b>	9
1	0.108	5	<b>80365</b>	9
1 1/4	0.152	1	<b>80370</b>	9
1 1/2	0.258	1	<b>80375</b>	9
2	0.361	1	<b>80380</b>	9



**Viega ProPress cap**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing element  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4056.1XL**

P	Wt [lb]	Quantity	Part No	DG
2 1/2	0.780	1	<b>80385</b>	9
3	1.025	1	<b>80390</b>	9
4	1.527	1	<b>80395</b>	9

## Unions



**Viega ProPress union**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
 - Ground joint  
Components  
 EPDM sealing elements  
**Model 4060**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.319	5	<b>81005</b>	9
3/4	3/4	0.487	5	<b>81010</b>	9
1	1	0.793	5	<b>81015</b>	9
1 1/4	1 1/4	1.014	1	<b>81020</b>	9
1 1/2	1 1/2	1.913	1	<b>81025</b>	9
2	2	3.000	1	<b>81030</b>	9



**Viega ProPress di-electric union**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection, female pipe thread  
Components  
 EPDM sealing element, flat gasket EPDM  
**Model 4067**

P	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1.159	1	<b>80078</b>	9
1	1	1.049	1	<b>80073*</b>	9

\* = Available while supplies last

**Couplings**



**Viega ProPress coupling**  
**With stop**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 4015**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.081	10	<b>80265</b>	9
3/4	3/4	0.131	10	<b>80270</b>	9
1	1	0.160	5	<b>80275</b>	9
1 1/4	1 1/4	0.238	1	<b>80280</b>	9
1 1/2	1 1/2	0.440	1	<b>80285</b>	9
2	2	0.564	1	<b>80290</b>	9



**Viega ProPress coupling**  
**With stop**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4015XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.084	1	<b>80295</b>	9
3	3	1.430	1	<b>80300</b>	9
4	4	2.122	1	<b>80305</b>	9



**Viega ProPress coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 4015.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.070	10	<b>80310</b>	9
3/4	3/4	0.133	10	<b>80315</b>	9
1	1	0.156	5	<b>80320</b>	9
1 1/4	1 1/4	0.245	1	<b>80325</b>	9
1 1/2	1 1/2	0.410	1	<b>80330</b>	9
2	2	0.550	1	<b>80335</b>	9



**Viega ProPress coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements  
Note  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4015.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.084	1	<b>80340</b>	9
3	3	1.430	1	<b>80345</b>	9
4	4	2.136	1	<b>80350</b>	9



**Viega MegaPress transition coupling**  
**Smart Connect Technology**  
 - For transitioning between IPS and CTS systems  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements, grip ring, separator ring  
**Model 5113**

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.214	1	<b>90465</b>	14
3/4	3/4	0.280	1	<b>90470</b>	14
1	1	0.425	1	<b>90475</b>	14
1 1/4	1 1/4	0.626	1	<b>90890</b>	14
1 1/2	1 1/2	0.804	1	<b>90485</b>	14
2	2	1.031	1	<b>90490</b>	14



**Reducers**



**Viega ProPress reducer**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Street, press connection  
**Components**  
 EPDM sealing element  
**Model 4015.1**

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.086	10	<b>80160</b>	9
1	1/2	0.129	10	<b>80165</b>	9
1	3/4	0.135	10	<b>80170</b>	9
1 1/4	3/4	0.196	1	<b>80180</b>	9
1 1/4	1	0.216	1	<b>80185</b>	9
1 1/2	3/4	0.299	1	<b>80195</b>	9
1 1/2	1	0.281	1	<b>80200</b>	9
1 1/2	1 1/4	0.275	1	<b>80205</b>	9
2	3/4	0.410	1	<b>80215</b>	9
2	1	0.386	1	<b>80220</b>	9
2	1 1/4	0.397	1	<b>80225</b>	9
2	1 1/2	0.514	1	<b>80230</b>	9



**Viega ProPress reducer**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Street, press connection  
**Components**  
 EPDM sealing element  
**Note**  
 Must be installed with Viega ProPress XL-C rings and V2 actuator.  
**Model 4015.1XL**

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
2 1/2	2	0.780	1	<b>80235</b>	9
3	2	0.981	1	<b>80240</b>	9
3	2 1/2	1.159	1	<b>80245</b>	9
4	2	1.455	1	<b>80250</b>	9
4	3	1.719	1	<b>80260</b>	9

**Sealing Elements and Gaskets**



**Viega ProPress sealing element**  
**EPDM**  
 - For Viega ProPress CTS size fitting  
**Model 2989**

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	shiny black	0.001	10	<b>78242</b>	8
3/4	shiny black	0.002	10	<b>78247</b>	8
1	shiny black	0.002	10	<b>78252</b>	8
1 1/4	shiny black	0.003	10	<b>78257</b>	8
1 1/2	shiny black	0.005	10	<b>78262</b>	8
2	shiny black	0.007	10	<b>78267</b>	8



**Viega ProPress sealing element**  
**EPDM**  
 - For Viega ProPress CTS XL size fitting  
**Model 2989XL**

d	Version	Wt [lb]	Quantity	Part No	DG
2 1/2	shiny black	0.012	5	<b>78268</b>	8
3	shiny black	0.014	1	<b>78269</b>	8
4	shiny black	0.017	1	<b>78270</b>	8



**Viega ProPress sealing element**  
**FKM**  
 - For Viega ProPress CTS size fitting  
**Model 2986**

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	dull black	0.003	5	<b>17768</b>	8
3/4	dull black	0.004	5	<b>17778</b>	8
1	dull black	0.006	5	<b>17788</b>	8
1 1/4	dull black	0.006	5	<b>17803</b>	8
1 1/2	dull black	0.010	5	<b>17818</b>	8
2	dull black	0.013	5	<b>17823</b>	8



**Viega ProPress sealing element**  
**FKM**  
 - For Viega ProPress CTS size fitting  
**Model 0186XL**

d	Version	Wt [lb]	Quantity	Part No	DG
2 1/2	dull black	0.017	5	<b>85995</b>	9
3	dull black	0.021	5	<b>85996</b>	9
4	dull black	0.027	5	<b>85997</b>	9



**Viega ProPress sealing element  
HNBR**

- For Viega ProPress CTS size fitting

**Note**

HNBR sealing elements may NOT be installed in ProPress systems that require ANSI/CSA LC-4 approval for natural gas or propane gas applications.

**Model 0687**

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	yellow	0.002	10	<b>21023</b>	8
3/4	yellow	0.003	10	<b>21028</b>	8
1	yellow	0.004	10	<b>21033</b>	8
1 1/4	yellow	0.005	10	<b>21038</b>	8
1 1/2	yellow	0.006	10	<b>21043</b>	8
2	yellow	0.009	10	<b>21048</b>	8



**Viega ProPress flat gasket  
EPDM**

- For Viega ProPress di-electric unions

- Bronze

**Model 2963.9**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	10	<b>15559</b>	8
3/4, 1	0.003	10	<b>15569</b>	8
1 1/4	0.005	10	<b>15549</b>	8
1 1/2	0.005	10	<b>15544</b>	8
2	0.009	10	<b>15564</b>	8



**SeaPress**



1.3



## SeaPress

Viega LLC offers the Viega SeaPress system for marine and industrial pipe joining applications. The Viega SeaPress system, in metric sizes, can be used in a variety of freshwater and seawater applications.

The Viega SeaPress system is a 90:10 copper nickel alloy that is specifically designed to stand up to the harsh environments of the sea. It is the only metric copper nickel press fitting with a double-sided press connection, making it the strongest press connection on the market.

### FEATURES AND BENEFITS

- No fire watches, hot work permits or chemist required
- Only Viega offers press rings for working in tight areas
- Makes secure press connections in sizes ranging from 15 mm to 108 mm in a matter of seconds
- Installations are completed with a handheld press tool
- Copper nickel alloy (CuNi 90:10), is well-suited for marine environments and systems
- Complies with DIN 86019 and with a factory standard governing the accuracy of dimensions and surface quality
- Compatible with existing press tools
- Backed by limited written warranty
- SeaPress product stocked in North America and ready to ship

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record.



**Index**

Elbows	48
Tees	49
Adapters	49
Flanges	50
Unions	51
Couplings	51
Reducers	51
Sealing Elements and Gaskets	52

**Elbows**



**SeaPress 90° elbow**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0316**

P1	P2	Wt [lb]	Quantity	Part No	DG
15	15	0.099	10	<b>453 169</b>	7
22	22	0.193	10	<b>453 176</b>	7
28	28	0.273	4	<b>453 183</b>	7
35	35	0.421	4	<b>453 190</b>	7
42	42	0.809	2	<b>453 206</b>	7
54	54	1.098	2	<b>453 213</b>	7



**SeaPress XL 90° elbow**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0316XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
76.1	76.1	2.854	1	<b>556 570</b>	7
88.9	88.9	3.615	1	<b>556 563</b>	7
108.0	108.0	6.281	1	<b>556 556</b>	7



**SeaPress 90° elbow**  
 - CuNiFe 90/10  
 - Press connection, street  
Components  
 EPDM sealing element  
**Model 0316.1**

P	FTG	Wt [lb]	Quantity	Part No	DG
15	15	0.099	10	<b>453 220</b>	7
22	22	0.184	10	<b>453 237</b>	7
28	28	0.262	4	<b>453 244</b>	7
35	35	0.406	4	<b>453 657</b>	7
42	42	0.778	2	<b>453 664</b>	7
54	54	1.080	2	<b>453 671</b>	7



**SeaPress 45° elbow**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0326**

P1	P2	Wt [lb]	Quantity	Part No	DG
15	15	0.083	10	<b>453 886</b>	7
22	22	0.156	10	<b>453 893</b>	7
28	28	0.213	4	<b>453 909</b>	7
35	35	0.315	4	<b>453 916</b>	7
42	42	0.622	2	<b>453 923</b>	7
54	54	0.841	2	<b>453 930</b>	7



**SeaPress XL 45° elbow**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0326XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
76.1	76.1	2.049	1	<b>556 617</b>	7
88.9	88.9	2.480	1	<b>556 624</b>	7
108.0	108.0	4.249	1	<b>556 631</b>	7



**SeaPress 45° elbow**  
 - CuNiFe 90/10  
 - Press connection, street  
Components  
 EPDM sealing element  
**Model 0326.1**

P	FTG	Wt [lb]	Quantity	Part No	DG
15	15	0.084	10	<b>453 947</b>	7
22	22	0.145	10	<b>453 954</b>	7
28	28	0.203	4	<b>453 961</b>	7
35	35	0.307	4	<b>453 978</b>	7
42	42	0.593	2	<b>453 985</b>	7
54	54	0.800	2	<b>453 992</b>	7



**SeaPress XL 45° elbow**  
 - CuNiFe 90/10  
 - Press connection, street  
Components  
 EPDM sealing element  
**Model 0326.1XL**

P	FTG	Wt [lb]	Quantity	Part No	DG
76.1	76.1	1.962	1	<b>556 587</b>	7
88.9	88.9	2.522	1	<b>556 594</b>	7
108.0	108.0	4.011	1	<b>556 600</b>	7

**Tees**



**SeaPress tee**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0318**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
15	15	15	0.178	10	<b>453 473</b>	7
22	22	22	0.357	10	<b>453 480</b>	7
28	28	28	0.422	4	<b>453 497</b>	7
35	35	35	0.611	4	<b>453 503</b>	7
42	35	42	0.904	2	<b>453 534</b>	7
42	42	42	1.136	2	<b>453 510</b>	7
54	35	54	1.206	2	<b>453 541</b>	7
54	42	54	1.385	2	<b>453 558</b>	7
54	54	54	1.537	2	<b>453 527</b>	7



**SeaPress XL tee**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0318XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
76.1	35	76.1	1.935	1	<b>453 794</b>	7
76.1	54	76.1	2.314	1	<b>453 800</b>	7
76.1	76.1	76.1	2.859	1	<b>556 228</b>	7
88.9	35	88.9	2.228	1	<b>453 824</b>	7
88.9	54	88.9	2.618	1	<b>453 831</b>	7
88.9	76.1	88.9	3.185	1	<b>453 848</b>	7
88.9	88.9	88.9	3.545	1	<b>556 235</b>	7
108.0	54	108.0	3.930	1	<b>453 862</b>	7
108.0	76.1	108.0	4.606	1	<b>453 879</b>	7
108.0	108.0	108.0	5.741	1	<b>556 242</b>	7



**SeaPress tee**  
 - CuNiFe 90/10  
 - Press connections, Rp-thread  
Components  
 EPDM sealing elements, polygon  
**Model 0317.2**

P1	Rp	P2	Wt [lb]	Quantity	Part No	DG
42	¾	42	0.820	1	<b>453 756</b>	7
54	¾	54	1.124	1	<b>453 763</b>	7



**SeaPress XL tee**  
 - CuNiFe 90/10  
 - Press connections, Rp-thread  
Components  
 EPDM sealing elements  
**Model 0317.2XL**

P1	Rp	P2	Wt [lb]	Quantity	Part No	DG
76.1	¾	76.1	1.865	1	<b>453 770</b>	7



**SeaPress tee**  
 - CuNiFe 90/10  
 - Press connections, female pipe thread  
Components  
 EPDM sealing elements, polygon  
**Model 0317.5**

P1	NPT	P2	Wt [lb]	Quantity	Part No	DG
35	¾	35	0.553	1	<b>461 072</b>	7
42	¾	42	0.847	1	<b>461 089</b>	7
54	¾	54	1.144	1	<b>461 096</b>	7

**Adapters**



**SeaPress adapter**  
 - CuNiFe 90/10  
 - Press connection, R-thread  
Components  
 EPDM sealing element  
**Model 0311**

P	R	Wt [lb]	Quantity	Part No	DG
22	¾	0.204	4	<b>452 995</b>	7
28	1	0.284	4	<b>452 988</b>	7
35	1¼	0.436	2	<b>453 008</b>	7
42	1½	0.644	2	<b>453 015</b>	7
54	2	1.067	2	<b>453 022</b>	7



**SeaPress adapter**  
 - CuNiFe 90/10  
 - Press connection, male pipe thread  
Components  
 EPDM sealing element, polygon  
**Model 0311.5**

P	NPT	Wt [lb]	Quantity	Part No	DG
15	1/2	0.120	4	<b>460 792</b>	7
22	3/4	0.208	4	<b>460 815</b>	7
28	1	0.296	4	<b>460 822</b>	7
35	1 1/4	0.445	4	<b>461 157</b>	7
42	1 1/2	0.645	2	<b>461 164</b>	7
54	2	1.080	2	<b>461 171</b>	7



**SeaPress adapter**  
 - CuNiFe 90/10  
 - Press connection, Rp-thread  
Components  
 EPDM sealing element  
**Model 0312**

P	Rp	Wt [lb]	Quantity	Part No	DG
22	3/4	0.184	4	<b>453 046</b>	7
28	1	0.267	4	<b>453 053</b>	7
42	1 1/2	0.666	2	<b>453 084</b>	7
54	2	1.252	2	<b>453 091</b>	7



**SeaPress adapter**  
 - CuNiFe 90/10  
 - Press connection, female pipe thread  
Components  
 EPDM sealing element, polygon  
**Model 0312.5**

P	NPT	Wt [lb]	Quantity	Part No	DG
15	1/2	0.141	4	<b>461 188</b>	7
22	3/4	0.176	4	<b>461 195</b>	7
28	1	0.278	4	<b>461 201</b>	7
35	1 1/4	0.338	4	<b>461 218</b>	7
42	1 1/2	0.637	2	<b>461 225</b>	7
54	2	0.994	2	<b>461 249</b>	7

**Flanges**



**SeaPress flare**  
 - CuNiFe 90/10  
 - Stub-end  
**Model 0359.3**

FTG	Wt [lb]	Quantity	Part No	DG
22	0.456	1	<b>454 067</b>	7
28	0.580	1	<b>454 074</b>	7
35	0.849	1	<b>454 081</b>	7
42	1.199	1	<b>454 098</b>	7
54	1.631	1	<b>454 104</b>	7



**SeaPress XL flare**  
 - CuNiFe 90/10  
 - Stub-end  
**Model 0359.3XL**

FTG	Wt [lb]	Quantity	Part No	DG
76.1	1.946	1	<b>454 111</b>	7
88.9	2.554	1	<b>454 128</b>	7
108.0	3.535	1	<b>454 135</b>	7



**SeaPress flange**  
 - Bronze  
 - Press connection  
 - ANSI 150lb drilled flange x metric press  
Components  
 EPDM sealing element  
**Model 2259.5U**

P	Wt [lb]	Quantity	Part No	DG
28	3.086	1	<b>592 011</b>	7
35	3.548	1	<b>592 028</b>	7
42	4.249	1	<b>592 035</b>	7
54	6.447	1	<b>592 042</b>	7



**SeaPress XL flange**  
 - Use with press jaw set standard tool  
 Model 2297.3XL  
 - Bronze  
 - Press connection  
 - ANSI 150lb drilled flange x metric press  
Components  
 EPDM sealing element  
**Model 2259.5XU**

P	Wt [lb]	Quantity	Part No	DG
76.1	8.463	1	<b>592 059</b>	7
88.9	10.026	1	<b>592 066</b>	7
108.0	14.147	1	<b>592 073</b>	7

**Unions**



**SeaPress union**  
 - CuNiFe 90/10  
 - Press connection, R-thread  
Components  
 Flat gasket EPDM, EPDM sealing element, polygon  
**Model 0365**

P	R	Wt [lb]	Quantity	Part No	DG
22	3/4	0.453	1	<b>477 196</b>	7
28	1	0.716	1	<b>477 202</b>	7
35	1 1/4	0.930	1	<b>477 219</b>	7
42	1 1/2	1.359	1	<b>534 684</b>	7



**SeaPress union**  
 - CuNiFe 90/10  
 - Press connection, male pipe thread  
Components  
 Flat gasket EPDM, EPDM sealing element, polygon  
**Model 0365.5**

P	NPT	Wt [lb]	Quantity	Part No	DG
15	1/2	0.295	1	<b>477 226</b>	7
22	1/2	0.430	1	<b>477 233</b>	7
22	3/4	0.458	1	<b>477 240</b>	7
28	1	0.723	1	<b>477 264</b>	7
35	1 1/4	0.926	1	<b>477 257</b>	7
42	1 1/2	1.379	1	<b>534 691</b>	7

**Couplings**



**SeaPress coupling**  
**With stop**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0315**

P1	P2	Wt [lb]	Quantity	Part No	DG
15	15	0.075	10	<b>453 107</b>	7
22	22	0.128	10	<b>453 114</b>	7
28	28	0.165	10	<b>453 121</b>	7
35	35	0.218	4	<b>453 138</b>	7
42	42	0.505	2	<b>453 145</b>	7
54	54	0.628	2	<b>453 152</b>	7



**SeaPress XL coupling**  
**With stop**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0315XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
76.1	76.1	1.543	1	<b>556 495</b>	7
88.9	88.9	1.722	1	<b>556 501</b>	7
108.0	108.0	2.799	1	<b>556 518</b>	7



**SeaPress slip coupling**  
**No stop**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0315.3**

P1	P2	Wt [lb]	Quantity	Part No	DG
15	15	0.075	10	<b>453 299</b>	7
22	22	0.128	10	<b>453 305</b>	7
28	28	0.165	10	<b>453 312</b>	7
35	35	0.218	4	<b>453 329</b>	7
42	42	0.489	2	<b>453 336</b>	7
54	54	0.628	2	<b>453 343</b>	7



**SeaPress XL slip coupling**  
**No stop**  
 - CuNiFe 90/10  
 - Press connections  
Components  
 EPDM sealing elements  
**Model 0315.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
76.1	76.1	1.508	1	<b>453 411</b>	7
88.9	88.9	1.740	1	<b>453 428</b>	7
108.0	108.0	2.806	1	<b>453 435</b>	7

**Reducers**



**SeaPress reducer**  
 - CuNiFe 90/10  
 - Street, press connection  
Components  
 EPDM sealing element  
**Model 0315.1**

FTG	P	Wt [lb]	Quantity	Part No	DG
22	15	0.087	10	<b>452 810</b>	7
28	22	0.134	10	<b>452 827</b>	7
35	22	0.175	4	<b>452 834</b>	7
35	28	0.185	4	<b>452 841</b>	7
42	28	0.287	2	<b>453 251</b>	7
42	35	0.301	2	<b>453 268</b>	7
54	35	0.392	2	<b>453 275</b>	7
54	42	0.563	2	<b>453 282</b>	7

1.3





**SeaPress XL reducer**  
 - CuNiFe 90/10  
 - Street, press connection  
 Components  
 EPDM sealing element  
**Model 0315.1XL**

FTG	P	Wt [lb]	Quantity	Part No	DG
76.1	42	1.007	1	<b>453 350</b>	7
76.1	54	1.098	1	<b>556 648</b>	7
88.9	54	1.260	1	<b>453 374</b>	7
88.9	76.1	1.633	1	<b>556 198</b>	7
108.0	76.1	2.290	1	<b>556 204</b>	7
108.0	88.9	2.402	1	<b>556 211</b>	7

## Sealing Elements and Gaskets



**Sealing element**  
**EPDM**  
 - For potable water installation, heating installation  
 - Temperature stability up to 250° F  
**Model 2289**

VdS	for d	i.d.	s	Wt [lb]	Quantity	Part No	DG
	12	12.1	2.35	0.001	10	<b>288 600</b>	7
	14	14.1	2.5	0.001	10	<b>448 370</b>	7
	15	15.1	2.6	0.001	10	<b>183 400</b>	7
	16	16	2.6	0.001	10	<b>448 387</b>	7
	18	18.2	2.6	0.001	10	<b>281 595</b>	7
✓	22	22.2	3.1	0.002	10	<b>183 523</b>	7
✓	28	28.3	3.1	0.002	10	<b>184 452</b>	7
✓	35	35.4	3.25	0.003	10	<b>181 208</b>	7
✓	42	42.4	4.13	0.005	10	<b>184 940</b>	7
✓	54	54.4	4.13	0.007	10	<b>191 153</b>	7

VdS = VdS certification  
 i.d. = internal-Ø  
 s = thickness



**Sealing element**  
**EPDM**  
 - For Sanpress XL, potable water installation, heating installation  
 - Temperature stability up to 250° F  
**Model 2289XL**

for d	i.d.	s	Wt [lb]	Quantity	Part No	DG
76.1	77	5	0.014	10	<b>364 816</b>	7
88.9	90	5	0.016	10	<b>364 823</b>	7
108.0	109	5	0.019	10	<b>364 830</b>	7

i.d. = internal-Ø  
 s = thickness



**Profipress G sealing element**  
**HNBR**  
 - For fuel gas, heating oil, diesel applications  
 - Temperature stability up to 180° F  
**Model 2687**

for d	s	Wt [lb]	Quantity	Part No	DG
12	2.35	0.007	5	<b>348 571</b>	7
15	2.6	0.007	5	<b>348 588</b>	7
18	2.6	0.007	5	<b>348 595</b>	7
22	3.1	0.010	5	<b>348 601</b>	7
28	3.1	0.008	5	<b>348 618</b>	7
35	3.25	0.011	5	<b>348 625</b>	7
42	4.13	0.011	5	<b>348 632</b>	7
54	4.13	0.014	5	<b>348 649</b>	7

s = thickness

# MegaPress



2-1



## MegaPress

Viega MegaPress is the first clean, secure and efficient choice for joining carbon steel pipe. It is suitable for renovations, repairs or installation of new carbon steel pipe systems. Viega MegaPress can even be installed on noncombustible/flammable lines that are not completely shut down, eliminating the need to fully drain a system, and shortening repair and installation time. It is approved for use in hydronic heating, compressed air, fire protection, cooling water, marine applications and many more. Not approved for use with potable water or in fuel gas and oil applications.

### FEATURES AND BENEFITS

- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe.
- Corrosion-resistant zinc nickel coating
- More than 150 engineered fitting configurations from ½" to 2"
- Approved for underground applications, in accordance with code and local AHJ
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections
- UL and FM listed for fire-protection applications

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega MegaPress fitting indicates Smart Connect technology with an EPDM sealing element.

**Index**

Elbows	56
Tees	57
Adapters	57
Caps	58
Unions	58
Couplings	59
Reducers	59
Branch connectors	60

**Elbows**



**ViEGA MegaPress 90° elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 4816**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.370	10	<b>25200</b>	12
3/4	3/4	0.503	10	<b>25205</b>	12
1	1	0.829	5	<b>25210</b>	12
1 1/4	1 1/4	1.281	1	<b>25215</b>	12
1 1/2	1 1/2	1.730	1	<b>25220</b>	12
2	2	2.546	1	<b>25225</b>	12



**ViEGA MegaPress 90° street elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

EPDM sealing element, grip ring, separator ring

**Model 4816.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.379	10	<b>26050</b>	12
3/4	3/4	0.531	10	<b>26055</b>	12
1	1	0.838	5	<b>26060</b>	12
1 1/4	1 1/4	1.300	1	<b>26065</b>	12
1 1/2	1 1/2	1.790	1	<b>26070</b>	12
2	2	2.596	1	<b>26075</b>	12



**ViEGA MegaPress 45° elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 4826**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.304	10	<b>25230</b>	12
3/4	3/4	0.410	10	<b>25235</b>	12
1	1	0.661	5	<b>25240</b>	12
1 1/4	1 1/4	1.051	1	<b>25245</b>	12
1 1/2	1 1/2	1.389	1	<b>25250</b>	12
2	2	1.951	1	<b>25255</b>	12



**ViEGA MegaPress 45° street elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

EPDM sealing element, grip ring, separator ring

**Model 4826.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.312	10	<b>26100</b>	12
3/4	3/4	0.428	10	<b>26105</b>	12
1	1	0.677	5	<b>26110</b>	12
1 1/4	1 1/4	1.058	1	<b>26115</b>	12
1 1/2	1 1/2	1.435	1	<b>26120</b>	12
2	2	2.094	1	<b>26125</b>	12



**Tees**



**Viega MegaPress tee**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

- EPDM sealing elements, grip rings, separator rings

**Model 4818**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.507	5	25300	12
3/4	3/4	1/2	0.639	5	25330	12
3/4	3/4	3/4	0.679	5	25305	12
1	1	1/2	0.904	5	25335	12
1	1	3/4	0.957	5	25340	12
1	1	1	1.036	5	25310	12
1 1/4	1 1/4	1/2	1.348	1	25510	12
1 1/4	1 1/4	3/4	1.393	1	25515	12
1 1/4	1 1/4	1	1.477	1	25350	12
1 1/4	1 1/4	1 1/4	1.620	1	25315	12
1 1/2	1 1/2	1/2	1.873	1	25360	12
1 1/2	1 1/2	3/4	1.799	1	25365	12
1 1/2	1 1/2	1	1.873	1	25370	12
1 1/2	1 1/2	1 1/4	2.036	1	25375	12
1 1/2	1 1/2	1 1/2	2.160	1	25320	12
2	2	1/2	2.539	1	25380	12
2	2	3/4	2.424	1	25385	12
2	2	1	2.513	1	25390	12
2	2	1 1/4	2.678	1	25395	12
2	2	1 1/2	2.777	1	25400	12
2	2	2	2.909	1	25325	12



**Viega MegaPress tee**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

- EPDM sealing elements, grip rings, separator rings

**Model 4817.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.611	5	25405	12
3/4	3/4	3/4	0.639	5	25480	12
1	1	1/2	0.884	5	25410	12
1	1	3/4	0.915	5	25415	12
1 1/4	1 1/4	1/2	1.344	1	25485	12
1 1/4	1 1/4	3/4	1.349	1	25505	12
1 1/4	1 1/4	1	1.492	1	25500	12
1 1/2	1 1/2	1/2	1.715	1	25435	12
1 1/2	1 1/2	3/4	1.741	1	25440	12
1 1/2	1 1/2	1	1.929	1	25445	12
2	2	1/2	2.358	1	25455	12
2	2	3/4	2.400	1	25460	12
2	2	1	2.535	1	25465	12
2	2	1 1/2	2.601	1	25475	12

**Adapters**



**Viega MegaPress adapter**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

**Components**

- EPDM sealing element, grip ring, separator ring

**Model 4811**

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.226	10	25100	12
3/4	3/4	0.309	10	25105	12
1	1	0.483	5	25110	12
1 1/4	1 1/4	0.771	5	25115	12
1 1/2	1 1/2	1.065	1	25120	12
2	2	1.411	1	25125	12

2.1



**Viega MegaPress adapter**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

EPDM sealing element, grip ring, separator ring

**Model 4812**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.242	10	25130	12
3/4	1/2	0.293	10	25575	12
3/4	3/4	0.313	10	25135	12
1	1/2	0.441	10	25580	12
1	3/4	0.430	5	25585	12
1	1	0.538	5	25140	12
1 1/4	1/2	0.688	1	25590	12
1 1/4	3/4	0.670	1	25595	12
1 1/4	1	0.745	1	25600	12
1 1/4	1 1/4	0.655	5	25145	12
1 1/2	1/2	0.831	1	25605	12
1 1/2	3/4	0.860	1	25610	12
1 1/2	1	0.959	1	25615	12
1 1/2	1 1/4	0.838	1	25620	12
1 1/2	1 1/2	0.948	1	25150	12
2	1/2	1.102	1	25625	12
2	3/4	1.124	1	25630	12
2	1	1.212	1	25635	12
2	1 1/4	1.157	1	25640	12
2	1 1/2	1.190	1	25645	12
2	2	1.322	1	25155	12

**Caps**



**Viega MegaPress cap**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing element, grip ring, separator ring

**Model 4856**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.203	10	25730	12
3/4	0.264	10	25735	12
1	0.397	5	25740	12
1 1/4	0.617	1	25745	12
1 1/2	0.804	1	25750	12
2	1.080	1	25755	12

**Unions**



**Viega MegaPress union**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

Flat gasket EPDM, EPDM sealing elements, grip rings, separator rings

**Model 4860**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.760	5	25700	12
3/4	3/4	1.197	5	25705	12
1	1	1.406	5	25710	12
1 1/4	1 1/4	2.391	1	25715	12
1 1/2	1 1/2	2.689	1	25720	12
2	2	4.188	1	25725	12



**Viega MegaPress union**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

Flat gasket EPDM, EPDM sealing element, grip ring, separator ring

**Model 4862**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.621	5	25650	12
3/4	3/4	1.028	5	25655	12
1	1	1.192	5	25660	12
1 1/4	1 1/4	2.065	1	25665	12
1 1/2	1 1/2	2.012	1	25670	12
2	2	3.324	1	25675	12

**Couplings**



**Viega MegaPress coupling**

**With stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 4815**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	<b>25000</b>	12
3/4	3/4	0.342	10	<b>22005</b>	12
1	1	0.505	5	<b>25010</b>	12
1 1/4	1 1/4	0.860	1	<b>25015</b>	12
1 1/2	1 1/2	1.124	1	<b>25020</b>	12
2	2	1.435	1	<b>25025</b>	12



**Viega MegaPress coupling**

**No stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 4815.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	<b>25030</b>	12
3/4	3/4	0.337	10	<b>25035</b>	12
1	1	0.509	5	<b>25040</b>	12
1 1/4	1 1/4	0.860	1	<b>25045</b>	12
1 1/2	1 1/2	1.124	1	<b>25050</b>	12
2	2	1.411	1	<b>25055</b>	12



**Viega MegaPress extended coupling**

**No stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 4815.3**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.348	10	<b>25070</b>	12
3/4	3/4	0.443	10	<b>25075</b>	12
1	1	0.672	5	<b>25080</b>	12
1 1/4	1 1/4	1.001	1	<b>25085</b>	12
1 1/2	1 1/2	1.278	1	<b>25090</b>	12
2	2	1.693	1	<b>25095</b>	12

**Reducers**



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

Components

EPDM sealing element, grip ring, separator ring

**Model 4815.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.276	5	<b>26000</b>	12
1	1/2	0.364	5	<b>26005</b>	12
1	3/4	0.397	5	<b>26010</b>	12
1 1/4	1	0.661	1	<b>26015</b>	12
1 1/2	3/4	0.710	1	<b>26020</b>	12
1 1/2	1	0.793	1	<b>26025</b>	12
1 1/2	1 1/4	0.926	1	<b>26030</b>	12
2	1	1.047	1	<b>26035</b>	12
2	1 1/4	1.168	1	<b>26040</b>	12
2	1 1/2	1.289	1	<b>26045</b>	12



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 4815.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.362	5	<b>25930</b>	12
1	1/2	0.486	5	<b>25935</b>	12
1	3/4	0.518	5	<b>25940</b>	12
1 1/4	3/4	0.734	1	<b>25945</b>	12
1 1/4	1	0.804	1	<b>25950</b>	12
1 1/2	1 1/4	1.080	1	<b>25955</b>	12
2	1 1/4	1.366	1	<b>25960</b>	12
2	1 1/2	1.489	1	<b>25965</b>	12

2-1

**Branch connectors**



**Viega MegaPress press-in branch connector**

- For use with Sch. 10 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

EPDM sealing element

**Model 4812.3**

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.454	1	<b>26860</b>	12
2	¾	0.452	1	<b>26865</b>	12
2½	¾	0.458	1	<b>26870</b>	12
3	¾	0.452	1	<b>26875</b>	12
4	¾	0.445	1	<b>26880</b>	12
6	¾	0.441	1	<b>26885</b>	12



**Viega MegaPress press-in branch connector**

- For use with Sch. 40 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

EPDM sealing element

**Model 4812.35**

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.432	1	<b>26890</b>	12
2	¾	0.439	1	<b>26895</b>	12
2½	¾	0.436	1	<b>26900</b>	12
3	¾	0.408	1	<b>26905</b>	12
4	¾	0.408	1	<b>26910</b>	12
6	¾	0.386	1	<b>26915</b>	12

# MegaPressG



2.2



## MegaPressG

Viega MegaPressG with an HNBR sealing element is the first press fitting system for carbon steel pipe approved for use in gas and fuel oil applications. Viega MegaPressG is ideal for industrial, commercial and residential applications and performs well in both new installations and retrofit projects. Tested to the strictest standards in North America, Viega MegaPressG joins carbon steel pipe reliably through the engineered design of the fittings and a battery-powered press tool. Not approved for use with potable water.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a graphite separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe in accordance with AHJ requirements
- Corrosion-resistant zinc nickel coating
- More than 200 different engineered fitting configurations
- Approved for underground applications, in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A yellow dot indicates an HNBR sealing element.



**Index**

Elbows	64
Tees	65
Adapters	66
Flanges	67
Caps	68
Unions	68
Couplings	69
Reducers	70

**Elbows**



**Viega MegaPressG 90° elbow**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6616**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.370	10	<b>25201</b>	12
3/4	3/4	0.503	10	<b>25206</b>	12
1	1	0.811	5	<b>25211</b>	12
1 1/4	1 1/4	1.278	1	<b>25216</b>	12
1 1/2	1 1/2	1.708	1	<b>25221</b>	12
2	2	2.541	1	<b>25226</b>	12



**Viega MegaPressG 90° elbow**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6616XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.306	1	<b>28600</b>	12
3	3	4.668	1	<b>28605</b>	12
4	4	7.597	1	<b>28610</b>	12



**Viega MegaPressG 90° street elbow**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

**Model 6616.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.379	10	<b>26051</b>	12
3/4	3/4	0.531	10	<b>26056</b>	12
1	1	0.838	5	<b>26061</b>	12
1 1/4	1 1/4	1.300	1	<b>26066</b>	12
1 1/2	1 1/2	1.790	1	<b>26071</b>	12
2	2	2.596	1	<b>26076</b>	12



**Viega MegaPressG 90° street elbow**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6616.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.242	1	<b>28615</b>	12
3	3	4.421	1	<b>28620</b>	12
4	4	7.178	1	<b>28625</b>	12



**Viega MegaPressG 45° elbow**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6626**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.309	10	<b>25231</b>	12
3/4	3/4	0.410	10	<b>25236</b>	12
1	1	0.655	5	<b>25241</b>	12
1 1/4	1 1/4	1.047	1	<b>25246</b>	12
1 1/2	1 1/2	1.389	1	<b>25251</b>	12
2	2	1.951	1	<b>25256</b>	12



**Viega MegaPressG 45° elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6626XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.482	1	<b>28630</b>	12
3	3	3.471	1	<b>28635</b>	12
4	4	5.686	1	<b>28640</b>	12



**Viega MegaPressG 45° street elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

**Model 6626.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.312	10	<b>26101</b>	12
¾	¾	0.428	10	<b>26106</b>	12
1	1	0.677	5	<b>26111</b>	12
1¼	1¼	1.058	1	<b>26116</b>	12
1½	1½	1.435	1	<b>26121</b>	12
2	2	2.094	1	<b>26126</b>	12



**Viega MegaPressG 45° street elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6626.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.380	1	<b>28645</b>	12
3	3	3.258	1	<b>28650</b>	12
4	4	5.356	1	<b>28655</b>	12

**Tees**



**Viega MegaPressG tee**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6618**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.507	5	<b>25301</b>	12
¾	¾	½	0.639	5	<b>25331</b>	12
¾	¾	¾	0.679	5	<b>25306</b>	12
1	1	½	0.917	5	<b>25336</b>	12
1	1	¾	0.957	5	<b>25341</b>	12
1	1	1	1.031	5	<b>25311</b>	12
1¼	1¼	½	1.355	1	<b>25491</b>	12
1¼	1¼	¾	1.406	1	<b>25496</b>	12
1¼	1¼	1	1.477	1	<b>25351</b>	12
1¼	1¼	1¼	1.644	1	<b>25316</b>	12
1½	1½	½	1.752	1	<b>25361</b>	12
1½	1½	¾	1.790	1	<b>25366</b>	12
1½	1½	1	1.878	1	<b>25371</b>	12
1½	1½	1¼	2.028	1	<b>25376</b>	12
1½	1½	1½	2.138	1	<b>25321</b>	12
2	2	½	2.526	1	<b>25381</b>	12
2	2	¾	2.444	1	<b>25386</b>	12
2	2	1	2.513	1	<b>25391</b>	12
2	2	1¼	2.645	1	<b>25396</b>	12
2	2	1½	2.755	1	<b>25401</b>	12
2	2	2	2.898	1	<b>25326</b>	12



**ViEGA MegaPressG tee**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

HNBR sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6618XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1	2.358	1	28910	12
2½	2½	1¼	2.729	1	28905	12
2½	2½	1½	2.821	1	28675	12
2½	2½	2	3.246	1	28680	12
2½	2½	2½	3.369	1	28660	12
3	3	1¼	3.577	1	28695	12
3	3	1½	3.753	1	28690	12
3	3	2	4.077	1	28685	12
3	3	2½	4.256	1	28700	12
3	3	3	4.796	1	28665	12
4	4	1½	5.539	1	28705	12
4	4	2	5.953	1	28710	12
4	4	2½	6.325	1	28715	12
4	4	3	6.727	1	28720	12
4	4	4	7.994	1	28670	12



**ViEGA MegaPressG tee**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

HNBR sealing elements, grip rings, separator rings

**Model 6617.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.613	5	25406	12
¾	¾	¾	0.639	5	25481	12
1	1	½	0.886	5	25411	12
1	1	¾	0.915	5	25416	12
1¼	1¼	½	1.344	1	25486	12
1¼	1¼	¾	1.349	1	25506	12
1¼	1¼	1	1.444	1	25501	12
1½	1½	½	1.706	1	25436	12
1½	1½	¾	1.741	1	25441	12
1½	1½	1	1.929	1	25446	12
1½	1½	1¼	1.829	1	25451	12
2	2	½	2.358	1	25456	12
2	2	¾	2.391	1	25461	12
2	2	1	2.535	1	25466	12
2	2	1¼	2.446	1	25471	12
2	2	1½	2.601	1	25476	12



**ViEGA MegaPressG tee**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

HNBR sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6617.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.244	1	28725	12
3	3	¾	3.097	1	28730	12
4	4	¾	4.501	1	28735	12

**Adapters**



**ViEGA MegaPressG adapter**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

**Components**

HNBR sealing element, grip ring, separator ring

**Model 6611**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	25101	12
¾	¾	0.313	10	25106	12
1	1	0.474	5	25111	12
1¼	1¼	0.767	5	25116	12
1½	1½	1.069	1	25121	12
2	2	1.433	1	25126	12



**Viega MegaPressG adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6611XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.719	1	<b>28740</b>	12
3	3	2.338	1	<b>28745</b>	12
4	4	4.119	1	<b>28750</b>	12



**Viega MegaPressG adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

HNBR sealing element, grip ring, separator ring

**Model 6612**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.246	10	<b>25131</b>	12
¾	½	0.291	10	<b>25576</b>	12
¾	¾	0.315	10	<b>25136</b>	12
1	½	0.441	10	<b>25581</b>	12
1	¾	0.441	5	<b>25586</b>	12
1	1	0.538	5	<b>25141</b>	12
1¼	½	0.660	1	<b>25591</b>	12
1¼	¾	0.670	1	<b>25596</b>	12
1¼	1	0.749	1	<b>25601</b>	12
1¼	1¼	0.662	5	<b>25146</b>	12
1½	½	0.827	1	<b>25606</b>	12
1½	¾	0.860	1	<b>25611</b>	12
1½	1	0.959	1	<b>25616</b>	12
1½	1¼	0.849	1	<b>25621</b>	12
1½	1½	0.948	1	<b>25151</b>	12
2	½	1.098	1	<b>25626</b>	12
2	¾	1.124	1	<b>25631</b>	12
2	1	1.225	1	<b>25636</b>	12
2	1¼	1.157	1	<b>25641</b>	12
2	1½	1.190	1	<b>25646</b>	12
2	2	1.333	1	<b>25156</b>	12



**Viega MegaPressG adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6612XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.827	1	<b>28755</b>	12
3	3	2.354	1	<b>28760</b>	12
4	4	3.436	1	<b>28765</b>	12

**Flanges**



**Viega MegaPressG flange**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing element, grip ring, separator ring

**Model 6659.5**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.393	1	<b>25761</b>	12
¾	4	2¾	1.845	1	<b>25766</b>	12
1	4	3⅞	2.455	1	<b>25771</b>	12
1¼	4	3½	2.711	1	<b>25776</b>	12
1½	4	3⅞	4.011	1	<b>25781</b>	12
2	4	4¾	5.400	1	<b>25786</b>	12

BP = bolt pattern  
BPd = bolt pattern diameter

2.2



**Viega MegaPressG flange**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, flat-faced flange  
**Components**  
 HNBR sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6659.5XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.426	1	<b>28875</b>	12
3	4	6	9.881	1	<b>28880</b>	12
4	8	7½	13.874	1	<b>28885</b>	12

BP = bolt pattern  
 BPd = bolt pattern diameter

## Caps



**Viega MegaPressG cap**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
**Components**  
 HNBR sealing element, grip ring, separator ring  
**Model 6656**

P	Wt [lb]	Quantity	Part No	DG
½	0.203	10	<b>25731</b>	12
¾	0.264	10	<b>25736</b>	12
1	0.397	5	<b>25741</b>	12
1¼	0.617	1	<b>25746</b>	12
1½	0.804	1	<b>25751</b>	12
2	1.080	1	<b>25756</b>	12



**Viega MegaPressG cap**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
**Components**  
 HNBR sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6656XL**

P	Wt [lb]	Quantity	Part No	DG
2½	1.309	1	<b>28860</b>	12
3	1.708	1	<b>28865</b>	12
4	2.746	1	<b>28870</b>	12

## Unions



**Viega MegaPressG union**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
 - Ground joint  
**Components**  
 HNBR sealing elements, grip rings, separator rings  
**Model 6660**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.758	5	<b>25701</b>	12
¾	¾	1.212	5	<b>25706</b>	12
1	1	1.441	5	<b>25711</b>	12
1¼	1¼	2.424	1	<b>25716</b>	12
1½	1½	2.689	1	<b>25721</b>	12
2	2	4.188	1	<b>25726</b>	12



**Viega MegaPressG union**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, female pipe thread  
 - Ground joint  
**Components**  
 HNBR sealing element, grip ring, separator ring  
**Model 6662**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.675	5	<b>25651</b>	12
¾	¾	1.107	5	<b>25656</b>	12
1	1	1.358	5	<b>25661</b>	12
1¼	1¼	2.343	1	<b>25666</b>	12
1½	1½	2.226	1	<b>25671</b>	12
2	2	3.295	1	<b>25676</b>	12



**Couplings**



**Viega MegaPressG coupling**

**With stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6615**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.260	10	<b>25001</b>	12
3/4	3/4	0.353	10	<b>22009</b>	12
1	1	0.514	5	<b>25011</b>	12
1 1/4	1 1/4	0.860	1	<b>25016</b>	12
1 1/2	1 1/2	1.124	1	<b>25021</b>	12
2	2	1.433	1	<b>25026</b>	12



**Viega MegaPressG coupling**

**With stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6615XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.689	1	<b>28770</b>	12
3	3	2.435	1	<b>28775</b>	12
4	4	3.965	1	<b>28780</b>	12



**Viega MegaPressG coupling**

**No stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6615.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	<b>25031</b>	12
3/4	3/4	0.339	10	<b>25036</b>	12
1	1	0.511	5	<b>25041</b>	12
1 1/4	1 1/4	0.860	1	<b>25046</b>	12
1 1/2	1 1/2	1.124	1	<b>25051</b>	12
2	2	1.411	1	<b>25056</b>	12



**Viega MegaPressG coupling**

**No stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6615.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.728	1	<b>28785</b>	12
3	3	2.413	1	<b>28790</b>	12
4	4	4.009	1	<b>28795</b>	12



**Viega MegaPressG extended coupling**

**No stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6615.3**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.348	10	<b>25071</b>	12
3/4	3/4	0.447	10	<b>25076</b>	12
1	1	0.674	5	<b>25081</b>	12
1 1/4	1 1/4	1.031	1	<b>25086</b>	12
1 1/2	1 1/2	1.350	1	<b>25091</b>	12
2	2	1.693	1	<b>25096</b>	12

**2-2**

**Reducers**



**ViEGA MegaPressG reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Street, press connection  
**Components**  
 HNBR sealing element, grip ring, separator ring  
**Model 6615.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.276	5	<b>26001</b>	12
1	1/2	0.364	5	<b>26006</b>	12
1	3/4	0.397	5	<b>26011</b>	12
1 1/4	1	0.688	1	<b>26016</b>	12
1 1/2	3/4	0.710	1	<b>26021</b>	12
1 1/2	1	0.793	1	<b>26031</b>	12
1 1/2	1 1/4	0.926	1	<b>26026</b>	12
2	1	1.047	1	<b>26036</b>	12
2	1 1/4	1.168	1	<b>26041</b>	12
2	1 1/2	1.289	1	<b>26046</b>	12



**ViEGA MegaPressG reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Street, press connection  
**Components**  
 HNBR sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6615.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2 1/2	1	1.210	1	<b>28800</b>	12
2 1/2	1 1/4	1.351	1	<b>28805</b>	12
2 1/2	1 1/2	1.457	1	<b>28810</b>	12
2 1/2	2	1.534	1	<b>28815</b>	12
3	1 1/4	1.942	1	<b>28820</b>	12
3	1 1/2	2.061	1	<b>28825</b>	12
3	2	2.181	1	<b>28830</b>	12
3	2 1/2	2.169	1	<b>28835</b>	12
4	1 1/2	2.980	1	<b>28840</b>	12
4	2	3.130	1	<b>28845</b>	12
4	2 1/2	3.086	1	<b>28850</b>	12
4	3	3.526	1	<b>28855</b>	12



**ViEGA MegaPressG reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
**Components**  
 HNBR sealing elements, grip rings, separator rings  
**Model 6615.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.360	5	<b>25931</b>	12
1	1/2	0.485	5	<b>25936</b>	12
1	3/4	0.511	5	<b>25941</b>	12
1 1/4	3/4	0.743	1	<b>25946</b>	12
1 1/4	1	0.804	1	<b>25951</b>	12
1 1/2	1 1/4	1.080	1	<b>25956</b>	12
2	1 1/4	1.459	1	<b>25961</b>	12
2	1 1/2	1.492	1	<b>25966</b>	12

# MegaPress FKM



2.3

## MegaPress FKM

Viega MegaPress FKM is the first and only clean, secure and efficient choice for joining ½" to 4" carbon steel pipe with an FKM sealing element. Meticulously engineered, it is suitable for renovations, repairs or installation on new carbon steel pipe systems. Viega MegaPress FKM can even be installed on noncombustible/flammable lines that are not completely shut down, eliminating the need to fully drain a system, and shortening repair and installation time. It is approved for use in hydronic heating, compressed air, fire protection, cooling water, marine applications and many more. Not approved for use with potable water.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe.
- Corrosion-resistant zinc nickel coating
- Over 180 engineered fitting configurations from ½" to 4"
- Approved for underground applications, in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections
- UL and FM listed for fire-protection applications
- Not approved for use with Schedule 10 pipe ½" to 1" where UMC codes apply

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot on a Viega MegaPress fitting indicates Smart Connect technology with an FKM sealing element.

**Index**

Elbows	74
Tees	75
Adapters	76
Flanges	77
Caps	78
Unions	78
Couplings	78
Reducers	79
Branch connectors	79

**Elbows**



**Viega MegaPress 90° elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Model 5916**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.381	10	<b>84305</b>	12
3/4	3/4	0.520	10	<b>84310</b>	12
1	1	0.829	5	<b>84315</b>	12
1 1/4	1 1/4	1.303	1	<b>84320</b>	12
1 1/2	1 1/2	1.772	1	<b>84325</b>	12
2	2	2.557	1	<b>84330</b>	12



**Viega MegaPress 90° elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 4816XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.288	1	<b>26500</b>	12
3	3	4.576	1	<b>26505</b>	12
4	4	7.227	1	<b>26510</b>	12



**Viega MegaPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, street  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Model 5916.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.395	10	<b>84875</b>	12
3/4	3/4	0.522	10	<b>84880</b>	12
1	1	0.831	5	<b>84885</b>	12
1 1/4	1 1/4	1.322	1	<b>84890</b>	12
1 1/2	1 1/2	1.798	1	<b>84895</b>	12
2	2	2.596	1	<b>84900</b>	12



**Viega MegaPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, street  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 4816.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.231	1	<b>26515</b>	12
3	3	4.214	1	<b>26520</b>	12
4	4	7.189	1	<b>26525</b>	12



**Viega MegaPress 45° elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Model 5926**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.315	10	<b>84335</b>	12
3/4	3/4	0.423	10	<b>84340</b>	12
1	1	0.661	5	<b>84345</b>	12
1 1/4	1 1/4	1.069	1	<b>84350</b>	12
1 1/2	1 1/2	1.431	1	<b>84355</b>	12
2	2	1.975	1	<b>84360</b>	12





**Viega MegaPress 45° elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4826XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.455	1	<b>26530</b>	12
3	3	3.418	1	<b>26535</b>	12
4	4	5.338	1	<b>26540</b>	12



**Viega MegaPress 45° street elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

**Model 5926.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.320	10	<b>84905</b>	12
¾	¾	0.423	10	<b>84910</b>	12
1	1	0.683	5	<b>84915</b>	12
1¼	1¼	1.071	1	<b>84920</b>	12
1½	1½	1.437	1	<b>84925</b>	12
2	2	2.138	1	<b>84930</b>	12



**Viega MegaPress 45° street elbow**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4826.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.380	1	<b>26545</b>	12
3	3	3.165	1	<b>26550</b>	12
4	4	5.259	1	<b>26555</b>	12

**Tees**



**Viega MegaPress tee**  
Smart Connect Technology

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 5918**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.527	5	<b>84365</b>	12
¾	¾	½	0.650	5	<b>84410</b>	12
¾	¾	¾	0.701	5	<b>84370</b>	12
1	1	½	0.923	5	<b>84415</b>	12
1	1	¾	0.970	5	<b>84420</b>	12
1	1	1	1.045	5	<b>84375</b>	12
1¼	1¼	½	1.380	1	<b>84380</b>	12
1¼	1¼	¾	1.426	1	<b>84385</b>	12
1¼	1¼	1	1.499	1	<b>84390</b>	12
1¼	1¼	1¼	1.657	1	<b>84395</b>	12
1½	1½	½	1.794	1	<b>84425</b>	12
1½	1½	¾	1.843	1	<b>84430</b>	12
1½	1½	1	1.915	1	<b>84435</b>	12
1½	1½	1¼	2.070	1	<b>84440</b>	12
1½	1½	1½	2.191	1	<b>84400</b>	12
2	2	½	2.451	1	<b>84445</b>	12
2	2	¾	2.488	1	<b>84450</b>	12
2	2	1	2.565	1	<b>84455</b>	12
2	2	1¼	2.729	1	<b>84460</b>	12
2	2	1½	2.843	1	<b>84465</b>	12
2	2	2	2.993	1	<b>84405</b>	12



**ViEga MegaPress tee**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 4818XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	2.755	1	26575	12
2½	2½	2	3.251	1	26580	12
2½	2½	2½	3.672	1	26560	12
3	3	1¼	3.498	1	26595	12
3	3	1½	3.747	1	26590	12
3	3	2	4.060	1	26585	12
3	3	2½	4.247	1	26600	12
3	3	3	4.739	1	26565	12
4	4	1½	5.413	1	26605	12
4	4	2	5.453	1	26610	12
4	4	2½	5.640	1	26615	12
4	4	3	6.198	1	26620	12
4	4	4	7.818	1	26570	12



**ViEga MegaPress tee**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, female pipe thread  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Model 5917.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.628	5	84545	12
¾	¾	¾	0.655	5	84550	12
1	1	½	0.901	5	84555	12
1	1	¾	0.915	5	84560	12
1¼	1¼	½	1.349	1	84575	12
1¼	1¼	¾	1.351	1	84570	12
1¼	1¼	1	1.499	1	84565	12
1½	1½	½	1.776	1	84580	12
1½	1½	¾	1.787	1	84585	12
1½	1½	1	1.979	1	84590	12
2	2	½	2.430	1	84595	12
2	2	¾	2.451	1	84600	12
2	2	1	2.623	1	84605	12



**ViEga MegaPress tee**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, female pipe thread  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 4817.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.440	1	26625	12
3	3	¾	3.015	1	26630	12
4	4	¾	4.434	1	26635	12

**Adapters**



**ViEga MegaPress adapter**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, male pipe thread  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Model 5911**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.236	10	84245	12
¾	¾	0.324	10	84250	12
1	1	0.496	5	84255	12
1¼	1¼	0.818	1	84260	12
1½	1½	1.093	1	84265	12
2	2	1.439	1	84270	12



**ViEga MegaPress adapter**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection, male pipe thread  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 4811XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.708	1	26640	12
3	3	2.314	1	26645	12
4	4	4.020	1	26650	12



**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

FKM sealing element, grip ring, separator ring

**Model 5912**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.251	10	84275	12
3/4	1/2	0.306	10	84750	12
3/4	3/4	0.322	10	84280	12
1	1/2	0.450	5	84755	12
1	3/4	0.441	5	84760	12
1	1	0.541	5	84285	12
1 1/4	1/2	0.679	1	84765	12
1 1/4	3/4	0.703	1	84770	12
1 1/4	1	0.789	1	84775	12
1 1/4	1 1/4	0.705	1	84290	12
1 1/2	1/2	0.864	1	84780	12
1 1/2	3/4	0.882	1	84785	12
1 1/2	1	0.976	1	84790	12
1 1/2	1 1/4	0.886	1	84795	12
1 1/2	1 1/2	0.967	1	84295	12
2	3/4	1.168	1	84800	12
2	1	1.254	1	84805	12
2	1 1/2	1.217	1	84810	12
2	2	1.358	1	84300	12



**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

FKM sealing element, grip ring, separator ring

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4812XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.834	1	26655	12
3	3	2.364	1	26660	12
4	4	3.557	1	26665	12

**Flanges**



**Viega MegaPress flange**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

FKM sealing element, grip ring, separator ring

**Model 5959.5**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1/2	4	2 3/8	1.400	1	84845	12
3/4	4	2 3/4	1.849	1	84850	12
1	4	3 1/8	2.473	1	84855	12
1 1/4	4	3 1/2	3.006	1	84860	12
1 1/2	4	3 7/8	4.022	1	84865	12
2	4	4 3/4	5.907	1	84870	12

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega MegaPress flange**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

FKM sealing element, grip ring, separator ring

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4859.5XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2 1/2	4	5 1/2	8.157	1	26775	12
3	4	6	9.933	1	26780	12
4	8	7 1/2	13.198	1	26785	12

BP = bolt pattern  
BPd = bolt pattern diameter

**Caps**



**Viega MegaPress cap**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

FKM sealing element, grip ring, separator ring

**Model 5956**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.207	10	<b>84100</b>	12
3/4	0.271	10	<b>84105</b>	12
1	0.406	5	<b>84110</b>	12
1 1/4	0.635	1	<b>84115</b>	12
1 1/2	0.838	1	<b>84120</b>	12
2	1.113	1	<b>84125</b>	12



**Viega MegaPress cap**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4856.1XL**

P	Wt [lb]	Quantity	Part No	DG
2 1/2	1.309	1	<b>26760</b>	12
3	1.697	1	<b>26765</b>	12
4	2.707	1	<b>26770</b>	12

**Unions**



**Viega MegaPress union**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

AFM flat gasket, FKM sealing elements, grip rings, separator rings

**Model 5960**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.771	5	<b>84815</b>	12
3/4	3/4	1.217	5	<b>84820</b>	12
1	1	1.415	5	<b>84825</b>	12
1 1/4	1 1/4	2.468	1	<b>84830</b>	12
1 1/2	1 1/2	2.722	1	<b>84835</b>	12
2	2	4.331	1	<b>84840</b>	12

**Couplings**



**Viega MegaPress coupling**

**With stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 5915**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	<b>84215</b>	12
3/4	3/4	0.350	10	<b>84220</b>	12
1	1	0.529	5	<b>84225</b>	12
1 1/4	1 1/4	0.875	1	<b>84230</b>	12
1 1/2	1 1/2	1.164	1	<b>84235</b>	12
2	2	1.472	1	<b>84240</b>	12



**Viega MegaPress coupling**

**With stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4815XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.671	1	<b>26670</b>	12
3	3	2.367	1	<b>26675</b>	12
4	4	3.928	1	<b>26680</b>	12



**Viega MegaPress slip coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 FKM sealing elements, grip rings, separator rings  
**Model 5915.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.261	10	<b>84130</b>	12
¾	¾	0.344	10	<b>84135</b>	12
1	1	0.533	5	<b>84140</b>	12
1¼	1¼	0.873	1	<b>84145</b>	12
1½	1½	1.155	1	<b>84150</b>	12
2	2	1.471	1	<b>84155</b>	12



**Viega MegaPress coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 FKM sealing elements, grip rings, separator rings  
Note  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 4815.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.668	1	<b>26685</b>	12
3	3	2.374	1	<b>26690</b>	12
4	4	3.945	1	<b>26695</b>	12

**Reducers**



**Viega MegaPress reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Street, press connection  
Components  
 FKM sealing element, grip ring, separator ring  
**Model 5915.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.273	5	<b>84160</b>	12
1	½	0.370	5	<b>84165</b>	12
1	¾	0.403	5	<b>84170</b>	12
1¼	¾	0.641	1	<b>84175</b>	12
1¼	1	0.699	1	<b>84180</b>	12
1½	¾	0.741	1	<b>84185</b>	12
1½	1	0.815	1	<b>84190</b>	12
1½	1¼	0.946	1	<b>84195</b>	12
2	1	1.016	1	<b>84200</b>	12
2	1¼	1.206	1	<b>84205</b>	12
2	1½	1.311	1	<b>84210</b>	12



**Viega MegaPress reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Street, press connection  
Components  
 FKM sealing element, grip ring, separator ring  
Note  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 4815.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	1	1.181	1	<b>26700</b>	12
2½	1¼	1.305	1	<b>26705</b>	12
2½	1½	1.411	1	<b>26710</b>	12
2½	2	1.492	1	<b>26715</b>	12
3	1¼	1.770	1	<b>26720</b>	12
3	1½	1.880	1	<b>26725</b>	12
3	2	2.191	1	<b>26730</b>	12
3	2½	2.206	1	<b>26735</b>	12
4	1½	3.075	1	<b>26740</b>	12
4	2	3.110	1	<b>26745</b>	12
4	2½	3.037	1	<b>26750</b>	12
4	3	3.262	1	<b>26755</b>	12

**Branch connectors**



**Viega MegaPress press-in branch connector**  
 - For use with Sch. 10 carbon steel pipe only  
 - Carbon steel, zinc-nickel coating  
 - Press connection, female pipe thread  
Components  
 FKM sealing element  
**Model 4812.2**

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.454	1	<b>26800</b>	12
2	¾	0.452	1	<b>26805</b>	12
2½	¾	0.458	1	<b>26810</b>	12
3	¾	0.452	1	<b>26815</b>	12
4	¾	0.445	1	<b>26820</b>	12
6	¾	0.441	1	<b>26825</b>	12



**Viega MegaPress press-in branch connector**

- For use with Sch. 40 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

FKM sealing element

**Model 4812.25**

for d	FPT	Wt [lb]	Quantity	Part No	DG
1½	¾	0.432	1	<b>26830</b>	12
2	¾	0.441	1	<b>26835</b>	12
2½	¾	0.441	1	<b>26840</b>	12
3	¾	0.410	1	<b>26845</b>	12
4	¾	0.410	1	<b>26850</b>	12
6	¾	0.388	1	<b>26855</b>	12



**MegaPress 304 FKM**



2.4



## MegaPress 304 FKM

Viega MegaPress 304 FKM fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". MegaPress 304 with an FKM sealing element is suitable for chemical and higher temperature applications.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- FKM sealing element
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot indicates an FKM sealing element.

**Index**

Elbows	84
Tees	85
Adapters	86
Flanges	86
Caps	87
Unions	87
Couplings	87
Reducers	88

**Elbows**



**Viega MegaPress 90° elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 4116**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.324	10	<b>95005</b>	14
3/4	3/4	0.423	10	<b>95010</b>	14
1	1	0.789	5	<b>95015</b>	14
1 1/4	1 1/4	1.258	1	<b>95785</b>	14
1 1/2	1 1/2	1.510	1	<b>95020</b>	14
2	2	2.032	1	<b>95025</b>	14



**Viega MegaPress 90° elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4116XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.317	1	<b>95500</b>	14
3	3	4.763	1	<b>95505</b>	14
4	4	7.904	1	<b>95510</b>	14



**Viega MegaPress 90° street elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

**Model 4116.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.320	10	<b>95030</b>	14
3/4	3/4	0.417	10	<b>95035</b>	14
1	1	0.782	5	<b>95040</b>	14
1 1/4	1 1/4	1.219	1	<b>95845</b>	14
1 1/2	1 1/2	1.483	1	<b>95045</b>	14
2	2	2.063	1	<b>95050</b>	14



**Viega MegaPress 90° street elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4116.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.304	1	<b>95515</b>	14
3	3	5.052	1	<b>95520</b>	14
4	4	7.489	1	<b>95525</b>	14



**Viega MegaPress 45° elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 4126**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	<b>95055</b>	14
3/4	3/4	0.346	10	<b>95060</b>	14
1	1	0.641	5	<b>95065</b>	14
1 1/4	1 1/4	1.038	1	<b>95790</b>	14
1 1/2	1 1/2	1.228	1	<b>95070</b>	14
2	2	1.620	1	<b>95075</b>	14



**Viega MegaPress 45° elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4126XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.480	1	<b>95530</b>	14
3	3	3.579	1	<b>95535</b>	14
4	4	5.938	1	<b>95540</b>	14



**Viega MegaPress 45° street elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

**Model 4126.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.276	10	95080	14
¾	¾	0.355	10	95085	14
1	1	0.648	5	95090	14
1¼	1¼	1.003	1	95850	14
1½	1½	1.188	1	95095	14
2	2	1.679	1	95100	14



**Viega MegaPress 45° street elbow**  
Smart Connect Technology

- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4126.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.409	1	95545	14
3	3	3.306	1	95550	14
4	4	5.492	1	95555	14

**Tees**



**Viega MegaPress tee**  
Smart Connect Technology

- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 4118**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.443	5	95105	14
¾	¾	¾	0.536	5	95130	14
¾	¾	¾	0.582	5	95110	14
1	1	½	0.882	5	95135	14
1	1	¾	0.899	5	95140	14
1	1	1	1.005	5	95115	14
1¼	1¼	½	1.300	1	95855	14
1¼	1¼	¾	1.338	1	95860	14
1¼	1¼	1	1.430	1	95865	14
1¼	1¼	1¼	1.578	1	95795	14
1½	1½	½	1.532	1	95145	14
1½	1½	¾	1.525	1	95150	14
1½	1½	1	1.631	1	95155	14
1½	1½	1½	1.832	1	95120	14
2	2	½	2.082	1	95160	14
2	2	¾	2.094	1	95165	14
2	2	1	2.195	1	95170	14
2	2	1½	2.373	1	95175	14
2	2	2	2.493	1	95125	14



**Viega MegaPress tee**  
Smart Connect Technology

- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4118XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	3.033	1	95575	14
2½	2½	2	3.174	1	95580	14
2½	2½	2½	3.346	1	95560	14
3	3	1½	3.696	1	95590	14
3	3	2	4.547	1	95585	14
3	3	3	4.862	1	95565	14
4	4	1½	5.627	1	95600	14
4	4	2	5.990	1	95605	14
4	4	2½	6.358	1	95610	14
4	4	3	6.949	1	95615	14
4	4	4	8.232	1	95570	14



**Viega MegaPress tee**  
Smart Connect Technology

- 304 stainless steel
- Press connection, female pipe thread

Components

FKM sealing elements, grip rings, separator rings

**Model 4117.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.525	5	95180	14
¾	¾	¾	0.551	5	95185	14
1	1	½	0.862	5	95190	14
1	1	¾	0.886	5	95195	14
1½	1½	½	1.483	1	95200	14
1½	1½	¾	1.563	1	95205	14
1½	1½	1	1.675	1	95210	14
2	2	½	2.059	1	95215	14
2	2	¾	2.081	1	95220	14
2	2	1	2.244	1	95225	14



**Viega MegaPress tee**  
Smart Connect Technology

- 304 stainless steel
- Press connection, female pipe thread

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4117.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.484	1	<b>95620</b>	14
3	3	¾	3.090	1	<b>95625</b>	14
4	4	¾	5.036	1	<b>95630</b>	14

**Adapters**



**Viega MegaPress adapter**  
Smart Connect Technology

- 304 stainless steel
- Press connection, male pipe thread

Components

FKM sealing element, grip ring, separator ring

**Model 4111**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.209	10	<b>95230</b>	14
¾	½	0.269	10	<b>95235</b>	14
¾	¾	0.284	10	<b>95240</b>	14
1	1	0.483	5	<b>95245</b>	14
1¼	1¼	0.798	1	<b>95830</b>	14
1½	1½	0.985	1	<b>95250</b>	14
2	2	1.283	1	<b>95255</b>	14



**Viega MegaPress adapter**  
Smart Connect Technology

- 304 stainless steel
- Press connection, male pipe thread

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4111XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.675	1	<b>95635</b>	14
3	3	2.349	1	<b>95640</b>	14
4	4	4.157	1	<b>95735</b>	14



**Viega MegaPress adapter**  
Smart Connect Technology

- 304 stainless steel
- Press connection, female pipe thread

Components

FKM sealing element, grip ring, separator ring

**Model 4112**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.232	10	<b>95260</b>	14
¾	¾	0.289	10	<b>95265</b>	14
1	1	0.538	5	<b>95270</b>	14
1¼	1¼	0.683	1	<b>95835</b>	14
1½	1½	0.884	1	<b>95275</b>	14
2	2	1.228	1	<b>95280</b>	14



**Viega MegaPress adapter**  
Smart Connect Technology

- 304 stainless steel
- Press connections, female pipe thread

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4112XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.814	1	<b>95770</b>	14
3	3	2.607	1	<b>95775</b>	14
4	4	3.469	1	<b>95780</b>	14

**Flanges**



**Viega MegaPress flange**  
Smart Connect Technology

- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4159XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.276	1	<b>95720</b>	14
3	4	6	9.881	1	<b>95725</b>	14
4	8	7½	13.630	1	<b>95730</b>	14

BP = bolt pattern  
BPd = bolt pattern diameter



**Caps**



**Viega MegaPress cap**  
**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

**Model 4156**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.172	10	<b>95390</b>	14
3/4	0.223	10	<b>95395</b>	14
1	0.387	5	<b>95400</b>	14
1 1/4	0.599	1	<b>95825</b>	14
1 1/2	0.701	1	<b>95405</b>	14
2	0.939	1	<b>95410</b>	14



**Viega MegaPress cap**  
**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4156.1XL**

P	Wt [lb]	Quantity	Part No	DG
2 1/2	1.247	1	<b>95705</b>	14
3	1.975	1	<b>95710</b>	14
4	2.817	1	<b>95715</b>	14

**Unions**



**Viega MegaPress union**  
**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

AFM flat gasket, FKM sealing elements, grip rings, separator rings

**Model 4160**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.608	5	<b>95415</b>	14
3/4	3/4	1.020	5	<b>95420</b>	14
1	1	1.333	1	<b>95425</b>	14
1 1/4	1 1/4	2.409	1	<b>95875</b>	14
1 1/2	1 1/2	2.494	1	<b>95430</b>	14
2	2	4.047	1	<b>95435</b>	14

**Couplings**



**Viega MegaPress coupling**  
**With stop**

**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 4115**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.227	10	<b>95285</b>	14
3/4	3/4	0.289	10	<b>95290</b>	14
1	1	0.505	5	<b>95295</b>	14
1 1/4	1 1/4	0.849	1	<b>95800</b>	14
1 1/2	1 1/2	1.069	1	<b>95300</b>	14
2	2	1.252	1	<b>95305</b>	14



**Viega MegaPress coupling**  
**With stop**

**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4115XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.686	1	<b>95645</b>	14
3	3	2.438	1	<b>95650</b>	14
4	4	4.218	1	<b>95655</b>	14



**Viega MegaPress coupling**  
**No stop**

**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 4115.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.229	10	<b>95310</b>	14
3/4	3/4	0.287	10	<b>95315</b>	14
1	1	0.500	5	<b>95320</b>	14
1 1/4	1 1/4	0.849	1	<b>95805</b>	14
1 1/2	1 1/2	0.985	1	<b>95325</b>	14
2	2	1.225	1	<b>95330</b>	14



**Viega MegaPress coupling**

**No stop**

**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4115.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.677	1	<b>95660</b>	14
3	3	2.446	1	<b>95665</b>	14
4	4	4.141	1	<b>95670</b>	14



**Viega MegaPress transition coupling**

**Smart Connect Technology**

- For transitioning between IPS and CTS systems
- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip ring, separator ring

**Model 4113**

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.218	1	<b>95465</b>	14
¾	¾	0.284	1	<b>95470</b>	14
1	1	0.430	1	<b>95475</b>	14
1¼	1¼	0.619	1	<b>95840</b>	14
1½	1½	0.804	1	<b>95485</b>	14
2	2	1.042	1	<b>95490</b>	14

**Reducers**



**Viega MegaPress reducer**

**Smart Connect Technology**

- 304 stainless steel
- Street, press connection

Components

FKM sealing element, grip ring, separator ring

**Model 4115.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.242	5	<b>95355</b>	14
1	½	0.347	5	<b>95360</b>	14
1	¾	0.366	5	<b>95365</b>	14
1¼	1	0.685	1	<b>95810</b>	14
1½	¾	0.633	1	<b>95370</b>	14
1½	1	0.723	1	<b>95375</b>	14
1½	1¼	0.926	1	<b>95815</b>	14
2	1	0.932	1	<b>95380</b>	14
2	1½	1.104	1	<b>95385</b>	14



**Viega MegaPress reducer**

**Smart Connect Technology**

- 304 stainless steel
- Street, press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 4115.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	1.408	1	<b>95675</b>	14
3	2	1.845	1	<b>95680</b>	14
3	2½	1.962	1	<b>95685</b>	14
4	2	2.905	1	<b>95690</b>	14
4	2½	3.031	1	<b>95695</b>	14
4	3	3.306	1	<b>95700</b>	14



**Viega MegaPress reducer**

**Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 4115.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.320	5	<b>95335</b>	14
1	¾	0.480	5	<b>95340</b>	14
1¼	1	0.787	1	<b>95820</b>	14
1½	1	0.849	1	<b>95345</b>	14
2	1½	1.265	1	<b>95350</b>	14

# MegaPress 316



2.5



## MegaPress 316

Viega MegaPress 316 fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". Viega MegaPress 316 with an EPDM sealing element is suitable for use with chilled water, compressed air, potable water, marine applications and more. Not for use with fuel gas or fuel oil applications.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- 316 stainless carries an NSF-61 potable water rating
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element.

**Index**

Elbows	92
Tees	93
Adapters	94
Flanges	94
Caps	95
Unions	95
Couplings	95
Reducers	96

**Elbows**



**Viega MegaPress 90° elbow**  
**Smart Connect Technology**  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements, grip rings, separator rings  
**Model 5116**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.315	10	90005	14
3/4	3/4	0.422	10	90010	14
1	1	0.785	5	90015	14
1 1/4	1 1/4	1.247	1	90835	14
1 1/2	1 1/2	1.527	1	90020	14
2	2	2.081	1	90025	14



**Viega MegaPress 90° elbow**  
**Smart Connect Technology**  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements, grip rings, separator rings  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 5116XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.163	1	90500	14
3	3	4.783	1	90505	14
4	4	7.807	1	90510	14



**Viega MegaPress 90° street elbow**  
**Smart Connect Technology**  
 - 316 stainless steel  
 - Press connection, street  
**Components**  
 EPDM sealing element, grip ring, separator ring  
**Model 5116.1**

P1	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.313	10	90030	14
3/4	3/4	0.413	10	90035	14
1	1	0.800	5	90040	14
1 1/4	1 1/4	1.225	1	90895	14
1 1/2	1 1/2	1.510	1	90045	14
2	2	2.122	1	90050	14



**Viega MegaPress 90° street elbow**  
**Smart Connect Technology**  
 - 316 stainless steel  
 - Press connection, street  
**Components**  
 EPDM sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 5116.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.253	1	90515	14
3	3	4.459	1	90520	14
4	4	7.469	1	90525	14



**Viega MegaPress 45° elbow**  
**Smart Connect Technology**  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements, grip rings, separator rings  
**Model 5126**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.266	10	90055	14
3/4	3/4	0.339	10	90060	14
1	1	0.639	5	90065	14
1 1/4	1 1/4	1.042	1	90840	14
1 1/2	1 1/2	1.228	1	90070	14
2	2	1.622	1	90075	14



**Viega MegaPress 45° elbow**  
**Smart Connect Technology**  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements, grip rings, separator rings  
**Model 5126XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.900	1	90530	14
3	3	3.542	1	90535	14
4	4	5.916	1	90540	14





**Viega MegaPress 45° street elbow**  
Smart Connect Technology

- 316 stainless steel
- Press connection, street

Components

EPDM sealing element, grip ring, separator ring

**Model 5126.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.271	10	90080	14
¾	¾	0.353	10	90085	14
1	1	0.648	5	90090	14
1¼	1¼	1.007	1	90900	14
1½	1½	1.232	1	90095	14
2	2	1.671	1	90100	14



**Viega MegaPress 45° street elbow**  
Smart Connect Technology

- 316 stainless steel
- Press connection, street

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5126.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.290	1	90545	14
3	3	3.284	1	90550	14
4	4	5.455	1	90555	14

**Tees**



**Viega MegaPress tee**  
Smart Connect Technology

- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 5118**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.432	5	90105	14
¾	¾	¾	0.534	5	90130	14
¾	¾	¾	0.569	5	90110	14
1	1	½	0.866	5	90135	14
1	1	¾	0.891	5	90140	14
1	1	1	0.996	5	90115	14
1¼	1¼	½	1.311	1	90905	14
1¼	1¼	¾	1.342	1	90910	14
1¼	1¼	1	1.441	1	90915	14
1¼	1¼	1¼	1.600	1	90845	14
1½	1½	½	1.549	1	90145	14
1½	1½	¾	1.536	1	90150	14
1½	1½	1	1.655	1	90155	14
1½	1½	1½	1.887	1	90120	14
2	2	½	2.074	1	90160	14
2	2	¾	2.100	1	90165	14
2	2	1	2.191	1	90170	14
2	2	1½	2.407	1	90175	14
2	2	2	2.515	1	90125	14



**Viega MegaPress tee**  
Smart Connect Technology

- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5118XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	3.035	1	90575	14
2½	2½	2	3.163	1	90580	14
2½	2½	2½	3.762	1	90560	14
3	3	1½	3.672	1	90590	14
3	3	2	3.963	1	90585	14
3	3	2½	4.312	1	90595	14
3	3	3	4.820	1	90565	14
4	4	1½	5.614	1	90600	14
4	4	2	5.979	1	90605	14
4	4	2½	6.387	1	90610	14
4	4	3	6.921	1	90615	14
4	4	4	8.221	1	90570	14



**Viega MegaPress tee**  
Smart Connect Technology

- 316 stainless steel
- Press connection, female pipe thread

Components

EPDM sealing elements, grip rings, separator rings

**Model 5117.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.525	5	90180	14
¾	¾	¾	0.551	5	90185	14
1	1	½	0.844	5	90190	14
1	1	¾	0.879	5	90195	14
1½	1½	½	1.519	1	90200	14
1½	1½	¾	1.574	1	90205	14
1½	1½	1	1.719	1	90210	14
2	2	¾	2.081	1	90220	14
2	2	1	2.222	1	90225	14



**Viega MegaPress tee**  
Smart Connect Technology

- 316 stainless steel
- Press connection, female pipe thread

Components

EPDM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5117.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.477	1	<b>90620</b>	14
3	3	¾	3.066	1	<b>90625</b>	14
4	4	¾	4.595	1	<b>90630</b>	14

**Adapters**



**Viega MegaPress adapter**  
Smart Connect Technology

- 316 stainless steel
- Press connection, male pipe thread

Components

EPDM sealing element, grip ring, separator ring

**Model 5111**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.207	10	<b>90230</b>	14
¾	½	0.270	10	<b>90235</b>	14
¾	¾	0.282	10	<b>90240</b>	14
1	1	0.465	5	<b>90245</b>	14
1¼	1¼	0.807	1	<b>90880</b>	14
1½	1½	0.983	1	<b>90250</b>	14
2	2	1.320	1	<b>90255</b>	14



**Viega MegaPress adapter**  
Smart Connect Technology

- 316 stainless steel
- Press connection, male pipe thread

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5111XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.686	1	<b>90635</b>	14
3	3	2.341	1	<b>90640</b>	14
4	4	4.170	1	<b>90735</b>	14



**Viega MegaPress adapter**  
Smart Connect Technology

- 316 stainless steel
- Press connection, female pipe thread

Components

EPDM sealing element, grip ring, separator ring

**Model 5112**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.229	10	<b>90260</b>	14
¾	¾	0.291	10	<b>90265</b>	14
1	1	0.538	5	<b>90270</b>	14
1¼	1¼	0.688	1	<b>90885</b>	14
1½	1½	0.893	1	<b>90275</b>	14
2	2	1.261	1	<b>90280</b>	14



**Viega MegaPress adapter**  
Smart Connect Technology

- 316 stainless steel
- Press connections, female pipe thread

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5112XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.829	1	<b>90740</b>	14
3	3	2.356	1	<b>90745</b>	14
4	4	3.478	1	<b>90750</b>	14

**Flanges**



**Viega MegaPress flange**  
Smart Connect Technology

- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

**Model 5159**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.326	1	<b>90440</b>	14
¾	4	2¾	1.512	1	<b>90445</b>	14
1	4	3½	2.089	1	<b>90450</b>	14
1¼	4	3½	2.953	1	<b>90920</b>	14
1½	4	3¾	3.725	1	<b>90455</b>	14
2	4	4¾	5.049	1	<b>90460</b>	14

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega MegaPress flange**  
**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5159XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.342	1	<b>90720</b>	14
3	4	6	9.709	1	<b>90725</b>	14
4	8	7½	13.881	1	<b>90730</b>	14

BP = bolt pattern  
BPd = bolt pattern diameter

**Caps**



**Viega MegaPress cap**  
**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

**Model 5156**

P	Wt [lb]	Quantity	Part No	DG
½	0.172	10	<b>90390</b>	14
¾	0.218	10	<b>90395</b>	14
1	0.379	5	<b>90400</b>	14
1¼	0.604	1	<b>90875</b>	14
1½	0.703	1	<b>90405</b>	14
2	0.926	1	<b>90410</b>	14



**Viega MegaPress cap**  
**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5156.1XL**

P	Wt [lb]	Quantity	Part No	DG
2½	1.466	1	<b>90705</b>	14
3	1.695	1	<b>90710</b>	14
4	2.790	1	<b>90715</b>	14

**Unions**



**Viega MegaPress union**  
**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

Flat gasket EPDM, EPDM sealing elements, grip rings, separator rings

**Model 5160**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.624	5	<b>90415</b>	14
¾	¾	1.036	5	<b>90420</b>	14
1	1	1.342	1	<b>90425</b>	14
1¼	1¼	2.420	1	<b>90925</b>	14
1½	1½	2.468	1	<b>90430</b>	14
2	2	3.956	1	<b>90435</b>	14

**Couplings**



**Viega MegaPress coupling**  
**With stop**  
**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 5115**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	<b>90285</b>	14
¾	¾	0.290	10	<b>90290</b>	14
1	1	0.505	5	<b>90295</b>	14
1¼	1¼	0.849	1	<b>90850</b>	14
1½	1½	1.018	1	<b>90300</b>	14
2	2	1.267	1	<b>90305</b>	14



**Viega MegaPress coupling**

**With stop**

**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5115XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.688	1	<b>90645</b>	14
3	3	2.645	1	<b>90650</b>	14
4	4	4.130	1	<b>90655</b>	14



**Viega MegaPress coupling**

**No stop**

**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 5115.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.224	10	<b>90310</b>	14
¾	¾	0.291	10	<b>90315</b>	14
1	1	0.502	5	<b>90320</b>	14
1¼	1¼	0.846	1	<b>90855</b>	14
1½	1½	1.001	1	<b>90325</b>	14
2	2	1.179	1	<b>90330</b>	14



**Viega MegaPress coupling**

**No stop**

**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5115.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.995	1	<b>90660</b>	14
3	3	2.634	1	<b>90665</b>	14
4	4	4.135	1	<b>90670</b>	14



**Viega MegaPress transition coupling**

**Smart Connect Technology**

- For transitioning between IPS and CTS systems

- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip ring, separator ring

**Model 5113**

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.214	1	<b>90465</b>	14
¾	¾	0.280	1	<b>90470</b>	14
1	1	0.425	1	<b>90475</b>	14
1¼	1¼	0.626	1	<b>90890</b>	14
1½	1½	0.804	1	<b>90485</b>	14
2	2	1.031	1	<b>90490</b>	14

**Reducers**



**Viega MegaPress reducer**

**Smart Connect Technology**

- 316 stainless steel
- Street, press connection

Components

EPDM sealing element, grip ring, separator ring

**Model 5115.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.238	5	<b>90355</b>	14
1	½	0.339	5	<b>90360</b>	14
1	¾	0.368	5	<b>90365</b>	14
1¼	1	0.694	1	<b>90860</b>	14
1½	¾	0.644	1	<b>90370</b>	14
1½	1	0.703	1	<b>90375</b>	14
1½	1¼	0.926	1	<b>90865</b>	14
2	1	0.915	1	<b>90380</b>	14
2	1½	1.126	1	<b>90385</b>	14



**Viega MegaPress reducer**

**Smart Connect Technology**

- 316 stainless steel
- Street, press connection

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5115.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	1.446	1	<b>90675</b>	14
3	2	1.843	1	<b>90680</b>	14
3	2½	1.962	1	<b>90685</b>	14
4	2	2.911	1	<b>90690</b>	14
4	2½	3.004	1	<b>90695</b>	14
4	3	3.280	1	<b>90700</b>	14



**Viega MegaPress reducer**

**Smart Connect Technology**

- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 5115.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.306	5	<b>90335</b>	14
1	¾	0.478	5	<b>90340</b>	14
1¼	1	0.789	1	<b>90870</b>	14
1½	1	0.855	1	<b>90345</b>	14
2	1½	1.281	1	<b>90350</b>	14





# MegaPress 316 FKM



## MegaPress 316 FKM

Viega MegaPress 316 FKM fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". Viega MegaPress 316 with an FKM sealing element is suitable for use with hydronic applications, compressed air, industrial gases, marine applications and more.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Can be used on Schedule 80 pipe, but with the rating of a Schedule 40 system
- Compatible with existing press tools
- Backed by limited written warranty

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot indicates an FKM sealing element.

**Index**

Elbows	102
Tees	103
Adapters	104
Flanges	105
Caps	105
Unions	106
Couplings	106
Reducers	107

**Elbows**



**Viega MegaPress 90° elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Model 6816**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.326	10	<b>91695</b>	18
3/4	3/4	0.430	10	<b>91700</b>	18
1	1	0.809	5	<b>91705</b>	18
1 1/4	1 1/4	1.263	1	<b>91710</b>	18
1 1/2	1 1/2	1.488	1	<b>91715</b>	18
2	2	2.116	1	<b>91720</b>	18



**Viega MegaPress 90° elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6816XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.438	1	<b>98405</b>	18
3	3	4.833	1	<b>98410</b>	18
4	4	8.036	1	<b>98415</b>	18



**Viega MegaPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection, street  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Model 6816.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.313	10	<b>91725</b>	18
3/4	3/4	0.417	10	<b>91730</b>	18
1	1	0.807	5	<b>91735</b>	18
1 1/4	1 1/4	1.241	1	<b>91740</b>	18
1 1/2	1 1/2	1.466	1	<b>91745</b>	18
2	2	2.122	1	<b>91750</b>	18



**Viega MegaPress 90° street elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection, street  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6816.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.407	1	<b>98390</b>	18
3	3	4.479	1	<b>98395</b>	18
4	4	7.593	1	<b>98400</b>	18



**Viega MegaPress 45° elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Model 6826**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.271	10	<b>91755</b>	18
3/4	3/4	0.357	10	<b>91760</b>	18
1	1	0.646	5	<b>91765</b>	18
1 1/4	1 1/4	1.047	1	<b>91770</b>	18
1 1/2	1 1/2	1.236	1	<b>91775</b>	18
2	2	1.622	1	<b>91780</b>	18



**Viega MegaPress 45° elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6826XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.535	1	<b>98510</b>	18
3	3	3.537	1	<b>98515</b>	18
4	4	6.028	1	<b>98520</b>	18



**Viega MegaPress 45° street elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection, street  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Model 6826.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.267	10	<b>91785</b>	18
¾	¾	0.353	10	<b>91790</b>	18
1	1	0.648	5	<b>91795</b>	18
1¼	1¼	1.009	1	<b>91800</b>	18
1½	1½	1.188	1	<b>91805</b>	18
2	2	1.671	1	<b>91810</b>	18



**Viega MegaPress 45° street elbow**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection, street  
**Components**  
 FKM sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6826.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.468	1	<b>98495</b>	18
3	3	3.262	1	<b>98500</b>	18
4	4	5.525	1	<b>98505</b>	18

**Tees**



**Viega MegaPress tee**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 FKM sealing elements, grip rings, separator rings  
**Model 6818**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.436	5	<b>91600</b>	18
¾	¾	½	0.544	5	<b>91625</b>	18
¾	¾	¾	0.580	5	<b>91605</b>	18
1	1	½	0.871	5	<b>91630</b>	18
1	1	¾	0.906	5	<b>91635</b>	18
1	1	1	1.014	5	<b>91610</b>	18
1¼	1¼	½	1.311	1	<b>91645</b>	18
1¼	1¼	¾	1.351	1	<b>91650</b>	18
1¼	1¼	1	1.448	1	<b>91655</b>	18
1¼	1¼	1¼	1.602	1	<b>91640</b>	18
1½	1½	½	1.536	1	<b>91660</b>	18
1½	1½	¾	0.893	1	<b>91665</b>	18
1½	1½	1	1.651	1	<b>91670</b>	18
1½	1½	1¼	1.849	1	<b>91910</b>	18
1½	1½	1½	1.882	1	<b>91615</b>	18
2	2	½	2.045	1	<b>91675</b>	18
2	2	¾	2.078	1	<b>91680</b>	18
2	2	1	2.195	1	<b>91685</b>	18
2	2	1¼	2.343	1	<b>91915</b>	18
2	2	1½	2.398	1	<b>91690</b>	18
2	2	2	2.526	1	<b>91620</b>	18



**Viega MegaPress tee**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
  - 316 stainless steel
  - Press connection
- Components**  
FKM sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6818XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	2.874	1	98450	18
2½	2½	2	3.246	1	98455	18
2½	2½	2½	3.449	1	98435	18
3	3	1½	3.769	1	98465	18
3	3	2	4.088	1	98460	18
3	3	2½	4.450	1	98470	18
3	3	3	4.977	1	98440	18
4	4	1½	5.719	1	98475	18
4	4	2	6.105	1	98480	18
4	4	2½	6.482	1	98485	18
4	4	3	7.037	1	98490	18
4	4	4	8.355	1	98445	18



**Viega MegaPress tee**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
  - 316 stainless steel
  - Press connection, female pipe thread
- Components**  
FKM sealing elements, grip rings, separator rings

**Model 6817.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.536	5	91845	18
¾	¾	¾	0.553	5	91850	18
1	1	½	0.860	5	91855	18
1	1	¾	0.882	5	91860	18
1¼	1¼	½	1.296	1	91865	18
1¼	1¼	¾	1.322	1	91870	18
1¼	1¼	1	1.497	1	91875	18
1½	1½	½	1.528	1	91880	18
1½	1½	¾	1.549	1	91885	18
1½	1½	1	1.706	1	91890	18
2	2	½	2.039	1	91895	18
2	2	¾	2.072	1	91900	18
2	2	1	2.241	1	91905	18



**Viega MegaPress tee**  
**Smart Connect Technology**

- 316 stainless steel
  - Press connection, female pipe thread
- Components**  
FKM sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6817.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.314	1	98420	18
3	3	¾	3.116	1	98425	18
4	4	¾	5.133	1	98430	18

**Adapters**



**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
  - 316 stainless steel
  - Press connection, male pipe thread
- Components**  
FKM sealing element, grip ring, separator ring

**Model 6811**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.214	10	91205	18
¾	½	0.273	10	91210	18
¾	¾	0.287	10	91215	18
1	1	0.485	5	91220	18
1¼	1¼	0.802	1	91225	18
1½	1½	0.994	1	91230	18
2	2	1.311	1	91235	18



**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, male pipe thread

**Components**

FKM sealing element, grip ring, separator ring

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6811XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.666	1	98300	18
3	3	2.385	1	98305	18
4	4	4.243	1	98310	18





**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components

FKM sealing element, grip ring, separator ring

**Model 6812**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.234	10	<b>91240</b>	18
¾	¾	0.293	10	<b>91245</b>	18
1	1	0.540	5	<b>91250</b>	18
1¼	1¼	0.688	1	<b>91255</b>	18
1½	1½	0.890	1	<b>91260</b>	18
2	2	1.258	1	<b>91265</b>	18



**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6812XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.840	1	<b>98315</b>	18
3	3	2.398	1	<b>98320</b>	18
4	4	3.548	1	<b>98325</b>	18

**Flanges**



**Viega MegaPress flange**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

**Model 6859**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.340	1	<b>91175</b>	18
¾	4	2¾	1.790	1	<b>91180</b>	18
1	4	3⅞	2.409	1	<b>91185</b>	18
1¼	4	3⅞	2.962	1	<b>91190</b>	18
1½	4	3½	3.696	1	<b>91195</b>	18
2	4	4¾	5.444	1	<b>91200</b>	18

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega MegaPress flange**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6859XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.003	1	<b>98525</b>	18
3	4	6	10.383	1	<b>98530</b>	18
4	8	7½	14.044	1	<b>98535</b>	18

BP = bolt pattern  
BPd = bolt pattern diameter

**Caps**



**Viega MegaPress cap**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

**Model 6856**

P	Wt [lb]	Quantity	Part No	DG
½	0.175	10	<b>91815</b>	18
¾	0.227	10	<b>91820</b>	18
1	0.386	5	<b>91825</b>	18
1¼	0.606	1	<b>91830</b>	18
1½	0.719	1	<b>91835</b>	18
2	0.921	1	<b>91840</b>	18



**Viega MegaPress cap**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6856.1XL**

P	Wt [lb]	Quantity	Part No	DG
2½	1.206	1	<b>98540</b>	18
3	1.790	1	<b>98545</b>	18
4	2.852	1	<b>98550</b>	18

**Unions**



**Viega MegaPress union**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

AFM flat gasket, FKM sealing elements, grip rings, separator rings

**Model 6860**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.636	5	<b>91925</b>	18
¾	¾	1.045	5	<b>91930</b>	18
1	1	1.358	5	<b>91935</b>	18
1¼	1¼	2.402	1	<b>91940</b>	18
1½	1½	2.518	1	<b>91945</b>	18
2	2	4.357	1	<b>91950</b>	18

**Couplings**



**Viega MegaPress coupling**  
**With stop**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 6815**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.234	10	<b>91100</b>	18
¾	¾	0.302	10	<b>91105</b>	18
1	1	0.507	5	<b>91110</b>	18
1¼	1¼	0.844	1	<b>91115</b>	18
1½	1½	1.014	1	<b>91120</b>	18
2	2	1.276	1	<b>91125</b>	18



**Viega MegaPress coupling**  
**With stop**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6815XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.757	1	<b>98375</b>	18
3	3	2.502	1	<b>98380</b>	18
4	4	4.238	1	<b>98385</b>	18



**Viega MegaPress slip coupling**  
**No stop**  
**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 6815.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.225	10	<b>91290</b>	18
¾	¾	0.298	10	<b>91295</b>	18
1	1	0.505	5	<b>91300</b>	18
1¼	1¼	0.852	1	<b>91305</b>	18
1½	1½	1.003	1	<b>91310</b>	18
2	2	1.256	1	<b>91315</b>	18



**Viega MegaPress slip coupling**

**No stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6815.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.741	1	<b>98360</b>	18
3	3	2.457	1	<b>98365</b>	18
4	4	3.705	1	<b>98370</b>	18

**Reducers**



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Street, press connection

Components

FKM sealing element, grip ring, separator ring

**Model 6815.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.245	5	<b>91130</b>	18
1	½	0.346	5	<b>91135</b>	18
1	¾	0.371	5	<b>91140</b>	18
1¼	¾	0.601	1	<b>91320</b>	18
1¼	1	0.685	1	<b>91145</b>	18
1½	¾	0.657	1	<b>91155</b>	18
1½	1	0.730	1	<b>91160</b>	18
1½	1¼	0.928	1	<b>91150</b>	18
2	1	0.939	1	<b>91165</b>	18
2	1¼	1.031	1	<b>91325</b>	18
2	1½	1.119	1	<b>91170</b>	18



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Street, press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6815.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	1.433	1	<b>98330</b>	18
3	2	1.891	1	<b>98335</b>	18
3	2½	2.048	1	<b>98340</b>	18
4	2	2.964	1	<b>98345</b>	18
4	2½	3.086	1	<b>98350</b>	18
4	3	3.381	1	<b>98355</b>	18



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 6815.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.322	5	<b>91270</b>	18
1	¾	0.485	5	<b>91275</b>	18
1¼	1	0.791	1	<b>91280</b>	18
1½	1¼	1.038	1	<b>91920</b>	18
2	1½	1.300	1	<b>91285</b>	18



# MegaPress CuNi



## MegaPress CuNi

Now with NAVSEA approval, Viega offers the MegaPress CuNi 90:10 IPS system with FKM sealing element for marine and industrial pipe joining applications. The MegaPress CuNi system is approved for installation in a variety of applications, from cooling water to fuel to fire sprinkler. It is a 90:10 copper nickel alloy that is specifically designed to stand up to the harsh environments of the sea.

### FEATURES AND BENEFITS

- No fire watches, hot work permits or gas freeing necessary
- Makes secure press connections on sizes from ½" to 4" in seconds
- Installations are completed with a battery-operated press tool
- Copper nickel alloy (CuNi 90:10) well-suited for marine environments and systems
- Complies with DIN 86019 and with a factory standard governing the accuracy of dimensions and surface quality
- Can be used on Schedule 40 and Class 200 90/10 copper nickel pipe
- Complies with DIN 86019 and UNS C70600 compositionally, as well as ASTM B466 and Mil-T-16420K dimensionally
- Installed with Viega MegaPress CuNi Marine Jaws and Rings (or existing MegaPress press jaws and rings for XL 2-1/2" - 4" sizes)
- Backed by limited written warranty
- MegaPress CuNi product stocked in North America and ready to ship

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot indicates an FKM sealing element.



**Index**

Elbows	112
Tees	113
Adapters	114
Flanges	114
Unions	115
Couplings	115
Reducers	116

**Elbows**



**Viega MegaPress 90° elbow**  
Smart Connect Technology

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 0516**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.357	10	<b>88000</b>	17
3/4	3/4	0.469	10	<b>88005</b>	17
1	1	0.890	5	<b>88010</b>	17
1 1/4	1 1/4	1.400	1	<b>88015</b>	17
1 1/2	1 1/2	1.653	1	<b>88020</b>	17
2	2	2.341	1	<b>88025</b>	17



**Viega MegaPress 90° elbow**  
Smart Connect Technology

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0516XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.707	1	<b>88030</b>	17
3	3	5.338	1	<b>88035</b>	17
4	4	8.734	1	<b>88040</b>	17



**Viega MegaPress 90° street elbow**  
Smart Connect Technology

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

**Model 0516.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.346	10	<b>88045</b>	17
3/4	3/4	0.463	10	<b>88050</b>	17
1	1	0.901	5	<b>88055</b>	17
1 1/4	1 1/4	1.375	1	<b>88060</b>	17
1 1/2	1 1/2	1.624	1	<b>88065</b>	17
2	2	2.391	1	<b>88070</b>	17



**Viega MegaPress 90° street elbow**  
Smart Connect Technology

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0516.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.665	1	<b>88075</b>	17
3	3	5.071	1	<b>88080</b>	17
4	4	8.402	1	<b>88085</b>	17



**Viega MegaPress 45° elbow**  
Smart Connect Technology

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 0526**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.300	10	<b>88090</b>	17
3/4	3/4	0.390	10	<b>88095</b>	17
1	1	0.716	5	<b>88100</b>	17
1 1/4	1 1/4	1.144	1	<b>88105</b>	17
1 1/2	1 1/2	1.349	1	<b>88110</b>	17
2	2	1.858	1	<b>88115</b>	17



**Viega MegaPress 45° elbow**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0526XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.768	1	<b>88120</b>	17
3	3	3.985	1	<b>88125</b>	17
4	4	6.475	1	<b>88130</b>	17



**Viega MegaPress 45° street elbow**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

**Model 0526.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.298	10	<b>88135</b>	17
¾	¾	0.381	10	<b>88140</b>	17
1	1	0.738	5	<b>88145</b>	17
1¼	1¼	1.135	1	<b>88150</b>	17
1½	1½	1.289	1	<b>88155</b>	17
2	2	1.867	1	<b>88160</b>	17



**Viega MegaPress 45° street elbow**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0526.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.673	1	<b>88165</b>	17
3	3	3.701	1	<b>88170</b>	17
4	4	6.143	1	<b>88175</b>	17

**Tees**



**Viega MegaPress tee**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 0518**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.489	5	<b>88180</b>	17
¾	¾	¾	0.650	5	<b>88185</b>	17
1	1	½	0.487	5	<b>88225</b>	17
1	1	¾	1.001	5	<b>88230</b>	17
1	1	1	1.115	5	<b>88190</b>	17
1¼	1¼	1¼	1.750	1	<b>88195</b>	17
1½	1½	1½	2.043	1	<b>88200</b>	17
2	2	½	2.281	1	<b>88235</b>	17
2	2	¾	2.316	1	<b>88240</b>	17
2	2	1	2.409	1	<b>88245</b>	17
2	2	2	2.781	1	<b>88205</b>	17



**Viega MegaPress tee**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0518XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	2½	3.709	1	<b>88210</b>	17
3	3	2	4.481	1	<b>88250</b>	17
3	3	2½	4.866	1	<b>88255</b>	17
3	3	3	5.431	1	<b>88215</b>	17
4	4	2	6.592	1	<b>88260</b>	17
4	4	2½	7.007	1	<b>88265</b>	17
4	4	3	7.621	1	<b>88270</b>	17
4	4	4	9.017	1	<b>88220</b>	17



**Viega MegaPress tee**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, female pipe thread

**Components**

FKM sealing elements, grip rings, separator rings

**Model 0517.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	½	0.480	5	<b>88275</b>	17
1	1	½	0.965	5	<b>88280</b>	17
1	1	¾	0.987	5	<b>88285</b>	17
2	2	½	2.255	1	<b>88290</b>	17
2	2	¾	2.283	1	<b>88295</b>	17



**Viega MegaPress tee**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, female pipe thread

**Components**

FKM sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0517.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3	3	½	3.462	1	<b>88300</b>	17
3	3	¾	3.489	1	<b>88305</b>	17
4	4	½	5.320	1	<b>88310</b>	17
4	4	¾	5.466	1	<b>88315</b>	17

**Adapters**



**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, male pipe thread

**Components**

FKM sealing element, grip ring, separator ring

**Model 0511**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.234	10	<b>88320</b>	17
¾	¾	0.318	10	<b>88325</b>	17
1	1	0.529	5	<b>88330</b>	17
1¼	1¼	0.890	1	<b>88335</b>	17
1½	1½	1.091	1	<b>88340</b>	17
2	2	1.461	1	<b>88345</b>	17



**Viega MegaPress adapter**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection, female pipe thread

**Components**

FKM sealing element, grip ring, separator ring

**Model 0512**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.258	10	<b>88350</b>	17
¾	¾	0.328	10	<b>88355</b>	17
1	1	0.599	5	<b>88360</b>	17
1¼	1¼	0.767	1	<b>88365</b>	17
1½	1½	0.974	1	<b>88370</b>	17
2	2	1.384	1	<b>88375</b>	17

**Flanges**



**Viega MegaPress flange**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection
- ANSI 150lb drilled flange x press

**Components**

FKM sealing element, grip ring, separator ring

**Model 0559**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1	4	3⅞	2.537	1	<b>88680</b>	17
1¼	4	3⅞	2.953	1	<b>88685</b>	17
1½	4	3½	3.795	1	<b>88690</b>	17
2	4	4¾	6.098	1	<b>88695</b>	17

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega MegaPress flange**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10

- Press connection
- ANSI 150lb drilled flange x press

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0559.3XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	9.393	1	<b>88700</b>	17
3	4	6	10.804	1	<b>88705</b>	17
4	8	7½	15.507	1	<b>88710</b>	17

BP = bolt pattern  
BPd = bolt pattern diameter

**Unions**



**Viega MegaPress union**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10

- Press connection

Components

AFM flat gasket, FKM sealing elements, grip rings, separator rings

**Model 0560**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.701	5	<b>88620</b>	17
¾	¾	1.150	5	<b>88625</b>	17
1	1	1.479	5	<b>88630</b>	17
1¼	1¼	2.665	1	<b>88635</b>	17
1½	1½	2.737	1	<b>88640</b>	17
2	2	4.390	1	<b>88645</b>	17



**Viega MegaPress union**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10

- Press connection, male pipe thread

Components

AFM flat gasket, FKM sealing element, grip ring, separator ring

**Model 0565**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.602	5	<b>88650</b>	17
¾	¾	1.025	5	<b>88655</b>	17
1	1	1.263	5	<b>88660</b>	17
1¼	1¼	2.394	1	<b>88665</b>	17
1½	1½	2.387	1	<b>88670</b>	17
2	2	3.967	1	<b>88675</b>	17

**Couplings**



**Viega MegaPress coupling**  
**With stop**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10

- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 0515**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.256	10	<b>88380</b>	17
¾	¾	0.335	10	<b>88385</b>	17
1	1	0.555	5	<b>88390</b>	17
1¼	1¼	0.939	1	<b>88395</b>	17
1½	1½	1.109	1	<b>88400</b>	17
2	2	1.395	1	<b>88405</b>	17



**Viega MegaPress coupling**  
**With stop**  
**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10

- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0515XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.871	1	<b>88410</b>	17
3	3	2.709	1	<b>88415</b>	17
4	4	4.487	1	<b>88420</b>	17



**Viega MegaPress coupling**

**No stop**

**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 0515.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.251	10	<b>88425</b>	17
¾	¾	0.335	10	<b>88430</b>	17
1	1	0.553	5	<b>88435</b>	17
1¼	1¼	0.948	1	<b>88440</b>	17
1½	1½	1.106	1	<b>88445</b>	17
2	2	1.389	1	<b>88450</b>	17



**Viega MegaPress coupling**

**No stop**

**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0515.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.884	1	<b>88455</b>	17
3	3	2.729	1	<b>88460</b>	17
4	4	4.474	1	<b>88465</b>	17

**Reducers**



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Street, press connection

Components

FKM sealing element, grip ring, separator ring

**Model 0515.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.267	5	<b>88545</b>	17
1	½	0.395	5	<b>88550</b>	17
1	¾	0.419	5	<b>88555</b>	17
1¼	¾	0.644	1	<b>88560</b>	17
1¼	1	0.754	1	<b>88565</b>	17
1½	1	0.807	1	<b>88570</b>	17
1½	1¼	0.981	1	<b>88575</b>	17
2	1¼	1.214	1	<b>88580</b>	17
2	1½	1.241	1	<b>88585</b>	17



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Street, press connection

Components

FKM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0515.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	1½	1.457	1	<b>88590</b>	17
2½	2	1.574	1	<b>88595</b>	17
3	2	2.052	1	<b>88600</b>	17
3	2½	2.206	1	<b>88605</b>	17
4	2½	3.394	1	<b>88610</b>	17
4	3	3.665	1	<b>88615</b>	17



**Viega MegaPress reducer**

**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

Components

FKM sealing elements, grip rings, separator rings

**Model 0515.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.355	5	<b>88470</b>	17
1	½	0.514	5	<b>88475</b>	17
1	¾	0.529	5	<b>88480</b>	17
1¼	¾	0.743	1	<b>88485</b>	17
1¼	1	0.871	1	<b>88490</b>	17
1½	1	0.972	1	<b>88495</b>	17
1½	1¼	1.115	1	<b>88500</b>	17
2	1¼	1.358	1	<b>88505</b>	17
2	1½	1.413	1	<b>88510</b>	17





**Viega MegaPress reducer**

**Smart Connect Technology**

- For use in installations of Class 200 or Schedule 40 IPS copper nickel pipe
- CuNiFe 90/10
- Press connection

**Components**

FKM sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 0515.2XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	1½	1.812	1	<b>88515</b>	17
2½	2	1.873	1	<b>88520</b>	17
3	2	2.442	1	<b>88525</b>	17
3	2½	2.616	1	<b>88530</b>	17
4	2½	3.773	1	<b>88535</b>	17
4	3	4.084	1	<b>88540</b>	17



# PureFlow Press



## PureFlow Press

Known for forward-thinking system solutions, Viega offers complete plumbing systems for potable water. By combining the highest-rated PEX tubing on the market (according to industry standards) with the revolutionary Viega ManaBloc and press manifolds, as well as press fittings, the Viega PureFlow System saves time, labor and cost. The first press system for the PEX market, Viega PureFlow Press fittings have factory-attached sleeves that improve consistency and reduce installation errors. Available in high-performance polymer and Viega Zero Lead bronze, Viega PureFlow Press fittings are ideal for residential and commercial jobs. Viega also offers fittings for easy copper-to-PEX transitions; and system-matched tools and press jaws make installation easy and consistent.

### FEATURES AND BENEFITS

- The original press fitting for PEX tubing
- Factory-assembled fittings with attached stainless steel sleeves reduce installation errors
- Available in sizes from  $\frac{3}{8}$ " to 2"
- The only PEX fittings with Viega Smart Connect technology
- Backed by a 25-year limited warranty

### ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega PureFlow Press polymer fitting indicates Smart Connect technology.

**Index**

Tubing	122
Elbows	123
Tees	125
Adapters	126
Couplings	128
Manifolds	129
Stub-Outs	129
Lavatory adapters	129
Closet adapters	130
Outlet boxes	130
Accessories	132

Tubing



**Viega PureFlow PEX tubing**

- PEX
- Coil
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5001**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	red	5.000	1	32101 <sup>1</sup>	1
3/8	500	red	21.000	1	32105 <sup>1</sup>	1
1/2	100	red	5.800	1	32121 <sup>1</sup>	1
1/2	300	red	17.100	1	32123 <sup>1</sup>	1
1/2	500	red	28.000	1	32125 <sup>1</sup>	1
1/2	1000	red	58.000	1	32120 <sup>1</sup>	1
3/4	100	red	11.000	1	32141 <sup>1</sup>	1
3/4	300	red	32.100	1	32143 <sup>1</sup>	1
3/4	500	red	53.000	1	32145 <sup>1</sup>	1
1	100	red	16.900	1	33323 <sup>1</sup>	1
1	300	red	50.700	1	32163 <sup>1</sup>	1
1	500	red	88.000	1	32165	1

<sup>1)</sup> center pull coil



**Viega PureFlow PEX tubing**

- PEX
- Straight length
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5001.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	red	1.060	50	33120	1
3/4	20	red	2.040	25	33145	1
1	20	red	3.420	15	33270	1



**Viega PureFlow PEX tubing**

- PEX
- Coil
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5002**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	blue	5.000	1	32201 <sup>1</sup>	1
3/8	500	blue	21.000	1	32205 <sup>1</sup>	1
1/2	100	blue	5.300	1	32221 <sup>1</sup>	1
1/2	300	blue	17.100	1	32223 <sup>1</sup>	1
1/2	500	blue	26.500	1	32225 <sup>1</sup>	1
1/2	1000	blue	55.000	1	32220 <sup>1</sup>	1
3/4	100	blue	11.000	1	32241 <sup>1</sup>	1
3/4	300	blue	32.100	1	32243 <sup>1</sup>	1
3/4	500	blue	53.000	1	32245 <sup>1</sup>	1
1	100	blue	17.000	1	32266 <sup>1</sup>	1
1	300	blue	50.700	1	32263 <sup>1</sup>	1
1	500	blue	88.000	1	32265	1

<sup>1)</sup> center pull coil



**Viega PureFlow PEX tubing**

- PEX
- Straight length
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5002.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	blue	1.060	50	33240	1
3/4	20	blue	2.040	25	33265	1
1	20	blue	3.420	15	33271	1



**Viega PureFlow PEX tubing**

- For installation between studs
- PEX
- ManaPac
- Components
- Recycled plastic reels
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5004**

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	1	blue	28.000	1	32905	1
3/8	500	1	red	28.000	1	32805	1
1/2	300	1	blue	23.100	1	32923	1
1/2	300	1	red	23.100	1	32823	1




**Viega PureFlow PEX tubing**

- PEX
- Coil

**Technical Data**

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5003**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¼	100	white	3.200	1	<b>32011</b>	1
¾	100	white	5.000	1	<b>32001</b> <sup>1</sup>	1
¾	500	white	21.000	1	<b>32005</b> <sup>1</sup>	1
½	100	white	6.000	1	<b>32021</b> <sup>1</sup>	1
½	300	white	17.100	1	<b>32023</b> <sup>1</sup>	1
½	500	white	28.000	1	<b>32025</b> <sup>1</sup>	1
½	1000	white	55.000	1	<b>32020</b> <sup>1</sup>	1
¾	100	white	11.000	1	<b>32041</b> <sup>1</sup>	1
¾	300	white	32.100	1	<b>32043</b> <sup>1</sup>	1
¾	500	white	53.000	1	<b>32045</b> <sup>1</sup>	1
1	100	white	17.000	1	<b>32061</b> <sup>1</sup>	1
1	300	white	51.900	1	<b>32063</b> <sup>1</sup>	1
1	500	white	88.000	1	<b>32065</b>	1
1¼	100	white	25.500	1	<b>32062</b>	1
1¼	300	white	76.500	1	<b>32042</b>	1
1½	100	white	35.300	1	<b>32064</b>	1
2	100	white	63.000	1	<b>32060</b>	1

<sup>1</sup> center pull coil


**Viega PureFlow PEX tubing**

- PEX
- Straight length

**Technical Data**

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5003.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	20	white	1.080	50	<b>33020</b>	1
¾	20	white	2.060	25	<b>33045</b>	1
1	20	white	3.420	15	<b>33061</b>	1
1¼	20	white	5.100	10	<b>35801</b>	1
1½	20	white	7.060	5	<b>35805</b>	1
2	20	white	12.600	5	<b>35811</b>	1

**Elbows**

**Viega PureFlow Press 90° elbow**
**Zero Lead**

- Bronze
- Press connection

**Model 2816ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.086	10	<b>93520</b>	6
¾	¾	0.156	10	<b>93540</b>	6
1	1	0.212	10	<b>93560</b>	6
1¼	1¼	0.359	5	<b>93570</b>	6
1½	1½	0.450	5	<b>93580</b>	6


**Viega PureFlow Press 90° elbow**
**Smart Connect Technology**

- Polymer
- Press connection

**Model V5616**

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	¾	0.023	25	<b>49210</b>	6
½	½	0.029	250	<b>49220</b>	6
¾	¾	0.047	250	<b>49240</b>	6
1	1	0.080	10	<b>49260</b>	6
1¼	1¼	0.171	5	<b>49270</b>	6
1½	1½	0.220	5	<b>49280</b>	6
2	2	0.377	1	<b>49290</b>	6


**PureFlow Press 45° elbow**
**Smart Connect Technology**

- Polymer
- Press connection

**Model V5626**

P1	P2	Wt [lb]	Quantity	Part No	DG
1½	1½	0.235	1	<b>49285</b>	6
2	2	0.300	1	<b>49286</b>	6



**Viega PureFlow Press 90° elbow  
Zero Lead**  
- Bronze  
- Press connection, male pipe thread  
**Model 2814.ZL**

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.202	10	92520	6
1/2	3/4	0.315	10	92525	6
3/4	3/4	0.313	10	92540	6
3/4	1	0.748	10	92545	6
3/4	1 1/4	1.210	2	92565	6
1	1	0.743	10	92560	6
1	1 1/4	1.201	2	92570	6
1 1/4	1 1/4	1.270	2	92757	6
1 1/2	1 1/2	1.415	2	92580	6
2	2	2.870	2	92590	6



**Viega PureFlow Press 90° elbow  
Zero Lead**  
- Bronze  
- Press connection, female copper tube size  
**Model 2814.5ZL**

P	C	Wt [lb]	Quantity	Part No	DG
1/2	3/4	0.333	10	99308	6
3/4	3/4	0.322	10	99309	6



**Viega PureFlow Press 90° elbow  
Zero Lead**  
- Bronze  
- Press connection, street  
**Model 2814.6ZL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.178	10	99310	6



**Viega PureFlow Press 90° elbow  
Zero Lead**  
- Bronze  
- Press connection, street, female copper tube size  
**Model 2814.7ZL**

**Note**  
Copper connection can be used as either male or female connection.

P	FTG (CTS)	C	Wt [lb]	Quantity	Part No	DG
1/2	3/4	1/2	0.329	10	99307	6
3/4	3/4	1/2	0.319	10	99311	6



**Viega PureFlow Press 90° tailpiece  
Zero Lead**  
- For water service  
- Bronze  
- Press connection, female union BSP  
**Model 2897.ZL**

P	F BSP	Wt [lb]	Quantity	Part No	DG
1 1/2	1 1/2	0.189	1	96170*	6
2	2	3.419	1	96172*	6

\* = Available while supplies last



**Viega PureFlow Press 90° drop ear elbow  
Zero Lead**  
- Bronze  
- Press connection, female pipe thread  
**Model 2825.5ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.234	10	94505	6
1/2	1/2	0.212	10	94520	6
3/4	1/2	0.226	10	94535	6
3/4	3/4	0.287	10	94540	6



**Viega PureFlow Press 90° adapter elbow  
Drop ear  
Zero Lead**  
- Bronze  
- Press connections, female pipe thread  
**Model 2825.4ZL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.309	1	94646*	6

\* = Available while supplies last

**Tees**



**Viega PureFlow Press tee**  
**Zero Lead**  
 - Bronze  
 - Press connection  
**Model 2818ZL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.107	10	94020	6
1/2	1/2	3/4	0.194	10	94022	6
3/4	1/2	1/2	0.177	10	94032	6
3/4	1/2	3/4	0.177	10	94034	6
3/4	3/4	1/2	0.185	10	94036	6
3/4	3/4	3/4	0.182	10	94040	6
1	1/2	1/2	0.282	10	94037	6
1	1/2	1	0.233	10	94039	6
1	3/4	1/2	0.287	10	94038	6
1	3/4	3/4	0.220	10	94052	6
1	3/4	1	0.242	10	94053	6
1	1	1/2	0.216	10	94050	6
1	1	3/4	0.262	10	94056	6
1	1	1	0.296	10	94060	6
1 1/4	1	3/4	0.529	5	94071*	6
1 1/4	1	1	0.581	5	94073*	6
1 1/4	1 1/4	3/4	0.547	5	94072	6
1 1/4	1 1/4	1	0.588	5	94074*	6
1 1/4	1 1/4	1 1/4	0.716	5	94070*	6
1 1/2	1	3/4	0.627	5	94081*	6
1 1/2	1	1	0.740	5	94082*	6
1 1/2	1 1/2	3/4	0.681	5	94083*	6
1 1/2	1 1/2	1	0.767	5	94084*	6
1 1/2	1 1/2	1 1/4	0.860	5	94085*	6
1 1/2	1 1/2	1 1/2	0.957	5	94080*	6
2	2	2	1.772	1	94090*	6

\* = Available while supplies last



**Viega PureFlow Press tee**  
**Smart Connect Technology**  
 - Polymer  
 - Press connection  
**Model V5618**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.035	25	49200	6
1/2	3/8	3/8	0.036	25	49322	6
1/2	1/2	3/8	0.039	25	49332	6
1/2	1/2	1/2	0.042	25	49520	6
1/2	1/2	3/4	0.052	25	49334	6
3/4	1/2	1/2	0.052	25	49433	6
3/4	1/2	3/4	0.061	25	49434	6
3/4	3/4	1/2	0.059	25	49443	6
3/4	3/4	3/4	0.068	25	49540	6
1	1/2	1/2	0.068	10	49533	6
1	1/2	1	0.097	10	49535	6
1	3/4	1/2	0.074	10	49543	6
1	3/4	3/4	0.084	10	49544	6
1	3/4	1	0.104	10	49545	6
1	1	1/2	0.088	10	49553	6
1	1	3/4	0.102	10	49554	6
1	1	1	0.115	10	49560	6
1 1/4	1	3/4	0.150	5	49754	6
1 1/4	1	1	0.166	5	49755	6
1 1/4	1 1/4	1/2	0.245	5	49888	6
1 1/4	1 1/4	3/4	0.182	5	49774	6
1 1/4	1 1/4	1	0.206	5	49775	6
1 1/4	1 1/4	1 1/4	0.250	5	49570	6
1 1/2	1	3/4	0.170	5	49854	6
1 1/2	1	1	0.195	5	49855	6
1 1/2	1	1 1/2	0.245	5	49886	6
1 1/2	1 1/4	3/4	0.205	5	49874	6
1 1/2	1 1/4	1	0.225	5	49875	6
1 1/2	1 1/4	1 1/4	0.275	5	49877	6
1 1/2	1 1/2	1/2	0.214	5	49883	6
1 1/2	1 1/2	3/4	0.233	5	49884	6
1 1/2	1 1/2	1	0.245	5	49885	6
1 1/2	1 1/2	1 1/4	0.290	5	49887	6
1 1/2	1 1/2	1 1/2	0.326	5	49580	6
2	1 1/2	3/4	0.001	1	49984	6
2	1 1/2	1	0.315	1	49985	6
2	1 1/2	1 1/4	0.365	1	49987	6
2	1 1/2	1 1/2	0.390	1	49988	6
2	2	1/2	0.309	1	49993	6
2	2	3/4	0.355	1	49994	6
2	2	1	0.373	1	49995	6
2	2	1 1/4	0.405	1	49997	6
2	2	1 1/2	0.435	1	49998	6
2	2	2	0.500	1	49590	6



**PureFlow Press tee arrester**  
**Zero Lead**  
 - Brass  
 Components  
 Water hammer arrester  
**Model 2894ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.297	10	97114	6

**Adapters**



**Viega PureFlow Press adapter**  
**Zero Lead**  
 - Bronze  
 - Press connection, male pipe thread  
**Model 2811ZL**

P	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.101	10	90506	6
1/2	1/2	0.098	10	90521	6
1/2	3/4	0.152	10	90526	6
3/4	1/2	0.113	10	90542	6
3/4	3/4	0.160	10	90541	6
3/4	1	0.283	10	90546	6
3/4	1 1/4	0.507	2	90562	6
1	3/4	0.182	10	90556	6
1	1	0.284	10	90561	6
1	1 1/4	0.524	2	90566	6
1 1/4	1 1/4	0.564	2	90571	6
1 1/2	1 1/2	0.683	2	90581	6
2	2	1.104	5	90591	6



**Viega PureFlow Press adapter  
Zero Lead**  
- Bronze  
- Press connection, female pipe thread  
**Model 2812ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.098	10	91520	6
1/2	3/4	0.135	10	91525	6
3/4	1/2	0.110	10	91541	6
3/4	3/4	0.141	10	91540	6
1	3/4	0.166	10	91545	6
1	1	0.239	10	91560	6
1 1/4	1 1/4	0.436	5	91570	6
1 1/2	1 1/2	0.511	5	91580	6
2	2	0.818	5	91590	6



**Viega PureFlow Press adapter  
Zero Lead**  
- Bronze  
- Press connection, female copper tube size  
**Model 2813.5ZL**

P	C	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.062	10	92006	6
1/2	1/2	0.063	10	92021	6
1/2	3/4	0.099	10	92026	6
3/4	1/2	0.067	10	92036	6
3/4	3/4	0.113	10	92041	6
3/4	1	0.176	10	92045	6
1	1	0.186	10	92060	6
1 1/4	1 1/4	0.323	5	92070	6
1 1/2	1 1/2	0.436	5	92080	6
2	2	0.655	5	92090	6



**Viega PureFlow Press adapter  
Zero Lead**  
- Bronze  
- Press connection, street  
**Note**  
ProPress tool and press jaw required  
**Model 2813.1ZL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.064	10	97520	6
1/2	3/4	0.094	10	97525	6
3/4	1/2	0.079	10	97535	6
3/4	3/4	0.101	10	97540	6
3/4	1	0.154	10	97545	6
1	1	0.175	10	97560	6
1 1/4	1 1/4	0.305	5	97570	6
1 1/2	1 1/2	0.436	5	97580	6
2	2	0.696	5	97590 <sup>1</sup>	6

<sup>1</sup> for use with solder fittings only



**Viega PureFlow Press adapter  
Zero Lead**  
- Bronze  
- Press connection  
**Note**  
2" ProPress tool and press jaw required  
**Model 2813.3ZL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2	2	0.748	5	97690 <sup>1</sup>	6

<sup>1</sup> for use with Viega ProPress fittings only



**Viega PureFlow Press adapter  
Zero Lead**  
- Bronze  
- Press connection, polybutylene (PB) connection  
- Does not include crimp ring  
**Model 2813.2ZL**

P	PB	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.049	10	97820	6
3/4	3/4	0.072	10	97840	6



**Viega PureFlow Press adapter  
Zero Lead**  
- Bronze  
- Press connection, flare connection  
**Model 2892ZL**

P	Flare	Wt [lb]	Quantity	Part No	DG
3/4	3/4	0.275	10	97140	6
1	3/4	0.327	10	97160	6
1	1	0.414	10	97165	6



**Viega PureFlow Press tailpiece  
Zero Lead**  
- Bronze  
- Press connection, female union BSP  
**Model 2893ZL**

P	F BSP	Wt [lb]	Quantity	Part No	DG
3/4	1	0.195	10	96140	6
1	1	0.240	10	96160	6
1	1 1/4	0.343	10	96165	6

**Couplings**

3.1



**Viega PureFlow Press coupling  
Zero Lead**  
- Bronze  
- Press connection  
**Model 2815ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.041	10	93000	6
1/2	3/8	0.048	10	93005*	6
1/2	1/2	0.052	10	93020	6
3/4	1/2	0.070	10	93050	6
3/4	3/4	0.073	10	93040	6
1	3/4	0.113	10	93055	6
1	1	0.131	10	93060	6
1 1/4	3/4	0.187	5	93071*	6
1 1/4	1	0.210	5	93065	6
1 1/4	1 1/4	0.260	5	93070	6
1 1/2	3/4	0.238	5	93072*	6
1 1/2	1	0.246	5	93073	6
1 1/2	1 1/2	0.317	5	93080	6
2	2	0.573	5	93090*	6

\* = Available while supplies last



**Viega PureFlow Press coupling  
Smart Connect Technology**  
- Polymer  
- Press connection  
**Model V5615**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.022	25	49402	6
1/2	3/8	0.024	25	49342	6
1/2	1/2	0.027	25	49403	6
3/4	1/2	0.034	25	49343	6
3/4	3/4	0.040	25	49404	6
1	3/4	0.055	10	49354	6
1	1	0.068	10	49405	6
1 1/4	3/4	0.101	5	49347	6
1 1/4	1	0.112	5	49357	6
1 1/4	1 1/4	0.151	5	49407	6
1 1/2	3/4	0.118	5	49348	6
1 1/2	1	0.133	5	49358	6
1 1/2	1 1/4	0.165	5	49378	6
1 1/2	1 1/2	0.190	5	49408	6
2	1 1/2	0.270	1	49398	6
2	2	0.305	1	49409	6



**Viega PureFlow Press test plug  
Smart Connect Technology**  
- Polymer  
- Press connection  
**Model V5656**

P	Wt [lb]	Quantity	Part No	DG
3/8	0.011	25	49722	6
1/2	0.015	25	49723	6
3/4	0.022	25	49744	6
1	0.038	10	49765	6
1 1/4	0.082	5	49770	6
1 1/2	0.095	5	49780	6
2	0.154	1	49790	6



**Viega PureFlow Press transition coupling  
Smart Connect Technology  
Zero Lead**  
- For transitioning between Viega PureFlow  
Press and Viega ProPress  
- Bronze  
- Press connection  
**Components**  
EPDM sealing elements  
**Note**  
ProPress and PureFlow tool and press jaws  
required  
**Model 2813PZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.076	10	99620	6
1/2	3/4	0.115	10	99626	6
3/4	1/2	0.078	10	99630	6
3/4	3/4	0.115	10	99640	6
1	3/4	0.136	10	99645	6
1	1	0.184	10	99660	6
1 1/4	1	0.236	5	99665	6
1 1/4	1 1/4	0.287	5	99670	6
1 1/2	1	0.276	5	99675	6
1 1/2	1 1/2	0.447	5	99680	6
2	1	0.459	5	99685	6
2	2	0.723	5	99690	6



**Manifolds**



**Viega PureFlow Press manifold**  
**Smart Connect Technology**  
 - Only use with lock clip Part No 58075  
 - Polymer  
 - Press connection  
 - Flow through  
 - Does not include mounting hardware  
**Model V5636**

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2	3/4	3/4	1/2	0.202	10	<b>49152</b>	6
3	3/4	3/4	1/2	0.255	10	<b>49153</b>	6
4	3/4	3/4	1/2	0.318	10	<b>49054</b>	6
4	1	3/4	1/2	0.330	10	<b>49254</b>	6
6	1	1	1/2	0.455	10	<b>49256</b>	6
8	1	1	1/2	0.576	5	<b>49258</b>	6



**Viega PureFlow Press manifold**  
**Smart Connect Technology**  
 - Only use with lock clip Part No 58075  
 - Polymer  
 - Press connection  
 - Closed  
 - Does not include mounting hardware  
**Model V5636.1**

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
4	closed	3/4	1/2	0.300	10	<b>49004</b>	6
6	closed	1	1/2	0.428	10	<b>49206</b>	6
8	closed	1	1/2	0.549	5	<b>49208</b>	6

**Stub-Outs**




**Viega PureFlow Press 90° tub elbow**  
 - Brazed copper  
 - Press connection, street  
**Model 2820.0ZL**

P	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	3	6	0.258	25	<b>92221</b>	6



**Viega PureFlow Press 90° stub-out**  
 - Brazed copper  
 - Press connection, street  
**Model 2820.1ZL**

P	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.320	25	<b>92406</b>	6
1/2	1/2	3 1/2	8	0.332	25	<b>92421</b>	6
3/4	3/4	4	8	0.533	25	<b>92441</b>	6
1	1	6	8	0.769	25	<b>92446</b>	6



**Viega PureFlow Press 90° stub-out**  
 - Brazed copper  
 - Press connection, street  
**Components**  
 Wall plate  
**Model 2820.4ZL**

P	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.364	25	<b>92305*</b>	6
1/2	1/2	3 1/2	8	0.368	25	<b>92321</b>	6

\* = Available while supplies last



**Viega PureFlow Press stub-out**  
 - Brazed copper  
 - Press connection, street  
**Model 2820.2ZL**

P	FTG (CTS)	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	8	0.258	25	<b>92609</b>	6
1/2	1/2	15	0.422	25	<b>92616</b>	6

**Lavatory adapters**



**Viega PureFlow Press lavatory adapter**  
**Smart Connect Technology**  
 - Polymer  
 - Press connection, lavatory connection  
**Model V5613.3**

P	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.050	10	<b>49324</b>	6
1/2	1/2	0.055	10	<b>49333</b>	6
3/4	3/4	0.080	5	<b>49344</b>	6



**Viega PureFlow Press adapter**  
**Zero Lead**  
 - Equipped with ferrule Part No 53005  
 - Bronze  
 - Press connection, compression  
**Components**  
 Brass ferrule  
**Model 2895ZL**

P	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.111	1	<b>97112</b>	6
1/2	1/4	0.125	1	<b>97113</b>	6



**Cone seal**

- Spare part for Viega PureFlow Crimp stop valve straight Model V5036.30, Viega PureFlow Crimp lavatory adapter Model V5075ZL, Viega PureFlow Crimp 90° lavatory elbow Model V5255, Viega PureFlow Crimp lavatory adapter Model V5263, Viega PureFlow Press lavatory adapter Model V5613.3

**Model V5084.1**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.002	100	<b>43721</b>	2
3/4	0.003	100	<b>43740</b>	2

**Closet adapters**



**Viega PureFlow Press closet adapter**  
**Smart Connect Technology**

- Polymer
- Press connection, closet connection

**Model V5613.4**

P	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.060	5	<b>49223</b>	6
1/2	1/2	0.062	5	<b>49233</b>	6



**Cone seal**

- Spare part for Viega PureFlow Crimp closet adapter Model V5072ZL, V5257, Viega PureFlow Press closet adapter Model V5613.4

**Model V5084**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	100	<b>43820</b>	2

**Outlet boxes**



**Viega PureFlow Press outlet box**  
**Zero Lead**

- For washing machine
- Color coded handles

Components

- (2) 1/4 turn brass valves, water hammer arrestors

**Model 2872.6ZL**

P	Wt [lb]	Quantity	Part No	DG
1/2	1.799	1	<b>97212</b>	6



**Viega PureFlow Press fire-rated outlet box**  
**Zero Lead**

- For washing machine
- Color coded handles

Components

- (2) 1/4 turn brass valves, water hammer arrestors

**Model 2872.2**

P	Wt [lb]	Quantity	Part No	DG
1/2	3.999	1	<b>97008</b>	6



**Viega PureFlow Press outlet box**  
**Zero Lead**

- For ice maker

Components

- 1/4 turn brass valve, water hammer arrestor

**Model 2872.7ZL**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.980	1	<b>97220</b>	6



**Viega PureFlow Press outlet box**  
**Zero Lead**

- For washing machine
- Color coded handles

Components

- (2) 1/4 turn brass valves

**Model 2872.1US**

P	Wt [lb]	Quantity	Part No	DG
1/2	1.549	1	<b>97001</b>	6




**Viega PureFlow Press fire-rated outlet box  
Zero Lead**  
- For washing machine  
- Color coded handles  
Components  
(2) ¼ turn brass valves  
**Model 2872.6**

P	Wt [lb]	Quantity	Part No	DG
½	3.779	1	<b>97006</b>	6



**Viega PureFlow Press outlet box  
Zero Lead**  
- For ice maker  
Components  
¼ turn brass valve  
**Model 2872.0ZL**

P	Wt [lb]	Quantity	Part No	DG
½	0.870	1	<b>98000</b>	6



**Viega PureFlow Press fire-rated outlet box  
Zero Lead**  
- For ice maker  
Components  
¼ turn brass valve  
**Model 2872.5**

P	Wt [lb]	Quantity	Part No	DG
½	1.450	1	<b>98001</b>	6



**Tubing**  
- Only for cold water applications  
- For ice maker  
- High density polyethylene (HDPE)  
Note  
¼" OD  
**Model V5052**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
⅝	100	white	1.200	1	<b>43100</b>	1



**Box frame**  
- For washing machine  
- Plastic  
**Model 2885.0ZL**

Wt [lb]	Quantity	Part No	DG
0.160	1	<b>97103</b>	6



**Box frame**  
- For ice maker  
- Plastic  
**Model 2873.7ZL**

Wt [lb]	Quantity	Part No	DG
0.150	1	<b>97102</b>	6

**Accessories**



**Viega PureFlow Press sleeve**  
 - Only for Viega PureFlow Press polymer fittings  
 - Stainless steel  
**Model V5615.3**

d	Wt [lb]	Quantity	Part No	DG
3/8	0.009	10	<b>49901</b>	6
1/2	0.012	10	<b>49902</b>	6
3/4	0.015	10	<b>49903</b>	6
1	0.025	10	<b>49904</b>	6
1 1/4	0.053	10	<b>49905</b>	6
1 1/2	0.065	10	<b>49906</b>	6
2	0.085	10	<b>49607</b>	6



**Lavatory riser**  
 - Does not include lavatory nut Model V5089  
 - Equipped with ferrule Model V5085  
 - PEX  
**Model V5080**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
1/4	3/8	20	0.046	100	<b>58120</b>	2
1/4	3/8	30	0.068	100	<b>58130</b>	2
1/4	3/8	36	0.085	100	<b>58136</b>	2



**Closet riser**  
 - Does not include ballcock nut Model V5089.1  
 - Equipped with ferrule Model V5085  
 - PEX  
**Model V5081**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.031	100	<b>57112</b>	2
1/4	3/8	20	0.050	100	<b>57120</b>	2



**Lavatory nut**  
 - Suitable for lavatory riser Model V5080  
**Model V5089**

FPT	Wt [lb]	Quantity	Part No	DG
1/2	0.017	100	<b>33705</b>	2



**Ballcock nut**  
 - Suitable for closet riser Model V5081  
 - Plastic  
**Model V5089.1**

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.023	100	<b>53017</b>	2



**Ferrule**  
 - For Viega ManaBloc compression connections, risers, Valves  
 - Plastic  
**Model V5085**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	<b>53000</b>	2
1/4	3/8	0.001	100	<b>53005</b>	2
3/8	1/2	0.001	50	<b>53015</b>	2
1/2	5/8	0.001	100	<b>53020</b>	2



**Insert stiffener**  
 - For Viega ManaBloc compression connections, risers  
 - Stainless steel  
**Model V5086**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.003	100	<b>56100*</b>	2
3/8	1/2	0.003	50	<b>56110</b>	2
1/2	5/8	0.005	50	<b>56120</b>	2
3/4	7/8	0.010	50	<b>56140</b>	2

\* = Available while supplies last



**Escutcheon Single**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model V5088**

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.012	50	<b>53115</b>	2
1/2	white	0.012	50	<b>53120</b>	2



**Escutcheon Double**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model V5088.1**

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.017	25	<b>53116</b>	2
1/2	white	0.016	25	<b>53121</b>	2



**Sleeve**  
 - Not suitable for use with Viega FostaPEX  
 - Chrome-plated brass  
 - Finishing  
**Model 2800.5US**

d	L [in]	Wt [lb]	Quantity	Part No	DG
3/8	3 1/2	0.041	10	<b>52500</b>	2
1/2	3 1/2	0.058	10	<b>52520</b>	2



**Tubing support Dual ceiling**  
 - Use with tubing insulator Model V5041.1  
 - Steel  
**Model V5041.0**

max d	Wt [lb]	Quantity	Part No	DG
1	0.163	25	<b>45750</b>	2



**Tubing insulator**  
 - Use with tubing support dual ceiling  
 Model V5041.0  
 - Plastic  
**Model V5041.1**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.020	100	<b>45760</b>	2



**Bracket Telescoping**  
 - Suitable for Viega PureFlow Press 90° drop ear elbow Model 2825.5ZL  
 - Steel  
**Model V5041.4**

L [in]	Wt [lb]	Quantity	Part No	DG
14.5-24	0.518	50	<b>45790</b>	2



**Bracket**  
 - For mounting on 16" center studs  
 - Use with bend support snap in Model 2850.3US, tubing clamp stub-out Model V5041.2  
 - Steel  
 - Mounting holes on 2" centers  
**Model 2850.4US**

d	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	18	0.564	50	<b>51022</b>	2



**Tubing clamp Stub-out**  
 - Use with bracket Model 2850.4US  
 - Plastic  
**Model V5041.2**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.060	50	<b>45770</b>	2



**Bend support Snap in**  
 - Not suitable for Viega FostaPEX  
 - Suitable for bracket Model 2850.4US  
 - Plastic  
**Model 2850.3US**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.079	100	<b>51021</b>	2



**Bend support  
Drop ear**  
- Not suitable for ViEGA FostaPEX  
- Plastic-coated steel  
**Model 2850.1US**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.198	25	<b>50520</b>	2



**Bend support**  
- Not suitable for ViEGA FostaPEX  
- Plastic  
**Model 2850.2US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	<b>51000</b>	2
1/2	0.083	25	<b>51020</b>	2
5/8, 3/4	0.154	25	<b>51040</b>	2
1	0.258	25	<b>51060</b>	2



**Bend support**  
- For in slab applications  
- Not suitable for ViEGA FostaPEX  
- Plastic  
**Model 2851US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.075	10	<b>15106</b>	4
1/2	0.127	10	<b>15107</b>	4
5/8, 3/4	0.190	10	<b>15108</b>	4
1	0.730	10	<b>15111</b>	4



**Tubing clamp  
Turn out**  
- For 3/8" tubing and 1/2" tubing with standard or stub-out elbows  
- Not suitable for ViEGA FostaPEX  
- Plastic  
- Trim tapered tip to use with 1/2" tubing  
**Model V5071**

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.076	25	<b>52130</b>	2



**J-clamp tubing fastener**  
- Plastic  
**Components**  
Nail  
**Model 2860US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	<b>52000</b>	2
1/2	0.008	100	<b>52020</b>	2
3/4	0.013	100	<b>52040</b>	2
1	0.021	100	<b>52060</b>	2



**Economy PEX tubing clamp**  
- Not suitable for ViEGA FostaPEX  
- Plastic  
**Model V5095**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.002	100	<b>52110</b>	2
1/2	0.003	100	<b>52120</b>	2
3/4	0.004	50	<b>52140</b>	2



**Lock clip**  
- Plastic  
**Model 2863US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.009	100	<b>58071</b>	2
1/2	0.013	100	<b>58072<sup>1)</sup></b>	2
3/4	0.009	50	<b>58073</b>	2
1	0.020	50	<b>58074</b>	2
1 1/4	0.030	50	<b>58075</b>	2
1 1/2	0.040	25	<b>58076</b>	2
2	0.050	15	<b>58077</b>	2

<sup>1)</sup> Suitable for ViEGA Barrier PEX tubing Part No 11445, 11450



**Multi-clip**  
 - Plastic  
Components  
 Mounting screw  
**Model 2867US**

max d	Wt [lb]	Quantity	Part No	DG
1	0.024	100	<b>52006*</b>	2
2	0.090	50	<b>52007*</b>	2

\* = Available while supplies last



**Multi-clip**  
 - Plastic  
Components  
 Strut clamp  
**Model 2867.1US**

max d	Wt [lb]	Quantity	Part No	DG
2	0.090	1	<b>52017*</b>	2

\* = Available while supplies last



**U-channel fastener**  
 - Plastic  
 - Pre-drilled holes  
**Model 2864US**

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.029	16	<b>15310</b>	4



**Suspension clip tubing fasteners**  
 - Plastic  
**Model 2861US**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.010	50	<b>55020</b>	2
3/4	0.012	50	<b>55040</b>	2
1	0.016	50	<b>55060*</b>	2
1 1/4	0.022	50	<b>55070*</b>	2
1 1/2	0.031	25	<b>55080*</b>	2
2	0.036	25	<b>55090*</b>	2

\* = Available while supplies last



**Tubing clamp**  
 - Plastic  
**Model 2868US**

for d	Wt [lb]	Quantity	Part No	DG
2	0.044	25	<b>56090*</b>	2

\* = Available while supplies last



**Tubing insulator**  
 - Plastic  
 - Fits 1 3/8" hole  
**Model V5094**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	<b>55100</b>	2
1/2	0.019	50	<b>55120</b>	2
3/4	0.013	50	<b>55140</b>	2
1	0.013	50	<b>55160</b>	2



**Zip tie**  
 - Plastic  
**Model V5097**

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	<b>43714</b>	2



**Pipe support**  
 - Not suitable for Viega FostaPEX  
 - Steel  
**Model V5083**

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	10	1.300	5	<b>68434</b>	2
3/4	10	1.999	5	<b>68435</b>	2
1	10	1.869	5	<b>68430</b>	2
1 1/4	10	1.825	5	<b>68431</b>	2
1 1/2	10	2.542	5	<b>68432</b>	2
2	10	3.132	5	<b>68433</b>	2





# PureFlow Crimp



3.2



## PureFlow Crimp

With the reliability and quality required for potable water, Viega PureFlow Crimp fittings are part of Viega's complete plumbing solution. Matched with the revolutionary Viega ManaBloc water distribution system and the highest-rated PEX tubing in the industry (according to industry standards), Viega PureFlow Crimp fittings are a time-tested method for joining PEX.

### FEATURES AND BENEFITS

- EcoBrass fittings provide better corrosion resistance than other brass fittings
- High-performance PolyAlloy fittings are made in the USA
- Peace of mind from durable materials and quality manufacturing
- Available in sizes  $\frac{3}{8}$ " to 1"
- Backed by a 25-year limited warranty

### ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. Crimp rings are not sold with any PureFlow Crimp product unless otherwise specified.

**Index**

Tubing	140
Elbows	141
Tees	142
Adapters	142
Couplings	143
Manifolds	144
Stub-Outs	144
Lavatory adapters	144
Closet adapters	145
Outlet boxes	145
Accessories	146

**Tubing**

3.2



**Viega PureFlow PEX tubing**

- PEX
- Coil

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5001**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	red	5.000	1	32101 <sup>1</sup>	1
3/8	500	red	21.000	1	32105 <sup>1</sup>	1
1/2	100	red	5.800	1	32121 <sup>1</sup>	1
1/2	300	red	17.100	1	32123 <sup>1</sup>	1
1/2	500	red	28.000	1	32125 <sup>1</sup>	1
1/2	1000	red	58.000	1	32120 <sup>1</sup>	1
3/4	100	red	11.000	1	32141 <sup>1</sup>	1
3/4	300	red	32.100	1	32143 <sup>1</sup>	1
3/4	500	red	53.000	1	32145 <sup>1</sup>	1
1	100	red	16.900	1	33323 <sup>1</sup>	1
1	300	red	50.700	1	32163 <sup>1</sup>	1
1	500	red	88.000	1	32165	1

<sup>1)</sup> center pull coil



**Viega PureFlow PEX tubing**

- PEX
- Straight length

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5001.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	red	1.060	50	33120	1
3/4	20	red	2.040	25	33145	1
1	20	red	3.420	15	33270	1



**Viega PureFlow PEX tubing**

- PEX
- Coil

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5002**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	blue	5.000	1	32201 <sup>1</sup>	1
3/8	500	blue	21.000	1	32205 <sup>1</sup>	1
1/2	100	blue	5.300	1	32221 <sup>1</sup>	1
1/2	300	blue	17.100	1	32223 <sup>1</sup>	1
1/2	500	blue	26.500	1	32225 <sup>1</sup>	1
1/2	1000	blue	55.000	1	32220 <sup>1</sup>	1
3/4	100	blue	11.000	1	32241 <sup>1</sup>	1
3/4	300	blue	32.100	1	32243 <sup>1</sup>	1
3/4	500	blue	53.000	1	32245 <sup>1</sup>	1
1	100	blue	17.000	1	32266 <sup>1</sup>	1
1	300	blue	50.700	1	32263 <sup>1</sup>	1
1	500	blue	88.000	1	32265	1

<sup>1)</sup> center pull coil



**Viega PureFlow PEX tubing**

- PEX
- Straight length

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5002.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	blue	1.060	50	33240	1
3/4	20	blue	2.040	25	33265	1
1	20	blue	3.420	15	33271	1



**Viega PureFlow PEX tubing**

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5004**

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	1	blue	28.000	1	32905	1
3/8	500	1	red	28.000	1	32805	1
1/2	300	1	blue	23.100	1	32923	1
1/2	300	1	red	23.100	1	32823	1


**Viega PureFlow PEX tubing**

- PEX
- Coil

**Technical Data**

- PEX designation code 5306
- UV resistance 6 months

ASTM F876, ASTM F877

**Model V5003**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¼	100	white	3.200	1	32011	1
¾	100	white	5.000	1	32001 <sup>1</sup>	1
¾	500	white	21.000	1	32005 <sup>1</sup>	1
½	100	white	6.000	1	32021 <sup>1</sup>	1
½	300	white	17.100	1	32023 <sup>1</sup>	1
½	500	white	28.000	1	32025 <sup>1</sup>	1
½	1000	white	55.000	1	32020 <sup>1</sup>	1
¾	100	white	11.000	1	32041 <sup>1</sup>	1
¾	300	white	32.100	1	32043 <sup>1</sup>	1
¾	500	white	53.000	1	32045 <sup>1</sup>	1
1	100	white	17.000	1	32061 <sup>1</sup>	1
1	300	white	51.900	1	32063 <sup>1</sup>	1
1	500	white	88.000	1	32065	1
1¼	100	white	25.500	1	32062	1
1¼	300	white	76.500	1	32042	1
1½	100	white	35.300	1	32064	1
2	100	white	63.000	1	32060	1

<sup>1</sup> center pull coil

**Viega PureFlow PEX tubing**

- PEX
- Straight length

**Technical Data**

- PEX designation code 5306
- UV resistance 6 months

ASTM F876, ASTM F877

**Model V5003.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	20	white	1.080	50	33020	1
¾	20	white	2.060	25	33045	1
1	20	white	3.420	15	33061	1
1¼	20	white	5.100	10	35801	1
1½	20	white	7.060	5	35805	1
2	20	white	12.600	5	35811	1

**Elbows**

**Viega PureFlow Crimp 90° elbow**

- PolyAlloy
- Crimp connection

**Model V5216**

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
¾	¾	0.007	50	43210	3
½	½	0.010	50	43220	3
¾	½	0.016	25	43242	3
¾	¾	0.021	250	43240	3
1	1	0.046	10	43260	3


**Viega PureFlow Crimp 90° elbow  
Zero Lead**

- For use with Viega PureFlow PEX
- Brass
- Crimp connection, male pipe thread

**Model V5014ZL**

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
½	¾	0.140	10	46232	2
½	½	0.207	10	46821	2


**Viega PureFlow Crimp 90° elbow  
Drop ear  
Zero Lead**

- Brass
- Crimp connection, female pipe thread

**Model V5027ZL**

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.182	10	46233	2
¾	¾	0.288	10	46244	2


**Viega PureFlow Crimp 90° elbow**

- Copper
- Crimp connection, female copper tube size

**Model V5021**

Crimp	C	Wt [lb]	Quantity	Part No	DG
½	½	0.048	50	44325	2
¾	¾	0.111	25	44345	2



**Viega PureFlow Crimp 90° elbow**  
 - Copper  
 - Crimp connection, street  
**Model V5020**

Crimp	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.045	50	<b>44320</b>	2
3/4	3/4	0.094	25	<b>44340</b>	2

**Tees**



**Viega PureFlow Crimp tee**  
 - PolyAlloy  
 - Crimp connection  
**Model V5218**

Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.010	50	<b>43500</b>	3
1/2	1/2	1/2	0.014	50	<b>43520</b>	3
1/2	1/2	3/4	0.019	25	<b>43334</b>	3
3/4	1/2	1/2	0.021	25	<b>43433</b>	3
3/4	1/2	3/4	0.026	25	<b>43434</b>	3
3/4	3/4	1/2	0.023	25	<b>43443</b>	3
3/4	3/4	3/4	0.029	25	<b>43540</b>	3
3/4	3/4	1	0.038	10	<b>43445</b>	3
1	3/4	3/4	0.047	10	<b>43544</b>	3
1	3/4	1	0.054	10	<b>43545</b>	3
1	1	1/2	0.043	10	<b>43553</b>	3
1	1	3/4	0.046	10	<b>43554</b>	3
1	1	1	0.050	10	<b>43560</b>	3

**Adapters**



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, male pipe thread  
**Model V5011ZL**

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.102	50	<b>46302</b>	2
1/2	1/2	0.101	50	<b>46321</b>	2
1/2	3/4	0.141	25	<b>46324</b>	2
3/4	1/2	0.096	25	<b>46342</b>	2
3/4	3/4	0.147	25	<b>46340</b>	2
3/4	1	0.216	10	<b>46446</b>	2
1	3/4	0.155	10	<b>46361</b>	2
1	1	0.236	10	<b>46366</b>	2



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, female pipe thread  
**Model V5012ZL**

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.094	25	<b>46323</b>	2
1/2	1/2	0.090	25	<b>46333</b>	2
1/2	3/4	0.143	25	<b>46334</b>	2
3/4	3/4	0.147	25	<b>46344</b>	2
3/4	1	0.231	10	<b>46345</b>	2
1	1	0.234	10	<b>46355</b>	2



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, polybutylene (PB) connection  
 - Does not include crimp ring  
Note  
 Use Viega PureFlow Crimp ring model V5019.9 for PB connection.  
**Model V5017ZL**

Crimp	PB	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.023	100	<b>46620</b>	2
1/2	1/2	0.031	100	<b>46630</b>	2
3/4	3/4	0.056	50	<b>46641</b>	2
1	1	0.083	10	<b>46650</b>	2



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, polyethylene (PE) connection  
Note  
 Use standard stainless steel hose clamp for PE connection (not included)  
**Model V5047ZL**

Crimp	PE	Wt [lb]	Quantity	Part No	DG
3/4	3/4	0.111	25	<b>46145</b>	2
1	1	0.166	10	<b>46156</b>	2





**Viega PureFlow Crimp adapter**  
**Zero Lead**  
 - Copper  
 - Crimp connection, female copper tube size  
**Model V5045ZL**

Crimp	C	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.035	50	<b>46635</b>	2
3/4	3/4	0.082	25	<b>46645</b>	2
1	1	0.108	10	<b>40655</b> <sup>1</sup>	2

<sup>1)</sup> copper



**Viega PureFlow Crimp adapter**  
**Zero Lead**  
 - Brass  
 - Crimp connection, street  
**Model V5046ZL**

Crimp	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.038	50	<b>46633</b>	2
3/4	3/4	0.067	25	<b>46644</b>	2
1	1	0.103	10	<b>60651</b> <sup>1</sup>	2

<sup>1)</sup> copper



**Viega PureFlow Crimp adapter**  
**Zero Lead**  
 - Brass  
 - Crimp connection, female copper tube size, street  
**Note**  
 Copper connection can be used as either male or female connection.  
**Model V5024ZL**

Crimp	C	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
3/8	3/8	1/2	0.036	50	<b>46622</b>	2
1	3/4	1	0.184	10	<b>46654</b>	2

## Couplings



**Viega PureFlow Crimp coupling**  
 - PolyAlloy  
 - Crimp connection  
**Model V5215**

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.006	800	<b>43033</b>	3
3/4	3/4	0.012	500	<b>43044</b>	3
3/4	1/2	0.010	500	<b>43043</b>	3
3/8	3/8	0.004	50	<b>43402</b>	3
1/2	1/2	0.006	100	<b>43403</b>	3
1/2	3/8	0.006	50	<b>43332</b>	3
3/4	1/2	0.010	50	<b>43343</b>	3
3/4	3/4	0.012	50	<b>43404</b>	3
1	1/2	0.019	10	<b>43353</b>	3
1	3/4	0.021	10	<b>43354</b>	3
1	1	0.024	10	<b>43355</b>	3



**Viega PureFlow Crimp test plug**  
 - PLS  
 - Crimp connection  
**Model V5058**

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	0.003	100	<b>43702</b>	3
1/2	0.004	100	<b>43723</b>	3
3/4	0.007	50	<b>43744</b>	3
1	0.015	50	<b>43765</b>	3



New

**Viega PureFlow Crimp transition coupling**  
**Smart Connect Technology**  
**Zero Lead**  
 - For transitioning between Viega PureFlow Crimp and Viega ProPress  
 - Bronze  
 - Crimp connection, press connection

**Components**  
 EPDM sealing element

**Note**  
 PureFlow Crimp and ProPress tool and press jaws required  
**Model 5013PZL**

Crimp	P	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.064	1	<b>44350</b>	5
1/2	3/4	0.102	1	<b>44355</b>	5
3/4	1/2	0.071	1	<b>44360</b>	5
3/4	3/4	0.100	1	<b>44365</b>	5
1	1	0.150	1	<b>44370</b>	5

## Manifolds



- Viega PureFlow Crimp manifold**  
 - Only use with lock clip Part No 58075  
 - PolyAlloy  
 - Crimp connection  
 - Flow through  
 - Does not include mounting hardware

**Model V5031.2**

Outlet(s)	Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
2	3/4	3/4	1/2	0.135	10	<b>65152</b>	2
3	3/4	3/4	1/2	0.197	10	<b>65153</b>	2
4	3/4	3/4	1/2	0.249	10	<b>65154</b>	2
4	1	3/4	1/2	0.252	10	<b>65254</b>	2
6	1	1	1/2	0.349	10	<b>65256</b>	2
8	1	1	1/2	0.396	5	<b>65258</b>	2



- Viega PureFlow Crimp manifold**  
 - Only use with lock clip Part No 58075  
 - PolyAlloy  
 - Crimp connection  
 - Closed  
 - Does not include mounting hardware

**Model V5031.22**

Outlet(s)	Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
4	closed	3/4	1/2	0.246	10	<b>65104</b>	2
6	closed	1	1/2	0.343	10	<b>65206</b>	2

## Stub-Outs



- Viega PureFlow Crimp 90° stub-out**  
 - Copper  
 - Crimp connection, street

**Model V5070**

Crimp	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.248	50	<b>44208</b>	2
1/2	1/2	3 1/2	6	0.216	50	<b>44226</b>	2
1/2	1/2	3 1/2	8	0.263	50	<b>44228</b>	2
3/4	3/4	3 1/2	8	0.469	50	<b>44240</b>	2



- Viega PureFlow Crimp 90° stub-out**  
 - Copper  
 - Crimp connection, street

Components

Wall plate

**Model V5070.1**

Crimp	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.305	25	<b>44209</b>	2
1/2	1/2	3 1/2	6	0.261	25	<b>44227</b>	2
1/2	1/2	3 1/2	8	0.309	25	<b>44229</b>	2

## Lavatory adapters



- Viega PureFlow Crimp lavatory adapter Zero Lead**

- Brass  
 - Crimp connection, lavatory connection

Components

Plastic nut

**Model V5075ZL**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.059	5	<b>46023</b>	2
1/2	1/2	0.058	5	<b>46033</b>	2



- Viega PureFlow Crimp lavatory adapter**  
 - Equipped with ferrule Part No 53005, Viega PureFlow Crimp ring Model V5019.9

- Brass  
 - Crimp connection, compression

Components

Brass ferrule

**Model V5077ZL**

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.120	1	<b>46032</b>	2
1/2	1/4	0.115	1	<b>46331</b>	2



**Viega PureFlow Crimp lavatory adapter**  
 - PolyAlloy  
 - Crimp connection, lavatory connection  
**Model V5263**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.025	25	<b>43323</b>	3
1/2	1/2	0.025	25	<b>43333</b>	3
3/4	3/4	0.045	10	<b>43344</b>	3



**Viega PureFlow Crimp 90° lavatory elbow**  
 - PolyAlloy  
 - Crimp connection, lavatory connection  
Components  
 Plastic nut  
**Model V5255**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.027	50	<b>43232</b>	3
1/2	1/2	0.029	50	<b>43233</b>	3
3/4	3/4	0.053	25	<b>43244</b>	3



**Cone seal**  
 - Spare part for Viega PureFlow Crimp stop valve straight Model V5036.30, Viega PureFlow Crimp lavatory adapter Model V5075ZL, Viega PureFlow Crimp 90° lavatory elbow Model V5255, Viega PureFlow Crimp lavatory adapter Model V5263, Viega PureFlow Press lavatory adapter Model V5613.3  
**Model V5084.1**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.002	100	<b>43721</b>	2
3/4	0.003	100	<b>43740</b>	2

**Closet adapters**



**Viega PureFlow Crimp closet adapter Zero Lead**  
 - Brass  
 - Crimp connection, closet connection  
Components  
 Plastic nut  
**Model V5072ZL**

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.085	5	<b>46223*</b>	2

\* = Available while supplies last



**Viega PureFlow Crimp closet adapter**  
 - PolyAlloy  
 - Crimp connection, closet connection  
Components  
 Plastic nut  
**Model V5257**

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.036	5	<b>43300</b>	3
1/2	1/2	0.040	5	<b>43320</b>	3



**Cone seal**  
 - Spare part for Viega PureFlow Crimp closet adapter Model V5072ZL, V5257, Viega PureFlow Press closet adapter Model V5613.4  
**Model V5084**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	100	<b>43820</b>	2



**Viega PureFlow Crimp swivel connector**  
 - For water heater  
 - Copper  
 - Crimp connection, female pipe thread  
**Model V5048ZL**

Crimp	FPT	L [in]	Wt [lb]	Quantity	Part No	DG
3/4	3/4	18	0.554	25	<b>46764</b>	2

**Outlet boxes**



**Viega PureFlow Crimp outlet box Zero Lead**  
 - For ice maker  
 - Brass  
Components  
 1/4 turn brass valve, water hammer arrestor  
**Model 2872.8ZL**

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	1.060	1	<b>46710</b>	2
1/2	0.965	1	<b>46720</b>	2

**3.2**



**Viega PureFlow Crimp outlet box  
Zero Lead**

- For washing machine
- Color coded handles

Components

- (2) ¼ turn brass valves, water hammer arrestors

**Model 2872.9ZL**

Crimp	Wt [lb]	Quantity	Part No	DG
½	1.819	1	<b>46730</b>	2



**Viega PureFlow Crimp outlet box  
Zero Lead**

- For ice maker

Components

- ¼ turn brass valve

**Model V5073**

Crimp	Wt [lb]	Quantity	Part No	DG
¾	0.875	1	<b>43700</b>	2
½	0.880	1	<b>43722</b>	2



**Viega PureFlow Crimp outlet box  
Zero Lead**

- For washing machine
- Color coded handles

Components

- (2) ¼ turn brass valves

**Model V5073.5**

Crimp	Wt [lb]	Quantity	Part No	DG
½	1.625	1	<b>43720</b>	2



**Tubing**

- Only for cold water applications
- For ice maker
- High density polyethylene (HDPE)

Note

- ¼" OD

**Model V5052**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	white	1.200	1	<b>43100</b>	1

**Accessories**



**Viega PureFlow Crimp ring**

- Only for Viega PureFlow Crimp fittings, Viega PureFlow Crimp tools
- Copper

**Model V5019.9**

d	Wt [lb]	Quantity	Part No	DG
¾	0.011	100	<b>43600</b>	2
½	0.013	100	<b>43620</b>	2
¾	0.018	100	<b>43640</b>	2
1	0.022	50	<b>43660</b>	2



**Lavatory riser**

- Does not include lavatory nut Model V5089
- Equipped with ferrule Model V5085
- PEX

**Model V5080**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	¾	20	0.046	100	<b>58120</b>	2
¼	¾	30	0.068	100	<b>58130</b>	2
¼	¾	36	0.085	100	<b>58136</b>	2



**Closet riser**

- Does not include ballcock nut Model V5089.1
- Equipped with ferrule Model V5085
- PEX

**Model V5081**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	¾	12	0.031	100	<b>57112</b>	2
¼	¾	20	0.050	100	<b>57120</b>	2



**Lavatory nut**  
 - Suitable for lavatory riser Model V5080  
**Model V5089**

FPT	Wt [lb]	Quantity	Part No	DG
1/2	0.017	100	<b>33705</b>	2



**Ballcock nut**  
 - Suitable for closet riser Model V5081  
 - Plastic  
**Model V5089.1**

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.023	100	<b>53017</b>	2



**Ferrule**  
 - For Viega ManaBloc compression connections, risers, Valves  
 - Plastic  
**Model V5085**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	<b>53000</b>	2
1/4	3/8	0.001	100	<b>53005</b>	2
3/8	1/2	0.001	50	<b>53015</b>	2
1/2	5/8	0.001	100	<b>53020</b>	2



**Insert stiffener**  
 - For Viega ManaBloc compression connections, risers  
 - Stainless steel  
**Model V5086**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.003	100	<b>56100*</b>	2
3/8	1/2	0.003	50	<b>56110</b>	2
1/2	5/8	0.005	50	<b>56120</b>	2
3/4	7/8	0.010	50	<b>56140</b>	2

\* = Available while supplies last



**Escutcheon Single**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model V5088**

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.012	50	<b>53115</b>	2
1/2	white	0.012	50	<b>53120</b>	2



**Escutcheon Double**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model V5088.1**

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.017	25	<b>53116</b>	2
1/2	white	0.016	25	<b>53121</b>	2



**Sleeve**  
 - Not suitable for use with Viega FostaPEX  
 - Chrome-plated brass  
 - Finishing  
**Model 2800.5US**

d	L [in]	Wt [lb]	Quantity	Part No	DG
3/8	3 1/2	0.041	10	<b>52500</b>	2
1/2	3 1/2	0.058	10	<b>52520</b>	2



**Bracket**  
 - For mounting on 16" center studs  
 - Use with bend support snap in Model 2850.3US, tubing clamp stub-out Model V5041.2  
 - Steel  
 - Mounting holes on 2" centers  
**Model 2850.4US**

d	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	18	0.564	50	<b>51022</b>	2



**Tubing clamp Stub-out**  
 - Use with bracket Model 2850.4US  
 - Plastic  
**Model V5041.2**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.060	50	<b>45770</b>	2



**Bend support  
Snap in**  
 - Not suitable for Viega FostaPEX  
 - Suitable for bracket Model 2850.4US  
 - Plastic  
**Model 2850.3US**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.079	100	<b>51021</b>	2



**Bend support  
Drop ear**  
 - Not suitable for Viega FostaPEX  
 - Plastic-coated steel  
**Model 2850.1US**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.198	25	<b>50520</b>	2



**Bend support**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model 2850.2US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	<b>51000</b>	2
1/2	0.083	25	<b>51020</b>	2
5/8, 3/4	0.154	25	<b>51040</b>	2
1	0.258	25	<b>51060</b>	2



**Bend support**  
 - For in slab applications  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model 2851US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.075	10	<b>15106</b>	4
1/2	0.127	10	<b>15107</b>	4
5/8, 3/4	0.190	10	<b>15108</b>	4
1	0.730	10	<b>15111</b>	4



**Tubing clamp  
Turn out**  
 - For 3/8" tubing and 1/2" tubing with standard or stub-out elbows  
 - Not suitable for Viega FostaPEX  
 - Plastic  
 - Trim tapered tip to use with 1/2" tubing  
**Model V5071**

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.076	25	<b>52130</b>	2



**J-clamp tubing fastener**  
 - Plastic  
Components  
 Nail  
**Model 2860US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	<b>52000</b>	2
1/2	0.008	100	<b>52020</b>	2
3/4	0.013	100	<b>52040</b>	2
1	0.021	100	<b>52060</b>	2



**Economy PEX tubing clamp**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model V5095**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.002	100	<b>52110</b>	2
1/2	0.003	100	<b>52120</b>	2
3/4	0.004	50	<b>52140</b>	2



**Lock clip**  
- Plastic  
**Model 2863US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.009	100	<b>58071</b>	2
1/2	0.013	100	<b>58072<sup>1</sup></b>	2
3/4	0.009	50	<b>58073</b>	2
1	0.020	50	<b>58074</b>	2

<sup>1)</sup> Suitable for Viega Barrier PEX tubing Part No 11445, 11450



**Multi-clip**  
- Plastic  
Components  
Mounting screw  
**Model 2867US**

max d	Wt [lb]	Quantity	Part No	DG
1	0.024	100	<b>52006*</b>	2

\* = Available while supplies last



**U-channel fastener**  
- Plastic  
- Pre-drilled holes  
**Model 2864US**

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.029	16	<b>15310</b>	4



**Suspension clip tubing fasteners**  
- Plastic  
**Model 2861US**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.010	50	<b>55020</b>	2
3/4	0.012	50	<b>55040</b>	2
1	0.016	50	<b>55060*</b>	2

\* = Available while supplies last



**Tubing insulator**  
- Plastic  
- Fits 1 3/8" hole  
**Model V5094**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	<b>55100</b>	2
1/2	0.019	50	<b>55120</b>	2
3/4	0.013	50	<b>55140</b>	2
1	0.013	50	<b>55160</b>	2



**Zip tie**  
- Plastic  
**Model V5097**


L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	<b>43714</b>	2

3.2





# ManaBlocs



3.3

## ManaBlocs

The Viega ManaBloc is engineered to be an entire water distribution system, allowing control over each supply line from one central location. It also allows for multiple fixtures to be used simultaneously without dramatic drops in pressure or temperature. A system featuring a ManaBloc will ultimately reduce the number of fittings (and therefore, potential leak points) behind the wall. ManaBloc features the industry's largest internal reservoir, allowing for smaller temperature and pressure changes than manifold and branch and tee installations. On top of that, ManaBlocs are designed to resist scaling and corrosion and feature a 10-year transferable warranty. Faster hot water delivery is possible using dedicated lines designed for 3/8" and 1/2" connections.

### FEATURES AND BENEFITS

- Faster hot water delivery possible through dedicated lines to each plumbing fixture
- Allows shutoff of individual fixtures without disrupting flow elsewhere
- Requires less connections behind the wall than standard installation methods
- Flexible PureFlow PEX tubing makes installations fast and easy
- PEX lines available in 3/8" or 1/2" to supply required fixture demands, ensuring optimal efficiency
- Quiet operation with minimized flow noise compared to copper tubing
- Increases energy savings by reducing water waste
- Complies with most green building efficiency code supplements

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record.

**Index**

ManaBlocs	154
MiniBlocs	154
Port Adapters	155
Supply Adapters	156
Accessories	157

## ManaBlocs



### Viega PureFlow ManaBloc distribution manifold

- Polysulfone
- Does not include port adapters, supply adapters

#### Components

Integrated ¼ turn shutoff valves, T-handle valve key

#### Model V5040.6

Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
14	½	6	8	5.024	1	49610	2
18	½	8	10	5.818	1	49615	2
24	½	9	15	8.016	1	49620	2
30	½	12	18	9.579	1	49625	2
36	½	14	22	10.974	1	49630	2



### Viega PureFlow ManaBloc distribution manifold

- Polysulfone
- Does not include supply adapters, port adapters

#### Components

Integrated ¼ turn shutoff valves, T-handle valve key

#### Model V5040.0

Port(s)	d	hot	cold	hard	Wt [lb]	Quantity	Part No	DG
24	½	10	10	4	8.016	1	49635	2
30	½	13	13	4	9.579	1	49640	2
36	½	16	16	4	10.974	1	49645	2

## MiniBlocs



### Viega PureFlow MiniBloc zoning manifold

#### Smart Connect Technology

- For combination systems
- Press connection
- Blue color coded ports for cold water
- Does not include supply connections

#### Components

¼ turn valves, T-handle valve key, optional red valve caps

#### Model V5650

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
polymer	3	½	1.804	1	49033	2
polymer	4	½	2.007	1	49043	2
polymer	6	½	2.456	1	49063	2
polymer	8	½	3.337	1	49083	2



### Viega PureFlow MiniBloc zoning manifold

#### Smart Connect Technology

- For combination systems
- Press connection
- Color coded ports for hot and cold water
- Does not include supply connections

#### Components

¼ turn valves, T-handle valve key

#### Model V5660

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
polymer	5	½	2	3	2.189	1	49453	2
polymer	7	½	3	4	3.130	1	49473	2
polymer	10	½	4	6	3.801	1	49410	2



**Viega MiniBloc zoning manifold**  
 - Crimp connection  
 - Blue color coded ports for cold water  
 - Does not include supply connections

Components

¼ turn valves, T-handle valve key, optional red valve caps

**Model V5031.5**

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
PolyAlloy	3	½	1.727	1	<b>50033</b>	2
PolyAlloy	4	¾	1.605	1	<b>50021</b>	2
PolyAlloy	4	½	1.919	1	<b>50043</b>	2
PolyAlloy	6	¾	2.184	1	<b>50022</b>	2
PolyAlloy	6	½	2.434	1	<b>50063</b>	2
PolyAlloy	8	¾	2.757	1	<b>50024</b>	2
PolyAlloy	8	½	3.199	1	<b>50083</b>	2



**Viega PureFlow MiniBloc zoning manifold**  
 - Crimp connection  
 - Color coded ports for hot and cold water  
 - Does not include supply connections

Components

¼ turn valves, T-handle valve key

**Model V5067**

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PolyAlloy	5	½	2	3	2.159	1	<b>51063</b>	2
PolyAlloy	7	½	3	4	2.869	1	<b>51073</b>	2
PolyAlloy	10	½	4	6	3.638	1	<b>51003</b>	2

**Port Adapters**



**Viega PureFlow Press port adapter**  
**Smart Connect Technology**

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc  
 - Polymer  
 - Press connection, Viega ManaBloc connection

**Model V5613.1**

P	Port	Wt [lb]	Quantity	Part No	DG
¾	½	0.047	6	<b>49224</b>	2
½	½	0.050	6	<b>49234</b>	2



**Viega PureFlow Press port adapter**  
**Sweep**  
**Smart Connect Technology**

- For connecting distribution lines to Viega ManaBloc, use when replacing a previous generation ManaBloc (with external divider plate and different port spacing)  
 - Polymer  
 - Press connection, Viega ManaBloc connection

**Model V5613.5**

P	Port	Wt [lb]	Quantity	Part No	DG
¾	½	0.049	6	<b>50263</b>	2
½	½	0.051	6	<b>50262</b>	2



**Viega PureFlow Press port adapter**  
**Zero Lead**

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc  
 - Bronze  
 - Press connection, Viega ManaBloc connection

**Model 2877.3ZL**

P	Port	Wt [lb]	Quantity	Part No	DG
¾	½	0.095	6	<b>96101</b>	2
½	½	0.102	6	<b>96120</b>	2



**Viega PureFlow Crimp port adapter**

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- PolyAlloy
- Crimp connection, Viega ManaBloc connection

**Model V5039.1**

Crimp	Port	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.026	6	<b>51133*</b>	2
3/8	1/2	0.040	6	<b>50023</b>	2
1/2	3/8	0.026	6	<b>51123</b>	2
1/2	1/2	0.040	6	<b>50133</b>	2

\* = Available while supplies last



**Viega PureFlow Crimp port adapter Sweep**

- For connecting distribution lines, use when replacing a previous generation ManaBloc (with external divider plate and different port spacing)
- PolyAlloy
- Crimp connection, Viega ManaBloc connection

**Model V5039.2**

Crimp	Port	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.041	6	<b>50261</b>	2
1/2	1/2	0.041	6	<b>50260</b>	2



**Viega ManaBloc port adapter Zero Lead**

- For connecting polybutylene (PB) distribution lines to Viega Manabloc
- Brass
- Polybutylene (PB) connection, Viega ManaBloc connection
- Does not include ring for PB connection

**Model V5613.8**

PB	Port	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.093	6	<b>50267</b>	2
1/2	1/2	0.087	6	<b>50266</b>	2



**Viega ManaBloc port adapter Sweep**

- For connecting polybutylene (PB) distribution lines to Viega Manabloc, use when replacing a previous generation ManaBloc (with external divider plate and different port spacing)
- Polymer
- Polybutylene (PB) connection, Viega ManaBloc connection
- Does not include ring for PB connection

**Model V5613.7**

PB	Port	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.041	6	<b>50265</b>	2
1/2	1/2	0.042	6	<b>50264</b>	2

**Supply Adapters**



**Viega PureFlow Press supply adapter Smart Connect Technology**

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- Polymer
- Press connection, Viega ManaBloc supply connection

**Model V5613.2**

P	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.098	5	<b>49414</b>	2
1	1	0.118	5	<b>49416</b>	2



**Viega PureFlow Press supply adapter Zero Lead**

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- Bronze
- Press connection, Viega ManaBloc supply connection

**Model 2877.8ZL**

P	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.214	5	<b>96141*</b>	2
1	1	0.236	5	<b>96161*</b>	2

\* = Available while supplies last





**Viega PureFlow ManaBloc supply adapter Zero Lead**  
 - For connecting CTS-sized supply lines to Viega ManaBloc or Viega MiniBloc  
 - Equipped with insert stiffener Model V5086  
 - Brass  
 - Compression, Viega ManaBloc supply connection  
**Model V5032ZL**

CTS	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.395	5	<b>46346</b>	2



**Viega PureFlow ManaBloc supply adapter Zero Lead**  
 - For connecting FPT supply lines to Viega ManaBloc and Viega MiniBloc  
 - Brass  
 - Male pipe thread, Viega ManaBloc supply connection  
**Model V5033ZL**

MPT	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.329	5	<b>46646</b>	2
1	1	0.399	5	<b>46656</b>	2



**Viega PureFlow Crimp supply adapter Zero Lead**  
 - For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc  
 - Brass  
 - Crimp connection, Viega ManaBloc supply connection  
**Model V5034ZL**

Crimp	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.198	5	<b>46414</b>	2
1	1	0.206	5	<b>46416</b>	2



**Viega ManaBloc supply adapter Zero Lead**  
 - For connecting polybutylene (PB) supply lines to Viega Manabloc  
 - Brass  
 - Polybutylene (PB) connection, Viega ManaBloc connection  
 - Does not include ring for PB connection  
**Model V5035ZL**

PB	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.036	1	<b>50268</b>	2
1	1	0.036	1	<b>50269</b>	2



**Viega PureFlow Crimp supply adapter Zero Lead**  
 - For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc  
 - PolyAlloy  
 - Crimp connection, Viega ManaBloc supply connection  
**Model V5213**

Crimp	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.095	5	<b>50141</b>	2
1	1	0.100	5	<b>50151</b>	2

**Accessories**



**Port cap**  
 - For Viega ManaBloc, Viega MiniBloc  
 - Plastic  
**Model V5087**

d	Wt [lb]	Quantity	Part No	DG
3/8	0.020	6	<b>36204</b>	2
1/2	0.037	6	<b>36205</b>	2



**Supply cap**  
 - For Viega ManaBloc, Viega MiniBloc  
 - Brass  
**Model V5036.10**

d	Wt [lb]	Quantity	Part No	DG
1	0.082	5	<b>53601</b>	2

**3.3**



**Viega PureFlow ManaBloc mounting set**  
 - For mounting Viega ManaBloc between studs  
 - Steel  
 - Pre-drilled to mount on 16" center studs  
Components  
 (2) mounting straps, (4) screws  
**Model V5038**

	Wt [lb]	Quantity	Part No	DG
	0.720	1	45716	2



**Replacement kit**  
 - For Viega ManaBloc and Viega MiniBloc valve stems, ports 1/2" or 3/8"  
 - 1/4 turn  
Components  
 Red valve, blue valve, valve removal tool, T-handle valve key  
**Model 2870.91**

	Wt [lb]	Quantity	Part No	DG
	0.150	1	51602	2



**T-handle valve key**  
 - For Viega ManaBloc, Viega MiniBloc  
**Model V5039.7**

	Wt [lb]	Quantity	Part No	DG
	0.024	1	50601	2



**Ferrule**  
 - For Viega ManaBloc compression connections, risers, Valves  
 - Plastic  
**Model V5085**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	53000	2
1/4	3/8	0.001	100	53005	2
3/8	1/2	0.001	50	53015	2
1/2	5/8	0.001	100	53020	2



**Insert stiffener**  
 - For Viega ManaBloc compression connections, risers  
 - Stainless steel  
**Model V5086**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.003	100	56100*	2
3/8	1/2	0.003	50	56110	2
1/2	5/8	0.005	50	56120	2
3/4	7/8	0.010	50	56140	2

\* = Available while supplies last



**Viega PureFlow ManaBloc access panel**  
 - Plastic  
Note  
 Can be mounted to open vertically or horizontally  
**Model V5099**

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	18	14	1.350	1	50718	2
14	26	16	0.050	1	50726	2
14	30	24	2.434	1	50730	2
14	39	36	3.249	1	50739	2



**Viega PureFlow ManaBloc access panel**  
 - Metal  
 - 90 minute fire rating  
Components  
 (2) knurled knobs, (2) keys  
Note  
 Can be mounted to open vertically or horizontally  
UL listed  
**Model V5099.1**

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	40	30	26.258	1	50740	2

# Heating and Cooling Solutions



4.1



## Heating and Cooling Solutions

Radiant heating systems have been around since 10,000 B.C., but Viega has made them more efficient, reliable and easier to install. Viega offers a full line of prefabricated Climate Mats for wet installs, panels for dry installs, tubing, manifolds, mixing options and controls all engineered to work together. Radiant heating and cooling solutions can reduce energy costs by up to 30% for both residential and commercial buildings. Our hands-on design team can provide you with a complete design and bill of materials, so you know you have everything you need for a properly functioning system.

### FEATURES AND BENEFITS

- Faster and easier than traditional radiant installation
- Typically reduces energy costs from 10-30%
- Minimizes circulation of dust, allergens and airborne contaminants
- Proven press technology helps to ensure secure connections
- Backed by a 30-year warranty on Viega Barrier PEX, PureFlow Press metal and polymer fittings
- Technical support
- Design and layout services

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega PureFlow Press polymer fitting indicates Smart Connect technology.

**Index**

Tubing	162
Elbows	163
Tees	164
Adapters	166
Couplings	167
Manifolds	169
Controls	173
Panels, Plates, Tracks, and Mats	175
Mixing equipment	177
Valves	178
Accessories	179
Spare parts	180

**Tubing**



**ViEGA Barrier PEX tubing**

- Coil
- Oxygen diffusion barrier, protective outer layer

Technical Data

PEX designation code 5306  
 Chlorine resistance ratings CL5  
 UV resistance 6 months  
ASTM F876, ASTM F877, ASTM F3253, NSF 61

**Model 2802US**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
5/16	250	black with stripe	9.000	1	<b>11400</b>	4
5/16	1000	black with stripe	34.000	1	<b>11405</b>	4
3/8	300	black with stripe	12.900	1	<b>11415</b>	4
3/8	1200	black with stripe	51.600	1	<b>11418</b>	4
1/2	250	black with stripe	10.750	1	<b>11428</b>	4
1/2	300	black with stripe	17.100	1	<b>11425</b>	4
1/2	400	black with stripe	23.200	1	<b>11430</b>	4
1/2	500	black with stripe	29.000	1	<b>11427</b>	4
1/2	1000	black with stripe	58.000	1	<b>11436</b>	4
1/2	1200	black with stripe	68.400	1	<b>11435</b>	4
1/2	2000	black with stripe	112.000	1	<b>11440</b>	4
5/8	500	black with stripe	39.500	1	<b>11445</b>	4
5/8	1500	black with stripe	118.500	1	<b>11450</b>	4
3/4	150	black with stripe	16.050	1	<b>11455</b>	4
3/4	300	black with stripe	32.400	1	<b>11457</b>	4
3/4	500	black with stripe	56.500	1	<b>11458</b>	4
3/4	800	black with stripe	86.400	1	<b>11460</b>	4
3/4	1000	black with stripe	108.000	1	<b>11462</b>	4
1	150	black with stripe	27.000	1	<b>11465</b>	4
1	500	black with stripe	88.000	1	<b>11470</b>	4
1 1/4	100	black with stripe	27.000	1	<b>11475</b>	4
1 1/2	100	black with stripe	36.500	1	<b>11480</b>	4
2	100	black with stripe	60.300	1	<b>11485</b>	4



**ViEGA Barrier PEX tubing**

- Straight length
- Oxygen diffusion barrier, protective outer layer

Technical Data

PEX designation code 5306  
 Chlorine resistance ratings CL5  
 UV resistance 6 months  
ASTM F876, ASTM F877, ASTM F3253, NSF 61

**Model 2803US**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/4	20	black with stripe	2.100	25	<b>11500</b>	4
1	20	black with stripe	3.500	15	<b>11505</b>	4
1 1/4	20	black with stripe	5.280	10	<b>11510</b>	4
1 1/2	20	black with stripe	7.400	5	<b>11515</b>	4
2	20	black with stripe	12.280	5	<b>11520</b>	4



**Zip tie**

- Plastic

**Model 2866US**

L [in]	Version	Wt [lb]	Quantity	Part No	DG
8.7	yellow	0.003	100	<b>15304</b>	4




**U-channel fastener**

- Plastic
- Pre-drilled holes


**Model 2864US**

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.029	16	<b>15310</b>	4
5/8	6 1/2	1.899	16	<b>15311</b>	4
3/4	6 1/2	1.300	16	<b>15314</b>	4




**Bend support**  
 - For in slab applications  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model 2851US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.075	10	<b>15106</b>	4
1/2	0.127	10	<b>15107</b>	4
5/8, 3/4	0.190	10	<b>15108</b>	4
1	0.730	10	<b>15111</b>	4



**J-clamp tubing fastener**  
 - Plastic  
Components  
 Nail  
**Model 2860US**


for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	<b>52000</b>	2
1/2	0.008	100	<b>52020</b>	2
3/4	0.013	100	<b>52040</b>	2
1	0.021	100	<b>52060</b>	2



**Lock clip**  
 - Plastic  
**Model 2863US**

for d	Wt [lb]	Quantity	Part No	DG
5/16	0.009	100	<b>58070</b>	4
3/8	0.009	100	<b>58071</b>	2
1/2	0.013	100	<b>58072<sup>1)</sup></b>	2
3/4	0.009	50	<b>58073</b>	2
1	0.020	50	<b>58074</b>	2
1 1/4	0.030	50	<b>58075</b>	2
1 1/2	0.040	25	<b>58076</b>	2
2	0.050	15	<b>58077</b>	2


<sup>1)</sup> Suitable for Viega Barrier PEX tubing Part No 11445, 11450



**Multi-clip**  
 - Plastic  
Components  
 Mounting screw  
**Model 2867US**


max d	Wt [lb]	Quantity	Part No	DG
1	0.024	100	<b>52006*</b>	2
2	0.090	50	<b>52007*</b>	2

\* = Available while supplies last



**Bend support Drop ear**  
 - Not suitable for Viega FostaPEX  
 - Plastic-coated steel  
**Model 2850.1US**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.198	25	<b>50520</b>	2



**Bend support**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model 2850.2US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	<b>51000</b>	2
1/2	0.083	25	<b>51020</b>	2
5/8, 3/4	0.154	25	<b>51040</b>	2
1	0.258	25	<b>51060</b>	2

**Elbows**



**Viega PureFlow Press 90° elbow**  
 Zero Lead  
 - Bronze  
 - Press connection  
**Model 2816ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.086	10	<b>93520</b>	6
3/4	3/4	0.156	10	<b>93540</b>	6
1	1	0.212	10	<b>93560</b>	6
1 1/4	1 1/4	0.359	5	<b>93570</b>	6
1 1/2	1 1/2	0.450	5	<b>93580</b>	6





**Viega PureFlow Press 90° elbow**  
 - Bronze  
 - Press connection  
**Model 2816NG**

P1	P2	Wt [lb]	Quantity	Part No	DG
5/8	5/8	0.164	5	<b>83530</b>	4



**Viega PureFlow Press 90° elbow**  
**Smart Connect Technology**  
 - Polymer  
 - Press connection  
**Model V5616**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.023	25	<b>49210</b>	6
1/2	1/2	0.029	250	<b>49220</b>	6
3/4	3/4	0.047	250	<b>49240</b>	6
1	1	0.080	10	<b>49260</b>	6
1 1/4	1 1/4	0.171	5	<b>49270</b>	6
1 1/2	1 1/2	0.220	5	<b>49280</b>	6
2	2	0.377	1	<b>49290</b>	6



**Viega PureFlow Press 90° elbow**  
 - Bronze  
 - Press connection, female copper tube size  
**Model 2814.5NG**

P	C	Wt [lb]	Quantity	Part No	DG
5/8	3/4	0.344	5	<b>89312</b>	4



**Viega PureFlow Press 90° elbow**  
 - Bronze  
 - Press connection, street, female copper tube size  
**Model 2814.7NG**

P	FTG (CTS)	C	Wt [lb]	Quantity	Part No	DG
5/8	3/4	1/2	0.333	5	<b>89313</b>	4



**Viega PureFlow Press 90° elbow**  
**Zero Lead**  
 - Bronze  
 - Press connection, male pipe thread  
**Model 2814ZL**

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.202	10	<b>92520</b>	6
1/2	3/4	0.315	10	<b>92525</b>	6
3/4	3/4	0.313	10	<b>92540</b>	6
3/4	1	0.748	10	<b>92545</b>	6
3/4	1 1/4	1.210	2	<b>92565</b>	6
1	1	0.743	10	<b>92560</b>	6
1	1 1/4	1.201	2	<b>92570</b>	6
1 1/4	1 1/4	1.270	2	<b>92757</b>	6
1 1/2	1 1/2	1.415	2	<b>92580</b>	6
2	2	2.870	2	<b>92590</b>	6

**Tees**



**Viega PureFlow Press tee**  
 - Bronze  
 - Press connection  
**Model 2818NG**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
5/8	5/8	5/8	0.188	5	<b>84030</b>	4



**Viega PureFlow Press tee**  
**Zero Lead**  
 - Bronze  
 - Press connection  
**Model 2818ZL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.107	10	94020	6
1/2	1/2	3/4	0.194	10	94022	6
3/4	1/2	1/2	0.177	10	94032	6
3/4	1/2	3/4	0.177	10	94034	6
3/4	3/4	1/2	0.185	10	94036	6
3/4	3/4	3/4	0.182	10	94040	6
1	1/2	1/2	0.282	10	94037	6
1	1/2	1	0.233	10	94039	6
1	3/4	1/2	0.287	10	94038	6
1	3/4	3/4	0.220	10	94052	6
1	3/4	1	0.242	10	94053	6
1	1	1/2	0.216	10	94050	6
1	1	3/4	0.262	10	94056	6
1	1	1	0.296	10	94060	6
1 1/4	1	3/4	0.529	5	94071*	6
1 1/4	1	1	0.581	5	94073*	6
1 1/4	1 1/4	3/4	0.547	5	94072	6
1 1/4	1 1/4	1	0.588	5	94074*	6
1 1/4	1 1/4	1 1/4	0.716	5	94070*	6
1 1/2	1	3/4	0.627	5	94081*	6
1 1/2	1	1	0.740	5	94082*	6
1 1/2	1 1/2	3/4	0.681	5	94083*	6
1 1/2	1 1/2	1	0.767	5	94084*	6
1 1/2	1 1/2	1 1/4	0.860	5	94085*	6
1 1/2	1 1/2	1 1/2	0.957	5	94080*	6
2	2	2	1.772	1	94090*	6

\* = Available while supplies last



**Viega PureFlow Press tee**  
**Smart Connect Technology**  
 - Polymer  
 - Press connection  
**Model V5618**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.035	25	49200	6
1/2	3/8	3/8	0.036	25	49322	6
1/2	1/2	3/8	0.039	25	49332	6
1/2	1/2	1/2	0.042	25	49520	6
1/2	1/2	3/4	0.052	25	49334	6
3/4	1/2	1/2	0.052	25	49433	6
3/4	1/2	3/4	0.061	25	49434	6
3/4	3/4	1/2	0.059	25	49443	6
3/4	3/4	3/4	0.068	25	49540	6
1	1/2	1/2	0.068	10	49533	6
1	1/2	1	0.097	10	49535	6
1	3/4	1/2	0.074	10	49543	6
1	3/4	3/4	0.084	10	49544	6
1	3/4	1	0.104	10	49545	6
1	1	1/2	0.088	10	49553	6
1	1	3/4	0.102	10	49554	6
1	1	1	0.115	10	49560	6
1 1/4	1	3/4	0.150	5	49754	6
1 1/4	1	1	0.166	5	49755	6
1 1/4	1 1/4	1/2	0.245	5	49888	6
1 1/4	1 1/4	3/4	0.182	5	49774	6
1 1/4	1 1/4	1	0.206	5	49775	6
1 1/4	1 1/4	1 1/4	0.250	5	49570	6
1 1/2	1	3/4	0.170	5	49854	6
1 1/2	1	1	0.195	5	49855	6
1 1/2	1	1 1/2	0.245	5	49886	6
1 1/2	1 1/4	3/4	0.205	5	49874	6
1 1/2	1 1/4	1	0.225	5	49875	6
1 1/2	1 1/4	1 1/4	0.275	5	49877	6
1 1/2	1 1/2	1/2	0.214	5	49883	6
1 1/2	1 1/2	3/4	0.233	5	49884	6
1 1/2	1 1/2	1	0.245	5	49885	6
1 1/2	1 1/2	1 1/4	0.290	5	49887	6
1 1/2	1 1/2	1 1/2	0.326	5	49580	6
2	1 1/2	3/4	0.001	1	49984	6
2	1 1/2	1	0.315	1	49985	6
2	1 1/2	1 1/4	0.365	1	49987	6
2	1 1/2	1 1/2	0.390	1	49988	6
2	2	1/2	0.309	1	49993	6
2	2	3/4	0.355	1	49994	6
2	2	1	0.373	1	49995	6
2	2	1 1/4	0.405	1	49997	6
2	2	1 1/2	0.435	1	49998	6
2	2	2	0.500	1	49590	6

**Adapters**



**Viega PureFlow Press adapter**  
 - Bronze  
 - Press connection, male pipe thread  
**Model 2811NG**

P	MPT	Wt [lb]	Quantity	Part No	DG
5/8	1/2	0.119	5	<b>80527</b>	4
5/8	3/4	0.165	5	<b>80531</b>	4



**Viega PureFlow Press adapter**  
**Zero Lead**  
 - Bronze  
 - Press connection, male pipe thread  
**Model 2811ZL**

P	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.101	10	<b>90506</b>	6
1/2	1/2	0.098	10	<b>90521</b>	6
1/2	3/4	0.152	10	<b>90526</b>	6
3/4	1/2	0.113	10	<b>90542</b>	6
3/4	3/4	0.160	10	<b>90541</b>	6
3/4	1	0.283	10	<b>90546</b>	6
3/4	1 1/4	0.507	2	<b>90562</b>	6
1	3/4	0.182	10	<b>90556</b>	6
1	1	0.284	10	<b>90561</b>	6
1	1 1/4	0.524	2	<b>90566</b>	6
1 1/4	1 1/4	0.564	2	<b>90571</b>	6
1 1/2	1 1/2	0.683	2	<b>90581</b>	6
2	2	1.104	5	<b>90591</b>	6



**Viega PureFlow Press adapter**  
**Zero Lead**  
 - Bronze  
 - Press connection, female pipe thread  
**Model 2812ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.098	10	<b>91520</b>	6
1/2	3/4	0.135	10	<b>91525</b>	6
3/4	1/2	0.110	10	<b>91541</b>	6
3/4	3/4	0.141	10	<b>91540</b>	6
1	3/4	0.166	10	<b>91545</b>	6
1	1	0.239	10	<b>91560</b>	6
1 1/4	1 1/4	0.436	5	<b>91570</b>	6
1 1/2	1 1/2	0.511	5	<b>91580</b>	6
2	2	0.818	5	<b>91590</b>	6



**Viega PureFlow Press adapter**  
**Smart Connect Technology**  
 - Bronze  
 - Press connection  
Components  
 EPDM sealing elements  
**Model 2813PNG**

P1	P2	Wt [lb]	Quantity	Part No	DG
5/8	1/2	0.081	5	<b>69627</b>	4
5/8	3/4	0.134	5	<b>69628</b>	4



**Viega PureFlow Press transition coupling**  
**Smart Connect Technology**  
**Zero Lead**  
 - For transitioning between Viega PureFlow Press and Viega ProPress  
 - Bronze  
 - Press connection  
Components  
 EPDM sealing elements  
Note  
 ProPress and PureFlow tool and press jaws required  
**Model 2813PZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.076	10	<b>99620</b>	6
1/2	3/4	0.115	10	<b>99626</b>	6
3/4	1/2	0.078	10	<b>99630</b>	6
3/4	3/4	0.115	10	<b>99640</b>	6
1	3/4	0.136	10	<b>99645</b>	6
1	1	0.184	10	<b>99660</b>	6
1 1/4	1	0.236	5	<b>99665</b>	6
1 1/4	1 1/4	0.287	5	<b>99670</b>	6
1 1/2	1	0.276	5	<b>99675</b>	6
1 1/2	1 1/2	0.447	5	<b>99680</b>	6
2	1	0.459	5	<b>99685</b>	6
2	2	0.723	5	<b>99690</b>	6



**Viega ProPress insert stiffener**  
 - For Viega ProPress 90° extended street elbow  
 - Suitable for Viega ProPress 90° extended street elbow Model 2947  
 - Bronze  
**Model 2946**

d	Wt [lb]	Quantity	Part No	DG
3/4	0.046	5	<b>16423</b>	4



**Viega PureFlow Press adapter**  
 - Bronze  
 - Press connection, female copper tube size  
**Model 2813.5NG**

P	C	Wt [lb]	Quantity	Part No	DG
5/8	1/2	0.072	5	<b>82027</b>	4
5/8	3/4	0.108	5	<b>82031</b>	4



**Viega PureFlow Press adapter Zero Lead**  
 - Bronze  
 - Press connection, female copper tube size  
**Model 2813.5ZL**

P	C	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.062	10	<b>92006</b>	6
1/2	1/2	0.063	10	<b>92021</b>	6
1/2	3/4	0.099	10	<b>92026</b>	6
3/4	1/2	0.067	10	<b>92036</b>	6
3/4	3/4	0.113	10	<b>92041</b>	6
3/4	1	0.176	10	<b>92045</b>	6
1	1	0.186	10	<b>92060</b>	6
1 1/4	1 1/4	0.323	5	<b>92070</b>	6
1 1/2	1 1/2	0.436	5	<b>92080</b>	6
2	2	0.655	5	<b>92090</b>	6



**Viega PureFlow Press adapter**  
 - Bronze  
 - Press connection, street  
**Model 2813.1NG**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
5/8	1/2	0.079	5	<b>87530</b>	4
5/8	3/4	0.119	5	<b>87531</b>	4



**Viega PureFlow Press adapter Zero Lead**  
 - Bronze  
 - Press connection, street  
**Note**  
 ProPress tool and press jaw required  
**Model 2813.1ZL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.064	10	<b>97520</b>	6
1/2	3/4	0.094	10	<b>97525</b>	6
3/4	1/2	0.079	10	<b>97535</b>	6
3/4	3/4	0.101	10	<b>97540</b>	6
3/4	1	0.154	10	<b>97545</b>	6
1	1	0.175	10	<b>97560</b>	6
1 1/4	1 1/4	0.305	5	<b>97570</b>	6
1 1/2	1 1/2	0.436	5	<b>97580</b>	6
2	2	0.696	5	<b>97590<sup>1</sup></b>	6

<sup>1</sup> for use with solder fittings only

**Couplings**



**Viega PureFlow Press coupling**  
 - Bronze  
 - Press connection  
**Model 2815NG**

P1	P2	Wt [lb]	Quantity	Part No	DG
5/16	5/16	0.032	5	<b>83001</b>	4
5/8	5/8	0.068	5	<b>83030</b>	4



**Viega PureFlow Press coupling Zero Lead**  
 - Bronze  
 - Press connection  
**Model 2815ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.041	10	<b>93000</b>	6
1/2	3/8	0.048	10	<b>93005*</b>	6
1/2	1/2	0.052	10	<b>93020</b>	6
3/4	1/2	0.070	10	<b>93050</b>	6
3/4	3/4	0.073	10	<b>93040</b>	6
1	3/4	0.113	10	<b>93055</b>	6
1	1	0.131	10	<b>93060</b>	6
1 1/4	3/4	0.187	5	<b>93071*</b>	6
1 1/4	1	0.210	5	<b>93065</b>	6
1 1/4	1 1/4	0.260	5	<b>93070</b>	6
1 1/2	3/4	0.238	5	<b>93072*</b>	6
1 1/2	1	0.246	5	<b>93073</b>	6
1 1/2	1 1/2	0.317	5	<b>93080</b>	6
2	2	0.573	5	<b>93090*</b>	6

\* = Available while supplies last

4.1



**Viega PureFlow Press coupling**  
**Smart Connect Technology**  
 - Polymer  
 - Press connection  
**Model V5615**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.022	25	<b>49402</b>	6
1/2	3/8	0.024	25	<b>49342</b>	6
1/2	1/2	0.027	25	<b>49403</b>	6
3/4	1/2	0.034	25	<b>49343</b>	6
3/4	3/4	0.040	25	<b>49404</b>	6
1	3/4	0.055	10	<b>49354</b>	6
1	1	0.068	10	<b>49405</b>	6
1 1/4	3/4	0.101	5	<b>49347</b>	6
1 1/4	1	0.112	5	<b>49357</b>	6
1 1/4	1 1/4	0.151	5	<b>49407</b>	6
1 1/2	3/4	0.118	5	<b>49348</b>	6
1 1/2	1	0.133	5	<b>49358</b>	6
1 1/2	1 1/4	0.165	5	<b>49378</b>	6
1 1/2	1 1/2	0.190	5	<b>49408</b>	6
2	1 1/2	0.270	1	<b>49398</b>	6
2	2	0.305	1	<b>49409</b>	6



**Coupling**  
 - Brass  
 - Compression  
 - Low profile  
**Model 1030SV**

d1	d2	Wt [lb]	Quantity	Part No	DG
5/16	5/16	0.151	10	<b>19013</b>	4



**SVC coupling**  
 - Brass  
 - Compression  
Components  
 SVC coupling, (2) nuts and inserts  
**Model 1030.1SV**

SVC	d1	d2	Wt [lb]	Quantity	Part No	DG
✓	3/8	3/8	0.560	1	<b>19014*</b>	4
✓	1/2	1/2	0.556	1	<b>19015</b>	4
✓	5/8	5/8	0.542	1	<b>19016</b>	4
✓	3/4	3/4	0.899	1	<b>19017</b>	4

\* = Available while supplies last



**Viega PureFlow Press test plug**  
 - Bronze  
 - Press connection  
**Model 2856NG**

P	Wt [lb]	Quantity	Part No	DG
5/8	0.048	5	<b>85131</b>	4



**Viega PureFlow Press test plug**  
**Smart Connect Technology**  
 - Polymer  
 - Press connection  
**Model V5656**


P	Wt [lb]	Quantity	Part No	DG
3/8	0.011	25	<b>49722</b>	6
1/2	0.015	25	<b>49723</b>	6
3/4	0.022	25	<b>49744</b>	6
1	0.038	10	<b>49765</b>	6
1 1/4	0.082	5	<b>49770</b>	6
1 1/2	0.095	5	<b>49780</b>	6
2	0.154	1	<b>49790</b>	6



**Repair coupling tape**  
 - For wrapping PureFlow Press fittings in a slab  
 - Silicone  
**Model 2890.4US**

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1	10	0.120	1	<b>15320</b>	4

**Manifolds**




**Manifold**

- Equipped with air bleeder Model 2878.914, purge valve Model 2878.915, supply flow meter valve Model 2878.920, supply shutoff balancing valve Model 2878.924
- Stainless steel
- SVC, union connection, female pipe thread
- Preassembled

**Model 2804**

Outlet(s)	SVC	Union	FPT	Wt [lb]	Quantity	Part No	DG
2	✓	1¼	1	5.142	1	<b>16030</b>	4
3	✓	1¼	1	5.587	1	<b>16031</b>	4
4	✓	1¼	1	6.687	1	<b>16032</b>	4
5	✓	1¼	1	6.687	1	<b>16033</b>	4
6	✓	1¼	1	8.351	1	<b>16034</b>	4
7	✓	1¼	1	9.202	1	<b>16035</b>	4
8	✓	1¼	1	10.097	1	<b>16036</b>	4
9	✓	1¼	1	11.027	1	<b>16037*</b>	4
10	✓	1¼	1	11.935	1	<b>16038</b>	4
11	✓	1¼	1	12.766	1	<b>16039*</b>	4
12	✓	1¼	1	13.751	1	<b>16040</b>	4

\* = Available while supplies last



**Manifold**

- Equipped with air bleeder Model 2878.914, purge valve Model 2878.915, supply shutoff balancing valve Model 2878.924
- Stainless steel
- SVC, union connection, female pipe thread
- Preassembled

**Model 2879**

Outlet(s)	SVC	Union	FPT	Wt [lb]	Quantity	Part No	DG
2	✓	1¼	1	4.417	1	<b>16400</b>	4
3	✓	1¼	1	5.217	1	<b>16401</b>	4
4	✓	1¼	1	6.068	1	<b>16402</b>	4
5	✓	1¼	1	6.947	1	<b>16403</b>	4
6	✓	1¼	1	7.798	1	<b>16404</b>	4
7	✓	1¼	1	8.576	1	<b>16405</b>	4
8	✓	1¼	1	9.711	1	<b>16406</b>	4
9	✓	1¼	1	10.515	1	<b>16407*</b>	4
10	✓	1¼	1	11.421	1	<b>16408</b>	4
11	✓	1¼	1	12.230	1	<b>16409*</b>	4
12	✓	1¼	1	12.975	1	<b>16410</b>	4

\* = Available while supplies last



**Manifold ball valve set**

- For stainless steel manifold
- Nickel-plated brass
- Union connection, female pipe thread

**Components**

- (1) red-handled and (1) blue-handled ball valve

**Model 2877.2**

Union	FPT	Wt [lb]	Quantity	Part No	DG
1¼	1	1.802	1	<b>15056</b>	4



**Manifold expansion set**

- For stainless steel manifold shutoff / balancing / flow meter
- Suitable for manifold Model 2804, manifold ball valve set Model 2877.2
- Stainless steel
- Union connection, female pipe thread

**Components**

- (2) 1¼" MPT x 1" MPT adapter, (2) gaskets, (2) expansion nipples

**Model 2877.5**

d	Union	FPT	Outlet(s)	Wt [lb]	Quantity	Part No	DG
1¼	1¼	1	1	2.409	1	<b>16430</b>	4
1¼	1¼	1	1	1.804	1	<b>15059</b>	4



**Manifold expansion set**

- For stainless steel manifold shutoff / balancing
- Suitable for manifold ball valve set Model 2877.2, manifold Model 2879
- Stainless steel
- Union connection, female pipe thread

**Components**

- (2) 1¼" MPT x 1" MPT adapter, (2) gaskets, (2) expansion nipples

**Model 2877.4**

d	Union	FPT	Outlet(s)	Wt [lb]	Quantity	Part No	DG
1¼	1¼	1	1	2.288	1	<b>16431</b>	4

4.1



**Expansion nipple**

- For connecting stainless steel manifolds
- Nickel-plated brass
- Male pipe thread

**Model 2878.922**

MPT1	MPT2	Wt [lb]	Quantity	Part No	DG
1¼	1	0.312	2	<b>15186</b>	4



**Manifold outlet cap**

- For stainless steel manifold
- Nickel-plated brass
- SVC

Components

- EPDM gasket

**Model 2856.7**

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.042	2	<b>15054</b>	4



**Reducer**

- For stainless steel manifold to mixing station connections
- Bronze
- Male pipe thread, female pipe thread

**Model 1003.5SV**

MPT	FPT	Wt [lb]	Quantity	Part No	DG
1¼	1	0.356	2	<b>15044</b>	4



**Manifold end plug**

- For stainless steel manifold
- Nickel-plated brass
- Male pipe thread

Components

- EPDM gasket

**Model 2856.6**

MPT	Wt [lb]	Quantity	Part No	DG
1	0.149	2	<b>15053</b>	4



**System pressurization kit**

- For pressure testing
- Suitable for mixing station base unit Model 2801.0US, manifold Model 2804, 2879, mixing station enhanced Model V1203.0

Components

- (1) pressure gauge, (2) 1¼" MPT x 1" FPT reducer, (2) 1" MPT test plug, (1) male hose thread x SVC adapter

**Model 2873.5US**

Wt [lb]	Quantity	Part No	DG
1.898	1	<b>21210</b>	4



**SVC manifold adapter**

- For Viega PureFlow Press connections with SVC manifold outlets
- Bronze
- Press connection, SVC

**Model 2819NG**

P	SVC	Wt [lb]	Quantity	Part No	DG
5/16	✓	0.140	5	<b>89407</b>	4
3/8	✓	0.141	5	<b>89408</b>	4
1/2	✓	0.145	5	<b>89409</b>	4
5/8	✓	0.161	5	<b>89413</b>	4
3/4	✓	0.158	5	<b>89410</b>	4



**Compression adapter**

- Bronze
- Compression, SVC
- Allows Viega PEX compression connections with SVC manifold outlets

Components

- Adapter, compression ring, nut

**Model 1022SV**

P	SVC	Wt [lb]	Quantity	Part No	DG
5/16	✓	0.214	2	<b>19007</b>	4
3/8	✓	0.209	2	<b>19008</b>	4
1/2	✓	0.197	2	<b>19009</b>	4
5/8	✓	0.197	2	<b>19010</b>	4





**Compression adapter**

- Bronze
- Compression, SVC
- Allows Viega PEX compression connections with SVC manifold outlets

Components

Adapter, compression ring, nut, threaded adapter

**Model 1022.1SV**

P	SVC	Wt [lb]	Quantity	Part No	DG
¾	✓	0.371	2	<b>19011</b>	4



**SVC compression adapter**

- Only for type L copper, type K copper, type M copper
- Brass
- SVC
- Allows compression copper connection with SVC manifold without soldering

Components

Brass nut, plastic insert

**Model 9438.5SV**

d	SVC	Wt [lb]	Quantity	Part No	DG
½	✓	0.087	10	<b>19305</b>	4
¾	✓	0.321	10	<b>19306</b>	4



**SVC adapter**

- Bronze
- Male pipe thread, SVC

**Model 1022.6SV**

MPT	SVC	Wt [lb]	Quantity	Part No	DG
½	✓	0.140	5	<b>19109</b>	4
¾	✓	0.167	5	<b>19110</b>	4



**Coupling**

- Bronze
- SVC

**Model 1022.7SV**

SVC1	SVC2	Wt [lb]	Quantity	Part No	DG
✓	✓	0.153	10	<b>19012</b>	4



**Strap-on temperature gauge set**

- Can be soldered

Components

Gauge, mounting spring, heat transfer paste

**Model 2810.3US**

d	Temp [°F]	Wt [lb]	Quantity	Part No	DG
2½	32-250	0.260	1	<b>15055</b>	4



**Manifold**

- Equipped with shutoff / balancing valve Model 2834.7US

- Type L copper
- Solder inlet connection, PureFlow Press outlet connection

Components

Brass valves

**Model 2834.9US**

Outlet(s)	d	P	gpm	Wt [lb]	Quantity	Part No	DG
12	1½	⅝	32	14.116	1	<b>17223</b>	4
12	1½	¾	32	13.906	1	<b>17224</b>	4
12	2	⅝	45	16.295	1	<b>17204</b>	4
12	2	¾	45	15.721	1	<b>17205</b>	4



**Manifold**

- Equipped with shutoff valve Model 2834.6US
- Type L copper
- Solder inlet connection, PureFlow Press outlet connection

Components

Brass valves

**Model 2834.8US**

Outlet(s)	d	P	gpm	Wt [lb]	Quantity	Part No	DG
12	1½	⅝	32	10.297	1	<b>17221</b>	4
12	1½	¾	32	10.027	1	<b>17222</b>	4
12	2	⅝	45	12.496	1	<b>17202</b>	4
12	2	¾	45	11.917	1	<b>17203</b>	4



**Manifold Valveless**  
 - Type L copper  
 - Solder  
**Model 2835US**

Outlet(s)	d1	d2	gpm	Wt [lb]	Quantity	Part No	DG
2	1	1/2	13	0.370	2	17140 <sup>1</sup>	4
3	1	1/2	13	0.500	2	17141 <sup>1</sup>	4
4	1	1/2	13	0.310	2	17142 <sup>1</sup>	4
12	1	1/2	13	1.699	2	17143 <sup>1</sup>	4
18	1 1/2	3/4	32	6.063	2	17120	4
18	2	3/4	45	9.067	2	17100	4

<sup>1</sup>) copper female inlet and male outlet header



**Shutoff valve**  
 - Brass  
 - Female copper tube size, press connection  
**Model 2834.6US**

C	P	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.252	10	17260	4
3/4	5/8	0.434	10	17261*	4
3/4	3/4	0.424	10	17262	4

\* = Available while supplies last



**Shutoff / balancing valve**  
 - Brass  
 - Female copper tube size, press connection  
**Model 2834.7US**

P	C	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.514	10	17263	4
5/8	3/4	0.739	10	17264*	4
3/4	3/4	0.725	10	17265*	4

\* = Available while supplies last



**Shutoff valve**  
 - Brass  
 - Female copper tube size, compression  
**Model 2834.3US**

C	Comp	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.390	10	17166*	4
3/4	5/8	0.650	10	17167*	4

\* = Available while supplies last



**Closing cap**  
 - For use with copper manifolds  
 - Type L copper  
 - Female copper tube size, female pipe thread  
Note  
 1/2" FPT for draw-off (purge valve) and 1/8" FPT for automatic air vent (bottle vent).  
**Model 2834.5US**

C	FPT1	FPT2	Wt [lb]	Quantity	Part No	DG
1	1/2	1/8	0.400	1	17144	4
1 1/2	1/2	1/8	0.665	1	17125	4
2	1/2	1/8	0.750	1	17106	4



**Manifold bracket**  
 - For use with copper manifolds  
 - Galvanized steel  
**Model 2878.927**

d	Wt [lb]	Quantity	Part No	DG
1	0.348	2	17145	4
1 1/2	0.505	1	17126	4
2	0.545	1	17107	4



**Manifold cabinet**  
 - Suitable for manifold Model 2804, 2879  
 - Galvanized steel, epoxy powder-coated finish  
**Model 2879.6US**

W [in]	H [in]	D [in]	Wt [lb]	Quantity	Part No	DG
21	30	4 1/2	25.993	1	15800	4
27	30	4 1/2	31.991	1	15801	4
45	30	4 1/2	45.987	1	15802	4



**Lock assembly**  
 - Suitable for manifold cabinet  
 Model 2879.6US  
Components  
 (2) keys  
Note  
 Part No 15802 requires two locks.  
**Model 2857.7US**

Wt [lb]	Quantity	Part No	DG
0.119	1	15217	4

**Controls**



**Basic heating control**  
 - For controlling system water temperature based on outdoor reset  
 - Modulating mixing valve control, boiler activation  
Components  
 - Supply sensor, outdoor sensor  
**Model 2871.0US**

	Wt [lb]	Quantity	Part No	DG
	2.488	1	<b>16015</b>	4



**Indoor sensor**  
 - Use with basic heating control  
 Model 2871.0US  
**Model 2871.2US**

	Wt [lb]	Quantity	Part No	DG
	0.108	1	<b>16016</b>	4



**Multiple outdoor sensor**  
 - For up to (4) basic heating controls to share a single outdoor sensor  
 - Use with basic heating control  
 Model 2871.0US  
Components  
 - 10kΩ thermistor  
**Model 2871.3US**

	Wt [lb]	Quantity	Part No	DG
	0.009	1	<b>16020</b>	4



**Zone control**  
 - Suitable for zone valve Model 2837.1US, 2837.2US, 2837.3US, digital thermostat Model 2874.5US, powerhead Model 2877.7, thermostat heat/cool non programmable Model 2878.6, thermostat heat/cool programmable Model 2878.7, thermostat multistage heat/cool programmable Model 2878.8  
 - Zone wiring and switching center  
Components  
 - Circuit board, 24 V AC transformer  
**Model 2874.7US**

Zones	Wt [lb]	Quantity	Part No	DG
4	3.632	1	<b>18060</b>	4
6	5.653	1	<b>18062</b>	4



**Pump and boiler relay**  
Components  
 - 120 V AC supply, 24 V AC transformer, control pump and boiler contact outputs with dry or powered input signal  
**Model 2876.0US**

	Wt [lb]	Quantity	Part No	DG
	1.779	1	<b>18033</b>	4



**Digital thermostat**  
 - For sensing floor and/or room temperature  
 - Suitable for zone control Model 2874.7US, powerhead Model 2877.7  
 - Adjustable setback, controls up to (4) powerheads, high or low limit protection  
**Model 2874.5US**

V	Wt [lb]	Quantity	Part No	DG
24	0.250	1	<b>18050</b>	4

4.1



**Floor sensor**  
 - Suitable for digital thermostat Model 2874.5US  
 - 10KΩ  
**Model 2874.6US**

L [ft]	Wt [lb]	Quantity	Part No	DG
10	0.139	1	<b>18051</b>	4



**Thermostat Heat/cool non programmable**  
 - For 1 stage heat / 1 stage cool  
 - Suitable for zone control Model 2874.7US, powerhead Model 2877.7  
 - Controls up to (4) powerheads, battery or 24V power  
**Model 2878.6**

V	Wt [lb]	Quantity	Part No	DG
24	0.675	1	<b>15116*</b>	4

\* = Available while supplies last



**Thermostat Heat/cool programmable**  
 - For 1 stage heat / 1 stage cool  
 - Suitable for zone control Model 2874.7US, powerhead Model 2877.7  
 - Controls up to (4) powerheads, battery or 24V power  
**Model 2878.7**

V	Wt [lb]	Quantity	Part No	DG
24	0.695	1	<b>15117*</b>	4

\* = Available while supplies last



**Thermostat Multistage heat/cool, programmable**  
 - Suitable for zone control Model 2874.7US, powerhead Model 2877.7  
 - Controls up to (4) powerheads, battery or 24V power  
**Model 2878.8**

V	Wt [lb]	Quantity	Part No	DG
24	0.785	1	<b>15118*</b>	4

\* = Available while supplies last



**Powerhead**  
 - Suitable for manifold Model 2804, digital thermostat Model 2874.5US, zone control Model 2874.7US, thermostat heat/cool non programmable Model 2878.6, thermostat heat/cool programmable Model 2878.7, thermostat multistage heat/cool programmable Model 2878.8, manifold Model 2879  
**Model 2877.7**

Wire	V	Wt [lb]	Quantity	Part No	DG
2	24 V AC	0.300	1	<b>15070</b>	4
4	24 V AC	0.350	1	<b>15069</b>	4



**Powerhead**  
 - Suitable for manifold Model 2804, 2879  
**Model 2877.8**

V	Wt [lb]	Quantity	Part No	DG
0-10 V DC	0.350	1	<b>15068</b>	4



**Basic digital setpoint control II**  
 - For heating and cooling temperature control for slab applications  
Components  
 Watertight sensor, (2) isolated SPDT relay contacts  
**Model 2875.4US**

Wt [lb]	Quantity	Part No	DG
1.854	1	<b>17029*</b>	4

\* = Available while supplies last



**Wi-Fi Snow Melt Control**

- For use with snow/ice sensor and snow/ice sensor housing, slab sensor and aerial snow sensor, or slab sensor only
- Mobile app for iOS and Android, automatic storm prediction via weather data, automatic software updates via the cloud, zoning (priority, tracking)

Components

Microcontroller, outdoor sensor, two universal sensors

**Model 2872.5US**

	Wt [lb]	Quantity	Part No	DG
	4.284	1	<b>17014</b>	4



**Snow/Ice sensor**

- Spare part for Wi-Fi Snow Melt Control Model 2872.5US
- Suitable for Snow/Ice sensor housing Model 2865.3US

**Model 2875.8US**

L [ft]	Wt [lb]	Quantity	Part No	DG
65	4.088	1	<b>17016</b>	4



**Snow/Ice sensor housing**

- Spare part for Wi-Fi Snow Melt Control Model 2872.5US

**Model 2865.3US**

	Wt [lb]	Quantity	Part No	DG
	1.739	1	<b>17017</b>	4

**Panels, Plates, Tracks, and Mats**



**Viega Climate panel**

- For<sup>5</sup>/<sub>16</sub>" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405

Components

Plywood with aluminum backing

**Model 2810US**

L [in]	Spacing [in]	Wt [lb]	Quantity	Part No	DG
48	7	2.794	10	<b>14021</b>	4



**Viega Climate panel Assembled**

- For<sup>5</sup>/<sub>16</sub>" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405
- (6) hinged panels

Components

Plywood with aluminum backing

**Model 2810.2US**

L [in]	Spacing [in]	Wt [lb]	Quantity	Part No	DG
48	7	15.995	1	<b>14025</b>	4



**U-turn panel**

- For<sup>5</sup>/<sub>16</sub>" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405

Components

Plywood with aluminum backing

**Model 2810.1US**

L [in]	W [in]	Spacing [in]	Wt [lb]	Quantity	Part No	DG
48	7	7	2.799	10	<b>14035</b>	4




**Multi-run panel**

- For<sup>5</sup>/<sub>16</sub>" Viega Barrier PEX, multiple supply and return lines
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405
- Plywood panel

**Model 2810.7US**

L [in]	W [in]	Spacing [in]	Wt [lb]	Quantity	Part No	DG
48	12	7	4.353	5	<b>14050*</b>	4

\* = Available while supplies last



**Multi-run access panel**

- For 5/16" Viega Barrier PEX, multiple supply and return lines
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405
- Plywood panel

**Model 2810.71U**

L [in]	W [in]	Wt [lb]	Quantity	Part No	DG
12	7	0.562	6	<b>14055*</b>	4

\* = Available while supplies last



**90° elbow coupling**

- For 5/16" Viega Barrier PEX
- Suitable for Viega Barrier PEX tubing Part No 11400, 11405

**Components**

- Coupling, plastic clip

**Model 2810.8US**

d	Wt [lb]	Quantity	Part No	DG
5/16	0.024	2	<b>15104</b>	4



**Heat transfer adhesive**

- Suitable for u-turn panel Model 2810.1US, Viega Climate panel assembled Model 2810.2US, multi-run access panel Model 2810.71U, multi-run panel Model 2810.7US, Viega Climate panel Model 2810US, heat transfer plate Model 2857US
- Heat transfer paste and adhesive

**Note**

- Groove Tube

**Model 2810.9US**

contents [oz]	Wt [lb]	Quantity	Part No	DG
10.3	0.804	24	<b>14005</b>	4

4.1



**Viega rapid grid**

- For 3/8", 1/2", 5/8" Viega Barrier PEX, 1/2" Viega FostaPEX
- Suitable for Viega Barrier PEX tubing Part No 11415, 11418, 11425, 11427, 11428, 11430, 11435, 11436, 11440, 11445, 11450
- High impact polystyrene
- Grid fastening system

**Model 2857.2US**

L [ft]	W [ft]	H [in]	Wt [lb]	Quantity	Part No	DG
4	2	2 7/8	2.939	8	<b>15216</b>	4



**Track**

- Suitable for Viega Barrier PEX tubing Part No 11415, 11418, 11425, 11427, 11428, 11430, 11435, 11436, 11440
- Extruded heavy gauge aluminum
- Pre-drilled holes

**Model 2857.1US**

L [ft]	W [in]	d	Wt [lb]	Quantity	Part No	DG
4	3 1/2	3/8	1.150	20	<b>15209</b>	4
8	3 1/2	3/8	1.450	20	<b>15207</b>	4
4	3 1/2	1/2	1.150	20	<b>15210</b>	4
8	3 1/2	1/2	2.399	20	<b>15208</b>	4



**Heat transfer plate**

- Suitable for Viega Barrier PEX tubing Part No 11415, 11418, 11425, 11427, 11428, 11430, 11435, 11436, 11440
- Aluminum

**Model 2857US**

L [in]	W [in]	d	Wt [lb]	Quantity	Part No	DG
19	5	3/8	0.163	100	<b>15205*</b>	4
19	5	1/2	0.170	100	<b>15206*</b>	4

\* = Available while supplies last





**Clip**  
- Plastic  
**Model 2871.6US**

d	Wt [lb]	Quantity	Part No	DG
5/16	0.002	100	<b>15112</b>	4



**Viega Climate mat**  
- For in slab applications  
- Pre-engineered  
CAN/ULC S101, CAN/ULC S102.2  
**Model 2809.1US**

d	O.C.	Loop	Circuit	W [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6	6	6	6	0.688	1	<b>18150</b>	4
1/2	9	4	4	6	0.458	1	<b>18151</b>	4
1/2	6	6	3	6	0.688	1	<b>18154</b>	4
1/2	6	6	2	6	0.688	1	<b>18155</b>	4
1/2	9	4	2	6	0.458	1	<b>18156</b>	4
5/8	9	4	2	6	0.635	1	<b>18157</b>	4
5/8	9	4	4	6	0.635	1	<b>18160</b>	4
5/8	6	6	2	6	0.952	1	<b>18185</b>	4
5/8	6	6	4	6	0.952	1	<b>18186</b>	4
5/8	6	6	6	6	0.952	1	<b>18187</b>	4



**Viega Climate mat**  
- For in slab applications  
- Pre-engineered  
CAN/ULC S101, CAN/ULC S102.2  
**Model 2809.2US**

d	O.C.	Loop	Circuit	W [ft]	Wt [lb]	Quantity	Part No	DG
1/2	9	3	3	5	0.344	1	<b>18158</b>	4
1/2	12	3	3	5	0.344	1	<b>18152</b>	4
5/8	12	3	3	5	0.476	1	<b>18159</b>	4



**Mat clip**  
- Suitable for Viega Climate mat  
Model 2809.1US, 2809.2US  
- Plastic  
**Model 2809.3US**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	50	<b>18165*</b>	4
5/8	0.004	50	<b>18166*</b>	4

\* = Available while supplies last

**Mixing equipment**



**Mixing station Enhanced**  
- For supply temperature modulation  
- 7 settings, permanent magnet motor design reduces power consumption by 50%  
Components  
Isolation ball valves, mounting bracket, supply temperature sensor well  
**Model V1203.0**

Connections	Wt [lb]	Quantity	Part No	DG
ProPress	18.154	1	<b>12152</b>	4
PureFlow Press	18.183	1	<b>12153*</b>	4
copper (male)	18.688	1	<b>12151*</b>	4

\* = Available while supplies last



**Mixing station Base unit**  
- For supply temperature modulation  
- Equipped with circulator low head  
Model 2801.1US, circulator high head  
Model 2801.9US  
- PEX  
Components  
Isolation ball valves, mounting bracket, supply temperature sensor well, 3-speed circulator  
**Model 2801.0US**

Circulator	Connections	Wt [lb]	Quantity	Part No	DG
high head	ProPress	21.872	1	<b>12121*</b>	4
high head	PureFlow Press	22.662	1	<b>12123*</b>	4
high head	copper (male)	22.479	1	<b>12125*</b>	4

\* = Available while supplies last



**Hydronic mixing block**  
- Circulator, control, mixing valve  
Components  
3-speed circulator, control, air vent, adapter fittings, bracket and two sensors  
**Model 2887.3**

Wt [lb]	Quantity	Part No	DG
8.488	1	<b>56160</b>	4

4.1



**Valves**



**Mixing valve**  
**Three way**  
 - Female pipe thread  
 - Regulates supply fluid temperature to the system from the source, manual or electric control  
**Model 2876.3US**

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.963	1	<b>20080</b>	4
1	1.439	1	<b>20081</b>	4
1 1/4	2.233	1	<b>20082</b>	4
1 1/2	3.672	1	<b>20083</b>	4
2	5.142	1	<b>20084</b>	4



**ViEGA ProPress tailpiece**  
**Smart Connect Technology**  
**Zero Lead**  
 - For use with ASTM B88 and B75 tubing  
 - Bronze  
 - Press connection, female union BSP  
Components  
 EPDM sealing element, flat gasket EPDM  
**Model 2957ZL**

P	F BSP	Wt [lb]	Quantity	Part No	DG
1/2	1	0.220	1	<b>79800</b>	8
3/4	1	0.248	1	<b>79805</b>	8
1	1	0.304	1	<b>79810</b>	8
1	1 1/4	0.386	1	<b>79815</b>	8



**Diverting valve**  
**Three way**  
 - Female copper tube size  
Components  
 Solder tailpieces  
**Model 2873.1US**

C	Wt [lb]	Quantity	Part No	DG
3/4	2.008	1	<b>20001</b>	4
1	2.989	1	<b>20002</b>	4
1 1/4	5.988	1	<b>20003</b>	4
1 1/2	5.907	1	<b>20041</b>	4



**Zone valve**  
 - Suitable for zone control Model 2874.7US, thermostat heat/cool non programmable Model 2878.6, thermostat heat/cool programmable Model 2878.7, thermostat multistage heat/cool programmable Model 2878.8  
 - Bronze  
 - Solder, PureFlow Press outlet connection  
**Model 2837.1US**

V	C	P	Wt [lb]	Quantity	Part No	DG
24	3/4	3/4	1.479	1	<b>17230</b>	4
24	1	1	2.422	1	<b>17231</b>	4



**Zone valve**  
 - Suitable for digital thermostat Model 2874.5US, zone control Model 2874.7US, thermostat heat/cool non programmable Model 2878.6, thermostat heat/cool programmable Model 2878.7, thermostat multistage heat/cool programmable Model 2878.8  
 - Bronze  
 - Press connection  
**Model 2837.2US**

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	3/4	3/4	1.527	1	<b>17232</b>	4
24	1	1	2.488	1	<b>17233</b>	4



**Zone valve**  
 - Suitable for digital thermostat Model 2874.5US, zone control Model 2874.7US, thermostat heat/cool non programmable Model 2878.6, thermostat heat/cool programmable Model 2878.7, thermostat multistage heat/cool programmable Model 2878.8  
 - Bronze  
 - Press connection, PureFlow Press outlet connection  
**Model 2837.3US**

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	3/4	3/4	1.499	1	<b>17234</b>	4
24	1	1	2.513	1	<b>17235</b>	4

4.1



**Spring check valve**

- For prevention of gravity circulation or backflow
  - Female pipe thread
  - Horizontal or vertical installation, non-ferrous
- Model 2873.4US**

FPT1	FPT2	Wt [lb]	Quantity	Part No	DG
½	½	0.255	1	<b>20201</b>	4
¾	¾	0.400	1	<b>20202</b>	4
1	1	0.562	1	<b>20203</b>	4
1¼	1¼	0.800	1	<b>20204</b>	4
1½	1½	1.100	1	<b>20205</b>	4

**Accessories**



**Actuator**

- Suitable for mixing valve three way
- Model 2876.3US
- Modulating
- Model 2870.7US**

V	for d	Wt [lb]	Quantity	Part No	DG
24 V AC	¾, 1, 1¼, 1½, 2	0.915	1	<b>20042*</b>	4

\* = Available while supplies last



**Actuator**

**Proportional**

- For diverting valve control from direct digital control (DDC) system
  - Modulating
- Model 2877.81**

V	Wt [lb]	Quantity	Part No	DG
0-10 V DC	0.565	1	<b>18027</b>	4



**Circulator**

**Low head**

- Cast iron
  - 3-speed, direct drive, wet rotor, inline
- Model 2801.1US**

Circulator	Wt [lb]	Quantity	Part No	DG
low head	6.376	1	<b>12126</b>	4



**Circulator**

**High head**

- Cast iron
  - 3-speed, direct drive, wet rotor, inline
- Model 2801.9US**

Circulator	Wt [lb]	Quantity	Part No	DG
high head	9.546	1	<b>12127</b>	4



**Flange set**

**Components**

- (2) flanges, (2) sealing elements, (4) nuts, (4) bolts

**Model 2881.9US**

d	Wt [lb]	Quantity	Part No	DG
¾	2.234	1	<b>16207*</b>	4
1	2.209	1	<b>16209</b>	4
1¼	1.915	1	<b>16211*</b>	4
1½	1.915	1	<b>16212*</b>	4

\* = Available while supplies last



**Sensor well**

- For housing temperature sensor
  - Suitable for basic heating control
- Model 2871.0US
- Fits into solder cup or Viega ProPress fitting
- Model 2801.4US**

CTS	Wt [lb]	Quantity	Part No	DG
½	0.090	1	<b>12128</b>	4

4.1



**Heat exchanger**  
 - Brazed stainless steel  
**Model 2859US**

W [in]	L [in]	H [in]	Plates	Wt [lb]	Quantity	Part No	DG
5	12	1.8	16	8.161	1	<b>22006*</b>	4
5	12	3.6	36	14.075	1	<b>22007*</b>	4
5	12	6.7	70	23.122	1	<b>22008*</b>	4

\* = Available while supplies last

**Spare parts**



**Flow meter cap**  
 - For stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804  
 - Plastic  
**Model 2878.910**

	Wt [lb]	Quantity	Part No	DG
	0.015	1	<b>15171</b>	4



**Return shutoff cap**  
 - For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804, 2879  
 - Plastic  
**Model 2878.921**

	Wt [lb]	Quantity	Part No	DG
	0.020	1	<b>16432*</b>	4

\* = Available while supplies last



**Manifold replacement temperature gauge**  
 - For stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804  
**Model 2878.913**

Temp [°F]	Wt [lb]	Quantity	Part No	DG
32-176	0.090	1	<b>15175</b>	4



**Air bleeder**  
 - For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804, 2879  
 - Nickel-plated brass  
 - Male pipe thread  
 - Manual  
**Model 2878.914**

	Wt [lb]	Quantity	Part No	DG
	0.090	1	<b>15176</b>	4



**Purge valve**  
 - For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804, 2879  
 - Nickel-plated brass  
 - Male pipe thread  
**Model 2878.915**

	Wt [lb]	Quantity	Part No	DG
	0.330	1	<b>15177</b>	4



**Return valve seat Long**  
 - For stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804  
 - Nickel-plated brass  
 - Male pipe thread, SVC  
**Model 2878.916**

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.200	1	<b>15178</b>	4

4.1



**Return valve seat Short**  
 - For stainless steel manifold shutoff / balancing  
 - Spare part for manifold Model 2879  
 - Nickel-plated brass  
 - Male pipe thread, SVC  
**Model 2878.917**

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.125	1	<b>15179</b>	4



**Supply valve seat**  
 - For stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804  
 - Nickel-plated brass  
 - Male pipe thread, SVC  
**Model 2878.918**

SVC	Wt [lb]	Quantity	Part No	DG
✓	0.155	1	<b>15180</b>	4



**Return valve**  
 - For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804, 2879  
**Model 2878.919**

	Wt [lb]	Quantity	Part No	DG
	0.200	1	<b>15181</b>	4



**Supply shutoff balancing valve**  
 - For stainless steel manifold shutoff / balancing  
 - Spare part for manifold Model 2879  
 - Nickel-plated brass  
 - Male pipe thread  
**Model 2878.924**

	Wt [lb]	Quantity	Part No	DG
	0.160	1	<b>15182</b>	4



**Temperature gauge well**  
 - For stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804  
 - Nickel-plated brass  
 - Male pipe thread  
**Model 2878.925**

	Wt [lb]	Quantity	Part No	DG
	0.095	1	<b>15183*</b>	4

\* = Available while supplies last



**Supply flow meter valve**  
 - For stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804  
 - Nickel-plated brass  
 - Male pipe thread  
 - Clear plastic sight glass  
**Model 2878.920**

	Wt [lb]	Quantity	Part No	DG
	0.200	1	<b>15184</b>	4



**Inlet gasket**  
 - For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804, 2879  
 - Rubber  
**Model 2878.923**

	Wt [lb]	Quantity	Part No	DG
	0.013	2	<b>15170</b>	4



**Bracket**  
 - For stainless steel manifold shutoff / balancing, stainless steel manifold shutoff / balancing / flow meter  
 - Spare part for manifold Model 2804, 2879  
 - Galvanized steel  
**Model 2878.912**

	Wt [lb]	Quantity	Part No	DG
	0.395	2	<b>15174</b>	4



**Purge valve**  
 - For 1½" and 1" brass manifolds  
 - Brass  
 - National Pipe Thread, hose connection  
**Model 1069SV**

NPT	Wt [lb]	Quantity	Part No	DG
½	0.234	1	<b>15032</b>	4



**Air vent**  
 - For 1½" and 1" brass manifolds  
 - Brass  
Components  
 Air vent, air bleeder  
**Model 1028SV**

MPT	Wt [lb]	Quantity	Part No	DG
¾	0.476	1	<b>15033</b>	4



**Outdoor sensor**  
 - Spare part for basic heating control  
 Model 2871.0US, Wi-Fi Snow Melt Control  
 Model 2872.5US  
 - Plastic  
Components  
 10kΩ thermistor  
**Model 2871.4US**

Temp [°F]	W [in]	Wt [lb]	Quantity	Part No	DG
-60-140	1½	0.088	1	<b>16017</b>	4



**Universal sensor**  
 - Suitable for sensor well Model 2801.4US,  
 basic heating control Model 2871.0US, Wi-Fi  
 Snow Melt Control Model 2872.5US  
 - 10KΩ sensor  
**Model 2870.9US**

	Wt [lb]	Quantity	Part No	DG
	0.020	1	<b>16018</b>	4



**Setpoint or basic snow sensor cable**  
 - Suitable for basic digital setpoint control II  
 Model 2875.4US  
**Model 2875.5US**

L [ft]	Wt [lb]	Quantity	Part No	DG
6	0.002	1	<b>17031*</b>	4

\* = Available while supplies last



**Compression ring**  
 - Brass  
**Model 1022.8SV**

d	Wt [lb]	Quantity	Part No	DG
5/16	0.008	10	<b>19025*</b>	4
3/8	0.010	10	<b>19026*</b>	4
1/2	0.012	10	<b>19027*</b>	4
5/8	0.014	10	<b>19028*</b>	4
3/4	0.016	10	<b>19029*</b>	4

\* = Available while supplies last



**SVC adapter**  
 - For adapting 16 mm PEX to SVC connections  
 - Brass  
**Model 2876.4US**

	Wt [lb]	Quantity	Part No	DG
	0.196	10	<b>19412</b>	4



**Return valve**  
 - For Stadler brass manifolds  
 - Brass  
 - Male pipe thread  
**Model 2876.5US**

	Wt [lb]	Quantity	Part No	DG
	0.200	1	<b>13265</b>	4



**Supply valve**  
 - For Stadler brass manifolds  
 - Use with Viega drain valve and temperature port Model 2934.8ZL  
 - Brass  
**Model 2876.6US**

Wt [lb]	Quantity	Part No	DG
0.230	1	<b>13266</b>	4



**Valve seat**  
 - For Stadler brass manifold supply and return  
 - Brass  
 - Male pipe thread  
**Model 2876.7US**

Wt [lb]	Quantity	Part No	DG
0.140	1	<b>13267</b>	4



**Supply valve**  
 - For 1" brass manifolds  
 - Brass  
 - Male pipe thread  
**Model 2887.0**

Wt [lb]	Quantity	Part No	DG
0.160	1	<b>15003</b>	4



**Valve seat**  
 - For 1" brass manifold supply and return  
 - Brass  
 - Male pipe thread  
**Model 2887.1**

Wt [lb]	Quantity	Part No	DG
0.136	1	<b>15004</b>	4



**Return valve**  
 - For 1" brass manifolds  
 - Brass  
 - Male pipe thread  
**Model 2887.2**

Wt [lb]	Quantity	Part No	DG
0.168	1	<b>15005</b>	4



**Adapter ring**  
 - For adapting powerhead to 1" brass manifold  
 - Suitable for powerhead Model 2877.7  
 - Plastic  
**Model 2877.9**

Wt [lb]	Quantity	Part No	DG
0.035	1	<b>15063</b>	4



**Adapter ring**  
 - For adapting powerhead to Stadler brass manifold  
 - Suitable for powerhead Model 2877.7  
 - Plastic  
**Model 2879.9US**

Wt [lb]	Quantity	Part No	DG
0.040	1	<b>15065</b>	4



**Adapter ring**  
 - For stainless steel manifold  
 - Suitable for powerhead Model 2877.7  
 - Plastic  
**Model 2899.1**

Wt [lb]	Quantity	Part No	DG
0.020	1	<b>15066</b>	4



**Hydronic mixing block supply fitting #1**  
 - For replacement of hydronic mixing block supply fitting #1  
 - Spare part for hydronic mixing block Model 2887.3  
 - Plastic  
Note  
 Order gasket and O-ring separately  
**Model 2887.31**

	Wt [lb]	Quantity	Part No	DG
	0.064	1	<b>56162</b>	4



**Hydronic mixing block return fitting #2**  
 - For replacement of hydronic mixing block return fitting #2  
 - Spare part for hydronic mixing block Model 2887.3  
 - Plastic  
Note  
 Order gasket and O-ring separately  
**Model 2887.32**

	Wt [lb]	Quantity	Part No	DG
	0.085	1	<b>56163</b>	4



**Hydronic mixing block delivery fitting #3**  
 - For replacement of hydronic mixing block delivery fitting #3  
 - Spare part for hydronic mixing block Model 2887.3  
 - Plastic  
Note  
 Order gasket and O-ring separately  
**Model 2887.33**

	Wt [lb]	Quantity	Part No	DG
	0.085	1	<b>56164</b>	4



**Hydronic mixing block gasket**  
 - For fittings 1-3  
 - Spare part for hydronic mixing block Model 2887.3, hydronic mixing block supply fitting #1 Model 2887.31, hydronic mixing block return fitting #2 Model 2887.32, hydronic mixing block delivery fitting #3 Model 2887.33  
 - Rubber  
**Model 2887.30**

	Wt [lb]	Quantity	Part No	DG
	0.002	1	<b>56165</b>	4



**Hydronic mixing block O-ring**  
 - For fittings 1-3  
 - Spare part for hydronic mixing block Model 2887.3, hydronic mixing block supply fitting #1 Model 2887.31, hydronic mixing block return fitting #2 Model 2887.32, hydronic mixing block delivery fitting #3 Model 2887.33  
 - Rubber  
**Model 2887.37**

	Wt [lb]	Quantity	Part No	DG
	0.002	1	<b>56169</b>	4



**Clip**  
 - For use with hydronic mixing block fittings 1-3  
 - Spare part for hydronic mixing block Model 2887.3  
 - Aluminum  
**Model 2887.38**

	Wt [lb]	Quantity	Part No	DG
	0.009	1	<b>56170</b>	4





**Hydronic mixing block T&P sensor**  
 - For use with T&P sensor O-ring  
 - Spare part for hydronic mixing block Model 2887.3  
Note  
 Order T&P sensor O-ring separately  
**Model 2887.34**

	Wt [lb]	Quantity	Part No	DG
	0.053	1	<b>56166</b>	4



**Hydronic mixing block T&P sensor O-ring**  
 - For T&P sensor  
 - Spare part for hydronic mixing block Model 2887.3, hydronic mixing block T&P sensor Model 2887.34  
**Model 2887.35**

	Wt [lb]	Quantity	Part No	DG
	0.001	1	<b>56167</b>	4



**Terminal block**  
 - For use with hydronic mixing block  
 - Spare part for hydronic mixing block Model 2887.3  
 - Plastic  
**Model 2887.4**

	Wt [lb]	Quantity	Part No	DG
	0.029	1	<b>56173</b>	4




**Circulator**  
 - For use with hydronic mixing block  
 - Spare part for hydronic mixing block Model 2887.3  
 - Cast iron  
**Model 2887.41**

	Wt [lb]	Quantity	Part No	DG
	3.434	1	<b>56174</b>	4



# Valves



5.1

## Valves

Viega offers shutoff valves to support system installations of ProPress, MegaPress or PureFlow. Whether for potable water, mechanical systems or gas applications, Viega offers a valve for most needs, ranging in size from ½" to 4". Like Viega fittings, valves offer Smart Connect technology to provide installers added confidence in their ability to ensure secure connections. Viega's innovative thermostatic balancing valve automatically adjusts to a specified temperature, ensuring that the system is balanced.

### FEATURES AND BENEFITS

- Multiple system and connection solutions
- 316 stainless steel ball
- Multiple accessory options
- Available with EPDM, FKM, or HNBR sealing elements
- Smart Connect Technology
- Installs within minutes – up to 80% faster than conventional methods
- Same tool used for installation of ball valves and fittings
- No flame, fire watch or hot work permits required

### ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element. A white dot indicates an FKM sealing element. A yellow dot indicates an HNBR sealing element.

**Index**

Ball valves	190
Gas ball valves	193
3-piece ball valves	193
Check valves	195
Butterfly valves	195
Balancing valves	195
Stop valves	196
Wall hydrants	197
Shower valves	197
Heating valves	197
Accessories	199

**Ball valves**



**Viega ProPress ball valve**  
**Smart Connect Technology**  
**Zero Lead**  
 - For potable water installations  
 - Bronze  
 - Press connection  
 - Full port  
Components  
 Stainless steel ball, EPDM sealing elements, non-lockable metal handle  
**Model 2971.1ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.463	1	<b>79920</b>	8
3/4	3/4	0.659	1	<b>79925</b>	8
1	1	0.992	1	<b>79930</b>	8
1 1/4	1 1/4	1.512	1	<b>79935</b>	8
1 1/2	1 1/2	2.438	1	<b>79940</b>	8
2	2	3.910	1	<b>79950</b>	8



**Viega ProPress ball valve**  
**Smart Connect Technology**  
**Zero Lead**  
 - For potable water installations  
 - Brass  
 - Press connection  
 - Full port  
Components  
 EPDM sealing elements, chrome-plated brass ball, lockable metal handle  
**Model 2971.1XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	8.706	1	<b>78300</b>	8
3	3	11.990	1	<b>78305</b>	8
4	4	17.963	1	<b>78310</b>	8



**Viega ProPress ball valve**  
**Smart Connect Technology**  
**Zero Lead**  
 - For potable water installations  
 - Bronze  
 - Press connection  
 - Full port  
Components  
 Lockable metal handle, stainless steel ball and stem, EPDM sealing elements  
**Model 2971.3ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.458	1	<b>79923</b>	8
3/4	3/4	0.648	1	<b>79928</b>	8
1	1	1.014	1	<b>79933</b>	8
1 1/4	1 1/4	1.508	1	<b>79938</b>	8
1 1/2	1 1/2	2.365	1	<b>79943</b>	8
2	2	3.901	1	<b>79948</b>	8



**Viega ProPress ball valve**  
**Smart Connect Technology**  
**Zero Lead**  
 - For potable water installations  
 - Bronze  
 - Press connection, female pipe thread  
 - Full port  
Components  
 Lockable metal handle, stainless steel ball, EPDM sealing element  
**Model 2971.4ZL**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.463	1	<b>79970</b>	8
3/4	3/4	0.630	1	<b>79975</b>	8
1	1	1.031	1	<b>79980</b>	8



**Viega ProPress ball valve**  
**Smart Connect Technology**  
**Zero Lead**  
 - For potable water installations  
 - Bronze  
 - Press connection, hose connection  
 - Full port  
Components  
 Lockable metal handle, stainless steel ball, EPDM sealing element  
Note  
 NH threads (garden hose)  
**Model 2971.6ZL**

P	Hose	Wt [lb]	Quantity	Part No	DG
1/2	3/4	0.549	1	<b>79875</b>	8
3/4	3/4	0.719	1	<b>79876</b>	8



**Viega ProPress ball valve**  
**Smart Connect Technology**  
 - For non-potable application  
 - Bronze, brass  
 - Press connection  
 - Full port  
Components  
 EPDM sealing elements  
**Model 2973**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.595	1	<b>24000</b>	8
3/4	3/4	0.945	1	<b>24005</b>	8
1	1	1.390	1	<b>24010</b>	8
1 1/4	1 1/4	2.199	1	<b>24015</b>	8
1 1/2	1 1/2	3.049	1	<b>24020</b>	8
2	2	5.234	1	<b>24025</b>	8



**Viega ProPress ball valve**  
**Smart Connect Technology**  
 - For non-potable application  
 - Bronze, brass  
 - Press connection, female pipe thread  
 - Full port  
Components  
 EPDM sealing element  
**Model 2973.1**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.580	1	<b>24030</b>	8
3/4	3/4	0.910	1	<b>24035</b>	8
1	1	1.430	1	<b>24040</b>	8



**Viega ProPress ball valve**  
**Smart Connect Technology**  
 - For non-potable application  
 - Bronze, brass  
 - Press connection, hose connection  
 - Full port  
Components  
 EPDM sealing element, lockable metal handle  
Note  
 NH threads (garden hose)  
**Model 2973.3**

P	Hose	Wt [lb]	Quantity	Part No	DG
1/2	3/4	0.695	1	<b>24090</b>	8
3/4	3/4	0.992	1	<b>24095</b>	8



**Viega ProPress 316 ball valve**  
**Smart Connect Technology**  
 - For use with Viega ProPress stainless tubing  
 - 316 stainless steel  
 - Press connection  
Components  
 Lockable metal handle, stainless steel ball and stem, EPDM sealing elements  
**Model 4070**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.714	1	<b>81080</b>	9
3/4	3/4	0.943	1	<b>81085</b>	9
1	1	1.322	1	<b>81090</b>	9
1 1/4	1 1/4	2.244	1	<b>81095</b>	9
1 1/2	1 1/2	3.496	1	<b>81100</b>	9
2	2	5.400	1	<b>81105</b>	9



**New**

**Viega MegaPress ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Not suitable for fuel gas application  
 - Carbon steel  
Components  
 Stainless steel ball, EPDM sealing elements, lockable metal handle  
**Model 4870**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.807	1	<b>28915</b>	12
3/4	1.115	1	<b>28920</b>	12
1	1.750	1	<b>28925</b>	12
1 1/4	2.759	1	<b>28930</b>	12
1 1/2	3.778	1	<b>28935</b>	12
2	5.847	1	<b>28940</b>	12



**New**

**Viega MegaPress FKM ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - Not suitable for fuel gas application  
 - Carbon steel  
Components  
 Stainless steel ball, FKM sealing elements, lockable metal handle  
**Model 5970**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.818	1	<b>28945</b>	12
3/4	1.109	1	<b>28950</b>	12
1	1.757	1	<b>28955</b>	12
1 1/4	2.777	1	<b>28960</b>	12
1 1/2	3.795	1	<b>28965</b>	12
2	5.863	1	<b>28970</b>	12

**5.1**





New

**Viega MegaPress 304 FKM ball valve**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Not suitable for fuel gas application
- 316 stainless steel valve/304 stainless steel press ends

**Components**

FKM sealing elements, stainless steel ball, 304 locking handle

**Model 4170**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.760	1	<b>29005</b>	12
3/4	1.031	1	<b>29010</b>	12
1	1.730	1	<b>29015</b>	12
1 1/4	2.729	1	<b>29020</b>	12
1 1/2	3.621	1	<b>29025</b>	12
2	5.532	1	<b>29030</b>	12



New

**Viega MegaPress 316 ball valve**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- Not suitable for fuel gas application
- 316 stainless steel

**Components**

EPDM sealing elements, 304 locking handle

**Model 5170**

P	Wt [lb]	Quantity	Part No	DG
1/2	0.774	1	<b>28975</b>	12
3/4	1.031	1	<b>28980</b>	12
1	1.730	1	<b>28985</b>	12
1 1/4	2.729	1	<b>28990</b>	12
1 1/2	3.626	1	<b>28995</b>	12
2	5.554	1	<b>29000</b>	12



**Viega PureFlow Press ball valve**

**Zero Lead**

- Bronze
- Press connection

**Components**

Lockable metal handle

**Model 2870ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
1	1	0.505	5	<b>98200</b>	6
1 1/4	1 1/4	0.730	5	<b>98201</b>	6
1 1/2	1 1/2	1.089	5	<b>98202</b>	6
2	2	1.798	5	<b>98203</b>	6



**Viega PureFlow Press ball valve**

**Zero Lead**

- Brass
- Press connection

**Model 2842.2ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.280	10	<b>94500*</b>	6
1/2	1/2	0.195	10	<b>94521</b>	6
3/4	3/4	0.393	10	<b>94541</b>	6

\* = Available while supplies last



**Viega PureFlow Press valve**

**Zero Lead**

- For copper manifolds, transitioning between Viega PureFlow Press and Viega ProPress
- Brass
- Press connection, street

**Note**

1/2" ProPress tool and press jaw required

**Model 2842.1ZL**

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.288	10	<b>95002</b>	6



**Viega PureFlow Crimp stop valve**

**Straight**

**Zero Lead**

- Brass
- Crimp connection
- 1/4 turn, full port

**Model V5037ZL**

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.257	10	<b>46031</b>	2
3/4	3/4	0.395	10	<b>46044</b>	2
1	1	0.643	10	<b>46060</b>	2



**Viega PureFlow Crimp ball valve**

**Zero Lead**

- Chrome-plated brass
- Crimp connection
- 1/4 turn, full port

**Components**

Lockable metal handle

**Model V5023ZL**

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.258	10	<b>46021*</b>	2

\* = Available while supplies last



**Viega PureFlow Crimp valve**

- PolyAlloy
- Crimp connection
- ¼ turn

**Model V5236**

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
½	½	0.066	10	<b>43030</b>	3
¾	¾	0.080	10	<b>43040</b>	3

**Gas ball valves**



**Viega MegaPressG ball valve**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection

Components

HNBR sealing elements, lockable metal handle

**Model 6675**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.844	1	<b>30600</b>	12
¾	¾	1.124	1	<b>30605</b>	12
1	1	1.757	1	<b>30610</b>	12
1¼	1¼	2.704	1	<b>30615</b>	12
1½	1½	3.678	1	<b>30620</b>	12
2	2	5.704	1	<b>30625</b>	12



**Viega MegaPressG ball valve**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection, female pipe thread

Components

HNBR sealing element, lockable metal handle

**Model 6675.1**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.694	1	<b>30630</b>	12
¾	¾	0.950	1	<b>30635</b>	12
1	1	1.569	1	<b>30640</b>	12
1¼	1¼	2.369	1	<b>30645</b>	12
1½	1½	3.346	1	<b>30650</b>	12
2	2	5.279	1	<b>30655</b>	12



**Viega MegaPressG ball valve**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection, male pipe thread

Components

HNBR sealing element, lockable metal handle

**Model 6675.2**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.732	1	<b>30660</b>	12
¾	¾	0.987	1	<b>30665</b>	12
1	1	1.737	1	<b>30670</b>	12
1¼	1¼	2.557	1	<b>30675</b>	12
1½	1½	3.449	1	<b>30680</b>	12
2	2	5.400	1	<b>30685</b>	12



**Viega MegaPressG ball valve**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Bronze, carbon steel
- Press connection, ground joint

Components

HNBR sealing element, lockable metal handle

**Model 6675.3**

P	GJ	Wt [lb]	Quantity	Part No	DG
½	½	1.281	1	<b>30690</b>	12
¾	¾	1.847	1	<b>30695</b>	12
1	1	2.517	1	<b>30700</b>	12
1¼	1¼	4.432	1	<b>30705</b>	12
1½	1½	5.248	1	<b>30710</b>	12
2	2	8.435	1	<b>30715</b>	12

GJ = ground joint

**3-piece ball valves**



**Viega ProPress 304 3-piece ball valve**

**Smart Connect Technology**

- For use with Viega ProPress stainless tubing
- 316 stainless steel
- Press connection

Components

FKM sealing elements, 304 locking handle, lockable metal handle

**Model 4370.8**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.433	1	<b>85132</b>	9
¾	¾	2.085	1	<b>85133</b>	9
1	1	2.799	1	<b>85134</b>	9
1¼	1¼	3.714	1	<b>85136</b>	9
1½	1½	5.298	1	<b>85137</b>	9
2	2	7.780	1	<b>85138</b>	9

5.1



**ViEGA MegaPress 3-piece ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - 316 stainless steel valve/Carbon steel press ends  
 - Press connection  
Components  
 EPDM sealing elements, 304 locking handle  
**Model 4875.8**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1.772	1	<b>28500</b>	12
3/4	3/4	2.416	1	<b>28501</b>	12
1	1	3.747	1	<b>28502</b>	12
1 1/4	1 1/4	7.066	1	<b>28503</b>	12
1 1/2	1 1/2	8.816	1	<b>28504</b>	12
2	2	8.763	1	<b>28505</b>	12



**ViEGA MegaPress FKM 3-piece ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - 316 stainless steel valve/Carbon steel press ends  
 - Press connection  
Components  
 FKM sealing elements, 304 locking handle  
**Model 5975.8**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	2.085	1	<b>86400</b>	12
3/4	3/4	3.570	1	<b>86405</b>	12
1	1	4.919	1	<b>86410</b>	12
1 1/4	1 1/4	5.715	1	<b>86415</b>	12
1 1/2	1 1/2	8.441	1	<b>86420</b>	12
2	2	8.739	1	<b>86425</b>	12



**ViEGA MegaPress FKM 3-piece ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 carbon steel pipe  
 - 316 stainless steel valve/Carbon steel press ends  
 - Press connection  
Components  
 FKM sealing elements, 304 locking handle  
**Model 5975.8XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	17.191	1	<b>86680</b>	12
3	3	23.296	1	<b>86685</b>	12
4	4	40.554	1	<b>86690</b>	12



**ViEGA MegaPress 304 FKM 3-piece ball valve**  
**Smart Connect Technology**  
 - 316 stainless steel valve/304 stainless steel press ends  
 - Press connection  
Components  
 FKM sealing elements, 304 locking handle  
**Model 4175.8**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	2.711	1	<b>86500</b>	14
3/4	3/4	3.443	1	<b>86505</b>	14
1	1	3.857	1	<b>86510</b>	14
1 1/4	1 1/4	7.159	1	<b>86515</b>	14
1 1/2	1 1/2	9.698	1	<b>86520</b>	14
2	2	9.808	1	<b>86525</b>	14



**ViEGA MegaPress 304 FKM 3-piece ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel valve/304 stainless steel press ends  
 - Press connection  
Components  
 FKM sealing elements, 304 locking handle  
**Model 4175.8XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	17.191	1	<b>86650</b>	14
3	3	23.252	1	<b>86655</b>	14
4	4	40.113	1	<b>86660</b>	14



**ViEGA MegaPress 316 3-piece ball valve**  
**Smart Connect Technology**  
 - 316 stainless steel  
 - Press connections  
Components  
 EPDM sealing elements, 304 locking handle  
**Model 5175.8**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1.717	1	<b>86530</b>	14
3/4	3/4	2.336	1	<b>86535</b>	14
1	1	3.714	1	<b>86540</b>	14
1 1/4	1 1/4	7.172	1	<b>86545</b>	14
1 1/2	1 1/2	8.265	1	<b>86550</b>	14
2	2	8.772	1	<b>86555</b>	14



**Viega MegaPress 316 3-piece ball valve**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connections  
Components  
 EPDM sealing elements, 304 locking handle  
**Model 5175.8XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	12.761	1	<b>86665</b>	14
3	3	25.126	1	<b>86670</b>	14
4	4	40.113	1	<b>86675</b>	14

**Check valves**



**Viega ProPress check valve**  
**Smart Connect Technology**  
**Zero Lead**  
 - For potable water installations  
 - Bronze  
 - Press connection  
 - Inline  
Components  
 EPDM sealing elements  
**Model 2974ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.180	1	<b>79035</b>	8
¾	¾	0.280	1	<b>79040</b>	8
1	1	0.454	1	<b>79045</b>	8
1¼	1¼	0.639	1	<b>79050</b>	8
1½	1½	0.961	1	<b>79055</b>	8
2	2	1.873	1	<b>79060</b>	8



**New**

**Viega MegaPress 316 check valve**  
**Smart Connect Technology**  
 - Stainless steel 316  
 - Press connection  
 - Inline  
Components  
 EPDM sealing elements  
**Model 5174**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.441	1	<b>29050</b>	14
¾	¾	0.615	1	<b>29055</b>	14
1	1	1.117	1	<b>29060</b>	14
1¼	1¼	1.798	1	<b>29065</b>	14
1½	1½	2.103	1	<b>29070</b>	14
2	2	3.399	1	<b>29075</b>	14

**Butterfly valves**



**Viega ProPress butterfly valve**  
 - For non-potable application  
 - Suitable for Viega ProPress bolt set  
 Model 2873.89  
 - Ductile iron  
 - Lug style  
Components  
 Stainless steel disc and stem, EPDM liner  
**Model 2873.81**

d	BP	Wt [lb]	Quantity	Part No	DG
2½	4	8.283	1	<b>22074</b>	8
3	4	8.887	1	<b>22075</b>	8
4	8	14.656	1	<b>22076</b>	8

BP = bolt pattern

**Balancing valves**



**New**

**Viega ProPress manual balancing valve**  
**Smart Connect Technology**  
 - Brass  
Components  
 Balancing valve, EPDM sealing elements, pressure/temperature test port  
**Model 2980ZL**

P1	P2	Valve Size (CTS)	Flow Range (GPM)	Wt [lb]	Quantity	Part No	DG
½	½	½- U- Type	0.27 - 0.71	1.378	1	<b>82100</b>	8
½	½	½- L- Type	0.49 - 1.17	1.378	1	<b>82105</b>	8
½	½	½	0.98 - 2.35	1.378	1	<b>82110</b>	8
¾	¾	¾	2.19 - 5.15	1.620	1	<b>82115</b>	8
1	1	1	4.09 - 9.56	2.011	1	<b>82120</b>	8
1¼	1¼	1¼	8.56 - 19.81	3.263	1	<b>82125</b>	8
1½	1½	1½	12.84 - 29.8	4.123	1	<b>82130</b>	8
2	2	2	24.09 - 55.63	5.915	1	<b>82135</b>	8

Flow Range (GPM) = GPM = Gallons per minute



**Viega automatic recirculation balancing valve**

**Zero Lead**

- For automatic balancing of hot water recirculation
- Suitable for Viega PureFlow Press tailpiece Model 2893ZL, Viega ProPress tailpiece Model 2957ZL

- Bronze
- Male BSP

Components

- Stainless steel ball

Technical Data

- Operating pressure 150 psi
- Operating temperature 180° F

Note

- Integrated isolation
- Adjustable setpoint
- Adjustable bypass

**Model 2981.3ZL**

BSP Thread	Wt [lb]	Quantity	Part No	DG
1 x 1	1.159	1	<b>79901</b>	8

**Stop valves**



**Viega PureFlow Press stop valve**

**Straight**

**Zero Lead**

- Chrome-plated brass
- Press connection, compression
- ¼ turn

Note

- ¼" CTS also called ¾" OD compression

**Model 2842.3ZL**

P	CTS	Wt [lb]	Quantity	Part No	DG
¾"	¼"	0.281	10	<b>94023</b>	6
½"	¼"	0.274	10	<b>94031</b>	6



**Viega PureFlow Press stop valve**

**Angled**

**Zero Lead**

- Chrome-plated brass
- Press connection, compression
- ¼ turn

Note

- ¼" CTS also called ¾" OD compression

**Model 2842.4ZL**

P	CTS	Wt [lb]	Quantity	Part No	DG
¾"	¼"	0.284	10	<b>93515</b>	6
½"	¼"	0.278	10	<b>93511</b>	6



**Viega PureFlow Crimp stop valve**

**Straight**

**Zero Lead**

- Chrome-plated brass
- Crimp connection
- ¼ turn

Note

- ¼" CTS also called ¾" OD compression

**Model V5026ZL**

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
¾"	¼"	0.320	1	<b>46001</b>	2
½"	¼"	0.290	1	<b>46022</b>	2



**Viega PureFlow Crimp stop valve**

**Angled**

**Zero Lead**

- Equipped with ferrule Part No 53005, Viega PureFlow Crimp ring Model V5019.9
- Chrome-plated brass
- Crimp connection
- ¼ turn

Note

- ¼" CTS also called ¾" OD compression

**Model V5064ZL**

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
¾"	¼"	0.315	1	<b>46002</b>	2
½"	¼"	0.310	1	<b>46025</b>	2



**Viega PureFlow Crimp stop valve  
Straight**  
- PolyAlloy  
- Crimp connection, lavatory connection  
- ¼ turn  
**Model V5036.30**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
¾	½	0.090	10	<b>43023</b>	3



**Viega PureFlow Crimp stop valve  
Straight**  
- PolyAlloy  
- Crimp connection, closet connection  
- ¼ turn  
**Model V5036.31**

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
¾	½	0.100	10	<b>43002</b>	3
½	½	0.097	10	<b>43003</b>	3

**Wall hydrants**



**Viega PureFlow Press wall hydrant  
Zero Lead**  
- Chrome-plated brass  
- Press connection  
Note  
Frost proof  
**Model 2888.0ZL**

P	L [in]	Wt [lb]	Quantity	Part No	DG
½	10	1.222	5	<b>97120</b>	6
¾	10	1.201	5	<b>97121</b>	6

**Shower valves**



**Viega shower valve  
Zero Lead**  
- For potable water installations  
- DZR brass  
- ½" copper stub-outs  
Components  
Pre-installed flush plug  
Note  
For use with Viega PureFlow and Viega ProPress.  
Compatible only with American Standard pressure balance tub/shower, shower only, and valve only trims.  
**Model 2842.5**

d	Wt [lb]	Quantity	Part No	DG
½	1.679	1	<b>93516</b>	6



**Viega shower valve  
Zero Lead**  
- For potable water installations  
- DZR brass  
- ½" copper stub-outs  
Components  
With screwdriver stops, pre-installed flush plug  
Note  
For use with Viega PureFlow and Viega ProPress.  
Compatible only with American Standard pressure balance tub/shower, shower only, and valve only trims.  
**Model 2842.6**

d	Wt [lb]	Quantity	Part No	DG
½	1.679	1	<b>93517</b>	6

**Heating valves**



**Shutoff valve**  
- Brass  
- Female copper tube size, press connection  
**Model 2834.6US**

C	P	Wt [lb]	Quantity	Part No	DG
½	½	0.252	10	<b>17260</b>	4
¾	¾	0.434	10	<b>17261*</b>	4
¾	¾	0.424	10	<b>17262</b>	4

\* = Available while supplies last





**Shutoff / balancing valve**

- Brass
  - Female copper tube size, press connection
- Model 2834.7US**

P	C	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.514	10	<b>17263</b>	4
5/8	3/4	0.739	10	<b>17264*</b>	4
3/4	3/4	0.725	10	<b>17265*</b>	4

\* = Available while supplies last



**Shutoff valve**

- Brass
  - Female copper tube size, compression
- Model 2834.3US**

C	Comp	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.390	10	<b>17166*</b>	4
3/4	5/8	0.650	10	<b>17167*</b>	4

\* = Available while supplies last



**Zone valve**

- Suitable for digital thermostat
  - Model 2874.5US, zone control
  - Model 2874.7US, thermostat heat/cool non programmable
  - Model 2878.6, thermostat heat/cool programmable
  - Model 2878.7, thermostat multistage heat/cool programmable
  - Model 2878.8
  - Bronze
  - Press connection
- Model 2837.2US**

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	3/4	3/4	1.527	1	<b>17232</b>	4
24	1	1	2.488	1	<b>17233</b>	4



**Zone valve**

- Suitable for digital thermostat
  - Model 2874.5US, zone control
  - Model 2874.7US, thermostat heat/cool non programmable
  - Model 2878.6, thermostat heat/cool programmable
  - Model 2878.7, thermostat multistage heat/cool programmable
  - Model 2878.8
  - Bronze
  - Press connection, PureFlow Press outlet connection
- Model 2837.3US**

V	P1	P2	Wt [lb]	Quantity	Part No	DG
24	3/4	3/4	1.499	1	<b>17234</b>	4
24	1	1	2.513	1	<b>17235</b>	4



**Zone valve**

- Suitable for zone control
  - Model 2874.7US, thermostat heat/cool non programmable
  - Model 2878.6, thermostat heat/cool programmable
  - Model 2878.7, thermostat multistage heat/cool programmable
  - Model 2878.8
  - Bronze
  - Solder, PureFlow Press outlet connection
- Model 2837.1US**

V	C	P	Wt [lb]	Quantity	Part No	DG
24	3/4	3/4	1.479	1	<b>17230</b>	4
24	1	1	2.422	1	<b>17231</b>	4



**Mixing valve**

**Three way**

- Female pipe thread
- Regulates supply fluid temperature to the system from the source, manual or electric control

**Model 2876.3US**

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.963	1	<b>20080</b>	4
1	1.439	1	<b>20081</b>	4
1 1/4	2.233	1	<b>20082</b>	4
1 1/2	3.672	1	<b>20083</b>	4
2	5.142	1	<b>20084</b>	4



**Diverting valve**

**Three way**

- Female copper tube size

**Components**

- Solder tailpieces

**Model 2873.1US**

C	Wt [lb]	Quantity	Part No	DG
3/4	2.008	1	<b>20001</b>	4
1	2.989	1	<b>20002</b>	4
1 1/4	5.988	1	<b>20003</b>	4
1 1/2	5.907	1	<b>20041</b>	4





**Spring check valve**

- For prevention of gravity circulation or backflow
  - Female pipe thread
  - Horizontal or vertical installation, non-ferrous
- Model 2873.4US**

FPT1	FPT2	Wt [lb]	Quantity	Part No	DG
½	½	0.255	1	<b>20201</b>	4
¾	¾	0.400	1	<b>20202</b>	4
1	1	0.562	1	<b>20203</b>	4
1¼	1¼	0.800	1	<b>20204</b>	4
1½	1½	1.100	1	<b>20205</b>	4

**Accessories**



**Viega ProPress drain valve**

- For potable water installations
  - Suitable for Viega ProPress manual balancing valve Model 2980ZL
  - Brass
  - Pressure/temperature test port
- Model 2980.1ZL**

MPT	Wt [lb]	Quantity	Part No	DG
¼	0.342	1	<b>82140</b>	8

New



**Viega drain valve and temperature port Zero Lead**

- Suitable for Viega bimetallic thermometer Part No 23460, Viega temperature sensor 2-wire Part No 23470
  - Use with Viega automatic recirculation balancing valve Model 2981.3ZL
  - Bronze
- Model 2934.8ZL**

BSP Thread	Wt [lb]	Quantity	Part No	DG
¼	0.168	1	<b>79902</b>	8



**Viega powerhead cartridge Zero Lead**

- Suitable for powerhead Model 2877.7, 2877.8
  - Use with Viega automatic recirculation balancing valve Model 2981.3ZL
  - Bronze
- Model 2913.8ZL**

Wt [lb]	Quantity	Part No	DG
0.220	1	<b>79903</b>	8



**Viega temperature sensor 2-wire**

- Use with Viega drain valve and temperature port Model 2934.8ZL

**Note**

Only for use with Viega ProPress drain valve and temperature port

**Model 2913.9**

Wt [lb]	Quantity	Part No	DG
0.203	1	<b>23470</b>	8



**Viega bimetallic thermometer**

**Note**

Only for use with Viega ProPress drain valve and temperature port

**Model 2876.8US**

Wt [lb]	Quantity	Part No	DG
0.056	1	<b>23460</b>	8



**Viega valve insulation shell**  
 - Use with Viega automatic recirculation balancing valve Model 2981.3ZL  
 - Expanded polypropylene  
**Model 2910.50**

	Wt [lb]	Quantity	Part No	DG
	0.047	1	<b>23450</b>	8



**Viega ProPress bolt set**  
 - For butterfly valve  
 - Suitable for Viega ProPress butterfly valve Model 2873.81  
 - Galvanized steel  
Components  
 Bolt, washer  
**Model 2873.89**

L [in]	W [in]	Bolts	Valve Size	Wt [lb]	Quantity	Part No	DG
1½	5⁄8	4	2½	0.830	1	<b>19768</b> <sup>1</sup>	8
1⅝	5⁄8	4	3	1.035	1	<b>19773</b> <sup>*2</sup>	8
1¾	5⁄8	8	4	1.799	1	<b>19778</b> <sup>3</sup>	8

<sup>1</sup> Suitable for Viega ProPress butterfly valve Part No 22074  
<sup>2</sup> Suitable for Viega ProPress butterfly valve Part No 22075  
<sup>3</sup> Suitable for Viega ProPress butterfly valve Part No 22076  
 \* = Available while supplies last



New

**Viega ProPress wing style handle**  
 - For valve top  
 - Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3  
 - Stainless steel  
**Model 2971.26**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.117	1	<b>22400</b>	8
1, 1¼	0.165	1	<b>22405</b>	8
1½, 2	0.225	1	<b>22410</b>	8



New

**Viega thermal insulated handle**  
 - For valve top  
 - Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970  
 - POM  
**Model 2971.46**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.176	1	<b>23530</b>	8
1, 1¼	0.243	1	<b>23535</b>	8
1½, 2	0.309	1	<b>23540</b>	8



New

**Viega ProPress insulated handle replacement cap**  
 - Spare part for Viega thermal insulated handle Model 2971.46  
 - POM  
**Model 2971.47**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	0.009	1	<b>22415</b>	8
1¼, 1½, 2	0.011	1	<b>22420</b>	8



**Viega replacement handle**

- For Viega ProPress Zero Lead ball valves, Viega MegaPress ball valves and for Viega MegaPressG ball valves
  - Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL
  - Galvanized carbon steel
- Model 2971.8**

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	0.119	1	<b>22170</b>	8
1, 1 1/4	0.185	1	<b>22172</b>	8
1 1/2, 2	0.179	1	<b>22174</b>	8



**Viega ProPress XL ball valve replacement handle**

- Suitable for Viega ProPress ball valve Model 2971.1XL
  - Galvanized carbon steel
- Model 2971.8XL**

Valve Size	Wt [lb]	Quantity	Part No	DG
2 1/2-4	1.062	1	<b>78311</b>	8



**Viega ProPress non-potable replacement handle**

- For Viega ProPress ball valves
  - Use with Viega ProPress ball valve Model 2973, 2973.1, 2973.3
  - Carbon steel
- Model 2973.8**

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2	0.115	1	<b>22176</b>	8
3/4, 1	0.200	1	<b>22178</b>	8
1 1/4, 1 1/2, 2	0.370	1	<b>22180</b>	8



**Viega ProPress 316 replacement handle**

- Suitable for Viega ProPress 316 ball valve Model 4070
  - Steel
- Model 2970.80**

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	0.194	1	<b>22143</b>	8
1 1/4, 1 1/2, 2	0.216	1	<b>22163</b>	8



**New**

**Viega replacement handle**

- For Viega ProPress Zero Lead ball valves, Viega MegaPress ball valves and for Viega MegaPressG ball valves
  - Suitable for Viega PureFlow Press ball valve Model 2870ZL, Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970
  - 304 stainless steel
- Model 4070.8**

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	0.121	1	<b>22425</b>	8
1, 1 1/4	0.183	1	<b>22430</b>	8
1 1/2, 2	0.220	1	<b>22435</b>	8



**Viega 3-piece replacement handle**

- Use with Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8, Viega ProPress 304 3-piece ball valve Model 4370.8, Viega MegaPress 3-piece ball valve Model 4875.8, Viega MegaPress 316 3-piece ball valve Model 5175.8, Viega MegaPress FKM 3-piece ball valve Model 5975.8
  - 316 stainless steel
- Model 4875.80**

Valve Size (CTS)	Valve Size (IPS)	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.289	1	<b>86625</b>	14
1	3/4	0.298	1	<b>86600</b>	14
1 1/4	1	0.496	1	<b>86605</b>	14
1 1/2, 2	1 1/4, 1 1/2, 2	0.518	1	<b>86630</b>	14

**5.1**



**Viega MegaPress 3-piece XL replacement handle**

- Use with Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8XL, Viega MegaPress 316 3-piece ball valve Model 5175.8XL, Viega MegaPress FKM 3-piece ball valve Model 5975.8XL
  - 316 stainless steel
- Model 4875.8XL**


Valve Size (IPS)	Wt [lb]	Quantity	Part No	DG
2½–3	1.232	1	<b>86715</b>	12
4	2.120	1	<b>86716</b>	12



**Viega ProPress stem extension**

- For Viega ProPress Zero Lead ball valves
  - Suitable for Viega PureFlow Press ball valve Model 2870ZL, Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL
  - Bronze
- Model 2971.96**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.207	1	<b>23443</b>	8
1, 1¼	0.245	1	<b>23445</b>	8
1½, 2	0.298	1	<b>23447</b>	8



**New**

**Viega lockable stem extension**

- For valve top
- Suitable for Viega ProPress ball valve Model 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- Brass

Note

Suitable for model 2971.1ZL, lockable function only in conjunction with model 2971.8.

**Model 2971.66**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.132	1	<b>23500</b>	8
1, 1¼	0.192	1	<b>23505</b>	8
1½, 2	0.247	1	<b>23510</b>	8



**Viega ProPress lockable stem extension**

- Suitable for Viega ProPress ball valve Model 2971.1XL
- Brass

**Model 2971.9XL**

Valve Size	Wt [lb]	Quantity	Part No	DG
2½–4	1.344	1	<b>78312</b>	8



**New**

**Viega ProPress lockable stem extension**

- Suitable for Viega ProPress ball valve Model 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPress 304 FKM ball valve Model 4170, Viega MegaPress ball valve Model 4870, Viega MegaPress 316 ball valve Model 5170, Viega MegaPress FKM ball valve Model 5970, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- 304 stainless steel

Note

Suitable for model 2971.1ZL, lockable function only in conjunction with model 2971.8 and 4070.8.

**Model 4070.96**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾	0.183	1	<b>23515</b>	8
1, 1¼	0.262	1	<b>23520</b>	8
1½, 2	0.340	1	<b>23525</b>	8



**New**

**Viega MegaPress XL lockable stem extension**

- For valve top
  - Suitable for Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8XL, Viega MegaPress 316 3-piece ball valve Model 5175.8XL, Viega MegaPress FKM 3-piece ball valve Model 5975.8XL
  - Stainless steel 316
- Model 5970.9XL**

Valve Size	Wt [lb]	Quantity	Part No	DG
3	1.228	1	<b>86836</b>	16
4	1.596	1	<b>86837</b>	16
2½	1.775	1	<b>86835</b>	16



**Viega ProPress stem extension**

- For Viega ProPress non-potable ball valves
  - Suitable for Viega ProPress ball valve Model 2973, 2973.1, 2973.3
  - Brass
- Model 2973.96**

Valve Size	Wt [lb]	Quantity	Part No	DG
½	0.240	1	<b>23449</b>	8
¾, 1	0.325	1	<b>23451</b>	8
1¼, 1½, 2	0.590	1	<b>23453</b>	8



**Viega ProPress stem extension**

- For Viega ProPress ball valves
  - Suitable for Viega ProPress 316 ball valve Model 4070
  - Bronze
- Model 2970.96**

Valve Size	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	0.247	1	<b>23442</b>	8
1¼, 1½, 2	0.313	1	<b>23444</b>	8



**Viega ProPress valve repair kit**

- Use with Viega ProPress 304 3-piece ball valve Model 4370.8
  - PTFE
- Components  
PTFE stem seals, PTFE ball seats
- Model 4370.91**

d	Wt [lb]	Quantity	Part No	DG
½	0.001	1	<b>85146</b>	9
¾	0.001	1	<b>85147</b>	9
1	0.001	1	<b>85148</b>	9
1¼	0.002	1	<b>85149</b>	9
1½	0.002	1	<b>85150</b>	9
2	0.002	1	<b>85151</b>	9



**Viega MegaPress valve repair kit**

- Not suitable for Viega ProPress 3-piece ball valves
  - Use with Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8, Viega MegaPress 3-piece ball valve Model 4875.8, Viega MegaPress 316 3-piece ball valve Model 5175.8, Viega MegaPress FKM 3-piece ball valve Model 5975.8
  - PTFE
- Components  
PTFE stem seals, PTFE ball seats
- Model 4875.91**

d	Wt [lb]	Quantity	Part No	DG
½	0.001	1	<b>86560</b>	14
¾	0.001	1	<b>86565</b>	14
1	0.001	1	<b>86570</b>	14
1¼	0.002	1	<b>86575</b>	14
1½, 2	0.002	1	<b>86580</b>	14



**Viega MegaPress valve repair kit**

- For use with MegaPress 3-piece ball valve
  - Use with Viega MegaPress 304 FKM 3-piece ball valve Model 4175.8XL, Viega MegaPress 316 3-piece ball valve Model 5175.8XL, Viega MegaPress FKM 3-piece ball valve Model 5975.8XL
  - PTFE
- Model 4875.9XL**

d	Wt [lb]	Quantity	Part No	DG
2½	0.410	1	<b>86700</b>	12
3	0.661	1	<b>86705</b>	12
4	1.102	1	<b>86710</b>	12

5.1



# Tools



6.1





## Tools

Viega offers a variety of press tools and press jaws for every fitting size across every system. Save 50 to 90 percent on labor costs and system downtime by using a battery-powered press tool to make connections in seconds. With Viega, you'll get a whole solution from start to finish, including fittings, valves, press jaws/rings and press tools. Viega tool kits include a press tool, press jaws/rings, batteries, chargers and cases. Individual tools, press jaws/rings and accessories are also available.

### FEATURES AND BENEFITS

- Viega press jaws and rings are uniquely engineered specifically for Viega fittings to make a reliable press every time
- The same power tool can be used across Viega systems to make presses on different products
- Make a press at any angle with Viega's patented swivel feature on press rings and actuators, an advantage when working in tight spaces as well as in shafts and pre-wall construction
- Press jaws and rings are available in sizes ½" to 4" for metals and ⅜" to 2" for PEX
- No fire watches, hot work permits or gas freeing necessary
- Press in wet or dry conditions

### VIEGA POWER TOOLS

Now available, Viega Pressgun Picco 6 and Pressgun 6 tool kits (Models 2880.41 & 2880.42) with ProPress, MegaPress or PureFlow Press Jaws and Rings

Choose from the Viega Pressgun 6 (32 kN) or the Viega Pressgun Picco 6 (24 kN).

Both tools feature a rotatable press head and are ergonomically designed to allow for easy handling.

### MEGAPRESS PRESS-IN BRANCH CONNECTOR TOOL KIT

The MegaPress Press-In Branch Connector is an innovative way to create branches from main runs or install instrumentation onto existing piping. The branch connector installs onto carbon steel pipe in sizes 1½" through 4", as well as 6", and has a ¾" FPT outlet.

The tool kit contains all the accessories needed to drill the correct hole, as well as the pressing tools in all sizes to press the connector (drill not included). The MegaPress Press-In Branch Connector is approved for use in hydronic heating, cooling water applications, compressed gases and many more, thanks to a variety of sealing-element choices.

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record.

**Index**

Power Tools	210
Actuators / Press Jaws / Rings	212
Marine Actuator / Press Jaws / Rings	214
Metric Actuators / Press Jaws / Rings	215
Hand Tools	216
Cutters	217
Decoilers	218
Staplers	218
Accessories	218

# VIEGA TOOL MATRIX

This chart lists all the tools, jaws, actuators and rings that are compatible with Viega products.

		ProPress*	MegaPress*	PureFlow
Viega Pressgun 6	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V1 Actuator & Rings	½" - 1¼"	½" - ¾"	
	V2 Actuator & Rings	1½" - 4"	1¼" - 2"	
Viega Pressgun Picco 6	Compact Jaws	½" - 1¼"	½" - ¾"	⅜" - 1½"
	C1 Actuator & Rings	½" - 1¼"	½" - 1¼"	
RIDGID 330/340/350	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V1 Actuator & Rings	½" - 1¼"	½" - ¾"	
	V2 Actuator & Rings	1½" - 4"	1¼" - 2"	
	MegaPress XL PressBooster		2½" - 4"	
RIDGID 240/241	Compact Jaws	½" - 1¼"	½" - 1"	⅜" - 1½"
	C1 Actuator & Rings	½" - 1¼"	½" - 1¼"	
RIDGID RP 342-XL	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V2 Actuator & Rings	1½" - 4"	1¼" - 2"	
	Z3 Actuator and Rings		2½" - 4"	
Milwaukee M12 Force Logic	M12 Jaws	½" - 1¼"	½" - 1"	⅜" - 1½"
Milwaukee M18 Force Logic	M18 Jaws	½" - 2"	½" - 1"	½" - 2"
	M18 Ring Jaw 1 and Rings	2½" - 4"	1¼" - 2"	
Milwaukee M18 Long Throw	Z3 Actuator and Rings		2½" - 4"	
	M18 Jaws	½" - 2"	½" - 1"	½" - 2"
	M18 Ring Jaw 1 and Rings	2½" - 4"	1¼" - 2"	
Hand Tools			5/16" - 1"	



\*ProPress includes: ProPress, ProPress 316



\*MegaPress includes: MegaPress, MegaPress FKM, MegaPress G, MegaPress 304 FKM, MegaPress 316, MegaPress 316 FKM, MegaPress CuNi

\*Milwaukee M12/M18Force Logic (Long Throw) are not stocked by Viega LLC.

# viega PRESS TECHNOLOGY

		SeaPress
Viega Pressgun 6	Metric Jaws	12-54
	P2 Actuator and Chain	76.1-108 (flanges only)
	Z1 Actuator and Rings	12-35
	Z2 Actuator and Rings	42-108 (no flanges)
Viega Pressgun Picco 6	Metric Jaws	12-35
	P1 Actuator & Rings	12-35
RIDGID 330/340/350	Metric Jaws	12-54
	Z1 Actuator & Rings	12-35
	Z2 Actuator & Rings	42-108
RIDGID 240/241	Metric Jaws	12-35
	P1 Actuator & Rings	12-35

When using Viega press technology, the list of needed equipment and supplies is short. All that is required is a press tool plus the appropriately sized jaws, and for some systems you'll need a ring kit. Whether you're pressing ProPress, MegaPress, PureFlow, or SeaPress, this reference chart quickly and easily lists what is needed to make a press connection, depending on the tool used.



viega.us

**Power Tools**



**Pressgun 6 press tool**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 2"
- Not for use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

**Components**

Pressgun 6, battery, battery charger, hard case

**Model 2995.4**

for d	Wt [lb]	Quantity	Part No	DG
press jaws not included	17.434	1	<b>57210</b>	16



**Pressgun Picco 6 press tool**

- For Viega PureFlow Press connections 3/8" to 1 1/2", Viega ProPress connections 1/2" to 1 1/4", Viega MegaPress connections 1/2" and 3/4"
- Not for use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

**Components**

Pressgun Picco 6, battery, battery charger, hard case

**Model 2989.3**

for d	Wt [lb]	Quantity	Part No	DG
press jaws not included	15.234	1	<b>57215</b>	16



**Pressgun Picco 6 Compact press tool kit**

- For Viega ProPress connections 1/2" to 1", Viega PureFlow Press connections 1/2" to 1"

**Components**

Battery, battery charger, branded soft-sided case, press jaws, Pressgun Picco 6, hard case

**Model 2880.41**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2, 3/4, 1	24.910	1	<b>56375</b>	16
Viega PureFlow Press	1/2, 3/4, 1	25.727	1	<b>56370</b>	16



**Pressgun 6 Standard Press Tool Kit**

- For Viega ProPress Connections 1/2" to 2", Viega MegaPress connections 1/2" to 2", Viega MegaPress connections 1/2", 3/4", 1"

**Components**

Battery, battery charger, branded soft-sided case, hard case, press jaws, press rings, actuator, Pressgun 6

**Model 2880.42**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2-2	54.012	1	<b>56380</b>	16
Viega MegaPress	1/2, 3/4, 1	36.597	1	<b>56385</b>	16
Viega MegaPress	1/2-2	62.290	1	<b>56390<sup>1</sup></b>	16

<sup>1</sup>) includes actuator and MegaPress Press Rings for 1/4, 1 1/2, 2



**Ridgid RP 350**

**Standard press tool kit**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

**Components**

Hard case, Ridgid RP 350 tool, MegaPress press jaw sizes 1/2" to 1", battery, battery charger

**Model 2880.7**

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	31.941	1	<b>56092</b>	16





**Ridgid RP 350  
Standard press tool kit**  
- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

for d	Wt [lb]	Quantity	Part No	DG
1/2-2	56.684	1	<b>56091</b>	16

Components  
Ridgid RP 350 tool, ProPress press jaw sizes 1/2" to 2", 2 lithium batteries, battery charger, hard case

**Model 2980.7**



**Ridgid RP 350  
Standard press tool**  
- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

for d	Wt [lb]	Quantity	Part No	DG
press jaws not included	22.854	1	<b>56093</b>	16

Components  
Ridgid RP 350 tool, 2 lithium batteries, battery charger, hard case

**Model 2980.71**



**Ridgid RP 240  
Compact press tool kit**  
- For Viega PureFlow Press connections 1/2" to 1", Viega ProPress connections 1/2" to 1"  
- Not suitable for 2" Viega PureFlow Press connections

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	20.689	1	<b>57063</b>	16

Components  
Ridgid RP 240 tool, PureFlow press jaw sizes 1/2", 3/4", 1", 2 lithium batteries, battery charger, hard case

**Model 2999.6**



**Ridgid RP 241  
Compact press tool kit**  
- For Viega ProPress connections 1/2" to 1", Viega PureFlow Press connections 1/2" to 1"

Components  
Ridgid RP 241 tool, ProPress press jaw sizes 1/2" to 1" OR PureFlow press jaw sizes 1/2" to 1", 2 lithium batteries, battery charger, branded soft-sided case

**Model 2880.7US**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2, 3/4, 1	19.195	1	<b>56021</b>	16
Viega PureFlow Press	1/2, 3/4, 1	19.744	1	<b>56022</b>	16



**New**

**Ridgid RP 342 XL press tool**  
- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

for d	Wt [lb]	Quantity	Part No	DG
1/2-4	22.694	1	<b>56094</b>	16

Components  
2 lithium batteries, battery charger, Ridgid RP 342 XL press tool, hard case

Note  
Compatible with all standard press jaws and rings.  
Viega MegaPress Z3 actuator is required for MegaPress 2-1/2" to 4" connections.

**Model 2980.75**

**6.1**



**XL PressBooster**  
**2 1/2" MegaPress press ring**  
 - For Viega MegaPress XL connections 2 1/2", 3", 4"

**Components**  
 XL PressBooster, 2 1/2" MegaPress press ring, shoulder strap, hard case

**Note**  
 Capable of pressing 3" and 4" connections with the purchase of additional press rings.

**Model 4896.2XL**

for d	Wt [lb]	Quantity	Part No	DG
2 1/2-4	37.027	1	<b>26200</b>	16



**Press-In Branch Connector tool kit**  
 - For use with 1 1/2" to 4", 6" pipe  
 - Does not include press tool, drill, press-in branch connector

**Components**  
 Drilling assembly, spare hole saw, drilling guide, positioning guides, press-in tool, adapter, marker, hard case

**Note**  
 Not for use with compact tool.

**Model 4878.5**

for d	Wt [lb]	Quantity	Part No	DG
1 1/2-4, 6	20.149	1	<b>26920</b>	16

**Actuators / Press Jaws / Rings**



New

**Viega MegaPress Z3 actuator**  
 - For use with Viega MegaPress XL 2-1/2" to 4" press rings  
 - Steel

**Components**  
 Z3 actuator, hard case

**Model 4898.5XL**

	Wt [lb]	Quantity	Part No	DG
	19.968	1	<b>57080</b>	16



**Viega MegaPress Z3 actuator**  
**2 1/2" MegaPress press ring**  
 - For Viega MegaPress XL connections 2 1/2", 3", 4"

**Components**  
 Z3 actuator, 2 1/2" MegaPress press ring, hard case

**Note**  
 Capable of pressing 3" and 4" connections with the purchase of additional press rings.

**Model 4898.6XL**

for d	Wt [lb]	Quantity	Part No	DG
2 1/2	26.029	1	<b>57081</b>	16



**Viega MegaPress XL press ring set**  
 - For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

**Components**  
 3" and 4" MegaPress press rings, hard case

**Model 4896.5XL**

for d	Wt [lb]	Quantity	Part No	DG
3-4	22.558	1	<b>57078</b>	16





**Viega MegaPress press jaw and ring set**

- For standard tools, Viega MegaPress connections 1/2" to 2"

Components

MegaPress press jaw sizes 1/2" to 1",  
MegaPress press rings sizes 1 1/4" to 2", V2 actuator, branded soft-sided case

**Model 2880.71**

for d	Wt [lb]	Quantity	Part No	DG
1/2-2	48.986	1	<b>56013</b>	16



**Viega ProPress XL-C press ring kit**

- For standard tools, Viega ProPress connections 2 1/2" to 4"

- Steel

Components

V2 actuator, ProPress XL-C press rings sizes 2 1/2" to 4", hard case

**Model 2999.4XL**

for d	Wt [lb]	Quantity	Part No	DG
2 1/2-4	40.239	1	<b>57076</b>	16



**Ridgid V2 actuator**

- For use with ProPress XL-C 2-1/2" to 4" press rings and MegaPress 1-1/4" to 2" press rings  
- Steel

**Model 2999.2**

	Wt [lb]	Quantity	Part No	DG
	6.998	1	<b>57075</b>	16



**Viega PureFlow standard press jaw**

- For Viega Pressgun 6, standard tools, PEX tubing  
- Steel

**Model 2899.7US**

Press Jaws	Wt [lb]	Quantity	Part No	DG
1/2	4.013	1	<b>56073</b>	16
5/8	3.727	1	<b>56074</b>	16
3/4	3.978	1	<b>56075</b>	16
1	4.117	1	<b>56076</b>	16
1 1/4	4.408	1	<b>56080</b>	16
1 1/2	4.547	1	<b>56081</b>	16
2	9.347	1	<b>56082</b>	16



**Viega PureFlow compact press jaw**

- For Viega Pressgun Picco 6, compact tool, PEX tubing  
- Steel

**Model 2884.7US**

Press Jaws	Wt [lb]	Quantity	Part No	DG
3/8	2.418	1	<b>56052</b>	16
1/2	2.394	1	<b>56053</b>	16
5/8	2.374	1	<b>56054</b>	16
3/4	2.358	1	<b>56055</b>	16
1	2.574	1	<b>56056</b>	16
1 1/4	2.757	1	<b>56060</b>	16
1 1/2	2.539	1	<b>56061</b>	16



**Viega ProPress standard press jaw**

- For Viega Pressgun 6, standard tools, copper tube, stainless steel CTS tube  
- Steel

**Model 2999.5**

Press Jaws	Wt [lb]	Quantity	Part No	DG
1/2	4.009	1	<b>57235</b>	16
3/4	4.219	1	<b>57234</b>	16
1	4.399	1	<b>57233</b>	16
1 1/4	4.639	1	<b>57232</b>	16
1 1/2	6.398	1	<b>57231</b>	16
2	9.747	1	<b>57230</b>	16



**Viega ProPress compact press jaw**

- For Viega Pressgun Picco 6, compact tool, copper tube, stainless steel CTS tube  
- Steel

**Model 2999.51**

Press Jaws	Wt [lb]	Quantity	Part No	DG
1/2	2.219	1	<b>57239</b>	16
3/4	1.999	1	<b>57238</b>	16
1	2.289	1	<b>57237</b>	16
1 1/4	2.639	1	<b>57236</b>	16



**Viega ProPress XL-C press ring**  
 - For Viega Pressgun 6, standard tools, copper tube, stainless steel CTS tube  
 - Steel  
**Model 2999.52**

for d	Wt [lb]	Quantity	Part No	DG
2½	11.997	1	<b>57242</b>	16
3	10.297	1	<b>57241</b>	16
4	11.997	1	<b>57240</b>	16



**Viega MegaPress standard press ring**  
 - For Viega Pressgun 6, standard tools, carbon steel, stainless steel IPS pipe, CuNiFe 90/10  
 - Steel  
**Model 2999.53**

for d	Wt [lb]	Quantity	Part No	DG
1¼	6.142	1	<b>57245</b>	16
1½	6.554	1	<b>57244</b>	16
2	5.998	1	<b>57243</b>	16



**Viega MegaPress XL press ring**  
 - For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator  
 - Steel  
**Model 4896.1XL**

for d	Wt [lb]	Quantity	Part No	DG
2½	6.854	1	<b>26791</b>	16
3	7.692	1	<b>26792</b>	16
4	10.092	1	<b>26793</b>	16

New



**Viega MegaPress standard press jaw**  
 - For Viega Pressgun 6, standard tools, carbon steel, stainless steel IPS pipe, CuNiFe 90/10  
 - Steel  
**Model 2999.54**

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	3.999	1	<b>57248</b>	16
¾	5.199	1	<b>57247</b>	16
1	6.798	1	<b>57246</b>	16



**Viega MegaPress compact press jaw**  
 - For Viega Pressgun Picco 6, compact tool, carbon steel, stainless steel IPS pipe  
 - Steel  
**Model 2999.55**

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	2.999	1	<b>57249</b>	16
¾	2.999	1	<b>57250</b>	16

**Marine Actuator / Press Jaws / Rings**



**Viega MegaPress Marine press jaw set**  
 - For use with Viega MegaPress CuNi only in Navy applications  
 - Steel  
Components  
 Hard case, Viega MegaPress Marine press jaws ½-1"  
**Model 2880.75**

for d	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	23.268	1	<b>56310</b>	16



**Viega MegaPress Marine press ring set**  
 - For use with Viega MegaPress CuNi only in Navy applications  
 - Steel  
Components  
 Hard case, Viega MegaPress Marine press rings 1-¼" - 2" and Marine V2 actuator  
**Model 2880.76**

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	13.663	1	<b>56360</b>	16
1, 1¼, 1½, 2	34.032	1	<b>56365</b>	16



**Viega MegaPress Marine press jaw**  
 - For use with Viega MegaPress CuNi only in Navy applications  
 - Steel  
**Model 2880.72**

for d	Wt [lb]	Quantity	Part No	DG
1/2	4.955	1	<b>56250</b>	16
3/4	5.142	1	<b>56255</b>	16
1	6.811	1	<b>56260</b>	16



**Viega MegaPress Marine press ring**  
 - For use with Viega MegaPress CuNi only in Navy applications  
 - Steel  
**Model 2880.73**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.593	1	<b>56265</b>	16
3/4	1.563	1	<b>56270</b>	16
1	2.098	1	<b>56275</b>	16
1 1/4	6.142	1	<b>56280</b>	16
1 1/2	6.561	1	<b>56285</b>	16
2	5.979	1	<b>56290</b>	16



**Viega MegaPress Marine actuator**  
 - For use with Viega MegaPress CuNi only in Navy applications  
 - Steel  
**Model 2880.74**

type	for d	Wt [lb]	Quantity	Part No	DG
V1/Z1	1/2, 3/4	4.742	1	<b>56300</b>	16
V2/Z2	1, 1 1/4, 1 1/2, 2	6.998	1	<b>56305</b>	16

**Metric Actuators / Press Jaws / Rings**



**Actuator Standard tool**  
 - Not suitable for Sanpress XL connector (bronze)  
 - Steel  
**Model 2296.2**

type	PCMPS	Ra	for MP	Wt [lb]	Quantity	Part No	DG
Z1	12-35	16-32	3/8-3/4	4.729	1	<b>472 733</b>	7
Z2 actuator		40-63	1-2	7.011	1	<b>472 740</b>	7

PCMPS = for press connectors of the metallic press systems  
 Ra = for Raxofix  
 for MP = for Megapress



**Press ring set**  
 - Equipped with press ring Part No 472 665, 472 672, 472 689, 472 696, 472 702, 622 442  
**Model 2202.40**

HPJ	for d	Wt [lb]	Quantity	Part No	DG
P1/Z1	12-35	10.253	1	<b>793 524</b>	7

HPJ = for hinged press jaw (actuator)



**Press ring set Standard tool, Z2 actuator**  
 - Not suitable for compact tool (24 kN)  
 - Steel  
 - Metric size  
Components  
 Z2 actuator, (2) press rings 42 mm and 54 mm, case  
**Model 2296.4**

for d	QS	Wt [lb]	Quantity	Part No	DG
42-54	3	17.090	1	<b>472 764</b>	7

6.1



**Press ring set  
Standard tool**

- Not suitable for Sanpress XL connector (bronze), Megapress XL

**Note**

Recommended for standard 32 kN press tools such as the Pressgun 6 or equivalent.  
Equipped with Z2 actuator standard tool, press ring.

**Model 2202.50**

for d	Wt [lb]	Quantity	Part No	DG
76.1	19.307	1	<b>793 562</b>	7



**Press ring set  
Standard tool**

- Not suitable for Sanpress XL connector (bronze), Megapress XL

**Note**

Recommended for standard 32 kN press tools such as the Pressgun 6 or equivalent.  
Does not include an actuator, just the press rings.

**Model 2202.51**

for d	Wt [lb]	Quantity	Part No	DG
88.9–108	25.595	1	<b>793 579</b>	7



**Actuator  
P1, Picco**

- Steel

**Model 2496.1**

PCMPS	Ra	for MP	Wt [lb]	Quantity	Part No	DG
12–35	16–32	3/8–3/4	2.111	1	<b>622 657</b>	7

PCMPS = for press connectors of the metallic press systems  
Ra = for Raxofix  
for MP = for Megapress



**Press jaw set  
Standard tool**

- For Ridgid press tools RP 320, RP 330, RP 350  
- Steel

- Metric size

**Components**

P2 actuator, (3) press chains sizes 76.1 mm to 108 mm, case

**Model 2297.3XL**

for d	QS	Wt [lb]	Quantity	Part No	DG
76.1–108	4	45.737	1	<b>362 959</b>	7

**Hand Tools**



**Viega PureFlow Press hand tool**

- Ratcheting design, color coded handles

**Model 2882US**

d	Version	Wt [lb]	Quantity	Part No	DG
5/16	black	3.394	1	<b>60010</b>	4
3/8	green	3.446	1	<b>50000</b>	6
1/2	yellow	3.409	1	<b>50020</b>	6
5/8	red	3.459	1	<b>50030</b>	4
3/4	blue	3.344	1	<b>50040</b>	6
1	orange	4.549	1	<b>50060</b>	6



**Viega PureFlow Crimp hand tool**

- Compact angled, color coded handles

**Model V5082.4**

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	green	2.439	1	<b>41703</b>	5
1/2	yellow	2.459	1	<b>41723</b>	5
3/4	blue	2.559	1	<b>41744</b>	5



**Viega PureFlow Crimp hand tool full circle**  
 - Composite  
 - Soft touch  
**Model V5082.7**

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	3.449	1	<b>41770</b>	5
1	3.459	1	<b>41765</b>	5



**Viega PureFlow Press starter tool set**  
 - Color coded handles  
Components  
 Viega Pureflow Press hand tool sizes ½" and ¾", tubing cutter  
**Model 2880.2**

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	13.255	1	<b>56000</b>	6



**Viega PureFlow Press complete heating tool set**  
 - Color coded handles  
Components  
 Viega Pureflow Press hand tool sizes ¾" to 1", prep tool  
**Model 2880.5US**

for d	Wt [lb]	Quantity	Part No	DG
¾, ½, ¾, ¾, 1	26.446	1	<b>56030</b>	4



**Viega PureFlow Press complete plumbing tool set**  
 - Color coded handles  
Components  
 Viega Pureflow Press hand tool sizes ¾" to 1", tubing cutter  
**Model 2880.6US**

for d	Wt [lb]	Quantity	Part No	DG
¾, ½, ¾, 1	22.192	1	<b>56010</b>	6



**SVC wrench**  
 - For SVC fitting nuts on manifolds  
 - Chrome-plated steel  
**Model 2889.4US**

SVC	Wrench [in]	Wrench	Wt [lb]	Quantity	Part No	DG
✓	1 1/16	30	0.310	1	<b>50002</b>	4

Wrench = wrench size (in inch)

**Cutters**



**Viega PureFlow PEX tubing cutter**  
 - For use with Viega PureFlow tubing up to 2"  
 - Steel  
 - Ratcheting design  
**Model 2840**

max d	Wt [lb]	Quantity	Part No	DG
2	1.254	1	<b>53561</b>	5



**Viega PureFlow PEX tubing cutter**  
 - For use with Viega PureFlow tubing up to 1½"  
 - Plastic  
**Model V5055**

max d	Wt [lb]	Quantity	Part No	DG
1½	0.401	1	<b>21307</b>	5

**6.1**

## Decoilers



**Decoiler Drum and base**  
 - For use with Viega Barrier PEX tubing sizes 1/2" to 3/4" and lengths 800' to 2000'  
**Model 2875.6US**

max d	Wt [lb]	Quantity	Part No	DG
3/4	129.963	1	<b>21310</b>	4



**Decoiler Compact**  
 - For use with Viega PureFlow PEX and Barrier PEX tubing sizes 5/16" to 3/4" and lengths 250' to 1200'  
 - Folds for easy transport  
**Model 2889.6US**

max d	Wt [lb]	Quantity	Part No	DG
3/4	31.991	1	<b>21316</b>	4

## Staplers



**Pneumatic staple gun**  
 - For Viega Barrier PEX 5/16" to 5/8"  
 - Consistently leaves 1/8" above tubing  
Note  
 Compatible with 16-gauge 1" crown staples up to 1 1/2" length.  
**Model 2889.7US**

	Wt [lb]	Quantity	Part No	DG
	7.571	1	<b>21430</b>	4



**Stapler**  
 - For foam board insulation  
 - Suitable for staple Model 2890.0US  
 - Manual  
**Model 2891.1US**

	Wt [lb]	Quantity	Part No	DG
	7.057	1	<b>21432</b>	4



**Staple**  
 - Suitable for stapler Model 2891.1US  
 - Plastic  
Note  
 Smallest sellable quantity is 1 box of 300  
**Model 2890.0US**

L [in]	Wt [lb]	Quantity	Part No	DG
2 1/2	0.006	300	<b>15312</b>	4

## Accessories



**Press tool battery**  
 - For use with Pressgun 6, Pressgun Picco 6, or other compatible 18V tool platform  
 - Lithium-ion  
**Model 2998.63**

V	Wt [lb]	Quantity	Part No	DG
18 V, 2.5 Ah	1.100	1	<b>57260</b>	16
18 V, 5 Ah	1.763	1	<b>57261</b>	16



**Battery charger**  
 - For use with compatible 18V batteries  
Components  
 Charger, Type A cable, Vehicle cable  
**Model 2998.65**

V	Wt [lb]	Quantity	Part No	DG
120 V AC	2.189	1	<b>57262</b>	16



**Viega Tool Bag**  
 - 600D Nylon  
Components  
 Hard base, shoulder strap, 8 internal pockets,  
 8 external pockets  
**Model 2880.4**

	Wt [lb]	Quantity	Part No	DG
	3.168	1	<b>56066</b>	16



**Hole saw**  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Steel  
**Model 4878**

d	Wt [lb]	Quantity	Part No	DG
1 1/16	0.140	1	<b>26975</b>	16



**Pilot bit**  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Steel  
**Model 4879**

	Wt [lb]	Quantity	Part No	DG
	0.042	1	<b>26965</b>	16



**Press-In Branch Connector HEX adapter**  
 - For use with drill chuck without SDS-plus  
 handle  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Steel  
Components  
 Hex chuck  
**Model 4812.28**

	Wt [lb]	Quantity	Part No	DG
	0.149	1	<b>26837</b>	16



**Positioning guide**  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Use with Viega MegaPress press-in branch  
 connector Model 4812.2  
 - Stainless steel  
**Model 4878.6**

for d	Wt [lb]	Quantity	Part No	DG
1½	0.333	1	<b>26990</b>	16
2	0.476	1	<b>26991</b>	16
2½	0.555	1	<b>26992</b>	16
3	0.721	1	<b>26993</b>	16
4	0.961	1	<b>26994</b>	16
6	1.397	1	<b>26995</b>	16



**Press-In Branch Connector adapter  
 SDS-plus drive**  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Steel  
**Model 4878.91**

	Wt [lb]	Quantity	Part No	DG
	0.134	1	<b>26955</b>	16



**Press-In Branch Connector tool**  
 - For installing Viega MegaPress press-in  
 branch connectors  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Steel  
**Model 4878.9**

	Wt [lb]	Quantity	Part No	DG
	1.245	1	<b>26925</b>	16





**Press-In Branch Connector bolt**  
 - Spare part for Press-In Branch Connector tool kit Model 4878.5  
 - Use with Press-In Branch Connector tool Model 4878.9  
 - Steel  
**Model 4878.92**

	Wt [lb]	Quantity	Part No	DG
	0.256	1	<b>26960</b>	16



**Shoulder strap**  
 - Suitable for XL PressBooster 2½" MegaPress press ring Model 4896.2XL  
 - Nylon  
**Model 4897.4XL**

	Wt [lb]	Quantity	Part No	DG
	0.555	1	<b>26930</b>	16



**Replacement handle**  
 - For Z3 actuator  
 - Plastic  
**Model 4898.7XL**

	Wt [lb]	Quantity	Part No	DG
	0.309	1	<b>57082</b>	6



**Caliper**  
 - For use with Viega PureFlow Crimp fittings with Go/No-Go gauge  
**Model V5054**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2, 3/4	0.100	1	<b>53507</b>	5
1	0.065	1	<b>53511</b>	5

**Catalog Index**



**MODEL NO.**

**PART NO.**

Model No.	Page	Model No.	Page	Model No.	Page	Model No.	Page	Model No.	Page
0186XL	31	2289XL	52	2842.4ZL	196	2877.4	169	2915	28
0186XL	42	2296.2	215	2842.5	197	2877.5	169	2915.1	30
0311	49	2296.4	215	2842.6	197	2877.7	174	2915.1ZL	30
0311.5	50	2297.3XL	216	2850.1US	134	2877.8	174	2915.2	29
0312	50	2496.1	216	2850.1US	148	2877.81	179	2915.3	28
0312.5	50	2687	52	2850.1US	163	2877.8ZL	156	2915.5	28
0315	51	2800.5US	133	2850.2US	134	2877.9	183	2916	20
0315.1	51	2800.5US	147	2850.2US	148	2878.6	174	2916.1	20
0315.1XL	52	2801.0US	177	2850.2US	163	2878.7	174	2916.3	20
0315.3	51	2801.1US	179	2850.3US	133	2878.8	174	2917.2ZL	24
0315.5XL	51	2801.4US	179	2850.3US	148	2878.910	180	2917.3ZL	21
0315XL	51	2801.9US	179	2850.4US	133	2878.912	181	2918	23
0316	48	2802US	162	2850.4US	147	2878.913	180	2925.2ZL	21
0316.1	48	2803US	162	2851US	134	2878.914	180	2925.5ZL	21
0316XL	48	2804	169	2851US	148	2878.915	180	2926	21
0317.2	49	2809.1US	177	2851US	163	2878.916	180	2926.1	22
0317.2XL	49	2809.2US	177	2856.6	170	2878.917	181	2928	30
0317.5	49	2809.3US	177	2856.7	170	2878.918	181	2928.7ZL	21
0318	49	2810.1US	175	2856NG	168	2878.919	181	2934.8ZL	199
0318XL	49	2810.2US	175	2857.1US	176	2878.920	181	2946	166
0326	48	2810.3US	171	2857.2US	176	2878.921	180	2956	27
0326.1	48	2810.71U	176	2857.7US	172	2878.922	170	2957ZL	28
0326.1XL	48	2810.7US	175	2857US	176	2878.923	181	2957ZL	178
0326XL	48	2810.8US	176	2859US	180	2878.924	181	2959.5ZL	26
0359.3	50	2810.9US	176	2860US	134	2878.925	181	2960ZL	27
0359.3XL	50	2810US	175	2860US	148	2878.927	172	2962ZL	27
0365	51	2811NG	166	2860US	163	2879	169	2963.9	31
0365.5	51	2811ZL	126	2861US	135	2879.6US	172	2963.9	43
0511	114	2811ZL	166	2861US	149	2879.9US	183	2965ZL	27
0512	114	2812ZL	127	2863US	134	2880.2	217	2967ZL	27
0515	115	2812ZL	166	2863US	149	2880.4	219	2969	31
0515.1	116	2813.1NG	167	2863US	163	2880.41	15	2970.80	201
0515.1XL	116	2813.1ZL	127	2864US	135	2880.41	210	2970.96	203
0515.2	116	2813.1ZL	167	2864US	149	2880.42	16	2971.1XL	190
0515.2XL	117	2813.2ZL	127	2864US	162	2880.42	210	2971.1ZL	190
0515.5	116	2813.3ZL	127	2865.3US	175	2880.5US	217	2971.26	14
0515.5XL	116	2813.5NG	167	2866US	162	2880.6US	217	2971.26	200
0515XL	115	2813.5ZL	127	2867.1US	135	2880.7	16	2971.3ZL	190
0516	112	2813.5ZL	167	2867US	135	2880.7	210	2971.46	14
0516.1	112	2813PNG	166	2867US	149	2880.71	213	2971.46	200
0516.1XL	112	2813PZL	29	2867US	163	2880.72	215	2971.47	14
0516XL	112	2813PZL	128	2868US	135	2880.73	215	2971.47	200
0517.2	114	2813PZL	166	2870.7US	179	2880.74	215	2971.4ZL	190
0517.2XL	114	2814.5NG	164	2870.91	158	2880.75	214	2971.66	15
0518	113	2814.5ZL	124	2870.9US	182	2880.76	214	2971.66	202
0518XL	113	2814.6ZL	124	2870ZL	192	2880.7US	211	2971.6ZL	190
0526	112	2814.7NG	164	2871.0US	173	2881.9US	179	2971.8	201
0526.1	113	2814.7ZL	124	2871.2US	173	2882US	216	2971.8XL	201
0526.1XL	113	2814ZL	124	2871.3US	173	2884.7US	213	2971.96	202
0526XL	113	2814ZL	164	2871.4US	182	2885.0ZL	131	2971.9XL	202
0559	114	2815NG	167	2871.6US	177	2887.0	183	2973	191
0559.3XL	115	2815ZL	128	2872.0ZL	131	2887.1	183	2973.1	191
0560	115	2815ZL	167	2872.1US	130	2887.2	183	2973.3	191
0565	115	2816NG	164	2872.2	130	2887.3	177	2973.8	201
0687	31	2816ZL	123	2872.5	131	2887.30	184	2973.96	203
0687	43	2816ZL	163	2872.5US	175	2887.31	184	2974ZL	195
0911XL	25	2818NG	164	2872.6	131	2887.32	184	2975.2	30
0912XL	26	2818ZL	125	2872.6ZL	130	2887.33	184	2980.1ZL	13
0915.1XL	30	2818ZL	165	2872.7ZL	130	2887.34	185	2980.1ZL	199
0915.2XL	29	2819NG	170	2872.8ZL	145	2887.35	185	2980.7	211
0915.5XL	28	2820.0ZL	129	2872.9ZL	146	2887.37	184	2980.71	211
0915XL	28	2820.1ZL	129	2873.1US	178	2887.38	184	2980.75	16
0916.1XL	20	2820.2ZL	129	2873.1US	198	2887.4	185	2980.75	211
0916XL	20	2820.4ZL	129	2873.4US	179	2887.41	185	2980ZL	13
0917.2XL	25	2825.4ZL	124	2873.4US	199	2888.0ZL	197	2980ZL	195
0918XL	24	2825.5ZL	124	2873.5US	170	2889.4US	217	2981.3ZL	196
0926.1XL	22	2834.3US	172	2873.7ZL	131	2889.6US	218	2986	31
0926XL	21	2834.3US	198	2873.81	195	2889.7US	218	2986	42
0956XL	27	2834.5US	172	2873.89	200	2890.0US	218	2989	30
0959.5XL	26	2834.6US	172	2874.5US	173	2890.4US	168	2989	42
1003.5SV	170	2834.6US	197	2874.6US	174	2891.1US	218	2989.3	210
1022.1SV	171	2834.7US	172	2874.7US	173	2892ZL	127	2989XL	31
1022.6SV	171	2834.7US	198	2875.4US	174	2893ZL	127	2989XL	42
1022.7SV	171	2834.8US	171	2875.5US	182	2894ZL	126	2995.4	210
1022.8SV	182	2834.9US	171	2875.6US	218	2895ZL	129	2998.63	218
1022SV	170	2835US	172	2875.8US	175	2897ZL	124	2998.65	219
1028SV	182	2837.1US	178	2876.0US	173	2899.1	183	2999.2	213
1030.1SV	168	2837.1US	198	2876.3US	178	2899.7US	213	2999.4XL	213
1030SV	168	2837.2US	178	2876.3US	198	2910.50	200	2999.5	213
1069SV	182	2837.2US	198	2876.4US	182	2911.1ZL	25	2999.51	213
2202.40	215	2837.3US	178	2876.5US	182	2911ZL	25	2999.52	214
2202.50	216	2837.3US	198	2876.6US	183	2912.1ZL	26	2999.53	214
2202.51	216	2840	217	2876.7US	183	2912ZL	26	2999.54	214
2259.5U	50	2842.1ZL	192	2876.8US	199	2913.8ZL	199	2999.55	214
2259.5XU	50	2842.2ZL	192	2877.2	169	2913.9	199	2999.6	211
2289	52	2842.3ZL	196	2877.3ZL	155	2914.2ZL	20	4003	36

Model No.	Page	Model No.	Page	Model No.	Page	Model No.	Page	Model No.	Page
4007XL	36	4815.2	59	5915	78	V5002	122	V5089	147
4008	12	4815.3	59	5915.1	79	V5002	140	V5089.1	132
4008	36	4815.5	59	5915.5	79	V5002.5	122	V5089.1	147
4008XL	12	4815.5XL	79	5916	74	V5002.5	140	V5094	135
4008XL	36	4815XL	78	5916.1	74	V5003	123	V5094	149
4011	39	4816	56	5917.2	76	V5003	141	V5095	134
4011XL	39	4816.1	56	5918	75	V5003.5	123	V5095	148
4012	39	4816.1XL	74	5926	74	V5003.5	141	V5097	135
4012.5	39	4816XL	74	5926.1	75	V5004	122	V5097	149
4013.1XL	39	4817.2	57	5956	78	V5004	140	V5099	158
4013.2XL	39	4817.2XL	76	5959.5	77	V5011ZL	142	V5099.1	158
4015	41	4818	57	5960	78	V5012ZL	142	V5213	157
4015.1	42	4818XL	76	5970	12	V5014ZL	141	V5215	143
4015.1XL	42	4826	56	5970	191	V5017ZL	142	V5216	141
4015.5	41	4826.1	56	5970.9XL	15	V5019.9	146	V5218	142
4015.5XL	41	4826.1XL	75	5970.9XL	203	V5020	142	V5236	193
4015XL	41	4826XL	75	5975.8	194	V5021	141	V5255	145
4016	36	4856	58	5975.8XL	194	V5023ZL	192	V5257	145
4016.1	37	4856.1XL	78	6611	66	V5024ZL	143	V5263	145
4016.1XL	37	4859.5XL	77	6611XL	67	V5026ZL	196	V5613.1	155
4016XL	36	4860	58	6612	67	V5027ZL	141	V5613.2	156
4017.2	38	4862	58	6612XL	67	V5031.2	144	V5613.3	129
4017.2XL	38	4870	12	6615	69	V5031.22	144	V5613.4	130
4018	38	4870	191	6615.1	70	V5031.5	155	V5613.5	155
4018XL	38	4875.8	194	6615.1XL	70	V5032ZL	157	V5613.7	156
4026	37	4875.80	201	6615.2	70	V5033ZL	157	V5613.8	156
4026.1	37	4875.8XL	202	6615.3	69	V5034ZL	157	V5615	128
4026.1XL	37	4875.91	203	6615.5	69	V5035ZL	157	V5615	168
4026XL	37	4875.9XL	203	6615.5XL	69	V5036.10	157	V5615.3	132
4056	40	4878	219	6615XL	69	V5036.30	197	V5616	123
4056.1XL	40	4878.5	212	6616	64	V5036.31	197	V5616	164
4059	40	4878.6	219	6616.1	64	V5037ZL	192	V5618	126
4059XL	40	4878.9	219	6616.1XL	64	V5038	158	V5618	165
4060	40	4878.91	219	6616XL	64	V5039.1	156	V5626	123
4067	40	4878.92	220	6617.2	66	V5039.2	156	V5636	129
4070	191	4879	219	6617.2XL	66	V5039.7	158	V5636.1	129
4070.8	14	4896.1XL	16	6618	65	V5040.0	154	V5650	154
4070.8	201	4896.1XL	214	6618XL	66	V5040.6	154	V5656	128
4070.96	15	4896.2XL	212	6626	64	V5041.0	133	V5656	168
4070.96	202	4896.5XL	212	6626.1	65	V5041.1	133	V5660	154
4111	86	4897.4XL	220	6626.1XL	65	V5041.2	133		
4111XL	86	4898.5XL	16	6626XL	65	V5041.2	147		
4112	86	4898.5XL	212	6656	68	V5041.4	133		
4112XL	86	4898.6XL	212	6656XL	68	V5045ZL	143		
4113	88	4898.7XL	220	6659.5	67	V5046ZL	143		
4115	87	5013PZL	12	6659.5XL	68	V5047ZL	142		
4115.1	88	5013PZL	29	6660	68	V5048ZL	145		
4115.1XL	88	5013PZL	143	6662	68	V5052	131		
4115.2	88	5111	94	6675	193	V5052	146		
4115.5	87	5111XL	94	6675.1	193	V5054	220		
4115.5XL	88	5112	94	6675.2	193	V5055	217		
4115XL	87	5112XL	94	6675.3	193	V5058	143		
4116	84	5113	41	6811	104	V5064ZL	196		
4116.1	84	5113	96	6811XL	104	V5067	155		
4116.1XL	84	5115	95	6812	105	V5070	144		
4116XL	84	5115.1	96	6812XL	105	V5070.1	144		
4117.2	85	5115.1XL	97	6815	106	V5071	134		
4117.2XL	86	5115.2	97	6815.1	107	V5071	148		
4118	85	5115.5	96	6815.1XL	107	V5072ZL	145		
4118XL	85	5115.5XL	96	6815.2	107	V5073	146		
4126	84	5115XL	96	6815.5	106	V5073.5	146		
4126.1	85	5116	92	6815.5XL	107	V5075ZL	144		
4126.1XL	85	5116.1	92	6815XL	106	V5077ZL	144		
4126XL	84	5116.1XL	92	6816	102	V5080	132		
4156	87	5116XL	92	6816.1	102	V5080	146		
4156.1XL	87	5117.2	93	6816.1XL	102	V5081	132		
4159XL	86	5117.2XL	94	6816XL	102	V5081	146		
4160	87	5118	93	6817.2	104	V5082.4	216		
4170	13	5118XL	93	6817.2XL	104	V5082.7	217		
4170	192	5126	92	6818	103	V5083	135		
4175.8	194	5126.1	93	6818XL	104	V5084	130		
4175.8XL	194	5126.1XL	93	6826	102	V5084	145		
4370.8	193	5126XL	92	6826.1	103	V5084.1	130		
4370.91	203	5156	95	6826.1XL	103	V5084.1	145		
4811	57	5156.1XL	95	6826XL	103	V5085	132		
4811XL	76	5159	94	6856	105	V5085	147		
4812	58	5159XL	95	6856.1XL	106	V5085	158		
4812.2	79	5160	95	6859	105	V5086	132		
4812.25	80	5170	13	6859XL	105	V5086	147		
4812.28	219	5170	192	6860	106	V5086	158		
4812.3	60	5174	13	9438.5SV	171	V5087	157		
4812.35	60	5174	195	V1203.0	177	V5088	132		
4812XL	77	5175.8	194	V5001	122	V5088	147		
4815	59	5175.8XL	195	V5001	140	V5088.1	133		
4815.1	59	5911	76	V5001.5	122	V5088.1	147		
4815.1XL	79	5912	77	V5001.5	140	V5089	132		

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
11400	162	15176	180	16410	169	18160	177	20693	24
11405	162	15177	180	16423	166	18165	177	20694	24
11415	162	15178	180	16430	169	18166	177	20695	29
11418	162	15179	181	16431	169	18185	177	20698	24
11425	162	15180	181	16432	180	18186	177	20699	24
11427	162	15181	181	17014	175	18187	177	20700	29
11428	162	15182	181	17016	175	183 400	52	20703	24
11430	162	15183	181	17017	175	183 523	52	20704	24
11435	162	15184	181	17029	174	184 452	52	20705	29
11436	162	15186	170	17031	182	184 940	52	20708	24
11440	162	15205	176	17100	172	18468	29	20709	24
11445	162	15206	176	17106	172	18473	29	20710	29
11450	162	15207	176	17107	172	19007	170	20713	24
11455	162	15208	176	17120	172	19008	170	20714	24
11457	162	15209	176	17125	172	19009	170	20715	29
11458	162	15210	176	17126	172	19010	170	20718	24
11460	162	15216	176	17140	172	19011	171	20719	24
11462	162	15217	172	17141	172	19012	171	20720	29
11465	162	15304	162	17142	172	19013	168	20723	24
11470	162	15310	135	17143	172	19014	168	20724	24
11475	162	15310	149	17144	172	19015	168	20725	29
11480	162	15310	162	17145	172	19016	168	20727	24
11485	162	15311	162	17166	172	19017	168	20728	28
11500	162	15312	218	17166	198	19025	182	20729	29
11505	162	15314	162	17167	172	19026	182	20730	24
11510	162	15320	168	17167	198	19027	182	20732	24
11515	162	15448	23	17202	171	19028	182	20733	28
11520	162	15453	23	17203	171	19029	182	20734	24
12121	177	15458	23	17204	171	191 153	52	20738	28
12123	177	15463	23	17205	171	19109	171	20739	24
12125	177	15483	23	17221	171	19110	171	20743	28
12126	179	15488	23	17222	171	19305	171	20744	24
12127	179	15493	23	17223	171	19306	171	20748	28
12128	179	15498	23	17224	171	19412	182	20749	24
12151	177	15503	23	17230	178	19768	200	20753	28
12152	177	15508	23	17230	198	19773	200	20754	24
12153	177	15513	23	17231	178	19778	200	20758	30
13265	182	15518	23	17231	198	19786	30	20759	24
13266	183	15538	23	17232	178	19791	30	20763	30
13267	183	15544	31	17232	198	20001	178	20768	30
14005	176	15544	43	17233	178	20001	198	20773	30
14021	175	15549	31	17233	198	20002	178	20774	24
14025	175	15549	43	17234	178	20002	198	20778	30
14035	175	15559	31	17234	198	20003	178	20783	30
14050	175	15559	43	17235	178	20003	198	20784	24
14055	176	15564	31	17235	198	20041	178	20788	24
14543	30	15564	43	17260	172	20041	198	20793	24
14568	23	15569	31	17260	197	20042	179	20794	24
15003	183	15569	43	17261	172	20080	178	20795	24
15004	183	15588	29	17261	197	20080	198	20798	24
15005	183	15593	29	17262	172	20081	178	20803	24
15032	182	15603	29	17262	197	20081	198	20808	24
15033	182	15608	29	17263	172	20082	178	20813	30
15044	170	15800	172	17263	198	20082	198	20814	30
15053	170	15801	172	17264	172	20083	178	20815	30
15054	170	15802	172	17264	198	20083	198	20817	30
15055	171	16015	173	17265	172	20084	178	20818	30
15056	169	16016	173	17265	198	20084	198	20819	26
15059	169	16017	182	17768	31	20201	179	20823	25
15063	183	16018	182	17768	42	20201	199	20828	25
15065	183	16020	173	17778	31	20202	179	20829	26
15066	183	16030	169	17778	42	20202	199	20833	27
15068	174	16031	169	17788	31	20203	179	20838	25
15069	174	16032	169	17788	42	20203	199	20839	26
15070	174	16033	169	17803	31	20204	179	20843	27
15104	176	16034	169	17803	42	20204	199	20848	27
15106	134	16035	169	17818	31	20205	179	20853	26
15106	148	16036	169	17818	42	20205	199	20858	26
15106	163	16037	169	17823	31	20623	20	20863	26
15107	134	16038	169	17823	42	20628	20	20868	25
15107	148	16039	169	18027	179	20633	20	20873	25
15107	163	16040	169	18033	173	20638	20	20878	25
15108	134	16207	179	18050	173	20643	20	20883	25
15108	148	16209	179	18051	174	20648	20	20888	25
15108	163	16211	179	18060	173	20653	21	20893	25
15111	134	16212	179	18062	173	20658	21	21023	31
15111	148	16400	169	181 208	52	20663	21	21023	43
15111	163	16401	169	18150	177	20668	22	21028	31
15112	177	16402	169	18151	177	20673	22	21028	43
15116	174	16403	169	18152	177	20678	22	21033	31
15117	174	16404	169	18154	177	20683	24	21033	43
15118	174	16405	169	18155	177	20684	24	21038	31
15170	181	16406	169	18156	177	20685	29	21038	43
15171	180	16407	169	18157	177	20688	24	21043	31
15174	181	16408	169	18158	177	20689	24	21043	43
15175	180	16409	169	18159	177	20690	29	21048	31

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
21048	43	23540	200	25240	56	25590	58	26010	59
21210	170	24000	191	25241	64	25591	67	26011	70
21307	217	24005	191	25245	56	25595	58	26015	59
21310	218	24010	191	25246	64	25596	67	26016	70
21316	218	24015	191	25250	56	25600	58	26020	59
21430	218	24020	191	25251	64	25601	67	26021	70
21432	218	24025	191	25255	56	25605	58	26025	59
22005	59	24030	191	25256	64	25606	67	26026	70
22006	180	24035	191	25300	57	25610	58	26030	59
22007	180	24040	191	25301	65	25611	67	26031	70
22008	180	24090	191	25305	57	25615	58	26035	59
22009	69	24095	191	25306	65	25616	67	26036	70
22074	195	25000	59	25310	57	25620	58	26040	59
22075	195	25001	69	25311	65	25621	67	26041	70
22076	195	25010	59	25315	57	25625	58	26045	59
22143	201	25011	69	25316	65	25626	67	26046	70
22163	201	25015	59	25320	57	25630	58	26050	56
22170	201	25016	69	25321	65	25631	67	26051	64
22172	201	25020	59	25325	57	25635	58	26055	56
22174	201	25021	69	25326	65	25636	67	26056	64
22176	201	25025	59	25330	57	25640	58	26060	56
22178	201	25026	69	25331	65	25641	67	26061	64
22180	201	25030	59	25335	57	25645	58	26065	56
22228	23	25031	69	25336	65	25646	67	26066	64
22233	23	25035	59	25340	57	25650	58	26070	56
22238	23	25036	69	25341	65	25651	68	26071	64
22248	23	25040	59	25350	57	25655	58	26075	56
22253	23	25041	69	25351	65	25656	68	26076	64
22258	23	25045	59	25360	57	25660	58	26100	56
22263	23	25046	69	25361	65	25661	68	26101	65
22268	23	25050	59	25365	57	25665	58	26105	56
22278	24	25051	69	25366	65	25666	68	26106	65
22283	24	25055	59	25370	57	25670	58	26110	56
22288	24	25056	69	25371	65	25671	68	26111	65
22293	24	25070	59	25375	57	25675	58	26115	56
22298	24	25071	69	25376	65	25676	68	26116	65
22303	24	25075	59	25380	57	25700	58	26120	56
22308	24	25076	69	25381	65	25701	68	26121	65
22313	24	25080	59	25385	57	25705	58	26125	56
22323	24	25081	69	25386	65	25706	68	26126	65
22328	29	25085	59	25390	57	25710	58	26200	212
22333	30	25086	69	25391	65	25711	68	26500	74
22400	14	25090	59	25395	57	25715	58	26505	74
22400	200	25091	69	25396	65	25716	68	26510	74
22405	14	25095	59	25400	57	25720	58	26515	74
22405	200	25096	69	25401	65	25721	68	26520	74
22410	14	25100	57	25405	57	25725	58	26525	74
22410	200	25101	66	25406	66	25726	68	26530	75
22415	14	25105	57	25410	57	25730	58	26535	75
22415	200	25106	66	25411	66	25731	68	26540	75
22420	14	25110	57	25415	57	25735	58	26545	75
22420	200	25111	66	25416	66	25736	68	26550	75
22425	14	25115	57	25435	57	25740	58	26555	75
22425	201	25116	66	25436	66	25741	68	26560	76
22430	14	25120	57	25440	57	25745	58	26565	76
22430	201	25121	66	25441	66	25746	68	26570	76
22435	14	25125	57	25445	57	25750	58	26575	76
22435	201	25126	66	25446	66	25751	68	26580	76
23442	203	25130	58	25451	66	25755	58	26585	76
23443	202	25131	67	25455	57	25756	68	26590	76
23444	203	25135	58	25456	66	25761	67	26595	76
23445	202	25136	67	25460	57	25766	67	26600	76
23447	202	25140	58	25461	66	25771	67	26605	76
23449	203	25141	67	25465	57	25776	67	26610	76
23450	200	25145	58	25466	66	25781	67	26615	76
23451	203	25146	67	25471	66	25786	67	26620	76
23453	203	25150	58	25475	57	25930	59	26625	76
23460	199	25151	67	25476	66	25931	70	26630	76
23470	199	25155	58	25480	57	25935	59	26635	76
23500	15	25156	67	25481	66	25936	70	26640	76
23500	202	25200	56	25485	57	25940	59	26645	76
23505	15	25201	64	25486	66	25941	70	26650	76
23505	202	25205	56	25491	65	25945	59	26655	77
23510	15	25206	64	25496	65	25946	70	26660	77
23510	202	25210	56	25500	57	25950	59	26665	77
23515	15	25211	64	25501	66	25951	70	26670	78
23515	202	25215	56	25505	57	25955	59	26675	78
23520	15	25216	64	25506	66	25956	70	26680	78
23520	202	25220	56	25510	57	25960	59	26685	79
23525	15	25221	64	25515	57	25961	70	26690	79
23525	202	25225	56	25575	58	25965	59	26695	79
23530	14	25226	64	25576	67	25966	70	26700	79
23530	200	25230	56	25580	58	26000	59	26705	79
23535	14	25231	64	25581	67	26001	70	26710	79
23535	200	25235	56	25585	58	26005	59	26715	79
23540	14	25236	64	25586	67	26006	70	26720	79



Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
26725	79	28710	66	29030	192	32143	140	41770	217
26730	79	28715	66	29050	13	32145	122	43002	197
26735	79	28720	66	29050	195	32145	140	43003	197
26740	79	28725	66	29055	13	32163	122	43023	197
26745	79	28730	66	29055	195	32163	140	43030	193
26750	79	28735	66	29060	13	32165	122	43033	143
26755	79	28740	67	29060	195	32165	140	43040	193
26760	78	28745	67	29065	13	32201	122	43043	143
26765	78	28750	67	29065	195	32201	140	43044	143
26770	78	28755	67	29070	13	32205	122	43100	131
26775	77	28760	67	29070	195	32205	140	43100	146
26780	77	28765	67	29075	13	32220	122	43210	141
26785	77	28770	69	29075	195	32220	140	43220	141
26791	16	28775	69	30600	193	32221	122	43232	145
26791	214	28780	69	30605	193	32221	140	43233	145
26792	16	28785	69	30610	193	32223	122	43240	141
26792	214	28790	69	30615	193	32223	140	43242	141
26793	16	28795	69	30620	193	32225	122	43244	145
26793	214	288 600	52	30625	193	32225	140	43260	141
26800	79	28800	70	30630	193	32241	122	43300	145
26805	79	28805	70	30635	193	32241	140	43320	145
26810	79	28810	70	30640	193	32243	122	43323	145
26815	79	28815	70	30645	193	32243	140	43332	143
26820	79	28820	70	30650	193	32245	122	43333	145
26825	79	28825	70	30655	193	32245	140	43334	142
26830	80	28830	70	30660	193	32263	122	43343	143
26835	80	28835	70	30665	193	32263	140	43344	145
26837	219	28840	70	30670	193	32265	122	43353	143
26840	80	28845	70	30675	193	32265	140	43354	143
26845	80	28850	70	30680	193	32266	122	43355	143
26850	80	28855	70	30685	193	32266	140	43402	143
26855	80	28860	68	30690	193	32805	122	43403	143
26860	60	28865	68	30695	193	32805	140	43404	143
26865	60	28870	68	30700	193	32823	122	43433	142
26870	60	28875	68	30705	193	32823	140	43434	142
26875	60	28880	68	30710	193	32905	122	43443	142
26880	60	28885	68	30715	193	32905	140	43445	142
26885	60	28905	66	32001	123	32923	122	43500	142
26890	60	28910	66	32001	141	32923	140	43520	142
26895	60	28915	12	32005	123	33020	123	43540	142
26900	60	28915	191	32005	141	33020	141	43544	142
26905	60	28920	12	32011	123	33045	123	43545	142
26910	60	28920	191	32011	141	33045	141	43553	142
26915	60	28925	12	32020	123	33061	123	43554	142
26920	212	28925	191	32020	141	33061	141	43560	142
26925	219	28930	12	32021	123	33120	122	43600	146
26930	220	28930	191	32021	141	33120	140	43620	146
26955	219	28935	12	32023	123	33145	122	43640	146
26960	220	28935	191	32023	141	33145	140	43660	146
26965	219	28940	12	32025	123	33240	122	43700	146
26975	219	28940	191	32025	141	33240	140	43702	143
26990	219	28945	12	32041	123	33265	122	43714	135
26991	219	28945	191	32041	141	33265	140	43714	149
26992	219	28950	12	32042	123	33270	122	43720	146
26993	219	28950	191	32042	141	33270	140	43721	130
26994	219	28955	12	32043	123	33271	122	43721	145
26995	219	28955	191	32043	141	33271	140	43722	146
281 595	52	28960	12	32045	123	33323	122	43723	143
28500	194	28960	191	32045	141	33323	140	43740	130
28501	194	28965	12	32060	123	33705	132	43740	145
28502	194	28965	191	32060	141	33705	147	43744	143
28503	194	28970	12	32061	123	348 571	52	43765	143
28504	194	28970	191	32061	141	348 588	52	43820	130
28505	194	28975	13	32062	123	348 595	52	43820	145
28600	64	28975	192	32062	141	348 601	52	44208	144
28605	64	28980	13	32063	123	348 618	52	44209	144
28610	64	28980	192	32063	141	348 625	52	44226	144
28615	64	28985	13	32064	123	348 632	52	44227	144
28620	64	28985	192	32064	141	348 649	52	44228	144
28625	64	28990	13	32065	123	35801	123	44229	144
28630	65	28990	192	32065	141	35801	141	44240	144
28635	65	28995	13	32101	122	35805	123	44320	142
28640	65	28995	192	32101	140	35805	141	44325	141
28645	65	29000	13	32105	122	35811	123	44340	142
28650	65	29000	192	32105	140	35811	141	44345	141
28655	65	29005	13	32120	122	362 959	216	44350	12
28660	66	29005	192	32120	140	36204	157	44350	29
28665	66	29010	13	32121	122	36205	157	44350	143
28670	66	29010	192	32121	140	364 816	52	44355	12
28675	66	29015	13	32123	122	364 823	52	44355	29
28680	66	29015	192	32123	140	364 830	52	44355	143
28685	66	29020	13	32125	122	40655	143	44360	12
28690	66	29020	192	32125	140	41703	216	44360	29
28695	66	29025	13	32141	122	41723	216	44360	143
28700	66	29025	192	32141	140	41744	216	44365	12
28705	66	29030	13	32143	122	41765	217	44365	29



Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
44365	143	454 098	50	477 240	51	49443	126	49904	132
44370	12	454 104	50	477 257	51	49443	165	49905	132
44370	29	454 111	50	477 264	51	49453	154	49906	132
44370	143	454 128	50	49004	129	49473	154	49984	126
448 370	52	454 135	50	49033	154	49520	126	49984	165
448 387	52	45716	158	49043	154	49520	165	49985	126
452 810	51	45750	133	49054	129	49533	126	49985	165
452 827	51	45760	133	49063	154	49533	165	49987	126
452 834	51	45770	133	49083	154	49535	126	49987	165
452 841	51	45770	147	49152	129	49535	165	49988	126
452 988	49	45790	133	49153	129	49540	126	49988	165
452 995	49	460 792	50	49200	126	49540	165	49993	126
453 008	49	460 815	50	49200	165	49543	126	49993	165
453 015	49	460 822	50	49206	129	49543	165	49994	126
453 022	49	46001	196	49208	129	49544	126	49994	165
453 046	50	46002	196	49210	123	49544	165	49995	126
453 053	50	46021	192	49210	164	49545	126	49995	165
453 084	50	46022	196	49220	123	49545	165	49997	126
453 091	50	46023	144	49220	164	49553	126	49997	165
453 107	51	46025	196	49223	130	49553	165	49998	126
453 114	51	46031	192	49224	155	49554	126	49998	165
453 121	51	46032	144	49233	130	49554	165	50000	216
453 138	51	46033	144	49234	155	49560	126	50002	217
453 145	51	46044	192	49240	123	49560	165	50020	216
453 152	51	46060	192	49240	164	49570	126	50021	155
453 169	48	461 072	49	49254	129	49570	165	50022	155
453 176	48	461 089	49	49256	129	49580	126	50023	156
453 183	48	461 096	49	49258	129	49580	165	50024	155
453 190	48	461 157	50	49260	123	49590	126	50030	216
453 206	48	461 164	50	49260	164	49590	165	50033	155
453 213	48	461 171	50	49270	123	49607	132	50040	216
453 220	48	461 188	50	49270	164	49610	154	50043	155
453 237	48	461 195	50	49280	123	49615	154	50060	216
453 244	48	461 201	50	49280	164	49620	154	50063	155
453 251	51	461 218	50	49285	123	49625	154	50083	155
453 268	51	461 225	50	49286	123	49630	154	50133	156
453 275	51	461 249	50	49290	123	49635	154	50141	157
453 282	51	46145	142	49290	164	49640	154	50151	157
453 299	51	46156	142	49322	126	49645	154	50260	156
453 305	51	46223	145	49322	165	49722	128	50261	156
453 312	51	46232	141	49324	129	49722	168	50262	155
453 329	51	46233	141	49332	126	49723	128	50263	155
453 336	51	46244	141	49332	165	49723	168	50264	156
453 343	51	46302	142	49333	129	49744	128	50265	156
453 350	52	46321	142	49334	126	49744	168	50266	156
453 374	52	46323	142	49334	165	49754	126	50267	156
453 411	51	46324	142	49342	128	49754	165	50268	157
453 428	51	46331	144	49342	168	49755	126	50269	157
453 435	51	46333	142	49343	128	49755	165	50520	134
453 473	49	46334	142	49343	168	49765	128	50520	148
453 480	49	46340	142	49344	129	49765	168	50520	163
453 497	49	46342	142	49347	128	49770	128	50601	158
453 503	49	46344	142	49347	168	49770	168	50718	158
453 510	49	46345	142	49348	128	49774	126	50726	158
453 527	49	46346	157	49348	168	49774	165	50730	158
453 534	49	46355	142	49354	128	49775	126	50739	158
453 541	49	46361	142	49354	168	49775	165	50740	158
453 558	49	46366	142	49357	128	49780	128	51000	134
453 657	48	46414	157	49357	168	49780	168	51000	148
453 664	48	46416	157	49358	128	49790	128	51000	163
453 671	48	46446	142	49358	168	49790	168	51003	155
453 756	49	46620	142	49378	128	49854	126	51020	134
453 763	49	46622	143	49378	168	49854	165	51020	148
453 770	49	46630	142	49398	128	49855	126	51020	163
453 794	49	46633	143	49398	168	49855	165	51021	133
453 800	49	46635	143	49402	128	49874	126	51021	148
453 824	49	46641	142	49402	168	49874	165	51022	133
453 831	49	46644	143	49403	128	49875	126	51022	147
453 848	49	46645	143	49403	168	49875	165	51040	134
453 862	49	46646	157	49404	128	49877	126	51040	148
453 879	49	46650	142	49404	168	49877	165	51040	163
453 886	48	46654	143	49405	128	49883	126	51060	134
453 893	48	46656	157	49405	168	49883	165	51060	148
453 909	48	46710	145	49407	128	49884	126	51060	163
453 916	48	46720	145	49407	168	49884	165	51063	155
453 923	48	46730	146	49408	128	49885	126	51073	155
453 930	48	46764	145	49408	168	49885	165	51123	156
453 947	48	46821	141	49409	128	49886	126	51133	156
453 954	48	472 733	215	49409	168	49886	165	51602	158
453 961	48	472 740	215	49410	154	49887	126	52000	134
453 978	48	472 764	215	49414	156	49887	165	52000	148
453 985	48	477 196	51	49416	156	49888	126	52000	163
453 992	48	477 202	51	49433	126	49888	165	52006	135
454 067	50	477 219	51	49433	165	49901	132	52006	149
454 074	50	477 226	51	49434	126	49902	132	52006	163
454 081	50	477 233	51	49434	165	49903	132	52007	135

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
52007	163	556 648	52	57120	132	77038	21	78257	42
52017	135	56000	217	57120	146	77042	20	78262	30
52020	134	56010	217	57210	210	77043	21	78262	42
52020	148	56013	213	57215	210	77052	20	78267	30
52020	163	56021	211	57230	213	77053	22	78267	42
52040	134	56022	211	57231	213	77057	20	78268	31
52040	148	56030	217	57232	213	77058	22	78268	42
52040	163	56052	213	57233	213	77062	20	78269	31
52060	134	56053	213	57234	213	77063	22	78269	42
52060	148	56054	213	57235	213	77067	20	78270	31
52060	163	56055	213	57236	213	77068	22	78270	42
52110	134	56056	213	57237	213	77072	20	78300	190
52110	148	56060	213	57238	213	77073	22	78305	190
52120	134	56061	213	57239	213	77317	20	78310	190
52120	148	56066	219	57240	214	77325	20	78311	201
52130	134	56073	213	57241	214	77330	20	78312	202
52130	148	56074	213	57242	214	77347	20	78800	21
52140	134	56075	213	57243	214	77377	23	78801	21
52140	148	56076	213	57244	214	77382	23	78802	21
52500	133	56080	213	57245	214	77387	23	78803	21
52500	147	56081	213	57246	214	77392	23	79005	28
52520	133	56082	213	57247	214	77397	23	79010	28
52520	147	56090	135	57248	214	77402	23	79015	28
53000	132	56091	211	57249	214	77407	23	79020	28
53000	147	56092	16	57250	214	77412	23	79025	28
53000	158	56092	210	57260	218	77417	23	79030	28
53005	132	56093	211	57261	218	77422	23	79035	195
53005	147	56094	16	57262	219	77427	23	79040	195
53005	158	56094	211	58070	163	77432	23	79045	195
53015	132	56100	132	58071	134	77437	23	79050	195
53015	147	56100	147	58071	149	77442	23	79055	195
53015	158	56100	158	58071	163	77447	23	79060	195
53017	132	56110	132	58072	134	77452	23	79125	27
53017	147	56110	147	58072	149	77457	23	79130	27
53020	132	56110	158	58072	163	77462	23	79135	27
53020	147	56120	132	58073	134	77467	23	79140	27
53020	158	56120	147	58073	149	77472	23	79145	27
53115	132	56120	158	58073	163	77477	23	79150	27
53115	147	56140	132	58074	134	77482	23	79155	27
53116	133	56140	147	58074	149	77487	23	79160	27
53116	147	56140	158	58074	163	77607	21	79165	27
53120	132	56160	177	58075	134	77637	22	79170	27
53120	147	56162	184	58075	163	77712	27	79175	27
53121	133	56163	184	58076	134	77717	27	79180	27
53121	147	56164	184	58076	163	77722	27	79185	21
534 684	51	56165	184	58077	134	77727	27	79190	21
534 691	51	56166	185	58077	163	77732	27	79195	21
53507	220	56167	185	58120	132	77737	27	79205	21
53511	220	56169	184	58120	146	77742	30	79210	25
53561	217	56170	184	58130	132	77747	30	79215	25
53601	157	56173	185	58130	146	78047	28	79220	25
55020	135	56174	185	58136	132	78052	28	79225	25
55020	149	56250	215	58136	146	78057	28	79230	25
55040	135	56255	215	592 011	50	78062	28	79235	25
55040	149	56260	215	592 028	50	78067	28	79240	25
55060	135	56265	215	592 035	50	78072	28	79245	25
55060	149	56270	215	592 042	50	78077	30	79250	25
55070	135	56275	215	592 059	50	78082	30	79255	25
55080	135	56280	215	592 066	50	78087	30	79260	25
55090	135	56285	215	592 073	50	78092	30	79265	25
55100	135	56290	215	60010	216	78097	30	79270	25
55100	149	56300	215	60651	143	78102	30	79275	25
55120	135	56305	215	622 657	216	78107	30	79280	25
55120	149	56310	214	65104	144	78112	30	79285	25
55140	135	56360	214	65152	144	78117	30	79290	25
55140	149	56365	214	65153	144	78122	30	79295	26
55160	135	56370	15	65154	144	78147	29	793 524	215
55160	149	56370	210	65206	144	78152	29	793 562	216
556 198	52	56375	15	65254	144	78157	29	793 579	216
556 204	52	56375	210	65256	144	78162	29	79300	26
556 211	52	56380	16	65258	144	78167	29	79305	26
556 228	49	56380	210	68430	135	78172	28	79310	26
556 235	49	56385	16	68431	135	78177	28	79315	26
556 242	49	56385	210	68432	135	78182	28	79320	26
556 495	51	56390	16	68433	135	78187	28	79325	26
556 501	51	56390	210	68434	135	78192	28	79330	26
556 518	51	57063	211	68435	135	78197	28	79335	26
556 556	48	57075	213	69627	166	78202	31	79340	26
556 563	48	57076	213	69628	166	78207	31	79345	26
556 570	48	57078	212	77022	20	78242	30	79350	26
556 587	48	57080	16	77023	21	78242	42	79355	26
556 594	48	57080	212	77027	20	78247	30	79360	26
556 600	48	57081	212	77028	21	78247	42	79365	26
556 617	48	57082	220	77032	20	78252	30	79370	26
556 624	48	57112	132	77033	21	78252	42	79375	25
556 631	48	57112	146	77037	20	78257	30	79380	25

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
79385	25	79950	190	80415	36	81050	40	84215	78
79390	25	79970	190	80420	36	81055	40	84220	78
79395	25	79975	190	80425	36	81060	40	84225	78
79400	25	79980	190	80430	36	81065	40	84230	78
79405	25	80010	39	80435	36	81070	40	84235	78
79410	25	80015	39	80440	36	81075	40	84240	78
79415	25	80020	39	80445	37	81080	191	84245	76
79420	25	80025	39	80450	37	81085	191	84250	76
79425	26	80030	39	80455	37	81090	191	84255	76
79430	26	80035	39	80460	37	81095	191	84260	76
79435	26	80040	39	80465	37	81100	191	84265	76
79440	26	80045	39	80470	37	81105	191	84270	76
79445	26	80050	39	80475	37	82000	36	84275	77
79450	26	80055	39	80480	37	82005	36	84280	77
79455	26	80060	39	80485	37	82010	36	84285	77
79465	26	80061	39	80490	37	82015	36	84290	77
79470	26	80063	39	80495	37	82020	36	84295	77
79475	26	80064	39	80500	37	82025	36	84300	77
79520	20	80065	39	80505	37	82027	167	84305	74
79525	20	80070	39	80510	37	82031	167	84310	74
79530	20	80073	40	80515	37	82042	36	84315	74
79535	20	80075	39	80520	37	82050	36	84320	74
79540	20	80078	40	80525	37	82055	36	84325	74
79545	20	80080	39	80527	166	82100	13	84330	74
79550	20	80081	39	80530	37	82100	195	84335	74
79560	20	80082	39	80531	166	82105	13	84340	74
79565	20	80083	39	80535	37	82105	195	84345	74
79570	20	80085	39	80540	37	82110	13	84350	74
79580	24	80090	39	80545	37	82110	195	84355	74
79585	24	80092	39	80550	37	82115	13	84360	74
79590	24	80095	39	80555	37	82115	195	84365	75
79595	24	80100	39	80560	37	82120	13	84370	75
79635	21	80105	39	80565	37	82120	195	84375	75
79640	21	80110	39	80570	37	82125	13	84380	75
79660	23	80115	39	80575	37	82125	195	84385	75
79680	26	80120	39	80580	38	82130	13	84390	75
79685	26	80125	39	80585	38	82130	195	84395	75
79690	26	80126	39	80590	38	82135	13	84400	75
79695	26	80127	39	80595	38	82135	195	84405	75
79700	27	80160	42	80600	38	82140	13	84410	75
79705	27	80165	42	80605	38	82140	199	84415	75
79710	27	80170	42	80610	38	82150	12	84420	75
79715	27	80180	42	80615	38	82150	36	84425	75
79720	27	80185	42	80620	38	82155	12	84430	75
79725	27	80195	42	80630	38	82155	36	84435	75
79730	27	80200	42	80640	38	82160	12	84440	75
79735	27	80205	42	80650	38	82160	36	84445	75
79740	27	80215	42	80670	38	82165	12	84450	75
79745	27	80220	42	80680	38	82165	36	84455	75
79750	27	80225	42	80690	38	82170	12	84460	75
79755	27	80230	42	80700	38	82170	36	84465	75
79760	24	80235	42	80710	38	82175	12	84545	76
79765	24	80240	42	80720	38	82175	36	84550	76
79770	24	80245	42	80730	38	82180	12	84555	76
79775	24	80250	42	80740	38	82180	36	84560	76
79780	24	80260	42	80750	38	82185	12	84565	76
79785	24	80265	41	80751	38	82185	36	84570	76
79790	24	80270	41	80760	38	82190	12	84575	76
79795	24	80275	41	80770	38	82190	36	84580	76
79800	28	80280	41	80780	38	83001	167	84585	76
79800	178	80285	41	80781	38	83030	167	84590	76
79805	28	80290	41	80782	38	83530	164	84595	76
79805	178	80295	41	80790	38	84030	164	84600	76
79810	28	80300	41	80810	38	84100	78	84605	76
79810	178	80305	41	80820	38	84105	78	84750	77
79815	28	80310	41	80830	38	84110	78	84755	77
79815	178	80315	41	80840	38	84115	78	84760	77
79850	30	80320	41	80850	38	84120	78	84765	77
79855	30	80325	41	80880	38	84125	78	84770	77
79860	30	80330	41	80890	38	84130	79	84775	77
79875	190	80335	41	80900	38	84135	79	84780	77
79876	190	80340	41	80910	38	84140	79	84785	77
79901	196	80345	41	80920	38	84145	79	84790	77
79902	199	80350	41	80930	38	84150	79	84795	77
79903	199	80355	40	80950	38	84155	79	84800	77
79920	190	80360	40	80970	38	84160	79	84805	77
79923	190	80365	40	80990	38	84165	79	84810	77
79925	190	80370	40	81005	40	84170	79	84815	78
79928	190	80375	40	81010	40	84175	79	84820	78
79930	190	80380	40	81015	40	84180	79	84825	78
79933	190	80385	40	81020	40	84185	79	84830	78
79935	190	80390	40	81025	40	84190	79	84835	78
79938	190	80395	40	81030	40	84195	79	84840	78
79940	190	80400	36	81035	40	84200	79	84845	77
79943	190	80405	36	81040	40	84205	79	84850	77
79948	190	80410	36	81045	40	84210	79	84855	77

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
84860	77	88015	112	88445	116	90130	93	90526	126
84865	77	88020	112	88450	116	90135	93	90526	166
84870	77	88025	112	88455	116	90140	93	90530	92
84875	74	88030	112	88460	116	90145	93	90535	92
84880	74	88035	112	88465	116	90150	93	90540	92
84885	74	88040	112	88470	116	90155	93	90541	126
84890	74	88045	112	88475	116	90160	93	90541	166
84895	74	88050	112	88480	116	90165	93	90542	126
84900	74	88055	112	88485	116	90170	93	90542	166
84905	75	88060	112	88490	116	90175	93	90545	93
84910	75	88065	112	88495	116	90180	93	90546	126
84915	75	88070	112	88500	116	90185	93	90546	166
84920	75	88075	112	88505	116	90190	93	90550	93
84925	75	88080	112	88510	116	90195	93	90555	93
84930	75	88085	112	88515	117	90200	93	90556	126
85131	168	88090	112	88520	117	90205	93	90556	166
85132	193	88095	112	88525	117	90210	93	90560	93
85133	193	88100	112	88530	117	90220	93	90561	126
85134	193	88105	112	88535	117	90225	93	90561	166
85136	193	88110	112	88540	117	90230	94	90562	126
85137	193	88115	112	88545	116	90235	94	90562	166
85138	193	88120	113	88550	116	90240	94	90565	93
85146	203	88125	113	88555	116	90245	94	90566	126
85147	203	88130	113	88560	116	90250	94	90566	166
85148	203	88135	113	88565	116	90255	94	90570	93
85149	203	88140	113	88570	116	90260	94	90571	126
85150	203	88145	113	88575	116	90265	94	90571	166
85151	203	88150	113	88580	116	90270	94	90575	93
85995	31	88155	113	88585	116	90275	94	90580	93
85995	42	88160	113	88590	116	90280	94	90581	126
85996	31	88165	113	88595	116	90285	95	90581	166
85996	42	88170	113	88600	116	90290	95	90585	93
85997	31	88175	113	88605	116	90295	95	90590	93
85997	42	88180	113	88610	116	90300	95	90591	126
86400	194	88185	113	88615	116	90305	95	90591	166
86405	194	88190	113	88620	115	90310	96	90595	93
86410	194	88195	113	88625	115	90315	96	90600	93
86415	194	88200	113	88630	115	90320	96	90605	93
86420	194	88205	113	88635	115	90325	96	90610	93
86425	194	88210	113	88640	115	90330	96	90615	93
86500	194	88215	113	88645	115	90335	97	90620	94
86505	194	88220	113	88650	115	90340	97	90625	94
86510	194	88225	113	88655	115	90345	97	90630	94
86515	194	88230	113	88660	115	90350	97	90635	94
86520	194	88235	113	88665	115	90355	96	90640	94
86525	194	88240	113	88670	115	90360	96	90645	96
86530	194	88245	113	88675	115	90365	96	90650	96
86535	194	88250	113	88680	114	90370	96	90655	96
86540	194	88255	113	88685	114	90375	96	90660	96
86545	194	88260	113	88690	114	90380	96	90665	96
86550	194	88265	113	88695	114	90385	96	90670	96
86555	194	88270	113	88700	115	90390	95	90675	97
86560	203	88275	114	88705	115	90395	95	90680	97
86565	203	88280	114	88710	115	90400	95	90685	97
86570	203	88285	114	89312	164	90405	95	90690	97
86575	203	88290	114	89313	164	90410	95	90695	97
86580	203	88295	114	89407	170	90415	95	90700	97
86600	201	88300	114	89408	170	90420	95	90705	95
86605	201	88305	114	89409	170	90425	95	90710	95
86625	201	88310	114	89410	170	90430	95	90715	95
86630	201	88315	114	89413	170	90435	95	90720	95
86650	194	88320	114	90005	92	90440	94	90725	95
86655	194	88325	114	90010	92	90445	94	90730	95
86660	194	88330	114	90015	92	90450	94	90735	94
86665	195	88335	114	90020	92	90455	94	90740	94
86670	195	88340	114	90025	92	90460	94	90745	94
86675	195	88345	114	90030	92	90465	41	90750	94
86680	194	88350	114	90035	92	90465	96	90835	92
86685	194	88355	114	90040	92	90470	41	90840	92
86690	194	88360	114	90045	92	90470	96	90845	93
86700	203	88365	114	90050	92	90475	41	90850	95
86705	203	88370	114	90055	92	90475	96	90855	96
86710	203	88375	114	90060	92	90485	41	90860	96
86715	202	88380	115	90065	92	90485	96	90865	96
86716	202	88385	115	90070	92	90490	41	90870	97
86835	15	88390	115	90075	92	90490	96	90875	95
86835	203	88395	115	90080	93	90500	92	90880	94
86836	15	88400	115	90085	93	90505	92	90885	94
86836	203	88405	115	90090	93	90506	126	90890	41
86837	15	88410	115	90095	93	90506	166	90890	96
86837	203	88415	115	90100	93	90510	92	90895	92
87530	167	88420	115	90105	93	90515	92	90900	93
87531	167	88425	116	90110	93	90520	92	90905	93
88000	112	88430	116	90115	93	90521	126	90910	93
88005	112	88435	116	90120	93	90521	166	90915	93
88010	112	88440	116	90125	93	90525	92	90920	94

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
90925	95	91705	102	92560	164	94070	165	95250	86
91100	106	91710	102	92565	124	94071	125	95255	86
91105	106	91715	102	92565	164	94071	165	95260	86
91110	106	91720	102	92570	124	94072	125	95265	86
91115	106	91725	102	92570	164	94072	165	95270	86
91120	106	91730	102	92580	124	94073	125	95275	86
91125	106	91735	102	92580	164	94073	165	95280	86
91130	107	91740	102	92590	124	94074	125	95285	87
91135	107	91745	102	92590	164	94074	165	95290	87
91140	107	91750	102	92609	129	94080	125	95295	87
91145	107	91755	102	92616	129	94080	165	95300	87
91150	107	91760	102	92757	124	94081	125	95305	87
91155	107	91765	102	92757	164	94081	165	95310	87
91160	107	91770	102	93000	128	94082	125	95315	87
91165	107	91775	102	93000	167	94082	165	95320	87
91170	107	91780	102	93005	128	94083	125	95325	87
91175	105	91785	103	93005	167	94083	165	95330	87
91180	105	91790	103	93020	128	94084	125	95335	88
91185	105	91795	103	93020	167	94084	165	95340	88
91190	105	91800	103	93040	128	94085	125	95345	88
91195	105	91805	103	93040	167	94085	165	95350	88
91200	105	91810	103	93050	128	94090	125	95355	88
91205	104	91815	105	93050	167	94090	165	95360	88
91210	104	91820	105	93055	128	94500	192	95365	88
91215	104	91825	105	93055	167	94505	124	95370	88
91220	104	91830	105	93060	128	94520	124	95375	88
91225	104	91835	105	93060	167	94521	192	95380	88
91230	104	91840	105	93065	128	94535	124	95385	88
91235	104	91845	104	93065	167	94540	124	95390	87
91240	105	91850	104	93070	128	94541	192	95395	87
91245	105	91855	104	93070	167	94646	124	95400	87
91250	105	91860	104	93071	128	94757	23	95405	87
91255	105	91865	104	93071	167	94762	23	95410	87
91260	105	91870	104	93072	128	94767	23	95415	87
91265	105	91875	104	93072	167	94772	23	95420	87
91270	107	91880	104	93073	128	94777	23	95425	87
91275	107	91885	104	93073	167	95002	192	95430	87
91280	107	91890	104	93080	128	95005	84	95435	87
91285	107	91895	104	93080	167	95010	84	95465	88
91290	106	91900	104	93090	128	95015	84	95470	88
91295	106	91905	104	93090	167	95020	84	95475	88
91300	106	91910	103	93511	196	95025	84	95485	88
91305	106	91915	103	93515	196	95030	84	95490	88
91310	106	91920	107	93516	197	95035	84	95500	84
91315	106	91925	106	93517	197	95040	84	95505	84
91320	107	91930	106	93520	123	95045	84	95510	84
91325	107	91935	106	93520	163	95050	84	95515	84
91520	127	91940	106	93540	123	95055	84	95520	84
91520	166	91945	106	93540	163	95060	84	95525	84
91525	127	91950	106	93560	123	95065	84	95530	84
91525	166	92006	127	93560	163	95070	84	95535	84
91540	127	92006	167	93570	123	95075	84	95540	84
91540	166	92021	127	93570	163	95080	85	95545	85
91541	127	92021	167	93580	123	95085	85	95550	85
91541	166	92026	127	93580	163	95090	85	95555	85
91545	127	92026	167	94020	125	95095	85	95560	85
91545	166	92036	127	94020	165	95100	85	95565	85
91560	127	92036	167	94022	125	95105	85	95570	85
91560	166	92041	127	94022	165	95110	85	95575	85
91570	127	92041	167	94023	196	95115	85	95580	85
91570	166	92045	127	94031	196	95120	85	95585	85
91580	127	92045	167	94032	125	95125	85	95590	85
91580	166	92060	127	94032	165	95130	85	95600	85
91590	127	92060	167	94034	125	95135	85	95605	85
91590	166	92070	127	94034	165	95140	85	95610	85
91600	103	92070	167	94036	125	95145	85	95615	85
91605	103	92080	127	94036	165	95150	85	95620	86
91610	103	92080	167	94037	125	95155	85	95625	86
91615	103	92090	127	94037	165	95160	85	95630	86
91620	103	92090	167	94038	125	95165	85	95635	86
91625	103	92221	129	94038	165	95170	85	95640	86
91630	103	92305	129	94039	125	95175	85	95645	87
91635	103	92321	129	94039	165	95180	85	95650	87
91640	103	92406	129	94040	125	95185	85	95655	87
91645	103	92421	129	94040	165	95190	85	95660	88
91650	103	92441	129	94050	125	95195	85	95665	88
91655	103	92446	129	94050	165	95200	85	95670	88
91660	103	92520	124	94052	125	95205	85	95675	88
91665	103	92520	164	94052	165	95210	85	95680	88
91670	103	92525	124	94053	125	95215	85	95685	88
91675	103	92525	164	94053	165	95220	85	95690	88
91680	103	92540	124	94056	125	95225	85	95695	88
91685	103	92540	164	94056	165	95230	86	95700	88
91690	103	92545	124	94060	125	95235	86	95705	87
91695	102	92545	164	94060	165	95240	86	95710	87
91700	102	92560	124	94070	125	95245	86	95715	87

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
95720	86	98350	107						
95725	86	98355	107						
95730	86	98360	107						
95735	86	98365	107						
95770	86	98370	107						
95775	86	98375	106						
95780	86	98380	106						
95785	84	98385	106						
95790	84	98390	102						
95795	85	98395	102						
95800	87	98400	102						
95805	87	98405	102						
95810	88	98410	102						
95815	88	98415	102						
95820	88	98420	104						
95825	87	98425	104						
95830	86	98430	104						
95835	86	98435	104						
95840	88	98440	104						
95845	84	98445	104						
95850	85	98450	104						
95855	85	98455	104						
95860	85	98460	104						
95865	85	98465	104						
95875	87	98470	104						
96101	155	98475	104						
96120	155	98480	104						
96140	127	98485	104						
96141	156	98490	104						
96160	127	98495	103						
96161	156	98500	103						
96165	127	98505	103						
96170	124	98510	103						
96172	124	98515	103						
97001	130	98520	103						
97006	131	98525	105						
97008	130	98530	105						
97102	131	98535	105						
97103	131	98540	106						
97112	129	98545	106						
97113	129	98550	106						
97114	126	99307	124						
97120	197	99308	124						
97121	197	99309	124						
97140	127	99310	124						
97160	127	99311	124						
97165	127	99620	29						
97212	130	99620	128						
97220	130	99620	166						
97520	127	99626	29						
97520	167	99626	128						
97525	127	99626	166						
97525	167	99630	29						
97535	127	99630	128						
97535	167	99630	166						
97540	127	99640	29						
97540	167	99640	128						
97545	127	99640	166						
97545	167	99645	29						
97560	127	99645	128						
97560	167	99645	166						
97570	127	99660	29						
97570	167	99660	128						
97580	127	99660	166						
97580	167	99665	29						
97590	127	99665	128						
97590	167	99665	166						
97690	127	99670	29						
97820	127	99670	128						
97840	127	99670	166						
98000	131	99675	29						
98001	131	99675	128						
98200	192	99675	166						
98201	192	99680	29						
98202	192	99680	128						
98203	192	99680	166						
98300	104	99685	29						
98305	104	99685	128						
98310	104	99685	166						
98315	105	99690	29						
98320	105	99690	128						
98325	105	99690	166						
98330	107								
98335	107								
98340	107								
98345	107								

# Viega

## Terms and Conditions

The Viega logo consists of the word "viega" in a bold, lowercase, sans-serif font, colored yellow, set against a black rectangular background. Below this black rectangle is a solid yellow horizontal bar.

The following standard terms and conditions apply to all sales of products by Viega LLC unless otherwise modified in the order confirmation or delivery note. Any contrary terms in purchase orders or purchaser standard terms and conditions are rejected, and acceptance of the order by Viega LLC is conditioned upon these terms and conditions or as set out specifically in the Viega order confirmation.

### **Terms of Payment**

Terms are net 30 days. Payable in U.S. or Canadian dollars depending on point of delivery. Minimum invoice: \$100 net.

### **Price Changes**

All published prices are subject to change at Viega's sole discretion. Viega historically has given reasonable notice (normally 30 days or more) of an effective date for those changes but reserves the right, under unusual circumstances, to give shorter notice.

### **Sales Orders**

Purchase orders submitted to Viega shall specify Viega part numbers as well as the product description from a Viega catalog. All such offers to purchase are subject to Viega LLC acceptance, which shall be by order confirmation provided to the customer by Viega. Customer is responsible for reviewing the order confirmation and reporting any necessary changes to Viega Customer Service immediately. Mistakes on orders, due to inaccurate or incomplete information from the customer, will be the customer's responsibility and/or subject to Viega's return policy.

### **Terms of Shipment**

For the most current FFA requirements, please consult Viega Customer Service.

### **Restrictions**

Orders from U.S. customers with a "Ship to" Canada location will not be accepted, and U.S. customers are not authorized to sell products to Canada.

### **Transportation and Risk of Loss**

Unless otherwise agreed in advance, delivery of products hereunder shall be FOB Shipping Point, except for products sold for delivery in Canada. Transportation costs are prepaid and added to the invoice unless the order meets freight allowance. Transfer of ownership moves to the customer once leaving our warehouse. Loss or damage claims become the responsibility of the customer, but assistance is available from Viega Customer Service or by visiting [viega.us/order-support](http://viega.us/order-support).

### **Returns**

Il returns are subject to Viega's return policy. No material may be returned without our written permission and return material authorization (RMA) number. Any items with a purchase date older than one year will not be allowed for return. We will accept cataloged and resalable items only. No returns will be allowed for stainless steel pipe, straight lengths of PEX tubing, broken bags; items outside of original packaging; discontinued, damaged, or non-cataloged merchandise. Any material that is authorized to be returned will be subject to a minimum 25% restocking fee. Minimum return \$1500 net invoice value after restocking fee. For more information on returns and the complete return policy, please contact Customer Service.

### **For Products Sold in California**

Some products may contain one or more chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. For further information related to California's Proposition 65, please visit [viega.us](http://viega.us).

**Viega reserves the right to change the information within at its sole discretion.**





# MORE CONFIGURATIONS AVAILABLE THAN ANY CARBON STEEL PRESS FITTING SYSTEM

Scan with phone  
to watch the video



SCAN  
WITH PHONE  
TO VISIT  
viega.us

Zero Lead identifies Viega products meeting the lead-free requirements of NSF 61-G through testing under NSF/ANSI 372 (0.25% or less maximum weighted average lead content).

Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty.

©2023, Viega®, ManaBloc®, MegaPress®, ProPress®, SeaPress®, Smart Connect®, Climate Mat®, Climate Panel®, Climate Trak®, PureFlow®, XL®, Viega Eco Plus®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG. Eco Brass® is a registered trademark of Mitsubishi Shindoh Co., LTD. RIDGID® is a registered trademark of RIDGID, Inc. LoopCAD® is a registered trademark of Avenir Software Inc. Radel® R is a registered trademark of Solvay Advanced Polymers, LLC. LEED® is a registered trademark of the U.S. Green Building Council®.

V  
01873\_EN\_0823

**Viega LLC**  
585 Interlocken Blvd.  
Broomfield, CO 80021  
USA

Phone (800) 976-9819  
customerservice@viega.us  
viega.us

