



No. 50-C



No. 51-C



No. 10-CR



No. 100-CR

No. 50-C – Concentric Reducer

No. 51-C – Eccentric Reducer

No. 10-CR – 90° Reducing Elbow

No. 100-CR – 90° Long Radius Reducing Elbow

Size Nominal Diameter inches (mm)			No. 50-C Conc. Red.	No. 51-C Ecc. Red.	No. 10-CR 90° Red. El.	No. 100-CR 90° Long Radius Red. Elbow
			E to E inches (mm)	E to E inches (mm)	C to E inches (mm)	C to E inches (mm)
4 100	X	3	7.00	7.00	6.50	9.00
	X	80	177,8	177,8	165,1	228,6
6 150	X	3	9.00	9.00	8.00	11.50
	X	80	228,6	228,6	203,2	292,1
	X	4	9.00	9.00	8.00	11.50
	X	100	228,6	228,6	203,2	292,1
8 200	X	3	11.00	11.00	-	-
	X	80	279,4	279,4	-	-
	X	4	11.00	11.00	9.00	14.00
	X	100	279,4	279,4	228,6	355,6
	X	6	11.00	11.00	9.00	14.00
	X	150	279,4	279,4	228,6	355,6
10 250	X	4	12.00	12.00	11.00	16.50
	X	100	304,8	304,8	279,4	419,1
	X	6	12.00	12.00	11.00	16.50
	X	150	304,8	304,8	279,4	419,1
	X	8	12.00	12.00	11.00	16.50
	X	200	304,8	304,8	279,4	419,1
12 300	X	4	14.00	14.00	12.00	+
	X	100	355,6	355,6	304,8	+
	X	6	14.00	14.00	12.00	19.00
	X	150	355,6	355,6	304,8	482,6
	X	8	14.00	14.00	12.00	19.00
	X	200	355,6	355,6	304,8	482,6
	X	10	14.00	14.00	12.00	19.00
	X	250	355,6	355,6	304,8	482,6
14 350	X	6	16.00	16.00	14.00	+
	X	150	406,4	406,4	355,6	+
	X	8	16.00	16.00	14.00	21.50
	X	200	406,4	406,4	355,6	546,1
	X	10	16.00	16.00	14.00	21.50
	X	250	406,4	406,4	355,6	546,1
	X	12	16.00	16.00	14.00	21.50
	X	300	406,4	406,4	355,6	546,1
16 400	X	6	18.00	18.00	-	+
	X	150	457,2	457,2	-	+
	X	8	18.00	18.00	15.00	24.00
	X	200	457,2	457,2	381,0	609,6
	X	10	18.00	18.00	15.00	24.00
	X	250	457,2	457,2	381,0	609,6
	X	12	18.00	18.00	15.00	24.00
	X	300	457,2	457,2	381,0	609,6
	X	14	18.00	18.00	15.00	24.00
	X	350	457,2	457,2	381,0	609,6




No. 50-C



No. 51-C



No. 10-CR



No. 100-CR

No. 50-C – Concentric Reducer

No. 51-C – Eccentric Reducer

No. 10-CR – 90° Reducing Elbow

No. 100-CR – 90° Long Radius Reducing Elbow

Size Nominal Diameter inches (mm)			No. 50-C Conc. Red.	No. 51-C Ecc. Red.	No. 10-CR 90° Red. El.	No. 100-CR 90° Long Radius Red. Elbow
			E to E inches (mm)	E to E inches (mm)	C to E inches (mm)	C to E inches (mm)
18 450	X	8	19.00	19.00	16.50	-
	X	200	482,6	482,6	419,1	-
	X	10	19.00	19.00	16.50	26.50
	X	250	482,6	482,6	419,1	673,1
	X	12	19.00	19.00	16.50	26.50
	X	300	482,6	482,6	419,1	673,1
	X	14	19.00	19.00	16.50	26.50
	X	350	482,6	482,6	419,1	673,1
20 500	X	16	19.00	19.00	16.50	26.50
	X	400	482,6	482,6	419,1	673,1
	X	8	20.00	20.00	-	-
	X	200	508,0	508,0	-	-
	X	10	20.00	20.00	18.00	29.00
	X	250	508,0	508,0	457,2	736,6
	X	12	20.00	20.00	18.00	29.00
	X	300	508,0	508,0	457,2	736,6
24 600	X	14	20.00	20.00	18.00	29.00
	X	350	508,0	508,0	457,2	736,6
	X	16	20.00	20.00	18.00	29.00
	X	400	508,0	508,0	457,2	736,6
	X	18	20.00	20.00	18.00	29.00
	X	450	508,0	508,0	457,2	736,6
	X	8	+	+	+	+
	X	200	+	+	+	+
24 600	X	10	+	+	+	+
	X	250	+	+	+	+
	X	12	24.00	24.00	22.00	34.00
	X	300	609,6	609,6	558,8	863,6
	X	14	24.00	24.00	22.00	34.00
	X	350	609,6	609,6	558,8	863,6
	X	16	24.00	24.00	22.00	34.00
	X	400	609,6	609,6	558,8	863,6
24 600	X	18	24.00	24.00	22.00	34.00
	X	450	609,6	609,6	558,8	863,6
	X	20	24.00	24.00	22.00	34.00
	X	500	609,6	609,6	558,8	863,6




No. 50-C




No. 51-C

No. 50-C – Concentric Reducer
No. 51-C – Eccentric Reducer
No. 10-CR – 90° Reducing Elbow
No. 100-CR – 90° Long Radius Reducing Elbow



No. 10-CR



No. 100-CR

Size Nominal Diameter inches (mm)			No. 50-C Conc. Red.	No. 51-C Ecc. Red.	No. 10-CR 90° Red. El.	No. 100-CR 90° Long Radius Red. Elbow
			E to E inches (mm)	E to E inches (mm)	C to E inches (mm)	C to E inches (mm)
30 750	X	6	-	-	-	-
	X	150	-	-	-	-
	X	8	+	+	+	-
	X	200	+	+	+	-
	X	10	+	+	+	-
	X	250	+	+	+	-
	X	12	+	+	+	-
	X	300	+	+	+	-
	X	14	+	+	25.00	-
	X	350	+	+	635,0	-
	X	16	+	30.00	25.00	41.50
	X	400	+	762,0	635,0	1054,1
	X	18	+	30.00	25.00	41.50
	X	450	+	762,0	635,0	1054,1
	X	20	30.00	30.00	25.00	41.50
	X	500	762,0	762,0	635,0	1054,1
36 900	X	24	30.00	30.00	25.00	41.50
	X	600	762,0	762,0	635,0	1054,1
	X	8	+	+	+	-
	X	200	+	+	+	-
	X	10	+	+	+	-
	X	250	+	+	+	-
	X	12	+	+	+	-
	X	300	+	+	+	-
	X	14	+	+	+	-
	X	350	+	+	+	-
	X	16	+	+	+	-
	X	400	+	+	+	-
	X	18	+	+	+	-
	X	450	+	+	+	-
	X	20	36.00	36.00	+	49.00
	X	500	914,4	914,4	+	1244,6
	X	24	36.00	36.00	+	49.00
	X	600	914,4	914,4	+	1244,6
	X	30	36.00	36.00	+	49.00
	X	750	914,4	914,4	+	1244,6

+ Contact Victaulic for details.